



RESOURCE AND PATIENT MANAGEMENT SYSTEM

RPMS Uniform Data System (UDS) Reporting System

(BUD)

Technical Manual

Version 6.0
January 2012

Office of Information Technology (OIT)
Division of Information Resource Management
Albuquerque, New Mexico

Table of Contents

1.0	About this Manual	5
1.1	Key Changes for Version 6.0.....	5
1.1.1	Menu Changes	5
1.1.2	Table Name Changes.....	6
1.1.3	Changes Applicable to All Tables and Patient Lists.....	6
1.1.4	Table 4– Selected Patient Characteristics.....	6
1.1.5	Table 6B–Quality of Care Indicators.....	7
1.1.6	Table 7–Health Outcomes and Disparities	7
1.1.7	Table 9D– Characteristics of Special Populations (Table 4).....	7
2.0	Introduction.....	8
2.1	About the BPHC Uniform Data System (UDS)	8
2.2	RPMS UDS Reporting System Overview	9
3.0	Implementation and Maintenance	14
3.1	System Requirements	14
3.2	Security Keys.....	14
4.0	Routines	15
5.0	Tables and Files.....	28
5.1	File List	28
5.2	File Access	29
5.3	Cross References.....	30
5.4	Table File	35
6.0	External Relations	46
6.1	External Calls	46
6.2	Callable Routines.....	74
6.3	Published Entry Points.....	74
6.4	Exported Options.....	74
7.0	Internal Relations	84
8.0	Security Keys.....	85
9.0	Archiving and Purging	86
10.0	Documentation Resources	87
10.1	How to Generate Online Documentation	87
10.2	System Documentation.....	87
10.2.1	%INDEX	87
10.2.2	Inquire Option	88
10.2.3	Print Option File.....	88
10.2.4	List File Attributes.....	88
10.3	Online Help.....	89

11.0 Standards and Conventions Requirements	90
12.0 Glossary	91
Contact Information	94

Preface

This manual contains the technical overview of the Resource and Patient Management System (RPMS) Uniform Data System (UDS) Reporting System for calendar year 2011.

RPMS UDS Reporting is intended for use by Tribal or urban health facilities receiving grant funds for primary care system development programs administered by the Bureau of Primary Health Care (BPHC), Health Resources and Services Administration (HRSA). The RPMS UDS Reporting System provides passive extraction of patient and visit data from the Indian Health Service (IHS) RPMS to produce five of the 10 UDS reports required annually by BPHC grantees.

Note: Submit 2011 Uniform Data System data by February 15, 2012 in order to assure adequate time for review and correction of data errors prior to final submission. Changes to these data will be permitted until March 31, 2012.

The RPMS UDS Reporting System software will be reviewed annually and updated as needed as BPHC reporting requirements change.

Additional information about BPHC grants and BPHC UDS reporting can be found at the following Web site: <http://www.bphc.hrsa.gov/uds/>.

Rules of Behavior

All RPMS users are required to observe Department of Health and Human Services and IHS Rules of Behavior regarding patient privacy and the security of both patient information and IHS computers and networks. This document provides both RPMS and UDS Rules of Behavior.

1.0 About this Manual

This manual provides the technical documentation for the Resource and Patient Management System (RPMS) Uniform Data System (UDS) Reporting System for CY 2011.

1.1 Key Changes for Version 6.0

1.1.1 Menu Changes

- Reports Menu Changes
 - Renamed option “M”
From: Multiple/ALL Tables Zip through 7
To: Multiple/ALL Tables Zip through 9D
 - Added option “4”
4 Table 4: Selected Patient Characteristics
 - Added option “9D”
9D Table 9D: Patient-Related Revenue (Totals Only)
 - Added option “DR”
DR Table 9D: Patient-Related Revenue (Delimited Rept)
- MU Menu Changes
- LST Submenu Changes
 - Renamed option “LST”
From: LST1 Lists for Tables Zip Code, 3A&3B, 5, and 6A
To: LST1 Lists for Tables Zip Code, 3A&3B, 4, 5, and 6A
 - LST1 Submenu Changes
 - Added option “IPPL”
IPPL Income Percent of Poverty Level (Table 4)
 - Added option “PMIS”
PMIS Principle Third Party Medical Insurance (Table 4)
 - Added option “CHAR”
CHAR Characteristics of Special Populations (Table 4)
 - LST2 Submenu Changes:
 - Added option “WAC1”
WAC1 All Patients 2-17 w/WT Assessment & Counseling
 - Added option “WAC2”
WAC2 All Patients 2-17 w/o WT Assessment & Counseling

- Added option “AWS1”
AWS1 All Patients 18+ w/BMI & over/underweight w/plan
 - Added option “AWS2”
AWS2 All Patients 18+ w/o BMI or w/o follow-up plan
 - Added option “TUA1”
TUA1 All Patients 18+ w/tobacco use assessment
 - Added option “TUA2”
TUA2 All Patients 18+ w/o tobacco use assessment
 - Added option “TCI1”
TCI1 All Pts 18+ smokers/tobacco user w/intervention
 - Added option “TCI2”
TCI2 All Pts 18+ smokers/tobacco user w/o intervention
 - Added option “APT1”
APT1 All Asthma Pts 5-40 w/Asthma Therapy Medication
 - Added option “APT2”
APT2 All Asthma Pts 5-40 w/o Asthma Therapy Medication
- LST3 Submenu Changes
- Renamed option “DMR2”
From: DMR2 All DM Pts w/A1c ≥ 7 & ≤ 9 by Race & Hisp Identity
To: DMR2 All DM Pts w/A1c ≥ 7 & < 8 by Race & Hisp Identity
 - Renamed option “DMR3”
From: DMR3 All DM Patients w/A1c > 9 by Race & Hisp Identity
To: DMR3 All DM Pts w/A1c ≥ 8 & ≤ 9 by Race & Hisp Identity
 - Added option “DMR4”
DMR4 All DM Pts w/o A1c or > 9 by Race & Hisp Identity

1.1.2 Table Name Changes

- Added Tables
 - Table 4– Characteristics of Special Populations (Table 4)
 - Table 9D– Characteristics of Special Populations (Table 9D)

1.1.3 Changes Applicable to All Tables and Patient Lists

Added Patient Classification Selection for Reports and Patient Lists

1.1.4 Table 4– Selected Patient Characteristics

Added this new table which reports data on selected characteristics of health center

patients (i.e. income as a percent of poverty level, principal third party medical insurance source, managed care utilization, and characteristics of targeted special populations).

1.1.5 **Table 6B–Quality of Care Indicators**

- Updated Section C (Childhood Immunizations) as follows:
 - Include two Hepatitis A shots
 - Include two or three Rotavirus shots
 - Include two influenza shots
- Added Section E: Weight Assessment and Counseling for Children and Adolescents
- Added Section F: Adult Weight Screening and Follow-up
- Added Section G1: Tobacco Use Assessment
- Added Section G2: Tobacco Cessation Intervention
- Added Section H: Asthma Pharmacological Therapy

1.1.6 **Table 7–Health Outcomes and Disparities**

- Updated table format
- Updated Section C (Diabetes By Race and Hispanic/Latino Identity) as follows:
 - Included column 3d: Patients with HBA1c $\geq 7\%$ and $< 8\%$
 - Included column 3e: Patients with HBA1c $\geq 8\%$ and $\leq 9\%$

1.1.7 **Table 9D– Characteristics of Special Populations (Table 4)**

Added this new table which collects information on charges, collections, supplemental payments, contractual allowances, self-pay sliding discounts, and self-pay bad debt write-off.

2.0 Introduction

Indian Health Service (IHS) RPMS UDS Reporting is intended for use by Tribal or urban health facilities receiving grant funds for primary care system development programs administered by the Bureau of Primary Health Care (BPHC), Health Resources and Services Administration (HRSA). The RPMS UDS Reporting System provides passive extraction of patient and visit data from the RPMS to produce 9 of the 10 UDS reports. For each of the seven reports, RPMS UDS also produces lists of all patients and related visits that are counted in the reports.

Note1: The UDS 2010 reports are due to BPHC on or before February 15, 2012 in order to assure adequate time for review and correction of data errors prior to final submission. Changes to these data will be permitted until March 31, 2012.

Note2: RPMS UDS Reporting System software will be reviewed annually and updated as needed as BPHC reporting requirements change.

2.1 About the BPHC Uniform Data System (UDS)

The BPHC UDS is an integrated reporting system used by all grantees of the following primary care programs administered by the Bureau of Primary Health Care, Health Resources and Services Administration:

- Community Health Center, as defined in Section 330(e) of the Health Centers Consolidation Act as amended
- Migrant Health Center, as defined in Section 330(g) of the Act
- Health Care for the Homeless, as defined in Section 330(h) of the Act
- Public Housing Primary Care, as defined in Section 330(i) of the Act

BPHC collects data on its programs to ensure compliance with legislative mandates and to report to Congress, the Office of Management and Budget (OMB), and other policy makers on program accomplishments. To meet these objectives, BPHC requires grantees submit a core set of information annually that is appropriate for monitoring and evaluating performance and for reporting on annual trends. The UDS is the vehicle used by BPHC to obtain this information.

UDS reports provide a comprehensive picture of all activities within the scope of BPHC-supported projects. Grantees should report on the total unduplicated number of patients and activities within the scope of projects supported by any and all BPHC primary care programs covered by the UDS.

See the Quick Reference Guide in the BUD User Manual for relevant excerpts.
Additional information can be obtained from the following Web site:
<http://www.bphc.hrsa.gov/uds/>.

2.2 RPMS UDS Reporting System Overview

The RPMS UDS Reporting System is a software tool that produces seven of the 10 reports required annually by BPHC grantees. These reports provide an overview of patients and visits at a grantee facility, including number, age, gender, zip code of residence, and race/ethnicity of patients and number of visits by provider type and by key diagnoses and services, quality of care indicators and health outcome and disparities. The system produces the following reports:

- Patients by Zip Code
- Table 3A Patients by Age and Gender
- Table 3B Patients by Hispanic or Latino Identity/Race/Language
- Table 4 Selected Patient Characteristics
- Table 5 Staffing and Utilization (Columns B and C)
 - Table 6A Selected Diagnoses and Services Rendered
 - Table 6B Quality of Care Indicators
 - Table 7 Health Outcome and Disparities
 - Table 9D Patient-Related Revenue

Additionally RPMS UDS will provide the following lists to assist in verifying data:

- LST1—Lists for Tables Zip Code, 3A&3B, 4, 5, and 6A
 - Patient list by zip code, used with the ZIP table
 - Patient list with age and gender information about the patient and a list of all visits for the patient during the report period, used with Table 3A
 - Patient list with Hispanic Identity and race information about the patient and a list of all visits for the patient during the report period, used with Table 3B
 - Patient List used with Table 4, Income As A Percent Of Poverty Level section (Number of patients with an Income as A Percent of Poverty Level (i.e. <100%, 101-150%, 151-200%, >200%, Unknown))
 - Patient List used with Table 4, Principle Third Party Medical Insurance Source section (Number of patients with or without a Principle Third Party Medical Insurance Source)

- Patient List used with Table 4, Characteristics - Special Populations section (Number of patients with Characteristics of Special Populations (i.e. migrant workers, seasonal workers, homeless, school based health center patient, or a veteran))
 - Provider list categorized by BPHC-defined categories to assist in manual calculations of Table 5 Column A (Staffing FTEs)
 - Patient list categorized by UDS-defined service categories (primary provider code) and showing all patients with visits to that provider type during the report period, used with Table 5, Columns B (Visits) and C (Patients)
 - Patient list showing visits to whom the primary provider was uncategorized (i.e. did not map to the BPHC-defined categories), used with Table 5, Columns B (Visits) and C (Patients)
 - Patient list categorized by selected diagnoses (primary POV) and other services, used with Table 6A
- LST2—Lists for Table 6B
 - Patient list by age that had pregnancy-related visits during the past 20 months with at least one pregnancy-related visit during the report period, used with Table 6B.
 - Patient list of two-year-old patients who had their first visit prior to their second birthday, had a medical visit during the report period, and have all required childhood immunizations, used with Table 6B.
 - Patient list of two-year-old patients who had their first visit prior to their second birthday, had a medical visit during the report period, and list the immunizations still needed to complete all required childhood immunizations, used with Table 6B.
 - Patient list of all female patients ages 24–64 who have not had a hysterectomy, had a medical visit during the report period, were first seen in the clinic by their 65th birthday, and had a Pap test in the past three years, used with Table 6B.
 - Patient list of all female patients ages 24–64 who have not had a hysterectomy, had a medical visit during the report period, were first seen in the clinic by their 65th birthday, and *did not* have a Pap test in the past three years, used with Table 6B.
 - Patient list of all children and adolescents ages 2–17 who had a medical visit during the report period, were first seen ever by the grantee prior to their 17th birthday, and had BMI documented and counseling for nutrition and physical activity during the report period, used with Table 6B.
 - Patient list of all children and adolescents ages 2–17 who had a medical visit during the report period, were first seen ever by the grantee prior to their 17th birthday, and *did not* have BMI documented or counseling for nutrition and physical activity during the report period, used with Table 6B.

- Patient list of all adults age 18 or older who had a medical visit during the report period and had BMI documented and if overweight or underweight, a follow-up plan documented, used with Table 6B.
 - Patient list of all adults age 18 or older who had a medical visit during the report period and *did not* have BMI documented or if overweight or underweight, *did not* have a follow-up plan documented, used with Table 6B.
 - Patient list of all adults age 18 or older who had a medical visit during the report period, at least two medical visits ever, and had tobacco use assessed during the report period or the year prior, used with Table 6B.
 - Patient list of all adults age 18 or older who had a medical visit during the report period, at least two medical visits ever, and *did not* have tobacco use assessed during the report period or the year prior, used with Table 6B.
 - Patient list of all adults age 18 or older who had a medical visit during the report period, at least two medical visits ever, used tobacco products within the past 24 months, and who received tobacco cessation counseling or smoking cessation agents during the report period or the year prior, used with Table 6B.
 - Patient list of all adults age 18 or older who had a medical visit during the report period, at least two medical visits ever, used tobacco products within the past 24 months, and who *did not* receive tobacco cessation counseling or smoking cessation agents during the report period or the year prior, used with Table 6B.
 - Patient list of all patients ages 5-40 with a diagnosis of mild, moderate or severe persistent asthma who had a medical visit during the report period, at least two medical visits ever, who received a prescription for or provided inhaled corticosteroid or an accepted alternative medication, used with Table 6B.
 - Patient list of all patients ages 5-40 with a diagnosis of mild, moderate or severe persistent asthma who had a medical visit during the report period, at least two medical visits ever, who *did not* receive a prescription for or provided inhaled corticosteroid or an accepted alternative medication, used with Table 6B.
- LST3–Lists for Table 7
 - Patient list of patients that had pregnancy-related visits during the past 20 months, with at least one pregnancy-related visit during the report period, and who have been diagnosed with HIV, used with Table 7 Section A.
 - Patient list by race and Hispanic or Latino identity of patients that had pregnancy-related visits during the past 20 months, with at least 1 pregnancy-related visit during the report period, used with Table 7 Section A.

- Patient list by race and Hispanic or Latino identity of patients ages 18 to 85 years old who have had two medical visits during the report period and were diagnosed with hypertension before June 30 of the report period, used with Table 7 Section B.
- Patient list by race and Hispanic or Latino identity of patients ages 18 to 85 years old who have had two medical visits during the report period, were diagnosed with hypertension before June 30 of the report period, and who have controlled blood pressure (<140/90 mm Hg) during the report period, used with Table 7 Section B.
- Patient list by race and Hispanic or Latino identity of patients ages 18 to 85 years old who have had two medical visits during the report period, were diagnosed with hypertension before June 30 of the report period, and who do not have controlled blood pressure (<140/90 mm Hg) during the report period, used with Table 7 Section B.
- Patient list by race and Hispanic or Latino identity of patients ages 18 to 75 years old who have had two medical visits during the report period, with a diagnosis of Type I or Type II diabetes anytime through the end of the report period, and without a diagnosis of polycystic ovaries, gestational diabetes, or steroid-induced diabetes, used with Table 7 Section C.
- Patient list by race and Hispanic or Latino identity of patients ages 18 to 75 years old who have had two medical visits during the report period, with a diagnosis of Type I or Type II diabetes anytime through the end of the report period, and without a diagnosis of polycystic ovaries, gestational diabetes, or steroid-induced diabetes and with a most recent hemoglobin A1c of less than 7%, used with Table 7 Section C.
- Patient list by race and Hispanic or Latino identity of patients ages 18 to 75 years old who have had two medical visits during the report period, with a diagnosis of Type I or Type II diabetes anytime through the end of the report period, and without a diagnosis of polycystic ovaries, gestational diabetes, or steroid-induced diabetes and with a most recent hemoglobin A1c greater than or equal to 7% and less than 8%, used with Table 7 Section C.
- Patient list by race and Hispanic or Latino identity of patients ages 18 to 75 years old who have had two medical visits during the report period, with a diagnosis of Type I or Type II diabetes anytime through the end of the report period, and without a diagnosis of polycystic ovaries, gestational diabetes, or steroid-induced diabetes and with a most recent hemoglobin A1c greater than or equal to 8% and less than or equal to 9%, used with Table 7 Section C.

- Patient a list by race and Hispanic or Latino identity of patients ages 18 to 75 years old who have had two medical visits during the report period, with a diagnosis of Type I or Type II diabetes anytime through the end of the report period, and without a diagnosis of polycystic ovaries, gestational diabetes, or steroid-induced diabetes and with a most recent hemoglobin A1c greater than 9%, or with an A1c with no result, or with no A1c test during the report period, used with Table 7 Section C.

You can run reports for individual quarters as well as for the entire calendar year.

Note: Tables 6B and 7 must be run using the Full Calendar Year option. If these reports are run using the Quarterly options, the totals combined will not match the calendar year totals.

The RPMS UDS also includes an option to save all patients that meet the BPHC definition of a patient to an RPMS search template, where it can be used to assist the user with preparing the other needed reports that are submitted to BPHC.

Note: BPHC reporting is based on calendar year (January through December) rather than fiscal year (October through September).

See the “Report Descriptions” section in the BUD User Manual for a description of the detailed logic for each report.

3.0 Implementation and Maintenance

The RPMS UDS occupies the BUD namespace. Options, security locks/keys, templates, routines, and globals are namespaced “BUD.”

3.1 System Requirements

- Kernel 8.0 or higher
- FileMan 21 or higher

3.2 Security Keys

Name	Descriptive Name	Description
BUDZMGR	BUD MANAGER UTILITIES	This key unlocks the manager utilities menu option. Give this key to the person in charge of UDS reporting.
BUDZMENU	BUD MAIN MENU–UDS	This key unlocks the main UDS menu. It should be assigned to all users who need to run UDS reports.

4.0 Routines

ROUTINE	DESCRIPTION
BUD0BAN	IHS/CMI/LAB–Banner routine for UDS package
BUD0DU	IHS/CMI/LAB–gpra utility calls
BUD0ENV	IHS/CMI/LAB–environmental check 13 Jan 2010 7:22 AM
BUD0EXP	IHS/CMI/LAB–Export to UDS
BUD0RP6B	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B 30 Dec 2010 8:09 PM
BUD0RP6C	IHS/CMI/LAB–UDS REPORT PROCESSOR 01 Dec 2010 3:10
BUD0RP6D	IHS/CMI/LAB–UDS REPORT PROCESSOR 01 Dec 2010 5:11 PM
BUD0RP6I	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD0RP6P	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD0RP6X	IHS/CMI/LAB–measure C
BUD0RP6Y	IHS/CMI/LAB–UDS REPORT PROCESSOR 01 Dec 2010 4:03 PM
BUD0RP7	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD0RP71	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD0RP7A	IHS/CMI/LAB–UDS REPORT PROCESSOR 01 Dec 2010 5:11 PM
BUD0RP7B	IHS/CMI/LAB–UDS REPORT PROCESSOR 01 Dec 2010 5:11 PM
BUD0RP7C	IHS/CMI/LAB–UDS REPORT PROCESSOR 01 Dec 2010 5:11 PM
BUD0RP7F	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD0RP7G	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD0RP7I	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD0RP7J	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD0RP7K	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD0RP7L	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD0RP7M	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B 30 Dec 2010 8:19 PM
BUD0RP7N	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD0RP7O	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD0RP7P	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD0RP7Q	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD0RP7S	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD0RP7T	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD0RPC1	IHS/CMI/LAB–UDS TABLE 6 11 Dec 2007 12:15 PM
BUD0RPC2	IHS/CMI/LAB–UDS TABLE 6 11 Dec 2007 12:15 PM
BUD0RPL1	IHS/CMI/LAB–UDS print lists
BUD0RPL2	IHS/CMI/LAB–UDS print lists
BUD0RPL3	IHS/CMI/LAB–UDS print lists
BUD0RPL4	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD0RPP1	IHS/CMI/LAB–UDS PRINT TABLE 6
BUD0RPT1	IHS/CMI/LAB–UDS REPORT DRIVER 12 Dec 2010 8:11 AM
BUD0RPT2	IHS/CMI/LAB–UDS REPORT DRIVER
BUD0RPTC	IHS/CMI/LAB–UDS REPORT PROCESSOR 03 Feb 2010 1:15 PM
BUD0RPTD	IHS/CMI/LAB–UDS REPORT PROCESSOR

ROUTINE	DESCRIPTION
BUD0RPTL	IHS/CMI/LAB-UDS print lists 12 Dec 2007 12:12 PM 02 Dec 2010 10:43 AM
BUD0RPTP	IHS/CMI/LAB-UDS REPORT PRINT 30 Dec 2010 10:44 AM
BUD0RPTS	IHS/CMI/LAB-UDS REPORT DRIVER 12 Dec 2010 8:11 AM
BUD0STMP	IHS/CMI/LAB-CREATE SEARCH TEMPLATE FOR PGEN (PATIENT) REPORTS
BUD0UPVL	IHS/CMI/LAB-update visit locations UDS 30 Dec 2010 10:34 AM
BUD0UTL1	IHS/CMI/LAB-NO DESCRIPTION PROVIDED 02 Jul 2010 2:07 PM
BUD0UTL2	IHS/CMI/LAB-utilities for BUD
BUD0UTXL	IHS/CMI/LAB-DISPLAY IND LISTS
BUD0UTXS	IHS/CMI/LAB-DISPLAY IND LISTS 16 Dec 2010 1:48 PM
BUD0XTCH	IHS/CMI/LAB-TAXONOMY CHECK FOR FY04 GPRA REPORT
BUD0Z	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA10	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA11	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA12	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA13	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA14	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA15	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA16	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA17	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA18	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA19	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA20	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA21	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA22	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA23	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA24	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA25	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA26	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA27	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA28	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA29	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA30	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA31	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA32	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA33	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA34	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA35	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA36	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA37	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA38	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010

ROUTINE	DESCRIPTION
BUD0ZA39	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA4	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA40	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA41	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA42	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA43	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA44	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA45	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA46	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA47	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA48	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZA49	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZB	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZC	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZD	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZE	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZF	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZG	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZH	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZI	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZJ	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZK	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZL	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZM	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZN	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZO	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZP	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZQ	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD0ZR	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2010
BUD1BAN	IHS/CMI/LAB - Banner routine for UDS package
BUD1DU	IHS/CMI/LAB - gpra utility calls
BUD1ENV	IHS/CMI/LAB - environmental check 13 Jan 2011 7:22 AM
BUD1EXP	IHS/CMI/LAB - Export to UDS
BUD1RP6B	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP6C	IHS/CMI/LAB - UDS REPORT PROCESSOR
BUD1RP6D	IHS/CMI/LAB - UDS REPORT PROCESSOR 01 Dec 2011 5:11 PM
BUD1RP6E	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP6F	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP6G	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP6I	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP6P	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B

ROUTINE	DESCRIPTION
BUD1RP6R	IHS/CMI/LAB - UDS REPORT PROCESSOR 01 Dec 2011 5:11 PM
BUD1RP6S	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP6T	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP6U	IHS/CMI/LAB - UDS REPORT PROCESSOR 01 Dec 2011 5:11 PM
BUD1RP6V	IHS/CMI/LAB - UDS REPORT PROCESSOR 01 Dec 2011 5:11 PM
BUD1RP6W	IHS/CMI/LAB - UDS REPORT PROCESSOR 01 Dec 2011 4:03 PM
BUD1RP6X	IHS/CMI/LAB - measure C
BUD1RP6Y	IHS/CMI/LAB - UDS REPORT PROCESSOR 01 Dec 2011 4:03 PM
BUD1RP7	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP71	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP7A	IHS/CMI/LAB - UDS REPORT PROCESSOR 01 Dec 2011 5:11 PM
BUD1RP7B	IHS/CMI/LAB - UDS REPORT PROCESSOR 01 Dec 2011 5:11 PM
BUD1RP7C	IHS/CMI/LAB - UDS REPORT PROCESSOR 01 Dec 2011 5:11 PM
BUD1RP7F	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP7G	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP7I	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP7J	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP7K	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP7L	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP7M	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP7N	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP7O	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP7P	IHS/CMI/LAB - UDS REPORT DRIVER TABLE
BUD1RP7Q	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP7S	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RP7T	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RPC1	IHS/CMI/LAB - UDS TABLE 6 11 Dec 2007 12:15 PM
BUD1RPC2	IHS/CMI/LAB - UDS TABLE 6 11 Dec 2007 12:15 PM
BUD1RPC3	IHS/CMI/LAB - UDS TABLE 6 11 Dec 2007 12:15 PM
BUD1RPC4	IHS/CMI/LAB - UDS TABLE 6 11 Dec 2007 12:15 PM
BUD1RPL1	IHS/CMI/LAB - UDS print lists
BUD1RPL2	IHS/CMI/LAB - UDS print lists
BUD1RPL3	IHS/CMI/LAB - UDS print lists
BUD1RPL4	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RPL5	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUD1RPP1	IHS/CMI/LAB - UDS PRINT TABLE 6
BUD1RPP2	IHS/CMI/LAB - UDS REPORT PRINT
BUD1RPT1	IHS/CMI/LAB - UDS REPORT DRIVER
BUD1RPT2	IHS/CMI/LAB - UDS REPORT DRIVER
BUD1RPTC	IHS/CMI/LAB - UDS REPORT PROCESSOR 03 Feb 2011 1:15 PM
BUD1RPTD	IHS/CMI/LAB - UDS REPORT PROCESSOR
BUD1RPTL	IHS/CMI/LAB - UDS print lists
BUD1RPTP	IHS/CMI/LAB - UDS REPORT PRINT

ROUTINE	DESCRIPTION
BUD1RPTS	IHS/CMI/LAB - UDS REPORT DRIVER 12 Dec 2011 8:11 AM
BUD1STMP	IHS/CMI/LAB - CREATE SEARCH TEMPLATE FOR PGEN (PATIENT) REPORTS
BUD1UPVL	IHS/CMI/LAB - update visit locations UDS
BUD1UTL1	IHS/CMI/LAB - NO DESCRIPTION PROVIDED 02 Jul 2011 2:07 PM
BUD1UTL2	IHS/CMI/LAB - utilities for BUD
BUD1UTXL	IHS/CMI/LAB - DISPLAY IND LISTS
BUD1UTXS	IHS/CMI/LAB - DISPLAY IND LISTS 16 Dec 2011 1:48 PM
BUD1XTCH	IHS/CMI/LAB - TAXONOMY CHECK FOR FY04 GPRA REPORT
BUD1Y	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 28, 2011
BUD1YA	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 25, 2011
BUD1YAB	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 25, 2011
BUD1YAC	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 25, 2011
BUD1YAD	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 25, 2011
BUD1YAE	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 25, 2011
BUD1YAF	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 25, 2011
BUD1YB	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 28, 2011
BUD1Z	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 25, 2011
BUD1ZA	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA10	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA11	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA12	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA13	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA14	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA15	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA16	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA17	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA18	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA19	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA20	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA21	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA22	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA23	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA24	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA25	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA26	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA27	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA28	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA29	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA30	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA31	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011

ROUTINE	DESCRIPTION
BUD1ZA32	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA33	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA34	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA35	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA36	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA37	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA38	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA39	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA4	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA40	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA41	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA42	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA43	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA44	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA45	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA46	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA5	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA6	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA7	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA8	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZA9	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZB	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZC	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZD	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZE	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZF	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZG	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZH	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZI	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZJ	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZK	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZL	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZM	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZN	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZO	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZP	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZQ	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 27, 2011
BUD1ZR	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 13, 2011
BUD1ZS	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 14, 2011
BUD1ZT	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 12, 2011
BUD1ZU	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 27, 2011
BUD1ZV	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 27, 2011
BUD1ZW	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 17, 2011

ROUTINE	DESCRIPTION
BUD1ZX	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 25, 2011
BUD1ZY	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 25, 2011
BUD1ZZ	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 25, 2011
BUD3BAN	IHS/CMI/LAB-Banner routine for UDS package
BUD4BAN	IHS/CMI/LAB-Banner routine for UDS package
BUD4ENV	IHS/CMI/LAB-environmental check
BUD4EXP	IHS/CMI/LAB-Export to UDS
BUD4RPC1	IHS/CMI/LAB-UDS TABLE 6 05 Dec 2006 5:39 AM
BUD4RPL1	IHS/CMI/LAB-UDS print lists
BUD4RPL2	IHS/CMI/LAB-UDS print lists
BUD4RPP1	IHS/CMI/LAB-UDS PRINT TABLE 6
BUD4RPT1	IHS/CMI/LAB-UDS REPORT DRIVER
BUD4RPT2	IHS/CMI/LAB-UDS REPORT DRIVER
BUD4RPTC	IHS/CMI/LAB-UDS REPORT PROCESSOR
BUD4RPTL	IHS/CMI/LAB-UDS print lists
BUD4RPTP	IHS/CMI/LAB-UDS REPORT PRINT
BUD4TX	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUD4TXA	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUD4TXB	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUD4TXC	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUD4TXCH	IHS/CMI/LAB-TAXONOMY CHECK FOR FY04 GPRA REPORT
BUD4TXD	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUD4TXE	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUD4TXF	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUD4TXFB	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUD4TXFC	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUD4UPVL	IHS/CMI/LAB-update visit locations UDS
BUD4UTXL	IHS/CMI/LAB-DISPLAY IND LISTS
BUD4UTXS	IHS/CMI/LAB-DISPLAY IND LISTS
BUD5BAN	IHS/CMI/LAB-Banner routine for UDS package
BUD5ENV	IHS/CMI/LAB-environmental check
BUD5EXP	IHS/CMI/LAB-Export to UDS
BUD5RPC1	IHS/CMI/LAB-UDS TABLE 6 05 Dec 2006 5:36 AM
BUD5RPL1	IHS/CMI/LAB-UDS print lists
BUD5RPL2	IHS/CMI/LAB-UDS print lists
BUD5RPP1	IHS/CMI/LAB-UDS PRINT TABLE 6
BUD5RPT1	IHS/CMI/LAB-UDS REPORT DRIVER
BUD5RPT2	IHS/CMI/LAB-UDS REPORT DRIVER
BUD5RPTC	IHS/CMI/LAB-UDS REPORT PROCESSOR
BUD5RPTL	IHS/CMI/LAB-UDS print lists
BUD5RPTP	IHS/CMI/LAB-UDS REPORT PRINT
BUD5TX	IHS/CMI/LAB -CREATED BY ^ATXSTX ON JAN 16, 2006
BUD5TXA	IHS/CMI/LAB -CREATED BY ^ATXSTX ON JAN 16, 2006

ROUTINE	DESCRIPTION
BUD5TXB	IHS/CMI/LAB -CREATED BY ^ATXSTX ON JAN 16, 2006
BUD5TXC	IHS/CMI/LAB -CREATED BY ^ATXSTX ON JAN 16, 2006
BUD5TXCH	IHS/CMI/LAB-TAXONOMY CHECK FOR FY04 GPRA REPORT
BUD5TXD	IHS/CMI/LAB -CREATED BY ^ATXSTX ON JAN 16, 2006
BUD5TXE	IHS/CMI/LAB -CREATED BY ^ATXSTX ON JAN 16, 2006
BUD5TXF	IHS/CMI/LAB -CREATED BY ^ATXSTX ON JAN 16, 2006
BUD5UPVL	IHS/CMI/LAB-update visit locations UDS
BUD5UTXL	IHS/CMI/LAB-DISPLAY IND LISTS
BUD5UTXS	IHS/CMI/LAB-DISPLAY IND LISTS
BUD6BAN	IHS/CMI/LAB-Banner routine for UDS package
BUD6ENV	IHS/CMI/LAB-environmental check
BUD6EXP	IHS/CMI/LAB-Export to UDS
BUD6RPC1	IHS/CMI/LAB-UDS TABLE 6 11 Dec 2006 12:15 PM
BUD6RPL1	IHS/CMI/LAB-UDS print lists
BUD6RPL2	IHS/CMI/LAB-UDS print lists
BUD6RPP1	IHS/CMI/LAB-UDS PRINT TABLE 6 05 Dec 2006 6:26 AM
BUD6RPT1	IHS/CMI/LAB-UDS REPORT DRIVER
BUD6RPT2	IHS/CMI/LAB-UDS REPORT DRIVER 02 Dec 2006 11:27 AM
BUD6RPTC	IHS/CMI/LAB-UDS REPORT PROCESSOR
BUD6RPTL	IHS/CMI/LAB-UDS print lists 12 Dec 2006 12:12 PM
BUD6RPTP	IHS/CMI/LAB-UDS REPORT PRINT
BUD6TX	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 02, 2006
BUD6TXA	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 26, 2006
BUD6TXB	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 02, 2006
BUD6TXC	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 26, 2006
BUD6UPVL	IHS/CMI/LAB-update visit locations UDS
BUD6UTXL	IHS/CMI/LAB-DISPLAY IND LISTS
BUD6UTXS	IHS/CMI/LAB-DISPLAY IND LISTS
BUD6XTCH	IHS/CMI/LAB-TAXONOMY CHECK FOR FY04 GPRA REPORT
BUD7BAN	IHS/CMI/LAB-Banner routine for UDS package
BUD7ENV	IHS/CMI/LAB-environmental check
BUD7EXP	IHS/CMI/LAB-Export to UDS
BUD7RPC1	IHS/CMI/LAB-UDS TABLE 6 11 Dec 2007 12:15 PM
BUD7RPL1	IHS/CMI/LAB-UDS print lists
BUD7RPL2	IHS/CMI/LAB-UDS print lists
BUD7RPL3	IHS/CMI/LAB-UDS print lists
BUD7RPP1	IHS/CMI/LAB-UDS PRINT TABLE 6 05 Dec 2007 6:26 AM
BUD7RPT1	IHS/CMI/LAB-UDS REPORT DRIVER
BUD7RPT2	IHS/CMI/LAB-UDS REPORT DRIVER 02 Dec 2007 11:27 AM
BUD7RPTC	IHS/CMI/LAB-UDS REPORT PROCESSOR 03 Feb 2009 1:05 PM
BUD7RPTD	IHS/CMI/LAB-UDS REPORT PROCESSOR
BUD7RPTL	IHS/CMI/LAB-UDS print lists 12 Dec 2007 12:12 PM
BUD7RPTP	IHS/CMI/LAB-UDS REPORT PRINT

ROUTINE	DESCRIPTION
BUD7TX	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD7TXA	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD7TXB	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD7TXC	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD7TXD	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD7TXE	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD7TXF	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD7TXG	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD7TXH	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD7TXI	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD7TXJ	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD7TXK	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD7UPVL	IHS/CMI/LAB–update visit locations UDS
BUD7UTXL	IHS/CMI/LAB–DISPLAY IND LISTS
BUD7UTXS	IHS/CMI/LAB–DISPLAY IND LISTS
BUD7XTCH	IHS/CMI/LAB–TAXONOMY CHECK FOR FY04 GPRA REPORT
BUD8BAN	IHS/CMI/LAB–Banner routine for UDS package 20 Nov 2009 10:00 AM
BUD8DU	IHS/CMI/LAB–gpra utility calls
BUD8ENV	IHS/CMI/LAB–environmental check 13 Jan 2009 7:22 AM
BUD8EXP	IHS/CMI/LAB–Export to UDS
BUD8RP6B	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B 30 Dec 2008 8:09 PM
BUD8RP6C	IHS/CMI/LAB–UDS REPORT PROCESSOR
BUD8RP6D	IHS/CMI/LAB–UDS REPORT PROCESSOR 01 Dec 2008 5:11 PM
BUD8RP6I	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD8RP6P	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD8RP6X	IHS/CMI/LAB–measure C
BUD8RP6Y	IHS/CMI/LAB–UDS REPORT PROCESSOR 01 Dec 2008 4:03 PM
BUD8RP7	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD8RP71	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD8RP7A	IHS/CMI/LAB–UDS REPORT PROCESSOR 01 Dec 2008 5:11 PM
BUD8RP7B	IHS/CMI/LAB–UDS REPORT PROCESSOR 01 Dec 2008 5:11 PM
BUD8RP7C	IHS/CMI/LAB–UDS REPORT PROCESSOR 01 Dec 2008 5:11 PM
BUD8RP7I	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD8RP7J	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD8RP7K	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD8RP7L	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD8RP7M	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B 30 Dec 2008 8:19 PM
BUD8RP7N	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD8RP7O	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD8RP7S	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD8RP7T	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD8RPC1	IHS/CMI/LAB–UDS TABLE 6 11 Dec 2007 12:15 PM
BUD8RPL1	IHS/CMI/LAB–UDS print lists

ROUTINE	DESCRIPTION
BUD8RPL2	IHS/CMI/LAB–UDS print lists
BUD8RPL3	IHS/CMI/LAB–UDS print lists
BUD8RPL4	IHS/CMI/LAB–UDS REPORT DRIVER TABLE 6B
BUD8RPP1	IHS/CMI/LAB–UDS PRINT TABLE 6
BUD8RPT1	IHS/CMI/LAB–UDS REPORT DRIVER 12 Dec 2008 8:11 AM
BUD8RPT2	IHS/CMI/LAB–UDS REPORT DRIVER
BUD8RPTC	IHS/CMI/LAB–UDS REPORT PROCESSOR 03 Feb 2009 1:15 PM
BUD8RPTD	IHS/CMI/LAB–UDS REPORT PROCESSOR
BUD8RPTL	IHS/CMI/LAB–UDS print lists 12 Dec 2007 12:12 PM 02 Dec 2008 10:43 AM
BUD8RPTP	IHS/CMI/LAB–UDS REPORT PRINT 30 Dec 2008 10:44 AM
BUD8TX	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 11, 2008
BUD8TXA	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD8TXB	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD8TXC	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD8TXD	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD8TXE	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD8TXF	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD8TXG	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD8TXH	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD8TXI	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD8TXJ	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD8TXK	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD8TXL	IHS/CMI/LAB -CREATED BY ^ATXSTX ON OCT 29, 2008
BUD8TXM	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 20, 2008
BUD8TXN	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 20, 2008
BUD8TXO	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 20, 2008
BUD8TXP	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 20, 2008
BUD8TXQ	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 11, 2008
BUD8TXR	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 11, 2008
BUD8TXS	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 11, 2008
BUD8TXT	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 11, 2008
BUD8TXU	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 11, 2008
BUD8TXV	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 11, 2008
BUD8TXW	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 11, 2008
BUD8UPVL	IHS/CMI/LAB–update visit locations UDS
BUD8UTL1	IHS/CMI/LAB–NO DESCRIPTION PROVIDED 02 Jul 2008 2:07 PM
BUD8UTXL	IHS/CMI/LAB–DISPLAY IND LISTS
BUD8UTXS	IHS/CMI/LAB–DISPLAY IND LISTS 16 Dec 2008 1:48 PM
BUD8XTCH	IHS/CMI/LAB–TAXONOMY CHECK FOR FY04 GPRA REPORT
BUD9BAN	IHS/CMI/LAB–Banner routine for UDS package
BUD9DU	IHS/CMI/LAB–gpra utility calls
BUD9ENV	IHS/CMI/LAB–environmental check 13 Jan 2009 7:22 AM
BUD9EXP	IHS/CMI/LAB–Export to UDS

ROUTINE	DESCRIPTION
BUD9RP6B	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B 30 Dec 2009 8:09 PM
BUD9RP6C	IHS/CMI/LAB-UDS REPORT PROCESSOR
BUD9RP6D	IHS/CMI/LAB-UDS REPORT PROCESSOR 01 Dec 2009 5:11 PM
BUD9RP6I	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B
BUD9RP6P	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B
BUD9RP6X	IHS/CMI/LAB-measure C
BUD9RP6Y	IHS/CMI/LAB-UDS REPORT PROCESSOR 01 Dec 2009 4:03 PM
BUD9RP7	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B
BUD9RP71	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B 03
BUD9RP7A	IHS/CMI/LAB-UDS REPORT PROCESSOR 01 Dec 2009 5:11 PM
BUD9RP7B	IHS/CMI/LAB-UDS REPORT PROCESSOR 01 Dec 2009 5:11 PM
BUD9RP7C	IHS/CMI/LAB-UDS REPORT PROCESSOR 01 Dec 2009 5:11 PM
BUD9RP7F	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B
BUD9RP7G	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B
BUD9RP7I	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B
BUD9RP7J	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B
BUD9RP7K	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B
BUD9RP7L	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B
BUD9RP7M	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B 30 Dec 2009 8:19 PM
BUD9RP7N	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B
BUD9RP7O	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B
BUD9RP7P	IHS/CMI/LAB-UDS REPORT DRIVER TABLE
BUD9RP7Q	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B
BUD9RP7S	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B
BUD9RP7T	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B
BUD9RPC1	IHS/CMI/LAB-UDS TABLE 6 11 Dec 2007 12:15 PM
BUD9RPC2	IHS/CMI/LAB-UDS TABLE 6 11 Dec 2007 12:15 PM
BUD9RPL1	IHS/CMI/LAB-UDS print lists
BUD9RPL2	IHS/CMI/LAB-UDS print lists
BUD9RPL3	IHS/CMI/LAB-UDS print lists
BUD9RPL4	IHS/CMI/LAB-UDS REPORT DRIVER TABLE 6B
BUD9RPP1	IHS/CMI/LAB-UDS PRINT TABLE 6 BUD9RPT1
BUD9RPT2	IHS/CMI/LAB-UDS REPORT DRIVER BUD9RPTC
BUD9RPTD	IHS/CMI/LAB-UDS REPORT PROCESSOR
BUD9RPTL	IHS/CMI/LAB-UDS print lists 12 Dec 2007 12:12 PM 02 Dec 2009 10:43 AM
BUD9RPTP	IHS/CMI/LAB-UDS REPORT PRINT 30 Dec 2009 10:44 AM
BUD9RPTS	IHS/CMI/LAB-UDS REPORT DRIVER 12 Dec 2009 8:11 AM
BUD9STMP	IHS/CMI/LAB-CREATE SEARCH TEMPLATE FOR PGEN (PATIENT) REPORTS
BUD9TX	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 28, 2009
BUD9TXA	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD9TXB	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD9TXC	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD9TXD	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007

ROUTINE	DESCRIPTION
BUD9TXE	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD9TXF	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD9TXG	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD9TXH	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD9TXI	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD9TXJ	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD9TXK	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 16, 2007
BUD9TXL	IHS/CMI/LAB -CREATED BY ^ATXSTX ON OCT 29, 2009
BUD9TXM	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 20, 2009
BUD9TXN	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 20, 2009
BUD9TXO	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 23, 2009
BUD9TXP	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 23, 2009
BUD9TXQ	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 23, 2009
BUD9TXR	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 11, 2009
BUD9TXS	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 11, 2009
BUD9TXT	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 11, 2009
BUD9TXU	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 11, 2009
BUD9TXV	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 11, 2009
BUD9TXW	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 11, 2009
BUD9TXX	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 29, 2009
BUD9TXY	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 29, 2009
BUD9TXZ	IHS/CMI/LAB -CREATED BY ^ATXSTX ON DEC 28, 2009
BUD9UPVL	IHS/CMI/LAB–update visit locations UDS 30 Dec 2009 10:34 AM
BUD9UTL1	IHS/CMI/LAB–NO DESCRIPTION PROVIDED 02 Jul 2009 2:07 PM
BUD9UTL2	IHS/CMI/LAB–utilities for BUD
BUD9UTXL	IHS/CMI/LAB–DISPLAY IND LISTS
BUD9UTXS	IHS/CMI/LAB–DISPLAY IND LISTS 16 Dec 2009 1:48 PM
BUD9XTCH	IHS/CMI/LAB–TAXONOMY CHECK FOR FY04 GPRA REPORT
BUDBAN	IHS/CMI/LAB–Banner routine for UDS package
BUDENV	IHS/CMI/LAB–environmental check
BUDEXP	IHS/CMI/LAB–Export to UDS
BUDRPT1	IHS/CMI/LAB–UDS REPORT DRIVER
BUDRPT2	IHS/CMI/LAB–UDS REPORT DRIVER
BUDRPTC	IHS/CMI/LAB–UDS REPORT PROCESSOR
BUDRPTC1	IHS/CMI/LAB–UDS TABLE 6
BUDRPTL	IHS/CMI/LAB–UDS print lists
BUDRPTL1	IHS/CMI/LAB–UDS print lists
BUDRPTL2	IHS/CMI/LAB–UDS print lists
BUDRPTP	IHS/CMI/LAB–UDS REPORT PRINT
BUDRPTP1	IHS/CMI/LAB–UDS PRINT TABLE 6
BUDTX	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUDTXA	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUDTXB	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004

ROUTINE	DESCRIPTION
BUDTXC	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUDTXCH	IHS/CMI/LAB-TAXONOMY CHECK FOR FY04 GPRA REPORT
BUDTXD	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUDTXE	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUDTXEB	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUDTXEC	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUDTXF	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUDTXG	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUDTXH	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUDTXI	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUDTXJ	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 02, 2004
BUDUPVL	IHS/CMI/LAB–update visit locations UDS

5.0 Tables and Files

5.1 File List

File	Global	Name
90345.1	^BUDUSITE	UDS SITE PARAMETERS
90345.2	^BUDCNTL	UDS CONTROL TABLES
90345.3	^BUDTTA	UDS TABLE 3 FORMAT
90345.4	^BUDIL	UDS INCOME LEVELS
90345.5	^BUDTFIVE	UDS TABLE 5 FORMAT
90346.1	^BUDFSITE	UDS 04 SITE PARAMETERS
90346.2	^BUDFCNTL	UDS 04 CONTROL TABLES
90346.3	^BUDFTTA	UDS 04 TABLE 3 FORMAT
90346.4	^BUDFIL	UDS 04 INCOME LEVELS
90346.5	^BUDFTFIV	UDS 04 TABLE 5 FORMAT
90347.1	^BUDVSITE	UDS 05 SITE PARAMETERS
90347.2	^BUDVCNTL	UDS 05 CONTROL TABLES
90347.3	^BUDVTTA	UDS 05 TABLE 3 FORMAT
90347.4	^BUDVIL	UDS 05 INCOME LEVELS
90347.5	^BUDVTFIV	UDS 05 TABLE 5 FORMAT
90348.1	^BUDSSITE	UDS 06 SITE PARAMETERS
90348.2	^BUDSCNTL	UDS 06 CONTROL TABLES
90348.3	^BUDSTTA	UDS 06 TABLE 3 FORMAT
90348.4	^BUDSIL	UDS 06 INCOME LEVELS
90348.5	^BUDSTFIV	UDS 06 TABLE 5 FORMAT
90349.1	^BUDEBSITE	UDS 07 SITE PARAMETERS
90349.2	^BUDECNTL	UDS 07 CONTROL TABLES
90349.3	^BUDETAA	UDS 07 TABLE 3 FORMAT
90349.4	^BUDEIL	UDS 07 INCOME LEVELS
90349.5	^BUDETFIV	UDS 07 TABLE 5 FORMAT
90660.1	^BUDGSITE	UDS 08 SITE PARAMETERS
90660.2	^BUDGCNTL	UDS 08 CONTROL TABLES
90660.3	^BUDGTTA	UDS 08 TABLE 3 FORMAT
90660.4	^BUDGIL	UDS 08 INCOME LEVELS
90660.5	^BUDGTFIV	UDS 08 TABLE 5 FORMAT
90661.1	^BUDNSITE	UDS 09 SITE PARAMETERS
90661.2	^BUDNCNTL	UDS 09 CONTROL TABLES
90661.3	^BUDNTTA	UDS 09 TABLE 3 FORMAT
90661.4	^BUDNIL	UDS 09 INCOME LEVELS
90661.5	^BUDNTFIV	UDS 09 TABLE 5 FORMAT
90662.1	^BUDTSITE	UDS 10 SITE PARAMETERS
90662.2	^BUDTCNTL	UDS 10 CONTROL TABLES

File	Global	Name
90662.3	^BUDTTA	UDS 10 TABLE 3 FORMAT
90662.4	^BUDTIL	UDS 10 INCOME LEVELS
90662.5	^BUDTFIV	UDS 10 TABLE 5 FORMAT
90663.1	^BUDLSITE	UDS 11 SITE PARAMETERS
90663.2	^BUDLCNTL	UDS 11 CONTROL TABLES
90662.3	^BUDLTAA	UDS 11 TABLE 3 FORMAT
90663.4	^BUDLIL	UDS 11 INCOME LEVELS
90663.5	^BUDLTFIV	UDS 11 TABLE 5 FORMAT

5.2 File Access

File (#)	Global	RD	WR	LYG	DD	DEL
90345.1	^BUDUSITE	M	M	M	@	@
90345.2	^BUDCNTL	@	@	@	@	@
90345.3	^BUDTTA	@	@	@	@	@
90345.4	^BUDLIL	@	@	@	@	@
90345.5	^BUDTFIVE	@	@	@	@	@
90346.1	^BUDFSITE	M	M	M	@	@
90346.2	^BUDFCNTL	@	@	@	@	@
90346.3	^BUDFTTA	@	@	@	@	@
90346.4	^BUDFIL	@	@	@	@	@
90346.5	^BUDFTFIV	@	@	@	@	@
90347.1	^BUDVSITE	M	M	M	@	@
90347.2	^BUDVCNTL	@	@	@	@	@
90347.3	^BUDVTTA	@	@	@	@	@
90347.4	^BUDVIL	@	@	@	@	@
90347.5	^BUDVTFIV	@	@	@	@	@
90348.1	^BUDSSITE	M	M	M	@	@
90348.2	^BUDSCNTL	@	@	@	@	@
90348.3	^BUDSTTA	@	@	@	@	@
90348.4	^BUDSIL	@	@	@	@	@
90348.5	^BUDSTFIV	@	@	@	@	@
90349.1	^BUDEBSITE	M	M	M	@	@
90349.2	^BUDECNTL	@	@	@	@	@
90349.3	^BUDETAA	@	@	@	@	@
90349.4	^BUDEIL	@	@	@	@	@
90349.5	^BUDETFIV	@	@	@	@	@
90660.1	^BUDGSITE	M	M	M	@	@
90660.2	^BUDGCNTL	@	@	@	@	@
90660.3	^BUDGTTA	@	@	@	@	@
90660.4	^BUDGIL	@	@	@	@	@
90660.5	^BUDGTFIV	@	@	@	@	@
90661.1	^BUDNSITE	M	M	M	@	@

File (#)	Global	RD	WR	LYG	DD	DEL
90661.2	^BUDNCNTL	@	@	@	@	@
90661.3	^BUDNTTA	@	@	@	@	@
90661.4	^BUDNIL	@	@	@	@	@
90661.5	^BUDNTFIV	@	@	@	@	@
90662.1	^BUDTSITE	M	M	M	@	@
90662.2	^BUDTCNTL	@	@	@	@	@
90662.3	^BUDTTA	@	@	@	@	@
90662.4	^BUDTIL	@	@	@	@	@
90662.5	^BUDTTFIV	@	@	@	@	@
90663.1	^BUDLSITE	M	M	M	@	@
90663.2	^BUDLCNTL	@	@	@	@	@
90663.3	^BUDLTIA	@	@	@	@	@
90663.4	^BUDTIL	@	@	@	@	@
90663.5	^BUDLTFIV	@	@	@	@	@

5.3 Cross References

90345.1 UDS SITE PARAMETERS

.01 SITE NAME

B Regular type cross reference

90345.2 UDS CONTROL TABLES

.01 TYPE OF CONTROL

B Regular type cross reference

90345.3 UDS TABLE 3 FORMAT

.01 LINE NUMBER

B Regular type cross reference

90345.4 UDS INCOME LEVELS

.01 NUMBER IN HOUSEHOLD

B Regular type cross reference

90345.5 UDS TABLE 5 FORMAT

.01 LINE NUMBER

B Regular type cross reference

90346.1 UDS 04 SITE PARAMETERS

.01 SITE NAME

B Regular type cross reference

90346.2 UDS 04 CONTROL TABLES

.01 TYPE OF CONTROL

B Regular type cross reference

90346.3 UDS 04 TABLE 3 FORMAT

.01 LINE NUMBER

B Regular type cross reference

90346.4 UDS 04 INCOME LEVELS

.01 NUMBER IN HOUSEHOLD

B Regular type cross reference

90346.5 UDS 04 TABLE 5 FORMAT

.01 LINE NUMBER

B Regular type cross reference

90347.1 UDS 05 SITE PARAMETERS

.01 SITE NAME

B Regular type cross reference

90347.2 UDS 05 CONTROL TABLES

.01 TYPE OF CONTROL

B Regular type cross reference

90347.3 UDS 05 TABLE 3 FORMAT

.01 LINE NUMBER

B Regular type cross reference

90347.4 UDS 05 INCOME LEVELS

.01 NUMBER IN HOUSEHOLD

B Regular type cross reference

90347.5 UDS 05 TABLE 5 FORMAT

.01 LINE NUMBER

B Regular type cross reference

90348.1 UDS 06 SITE PARAMETERS

.01 SITE NAME

B Regular type cross reference

90348.2 UDS 06 CONTROL TABLES

.01 TYPE OF CONTROL

B Regular type cross reference

90348.3 UDS 06 TABLE 3 FORMAT

.01 LINE NUMBER

B Regular type cross reference

90348.4 UDS 06 INCOME LEVELS

.01 NUMBER IN HOUSEHOLD

B Regular type cross reference

90348.5 UDS 06 TABLE 5 FORMAT

.01 LINE NUMBER

B Regular type cross reference

90349.1 UDS 07 SITE PARAMETERS

.01 SITE NAME

B Regular type cross reference

90349.2 UDS 07 CONTROL TABLES

.01 TYPE OF CONTROL

B Regular type cross reference

90349.3 UDS 07 TABLE 3 FORMAT

.01 LINE NUMBER

B Regular type cross reference

90349.4 UDS 07 INCOME LEVELS

.01 NUMBER IN HOUSEHOLD

B Regular type cross reference

90349.5 UDS 07 TABLE 5 FORMAT

.01 LINE NUMBER

B Regular type cross reference

90660.1 UDS 08 SITE PARAMETERS

.01 SITE NAME

B Regular type cross reference

90660.2 UDS 08 CONTROL TABLES

.01 TYPE OF CONTROL

B Regular type cross reference

90660.3 UDS 08 TABLE 3 FORMAT

.01 LINE NUMBER

B Regular type cross reference

90660.4 UDS 08 INCOME LEVELS

.01 NUMBER IN HOUSEHOLD

B Regular type cross reference

90660.5 UDS 08 TABLE 5 FORMAT

.01 LINE NUMBER

B Regular type cross reference

90661.1 UDS 09 SITE PARAMETERS

.01 SITE NAME

B Regular type cross reference

90661.2 UDS 09 CONTROL TABLES

.01 TYPE OF CONTROL

B Regular type cross reference

90661.3 UDS 09 TABLE 3 FORMAT

.01 LINE NUMBER

B Regular type cross reference

90661.4 UDS 09 INCOME LEVELS

.01 NUMBER IN HOUSEHOLD

B Regular type cross reference

90661.5 UDS 09 TABLE 5 FORMAT

.01 LINE NUMBER

B Regular type cross reference

90662.1 UDS 10 SITE PARAMETERS

.01 SITE NAME

B Regular type cross reference

90662.2 UDS 10 CONTROL TABLES

.01 TYPE OF CONTROL

B Regular type cross reference

90662.3 UDS 10 TABLE 3 FORMAT

.01 LINE NUMBER

B Regular type cross reference

90662.4 UDS 10 INCOME LEVELS

.01 NUMBER IN HOUSEHOLD

B Regular type cross reference

90662.5 UDS 10 TABLE 5 FORMAT

.01 LINE NUMBER

B Regular type cross reference

90663.1 UDS 11 SITE PARAMETERS

.01 SITE NAME

B Regular type cross reference

90663.2 UDS 11 CONTROL TABLES

.01 TYPE OF CONTROL

B Regular type cross reference

90663.3 UDS 11 TABLE 3 FORMAT

.01 LINE NUMBER

B Regular type cross reference

90663.4 UDS 11 INCOME LEVELS

.01 NUMBER IN HOUSEHOLD

B Regular type cross reference

90663.5 UDS 11 TABLE 5 FORMAT

.01 LINE NUMBER

B Regular type cross reference

5.4 Table File**File: 90345.1 UDS SITE PARAMETERS****Global: ^BUDUSITE**

Field #	Field Name	Subscript	Piece	Type
.01	SITE NAME	D0,0	1	P
.02	UDS NO.	D0,0	1	F
1101	VISIT LOCATIONS FOR UDS	90345.111		
.01	VISIT LOCATION FOR UDS	D0,11,D1,0	1	P

File: 90345.2 UDS CONTROL TABLES**Global: ^BUDCNTL(**

Field #	Field Name	Subscript	Piece	Type
.01	TYPE OF CONTROL	D0,0	1	F
1101	ITEMS/VALUE (90345.211)			
.01	ITEMS/VALUE	D0,11,D1,0	1	F

FILE: 90345.3 UDS TABLE 3 FORMAT**GLOBAL: ^BUDTTA**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	N
.02	COLUMN 1 HEADER	"	2	F

Field #	Field Name	Subscript	Piece	Type
.03	COLUMN 2 HEADER	"	3	F
.04	COLUMN 3 HEADER	"	4	F
.05	COLUMN 4 HEADER	"	5	F
.06	COLUMN 5 HEADER	"	6	F
.07	LOW VALUE	"	7	N
.08	HIGH VALUE	"	8	N
.05	COLUMN 4 HEADER	"	5	F

FILE: 90345.4 UDS INCOME LEVELS**GLOBAL: ^BUDIL(**

Field #	Field Name	Subscript	Piece	Type
.01	NUMBER IN HOUSEHOLD	D0,0	1	N
.02	BELOW 100%	D0,0	2	N
.03	OVER 200%	D0,0	3	N

FILE: 90345.5 UDS TABLE 5 FORMAT**GLOBAL: ^BUDTFIVE(**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	F
.02	LABEL	"	2	F
.03	LABEL 2	"	3	F
.04	LABEL 3	"	4	F
1101	PROVIDER CLASS CODES (90345.511)			
.01	PROVIDER CLASS CODE	"	1	P

File: 90346.1 UDS 04 SITE PARAMETERS**Global: ^BUDFSITE**

Field #	Field Name	Subscript	Piece	Type
.01	SITE NAME	D0,0	1	P
.02	UDS NO.	D0,0	1	F
1101	VISIT LOCATIONS FOR UDS	90346.111		
.01	VISIT LOCATION FOR UDS	D0,11,D1,0	1	P

File: 90346.2 UDS 04 CONTROL TABLES**Global: ^BUDCNTL(**

Field #	Field Name	Subscript	Piece	Type
.01	TYPE OF CONTROL	D0,0	1	F
1101	ITEMS/VALUE (90346.211)			
.01	ITEMS/VALUE	D0,11,D1,0	1	F

FILE: 90346.3 UDS 04 TABLE 3 FORMAT**GLOBAL: ^BUDFTTA**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	N
.02	COLUMN 1 HEADER	"	2	F
.03	COLUMN 2 HEADER	"	3	F
.04	COLUMN 3 HEADER	"	4	F
.05	COLUMN 4 HEADER	"	5	F
.06	COLUMN 5 HEADER	"	6	F
.07	LOW VALUE	"	7	N
.08	HIGH VALUE	"	8	N
.05	COLUMN 4 HEADER	"	5	F

FILE: 90346.4 UDS 04 INCOME LEVELS**GLOBAL: ^BUDFIL(**

Field #	Field Name	Subscript	Piece	Type
.01	NUMBER IN HOUSEHOLD	D0,0	1	N
.02	BELOW 100%	D0,0	2	N
.03	OVER 200%	D0,0	3	N

FILE: 90346.5 UDS 04 TABLE 5 FORMAT**GLOBAL: ^BUDFTFIV (**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	F
.02	LABEL	"	2	F
.03	LABEL 2	"	3	F
.04	LABEL 3	"	4	F
1101	PROVIDER CLASS CODES (90346.511)			
.01	PROVIDER CLASS CODE	"	1	P

File: 90347.1 UDS 05 SITE PARAMETERS**Global: ^BUDVSITE**

Field #	Field Name	Subscript	Piece	Type
.01	SITE NAME	D0,0	1	P
.02	UDS NO.	D0,0	1	F
1101	VISIT LOCATIONS FOR UDS	90346.111		
.01	VISIT LOCATION FOR UDS	D0,11,D1,0	1	P

File: 90347.2 UDS 05 CONTROL TABLES**Global: ^BUDVCNTL(**

Field #	Field Name	Subscript	Piece	Type
.01	TYPE OF CONTROL	D0,0	1	F
1101	ITEMS/VALUE (90346.211)			
.01	ITEMS/VALUE	D0,11,D1,0	1	F

FILE: 90347.3 UDS 05 TABLE 3 FORMAT**GLOBAL: ^BUDVTAA**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	N
.02	COLUMN 1 HEADER	"	2	F
.03	COLUMN 2 HEADER	"	3	F
.04	COLUMN 3 HEADER	"	4	F
.05	COLUMN 4 HEADER	"	5	F
.06	COLUMN 5 HEADER	"	6	F
.07	LOW VALUE	"	7	N
.08	HIGH VALUE	"	8	N
.05	COLUMN 4 HEADER	"	5	F

FILE: 90347.4 UDS 05 INCOME LEVELS**GLOBAL: ^BUDVFIL(**

Field #	Field Name	Subscript	Piece	Type
.01	NUMBER IN HOUSEHOLD	D0,0	1	N
.02	BELOW 100%	D0,0	2	N
.03	OVER 200%	D0,0	3	N

FILE: 90347.5 UDS 05 TABLE 5 FORMAT**GLOBAL: ^BUDVTFIV (**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	F
.02	LABEL	"	2	F
.03	LABEL 2	"	3	F
.04	LABEL 3	"	4	F
1101	PROVIDER CLASS CODES (90346.511)			
.01	PROVIDER CLASS CODE	"	1	P

File: 90348.1 UDS 06 SITE PARAMETERS**Global: ^BUDSSITE**

Field #	Field Name	Subscript	Piece	Type
.01	SITE NAME	D0,0	1	P
.02	UDS NO.	D0,0	1	F
1101	VISIT LOCATIONS FOR UDS	90346.111		
.01	VISIT LOCATION FOR UDS	D0,11,D1,0	1	P

File: 90348.2 UDS 06 CONTROL TABLES**Global: ^BUDSCNTL(**

Field #	Field Name	Subscript	Piece	Type
.01	TYPE OF CONTROL	D0,0	1	F
1101	ITEMS/VALUE (90346.211)			
.01	ITEMS/VALUE	D0,11,D1,0	1	F

FILE: 90348.3 UDS 06 TABLE 3 FORMAT**GLOBAL: ^BUDSTTA**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	N
.02	COLUMN 1 HEADER	"	2	F
.03	COLUMN 2 HEADER	"	3	F
.04	COLUMN 3 HEADER	"	4	F
.05	COLUMN 4 HEADER	"	5	F
.06	COLUMN 5 HEADER	"	6	F
.07	LOW VALUE	"	7	N
.08	HIGH VALUE	"	8	N
.05	COLUMN 4 HEADER	"	5	F

FILE: 90348.4 UDS 06 INCOME LEVELS**GLOBAL: ^BUDSFIL(**

Field #	Field Name	Subscript	Piece	Type
.01	NUMBER IN HOUSEHOLD	D0,0	1	N
.02	BELOW 100%	D0,0	2	N
.03	OVER 200%	D0,0	3	N

FILE: 90348.5 UDS 06 TABLE 5 FORMAT**GLOBAL: ^BUDSTFIV (**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	F
.02	LABEL	"	2	F

Field #	Field Name	Subscript	Piece	Type
.03	LABEL 2	"	3	F
.04	LABEL 3	"	4	F
1101	PROVIDER CLASS CODES (90346.511)			
.01	PROVIDER CLASS CODE	"	1	P

File: 90349.1 UDS 07 SITE PARAMETERS**Global: ^BUDVSITE**

Field #	Field Name	Subscript	Piece	Type
.01	SITE NAME	D0,0	1	P
.02	UDS NO.	D0,0	1	F
1101	VISIT LOCATIONS FOR UDS	90346.111		
.01	VISIT LOCATION FOR UDS	D0,11,D1,0	1	P

File: 90349.2 UDS 07 CONTROL TABLES**Global: ^BUDVCNTL(**

Field #	Field Name	Subscript	Piece	Type
.01	TYPE OF CONTROL	D0,0	1	F
1101	ITEMS/VALUE (90346.211)			
.01	ITEMS/VALUE	D0,11,D1,0	1	F

FILE: 90349.3 UDS 07 TABLE 3 FORMAT**GLOBAL: ^BUDVTTA**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	N
.02	COLUMN 1 HEADER	"	2	F
.03	COLUMN 2 HEADER	"	3	F
.04	COLUMN 3 HEADER	"	4	F
.05	COLUMN 4 HEADER	"	5	F
.06	COLUMN 5 HEADER	"	6	F
.07	LOW VALUE	"	7	N
.08	HIGH VALUE	"	8	N
.05	COLUMN 4 HEADER	"	5	F

FILE: 90349.4 UDS 07 INCOME LEVELS**GLOBAL: ^BUDVFIL(**

Field #	Field Name	Subscript	Piece	Type
.01	NUMBER IN HOUSEHOLD	D0,0	1	N
.02	BELOW 100%	D0,0	2	N
.03	OVER 200%	D0,0	3	N

FILE: 90349.5 UDS 07 TABLE 5 FORMAT**GLOBAL: ^BUDVTFIV (**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	F
.02	LABEL	"	2	F
.03	LABEL 2	"	3	F
.04	LABEL 3	"	4	F
1101	PROVIDER CLASS CODES (90346.511)			
.01	PROVIDER CLASS CODE	"	1	P

File: 90660.1 UDS 08 SITE PARAMETERS**Global: ^BUDGSITE**

Field #	Field Name	Subscript	Piece	Type
.01	SITE NAME	D0,0	1	P
.02	UDS NO.	D0,0	1	F
1101	VISIT LOCATIONS FOR UDS	90346.111		
.01	VISIT LOCATION FOR UDS	D0,11,D1,0	1	P

File: 90660.2 UDS 08 CONTROL TABLES**Global: ^BUDGCNTL(**

Field #	Field Name	Subscript	Piece	Type
.01	TYPE OF CONTROL	D0,0	1	F
1101	ITEMS/VALUE (90346.211)			
.01	ITEMS/VALUE	D0,11,D1,0	1	F

FILE: 90660.3 UDS 08 TABLE 3 FORMAT**GLOBAL: ^BUDGTTA**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	N
.02	COLUMN 1 HEADER	"	2	F
.03	COLUMN 2 HEADER	"	3	F
.04	COLUMN 3 HEADER	"	4	F
.05	COLUMN 4 HEADER	"	5	F
.06	COLUMN 5 HEADER	"	6	F
.07	LOW VALUE	"	7	N
.08	HIGH VALUE	"	8	N
.05	COLUMN 4 HEADER	"	5	F

FILE: 90660.4 UDS 08 INCOME LEVELS**GLOBAL: ^BUDGIL(**

Field #	Field Name	Subscript	Piece	Type
.01	NUMBER IN HOUSEHOLD	D0,0	1	N
.02	BELOW 100%	D0,0	2	N
.03	OVER 200%	D0,0	3	N

FILE: 90660.5 UDS 08 TABLE 5 FORMAT**GLOBAL: ^BUDGTFIV (**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	F
.02	LABEL	"	2	F
.03	LABEL 2	"	3	F
.04	LABEL 3	"	4	F
1101	PROVIDER CLASS CODES (90346.511)			
.01	PROVIDER CLASS CODE	"	1	P

File: 90661.1 UDS 09 SITE PARAMETERS**Global: ^BUDNSITE**

Field #	Field Name	Subscript	Piece	Type
.01	SITE NAME	D0,0	1	P
.02	UDS NO.	D0,0	1	F
1101	VISIT LOCATIONS FOR UDS	90346.111		
.01	VISIT LOCATION FOR UDS	D0,11,D1,0	1	P

File: 90661.2 UDS 09 CONTROL TABLES**Global: ^BUDNCNTL(**

Field #	Field Name	Subscript	Piece	Type
.01	TYPE OF CONTROL	D0,0	1	F
1101	ITEMS/VALUE (90346.211)			
.01	ITEMS/VALUE	D0,11,D1,0	1	F

FILE: 90661.3 UDS 09 TABLE 3 FORMAT**GLOBAL: ^BUDNTTA**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	N
.02	COLUMN 1 HEADER	"	2	F
.03	COLUMN 2 HEADER	"	3	F
.04	COLUMN 3 HEADER	"	4	F
.05	COLUMN 4 HEADER	"	5	F

Field #	Field Name	Subscript	Piece	Type
.06	COLUMN 5 HEADER	"	6	F
.07	LOW VALUE	"	7	N
.08	HIGH VALUE	"	8	N
.05	COLUMN 4 HEADER	"	5	F

FILE: 90661.4 UDS 09 INCOME LEVELS**GLOBAL: ^BUDNIL(**

Field #	Field Name	Subscript	Piece	Type
.01	NUMBER IN HOUSEHOLD	D0,0	1	N
.02	BELOW 100%	D0,0	2	N
.03	OVER 200%	D0,0	3	N

FILE: 90661.5 UDS 09 TABLE 5 FORMAT**GLOBAL: ^BUDNTFIV (**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	F
.02	LABEL	"	2	F
.03	LABEL 2	"	3	F
.04	LABEL 3	"	4	F
1101	PROVIDER CLASS CODES (90346.511)			
.01	PROVIDER CLASS CODE	"	1	P

FILE: 90662.1 UDS 10 SITE PARAMETERS**Global: ^BUDTSITE**

Field #	Field Name	Subscript	Piece	Type
.01	SITE NAME	D0,0	1	P
.02	UDS NO.	D0,0	1	F
1101	VISIT LOCATIONS FOR UDS	90662.111		
.01	VISIT LOCATION FOR UDS	D0,11,D1,0	1	P

FILE: 90662.2 UDS 10 CONTROL TABLES**Global: ^BUDTCNTL(**

Field #	Field Name	Subscript	Piece	Type
.01	TYPE OF CONTROL	D0,0	1	F
1101	ITEMS/VALUE (90662.211)			
.01	ITEMS/VALUE	D0,11,D1,0	1	F

FILE: 90662.3 UDS 10 TABLE 3 FORMAT**GLOBAL: ^BUDTTA**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	N
.02	COLUMN 1 HEADER	"	2	F
.03	COLUMN 2 HEADER	"	3	F
.04	COLUMN 3 HEADER	"	4	F
.05	COLUMN 4 HEADER	"	5	F
.06	COLUMN 5 HEADER	"	6	F
.07	LOW VALUE	"	7	N
.08	HIGH VALUE	"	8	N
.05	COLUMN 4 HEADER	"	5	F

FILE: 90662.4 UDS 10 INCOME LEVELS**GLOBAL: ^BUDTIL(**

Field #	Field Name	Subscript	Piece	Type
.01	NUMBER IN HOUSEHOLD	D0,0	1	N
.02	BELOW 100%	D0,0	2	N
.03	OVER 200%	D0,0	3	N

FILE: 90662.5 UDS 10 TABLE 5 FORMAT**GLOBAL: ^BUDTTFIV (**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	F
.02	LABEL	"	2	F
.03	LABEL 2	"	3	F
.04	LABEL 3	"	4	F
1101	PROVIDER CLASS CODES (90662.511)			
.01	PROVIDER CLASS CODE	"	1	P

FILE: 90663.1 UDS 11 SITE PARAMETERS**Global: ^BUDLSITE**

Field #	Field Name	Subscript	Piece	Type
.01	SITE NAME	D0,0	1	P
.02	UDS NO.	D0,0	1	F
1101	VISIT LOCATIONS FOR UDS	90663.111		
.01	VISIT LOCATION FOR UDS	D0,11,D1,0	1	P

FILE: 90663.2 UDS 11 CONTROL TABLES**Global: ^BUDLCNTL(**

Field #	Field Name	Subscript	Piece	Type
.01	TYPE OF CONTROL	D0,0	1	F
1101	ITEMS/VALUE (90663.211)			
.01	ITEMS/VALUE	D0,11,D1,0	1	F

FILE: 90663.3 UDS 11 TABLE 3 FORMAT**GLOBAL: ^BUDLTIA**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	N
.02	COLUMN 1 HEADER	"	2	F
.03	COLUMN 2 HEADER	"	3	F
.04	COLUMN 3 HEADER	"	4	F
.05	COLUMN 4 HEADER	"	5	F
.06	COLUMN 5 HEADER	"	6	F
.07	LOW VALUE	"	7	N
.08	HIGH VALUE	"	8	N
.05	COLUMN 4 HEADER	"	5	F

FILE: 90663.4 UDS 11 INCOME LEVELS**GLOBAL: ^BUDLIL(**

Field #	Field Name	Subscript	Piece	Type
.01	NUMBER IN HOUSEHOLD	D0,0	1	N
.02	US INCOME	D0,0	2	N
.03	ALASKA INCOME	D0,0	3	N
.04	HAWAII INCOME	D0,0	4	N

FILE: 90663.5 UDS 11 TABLE 5 FORMAT**GLOBAL: ^BUDLTFIV (**

Field #	Field Name	Subscript	Piece	Type
.01	LINE NUMBER	D0,0	1	F
.02	LABEL	"	2	F
.03	LABEL 2	"	3	F
.04	LABEL 3	"	4	F
1101	PROVIDER CLASS CODES (90662.511)			
.01	PROVIDER CLASS CODE	"	1	P

6.0 External Relations

6.1 External Calls

This package calls the following documented entry points:

Routine	is Invoked by:
^%DT	BUD0UTL1, BUD1UTL1, BUD8UTL1, BUD9UTL1
^%DTC	BUD0UTL2, BUD1UTL2, BUD9UTL2
COMMA^%DTC	BUD0RP6B, BUD0RP7, BUD0RP71, BUD0RP7F, BUD0RP7G, BUD0RP7N BUD0RP7O, BUD0RP7P, BUD0RP7Q, BUD0RPP1, BUD0RPTP, BUD1RP6B BUD1RP6E, BUD1RP7, BUD1RP71, BUD1RP7F, BUD1RP7G, BUD1RP7N BUD1RP7O, BUD1RP7P, BUD1RP7Q, BUD1RPP1, BUD1RPP2, BUD1RPTP BUD4RPP1, BUD4RPTP BUD5RPP1, BUD5RPTP, BUD6RPP1, BUD6RPTP, BUD7RPP1, BUD7RPTP BUD8RP6B, BUD8RP7, BUD8RP71, BUD8RP7N, BUD8RP7O, BUD8RPP1 BUD8RPTP, BUD9RP6B, BUD9RP7, BUD9RP71, BUD9RP7F, BUD9RP7G BUD9RP7N, BUD9RP7O, BUD9RP7P, BUD9RP7Q, BUD9RPP1, BUD9RPTP BUDRPTP, BUDRPTP1
^%ZIS	BUD0RP6B, BUD0RP7, BUD0RPT1, BUD0RPT2, BUD0RPTS, BUD1RP6B BUD1RP7, BUD1RPT1, BUD1RPT2, BUD1RPTS, BUD4RPT1, BUD4RPT2 BUD5RPT1, BUD5RPT2, BUD6RPT1, BUD6RPT2, BUD7RPT1, BUD7RPT2 BUD8RP6B, BUD8RP7, BUD8RPT1, BUD8RPT2, BUD9RP6B, BUD9RP7 BUD9RPT1, BUD9RPT2, BUD9RPTS BUDRPT1, BUDRPT2
HOME^%ZIS	BUD0XTCH, BUD1XTCH, BUD4TXCH, BUD5TXCH, BUD6XTCH, BUD7XTCH BUD8XTCH, BUD9XTCH, BUDTXCH
^%ZISC	BUD0RP6B, BUD0RP7, BUD0RPT1, BUD0RPT2, BUD0RPTS, BUD1RP6B BUD1RP7, BUD1RPT1, BUD1RPT2, BUD1RPTP, BUD1RPTS, BUD4RPT1 BUD4RPT2, BUD5RPT1, BUD5RPT2, BUD6RPT1, BUD6RPT2, BUD7RPT1 BUD7RPT2, BUD8RP6B, BUD8RP7, BUD8RPT1, BUD8RPT2, BUD9RP6B BUD9RP7, BUD9RPT1, BUD9RPT2 BUD9RPTS, BUDRPT1, BUDRPT2
***** Cross Reference of all Routines *****	JAN 09, 2012@14:56:48 page 114

Routine	is Invoked by:
^%ZTLOAD	BUD0RP6B, BUD0RP7, BUD0RPT1, BUD0RPT2, BUD0RPTS, BUD1RP6B BUD1RP7, BUD1RPT1, BUD1RPT2, BUD1RPTS, BUD4RPT1, BUD4RPT2 BUD5RPT1, BUD5RPT2, BUD6RPT1, BUD6RPT2, BUD7RPT1, BUD7RPT2 BUD8RP6B, BUD8RP7, BUD8RPT1, BUD8RPT2, BUD9RP6B, BUD9RP7 BUD9RPT1, BUD9RPT2, BUD9RPTS BUDRPT1, BUDRPT2
\$\$START1^APCLDF	BUD0DU, BUD0RP6B, BUD0RP6C, BUD0RP6D, BUD0RP6X, BUD0RP6Y BUD0RP7A, BUD0RP7B, BUD0RP7C, BUD0RPTD, BUD1DU, BUD1RP6B BUD1RP6C, BUD1RP6D, BUD1RP6R, BUD1RP6U, BUD1RP6V, BUD1RP6X BUD1RP6Y, BUD1RP7A, BUD1RP7B, BUD1RP7C, BUD1RPTD, BUD4RPTC BUD5RPTC, BUD6RPTC, BUD7RPTD BUD8DU, BUD8RP6B, BUD8RP6C, BUD8RP6D, BUD8RP6X, BUD8RP6Y BUD8RP7A, BUD8RP7B, BUD8RP7C, BUD8RPTD, BUD9DU, BUD9RP6B BUD9RP6C, BUD9RP6D, BUD9RP6X, BUD9RP6Y, BUD9RP7A, BUD9RP7B BUD9RP7C, BUD9RPTD, BUDRPTC
\$\$CLINIC^APCLV	BUD0DU, BUD0RP6B, BUD0RP6D, BUD0RP6I, BUD0RP7A, BUD0RP7I BUD0RP7J, BUD0RP7K, BUD0RP7L, BUD0RP7M, BUD0RP7S, BUD0RP7T

```

BUD0RPC2, BUD0RPL1, BUD0RPL2, BUD0RPL3, BUD0RPL4, BUD0RPTD
BUD0RPTL, BUD1DU, BUD1RP6B, BUD1RP6D, BUD1RP6I, BUD1RP6U
BUD1RP6V, BUD1RP7A, BUD1RP7I
BUD1RP7J, BUD1RP7K, BUD1RP7L, BUD1RP7M, BUD1RP7S, BUD1RP7T
BUD1RPC2, BUD1RPL1, BUD1RPL2, BUD1RPL3, BUD1RPL4, BUD1RPTD
BUD1RPTL, BUD4RPC1, BUD4RPL1, BUD4RPL2, BUD4RPTC, BUD4RPTL
BUD5RPC1, BUD5RPL1, BUD5RPL2, BUD5RPTC, BUD5RPTL, BUD6RPC1
BUD6RPL1, BUD6RPL2
BUD6RPTC, BUD6RPTL, BUD7RPC1, BUD7RPL1, BUD7RPL2, BUD7RPL3
BUD7RPTD, BUD7RPTL, BUD8DU, BUD8RP6B, BUD8RP6D, BUD8RP6I
BUD8RP7A, BUD8RP7I, BUD8RP7J, BUD8RP7K, BUD8RP7L, BUD8RP7M
BUD8RP7S, BUD8RP7T, BUD8RPC1, BUD8RPL1, BUD8RPL2, BUD8RPL3
BUD8RPL4, BUD8RPTD
BUD8RPTL, BUD9DU, BUD9RP6B, BUD9RP6D, BUD9RP6I, BUD9RP7A
BUD9RP7I, BUD9RP7J, BUD9RP7K, BUD9RP7L, BUD9RP7M, BUD9RP7S
BUD9RP7T, BUD9RPC2, BUD9RPL1, BUD9RPL2, BUD9RPL3, BUD9RPL4
BUD9RPTD, BUD9RPTL, BUDRPTC, BUDRPTC1, BUDRPTL, BUDRPTL1
BUDRPTL2
$$LOCENC^APCLV
BUD0RP6D, BUD0RPL1, BUD0RPL2, BUD0RPL3, BUD0RPL4, BUD0RPTL
BUD1RP6D, BUD1RPL1, BUD1RPL2, BUD1RPL3, BUD1RPL4, BUD1RPTL
BUD4RPL1, BUD4RPL2, BUD4RPTL, BUD5RPL1, BUD5RPL2, BUD5RPTL
BUD6RPL1, BUD6RPL2, BUD6RPTL, BUD7RPL1, BUD7RPL2, BUD7RPL3
BUD7RPTL, BUD8RP6D
BUD8RPL1, BUD8RPL2, BUD8RPL3, BUD8RPL4, BUD8RPTL, BUD9RP6D
BUD9RPL1, BUD9RPL2, BUD9RPL3, BUD9RPL4, BUD9RPTL, BUDRPTL
BUDRPTL1, BUDRPTL2
$$PRIMPOV^APCLV
BUD0RPC1, BUD0RPL3, BUD0RPTC, BUD0RPTD, BUD1RPC1, BUD1RPL3
BUD1RPTC, BUD1RPTD, BUD4RPC1, BUD4RPTC, BUD5RPC1, BUD5RPTC
BUD6RPC1, BUD6RPTC, BUD7RPC1, BUD7RPL3, BUD7RPTC, BUD7RPTD
BUD8RPC1, BUD8RPL3, BUD8RPTC, BUD8RPTD, BUD9RPC1, BUD9RPL3
BUD9RPTC, BUD9RPTD
BUDRPTC, BUDRPTC1
$$PRIMPROV^APCLV
BUD0RP6B, BUD0RP6D, BUD0RP7A, BUD0RP7I, BUD0RP7J, BUD0RP7K
BUD0RP7L, BUD0RP7M, BUD0RP7S, BUD0RP7T, BUD0RPC1, BUD0RPL2
BUD0RPL3, BUD0RPL4, BUD0RPTC, BUD0RPTD, BUD0RPTL, BUD1RP6B
BUD1RP6D, BUD1RP6U, BUD1RP7A, BUD1RP7I, BUD1RP7J, BUD1RP7K
BUD1RP7L, BUD1RP7M
***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 115

```

Routine	is Invoked by:
\$\$PRIMPROV^APCLV	BUD1RP7S, BUD1RP7T, BUD1RPC1, BUD1RPL2, BUD1RPL3, BUD1RPL4 BUD1RPTC, BUD1RPTD, BUD1RPTL, BUD4RPC1, BUD4RPL2, BUD4RPTC BUD4RPTL, BUD5RPC1, BUD5RPL2, BUD5RPTC, BUD5RPTL, BUD6RPC1 BUD6RPL2, BUD6RPTC, BUD6RPTL, BUD7RPC1, BUD7RPL2, BUD7RPL3 BUD7RPTC, BUD7RPTD BUD7RPTL, BUD8RP6B, BUD8RP6D, BUD8RP7A, BUD8RP7I, BUD8RP7J BUD8RP7K, BUD8RP7L, BUD8RP7M, BUD8RP7S, BUD8RP7T, BUD8RPC1 BUD8RPL2, BUD8RPL3, BUD8RPL4, BUD8RPTC, BUD8RPTD, BUD8RPTL BUD9RP6B, BUD9RP6D, BUD9RP7A, BUD9RP7I, BUD9RP7J, BUD9RP7K BUD9RP7L, BUD9RP7M BUD9RP7S, BUD9RP7T, BUD9RPC1, BUD9RPL2, BUD9RPL3, BUD9RPL4 BUD9RPTC, BUD9RPTD, BUD9RPTL, BUDRPTC, BUDRPTC1, BUDRPTL BUDRPTL2
\$\$VD^APCLV	BUD0RPC2, BUD0RPTC, BUD0RPTD, BUD0RPTL, BUD1RP6U, BUD1RP6V BUD1RPC2, BUD1RPTC, BUD1RPTD, BUD1RPTL, BUD1UTL1, BUD7RPTC BUD7RPTL, BUD8RPTC, BUD8RPTL, BUD9RPC2, BUD9RPTC, BUD9RPTD BUD9RPTL
\$\$ICD^ATXCHK	BUD0DU, BUD0RP6B, BUD0RP7A, BUD0RP7B, BUD0RP7C, BUD0RPC1

```

BUD0UTL1,BUD1DU,BUD1RP6B,BUD1RP6U,BUD1RP7A,BUD1RP7B
BUD1RP7C,BUD1RPC1,BUD1UTL1,BUD4RPC1,BUD5RPC1,BUD6RPC1
BUD7RPC1,BUD8DU,BUD8RP6B,BUD8RP7A,BUD8RP7B,BUD8RP7C
BUD8RPC1,BUD8UTL1,BUD9DU
BUD9RP6B,BUD9RP7A,BUD9RP7B,BUD9RP7C,BUD9RPC1,BUD9UTL1
BUDRPTC1
BULL^ATXSTX2
BUD0ZA,BUD0ZB,BUD0ZC,BUD0ZD,BUD0ZE,BUD0ZF,BUD0ZG,BUD0ZH
BUD0ZI,BUD0ZJ,BUD0ZK,BUD0ZL,BUD0ZM,BUD0ZN,BUD0ZO,BUD0ZP
BUD0ZQ,BUD0ZR,BUD0ZS,BUD0ZT,BUD1YA,BUD1YB,BUD1ZA,BUD1ZB
BUD1ZC,BUD1ZD,BUD1ZE,BUD1ZF,BUD1ZG,BUD1ZH,BUD1ZI,BUD1ZJ
BUD1ZK
BUD1ZL,BUD1ZM,BUD1ZN,BUD1ZO,BUD1ZP,BUD1ZQ,BUD1ZR,BUD1ZS
BUD1ZT,BUD1ZU,BUD1ZV,BUD1ZW,BUD1ZX,BUD1ZY,BUD1ZZ,BUD4TXA
BUD4TXB,BUD4TXC,BUD4TXD,BUD4TXE,BUD4TXF,BUD5TXA,BUD5TXB
BUD5TXC,BUD5TXD,BUD5TXE,BUD5TXF,BUD6TXA,BUD6TXB,BUD6TXC
BUD7TXA
BUD7TXB,BUD7TXC,BUD7TXD,BUD7TXE,BUD7TXF,BUD7TXG,BUD7TXH
BUD7TXI,BUD7TXJ,BUD7TXK,BUD8TXA,BUD8TXB,BUD8TXC,BUD8TXD
BUD8TXE,BUD8TXF,BUD8TXG,BUD8TXH,BUD8TXI,BUD8TXJ,BUD8TXK
BUD8TXL,BUD8TXM,BUD8TXN,BUD8TXO,BUD8TXP,BUD8TXQ,BUD8TXR
BUD8TXS
BUD8TXT,BUD8TXU,BUD8TXV,BUD8TXW,BUD9TXA,BUD9TXB,BUD9TXC
BUD9TXD,BUD9TXE,BUD9TXF,BUD9TXG,BUD9TXH,BUD9TXI,BUD9TXJ
BUD9TXK,BUD9TXL,BUD9TXM,BUD9TXN,BUD9TXO,BUD9TXP,BUD9TXQ
BUD9TXR,BUD9TXS,BUD9TXT,BUD9TXU,BUD9TXV,BUD9TXW,BUD9TXX
BUD9TXY
BUD9TXZ,BUDTXA,BUDTXB,BUDTXC,BUDTXD,BUDTXE,BUDTXF,BUDTXG
BUDTXH,BUDTXI,BUDTXJ
KILL^ATXSTX2
BUD0ZA,BUD0ZB,BUD0ZC,BUD0ZD,BUD0ZE,BUD0ZF,BUD0ZG,BUD0ZH
BUD0ZI,BUD0ZJ,BUD0ZK,BUD0ZL,BUD0ZM,BUD0ZN,BUD0ZO,BUD0ZP
BUD0ZQ,BUD0ZR,BUD0ZS,BUD0ZT,BUD1YA,BUD1YB,BUD1ZA,BUD1ZB
BUD1ZC,BUD1ZD,BUD1ZE,BUD1ZF,BUD1ZG,BUD1ZH,BUD1ZI,BUD1ZJ
BUD1ZK
***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 116

```

Routine	is Invoked by:
KILL^ATXSTX2	BUD1ZL,BUD1ZM,BUD1ZN,BUD1ZO,BUD1ZP,BUD1ZQ,BUD1ZR,BUD1ZS BUD1ZT,BUD1ZU,BUD1ZV,BUD1ZW,BUD1ZX,BUD1ZY,BUD1ZZ,BUD4TXA BUD4TXB,BUD4TXC,BUD4TXD,BUD4TXE,BUD4TXF,BUD5TXA,BUD5TXB BUD5TXC,BUD5TXD,BUD5TXE,BUD5TXF,BUD6TXA,BUD6TXB,BUD6TXC BUD7TXA BUD7TXB,BUD7TXC,BUD7TXD,BUD7TXE,BUD7TXF,BUD7TXG,BUD7TXH BUD7TXI,BUD7TXJ,BUD7TXK,BUD8TXA,BUD8TXB,BUD8TXC,BUD8TXD BUD8TXE,BUD8TXF,BUD8TXG,BUD8TXH,BUD8TXI,BUD8TXJ,BUD8TXK BUD8TXL,BUD8TXM,BUD8TXN,BUD8TXO,BUD8TXP,BUD8TXQ,BUD8TXR BUD8TXS BUD8TXT,BUD8TXU,BUD8TXV,BUD8TXW,BUD9TXA,BUD9TXB,BUD9TXC BUD9TXD,BUD9TXE,BUD9TXF,BUD9TXG,BUD9TXH,BUD9TXI,BUD9TXJ BUD9TXK,BUD9TXL,BUD9TXM,BUD9TXN,BUD9TXO,BUD9TXP,BUD9TXQ BUD9TXR,BUD9TXS,BUD9TXT,BUD9TXU,BUD9TXV,BUD9TXW,BUD9TXX BUD9TXY BUD9TXZ,BUDTXA,BUDTXB,BUDTXC,BUDTXD,BUDTXE,BUDTXF,BUDTXG BUDTXH,BUDTXI,BUDTXJ
TAX^ATXSTX2	BUD0ZA,BUD0ZB,BUD0ZC,BUD0ZD,BUD0ZE,BUD0ZF,BUD0ZG,BUD0ZH BUD0ZI,BUD0ZJ,BUD0ZK,BUD0ZL,BUD0ZM,BUD0ZN,BUD0ZO,BUD0ZP BUD0ZQ,BUD0ZR,BUD0ZS,BUD0ZT,BUD1YA,BUD1YB,BUD1ZA,BUD1ZB BUD1ZC,BUD1ZD,BUD1ZE,BUD1ZF,BUD1ZG,BUD1ZH,BUD1ZI,BUD1ZJ BUD1ZK

```

BUD1ZL , BUD1ZM , BUD1ZN , BUD1ZO , BUD1ZP , BUD1ZQ , BUD1ZR , BUD1ZS
BUD1ZT , BUD1ZU , BUD1ZV , BUD1ZW , BUD1ZX , BUD1ZY , BUD1ZZ , BUD4TXA
BUD4TXB , BUD4TXC , BUD4TXD , BUD4TXE , BUD4TXF , BUD5TXA , BUD5TXB
BUD5TXC , BUD5TXD , BUD5TXE , BUD5TXF , BUD6TXA , BUD6TXB , BUD6TXC
BUD7TXA
BUD7TXB , BUD7TXC , BUD7TXD , BUD7TXE , BUD7TXF , BUD7TXG , BUD7TXH
BUD7TXI , BUD7TXJ , BUD7TXK , BUD8TXA , BUD8TXB , BUD8TXC , BUD8TXD
BUD8TXE , BUD8TXF , BUD8TXG , BUD8TXH , BUD8TXI , BUD8TXJ , BUD8TXK
BUD8TXL , BUD8TXM , BUD8TXN , BUD8TXO , BUD8TXP , BUD8TXQ , BUD8TXR
BUD8TXS
BUD8TXT , BUD8TXU , BUD8TXV , BUD8TXW , BUD9TXA , BUD9TXB , BUD9TXC
BUD9TXD , BUD9TXE , BUD9TXF , BUD9TXG , BUD9TXH , BUD9TXI , BUD9TXJ
BUD9TXK , BUD9TXL , BUD9TXM , BUD9TXN , BUD9TXO , BUD9TXP , BUD9TXQ
BUD9TXR , BUD9TXS , BUD9TXT , BUD9TXU , BUD9TXV , BUD9TXW , BUD9TXX
BUD9TXY
BUD9TXZ , BUDTXA , BUDTXB , BUDTXC , BUDTXD , BUDTXE , BUDTXF , BUDTXG
BUDTXH , BUDTXI , BUDTXJ
$$AGE^AUPNPAT
BUD0RP6B , BUD0RP6I , BUD0RP7 , BUD0RP7K , BUD0RP7M , BUD0RP7S
BUD0RPC2 , BUD0RPL1 , BUD0RPL2 , BUD0RPL3 , BUD0RPL4 , BUD0RPC
BUD0RPTL , BUD1RP6B , BUD1RP6I , BUD1RP6V , BUD1RP7 , BUD1RP7K
BUD1RP7M , BUD1RP7S , BUD1RPC2 , BUD1RPL1 , BUD1RPL2 , BUD1RPL3
BUD1RPL4 , BUD1RPL5
BUD1RPTC , BUD1RPTL , BUD4RPC1 , BUD4RPL1 , BUD4RPL2 , BUD4RPC
BUD4RPTL , BUD5RPC1 , BUD5RPL1 , BUD5RPL2 , BUD5RPC , BUD5RPTL
BUD6RPC1 , BUD6RPL1 , BUD6RPL2 , BUD6RPC , BUD6RPTL , BUD7RPC1
BUD7RPL1 , BUD7RPL2 , BUD7RPL3 , BUD7RPC , BUD7RPTL , BUD8RP6B
BUD8RP6I , BUD8RP7
BUD8RP7J , BUD8RP7K , BUD8RP7L , BUD8RP7M , BUD8RP7S , BUD8RP7T
BUD8RPC1 , BUD8RPL1 , BUD8RPL2 , BUD8RPL3 , BUD8RPL4 , BUD8RPC
BUD8RPTL , BUD9RP6B , BUD9RP6I , BUD9RP7 , BUD9RP7K , BUD9RP7M
BUD9RP7S , BUD9RPC2 , BUD9RPL1 , BUD9RPL2 , BUD9RPL3 , BUD9RPL4
BUD9RPC , BUD9RPTL
***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 117

```

Routine	is Invoked by:
\$\$AGE^AUPNPAT	BUDRPTC , BUDRPTC1 , BUDRPTL , BUDRPTL1 , BUDRPTL2
\$\$BEN^AUPNPAT	BUD0RPC , BUD1RP6B , BUD1RP7 , BUD1RPC , BUD4RPC , BUD5RPC
	BUD6RPC , BUD7RPC , BUD8RPC , BUD9RPC , BUDRPC
\$\$COMMRES^AUPNPAT	BUD0RP6B , BUD0RP7 , BUD0RPC , BUD1RP6B , BUD1RP7 , BUD1RPC3
	BUD1RPC , BUD4RPC , BUD5RPC , BUD6RPC , BUD7RPC , BUD8RP6B
\$\$DOB^AUPNPAT	BUD8RP7 , BUD8RPC , BUD9RP6B , BUD9RP7 , BUD9RPC , BUDRPC
	BUD0DU , BUD0RP6D , BUD0RP7B , BUD0RP7C , BUD1DU , BUD1RP6D
	BUD1RP6V , BUD1RP6W , BUD1RP6Y , BUD1RP7B , BUD1RP7C , BUD1RPC3
	BUD8DU , BUD8RP6D , BUD8RP6Y , BUD8RP7B , BUD8RP7C , BUD9DU
	BUD9RP6D , BUD9RP7B , BUD9RP7C
\$\$HRN^AUPNPAT	BUD0RP6I , BUD0RP6P , BUD0RP7I , BUD0RP7J , BUD0RP7K , BUD0RP7L
	BUD0RP7M , BUD0RP7S , BUD0RP7T , BUD0RPL1 , BUD0RPL2 , BUD0RPL3
	BUD0RPL4 , BUD0RPTL , BUD1RP6B , BUD1RP6F , BUD1RP6G , BUD1RP6I
	BUD1RP6P , BUD1RP6S , BUD1RP6T , BUD1RP7I , BUD1RP7J , BUD1RP7K
	BUD1RP7L , BUD1RP7M
	BUD1RP7S , BUD1RP7T , BUD1RPC3 , BUD1RPL1 , BUD1RPL2 , BUD1RPL3
	BUD1RPL4 , BUD1RPL5 , BUD1RPTL , BUD4RPL1 , BUD4RPL2 , BUD4RPC
	BUD5RPL1 , BUD5RPL2 , BUD5RPTL , BUD6RPL1 , BUD6RPL2 , BUD6RPC
	BUD7RPL1 , BUD7RPL2 , BUD7RPL3 , BUD7RPTL , BUD8RP6I , BUD8RP6P
	BUD8RP7I , BUD8RP7J
	BUD8RP7K , BUD8RP7L , BUD8RP7M , BUD8RP7S , BUD8RP7T , BUD8RPL1
	BUD8RPL2 , BUD8RPL3 , BUD8RPL4 , BUD8RPTL , BUD9RP6I , BUD9RP6P
	BUD9RP7I , BUD9RP7J , BUD9RP7K , BUD9RP7L , BUD9RP7M , BUD9RP7S

```

BUD9RP7T,BUD9RPL1,BUD9RPL2,BUD9RPL3,BUD9RPL4,BUD9RPTL
BUDRPTL,BUDRPTL1
BUDRPTL2
BUD1RPC2
$ $RR^AUPNPAT
^BUD0BAN | opt
$ $CPT^BUD0DU BUD0RP6B,BUD0RP6D,BUD0RP7A,BUD0RP7B,BUD0RP7C
$ $LASTITEM^BUD0DU BUD0RP7B
$ $PLCODE^BUD0DU BUD0RP6X
$ $PLTAX^BUD0DU BUD0RP6C,BUD0RP6X,BUD0RP6Y
$ $TRAN^BUD0DU BUD0RP6B,BUD0RP6D,BUD0RP7A
$ $WH^BUD0DU BUD0RP6D
^BUD0RP6B | opt
IMMLIST1^BUD0RP6B | opt
IMMLIST2^BUD0RP6B | opt
M^BUD0RP6B | opt
PAPLIST1^BUD0RP6B | opt
PAPLIST2^BUD0RP6B | opt
PRENATT^BUD0RP6B BUD0RPT1
PRGA^BUD0RP6B | opt
PRINT^BUD0RP6B BUD0RPTP
$ $ANAREACT^BUD0RP6C BUD0RP6Y
$ $ANCONT^BUD0RP6C BUD0RP6X,BUD0RP6Y
$ $MMRCONT^BUD0RP6C BUD0RP6Y
GETIMMS^BUD0RP6C BUD0RP6X,BUD0RP6Y
IMM^BUD0RP6C BUD0RP6B,BUD0RPTC
$ $VBBD^BUD0RP6D BUD0RP6C
PAPD^BUD0RP6D BUD0RP6B,BUD0RPTC
GENI^BUD0RP6I BUD0RP6B
***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 118

```

Routine	is Invoked by
IMM1^BUD0RP6I	BUD0RP6B
IMM1L^BUD0RP6I	BUD0RP6B
IMM2^BUD0RP6I	BUD0RP6B
IMM2L^BUD0RP6I	BUD0RP6B
PRGA^BUD0RP6I	BUD0RP6B
PRGAL^BUD0RP6I	BUD0RP6B
PAP1^BUD0RP6P	BUD0RP6B
PAP1L^BUD0RP6P	BUD0RP6B
PAP2^BUD0RP6P	BUD0RP6B
PAP2L^BUD0RP6P	BUD0RP6B
\$\$DTAP^BUD0RP6X	BUD0RP6C
\$\$HEP^BUD0RP6Y	BUD0RP6C
\$\$HIB^BUD0RP6Y	BUD0RP6C
\$\$PNEU^BUD0RP6Y	BUD0RP6C
\$\$VAR^BUD0RP6Y	BUD0RP6C
^BUD0RP7	opt
DME1LIST^BUD0RP7	opt
DME2LIST^BUD0RP7	opt
DME3LIST^BUD0RP7	opt
DMELIST^BUD0RP7	opt
DMR1LIST^BUD0RP7	opt
DMR2LIST^BUD0RP7	opt
DMR3LIST^BUD0RP7	opt
DMRLIST^BUD0RP7	opt
HTCELIST^BUD0RP7	opt
HTCRLIST^BUD0RP7	opt
HTELIST^BUD0RP7	opt

HTRLIST^BUD0RP7	opt
HTUELIST^BUD0RP7	opt
HTURLIST^BUD0RP7	opt
MDM^BUD0RP7	opt
MHT^BUD0RP7	opt
MPRG^BUD0RP7	opt
PAUSE^BUD0RP7	BUD0RPT1
PRENATT^BUD0RP7	BUD0RPT1
PRGHLIST^BUD0RP7	opt
PRGRLIST^BUD0RP7	opt
PRINT^BUD0RP7	BUD0RPTP
LINE^BUD0RP71	BUD0RP70
LINE1^BUD0RP71	BUD0RP70
LINE4^BUD0RP71	BUD0RP70
LINE5^BUD0RP71	BUD0RP70
PRINT^BUD0RP71	BUD0RP7
T7H^BUD0RP71	BUD0RP70
T7H1^BUD0RP71	BUD0RP70
PRGHLST^BUD0RP7A	BUD0RP7
PRGRLST^BUD0RP7A	BUD0RP7
HTN^BUD0RP7B	BUD0RP7 , BUD0RPTC
DM^BUD0RP7C	BUD0RP7 , BUD0RPTC
^BUD0RP7F	BUD0RP71
LINE^BUD0RP7F	BUD0RP7G

***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 119

Routine	is Invoked by:
LINE1^BUD0RP7F	BUD0RP7G
T7H^BUD0RP7F	BUD0RP7G
T7H1^BUD0RP7F	BUD0RP7G
DMRACE1^BUD0RP7G	BUD0RP7F
DMRACE2^BUD0RP7G	BUD0RP7F
\$\$RACE^BUD0RP7I	BUD0RP7A , BUD0RP7B , BUD0RP7C
\$\$RACEL^BUD0RP7I	BUD0RP7J , BUD0RP7L , BUD0RP7T
GENI^BUD0RP7I	BUD0RP7 , BUD0RP7J , BUD0RP7L
PRGE^BUD0RP7I	BUD0RP7
PRGH^BUD0RP7I	BUD0RP7
PRGHL^BUD0RP7I	BUD0RP71
PRGR^BUD0RP7I	BUD0RP7
PRGRL^BUD0RP7I	BUD0RP71
HTCR^BUD0RP7J	BUD0RP7
HTCRL^BUD0RP7J	BUD0RP71
HTR^BUD0RP7J	BUD0RP7
HTRL^BUD0RP7J	BUD0RP71
HTUR^BUD0RP7J	BUD0RP7
HTURL^BUD0RP7J	BUD0RP71
HTCE^BUD0RP7K	BUD0RP7
HTE^BUD0RP7K	BUD0RP7
HTUE^BUD0RP7K	BUD0RP7
DMR^BUD0RP7L	BUD0RP7
DMR1^BUD0RP7L	BUD0RP7
DMR1L^BUD0RP7L	BUD0RP71
DMR2^BUD0RP7L	BUD0RP7
DMR2L^BUD0RP7L	BUD0RP71
DMRL^BUD0RP7L	BUD0RP71
DME^BUD0RP7M	BUD0RP7
DME1^BUD0RP7M	BUD0RP7
DME2^BUD0RP7M	BUD0RP7

DMRACE1^BUD0RP70	BUD0RP71
DMRACE2^BUD0RP70	BUD0RP71
^BUD0RP7P	BUD0RP71
LINE^BUD0RP7P	BUD0RP7Q
LINE1^BUD0RP7P	BUD0RP7Q
T7H^BUD0RP7P	BUD0RP7Q
DMRACE1^BUD0RP7Q	BUD0RP7P
DME3^BUD0RP7S	BUD0RP7
DMR3^BUD0RP7T	BUD0RP7
DMR3L^BUD0RP7T	BUD0RP71
T6^BUD0RPC1	BUD0RPC1
\$\$L26^BUD0RPC2	BUD0RPC1
\$\$L26A^BUD0RPC2	BUD0RPC1
\$\$L26B^BUD0RPC2	BUD0RPC1
\$\$L26C^BUD0RPC2	BUD0RPC1
\$\$L26D^BUD0RPC2	BUD0RPC1
\$\$L27^BUD0RPC2	BUD0RPC1
\$\$L28^BUD0RPC2	BUD0RPC1
\$\$L29^BUD0RPC2	BUD0RPC1
\$\$L30^BUD0RPC2	BUD0RPC1

***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 120

Routine	is Invoked by:
\$\$L31^BUD0RPC2	BUD0RPC1
\$\$L32^BUD0RPC2	BUD0RPC1
\$\$L33^BUD0RPC2	BUD0RPC1
\$\$L34^BUD0RPC2	BUD0RPC1
T52^BUD0RPL2	BUD0RPTL
T3BR^BUD0RPL4	BUD0RPTL
T6^BUD0RPP1	BUD0RPTP
M^BUD0RPT1	opt
T3A^BUD0RPT1	opt
T3B^BUD0RPT1	opt
T5^BUD0RPT1	opt
T51^BUD0RPT1	opt
T6^BUD0RPT1	opt
TZ^BUD0RPT1	opt
^BUD0RPT2	opt
M^BUD0RPT2	opt
T3A^BUD0RPT2	opt
T5^BUD0RPT2	opt
T5A^BUD0RPT2	opt
T5B^BUD0RPT2	opt
T5C^BUD0RPT2	opt
T6^BUD0RPT2	opt
TOL^BUD0RPT2	opt
TUSVE^BUD0RPT2	opt
TUSVR^BUD0RPT2	opt
TZ^BUD0RPT2	opt
\$\$DEMO^BUD0RPTC	BUD0RP6B, BUD0RP7
\$\$HISP^BUD0RPTC	BUD0RP7A, BUD0RP7B, BUD0RP7C, BUD0RP7I, BUD0RP7J, BUD0RP7K BUD0RP7L, BUD0RP7M, BUD0RP7S, BUD0RP7T, BUD0RPL4
\$\$RACE^BUD0RPTC	BUD0RP7A, BUD0RP7B, BUD0RP7C, BUD0RP7I, BUD0RP7J, BUD0RP7L BUD0RP7T, BUD0RPL1, BUD0RPL2, BUD0RPL3, BUD0RPL4, BUD0RPTL
PROC^BUD0RPTC	BUD0RPT1, BUD0RPT2, BUD0RPTS
GETV^BUD0RPTD	BUD0RP6B, BUD0RP7, BUD0RPTC
TZH^BUD0RPTD	BUD0RPTL
^BUD0RPTL	BUD0RPTP

HEADER^BUD0RPTP	BUD0RP6B, BUD0RP71, BUD0RP7F, BUD0RP7G, BUD0RP7N, BUD0RP7O
	BUD0RP7P, BUD0RP7Q, BUD0RPP1
PRINT^BUD0RPTP	BUD0RPT1, BUD0RPT2, BUD0RPTS
EN^BUD0RPTS	opt
STEMP^BUD0RPTS	BUD0RPTP
EN^BUD0STMP	BUD0RPTS
^BUD0UPVL	opt
PAUSE^BUD0UPVL	BUD0STMP
\$\$DATE^BUD0UTL1	BUD0RP6B, BUD0RP6C, BUD0RP6X, BUD0RP6Y, BUD0RP7A, BUD0RP7C
\$\$LASTDXI^BUD0UTL1	BUD0RP6D
\$\$LASTPRC^BUD0UTL1	BUD0RP6B, BUD0RP6D, BUD0RP7A
\$\$AGE^BUD0UTL2	BUD0RPC2
GETMEDS^BUD0UTL2	BUD0RP7C
EP^BUD0UTXL	BUD0UTXS
^BUD0UTXS	opt
TAXCHK^BUD0XTCH	BUD0RP6B, BUD0RP7, BUD0RPT1, BUD0RPTS
***** Cross Reference of all Routines *****	JAN 09, 2012@14:56:48 page 121

Routine	is Invoked by:
^BUD0Z	BUD0ENV
^BUD0ZA	BUD0Z
^BUD0ZA10	BUD0ZA
^BUD0ZA11	BUD0ZA
^BUD0ZA12	BUD0ZA
^BUD0ZA13	BUD0ZA
^BUD0ZA14	BUD0ZA
^BUD0ZA15	BUD0ZA
^BUD0ZA16	BUD0ZA
^BUD0ZA17	BUD0ZA
^BUD0ZA18	BUD0ZA
^BUD0ZA19	BUD0ZA
^BUD0ZA2	BUD0ZA
^BUD0ZA20	BUD0ZA
^BUD0ZA21	BUD0ZA
^BUD0ZA22	BUD0ZA
^BUD0ZA23	BUD0ZA
^BUD0ZA24	BUD0ZA
^BUD0ZA25	BUD0ZA
^BUD0ZA26	BUD0ZA
^BUD0ZA27	BUD0ZA
^BUD0ZA28	BUD0ZA
^BUD0ZA29	BUD0ZA
^BUD0ZA3	BUD0ZA
^BUD0ZA30	BUD0ZA
^BUD0ZA31	BUD0ZA
^BUD0ZA32	BUD0ZA
^BUD0ZA33	BUD0ZA
^BUD0ZA34	BUD0ZA
^BUD0ZA35	BUD0ZA
^BUD0ZA36	BUD0ZA
^BUD0ZA37	BUD0ZA
^BUD0ZA38	BUD0ZA
^BUD0ZA39	BUD0ZA
^BUD0ZA4	BUD0ZA
^BUD0ZA40	BUD0ZA
^BUD0ZA41	BUD0ZA
^BUD0ZA42	BUD0ZA
^BUD0ZA43	BUD0ZA

^BUD0ZA44	BUD0ZA
^BUD0ZA45	BUD0ZA
^BUD0ZA46	BUD0ZA
^BUD0ZA5	BUD0ZA
^BUD0ZA6	BUD0ZA
^BUD0ZA7	BUD0ZA
^BUD0ZA8	BUD0ZA
^BUD0ZA9	BUD0ZA
^BUD0ZB	BUD0Z
^BUD0ZC	BUD0Z
^BUD0ZD	BUD0Z
^BUD0ZE	BUD0Z

***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 122

Routine	is Invoked by:
^BUD0ZF	BUD0Z
^BUD0ZG	BUD0Z
^BUD0ZH	BUD0Z
^BUD0ZI	BUD0Z
^BUD0ZJ	BUD0Z
^BUD0ZK	BUD0Z
^BUD0ZL	BUD0Z
^BUD0ZM	BUD0Z
^BUD0ZN	BUD0Z
^BUD0ZO	BUD0Z
^BUD0ZP	BUD0Z
^BUD0ZR	BUD0Z
^BUD0ZS	BUD0Z
^BUD0ZT	BUD0Z
^BUD1BAN	opt
\$\$CPT^BUD1DU	BUD1RP6B, BUD1RP6D, BUD1RP6V, BUD1RP7A, BUD1RP7B, BUD1RP7C
\$\$CPTI^BUD1DU	BUD1RP6U
\$\$DEMO^BUD1DU	BUD1RP6B, BUD1RP7, BUD1RPTC
\$\$LASTITEM^BUD1DU	BUD1RP7B
\$\$PLCODE^BUD1DU	BUD1RP6W, BUD1RP6X
\$\$PLTAX^BUD1DU	BUD1RP6C, BUD1RP6W, BUD1RP6X, BUD1RP6Y
\$\$TRAN^BUD1DU	BUD1RP6B, BUD1RP6D, BUD1RP7A
\$\$WH^BUD1DU	BUD1RP6D
^BUD1RP6B	opt
\$\$PREG^BUD1RP6B	BUD1RP6V
EN1^BUD1RP6B	BUD1RP6F, BUD1RP6S, BUD1RP6T
IMMLIST1^BUD1RP6B	opt
IMMLIST2^BUD1RP6B	opt
M^BUD1RP6B	opt
PAPLIST1^BUD1RP6B	opt
PAPLIST2^BUD1RP6B	opt
PRENATT^BUD1RP6B	BUD1RPT1
PRGA^BUD1RP6B	opt
PRINT^BUD1RP6B	BUD1RPTP
\$\$ANAREACT^BUD1RP6C	BUD1RP6W, BUD1RP6Y
\$\$ANCONT^BUD1RP6C	BUD1RP6X, BUD1RP6Y
\$\$EGGCONT^BUD1RP6C	BUD1RP6Y
\$\$MMRCONT^BUD1RP6C	BUD1RP6Y
GETIMMS^BUD1RP6C	BUD1RP6W, BUD1RP6X, BUD1RP6Y
IMM^BUD1RP6C	BUD1RP6B, BUD1RPTC
\$\$VBBD^BUD1RP6D	BUD1RP6C
PAPD^BUD1RP6D	BUD1RP6B, BUD1RPTC
REST6B^BUD1RP6E	BUD1RP6B

```

AWS1L^BUD1RP6F      BUD1RP6I
AWSLIST1^BUD1RP6F    | opt
AWSLIST2^BUD1RP6F    | opt
GENI^BUD1RP6F        BUD1RP6G

<<< 2.2.2.12 NOT MARKED AS ENTRY POINT >>>
PAUSE^BUD1RP6F      BUD1RP6G
WAC1L^BUD1RP6F       BUD1RP6I
***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 123

```

Routine	is Invoked by:
WAC2L^BUD1RP6F	BUD1RP6I
WACLIST1^BUD1RP6F	opt
WACLIST2^BUD1RP6F	opt
AWS2^BUD1RP6G	BUD1RP6F
AWS2L^BUD1RP6G	BUD1RP6I
GENI^BUD1RP6I	BUD1RP6B
IMM1^BUD1RP6I	BUD1RP6B
IMM2^BUD1RP6I	BUD1RP6B
LISTS^BUD1RP6I	BUD1RP6B
PRENATT^BUD1RP6I	BUD1RP6B
PRGA^BUD1RP6I	BUD1RP6B
PAP1^BUD1RP6P	BUD1RP6B
PAP1L^BUD1RP6P	BUD1RP6I
PAP2^BUD1RP6P	BUD1RP6B
PAP2L^BUD1RP6P	BUD1RP6I
\$\$BMI^BUD1RP6R	BUD1RP6V
APT1L^BUD1RP6S	BUD1RP6I
APT2L^BUD1RP6S	BUD1RP6I
APTLIST1^BUD1RP6S	opt
APTLIST2^BUD1RP6S	opt
TCI1L^BUD1RP6T	BUD1RP6I
TCI2L^BUD1RP6T	BUD1RP6I
TCILIST1^BUD1RP6T	opt
TCILIST2^BUD1RP6T	opt
TUA1L^BUD1RP6T	BUD1RP6I
TUA2L^BUD1RP6T	BUD1RP6I
TUALIST1^BUD1RP6T	opt
TUALIST2^BUD1RP6T	opt
\$\$GETV^BUD1RP6U	BUD1RP6U, BUD1RP6V
G2^BUD1RP6U	BUD1RP6B, BUD1RP6V
H^BUD1RP6U	BUD1RP6B
\$\$VBBD^BUD1RP6V	BUD1RP6U
ADOLWT^BUD1RP6V	BUD1RP6B
ADULT^BUD1RP6V	BUD1RP6B
G1^BUD1RP6V	BUD1RP6B
\$\$ROTA^BUD1RP6W	BUD1RP6C
\$\$ROTACONT^BUD1RP6W	BUD1RP6Y
\$\$DTAP^BUD1RP6X	BUD1RP6C
\$\$FLU^BUD1RP6Y	BUD1RP6C
\$\$HEP^BUD1RP6Y	BUD1RP6C
\$\$HEPA^BUD1RP6Y	BUD1RP6C
\$\$HIB^BUD1RP6Y	BUD1RP6C
\$\$PNEU^BUD1RP6Y	BUD1RP6C
\$\$VAR^BUD1RP6Y	BUD1RP6C
^BUD1RP7	opt
DME1LIST^BUD1RP7	opt
DME2LIST^BUD1RP7	opt

DME3LIST^BUD1RP7	opt
DMELIST^BUD1RP7	opt
DMR1LIST^BUD1RP7	opt
DMR2LIST^BUD1RP7	opt
***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 124	

Routine	is Invoked by:
DMR3LIST^BUD1RP7	opt
DMR4LIST^BUD1RP7	opt
DMRLIST^BUD1RP7	opt
HTCELIST^BUD1RP7	opt
HTCRLIST^BUD1RP7	opt
HTELIST^BUD1RP7	opt
HTRLIST^BUD1RP7	opt
HTUELIST^BUD1RP7	opt
HTURLIST^BUD1RP7	opt
MDM^BUD1RP7	opt
MHT^BUD1RP7	opt
MPRG^BUD1RP7	opt
PAUSE^BUD1RP7	BUD1RPT1
PRENATT^BUD1RP7	BUD1RPT1
PRGHLIST^BUD1RP7	opt
PRGRLLIST^BUD1RP7	opt
PRINT^BUD1RP7	BUD1RPTP
LINE^BUD1RP71	BUD1RP70
LINE1^BUD1RP71	BUD1RP70
LINE4^BUD1RP71	BUD1RP70
LINE5^BUD1RP71	BUD1RP70
PRINT^BUD1RP71	BUD1RP7
T7H^BUD1RP71	BUD1RP70
T7H1^BUD1RP71	BUD1RP70
PRGHLST^BUD1RP7A	BUD1RP7 , BUD1RPTC
PRGRLLST^BUD1RP7A	BUD1RP7 , BUD1RPTC
HTN^BUD1RP7B	BUD1RP7 , BUD1RPTC
DM^BUD1RP7C	BUD1RP7 , BUD1RPTC
LINE^BUD1RP7F	BUD1RP7G
LINE1^BUD1RP7F	BUD1RP7G
T7H^BUD1RP7F	BUD1RP7G
T7H1^BUD1RP7F	BUD1RP7G
DMRACE1^BUD1RP7G	BUD1RP7F
DMRACE2^BUD1RP7G	BUD1RP7F
\$\$RACE^BUD1RP7I	BUD1RP7A , BUD1RP7B , BUD1RP7C
\$\$RACEL^BUD1RP7I	BUD1RP7J , BUD1RP7L , BUD1RP7T
GENI^BUD1RP7I	BUD1RP7 , BUD1RP7J , BUD1RP7L
PRGE^BUD1RP7I	BUD1RP7
PRGH^BUD1RP7I	BUD1RP7
PRGHL^BUD1RP7I	BUD1RP71
PRGR^BUD1RP7I	BUD1RP7
PRGRLL^BUD1RP7I	BUD1RP71
HTCR^BUD1RP7J	BUD1RP7
HTCRL^BUD1RP7J	BUD1RP71
HTR^BUD1RP7J	BUD1RP7
HTRL^BUD1RP7J	BUD1RP71
HTUR^BUD1RP7J	BUD1RP7
HTURL^BUD1RP7J	BUD1RP71
HTCE^BUD1RP7K	BUD1RP7
HTE^BUD1RP7K	BUD1RP7
HTUE^BUD1RP7K	BUD1RP7

***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 125

Routine	is Invoked by:
DMR^BUD1RP7L	BUD1RP7
DMR1^BUD1RP7L	BUD1RP7
DMR1L^BUD1RP7L	BUD1RP71
DMR2^BUD1RP7L	BUD1RP7
DMR2L^BUD1RP7L	BUD1RP71
DMRL^BUD1RP7L	BUD1RP71
DME^BUD1RP7M	BUD1RP7
DME1^BUD1RP7M	BUD1RP7
DME2^BUD1RP7M	BUD1RP7
LINE^BUD1RP7P	BUD1RP7Q
LINE1^BUD1RP7P	BUD1RP7Q
T7H^BUD1RP7P	BUD1RP7Q
DMRACE1^BUD1RP7Q	BUD1RP7P
DME3^BUD1RP7S	BUD1RP7
DMR3^BUD1RP7T	BUD1RP7
DMR3L^BUD1RP7T	BUD1RP71
DMR4^BUD1RP7T	BUD1RP7
DMR4L^BUD1RP7T	BUD1RP71
T6^BUD1RPC1	BUD1RPC1
\$\$L26^BUD1RPC2	BUD1RPC1
\$\$L26A^BUD1RPC2	BUD1RPC1
\$\$L26B^BUD1RPC2	BUD1RPC1
\$\$L26C^BUD1RPC2	BUD1RPC1
\$\$L26D^BUD1RPC2	BUD1RPC1
\$\$L27^BUD1RPC2	BUD1RPC1
\$\$L28^BUD1RPC2	BUD1RPC1
\$\$L29^BUD1RPC2	BUD1RPC1
\$\$L30^BUD1RPC2	BUD1RPC1
\$\$L31^BUD1RPC2	BUD1RPC1
\$\$L32^BUD1RPC2	BUD1RPC1
\$\$L33^BUD1RPC2	BUD1RPC1
\$\$L34^BUD1RPC2	BUD1RPC1
T4^BUD1RPC2	BUD1RPC1
T9D^BUD1RPC3	BUD1RPC1
T9^BUD1RPC4	BUD1RPC1
T51^BUD1RPL2	BUD1RPL2
T52^BUD1RPL2	BUD1RPL2
T3BR^BUD1RPL4	BUD1RPL2
T4CHAR^BUD1RPL5	BUD1RPL2
T4IPPL^BUD1RPL5	BUD1RPL2
T4PMIS^BUD1RPL5	BUD1RPL2
T6^BUD1RPP1	BUD1RPTP
T4^BUD1RPP2	BUD1RPTP
T9^BUD1RPP2	BUD1RPTP
M^BUD1RPT1	opt
T3A^BUD1RPT1	opt
T3B^BUD1RPT1	opt
T4^BUD1RPT1	opt
T5^BUD1RPT1	opt
T51^BUD1RPT1	opt
T6^BUD1RPT1	opt

***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 126

Routine	is Invoked by:
T9^BUD1RPT1	opt
T9D^BUD1RPT1	opt
TZ^BUD1RPT1	opt
^BUD1RPT2	opt
M^BUD1RPT2	opt
T3A^BUD1RPT2	opt
T4CHAR^BUD1RPT2	opt
T4IPPL^BUD1RPT2	opt
T4PMIS^BUD1RPT2	opt
T5^BUD1RPT2	opt
T5A^BUD1RPT2	opt
T5B^BUD1RPT2	opt
T5C^BUD1RPT2	opt
T6^BUD1RPT2	opt
TOL^BUD1RPT2	opt
TUSVE^BUD1RPT2	opt
TUSVR^BUD1RPT2	opt
TZ^BUD1RPT2	opt
\$\$HISP^BUD1RPTC	BUD1RP7A, BUD1RP7B, BUD1RP7C, BUD1RP7I, BUD1RP7J, BUD1RP7K BUD1RP7L, BUD1RP7M, BUD1RP7S, BUD1RP7T, BUD1RPL4
\$\$RACE^BUD1RPTC	BUD1RP7A, BUD1RP7B, BUD1RP7C, BUD1RP7I, BUD1RP7J, BUD1RP7L BUD1RP7T, BUD1RPL1, BUD1RPL2, BUD1RPL3, BUD1RPL4, BUD1RPL
PROC^BUD1RPTC	BUD1RPT1, BUD1RPT2, BUD1RPTS
GETV^BUD1RPTD	BUD1RP6B, BUD1RP7, BUD1RPTC
TZH^BUD1RPTD	BUD1RPTL
WDEL^BUD1RPTD	BUD1RPTP
^BUD1RPTL	BUD1RPTP
HEADER^BUD1RPTP	BUD1RP6B, BUD1RP6E, BUD1RP71, BUD1RP7F, BUD1RP7G, BUD1RP7N BUD1RP7O, BUD1RP7P, BUD1RP7Q, BUD1RPP1, BUD1RPP2 BUD1RPT1, BUD1RPT2, BUD1RPTS
PRINT^BUD1RPTP	opt
EN^BUD1RPTS	BUD1RPTP
STEMP^BUD1RPTS	BUD1RPTS
EN^BUD1STMP	BUD1RPTS
^BUD1UPVL	opt
PAUSE^BUD1UPVL	BUD1STMP
\$\$CPT^BUD1UTL1	BUD1RP6V
\$\$DATE^BUD1UTL1	BUD1RP6B, BUD1RP6C, BUD1RP6W, BUD1RP6X, BUD1RP6Y, BUD1RP7A BUD1RP7C BUD1RP6U, BUD1RP6V, BUD1RP6W, BUD1RP6Y BUD1RP6D, BUD1RP6W BUD1RP6B, BUD1RP6D, BUD1RP7A BUD1RP6V BUD1RPC2 BUD1RP6U, BUD1RP7C BUD1UTXS opt BUD1RP6B, BUD1RP7, BUD1RPT1, BUD1RPT2, BUD1RPTS BUD1ENV BUD1Y BUD1YA BUD1YAB BUD1YAC
***** Cross Reference of all Routines *****	JAN 09, 2012@14:56:48 page 127

Routine	is Invoked by:
^BUD1YAD	BUD1YA
^BUD1YAE	BUD1YA
^BUD1YAF	BUD1YA

^BUD1YB	BUD1Y
^BUD1Z	BUD1ENV
^BUD1ZA	BUD1Z
^BUD1ZA10	BUD1ZA
^BUD1ZA11	BUD1ZA
^BUD1ZA12	BUD1ZA
^BUD1ZA13	BUD1ZA
^BUD1ZA14	BUD1ZA
^BUD1ZA15	BUD1ZA
^BUD1ZA16	BUD1ZA
^BUD1ZA17	BUD1ZA
^BUD1ZA18	BUD1ZA
^BUD1ZA19	BUD1ZA
^BUD1ZA2	BUD1ZA
^BUD1ZA20	BUD1ZA
^BUD1ZA21	BUD1ZA
^BUD1ZA22	BUD1ZA
^BUD1ZA23	BUD1ZA
^BUD1ZA24	BUD1ZA
^BUD1ZA25	BUD1ZA
^BUD1ZA26	BUD1ZA
^BUD1ZA27	BUD1ZA
^BUD1ZA28	BUD1ZA
^BUD1ZA29	BUD1ZA
^BUD1ZA3	BUD1ZA
^BUD1ZA30	BUD1ZA
^BUD1ZA31	BUD1ZA
^BUD1ZA32	BUD1ZA
^BUD1ZA33	BUD1ZA
^BUD1ZA34	BUD1ZA
^BUD1ZA35	BUD1ZA
^BUD1ZA36	BUD1ZA
^BUD1ZA37	BUD1ZA
^BUD1ZA38	BUD1ZA
^BUD1ZA39	BUD1ZA
^BUD1ZA4	BUD1ZA
^BUD1ZA40	BUD1ZA
^BUD1ZA41	BUD1ZA
^BUD1ZA42	BUD1ZA
^BUD1ZA43	BUD1ZA
^BUD1ZA44	BUD1ZA
^BUD1ZA45	BUD1ZA
^BUD1ZA46	BUD1ZA
^BUD1ZA5	BUD1ZA
^BUD1ZA6	BUD1ZA
^BUD1ZA7	BUD1ZA
^BUD1ZA8	BUD1ZA
^BUD1ZA9	BUD1ZA

***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 128

Routine	is Invoked by:
^BUD1ZB	BUD1Z
^BUD1ZC	BUD1Z
^BUD1ZD	BUD1Z
^BUD1ZE	BUD1Z
^BUD1ZF	BUD1Z
^BUD1ZG	BUD1Z
^BUD1ZH	BUD1Z

```

^BUD1ZI          BUD1Z
^BUD1ZJ          BUD1Z
^BUD1ZK          BUD1Z
^BUD1ZL          BUD1Z
^BUD1ZM          BUD1Z
^BUD1ZN          BUD1Z
^BUD1ZO          BUD1Z
^BUD1ZP          BUD1Z
^BUD1ZQ          BUD1Z
^BUD1ZR          BUD1Z
^BUD1ZS          BUD1Z
^BUD1ZT          BUD1Z
^BUD1ZU          BUD1Z
^BUD1ZV          BUD1Z
^BUD1ZW          BUD1Z
^BUD1ZX          BUD1Z
^BUD1ZY          BUD1Z
^BUD1ZZ          BUD1Z
^BUD3BAN         | opt
^BUD4BAN         | opt
T6^BUD4RPC1     BUD4RPTC
T52^BUD4RPL2    BUD4RPTL
T6^BUD4RPP1     BUD4RPTP
M^BUD4RPT1      | opt
T3A^BUD4RPT1    | opt
T3B^BUD4RPT1    | opt
T5^BUD4RPT1     | opt
T51^BUD4RPT1    | opt
T6^BUD4RPT1     | opt
^BUD4RPT2       | opt
M^BUD4RPT2     | opt
T3A^BUD4RPT2    | opt
T5^BUD4RPT2     | opt
T5A^BUD4RPT2    | opt
T5B^BUD4RPT2    | opt
T6^BUD4RPT2     | opt
TOL^BUD4RPT2    | opt
$$RACE^BUD4RPTC BUD4RPL1 , BUD4RPL2 , BUD4RPTL
PROC^BUD4RPTC   BUD4RPT1 , BUD4RPT2
^BUD4RPL1        BUD4RPTP
HEADER^BUD4RPTP BUD4RPP1
PRINT^BUD4RPTP  BUD4RPT1 , BUD4RPT2
^BUD4TX          BUD4ENV
^BUD4TXA         BUD4TX
***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 129

```

Routine	is Invoked by:
^BUD4TXB	BUD4TX
^BUD4TXC	BUD4TX
TAXCHK ^BUD4TXCH	BUD4RPT1
^BUD4TXD	BUD4TX
^BUD4TXE	BUD4TX
^BUD4TXF	BUD4TX
^BUD4TXFB	BUD4TXF
^BUD4TXFC	BUD4TXF
^BUD4UPVL	opt
EP^BUD4UTXL	BUD4UTXS
^BUD4UTXS	opt

^BUD5BAN	opt
T6^BUD5RPC1	BUD5RPTC
T52^BUD5RPL2	BUD5RPTL
T6^BUD5RPP1	BUD5RPTP
M^BUD5RPT1	opt
T3A^BUD5RPT1	opt
T3B^BUD5RPT1	opt
T5^BUD5RPT1	opt
T51^BUD5RPT1	opt
T6^BUD5RPT1	opt
TZ^BUD5RPT1	opt
^BUD5RPT2	opt
M^BUD5RPT2	opt
T3A^BUD5RPT2	opt
T5^BUD5RPT2	opt
T5A^BUD5RPT2	opt
T5B^BUD5RPT2	opt
T6^BUD5RPT2	opt
TOL^BUD5RPT2	opt
TZ^BUD5RPT2	opt
\$\$RACE^BUD5RPTC	BUD5RPL1 , BUD5RPL2 , BUD5RPTL
PROC^BUD5RPTC	BUD5RPT1 , BUD5RPT2
^BUD5RPTL	BUD5RPTP
HEADER^BUD5RPTP	BUD5RPP1
PRINT^BUD5RPTP	BUD5RPT1 , BUD5RPT2
^BUD5TX	BUD5ENV
^BUD5TXA	BUD5TX
^BUD5TXB	BUD5TX
^BUD5TXC	BUD5TX
TAXCHK^BUD5TXCH	BUD5RPT1
^BUD5TXD	BUD5TX
^BUD5TXE	BUD5TX
^BUD5TXF	BUD5TX
^BUD5UPVL	opt
EP^BUD5UTXL	BUD5UTXS
^BUD5UTXS	opt
^BUD6BAN	opt
T6^BUD6RPC1	BUD6RPTC
T52^BUD6RPL2	BUD6RPTL
T6^BUD6RPP1	BUD6RPTP

***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 130

Routine	is Invoked by:
M^BUD6RPT1	opt
T3A^BUD6RPT1	opt
T3B^BUD6RPT1	opt
T5^BUD6RPT1	opt
T51^BUD6RPT1	opt
T6^BUD6RPT1	opt
TZ^BUD6RPT1	opt
^BUD6RPT2	opt
M^BUD6RPT2	opt
T3A^BUD6RPT2	opt
T5^BUD6RPT2	opt
T5A^BUD6RPT2	opt
T5B^BUD6RPT2	opt
T6^BUD6RPT2	opt
TOL^BUD6RPT2	opt

TZ^BUD6RPT2	opt
\$\$RACE^BUD6RPTC	BUD6RPL1 , BUD6RPL2 , BUD6RPTL
PROC^BUD6RPTC	BUD6RPT1 , BUD6RPT2
^BUD6RPTL	BUD6RPTP
HEADER^BUD6RPTP	BUD6RPP1
PRINT^BUD6RPTP	BUD6RPT1 , BUD6RPT2
^BUD6TX	BUD6ENV
^BUD6TXA	BUD6TX
^BUD6TXB	BUD6TX
^BUD6TXC	BUD6TX
^BUD6UPVL	opt
EP^BUD6UTXL	BUD6UTXS
^BUD6UTXS	opt
TAXCHK^BUD6XTCH	BUD6RPT1
^BUD7BAN	opt
T6^BUD7RPC1	BUD7RPTC
T52^BUD7RPL2	BUD7RPTL
T53^BUD7RPL3	BUD7RPTL
T6^BUD7RPP1	BUD7RPTP
M^BUD7RPT1	opt
T3A^BUD7RPT1	opt
T3B^BUD7RPT1	opt
T5^BUD7RPT1	opt
T51^BUD7RPT1	opt
T6^BUD7RPT1	opt
TZ^BUD7RPT1	opt
^BUD7RPT2	opt
M^BUD7RPT2	opt
T3A^BUD7RPT2	opt
T5^BUD7RPT2	opt
T5A^BUD7RPT2	opt
T5B^BUD7RPT2	opt
T5C^BUD7RPT2	opt
T6^BUD7RPT2	opt
TOL^BUD7RPT2	opt
TZ^BUD7RPT2	opt

***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 131

Routine	is Invoked by:
\$\$RACE^BUD7RPTC	BUD7RPL1 , BUD7RPL2 , BUD7RPL3 , BUD7RPTL
PROC^BUD7RPTC	BUD7RPT1 , BUD7RPT2
GETV^BUD7RPTD	BUD7RPTC
^BUD7RPTL	BUD7RPTP
HEADER^BUD7RPTP	BUD7RPP1
PRINT^BUD7RPTP	BUD7RPT1 , BUD7RPT2
^BUD7TX	BUD7ENV
^BUD7TXA	BUD7TX
^BUD7TXB	BUD7TX
^BUD7TXC	BUD7TX
^BUD7TXD	BUD7TX
^BUD7TXE	BUD7TX
^BUD7TXF	BUD7TX
^BUD7TXG	BUD7TX
^BUD7TXH	BUD7TX
^BUD7TXI	BUD7TX
^BUD7TXJ	BUD7TX
^BUD7TXK	BUD7TX
^BUD7UPVL	opt

EP^BUD7UTXL	BUD7UTXS
^BUD7UTXS	opt
TAXCHK^BUD7XTCH	BUD7RPT1
^BUD8BAN	opt
\$\$CPT^BUD8DU	BUD8RP6B, BUD8RP6D, BUD8RP7A, BUD8RP7B, BUD8RP7C
\$\$LASTITEM^BUD8DU	BUD8RP7B
\$\$PLCODE^BUD8DU	BUD8RP6X
\$\$PLTAX^BUD8DU	BUD8RP6C, BUD8RP6X, BUD8RP6Y
\$\$TRAN^BUD8DU	BUD8RP6B, BUD8RP6D, BUD8RP7A
\$\$WH^BUD8DU	BUD8RP6D
^BUD8RP6B	opt
IMMLIST1^BUD8RP6B	opt
IMMLIST2^BUD8RP6B	opt
M^BUD8RP6B	opt
PAPLIST1^BUD8RP6B	opt
PAPLIST2^BUD8RP6B	opt
PRGA^BUD8RP6B	opt
\$\$ANAREACT^BUD8RP6C	BUD8RP6Y
\$\$ANCONT^BUD8RP6C	BUD8RP6X, BUD8RP6Y
\$\$MMRCONT^BUD8RP6C	BUD8RP6Y
GETIMMS^BUD8RP6C	BUD8RP6X, BUD8RP6Y
IMM^BUD8RP6C	BUD8RP6B
\$\$VBBD^BUD8RP6D	BUD8RP6C
PAPD^BUD8RP6D	BUD8RP6B
GENI^BUD8RP6I	BUD8RP6B
IMM1^BUD8RP6I	BUD8RP6B
IMM1L^BUD8RP6I	BUD8RP6B
IMM2^BUD8RP6I	BUD8RP6B
IMM2L^BUD8RP6I	BUD8RP6B
PRGA^BUD8RP6I	BUD8RP6B
PRGAL^BUD8RP6I	BUD8RP6B
PAP1^BUD8RP6P	BUD8RP6B
***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 132	

Routine	is Invoked by:
PAP1L^BUD8RP6P	BUD8RP6B
PAP2^BUD8RP6P	BUD8RP6B
PAP2L^BUD8RP6P	BUD8RP6B
\$\$DTAP^BUD8RP6X	BUD8RP6C
\$\$HEP^BUD8RP6Y	BUD8RP6C
\$\$HIB^BUD8RP6Y	BUD8RP6C
\$\$PNEU^BUD8RP6Y	BUD8RP6C
\$\$VAR^BUD8RP6Y	BUD8RP6C
^BUD8RP7	opt
DME1LIST^BUD8RP7	opt
DME2LIST^BUD8RP7	opt
DME3LIST^BUD8RP7	opt
DMELIST^BUD8RP7	opt
DMR2LIST^BUD8RP7	opt
DMR3LIST^BUD8RP7	opt
DMRLIST^BUD8RP7	opt
HTCELIST^BUD8RP7	opt
HTCRLIST^BUD8RP7	opt
HTELIST^BUD8RP7	opt
HTRLIST^BUD8RP7	opt
HTUELIST^BUD8RP7	opt
HTURLIST^BUD8RP7	opt
MDM^BUD8RP7	opt

MHT^BUD8RP7	opt
MPRG^BUD8RP7	opt
PRGELIST^BUD8RP7	opt
PRGHLIST^BUD8RP7	opt
PRGRLIST^BUD8RP7	opt
LINE^BUD8RP71	BUD8RP70
LINE1^BUD8RP71	BUD8RP70
PRINT^BUD8RP71	BUD8RP7
T7H^BUD8RP71	BUD8RP70
PRGELST^BUD8RP7A	BUD8RP7
PRGHLST^BUD8RP7A	BUD8RP7
PRGRRLST^BUD8RP7A	BUD8RP7
HTN^BUD8RP7B	BUD8RP7
DM^BUD8RP7C	BUD8RP7
\$\$RACE^BUD8RP7I	BUD8RP7B , BUD8RP7C
GENI^BUD8RP7I	BUD8RP7
PRGE^BUD8RP7I	BUD8RP7
PRGEL^BUD8RP7I	BUD8RP71
PRGH^BUD8RP7I	BUD8RP7
PRGHL^BUD8RP7I	BUD8RP71
PRGR^BUD8RP7I	BUD8RP7
PRGRRL^BUD8RP7I	BUD8RP71
HTCR^BUD8RP7J	BUD8RP7
HTCRL^BUD8RP7J	BUD8RP71
HTR^BUD8RP7J	BUD8RP7
HTRL^BUD8RP7J	BUD8RP71
HTUR^BUD8RP7J	BUD8RP7
HTURL^BUD8RP7J	BUD8RP71

***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 133

Routine	is Invoked by:
HTCE^BUD8RP7K	BUD8RP7
HTCEL^BUD8RP7K	BUD8RP71
HTE^BUD8RP7K	BUD8RP7
HTEL^BUD8RP7K	BUD8RP71
HTUE^BUD8RP7K	BUD8RP7
HTUEL^BUD8RP7K	BUD8RP71
DMR^BUD8RP7L	BUD8RP7
DMR1^BUD8RP7L	BUD8RP7 , opt
DMR1L^BUD8RP7L	BUD8RP71
DMR2^BUD8RP7L	BUD8RP7
DMR2L^BUD8RP7L	BUD8RP71
DMRL^BUD8RP7L	BUD8RP71
DME^BUD8RP7M	BUD8RP7
DME1^BUD8RP7M	BUD8RP7
DME1L^BUD8RP7M	BUD8RP71
DME2^BUD8RP7M	BUD8RP7
DME2L^BUD8RP7M	BUD8RP71
DMEL^BUD8RP7M	BUD8RP71
ETHN^BUD8RP7N	BUD8RP71
DMRACE1^BUD8RP7O	BUD8RP71
DMRACE2^BUD8RP7O	BUD8RP71
DME3^BUD8RP7S	BUD8RP7
DME3L^BUD8RP7S	BUD8RP71
DMR3^BUD8RP7T	BUD8RP7
DMR3L^BUD8RP7T	BUD8RP71
T6^BUD8RPC1	BUD8RPTC
T52^BUD8RPL2	BUD8RPTL

T53^BUD8RPL3	BUD8RPTL
\$\$RACE^BUD8RPL4	BUD8RPTC
T3BE^BUD8RPL4	BUD8RPTL
T3BR^BUD8RPL4	BUD8RPTL
T6^BUD8RPP1	BUD8RPTP
M^BUD8RPT1	opt
T3A^BUD8RPT1	opt
T3B^BUD8RPT1	opt
T5^BUD8RPT1	opt
T51^BUD8RPT1	opt
T6^BUD8RPT1	opt
TZ^BUD8RPT1	opt
^BUD8RPT2	opt
M^BUD8RPT2	opt
T3A^BUD8RPT2	opt
T5^BUD8RPT2	opt
T5A^BUD8RPT2	opt
T5B^BUD8RPT2	opt
T5C^BUD8RPT2	opt
T6^BUD8RPT2	opt
TOL^BUD8RPT2	opt
TUSVE^BUD8RPT2	opt
TUSVR^BUD8RPT2	opt
TZ^BUD8RPT2	opt

***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 134

Routine	is Invoked by:
\$\$HISP^BUD8RPTC	BUD8RP7A, BUD8RP7B, BUD8RP7C, BUD8RP7I, BUD8RP7K, BUD8RP7M BUD8RP7S, BUD8RPL4
\$\$RACE^BUD8RPTC	BUD8RP7A, BUD8RP7B, BUD8RP7C, BUD8RP7I, BUD8RP7J, BUD8RP7L BUD8RP7T, BUD8RPL1, BUD8RPL2, BUD8RPL3, BUD8RPL4, BUD8RPTL
PROC^BUD8RPTC	BUD8RPT1, BUD8RPT2
GETV^BUD8RPTD	BUD8RP6B, BUD8RP7, BUD8RPTC
^BUD8RPTL	BUD8RPTP
HEADER^BUD8RPTP	BUD8RP6B, BUD8RP71, BUD8RP7N, BUD8RP7O, BUD8RPP1
PRINT^BUD8RPTP	BUD8RPT1, BUD8RPT2
^BUD8TX	BUD8ENV
^BUD8TXA	BUD8TX
^BUD8TXB	BUD8TX
^BUD8TXC	BUD8TX
^BUD8TXD	BUD8TX
^BUD8TXE	BUD8TX
^BUD8TXF	BUD8TX
^BUD8TXG	BUD8TX
^BUD8TXH	BUD8TX
^BUD8TXI	BUD8TX
^BUD8TXJ	BUD8TX
^BUD8TXK	BUD8TX
^BUD8TXL	BUD8TX
^BUD8TXM	BUD8TX
^BUD8TXN	BUD8TX
^BUD8TXO	BUD8TX
^BUD8TXP	BUD8TX
^BUD8TXQ	BUD8TX
^BUD8TXR	BUD8TX
^BUD8TXS	BUD8TX
^BUD8TXT	BUD8TX
^BUD8TXU	BUD8TX

^BUD8TXV	BUD8TX
^BUD8TXW	BUD8TX
^BUD8UPVL	opt
\$\$DATE^BUD8UTL1	BUD8RP6B, BUD8RP6C, BUD8RP6X, BUD8RP6Y, BUD8RP7A, BUD8RP7C
\$\$LASTDX^BUD8UTL1	BUD8RP6D
\$\$LASTDXI^BUD8UTL1	BUD8RP6D
\$\$LASTPRC^BUD8UTL1	BUD8RP6B, BUD8RP6D, BUD8RP7A
EP^BUD8UTXL	BUD8UTXS
^BUD8UTXS	opt
TAXCHK^BUD8XTCH	BUD8RP6B, BUD8RP7, BUD8RPT1
^BUD9BAN	opt
\$\$CPT^BUD9DU	BUD9RP6B, BUD9RP6D, BUD9RP7A, BUD9RP7B, BUD9RP7C
\$\$LASTITEM^BUD9DU	BUD9RP7B
\$\$PLCODE^BUD9DU	BUD9RP6X
\$\$PLTAX^BUD9DU	BUD9RP6C, BUD9RP6X, BUD9RP6Y
\$\$TRAN^BUD9DU	BUD9RP6B, BUD9RP6D, BUD9RP7A
\$\$WH^BUD9DU	BUD9RP6D
^BUD9RP6B	opt
IMMLIST1^BUD9RP6B	opt
IMMLIST2^BUD9RP6B	opt
***** Cross Reference of all Routines *****	
***** JAN 09, 2012@14:56:48 page 135	

Routine	is Invoked by:
M^BUD9RP6B	opt
PAPLIST1^BUD9RP6B	opt
PAPLIST2^BUD9RP6B	opt
PRGA^BUD9RP6B	opt
\$\$ANAREACT^BUD9RP6C	BUD9RP6Y
\$\$ANCONT^BUD9RP6C	BUD9RP6X, BUD9RP6Y
\$\$MMRCONT^BUD9RP6C	BUD9RP6Y
GETIMMS^BUD9RP6C	BUD9RP6X, BUD9RP6Y
IMM^BUD9RP6C	BUD9RP6B
\$\$VBBD^BUD9RP6D	BUD9RP6C
PAPD^BUD9RP6D	BUD9RP6B
GENI^BUD9RP6I	BUD9RP6B
IMM1^BUD9RP6I	BUD9RP6B
IMM1L^BUD9RP6I	BUD9RP6B
IMM2^BUD9RP6I	BUD9RP6B
IMM2L^BUD9RP6I	BUD9RP6B
PRGA^BUD9RP6I	BUD9RP6B
PRGAL^BUD9RP6I	BUD9RP6B
PAP1^BUD9RP6P	BUD9RP6B
PAP1L^BUD9RP6P	BUD9RP6B
PAP2^BUD9RP6P	BUD9RP6B
PAP2L^BUD9RP6P	BUD9RP6B
\$\$DTAP^BUD9RP6X	BUD9RP6C
\$\$HEP^BUD9RP6Y	BUD9RP6C
\$\$HIB^BUD9RP6Y	BUD9RP6C
\$\$PNEU^BUD9RP6Y	BUD9RP6C
\$\$VAR^BUD9RP6Y	BUD9RP6C
^BUD9RP7	opt
DME1LIST^BUD9RP7	opt
DME2LIST^BUD9RP7	opt
DME3LIST^BUD9RP7	opt
DMELIST^BUD9RP7	opt
DMR1LIST^BUD9RP7	opt
DMR2LIST^BUD9RP7	opt
DMR3LIST^BUD9RP7	opt

DMRLIST^BUD9RP7	opt
HTCELIST^BUD9RP7	opt
HTCRLIST^BUD9RP7	opt
HTELIST^BUD9RP7	opt
HTRLIST^BUD9RP7	opt
HTUELIST^BUD9RP7	opt
HTURLIST^BUD9RP7	opt
MDM^BUD9RP7	opt
MHT^BUD9RP7	opt
MPRG^BUD9RP7	opt
PRGELIST^BUD9RP7	opt
PRGHLIST^BUD9RP7	opt
PRGRRLIST^BUD9RP7	opt
LINE^BUD9RP71	BUD9RP70
LINE1^BUD9RP71	BUD9RP70
LINE4^BUD9RP71	BUD9RP70
***** Cross Reference of all Routines	***** JAN 09, 2012@14:56:48 page 136

Routine	is Invoked by:
LINE5^BUD9RP71	BUD9RP70
PRINT^BUD9RP71	BUD9RP7
T7H^BUD9RP71	BUD9RP70
T7H1^BUD9RP71	BUD9RP70
PRGHLST^BUD9RP7A	BUD9RP7
PRGRRLST^BUD9RP7A	BUD9RP7
HTN^BUD9RP7B	BUD9RP7
DM^BUD9RP7C	BUD9RP7
^BUD9RP7F	BUD9RP71
LINE^BUD9RP7F	BUD9RP7G
LINE1^BUD9RP7F	BUD9RP7G
LINE4^BUD9RP7F	BUD9RP7G
LINE5^BUD9RP7F	BUD9RP7G
T7H^BUD9RP7F	BUD9RP7G
T7H1^BUD9RP7F	BUD9RP7G
DMRACE1^BUD9RP7G	BUD9RP7F
DMRACE2^BUD9RP7G	BUD9RP7F
\$\$RACE^BUD9RP7I	BUD9RP7A, BUD9RP7B, BUD9RP7C
\$\$RACEL^BUD9RP7I	BUD9RP7J, BUD9RP7L, BUD9RP7T
GENI^BUD9RP7I	BUD9RP7, BUD9RP7J, BUD9RP7L
PRGE^BUD9RP7I	BUD9RP7
PRGH^BUD9RP7I	BUD9RP7
PRGHL^BUD9RP7I	BUD9RP71
PRGR^BUD9RP7I	BUD9RP7
PRGRRL^BUD9RP7I	BUD9RP71
HTCR^BUD9RP7J	BUD9RP7
HTCRL^BUD9RP7J	BUD9RP71
HTR^BUD9RP7J	BUD9RP7
HTRL^BUD9RP7J	BUD9RP71
HTUR^BUD9RP7J	BUD9RP7
HTURL^BUD9RP7J	BUD9RP71
HTCE^BUD9RP7K	BUD9RP7
HTE^BUD9RP7K	BUD9RP7
HTUE^BUD9RP7K	BUD9RP7
DMR^BUD9RP7L	BUD9RP7
DMR1^BUD9RP7L	BUD9RP7
DMR1L^BUD9RP7L	BUD9RP71
DMR2^BUD9RP7L	BUD9RP7
DMR2L^BUD9RP7L	BUD9RP71

DMRL^BUD9RP7L	BUD9RP71
DME^BUD9RP7M	BUD9RP7
DME1^BUD9RP7M	BUD9RP7
DME2^BUD9RP7M	BUD9RP7
DMRACE1^BUD9RP7O	BUD9RP71
DMRACE2^BUD9RP7O	BUD9RP71
^BUD9RP7P	BUD9RP71
LINE^BUD9RP7P	BUD9RP7Q
LINE1^BUD9RP7P	BUD9RP7Q
T7H^BUD9RP7P	BUD9RP7Q
DMRACE1^BUD9RP7Q	BUD9RP7P
DME3^BUD9RP7S	BUD9RP7

***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 137

Routine	is Invoked by:
DMR3^BUD9RP7T	BUD9RP7
DMR3L^BUD9RP7T	BUD9RP71
T6^BUD9RPC1	BUD9RPTC
\$\$L26^BUD9RPC2	BUD9RPC1
\$\$L26A^BUD9RPC2	BUD9RPC1
\$\$L26B^BUD9RPC2	BUD9RPC1
\$\$L26C^BUD9RPC2	BUD9RPC1
\$\$L27^BUD9RPC2	BUD9RPC1
\$\$L28^BUD9RPC2	BUD9RPC1
\$\$L29^BUD9RPC2	BUD9RPC1
\$\$L30^BUD9RPC2	BUD9RPC1
\$\$L31^BUD9RPC2	BUD9RPC1
\$\$L32^BUD9RPC2	BUD9RPC1
\$\$L33^BUD9RPC2	BUD9RPC1
\$\$L34^BUD9RPC2	BUD9RPC1
T52^BUD9RPL2	BUD9RPTL
T3BR^BUD9RPL4	BUD9RPTL
T6^BUD9RPP1	BUD9RPTP
M^BUD9RPT1	opt
T3A^BUD9RPT1	opt
T3B^BUD9RPT1	opt
T5^BUD9RPT1	opt
T51^BUD9RPT1	opt
T6^BUD9RPT1	opt
TZ^BUD9RPT1	opt
^BUD9RPT2	opt
M^BUD9RPT2	opt
T3A^BUD9RPT2	opt
T5^BUD9RPT2	opt
T5A^BUD9RPT2	opt
T5B^BUD9RPT2	opt
T5C^BUD9RPT2	opt
T6^BUD9RPT2	opt
TOL^BUD9RPT2	opt
TUSVE^BUD9RPT2	opt
TUSVR^BUD9RPT2	opt
TZ^BUD9RPT2	opt
\$\$DEMO^BUD9RPTC	BUD9RP6B, BUD9RP7
\$\$HISP^BUD9RPTC	BUD9RP7A, BUD9RP7B, BUD9RP7C, BUD9RP7I, BUD9RP7J, BUD9RP7K BUD9RP7L, BUD9RP7M, BUD9RP7S, BUD9RP7T, BUD9RPL4
\$\$RACE^BUD9RPTC	BUD9RP7A, BUD9RP7B, BUD9RP7C, BUD9RP7I, BUD9RP7J, BUD9RP7L BUD9RP7T, BUD9RPL1, BUD9RPL2, BUD9RPL3, BUD9RPL4, BUD9RPTL
PROC^BUD9RPTC	BUD9RPT1, BUD9RPT2, BUD9RPTS

GETV^BUD9RPTD	BUD9RP6B , BUD9RP7 , BUD9RPTC
^BUD9RPTL	BUD9RPTP
HEADER^BUD9RPTP	BUD9RP6B , BUD9RP71 , BUD9RP7F , BUD9RP7G , BUD9RP7N , BUD9RP7O BUD9RP7P , BUD9RP7Q , BUD9RPP1
PRINT^BUD9RPTP	BUD9RPT1 , BUD9RPT2 , BUD9RPTS
EN^BUD9RPTS	opt
STEMP^BUD9RPTS	BUD9RPTP
EN^BUD9STMP	BUD9RPTS
***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 138	

Routine	is Invoked by:
^BUD9TX	BUD9ENV
^BUD9TXA	BUD9TX
^BUD9TXB	BUD9TX
^BUD9TXC	BUD9TX
^BUD9TXD	BUD9TX
^BUD9TXE	BUD9TX
^BUD9TXF	BUD9TX
^BUD9TXG	BUD9TX
^BUD9TXH	BUD9TX
^BUD9TXI	BUD9TX
^BUD9TXJ	BUD9TX
^BUD9TXK	BUD9TX
^BUD9TXL	BUD9TX
^BUD9TXM	BUD9TX
^BUD9TXN	BUD9TX
^BUD9TXO	BUD9TX
^BUD9TXP	BUD9TX
^BUD9TXQ	BUD9TX
^BUD9TXR	BUD9TX
^BUD9TXS	BUD9TX
^BUD9TXT	BUD9TX
^BUD9TXU	BUD9TX
^BUD9TXV	BUD9TX
^BUD9TXW	BUD9TX
^BUD9TXX	BUD9TX
^BUD9TXY	BUD9TX
^BUD9TXZ	BUD9TX
^BUD9UPVL	opt
PAUSE^BUD9UPVL	BUD9STMP
\$\$DATE^BUD9UTL1	BUD9RP6B , BUD9RP6C , BUD9RP6X , BUD9RP6Y , BUD9RP7A , BUD9RP7C
\$\$LASTDXI^BUD9UTL1	BUD9RP6D
\$\$LASTPRC^BUD9UTL1	BUD9RP6B , BUD9RP6D , BUD9RP7A
\$\$AGE^BUD9UTL2	BUD9RPC2
EP^BUD9UTXL	BUD9UTXS
^BUD9UTXS	opt
TAXCHK^BUD9XTCH	BUD9RP6B , BUD9RP7 , BUD9RPT1 , BUD9RPTS
^BUDBAN	opt
^BUDEXP	opt
M^BUDRPT1	opt
T3A^BUDRPT1	opt
T3B^BUDRPT1	opt
T5^BUDRPT1	opt
T51^BUDRPT1	opt
T6^BUDRPT1	opt
^BUDRPT2	opt
M^BUDRPT2	opt
T3A^BUDRPT2	opt

T5^BUDRPT2	opt
T5A^BUDRPT2	opt
T5B^BUDRPT2	opt
T6^BUDRPT2	opt
***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 139	

Routine	is Invoked by:
TOL^BUDRPT2	opt
\$\$RACE^BUDRPTC	BUDRPTL, BUDRPTL1, BUDRPTL2
PROC^BUDRPTC	BUDRPT1, BUDRPT2
T6^BUDRPTC1	BUDRPTC
^BUDRPTL	BUDRPTP
TOL^BUDRPTL1	BUDRPTL
T52^BUDRPTL2	BUDRPTL
HEADER^BUDRPTP	BUDRPTP1
PRINT^BUDRPTP	BUDRPT1, BUDRPT2
T6^BUDRPTP1	BUDRPTP
^BUDTX	BUD4ENV, BUDENV
^BUDTXA	BUDTX
^BUDTXB	BUDTX
^BUDTXC	BUDTX
TAXCHK^BUDTXCH	BUD0RPT2, BUD4RPT2, BUD5RPT2, BUD6RPT2, BUD7RPT2, BUD8RPT2 BUD9RPT2, BUDRPT1, BUDRPT2
^BUDTXD	BUDTX
^BUDTXE	BUDTX
^BUDTXEB	BUDTXE
^BUDTXEC	BUDTXE
^BUDTXF	BUDTX
^BUDTXG	BUDTX
^BUDTXH	BUDTX
^BUDTXI	BUDTX
^BUDTXJ	BUDTX
^BUDUPVL	opt
^DIC	BUD0ENV, BUD0RP6B, BUD0RP7, BUD0RPT1, BUD0RPT2, BUD0RPTS BUD0STMP, BUD0UPVL, BUD0UTXL, BUD1ENV, BUD1RP6B, BUD1RP7 BUD1RPT1, BUD1RPT2, BUD1RPTS, BUD1STMP, BUD1UPVL, BUD1UTXL BUD4ENV, BUD4RPT1, BUD4RPT2, BUD4UPVL, BUD4UTXL, BUD5ENV BUD5RPT1, BUD5RPT2, BUD5UPVL BUD5UTXL, BUD6ENV, BUD6RPT1, BUD6RPT2, BUD6UPVL, BUD6UTXL BUD7ENV, BUD7RPT1, BUD7RPT2, BUD7UPVL, BUD7UTXL, BUD8ENV BUD8RP6B, BUD8RP7, BUD8RPT1, BUD8RPT2, BUD8UPVL, BUD8UTXL BUD9ENV, BUD9RP6B, BUD9RP7, BUD9RPT1, BUD9RPT2, BUD9RPTS BUD9STMP, BUD9UPVL, BUD9UTXL BUDENV, BUDRPT1, BUDRPT2, BUDUPVL
IX^DIC	BUD0ENV, BUD1ENV, BUD4ENV, BUD6ENV, BUD7ENV, BUD8ENV, BUD9ENV
FILE^DICN	BUD0UTXL, BUD1UTXL, BUD4UTXL, BUD5UTXL, BUD6UTXL, BUD7UTXL BUD8UTXL, BUD9UTXL
^DIE	BUD0STMP, BUD0UPVL, BUD0UTXL, BUD1STMP, BUD1UPVL, BUD1UTXL BUD4UPVL, BUD4UTXL, BUD5UPVL, BUD5UTXL, BUD6UPVL, BUD6UTXL BUD7UPVL, BUD7UTXL, BUD8UPVL, BUD8UTXL, BUD9STMP, BUD9UPVL BUD9UTXL, BUDUPVL
^DIK	BUD0ENV, BUD0STMP, BUD1ENV, BUD1STMP, BUD4ENV, BUD5ENV BUD6ENV, BUD7ENV, BUD8ENV, BUD9ENV, BUD9STMP, BUDENV
EN^DIK	BUD0UPVL, BUD1UPVL, BUD4UPVL, BUD5UPVL, BUD6UPVL, BUD7UPVL BUD8UPVL, BUD9UPVL, BUDUPVL
IX1^DIK	BUD0ENV, BUD0STMP, BUD1ENV, BUD1STMP, BUD4ENV, BUD5ENV BUD6ENV, BUD7ENV, BUD8ENV, BUD9ENV, BUD9STMP, BUDENV
\$\$GET1^DIQ	BUD1RPC4

***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 140

Routine <code>^DIR</code>	is Invoked by: <code>BUD0RP6B, BUD0RP6I, BUD0RP6P, BUD0RP7, BUD0RP71, BUD0RP7F BUD0RP7G, BUD0RP7I, BUD0RP7J, BUD0RP7K, BUD0RP7L, BUD0RP7M BUD0RP7N, BUD0RP7O, BUD0RP7P, BUD0RP7Q, BUD0RP7S, BUD0RP7T BUD0RPL1, BUD0RPL2, BUD0RPL3, BUD0RPL4, BUD0RPT1, BUD0RPT2 BUD0RPTD, BUD0RPTL BUD0RPTP, BUD0RPTS, BUD0STMP, BUD0UPVLL, BUD0UTXL, BUD0UTXS BUD0XTCH, BUD1RP6B, BUD1RP6E, BUD1RP6F, BUD1RP6G, BUD1RP6I BUD1RP6P, BUD1RP6S, BUD1RP6T, BUD1RP7, BUD1RP71, BUD1RP7F BUD1RP7G, BUD1RP7I, BUD1RP7J, BUD1RP7K, BUD1RP7L, BUD1RP7M BUD1RP7N, BUD1RP7O BUD1RP7P, BUD1RP7Q, BUD1RP7S, BUD1RP7T, BUD1RPL1, BUD1RPL2 BUD1RPL3, BUD1RPL4, BUD1RPL5, BUD1RPT1, BUD1RPT2, BUD1RPTD BUD1RPTL, BUD1RPTP, BUD1RPTS, BUD1STMP, BUD1UPVLL, BUD1UTXL BUD1UTXS, BUD1XTCH, BUD4RPL1, BUD4RPL2, BUD4RPT1, BUD4RPT2 BUD4RPTL, BUD4RPTP BUD4TXCH, BUD4UPVLL, BUD4UTXL, BUD4UTXS, BUD5RPL1, BUD5RPL2 BUD5RPT1, BUD5RPT2, BUD5RPTL, BUD5RPTP, BUD5TXCH, BUD5UPVLL BUD5UTXL, BUD5UTXS, BUD6RPL1, BUD6RPL2, BUD6RPT1, BUD6RPT2 BUD6RPTL, BUD6RPTP, BUD6UPVLL, BUD6UTXL, BUD6UTXS, BUD6XTCH BUD7RPL1, BUD7RPL2 BUD7RPL3, BUD7RPT1, BUD7RPT2, BUD7RPTL, BUD7RPTP, BUD7UPVLL BUD7UTXL, BUD7UTXS, BUD7XTCH, BUD8RP6B, BUD8RP6I, BUD8RP6P BUD8RP7, BUD8RP71, BUD8RP7I, BUD8RP7J, BUD8RP7K, BUD8RP7L BUD8RP7M, BUD8RP7N, BUD8RP7O, BUD8RP7S, BUD8RP7T, BUD8RPL1 BUD8RPL2, BUD8RPL3 BUD8RPL4, BUD8RPT1, BUD8RPT2, BUD8RPTL, BUD8RPTP, BUD8UPVLL BUD8UTXL, BUD8UTXS, BUD8XTCH, BUD9RP6B, BUD9RP6I, BUD9RP6P BUD9RP7, BUD9RP71, BUD9RP7F, BUD9RP7G, BUD9RP7I, BUD9RP7J BUD9RP7K, BUD9RP7L, BUD9RP7M, BUD9RP7N, BUD9RP7O, BUD9RP7P BUD9RP7Q, BUD9RP7S BUD9RP7T, BUD9RPL1, BUD9RPL2, BUD9RPL3, BUD9RPL4, BUD9RPT1 BUD9RPT2, BUD9RPTL, BUD9RPTP, BUD9RPTS, BUD9STMP, BUD9UPVLL BUD9UTXL, BUD9UTXS, BUD9XTCH, BUDRPT1, BUDRPT2, BUDRPTL BUDRPTL1, BUDRPTL2, BUDRPTP, BUDTXCH, BUDUPVLL</code>
-------------------------------------	---

<<< 2.2.2.12 NOT MARKED AS ENTRY POINT >>>

<code>\$\$CODEN^ICDCODE</code>	<code>BUD0DU, BUD0UTL1, BUD1DU, BUD1UTL1, BUD8DU, BUD8UTL1, BUD9DU BUD9UTL1</code>
--------------------------------	---

<<< 2.2.2.12 NOT MARKED AS ENTRY POINT >>>

<code>\$\$ICDDX^ICDCODE</code>	<code>BUD0RPC1, BUD0RPC2, BUD0UTL1, BUD1RP6R, BUD1RP6V, BUD1RPC1 BUD1RPC2, BUD1UTL1, BUD4RPC1, BUD5RPC1, BUD6RPC1, BUD7RPC1 BUD8RPC1, BUD8UTL1, BUD9RPC1, BUD9RPC2, BUD9UTL1, BUDRPTC1</code>
--------------------------------	---

<<< 2.2.2.12 NOT MARKED AS ENTRY POINT >>>

<code>\$\$ICDOP^ICDCODE</code>	<code>BUD0UTL1, BUD1UTL1, BUD4RPC1, BUD5RPC1, BUD6RPC1, BUD7RPC1 BUD8RPC1, BUD8UTL1, BUD9UTL1, BUDRPTC1</code>
--------------------------------	---

<<< 2.2.2.12 NOT MARKED AS ENTRY POINT >>>

<code>\$\$CPT^ICPTCOD</code>	<code>BUD0DU, BUD0RP6C, BUD0RP6X, BUD0RP6Y, BUD0RPC1, BUD0RPC2 BUD1DU, BUD1RP6C, BUD1RP6U, BUD1RP6W, BUD1RP6X, BUD1RP6Y BUD1RPC1, BUD1RPC2, BUD1UTL1, BUD4RPC1, BUD5RPC1, BUD6RPC1 BUD7RPC1, BUD8DU, BUD8RP6C, BUD8RP6X, BUD8RP6Y, BUD8RPC1 BUD9DU, BUD9RP6C, BUD9RP6X</code>
------------------------------	---

***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 141

Routine	is Invoked by:
<<< 2.2.2.12 NOT MARKED AS ENTRY POINT >>>	
\$\$CPT^ICPTCOD EN^VALM	BUD9RP6Y, BUD9RPC1, BUD9RPC2, BUDRPTC1 BUD0UPVL, BUD0UTXL, BUD0UTXS, BUD1UPVL, BUD1UTXL, BUD1UTXS BUD4UPVL, BUD4UTXL, BUD4UTXS, BUD5UPVL, BUD5UTXL, BUD5UTXS BUD6UPVL, BUD6UTXL, BUD6UTXS, BUD7UPVL, BUD7UTXL, BUD7UTXS BUD8UPVL, BUD8UTXL, BUD8UTXS, BUD9UPVL, BUD9UTXL, BUD9UTXS BUDUPVL
TERM^VALM0	BUD0UPVL, BUD0UTXL, BUD0UTXS, BUD1UPVL, BUD1UTXL, BUD1UTXS BUD4UPVL, BUD4UTXL, BUD4UTXS, BUD5UPVL, BUD5UTXL, BUD5UTXS BUD6UPVL, BUD6UTXL, BUD6UTXS, BUD7UPVL, BUD7UTXL, BUD7UTXS BUD8UPVL, BUD8UTXL, BUD8UTXS, BUD9UPVL, BUD9UTXL, BUD9UTXS BUDUPVL
CLEAR^VALM1	BUD0UPVL, BUD0UTXL, BUD0UTXS, BUD1UPVL, BUD1UTXL, BUD1UTXS BUD4UPVL, BUD4UTXL, BUD4UTXS, BUD5UPVL, BUD5UTXL, BUD5UTXS BUD6UPVL, BUD6UTXL, BUD6UTXS, BUD7UPVL, BUD7UTXL, BUD7UTXS BUD8UPVL, BUD8UTXL, BUD8UTXS, BUD9UPVL, BUD9UTXL, BUD9UTXS BUDUPVL
FULL^VALM1	BUD0UPVL, BUD0UTXL, BUD0UTXS, BUD1UPVL, BUD1UTXL, BUD1UTXS BUD4UPVL, BUD4UTXL, BUD4UTXS, BUD5UPVL, BUD5UTXL, BUD5UTXS BUD6UPVL, BUD6UTXL, BUD6UTXS, BUD7UPVL, BUD7UTXL, BUD7UTXS BUD8UPVL, BUD8UTXL, BUD8UTXS, BUD9UPVL, BUD9UTXL, BUD9UTXS BUDUPVL
^XBCLS	BUD0UPVL, BUD1UPVL, BUD4UPVL, BUD5UPVL, BUD6UPVL, BUD7UPVL BUD8UPVL, BUD9UPVL, BUDUPVL
^XDBDQUE	BUD0XTCH, BUD1XTCH, BUD4TXCH, BUD5TXCH, BUD6XTCH, BUD7XTCH BUD8XTCH, BUD9XTCH, BUDTXCH
\$\$VAL^XBDIQ1	BUD0DU, BUD0RP6B, BUD0RP6D, BUD0RP6I, BUD0RP6X, BUD0RP7A BUD0RP7B, BUD0RP7C, BUD0RP7I, BUD0RP7J, BUD0RP7K, BUD0RP7L BUD0RP7M, BUD0RP7S, BUD0RP7T, BUD0RPC1, BUD0RPC2, BUD0RPTC BUD0RPTD, BUD0UPVL, BUD1DU, BUD1RP6B, BUD1RP6D, BUD1RP6I BUD1RP6U, BUD1RP6V, BUD1RP6W BUD1RP6X, BUD1RP6Y, BUD1RP7A, BUD1RP7B, BUD1RP7C, BUD1RP7I BUD1RP7J, BUD1RP7K, BUD1RP7L, BUD1RP7M, BUD1RP7S, BUD1RP7T BUD1RPC1, BUD1RPC2, BUD1RPC3, BUD1RPC4, BUD1RPT1, BUD1RPTC BUD1RPTD, BUD1UPVL, BUD4RPTC, BUD4UPVL, BUD5RPTC, BUD5UPVL BUD6RPTC, BUD6UPVL BUD7RPTC, BUD7RPTD, BUD7UPVL, BUD8DU, BUD8RP6B, BUD8RP6D BUD8RP6I, BUD8RP6X, BUD8RP7A, BUD8RP7B, BUD8RP7C, BUD8RP7I BUD8RP7J, BUD8RP7K, BUD8RP7L, BUD8RP7M, BUD8RP7S, BUD8RP7T BUD8RPTC, BUD8RPTD, BUD8UPVL, BUD9DU, BUD9RP6B, BUD9RP6D BUD9RP6I, BUD9RP6X, BUD9RP7A BUD9RP7B, BUD9RP7C, BUD9RP7I, BUD9RP7J, BUD9RP7K, BUD9RP7L BUD9RP7M, BUD9RP7S, BUD9RP7T, BUD9RPC1, BUD9RPC2, BUD9RPTC BUD9RPTD, BUD9UPVL, BUDRPTC, BUDUPVL BUD1RP6V, BUD1RPC2, BUD1RPC3 BUD0UPVL, BUD0UTXL, BUD1UPVL, BUD1UTXL, BUD4UPVL, BUD4UTXL BUD5UPVL, BUD5UTXL, BUD6UPVL, BUD6UTXL, BUD7UPVL, BUD7UTXL BUD8UPVL, BUD8UTXL, BUD9UPVL, BUD9UTXL, BUDUPVL
\$\$VALI^XBDIQ1 ^XBFMK	BUD1RPTD BUD0RP6B, BUD0RP7, BUD0RPT1, BUD0RPT2, BUD0RPTS, BUD0UPVL BUD0UTXL, BUD0UTXS, BUD1RP6B, BUD1RP6F, BUD1RP6S, BUD1RP6T BUD1RP7, BUD1RPT1, BUD1RPT2, BUD1RPTS, BUD1UPVL, BUD1UTXL BUD1UTXS, BUD4RPT1, BUD4RPT2, BUD4UPVL, BUD4UTXL, BUD4UTXS BUD5RPT1, BUD5RPT2
^XBGSAVE EN^XBVK	

***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 142

Routine	is Invoked by:
EN^XBVK	BUD5UPVL, BUD5UTXL, BUD5UTXS, BUD6RPT1, BUD6RPT2, BUD6UPVL BUD6UTXL, BUD6UTXS, BUD7RPT1, BUD7RPT2, BUD7UPVL, BUD7UTXL BUD7UTXS, BUD8RP6B, BUD8RP7, BUD8RPT1, BUD8RPT2, BUD8UPVL BUD8UTXL, BUD8UTXS, BUD9RP6B, BUD9RP7, BUD9RPT1, BUD9RPT2 BUD9RPTS, BUD9UPVL BUD9UTXL, BUD9UTXS, BUDRPT1, BUDRPT2, BUDUPVL BUD0UTL2, BUD1UTL2, BUD9UTL2 BUD0DU, BUD0RP6B, BUD0RP6C, BUD0RP6D, BUD0RP7, BUD0RP7A BUD0RPC, BUD0UTL1, BUD1DU, BUD1RP6B, BUD1RP6C, BUD1RP6D BUD1RP6R, BUD1RP6U, BUD1RP6V, BUD1RP7, BUD1RP7A, BUD1RPC BUD1UTL1, BUD4RPC, BUD5RPC, BUD6RPC, BUD7RPC, BUD8DU BUD8RP6B, BUD8RP6C, BUD8RP6D BUD8RP7, BUD8RP7A, BUD8RPC, BUD8UTL1, BUD9DU, BUD9RP6B BUD9RP6C, BUD9RP6D, BUD9RP7, BUD9RP7A, BUD9RPC, BUD9UTL1 BUDRPTC BUD0RP6C, BUD0RP6X, BUD0RP6Y, BUD1RP6C, BUD1RP6W, BUD1RP6X BUD1RP6Y, BUD8RP6C, BUD8RP6X, BUD8RP6Y, BUD9RP6C, BUD9RP6X BUD9RP6Y BUD0DU, BUD0RP6B, BUD0RP6C, BUD0RP6D, BUD0RP6I, BUD0RP6P BUD0RP7, BUD0RP7A, BUD0RP7B, BUD0RP7C, BUD0RP7I, BUD0RP7J BUD0RP7K, BUD0RP7L, BUD0RP7M, BUD0RP7S, BUD0RP7T, BUD0RPL1 BUD0RPL2, BUD0RPL3, BUD0RPL4, BUD0RPT1, BUD0RPT2, BUD0RPTD BUD0RPTL, BUD0RPTP BUD0RPTS, BUD1DU, BUD1RP6B, BUD1RP6C, BUD1RP6D, BUD1RP6F BUD1RP6G, BUD1RP6I, BUD1RP6P, BUD1RP6R, BUD1RP6S, BUD1RP6T BUD1RP6U, BUD1RP6V, BUD1RP7, BUD1RP7A, BUD1RP7B, BUD1RP7C BUD1RP7I, BUD1RP7J, BUD1RP7K, BUD1RP7L, BUD1RP7M, BUD1RP7S BUD1RP7T, BUD1RPC3 BUD1RPL1, BUD1RPL2, BUD1RPL3, BUD1RPL4, BUD1RPL5, BUD1RPT1 BUD1RPT2, BUD1RPTD, BUD1RPTL, BUD1RPTP, BUD1RPTS, BUD1UTL1 BUD4RPL1, BUD4RPL2, BUD4RPT1, BUD4RPT2, BUD4RPC, BUD4RPTL BUD4RPTP, BUD5RPL1, BUD5RPL2, BUD5RPT1, BUD5RPT2, BUD5RPTC BUD5RPTL, BUD5RPTP BUD6RPL1, BUD6RPL2, BUD6RPT1, BUD6RPT2, BUD6RPC, BUD6RPTL BUD6RPTP, BUD7RPL1, BUD7RPL2, BUD7RPL3, BUD7RPT1, BUD7RPT2 BUD7RPTD, BUD7RPTL, BUD7RPTP, BUD8DU, BUD8RP6B, BUD8RP6D BUD8RP6I, BUD8RP6P, BUD8RP7, BUD8RP7A, BUD8RP7B, BUD8RP7C BUD8RP7I, BUD8RP7J BUD8RP7K, BUD8RP7L, BUD8RP7M, BUD8RP7S, BUD8RP7T, BUD8RPL1 BUD8RPL2, BUD8RPL3, BUD8RPL4, BUD8RPT1, BUD8RPT2, BUD8RPTD BUD8RPTL, BUD8RPTP, BUD9DU, BUD9RP6B, BUD9RP6D, BUD9RP6I BUD9RP6P, BUD9RP7, BUD9RP7A, BUD9RP7B, BUD9RP7C, BUD9RP7I BUD9RP7J, BUD9RP7K BUD9RP7L, BUD9RP7M, BUD9RP7S, BUD9RP7T, BUD9RPL1, BUD9RPL2 BUD9RPL3, BUD9RPL4, BUD9RPT1, BUD9RPT2, BUD9RPTD, BUD9RPTL BUD9RPTP, BUD9RPTS, BUDRPT1, BUDRPT2, BUDRPTC, BUDRPTL BUDRPTL1, BUDRPTL2, BUDRPTP BUD0ENV, BUD1ENV, BUD4ENV, BUD6ENV, BUD7ENV, BUD8ENV, BUD9ENV BUD0RPTP, BUD1RPTP, BUD8RPTP, BUD9RPTP BUD0RP6B, BUD0RP7, BUD0RP71, BUD0RP7F, BUD0RP7N, BUD0RP7P BUD0RPTS, BUD1RP6B, BUD1RP6E, BUD1RP7, BUD1RP71, BUD1RP7F BUD1RP7N, BUD1RP7P, BUD1RPTS, BUD8RP6B, BUD8RP7, BUD8RP71 BUD8RP7N, BUD9RP6B, BUD9RP7, BUD9RP71, BUD9RP7F, BUD9RP7N BUD9RP7P, BUD9RPTS
\$\$CJ^XLFSTR \$\$LOW^XLFSTR \$\$REPEAT^XLFSTR	

***** Cross Reference of all Routines ***** JAN 09, 2012@14:56:48 page 143

Routine	is Invoked by:
\$\$STRIP^XLFSTR	BUD0RP7C, BUD1RP7C, BUD8RP7C, BUD9RP7C
\$\$UP^XLFSTR	BUD0RP6C, BUD0RP6Y, BUD0RP7C, BUD1RP6C, BUD1RP6U, BUD1RP6W BUD1RP6Y, BUD1RP7C, BUD8RP6C, BUD8RP6Y, BUD8RP7C, BUD9RP6C BUD9RP6Y, BUD9RP7C
<<< 2.2.2.12 NOT MARKED AS ENTRY POINT >>>	
\$\$ADD^XPDMENU	BUDENV
<<< 2.2.2.12 NOT MARKED AS ENTRY POINT >>>	
\$\$VERSION^XPDUTL	BUD0ENV, BUD0RPC1, BUD0RPTD, BUD1ENV, BUD1RPC1, BUD1RPTD BUD4ENV, BUD7RPC1, BUD7RPTD, BUD8RPC1, BUD8RPTD, BUD9ENV BUD9RPC1, BUD9RPTD
<<< 2.2.2.12 NOT MARKED AS ENTRY POINT >>>	
MES^XPDTUL	BUD0ENV, BUD1ENV, BUD4ENV, BUD6ENV, BUD7ENV, BUD8ENV, BUD9ENV
DISP^XQORM1	BUD0UPV1, BUD0UTXL, BUD0UTXS, BUD1UPV1, BUD1UTXL, BUD1UTXS BUD4UPV1, BUD4UTXL, BUD4UTXS, BUD5UPV1, BUD5UTXL, BUD5UTXS BUD6UPV1, BUD6UTXL, BUD6UTXS, BUD7UPV1, BUD7UTXL, BUD7UTXS BUD8UPV1, BUD8UTXL, BUD8UTXS, BUD9UPV1, BUD9UTXL, BUD9UTXS BUDUPV1

6.2 Callable Routines

There are no Published Entry points within this software application.

6.3 Published Entry Points

There are no Published Entry points within the IHS/RPMS UDS software.

6.4 Exported Options

Table 6-1 shows the exported UDS option names and descriptions. For detailed explanation of each option, see the individual User Manual for the application.

Table 6-1. Exported UDS Options

Option Name	Description
BUD 04 ALL TABLES	Multiple/ALL UDS Tables
BUD 04 LIST 5BC	All Users by Service Category (Table 5 col B&C)
BUD 04 LIST MULTIPLE	Multiple/ALL Lists
BUD 04 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 04 LIST T3A/T3B	All Users w/Visits, by Age, Gender, Race (3A & 3B)
BUD 04 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 04 LIST T6	All Users by Selected Primary Diagnosis (Table 6)
BUD 04 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)

Option Name	Description
BUD 04 MANAGER UTILITIES	Manager Utilities
BUD 04 MENU	UDS 2004
BUD 04 MENU LISTS	User (Patient) and Provider Lists
BUD 04 PATIENT LISTS	User (Patient) Lists
BUD 04 REPORTS	Reports
BUD 04 SETUP LOCATIONS	Update/Review Site Parameters
BUD 04 TABLE 3A	Table 3A: Users by Age and Gender
BUD 04 TABLE 3B	Table 3B: Users by Race/Ethnicity&Linguistic Pref
BUD 04 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 04 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 04 TABLE 6	Table 6: Selected Diagnoses and Services Rendered
BUD 04 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2004
BUD 05 ALL TABLES	Multiple/ALL UDS Tables
BUD 05 LIST 5BC	All Users by Service Category (Table 5 col B&C)
BUD 05 LIST MULTIPLE	Multiple/ALL Lists
BUD 05 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 05 LIST T3A/T3B	All Users w/Visits, by Age, Gender, Race (3A & 3B)
BUD 05 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 05 LIST T6	All Users by Selected Primary Diagnosis (Table 6)
BUD 05 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 05 MANAGER UTILITIES	Manager Utilities
BUD 05 MENU	UDS 2005
BUD 05 MENU LISTS	User (Patient) and Provider Lists
BUD 05 PATIENT LISTS	User (Patient) Lists
BUD 05 REPORTS	Reports
BUD 05 SETUP LOCATIONS	Update/Review Site Parameters
BUD 05 TABLE 3A	Table 3A: Users by Age and Gender
BUD 05 TABLE 3B	Table 3B: Users by Race/Ethnicity&Linguistic Pref
BUD 05 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 05 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 05 TABLE 6	Table 6: Selected Diagnoses and Services Rendered
BUD 05 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2005
BUD 05 ZIP LIST	All Users w/Visits by Zip (Center/Grantee Profile)
BUD 05 ZIP TABLE	Center/Grantee Profile: User/Patient by Zip Code
BUD 06 ALL TABLES	Multiple/ALL UDS Tables
BUD 06 LIST 5BC	All Users by Service Category (Table 5 col B&C)
BUD 06 LIST MULTIPLE	Multiple/ALL Lists
BUD 06 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 06 LIST T3A/T3B	All Users w/Visits, by Age, Gender, Race (3A & 3B)
BUD 06 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 06 LIST T6	All Users by Selected Primary Diagnosis (Table 6)
BUD 06 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 06 MANAGER UTILITIES	Manager Utilities

Option Name	Description
BUD 06 MENU	UDS 2006
BUD 06 MENU LISTS	User (Patient) and Provider Lists
BUD 06 PATIENT LISTS	User (Patient) Lists
BUD 06 REPORTS	Reports
BUD 06 SETUP LOCATIONS	Update/Review Site Parameters
BUD 06 TABLE 3A	Table 3A: Users by Age and Gender
BUD 06 TABLE 3B	Table 3B: Users by Race/Ethnicity&Linguistic Pref
BUD 06 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 06 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 06 TABLE 6	Table 6: Selected Diagnoses and Services Rendered
BUD 06 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2006
BUD 06 ZIP LIST	All Users w/Visits by Zip (Center/Grantee Profile)
BUD 06 ZIP TABLE	Center/Grantee Profile: User/Patient by Zip Code
BUD 07 ALL TABLES	Multiple/ALL UDS Tables
BUD 07 LIST 5BC	All Patients by Service Category (Table 5 col B&C)
BUD 07 LIST MULTIPLE	Multiple/ALL Lists
BUD 07 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 07 LIST T3A/T3B	All Patients w/Visits by Age, Gender, Race (3A&3B)
BUD 07 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 07 LIST T6	All Patients by Selected Primary DX (Table 6)
BUD 07 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 07 MANAGER UTILITIES	Manager Utilities
BUD 07 MENU	UDS 2007
BUD 07 MENU LISTS	Patient and Provider Lists
BUD 07 MULT VISITS IN SRV CAT	All Patients w/Multiple Visits in Srv Cats (5B&C)
BUD 07 PATIENT LISTS	Patient Lists
BUD 07 REPORTS	Reports
BUD 07 SETUP LOCATIONS	Update/Review Site Parameters
BUD 07 TABLE 3A	Table 3A: Patients by Age and Gender
BUD 07 TABLE 3B	Table 3B: Patients by Ethnicity/Race/Language
BUD 07 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 07 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 07 TABLE 6	Table 6: Selected Diagnoses and Services Rendered
BUD 07 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2007
BUD 07 ZIP LIST	All Patients w/Visits by Zip (Center/Grantee Prof)
BUD 07 ZIP TABLE	Center/Grantee Profile: Patients by Zip Code
BUD 08 ALL TABLES	Multiple/ALL Tables Zip through 6A
BUD 08 LIST 5BC	All Patients by Service Category (Table 5 col B&C)
BUD 08 LIST MULTIPLE	Multiple/ALL Lists Zip through 6A
BUD 08 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 08 LIST T3A/T3B	All Pts w/Visits, by Age & Gender (Table 3A)
BUD 08 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 08 LIST T6	All Patients by Selected Primary DX (Table 6A)

Option Name	Description
BUD 08 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 08 LIST USVE	All Pts w/Visits, by Ethnicity (3B)
BUD 08 LIST USVR	All Pts w/Visits, by Hispanic Identity & Race (3B)
BUD 08 LST1	Lists for Tables Zip Code, 3A&3B, 5, and 6A
BUD 08 LST2	Lists for Table 6B
BUD 08 LST2 CIM1	All Patients Age 2 w/All Child Immunizations
BUD 08 LST2 CIM2	All Patients Age 2 w/o All Child Immunizations
BUD 08 LST2 M6B	Multiple/ALL Lists for Table 6B
BUD 08 LST2 PAP1	All Female Patients w/Pap Test
BUD 08 LST2 PAP2	All Female Patients w/o Pap Test
BUD 08 LST2 PRGA	All Pregnant Patients by Age
BUD 08 LST3 DM MENU	Diabetes Patient Lists
BUD 08 LST3 DM MULTIPLE	Multiple/ALL Lists for DM Patients
BUD 08 LST3 DME	All Patients w/DM by Ethnicity
BUD 08 LST3 DME1	All Patients w/DM and A1c <7 by Ethnicity
BUD 08 LST3 DME2	All Patients w/DM and A1c >=7 and <=9 by Ethnicity
BUD 08 LST3 DME3	All Patients w/DM and A1c >9 by Ethnicity
BUD 08 LST3 DMR	All Patients w/DM by Race
BUD 08 LST3 DMR1	All Patients w/DM and A1c <7 by Race
BUD 08 LST3 DMR2	All Patients w/DM and A1c >=7 and <=9 by Race
BUD 08 LST3 DMR3	All Patients w/DM and A1c >9 by Race
BUD 08 LST3 HT MENU	Hypertension Patient Lists
BUD 08 LST3 HTCE	All HTN Patients w/Controlled BP by Ethnicity
BUD 08 LST3 HTCR	All HTN Patients w/Controlled BP by Race
BUD 08 LST3 HTE	All HTN Patients by Ethnicity
BUD 08 LST3 HTR	All HTN Patients by Race
BUD 08 LST3 HTUE	All HTN Patients w/Uncontrolled BP by Ethnicity
BUD 08 LST3 HTUR	All HTN Patients w/Uncontrolled BP by Race
BUD 08 LST3 MENU	Lists for Table 7
BUD 08 LST3 MT	Multiple/ALL Lists for HTN Patients
BUD 08 LST3 MULTIPLE	Multiple/ALL Lists for Pregnant Patients
BUD 08 LST3 PRG	Pregnant Patient Lists
BUD 08 LST3 PRGE	All Pregnant Patients by Ethnicity
BUD 08 LST3 PRGH	All Pregnant Patients w/HIV
BUD 08 LST3 PRGR	All Pregnant Patients by Race
BUD 08 MANAGER UTILITIES	Manager Utilities
BUD 08 MENU	UDS 2008
BUD 08 MENU LISTS	Patient and Provider Lists Main Menu
BUD 08 MULT VISITS IN SRV CAT	All Patients w/Multiple Visits in Srv Cats (5B&C)
BUD 08 PATIENT LISTS	Patient Lists
BUD 08 REPORTS	Reports
BUD 08 SETUP LOCATIONS	Update/Review Site Parameters
BUD 08 TABLE 3A	Table 3A: Patients by Age and Gender

Option Name	Description
BUD 08 TABLE 3B	Table 3B: Patients by Ethnicity/Race/Language
BUD 08 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 08 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 08 TABLE 6A	Table 6A: Selected Diagnoses and Services Rendered
BUD 08 TABLE 6B	Table 6B: Quality of Care Indicators
BUD 08 TABLE 7	Table 7: Health Outcomes and Disparities
BUD 08 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2008
BUD 08 ZIP LIST	All Patients w/Visits by Zip
BUD 08 ZIP TABLE	Patients by Zip Code
BUD 09 ALL TABLES	Multiple/ALL Tables Zip through 6A
BUD 09 LIST 5BC	All Patients by Service Category (Table 5 col B&C)
BUD 09 LIST MULTIPLE	Multiple/ALL Lists Zip through 6A
BUD 09 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 09 LIST T3A/T3B	All Pts w/Visits, by Age & Gender (3A)
BUD 09 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 09 LIST T6	All Patients by Selected Primary DX (Table 6A)
BUD 09 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 09 LIST USVE	All Pts w/Visits, by Ethnicity (3B)
BUD 09 LIST USVR	All Pts w/Visits, by Hispanic Identity & Race (3B)
BUD 09 LST1	Lists for Tables Zip Code, 3A&3B, 5, and 6A
BUD 09 LST2	Lists for Table 6B
BUD 09 LST2 CIM1	All Patients Age 2 w/All Child Immunizations
BUD 09 LST2 CIM2	All Patients Age 2 w/o All Child Immunizations
BUD 09 LST2 M6B	Multiple/ALL Lists for Table 6B
BUD 09 LST2 PAP1	All Female Patients w/Pap Test
BUD 09 LST2 PAP2	All Female Patients w/o Pap Test
BUD 09 LST2 PRGA	All Pregnant Patients by Age
BUD 09 LST3 DM MENU	Diabetes Patient Lists
BUD 09 LST3 DM MULTIPLE	Multiple/ALL Lists for DM Patients
BUD 09 LST3 DME	All Patients w/DM by Ethnicity
BUD 09 LST3 DME1	All Patients w/DM and A1c <7 by Ethnicity
BUD 09 LST3 DME2	All Patients w/DM and A1c >=7 and <=9 by Ethnicity
BUD 09 LST3 DME3	All Patients w/DM and A1c >9 by Ethnicity
BUD 09 LST3 DMR	All DM Patients by Race & Hisp Identity
BUD 09 LST3 DMR1	All DM Patients w/A1c <7 by Race & Hisp Identity
BUD 09 LST3 DMR2	All DM Pts w/A1c >=7 & <=9 by Race & Hisp Identity
BUD 09 LST3 DMR3	All DM Patients w/A1c >9 by Race & Hisp Identity
BUD 09 LST3 HT MENU	Hypertension Patient Lists
BUD 09 LST3 HTCE	All HTN Patients w/Controlled BP by Ethnicity
BUD 09 LST3 HTCR	All HTN Pts w/Contr BP by Race & Hisp Identity
BUD 09 LST3 HTE	All HTN Patients by Ethnicity
BUD 09 LST3 HTR	All HTN Patients by Race & Hisp Identity

Option Name	Description
BUD 09 LST3 HTUE	All HTN Patients w/Uncontrolled BP by Ethnicity
BUD 09 LST3 HTUR	All HTN Pts w/Uncont BP by Race & Hisp Identity
BUD 09 LST3 MENU	Lists for Table 7
BUD 09 LST3 MT	Multiple/ALL Lists for HTN Patients
BUD 09 LST3 MULTIPLE	Multiple/ALL Lists for Pregnant Patients
BUD 09 LST3 PRG	Pregnant Patient Lists
BUD 09 LST3 PRGE	All Pregnant Patients by Ethnicity
BUD 09 LST3 PRGH	All Pregnant Patients w/HIV
BUD 09 LST3 PRGR	All Pregnant Patients by Race & Hisp Identity
BUD 09 MANAGER UTILITIES	Manager Utilities
BUD 09 MENU	UDS 2009
BUD 09 MENU LISTS	Patient and Provider Lists Main Menu
BUD 09 MULT VISITS IN SRV CAT	All Patients w/Multiple Visits in Srv Cats (5B&C)
BUD 09 PATIENT LISTS	Patient Lists
BUD 09 REPORTS	Reports
BUD 09 SEARCH TEMPLATE	Create Search Template of Patients on Table 3A
BUD 09 SETUP LOCATIONS	Update/Review Site Parameters
BUD 09 TABLE 3A	Table 3A: Patients by Age and Gender
BUD 09 TABLE 3B	Table 3B: Patients by Hisp Identity/Race/Language
BUD 09 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 09 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 09 TABLE 6A	Table 6A: Selected Diagnoses and Services Rendered
BUD 09 TABLE 6B	Table 6B: Quality of Care Indicators
BUD 09 TABLE 7	Table 7: Health Outcomes and Disparities
BUD 09 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2009
BUD 09 ZIP LIST	All Patients w/Visits by Zip
BUD 09 ZIP TABLE	Patients by Zip Code
BUD 10 ALL TABLES	Multiple/ALL Tables Zip through 7
BUD 10 LIST 5BC	All Patients by Service Category (Table 5 col B&C)
BUD 10 LIST MULTIPLE	Multiple/ALL Lists Zip through 6A
BUD 10 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 10 LIST T3A/T3B	All Pts w/Visits, by Age & Gender (3A)
BUD 10 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 10 LIST T6	All Patients by Selected Primary DX (Table 6A)
BUD 10 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 10 LIST USVE	All Pts w/Visits, by Ethnicity (3B)
BUD 10 LIST USVR	All Pts w/Visits, by Hispanic Identity & Race (3B)
BUD 10 LST1	Lists for Tables Zip Code, 3A&3B, 5, and 6A
BUD 10 LST2	Lists for Table 6B
BUD 10 LST2 CIM1	All Patients Age 2 w/All Child Immunizations
BUD 10 LST2 CIM2	All Patients Age 2 w/o All Child Immunizations
BUD 10 LST2 M6B	Multiple/ALL Lists for Table 6B

Option Name	Description
BUD 10 LST2 PAP1	All Female Patients w/Pap Test
BUD 10 LST2 PAP2	All Female Patients w/o Pap Test
BUD 10 LST2 PRGA	All Pregnant Patients by Age
BUD 10 LST3 DM MENU	Diabetes Patient Lists
BUD 10 LST3 DM MULTIPLE	Multiple/ALL Lists for DM Patients
BUD 10 LST3 DME	All Patients w/DM by Ethnicity
BUD 10 LST3 DME1	All Patients w/DM and A1c <7 by Ethnicity
BUD 10 LST3 DME2	All Patients w/DM and A1c >=7 and <=9 by Ethnicity
BUD 10 LST3 DME3	All Patients w/DM and A1c >9 by Ethnicity
BUD 10 LST3 DMR	All DM Patients by Race & Hisp Identity
BUD 10 LST3 DMR1	All DM Patients w/A1c <7 by Race & Hisp Identity
BUD 10 LST3 DMR2	All DM Pts w/A1c >=7 & <=9 by Race & Hisp Identity
BUD 10 LST3 DMR3	All DM Patients w/A1c >9 by Race & Hisp Identity
BUD 10 LST3 HT MENU	Hypertension Patient Lists
BUD 10 LST3 HTCE	All HTN Patients w/Controlled BP by Ethnicity
BUD 10 LST3 HTCR	All HTN Pts w/Contr BP by Race & Hisp Identity
BUD 10 LST3 HTE	All HTN Patients by Ethnicity
BUD 10 LST3 HTR	All HTN Patients by Race & Hisp Identity
BUD 10 LST3 HTUE	All HTN Patients w/Uncontrolled BP by Ethnicity
BUD 10 LST3 HTUR	All HTN Pts w/Uncont BP by Race & Hisp Identity
BUD 10 LST3 MENU	Lists for Table 7
BUD 10 LST3 MT	Multiple/ALL Lists for HTN Patients
BUD 10 LST3 MULTIPLE	Multiple/ALL Lists for Pregnant Patients
BUD 10 LST3 PRG	Pregnant Patient Lists
BUD 10 LST3 PRGH	All Pregnant Patients w/HIV
BUD 10 LST3 PRGR	All Pregnant Patients by Race & Hisp Identity
BUD 10 MANAGER UTILITIES	Manager Utilities
BUD 10 MENU	UDS 2010
BUD 10 MENU LISTS	Patient and Provider Lists Main Menu
BUD 10 MULT VISITS IN SRV CAT	All Patients w/Multiple Visits in Srv Cats (5B&C)
BUD 10 PATIENT LISTS	Patient Lists
BUD 10 REPORTS	Reports
BUD 10 SEARCH TEMPLATE	Create Search Template of Patients on Table 3A
BUD 10 SETUP LOCATIONS	Update/Review Site Parameters
BUD 10 TABLE 3A	Table 3A: Patients by Age and Gender
BUD 10 TABLE 3B	Table 3B: Patients by Hisp Identity/Race/Language
BUD 10 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 10 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 10 TABLE 6A	Table 6A: Selected Diagnoses and Services Rendered
BUD 10 TABLE 6B	Table 6B: Quality of Care Indicators
BUD 10 TABLE 7	Table 7: Health Outcomes and Disparities
BUD 10 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2010

Option Name	Description
BUD 10 ZIP LIST	All Patients w/Visits by Zip
BUD 10 ZIP TABLE	Patients by Zip Code
BUD 11 ALL TABLES	Multiple/ALL Tables Zip through 9D
BUD 11 LIST 5BC	All Patients by Service Category (Table 5 col B&C)
BUD 11 LIST CHAR	Characteristics of Special Populations (Table 4)
BUD 11 LIST IPPL	Income Percent of Poverty Level (Table 4)
BUD 11 LIST MULTIPLE	Multiple/ALL Lists Zip through 6A
BUD 11 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 11 LIST PMIS	Principle Third Party Medical Insurance (Table 4)
BUD 11 LIST T3A/T3B	All Pts w/Visits, by Age & Gender (3A)
BUD 11 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 11 LIST T6	All Patients by Selected Primary DX (Table 6A)
BUD 11 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 11 LIST USVE	All Pts w/Visits, by Ethnicity (3B)
BUD 11 LIST USVR	All Pts w/Visits, by Hispanic Identity & Race (3B)
BUD 11 LST1	Lists for Tables Zip Code, 3A&3B, 4, 5, and 6A
BUD 11 LST2	Lists for Table 6B
BUD 11 LST2 APT1	All Asthma Pts 5-40 w/Asthma Therapy Medication
BUD 11 LST2 APT2	All Asthma Pts 5-40 w/o Asthma Therapy Medication
BUD 11 LST2 AWS1	All Patients 18+ w/BMI & over/underweight w/plan
BUD 11 LST2 AWS2	All Patients 18+ w/o BMI or w/o follow-up plan
BUD 11 LST2 CIM1	All Patients Age 2 w/All Child Immunizations
BUD 11 LST2 CIM2	All Patients Age 2 w/o All Child Immunizations
BUD 11 LST2 M6B	Multiple/ALL Lists for Table 6B
BUD 11 LST2 PAP1	All Female Patients w/Pap Test
BUD 11 LST2 PAP2	All Female Patients w/o Pap Test
BUD 11 LST2 PRGA	All Pregnant Patients by Age
BUD 11 LST2 TCI1	All Pts 18+ smokers/tobacco user w/intervention
BUD 11 LST2 TCI2	All Pts 18+ smokers/tobacco users w/o intervention
BUD 11 LST2 TUA1	All Patients 18+ w/tobacco use assessment
BUD 11 LST2 TUA2	All Patients 18+ w/o tobacco use assessment
BUD 11 LST2 WAC1	All Patients 2-17 w/WT Assessment & Counseling
BUD 11 LST2 WAC2	All Patients 2-17 w/o WT Assessment & Counseling
BUD 11 LST3 DM MENU	Diabetes Patient Lists
BUD 11 LST3 DM MULTIPLE	Multiple/ALL Lists for DM Patients
BUD 11 LST3 DME	All Patients w/DM by Ethnicity
BUD 11 LST3 DME1	All Patients w/DM and A1c <7 by Ethnicity
BUD 11 LST3 DME2	All Patients w/DM and A1c >=7 and <=9 by Ethnicity
BUD 11 LST3 DME3	All Patients w/DM and A1c >9 by Ethnicity
BUD 11 LST3 DMR	All DM Patients by Race & Hisp Identity
BUD 11 LST3 DMR1	All DM Patients w/A1c <7 by Race & Hisp Identity
BUD 11 LST3 DMR2	All DM Pts w/A1c >=7 & <8 by Race & Hisp Identity

Option Name	Description
BUD 11 LST3 DMR3	All DM Pts w/A1c >=8 & <=9 by Race & Hisp Identity
BUD 11 LST3 DMR4	All DM Pts w/o A1c or >9 by Race & Hisp Identity
BUD 11 LST3 HT MENU	Hypertension Patient Lists
BUD 11 LST3 HTCE	All HTN Patients w/Controlled BP by Ethnicity
BUD 11 LST3 HTCR	All HTN Pts w/Contr BP by Race & Hisp Identity
BUD 11 LST3 HTE	All HTN Patients by Ethnicity
BUD 11 LST3 HTR	All HTN Patients by Race & Hisp Identity
BUD 11 LST3 HTUE	All HTN Patients w/Uncontrolled BP by Ethnicity
BUD 11 LST3 HTUR	All HTN Pts w/Uncont BP by Race & Hisp Identity
BUD 11 LST3 MENU	Lists for Table 7
BUD 11 LST3 MT	Multiple/ALL Lists for HTN Patients
BUD 11 LST3 MULTIPLE	Multiple/ALL Lists for Pregnant Patients
BUD 11 LST3 PRG	Pregnant Patient Lists
BUD 11 LST3 PRGH	All Pregnant Patients w/HIV
BUD 11 LST3 PRGR	All Pregnant Patients by Race & Hisp Identity
BUD 11 MANAGER UTILITIES	Manager Utilities
BUD 11 MENU	UDS 2011
BUD 11 MENU LISTS	Patient and Provider Lists Main Menu
BUD 11 MULT VISITS IN SRV CAT	All Patients w/Multiple Visits in Srv Cats (5B&C)
BUD 11 PATIENT LISTS	Patient Lists
BUD 11 REPORTS	Reports
BUD 11 SEARCH TEMPLATE	Create Search Template of Patients on Table 3A
BUD 11 SETUP LOCATIONS	Update/Review Site Parameters
BUD 11 TABLE 3A	Table 3A: Patients by Age and Gender
BUD 11 TABLE 3B	Table 3B: Patients by Hisp Identity/Race/Language
BUD 11 TABLE 4	Table 4: Selected Patient Characteristics
BUD 11 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 11 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 11 TABLE 6A	Table 6A: Selected Diagnoses and Services Rendered
BUD 11 TABLE 6B	Table 6B: Quality of Care Indicators
BUD 11 TABLE 7	Table 7: Health Outcomes and Disparities
BUD 11 TABLE 9D	Table 9D: Patient-Related Revenue (Totals Only)
BUD 11 TABLE 9D DELIMITED	Table 9D: Patient-Related Revenue (Delimited Rept)
BUD 11 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2011
BUD 11 ZIP LIST	All Patients w/Visits by Zip
BUD 11 ZIP TABLE	Patients by Zip Code
BUD ALL TABLES	Multiple/ALL UDS Tables
BUD EXPORT UDS	Export to UDS
BUD LIST 5BC	All Users by Service Category (Table 5 col B&C)
BUD LIST MULTIPLE	Multiple/ALL Lists
BUD LIST ORPHANS	Incomplete Visits related to Table 6
BUD LIST T3A/T3B	All Users w/Visits, by Age, Gender, Race (3A & 3B)

Option Name	Description
BUD LIST T5A	Provider/Staff List (Table 5 col A)
BUD LIST T6	All Users by Selected Primary Diagnosis (Table 6)
BUD LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD MANAGER UTILITIES	Manager Utilities
BUD MENU LISTS	User (Patient) Lists
BUD PATIENT LISTS	User (Patient) Lists
BUD REPORTS	Reports
BUD SETUP LOCATIONS	Update/Review Site Parameters
BUD TABLE 3A	Table 3A: Users by Age and Gender
BUD TABLE 3B	Table 3B: Users by Race/Ethnicity&Linguistic Pref
BUD TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD TABLE 6	Table 6: Selected Diagnoses and Services Rendered
BUD3 03 MENU	UDS 2003
BUDMENU	RPMS Uniform Data Systems (UDS) Reporting System

7.0 Internal Relations

All users should be given the access to the appropriate options and keys, as needed.
All of the options within this system are stand-alone options.

8.0 Security Keys

Section 3.2 provides a list of security keys and their descriptions.

9.0 Archiving and Purging

There is no archiving and purging in this package.

10.0 Documentation Resources

This section describes a few methods to generate online technical documentation.

10.1 How to Generate Online Documentation

The file number range for this package is 90345–90349 and 90660–90669.

All templates, routines, screen forms, etc. begin with BUD.

This section describes some methods by which users can generate UDS technical documentation. Online technical documentation pertaining to the UDS software, in addition to that which is located in the help prompts and on the help screens throughout the UDS, can be generated through the use of several Kernel options. These include, but are not limited to, the sections that follow.

10.2 System Documentation

Online VPS system documentation can be generated through the use of several Kernel options, including, but not limited to:

- %INDEX
- Menu Management
- Inquire Option
- Print Option File
- VA FileMan
- Data Dictionary Utilities
- List File Attributes

For more option listings and further information about other utilities that supply online technical information, see the Decentralized Hospital Computer Program (DHCP) Kernel Reference manual.

10.2.1 %INDEX

The %INDEX option analyzes the structure of a routine to determine in part, if the routine adheres to RPMS programming standards. The output can include the following components:

- Compiled list of errors and warnings
- Routine listing
- Local variables

- Global variables
- Naked globals
- Label references
- External references

Running %INDEX for a specified set of routines allows users to discover any deviations from RPMS programming standards that exist, and to see how routines interact with one another (i.e., which routines call or are called by other routines).

To run %INDEX for the UDS, specify the BUD namespace at the “Routine(s)?>” prompt and IHS/RPMS UNIFORM DATA SYSTEM V4.0 build at the “Build” prompt.

10.2.2 Inquire Option

The Inquire menu management option provides the following information about a specified option:

- Option name
- Menu text
- Option description
- Type of option
- Lock (if any)

In addition, all items on the menu are listed for each menu option. To secure information about UDS options, you must specify the BUD namespace.

10.2.3 Print Option File

The Print Option File utility generates a listing of options from the Option file (#19). You can print all entries, a single option, or range of options. For a list of UDS options, see Section 6.3.

10.2.4 List File Attributes

This VA FileMan option allows users to generate documentation pertaining to files and file structure. The standard format of this option provides the following data dictionary information for a specified file:

- File name and description
- Identifiers
- Cross-references

- Files pointed to by the file specified
- Files that point to the file specified
- Input, print, and sort templates

In addition, the following applicable data is supplied for each field in the file:

- Field name, number, title, and description
- Global location
- Help prompt
- Cross-references
- Input transform
- Date last edited
- Notes

Using the Global Map format of this option generates an output that lists the following information:

- All cross-references for the file selected
- Global location of each field in the file
- Input, print, and sort templates

For a comprehensive listing of UDS files, see Section 5.1.

10.3 Online Help

In addition to system documentation, RPMS includes special help displays for most menu options and data entry prompts. Typing “?” at the “Select . . . Option” prompt displays information related to the current option, where:

Typing . . .	Displays . . .
A single question mark (?)	A list of all options accessible from the current option.
Two question marks (??)	A list of all accessible options and their formal names
Three question marks (???)	A brief description for each option in a menu.
A single question mark (?) followed by an option name (?OPTION)	Extended help, if available, for that option

11.0 Standards and Conventions Requirements

There are no new Standards and Conventions exemptions within this application.

Glossary

Archiving

The storage of historical or little-used data off-line (often on tape).

Banner

A line of text with a user's name and domain.

Browser

An interactive application that displays ASCII text on a terminal that supports a scroll region. The text can be in the form of a word-processing field or sequential local or global array. The user is allowed to navigate freely within the document.

Callable Entry Points

Places in a routine that can be called from an application program.

Caret (^)

A circumflex, also known as a "hat," that is used as a piece delimiter in a global. The caret is denoted as "^" and is typed by pressing Shift-6 on the keyboard.

Cross-Reference

An indexing method whereby files can include pre-sorted lists of entries as part of the stored database. Cross-references (x-refs) facilitate look-up and reporting.

Entry Point

A point within a routine that is referenced by a "DO" or "GOTO" command from a routine internal to a package.

File

A set of related records or entries treated as a single unit.

FileMan

The database management system for RPMS.

Global

In MUMPS, global refers to a variable stored on disk (global variable) or the array to which the global variable may belong (global array).

ICD

International Classification of Diseases.

INDEX (%INDEX)

A Kernel utility used to verify routines and other MUMPS code associated with a package. Checking is done according to current ANSI MUMPS standards and RPMS programming standards. This tool can be invoked through an option or from direct mode (>D ^%INDEX).

IRM

Information Resource Management. The IHS personnel responsible for information systems management and security.

Kernel

The set of MUMPS software utilities that function as an intermediary between the host operating system and application packages, such as Laboratory and Pharmacy. The Kernel provides a standard and consistent user and programmer interface between application packages and the underlying MUMPS implementation. These utilities provide the foundation for RPMS.

Menu

A list of choices for computing activity. A menu is a type of option designed to identify a series of items (other options) for presentation to the user for selection. When displayed, menu-type options are preceded by the word “Select” and followed by the word “option,” as in Select Menu Management option: (the menu’s select prompt).

Namespace

A unique set of 2 to 4 alpha characters that are assigned by the database administrator to a software application.

Option

An entry in the Option file. As an item on a menu, an option provides an opportunity for users to select it, thereby invoking the associated computing activity. Options may also be scheduled to run in the background, noninteractively, by TaskMan.

Patient Care Component (PCC)

The central repository for data in the RPMS.

Queuing

A request that a job be processed at a later time rather than within the current session.

Routine

A program or sequence of instructions called by a program that may have some general or frequent use. MUMPS routines are groups of program lines that are saved, loaded, and called as a single unit via a specific name.

UCI

User Class Identification. A computing area.

Utility

A callable routine line tag or function. A universal routine usable by anyone.

Variable

A character or group of characters that refers to a value. MUMPS recognizes three types of variables: local variables, global variables, and special variables. Local variables exist in a partition of the main memory and disappear at sign-off. A global variable is stored on disk, potentially available to any user. Global variables usually exist as parts of global arrays.

Contact Information

If you have any questions or comments regarding this distribution, please contact the OIT Help Desk (IHS).

Phone: (505) 248-4371 or (888) 830-7280 (toll free)

Fax: (505) 248-4363

Web: <http://www.ihs.gov/GeneralWeb/HelpCenter/Helpdesk/index.cfm>

Email: support@ihs.gov