

Performance Measure	Standard	Provider Documentation	Data Entry
<p>Depression Screening</p>	<p>Adult patients 18 years of age and older should be screened for depression at least annually. (Source: United States Preventive Services Task Force)</p> <p>Note: Refusals are NOT counted toward the GPRA measure, but should be documented.</p>	<p>Standard PCC documentation for tests performed at the facility, Ask and record historical information on PCC:</p> <p>Date received</p> <p>Location</p> <p>Results</p> <p>Medical Providers: EXAM—</p> <p>Depression Screening</p> <p>Normal/Negative – Denies symptoms of depression</p> <p>Abnormal/Positive – Further evaluation indicated</p> <p>Refused – Patient declined exam/screen</p> <p>Unable to screen – Provider unable to screen</p> <p>Note: Refusals are not counted toward the GPRA measure, but should be documented.</p> <p>Behavioral Health Providers:</p> <p>Enter BHS problem code 14.1 or narrative “Screening for Depression.”</p> <p>Note: BHS problem code 14.1 maps to ICD-9 V79.0.</p> <p>Mood Disorders:</p>	<p>Standard PCC data entry</p> <p>Depression Screening Exam</p> <p><i>Mnemonic EX enter</i></p> <p>Select Exam: 36, DEP</p> <p>Result:</p> <p>A–Abnormal N–Normal/Negative PR–Resent PAP–Present and Past PA–Past PO–Positive</p> <p>Comments: PHQ-2 Scaled, PHQ9</p> <p>Provider Performing Exam:</p> <p>Historical Depression Screen Exam</p> <p><i>Mnemonic HEX enter</i></p> <p>Date of Historical Exam:</p> <p>Type:</p> <p>Location Name:</p> <p>Exam Type: 36, DEP</p> <p>Result:</p> <p>Comments: PHQ-2 Scaled, PHQ9 (If Known)</p> <p>Encounter Provider:</p>

Performance Measure	Standard	Provider Documentation	Data Entry																
		<p>Two or more visits with POV related to: Major Depressive Disorder Dysthymic Disorder Depressive Disorder NOS Bipolar I or II Disorder Cyclothymic Disorder Bipolar Disorder NOS Mood Disorder Due to a General Medical Condition Substance-induced Mood Disorder Mood Disorder NOS</p> <p>Note: Recommended Brief Screening Tool: PHQ-2 Scaled Version (below).</p> <p><u>Patient Health Questionnaire (PHQ-2 Scaled Version)</u></p> <p>Over the past 2 weeks, how often have you been bothered by any of the following problems?</p> <p>Little interest or pleasure in doing things</p> <table border="0"> <tr> <td>a. Not at all</td> <td>Value: 0</td> </tr> <tr> <td>b. Several days</td> <td>Value: 1</td> </tr> <tr> <td>c. More than half the days</td> <td>Value: 2</td> </tr> <tr> <td>d. Nearly every day</td> <td>Value: 3</td> </tr> </table> <p>Feeling down, depressed, or hopeless</p> <table border="0"> <tr> <td>a. Not at all</td> <td>Value: 0</td> </tr> <tr> <td>b. Several days</td> <td>Value: 1</td> </tr> <tr> <td>c. More than half the days</td> <td>Value: 2</td> </tr> <tr> <td>d. Nearly every day</td> <td>Value: 3</td> </tr> </table>	a. Not at all	Value: 0	b. Several days	Value: 1	c. More than half the days	Value: 2	d. Nearly every day	Value: 3	a. Not at all	Value: 0	b. Several days	Value: 1	c. More than half the days	Value: 2	d. Nearly every day	Value: 3	<p>Depression Screen Diagnosis POV <i>Mnemonic PPV enter</i> Purpose of Visit: V79.0 Provider Narrative: Modifier: Cause of DX:</p> <p>Standard BHS POV data entry Enter BHS problem code *14.1 or narrative: “Screening for Depression.”</p> <p>*Note: BHS problem code 14.1 maps to ICD-9 V79.0 (Special Screening for Mental Disorders and Developmental Handicaps, Depression).</p> <p>Unable to Screen for Depression <i>Mnemonic UAS enter</i> Patient Refusals For Service: Exam Exam Value: 36, DEP Date Refused: Provider Who Documented: Comment:</p> <p>Mood Disorder Diagnosis POV <i>Mnemonic PPV enter</i> Purpose of Visit: 296.*, 291.89, 292.84, 293.83, 300.4, 301.13, 311 Provider Narrative: Modifier:</p>
a. Not at all	Value: 0																		
b. Several days	Value: 1																		
c. More than half the days	Value: 2																		
d. Nearly every day	Value: 3																		
a. Not at all	Value: 0																		
b. Several days	Value: 1																		
c. More than half the days	Value: 2																		
d. Nearly every day	Value: 3																		

Performance Measure	Standard	Provider Documentation	Data Entry
		<p><u>PHQ-2 Scaled Version (cont'd)</u> Total Possible PHQ-2 Score: Range: 0-6</p> <p>0-2: Negative Depression Screening Exam: Code Result: Normal or Negative</p> <p>3-6: Positive; further evaluation indicated Depression Screening Exam Code Result: Abnormal or Positive</p> <p>The patient may decline the screen or “Refuse to answer” Depression Screening Exam Code Result: Refused</p> <p>The provider is unable to conduct the Screen Depression Screening Exam Code Result: Unable To Screen</p> <p>Provider should note the screening tool used was the PHQ-2 Scaled at the <i>Comment</i> Mnemonic for the Exam Code.</p> <p><u>PHO9 Questionnaire Screening Tool</u></p> <p>Little interest or pleasure in doing things?</p> <ul style="list-style-type: none"> a. Not at all Value: 0 b. Several days Value: 1 c. More than half the days Value: 2 d. Nearly every day Value: 3 <p>Feeling down, depressed, or hopeless?</p> <ul style="list-style-type: none"> a. Not at all Value: 0 b. Several days Value: 1 c. More than half the days Value: 2 	<p>Cause of DX:</p> <p>Standard BHS Mood Disorder POV data entry Enter BHS problem code: 14, 15</p>

Performance Measure	Standard	Provider Documentation	Data Entry
		<p>d. Nearly every day Value: 3</p> <p>Trouble falling or staying asleep, or sleeping too much?</p> <p>a. Not at all Value: 0</p> <p>b. Several days Value: 1</p> <p>c. More than half the days Value: 2</p> <p>d. Nearly every day Value: 3</p> <p>Feeling tired or having little energy?</p> <p>a. Not at all Value: 0</p> <p>b. Several days Value: 1</p> <p>c. More than half the days Value: 2</p> <p>d. Nearly every day Value: 3</p> <p>Poor appetite or overeating?</p> <p>a. Not at all Value: 0</p> <p>b. Several days Value: 1</p> <p>c. More than half the days Value: 2</p> <p>d. Nearly every day Value: 3</p> <p>Feeling bad about yourself—or that you are a failure or have let yourself or your family down?</p> <p>a. Not at all Value: 0</p> <p>b. Several days Value: 1</p> <p>c. More than half the days Value: 2</p> <p>d. Nearly every day Value: 3</p> <p>Trouble concentrating on things, such as reading the newspaper or watching television?</p> <p>a. Not at all Value: 0</p>	

Performance Measure	Standard	Provider Documentation	Data Entry
		<p>b. Several days Value: 1</p> <p>c. More than half the days Value: 2</p> <p>d. Nearly every day Value: 3</p> <p>Moving or speaking so slowly that other people could have noticed. Or the opposite—being so fidgety or restless that you have been moving around a lot more than usual?</p> <p>a. Not at all Value: 0</p> <p>b. Several days Value: 1</p> <p>c. More than half the days Value: 2</p> <p>d. Nearly every day Value: 3</p> <p>Thoughts that you would be better off dead, or of hurting yourself in some way?</p> <p>a. Not at all Value: 0</p> <p>b. Several days Value: 1</p> <p>c. More than half the days Value: 2</p> <p>d. Nearly every day Value: 3</p> <p><u>PHO9 Questionnaire (Cont'd)</u></p> <p>Total Possible PHQ-2 Score: Range: 0-27</p> <p>0-4 Negative/None Depression Screening Exam: Code Result: None</p> <p>5-9 Mild Depression Screening Exam: Code Result: Mild depression</p> <p>10-14 Moderate Depression Screening Exam: Code Result: Moderate depression</p> <p>15-19 Moderately Severe Depression Screening</p>	

Performance Measure	Standard	Provider Documentation	Data Entry
		<p>Exam: Code Result: Moderately Severe depression</p> <p>20-27 Severe Depression Screening Exam: Code Result: Severe depression</p> <p>Provider should note the screening tool used was the PHQ9 Scaled at the <i>Comment</i> Mnemonic for the Exam Code.</p>	