

**CRS**

**Clinical Depression Measures**

# New Developmental

- Population is AC patients broken out into 2 new age groups: (not broken out by gender)
  - age 18 and older
  - 12 to 18
- # w/ Depression screening or mood disorder or *suicide ideation DX –no refusals*
  - Suicide ideation DX has been added. Defined as POV V62.84 or BHS Problem Code 39 during the Report Period.

# Other changes for v10

- Removed all measures that included an age range of 8-17 So now we have 2 age groups:
  - > = 18 years
  - > = 65 Years
- Fixed bug in GPRA Forecast where the date was not displaying correctly (in certain circumstances)

# Who qualifies in a nutshell

- Active Clinical Patients → Age & Gender
- User Population Patients → Age & Gender
- Diabetic Patients → Gender
- IHD Patients → Gender

# Numerators (measures)

- There are four measures:
  - Patients screened for depression during the report period.
  - Patients with a diagnosis of a mood disorder during the report period.
  - Patients with documented depression screening refusal in past year.
  - Patients with depression-related education or refusal of education in the past year.

# Active Clinical (AC) example

# w/Depression screening or Mood  
DisorderDX – No refusals

---

AC =>18 Years

# User Population (UP) example

- # Screened for depression
- \_\_\_\_\_
- User Population = >65 years

# Diabetic population example

# w/ Mood disorder DX

---

Active Diabetic Patients

# IHD Population

# w/depression Ed or refusal

---

Active IHD patients

# Logic

- Age is always calculated at the beginning of the report period

# Logic

- Diabetes: First DM Purpose of Visit 250.00-250.93 recorded in the V POV file prior to the Report period.
- Ischemic heart disease (IHD) diagnosis defined as: 410.0-412.\*, 414.0-414.9, 428.\*, or 429.2 recorded in the V POV file.

# Logic (cont)

- Depression Screening is defined as any of the following: 1) Exam Code 36, 2) POV V79.0, 3) BHS problem code 14.1 (screening for depression), 4) V Measurement in PCC or BH of PHQ2 or PHQ9.

# Logic (cont)

- Mood disorders are defined as at least two visits in PCC or BHS during the Report period with POV for: Major Depressive Disorder, Dysthymic Disorder, Depressive Disorder NOS, Bipolar I or II Disorder, Cyclothymic Disorder, Bipolar Disorder NOS, Mood Disorder Due to a General Medical Condition, Substance-induced Mood Disorder, or Mood Disorder NOS. These POV codes are: 296.\*, 291.89, 292.84, 293.83, 300.4, 301.13, or 311 or BHS POV 14 or 15.

# Refusals

- Screening refusals defined as: A) Any PCC refusal in past year with Exam Code 36.

# Medical Clinics

01	General	24	Well Child
06	Diabetic	28	Family Practice
10	GYN	57	EPSDP
12	Immunization	70	Women's Health
13	Internal Medicine	80	Urgent Care
20	Pediatrics	89	Evening

# Additional Med Clinics

02	Cardiac	37	Neurology
03	Chest and TB	38	Rheumatology
05	Dermatology	49	Nephrology
07	ENT	50	Chronic Disease
08	Family Planning	69	Endocrinology
16	Obstetrics	75	Urology
19	Orthopedic	81	Men's Health Scrn
23	Surgical	85	Teen clinic
25	Other	88	Sports Medicine

# Other Clinics (Cont)

26	High Risk	B8	Gastro-Hepatology
27	General Preventive	B9	Oncology-Heme
31	Hypertension	C3	Colposcopy
32	Postpartum		

# Population: Diabetic patients

- ALL Active Clinical Diabetic patients
  - Broken out by gender
- *Definition: Active Diabetic patients, defined as all Active Clinical patients diagnosed with diabetes prior to the Report period, AND at least 2 visits during the Report period, (and 2 DM-related visits ever.)*

# Population IHD Patients

- All Active Clinical patients diagnosed with IHD
  - Broken out by gender
- *Definition: Active IHD patients, defined as all Active Clinical patients diagnosed with ischemic heart disease (IHD) prior to the Report Period, AND at least 2 visits during the Report Period, AND 2 IHD-related visits ever.*