



Clinical Reporting System (CRS) Intimate Partner Violence/Domestic Violence Screening Measures

Updated May 18, 2007

Megan Powers, Duane Rozsnyai, Business Systems
Analyst, OIT, IHS

Megan.Powers@ihs.gov, coleman.rozsnyai@ihs.gov

(602) 266-0593, (505) 798-1466

Denise Grenier, MSW, LCSW

Denise.Grenier@ihs.gov

(520) 670-4865


CRS 2010 Government Performance and Results Act (GPRA) Measure and Target

- Female Active Clinical patients ages 15–40 who are screened for intimate partner (domestic) violence at any time during the Report Period. NOTE: Does *not* include refusals.
- Target: FY 2010, Achieve tentative rate of 53% for the proportion of female patients ages 15 to 40 who receive screening for domestic violence.



GPRA Performance 2004–2009

- National GPRA performance has increased significantly since this measure was introduced in 2004!



What Counts as Screening?

- Any of the following during the Report Period:
 - Patients with documented IPV/DV exam
 - Patients with IPV/DV-related diagnosis
 - Patients provided with patient education or counseling about IPV/DV



What Counts as Screening? (Continued)

- Patients with documented IPV/DV exam during the Report Period
 - PCC Exam 34 (IPV)
 - BHS IPV/DV Exam
- IPV/DV exam is the preferred method for screening
 - Demonstrates intentional screening
 - Captures screening result



What Counts as Screening? (Continued)

- Patients with IPV/DV-related diagnosis during the Report Period
 - Purpose of Visit (POV) or current Patient Care Component (PCC) or Behavioral Health System (BHS) Problem List: 995.80-83, 995.85 (adult maltreatment), V15.41, V15.42, V15.49 (history of abuse)
 - BHS POV 43.* (Partner Abuse), 44.* (Adult Abuse)



What Counts as Screening? (Continued)

- Patients with patient education or counseling about IPV/DV during the Report Period
 - Patient education codes containing "DV-" or "-DV", 995.80-83, 995.85, V15.41, V15.42, or V15.49
 - POV V61.11 (Counseling for victim of spousal and partner abuse)



Documenting IPV/DV Screening in RPMS

- Screening results are recorded as an “exam”
- Providers and Data Entry need to communicate about documentation of screening results:
 - Providers need to know how and where to record results on the PCC Encounter Form
 - Data Entry needs to know where to look for documentation and how to record in the Resource and Patient Management System (RPMS)
- DV exam screening appears on Health Summary



Documenting IPV/DV *Exam* in RPMS (Continued)

- PCC
 - POV
 - Stamp
- PCC+
- BH applications (BHS v4.0 and BH GUI)
 - Direct provider entry of screening results when recording a visit
 - Wellness tab in BH Graphical User Interface (GUI)
- Indian Health Service (IHS) Electronic Health Record (EHR)
 - Direct provider entry
 - Exam component (typically on Wellness Tab)



Documenting IPV/DV Screening in RPMS (Continued)

- Allowable Results of IPV/DV Screen
 - Normal/Negative: Patient denies being a current or past victim of DV
 - Present: Patient admits to being current victim of DV
 - Present and Past: Patient discloses past victimization and current IPV/DV victimization
 - Past: Patient denies being a current victim, but admits being a past victim of DV



Documenting IPV/DV Screening in RPMS (Continued)

- Unsuccessful attempts to screen should also be recorded
 - Refused (REF)
 - Patient declined exam/screen
 - Should be documented, but not included in the GPRA report counts
 - Unable to screen (UAS)
 - Acceptable reasons for UAS
 - Partner present
 - Verbal child present



Documenting IPV/DV Screening in RPMS (Continued)

- Documenting Results on PCC Form
 - POV section of the PCC
 - POV: DV Screen Negative, TC (provider initials)
 - POV: EX #34 UAS, partner present, TC
 - Stamp on the PCC form or customized PCC+ template

IPV/DV Exam Screening (circle one)				
Negative	Present	Past	Refused	Unable to screen
Comment				

Documenting IPV/DV Screening in BH GUI (IHS Patient Chart) Wellness Tab–Screening Menu

POV | Activity | SOAP/Progress Notes | Rx Notes | Wellness | Measurements | Intake

Wellness Menu

- Wellness
 - Patient Education
 - Health Factors
 - Screening

Edit

Screening History

Date	Alcohol	Alcohol Provider	Alcohol Comment	Depress

Screening

Screening

Alcohol

Comment

Depression

Comment

IPV/DV

Comment

OK Cancel

Help Save Close

DEMO,JANE 32 3/03/2010 1 Loaded

Documenting IPV/DV Screening in EHR

Notifications Cover Sheet Image Wellness Notes Orders Medications Labs Prob/POV Services Reports D/C Summ Consults Privacy WCM

Education Show Standard Add Edit

Visit Date	Education Topic	Comprehensi	Readiness	Status	Objectives	Comment	Provider	Length	Type	Location																														
<div data-bbox="135 392 966 1049"> <p>Exam Selection Close</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Exams</th> </tr> </thead> <tbody> <tr><td>35</td><td>ALCOHOL SCREENING</td></tr> <tr><td>31</td><td>AUDITORY EVOKED POTENTIAL</td></tr> <tr><td>41</td><td>COLOR BLINDNESS</td></tr> <tr><td>30</td><td>DENTAL EXAM</td></tr> <tr><td>36</td><td>DEPRESSION SCREENING</td></tr> <tr><td>03</td><td>DIABETIC EYE EXAM</td></tr> <tr><td>28</td><td>DIABETIC FOOT EXAM, COMPLETE</td></tr> <tr><td>37</td><td>FALL RISK</td></tr> <tr><td>29</td><td>FOOT INSPECTION</td></tr> <tr style="background-color: #e0e0e0;"><td>34</td><td>INTIMATE PARTNER VIOLENCE</td></tr> <tr><td>39</td><td>NEWBORN HEARING SCREEN (LEFT)</td></tr> <tr><td>38</td><td>NEWBORN HEARING SCREEN (RIGHT)</td></tr> <tr><td>40</td><td>NUTRITIONAL RISK SCREENING</td></tr> <tr><td>14</td><td>RECTAL EXAM</td></tr> </tbody> </table> <p style="text-align: right;">Select Cancel</p> </div>											Code	Exams	35	ALCOHOL SCREENING	31	AUDITORY EVOKED POTENTIAL	41	COLOR BLINDNESS	30	DENTAL EXAM	36	DEPRESSION SCREENING	03	DIABETIC EYE EXAM	28	DIABETIC FOOT EXAM, COMPLETE	37	FALL RISK	29	FOOT INSPECTION	34	INTIMATE PARTNER VIOLENCE	39	NEWBORN HEARING SCREEN (LEFT)	38	NEWBORN HEARING SCREEN (RIGHT)	40	NUTRITIONAL RISK SCREENING	14	RECTAL EXAM
Code	Exams																																							
35	ALCOHOL SCREENING																																							
31	AUDITORY EVOKED POTENTIAL																																							
41	COLOR BLINDNESS																																							
30	DENTAL EXAM																																							
36	DEPRESSION SCREENING																																							
03	DIABETIC EYE EXAM																																							
28	DIABETIC FOOT EXAM, COMPLETE																																							
37	FALL RISK																																							
29	FOOT INSPECTION																																							
34	INTIMATE PARTNER VIOLENCE																																							
39	NEWBORN HEARING SCREEN (LEFT)																																							
38	NEWBORN HEARING SCREEN (RIGHT)																																							
40	NUTRITIONAL RISK SCREENING																																							
14	RECTAL EXAM																																							

1 - Exam

Exam Add Edit Delete **Skin T** Add Edit Delete

2 - Select Exam

Personal Health To add, select a form... Add Edit Delete

Immu Forecast Tdap pas

Vaccinatio

Document an Exam Close

Exam: INTIMATE PARTNER VIOLENCE ... Add

Result: PRESENT ▼

Comment: ABUSIVE HUSBAND JAILED, PATIENT IN SAFE HOUSE ▼

Provider: USER.DEMO ...

Historical: Current Historical Refusal

Event Date: ...

Location: ...


IHS/Tribal Facility Other

3 - Document Exam

User, Demo DEMO.OKLAHOMA.IHS.GOV DEMO INDIAN HOSPITAL 19-Aug-2010 1

PCC Data Entry of IPV/DV Exam

- If normal/negative, present, present and past, or past screen:
 - Mnemonic EX
 - 34 (indicates Intimate Partner Violence Exam)
 - N (Normal/Negative), PR (Present), PAP (Present and Past) or PA (Past)
 - Comments
 - Provider Providing Exam
- If provider unable to screen the patient:
 - Mnemonic UAS
 - Exam
 - 34
 - Date Refused
 - Provider Who Documented
 - Comment
- If patient declined the screen or refused to answer (*not* included in GPRA counts):
 - Mnemonic REF
 - Exam
 - 34
 - Date Refused
 - Provider Who Documented
 - Comment



Example of entering IPV/DV Screen Exam

Example of entering Unable to Screen refusal for IPV/DV Exam

Example of entering a Refusal for an IPV/DV Screen Exam (not included in GPRA)

MNEMONIC: EX Examinations ALLOWED VISIT RELATED ONLY
Select V EXAM: 34 INTIMATE PARTNER VIOLENCE 34
RESULT: N NORMAL/NEGATIVE
COMMENTS:
PROVIDER PERFORMING EXAM:

MNEMONIC: UAS Unable to Screen ALLOWED NON-VISIT/VISIT MNEMONIC
Last of each refusal type documented in PCC for PATIENT,UDSBG:

EXAM INTIMATE PARTNER VIOLENCE
Refusal Type: REFUSED SERVICE

Select PATIENT REFUSALS FOR SERVICE/NMI REFUSAL TYPE: EXA
Enter the EXAM value: 34 INTIMATE PARTNER VIOLENCE
DATE REFUSED/NOT INDICATED: 081810 (AUG 18, 2010)
PROVIDER WHO DOCUMENTED:
COMMENT:

MNEMONIC: REF Refusal for Service ALLOWED NON-VISIT/VISIT MNEMONIC
Last of each refusal type documented in PCC for PATIENT,UDSBG:

EXAM INTIMATE PARTNER VIOLENCE
Refusal Type: UNABLE TO SCREEN

Select PATIENT REFUSALS FOR SERVICE/NMI REFUSAL TYPE: EXA
Enter the EXAM value: 34 INTIMATE PARTNER VIOLENCE
DATE REFUSED/NOT INDICATED: 081810 (AUG 18, 2010)
PROVIDER WHO DOCUMENTED:
COMMENT:

MNEMONIC: █

CAP NUM

CRS Denominators

- GPRA: Female Active Clinical patients ages 15–40
 - Active Clinical defined as
 - Must be AI/AN, based on Beneficiary classification 01.
 - Must reside in a community specified in the site's GPRA community taxonomy.
 - Must be alive on last day of Report Period.
 - Must have *two visits to defined medical clinics in the past 3 years*. One of those visits must be any of the following: 01 General, 06 Diabetic, 10 GYN, 12 Immunization, 13 Internal Med, 20 Pediatrics, 24 Well Child, 28 Family Practice, 57 EPSDT, 70 Women's Health, 80 Urgent, 89 Evening. Second visit may be to larger list of clinics (see CRS User Manual).

CRS Denominators (Continued)

- Female User Population patients ages 13 and older (*included in Selected Measures (Local) Reports only*)
 - User Population defined as:
 - Must be AI/AN, based on Beneficiary classification 01
 - Must reside in a community specified in the site's GPRA community taxonomy
 - Must be alive on last day of Report Period
 - Must have *one visit to any clinic in the past 3 years*



CRS Denominators (Continued)

- Female Active Clinical patients ages 13 and older
 - *Included in Selected Measures (Local) Reports only*
- *Other Denominators*
 - *GPRA Developmental* (Included in the GPRA report in its own section and has the ability to become GPRA in the future)
 - *Female Active Clinical patients ages 15–40*



CRS Numerators

- GPRA Numerator: Patients screened for intimate partner (domestic) violence at any time during the Report Period. This numerator does *not* include refusals
- Other Numerators (*included in Selected Measures (Local) Reports only*)
 - A: Patients with documented IPV/DV exam
 - B: Patients with IPV/DV related diagnoses
 - C: Patients provided with education or counseling about IPV/DV
 - Patients with documented refusal in past year of an IPV/DV exam or IPV/DV-related education

CRS Numerators (Continued)

- Other Numerators (Continued)
 - GPRA Developmental (Included in the GPRA report in its own section and has the ability to become GPRA in the future.)
 - Patients with an IPV/DV exam or IPV/DV-related diagnosis, procedure, or counseling any time during the Report Period. NOTE: This numerator does *not* include refusals or IPV/DV-related patient education
 - Patients with IPV/DV-related education during the Report Period



Sample National GPRA Report

Intimate Partner (Domestic) Violence Screening

Denominator(s):

- GPRA Denominator: Female Active Clinical patients ages 15-40.

Numerator(s):

- GPRA Numerator: Patients screened for intimate partner (domestic) violence at any time during the Report Period. NOTE: This numerator does NOT include refusals.

Logic:

Age is calculated at beginning of the Report Period.

Screening is defined as at least one of the following: A) PCC Exam code 34 or BHS IPV/DV exam; B) Diagnosis (POV or current PCC or BHS Problem List): 995.80-83, 995.85 (adult maltreatment), V15.41, V15.42, V15.49 (history of abuse); BHS POV 43.*, 44.* C1) Patient education codes containing "DV-" or "-DV", 995.80-83, 995.85, V15.41, V15.42, or V15.49; C2) IPV/DV counseling: V61.11.

Performance Measure Description:

During FY 2010, achieve the tentative target rate of 53% for the proportion of female patients ages 15 to 40 who receive screening for domestic violence.

Past Performance and/or Target:

IHS Performance: FY 2009 - 48%, FY 2008 - 42%, FY 2007 - 36%, FY 2006 - 28%, FY 2005 - 13%, FY 2004 - 4% (not comparable since measure age range changed in 2005 from 16-24 to 15-40; IHS FY 2010 Target: 40%

Source:

HP 2010 15-34

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
# Female Active Clinical ages 15-40 (GPRA)	2		1			270		
# w/IPV/DV screening -No Refusals (GPRA)	0	0.0	0	0.0	+0.0	0	0.0	+0.0

Sample National GPRA Developmental

Intimate Partner (Domestic) Violence Screening

Denominator(s):

- GPRA Denominator: Female Active Clinical patients ages 15-40.

Numerator(s):

- GPRA Developmental Numerator: Patients with an IPV/DV exam or IPV/DV-related diagnosis, procedure, or counseling any time during the Report Period. NOTE: This numerator does NOT include refusals or IPV/DV-related patient education.
- Patients with IPV/DV-related education during the Report Period.

Logic:

Age is calculated at beginning of the Report Period.

- 1) IPV/DV Exam: PCC Exam code 34 or BHS IPV/DV exam.
- 2) Diagnosis (POV or current PCC or BHS Problem List): 995.80-83, 995.85 (adult maltreatment), V15.41, V15.42, V15.49 (history of abuse); BHS POV 43.*, 44.*
- 3) IPV/DV Patient Education: Patient Education codes containing "DV-" or "-DV", 995.80-83, 995.85, V15.41, V15.42, or V15.49.
- 4) IPV/DV Counseling: V61.11.

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
# Female Active Clinical ages 15-40 (GPRA)	2		1			270		
# w/IPV/DV Exam, Dx, Procedure or Counseling-No Refusals or Pt Ed (GPRA Dev.)	0	0.0	0	0.0	+0.0	0	0.0	+0.0
# w/IPV/DV education	0	0.0	0	0.0	+0.0	0	0.0	+0.0

CRS Patient Lists for IPV/DV Screening

- National GPRA Report Patient Lists
 - Active Clinical female patients 15–40 with documented IPV/DV screening
 - Active Clinical female patients 15–40 without documented IPV/DV screening
- Selected Measures (Local) Report Patient List
 - User Pop and Active Clinical female patients 13 and older with no documented IPV/DV screening



Sample Patient List (National GPRA Report)

151							
152	**** CONFIDENTIAL PATIENT INFORMATION, COVERED BY THE PRIVACY ACT ****						
153	*** IHS 2010 GPRA Performance & PART Patient List ***						
154	CRS 2010, Version 10.0						
155	DEMO INDIAN HOSPITAL						
156	Report Period: Jul 01, 2009 to Jun 30, 2010						
157	All Patients						
158	-----						
159	Intimate Partner (Domestic) Violence Screening						
160							
161	List of female patients 15-40 with documented IPV/DV screening.						
162							
163	UP=User Pop; AC=Active Clinical; AD=Active Diabetic; AAD=Active Adult Diabetic						
164	PREG=Pregnant Female; IMM=Active IMM Pkg Pt; IHD=Active Ischemic Heart Disease						
165	CHD=Active Coronary Heart Disease						
166	PATIENT NAME	HRN	COMMUNITY	SEX	AGE	DENOMIN.	NUMERATOR
167	-----						
168	PATIENT1,SAMPLE	000001	COMMUNITY A	F	15	UP;AC	Dv Dx 995.81 02/15/03
169	PATIENT2,SAMPLE	000002	COMMUNITY A	F	19	UP;AC	IPV EXAM 34 02/19/03
170	PATIENT3,SAMPLE	000003	COMMUNITY A	F	21	UP;AC	PED 995.85-L 05/23/03
171	PATIENT4,SAMPLE	000004	COMMUNITY A	F	24	UP;AC	PED V15.41-L 11/19/03
172	PATIENT4,SAMPLE	000005	COMMUNITY A	F	32	UP;AC	IPV EXAM 34 06/17/03V61.11 06/17/03
173	PATIENT5,SAMPLE	000006	COMMUNITY B	F	40	UP;AC	Dv Dx 995.83 04/09/03PED DV-IR 04/09/03
174	PATIENT6,SAMPLE	000007	COMMUNITY B	F	37	UP;AC	IPV EXAM 34 05/13/03Dv Dx 995.82 05/13/03
175							





For more information,
visit our Web site:

www.ihs.gov/cio/crs



Don't Forget to Join the CRS Listserv

1. Go the CRS Listserv page (URL shown below).
http://www.ihs.gov/cio/crs/index.cfm?module=crs_listserv
2. Click Subscribe link.
3. It brings up an e-mail window. Click Send.
4. You will receive an e-mail response with the following message in the text.

Your command:

SUBSCRIBE CRS [Your Last Name, Your First Name] (IHS/NPA)
has been received. You must now reply to this message (as explained below) to complete your subscription. The purpose of this confirmation procedure is to make sure that you have indeed requested to be added to the list.

To confirm the execution of your command, simply click on the following URL

[URL for command response in email]

5. You will receive a direct confirmation of subscription from the listserv server and a CRS listserv confirmation e-mail.



CRS Contacts

GPRA Lead	Francis Frazier FNP, MPH (301) 443-4700	Francis.Frazier@ihs.gov
OIT Clinical Lead	Chris Lamer (828) 497-9163	Chris.Lamer@ihs.gov
OIT Federal Lead	Stephanie Klepacki (505) 821-4480	Stephanie.Klepacki@ihs.gov
CRS Lead	Cathy Crozier (520) 622-2122	Cathy.Crozier@ihs.gov
CRS Analysts	Megan Powers (602) 266-0593 Duane Rozsnyai (505) 798-1466	Megan.Powers@ihs.gov Coleman.Rozsnyai@ihs.gov
Developer	Lori Butcher (520) 577-2146	butcherla@aol.com
GUI Developer	Mark Williams (928)-774-6200	cim@att.net