

# FY 2011

## Indian Health Service

### Urban Indian Health Programs

### GPRA Results



National GPRA Support Team

California Area Office

Indian Health Service



**FOR MORE INFORMATION, CONTACT:**

**Diane Leach**

Acting National GPRA Coordinator

[Diane.Leach@ihs.gov](mailto:Diane.Leach@ihs.gov)

**Phyllis Wolfe**

Director of Urban Programs

[Phyllis.Wolfe@ihs.gov](mailto:Phyllis.Wolfe@ihs.gov)

**Danielle Steward**

Health Systems Specialist

[Danielle.Steward@ihs.gov](mailto:Danielle.Steward@ihs.gov)

**Amy Patterson**

Public Health Analyst (NGST)

[Amy.Patterson@ihs.gov](mailto:Amy.Patterson@ihs.gov)

**TABLE OF CONTENTS**

**FY 2011 Urban Program Results Summary and Analysis**..... 5

**Final Urban Dashboard (CRS Programs)** ..... 8

**Final Urban Dashboard (All Programs)** ..... 9

**Aberdeen Area:**

    Nebraska Urban Indian Health Coalition ..... 11

    South Dakota Urban Indian Health ..... 12

**Albuquerque Area:**

    First Nations Community Healthsource (Albuquerque) ..... 13

    Denver Indian Health and Family Services ..... 14

**Bemidji Area:**

    American Indian Health Service of Chicago ..... 15

    American Indian Health and Family Services (Detroit) ..... 16

    Gerald L. Ignace Indian Health Center (Milwaukee) ..... 17

    Indian Health Board of Minneapolis, Inc ..... 18

**Billings Area:**

    Indian Health Board of Billings..... 19

    North American Indian Alliance (Butte) ..... 20

    Indian Family Health Clinic (Great Falls) ..... 21

    Helena Indian Alliance ..... 22

    Missoula Indian Center ..... 23

**California Area:**

Bakersfield Indian Health Center ..... 24

Fresno Native American Health Center..... 25

United American Indian Involvement (Los Angeles)..... 26

Native American Health Center Oakland/San Francisco..... 27

Sacramento Native American Health Center ..... 28

San Diego American Indian Health Center ..... 29

Indian Health Center of Santa Clara Valley (San Jose)..... 30

Santa Barbara Indian Health Center ..... 31

**Nashville Area:**

The American Indian Community House of New York City, Inc ..... 32

**Navajo Area:**

NACA Family Health Center (Flagstaff)..... 33

**Oklahoma Area:**

Urban Inter-Tribal Center of Texas (Dallas) ..... 34

Oklahoma City Urban Clinic ..... 35

Indian Health Resource (Tulsa) ..... 36

Hunter Health Clinic (Wichita)..... 37

**Phoenix Area:**

Native American Community Health Center (Phoenix) ..... 38

Nevada Urban Indians (Reno).....	39
Indian Walk-In Center (Salt Lake City).....	40
<b>Portland Area:</b>	
Native American Rehabilitation Association of the Northwest, Inc (Portland).....	41
Seattle Indian Health Board.....	42
Native Health Clinic of Spokane .....	43
<b>Tucson Area:</b>	
Tucson Indian Center.....	44
<b>Appendix 1: Urban Program Results—Data Sources .....</b>	<b>45</b>

## **FY 2011 URBAN PROGRAM RESULTS SUMMARY AND ANALYSIS**

### **Introduction**

In FY 2011, 34\* urban programs reported GPRA data. The final results for all urban programs are in this report, including individual dashboards for each program, and two aggregate dashboards.

### **Background and Data Collection**

IHS has been collecting GPRA data from urban programs since FY 2006. Like Tribal programs and unlike Federal-Direct programs, urban programs are not required to use the Resource Patient Management System (RPMS) as their patient data management system. However, unlike Tribal programs, urban programs are required to report GPRA data in order to receive funding.

RPMS programs use the Clinical Reporting System (CRS), a software application that runs off of RPMS, to report GPRA data. CRS data is validated and the measure logic is updated at least annually. Therefore, data from different CRS sites can be combined and reported as an aggregate rate. Because many urban programs were not using RPMS when urban GPRA performance reporting commenced in FY 2006, the National GPRA Support Team (NGST), which is responsible for the collection of GPRA data, created special reporting instructions for urban programs. These instructions included Excel templates for performance reporting with placeholders for results for each measure. Programs not running RPMS/CRS were required to do an audit of records for each GPRA measure and submit their GPRA results using the Excel template. Programs were encouraged to do a 100% audit of records, but were given instructions for doing a sample audit with a 95% confidence interval as an option. Most programs not running RPMS opted for a 100% audit, but a significant number opted to do a sample audit. Programs were allowed to perform an electronic audit of their records using their own information system, but manual sample or 100% audits were also accepted. The data that came from either 100% or sample audits at non-RPMS sites was not validated by any external source. However, until FY 2010, any non-RPMS data that represented a 100% audit of records was combined with CRS data for the purposes of urban GPRA reporting.

Due to the difficulties of combining data from disparate and non-validated data sources, several years ago the Urban Program mandated that as of FY 2010, all programs that were not using RPMS and CRS would have to either 1) report GPRA data via CRS by the final quarter of FY 2010, or 2) build a “bridge” between their own electronic record keeping system and CRS that would allow for performance reporting.

---

\* The total count of urban programs includes two “hybrid” urban programs in Oklahoma (Oklahoma City and Tulsa) that are funded separately from other urban programs. Additionally, the San Francisco and Oakland programs report their GPRA results in one combined file, and are thus counted as one program.

The decision to move all urban programs to RPMS and CRS reporting was backed up by special funding distributed by the Urban Program to each non-RPMS urban clinic, to support and offset the costs of transition to RPMS. Additionally, the Urban Program sponsored onsite RPMS training for non-RPMS sites and held training “boot camps” in Albuquerque for staff to attend beginning in FY 2009. As of FY 2011, this requirement was still in place, though urban programs that had not yet completed the transition to RPMS and CRS reporting were allowed to submit a non-CRS 100% review.

During FY 2011, three new programs made the transition to RPMS/CRS reporting, bringing the total to 21 of 34 urban programs. In FY 2010, 18 of 34 urban programs reported via CRS. In FY 2009, 11 of 35 urban programs reported GPRA data via CRS.

Thirteen urban sites reported via Excel spreadsheet from a non-RPMS data source. However, only data from the 21 urban programs using RPMS and reporting via CRS are included in the official urban GPRA results for FY 2011.

### **FY 2011 Results**

As with IHS and Tribal programs, in FY 2011, urban programs were given targets based on FY 2010 results. In FY 2011, all clinical targets were reduced from FY 2010 results due to the FY 2011 Budget Continuing Resolution. As in FY 2010, only data from urban programs reporting via CRS are used to calculate measure status.

In FY 2011, urban programs met 12 of 16 measure targets. Four measures did not meet their targets: Poor Glycemic Control, Childhood Immunization, Domestic/Intimate Partner Violence Screening, and Depression Screening. These measures all performed lower in FY 2011 than in FY 2010, and did not meet the reduced targets.

Further, five additional measures: Ideal Glycemic Control, Blood Pressure Control, Nephropathy Assessed, Pap Screening, and Alcohol Screening, performed lower in FY 2011 than in FY 2010, although they still met the reduced targets.

The other seven reported measures performed better in FY 2011 compared to FY 2010. The largest overall rate increases were seen in the Influenza Immunization and Colorectal Cancer Screening measures, which improved by 5.5 and 4.3 percentage points, respectively. Prenatal HIV Screening also improved by 2 percentage points.

One small caveat to the results is that FY 2011 was the first year that GPRA results were reported to the tenth percentile. One measure, Poor Glycemic Control, would have met the measure target had it been rounded to the nearest whole. In the future, more accurate comparisons of annual results calculated to the tenth percentile will be possible.

Two of the measures not met by urban programs were measures that also decreased in FY 2011 among IHS and Tribal programs: Poor Glycemic Control and Childhood Immunization. The Childhood Immunization measure added four Pneumococcal vaccines to the required series in FY 2011. Hopefully as providers become aware of the new vaccination requirements and data collection is improved, this measure should begin to improve in FY 2012.

However, any improvement among urban programs in FY 2011 is significant because the results include three programs that transitioned to CRS reporting this year. The adoption of a new reporting system is usually associated with lower rates initially, due to data entry lags. As these programs catch up on data entry, rates are likely to stabilize and improve. The use of a common reporting system will make it possible to track progress on GPRA performance measures and make valid comparisons among urban programs in the coming years.

While reviewing individual urban program results in this report, it is important to keep in mind the limits of the various data collection methods. Non-CRS sites reported results on spreadsheets with no other supporting documentation; IHS cannot validate results from non-RPMS electronic systems, and these manual audits have not been independently verified. Finally, while CRS results can be validated, many urban programs have only recently begun using CRS for reporting, and in the transition phase, measure results can be impacted by the timeliness, accuracy, and completeness of data entry into RPMS. Therefore, all results, but particularly those from sites not reporting through CRS, should be viewed with some caution. Also note that if a program did not report any data for a specific measure, the result is categorized as “no data.”

## 2011 FINAL URBAN DASHBOARD (CRS PROGRAMS)

2011 Final Urban Dashboard (CRS Programs) <b>DIABETES</b>	CRS 2011-Final	CRS 2010-Final	2011 Target	Results
Diabetes Dx Ever <sup>a</sup>	11.3%	11%	N/A	N/A
Documented A1c <sup>a</sup>	83.6%	81%	N/A	N/A
Poor Glycemic Control	15.3%	14%	15.1%	NOT MET
Ideal Glycemic Control	35.2%	37%	34.9%	MET
Controlled BP <130/80	39.6%	41%	38.8%	MET
LDL Assessed	73.8%	73%	69.0%	MET
Nephropathy Assessed	61.5%	63%	59.5%	MET
<b>IMMUNIZATIONS</b>				
Influenza 65+	48.5%	43%	40.5%	MET
Pneumovax 65+	55.4%	54%	50.1%	MET
Childhood IZ <sup>c</sup>	61.2%	70%	66.1%	NOT MET
<b>PREVENTION</b>				
Pap Screening	54.2%	55%	51.9%	MET
Mammogram Screening	50.2%	49%	47.9%	MET
Colorectal Cancer Screening	24.3%	20%	19.8%	MET
Tobacco Cessation	23.4%	23%	21.7%	MET
Alcohol Screening (FAS Prevention)	62.4%	65%	61.1%	MET
DV/IPV Screening	59.0%	61%	60.7%	NOT MET
Depression Screening	60.9%	63%	62.8%	NOT MET
Prenatal HIV Screening	86.0%	84%	79.2%	MET
Childhood Weight Control <sup>b</sup>	16.2%	18%	N/A	N/A

<sup>a</sup> Measures used for context; no annual targets

<sup>b</sup> Long-term measure; no specific annual target for FY 2011

<sup>c</sup> 4 Pneumococcal conjugate immunizations added to childhood immunization series in FY 2011

Dashboard includes data from 21 Urban Programs reporting via CRS

*Measures Met: 12*

*Measures Not Met: 4*

## 2011 FINAL URBAN DASHBOARD (ALL PROGRAMS)

2011 Final Urban Dashboard (All Programs)	CRS 2011-Final	Non-CRS 2011-Final	CRS 2010-Final	Non-CRS 2010-Final	2011 Target	Results*
<b>DIABETES</b>						
Diabetes Dx Ever <sup>a</sup>	11.3%	18.5%	11%	17%	N/A	N/A
Documented A1c <sup>a</sup>	83.6%	81.5%	81%	77%	N/A	N/A
Poor Glycemic Control	15.3%	19.9%	14%	16%	15.1%	NOT MET
Ideal Glycemic Control	35.2%	39.5%	37%	31%	34.9%	MET
Controlled BP <130/80	39.6%	55.8%	41%	53%	38.8%	MET
LDL Assessed	73.8%	63.5%	73%	55%	69.0%	MET
Nephropathy Assessed	61.5%	61.5%	63%	47%	59.5%	MET
<b>IMMUNIZATIONS</b>						
Influenza 65+	48.5%	33.3%	43%	41%	40.5%	MET
Pneumovax 65+	55.4%	36.1%	54%	39%	50.1%	MET
Childhood IZ <sup>c</sup>	61.2%	59.4%	70%	58%	66.1%	NOT MET
<b>PREVENTION</b>						
Pap Screening	54.2%	59.6%	55%	56%	51.9%	MET
Mammogram Screening	50.2%	39.6%	49%	34%	47.9%	MET
Colorectal Cancer Screening	24.3%	16.5%	20%	25%	19.8%	MET
Tobacco Cessation	23.4%	45.2%	23%	65%	21.7%	MET
Alcohol Screening (FAS Prevention)	62.4%	50.6%	65%	45%	61.1%	MET
DV/IPV Screening	59.0%	49.1%	61%	40%	60.7%	NOT MET
Depression Screening	60.9%	55.8%	63%	43%	62.8%	NOT MET
Prenatal HIV Screening	86.0%	56.4%	84%	57%	79.2%	MET
Childhood Weight Control <sup>b</sup>	16.2%	32.4%	18%	23%	N/A	N/A

<sup>a</sup> Measures used for context; no annual targets

<sup>b</sup> Long-term measure; no specific annual target for FY 2011

<sup>c</sup> 4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

Dashboard includes data from 21 Urban Programs reporting via CRS and 13 non-CRS Urban Programs

\*Aggregate results from CRS programs are used to determine measure status

*Measures Met: 12*

*Measures Not Met: 4*



# **INDIVIDUAL URBAN PROGRAM RESULTS**

**Nebraska Urban Indian Health Coalition  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Nebraska	Nebraska	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - Nebraska</b>
Diabetes Dx Ever	18.2%	18%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	100.0%	100%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	27.7%	15%	15.3%	15.1%	<b>NOT MET</b>
Ideal Glycemic Control	44.6%	53%	35.2%	34.9%	<b>MET</b>
Controlled BP <130/80	68.7%	84%	39.6%	38.8%	<b>MET</b>
LDL Assessed	100.0%	93%	73.8%	69.0%	<b>MET</b>
Nephropathy Assessed	97.6%	93%	61.5%	59.5%	<b>MET</b>
<b>IMMUNIZATIONS</b>					
Influenza 65+	<i>100.0%</i>	<i>100%</i>	48.5%	40.5%	<b>MET</b>
Pneumovax 65+	<i>100.0%</i>	<i>100%</i>	55.4%	50.1%	<b>MET</b>
Childhood IZ <sup>d</sup>	100.0%	100%	61.2%	66.1%	<b>MET</b>
<b>PREVENTION</b>					
Pap Screening	63.1%	73%	54.2%	51.9%	<b>MET</b>
Mammography Screening	50.0%	66%	50.2%	47.9%	<b>MET</b>
Colorectal Cancer Screening	76.2%	88%	24.3%	19.8%	<b>MET</b>
Tobacco Cessation	96.5%	97%	23.4%	21.7%	<b>MET</b>
Alcohol Screening (FAS Prevention)	93.8%	92%	62.4%	61.1%	<b>MET</b>
DV/IPV Screening	92.5%	95%	59.0%	60.7%	<b>MET</b>
Depression Screening	91.3%	96%	60.9%	62.8%	<b>MET</b>
Prenatal HIV Screening	<i>100.0%</i>	<i>100%</i>	86.0%	79.2%	<b>MET</b>
Childhood Weight Control	4.2%	5%	16.2%	N/A <sup>c</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>Results from all urban programs reporting via CRS

<sup>c</sup>Long-term measure; no specific annual target for FY 2011

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

Measures Met = 15

Measures Not Met = 1

Measures with No Data = 0

**South Dakota Urban Indian Health  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	South Dakota	South Dakota	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - South Dakota</b>
Diabetes Dx Ever	7.0%	7%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	73.2%	74%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	18.6%	17%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	18.6%	22%	35.2%	34.9%	NOT MET
Controlled BP <130/80	33.0%	32%	39.6%	38.8%	NOT MET
LDL Assessed	63.9%	67%	73.8%	69.0%	NOT MET
Nephropathy Assessed	48.5%	38%	61.5%	59.5%	NOT MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	30.2%	52%	48.5%	40.5%	NOT MET
Pneumovax 65+	44.2%	35%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	48.2%	32%	61.2%	66.1%	NOT MET
<b>PREVENTION</b>					
Pap Screening	53.2%	54%	54.2%	51.9%	MET
Mammography Screening	21.0%	28%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	30.3%	16%	24.3%	19.8%	MET
Tobacco Cessation	40.1%	30%	23.4%	21.7%	MET
Alcohol Screening (FAS Prevention)	62.4%	67%	62.4%	61.1%	MET
DV/IPV Screening	62.2%	65%	59.0%	60.7%	MET
Depression Screening	57.8%	62%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	12.5%	14%	86.0%	79.2%	NOT MET
Childhood Weight Control	27.9%	16%	16.2%	N/A <sup>c</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>Results from all urban programs reporting via CRS

<sup>c</sup>Long-term measure; no specific annual target for FY 2011

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

*Measures Met = 5*

*Measures Not Met = 11*

*Measures with No Data = 0*

**First Nations Community Healthsource (Albuquerque)  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	First Nations	First Nations	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - First Nations</b>
Diabetes Dx Ever	28.4%	14%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	86.9%	86%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	23.7%	23%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	48.0%	41%	35.2%	34.9%	MET
Controlled BP <130/80	86.9%	60%	39.6%	38.8%	MET
LDL Assessed	49.5%	70%	73.8%	69.0%	NOT MET
Nephropathy Assessed	31.8%	67%	61.5%	59.5%	NOT MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	22.5%	12%	48.5%	40.5%	NOT MET
Pneumovax 65+	15.0%	12%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	62.8%	53%	61.2%	66.1%	NOT MET
<b>PREVENTION</b>					
Pap Screening	76.8%	78%	54.2%	51.9%	MET
Mammography Screening	75.3%	65%	50.2%	47.9%	MET
Colorectal Cancer Screening	26.9%	21%	24.3%	19.8%	MET
Tobacco Cessation	53.0%	58%	23.4%	21.7%	MET
Alcohol Screening (FAS Prevention)	93.9%	83%	62.4%	61.1%	MET
DV/IPV Screening	97.0%	81%	59.0%	60.7%	MET
Depression Screening	93.5%	63%	60.9%	62.8%	MET
Prenatal HIV Screening	68.3%	43%	86.0%	79.2%	NOT MET
Childhood Weight Control	52.5%	14%	16.2%	N/A <sup>c</sup>	N/A
<sup>a</sup> Measures used for context; no annual targets <sup>b</sup> Results from all urban programs reporting via CRS <sup>c</sup> Long-term measure; no specific annual target for FY 2011 <sup>d</sup> 4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011					Measures Met = 9 Measures Not Met = 7 Measures with No Data = 0

**Denver Indian Health and Family Services  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Denver	Denver	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - Denver</b>
Diabetes Dx Ever	9.3%	9%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	93.3%	89%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	21.1%	24%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	40.0%	34%	35.2%	34.9%	MET
Controlled BP <130/80	44.4%	37%	39.6%	38.8%	MET
LDL Assessed	93.3%	79%	73.8%	69.0%	MET
Nephropathy Assessed	0.0%	1%	61.5%	59.5%	NOT MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	12.2%	0%	48.5%	40.5%	NOT MET
Pneumovax 65+	26.8%	30%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	53.3%	50%	61.2%	66.1%	NOT MET
<b>PREVENTION</b>					
Pap Screening	35.8%	45%	54.2%	51.9%	NOT MET
Mammography Screening	5.0%	5%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	1.7%	0%	24.3%	19.8%	NOT MET
Tobacco Cessation	1.6%	0%	23.4%	21.7%	NOT MET
Alcohol Screening (FAS Prevention)	62.0%	58%	62.4%	61.1%	MET
DV/IPV Screening	61.1%	54%	59.0%	60.7%	MET
Depression Screening	59.2%	56%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	0.0%	83%	86.0%	79.2%	NOT MET
Childhood Weight Control	15.2%	14%	16.2%	N/A <sup>c</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>Results from all urban programs reporting via CRS

<sup>c</sup>Long-term measure; no specific annual target for FY 2011

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures Met = 5

Measures Not Met = 11

Measures with No Data = 0

**American Indian Health Service of Chicago  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Chicago	Chicago	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - Chicago</b>
Diabetes Dx Ever	15.0%	15%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	95.0%	94%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	26.7%	38%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	40.0%	42%	35.2%	34.9%	MET
Controlled BP <130/80	40.0%	63%	39.6%	38.8%	MET
LDL Assessed	81.7%	64%	73.8%	69.0%	MET
Nephropathy Assessed	76.7%	65%	61.5%	59.5%	MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	48.8%	56%	48.5%	40.5%	MET
Pneumovax 65+	65.9%	75%	55.4%	50.1%	MET
Childhood IZ <sup>d</sup>	36.4%	63%	61.2%	66.1%	NOT MET
<b>PREVENTION</b>					
Pap Screening	61.3%	69%	54.2%	51.9%	MET
Mammography Screening	15.9%	44%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	22.5%	26%	24.3%	19.8%	MET
Tobacco Cessation	16.8%	83%	23.4%	21.7%	NOT MET
Alcohol Screening (FAS Prevention)	59.2%	87%	62.4%	61.1%	NOT MET
DV/IPV Screening	49.4%	84%	59.0%	60.7%	NOT MET
Depression Screening	60.7%	86%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	50.0%	0%	86.0%	79.2%	NOT MET
Childhood Weight Control	10.0%	35%	16.2%	N/A <sup>c</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>Results from all urban programs reporting via CRS

<sup>c</sup>Long-term measure; no specific annual target for FY 2011

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

*Measures Met = 8*

*Measures Not Met = 8*

*Measures with No Data = 0*

**American Indian Health and Family Services (Detroit)  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Detroit	Detroit	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - Detroit</b>
Diabetes Dx Ever	19.2%	18%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	90.5%	100%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	16.7%	29%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	33.3%	36%	35.2%	34.9%	NOT MET
Controlled BP <130/80	38.1%	36%	39.6%	38.8%	NOT MET
LDL Assessed	90.5%	79%	73.8%	69.0%	MET
Nephropathy Assessed	78.6%	54%	61.5%	59.5%	MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	52.4%	42%	48.5%	40.5%	MET
Pneumovax 65+	76.2%	58%	55.4%	50.1%	MET
Childhood IZ <sup>d</sup>	0.0%	67%	61.2%	66.1%	NOT MET
<b>PREVENTION</b>					
Pap Screening	53.4%	50%	54.2%	51.9%	MET
Mammography Screening	19.5%	34%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	25.0%	22%	24.3%	19.8%	MET
Tobacco Cessation	22.1%	22%	23.4%	21.7%	MET
Alcohol Screening (FAS Prevention)	55.1%	27%	62.4%	61.1%	NOT MET
DV/IPV Screening	49.0%	24%	59.0%	60.7%	NOT MET
Depression Screening	53.6%	32%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	100.0%	100%	86.0%	79.2%	MET
Childhood Weight Control	25.0%	0%	16.2%	N/A <sup>c</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>Results from all urban programs reporting via CRS

<sup>c</sup>Long-term measure; no specific annual target for FY 2011

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

*Measures Met = 8*

*Measures Not Met = 8*

*Measures with No Data = 0*

**Gerald L. Ignace Indian Health Center (Milwaukee)  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Milwaukee	Milwaukee	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - Milwaukee</b>
Diabetes Dx Ever	18.1%	18%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	89.0%	76%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	22.0%	20%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	44.9%	35%	35.2%	34.9%	MET
Controlled BP <130/80	68.6%	68%	39.6%	38.8%	MET
LDL Assessed	89.0%	75%	73.8%	69.0%	MET
Nephropathy Assessed	89.0%	75%	61.5%	59.5%	MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	84.8%	82%	48.5%	40.5%	MET
Pneumovax 65+	81.8%	88%	55.4%	50.1%	MET
Childhood IZ <sup>d</sup>	82.9%	82%	61.2%	66.1%	MET
<b>PREVENTION</b>					
Pap Screening	72.2%	74%	54.2%	51.9%	MET
Mammography Screening	37.8%	43%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	20.9%	19%	24.3%	19.8%	MET
Tobacco Cessation	69.3%	71%	23.4%	21.7%	MET
Alcohol Screening (FAS Prevention)	87.3%	91%	62.4%	61.1%	MET
DV/IPV Screening	86.9%	91%	59.0%	60.7%	MET
Depression Screening	87.8%	90%	60.9%	62.8%	MET
Prenatal HIV Screening	24.0%	No Data	86.0%	79.2%	NOT MET
Childhood Weight Control	22.9%	25%	16.2%	N/A <sup>c</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>Results from all urban programs reporting via CRS

<sup>c</sup>Long-term measure; no specific annual target for FY 2011

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

Measures Met = 13

Measures Not Met = 3

Measures with No Data = 0

**Indian Health Board of Minneapolis, Inc.  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Minneapolis	Minneapolis	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<u>2011-Final</u>	<u>2010-Final</u>	<u>2011-Final</u>	<u>2011 Target</u>	<u>Results - Minneapolis</u>
Diabetes Dx Ever	16.0%	7%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	93.1%	72%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	14.5%	19%	15.3%	15.1%	MET
Ideal Glycemic Control	49.0%	40%	35.2%	34.9%	NOT MET
Controlled BP <130/80	62.1%	63%	39.6%	38.8%	MET
LDL Assessed	85.5%	41%	73.8%	69.0%	MET
Nephropathy Assessed	82.8%	51%	61.5%	59.5%	MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	33.0%	50%	48.5%	40.5%	NOT MET
Pneumovax 65+	36.9%	85%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	80.0%	41%	61.2%	66.1%	MET
<b>PREVENTION</b>					
Pap Screening	44.7%	31%	54.2%	51.9%	NOT MET
Mammography Screening	25.0%	12%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	11.3%	12%	24.3%	19.8%	NOT MET
Tobacco Cessation	63.1%	88%	23.4%	21.7%	MET
Alcohol Screening (FAS Prevention)	53.4%	36%	62.4%	61.1%	NOT MET
DV/IPV Screening	27.0%	32%	59.0%	60.7%	NOT MET
Depression Screening	29.8%	29%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	71.3%	75%	86.0%	79.2%	NOT MET
Childhood Weight Control	49.1%	32%	16.2%	N/A <sup>c</sup>	N/A
<sup>a</sup> Measures used for context; no annual targets					Measures Met = 6
<sup>b</sup> Results from all urban programs reporting via CRS					Measures Not Met = 10
<sup>c</sup> Long-term measure; no specific annual target for FY 2011					Measures with No Data = 0
<sup>d</sup> 4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011					

**Indian Health Board of Billings  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Billings	Billings	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<u>2011-Final</u>	<u>2010-Final</u>	<u>2011-Final</u>	<u>2011 Target</u>	<u>Results - Billings</u>
Diabetes Dx Ever	11.3%	10%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	80.3%	87%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	15.2%	39%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	27.3%	16%	35.2%	34.9%	NOT MET
Controlled BP <130/80	43.9%	42%	39.6%	38.8%	MET
LDL Assessed	42.4%	50%	73.8%	69.0%	NOT MET
Nephropathy Assessed	43.9%	53%	61.5%	59.5%	NOT MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	25.0%	49%	48.5%	40.5%	NOT MET
Pneumovax 65+	50.0%	47%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	14.3%	0%	61.2%	66.1%	NOT MET
<b>PREVENTION</b>					
Pap Screening	44.6%	28%	54.2%	51.9%	NOT MET
Mammography Screening	27.8%	21%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	21.7%	13%	24.3%	19.8%	MET
Tobacco Cessation	38.8%	28%	23.4%	21.7%	MET
Alcohol Screening (FAS Prevention)	66.0%	43%	62.4%	61.1%	MET
DV/IPV Screening	62.4%	39%	59.0%	60.7%	MET
Depression Screening	59.2%	48%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	0.0%	No Data	86.0%	79.2%	NOT MET
Childhood Weight Control	8.3%	17%	16.2%	N/A <sup>c</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>Results from all urban programs reporting via CRS

<sup>c</sup>Long-term measure; no specific annual target for FY 2011

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

Measures Met = 5

Measures Not Met = 11

Measures with No Data = 0

**North American Indian Alliance (Butte)  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Butte	Butte	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<u>2011-Final</u>	<u>2010-Final</u>	<u>2011-Final</u>	<u>2011 Target</u>	<u>Results - Butte</u>
Diabetes Dx Ever	11.0%	10%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	87.5%	81%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	12.5%	24%	15.3%	15.1%	MET
Ideal Glycemic Control	41.7%	43%	35.2%	34.9%	MET
Controlled BP <130/80	58.3%	67%	39.6%	38.8%	MET
LDL Assessed	70.8%	52%	73.8%	69.0%	MET
Nephropathy Assessed	54.2%	43%	61.5%	59.5%	NOT MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	78.9%	47%	48.5%	40.5%	MET
Pneumovax 65+	42.1%	26%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	No Data	100%	61.2%	66.1%	No Data
<b>PREVENTION</b>					
Pap Screening	29.9%	58%	54.2%	51.9%	NOT MET
Mammography Screening	15.0%	13%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	3.4%	4%	24.3%	19.8%	NOT MET
Tobacco Cessation	21.2%	14%	23.4%	21.7%	NOT MET
Alcohol Screening (FAS Prevention)	59.3%	61%	62.4%	61.1%	NOT MET
DV/IPV Screening	57.4%	57%	59.0%	60.7%	NOT MET
Depression Screening	51.9%	60%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	0.0%	No Data	86.0%	79.2%	NOT MET
Childhood Weight Control	0.0%	0%	16.2%	N/A <sup>c</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>Results from all urban programs reporting via CRS

<sup>c</sup>Long-term measure; no specific annual target for FY 2011

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

*Measures Met = 5*

*Measures Not Met = 10*

*Measures with No Data = 1*

**Indian Family Health Clinic (Great Falls)  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Great Falls	Great Falls	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<u>2011-Final</u>	<u>2010-Final</u>	<u>2011-Final</u>	<u>2011 Target</u>	<u>Results - Great Falls</u>
Diabetes Dx Ever	15.0%	14%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	55.4%	68%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	3.0%	5%	15.3%	15.1%	<b>MET</b>
Ideal Glycemic Control	12.9%	37%	35.2%	34.9%	<b>NOT MET</b>
Controlled BP <130/80	33.7%	29%	39.6%	38.8%	<b>NOT MET</b>
LDL Assessed	43.6%	63%	73.8%	69.0%	<b>NOT MET</b>
Nephropathy Assessed	8.9%	35%	61.5%	59.5%	<b>NOT MET</b>
<b>IMMUNIZATIONS</b>					
Influenza 65+	29.2%	30%	48.5%	40.5%	<b>NOT MET</b>
Pneumovax 65+	27.1%	21%	55.4%	50.1%	<b>NOT MET</b>
Childhood IZ <sup>d</sup>	0.0%	0%	61.2%	66.1%	<b>NOT MET</b>
<b>PREVENTION</b>					
Pap Screening	38.7%	42%	54.2%	51.9%	<b>NOT MET</b>
Mammography Screening	23.9%	11%	50.2%	47.9%	<b>NOT MET</b>
Colorectal Cancer Screening	1.1%	0%	24.3%	19.8%	<b>NOT MET</b>
Tobacco Cessation	0.4%	47%	23.4%	21.7%	<b>NOT MET</b>
Alcohol Screening (FAS Prevention)	13.7%	39%	62.4%	61.1%	<b>NOT MET</b>
DV/IPV Screening	4.9%	22%	59.0%	60.7%	<b>NOT MET</b>
Depression Screening	14.5%	33%	60.9%	62.8%	<b>NOT MET</b>
Prenatal HIV Screening	0.0%	0%	86.0%	79.2%	<b>NOT MET</b>
Childhood Weight Control	0.0%	25%	16.2%	N/A <sup>c</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>Results from all urban programs reporting via CRS

<sup>c</sup>Long-term measure; no specific annual target for FY 2011

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

*Measures Met = 1*

*Measures Not Met = 15*

*Measures with No Data = 0*

**Helena Indian Alliance  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Helena	Helena	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - Helena</b>
Diabetes Dx Ever	18.2%	16%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	90.9%	80%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	7.3%	6%	15.3%	15.1%	MET
Ideal Glycemic Control	54.5%	47%	35.2%	34.9%	MET
Controlled BP <130/80	52.7%	59%	39.6%	38.8%	MET
LDL Assessed	78.2%	59%	73.8%	69.0%	MET
Nephropathy Assessed	69.1%	51%	61.5%	59.5%	MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	19.5%	42%	48.5%	40.5%	NOT MET
Pneumovax 65+	68.3%	73%	55.4%	50.1%	MET
Childhood IZ <sup>d</sup>	No Data	No Data	61.2%	66.1%	No Data
<b>PREVENTION</b>					
Pap Screening	43.9%	41%	54.2%	51.9%	NOT MET
Mammography Screening	43.6%	51%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	27.1%	21%	24.3%	19.8%	MET
Tobacco Cessation	33.3%	39%	23.4%	21.7%	MET
Alcohol Screening (FAS Prevention)	55.8%	47%	62.4%	61.1%	NOT MET
DV/IPV Screening	50.0%	40%	59.0%	60.7%	NOT MET
Depression Screening	51.1%	47%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	No Data	0%	86.0%	79.2%	No Data
Childhood Weight Control	100.0%	0%	16.2%	N/A <sup>c</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>Results from all urban programs reporting via CRS

<sup>c</sup>Long-term measure; no specific annual target for FY 2011

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures Met = 8

Measures Not Met = 6

Measures with No Data = 2

**Missoula Indian Center  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Missoula	Missoula	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<u>2011-Final</u>	<u>2010-Final</u>	<u>2011-Final</u>	<u>2011 Target</u>	<u>Results - Missoula</u>
Diabetes Dx Ever	7.2%	7%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	20.0%	No Data	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	0.0%	No Data	15.3%	15.1%	<b>MET</b>
Ideal Glycemic Control	0.0%	No Data	35.2%	34.9%	<b>NOT MET</b>
Controlled BP <130/80	10.0%	No Data	39.6%	38.8%	<b>NOT MET</b>
LDL Assessed	0.0%	No Data	73.8%	69.0%	<b>NOT MET</b>
Nephropathy Assessed	0.0%	No Data	61.5%	59.5%	<b>NOT MET</b>
<b>IMMUNIZATIONS</b>					
Influenza 65+	0.0%	0%	48.5%	40.5%	<b>NOT MET</b>
Pneumovax 65+	30.8%	29%	55.4%	50.1%	<b>NOT MET</b>
Childhood IZ <sup>d</sup>	No Data	No Data	61.2%	66.1%	No Data
<b>PREVENTION</b>					
Pap Screening	1.1%	67%	54.2%	51.9%	<b>NOT MET</b>
Mammography Screening	0.0%	7%	50.2%	47.9%	<b>NOT MET</b>
Colorectal Cancer Screening	0.0%	0%	24.3%	19.8%	<b>NOT MET</b>
Tobacco Cessation	0.0%	0%	23.4%	21.7%	<b>NOT MET</b>
Alcohol Screening (FAS Prevention)	36.4%	78%	62.4%	61.1%	<b>NOT MET</b>
DV/IPV Screening	35.6%	70%	59.0%	60.7%	<b>NOT MET</b>
Depression Screening	39.7%	75%	60.9%	62.8%	<b>NOT MET</b>
Prenatal HIV Screening	No Data	No Data	86.0%	79.2%	No Data
Childhood Weight Control	No Data	No Data	16.2%	N/A <sup>c</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>Results from all urban programs reporting via CRS

<sup>c</sup>Long-term measure; no specific annual target for FY 2011

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

*Measures Met = 1*

*Measures Not Met = 13*

*Measures with No Data = 2*

**Bakersfield Indian Health Center  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Bakersfield	Bakersfield	CA CRS Sites <sup>b</sup>	CRS Sites <sup>c</sup>	2011 Target	2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011-Final</b>		<b>Results - Bakersfield</b>
Diabetes Dx Ever	12.5%	12%	10.8%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	60.5%	29%	77.2%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	28.9%	10%	18.2%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	18.4%	13%	26.2%	35.2%	34.9%	NOT MET
Controlled BP <130/80	7.9%	2%	41.3%	39.6%	38.8%	NOT MET
LDL Assessed	50.0%	31%	55.0%	73.8%	69.0%	NOT MET
Nephropathy Assessed	28.9%	6%	39.0%	61.5%	59.5%	NOT MET
<b>IMMUNIZATIONS</b>						
Influenza 65+	2.6%	0%	34.4%	48.5%	40.5%	NOT MET
Pneumovax 65+	21.1%	12%	48.5%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	0.0%	0%	26.4%	61.2%	66.1%	NOT MET
<b>PREVENTION</b>						
Pap Screening	9.1%	11%	41.4%	54.2%	51.9%	NOT MET
Mammography Screening	8.3%	7%	16.6%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	10.5%	1%	12.7%	24.3%	19.8%	NOT MET
Tobacco Cessation	12.8%	3%	19.6%	23.4%	21.7%	NOT MET
Alcohol Screening (FAS Prevention)	28.3%	24%	38.9%	62.4%	61.1%	NOT MET
DV/IPV Screening	23.7%	18%	35.6%	59.0%	60.7%	NOT MET
Depression Screening	25.4%	20%	35.2%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	No Data	No Data	38.5%	86.0%	79.2%	No Data
Childhood Weight Control	No Data	0%	29.0%	16.2%	N/A <sup>e</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>CA CRS Urban Results from 7 California urban programs reporting via CRS

<sup>c</sup>CRS Urban Results from 21 urban programs reporting via CRS

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

<sup>e</sup>Long-term measure; no specific annual target for FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

Measures Met = 0

Measures Not Met = 15

Measures with No Data = 1

**Fresno Native American Health Center  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Fresno	Fresno	CA CRS Sites <sup>b</sup>	CRS Sites <sup>c</sup>	2011 Target	2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011-Final</b>		<b>Results - Fresno</b>
Diabetes Dx Ever	8.8%	9%	10.8%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	45.5%	75%	77.2%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	9.1%	0%	18.2%	15.3%	15.1%	<b>MET</b>
Ideal Glycemic Control	27.3%	25%	26.2%	35.2%	34.9%	<b>NOT MET</b>
Controlled BP <130/80	18.2%	38%	41.3%	39.6%	38.8%	<b>NOT MET</b>
LDL Assessed	18.2%	38%	55.0%	73.8%	69.0%	<b>NOT MET</b>
Nephropathy Assessed	9.1%	38%	39.0%	61.5%	59.5%	<b>NOT MET</b>
<b>IMMUNIZATIONS</b>						
Influenza 65+	24.0%	11%	34.4%	48.5%	40.5%	<b>NOT MET</b>
Pneumovax 65+	8.0%	11%	48.5%	55.4%	50.1%	<b>NOT MET</b>
Childhood IZ <sup>d</sup>	50.0%	0%	26.4%	61.2%	66.1%	<b>NOT MET</b>
<b>PREVENTION</b>						
Pap Screening	2.1%	18%	41.4%	54.2%	51.9%	<b>NOT MET</b>
Mammography Screening	13.6%	50%	16.6%	50.2%	47.9%	<b>NOT MET</b>
Colorectal Cancer Screening	0.0%	0%	12.7%	24.3%	19.8%	<b>NOT MET</b>
Tobacco Cessation	9.1%	No Data	19.6%	23.4%	21.7%	<b>NOT MET</b>
Alcohol Screening (FAS Prevention)	41.9%	9%	38.9%	62.4%	61.1%	<b>NOT MET</b>
DV/IPV Screening	21.2%	5%	35.6%	59.0%	60.7%	<b>NOT MET</b>
Depression Screening	18.0%	25%	35.2%	60.9%	62.8%	<b>NOT MET</b>
Prenatal HIV Screening	No Data	No Data	38.5%	86.0%	79.2%	No Data
Childhood Weight Control	No data	No Data	29.0%	16.2%	N/A <sup>e</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>CA CRS Urban Results from 7 California urban programs reporting via CRS

<sup>c</sup>CRS Urban Results from 21 urban programs reporting via CRS

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

<sup>e</sup>Long-term measure; no specific annual target for FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

*Measures Met = 1*

*Measures Not Met = 14*

*Measures with No Data = 1*

**United American Indian Involvement (Los Angeles)  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Los Angeles	Los Angeles	CA CRS Sites <sup>b</sup>	CRS Sites <sup>c</sup>	2011 Target	2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - Los Angeles</b>
Diabetes Dx Ever	10.4%	10%	10.8%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	70.3%	66%	77.2%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	19.8%	11%	18.2%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	18.7%	21%	26.2%	35.2%	34.9%	NOT MET
Controlled BP <130/80	28.6%	33%	41.3%	39.6%	38.8%	NOT MET
LDL Assessed	58.2%	41%	55.0%	73.8%	69.0%	NOT MET
Nephropathy Assessed	7.7%	7%	39.0%	61.5%	59.5%	NOT MET
<b>IMMUNIZATIONS</b>						
Influenza 65+	51.5%	60%	34.4%	48.5%	40.5%	MET
Pneumovax 65+	66.2%	52%	48.5%	55.4%	50.1%	MET
Childhood IZ <sup>d</sup>	26.5%	44%	26.4%	61.2%	66.1%	NOT MET
<b>PREVENTION</b>						
Pap Screening	60.7%	56%	41.4%	54.2%	51.9%	MET
Mammography Screening	22.1%	18%	16.6%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	17.0%	12%	12.7%	24.3%	19.8%	NOT MET
Tobacco Cessation	12.3%	8%	19.6%	23.4%	21.7%	NOT MET
Alcohol Screening (FAS Prevention)	48.4%	29%	38.9%	62.4%	61.1%	NOT MET
DV/IPV Screening	45.6%	22%	35.6%	59.0%	60.7%	NOT MET
Depression Screening	45.2%	21%	35.2%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	0.0%	0%	38.5%	86.0%	79.2%	NOT MET
Childhood Weight Control	41.2%	14%	29.0%	16.2%	N/A <sup>e</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>CA CRS Urban Results from 7 California urban programs reporting via CRS

<sup>c</sup>CRS Urban Results from 21 urban programs reporting via CRS

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

<sup>e</sup>Long-term measure; no specific annual target for FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

*Measures Met = 3*

*Measures Not Met = 13*

*Measures with No Data = 0*

**Native American Health Center Oakland/San Francisco  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Oakland/SF	Oakland/SF	CA CRS Sites <sup>b</sup>	CRS Sites <sup>c</sup>	2011 Target	2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011-Final</b>		<b>Results - Oakland/SF</b>
Diabetes Dx Ever	14.9%	14%	10.8%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	84.7%	71%	77.2%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	17.6%	14%	18.2%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	22.4%	29%	26.2%	35.2%	34.9%	NOT MET
Controlled BP <130/80	62.4%	47%	41.3%	39.6%	38.8%	MET
LDL Assessed	43.5%	51%	55.0%	73.8%	69.0%	NOT MET
Nephropathy Assessed	35.3%	19%	39.0%	61.5%	59.5%	NOT MET
<b>IMMUNIZATIONS</b>						
Influenza 65+	38.2%	28%	34.4%	48.5%	40.5%	NOT MET
Pneumovax 65+	47.3%	47%	48.5%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	14.6%	19%	26.4%	61.2%	66.1%	NOT MET
<b>PREVENTION</b>						
Pap Screening	34.1%	45%	41.4%	54.2%	51.9%	NOT MET
Mammography Screening	8.6%	7%	16.6%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	5.6%	4%	12.7%	24.3%	19.8%	NOT MET
Tobacco Cessation	11.6%	2%	19.6%	23.4%	21.7%	NOT MET
Alcohol Screening (FAS Prevention)	8.7%	20%	38.9%	62.4%	61.1%	NOT MET
DV/IPV Screening	6.9%	6%	35.6%	59.0%	60.7%	NOT MET
Depression Screening	12.1%	15%	35.2%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	40.0%	12%	38.5%	86.0%	79.2%	NOT MET
Childhood Weight Control	33.3%	No Data	29.0%	16.2%	N/A <sup>e</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>CA CRS Urban Results from 7 California urban programs reporting via CRS

<sup>c</sup>CRS Urban Results from 21 urban programs reporting via CRS

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

<sup>e</sup>Long-term measure; no specific annual target for FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

Measures Met = 1

Measures Not Met = 15

Measures with No Data = 0

**Sacramento Native American Health Center  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Sacramento	Sacramento	CA CRS Sites <sup>b</sup>	CRS Sites <sup>c</sup>	2011 Target	2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - Sacramento</b>
Diabetes Dx Ever	9.6%	10%	10.8%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	74.5%	62%	77.2%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	7.8%	8%	18.2%	15.3%	15.1%	<b>MET</b>
Ideal Glycemic Control	31.4%	30%	26.2%	35.2%	34.9%	<b>NOT MET</b>
Controlled BP <130/80	45.1%	32%	41.3%	39.6%	38.8%	<b>MET</b>
LDL Assessed	60.8%	49%	55.0%	73.8%	69.0%	<b>NOT MET</b>
Nephropathy Assessed	52.9%	32%	39.0%	61.5%	59.5%	<b>NOT MET</b>
<b>IMMUNIZATIONS</b>						
Influenza 65+	36.0%	48%	34.4%	48.5%	40.5%	<b>NOT MET</b>
Pneumovax 65+	44.0%	48%	48.5%	55.4%	50.1%	<b>NOT MET</b>
Childhood IZ <sup>d</sup>	33.3%	100%	26.4%	61.2%	66.1%	<b>NOT MET</b>
<b>PREVENTION</b>						
Pap Screening	47.3%	29%	41.4%	54.2%	51.9%	<b>NOT MET</b>
Mammography Screening	19.2%	18%	16.6%	50.2%	47.9%	<b>NOT MET</b>
Colorectal Cancer Screening	24.8%	7%	12.7%	24.3%	19.8%	<b>MET</b>
Tobacco Cessation	30.1%	13%	19.6%	23.4%	21.7%	<b>MET</b>
Alcohol Screening (FAS Prevention)	53.9%	19%	38.9%	62.4%	61.1%	<b>NOT MET</b>
DV/IPV Screening	51.9%	5%	35.6%	59.0%	60.7%	<b>NOT MET</b>
Depression Screening	35.2%	17%	35.2%	60.9%	62.8%	<b>NOT MET</b>
Prenatal HIV Screening	33.3%	100%	38.5%	86.0%	79.2%	<b>NOT MET</b>
Childhood Weight Control	25.0%	20%	29.0%	16.2%	N/A <sup>e</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>CA CRS Urban Results from 7 California urban programs reporting via CRS

<sup>c</sup>CRS Urban Results from 21 urban programs reporting via CRS

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

<sup>e</sup>Long-term measure; no specific annual target for FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

*Measures Met = 4*

*Measures Not Met = 12*

*Measures with No Data = 0*

**San Diego American Indian Health Center  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	San Diego	San Diego	CA CRS Sites <sup>b</sup>	CRS Sites <sup>c</sup>	2011 Target	2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011-Final</b>		<b>Results - San Diego</b>
Diabetes Dx Ever	7.9%	8%	10.8%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	89.7%	83%	77.2%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	22.4%	17%	18.2%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	39.7%	37%	26.2%	35.2%	34.9%	MET
Controlled BP <130/80	44.8%	59%	41.3%	39.6%	38.8%	MET
LDL Assessed	58.6%	65%	55.0%	73.8%	69.0%	NOT MET
Nephropathy Assessed	75.9%	72%	39.0%	61.5%	59.5%	MET
<b>IMMUNIZATIONS</b>						
Influenza 65+	23.5%	12%	34.4%	48.5%	40.5%	NOT MET
Pneumovax 65+	70.6%	65%	48.5%	55.4%	50.1%	MET
Childhood IZ <sup>d</sup>	42.9%	33%	26.4%	61.2%	66.1%	NOT MET
<b>PREVENTION</b>						
Pap Screening	43.1%	51%	41.4%	54.2%	51.9%	NOT MET
Mammography Screening	9.3%	19%	16.6%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	1.6%	7%	12.7%	24.3%	19.8%	NOT MET
Tobacco Cessation	24.2%	25%	19.6%	23.4%	21.7%	MET
Alcohol Screening (FAS Prevention)	45.8%	51%	38.9%	62.4%	61.1%	NOT MET
DV/IPV Screening	43.2%	49%	35.6%	59.0%	60.7%	NOT MET
Depression Screening	51.9%	53%	35.2%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	100.0%	100%	38.5%	86.0%	79.2%	MET
Childhood Weight Control	18.2%	12%	29.0%	16.2%	N/A <sup>e</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>CA CRS Urban Results from 7 California urban programs reporting via CRS

<sup>c</sup>CRS Urban Results from 21 urban programs reporting via CRS

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

<sup>e</sup>Long-term measure; no specific annual target for FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

*Measures Met = 6*

*Measures Not Met = 10*

*Measures with No Data = 0*

**Indian Health Center of Santa Clara Valley (San Jose)  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	San Jose	San Jose	CA CRS Sites <sup>b</sup>	CRS Sites <sup>c</sup>	2011 Target	2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011-Final</b>		<b>Results - San Jose</b>
Diabetes Dx Ever	4.5%	16%	10.8%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	97.4%	57%	77.2%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	23.7%	7%	18.2%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	73.7%	18%	26.2%	35.2%	34.9%	MET
Controlled BP <130/80	25.0%	16%	41.3%	39.6%	38.8%	NOT MET
LDL Assessed	51.3%	35%	55.0%	73.8%	69.0%	NOT MET
Nephropathy Assessed	81.6%	21%	39.0%	61.5%	59.5%	MET
<b>IMMUNIZATIONS</b>						
Influenza 65+	18.2%	30%	34.4%	48.5%	40.5%	NOT MET
Pneumovax 65+	15.2%	69%	48.5%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	81.8%	45%	26.4%	61.2%	66.1%	MET
<b>PREVENTION</b>						
Pap Screening	48.2%	50%	41.4%	54.2%	51.9%	NOT MET
Mammography Screening	30.2%	10%	16.6%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	10.9%	3%	12.7%	24.3%	19.8%	NOT MET
Tobacco Cessation	75.0%	60%	19.6%	23.4%	21.7%	MET
Alcohol Screening (FAS Prevention)	0.0%	0%	38.9%	62.4%	61.1%	NOT MET
DV/IPV Screening	0.0%	0%	35.6%	59.0%	60.7%	NOT MET
Depression Screening	64.4%	10%	35.2%	60.9%	62.8%	MET
Prenatal HIV Screening	100.0%	100%	38.5%	86.0%	79.2%	MET
Childhood Weight Control	39.1%	7%	29.0%	16.2%	N/A <sup>e</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>CA CRS Urban Results from 7 California urban programs reporting via CRS

<sup>c</sup>CRS Urban Results from 21 urban programs reporting via CRS

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

<sup>e</sup>Long-term measure; no specific annual target for FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

Measures Met = 6

Measures Not Met = 10

Measures with No Data = 0

**Santa Barbara Indian Health Center  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Santa Barbara	Santa Barbara	CA CRS Sites <sup>b</sup>	CRS Sites <sup>c</sup>	2011 Target	2011 Final
<b>DIABETES</b>	<u>2011-Final</u>	<u>2010-Final</u>	<u>2011-Final</u>	<u>2011-Final</u>		<u>Results - Santa Barbara</u>
Diabetes Dx Ever	9.5%	12%	10.8%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	100.0%	83%	77.2%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	11.8%	11%	18.2%	15.3%	15.1%	MET
Ideal Glycemic Control	41.2%	28%	26.2%	35.2%	34.9%	MET
Controlled BP <130/80	70.6%	39%	41.3%	39.6%	38.8%	MET
LDL Assessed	100.0%	89%	55.0%	73.8%	69.0%	MET
Nephropathy Assessed	100.0%	67%	39.0%	61.5%	59.5%	MET
<b>IMMUNIZATIONS</b>						
Influenza 65+	53.8%	30%	34.4%	48.5%	40.5%	MET
Pneumovax 65+	100.0%	70%	48.5%	55.4%	50.1%	MET
Childhood IZ <sup>d</sup>	75.0%	100%	26.4%	61.2%	66.1%	MET
<b>PREVENTION</b>						
Pap Screening	73.6%	75%	41.4%	54.2%	51.9%	MET
Mammography Screening	51.9%	42%	16.6%	50.2%	47.9%	MET
Colorectal Cancer Screening	39.4%	41%	12.7%	24.3%	19.8%	MET
Tobacco Cessation	35.4%	33%	19.6%	23.4%	21.7%	MET
Alcohol Screening (FAS Prevention)	64.0%	67%	38.9%	62.4%	61.1%	MET
DV/IPV Screening	60.0%	69%	35.6%	59.0%	60.7%	NOT MET
Depression Screening	64.9%	67%	35.2%	60.9%	62.8%	MET
Prenatal HIV Screening	100.0%	No Data	38.5%	86.0%	79.2%	MET
Childhood Weight Control	25.0%	0%	29.0%	16.2%	N/A <sup>e</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>CA CRS Urban Results from 7 California urban programs reporting via CRS

<sup>c</sup>CRS Urban Results from 21 urban programs reporting via CRS

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

<sup>e</sup>Long-term measure; no specific annual target for FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

Measures Met = 15

Measures Not Met = 1

Measures with No Data = 0

**The American Indian Community House of New York City, Inc.  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	New York	New York	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<u>2011-Final</u>	<u>2010-Final</u>	<u>2011-Final</u>	<u>2011 Target</u>	<u>Results - New York</u>
Diabetes Dx Ever	1.0%	13%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	0.0%	80%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	No Data	20%	15.3%	15.1%	No Data
Ideal Glycemic Control	No Data	0%	35.2%	34.9%	No Data
Controlled BP <130/80	No Data	60%	39.6%	38.8%	No Data
LDL Assessed	No Data	80%	73.8%	69.0%	No Data
Nephropathy Assessed	No Data	80%	61.5%	59.5%	No Data
<b>IMMUNIZATIONS</b>					
Influenza 65+	0.0%	0%	48.5%	40.5%	NOT MET
Pneumovax 65+	0.0%	100%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	No Data	No Data	61.2%	66.1%	No Data
<b>PREVENTION</b>					
Pap Screening	50.0%	61%	54.2%	51.9%	NOT MET
Mammography Screening	0.0%	50%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	25.0%	8%	24.3%	19.8%	MET
Tobacco Cessation	No Data	52%	23.4%	21.7%	No Data
Alcohol Screening (FAS Prevention)	0.0%	89%	62.4%	61.1%	NOT MET
DV/IPV Screening	20.0%	72%	59.0%	60.7%	NOT MET
Depression Screening	20.0%	93%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	No Data	50%	86.0%	79.2%	No Data
Childhood Weight Control	No Data	No Data	16.2%	N/A <sup>c</sup>	N/A
<sup>a</sup> Measures used for context; no annual targets					Measures Met = 1
<sup>b</sup> Results from all urban programs reporting via CRS					Measures Not Met = 7
<sup>c</sup> Long-term measure; no specific annual target for FY 2011					Measures with No Data = 8
<sup>d</sup> 4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011					
<i>Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results</i>					

**NACA Family Health Center (Flagstaff)  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Flagstaff	Flagstaff	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - Flagstaff</b>
Diabetes Dx Ever	12.0%	28%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	99.1%	80%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	27.4%	0%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	50.0%	2%	35.2%	34.9%	MET
Controlled BP <130/80	99.6%	74%	39.6%	38.8%	MET
LDL Assessed	43.9%	22%	73.8%	69.0%	NOT MET
Nephropathy Assessed	74.3%	4%	61.5%	59.5%	MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	13.2%	47%	48.5%	40.5%	NOT MET
Pneumovax 65+	9.5%	35%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	83.3%	95%	61.2%	66.1%	MET
<b>PREVENTION</b>					
Pap Screening	14.4%	38%	54.2%	51.9%	NOT MET
Mammography Screening	28.4%	47%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	13.5%	66%	24.3%	19.8%	NOT MET
Tobacco Cessation	85.9%	77%	23.4%	21.7%	MET
Alcohol Screening (FAS Prevention)	30.5%	35%	62.4%	61.1%	NOT MET
DV/IPV Screening	52.0%	35%	59.0%	60.7%	NOT MET
Depression Screening	32.2%	48%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	0.0%	No Data	86.0%	79.2%	NOT MET
Childhood Weight Control	26.9%	0%	16.2%	N/A <sup>c</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>Results from all urban programs reporting via CRS

<sup>c</sup>Long-term measure; no specific annual target for FY 2011

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

Measures Met = 5

Measures Not Met = 11

Measures with No Data = 0

**Urban Inter-Tribal Center of Texas (Dallas)  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Dallas	Dallas	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - Dallas</b>
Diabetes Dx Ever	21.3%	24%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	95.0%	95%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	13.2%	20%	15.3%	15.1%	MET
Ideal Glycemic Control	35.4%	12%	35.2%	34.9%	MET
Controlled BP <130/80	27.9%	29%	39.6%	38.8%	NOT MET
LDL Assessed	85.4%	90%	73.8%	69.0%	MET
Nephropathy Assessed	65.7%	54%	61.5%	59.5%	MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	50.5%	58%	48.5%	40.5%	MET
Pneumovax 65+	47.5%	50%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	0.0%	0%	61.2%	66.1%	NOT MET
<b>PREVENTION</b>					
Pap Screening	38.4%	40%	54.2%	51.9%	NOT MET
Mammography Screening	16.7%	18%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	47.7%	36%	24.3%	19.8%	MET
Tobacco Cessation	27.6%	0%	23.4%	21.7%	MET
Alcohol Screening (FAS Prevention)	57.2%	54%	62.4%	61.1%	NOT MET
DV/IPV Screening	44.0%	54%	59.0%	60.7%	NOT MET
Depression Screening	55.9%	85%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	0.0%	No Data	86.0%	79.2%	NOT MET
Childhood Weight Control	8.3%	5%	16.2%	N/A <sup>c</sup>	N/A
<sup>a</sup> Measures used for context; no annual targets					Measures Met = 7
<sup>b</sup> Results from all urban programs reporting via CRS					Measures Not Met = 9
<sup>c</sup> Long-term measure; no specific annual target for FY 2011					Measures with No Data = 0
<sup>d</sup> 4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011					
<i>Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results</i>					

**Oklahoma City Urban Clinic  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Oklahoma City	Oklahoma City	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - Oklahoma City</b>
Diabetes Dx Ever	15.2%	17%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	86.9%	87%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	14.8%	9%	15.3%	15.1%	MET
Ideal Glycemic Control	43.2%	47%	35.2%	34.9%	MET
Controlled BP <130/80	49.6%	54%	39.6%	38.8%	MET
LDL Assessed	79.7%	78%	73.8%	69.0%	MET
Nephropathy Assessed	73.2%	78%	61.5%	59.5%	MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	83.7%	64%	48.5%	40.5%	MET
Pneumovax 65+	93.8%	93%	55.4%	50.1%	MET
Childhood IZ <sup>d</sup>	86.5%	94%	61.2%	66.1%	MET
<b>PREVENTION</b>					
Pap Screening	70.5%	70%	54.2%	51.9%	MET
Mammography Screening	79.2%	74%	50.2%	47.9%	MET
Colorectal Cancer Screening	51.7%	46%	24.3%	19.8%	MET
Tobacco Cessation	47.9%	49%	23.4%	21.7%	MET
Alcohol Screening (FAS Prevention)	75.4%	79%	62.4%	61.1%	MET
DV/IPV Screening	72.3%	75%	59.0%	60.7%	MET
Depression Screening	79.5%	78%	60.9%	62.8%	MET
Prenatal HIV Screening	95.8%	92%	86.0%	79.2%	MET
Childhood Weight Control	11.7%	22%	16.2%	N/A <sup>c</sup>	N/A
<sup>a</sup> Measures used for context; no annual targets					Measures Met = 16
<sup>b</sup> Results from all urban programs reporting via CRS					Measures Not Met = 0
<sup>c</sup> Long-term measure; no specific annual target for FY 2011					Measures with No Data = 0
<sup>d</sup> 4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011					

**Indian Health Resource (Tulsa)  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Tulsa	Tulsa	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - Tulsa</b>
Diabetes Dx Ever	7.7%	8%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	78.4%	82%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	14.4%	18%	15.3%	15.1%	MET
Ideal Glycemic Control	31.9%	33%	35.2%	34.9%	NOT MET
Controlled BP <130/80	28.3%	28%	39.6%	38.8%	NOT MET
LDL Assessed	77.7%	82%	73.8%	69.0%	MET
Nephropathy Assessed	73.1%	77%	61.5%	59.5%	MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	24.4%	27%	48.5%	40.5%	NOT MET
Pneumovax 65+	23.9%	25%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	79.7%	96%	61.2%	66.1%	MET
<b>PREVENTION</b>					
Pap Screening	57.9%	57%	54.2%	51.9%	MET
Mammography Screening	73.2%	67%	50.2%	47.9%	MET
Colorectal Cancer Screening	4.0%	4%	24.3%	19.8%	NOT MET
Tobacco Cessation	4.1%	7%	23.4%	21.7%	NOT MET
Alcohol Screening (FAS Prevention)	68.9%	75%	62.4%	61.1%	MET
DV/IPV Screening	65.6%	73%	59.0%	60.7%	MET
Depression Screening	66.4%	74%	60.9%	62.8%	MET
Prenatal HIV Screening	97.8%	100%	86.0%	79.2%	MET
Childhood Weight Control	15.0%	18%	16.2%	N/A <sup>c</sup>	N/A
<sup>a</sup> Measures used for context; no annual targets <sup>b</sup> Results from all urban programs reporting via CRS <sup>c</sup> Long-term measure; no specific annual target for FY 2011 <sup>d</sup> 4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011					<b>Measures Met = 10</b> <b>Measures Not Met = 6</b> <b>Measures with No Data = 0</b>

**Hunter Health Clinic (Wichita)  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Wichita	Wichita	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - Wichita</b>
Diabetes Dx Ever	14.8%	27%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	96.0%	66%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	23.2%	23%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	31.2%	52%	35.2%	34.9%	NOT MET
Controlled BP <130/80	35.2%	53%	39.6%	38.8%	NOT MET
LDL Assessed	56.0%	59%	73.8%	69.0%	NOT MET
Nephropathy Assessed	42.4%	59%	61.5%	59.5%	NOT MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	50.0%	39%	48.5%	40.5%	MET
Pneumovax 65+	11.5%	17%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	13.3%	75%	61.2%	66.1%	NOT MET
<b>PREVENTION</b>					
Pap Screening	57.7%	32%	54.2%	51.9%	MET
Mammography Screening	21.3%	32%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	29.2%	8%	24.3%	19.8%	MET
Tobacco Cessation	44.3%	51%	23.4%	21.7%	MET
Alcohol Screening (FAS Prevention)	61.2%	36%	62.4%	61.1%	MET
DV/IPV Screening	55.1%	25%	59.0%	60.7%	NOT MET
Depression Screening	67.4%	40%	60.9%	62.8%	MET
Prenatal HIV Screening	81.8%	58%	86.0%	79.2%	MET
Childhood Weight Control	25.0%	53%	16.2%	N/A <sup>c</sup>	N/A
<sup>a</sup> Measures used for context; no annual targets					Measures Met = 7
<sup>b</sup> Results from all urban programs reporting via CRS					Measures Not Met = 9
<sup>c</sup> Long-term measure; no specific annual target for FY 2011					Measures with No Data = 0
<sup>d</sup> 4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011					
<i>Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results</i>					

**Native American Community Health Center (Phoenix)  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Phoenix	Phoenix	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - Phoenix</b>
Diabetes Dx Ever	28.1%	22%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	81.1%	76%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	17.4%	20%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	37.4%	36%	35.2%	34.9%	MET
Controlled BP <130/80	66.3%	61%	39.6%	38.8%	MET
LDL Assessed	79.5%	75%	73.8%	69.0%	MET
Nephropathy Assessed	78.9%	75%	61.5%	59.5%	MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	37.7%	30%	48.5%	40.5%	NOT MET
Pneumovax 65+	17.2%	5%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	64.4%	58%	61.2%	66.1%	NOT MET
<b>PREVENTION</b>					
Pap Screening	55.8%	57%	54.2%	51.9%	MET
Mammography Screening	37.8%	26%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	16.0%	14%	24.3%	19.8%	NOT MET
Tobacco Cessation	7.6%	17%	23.4%	21.7%	NOT MET
Alcohol Screening (FAS Prevention)	93.1%	90%	62.4%	61.1%	MET
DV/IPV Screening	92.4%	80%	59.0%	60.7%	MET
Depression Screening	95.2%	63%	60.9%	62.8%	MET
Prenatal HIV Screening	65.6%	62%	86.0%	79.2%	NOT MET
Childhood Weight Control	27.6%	25%	16.2%	N/A <sup>c</sup>	N/A
<sup>a</sup> Measures used for context; no annual targets <sup>b</sup> Results from all urban programs reporting via CRS <sup>c</sup> Long-term measure; no specific annual target for FY 2011 <sup>d</sup> 4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011					<b>Measures Met = 8</b> <b>Measures Not Met = 8</b> <b>Measures with No Data = 0</b>

**Nevada Urban Indians (Reno)  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Reno	Reno	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - Reno</b>
Diabetes Dx Ever	11.2%	5%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	24.4%	51%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	12.2%	11%	15.3%	15.1%	<b>MET</b>
Ideal Glycemic Control	22.0%	36%	35.2%	34.9%	<b>NOT MET</b>
Controlled BP <130/80	14.6%	27%	39.6%	38.8%	<b>NOT MET</b>
LDL Assessed	31.7%	53%	73.8%	69.0%	<b>NOT MET</b>
Nephropathy Assessed	31.7%	44%	61.5%	59.5%	<b>NOT MET</b>
<b>IMMUNIZATIONS</b>					
Influenza 65+	15.8%	18%	48.5%	40.5%	<b>NOT MET</b>
Pneumovax 65+	10.5%	37%	55.4%	50.1%	<b>NOT MET</b>
Childhood IZ <sup>d</sup>	9.3%	50%	61.2%	66.1%	<b>NOT MET</b>
<b>PREVENTION</b>					
Pap Screening	12.5%	12%	54.2%	51.9%	<b>NOT MET</b>
Mammography Screening	33.3%	32%	50.2%	47.9%	<b>NOT MET</b>
Colorectal Cancer Screening	11.9%	19%	24.3%	19.8%	<b>NOT MET</b>
Tobacco Cessation	50.0%	34%	23.4%	21.7%	<b>MET</b>
Alcohol Screening (FAS Prevention)	64.5%	8%	62.4%	61.1%	<b>MET</b>
DV/IPV Screening	4.5%	33%	59.0%	60.7%	<b>NOT MET</b>
Depression Screening	36.4%	13%	60.9%	62.8%	<b>NOT MET</b>
Prenatal HIV Screening	50.0%	33%	86.0%	79.2%	<b>NOT MET</b>
Childhood Weight Control	33.3%	17%	16.2%	N/A <sup>c</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>Results from all urban programs reporting via CRS

<sup>c</sup>Long-term measure; no specific annual target for FY 2011

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures Met = 3

Measures Not Met = 13

Measures with No Data = 0

**Indian Walk-In Center (Salt Lake City)  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Salt Lake City	Salt Lake City	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<u>2011-Final</u>	<u>2010-Final</u>	<u>2011-Final</u>	<u>2011 Target</u>	<u>Results - Salt Lake City</u>
Diabetes Dx Ever	70.8%	65%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	54.2%	87%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	15.3%	22%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	34.5%	37%	35.2%	34.9%	NOT MET
Controlled BP <130/80	34.5%	63%	39.6%	38.8%	NOT MET
LDL Assessed	60.5%	63%	73.8%	69.0%	NOT MET
Nephropathy Assessed	60.5%	13%	61.5%	59.5%	MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	49.2%	24%	48.5%	40.5%	MET
Pneumovax 65+	49.2%	24%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	64.0%	66%	61.2%	66.1%	NOT MET
<b>PREVENTION</b>					
Pap Screening	53.7%	73%	54.2%	51.9%	MET
Mammography Screening	47.6%	4%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	7.4%	17%	24.3%	19.8%	NOT MET
Tobacco Cessation	20.8%	22%	23.4%	21.7%	NOT MET
Alcohol Screening (FAS Prevention)	12.0%	7%	62.4%	61.1%	NOT MET
DV/IPV Screening	12.0%	34%	59.0%	60.7%	NOT MET
Depression Screening	54.2%	2%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	75.5%	63%	86.0%	79.2%	NOT MET
Childhood Weight Control	37.8%	12%	16.2%	N/A <sup>c</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>Results from all urban programs reporting via CRS

<sup>c</sup>Long-term measure; no specific annual target for FY 2011

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

*Measures Met = 3*

*Measures Not Met = 13*

*Measures with No Data = 0*

**Native American Rehabilitation Association of the Northwest, Inc. (Portland)  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Portland	Portland	CRS Sites <sup>b</sup>	2011 Target	2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>		<b>Results - Portland</b>
Diabetes Dx Ever	19.0%	16%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	96.6%	98%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	15.8%	19%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	39.5%	38%	35.2%	34.9%	MET
Controlled BP <130/80	46.3%	39%	39.6%	38.8%	MET
LDL Assessed	88.7%	89%	73.8%	69.0%	MET
Nephropathy Assessed	77.4%	74%	61.5%	59.5%	MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	32.3%	46%	48.5%	40.5%	NOT MET
Pneumovax 65+	60.6%	68%	55.4%	50.1%	MET
Childhood IZ <sup>d</sup>	52.6%	63%	61.2%	66.1%	NOT MET
<b>PREVENTION</b>					
Pap Screening	52.3%	44%	54.2%	51.9%	MET
Mammography Screening	54.5%	66%	50.2%	47.9%	MET
Colorectal Cancer Screening	22.3%	36%	24.3%	19.8%	MET
Tobacco Cessation	0.0%	0%	23.4%	21.7%	NOT MET
Alcohol Screening (FAS Prevention)	37.7%	25%	62.4%	61.1%	NOT MET
DV/IPV Screening	40.6%	11%	59.0%	60.7%	NOT MET
Depression Screening	41.0%	39%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	32.1%	33%	86.0%	79.2%	NOT MET
Childhood Weight Control	60.0%	54%	16.2%	N/A <sup>c</sup>	N/A
<sup>a</sup> Measures used for context; no annual targets					Measures Met = 8
<sup>b</sup> Results from all urban programs reporting via CRS					Measures Not Met = 8
<sup>c</sup> Long-term measure; no specific annual target for FY 2011					Measures with No Data = 0
<sup>d</sup> 4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011					
<i>Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results</i>					

**Seattle Indian Health Board  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Seattle	Seattle	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<u>2011-Final</u>	<u>2010-Final</u>	<u>2011-Final</u>	<u>2011 Target</u>	<u>Results - Seattle</u>
Diabetes Dx Ever	8.8%	10%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	73.5%	76%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	16.4%	14%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	22.5%	24%	35.2%	34.9%	NOT MET
Controlled BP <130/80	24.8%	28%	39.6%	38.8%	NOT MET
LDL Assessed	52.3%	56%	73.8%	69.0%	NOT MET
Nephropathy Assessed	32.2%	37%	61.5%	59.5%	NOT MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	37.2%	40%	48.5%	40.5%	NOT MET
Pneumovax 65+	40.4%	11%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	43.2%	36%	61.2%	66.1%	NOT MET
<b>PREVENTION</b>					
Pap Screening	81.0%	84%	54.2%	51.9%	MET
Mammography Screening	26.8%	24%	50.2%	47.9%	NOT MET
Colorectal Cancer Screening	14.1%	10%	24.3%	19.8%	NOT MET
Tobacco Cessation	84.9%	76%	23.4%	21.7%	MET
Alcohol Screening (FAS Prevention)	12.2%	11%	62.4%	61.1%	NOT MET
DV/IPV Screening	4.0%	1%	59.0%	60.7%	NOT MET
Depression Screening	18.1%	20%	60.9%	62.8%	NOT MET
Prenatal HIV Screening	51.1%	49%	86.0%	79.2%	NOT MET
Childhood Weight Control	20.0%	0%	16.2%	N/A <sup>c</sup>	N/A
<sup>a</sup> Measures used for context; no annual targets					Measures Met = 2
<sup>b</sup> Results from all urban programs reporting via CRS					Measures Not Met = 14
<sup>c</sup> Long-term measure; no specific annual target for FY 2011					Measures with No Data = 0
<sup>d</sup> 4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011					

**Native Health Clinic of Spokane  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Spokane	Spokane	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<b>2011-Final</b>	<b>2010-Final</b>	<b>2011-Final</b>	<b>2011 Target</b>	<b>Results - Spokane</b>
Diabetes Dx Ever	10.2%	9%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	80.5%	81%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	28.0%	24%	15.3%	15.1%	NOT MET
Ideal Glycemic Control	37.2%	33%	35.2%	34.9%	MET
Controlled BP <130/80	51.2%	43%	39.6%	38.8%	MET
LDL Assessed	58.5%	54%	73.8%	69.0%	NOT MET
Nephropathy Assessed	52.4%	61%	61.5%	59.5%	NOT MET
<b>IMMUNIZATIONS</b>					
Influenza 65+	51.2%	44%	48.5%	40.5%	MET
Pneumovax 65+	46.5%	37%	55.4%	50.1%	NOT MET
Childhood IZ <sup>d</sup>	53.3%	63%	61.2%	66.1%	NOT MET
<b>PREVENTION</b>					
Pap Screening	77.8%	67%	54.2%	51.9%	MET
Mammography Screening	60.8%	45%	50.2%	47.9%	MET
Colorectal Cancer Screening	26.9%	69%	24.3%	19.8%	MET
Tobacco Cessation	54.6%	76%	23.4%	21.7%	MET
Alcohol Screening (FAS Prevention)	74.1%	73%	62.4%	61.1%	MET
DV/IPV Screening	72.3%	73%	59.0%	60.7%	MET
Depression Screening	83.3%	75%	60.9%	62.8%	MET
Prenatal HIV Screening	43.1%	26%	86.0%	79.2%	NOT MET
Childhood Weight Control	19.3%	21%	16.2%	N/A <sup>c</sup>	N/A
<sup>a</sup> Measures used for context; no annual targets <sup>b</sup> Results from all urban programs reporting via CRS <sup>c</sup> Long-term measure; no specific annual target for FY 2011 <sup>d</sup> 4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011					Measures Met = 10 Measures Not Met = 6 Measures with No Data = 0

**Tucson Indian Center  
2011 Final  
GPRA Report**

2011 Final GPRA Dashboard	Tucson	Tucson	CRS Sites <sup>b</sup>		2011 Final
<b>DIABETES</b>	<u>2011-Final</u>	<u>2010-Final</u>	<u>2011-Final</u>	<u>2011 Target</u>	<u>Results - Tucson</u>
Diabetes Dx Ever	33.3%	30%	11.3%	N/A <sup>a</sup>	N/A
Documented A1c	0.0%	0%	83.6%	N/A <sup>a</sup>	N/A
Poor Glycemic Control	0.0%	0%	15.3%	15.1%	<b>MET</b>
Ideal Glycemic Control	0.0%	0%	35.2%	34.9%	<b>NOT MET</b>
Controlled BP <130/80	0.0%	0%	39.6%	38.8%	<b>NOT MET</b>
LDL Assessed	0.0%	0%	73.8%	69.0%	<b>NOT MET</b>
Nephropathy Assessed	0.0%	0%	61.5%	59.5%	<b>NOT MET</b>
<b>IMMUNIZATIONS</b>					
Influenza 65+	No Data	0%	48.5%	40.5%	No Data
Pneumovax 65+	No Data	0%	55.4%	50.1%	No Data
Childhood IZ <sup>d</sup>	45.5%	0%	61.2%	66.1%	<b>NOT MET</b>
<b>PREVENTION</b>					
Pap Screening	No Data	0%	54.2%	51.9%	No Data
Mammography Screening	No Data	0%	50.2%	47.9%	No Data
Colorectal Cancer Screening	No Data	0%	24.3%	19.8%	No Data
Tobacco Cessation	0.0%	0%	23.4%	21.7%	<b>NOT MET</b>
Alcohol Screening (FAS Prevention)	100.0%	100%	62.4%	61.1%	<b>MET</b>
DV/IPV Screening	100.0%	100%	59.0%	60.7%	<b>MET</b>
Depression Screening	100.0%	0%	60.9%	62.8%	<b>MET</b>
Prenatal HIV Screening	No Data	No Data	86.0%	79.2%	No Data
Childhood Weight Control	No Data	0%	16.2%	N/A <sup>c</sup>	N/A

<sup>a</sup>Measures used for context; no annual targets

<sup>b</sup>Results from all urban programs reporting via CRS

<sup>c</sup>Long-term measure; no specific annual target for FY 2011

<sup>d</sup>4 Pneumococcal conjugate immunizations added to childhood immunization series as of FY 2011

*Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results*

*Measures Met = 4*

*Measures Not Met = 6*

*Measures with No Data = 6*

## APPENDIX 1: URBAN PROGRAM RESULTS—DATA SOURCES

Reported from CRS	Reported from non-CRS
South Dakota Urban Indian Health	Nebraska Urban Indian Health Coalition
Denver Indian Health and Family Services	First Nations Community Healthsource (Albuquerque)
American Indian Health Service of Chicago	Gerald L. Ignace Indian Health Center (Milwaukee)
American Indian Health and Family Services (Detroit)	Indian Health Board of Minneapolis, Inc.
Indian Health Board of Billings	Indian Health Center of Santa Clara Valley (San Jose)
North American Indian Alliance (Butte)	NACA Family Health Center (Flagstaff)
Indian Family Health Clinic (Great Falls)	Native American Community Health Center (Phoenix)
Helena Indian Alliance	Nevada Urban Indians (Reno)
Missoula Indian Center	Indian Walk-In Center (Salt Lake City)
Bakersfield Indian Health Center	Native American Rehabilitation Association of the Northwest, Inc. (Portland)
Fresno Native American Health Center	Seattle Indian Health Board
United American Indian Involvement (Los Angeles)	Native Health Clinic of Spokane
Native American Health Center Oakland/San Francisco	Tucson Indian Center
Sacramento Native American Health Center	
San Diego American Indian Health Center	
Santa Barbara Indian Health Center	
The American Indian Community House of New York City, Inc.	
Urban Inter-Tribal Center of Texas (Dallas)	
Oklahoma City Urban Clinic	
Indian Health Resource (Tulsa)	
Hunter Health Center (Wichita)	