



CRS Intimate Partner Violence/Domestic Violence Screening Measures

Updated May 18, 2007

Stephanie Klepacki, Business Systems Analyst, DNC

Stephanie.Klepacki@ihs.gov

(505) 821-4480

Denise Grenier, MSW, LCSW

Denise.Grenier@ihs.gov

(520) 670-4865

CRS 2007 GPRA Measure and Target


- Female Active Clinical patients ages 15-40 who are screened for intimate partner (domestic) violence at any time during the Report Period, including documented refusals in past year
- Target: Maintain the FY 2006 rate of 28%



GPRA Performance 2004-2007

- National GPRA performance has increased significantly since this measure was introduced in 2004!

**Intimate Partner Violence/Domestic Violence (IPV/DV)
Screening GPRA Performance**



What Counts as Screening?

- Any of the following during the Report Period
 - Patients with documented IPV/DV exam
 - Patients with IPV/DV-related diagnosis
 - Patients provided with patient education or counseling about IPV/DV
 - Patients with documented refusal in past year of an IPV/DV exam or IPV/DV-related education



What Counts as Screening (cont'd)?

- Patients with documented IPV/DV exam during the Report Period
 - PCC Exam 34 (Intimate Partner Violence)
 - BHS IPV/DV Exam
- IPV/DV exam is the preferred method for screening
 - Demonstrates intentional screening
 - Captures screening result
 - Released with AUM 4.1 patch 1, AUPN patch 11



What Counts as Screening (cont'd)?

- Patients with IPV/DV-related diagnosis during the Report Period
 - POV or current PCC or BHS Problem List: 995.80-83, 995.85 (adult maltreatment), V15.41, V15.42, V15.49 (history of abuse)
 - BHS POV 43.* (Partner Abuse), 44.* (Adult Abuse)



What Counts as Screening (cont'd)?

- Patients with patient education or counseling about IPV/DV during the Report Period
 - Patient education codes containing “DV-” or “-DV”
 - POV V61.11 Counseling for victim of spousal and partner abuse



What Counts as Screening (cont'd)?

- Patients with documented refusal in past year of an IPV/DV exam or IPV/DV-related education
 - Any PCC refusal in past year with Exam Code 34
 - BHS refusal in past year of IPV/DV exam
 - Any refusal in past year of Patient Education codes containing "DV-" or "-DV"



Documenting IPV/DV Screening in RPMS

- Screening results are recorded as an “exam”
- Providers and Data Entry need to communicate about documentation of screening results
 - Providers need to know how and where to record results on the PCC Encounter Form
 - DE needs to know where to look for documentation and how to record in RPMS
- DV exam screening appears on Health Summary



Documenting IPV/DV Exam in RPMS (cont'd)

- PCC
 - POV
 - Stamp
- PCC+
- BH applications (BHS v3.0 and BH GUI)
 - Direct provider entry of screening results when recording a visit
 - Wellness tab in BH GUI
- IHS Electronic Health Record
 - Direct provider entry
 - Exam component (typically on Wellness Tab)



Documenting IPV/DV Screening in RPMS (cont'd)

- Allowable Results of IPV/DV Screen
 - Negative: Patient denies being a current or past victim of DV
 - Present: Patient admits to being current victim of DV
 - Past: Patient denies being a current victim, but admits being a past victim of DV



Documenting IPV/DV Screening in RPMS (cont'd)

- Unsuccessful attempts to screen should also be recorded
 - Refused (REF)
 - Patient declined exam/screen
 - Unable to screen (UAS)
 - Acceptable reasons for UAS
 - Partner present
 - Verbal child present



Documenting IPV/DV Screening in RPMS (cont'd)

- Documenting Results on PCC Form
 - POV section of the PCC
 - POV: DV Screen Negative, TC (provider initials)
 - POV: EX #34 UAS, partner present, TC
 - Stamp on the PCC form or customized PCC+ template

IPV/DV Exam Screening (circle one)				
Negative	Present	Past	Refused	Unable to screen
Comment				

Documenting IPV/DV Screening in BH GUI (IHS Patient Chart)

POV	CC/SOAP	Rx Notes	Activity	CD STG	Wellness
-----	---------	----------	----------	--------	-----------------

Behavioral Health Wellness Activity Behavioral Health Wellness Activity PCC Wellness Activity

Date	Education Topic	Health Factor	Alcohol Screening	Depression Screening

Education Health Factors **Screening**

Screening Alcohol	<input type="text"/>	OK
Comment	<input type="text"/>	Cancel
Depression	<input type="text"/>	
Comment	<input type="text"/>	
IPV/DV	PRESENT	
Comment	Safety planning done. See SOAP notes for details.	

Save Close

PCC Data Entry of IPV/DV Exam

- If negative, past, or present screen
 - Mnemonic EX
 - 34 (indicates Intimate Partner Violence Exam)
 - N (Negative), PR (Present), or PA (Past)
 - Provider's Name
- If patient declined the screen or refused to answer
 - Mnemonic REF
 - Exam
 - 34
 - Date Refused
 - Provider's Name
- If provider unable to screen the patient
 - Mnemonic UAS
 - Exam
 - 34
 - Date Refused
 - Provider's Name



CPT: 99212 QUANTITY: 1

=====
HEALTH FACTORS's
HEALTH FACTOR: CURRENT SMOKER

=====
TRANSACTION CODES's=====
TRANSACTION CODE: 26100250 CAN #: J500693
SERVICE CLASSIFICATION CODE: 26 CHARGE: 116
HCPCS: 99212 REVENUE CODE: 510 DESCRIPTION: OP VISIT;EST-LEVEL 2

MNEMONIC: EX ← Examinations ALLOWED VISIT RELATED ONLY
Select V EXAM: 34 INTIMATE PARTNER VIOLENCE 34
RESULT: N NORMAL/NEGATIVE
COMMENTS:
PROVIDER PERFORMING EXAM: MCCOY,NATALIE

**Example of entering
IPV/DV Exam**

MNEMONIC: REF ← Refusal for Service ALLOWED NON-VISIT/VISIT MNEMONIC
Select PATIENT REFUSALS FOR SERVICE/NMI REFUSAL TYPE: EXAM
Enter the EXAM value: 34 INTIMATE PARTNER VIOLENCE 34
DATE REFUSED/NOT INDICATED: 5/7/07 (MAY 07, 2007)
PROVIDER WHO DOCUMENTED: MCCOY,NATALIE
COMMENT: PATIENT REFUSED EXAM

**Example of entering refusal
of IPV/DV Exam**

MNEMONIC: █

NPATUCDEV.STE - TNVPlus



Session Edit View Commands Script Help



LENGTH OF EDUC (MINUTES): 5

TOPIC: WH-FOLLOW-UP PROVIDER: MCCOY,NATALIE
LEVEL OF UNDERSTANDING: GOOD INDIVIDUAL/GROUP: INDIVIDUAL

=====
CPT: 99212 CPT's QUANTITY: 1

=====
HEALTH FACTOR: CURRENT SMOKER HEALTH FACTORS's

=====
TRANSACTION CODE: 26100250 CAN #: J500693 TRANSACTION CODES's

SERVICE CLASSIFICATION CODE: 26 CHARGE: 116
HCPCS: 99212 REVENUE CODE: 510 DESCRIPTION: OP VISIT;EST-LEVEL 2

MNEMONIC: VAS Unable to Screen ALLOWED NON-VISIT/VISIT MNEMONIC

Select PATIENT REFUSALS FOR SERVICE/NMI REFUSAL TYPE: EXAM
Enter the EXAM value: 34 INTIMATE PARTNER VIOLENCE 34
DATE REFUSED/NOT INDICATED: 5/7/07 (MAY 07, 2007)
PROVIDER WHO DOCUMENTED: MCCOY,NATALIE
COMMENT: PARTNER PRESENT

MNEMONIC: █

Example of entering Unable to Screen refusal for IPV/DV Exam

CAP NUM

CRS Denominators

- GPRA: Female Active Clinical patients ages 15-40
 - Active Clinical defined as
 - Must be Indian/Alaska Native, based on Beneficiary classification 01, and
 - Must reside in a community specified in the site's GPRA community taxonomy, and
 - Must be alive on last day of Report Period, and
 - Must have two visits to defined medical clinics in the past 3 years. One of those visits must to be any of the following: 01 General, 06 Diabetic, 10 GYN, 12 Immunization, 13 Internal Med, 16 Obstetrics, 20 Pediatrics, 24 Well Child, 28 Family Practice, 57 EPSDT, 70 Women's Health, 80 Urgent, 89 Evening. Second visit may be to larger list of clinics (see CRS User Manual)

CRS Denominators (cont'd)

- Female User Population patients ages 15-40 (*included in Selected Measures (Local) Reports only*)
 - User Population defined as
 - Must be Indian/Alaska Native, based on Beneficiary classification 01, and
 - Must reside in a community specified in the site's GPRA community taxonomy, and
 - Must be alive on last day of Report Period, and
 - Must have one visit to any clinic in the past 3 years



CRS Denominators (cont'd)

- Female Active Clinical patients ages 13 and older
- Female User Population patients ages 13 and older
 - *Both included in Selected Measures (Local) Reports only*



CRS Numerators

- **GPRA Numerator:** Patients screened for intimate partner (domestic) violence at any time during the Report Period, including documented refusals in past year.
- **Other Numerators** (*included in Selected Measures (Local) Reports only*)
 - A: Patients with documented IPV/DV exam.
 - B: Patients with IPV/DV related diagnoses.
 - C: Patients provided with education or counseling about IPV/DV.
 - D: Patients with documented refusal in past year of an IPV/DV exam or IPV/DV-related education.



Sample National GPRA Report

Intimate Partner (Domestic) Violence Screening

Denominator(s):

GPRA Denominator: Female Active Clinical patients ages 15-40.

Numerator(s):

GPRA Numerator: Patients screened for intimate partner (domestic) violence at any time during the Report Period, including documented refusals in past year.

Age is calculated at beginning of the Report Period. Screening is defined as at least one of the following: A) PCC Exam code 34 or BHS IPV/DV exam; B) Diagnosis (POV or current PCC or BHS Problem List): 995.80-83, 995.85 (adult maltreatment), V15.41, V15.42, V15.49 (history of abuse); BHS POV 43.*, 44.* C1) Patient education codes containing "DV-" or "-DV"; C2) IPV/DV counseling: V61.11. Refusals defined as: A) Any PCC refusal in past year with Exam Code 34, BHS refusal in past year of IPV/DV exam; B) Any refusal in past year with Patient Education codes containing "DV-" or "-DV".

During FY 2007, maintain the FY 2006 rate of 28% for screening for domestic violence in female patients ages 15 through 40.

IHS Performance: FY 2006 - 28.0%, FY 2005 - 13.0%, FY 2004 - 4.0%; IHS FY 2010 Target: 40.0%

NOTE: Age range changed from 16-24 to 15-40 in 2005.

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
# Female Active Clinical ages 15-40 (GPRA)	302		292			267		
# w/IPV/DV screening or refusal (GPRA)	0	0.0	0	0.0	+0.0	0	0.0	+0.0

Sample Selected Measures (Local) Report

Intimate Partner (Domestic) Violence Screening (con't)

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
# Female Active Clinical ages 13 and older	523		483			460		
# w/IPV/DV screening or refusal	0	0.0	0	0.0	+0.0	0	0.0	+0.0
A. # w/documented IPV/DV exam	0	0.0	0	0.0	+0.0	0	0.0	+0.0
B. # w/ IPV/DV related diagnosis	0	0.0	0	0.0	+0.0	0	0.0	+0.0
C. # provided DV education	0	0.0	0	0.0	+0.0	0	0.0	+0.0
D. # w/ documented refusal w/% of total screened	0	0.0	0	0.0	+0.0	0	0.0	+0.0
# Female Active Clinical ages 15-40 (GPRA)	302		292			267		
# w/IPV/DV screening or refusal (GPRA)	0	0.0	0	0.0	+0.0	0	0.0	+0.0
A. # w/ documented IPV/DV exam	0	0.0	0	0.0	+0.0	0	0.0	+0.0
B. # w/ IPV/DV related diagnosis	0	0.0	0	0.0	+0.0	0	0.0	+0.0
C. # provided DV education	0	0.0	0	0.0	+0.0	0	0.0	+0.0
D. # w/ documented refusal w/% of total screened	0	0.0	0	0.0	+0.0	0	0.0	+0.0

CRS Patient Lists for IPV/DV Screening

- **National GPRA Report Patient Lists**
 - Active Clinical females 15-40 with documented IPV/DV screening/refusal
 - Active Clinical females 15-40 with no documented IPV/DV screening/refusal
- **Selected Measures (Local) Report Patient List**
 - User Pop and Active Clinical females 13 and older with no documented IPV/DV screening



Sample Patient List (National GPRA Report)

1	*** IHS GPRA Performance Patient List ***						
2	CRS 2007, Version 7.0						
3	DEMO INDIAN HOSPITAL						
4	Report Period: Jul 01, 2006 to Jun 30, 2007						
5	Random Patient List						
6	-----						
7	Intimate Partner (Domestic) Violence Screening						
8	List of patients with documented IPV/DV screening or refusal.						
9							
10	UP=User Pop; AC=Active Clinical; AD=Active Diabetic;						
11	AAD=Active Adult Diabetic; PREG=Pregnant Female;						
12	IMM=Active IMM Pkg Pt; IHD=Active Ischemic Heart Disease						
13							
14	PATIENT NAME	HRN	COMMUNITY	SEX	AGE	DENOMINATOR	NUMERATOR
15	-----						
16	PATIENT1,SAMPLE	000001	COMMUNITY A	F	15	UP;AC	exam 34 06/01/06
17	PATIENT2,SAMPLE	000002	COMMUNITY A	F	15	UP;AC	V61.11 04/09/07
18	PATIENT3,SAMPLE	000003	COMMUNITY A	F	15	UP;AC	ref PtEd DV-PATIENT LITERATURE 04/21/07
19	PATIENT4,SAMPLE	000004	COMMUNITY A	F	16	UP;AC	Dv Dx 995.81 05/05/07
20	PATIENT5,SAMPLE	000005	COMMUNITY A	F	20	UP;AC	Dv Dx V15.42 12/16/06
21	PATIENT6,SAMPLE	000006	COMMUNITY A	F	22	UP;AC	PED PN-DV 05/06/07
22	PATIENT7,SAMPLE	000007	COMMUNITY A	F	26	UP;AC	Dv Dx 995.81 07/26/06
23	PATIENT8,SAMPLE	000008	COMMUNITY A	F	27	UP;AC	Dv Dx V15.41 02/20/07
24	PATIENT9,SAMPLE	000009	COMMUNITY A	F	29	UP;AC	ref exam 34 08/04/06
25	PATIENT10,SAMPLE	000010	COMMUNITY A	F	34	UP;AC	Dv Dx 995.81 09/01/06
26	PATIENT11,SAMPLE	000011	COMMUNITY A	F	35	UP;AC	Dv Dx V15.42 04/17/07
27	PATIENT12,SAMPLE	000012	COMMUNITY A	F	37	UP;AC	ref PtEd DV-SAFETY & INJURY PREVENTION 01/05/07
28	PATIENT13,SAMPLE	000013	COMMUNITY B	F	35	UP;AC	Dv Dx V15.41 08/06/06
29							



For more info, visit:

www.ihs.gov/cio/crs



CRS Contacts

HQ Lead	Francis Frazier FNP, MPH (301) 443-4700	Francis.Frazier@ihs.gov
Field Leads	Lisa Dolan (301) 443-8680 Chris Lamer (828) 497-9163	Lisa.Dolan@ihs.gov Chris.Lamer@ihs.gov
Developer	Lori Butcher (520) 577-2146	butcherla@aol.com
Project Manager/ Analyst	Stephanie Klepacki (505) 821-4480	Stephanie.Klepacki@ihs.gov