

SAMPLE GPRA+ LOCAL REPORT

Cover Page

*** IHS FY03 Local Clinical Performance Indicator Report ***

Date Report Run: May 21, 2003

Site where Run: DEMO SITE

Report Generated by: LASTNAME, FIRSTNAME

Reporting Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicators: Selected Indicators

RUN TIME (H.M.S): 2.3.35

Denominator Definitions used in this Report:

GPRA USER POPULATION:

1. Indian/Alaska Natives Only - based on Classification of 01. This data item is entered and updated during the patient registration.
2. Must reside in a community specified in the community taxonomy used for this report.
3. Must be alive during the entire time frame.
4. Must have been seen at least once in the 3 years prior to the end of the Report period, regardless of the clinic type.

ACTIVE CLINICAL POPULATION:

1. Definitions 1-3 above.
2. Must have 2 visits to medical clinics in the 3 years prior to the end of the Report period. At least one visit must include: 01 General, 02 Cardiac, 06 Diabetic, 10 GYN, 12 Immunization, 13 Internal Med, 20 Pediatrics, 24 Well Child, 28 Family Practice, 31 Hypertension, 70 Women's Health, 80 Urgent, 89 Evening. See User Manual for complete description of medical clinics.

A delimited output file called local5-21 has been placed in the public directory for your use in Excel or some other software package. See your site manager to access this file.

The following communities are included in this report:

COMMUNITY #1	COMMUNITY #2
COMMUNITY #3	COMMUNITY #4
FACILITY #1	FACILITY #2
FACILITY #3	FACILITY #4
FACILITY #5	RURAL SITE #1
URBAN SITE #1	URBAN SITE #2

PLEASE NOTE: This is a sample Local Report compiled from various sources for GPRA+ FY03 version 2.0. Version 2.0 contains all GPRA indicators and developmental indicators A, B, C-1, C-2, D and H. The remainder of the developmental indicators will be included in version 2.1.

Some manual formatting has been done to condense the report for printing purposes. Your report may not appear exactly the way this report does.

Depending on the size of a site's RPMS database and the RPMS server configuration (RAM, processor speed, etc.), reports run for ALL indicators may take from 8 to 10 hours to run. It is advised that sites plan to run these reports overnight.

*** IHS FY03 Local Clinical Performance Indicator Report ***
 DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 1: Diabetes Prevalence

Denominator: All GPRA User Population.

Numerator 1: any DM POV Diagnosis ever (POV 250.00-250.93)

Numerator 2: DM POV Diagnosis in year prior to end of Report period

Continue tracking Area age-specific diabetes prevalence rates to identify trends in diabetes prevalence (as surrogate marker for diabetes incidence).

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
# User pop	8,577		8,447			8,129		
# w/ any DM DX	1,062	12.4	978	11.6	+0.8	850	10.5	+1.9
# w/ DM DX w/in past year	776	9.0	684	8.1	+0.9	549	6.8	+2.3
# MALE User pop	3,662		3,589			3,523		
# w/ any DM DX	379	10.3	343	9.6	+0.8	295	8.4	+2.0
# w/DM DX w/in past year	280	7.6	242	6.7	+0.9	185	5.3	+2.4
# FEMALE User pop	4,915		4,858			4,606		
# w/ any DM DX	683	13.9	635	13.1	+0.8	555	12.0	+1.8
# w/ DM DX w/in past year	496	10.1	442	9.1	+1.0	364	7.9	+2.2

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 1 (con't): Age Specific Diabetes Prevalence

	TOTAL GPRA USER POPULATION							
	Age Distribution							
	<15	15-19	20-24	25-34	35-44	45-54	55-64	>64 yrs
CURRENT REPORT PERIOD								
Total # User Pop	2,878	883	977	1,478	1,128	686	335	212
# w/ DM DX ever	13	22	48	146	263	273	175	122
% w/ DM DX ever	0.5	2.5	4.9	9.9	23.3	39.8	52.2	57.5
# w/DM DX in past yr	6	15	30	100	179	213	142	91
% w/DM DX in past yr	0.2	1.7	3.1	6.8	15.9	31.0	42.4	42.9
PREVIOUS YEAR PERIOD								
Total # User Pop	2,894	840	967	1,483	1,087	658	314	204
# w/ DM DX ever	12	16	42	145	244	245	155	119
% w/ DM DX ever	0.4	1.9	4.3	9.8	22.4	37.2	49.4	58.3
# w/DM DX in past yr	6	9	25	91	163	192	117	81
% w/DM DX in past yr	0.2	1.1	2.6	6.1	15.0	29.2	37.3	39.7
CHANGE FROM PREV YR %								
w/ DM DX ever	+0.0	+0.6	+0.6	+0.1	+0.9	+2.6	+2.9	-0.8
w/DM DX in past yr	+0.0	+0.6	+0.5	+0.6	+0.9	+1.9	+5.1	+3.2
BASELINE REPORT PERIOD								
Total # User Pop	2,803	820	940	1,528	1,043	545	281	169
# w/ DM DX ever	15	21	28	129	234	201	127	95
% w/ DM DX ever	0.5	2.6	3.0	8.4	22.4	36.9	45.2	56.2
# w/DM DX in past yr	3	11	17	80	139	150	95	54
% w/DM DX in past yr	0.1	1.3	1.8	5.2	13.3	27.5	33.8	32.0
CHANGE FROM BASE YR %								
w/ DM DX ever	-0.1	-0.1	+1.9	+1.4	+0.9	+2.9	+7.0	+1.3
w/DM DX in past yr	+0.1	+0.4	+1.3	+1.5	+2.5	+3.5	+8.6	+11.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 1 (con't): Age Specific Diabetes Prevalence

	MALE GPRA USER POPULATION							
	Age Distribution							
	<15	15-19	20-24	25-34	35-44	45-54	55-64	>64 yrs
CURRENT REPORT PERIOD								
Total MALE User Pop	1,436	405	357	568	466	252	106	72
# w/ DM DX ever	4	12	17	48	109	92	61	36
% w/ DM DX ever	0.3	3.0	4.8	8.5	23.4	36.5	57.5	50.0
# w/DM DX in past yr	3	7	14	36	75	72	45	28
% w/DM DX in past yr	0.2	1.7	3.9	6.3	16.1	28.6	42.5	38.9
PREVIOUS YEAR PERIOD								
Total MALE User Pop	1,440	368	351	586	425	247	103	69
# w/ DM DX ever	5	9	12	50	95	78	58	36
% w/ DM DX ever	0.3	2.4	3.4	8.5	22.4	31.6	56.3	52.2
# w/DM DX in past yr	4	5	11	31	68	58	42	23
% w/DM DX in past yr	0.3	1.4	3.1	5.3	16.0	23.5	40.8	33.3
CHANGE FROM PREV YR %								
w/ DM DX ever	-0.1	+0.5	+1.3	-0.1	+1.0	+4.9	+1.2	-2.2
w/DM DX in past yr	-0.1	+0.4	+0.8	+1.0	+0.1	+5.1	+1.7	+5.6
BASELINE REPORT PERIOD								
Total MALE User Pop	1,385	346	364	635	432	207	101	53
# w/ DM DX ever	4	4	6	44	96	70	45	26
% w/ DM DX ever	0.3	1.2	1.6	6.9	22.2	33.8	44.6	49.1
# w/DM DX in past yr	1	2	4	27	58	49	30	14
% w/DM DX in past yr	0.1	0.6	1.1	4.3	13.4	23.7	29.7	26.4
CHANGE FROM BASE YR %								
w/ DM DX ever	-0.0	+1.8	+3.1	+1.5	+1.2	+2.7	+13.0	+0.9
w/DM DX in past yr	+0.1	+1.2	+2.8	+2.1	+2.7	+4.9	+12.7	+12.5

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 1 (con't): Age Specific Diabetes Prevalence

	FEMALE GPRA USER POPULATION							
	Age Distribution							
	<15	15-19	20-24	25-34	35-44	45-54	55-64	>64 yrs
CURRENT REPORT PERIOD								
Total FEMALE User Pop	1,442	478	620	910	662	434	229	140
# w/ DM DX ever	9	10	31	98	154	181	114	86
% w/ DM DX ever	0.6	2.1	5.0	10.8	23.3	41.7	49.8	61.4
# w/DM DX in past yr	3	8	16	64	104	141	97	63
% w/DM DX in past yr	0.2	1.7	2.6	7.0	15.7	32.5	42.4	45.0
PREVIOUS YEAR PERIOD								
Total FEMALE User Pop	1,454	472	616	897	662	411	211	135
# w/ DM DX ever	7	7	30	95	149	167	97	83
% w/ DM DX ever	0.5	1.5	4.9	10.6	22.5	40.6	46.0	61.5
# w/DM DX in past yr	2	4	14	60	95	134	75	58
% w/DM DX in past yr	0.1	0.8	2.3	6.7	14.4	32.6	35.5	43.0
CHANGE FROM PREV YR %								
w/ DM DX ever	+0.1	+0.6	+0.1	+0.2	+0.8	+1.1	+3.8	-0.1
w/DM DX in past yr	+0.1	+0.8	+0.3	+0.3	+1.4	-0.1	+6.8	+2.0
BASELINE REPORT PERIOD								
Total FEMALE User Pop	1,418	474	576	893	611	338	180	116
# w/ DM DX ever	11	17	22	85	138	131	82	69
% w/ DM DX ever	0.8	3.6	3.8	9.5	22.6	38.8	45.6	59.5
# w/DM DX in past yr	2	9	13	53	81	101	65	40
% w/DM DX in past yr	0.1	1.9	2.3	5.9	13.3	29.9	36.1	34.5
CHANGE FROM BASE YR %								
w/ DM DX ever	-0.2	-1.5	+1.2	+1.3	+0.7	+2.9	+4.2	+1.9
w/DM DX in past yr	+0.1	-0.2	+0.3	+1.1	+2.5	+2.6	+6.2	+10.5

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 2: Diabetes: Glycemic Control

Denominator 1: All GPRA User Population patients diagnosed with diabetes (250.00-250.93) at least one year prior to end of Report period.

Denominator 2: All Active Clinical patients diagnosed with diabetes (250.00-250.93) at least one year prior to end of Report period.

Denominator 3 (GPRA Indicator): Active Diabetic Patients, defined as all Active Clinical patients diagnosed with diabetes at least one year prior to the Report period (Denominator 2), AND at least 2 visits in the past year, AND 2 DM-related visits ever.

Denominator 4: Adult Diabetic patients, defined by meeting the following criteria: 1) who are 19 or older at the beginning of the Report period, 2) whose first ever DM diagnosis occurred at least one year prior to the end of the Report period; 3) who had at least 2 DM related visits ever, 4) at least one encounter with DM POV in a primary clinic with a primary provider during the year prior to the end of the Report period; and 5) never have had a creatinine value greater than 5.

Numerators count Hemoglobin A1C documented in the year prior to the end of the Report period. If HgbA1C has a Comment result or is not found, a mean of the last 3 glucose values for the year prior to the end of the Report period are used. Less than 3 values are considered undetermined.

Maintain the FY2002 performance level for glycemic control in the proportion of I/T/U patients with diagnosed diabetes.

IHS FY2001: 30% IHS FY2002: NA

HP 2010 Goal for % of diabetics w/ at least 1 HgbA1c in past year: 50%

IHS 2010 Goal for % of diabetics w/ HgbA1c <=7: 40%

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1:								
User Pop w/ DM DX	937		869			774		
# w/HgbA1c done w/ or w/o result	635	67.8	540	62.1	+5.6	399	51.6	+16.2
# w/HgbA1c <=7 or glucose <=150	300	32.0	209	24.1	+8.0	121	15.6	+16.4
# w/HgbA1c >9.5 or glucose >=225	162	17.3	190	21.9	-4.6	187	24.2	-6.9
# w/HgbA1c or Glucose Undetermined	268	28.6	298	34.3	-5.7	336	43.4	-14.8

*** IHS FY03 Local Clinical Performance Indicator Report ***
 DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 2 (con't): Diabetes: Glycemic Control

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #2: Active Clinical w/DM DX	823		758			658		
# w/HgbA1c done w/ or w/o result	609	74.0	529	69.8	+4.2	396	60.2	+13.8
# w/HgbA1c <=7 or Glucose <=150	288	35.0	206	27.2	+7.8	120	18.2	+16.8
# w/HgbA1c >9.5 or Glucose >=225	157	19.1	186	24.5	-5.5	186	28.3	-9.2
# w/HgbA1c or Glucose Undetermined	180	21.9	198	26.1	-4.3	223	33.9	-12.0
Denominator #3: (GPRA Indicator) Active Diabetic Pts	615		561			468		
# w/HgbA1c done w/ or w/o result	564	91.7	503	89.7	+2.0	388	82.9	+8.8
# w/HgbA1c <=7 or glucose <=150	255	41.5	185	33.0	+8.5	105	22.4	+19.0
# w/HgbA1c >9.5 or Glucose >=225	134	21.8	172	30.7	-8.9	186	39.7	-18.0
# w/HgbA1c or Glucose Undetermined	35	5.7	38	6.8	-1.1	49	10.5	-4.8
Denominator #4: Adult Diabetic Pts	422		362			292		
# w/HgbA1c done w/ or w/o result	402	95.3	329	90.9	+4.4	252	86.3	+9.0
# w/HgbA1c <=7 or Glucose <=150	160	37.9	100	27.6	+10.3	61	20.9	+17.0
# w/HgbA1c >9.5 or Glucose >=225	107	25.4	127	35.1	-9.7	128	43.8	-18.5
# w/HgbA1c or Glucose Undetermined	15	3.6	23	6.4	-2.8	25	8.6	-5.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 3: Diabetes: Blood Pressure Control

Denominator 1: All GPRA User Population patients diagnosed with diabetes (250.00-250.93) at least one year prior to end of Report period.

Denominator 2: All Active Clinical patients diagnosed with diabetes (250.00-250.93) at least one year prior to end of Report period.

Denominator 3 (GPRA Indicator): Active Diabetic Patients, defined as all Active Clinical patients diagnosed with diabetes at least one year prior to the Report period (Denominator 2), AND at least 2 visits in the past year, AND 2 DM-related visits ever.

Denominator 4: Adult Diabetic patients, defined by meeting the following criteria: 1) who are 19 or older at the beginning of the Report period, 2) whose first ever DM diagnosis occurred at least one year prior to the end of the Report period; 3) who had at least 2 DM related visits ever, 4) at least one encounter with DM POV in a primary clinic with a primary provider during the year prior to the end of the Report period; and 5) never have had a creatinine value greater than 5.

Numerators: 1) Controlled BP, =< 130/80; 2) Not controlled; 3) Undetermined BP, less than 2 BPs documented in past year. Uses mean of either last 3 or last 2 (if there are not 3) BPs documented on non-ER visits in past year; less than 2 BPs are considered undetermined.

Maintain the FY2002 performance level for blood pressure control in the proportion of I/T/U clients with diagnosed diabetes who have achieved blood pressure control standards. FY2001: 41% FY2002: NA IHS 2010 Goal: 50%

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1:								
User Pop w/ DM DX	937		869			774		
# w/controlled BP =<130/80	439	46.9	331	38.1	+8.8	309	39.9	+6.9
# w/Not controlled BP	235	25.1	254	29.2	-4.1	172	22.2	+2.9
# w/Undetermined BP	263	28.1	284	32.7	-4.6	293	37.9	-9.8
Denominator #2: Active Clinical w/DM DX	823		758			658		
# w/Controlled BP =<130/80	423	51.4	325	42.9	+8.5	309	47.0	+4.4
# w/Not controlled BP	230	27.9	252	33.2	-5.3	172	26.1	+1.8
# w/Undetermined BP	170	20.7	181	23.9	-3.2	177	26.9	-6.2

*** IHS FY03 Local Clinical Performance Indicator Report ***
 DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 3 (con't): Blood Pressure Control

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #3 (GPRA Indicator):								
Active Diabetic Pts	615		561			468		
# w/Controlled BP =<130/80	380	61.8	291	51.9	+9.9	277	59.2	+2.6
# w/Not controlled BP	204	33.2	233	41.5	-8.4	165	35.3	-2.1
# w/Undetermined BP	31	5.0	37	6.6	-1.6	26	5.6	-0.5
Denominator #4:								
Adult Diabetic Pts	422		362			292		
# w/Controlled BP =<130/80	263	62.3	193	53.3	+9.0	173	59.2	+3.1
# w/Not controlled BP	131	31.0	146	40.3	-9.3	95	32.5	-1.5
# w/Undetermined BP	28	6.6	23	6.4	+0.3	24	8.2	-1.6

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 4: Diabetes: Dyslipidemia Assessment

Denominator 1: All GPRA User Population patients diagnosed with diabetes (250.00-250.93) at least one year prior to end of Report period.

Denominator 2: All Active Clinical patients diagnosed with diabetes (250.00-250.93) at least one year prior to end of Report period.

Denominator 3 (GPRA Indicator): Active Diabetic Patients, defined as all Active Clinical patients diagnosed with diabetes at least one year prior to the Report period (Denominator 2), AND at least 2 visits in the past year, AND 2 DM-related visits ever.

Denominator 4: Adult Diabetic patients, defined by meeting the following criteria: 1) who are 19 or older at the beginning of the Report period, 2) whose first ever DM diagnosis occurred at least one year prior to the end of the Report period; 3) who had at least 2 DM related visits ever, 4) at least one encounter with DM POV in a primary clinic with a primary provider during the year prior to the end of the Report period; and 5) never have had a creatinine value greater than 5.

Numerators: 1) patients w/ evidence of having a Lipid Profile OR an LDL and HDL and TG (all three); 2) patients with an LDL completed, regardless of result; 3) patients w/ LDL <= 100.

Maintain the FY2002 performance level for the proportion of I/T/U clients With diagnosed diabetes who have been assessed for dyslipidemia (i.e., LDL cholesterol). FY2001: 60% FY2002: NA IHS 2010 Goal: 70%

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1:								
User Pop w/ DM DX	937		869			774		
# w/Lipid Profile OR TG & HDL & LDL recorded	360	38.4	351	40.4	-2.0	287	37.1	+1.3
# w/ LDL done	159	17.0	135	15.5	+1.4	51	6.6	+10.4
# of patients w/LDL result <= 100	92	9.8	56	6.4	+3.4	14	1.8	+8.0
Denominator #2: Active Clinical w/DM DX	823		758			658		
# w/Lipid Profile OR TG & HDL & LDL recorded	344	41.8	346	45.6	-3.8	286	43.5	-1.7
# w/ LDL done	149	18.1	132	17.4	+0.7	51	7.8	+10.4
# of patients w/LDL result <=100	88	10.7	55	7.3	+3.4	14	2.1	+8.6

*** IHS FY03 Local Clinical Performance Indicator Report ***
 DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 4 (con't): Diabetes: Dyslipidemia Assessment

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #3 (GPRA Indicator):								
Active Diabetic Pts	615		561			468		
# w/Lipid Profile OR TG & HDL & LDL recorded	324	52.7	324	57.8	-5.1	277	59.2	-6.5
# w/ LDL done	133	21.6	124	22.1	-0.5	47	10.0	+11.6
# of patients w/LDL result =<100	82	13.3	52	9.3	+4.1	13	2.8	+10.6
Denominator #4: (GPRA Indicator)								
Adult Diabetic Pts	422		362			292		
# w/Lipid Profile OR TG & HDL & LDL recorded	198	46.9	200	55.2	-8.3	169	57.9	-11.0
# w/ LDL done	80	19.0	73	20.2	-1.2	25	8.6	+10.4
# of patients w/LDL result =< 100	49	11.6	33	9.1	+2.5	7	2.4	+9.2

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 5: Diabetes: Nephropathy Assessment

Denominator 1: All GPRA User Population patients diagnosed with diabetes (250.00-250.93) at least one year prior to end of Report period.

Denominator 2: All Active Clinical patients diagnosed with diabetes (250.00-250.93) at least one year prior to end of Report period.

Denominator 3 (GPRA Indicator): Active Diabetic Patients, defined as all Active Clinical patients diagnosed with diabetes at least one year prior to the Report period (Denominator 2), AND at least 2 visits in the past year, AND 2 DM-related visits ever.

Denominator 4: Adult Diabetic patients, defined by meeting the following criteria: 1) who are 19 or older at the beginning of the Report period, 2) whose first ever DM diagnosis occurred at least one year prior to the end of the Report period; 3) who had at least 2 DM related visits ever, 4) at least one encounter with DM POV in a primary clinic with a primary provider during the year prior to the end of the Report period; and 5) never have had a creatinine value greater than 5.

Numerator: Last microalbumunuria test done in year prior to the end of the Report period, regardless of result. If none found, searches for last urine protein test with positive value in previous year.

Maintain the FY2002 proportion of I/T/U patients with diagnosed diabetes assessed for nephropathy. FY2001: 54% FY2002: NA IHS 2010 Goal: 70%

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1:								
User Pop w/ DM DX	937		869			774		
# w/any Microalbumunuria or positive Urine value	132	14.1	127	14.6	-0.5	142	18.3	-4.3
Denominator #2: Active Clinical w/DM DX	823		758			658		
# w/any Microalbumunuria or positive Urine value	129	15.7	125	16.5	-0.8	140	21.3	-5.6
Denominator #3 (GPRA Indicator): Active Diabetic Pts	615		561			468		
# w/any Microalbumunuria or positive Urine value	118	19.2	117	20.9	-1.7	131	28.0	-8.8

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 5 (con't): Diabetes: Nephropathy Assessment

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #4:								
Adult Diabetic Pts	422		362			292		
# w/any Microalbumunuria or positive Urine value	79	18.7	84	23.2	-4.5	81	27.7	-9.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 6: Diabetic Retinopathy

Denominator 1: All GPRA User Population patients diagnosed with diabetes (250.00-250.93) whose first ever DM diagnosis occurred at least one year prior to end of Report period.

Denominator 2: All Active Clinical patients diagnosed with diabetes (250.00-250.93) whose first ever DM diagnosis occurred at least one year prior to end of Report period.

Denominator 3 (GPRA Indicator): Active Diabetic Patients, defined as all Active Clinical patients diagnosed with diabetes at least one year prior to the Report period (Denominator 2), AND at least 2 visits in the past year, AND 2 DM-related visits ever.

Denominator 4: Adult Diabetic patients, defined by meeting the following criteria: 1) who are 19 or older at the beginning of the Report period, 2) whose first ever DM diagnosis occurred at least one year prior to the end of the Report period; 3) who had at least 2 DM related visits ever, 4) at least one encounter with DM POV in a primary clinic with a primary provider during the year prior to the end of the Report period; and 5) never have had a creatinine value greater than 5.

Numerator: Patients receiving retinal screening in the year prior to the end of the Report period, defined as: diabetic eye exam (03) documented; or CPT codes 92250, 92012, 92014, 92015, 92004 or 92002 documented; or a NON-DNKA visit to an optometrist or ophthalmologist (24, 79, 08); or a Non-DNKA visit to ophthalmology, optometry, or tele-ophthamology retinal screening clinics (codes 17, 18, 64, A2); or a refusal of a diabetic eye exam documented.

Increase the proportion of I/T/U patients with diagnosed diabetes who receive an annual diabetic retinal exam. New indicator: no previous performance.

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1:								
User Pop w/ DM DX	937		869			774		
# w/ Screening	317	33.8	264	30.4	+3.5	214	27.6	+6.2
Denominator 2: Active Clinical w/DM DX	823		758			658		
# w/Screening	300	36.5	257	33.9	+2.5	208	31.6	+4.8

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 6 (con't): Diabetic Retinopathy

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #3 (GPRA Indicator):								
Active Diabetic Pts	615		561			468		
# w/Screening	273	44.4	235	41.9	+2.5	196	41.9	+2.5
Denominator #4:								
Adult Diabetic Pts	422		362			292		
# w/Screening	176	41.7	147	40.6	+1.1	117	40.1	+1.6

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 7: Women's Health: Pap Smear

Denominator 1 (GPRA Indicator): All female GPRA User Population patients ages 21 through 64 at the beginning of the Report period without a documented history of Hysterectomy.

Denominator 2: All female Active Clinical patients ages 21 through 64 at the beginning of the Report period without a documented history of Hysterectomy.

Numerator: Pap smear documented any time in the three years prior to the end of the Report period, including refusals.

Maintain at the FY2002 rate the proportion of eligible women who have had a Pap Smear in the 3 years prior to the end of the Report period.
 FY2002: 43% HP 2010 Goal: 90%

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1: (GPRA Indicator)								
# User Pop Women								
21-64 years	2,556		2,517			2,323		
# w/Pap Smear recorded								
w/in 3 years	1,407	55.0	1,379	54.8	+0.3	1,241	53.4	+1.6
# Refusals with								
% of Total Pap	0	0.0	0	0.0	+0.0	0	0.0	+0.0
Denominator #2:								
Active Clinical Women								
21-64 years	1,952		1,962			1,769		
# w/Pap Smear recorded								
w/in 3 years	1,341	68.7	1,325	67.5	+1.2	1,190	67.3	+1.4
# Refusals								
w/ % of Total Pap	0	0.0	0	0.0	+0.0	0	0.0	+0.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 8: Women's Health: Mammogram Rates

Denominator 1 (GPRA Indicator): All female GPRA User Population patients ages 52 through 69 at the beginning of the Report period without a documented history of bilateral mastectomy.

Denominator 2: All female Active Clinical patients ages 52 through 69 at the beginning of the Report period without a documented history of bilateral mastectomy.

Numerator: Mammogram documented any time in the two years prior to the end of the Report period, including refusals.

Maintain at the FY2002 rate the proportion of eligible women who have had a Mammogram in the past 2 years. FY2002: 25% HP 2010: 70%

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1: (GPRA Indicator)								
# User Pop Women 52-69 years	389		359			295		
# w/Mammogram recorded w/in 2 years	152	39.1	131	36.5	+2.6	101	34.2	+4.8
# Refusals w/ % of total Mammograms	1	0.3	2	0.6	-0.3	0	0.0	+0.3
Denominator #2:								
# Active Clinical Women 52-69 years	308		293			229		
# w/Mammogram recorded w/in 2 years	145	47.1	128	43.7	+3.4	101	44.1	+3.0
# Refusals w/ % of Total Mammograms	1	0.3	2	0.7	-0.4	0	0.0	+0.3

*** IHS FY03 Local Clinical Performance Indicator Report ***
 DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 13: Oral Health - Access to Dental Services

Denominator is all GPRA User Population patients.

Numerator is any patient with dental ADA code 0000 or 0190 documented in the year prior to the end of the Report period.

Maintain at the FY2002 level the proportion of the AI/AN population who obtain access to dental services. FY2002: 27% IHS 2010 Goal: 40%

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
# User Population	8,577		8,447			8,129		
# w/ADA codes 0000 or 0190 in past year	1,635	19.1	1,659	19.6	-0.6	1,607	19.8	-0.7

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 14: Oral Health - Dental Sealants

The number (count) of dental sealants (code 1351) during the year prior to the end of the Report period. Broken down into three age groups: under 12, 12 through 18, and 19 and older

Maintain the number of sealants placed per year in AI/AN children at the FY2002 level. FY2002 all IHS = 227,945.

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR	BASE PERIOD	%	CHG from % BASE
Total # of Sealants documented	8,796		8,003		+793	5,954		+2,842
# Dental Sealants documented < 12	2,092	23.8	1,849	23.1	+243	1,368	23.0	+724
# Dental Sealants documented 12-18	3,798	43.2	3,698	46.2	+100	2,715	45.6	+1,083
# Dental Sealants documented >18	2,906	33.0	2,456	30.7	+450	1,871	31.4	+1,035

*** IHS FY03 Local Clinical Performance Indicator Report ***
 DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 15: Oral Health - Access to Dental Service for Diabetic Patients

Denominator: Active Diabetic Patients, defined as all Active Clinical patients diagnosed with diabetes at least one year prior to the Report period, AND at least 2 visits in the past year, AND 2 DM-related visits ever.

Numerator is any patient with dental ADA code 0000 or 0190 documented in the year prior to the end of the Report period.

Increase 2% over the FY2002 level the proportion of the AI/AN population diagnosed with diabetes who obtain access to dental services.

FY2001: 34% FY2002: NA HP2010 Goal: 75%

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
# Active Diabetics	615		561			468		
# w/ADA codes 0000 or 0190 in past yr	162	26.3	141	25.1	+1.2	115	24.6	+1.8

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 23: Public Health Nursing

Denominator 1: All GPRA User Population patients.

Numerators: 1) patients served by PHNs in any setting; 2) patients served by PHNs in Home setting.

Denominator 2 (GPRA Indicator): Total number of PHN visits in any setting.

Denominator 3 (GPRA Indicator): Total number of PHN visits in Home setting. Numerators: broken down into age groups: 1) neonate (0-28 days); 2) infants (29 days - 12 months); 3) ages 1-64; and 4) Elders (age 65 and older).

PHN is defined as primary or secondary provider code of 13 or 32. Home visits are defined as clinic code 11 or encounter location defined by user as Home.

Maintain at FY2002 levels the total number of Public Health Nursing services (both primary and secondary treatment and preventive services) provided to individuals in all settings, and the total number of home visits. FY2001: Total visits 383,436 Home visits 153,852

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR	BASE PERIOD	%	CHG from BASE
Denominator #1:								
# User Population	5,989		5,886			5,647		
# patients served by PHNs in any setting	1,383	23.1	1,618	27.5	-4.4	1,222	21.6	+1.5
# patients served by PHNs in a home setting	387	6.5	531	9.0	-2.6	744	13.2	-6.7
Denominator #2 (GPRA Indicator):								
Total # PHN visits - any Setting	3,802		3,816			3,034		
# of PHN visits age 0-28 days - any Setting	34	0.9	41	1.1	-0.2	115	3.8	-2.9
# PHN visits age 29d-12m any Setting	313	8.2	216	5.7	2.5	338	11.1	-2.9
# PHN visits age 1-64 any Setting	3,111	81.8	3,401	89.1	-7.3	2,428	80.0	-1.8
# PHN visits age 65+ any Setting	344	9.0	158	4.1	4.9	153	5.0	4.0

*** IHS FY03 Local Clinical Performance Indicator Report ***
 DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 23 (con't): Public Health Nursing

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR	BASE PERIOD	%	CHG from BASE
Denominator #3 (GPRA Indicator):								
Total # of PHN Visits -								
Home Setting	749		1,207		-458	2,056		-1307
# PHN visits age 0-28 days								
Home Setting	19	2.5	25	2.1	0.4	112	5.4	-2.9
# PHN visits age 29d-12m								
Home Setting	44	5.9	72	6.0	-0.1	278	13.5	-7.6
# PHN visits age 1-64								
Home Setting	614	82.0	1,047	86.7	-4.7	1,594	77.5	-4.5
# PHN visits age 65+								
Home Setting	72	9.6	63	5.2	4.4	72	3.5	6.1

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 25: Adult Immunizations - Influenza Vaccine

Denominator 1: GPRA User Population patients age 50 and older at the beginning of the Report period. 1A: ages 50-64; 1B: 65 and older (GPRA Indicator)

Denominator 2: All Active Clinical patients age 50 and older at the beginning of the Report period. 2A: ages 50-64; 2B: 65 and older.

Denominator 3: Active Diabetic Patients, defined as all Active Clinical patients diagnosed with diabetes at least one year prior to the Report period, AND at least 2 visits in the past year, AND 2 DM-related visits ever.

Numerator counts number of patients with influenza vaccine documented any time in the year prior to the end of the Report period (Immunization code 88 or 12; or POV V04.8 or V06.6; or CPT 90657-90660, or ICD 99.52).

Maintain the FY2002 rate for influenza vaccination levels among non-institutionalized adults ages 65 and older. FY2001: 35% FY2002: 31% HP2010: 90%

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1:								
# User Pop ages 50 and older	828		778			667		
Total # w/Flu vaccine documented	318	38.4	292	37.5	+0.9	206	30.9	+7.5
Denominator 1A: # User Pop ages 50-64	616		574			498		
Total # w/Flu vaccine documented	221	35.9	191	33.3	+2.6	153	30.7	+5.2
Denominator 1B (GPRA Indicator): # User Pop ages 65 and older	212		204			169		
Total # w/Flu vaccine documented	97	45.8	101	49.5	-3.8	53	31.4	+14.4

*** IHS FY03 Local Clinical Performance Indicator Report ***
 DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 25 (con't): Adult Immunizations: Influenza

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #2: # Active Clinical ages =>50	633		592			494		
Total # w/Flu vaccine documented	306	48.3	288	48.6	-0.3	202	40.9	+7.5
Denominator 2A: # Active Clinical ages 50-64	466		438			372		
Total # w/Flu vaccine documented	212	45.5	189	43.2	+2.3	149	40.1	+5.4
Denominator 2B: # Active Clinical ages 65 and older	167		154			122		
Total # w/Flu vaccine documented	94	56.3	99	64.3	-8.0	53	43.4	+12.8
Denominator #3: Active Diabetic Patients	615		561			468		
Total # w/Flu vaccine documented	348	56.6	340	60.6	-4.0	243	51.9	+4.7

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 26: Adult Immunizations - Pneumovax

Denominator 1 (GPRA Indicator): GPRA User Population patients age 65 and older at the beginning of the Report period.

Denominator 2: All Active Clinical patients age 65 and older at the beginning of the Report period.

Denominator 3: Active Diabetic Patients, defined as all Active Clinical patients diagnosed with diabetes at least one year prior to the Report period, AND at least 2 visits in the past year, AND 2 DM-related visits ever.

Numerator counts number of patients with pneumovax documented at any time prior to the end of the Report period. Immunization code 33, 100 or 19; POV of V03.82 or V06.6; Procedure 99.55, 90732.

Maintain the FY2002 rate for pneumococcal vaccination levels among non-institutionalized adults ages 65 and older. HP2010: 90%

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1: (GPRA Indicator)								
# User Pop Total => 65	212		204			169		
Total # w/Pneumovax documented	143	67.5	135	66.2	+1.3	110	65.1	+2.4
Denominator #2: # Active Clinical =>65								
	167		154			122		
Total # w/Pneumovax documented	132	79.0	117	76.0	+3.1	94	77.0	+2.0
Denominator #3: # Active Diabetic Patients								
	615		561			468		
Total # w/Pneumovax documented	496	80.7	460	82.0	-1.3	411	87.8	-7.2

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 30-1: Cardiovascular Disease Prevention: Lipids Assessment

Denominator 1: All GPRA User Population patients aged 45 and over at the beginning of the Report period who have no diagnosis of diabetes ever.

Denominator 2: All Active Clinical patients aged 45 and over at the beginning of the Report period who have no diagnosis of diabetes ever.

Denominator 3: Active Diabetic Patients aged 45 and older, defined as all Active Clinical patients diagnosed with diabetes at least one year prior to the Report period, AND at least 2 visits in the past year, AND 2 DM-related visits ever.

Numerators: 1) patients w/ evidence of having a Lipid Profile OR an LDL and HDL and TG (all three); 2) patients w/ LDL <= 100; 3) patients with LDL 101-130; 4) patients with LDL 131-160; 5) patients with LDL >160. Counts last test done in the five years prior to the end of the Report period, regardless of result.

Increase the proportion of I/T/U patients age 45 and over who have been assessed for dyslipidemia using LDL as the screening test.

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1: User Pop =>45 w/ no DM DX	663		657			572		
# w/Lipid Profile OR TG & HDL & LDL recorded	211	31.8	192	29.2	+2.6	124	21.7	+10.1
# w/LDL result =<100	28	4.2	21	3.2	+1.0	12	2.1	+2.1
# w/LDL result 101-130	38	5.7	32	4.9	+0.9	19	3.3	+2.4
# w/LDL result 131-160	17	2.6	17	2.6	-0.0	11	1.9	+0.6
# w/LDL result >160	5	0.8	5	0.8	-0.0	5	0.9	-0.1
Denominator #1: Male User Pop =>45 w/ no DM DX	241		247			220		
# w/Lipid Profile OR TG & HDL & LDL recorded	69	28.6	66	26.7	+1.9	41	18.6	+10.0
# w/LDL result =<100	8	3.3	6	2.4	+0.9	2	0.9	+2.4
# w/LDL result 101-130	9	3.7	10	4.0	-0.3	4	1.8	+1.9
# w/LDL result 131-160	10	4.1	9	3.6	+0.5	3	1.4	+2.8
# w/LDL result >160	1	0.4	2	0.8	-0.4	3	1.4	-0.9

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 30-1 (con't): Cardiovascular Disease Prevention: Lipids

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1: Female								
User Pop =>45								
w/ no DM DX	422		410			352		
# w/Lipid Profile OR TG & HDL & LDL recorded	142	33.6	126	30.7	+2.9	83	23.6	+10.1
# w/LDL result =<100	20	4.7	15	3.7	+1.1	10	2.8	+1.9
# w/LDL result 101-130	29	6.9	22	5.4	+1.5	15	4.3	+2.6
# w/LDL result 131-160	7	1.7	8	2.0	-0.3	8	2.3	-0.6
# w/LDL result >160	4	0.9	3	0.7	+0.2	2	0.6	+0.4

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 30-1 (con't): Cardiovascular Disease Prevention: Lipids

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #2: Active Clinical								
=>45 w/ no DM DX	444		437			370		
# w/Lipid Profile OR TG & HDL & LDL recorded	194	43.7	179	41.0	+2.7	118	31.9	+11.8
# w/LDL result =<100	28	6.3	21	4.8	+1.5	12	3.2	+3.1
# w/LDL result 101-130	37	8.3	31	7.1	+1.2	18	4.9	+3.5
# w/LDL result 131-160	17	3.8	17	3.9	-0.1	10	2.7	+1.1
# w/LDL result >160	4	0.9	3	0.7	+0.2	4	1.1	-0.2
Denominator #2: Male								
Active Clinical								
=>45 w/ no DM DX	133		132			123		
# w/Lipid Profile OR TG & HDL & LDL recorded	63	47.4	60	45.5	+1.9	37	30.1	+17.3
# w/LDL result =<100	8	6.0	6	4.5	+1.5	2	1.6	+4.4
# w/LDL result 101-130	9	6.8	10	7.6	-0.8	3	2.4	+4.3
# w/LDL result 131-160	10	7.5	9	6.8	+0.7	2	1.6	+5.9
# w/LDL result >160	1	0.8	1	0.8	-0.0	2	1.6	-0.9
Denominator #2: Female								
Active Clinical								
=>45 w/ no DM DX	311		305			247		
# w/Lipid Profile OR TG & HDL & LDL recorded	131	42.1	119	39.0	+3.1	81	32.8	+9.3
# w/LDL result =<100	20	6.4	15	4.9	+1.5	10	4.0	+2.4
# w/LDL result 101-130	28	9.0	21	6.9	+2.1	15	6.1	+2.9
# w/LDL result 131-160	7	2.3	8	2.6	-0.4	8	3.2	-1.0
# w/LDL result >160	3	1.0	2	0.7	+0.3	2	0.8	+0.2

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 30-1 (con't): Cardiovascular Disease Prevention: Lipids

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #3: Active Diabetic Patients =>45	382		346			265		
# w/Lipid Profile OR TG & HDL & LDL recorded	343	89.8	309	89.3	+0.5	217	81.9	+7.9
# w/LDL result =<100	107	28.0	59	17.1	+11.0	15	5.7	+22.4
# w/LDL result 101-130	43	11.3	40	11.6	-0.3	24	9.1	+2.2
# w/LDL result 131-160	12	3.1	22	6.4	-3.2	13	4.9	-1.8
# w/LDL result >160	7	1.8	3	0.9	+1.0	4	1.5	+0.3
Denominator #3: Male Active Diabetic Patients =>45	122		105			80		
# w/Lipid Profile OR TG & HDL & LDL recorded	109	89.3	98	93.3	-4.0	62	77.5	+11.8
# w/LDL result =<100	35	28.7	21	20.0	+8.7	4	5.0	+23.7
# w/LDL result 101-130	13	10.7	12	11.4	-0.8	9	11.3	-0.6
# w/LDL result 131-160	5	4.1	8	7.6	-3.5	2	2.5	+1.6
# w/LDL result >160	5	4.1	2	1.9	+2.2	1	1.3	+2.8
Denominator #3: Female Active Diabetic Patients =>45	260		241			185		
# w/Lipid Profile OR TG & HDL & LDL recorded	234	90.0	211	87.6	+2.4	155	83.8	+6.2
# w/LDL result =<100	72	27.7	38	15.8	+11.9	11	5.9	+21.7
# w/LDL result 101-130	30	11.5	28	11.6	-0.1	15	8.1	+3.4
# w/LDL result 131-160	7	2.7	14	5.8	-3.1	11	5.9	-3.3
# w/LDL result >160	2	0.8	1	0.4	+0.4	3	1.6	-0.9

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 30-2: Cardiovascular Disease Prevention: Hypertension

Denominator 1 (GPRA Indicator): All GPRA User Population patients aged 45 and over at beginning of the Report period who have no diagnosis of diabetes ever.

Denominator 2: All Active Clinical patients aged 45 and over at the beginning of the Report period who have no diagnosis of diabetes ever.

Denominator 3: Active Diabetic Patients aged 45 and older, defined as all Active Clinical patients diagnosed with diabetes at least one year prior to the Report period, AND at least 2 visits in the past year, AND 2 DM-related visits ever.

Numerators: patients with 1) optimal blood pressure ($\leq 130/80$); 2) controlled BP ($>130/80, \leq 139/90$); 3) uncontrolled BP ($>139/90, \leq 159/100$); 4) severe uncontrolled BP ($>159/100$); and 5) undetermined BP. Counts the mean of the last 2 BP documented on non-ER visits in the year prior to the end of the Report period. If less than 2 BPs are documented, the value is undetermined. If the systolic and diastolic values do not BOTH meet one of the four categories listed above, then the value that is least controlled determines the category.

Increase the proportion of I/T/U patients age 45 and over whose hypertension levels have been assessed

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1: User Pop =>45 w/ no DM DX	663		657			572		
w/ Optimal BP = $\leq 130/80$	168	25.3	154	23.4	+1.9	134	23.4	+1.9
# w/ Controlled BP ($>130/80, \leq 139/90$)	65	9.8	72	11.0	-1.2	41	7.2	+2.6
# w/ Uncontrolled BP ($>130/90, \leq 159/100$)	42	6.3	46	7.0	-0.7	38	6.6	-0.3
# w/ Severe uncontrolled BP $>159/100$	5	0.8	7	1.1	-0.3	10	1.7	-1.0
# w/Undetermined BP	383	57.8	378	57.5	+0.2	349	61.0	-3.2

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 30-2 (con't): Cardiovascular Disease Prevention: Hypertension

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1: Male								
User Pop =>45								
w/ no DM DX	241		247			220		
w/ Optimal BP								
=< 130/80	35	14.5	31	12.6	+2.0	36	16.4	-1.8
# w/ Controlled BP								
(>130/80, =< 139/90)	18	7.5	21	8.5	-1.0	12	5.5	+2.0
# w/ Uncontrolled BP								
(>130/90, =<159/100)	15	6.2	13	5.3	+1.0	10	4.5	+1.7
# w/ Severe uncontrolled BP >159/100								
	1	0.4	3	1.2	-0.8	3	1.4	-0.9
# w/Undetermined BP								
	172	71.4	179	72.5	-1.1	159	72.3	-0.9
Denominator #1: Female								
User Pop =>45								
w/ no DM DX	422		410			352		
w/ Optimal BP								
=< 130/80	133	31.5	123	30.0	+1.5	98	27.8	+3.7
# w/ Controlled BP								
(>130/80, =< 139/90)	47	11.1	51	12.4	-1.3	29	8.2	+2.9
# w/ Uncontrolled BP								
(>130/90, =<159/100)	27	6.4	33	8.0	-1.7	28	8.0	-1.6
# w/ Severe uncontrolled BP >159/100								
	4	0.9	4	1.0	-0.0	7	2.0	-1.0
# w/Undetermined BP								
	211	50.0	199	48.5	+1.5	190	54.0	-4.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 30-2 (con't): Cardiovascular Disease Prevention: Hypertension

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #2: Active Clinical								
=>45 w/ no DM DX	444		437			370		
w/ Optimal BP								
=< 130/80	166	37.4	152	34.8	+2.6	133	35.9	+1.4
# w/ Controlled BP								
(>130/80, =< 139/90)	65	14.6	72	16.5	-1.8	41	11.1	+3.6
# w/ Uncontrolled BP								
(>130/90, =<159/100)	41	9.2	46	10.5	-1.3	37	10.0	-0.8
# w/ Severe uncontrolled BP >159/100								
	5	1.1	7	1.6	-0.5	10	2.7	-1.6
# w/Undetermined BP								
	167	37.6	160	36.6	+1.0	149	40.3	-2.7
Denominator #2: Male								
Active Clinical								
=>45 w/ no DM DX	133		132			123		
w/ Optimal BP								
=< 130/80	34	25.6	30	22.7	+2.8	35	28.5	-2.9
# w/ Controlled BP								
(>130/80, =< 139/90)	18	13.5	21	15.9	-2.4	12	9.8	+3.8
# w/ Uncontrolled BP								
(>130/90, =<159/100)	15	11.3	13	9.8	+1.4	9	7.3	+4.0
# w/ Severe uncontrolled BP >159/100								
	1	0.8	3	2.3	-1.5	3	2.4	-1.7
# w/Undetermined BP								
	65	48.9	65	49.2	-0.4	64	52.0	-3.2
Denominator #2: Female								
Active Clinical								
=>45 w/ no DM DX	311		305			247		
w/ Optimal BP								
=< 130/80	132	42.4	122	40.0	+2.4	98	39.7	+2.8
# w/ Controlled BP								
(>130/80, =< 139/90)	47	15.1	51	16.7	-1.6	29	11.7	+3.4
# w/ Uncontrolled BP								
(>130/90, =<159/100)	26	8.4	33	10.8	-2.5	28	11.3	-3.0
# w/ Severe uncontrolled BP >159/100								
	4	1.3	4	1.3	-0.0	7	2.8	-1.5
# w/Undetermined BP								
	102	32.8	95	31.1	+1.6	85	34.4	-1.6

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 30-2 (con't): Cardiovascular Disease Prevention: Hypertension

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #3: Active Diabetic Patients =>45	382		346			265		
w/ Optimal BP =< 130/80	199	52.1	138	39.9	+12.2	131	49.4	+2.7
# w/ Controlled BP (>130/80, =< 139/90)	83	21.7	82	23.7	-2.0	52	19.6	+2.1
# w/ Uncontrolled BP (>130/90, =<159/100)	65	17.0	90	26.0	-9.0	52	19.6	-2.6
# w/ Severe uncontrolled BP >159/100	17	4.5	14	4.0	+0.4	15	5.7	-1.2
# w/Undetermined BP	18	4.7	22	6.4	-1.6	15	5.7	-0.9
Denominator #3: Male Active Diabetic Patients =>45	122		105			80		
w/ Optimal BP =< 130/80	59	48.4	42	40.0	+8.4	47	58.8	-10.4
# w/ Controlled BP (>130/80, =< 139/90)	37	30.3	32	30.5	-0.1	13	16.3	+14.1
# w/ Uncontrolled BP (>130/90, =<159/100)	15	12.3	24	22.9	-10.6	12	15.0	-2.7
# w/ Severe uncontrolled BP >159/100	3	2.5	2	1.9	+0.6	4	5.0	-2.5
# w/Undetermined BP	8	6.6	5	4.8	+1.8	4	5.0	+1.6
Denominator #3: Female Active Diabetic Patients =>45	260		241			185		
w/ Optimal BP =< 130/80	140	53.8	96	39.8	+14.0	84	45.4	+8.4
# w/ Controlled BP (>130/80, =< 139/90)	46	17.7	50	20.7	-3.1	39	21.1	-3.4
# w/ Uncontrolled BP (>130/90, =<159/100)	50	19.2	66	27.4	-8.2	40	21.6	-2.4
# w/ Severe uncontrolled BP >159/100	14	5.4	12	5.0	+0.4	11	5.9	-0.6
# w/Undetermined BP	10	3.8	17	7.1	-3.2	11	5.9	-2.1

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 31: Obesity Prevention and Treatment

Denominator 1 (GPRA Indicator): GPRA User Population patients ages 2 through 74 at the beginning of the Report period, broken down by gender and age groups.

Denominator 2: All Active Clinical patients age 2 through 74 at the beginning of the Report period, broken down by gender and age groups.

Numerator 1: patients for whom a BMI could be calculated. For 18 and under, a height and weight must be taken on the same day any time in the year prior to the end of the Report period. For 19 through 50, BMI within last five years, both height and weight must be taken within last 5 years but not necessarily on same day. For ages over 50, BMI within last two years.

Numerator 2: patients with BMI considered overweight but not obese.

For adults, BMI = 25-29. For 18 and under, based on standard tables.

Numerator 3: patients with BMI considered obese. For adults, BMI = 30 or greater. For 18 and under, based on standard tables.

Numerator 4: Total of Numerators 2 and 3.

Assure securing height and weight data for all system users to monitor AI/AN obesity rates.

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1: User Pop Patients ages 2-74	7,991		7,818			7,533		
# w/BMI calculated	2,724	34.1	2,498	32.0	+2.1	2,357	31.3	+2.8
# overweight	595	21.8	522	20.9	+0.9	546	23.2	-1.3
# Obese	1,302	47.8	1,176	47.1	+0.7	1,118	47.4	+0.4
# Overweight/Obese	1,897	69.6	1,698	68.0	+1.7	1,664	70.6	-1.0
# Male User Pop 2-74 years	3,368		3,287			3,246		
# w/BMI calculated	1,059	31.4	960	29.2	+2.2	995	30.7	+0.8
# overweight	205	19.4	198	20.6	-1.3	234	23.5	-4.2
# Obese	502	47.4	425	44.3	+3.1	478	48.0	-0.6
# Overweight/Obese	707	66.8	623	64.9	+1.9	712	71.6	-4.8
# Female User Pop Patients 2-74 yrs	4,623		4,531			4,287		
# w/BMI calculated	1,665	36.0	1,538	33.9	+2.1	1,362	31.8	+4.2
# overweight	390	23.4	324	21.1	+2.4	312	22.9	+0.5
# Obese	800	48.0	751	48.8	-0.8	640	47.0	+1.1
# Overweight/Obese	1,190	71.5	1,075	69.9	+1.6	952	69.9	+1.6

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 31 (con't): Obesity Prevention and Treatment								
TOTAL GPRA USER POPULATION								
Age Distribution								
	2-5	6-11	12-19	20-24	25-34	35-44	45-54	55-74
CURRENT REPORT PERIOD								
Total # User Pop	807	1,042	1,391	977	1,478	1,128	686	482
# w/ BMI calculated	316	390	535	422	486	310	164	101
% w/BMI calculated	39.2	37.4	38.5	43.2	32.9	27.5	23.9	21.0
# Overweight	63	66	91	119	116	70	36	34
% Overweight	19.9	16.9	17.0	28.2	23.9	22.6	22.0	33.7
# Obese	69	149	221	210	294	198	108	53
% Obese	21.8	38.2	41.3	49.8	60.5	63.9	65.9	52.5
# Overweight or Obese	132	215	312	329	410	268	144	87
% Overweight or Obese	41.8	55.1	58.3	78.0	84.4	86.5	87.8	86.1
PREVIOUS YEAR PERIOD								
Total # User Pop	770	1,036	1,368	967	1,483	1,087	658	449
# w/ BMI calculated	316	368	520	396	421	276	123	78
% w/BMI calculated	41.0	35.5	38.0	41.0	28.4	25.4	18.7	17.4
# Overweight	44	58	105	105	102	46	33	29
% Overweight	13.9	15.8	20.2	26.5	24.2	16.7	26.8	37.2
# Obese	68	137	212	206	248	185	79	41
% Obese	21.5	37.2	40.8	52.0	58.9	67.0	64.2	52.6
# Overweight or Obese	112	195	317	311	350	231	112	70
% Overweight or Obese	35.4	53.0	61.0	78.5	83.1	83.7	91.1	89.7
CHANGE FROM PREV YR %								
w/ BMI calculated	-1.9	+1.9	+0.4	+2.2	+4.5	+2.1	+5.2	+3.6
Overweight	+6.0	+1.2	-3.2	+1.7	-0.4	+5.9	-4.9	-3.5
Obese	+0.3	+1.0	+0.5	-2.3	+1.6	-3.2	+1.6	-0.1
Overweight or Obese	+6.3	+2.1	-2.6	-0.6	+1.2	+2.8	-3.3	-3.6
BASELINE REPORT PERIOD								
Total # User Pop	746	1,045	1,302	940	1,528	1,043	545	384
# w/ BMI calculated	266	275	442	393	519	305	111	46
% w/BMI calculated	35.7	26.3	33.9	41.8	34.0	29.2	20.4	12.0
# Overweight	53	36	96	96	140	74	29	22
% Overweight	19.9	13.1	21.7	24.4	27.0	24.3	26.1	47.8
# Obese	66	106	184	196	291	188	67	20
% Obese	24.8	38.5	41.6	49.9	56.1	61.6	60.4	43.5
# Overweight or Obese	119	142	280	292	431	262	96	42
% Overweight or Obese	44.7	51.6	63.3	74.3	83.0	85.9	86.5	91.3
CHANGE FROM BASE YR %								
w/ BMI calculated	+3.5	+11.1	+4.5	+1.4	-1.1	-1.8	+3.5	+9.0
Overweight	+0.0	+3.8	-4.7	+3.8	-3.1	-1.7	-4.2	-14.2
Obese	-3.0	-0.3	-0.3	-0.1	+4.4	+2.2	+5.5	+9.0
Overweight or Obese	-3.0	+3.5	-5.0	+3.7	+1.3	+0.5	+1.3	-5.2

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 31 (con't): Obesity Prevention and Treatment								
MALE GPRA USER POPULATION								
Age Distribution								
	2-5	6-11	12-19	20-24	25-34	35-44	45-54	55-74
CURRENT REPORT PERIOD								
Total MALE User Pop	410	498	659	357	568	466	252	158
# w/ BMI calculated	163	202	243	111	136	126	57	21
% w/BMI calculated	39.8	40.6	36.9	31.1	23.9	27.0	22.6	13.3
# Overweight	33	28	31	34	28	29	12	10
% Overweight	20.2	13.9	12.8	30.6	20.6	23.0	21.1	47.6
# Obese	33	83	113	51	91	83	41	7
% Obese	20.2	41.1	46.5	45.9	66.9	65.9	71.9	33.3
# Overweight or Obese	66	111	144	85	119	112	53	17
% Overweight or Obese	40.5	55.0	59.3	76.6	87.5	88.9	93.0	81.0
PREVIOUS YEAR PERIOD								
Total MALE User Pop	382	509	637	351	586	425	247	150
# w/ BMI calculated	161	188	218	107	118	109	44	15
% w/BMI calculated	42.1	36.9	34.2	30.5	20.1	25.6	17.8	10.0
# Overweight	20	27	44	30	32	19	17	9
% Overweight	12.4	14.4	20.2	28.0	27.1	17.4	38.6	60.0
# Obese	41	65	92	53	72	74	24	4
% Obese	25.5	34.6	42.2	49.5	61.0	67.9	54.5	26.7
# Overweight or Obese	61	92	136	83	104	93	41	13
% Overweight or Obese	37.9	48.9	62.4	77.6	88.1	85.3	93.2	86.7
CHANGE FROM PREV YR %								
w/ BMI calculated	-2.4	+3.6	+2.7	+0.6	+3.8	+1.4	+4.8	+3.3
Overweight	+7.8	-0.5	-7.4	+2.6	-6.5	+5.6	-17.6	-12.4
Obese	-5.2	+6.5	+4.3	-3.6	+5.9	-2.0	+17.4	+6.7
Overweight or Obese	+2.6	+6.0	-3.1	-1.0	-0.6	+3.6	-0.2	-5.7
BASELINE REPORT PERIOD								
Total MALE User Pop	388	506	581	364	635	432	207	133
# w/ BMI calculated	137	155	177	133	202	132	46	13
% w/BMI calculated	35.3	30.6	30.5	36.5	31.8	30.6	22.2	9.8
# Overweight	31	20	32	38	60	33	13	7
% Overweight	22.6	12.9	18.1	28.6	29.7	25.0	28.3	53.8
# Obese	39	67	84	61	114	80	27	6
% Obese	28.5	43.2	47.5	45.9	56.4	60.6	58.7	46.2
# Overweight or Obese	70	87	116	99	174	113	40	13
% Overweight or Obese	51.1	56.1	65.5	74.4	86.1	85.6	87.0	100.0
CHANGE FROM BASE YR %								
w/ BMI calculated	+4.4	+9.9	+6.4	-5.4	-7.9	-3.5	+0.4	+3.5
Overweight	-2.4	+1.0	-5.3	+2.1	-9.1	-2.0	-7.2	-6.2
Obese	-8.2	-2.1	-1.0	+0.1	+10.5	+5.3	+13.2	-12.8
Overweight or Obese	-10.6	-1.2	-6.3	+2.1	+1.4	+3.3	+6.0	-19.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 31 (con't): Obesity Prevention and Treatment								
FEMALE GPRA USER POPULATION								
Age Distribution								
	2-5	6-11	12-19	20-24	25-34	35-44	45-54	55-74
CURRENT REPORT PERIOD								
Total FEMALE User Pop	397	544	732	620	910	662	434	324
# w/ BMI calculated	153	188	292	311	350	184	107	80
% w/BMI calculated	38.5	34.6	39.9	50.2	38.5	27.8	24.7	24.7
# Overweight	30	38	60	85	88	41	24	24
% Overweight	19.6	20.2	20.5	27.3	25.1	22.3	22.4	30.0
# Obese	36	66	108	159	203	115	67	46
% Obese	23.5	35.1	37.0	51.1	58.0	62.5	62.6	57.5
# Overweight or Obese	66	104	168	244	291	156	91	70
% Overweight or Obese	43.1	55.3	57.5	78.5	83.1	84.8	85.0	87.5
PREVIOUS YEAR PERIOD								
Total FEMALE User Pop	388	527	731	616	897	662	411	299
# w/ BMI calculated	155	180	302	289	303	167	79	63
% w/BMI calculated	39.9	34.2	41.3	46.9	33.8	25.2	19.2	21.1
# Overweight	24	31	61	75	70	27	16	20
% Overweight	15.5	17.2	20.2	26.0	23.1	16.2	20.3	31.7
# Obese	27	72	120	153	176	111	55	37
% Obese	17.4	40.0	39.7	52.9	58.1	66.5	69.6	58.7
# Overweight or Obese	51	103	181	228	246	138	71	57
% Overweight or Obese	32.9	57.2	59.9	78.9	81.2	82.6	89.9	90.5
CHANGE FROM PREV YR %								
w/ BMI calculated	-1.4	+0.4	-1.4	+3.2	+4.7	+2.6	+5.4	+3.6
Overweight	+4.1	+3.0	+0.3	+1.4	+2.0	+6.1	+2.2	-1.7
Obese	+6.1	-4.9	-2.7	-1.8	-0.1	-4.0	-7.0	-1.2
Overweight or Obese	+10.2	-1.9	-2.4	-0.4	+2.0	+2.1	-4.8	-3.0
BASELINE REPORT PERIOD								
Total FEMALE User Pop	358	539	721	576	893	611	338	251
# w/ BMI calculated	129	120	265	260	317	173	65	33
% w/BMI calculated	36.0	22.3	36.8	45.1	35.5	28.3	19.2	13.1
# Overweight	22	16	64	58	80	41	16	15
% Overweight	17.1	13.3	24.2	22.3	25.2	23.7	24.6	45.5
# Obese	27	39	100	135	177	108	40	14
% Obese	20.9	32.5	37.7	51.9	55.8	62.4	61.5	42.4
# Overweight or Obese	49	55	164	193	257	149	56	29
% Overweight or Obese	38.0	45.8	61.9	74.2	81.1	86.1	86.2	87.9
CHANGE FROM BASE YR %								
w/ BMI calculated	+2.5	+12.3	+3.1	+5.0	+3.0	-0.5	+5.4	+11.5
Overweight	+2.6	+6.9	-3.6	+5.0	-0.1	-1.4	-2.2	-15.5
Obese	+2.6	+2.6	-0.7	-0.8	+2.2	+0.1	+1.1	+15.1
Overweight or Obese	+5.2	+9.5	-4.4	+4.2	+2.1	-1.3	-1.1	-0.4

*** IHS FY03 Local Clinical Performance Indicator Report ***
 DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

 Indicator 31 (con't): Obesity Prevention and Treatment

	REPORT	%	PREV YR	%	CHG from	BASE	%	CHG from
	PERIOD		PERIOD		PREV YR %	PERIOD		BASE %
Denominator #2: Active Clinical								
users ages 2-74	5,669		5,592			5,314		
# w/BMI calculated	2,386	42.1	2,158	38.6	+3.5	1,971	37.1	+5.0
# overweight	525	22.0	444	20.6	+1.4	440	22.3	-0.3
# Obese	1,157	48.5	1,025	47.5	+1.0	962	48.8	-0.3
# Overweight/Obese	1,682	70.5	1,469	68.1	+2.4	1,402	71.1	-0.6
Denominator #2: Male								
Active Clinical users								
ages 2-74	2,194		2,162			2,096		
# w/BMI calculated	891	40.6	791	36.6	+4.0	778	37.1	+3.5
# overweight	173	19.4	155	19.6	-0.2	169	21.7	-2.3
# Obese	421	47.3	349	44.1	+3.1	384	49.4	-2.1
# Overweight/Obese	594	66.7	504	63.7	+2.9	553	71.1	-4.4
Denominator #2: Female								
Active Clinical users								
ages 2-74	3,475		3,430			3,218		
# w/BMI calculated	1,495	43.0	1,367	39.9	+3.2	1,193	37.1	+5.9
# overweight	352	23.5	289	21.1	+2.4	271	22.7	+0.8
# Obese	736	49.2	676	49.5	-0.2	578	48.4	+0.8
# Overweight/Obese	1,088	72.8	965	70.6	+2.2	849	71.2	+1.6

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 31 (con't): Obesity Prevention and Treatment								
TOTAL ACTIVE CLINICAL POPULATION								
Age Distribution								
	2-5	6-11	12-19	20-24	25-34	35-44	45-54	55-74
CURRENT REPORT PERIOD								
Total # Active Clin	631	718	958	645	1,041	789	521	366
# w/ BMI calculated	292	351	464	348	417	271	146	97
% w/BMI calculated	46.3	48.9	48.4	54.0	40.1	34.3	28.0	26.5
# Overweight	61	62	79	99	100	60	31	33
% Overweight	20.9	17.7	17.0	28.4	24.0	22.1	21.2	34.0
# Obese	67	136	196	185	251	174	97	51
% Obese	22.9	38.7	42.2	53.2	60.2	64.2	66.4	52.6
# Overweight or Obese	128	198	275	284	351	234	128	84
% Overweight or Obese	43.8	56.4	59.3	81.6	84.2	86.3	87.7	86.6
PREVIOUS YEAR PERIOD								
Total # Active Clin	585	704	944	678	1,076	779	485	341
# w/ BMI calculated	290	326	434	337	361	237	102	71
% w/BMI calculated	49.6	46.3	46.0	49.7	33.6	30.4	21.0	20.8
# Overweight	40	48	87	95	83	38	27	26
% Overweight	13.8	14.7	20.0	28.2	23.0	16.0	26.5	36.6
# Obese	63	127	179	179	215	158	66	38
% Obese	21.7	39.0	41.2	53.1	59.6	66.7	64.7	53.5
# Overweight or Obese	103	175	266	274	298	196	93	64
% Overweight or Obese	35.5	53.7	61.3	81.3	82.5	82.7	91.2	90.1
CHANGE FROM PREV YR %								
w/ BMI calculated	-3.3	+2.6	+2.5	+4.2	+6.5	+3.9	+7.0	+5.7
Overweight	+7.1	+2.9	-3.0	+0.3	+1.0	+6.1	-5.2	-2.6
Obese	+1.2	-0.2	+1.0	+0.0	+0.6	-2.5	+1.7	-0.9
Overweight or Obese	+8.3	+2.7	-2.0	+0.3	+1.6	+3.6	-3.5	-3.5
BASELINE REPORT PERIOD								
Total # Active Clin	576	750	881	630	1,073	732	398	274
# w/ BMI calculated	244	251	367	308	422	241	97	41
% w/BMI calculated	42.4	33.5	41.7	48.9	39.3	32.9	24.4	15.0
# Overweight	51	33	79	75	104	54	24	20
% Overweight	20.9	13.1	21.5	24.4	24.6	22.4	24.7	48.8
# Obese	60	97	159	160	255	153	61	17
% Obese	24.6	38.6	43.3	51.9	60.4	63.5	62.9	41.5
# Overweight or Obese	111	130	238	235	359	207	85	37
% Overweight or Obese	45.5	51.8	64.9	76.3	85.1	85.9	87.6	90.2
CHANGE FROM BASE YR %								
w/ BMI calculated	+3.9	+15.4	+6.8	+5.1	+0.7	+1.4	+3.7	+11.5
Overweight	-0.0	+4.5	-4.5	+4.1	-0.7	-0.3	-3.5	-14.8
Obese	-1.6	+0.1	-1.1	+1.2	-0.2	+0.7	+3.6	+11.1
Overweight or Obese	-1.7	+4.6	-5.6	+5.3	-0.9	+0.5	+0.0	-3.6

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 31 (con't): Obesity Prevention and Treatment								
MALE ACTIVE CLINICAL POPULATION								
Age Distribution								
	2-5	6-11	12-19	20-24	25-34	35-44	45-54	55-74
CURRENT REPORT PERIOD								
Total MALE Active Clin	329	345	424	188	333	300	167	108
# w/ BMI calculated	152	184	197	80	105	106	47	20
% w/BMI calculated	46.2	53.3	46.5	42.6	31.5	35.3	28.1	18.5
# Overweight	32	27	23	27	22	23	9	10
% Overweight	21.1	14.7	11.7	33.8	21.0	21.7	19.1	50.0
# Obese	32	77	92	41	69	69	34	7
% Obese	21.1	41.8	46.7	51.3	65.7	65.1	72.3	35.0
# Overweight or Obese	64	104	115	68	91	92	43	17
% Overweight or Obese	42.1	56.5	58.4	85.0	86.7	86.8	91.5	85.0
PREVIOUS YEAR PERIOD								
Total MALE Active Clin	298	343	426	203	355	288	152	97
# w/ BMI calculated	152	165	173	79	88	89	32	13
% w/BMI calculated	51.0	48.1	40.6	38.9	24.8	30.9	21.1	13.4
# Overweight	18	22	34	26	20	15	12	8
% Overweight	11.8	13.3	19.7	32.9	22.7	16.9	37.5	61.5
# Obese	41	60	77	38	55	58	17	3
% Obese	27.0	36.4	44.5	48.1	62.5	65.2	53.1	23.1
# Overweight or Obese	59	82	111	64	75	73	29	11
% Overweight or Obese	38.8	49.7	64.2	81.0	85.2	82.0	90.6	84.6
CHANGE FROM PREV YR %								
w/ BMI calculated	-4.8	+5.2	+5.9	+3.6	+6.7	+4.4	+7.1	+5.1
Overweight	+9.2	+1.3	-8.0	+0.8	-1.8	+4.8	-18.4	-11.5
Obese	-5.9	+5.5	+2.2	+3.1	+3.2	-0.1	+19.2	+11.9
Overweight or Obese	+3.3	+6.8	-5.8	+4.0	+1.4	+4.8	+0.9	+0.4
BASELINE REPORT PERIOD								
Total MALE Active Clin	301	362	366	201	368	281	138	79
# w/ BMI calculated	129	144	137	84	143	90	39	12
% w/BMI calculated	42.9	39.8	37.4	41.8	38.9	32.0	28.3	15.2
# Overweight	31	19	23	23	37	20	10	6
% Overweight	24.0	13.2	16.8	27.4	25.9	22.2	25.6	50.0
# Obese	36	61	69	43	90	55	24	6
% Obese	27.9	42.4	50.4	51.2	62.9	61.1	61.5	50.0
# Overweight or Obese	67	80	92	66	127	75	34	12
% Overweight or Obese	51.9	55.6	67.2	78.6	88.8	83.3	87.2	100.0
CHANGE FROM BASE YR %								
w/ BMI calculated	+3.3	+13.6	+9.0	+0.8	-7.3	+3.3	-0.1	+3.3
Overweight	-3.0	+1.5	-5.1	+6.4	-4.9	-0.5	-6.5	+0.0
Obese	-6.9	-0.5	-3.7	+0.1	+2.8	+4.0	+10.8	-15.0
Overweight or Obese	-9.8	+1.0	-8.8	+6.4	-2.1	+3.5	+4.3	-15.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator 31 (con't): Obesity Prevention and Treatment
 FEMALE ACTIVE CLINICAL POPULATION
 Age Distribution

	2-5	6-11	12-19	20-24	25-34	35-44	45-54	55-74
CURRENT REPORT PERIOD								
Total FEMALE Active Clin	302	373	534	457	708	489	354	258
# w/ BMI calculated	140	167	267	268	312	165	99	77
% w/BMI calculated	46.4	44.8	50.0	58.6	44.1	33.7	28.0	29.8
# Overweight	29	35	56	72	78	37	22	23
% Overweight	20.7	21.0	21.0	26.9	25.0	22.4	22.2	29.9
# Obese	35	59	104	144	182	105	63	44
% Obese	25.0	35.3	39.0	53.7	58.3	63.6	63.6	57.1
# Overweight or Obese	64	94	160	216	260	142	85	67
% Overweight or Obese	45.7	56.3	59.9	80.6	83.3	86.1	85.9	87.0
PREVIOUS YEAR PERIOD								
Total FEMALE Active Clin	287	361	518	475	721	491	333	244
# w/ BMI calculated	138	161	261	258	273	148	70	58
% w/BMI calculated	48.1	44.6	50.4	54.3	37.9	30.1	21.0	23.8
# Overweight	22	26	53	69	63	23	15	18
% Overweight	15.9	16.1	20.3	26.7	23.1	15.5	21.4	31.0
# Obese	22	67	102	141	160	100	49	35
% Obese	15.9	41.6	39.1	54.7	58.6	67.6	70.0	60.3
# Overweight or Obese	44	93	155	210	223	123	64	53
% Overweight or Obese	31.9	57.8	59.4	81.4	81.7	83.1	91.4	91.4
CHANGE FROM PREV YR %								
w/ BMI calculated	-1.7	+0.2	-0.4	+4.3	+6.2	+3.6	+6.9	+6.1
Overweight	+4.8	+4.8	+0.7	+0.1	+1.9	+6.9	+0.8	-1.2
Obese	+9.1	-6.3	-0.1	-0.9	-0.3	-3.9	-6.4	-3.2
Overweight or Obese	+13.8	-1.5	+0.5	-0.8	+1.6	+3.0	-5.6	-4.4
BASELINE REPORT PERIOD								
Total FEMALE Active Clin	275	388	515	429	705	451	260	195
# w/ BMI calculated	115	107	230	224	279	151	58	29
% w/BMI calculated	41.8	27.6	44.7	52.2	39.6	33.5	22.3	14.9
# Overweight	20	14	56	52	67	34	14	14
% Overweight	17.4	13.1	24.3	23.2	24.0	22.5	24.1	48.3
# Obese	24	36	90	117	165	98	37	11
% Obese	20.9	33.6	39.1	52.2	59.1	64.9	63.8	37.9
# Overweight or Obese	44	50	146	169	232	132	51	25
% Overweight or Obese	38.3	46.7	63.5	75.4	83.2	87.4	87.9	86.2
CHANGE FROM BASE YR %								
w/ BMI calculated	+4.5	+17.2	+5.3	+6.4	+4.5	+0.3	+5.7	+15.0
Overweight	+3.3	+7.9	-3.4	+3.7	+1.0	-0.1	-1.9	-18.4
Obese	+4.1	+1.7	-0.2	+1.5	-0.8	-1.3	-0.2	+19.2
Overweight or Obese	+7.5	+9.6	-3.6	+5.2	+0.2	-1.4	-2.1	+0.8

*** IHS FY03 Local Clinical Performance Indicator Report ***
 DEMO SITE
 Report Period: Jan 01, 2002 to Dec 31, 2002
 Previous Year Period: Jan 01, 2001 to Dec 31, 2001
 Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator A: Diabetes and Mental Health

Denominator: Active Diabetic Patients, defined as all Active Clinical patients diagnosed with diabetes at least one year prior to the Report period, AND at least 2 visits in the past year, AND 2 DM-related visits ever.

Numerator: at least two visits with diagnosis (purpose of visit 296.0-313.1 recorded in V POV file) in the year prior to the end of the Report period.

Determine the proportion of AI/AN diabetics diagnosed with depressive disorders.

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Active Diabetic Pts	615		561			468		
# w/ 2 depressive disorder dxs in past yr	144	23.4	131	23.4	+0.1	87	18.6	+4.8

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator B: Colorectal Cancer Screening

Denominator 1 (GPRA Indicator): All GPRA User Population patients age 51 and older at beginning of the Report period, broken out by gender.

Denominator 2: All Active Clinical patients age 51 and older at beginning of the Report period, broken out by gender.

Numerator 1: All patients who have had any of the following: a Fecal Occult Blood test (FOBT) or Rectal Exam in the two (2) years prior to the end of the Report period; flexible sigmoidoscopy or double contrast barium enema in the last 5 years; colonoscopy in the last 10 years.

Numerator 2 (subset of #1): Patients who have had FOBT or Rectal Exam in past year.

Increase the proportion of AI/AN persons who have had screening for Colorectal Cancer.

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1: Total User Pop age =>51	772		712			605		
# w/screening done	151	19.6	112	15.7	+3.8	92	15.2	+4.4
# w/ FOB, DRE or Rectal Exam in past year	145	18.8	104	14.6	+4.2	90	14.9	+3.9
Denominator #1: Total Male User Pop => 51 years old	253		233			204		
# w/screening done	10	4.0	10	4.3	-0.3	16	7.8	-3.9
# w/ FOB, DRE or Rectal Exam in past year	8	3.2	8	3.4	-0.3	15	7.4	-4.2
Denominator #1: Total Female User Pop => 51	519		479			401		
# w/screening	141	27.2	102	21.3	+5.9	76	19.0	+8.2
# w/FOB, DRE or Rectal Exam in past year	137	26.4	96	20.0	+6.4	75	18.7	+7.7

*** IHS FY03 Local Clinical Performance Indicator Report ***
 DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator B (con't): Colorectal Cancer Screening

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #2: Active Clinical Patients								
51 and older	590		540			446		
# w/screening	146	24.7	109	20.2	+4.6	91	20.4	+4.3
# w/FOB, DRE or rectal exam in past year	140	23.7	101	18.7	+5.0	89	20.0	+3.8
Denominator #2: Male Active Clinical Patients								
51 and older	171		150			136		
# w/screening	10	5.8	10	6.7	-0.8	15	11.0	-5.2
# w/FOB, DRE or rectal exam in past year	8	4.7	8	5.3	-0.7	14	10.3	-5.6
Denominator #2: Female Active Clinical Patients								
51 and older	419		390			310		
# w/screening	136	32.5	99	25.4	+7.1	76	24.5	+7.9
# w/FOB, DRE or rectal exam in past year	132	31.5	93	23.8	+7.7	75	24.2	+7.3

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator C-1: Patient Education: Diet and Exercise

Denominator 1: All GPRA User Population patients ages 6 and older at the beginning of the Report period, broken down by gender.

Denominator 2: All Active Clinical patients ages 6 and older at the beginning of the Report period, broken down by gender and age.

Denominator 3: Active Diabetic Patients, defined as all Active Clinical patients diagnosed with diabetes at least one year prior to the Report period, AND at least 2 visits in the past year, AND 2 DM-related visits ever.

Numerator 1: All patients provided with exercise education (any patient education code ending "-EX", ending "-LA", or containing "OBS-")

Numerator 2: All patients provided with diet education (any patient education code ending "-N", ending "-LA", or containing "OBS-")

Increase the proportion of persons who are provided education about diet and exercise.

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1 (GPRA Indicator):								
User Pop	7,249		7,117			6,853		
Total # w/ Exercise Educ	324	4.5	118	1.7	+2.8	74	1.1	+3.4
Total # w/ Diet Educ	391	5.4	178	2.5	+2.9	132	1.9	+3.5
# Male User Pop	2,978		2,927			2,879		
# w/ exercise education	97	3.3	28	1.0	+2.3	21	0.7	+2.5
# w/ Diet educ	117	3.9	48	1.6	+2.3	34	1.2	+2.7
# Female User Pop	4,271		4,190			3,974		
# w/ Exercise education	227	5.3	90	2.1	+3.2	53	1.3	+4.0
# w/Diet Educ	274	6.4	130	3.1	+3.3	98	2.5	+3.9

*** IHS FY03 Local Clinical Performance Indicator Report ***
 DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator C-1: Patient Education: Diet and Exercise (Con't)

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #2: Active Clinical Pop	5,090		5,063			4,789		
# w/Exercise education	314	6.2	114	2.3	+3.9	71	1.5	+4.7
# w/Diet educ	376	7.4	172	3.4	+4.0	128	2.7	+4.7
Total Male Active Clinical Users	1,879		1,880			1,812		
# w/Exercise education	92	4.9	26	1.4	+3.5	19	1.0	+3.8
# w/Diet educ	108	5.7	46	2.4	+3.3	32	1.8	+4.0
Total Female Active Clinical Users	3,211		3,183			2,977		
# w/Exercise education	222	6.9	88	2.8	+4.1	52	1.7	+5.2
# w/Diet educ	268	8.3	126	4.0	+4.4	96	3.2	+5.1
Denominator #3: Active Diabetic Patients	615		561			468		
# w/ Exercise education	132	21.5	47	8.4	+13.1	34	7.3	+14.2
# w/Diet Educ	149	24.2	74	13.2	+11.0	69	14.7	+9.5
Total # Male Active Diabetics	202		184			149		
# w/Exercise education	43	21.3	10	5.4	+15.9	10	6.7	+14.6
# w/Diet educ	46	22.8	23	12.5	+10.3	14	9.4	+13.4
Total Female Active Diabetics	413		377			319		
# w/Exercise education	89	21.5	37	9.8	+11.7	24	7.5	+14.0
# w/Diet Educ	103	24.9	51	13.5	+11.4	55	17.2	+7.7

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator C-1: Patient Education: Diet and Exercise (Con't)

TOTAL ACTIVE CLINICAL POPULATION					
Age Distribution					
EXERCISE EDUCATION	6-11	12-19	20-39	40-59	=>60
CURRENT REPORT PERIOD					
Total # Active Clinical					
Pop =>6	718	958	2,122	1,010	282
# w/ exercise ed	14	41	131	103	25
% w/ exercise ed	1.9	4.3	6.2	10.2	8.9
# Male w/ exercise ed	6	15	29	33	9
% Male w/ exercise ed	1.7	3.5	4.3	9.6	10.3
# Female w/ exercise ed	8	26	102	70	16
% Female w/ exercise ed	2.1	4.9	7.1	10.5	8.2
PREVIOUS YEAR PERIOD					
Total # Active Clinical					
Pop =>6	704	944	2,202	966	247
# w/ exercise ed	4	8	50	42	10
% w/ exercise ed	0.6	0.8	2.3	4.3	4.0
# Male w/ exercise ed	1	1	13	8	3
% Male w/ exercise ed	0.3	0.2	1.8	2.6	4.2
# Female w/ exercise ed	3	7	37	34	7
% Female w/ exercise ed	0.8	1.4	2.5	5.2	4.0
CHANGE FROM PREV YR %					
Total w/exercise ed	+1.4	+3.4	+3.9	+5.9	+4.8
Male w/ exercise ed	+1.4	+3.3	+2.5	+7.1	+6.1
Female w/exercise ed	+1.3	+3.5	+4.6	+5.3	+4.2
BASELINE REPORT PERIOD					
Total # Active Clinical					
Pop =>6	750	881	2,105	854	199
# w/ exercise ed	2	11	33	17	8
% w/ exercise ed	0.3	1.2	1.6	2.0	4.0
# Male w/ exercise ed	2	1	9	5	2
% Male w/ exercise ed	0.6	0.3	1.2	1.7	3.3
# Female w/ exercise ed	0	10	24	12	6
% Female w/ exercise ed	0.0	1.9	1.7	2.1	4.3
CHANGE FROM BASE YR %					
Total w/exercise ed	+1.7	+3.0	+4.6	+8.2	+4.8
Male w/ exercise ed	+1.2	+3.3	+3.0	+7.9	+7.0
Female w/exercise ed	+2.1	+2.9	+5.3	+8.3	+3.9

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator C-1: Patient Education: Diet and Exercise (Con't)

TOTAL ACTIVE CLINICAL POPULATION					
Age Distribution					
DIET EDUCATION	6-11	12-19	20-39	40-59	=>60
CURRENT REPORT PERIOD					
Total # Active Clinical					
Pop =>6	718	958	2,122	1,010	282
# w/ Diet ed	23	50	158	115	30
% w/ Diet ed	3.2	5.2	7.4	11.4	10.6
# Male w/ Diet ed	11	13	34	38	12
% Male w/ Diet ed	3.2	3.1	5.0	11.1	13.8
# Female w/ Diet ed	12	37	124	77	18
% Female w/ Diet ed	3.2	6.9	8.6	11.5	9.2
PREVIOUS YEAR PERIOD					
Total # Active Clinical					
Pop =>6	704	944	2,202	966	247
# w/ Diet ed	5	12	83	55	17
% w/ Diet ed	0.7	1.3	3.8	5.7	6.9
# Male w/ Diet ed	2	1	22	16	5
% Male w/ Diet ed	0.6	0.2	3.0	5.2	7.0
# Female w/ Diet ed	3	11	61	39	12
% Female w/ Diet ed	0.8	2.1	4.1	5.9	6.8
CHANGE FROM PREV YR %					
Total w/Diet ed	+2.5	+3.9	+3.7	+5.7	+3.8
Male w/ Diet ed	+2.6	+2.8	+2.0	+5.9	+6.8
Female w/Diet ed	+2.4	+4.8	+4.5	+5.6	+2.4
BASELINE REPORT PERIOD					
Total # Active Clinical					
Pop =>6	750	881	2,105	854	199
# w/ Diet ed	5	13	56	38	16
% w/ Diet ed	0.7	1.5	2.7	4.4	8.0
# Male w/ Diet ed	4	1	14	10	3
% Male w/ Diet ed	1.1	0.3	1.9	3.4	5.0
# Female w/ Diet ed	1	12	42	28	13
% Female w/ Diet ed	0.3	2.3	3.1	5.0	9.4
CHANGE FROM BASE YR %					
Total w/Diet ed	+2.5	+3.7	+4.8	+6.9	+2.6
Male w/ Diet ed	+2.1	+2.8	+3.1	+7.7	+8.8
Female w/Diet ed	+3.0	+4.6	+5.5	+6.5	-0.1

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator C-2: Patient Education: Medications

Denominator 1: GPRA User Population patients who received Medications during the Report period.

Denominator 2: Active Clinical patients who received Medications during the Report period.

Numerator: Number of patients who were provided patient education about their medications (PFE code of M-I (medication information); M-DI (Drug interaction); M-FU (Medication follow up); M-L (Medication patient information literature) or any PFE code containing "-M").

Increase the proportion of patients taking medications who receive education about medications.

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1: User Pop Patients receiving medications	26,232		25,299			24,393		
# patients receiving medication educ	12,343	47.1	5,294	20.9	+26.1	39	0.2	+46.9
Denominator #2: Active Clinical Patients receiving medications	18,156		17,309			16,310		
# patients receiving medication educ	10,663	58.7	4,837	27.9	+30.8	38	0.2	+58.5

*** IHS FY03 Local Clinical Performance Indicator Report ***
 DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator D: Cholesterol Screening

Denominator 1 (GPRA Indicator): All GPRA User Population patients ages 23 through 65 at beginning of the Report period, broken out by gender.

Denominator 2: All Active Clinical patients ages 23 through 65 at beginning of the Report period, broken out by gender.

Numerator: Any patient with evidence of having a cholesterol screening at any time during the past five years. (POV diagnosis: V77.91; CPT codes: 80061 (lipid panel); 82465 (Total Cholesterol); 83721 (LDL) or site-defined taxonomies.

Increase the proportion of AI/AN adults who have had blood cholesterol checked during past five years.

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1: User Pop patients ages 23-65 yrs	4,013		3,982			3,778		
# w/ Cholesterol screening	1,155	28.8	1,160	29.1	-0.3	1,094	29.0	-0.2
Total # of Male User Pop ages 23-65	1,548		1,538			1,525		
# w/ Cholesterol screening	437	28.2	452	29.4	-1.2	428	28.1	+0.2
Total # Female User Pop 23-65 yrs	2,465		2,444			2,253		
# w/ Cholesterol screening	718	29.1	708	29.0	+0.2	666	29.6	-0.4

*** IHS FY03 Local Clinical Performance Indicator Report ***
 DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator D (con't): Cholesterol Screening

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #2: Active Clinical Patients ages 23-65	2,869		2,898			2,667		
# w/ Cholesterol screening	1,065	37.1	1,083	37.4	-0.2	1,005	37.7	-0.6
# Male Active Clinical pop ages 23-65	961		974			933		
# w/ Cholesterol screening	393	40.9	414	42.5	-1.6	373	40.0	+0.9
# Female Active Clinical pop ages 23-65	1,908		1,924			1,734		
# w/ Cholesterol screening	672	35.2	669	34.8	+0.4	632	36.4	-1.2

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator H: Tobacco Screening, Use and ETS

Denominator 1 (GPRA indicator): GPRA User Population ages 5 and older at beginning of Report period, broken down by gender and age.

Denominator 2: All Active Clinical population ages 5 and older at beginning of Report period, broken down by gender and age.

Denominator 3: Pregnant women ages 18-49 at beginning of Report period. At least two visits with POV or Problem diagnosis (V22.0-V23.9, 640-648, 651-676) during the year prior to the end of the Report period.

Numerator 1: Patients screened for tobacco use in the year prior to the end of the Report period, using any national Health Factor for tobacco.

Numerator 2: Those identified as current tobacco users, by Health Factors Current Smoker, Current Smokeless, Current Smoker and Smokeless OR diagnosis codes 305.1* or V15.82.

Numerator 3: Those identified as current smokers in the past year, by Health Factors Current Smoker or Current Smoker And Smokeless OR diagnosis codes 305.1* or V15.82

Numerator 4: Those identified as current smokeless tobacco users in the past year, by Health Factors Current Smokeless or Current Smoker And Smokeless

Numerator 5: Of those identified as current tobacco users (Numerator 2), those who have received tobacco cessation counseling in the past year (PFE codes TO-QU (tobacco quit), TO-LA (tobacco lifestyle adaptation); or clinic code 94 (tobacco cessation clinic)).

Numerator 6: The number of patients exposed to ETS, by Health Factors Smoker In Home or Exposure To Environmental Tobacco Smoke.

Increase annual screening for tobacco use, as a surrogate marker for reducing age-specific prevalence rates for smoking and for environmental exposure to tobacco.

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
Denominator #1: GPRA User Pop ages =>5	7,426		7,297			7,035		
# w/Tobacco Screening	382	5.1	389	5.3	-0.2	342	4.9	+0.3
# tobacco users	163	2.2	195	2.7	-0.5	170	2.4	-0.2
# Smokers	160	2.2	195	2.7	-0.5	165	2.3	-0.2
# Smokeless Tobacco Users	3	0.0	0	0.0	+0.0	5	0.1	-0.0
# Tobacco users receiving cessation educ	1	0.0	0	0.0	+0.0	0	0.0	+0.0
# exposed to ETS/ smoker in home	0	0.0	0	0.0	+0.0	0	0.0	+0.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator H (con't): Tobacco Screening, Use and ETS

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
# MALE User Pop patients => 5	3,063		3,013			2,978		
# w/Tobacco Screening	103	3.4	112	3.7	-0.4	100	3.4	+0.0
# tobacco users	65	2.1	69	2.3	-0.2	56	1.9	+0.2
# Smokers	63	2.1	69	2.3	-0.2	51	1.7	+0.3
# Smokeless Tobacco Users	2	0.1	0	0.0	+0.1	5	0.2	-0.1
# Tobacco users receiving cessation educ	0	0.0	0	0.0	+0.0	0	0.0	+0.0
# exposed to ETS/ smoker in home	0	0.0	0	0.0	+0.0	0	0.0	+0.0
# FEMALE User Pop patients => 5	4,363		4,284			4,057		
# w/Tobacco Screening	279	6.4	277	6.5	-0.1	242	6.0	+0.4
# tobacco users	98	2.2	126	2.9	-0.7	114	2.8	-0.6
# Smokers	97	2.2	126	2.9	-0.7	114	2.8	-0.6
# Smokeless Tobacco Users	1	0.0	0	0.0	+0.0	0	0.0	+0.0
# Tobacco users receiving cessation educ	1	0.0	0	0.0	+0.0	0	0.0	+0.0
# exposed to ETS/ smoker in home	0	0.0	0	0.0	+0.0	0	0.0	+0.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator H (con't): Tobacco Screening, Use and ETSTOTAL GPRA USER POPULATION
Age Distribution

	5-13	14-17	18-24	25-44	45-64	65 and older
CURRENT REPORT PERIOD						
Total # User Pop	1,569	671	1,347	2,606	1,021	212
# Tobacco Screening	1	7	32	159	144	39
% w/Tobacco Screening	0.1	1.0	2.4	6.1	14.1	18.4
# Tobacco Users	0	4	19	83	50	7
% Tobacco Users	0.0	57.1	59.4	52.2	34.7	17.9
# Smokers	0	4	19	80	50	7
% Smokers	0.0	57.1	59.4	50.3	34.7	17.9
# Smokeless	0	0	0	3	0	0
% Smokeless	0.0	0.0	0.0	1.9	0.0	0.0
# Smokers receiving Cessation Counseling	0	0	0	1	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	1.2	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0
PREVIOUS YEAR PERIOD						
Total # User Pop	1,561	675	1,315	2,570	972	204
# Tobacco Screening	0	9	44	167	140	29
% w/Tobacco Screening	0.0	1.3	3.3	6.5	14.4	14.2
# Tobacco Users	0	11	32	98	45	9
% Tobacco Users	0.0	122.2	72.7	58.7	32.1	31.0
# Smokers	0	11	32	98	45	9
% Smokers	0.0	122.2	72.7	58.7	32.1	31.0
# Smokeless	0	0	0	0	0	0
% Smokeless	0.0	0.0	0.0	0.0	0.0	0.0
# Smokers receiving Cessation Counseling	0	0	0	0	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	0.0	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator H (con't): Tobacco Screening, Use and ETS

TOTAL GPRA USER POPULATION

Age Distribution

5-13 14-17 18-24 25-44 45-64 65 and older

CHANGE FROM PREV YR %

Tobacco Screening	+0.1	-0.3	-1.0	-0.4	-0.3	+4.2
Tobacco Users	+0.0	-65.1	-13.4	-6.5	+2.6	-13.1
Smokers	+0.0	-65.1	-13.4	-8.4	+2.6	-13.1
Smokeless	+0.0	+0.0	+0.0	+1.9	+0.0	+0.0
Counseling	+0.0	+0.0	+0.0	+1.2	+0.0	+0.0
ETS	+0.0	+0.0	+0.0	+0.0	+0.0	+0.0

BASELINE REPORT PERIOD

Total # User Pop	1,554	635	1,280	2,571	826	169
# Tobacco Screening	1	8	60	165	91	17
% w/Tobacco Screening	0.1	1.3	4.7	6.4	11.0	10.1
# Tobacco Users	0	11	32	82	39	6
% Tobacco Users	0.0	137.5	53.3	49.7	42.9	35.3
# Smokers	0	11	31	79	39	5
% Smokers	0.0	137.5	51.7	47.9	42.9	29.4
# Smokeless	0	0	1	3	0	1
% Smokeless	0.0	0.0	1.7	1.8	0.0	5.9
# Smokers receiving Cessation Counseling	0	0	0	0	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	0.0	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0

CHANGE FROM BASE YR %

Tobacco Screening	-0.0	-0.2	-2.3	-0.3	+3.1	+8.3
Tobacco Users	+0.0	-80.4	+6.0	+2.5	-8.1	-17.3
Smokers	+0.0	-80.4	+7.7	+2.4	-8.1	-11.5
Smokeless	+0.0	+0.0	-1.7	+0.1	+0.0	-5.9
Counseling	+0.0	+0.0	+0.0	+1.2	+0.0	+0.0
ETS	+0.0	+0.0	+0.0	+0.0	+0.0	+0.0

*** IHS FY03 Local Clinical Performance Indicator Report ***
 DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002
 Previous Year Period: Jan 01, 2001 to Dec 31, 2001
 Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator H (con't): Tobacco Screening, Use and ETS

	MALE GPRA USER POPULATION					
	Age Distribution					
	5-13	14-17	18-24	25-44	45-64	65 and older
CURRENT REPORT PERIOD						
Total MALE User Pop	760	319	520	1,034	358	72
# Tobacco Screening	1	1	11	47	34	9
% w/Tobacco Screening	0.1	0.3	2.1	4.5	9.5	12.5
# Tobacco Users	0	1	10	36	17	1
% Tobacco Users	0.0	100.0	90.9	76.6	50.0	11.1
# Smokers	0	1	10	34	17	1
% Smokers	0.0	100.0	90.9	72.3	50.0	11.1
# Smokeless	0	0	0	2	0	0
% Smokeless	0.0	0.0	0.0	4.3	0.0	0.0
# Smokers receiving Cessation Counseling	0	0	0	0	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	0.0	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0
PREVIOUS YEAR PERIOD						
Total MALE User Pop	771	333	479	1,011	350	69
# Tobacco Screening	0	1	12	53	38	8
% w/Tobacco Screening	0.0	0.3	2.5	5.2	10.9	11.6
# Tobacco Users	0	3	11	35	16	4
% Tobacco Users	0.0	300.0	91.7	66.0	42.1	50.0
# Smokers	0	3	11	35	16	4
% Smokers	0.0	300.0	91.7	66.0	42.1	50.0
# Smokeless	0	0	0	0	0	0
% Smokeless	0.0	0.0	0.0	0.0	0.0	0.0
# Smokers receiving Cessation Counseling	0	0	0	0	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	0.0	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator H (con't): Tobacco Screening, Use and ETS

	MALE GPRA USER POPULATION					
	Age Distribution					
	5-13	14-17	18-24	25-44	45-64	65 and older
CHANGE FROM PREV YR %						
Tobacco Screening	+0.1	+0.0	-0.4	-0.7	-1.4	+0.9
Tobacco Users	+0.0	-200.0	-0.8	+10.6	+7.9	-38.9
Smokers	+0.0	-200.0	-0.8	+6.3	+7.9	-38.9
Smokeless	+0.0	+0.0	+0.0	+4.3	+0.0	+0.0
Counseling	+0.0	+0.0	+0.0	+0.0	+0.0	+0.0
ETS	+0.0	+0.0	+0.0	+0.0	+0.0	+0.0
BASELINE REPORT PERIOD						
Total MALE User Pop	767	301	482	1,067	308	53
# Tobacco Screening	0	4	9	57	24	6
% w/Tobacco Screening	0.0	1.3	1.9	5.3	7.8	11.3
# Tobacco Users	0	5	6	29	14	2
% Tobacco Users	0.0	125.0	66.7	50.9	58.3	33.3
# Smokers	0	5	5	26	14	1
% Smokers	0.0	125.0	55.6	45.6	58.3	16.7
# Smokeless	0	0	1	3	0	1
% Smokeless	0.0	0.0	11.1	5.3	0.0	16.7
# Smokers receiving Cessation Counseling	0	0	0	0	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	0.0	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0
CHANGE FROM BASE YR %						
Tobacco Screening	+0.1	-1.0	+0.2	-0.8	+1.7	+1.2
Tobacco Users	+0.0	-25.0	+24.2	+25.7	-8.3	-22.2
Smokers	+0.0	-25.0	+35.4	+26.7	-8.3	-5.6
Smokeless	+0.0	+0.0	-11.1	-1.0	+0.0	-16.7
Counseling	+0.0	+0.0	+0.0	+0.0	+0.0	+0.0
ETS	+0.0	+0.0	+0.0	+0.0	+0.0	+0.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator H (con't): Tobacco Screening, Use and ETS

	FEMALE GPRA USER POPULATION					
	Age Distribution					
	5-13	14-17	18-24	25-44	45-64	65 and older
CURRENT REPORT PERIOD						
Total FEMALE User Pop	809	352	827	1,572	663	140
# Tobacco Screening	0	6	21	112	110	30
% w/Tobacco Screening	0.0	1.7	2.5	7.1	16.6	21.4
# Tobacco Users	0	3	9	47	33	6
% Tobacco Users	0.0	50.0	42.9	42.0	30.0	20.0
# Smokers	0	3	9	46	33	6
% Smokers	0.0	50.0	42.9	41.1	30.0	20.0
# Smokeless	0	0	0	1	0	0
% Smokeless	0.0	0.0	0.0	0.9	0.0	0.0
# Smokers receiving Cessation Counseling	0	0	0	1	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	2.1	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0
PREVIOUS YEAR PERIOD						
Total FEMALE User Pop	790	342	836	1,559	622	135
# Tobacco Screening	0	8	32	114	102	21
% w/Tobacco Screening	0.0	2.3	3.8	7.3	16.4	15.6
# Tobacco Users	0	8	21	63	29	5
% Tobacco Users	0.0	100.0	65.6	55.3	28.4	23.8
# Smokers	0	8	21	63	29	5
% Smokers	0.0	100.0	65.6	55.3	28.4	23.8
# Smokeless	0	0	0	0	0	0
% Smokeless	0.0	0.0	0.0	0.0	0.0	0.0
# Smokers receiving Cessation Counseling	0	0	0	0	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	0.0	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator H (con't): Tobacco Screening, Use and ETS

FEMALE GPRA USER POPULATION

Age Distribution

5-13 14-17 18-24 25-44 45-64 65 and older

CHANGE FROM PREV YR %

Tobacco Screening	+0.0	-0.6	-1.3	-0.2	+0.2	+5.9
Tobacco Users	+0.0	-50.0	-22.8	-13.3	+1.6	-3.8
Smokers	+0.0	-50.0	-22.8	-14.2	+1.6	-3.8
Smokeless	+0.0	+0.0	+0.0	+0.9	+0.0	+0.0
Counseling	+0.0	+0.0	+0.0	+2.1	+0.0	+0.0
ETS	+0.0	+0.0	+0.0	+0.0	+0.0	+0.0

BASELINE REPORT PERIOD

Total FEMALE User Pop	787	334	798	1,504	518	116
# Tobacco Screening	1	4	51	108	67	11
% w/Tobacco Screening	0.1	1.2	6.4	7.2	12.9	9.5
# Tobacco Users	0	6	26	53	25	4
% Tobacco Users	0.0	150.0	51.0	49.1	37.3	36.4
# Smokers	0	6	26	53	25	4
% Smokers	0.0	150.0	51.0	49.1	37.3	36.4
# Smokeless	0	0	0	0	0	0
% Smokeless	0.0	0.0	0.0	0.0	0.0	0.0
# Smokers receiving Cessation Counseling	0	0	0	0	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	0.0	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0

CHANGE FROM BASE YR %

Tobacco Screening	-0.1	+0.5	-3.9	-0.1	+3.7	+11.9
Tobacco Users	+0.0	-100.0	-8.1	-7.1	-7.3	-16.4
Smokers	+0.0	-100.0	-8.1	-8.0	-7.3	-16.4
Smokeless	+0.0	+0.0	+0.0	+0.9	+0.0	+0.0
Counseling	+0.0	+0.0	+0.0	+2.1	+0.0	+0.0
ETS	+0.0	+0.0	+0.0	+0.0	+0.0	+0.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

# Active Clinical Patients								
ages => 5	5,230		5,192			4,915		
# w/Tobacco								
Screening	360	6.9	369	7.1	-0.2	330	6.7	+0.2
# tobacco users	152	2.9	182	3.5	-0.6	158	3.2	-0.3
# Smokers	149	2.8	182	3.5	-0.7	153	3.1	-0.3
# Smokeless Tobacco								
Users	3	0.1	0	0.0	+0.1	5	0.1	-0.0
# Tobacco users receiving								
cessation educ	1	0.0	0	0.0	+0.0	0	0.0	+0.0
# exposed to ETS/ smoker in home	0	0.0	0	0.0	+0.0	0	0.0	+0.0
# MALE Active Clinical								
ages => 5	1,947		1,946			1,883		
# w/Tobacco								
Screening	92	4.7	103	5.3	-0.6	93	4.9	-0.2
# tobacco users	56	2.9	62	3.2	-0.3	47	2.5	+0.4
# Smokers	54	2.8	62	3.2	-0.4	42	2.2	+0.5
# Smokeless Tobacco								
Users	2	0.1	0	0.0	+0.1	5	0.3	-0.2
# Tobacco users receiving								
cessation educ	0	0.0	0	0.0	+0.0	0	0.0	+0.0
# exposed to ETS/ smoker in home	0	0.0	0	0.0	+0.0	0	0.0	+0.0
# FEMALE Active Clinical								
ages => 5	3,283		3,246			3,032		
# w/Tobacco								
Screening	268	8.2	266	8.2	-0.0	237	7.8	+0.3
# tobacco users	96	2.9	120	3.7	-0.8	111	3.7	-0.7
# Smokers	95	2.9	120	3.7	-0.8	111	3.7	-0.8
# Smokeless Tobacco								
Users	1	0.0	0	0.0	+0.0	0	0.0	+0.0
# Tobacco users receiving								
cessation educ	1	0.0	0	0.0	+0.0	0	0.0	+0.0
# exposed to ETS/ smoker in home	0	0.0	0	0.0	+0.0	0	0.0	+0.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator H (con't): Tobacco Screening, Use and ETS

	TOTAL ACTIVE CLINICAL POPULATION					
	Age Distribution					
	5-13	14-17	18-24	25-44	45-64	65 and older
CURRENT REPORT PERIOD						
# Active Clinical	1,120	470	871	1,830	772	167
# Tobacco Screening	1	6	31	149	137	36
% w/Tobacco Screening	0.1	1.3	3.6	8.1	17.7	21.6
# Tobacco Users	0	3	19	76	48	6
% Tobacco Users	0.0	50.0	61.3	51.0	35.0	16.7
# Smokers	0	3	19	73	48	6
% Smokers	0.0	50.0	61.3	49.0	35.0	16.7
# Smokeless	0	0	0	3	0	0
% Smokeless	0.0	0.0	0.0	2.0	0.0	0.0
# Smokers receiving Cessation Counseling	0	0	0	1	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	1.3	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0
PREVIOUS YEAR PERIOD						
# Active Clinical	1,091	469	895	1,855	728	154
# Tobacco Screening	0	9	37	159	136	28
% w/Tobacco Screening	0.0	1.9	4.1	8.6	18.7	18.2
# Tobacco Users	0	10	27	93	44	8
% Tobacco Users	0.0	111.1	73.0	58.5	32.4	28.6
# Smokers	0	10	27	93	44	8
% Smokers	0.0	111.1	73.0	58.5	32.4	28.6
# Smokeless	0	0	0	0	0	0
% Smokeless	0.0	0.0	0.0	0.0	0.0	0.0
# Smokers receiving Cessation Counseling	0	0	0	0	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	0.0	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator H (con't): Tobacco Screening, Use and ETSTOTAL ACTIVE CLINICAL POPULATION
Age Distribution

	5-13	14-17	18-24	25-44	45-64	65 and older
CHANGE FROM PREV YR %						
Tobacco Screening	+0.1	-0.6	-0.6	-0.4	-0.9	+3.4
Tobacco Users	+0.0	-61.1	-11.7	-7.5	+2.7	-11.9
Smokers	+0.0	-61.1	-11.7	-9.5	+2.7	-11.9
Smokeless	+0.0	+0.0	+0.0	+2.0	+0.0	+0.0
Counseling	+0.0	+0.0	+0.0	+1.3	+0.0	+0.0
ETS	+0.0	+0.0	+0.0	+0.0	+0.0	+0.0
BASELINE REPORT PERIOD						
# Active Clinical	1,096	443	848	1,805	601	122
# Tobacco Screening	1	6	57	160	89	17
% w/Tobacco Screening	0.1	1.4	6.7	8.9	14.8	13.9
# Tobacco Users	0	8	29	78	37	6
% Tobacco Users	0.0	133.3	50.9	48.8	41.6	35.3
# Smokers	0	8	28	75	37	5
% Smokers	0.0	133.3	49.1	46.9	41.6	29.4
# Smokeless	0	0	1	3	0	1
% Smokeless	0.0	0.0	1.8	1.9	0.0	5.9
# Smokers receiving Cessation Counseling	0	0	0	0	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	0.0	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0
CHANGE FROM BASE YR %						
Tobacco Screening	-0.0	-0.1	-3.2	-0.7	+2.9	+7.6
Tobacco Users	+0.0	-83.3	+10.4	+2.3	-6.5	-18.6
Smokers	+0.0	-83.3	+12.2	+2.1	-6.5	-12.7
Smokeless	+0.0	+0.0	-1.8	+0.1	+0.0	-5.9
Counseling	+0.0	+0.0	+0.0	+1.3	+0.0	+0.0
ETS	+0.0	+0.0	+0.0	+0.0	+0.0	+0.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator H (con't): Tobacco Screening, Use and ETS

	MALE ACTIVE CLINICAL POPULATION					
	Age Distribution					
	5-13	14-17	18-24	25-44	45-64	65 and older
CURRENT REPORT PERIOD						
MALE Active Clinical	547	212	266	633	241	48
# Tobacco Screening	1	0	11	41	31	8
% w/Tobacco Screening	0.2	0.0	4.1	6.5	12.9	16.7
# Tobacco Users	0	0	10	31	15	0
% Tobacco Users	0.0	0.0	90.9	75.6	48.4	0.0
# Smokers	0	0	10	29	15	0
% Smokers	0.0	0.0	90.9	70.7	48.4	0.0
# Smokeless	0	0	0	2	0	0
% Smokeless	0.0	0.0	0.0	4.9	0.0	0.0
# Smokers receiving Cessation Counseling	0	0	0	0	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	0.0	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0
PREVIOUS YEAR PERIOD						
MALE Active Clinical	545	230	263	643	223	42
# Tobacco Screening	0	1	7	51	36	8
% w/Tobacco Screening	0.0	0.4	2.7	7.9	16.1	19.0
# Tobacco Users	0	2	8	32	16	4
% Tobacco Users	0.0	200.0	114.3	62.7	44.4	50.0
# Smokers	0	2	8	32	16	4
% Smokers	0.0	200.0	114.3	62.7	44.4	50.0
# Smokeless	0	0	0	0	0	0
% Smokeless	0.0	0.0	0.0	0.0	0.0	0.0
# Smokers receiving Cessation Counseling	0	0	0	0	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	0.0	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator H (con't): Tobacco Screening, Use and ETS

MALE ACTIVE CLINICAL POPULATION

Age Distribution

	5-13	14-17	18-24	25-44	45-64	65 and older
CHANGE FROM PREV YR %						
Tobacco Screening	+0.2	-0.4	+1.5	-1.5	-3.3	-2.4
Tobacco Users	+0.0	-200.0	-23.4	+12.9	+3.9	-50.0
Smokers	+0.0	-200.0	-23.4	+8.0	+3.9	-50.0
Smokeless	+0.0	+0.0	+0.0	+4.9	+0.0	+0.0
Counseling	+0.0	+0.0	+0.0	+0.0	+0.0	+0.0
ETS	+0.0	+0.0	+0.0	+0.0	+0.0	+0.0
BASELINE REPORT PERIOD						
MALE Active Clinical	544	194	262	649	198	36
# Tobacco Screening	0	2	8	55	22	6
% w/Tobacco Screening	0.0	1.0	3.1	8.5	11.1	16.7
# Tobacco Users	0	2	4	27	12	2
% Tobacco Users	0.0	100.0	50.0	49.1	54.5	33.3
# Smokers	0	2	3	24	12	1
% Smokers	0.0	100.0	37.5	43.6	54.5	16.7
# Smokeless	0	0	1	3	0	1
% Smokeless	0.0	0.0	12.5	5.5	0.0	16.7
# Smokers receiving Cessation Counseling	0	0	0	0	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	0.0	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0
CHANGE FROM BASE YR %						
Tobacco Screening	+0.2	-1.0	+1.1	-2.0	+1.8	+0.0
Tobacco Users	+0.0	-100.0	+40.9	+26.5	-6.2	-33.3
Smokers	+0.0	-100.0	+53.4	+27.1	-6.2	-16.7
Smokeless	+0.0	+0.0	-12.5	-0.6	+0.0	-16.7
Counseling	+0.0	+0.0	+0.0	+0.0	+0.0	+0.0
ETS	+0.0	+0.0	+0.0	+0.0	+0.0	+0.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator H (con't): Tobacco Screening, Use and ETS

	FEMALE ACTIVE CLINICAL POPULATION					
	Age Distribution					
	5-13	14-17	18-24	25-44	45-64	65 and older
CURRENT REPORT PERIOD						
FEMALE Active Clinical	573	258	605	1,197	531	119
# Tobacco Screening	0	6	20	108	106	28
% w/Tobacco Screening	0.0	2.3	3.3	9.0	20.0	23.5
# Tobacco Users	0	3	9	45	33	6
% Tobacco Users	0.0	50.0	45.0	41.7	31.1	21.4
# Smokers	0	3	9	44	33	6
% Smokers	0.0	50.0	45.0	40.7	31.1	21.4
# Smokeless	0	0	0	1	0	0
% Smokeless	0.0	0.0	0.0	0.9	0.0	0.0
# Smokers receiving Cessation Counseling	0	0	0	1	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	2.2	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0
PREVIOUS YEAR PERIOD						
FEMALE Active Clinical	546	239	632	1,212	505	112
# Tobacco Screening	0	8	30	108	100	20
% w/Tobacco Screening	0.0	3.3	4.7	8.9	19.8	17.9
# Tobacco Users	0	8	19	61	28	4
% Tobacco Users	0.0	100.0	63.3	56.5	28.0	20.0
# Smokers	0	8	19	61	28	4
% Smokers	0.0	100.0	63.3	56.5	28.0	20.0
# Smokeless	0	0	0	0	0	0
% Smokeless	0.0	0.0	0.0	0.0	0.0	0.0
# Smokers receiving Cessation Counseling	0	0	0	0	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	0.0	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0

*** IHS FY03 Local Clinical Performance Indicator Report ***

DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Indicator H (con't): Tobacco Screening, Use and ETS

FEMALE ACTIVE CLINICAL POPULATION

Age Distribution

	5-13	14-17	18-24	25-44	45-64	65 and older
CHANGE FROM PREV YR %						
Tobacco Screening	+0.0	-1.0	-1.4	+0.1	+0.2	+5.7
Tobacco Users	+0.0	-50.0	-18.3	-14.8	+3.1	+1.4
Smokers	+0.0	-50.0	-18.3	-15.7	+3.1	+1.4
Smokeless	+0.0	+0.0	+0.0	+0.9	+0.0	+0.0
Counseling	+0.0	+0.0	+0.0	+2.2	+0.0	+0.0
ETS	+0.0	+0.0	+0.0	+0.0	+0.0	+0.0
BASELINE REPORT PERIOD						
FEMALE Active Clinical	552	249	586	1,156	403	86
# Tobacco Screening	1	4	49	105	67	11
% w/Tobacco Screening	0.2	1.6	8.4	9.1	16.6	12.8
# Tobacco Users	0	6	25	51	25	4
% Tobacco Users	0.0	150.0	51.0	48.6	37.3	36.4
# Smokers	0	6	25	51	25	4
% Smokers	0.0	150.0	51.0	48.6	37.3	36.4
# Smokeless	0	0	0	0	0	0
% Smokeless	0.0	0.0	0.0	0.0	0.0	0.0
# Smokers receiving Cessation Counseling	0	0	0	0	0	0
% Smokers receiving Cessation Counseling	0.0	0.0	0.0	0.0	0.0	0.0
# ETS/Smk Home	0	0	0	0	0	0
% ETS/Smk Home	0.0	0.0	0.0	0.0	0.0	0.0
CHANGE FROM BASE YR %						
Tobacco Screening	-0.2	+0.7	-5.1	-0.1	+3.3	+10.7
Tobacco Users	+0.0	-100.0	-6.0	-6.9	-6.2	-14.9
Smokers	+0.0	-100.0	-6.0	-7.8	-6.2	-14.9
Smokeless	+0.0	+0.0	+0.0	+0.9	+0.0	+0.0
Counseling	+0.0	+0.0	+0.0	+2.2	+0.0	+0.0
ETS	+0.0	+0.0	+0.0	+0.0	+0.0	+0.0

*** IHS FY03 Local Clinical Performance Indicator Report ***
 DEMO SITE

Report Period: Jan 01, 2002 to Dec 31, 2002

Previous Year Period: Jan 01, 2001 to Dec 31, 2001

Baseline Period: Jan 01, 1999 to Dec 31, 1999

Denominator #3: Active Clinical

Pregnant women

ages 18-49

225

211

203

w/Tobacco

Screening

9 4.0

10 4.7

-0.7

14 6.9

-2.9

tobacco users

5 2.2

8 3.8

-1.6

8 3.9

-1.7

Smokers

5 2.2

8 3.8

-1.6

8 3.9

-1.7

Smokeless Tobacco

Users

0 0.0

0 0.0

+0.0

0 0.0

+0.0

Tobacco users receiving

cessation educ

0 0.0

0 0.0

+0.0

0 0.0

+0.0

exposed to ETS/
 smoker in home

0 0.0

0 0.0

+0.0

0 0.0

+0.0