



RESOURCE AND PATIENT MANAGEMENT SYSTEM

IHS PCC Suite

(BJPC – APCD)

Addendum to User Manual

Version 2.0 Patch 25
May 2021

Office of Information Technology
Division of Information Technology

Table of Contents

1.0	Introduction.....	1
1.1	Summary of Changes	1
2.0	Patch 25 Changes.....	2
2.1	Warning Indicating When ICD10 Should Be Secondary DX	2
2.2	Warning Indicating Incorrect Age/Gender for ICD10.....	2
2.2.1	Warning for Incorrect Age.....	2
2.2.2	Warning for Incorrect Gender	2
	Acronym List	3
	Contact Information	4

1.0 Introduction

Review these changes and add a copy of them to any printed documentation your site may be using for the Indian Health Service (IHS) Patient Care Component (PCC) Suite (BJPC) v2.0. These changes will be integrated into future versions of the software and user manuals. These changes will no longer be considered an addendum at the time of the next version release.

This addendum only provides written guidance on changes made in the patch that are relevant to the user. To see a list of all changes, please refer to the patch notes for each of the respective patches.

1.1 Summary of Changes

Patch 25 includes the following enhancements to the BJPC functionality:

- Warning indicating when ICD10 should be Secondary DX.
- Warning indicating Incorrect Age/Gender for ICD10.

2.0 Patch 25 Changes

Patch 25 includes the following enhancements to PCC Data Entry.

2.1 Warning Indicating When ICD10 Should Be Secondary DX

When entering, modifying, or appending a diagnosis, a warning message (Figure 2-1) displays when an ICD10 diagnosis designated for secondary diagnosis use is entered as the primary diagnosis for a visit.

```
WARNING: The Primary Purpose of Visit: D64.1 cannot be used as a principal diagnosis. Please review and re-sequence the Purpose of Visits, if appropriate, before marking the visit Reviewed/Complete.
```

Figure 2-1: ICD10 Diagnosis Secondary DX warning message

2.2 Warning Indicating Incorrect Age/Gender for ICD10.

2.2.1 Warning for Incorrect Age

When entering, modifying, or appending a diagnosis, a warning message (Figure 2-2) is given when an ICD10 diagnosis is added to a visit for a patient whose age is not appropriate for that ICD10 code.

In this example, the age range for the entered diagnosis code is 15 to 124 years of age. The patient selected is 9-years old, so the code is incorrect.

```
WARNING: The AGE RANGE for diagnosis A18.14 is 15-124 years of age. This patient is 9 years old. Do you still want to use this code? NO//
```

Figure 2-2: Female Patient with Inappropriate Age ICD10 code.

2.2.2 Warning for Incorrect Gender

When entering, modifying, or appending a diagnosis, a warning message (Figure 2-3) displays when an ICD10 diagnosis is added to a visit for a patient whose gender is not appropriate for that ICD10 code.

In this example, the gender for the entered diagnosis code is male. The patient selected is a female, so the code is incorrect.

```
This diagnosis code is to be used for MALES. This patient is FEMALE. Do you still want to use this code? NO//
```

Figure 2-3: Female Patient with Inappropriate Gender ICD10 code

Acronym List

Acronym	Meaning
ICD	International Classification of Diseases
IHS	Indian Health Service
PCC	Patient Care Component
RPMS	Resource and Patient Management System

Contact Information

If you have any questions or comments regarding this distribution, please contact the IHS IT Service Desk.

Phone: (888) 830-7280 (toll free)

Web: <https://www.ihs.gov/itsupport/>

Email: itsupport@ihs.gov