



RESOURCE AND PATIENT MANAGEMENT SYSTEM

# iCare Population Management GUI (BQI)

## Technical Manual

Version 2.9 Patch 3  
October 2022

# Table of Contents

<b>1.0</b>	<b>Introduction.....</b>	<b>1</b>
<b>2.0</b>	<b>Orientation .....</b>	<b>2</b>
<b>3.0</b>	<b>Implementation and Maintenance.....</b>	<b>3</b>
3.1	General Information .....	3
3.2	System Requirements .....	3
3.3	Package-wide Variables .....	4
3.4	Security Keys.....	4
<b>4.0</b>	<b>iCare Menus .....</b>	<b>6</b>
<b>5.0</b>	<b>Routine Descriptions .....</b>	<b>7</b>
5.1	Routine List.....	7
5.2	Routines with Description .....	9
<b>6.0</b>	<b>Files and Tables.....</b>	<b>23</b>
6.1	File List .....	23
6.2	File Access .....	25
6.3	Cross References .....	27
6.3.1	90505 iCare User .....	27
6.3.2	90505.2 iCare Roles .....	46
6.3.3	90505.3 iCare COVID Immunocompromised ICDs .....	47
6.3.4	90505.4 iCare Provider.....	47
6.3.5	90505.6 iCare Facility .....	48
6.3.6	90505.7 iCare Clinic .....	50
6.3.7	90505.8 iCare Team.....	51
6.3.8	90505.9 iCare COVID High Risk ICDS .....	53
6.3.9	90506 iCare Definitions .....	54
6.3.10	90506.1 iCare Panel View .....	56
6.3.11	90506.2 iCare Diagnosis Categories .....	58
6.3.12	90506.3 iCare File Definition .....	60
6.3.13	90506.4 iCare GUI Tabs.....	64
6.3.14	90506.5 iCare View Source .....	65
6.3.15	90506.6 iCare Reports List.....	67
6.3.16	90506.7 iCare Startup Tabs.....	67
6.3.17	90506.8 iCare IPC Categories.....	67
6.3.18	90506.9 iCare Timeframes .....	68
6.3.19	90507 iCare Registry Index .....	69
6.3.20	90507.1 iCare Web Links .....	71
6.3.21	90507.2 iCare Measurements Definitions.....	71
6.3.22	90507.3 iCare Routine Events.....	72
6.3.23	90507.5 iCare Patient.....	73
6.3.24	90507.6 iCare Community Alerts.....	77

6.3.25	90507.7 iCare Comm Alerts Export .....	79
6.3.26	90507.8 iCare Community Alerts Definitions .....	80
6.3.27	90508 iCare Site Parameters .....	83
6.3.28	90508.1 iCare User Templates.....	86
6.3.29	90508.2 iCare Glossaries .....	87
6.3.30	90508.3 iCare Taxonomy Category.....	87
6.3.31	90508.4 iCare Taxonomy Files.....	88
6.3.32	90508.5 iCare Treatment Prompts .....	88
6.3.33	90508.6 iCare V Files .....	89
6.3.34	90509 iCare DX Cat Registry .....	89
6.3.35	90509.1 iCare DX Cat Reasons .....	90
6.3.36	90509.4 iCare Reminder Notifications .....	91
6.3.37	90509.5 iCare DX Cat Factors.....	91
6.3.38	90509.9 iCare Temporary Data .....	92
6.4	Table File.....	92
6.4.1	90505 iCare User .....	93
6.4.2	90505.2 iCare Roles .....	105
6.4.3	90505.3 iCare COVID Immunocompromised ICDS .....	105
6.4.4	90505.4 iCare Provider.....	105
6.4.5	90505.6 iCare Facility .....	109
6.4.6	90505.7 iCare Clinic .....	112
6.4.7	90505.8 iCare Team.....	114
6.4.8	90505.9 iCare COVID High Risk ICDS .....	115
6.4.9	90506 iCare Definitions .....	115
6.4.10	90506.1 iCare Panel View .....	116
6.4.11	90506.2 iCare Diagnosis Categories .....	117
6.4.12	90506.3 iCare File Definition .....	119
6.4.13	90506.4 iCare GUI Tabs.....	123
6.4.14	90506.5 iCare View Source .....	123
6.4.15	90506.6 iCare Reports List.....	125
6.4.16	90506.7 iCare Startup Tabs.....	126
6.4.17	90506.8 iCare IPC Categories.....	126
6.4.18	90506.9 iCare Timeframes .....	126
6.4.19	90507 iCare Registry Index .....	127
6.4.20	90507.1 iCare Weblinks .....	129
6.4.21	90507.2 iCare Measurements Definitions.....	129
6.4.22	90507.3 iCare Routine Events.....	130
6.4.23	90507.5 iCare Patient.....	130
6.4.24	90507.6 iCare Community Alerts.....	133
6.4.25	90507.7 iCare Comm Alerts Export .....	134
6.4.26	90507.8 iCare Community Alerts Definitions .....	135
6.4.27	90508 iCare Site Parameters .....	137
6.4.28	90508.1, iCare User Templates.....	147
6.4.29	90508.2, iCare Glossaries .....	148
6.4.30	90508.3, iCare Taxonomy Category.....	148

6.4.31	90508.4, iCare Taxonomy Files.....	148
6.4.32	90508.5, iCare Treatment Prompts .....	148
6.4.33	90508.6, iCare V Files .....	149
6.4.34	90509, iCare DX Cat Registry .....	149
6.4.35	90509.1, iCare DX Cat Reasons .....	150
6.4.36	90509.4, iCare Reminder Notifications .....	151
6.4.37	90509.5, iCare DX Cat Factors.....	151
6.4.38	90509.9, iCare Temporary Data .....	152
<b>7.0</b>	<b>External Relations .....</b>	<b>153</b>
7.1	Callable Routines.....	166
7.2	Published Entry Points.....	201
7.3	Exported Options.....	202
<b>8.0</b>	<b>Internal Relations .....</b>	<b>204</b>
<b>9.0</b>	<b>iCare Windows Client.....</b>	<b>205</b>
9.1	Description of Development Environment.....	205
9.2	iCare RPMS Server Requirements .....	205
9.3	List of iCare GUI Dependencies .....	205
9.4	iCare Windows Client—Install % .....	207
9.5	iCare Windows Client — List of Object Classes .....	210
<b>10.0</b>	<b>Archiving and Purging .....</b>	<b>222</b>
<b>11.0</b>	<b>Documentation Resources .....</b>	<b>223</b>
11.1	System Documentation.....	223
11.1.1	%INDEX .....	223
11.1.2	Inquire Options .....	224
11.1.3	Print Option File.....	224
11.1.4	List File Attributes.....	224
11.2	Online Help.....	225
<b>12.0</b>	<b>SAC Requirements and Exemptions .....</b>	<b>226</b>
<b>Glossary .....</b>		<b>227</b>
<b>Acronym List .....</b>		<b>230</b>
<b>Contact Information .....</b>		<b>232</b>

## Revision History

Version	Date	Author	Description
V2.9	11/30/2020	Skip Squires	Initial draft for v2.9
v2.9	12/4/2020	Arlis Acord, Michael Wetzel	v2.9 Release
V2.9 Patch 3	06/10/2022	Arlis Acord, Michael Wetzel, Skip Squires	V2.9 Patch 3

## Preface

The purpose of the Technical Manual is to provide technical information about the iCare Population Management (BQI) Graphical User Interface (GUI) package. The BQI package is designed to enable clinical case managers and providers to track, monitor, administer, and report on clinical care delivered to patients.

iCare had three component parts: the main iCare, the HIV Management System (HMS) and the Care Management Event Tracking (CMET) System.

The main iCare Population Management GUI (BQI) software is a component of the Indian Health Service (IHS) Resource and Patient Management System (RPMS) that provides case-management functions. Case management provides a mechanism to inform healthcare providers about single or multiple disease states and conditions and allows them to follow-up clinical interventions. RPMS applications can assist healthcare providers identify high-risk patients, proactively track care reminders and the health status of individuals or populations, provide appropriate care by embedding evidence-based guidelines, and report outcomes. Appropriate case management improves the delivery of care, as well as the outcome. In addition, there are documented fiscal benefits when appropriate case management is introduced into the healthcare business process model.

The HMS functionality was written specifically for the care and management of Patients Living With HIV/AIDS (PLWH/A).

The CMET functionality allows sites to track specific events and follow them to completion. In CMET, the events that can be tracked are related to women's health. CMET offers users the ability to track an event, enter findings, recommend follow-up events, and create and document patient notifications.

## 1.0 Introduction

This manual provides IHS site managers with a technical description of the iCare Population Management GUI routines, files, menus, cross references, globals, and other necessary information required to effectively manage the system. iCare is comprised of the main iCare System, the Human Immunodeficiency Virus (HIV) Management System (HMS) and the Care Management Event Tracking (CMET) System (BTPW).

All routines, files, options, and keys are namespaced starting with the letters “BQI” for iCare, “BKM” for HMS, and “BTPW” for CMET.

The file number range for BQI is 90505–90509.99; for BKM is 90450–90459.99 and for CMET is 90620–90629.99.

## 2.0 Orientation

The iCare package has no RPMS menu options for users. The only RPMS preparation specifically needed to run iCare is to install the Kernel Installation and Distribution System (KIDS) package, assign the appropriate Remote Procedure Call (RPC) menu option to users, and set up the appropriate background jobs. The rest of the iCare package is run and managed on the personal computer client. See the Installation Guide for details on server and client installation and configuration.

Interaction between iCare and the RPMS system is accomplished entirely through the use of RPCs. All RPCs in this package begin with their appropriate namespace.

## 3.0 Implementation and Maintenance

### 3.1 General Information

iCare has a RPMS and Windows GUI client. GUI-related information is listed in Section 9.0 iCare Windows Client.

### 3.2 System Requirements

Table 3-1 shows the minimum versions of other packages that must be installed for iCare to work properly.

Table 3-1: System requirements

Module	Minimum Version Needed
VA FileMan (DI)	v22. p1020
VA Kernel (XU)	v8. p1020
Toolkit (XT)	v7.3 p1019
BMXNet (BMX)	v4. p5
IHS/VA Utilities (XB)	v3.0 through p11
Patient Information Management System (PIMS)	v5.3 through p 020
PCC Data Entry (APCD)	v2.0 through p10
PCC Health Summary (APCH)	v2.0 through p17
Q-Man (AMQQ)	v2.0 through p21
HIV Management System (BKM)	v2.2 p2
IHS Asthma Register (BAT)	v1.0
IHS PCC Suite (BJPC)	v2. p25
IHS MU Performance Reports (APCM)	v2.0
Referred Care Info System (BMC)	v4. p13
Patient Registration (AG)	v7.2 p8
Immunization (BI)	v8.5 p22 and v8.5 p1003
IHS User Security Audit (BUSA)	v1. p3
Diabetes Management System (BDM)	v2. p14
Designated Provider Mgt System (BDP)	v1. p1
EHR	v1.1 p31
Clinical Reminders (PXRM)	v2. p1012
Text Integration Utilities (TIU)	v1. p1023
Taxonomy (ATX)	v5.1 p39
IHS Clinical Reporting (BGP)	v21.1

<b>Module</b>	<b>Minimum Version Needed</b>
IHS ICD/CPT Lookup & Grouper (AICD)	v4. p 1
CPT FILES (ACPT)	v2.21 P 8
ICD UPDATE (AUM)	v22.0
Lab Service (LR)	v5.2 P 1049
IHS DICTIONARIES (PATIENT) (AUPN)	v99.1 P 28
IHS DICTIONARIES (POINTERS) (AUT)	v8.1 P 31
IHS VA SUPPORT FILES (AVA)	v93.2 P 26
CCDA (BCCD)	v2.0 P 1
ICARE (BQI)	v2.9 p2
IHS Communications Support (BCOM)	V1.0

### 3.3 Package-wide Variables

There are no package-wide BQI variables in RPMS.

### 3.4 Security Keys

Users who already have keys AMHZ SUICIDE FORM ENTRY and/or APCDZ SUICIDE FORMS will be assumed to have access to view suicide forms in iCare.

Table 3-2 lists the security keys which govern iCare that can be assigned to users.

Table 3-2: Security Keys

<b>Key Name</b>	<b>Description</b>
BQIZCMED	Assigned to iCare users who are allowed to edit care-management data. This includes editing existing RPMS register data.
BQIZMGR	Assigned to users who will manage the iCare system. It should not be assigned to the general RPMS user population.
BQIZTXED	Assigned to the small group of iCare users who are allowed to add and delete entries from site-specified taxonomies, such as Lab and Medication. This key should not be assigned to the general RPMS user population.
BQIZIPCMGR	Assigned to the person who has been designated as the Improving Patient Care (IPC) Collaborative Coordinator.
BQIZEMPHLTH	Allows users to create and view an Employee Health Panel to monitor certain information about employees. Because of the sensitivity of the data, it should not be given to the general RPMS user population.
BQIZDSPM	Allows specific users in iCare to update the Designated Primary Care Provider.

<b>Key Name</b>	<b>Description</b>
BQIZCANES	This key should be assigned to those users of iCare who has the need to see the details about who is showing up in the Community Alerts.

## 4.0 iCare Menus

There are no specific RPMS menus in the iCare system as iCare is a Graphical User Interface (GUI). There are some reports which are RPMS menus.

Table 4-1: Menus

Menu Name	Description
BQI CANES EXPORT REPORT	This report lists the CANES exports and the data that was exported. Version 2.9 Patch 3 now has a GUI report for this.
BQI IPC MISMATCH PROV	List of patients whose DPCP in the DSPM module does not match the Primary Care Provider in the Patient file.
BQI IPC PROVIDER COUNT	Count of patients for Primary Care Providers.
BQI CANES LAB EXPORT	Exports lab and diagnoses data for the Community Alerts to the Department of Epidemiology.

## 5.0 Routine Descriptions

### 5.1 Routine List

Routine	Routine	Routine	Routine	Routine	Routine
BQIAAP	BQIAGE	BQIBCOMU	BQIBHSFL	BQIBHSFP	BQICACCD
BQICAEP1	BQICAEP2	BQICAEP3	BQICAEXP	BQICAGRP	BQICAHIS
BQICAHLO	BQICAHLP	BQICALRE	BQICALRN	BQICALRT	BQICAOPO
BQICAPT	BQICARPT	BQICASE	BQICASPL	BQICASPM	BQICASUI
BQICAUT1	BQICAUTL	BQICAVA1	BQICAVAL	BQICAVW	BQICEADD
BQICEVW	BQICMCSM	BQICMDNM	BQICMHP	BQICMLST	BQICMPAT
BQICMRUN	BQICMUT1	BQICMUT2	BQICMUT3	BQICMUT4	BQICMUTL
BQICMVW	BQICONPL	BQIDCABA	BQIDCABK	BQIDCAH	BQIDCAH1
BQIDCAH2	BQIDCAH3	BQIDCAH4	BQIDCAH5	BQIDCAH6	BQIDCAH7
BQIDCAH8	BQIDCAH9	BQIDCAHI	BQIDCAPC	BQIDCAPH	BQIDCASN
BQIDCDF	BQIDCEPL	BQIDCERA	BQIDCERV	BQIDCEUA	BQIDCHSA
BQIDCINP	BQIDCLK	BQIDCMCM	BQIDCMDP	BQIDCMPR	BQIDCMSP
BQIDCMYC	BQIDCNOT	BQIDCORD	BQIDCPM	BQIDCREG	BQIDCREM
BQIDCTX	BQIDCUTL	BQIEHHLP	BQIFLAG	BQIFLFLG	BQIFLG
BQIFLGET	BQIFLRUN	BQIFLUPD	BQIGPAGG	BQIGPFX	BQIGPHLP
BQIGPMSR	BQIGPORD	BQIGPPL	BQIGPRA	BQIGPRA1	BQIGPRA2
BQIGPRA3	BQIGPRA4	BQIGPRA5	BQIGPRA6	BQIGPRUN	BQIGPUPD
BQIGPUTL	BQIGPVW	BQIHEADR	BQIIPBNL	BQIIPC4	BQIIPC5
BQIIPCAT	BQIIPCBP	BQIIPCC	BQIIPCCP	BQIIPCCT	BQIPCFX
BQIIPCGL	BQIIPCCHM	BQIIPCLN	BQIIPCM	BQIIPCME	BQIPCMFM
BQIIPCMH	BQIIPCUT	BQIIPCW	BQIIPCYC	BQIIPDXC	BQIPEMP
BQIIPMNU	BQIIPMON	BQIIPOTC	BQIIPPNL	BQIIPPOR	BQIIPPRA
BQIIPPRG	BQIIPRV	BQIIPPT	BQIIPRVG	BQIIPSIT	BQIIPNSG
BQIIPPTBL	BQIIPTM	BQIIPST	BQIIPTVW	BQIIPUPD	BQIIPUT1
BQIIPPUTL	BQIIPWKL	BQILKSMD	BQILYDEF	BQILYUPD	BQILYUTL
BQIMSLST	BQIMSPL	BQIMSVW	BQIMTCR1	BQIMTCRD	BQIMTCRT
BQIMTREG	BQIMUCQH	BQIMUDCQ	BQIMUDFC	BQIMUDFH	BQIMUDPR
BQIMUEXP	BQIMUFAC	BQIMUFCH	BQIMUHLP	BQIMULST	BQIMUMON
BQIMUPER	BQIMUPRH	BQIMUPRS	BQIMUPRV	BQIMURPT	BQIMURUN
BQIMUSIT	BQIMUTAB	BQIMUTIM	BQIMUTSK	BQIMUUPD	BQIMUUSR
BQIMUVFL	BQINIGH1	BQINIGH2	BQINIGH3	BQINIGH4	BQINIGHT
BQINIGZT	BQINOTF	BQINOTR	BQINOTT	BQINRUN	BQINTEG

Routine	Routine	Routine	Routine	Routine	Routine
BQINTEG0	BQINTEG1	BQIORDPL	BQIPANEL	BQIPDSC1	BQIPDSC2
BQIPDSC3	BQIPDSCF	BQIPDSCL	BQIPDSCM	BQIPLADR	BQIPLAP
BQIPLCNV	BQIPLCP	BQIPLCR	BQIPLCTX	BQIPLDF	BQIPLDFN
BQIPLDL	BQIPLDS1	BQIPLDS2	BQIPLDSC	BQIPLFL	BQIPLFL1
BQIPLFLD	BQIPLFLG	BQIPLLAY	BQIPLLK	BQIPLLOG	BQIPLMF
BQIPLMRU	BQIPLMY	BQIPLOVW	BQIPLPM	BQIPLPNL	BQIPLPP
BQIPLPT	BQIPLPU	BQIPLRF	BQIPLRFU	BQIPLRFV	BQIPLRP
BQIPLRT	BQIPLRT1	BQIPLRVW	BQIPLSH	BQIPLSL	BQIPLSTA
BQIPLTP	BQIPLUS1	BQIPLUSR	BQIPLUTL	BQIPLVEW	BQIPLVW
BQIPLVWC	BQIPLVWP	BQIPTALG	BQIPTAP	BQIPTBTL	BQIPTCON
BQIPTCPT	BQIPTDDG	BQIPTDG	BQIPTDMG	BQIPTDX	BQIPTED
BQIPTELD	BQIPTEXM	BQIPTFHD	BQIPTFHE	BQIPTFHH	BQIPTFHR
BQIPTFHS	BQIPTFHT	BQIPTFLG	BQIPTHF	BQIPTHLP	BQIPTIMM
BQIPTIMP	BQIPTINS	BQIPTLKP	BQIPTLNK	BQIPTMRG	BQIPTMSR
BQIPTORD	BQIPTPNL	BQIPTPOV	BQIPTPR	BQIPTPRC	BQIPTPRV
BQIPTREG	BQIPTREP	BQIPTREV	BQIPTRF	BQIPTRP1	BQIPTRPF
BQIPTRPU	BQIPTSEN	BQIPTSKN	BQIPTTR	BQIPTUPD	BQIPTVFV
BQIPTVS	BQIPTVST	BQIREFPL	BQIREM	BQIRFCE	BQIRFCRQ
BQIRGACM	BQIRGADD	BQIRGAGL	BQIRGASP	BQIRGASU	BQIRGCOP
BQIRGCVD	BQIRGDBA	BQIRGDBL	BQIRGDEF	BQIRGDMA	BQIRGDMS
BQIRGDMT	BQIRGHEP	BQIRGHGL	BQIRGHLP	BQIRGHML	BQIRGHOF
BQIRGHPC	BQIRGHQC	BQIRGLK	BQIRGLST	BQIRGPD	BQIRGPG
BQIRGPL	BQIRGPT	BQIRGTH1	BQIRGTH2	BQIRGTHM	BQIRGUT1
BQIRGUTL	BQIRGVW	BQIRHS	BQIRHSR	BQIRLB	BQIRMAGG
BQIRMCHK	BQIRMD	BQIRMDR	BQIRMDR1	BQIRMDR2	BQIRMHLP
BQIRMIZ	BQIRMPAT	BQIRMPL	BQIRMREG	BQIRMRL	BQIRMRUN
BQIRMZDR	BQIRPASM	BQIRPL	BQIRPLN	BQIRPWH	BQIRRD
BQIRREG	BQIRRHSP	BQIRRPT	BQIRSPMT	BQIRSPR	BQIRWS
BQISCHED	BQISNOMS	BQISYDIV	BQISYKEY	BQISYPNL	BQISYPRM
BQISYSIT	BQISYTSK	BQISYWEB	BQITASK	BQITASK1	BQITASK2
BQITASK3	BQITASK4	BQITASK5	BQITASK6	BQITASK7	BQITAXCK
BQITAXX	BQITAXX1	BQITAXX2	BQITAXX3	BQITAXX4	BQITAXX5
BQITAXXC	BQITAXXP	BQITAXXU	BQITBMI	BQITD01	BQITD02
BQITD03	BQITD031	BQITD04	BQITD05	BQITD06	BQITD061
BQITD07	BQITD08	BQITD081	BQITD09	BQITD10	BQITD11
BQITD12	BQITD13	BQITD14	BQITD15	BQITD16	BQITD17

Routine	Routine	Routine	Routine	Routine	Routine
BQITD18	BQITD19	BQITD20	BQITD28	BQITDBMI	BQITDGN
BQITDINS	BQITDLAB	BQITDLST	BQITDPAT	BQITDPNL	BQITDPRC
BQITDRUN	BQITDTG	BQITDUTL	BQITDVAL	BQITDW	BQITHCH
BQITIULS	BQITIUTX	BQITMPLE	BQITMPLL	BQITMPLS	BQITNPH
BQITRACB	BQITRADD	BQITRALG	BQITRASM	BQITRCBP	BQITRCHR
BQITRCKN	BQITRCLB	BQITRCMD	BQITRCON	BQITRCSG	BQITRCTB
BQITREDU	BQITRGLS	BQITRHP	BQITRIBE	BQITRMT	BQITRPAT
BQITRPHS	BQITRPPT	BQITRPRT	BQITRREF	BQITRRSK	BQITRRUN
BQITRSK	BQITRUPD	BQITRUT1	BQITRUT2	BQITRUTL	BQITU
BQITUTL	BQITXPRT	BQIUDEF	BQIUG1	BQIUL1	BQIUL2
BQIUL3	BQIUL4	BQIULAY	BQIULAY1	BQIULDT	BQIULLK
BQIULPT	BQIULSC	BQIUSPRF	BQIUSRC	BQIUTB	BQIUTB1
BQIUTB2	BQIUTB3	BQIUTB4	BQIUTB5	BQIUTB6	BQIUTIL
BQIVER	BQIVFADD	BQIVFCHC	BQIVFDEF	BQIVFTLK	BQIVFTRB
BQIVFTRE	BQIVFTRF	BQIVFTRH	BQIVFTRI	BQIVFTRL	BQIVFTRM
BQIVFTRO	BQIVFTRP	BQIVFTRT	BQIVFVAL	BQIWHPRF	

## 5.2 Routines with Description

Routine	Description
BQIAAP	Generates an Asthma Action Plan for a patient.
BQIAGE	This program is taken from the computed AGE field (2,033) that calculates the age of a person based on their date of birth (DOB) and either the current date or their date of death.
BQIBCOMU	Sets up the ftp process for Ensemble for GetCANES and SendCANES.
BQIBHSFL	Program to retrieve list of all suicide forms in RPMS for a patient.
BQIBHSFP	Program to display a selected suicide form.
BQICACCD	CANES CCD Export
BQICAEP1	Community Alerts Logic
BQICAEP2	Community Alerts Logic
BQICAEP3	Sets up Opioid Baseline from Jan 1, 2016
BQICAEXP	Community Alerts Export
BQICAHIS	Retrieves the data for the Community Alert History Report
BQICAHLO	Community Alert HL7 segment builder.
BQICAHLP	Retrieves the Community Alerts Glossary.
BQICALRE	New data mining for Electronic Case Reporting

<b>Routine</b>	<b>Description</b>
BQICALRN	Three Year Export of Alert Data
BQICALRT	Community Alerts Logic
BQICAPO	Dept of EPI Comm Alert Opioid Alert
BQICAPT	Routine gets the information about Community Alerts patients.
BQICARPT	CANES Export Report
BQICASE	Case Reporting updates
BQICASPL	Community Alerts Splash screen
BQICASPM	Sets up Community Alerts Popup.
BQICASUI	Finds Community Alerts Suicidal behavior entries.
BQICAUT1	Cross reference utility for MUMPS style cross references for the iCare Community Alerts File (#90507.6)
BQICAUTL	Utility program to prevent re-reporting of certain CDC NND alerts.
BQICAVA1	Continuation of BQICAVAL
BQICAVAL	Community Alert Lab data for export
BQICAVW	Community Alerts View
BQICEADD	CMET Add Event
BQICEVW	CMET Views for iCare
BQICMCSM	Case Summary Component
BQICMDNM	Returns a Care Mgmt denominator
BQICMHLP	Retrieves Care Mgmt Help Text
BQICMLST	Gets a list of Care Mgmt entries
BQICMPAT	Care Management Patient recalc routine
BQICMRUN	Gets the last date/time that Care Mgmt job ran.
BQICMUT1	Care Management utility routine
BQICMUT2	Care Management utility routine
BQICMUT3	Care Mgmt group APIs
BQICMUT4	Care Mgmt group APIs for COVID
BQICMUTL	Care Management utility routine
BQICMVW	Care Management View routine
BQICONPL	Consults by Panel routine
BQIDCABA	Abnormal Lab Flag Results
BQIDCABK	Abnormal Lab Kernel Alerts
BQIDCAH	Ad Hoc panel definition main search program.
BQIDCAH1	Ad Hoc search for Age, Beneficiary, Dx Category, and Date ranges
BQIDCAH2	Ad Hoc search for Visit and Provider, Clinic
BQIDCAH3	Ad Hoc search for Labs, Medications, and CPTs

<b>Routine</b>	<b>Description</b>
BQIDCAH4	Ad Hoc search for Employer, Panel, Problem, No documented problems, No documented medications, Medications not reviewed, No active medications, Problems not reviewed, No active problems
BQIDCAH5	Ad Hoc search for Date of Birth, Gender, Preferred Communication, Race, Ethnicity, Preferred Language, Pt Education
BQIDCAH6	Ad Hoc search for Allergies, No allergy assessment, No known allergy, Reminders, POV by SNOMED, POV by ICD
BQIDCAH7	Ad Hoc search for Measurements
BQIDCAH8	Ad Hoc search for Exams and Immunizations
BQIDCAH9	Ad Hoc search for Orders and Notes
BQIDCAHI	Initialize Ad Hoc search variables
BQIDCAPC	Scheduled Visits by Clinic Stop Code
BQIDCAPH	Scheduled Visits by Hospital Location
BQIDCASN	Patients Assigned To
BQIDCDF	Predefined Panel Definition
BQIDCEPL	Patients from an EHR Personal List
BQIDCERA	Emergency Room Flag Results
BQIDCERV	Emergency Room Visits
BQIDCEUA	ER Unscheduled Flag Results
BQIDCHSA	Hospitalization Visits
BQIDCINP	Inpatient search routine
BQIDCLK	Lock/Unlock patient by Dx Tag
BQIDCMCM	“My Patients-Case Manager”
BQIDCMDP	“My Patients-DPCP”
BQIDCMPR	“My Patients-Primary/Secondary Provider”
BQIDCMSP	“My Patients-Specialty Provider”
BQIDCMYC	“My Patients-Community”
BQIDCPM	Predefined Panel Parameters
BQIDCREG	Ad Hoc register search routine
BQIDCREM	Reminders Panel Definition
BQIDCTX	Taxonomy Search
BQIDCUTL	Panel Definition Utility routine
BQIEHHLP	Employee Health Glossary
BQIFLAG	Get Flag Indicator
BQIFLFLG	Determine Flag Indicator
BQIFLG	Get flags for all patients
BQIFLGET	Get flags

<b>Routine</b>	<b>Description</b>
BQIFLRUN	Get date/time flag last ran
BQIFLUPD	Update flags
BQIGPAGG	Aggregate the CRS data for a panel
BQIGPFX	Fix IPC CRS measures
BQIGPHLP	Get the CRS glossary
BQIGPMSR	GPRA Patient Demographic Measures
BQIGPORD	Group Order Entry
BQIGPPL	Natl Measures by Panel routine
BQIGPRA	CRS Aggregate Call routine
BQIGPRA1	Get CRS results by panel
BQIGPRA2	Get CRS results by patient
BQIGPRA3	Get CRS measure list
BQIGPRA4	Repopulate CRS by patient
BQIGPRA5	Get CRS Aggregate by main, by division
BQIGPRA6	Update all patients by selected CRS measures
BQIGPRUN	Get the last date/time CRS job ran
BQIGPUPD	Update iCare with new CRS year
BQIGPUTL	CRS Utility routine
BQIGPVW	CRS View routine
BQIHEADR	Standard patient display header
BQIIPBNL	IPC Panel Aggregate
BQIIPCAT	IPC Measure Categories
BQIPCBP	IPC Blood Pressure in Control routine
BQIPCC	IPC Clinic Info
BQIIPCCP	IPC Continuity of Care routine
BQIIPCCT	Continuity of Care Team
BQIIPCGL	Get IPC Glossary
BQIIPCHM	IPC Medical Home
BQIIPCLN	IPC Blood Pressure in Control routine
BQIIPCM	IPC Blood Pressure in Control routine
BQIIPCME	IPC Monthly Data Export by Provider
BQIIPCMF	Monthly File Output
BQIIPCMH	Get the IPC Provider Monthly data for export
BQIIPCUT	IPC Utility routine
BQIIPCW	Get IPC Weekly Data by Provider
BQIIPCYC	Cycle Time Measure

<b>Routine</b>	<b>Description</b>
BQIIPDXC	Search for a diagnosis for a patient and timeframe
BQIIPEMP	Get a total of empaneled patients
BQIIPMNU	IPC Monthly update routine
BQIIPMON	IPC Monthly calculation routine
BQIIPOTC	IPC Outcome bundle routine
BQIIPPNL	IPC Panel aggregate routine
BQIIPPOR	IPC Portal routine
BQIIPPRA	IPC Provider monthly aggregate routine
BQIIPPRG	IPC ER/Urgent Care visits routine
BQIIPPRV	IPC Provider Detail routine
BQIIPPT	IPC Patient Detail routine
BQIIPRVG	IPC Revenue generated routine
BQIIPSIT	IPC Site parameters
BQIIPSNG	IPC Update a single provider for a month period
BQIIPTBL	IPC Tables routine
BQIIPTM	IPC Teams
BQIPTST	IPC Testing routine
BQIPTVW	IPC Tabs view routine
BQIIPUPD	IPC Update routine
BQIIPUT1	IPC Utility routine
BQIIPUTL	IPC Utility routine
BQIIPWKL	Update Weekly
BQILKSMD	SNOMED Utility routine
BQILYDEF	Template default layouts routine
BQILYUPD	Update layout
BQILYUTL	Template layout utility routine
BQIMSLST	Get My Measures list
BQIMSPL	Get My Measures by panel
BQIMSVW	Get My Measures view
BQIMTCR1	Definition Details results
BQIMTCRD	Get Definition Details data routine
BQIMTCRT	Definition Details drop list routine
BQIMTREG	Register Components
BQINIGH1	Nightly Job routine
BQINIGH2	Nightly Job routine
BQINIGH3	Nightly Job routine

<b>Routine</b>	<b>Description</b>
BQINIGH4	Nightly Job routine
BQINIGHT	Nightly Job routine
BQINIGZT	Nightly Job routine
BQINOTF	iCare Notifications routine
BQINOTR	iCare Notifications routine
BQINOTT	Note trigger routine
BQINRUN	Night Job status routine
BQIORDPL	Retrieves patients' orders by panel
BQIPANEL	Duplicate Panel Defs
BQIPDSC1	Panel Description routine
BQIPDSC2	Panel Description routine
BQIPDSC3	Panel Description routine
BQIPDSCF	Panel Description utility
BQIPDSCL	Panel Filter Description continued
BQIPDSCM	Format Panel Generated Description
BQIPLADR	Mail Merge routine
BQIPLAP	Manually Add/Remove Patients from a panel
BQIPLCNV	Consults View routine
BQIPLCP	Copy Panel Functions
BQIPLCR	Create Panel Functions
BQIPLCTX	Create Community Taxonomy
BQIPLDF	Get Panel Definition
BQIPLDFN	Get list of DFNs for a Panel
BQIPLDL	Delete a Panel
BQIPLDS1	Panel Description Utility
BQIPLDS2	Panel Def Description Utility
BQIPLDSC	Panel Def Description Utility
BQIPLFL	Panel's Filter Parameters
BQIPLFL1	Continuation of BQIPLFL
BQIPLFLD	Panel Folders
BQIPLFLG	Get "Flags" Definition
BQIPLLAY	Layouts routine
BQIPLLK	Panel Lock/Unlock Functions
BQIPPLOG	Login Date/Time
BQIPLMF	Manual Patients Exist by Panel
BQIPLMRU	Most Recently Viewed Panels utility

<b>Routine</b>	<b>Description</b>
BQIPLMY	Get "My Patients" Definition
BQIPLOVW	Orders View routine
BQIPLPM	Get Panel Parameters
BQIPLPNL	Get list of Panels used as Filters
BQIPLPP	Populate a panel based on definition
BQIPLPT	Get Patient List by Panel
BQIPLPU	Panel Autopopulate Utility
BQIPLRF	Panel Refresh function
BQIPLRFU	Referrals list
BQIPLRFV	Referrals View routine
BQIPLRP	Replace Panel Functions
BQIPLRT	Panel List Displays
BQIPLRT1	Retrieve Panel Related Tables
BQIPLRVW	Reminders View
BQIPLSH	Panel Sharing Update
BQIPLSL	Panel Share List
BQIPLSTA	Set panel status
BQIPLTP	Reassign Panel Functions
BQIPLUS1	User Preferences continued
BQIPLUSR	User Preferences routine
BQIPLUTL	Panel Utilities
BQIPLVIEW	Get all Views for a Panel
BQIPLVW	Panel View
BQIPLVWC	Customized Panel View
BQIPLVWP	Get Patient Data by View
BQIPTALG	Get Patient Allergies
BQIPTAP	Get Patient Scheduled Visits (Pending)
BQIPTBTL	Get Patient Barriers to Learning
BQIPTCON	Get Patient Consults
BQIPTCPT	Get Patient CPT data
BQIPTDDG	Get Patient Detail Demographics
BQIPTDG	Get Patient demographic information
BQIPTDMG	Patient Demographics Update
BQIPTDX	Get Patient Diagnosis Categories
BQIPTED	Get Patient Education
BQIPTELD	Get Patient Elder Care

<b>Routine</b>	<b>Description</b>
BQIPTEXM	Get Patient Exams
BQIPTFHD	Get Patient Family History Detail
BQIPTFHE	Family History Data Entry
BQIPTFHH	Family and Household Demographics
BQIPTFHR	Family History Display
BQIPTFHS	Patient Family History
BQIPTFHT	Trigger Family History Information
BQIPTFLG	Patient Flag Indicator
BQIPTHF	Get Patient Health Factors
BQIPTHLP	Patient Help Text
BQIPTIMM	Get Patient Immunizations
BQIPTIMP	Patient Immunization Forecast Profile
BQIPTINS	Get Patient Insurance
BQIPTLKP	Patient Lookup
BQIPTLNK	Get patient record via Link
BQIPTMRG	Merge Patient Update
BQIPTMSR	Get Patient Measurements
BQIPTORD	Get Patient Orders
BQIPTPNL	Get Panels for a Patient
BQIPTPOV	Patient POVs
BQIPTPR	Patient Provider Utilities
BQIPTPRC	Get Patient ICD Procedures
BQIPTPRV	Add/Edit Designated Providers
BQIPTREG	RPMS Registers a Patient is on
BQIPTREP	Get Patient Reproductive Factors
BQIPTREV	Get Patient's Last Routine Events
BQIPTRF	Get Patient Referrals
BQIPTRP1	Patient Reproductive Factors
BQIPTRPF	Reproductive Factors Grid RPC
BQIPTRPU	Update Reproductive Factors
BQIPTSEN	Sensitive Patient Options
BQIPTSKN	Get Patient Skin Tests
BQIPTTR	Patient Triggers
BQIPTUPD	Update Patient Data
BQIPTVFV	Patient PCC V File Default List
BQIPTVS	Patient Visit Utilities

<b>Routine</b>	<b>Description</b>
BQIPTVST	Get Visit Record
BQIREFPL	Get Patient Reminders
BQIREM	Display Patient FACE Sheet
BQIRFCE	Face Sheet Missing Required fields
BQIRFCRQ	Get Patient Reminders
BQIRGACM	Register columns
BQIRGADD	Save patient register data for HMS
BQIRGAGL	Get Asthma Glossary
BQIRGASP	Care Management update by patient
BQIRGASU	Asthma Utilities
BQIRGCOP	COPD Care Management routine
BQIRGCVD	COVID Care Management Glossary
BQIRGDBA	DM Audit Report
BQIRGDBL	Register columns detail
BQIRGDEF	Registry file definition
BQIRGDMA	Set up Audit fields routine
BQIRGDMS	Diabetes Care Summary fields
BQIRGDMT	Test DM Audit
BQIRGHEP	Hepatitis Immunizations
BQIRGHGL	Get HMS Glossary
BQIRGHLP	Get Register Help Text
BQIRGHML	HMS Multiple Fields
BQIRGHOF	Set HMS Turn off Date
BQIRGHPC	Hep C Care Mgmt
BQIRGHQC	HMS QOC columns routine
BQIRGLK	Patient Register Lock/Unlock Functions
BQIRGLST	Get register list
BQIRGPD	Pediatrics Care Mgmt
BQIRGPG	Pregnancy Care Mgmt fields
BQIRGPL	Get register data by panel
BQIRGPT	Get register data by patient
BQIRGTH1	Trigger RPCs for HMS data fields
BQIRGTH2	HMS ARV Multiple Trigger
BQIRGTHM	Proposed Value Trigger RPC for HMS
BQIRGUT1	Register Utility
BQIRGUTL	Register Utilities

<b>Routine</b>	<b>Description</b>
BQIRGVW	Register View
BQIRHS	Display Patient Health Summary
BQIRHSR	Retrieve Health summary list
BQIRLB	Get Patient Labs
BQIRMAGG	Get Reminders Aggregate
BQIRMCHK	Reminder duplicate check routine
BQIRMD	Get Patient Medications
BQIRMDR	Reminders routine
BQIRMDR1	Reminders routine
BQIRMDR2	Reminders routine
BQIRMHLP	Get Reminders Help Text
BQIRMIZ	Immunization Forecaster routine
BQIRMPAT	Recalculate a patient's reminders
BQIRMPL	Get Reminders By Panel
BQIRMREG	Get Register Reminders
BQIRMRLH	Get Register Reminders Help
BQIRMRUN	Get date/time reminders last ran
BQIRMZDR	Find all reminder values
BQIRPASM	Display Asthma Patient Care Summary
BQIRPL	Get Patient Problem List
BQIRPLN	Get Problem List Notes
BQIRPWH	Retrieve Patient Wellness Handout list
BQIRRD	Get Patient Radiology
BQIRREG	HMS Register Reports
BQIRRHSP	HMS Supplement RPC
BQIRRPT	Get Reports List
BQIRSPMT	Display Selected Supplement
BQIRSPR	Retrieve Supplement List
BQIRWS	Display Patient Wellness Summary
BQISCHED	iCare Job scheduler
BQISNOMS	SNOMED Subsets
BQISYDIV	Site Parameters Divisions
BQISYKEY	Manage iCare User Keys
BQISYPNL	Auto re-populate report routine
BQISYPRM	System parameters routine
BQISYSIT	System jobs routine

<b>Routine</b>	<b>Description</b>
BQISYTSK	Check on tasks
BQISYWEB	Get Web Links
BQITASK	Weekly Job routine
BQITASK1	Weekly Job routine
BQITASK2	Weekly Job routine
BQITASK3	Weekly Job routine
BQITASK4	Update a diagnostic tag
BQITASK5	Nightly Job Tasks
BQITASK6	MU CQ Monthly Job
BQITASK7	MU Performance Monthly Job
BQITAXCK	Taxonomy check routine
BQITAXX	Get Taxonomy List
BQITAXX1	Delete Taxonomy Item
BQITAXX2	Add Taxonomy Item
BQITAXX3	Determine if User has Taxonomy Access
BQITAXX4	Update Taxonomy List
BQITAXX5	Taxonomy routine
BQITAXXC	Create Taxonomy
BQITAXXP	Taxonomy Update
BQITAXXU	Update Taxonomies for pointers
BQITBMI	BMI routine
BQITD01	Asthma DX Tag logic
BQITD02	COPD DX Tag logic
BQITD03	CVD Known DX Tag logic
BQITD031	CVD Known Definition continued
BQITD04	CVD Highest Risk DX Tag logic
BQITD05	CVD Significant Risk DX Tag logic
BQITD06	CVD At Risk DX Tag logic
BQITD061	ASCVD At Risk
BQITD07	Diabetes DX Tag logic
BQITD08	HIV/AIDS DX Tag logic
BQITD081	HIV/AIDS Definition continued
BQITD09	Hypertension DX Tag logic
BQITD10	Obese DX Tag logic
BQITD11	PreDM Metabolic Syndrome Tag logic
BQITD12	Tobacco Users (Smokers) Tag logic

<b>Routine</b>	<b>Description</b>
BQITD13	Pregnancy DX Tag logic
BQITD14	ESRD Dx Tag logic
BQITD15	CKD Stage 5 logic
BQITD16	CKD Stage 4 logic
BQITD17	CKD Stage 3 logic
BQITD18	CKD Stage 2 logic
BQITD19	CKD Stage 1 logic
BQITD20	CKD NOS logic
BQITD28	Glaucoma Dx tag logic
BQITDBMI	BMI routine
BQITDGNI	Generic DX Tag logic routine
BQITDINS	Insurance routine
BQITDLAB	Lab search routine
BQITDLST	Get History of a Patient's DX Tags
BQITDPAT	Recalculate DX Cat for a patient
BQITDPNL	Get Patient Tags by Panel
BQITDPRC	Process Diagnosis Tag for a Patient
BQITDRUN	Get last date/time Dx Tag update ran
BQITDTG	Update a tag by population
BQITDUTL	Diagnostic Tag Utilities
BQITDVAL	Dx Tag Validation routine
BQITDWCH	Calculate Waist Circumference
BQITHCH	High Cholesterol Definition
BQITIULS	List of Documents for a Patient
BQITIUTX	Get TIU Document Text
BQITMPL	Template Handling routine
BQITMPLL	Get list of templates
BQITMPLS	Template Add/Edit/Delete/Share
BQITNPH	Nephropathy Definition
BQITRACB	Treatment Prompt for ACEI or ARB
BQITRADD	Add Treatment Prompt API
BQITRALG	Treatment Prompts Meds
BQITRASM	CVD Assessment
BQITRCBP	CVD Blood Pressure
BQITRCHR	CVD Highest Risk Treatment Prompts
BQITRCKN	CVD Known Treatment Prompts

<b>Routine</b>	<b>Description</b>
BQITRCLB	CVD Labs
BQITRCMD	CVD Medications
BQITRCON	Treatment Prompts Meds Contraindication
BQITRCSG	CVD Significant Risk Treatment Prompts
BQITRCTB	CVD Tobacco
BQITREDU	Find Education routine
BQITRGLS	Get Treatment Prompt Glossary
BQITRHLP	Treatment Prompts Tooltips
BQITRIBE	Site parameter RPCs for Community Alerts
BQITRMT	Find all Treatment Prompts for CVD tagged patients
BQITRPAT	Refresh A Patient's Treatment Prompts
BQITRPHS	Treatment Prompt API for Health Summary
BQITRPPT	Checks if Patient met/did not meet a specified Treatment Prompt
BQITRPRT	Get Treatment Prompts for a Patient
BQITRREF	Treatment Prompts Refusal
BQITRRSK	Treatment Prompts Risk Factors
BQITRRUN	Get last Treatment Prompt Run
BQITRSK	CVD Risk Factors
BQITRUPD	Update CVD Best Practice Prompts for Health Summary
BQITRUT1	Treatment Prompt Utility Program
BQITRUT2	Search utility routine
BQITRUTL	Treatment Prompts Utilities
BQITUIX	Build Taxonomy Program
BQITUTL	Diagnoses Category Utility Program
BQITXPRT	Print CANES LOINC Taxonomies
BQIUG1	GUI Utilities
BQIUL1	Miscellaneous Utilities
BQIUL2	Utility routine
BQIUL3	Utilities for Code Set Versioning
BQIUL4	Miscellaneous BQI utilities
BQIULAY	Update Layout
BQIULAY1	Layout continued
BQIULDFT	Date utilities
BQIULLK	Lock/Unlock Functions
BQIULPT	Patient demographic utility routine
BQIULSC	Security Utilities

<b>Routine</b>	<b>Description</b>
BQIUSPRF	User GUI Preferences
BQIUSRC	Update Source
BQIUTB	Table utilities
BQIUTB1	Table utilities
BQIUTB2	Table utilities
BQIUTB3	Table utilities
BQIUTB4	Table utilities
BQIUTB5	Table utilities
BQIUTB6	Table utilities
BQIUTIL	Utility routine
BQIVER	Get BQI Version Info
BQIVFADD	Add new Vfile entry
BQIVFCHC	Return 'Choice' values for the GUI
BQIVFDEF	PCC V-file definition
BQIVFTLK	Vfile Table Lookup
BQIVFTRB	Trigger Problem Information
BQIVFTRE	Trigger Exam Information
BQIVFTRF	Trigger Family History
BQIVFTRH	Trigger Health Factor
BQIVFTRI	Trigger Immunizations
BQIVFTRL	Trigger Lab
BQIVFTRM	Trigger Measurement
BQIVFTRO	Trigger Visit
BQIVFTRP	Trigger Procedure
BQIVFTRT	V File trigger for CMET Event
BQIVFVAL	Validate Vfile Data
BQIWHPRF	Women's Health Brief Profile

## 6.0 Files and Tables

### 6.1 File List

File #	Filename	Description
90505	ICARE USER	This file contains all definitions defined for users of iCARE. These definitions include panel definitions and user preferences.
90505.2	ICARE ROLES	This file contains a list of user roles for the iCare GUI and their appropriate security keys.
90505.3	ICARE COVID IMMUNOCOMPROMISED ICDS	This file contains a list Immunocompromised conditions and their ICD codes.
90505.4	ICARE PROVIDER	This file contains the history of IPC data for designated providers.
90505.6	ICARE FACILITY	This file contains the history of IPC data by facility.
90505.7	ICARE CLINIC	This file contains the history of IPC data by clinic.
90505.8	ICARE TEAM	This file contains the history of IPC data by care team.
90505.9	ICARE COVID HIGH RISK ICDS	This file contains a list of High Risk Conditions and their ICD codes.
90506	ICARE DEFINITIONS	This file contains the definitions for the predefined panels, my patients definitions, alert definitions, and the ad hoc search definitions.
90506.1	ICARE PANEL VIEW	This file contains the list of columns that the user may see on their GUI screen in iCARE and the code that should be executed to return the column's data value.
90506.2	ICARE DIAGNOSIS CATEGORIES	This file contains the definitions for the diagnosis categories for iCARE.
90506.3	ICARE FILE DEFINITION	List of files used for data entry into RPMS.
90506.4	ICARE GUI TABS	This file contains a list of iCare tabs used in the GUI. This file is used to identify tabs that the user can customize their own view for.
90506.5	ICARE VIEW SOURCE	This file contains a list of all care management sources used in iCare.
90506.6	ICARE REPORTS LIST	This file contains a list of reports that are used by iCare.
90506.7	ICARE STARTUP TABS	The file contains a list of all tabs for the Main View. They can be selected for User Preferences.

<b>File #</b>	<b>Filename</b>	<b>Description</b>
90506.71	ICARE MU TABS	The file contains a list of all tabs for the MU View. They can be selected for User Preferences.
90506.8	ICARE IPC CATEGORIES	This file contains a list of the categories that the IPC data is divided into.
90506.9	ICARE TIMEFRAMES	This file contains a list of all relative timeframes and their values. The timeframes are matched with variables used in iCare.
90507	ICARE REGISTRY INDEX	This file contains a mapping to other RPMS registers. This mapping is used to help the code find and retrieve a list of patients.
90507.1	ICARE WEB LINKS	This file contains a list of web links that are accessible from iCare.
90507.2	ICARE MEASUREMENTS DEFINITIONS	This file contains a list of the current Measurements from the MEASUREMENT TYPE File (#9999999.07). It contains specific information about each measurement type that is currently hardcoded in routine AUPNVMSR.
90507.3	ICARE ROUTINE EVENTS	This file contains the list of routine events that reside on the Snapshot screen in iCare.
90507.5	ICARE PATIENT	This file contains a list of all specific iCare data that has been identified for a patient. It includes Flags, Diagnosis Category Tags, CRS National Measures, Reminders, and Treatment Prompts.
90507.6	ICARE COMMUNITY ALERTS	This file contains the community alerts based upon the alert definition.
90507.7	ICARE COMM ALERTS EXPORT	This file contains a record of all the community alerts that have been exported to the Dept of Epidemiology.
90507.8	ICARE COMMUNITY ALERTS DEFINITIONS	This file contains the definitions for iCare Community Alerts.
90508	ICARE SITE PARAMETERS	This file contains any specific parameters defined for the site that has installed iCARE, for example, the GPRA year and its summary measures.
90508.1	ICARE USER TEMPLATES	This file contains a list of templates that have been uploaded by iCare users. The templates in this file can be downloaded by other iCare users to be used in viewing their own panels.
90508.2	ICARE GLOSSARIES	This file contains the iCare glossaries in RTF format for display in iCare.
90508.3	ICARE TAXONOMY CATEGORY	This file contains a list of categories used by Taxonomy Maintenance.

<b>File #</b>	<b>Filename</b>	<b>Description</b>
90508.4	ICARE TAXONOMY FILES	This file contains a list of file numbers that can be expanded by the ATX API and their corresponding taxonomy category.
90508.5	ICARE TREATMENT PROMPTS	This file contains the definitions for CVD Treatment Prompts.
90508.6	ICARE V FILES	This file contains a list of PCC V files and what their AA cross-reference structure is. Used in searching for data through the V-files.
90509	ICARE DX CAT REGISTRY	This file contains the permanent record for a patient's diagnostic tags.
90509.1	ICARE DX CAT REASONS	This file contains a list of specific reasons for diagnostic tags. Some reasons are used by background jobs and some reasons can be selected by the user.
90509.4	ICARE REMINDER NOTIFICATIONS	This file contains a record of any reminder notifications that were sent via iCare or via Immunization package letters as well as Patient Wellness Handouts.
90509.5	ICARE DX CAT FACTORS	This file contains the factors as to why the patient's diagnostic tag was calculated.
90509.9	ICARE TEMPORARY DATA	This file will contain a list of any updates to glossaries that go out in an iCare release.

## 6.2 File Access

<b>File #</b>	<b>Filename</b>	<b>GL</b>	<b>RD</b>	<b>WR</b>	<b>LYG</b>	<b>DD</b>	<b>DEL</b>
90505	ICARE USER	^BQICARE(	@	@	@	@	@
90505.2	ICARE ROLES	^BQI(90505.2,	@	@	@	@	@
90505.3	ICARE COVID IMMUNOCOMPROMISE D ICDS	^BQI(90505.3,	@	@	@	@	@
90505.4	ICARE PROVIDER	^BQIPROV(	@	@	@	@	@
90505.6	ICARE FACILITY	^BQIFAC(	@	@	@	@	@
90505.7	ICARE CLINIC	^BQICLIN(	@	@	@	@	@
90505.8	ICARE TEAM	^BQITEAM(	@	@	@	@	@
90505.9	ICARE COVID HIGH RISK ICDS	^BQI(90505.9,	@	@	@	@	@
90506	ICARE DEFINITIONS	^BQI(90506,	@	@	@	@	@
90506.1	ICARE PANEL VIEW	^BQI(90506.1,	@	@	@	@	@
90506.2	ICARE DIAGNOSIS CATEGORIES	^BQI(90506.2,	@	@	@	@	@
90506.3	ICARE FILE DEFINITION	^BQI(90506.3,	@	@	@	@	@

<b>File #</b>	<b>Filename</b>	<b>GL</b>	<b>RD</b>	<b>WR</b>	<b>LYG</b>	<b>DD</b>	<b>DEL</b>
90506.4	ICARE GUI TABS	^BQI(90506.4,	@	@	@	@	@
90506.5	ICARE VIEW SOURCE	^BQI(90506.5,	@	@	@	@	@
90506.6	ICARE REPORTS LIST	^BQI(90506.6,	@	@	@	@	@
90506.7	ICARE STARTUP TABS	^BQI(90506.7,	@	@	@	@	@
90506.7 1	ICARE MU TABS	^BQI(90506.71 ,	@	@	@	@	@
90506.8	ICARE IPC CATEGORIES	^BQI(90506.8,	@	@	@	@	@
90506.9	ICARE TIMEFRAMES	^BQI(90506.9,	@	@	@	@	@
90507	ICARE REGISTRY INDEX	^BQI(90507,	@	@	@	@	@
90507.1	ICARE WEB LINKS	^BQI(90507.1,	@	@	@	@	@
90507.2	ICARE MEASUREMENTS DEFINITIONS	^BQI(90507.2,	@	@	@	@	@
90507.3	ICARE ROUTINE EVENTS	^BQI(90507.3,	@	@	@	@	@
90507.5	ICARE PATIENT	^BQIPAT(	@	@	@	@	@
90507.6	ICARE COMMUNITY ALERTS	^BQI(90507.6,	@	@	@	@	@
90507.7	ICARE COMM ALERTS EXPORT	^BQI(90507.7,	@	@	@	@	@
90507.8	ICARE COMMUNITY ALERTS DEFINITIONS	^BQI(90507.8,	@	@	@	@	@
90508	ICARE SITE PARAMETERS	^BQI(90508,	@	@	@	@	@
90508.1	ICARE USER TEMPLATES	^BQI(90508.1,	@	@	@	@	@
90508.2	ICARE GLOSSARIES	^BQI(90508.2,	@	@	@	@	@
90508.3	ICARE TAXONOMY CATEGORY	^BQI(90508.3,	@	@	@	@	@
90508.4	ICARE TAXONOMY FILES	^BQI(90508.4,	@	@	@	@	@
90508.5	ICARE TREATMENT PROMPTS	^BQI(90508.5,	@	@	@	@	@
90508.6	ICARE V FILES	^BQI(90508.6,	@	@	@	@	@
90509	ICARE DX CAT REGISTRY	^BQIREG(	@	@	@	@	@
90509.1	ICARE DX CAT REASONS	^BQI(90509.1,	@	@	@	@	@

<b>File #</b>	<b>Filename</b>	<b>GL</b>	<b>RD</b>	<b>WR</b>	<b>LYG</b>	<b>DD</b>	<b>DEL</b>
90509.4	ICARE REMINDER NOTIFICATIONS	^BQI(90509.4,	@	@	@	@	@
90509.5	ICARE DX CAT FACTORS	^BQIFACT(	@	@	@	@	@
90509.9	ICARE TEMPORARY DATA	^BQI(90509.9,	@	@	@	@	@

## 6.3 Cross References

### 6.3.1 90505 iCare User

#### **AB** Regular

Subfile #90505.04 Field .01 PATIENT NAME

S ^BQICARE("AB",\$E(X,1,30),DA(2),DA(1),DA)=""

K ^BQICARE("AB",\$E(X,1,30),DA(2),DA(1),DA)

Cross-reference is used to find all panels for all users that the patient can be found on.

#### **AC** Regular

Subfile #90505.01 Field .06 AUTOPOPULATE FLAG

S ^BQICARE("AC",\$E(X,1,30),DA(1),DA)=""

K ^BQICARE("AC",\$E(X,1,30),DA(1),DA)

Cross-reference is to be used to determine which panels are to be updated either when the user signs onto iCare or automatically nightly.

#### **AD** MUMPS

Subfile #90505.115 Field .02 SINGLE VALUE

Subfile #90505.1151 Field .01 MULTIPLE VALUES

D SXRF^BQIPLUTL

D KXRF^BQIPLUTL

Cross-reference is created when a Panel Definition contains the parameter PLIDEN.

PLIDEN is the parameter name when users define a Panel using other panels already created. This can be a single panel or multiple panels.

**AF MUMPS**

Subfile #90505.01 Field 3.1 AUTOPOPULATE ORDER

D SXRF^BQIPLPU

D KXRF^BQIPLPU

Cross-reference by order of complexity for panel autopopulate.

**B Regular**

File #90505 Field .01 USER

S ^BQICARE("B","",SE(X,1,30),DA)=""

K ^BQICARE("B",SE(X,1,30),DA)

Cross-reference by RPMS user who has signed onto iCare and owns panels.

**C Regular**

Subfile #90505.03 Field .01 SHARED USERS

S ^BQICARE("C",SE(X,1,30),DA(2),DA(1),DA)=""

K ^BQICARE("C",SE(X,1,30),DA(2),DA(1),DA)

Cross-reference by users who have been granted access to this panel definition by the owner of the panel.

**SPNL Regular**

File #90505 Field .03 SPECIFIED PANEL

S ^BQICARE("SPNL",SE(X,1,30),DA)=""

K ^BQICARE("SPNL",SE(X,1,30),DA)

Cross-reference of the panel specified to be the default view.

**Subfile #90505.01**

**AB Regular**

Subfile #90505.04 Field .01 PATIENT NAME

S ^BQICARE(DA(2),1,"AB",\$E(X,1,30),DA(1),DA)=""

K ^BQICARE(DA(2),1,"AB",\$E(X,1,30),DA(1),DA)

Cross-reference of patients that either met the panel definition or were manually added/removed.

**AC** Regular

Subfile #90505.01 Field .06 AUTOPOPULATE FLAG

S ^BQICARE(DA(1),1,"AC",\$E(X,1,30),DA)=""

K ^BQICARE(DA(1),1,"AC",\$E(X,1,30),DA)

Cross-reference by At Login or Nightly flag.

**AD** Regular

Subfile #90505.14 Field .01 LAYOUT TEMPLATES

S ^BQICARE(DA(2),1,"AD",\$E(X,1,30),DA(1),DA)=""

K ^BQICARE(DA(2),1,"AD",\$E(X,1,30),DA(1),DA)

Cross-reference is list of layout templates defined for each panel definition.

**AE** Regular

Subfile #90505.34 Field .01 LAYOUT TEMPLATES

S ^BQICARE(DA(3),1,"AE",\$E(X,1,30),DA(2),DA(1),DA)=""

K ^BQICARE(DA(3),1,"AE",\$E(X,1,30),DA(2),DA(1),DA)

Cross-reference is list of layout templates defined for each panel definition by each shared user.

**AF** Regular

Subfile #90505.01 Field 2.1 IPC FLAG

S ^BQICARE(DA(1),1,"AF",\$E(X,1,30),DA)=""

K ^BQICARE(DA(1),1,"AF",\$E(X,1,30),DA)

Cross-reference by the panels the user has flagged as IPC panels.

**B** Regular

Subfile #90505.01 Field .01 PANEL NAME

S ^BQICARE(DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(1),1,"B",\$E(X,1,30),DA)

Cross-reference by the name of the panel.

**D** Regular

Subfile #90505.122 Field .03 SORT ORDER

S ^BQICARE(DA(2),1,"D",\$E(X,1,30),DA(1),DA)=""

K ^BQICARE(DA(2),1,"D",\$E(X,1,30),DA(1),DA)

Cross-reference of the sort order of the reminders view.

**DIV** Regular

Subfile #90505.01 Field 3.7 DIVISION

S ^BQICARE(DA(1),1,"DIV",\$E(X,1,30),DA)=""

K ^BQICARE(DA(1),1,"DIV",\$E(X,1,30),DA)

Cross-reference of the division that the user was signed on for at the time  
the panel was created.

**Subfile #90505.02**

**B** Regular

Subfile #90505.02 Field .01 PARAMETER NAME

S ^BQICARE(DA(2),1,DA(1),10,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),10,"B",\$E(X,1,30),DA)

Cross-reference of each parameter name defined for this panel.

**Subfile #90505.21**

**B Regular**

Subfile #90505.21 Field .01 MULTIPLE VALUES

S ^BQICARE(DA(3),1,DA(2),10,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),10,DA(1),1,"B",\$E(X,1,30),DA)

Cross-reference of multiply selected values.

**Subfile #90505.212****B Regular**

Subfile #90505.212 Field .01 ASSOC PARAMETER

S BQICARE(DA(4),1,DA(3),10,DA(2),1,DA(1),2,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(4),1,DA(3),10,DA(2),1,DA(1),2,"B",\$E(X,1,30),DA)

Cross reference of associated parameters to each multiple value.

**Subfile #90505.22****B Regular**

Subfile #90505.22 Field .01 ASSOC PARAMETER

S ^ BQICARE(DA(3),1,DA(2),10,DA(1),2,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),10,DA(1),2,"B",\$E(X,1,30),DA)

Cross reference of a single associated parameter.

**Subfile #90505.03****B Regular**

Subfile #90505.03 Field .01 SHARED USER

S ^BQICARE(DA(2),1,DA(1),30,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),30,"B",\$E(X,1,30),DA)

Cross-reference of the user the panel has been shared with.

**C Regular**

Subfile # 90505.34 Field .02 ACCESS

S ^BQICARE("C",\$E(X,1,30),DA(2),DA(1),DA)=""

K ^BQICARE("C",\$E(X,1,30),DA(2),DA(1),DA)

Whole file cross-reference of the users panels have been shared with.

### **Subfile #90505.06**

**B** Regular

Subfile #90505.06 Field .01 CUSTOMIZED VIEW FIELD

S ^BQICARE(DA(3),1,DA(2),30,DA(1),20,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),20,"B",\$E(X,1,30),DA)

Cross-reference of the display field that the user wishes to see.

**C** Regular

Subfile #90505.06 Field .02 DISPLAY ORDER

S ^BQICARE(DA(3),1,DA(2),30,DA(1),20,"C",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),20,"C",\$E(X,1,30),DA)

Cross-reference of the order of the display fields that the user wishes to see.

**D** Regular

Subfile #90505.06 Field .03 SORT ORDER

S ^BQICARE(DA(3),1,DA(2),30,DA(1),20,"D",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),20,"D",\$E(X,1,30),DA)

Cross-reference of the order in which the field will be sorted by.

### **Subfile #90505.321**

**B** Regular

Subfile #90505.321 Field .01 MY MEASURES VIEW

S ^BQICARE(DA(3),1,DA(2),30,DA(1),21,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),21,"B",\$E(X,1,30),DA)

**Subfile #90505.322****A**C Regular

Subfile #90505.322 Field .02 DISPLAY ORDER

S ^BQICARE(DA(3),1,DA(2),30,DA(1),22,"AC",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),22,"AC",\$E(X,1,30),DA)

**B** Regular

Subfile #90505.322 Field .01 REMINDER VIEW

S ^BQICARE(DA(3),1,DA(2),30,DA(1),22,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),22,"B",\$E(X,1,30),DA)

**Subfile #90505.323****B** Regular

Subfile #90505.323 Field .01 SOURCE VIEW

S ^BQICARE(DA(3),1,DA(2),30,DA(1),23,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),23,"B",\$E(X,1,30),DA)

**Subfile #90505.3231****B** Regular

Subfile #90505.3231 Field .01 VIEW FIELD

S ^BQICARE(DA(4),1,DA(3),30,DA(2),23,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(4),1,DA(3),30,DA(2),23,DA(1),1,"B",\$E(X,1,30),DA)

**Subfile #90505.325****B** Regular

Subfile #90505.325 Field .01 GPRA FIELD VIEW

S ^BQICARE(DA(3),1,DA(2),30,DA(1),25,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),25,"B",\$E(X,1,30),DA)

**C** Regular

Subfile #90505.325 Field .02 DISPLAY ORDER

S ^BQICARE(DA(3),1,DA(2),30,DA(1),25,"C",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),25,"C",\$E(X,1,30),DA)

**D** Regular

Subfile #90505.325 Field .03 SORT ORDER

S ^BQICARE(DA(3),1,DA(2),30,DA(1),25,"D",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),25,"D",\$E(X,1,30),DA)

### **Subfile #90505.326**

**B** Regular

Subfile #90505.326 Field .01 REFERRAL VIEW

S ^BQICARE(DA(3),1,DA(2),30,DA(1),26,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),26,"B",\$E(X,1,30),DA)

**C** Regular

Subfile #90505.326 Field .02 DISPLAY ORDER

S ^BQICARE(DA(3),1,DA(2),30,DA(1),26,"C",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),26,"C",\$E(X,1,30),DA)

**D** Regular

Subfile #90505.326 Field .03 SORT ORDER

S ^BQICARE(DA(3),1,DA(2),30,DA(1),26,"D",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),26,"D",\$E(X,1,30),DA)

### **Subfile #90505.327**

**B** Regular

Subfile #90505.327 Field .01 CONSULT VIEW

S ^BQICARE(DA(3),1,DA(2),30,DA(1),27,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),27,"B",\$E(X,1,30),DA)

**C** Regular

Subfile #90505.327 Field .02 DISPLAY ORDER

S ^BQICARE(DA(3),1,DA(2),30,DA(1),27,"C",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),27,"C",\$E(X,1,30),DA)

**D** Regular

Subfile #90505.327 Field .03 SORT ORDER

S ^BQICARE(DA(3),1,DA(2),30,DA(1),27,"D",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),27,"D",\$E(X,1,30),DA)

**Subfile #90505.34****B** Regular

Subfile #90505.34 Field .01 LAYOUT TEMPLATES

S ^BQICARE(DA(3),1,DA(2),30,DA(1),4,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),4,"B",\$E(X,1,30),DA)

**C** Regular

Subfile #90505.34 Field .02 TYPE

S ^BQICARE(DA(3),1,DA(2),30,DA(1),4,"C",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),30,DA(1),4,"C",\$E(X,1,30),DA)

**Subfile #90505.04****B** Regular

Subfile #90505.04 Field .01 PATIENT LIST

S ^BQICARE(DA(2),1,DA(1),40,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),40,"B",\$E(X,1,30),DA)

**Subfile #90505.18****B** Regular

Subfile #90505.18 Field .01 MATCHED CRITERIA

S ^BQICARE(DA(3),1,DA(2),40,DA(1),5,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),40,DA(1),5,"B",\$E(X,1,30),DA)

### **Subfile #90505.181**

**B** Regular

Subfile #90505.181 Field .01 RECORD

S ^BQICARE(DA(4),1,DA(3),40,DA(2),5,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(4),1,DA(3),40,DA(2),5,DA(1),1,"B",\$E(X,1,30),DA)

### **Subfile #90505.05**

**B** Regular

Subfile #90505.05 Field .01 CUSTOMIZED VIEW FIELD

S ^BQICARE(DA(2),1,DA(1),20,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),20,"B",\$E(X,1,30),DA)

**C** Regular

Subfile #90505.05 Field .02 DISPLAY ORDER

S ^BQICARE(DA(2),1,DA(1),20,"C",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),20,"C",\$E(X,1,30),DA)

**D** Regular

Subfile #90505.05 Field .03 SORT ORDER

S ^BQICARE(DA(2),1,DA(1),20,"D",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),20,"D",\$E(X,1,30),DA)

### **Subfile #90505.115**

**B** Regular

Subfile #90505.115,.01 FILTER DEFINITION

S ^BQICARE(DA(2),1,DA(1),15,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),15,"B",\$E(X,1,30),DA)

**Subfile #90505.1151****B** Regular

Subfile #90505.1151 Field .01 MULTIPLE VALUES

S ^BQICARE(DA(3),1,DA(2),15,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),15,DA(1),1,"B",\$E(X,1,30),DA)

**Subfile #90505.11512****B** Regular

Subfile #90505.11512 Field .01 ASSOC PARAMETER

S ^BQICARE(DA(4),1,DA(3),15,DA(2),1,DA(1),2,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(4),1,DA(3),15,DA(2),1,DA(1),2,"B",\$E(X,1,30),DA)

**Subfile #90505.115121****B** Regular

Subfile #90505.115121 Field .01 MULTIPLE VALUES

S ^BQICARE(DA(5),1,DA(4),15,DA(3),1,DA(2),2,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(5),1,DA(4),15,DA(3),1,DA(2),2,DA(1),1,"B",\$E(X,1,30),DA)

**Subfile #90505.1152****B** Regular

Subfile #90505.1152 Field .01 ASSOC PARAMETER

S ^BQICARE(DA(3),1,DA(2),15,DA(1),2,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),15,DA(1),2,"B",\$E(X,1,30),DA)

**Subfile #90505.11521****B** Regular

Subfile #90505.11521 Field .01 MULTIPLE VALUES

S ^BQICARE(DA(4),1,DA(3),15,DA(2),2,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(4),1,DA(3),15,DA(2),2,DA(1),1,"B",\$E(X,1,30),DA)

**Subfile #90505.122****A**C Regular

Subfile #90505.122 Field .02 DISPLAY ORDER

S ^BQICARE(DA(2),1,DA(1),22,"AC",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),22,"AC",\$E(X,1,30),DA)

**B** Regular

Subfile #90505.122 Field .01 REMINDER VIEW

S ^BQICARE(DA(2),1,DA(1),22,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),22,"B",\$E(X,1,30),DA)

**Subfile #90505.123****B** Regular

Subfile #90505.123 Field .01 SOURCE VIEW

S ^BQICARE(DA(2),1,DA(1),23,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),23,"B",\$E(X,1,30),DA)

**Subfile #90505.1231****B** Regular

Subfile #90505.1231 Field .01 VIEW FIELD

S ^BQICARE(DA(3),1,DA(2),23,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),1,DA(2),23,DA(1),1,"B",\$E(X,1,30),DA)

**Subfile #90505.125****B** Regular

Subfile #90505.125 Field .01 GPRA FIELD VIEW

S ^BQICARE(DA(2),1,DA(1),25,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),25,"B",\$E(X,1,30),DA)

**C** Regular

Subfile #90505.125 Field .02 DISPLAY ORDER

S ^BQICARE(DA(2),1,DA(1),25,"C",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),25,"C",\$E(X,1,30),DA)

**D** Regular

Subfile #90505.125 Field .03 SORT ORDER

S ^BQICARE(DA(2),1,DA(1),25,"D",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),25,"D",\$E(X,1,30),DA)

### **Subfile #90505.126**

**B** Regular

Subfile #90505.126 Field.01 REFERRALS VIEW

S ^BQICARE(DA(2),1,DA(1),26,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),26,"B",\$E(X,1,30),DA)

**C** Regular

Subfile #90505.126 Field .02 DISPLAY ORDER

S ^BQICARE(DA(2),1,DA(1),26,"C",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),26,"C",\$E(X,1,30),DA)

**D** Regular

Subfile #90505.126 Field .03 SORT ORDER

S ^BQICARE(DA(2),1,DA(1),26,"D",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),26,"D",\$E(X,1,30),DA)

### **Subfile #90505.127**

**B** Regular

Subfile #90505.127 Field .01 CONSULTS VIEW

S ^BQICARE(DA(2),1,DA(1),27,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),27,"B",\$E(X,1,30),DA)

**C** Regular

Subfile #90505.127 Field .02 DISPLAY ORDER

S ^BQICARE(DA(2),1,DA(1),27,"C",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),27,"C",\$E(X,1,30),DA)

**D** Regular

Subfile #90505.127 Field .03 SORT ORDER

S ^BQICARE(DA(2),1,DA(1),27,"D",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),27,"D",\$E(X,1,30),DA)

### **Subfile #90505.13**

**B** Regular

Subfile #90505.13 Field .01 MY MEASURES VIEW

S ^BQICARE(DA(2),1,DA(1),21,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),21,"B",\$E(X,1,30),DA)

### **Subfile #90505.14**

**B** Regular

Subfile #90505.14 Field .01 LAYOUT TEMPLATES

S ^BQICARE(DA(2),1,DA(1),4,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),4,"B",\$E(X,1,30),DA)

**C** Regular

Subfile #90505.14 Field .02 TYPE

S ^BQICARE(DA(2),1,DA(1),4,"C",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),1,DA(1),4,"C",\$E(X,1,30),DA)

### **Subfile #90505.011**

**B** Regular

Subfile #90505.011 Field .01 COMMUNITY ALERTS DEFINITION

S ^BQICARE(DA(1),11,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(1),11,"B",\$E(X,1,30),DA)

Cross-reference for a user's community alerts preferences.

### **Subfile # 90505.111**

**B** Regular

Subfile #90505.111 Field .01 PARAMETER NAME

S ^BQICARE(DA(2),11,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),11,DA(1),1,"B",\$E(X,1,30),DA)

Cross-reference of the parameter of the community alert.

### **Subfile #90505.013**

**AC** Regular

Subfile #90505.013 Field .03 TAB

S ^BQICARE(DA(1),13,"AC",\$E(X,1,30),DA)=""

K ^BQICARE(DA(1),13,"AC",\$E(X,1,30),DA)

Cross-reference by user preference tab; Panel or Patient.

**B** Regular

Subfile #90505.013 Field .01 GUI TABS

S ^BQICARE(DA(1),13,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(1),13,"B",\$E(X,1,30),DA)

Cross-reference by user preference for starting tab.

### **Subfile #90505.015**

**B** Regular

Subfile #90505.015 Field .01 LAYOUT TEMPLATES

S ^BQICARE(DA(1),15,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(1),15,"B",\$E(X,1,30),DA)

Cross-reference of a user's layout definitions.

**C** Regular

Subfile #90505.015 Field .02 TYPE

S ^BQICARE(DA(1),15,"C",\$E(X,1,30),DA)=""

K ^BQICARE(DA(1),15,"C",\$E(X,1,30),DA)

Cross-reference of the type of layout template; e.g., Patient, Reminders, etc.

**Subfile #90505.151**

**B** Regular

Subfile #90505.151 Field.01 FIELD

S ^BQICARE(DA(2),15,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),15,DA(1),1,"B",\$E(X,1,30),DA)

Cross-reference of the field name in the layout template.

**C** Regular

Subfile #90505.151 Field .02 DISPLAY ORDER

S ^BQICARE(DA(2),15,DA(1),1,"C",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),15,DA(1),1,"C",\$E(X,1,30),DA)

Cross-reference of the display order of the field in the layout template.

**D** Regular

Subfile #90505.151 Field .03 SORT ORDER

S ^BQICARE(DA(2),15,DA(1),1,"D",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),15,DA(1),1,"D",\$E(X,1,30),DA)

Cross-reference of the sort order of the field in the layout template.

**Subfile #90505.152**

**B** Regular

Subfile #90505.152 Field .01 DISTRIBUTED TO  
S ^BQICARE(DA(2),15,DA(1),2,"B",\$E(X,1,30),DA)=""  
K ^BQICARE(DA(2),15,DA(1),2,"B",\$E(X,1,30),DA)

Cross-reference of person that the layout template was distributed to.

### **Subfile #90505.017**

**B** Regular

Subfile #90505.017 Field .01 NAME  
S ^BQICARE(DA(1),17,"B",\$E(X,1,30),DA)=""  
K ^BQICARE(DA(1),17,"B",\$E(X,1,30),DA)

Cross-reference by the Category/Folder name defined by the user.

### **Subfile #90505.07**

**B** Regular

Subfile #90505.07 Field .01 MY PATIENTS DEFINITION  
S ^BQICARE(DA(1),7,"B",\$E(X,1,30),DA)=""  
K ^BQICARE(DA(1),7,"B",\$E(X,1,30),DA)  
  
Cross-reference of the source name from the Predefined Panel file for  
a "My Patients" definition.

### **Subfile #90505.08**

**B** Regular

Subfile #90505.08 Field .01 PARAMETER NAME  
S ^BQICARE(DA(2),7,DA(1),10,"B",\$E(X,1,30),DA)=""  
K ^BQICARE(DA(2),7,DA(1),10,"B",\$E(X,1,30),DA)  
  
Cross-reference of the parameter name for the My Patients definition.

### **Subfile #90505.81**

**B** Regular

**Subfile #90505.81 Field .01 MULTIPLE VALUES**

S ^BQICARE(DA(3),7,DA(2),10,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),7,DA(2),10,DA(1),1,"B",\$E(X,1,30),DA)

Cross-reference of the multiple names of the values.

**Subfile #90505.09****B Regular****Subfile #90505.09 Field .01 FLAG DEFINITION**

S ^BQICARE(DA(1),10,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(1),10,"B",\$E(X,1,30),DA)

Cross-reference by the user preferences flag definitions name.

**Subfile #90505.1****B Regular****Subfile #90505.1 Field .01 PARAMETER NAME**

S ^BQICARE(DA(2),10,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),10,DA(1),1,"B",\$E(X,1,30),DA)

Cross-reference of the parameter name of the flag definitions.

**Subfile #90505.12****B Regular****Subfile #90505.12 Field .01 DATE/TIME OF NOTIFICATION**

S ^BQICARE(DA(1),3,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(1),3,"B",\$E(X,1,30),DA)

Cross-reference of the date and time a notification message was sent  
to the user.

---

**Subfile #90505.16**

**B** Regular

Subfile #90505.16 Field .01 CMET USER PREFERENCES

S ^BQICARE(DA(1),9,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(1),9,"B",\$E(X,1,30),DA)

Cross-reference of the CMET user preferences.

**Subfile #90505.17****B** Regular

Subfile #90505.17 Field .01 IPC USER PREFERENCES

S ^BQICARE(DA(1),8,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(1),8,"B",\$E(X,1,30),DA)

Cross-reference of the IPC user preferences.

**Subfile #90505.171****B** Regular

Subfile #90505.171 Field .01 PARAMETERS

S ^BQICARE(DA(2),8,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(2),8,DA(1),1,"B",\$E(X,1,30),DA)

Cross-reference of the IPC parameters associated with the preference.

**Subfile #90505.1711****B** Regular

Subfile #90505.1711 Field .01 MULTIPLE VALUES

S ^BQICARE(DA(3),8,DA(2),1,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(3),8,DA(2),1,DA(1),1,"B",\$E(X,1,30),DA)

Cross-reference of multiple values associated with an IPC parameter.

**Subfile #90505.5****B** Regular

Subfile #90505.5 Field .01 PANEL ID

S ^BQICARE(DA(1),5,"B",\$E(X,1,30),DA)=""

K ^BQICARE(DA(1),5,"B",\$E(X,1,30),DA)

Cross-reference of the panel id of the last viewed panel.

### 6.3.2 90505.2 iCare Roles

**A** Regular

90505.2,.03 HEADER POSITION

S ^BQI(90505.2,"AC",\$E(X,1,30),DA)=""

K ^BQI(90505.2,"AC",\$E(X,1,30),DA)

Cross-reference of the position the role sits in the header of the RPC call.

**B** Regular

90505.2,.01 NAME

S ^BQI(90505.2,"B",\$E(X,1,30),DA)=""

K ^BQI(90505.2,"B",\$E(X,1,30),DA)

Cross-reference of the name of the user role.

**C** Regular

90505.2,.02 ICARE SECURITY KEY

S ^BQI(90505.2,"C",\$E(X,1,30),DA)=""

K ^BQI(90505.2,"C",\$E(X,1,30),DA)

Cross-reference of the iCare security key for this user role.

### Subfile #90505.23

**B** Regular

90505.23,.01 RPMS PKG ASSOC KEY

S ^BQI(90505.2,DA(1),10,"B",\$E(X,1,30),DA)=""

K ^BQI(90505.2,DA(1),10,"B",\$E(X,1,30),DA)

Cross-reference of RPMS package security keys that meet the criteria for the iCare security key.

### 6.3.3 90505.3 iCare COVID Immunocompromised ICDs

**B** Regular

90505.3,.01 ICD CODE

S ^BQI(90505.3,"B",\$E(X,1,30),DA)=""

K ^BQI(90505.3,"B",\$E(X,1,30),DA)

Cross-reference of the ICD CODE for an Immunocompromised condition.

**C** Regular

90505.3,.02 CONDITION

S ^BQI(90505.3,"C",\$E(X,1,30),DA)=""

K ^BQI(90505.3,"C",\$E(X,1,30),DA)

Cross-reference of the Immunocompromised condition.

### 6.3.4 90505.4 iCare Provider

**AD** Regular

Subfile #90505.431 Field .01 MONTHLY TIMEFRAME

S ^BQIPROV("AD",\$E(X,1,30),DA(2),DA(1),DA)=""

K ^BQIPROV("AD",\$E(X,1,30),DA(2),DA(1),DA)

**AE** Regular

Subfile #90505.432 Field .05 THRU DATE

S ^BQIPROV("AE",\$E(X,1,30),DA(2),DA(1),DA)=""

K ^BQIPROV("AE",\$E(X,1,30),DA(2),DA(1),DA)

**B** Regular

File #90505.4 Field .01 NAME

S ^BQIPROV("B",\$E(X,1,30),DA)=""

K ^BQIPROV("B",\$E(X,1,30),DA)

**Subfile #90505.43**

**B** Regular

Subfile #90505.43 Field .01 IPC MEASURES

S ^BQIPROV(DA(1),30,"B",\$E(X,1,30),DA)=""

K ^BQIPROV(DA(1),30,"B",\$E(X,1,30),DA)

**Subfile #90505.431**

**B** Regular

Subfile #90505.431 Field .01 MONTHLY TIMEFRAME

S ^BQIPROV(DA(2),30,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQIPROV(DA(2),30,DA(1),1,"B",\$E(X,1,30),DA)

**Subfile #90505.432**

**AC** Regular

Subfile #90505.432 Field .05 THRU DATE

S ^BQIPROV(DA(2),30,DA(1),2,"AC",\$E(X,1,30),DA)=""

K ^BQIPROV(DA(2),30,DA(1),2,"AC",\$E(X,1,30),DA)

**B** Regular

Subfile #90505.432 Field .01 WEEKLY TIMEFRAME

S ^BQIPROV(DA(2),30,DA(1),2,"B",\$E(X,1,30),DA)=""

K ^BQIPROV(DA(2),30,DA(1),2,"B",\$E(X,1,30),DA)

### 6.3.5 90505.6 iCare Facility

**AD** Regular

Subfile #90505.632 Field .05 THRU DATE

S ^BQIFAC("AD",\$E(X,1,30),DA(2),DA(1),DA)=""

K ^BQIFAC("AD",\$E(X,1,30),DA(2),DA(1),DA)

**B** Regular

File #90505.6 Field .01 NAME

S ^BQIFAC("B",\$E(X,1,30),DA)=""

K ^BQIFAC("B",\$E(X,1,30),DA)

### **Subfile # 90505.63**

**AB** Regular

Subfile #90505.631 Field .01 MONTHLY TIMEFRAME

S ^BQIFAC(DA(2),30,"AB",\$E(X,1,30),DA(1),DA)=""

K ^BQIFAC(DA(2),30,"AB",\$E(X,1,30),DA(1),DA)

**AC** Regular

Subfile #90505.632 Field .05 THRU DATE

S ^BQIFAC(DA(2),30,"AC",\$E(X,1,30),DA(1),DA)=""

K ^BQIFAC(DA(2),30,"AC",\$E(X,1,30),DA(1),DA)

**B** Regular

Subfile #90505.63 Field .01 IPC MEASURES

S ^BQIFAC(DA(1),30,"B",\$E(X,1,30),DA)=""

K ^BQIFAC(DA(1),30,"B",\$E(X,1,30),DA)

### **Subfile # 90505.631**

**B** Regular

Subfile #90505.631 Field .01 MONTHLY TIMEFRAME

S ^BQIFAC(DA(2),30,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQIFAC(DA(2),30,DA(1),1,"B",\$E(X,1,30),DA)

**Subfile # 90505.632****AC Regular**

Subfile #90505.632 Field .05 THRU DATE

S ^BQIFAC(DA(2),30,DA(1),2,"AC",\$E(X,1,30),DA)=""

K ^BQIFAC(DA(2),30,DA(1),2,"AC",\$E(X,1,30),DA)

**B Regular**

Subfile #90505.632 Field .01 WEEKLY TIMEFRAME

S ^BQIFAC(DA(2),30,DA(1),2,"B",\$E(X,1,30),DA)=""

K ^BQIFAC(DA(2),30,DA(1),2,"B",\$E(X,1,30),DA)

**6.3.6 90505.7 iCare Clinic****AB Regular**

Subfile #90505.703 Field .01 MONTH TIMEFRAME

S ^BQICLIN("AB",\$E(X,1,30),DA(2),DA(1),DA)=""

K ^BQICLIN("AB",\$E(X,1,30),DA(2),DA(1),DA)

**AC Regular**

Subfile #90505.702 Field .05 THRU DATE

S ^BQICLIN(DA(2),10,"AC",\$E(X,1,30),DA(1),DA)=""

K ^BQICLIN(DA(2),10,"AC",\$E(X,1,30),DA(1),DA)

**B Regular**

File #90505.7 Field .01 HOSPITAL LOCATION

S ^BQICLIN("B",\$E(X,1,30),DA)=""

K ^BQICLIN("B",\$E(X,1,30),DA)

**Subfile #90505.701**

**A**C Regular

Subfile #90505.702 Field .05

S ^BQICLIN(DA(2),10,DA(1),20,"AC",\$E(X,1,30),DA)=""

K ^BQICLIN(DA(2),10,DA(1),20,"AC",\$E(X,1,30),DA)

**B** Regular

Subfile #90505.701 Field .01 IPC MEASURE

S ^BQICLIN(DA(1),10,"B",\$E(X,1,30),DA)=""

K ^BQICLIN(DA(1),10,"B",\$E(X,1,30),DA)

**Subfile #90505.702****A**C Regular

Subfile #90505.702 Field .05 THRU DATE

S ^BQICLIN(DA(2),10,"AC",\$E(X,1,30),DA(1),DA)=""

K ^BQICLIN(DA(2),10,"AC",\$E(X,1,30),DA(1),DA)

**B** Regular

Subfile #90505.702 Field .01 WEEK TIMEFRAME

S ^BQICLIN(DA(2),10,DA(1),20,"B",\$E(X,1,30),DA)=""

K ^BQICLIN(DA(2),10,DA(1),20,"B",\$E(X,1,30),DA)

**Subfile # 90505.703****B** Regular

Subfile #90505.703 Field .01 MONTH TIMEFRAME

S ^BQICLIN(DA(2),10,DA(1),10,"B",\$E(X,1,30),DA)=""

K ^BQICLIN(DA(2),10,DA(1),10,"B",\$E(X,1,30),DA)

**6.3.7 90505.8 iCare Team****A****B** Regular

Subfile #90505.802 Field .01 MONTH TIMEFRAME

S ^BQITEAM("AB",\$E(X,1,30),DA(2),DA(1),DA)=""

K ^BQITEAM("AB",\$E(X,1,30),DA(2),DA(1),DA)

**A**C Regular

Subfile #90505.803 Field .05 THRU DATE

S ^BQITEAM("AC",\$E(X,1,30),DA(2),DA(1),DA)=""

K ^BQITEAM("AC",\$E(X,1,30),DA(2),DA(1),DA)

**B** Regular

File #90505.8 Field .01 TEAM

S ^BQITEAM("B",\$E(X,1,30),DA)=""

K ^BQITEAM("B",\$E(X,1,30),DA)

### **Subfile #90505.801**

**A**C Regular

Subfile #90505.803 Field .05 THRU DATE

S ^BQITEAM(DA(2),10,"AC",\$E(X,1,30),DA(1),DA)=""

K ^BQITEAM(DA(2),10,"AC",\$E(X,1,30),DA(1),DA)

**B** Regular

Subfile #90505.801 Field .01 IPC MEASURE

S ^BQITEAM(DA(1),10,"B",\$E(X,1,30),DA)=""

K ^BQITEAM(DA(1),10,"B",\$E(X,1,30),DA)

### **Subfile #90505.802**

**B** Regular

Subfile #90505.802 Field .01 MONTH TIMEFRAME

S ^BQITEAM(DA(2),10,DA(1),10,"B",\$E(X,1,30),DA)=""

K ^BQITEAM(DA(2),10,DA(1),10,"B",\$E(X,1,30),DA)

**Subfile #90505.804****B** Regular

Subfile #90505.804 Field .01 TEAM MEMBERS

S ^BQITEAM(DA(3),10,DA(2),10,DA(1),30,"B",\$E(X,1,30),DA)=""

K ^BQITEAM(DA(3),10,DA(2),10,DA(1),30,"B",\$E(X,1,30),DA)

**Subfile #90505.803****AC** Regular

Subfile #90505.803 Field .05 THRU DATE

S ^BQITEAM(DA(2),10,DA(1),20,"AC",\$E(X,1,30),DA)=""

K ^BQITEAM(DA(2),10,DA(1),20,"AC",\$E(X,1,30),DA)

**B** Regular

Subfile #90505.803 Field .01 WEEK TIMEFRAME

S ^BQITEAM(DA(2),10,DA(1),20,"B",\$E(X,1,30),DA)=""

K ^BQITEAM(DA(2),10,DA(1),20,"B",\$E(X,1,30),DA)

**Subfile #90505.805****B** Regular

Subfile #90505.805 Field .01 TEAM MEMBERS

S ^BQITEAM(DA(3),10,DA(2),20,DA(1),30,"B",\$E(X,1,30),DA)=""

K ^BQITEAM(DA(3),10,DA(2),20,DA(1),30,"B",\$E(X,1,30),DA)

**6.3.8 90505.9 iCare COVID High Risk ICDS****B** Regular

File #90505.9 Field .01 ICD CODE

S ^BQI(90505.9,"B",\$E(X,1,30),DA)=""

K ^BQI(90505.9,"B",\$E(X,1,30),DA)

Cross-reference of the ICD CODE pointer.

**C Regular**

File #90505.9 Field .02 CONDITION

S ^BQI(90505.9,"C",\$E(X,1,30),DA)=""

K ^BQI(90505.9,"C",\$E(X,1,30),DA)

Cross-reference of the CONDITION value.

### 6.3.9 90506 iCare Definitions

**AC Regular**

File #90506 Field .05 FLAG ORDER

S ^BQI(90506,"AC",\$E(X,1,30),DA)=""

K ^BQI(90506,"AC",\$E(X,1,30),DA)

Cross-reference of the order in which the flag logic should be executed.

**AD MUMPS**

Subfile #90506.03 Field .15 DEF DETAILS DETERMINATOR

D SXRF^BQIMTCRT

D KXRF^BQIMTCRT

Cross-reference if this field is considered a value that determines if there is a Definition Details selection when it is used in a panel definition.

**B Regular**

File #90506 Field .01 PANEL NAME

S ^BQI(90506,"B",\$E(X,1,30),DA)=""

K ^BQI(90506,"B",\$E(X,1,30),DA)

Cross-reference of the name of the predefined panel.

### **Subfile #90506.03**

**A**C Regular

Subfile #90506.03 Field .1 DESCRIPTION ORDER

S ^BQI(90506,DA(1),3,"AC",\$E(X,1,30),DA)=""

K ^BQI(90506,DA(1),3,"AC",\$E(X,1,30),DA)

Cross-reference of the order that the parameter should be generated in the generated description.

**B** Regular

Subfile #90506.03 Field .01 PARAMETER CODE

S ^BQI(90506,DA(1),3,"B",\$E(X,1,30),DA)=""

K ^BQI(90506,DA(1),3,"B",\$E(X,1,30),DA)

Cross-reference of the name of each parameter variable that is associated with a predefined panel.

**C** Regular

Subfile #90506.03 Field .14 PARM DESC ORDER-NEW

S ^BQI(90506,DA(1),3,"C",\$E(X,1,30),DA)=""

K ^BQI(90506,DA(1),3,"C",\$E(X,1,30),DA)

Cross-reference of the order that this parameter will display in the panel description.

Subfile #90506.04

**B** Regular

Subfile #90506.04 Field .01 SET PRIORITY

S ^BQI(90506,DA(2),3,DA(1),5,"B",\$E(X,1,30),DA)=""

K ^BQI(90506,DA(2),3,DA(1),5,"B",\$E(X,1,30),DA)

Cross-reference of the order that this set should be performed.

**Subfile #90506.33**

**A** C MUMPS

Subfile #90506.33 Field .02 MAPS TO

S ^BQI(90506,DA(2),3,DA(1),3,"AC",X,DA)=""

K ^BQI(90506,DA(2),3,DA(1),3,"AC",X,DA)

Cross-reference of the parameter and value that a choice maps to.

**B** Regular

Subfile #90506.33 Field .01 CHOICES

S ^BQI(90506,DA(2),3,DA(1),3,"B",\$E(X,1,30),DA)=""

K ^BQI(90506,DA(2),3,DA(1),3,"B",\$E(X,1,30),DA)

Cross-reference of choices separated out in order to afford any mapping.

### 6.3.10 90506.1 iCare Panel View

**B** Regular

File #90506.1 Field .01 CODE

S ^BQI(90506.1,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.1,"B",\$E(X,1,30),DA)

Cross-reference of the unique code of the layout field.

**C** Regular

File #90506.1 Field .02 DISPLAY ORDER

S ^BQI(90506.1,"C",\$E(X,1,30),DA)=""

K ^BQI(90506.1,"C",\$E(X,1,30),DA)

Cross-reference of the order that the layout fields should be displayed.

**D** Regular

File #90506.1 Field .07 SORT ORDER

S ^BQI(90506.1,"D",\$E(X,1,30),DA)=""

K ^BQI(90506.1,"D",\$E(X,1,30),DA)

Cross-reference of the order that the layout fields should be sorted.

**E** Regular

File #90506.1 Field.03 FIELD NAME

S ^BQI(90506.1,""E",\$E(X,1,30),DA)=""

K ^BQI(90506.1,""E",\$E(X,1,30),DA)

Cross-reference of the field name used in the column header.

**AC** New Style

File #90506.1 Field 3.01 NEW SOURCE

S Field BQI(90506.1,"AC",\$E(X,1,30),DA)=""

K Field BQI(90506.1,"AC",\$E(X,1,30),DA)

**AD** New Style

File #90506.1 Field 3.01 NEW SOURCE

File #90506.1 Field 3.05 NEW DISPLAY ORDER

S Field BQI(90506.1,"AD",\$E(X(1),1,30),\$E(X(2),1,5),DA)=""

K Field BQI(90506.1,"AD",\$E(X(1),1,30),\$E(X(2),1,5),DA)

**AE** New Style

File #90506.1 Field 3.01 NEW SOURCE

File #90506.1 Field 3.06 NEW SORT ORDER

S Field BQI(90506.1,"AE",\$E(X(1),1,30),\$E(X(2),1,30),DA)=""

K Field BQI(90506.1,"AE",\$E(X(1),1,30),\$E(X(2),1,30),DA)

**AF** New Style

File #90506.1 Field 3.01 NEW SOURCE

File #90506.1 Field 3.09 ALTERNATE DISPLAY ORDER

S ^BQI(90506.1,"AF",\$E(X(1),1,30),\$E(X(2),1,5),DA)=""

K ^BQI(90506.1,"AF",\$E(X(1),1,30),\$E(X(2),1,5),DA)

### 6.3.11 90506.2 iCare Diagnosis Categories

**AC** Regular

Field #90506.2 Field .06 ORDER

S ^BQI(90506.2,"AC",\$E(X,1,30),DA)=""

K ^BQI(90506.2,"AC",\$E(X,1,30),DA)

Cross-reference of the order in which the diagnosis category should be executed on the population.

**AD** Regular

File #90506.2 Field .08 ASSOCIATED REGISTER

S ^BQI(90506.2,"AD",\$E(X,1,30),DA)=""

K ^BQI(90506.2,"AD",\$E(X,1,30),DA)

Cross-reference of the register associated with the diagnostic tag.

**AE** Regular

File #90506.25 Field .02 TAXONOMY

S ^BQI(90506.2,"AE",\$E(X,1,30),DA(1),DA)=""

K ^BQI(90506.2,"AE",\$E(X,1,30),DA(1),DA)

Cross-reference of all taxonomies used to determine diagnostic tag status.

**AF** Regular

File #90506.25 Field .06 SEARCH FILE

S ^BQI(90506.2,"AF",\$E(X,1,30),DA(1),DA)=""

K ^BQI(90506.2,"AF",\$E(X,1,30),DA(1),DA)

Cross-reference of the FileMan file number to be searched for any data meeting the criteria.

**B** Regular

File #90506.2 Field .01 NAME

S ^BQI(90506.2,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.2,"B",\$E(X,1,30),DA)

Cross-reference of the name of the diagnostic tag.

### **Subfile #90506.23**

**A**C Regular

Subfile #90506.23 Field .02 ORDER

S ^BQI(90506.2,DA(1),3,"AC",\$E(X,1,30),DA)=""

K ^BQI(90506.2,DA(1),3,"AC",\$E(X,1,30),DA)

Cross-reference of the order of the tooltip.

**B** Regular

Subfile #90506.23 Field .01 TOOLTIP

S ^BQI(90506.2,DA(1),3,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.2,DA(1),3,"B",\$E(X,1,30),DA)

### **Subfile #90506.24**

**A**C Regular

Subfile #90506.24 Field .02 HIERARCHY ORDER

S ^BQI(90506.2,DA(1),4,"AC",\$E(X,1,30),DA)=""

K ^BQI(90506.2,DA(1),4,"AC",\$E(X,1,30),DA)

Cross-reference of the order of the hierarchy.

**B** Regular

Subfile #90506.24 Field .01 HIERARCHY

S ^BQI(90506.2,DA(1),4,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.2,DA(1),4,"B",\$E(X,1,30),DA)

Cross-reference of the diagnostic tag in the hierarchy.

**Subfile #90506.25****B** Regular

Subfile #90506.25 Field .01 SEARCH ORDER

S ^BQI(90506.2,DA(1),5,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.2,DA(1),5,"B",\$E(X,1,30),DA)

Cross-reference of the order in which this taxonomy should be searched.

**Subfile #90506.26****B** Regular

Subfile #90506.26 Field .01 CM CODE

S ^BQI(90506.2,DA(1),6,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.2,DA(1),6,"B",\$E(X,1,30),DA)

Cross-reference of the Care Management code.

**6.3.12 90506.3 iCare File Definition****AC** Regular

File #90506.3 Field .14 ASSOCIATE CARE MGMT

S ^BQI(90506.3,"AC",\$E(X,1,30),DA)=""

K ^BQI(90506.3,"AC",\$E(X,1,30),DA)

Cross-reference of any associated Care Management groups.

**ASUB** Regular

File #90506.3 Field .08 SUB-DEFINITION TO

S ^BQI(90506.3,"ASUB",\$E(X,1,30),DA)=""

K ^BQI(90506.3,"ASUB",\$E(X,1,30),DA)

Cross-reference of all sub-definitions.

**B** Regular

File #90506.3 Field .01 FILE NAME

S ^BQI(90506.3,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.3,"B",\$E(X,1,30),DA)

**C** Regular

File #90506.3 Field .02 FILE NUMBER

S ^BQI(90506.3,"C",\$E(X,1,30),DA)=""

K ^BQI(90506.3,"C",\$E(X,1,30),DA)

**D** Regular

File #90506.3 Field .06 GROUP

S ^BQI(90506.3,"D",\$E(X,1,30),DA)=""

K ^BQI(90506.3,"D",\$E(X,1,30),DA)

### **Subfile #90506.31**

**AC** Regular

Subfile #90506.31 Field .07 CODE

S ^BQI(90506.3,DA(1),10,"AC",\$E(X,1,30),DA)=""

K ^BQI(90506.3,DA(1),10,"AC",\$E(X,1,30),DA)

**AD** Regular

Subfile #90506.31 Field 3.01 FMAN FIELD

S ^BQI(90506.3,DA(1),10,"AD",\$E(X,1,30),DA)=""

K ^BQI(90506.3,DA(1),10,"AD",\$E(X,1,30),DA)

**AE** Regular

Subfile #90506.31 Field 3.03 RECORD IEN

S ^BQI(90506.3,DA(1),10,"AE",\$E(X,1,30),DA)=""

K ^BQI(90506.3,DA(1),10,"AE",\$E(X,1,30),DA)

**AF** Regular

Subfile #90506.31 Field 3.05 GRID DISPLAY ORDER

S ^BQI(90506.3,DA(1),10,"AF",\$E(X,1,30),DA)=""

K ^BQI(90506.3,DA(1),10,"AF",\$E(X,1,30),DA)

**B** Regular

Subfile #90506.31 Field .01 DISPLAY COLUMN NAME

S ^BQI(90506.3,DA(1),10,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.3,DA(1),10,"B",\$E(X,1,30),DA)

**C** Regular

Subfile #90506.31, Field 05 DISPLAY ORDER

S ^BQI(90506.3,DA(1),10,"C",\$E(X,1,30),DA)=""

K ^BQI(90506.3,DA(1),10,"C",\$E(X,1,30),DA)

**D** Regular

Subfile #90506.31 Field .06 SORT ORDER

S ^BQI(90506.3,DA(1),10,"D",\$E(X,1,30),DA)=""

K ^BQI(90506.3,DA(1),10,"D",\$E(X,1,30),DA)

### **Subfile #90506.315**

**AC** Regular

Subfile #90506.315 Field .06 ORDER

S ^BQI(90506.3,DA(2),10,DA(1),5,"AC",\$E(X,1,30),DA)=""

K ^BQI(90506.3,DA(2),10,DA(1),5,"AC",\$E(X,1,30),DA)

**B** Regular

Subfile #90506.315,.01 CHOICES TEXT

S ^BQI(90506.3,DA(2),10,DA(1),5,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.3,DA(2),10,DA(1),5,"B",\$E(X,1,30),DA)

**C** Regular

Subfile #90506.315 Field .02 CHOICES CODES

S ^BQI(90506.3,DA(2),10,DA(1),5,"C",\$E(X,1,30),DA)=""

K ^BQI(90506.3,DA(2),10,DA(1),5,"C",\$E(X,1,30),DA)

**Subfile #90506.32**

**B** Regular

Subfile #90506.32 Field .01 CLEAR FIELDS

S ^BQI(90506.3,DA(2),10,DA(1),10,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.3,DA(2),10,DA(1),10,"B",\$E(X,1,30),DA)

**Subfile #90506.34**

**B** Regular

Subfile #90506.34 Field .01 DISPLAY RPC PARAMETER

S ^BQI(90506.3,DA(1),3,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.3,DA(1),3,"B",\$E(X,1,30),DA)

Cross-reference of the individual parameters passed in the DISPLAY RPC CALL.

**Subfile #90506.35**

**B** Regular

Subfile #90506.35 Field .01 ADD/EDIT RPC PARAMETER

S ^BQI(90506.3,DA(1),4,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.3,DA(1),4,"B",\$E(X,1,30),DA)

Cross-reference of the individual parameters passed in the ADD/EDIT RPC CALL.

**Subfile #90506.36**

**B** Regular

Subfile #90506.36 Field .01 INIT TRIG RPC PARAMETER

S ^BQI(90506.3,DA(1),5,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.3,DA(1),5,"B",\$E(X,1,30),DA)

Cross-reference of the individual parameters passed in the INITIAL TRIGGER RPC CALL.

### **Subfile #90506.37**

**B** Regular

Subfile #90506.37 Field .01 DELETE RPC PARAMETER

S ^BQI(90506.3,DA(1),6,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.3,DA(1),6,"B",\$E(X,1,30),DA)

Cross-reference of the individual parameters passed in the DELETE RPC CALL.

### **Subfile #90506.38**

**B** Regular

Subfile #90506.37 Field .01 FILTER SOURCE

S ^BQI(90506.3,DA(1),7,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.3,DA(1),7,"B",\$E(X,1,30),DA)

Cross-reference of a source that the panel can use as a filter.

## 6.3.13 90506.4 iCare GUI Tabs

**AC** Regular

File #90506.4 Field .05 DISPLAY ORDER

S ^BQI(90506.4,"AC",\$E(X,1,30),DA)=""

K ^BQI(90506.4,"AC",\$E(X,1,30),DA)

Cross-reference of the order that the GUI tab are displayed.

**B** Regular

File #90506.4 Field .01 NAME

S ^BQI(90506.4,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.4,"B",\$E(X,1,30),DA)

Cross-reference of name of the GUI tab in iCare.

### 6.3.14 90506.5 iCare View Source

**AD** Regular

File #90506.5 Field .16 NIGHTLY JOB

S ^BQI(90506.5,"AD",\$E(X,1,30),DA)=""

K ^BQI(90506.5,"AD",\$E(X,1,30),DA)

Cross-reference if the source should be updated in the nightly job.

**AE** Regular

File #90506.5 Field .18 WEEKLY JOB

S ^BQI(90506.5,"AE",\$E(X,1,30),DA)=""

K ^BQI(90506.5,"AE",\$E(X,1,30),DA)

Cross-reference if the source should be updated in the weekly job.

**B** Regular

File #90506.5 Field .01 NAME

S ^BQI(90506.5,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.5,"B",\$E(X,1,30),DA)

Cross-reference of the name of the source.

**C** Regular

File #90506.5 Field .02 CODE

S ^BQI(90506.5,"C",\$E(X,1,30),DA)=""

K ^BQI(90506.5,"C",\$E(X,1,30),DA)

Cross-reference of the unique code identifying the source.

**D** Regular

File #90506.5 Field .03 ASSOCIATED REGISTER

S ^BQI(90506.5,"D",\$E(X,1,30),DA)=""

K ^BQI(90506.5,"D",\$E(X,1,30),DA)

Cross-reference if the source is associated with a register.

### **Subfile #90506.51**

**B** Regular

Subfile #90506.51 Field .01 LAY CODE

S ^BQI(90506.5,DA(1),10,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.5,DA(1),10,"B",\$E(X,1,30),DA)

Cross-reference of the code for the layout column field.

**C** Regular

Subfile #90506.51 Field .03 NAME

S ^BQI(90506.5,DA(1),10,"C",\$E(X,1,30),DA)=""

K ^BQI(90506.5,DA(1),10,"C",\$E(X,1,30),DA)

Cross-reference of the name of the layout column field.

### **Subfile #90506.55**

**B** Regular

File #90506.55 Field .01 CATEGORY CODE

S ^BQI(90506.5,DA(1),5,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.5,DA(1),5,"B",\$E(X,1,30),DA)

Cross-reference of the category.

### **Subfile #90506.56**

**B** Regular

Subfile #90506.56 Field .01 CLINICAL GROUP CODE

S ^BQI(90506.5,DA(1),6,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.5,DA(1),6,"B",\$E(X,1,30),DA)

Cross-reference of the clinical group.

### 6.3.15 90506.6 iCare Reports List

**B** Regular

File #90506.6 Field .01 REPORT NAME

S ^BQI(90506.6,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.6,"B",\$E(X,1,30),DA)

Cross-reference of the report name.

### 6.3.16 90506.7 iCare Startup Tabs

**B** Regular

File #90506.7 Field .01 CODE

S ^BQI(90506.7,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.7,"B",\$E(X,1,30),DA)

Cross-reference of code which will get passed to the iCare application to signify the default view to utilize.

**C** Regular

File #90506.7 Field .02 DEFAULT VIEW

S ^BQI(90506.7,"C",\$E(X,1,30),DA)=""

K ^BQI(90506.7,"C",\$E(X,1,30),DA)

Cross-reference of the default view to display in the iCare application.

### 6.3.17 90506.8 iCare IPC Categories

**AC** Regular

File #90506.8 Field .04 SUBTO

S ^BQI(90506.8,"AC",\$E(X,1,30),DA)=""

K ^BQI(90506.8,"AC",\$E(X,1,30),DA)

Cross-reference of those categories that are sub-categories.

**B** Regular

File #90506.8 Field .01 NAME

S ^BQI(90506.8,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.8,"B",\$E(X,1,30),DA)

Cross-reference of the name of the IPC category.

### 6.3.18 90506.9 iCare Timeframes

**B** Regular

File #90506.9 Field .01 NAME

S ^BQI(90506.9,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.9,"B",\$E(X,1,30),DA)

Cross-reference of the name of the relative timeframe.

**C** Regular

Subfile #90506.91 Field .01 DEFINITION VARIABLE

S ^BQI(90506.9,"C",\$E(X,1,30),DA(1),DA)=""

K ^BQI(90506.9,"C",\$E(X,1,30),DA(1),DA)

Cross-reference of the variable name used for processing.

**F** Regular

File #90506.9 Field .03 FROM

S ^BQI(90506.9,""F",\$E(X,1,30),DA)=""

K ^BQI(90506.9,""F",\$E(X,1,30),DA)

Cross-reference of the relative value for mapping the FROM value.

#### **Subfile #90506.91**

**B** Regular

Subfile #90506.91 Field .01 DEFINITION VARIABLE

S ^BQI(90506.9,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQI(90506.9,DA(1),1,"B",\$E(X,1,30),DA)

Cross-reference of the variable name used for processing.

### 6.3.19 90507 iCare Registry Index

**A**B Regular

Subfile #90507.03 Field .01 TAXONOMY

S ^BQI(90507,"AB",\$E(X,1,30),DA(2),DA(1),DA)=""

K ^BQI(90507,"AB",\$E(X,1,30),DA(2),DA(1),DA)

Cross-reference of the taxonomy name.

**B** Regular

File #90507 Field .01 REGISTRY NAME

S ^BQI(90507,"B",\$E(X,1,30),DA)=""

K ^BQI(90507,"B",\$E(X,1,30),DA)

Cross-reference of the register name.

**C** Regular

File #90507 Field .17 RELATED TO

S ^BQI(90507,"C",\$E(X,1,30),DA)=""

K ^BQI(90507,"C",\$E(X,1,30),DA)

Cross-reference of the name that labs/medications are related to in PCC tab  
in Patient View.

#### **Subfile # 90507.01**

**A**C Regular

Subfile #90507.01 Field .02 TAXONOMY POINTER

S ^BQI(90507,DA(1),10,"AC",\$E(X,1,30),DA)=""

K ^BQI(90507,DA(1),10,"AC",\$E(X,1,30),DA)

Cross-reference of the taxonomy pointer.

**AD Regular**

Subfile #90507.01 Field .07 CLINICAL GROUP

S ^BQI(90507,DA(1),10,"AD",\$E(X,1,30),DA)=""

K ^BQI(90507,DA(1),10,"AD",\$E(X,1,30),DA)

Cross-reference of the clinical group for the taxonomy.

**B Regular**

Subfile #90507.01 Field .01 TAXONOMY NAME

S ^BQI(90507,DA(1),10,"B",\$E(X,1,30),DA)=""

K ^BQI(90507,DA(1),10,"B",\$E(X,1,30),DA)

Cross-reference of the taxonomy name.

**Subfile # 90507.015**

**AC Regular**

Subfile #90507.015 Field .09 ORDER

S ^BQI(90507,DA(1),15,"AC",\$E(X,1,30),DA)=""

K ^BQI(90507,DA(1),15,"AC",\$E(X,1,30),DA)

Cross-reference of the order the reminders are processed.

**B Regular**

Subfile #90507.015 Field .01 REMINDERS

S ^BQI(90507,DA(1),15,"B",\$E(X,1,30),DA)=""

K ^BQI(90507,DA(1),15,"B",\$E(X,1,30),DA)

Cross-reference of the register reminder name.

**Subfile # 90507.02**

**B** Regular

Subfile #90507.02 Field .01 NAME

S ^BQI(90507,DA(1),20,"B",\$E(X,1,30),DA)=""

K ^BQI(90507,DA(1),20,"B",\$E(X,1,30),DA)

Cross-reference of the report name.

**Subfile # 90507.03****B** Regular

Subfile #90507.03 Field .01 TAXONOMY

S ^BQI(90507,DA(2),20,DA(1),10,"B",\$E(X,1,30),DA)=""

K ^BQI(90507,DA(2),20,DA(1),10,"B",\$E(X,1,30),DA)

Cross-reference of the taxonomy name.

**6.3.20 90507.1 iCare Web Links****B** Regular

File #90507.1 Field .01 LINK

S ^BQI(90507.1,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.1,"B",\$E(X,1,30),DA)

Cross-reference of title associated with the Weblink for the associated category.

**6.3.21 90507.2 iCare Measurements Definitions****AC** Regular

File #90507.2 Field .03 POINTER

S ^BQI(90507.2,"AC",\$E(X,1,30),DA)=""

K ^BQI(90507.2,"AC",\$E(X,1,30),DA)

Cross-reference of the pointer value to the Measurement Type file of the

Measurement.

**A** Regular

File #90507.2 Field .05 PARENT

S ^BQI(90507.2,"AD",\$E(X,1,30),DA)=""

K ^BQI(90507.2,"AD",\$E(X,1,30),DA)

Cross-reference of the pointer value if the measurement has a parent

measurement.

**B** Regular

File #90507.2 Field .01 MEASUREMENT

S ^BQI(90507.2,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.2,"B",\$E(X,1,30),DA)

Cross-reference of the measurement name.

**C** Regular

File #90507.2 Field .02 CODE

S ^BQI(90507.2,"C",\$E(X,1,30),DA)=""

K ^BQI(90507.2,"C",\$E(X,1,30),DA)

Cross-reference of the measurement code.

### 6.3.22 90507.3 iCare Routine Events

**B** Regular

File #90507.3 Field .01 NAME

S ^BQI(90507.3,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.3,"B",\$E(X,1,30),DA)

Cross-reference of the name of the routine event.

### 6.3.23 90507.5 iCare Patient

**AB** Regular

Subfile #90507.52 Field .01 DIAGNOSIS CATEGORIES

S ^BQIPAT("AB",\$E(X,1,30),DA(1),DA)=""

K ^BQIPAT("AB",\$E(X,1,30),DA(1),DA)

**AC** Regular

Subfile #90507.53 Field .01 GPRA INDICATOR

S ^BQIPAT("AC",\$E(X,1,30),DA(1),DA)=""

K ^BQIPAT("AC",\$E(X,1,30),DA(1),DA)

Cross-reference of all patients by GPRA measure summary indicator.

**AD** MUMPS

Subfile #90507.515 Field .02 DATE/TIME OF RECORD

D SXAD^BQIFLAG

D KXAD^BQIFLAG

**AE** MUMPS

Subfile #90507.515 Field .02 DATE/TIME OF RECORD

D SXAE^BQIFLAG

D KXAE^BQIFLAG

**AF** MUMPS

Subfile #90507.515 Field .02 DATE/TIME OF RECORD

D SXAF^BQIFLAG

D KXAF^BQIFLAG

**AG** Regular

File #90507.5 Field .07 TRMT PRMPTS LAST RUN

S ^BQIPAT("AG",\$E(X,1,30),DA)=""

K ^BQIPAT("AG",\$E(X,1,30),DA)

**B** Regular

File #90507.5 Field .01 PATIENT

S ^BQIPAT("B",\$E(X,1,30),DA)=""

K ^BQIPAT("B",\$E(X,1,30),DA)

**C** Regular

Subfile #90507.5211 Field .01 RECORD

S ^BQIPAT("C",\$E(X,1,30),DA(3),DA(2),DA(1),DA)=""

K ^BQIPAT("C",\$E(X,1,30),DA(3),DA(2),DA(1),DA)

### **Subfile #90507.51**

**AC** Regular

Subfile #90507.515 Field .04 VISIT RECORD

S ^BQIPAT(DA(2),10,"AC",\$E(X,1,30),DA(1),DA)=""

K ^BQIPAT(DA(2),10,"AC",\$E(X,1,30),DA(1),DA)

**B** Regular

Subfile #90507.51 Field .01 FLAGS

S ^BQIPAT(DA(1),10,"B",\$E(X,1,30),DA)=""

K ^BQIPAT(DA(1),10,"B",\$E(X,1,30),DA)

### **Subfile #90507.515**

**AC** Regular

Subfile #90507.515 Field .02 DATE/TIME OF RECORD

S ^BQIPAT(DA(2),10,DA(1),5,"AC",\$E(X,1,30),DA)=""

K ^BQIPAT(DA(2),10,DA(1),5,"AC",\$E(X,1,30),DA)

**B** Regular

Subfile #90507.515 Field .01 RECORD

S ^BQIPAT(DA(2),10,DA(1),5,"B",\$E(X,1,30),DA)=""

K ^BQIPAT(DA(2),10,DA(1),5,"B",\$E(X,1,30),DA)

### **Subfile #90507.5151**

**B** Regular

Subfile #90507.5151 Field .01 ICARE USER

S ^BQIPAT(DA(3),10,DA(2),5,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQIPAT(DA(3),10,DA(2),5,DA(1),1,"B",\$E(X,1,30),DA)

### **Subfile #90507.52**

**B** Regular

Subfile #90507.52 Field .01 DIAGNOSIS CATEGORIES

S ^BQIPAT(DA(1),20,"B",\$E(X,1,30),DA)=""

K ^BQIPAT(DA(1),20,"B",\$E(X,1,30),DA)

### **Subfile # 90507.521**

**AC** Regular

Subfile #90507.5211 Field .02 RECORD DATE/TIME

S ^BQIPAT(DA(3),20,DA(2),1,"AC",\$E(X,1,30),DA(1),DA)=""

K ^BQIPAT(DA(3),20,DA(2),1,"AC",\$E(X,1,30),DA(1),DA)

**B** Regular

Subfile #90507.521 Field .01 FACTOR

S ^BQIPAT(DA(2),20,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQIPAT(DA(2),20,DA(1),1,"B",\$E(X,1,30),DA)

### **Subfile # 90507.5211**

**AC** Regular

Subfile #90507.5211 Field .02 RECORD DATE/TIME

S ^BQIPAT(DA(3),20,DA(2),1,DA(1),1,"AC",\$E(X,1,30),DA)=""

K ^BQIPAT(DA(3),20,DA(2),1,DA(1),1,"AC",\$E(X,1,30),DA)

**B** Regular

Subfile #90507.5211 Field .01 RECORD

S ^BQIPAT(DA(3),20,DA(2),1,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQIPAT(DA(3),20,DA(2),1,DA(1),1,"B",\$E(X,1,30),DA)

**Subfile # 90507.53**

**B** Regular

Subfile #90507.53 Field .01 SUMMARY INDICATOR NUMBER

S ^BQIPAT(DA(1),30,"B",\$E(X,1,30),DA)=""

K ^BQIPAT(DA(1),30,"B",\$E(X,1,30),DA)

**Subfile # 90507.54**

**B** Regular

Subfile #90507.54 Field .01

S ^BQIPAT(DA(1),40,"B",\$E(X,1,30),DA)=""

K ^BQIPAT(DA(1),40,"B",\$E(X,1,30),DA)

**Subfile # 90507.55**

**B** Regular

Subfile #90507.55 Field .01 TREATMENT PROMPTS

S ^BQIPAT(DA(1),50,"B",\$E(X,1,30),DA)=""

K ^BQIPAT(DA(1),50,"B",\$E(X,1,30),DA)

**Subfile # 90507.56**

**B** Regular

Subfile #90507.56 Field .01 SOURCE DATA

S ^BQIPAT(DA(1),60,"B",\$E(X,1,30),DA)=""

K ^BQIPAT(DA(1),60,"B",\$E(X,1,30),DA)

**Subfile #90507.561****B** Regular

Subfile #90507.561 Field .01 VIEW FIELD

S ^BQIPAT(DA(2),60,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQIPAT(DA(2),60,DA(1),1,"B",\$E(X,1,30),DA)

**6.3.24 90507.6 iCare Community Alerts****B** Regular

File #90507.6 Field .01 COMMUNITY

S ^BQI(90507.6,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.6,"B",\$E(X,1,30),DA)

**C** Regular

Subfile #90507.6111 Field .02 DATE OF EVENT

S ^BQI(90507.6,"C",\$E(X,1,30),DA(3),DA(2),DA(1),DA)=""

K ^BQI(90507.6,"C",\$E(X,1,30),DA(3),DA(2),DA(1),DA)

**Subfile #90507.61****AB** Regular

Subfile #90507.611 Field .01 DX CATEGORY

S ^BQI(90507.6,DA(2),1,"AB",\$E(X,1,30),DA(1),DA)=""

K ^BQI(90507.6,DA(2),1,"AB",\$E(X,1,30),DA(1),DA)

**B** Regular

Subfile #90507.61 Field .01 ALERT TYPE

S ^BQI(90507.6,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.6,DA(1),1,"B",\$E(X,1,30),DA)

**Subfile #90507.611**

**A**C Regular

Subfile #90507.6111 Field .02 DATE OF EVENT

S ^BQI(90507.6,DA(3),1,DA(2),1,"AC",\$E(X,1,30),DA)=""

K ^BQI(90507.6,DA(3),1,DA(2),1,"AC",\$E(X,1,30),DA(1),DA)

**B** Regular

Subfile #90507.6111 Field .01 DX CATEGORY

S ^BQI(90507.6,DA(2),1,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.6,DA(2),1,DA(1),1,"B",\$E(X,1,30),DA)

**Subfile # 90507.6111****B** Regular

Subfile #90507.6111 Field .01 DX CODE

S ^BQI(90507.6,DA(3),1,DA(2),1,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.6,DA(3),1,DA(2),1,DA(1),1,"B",\$E(X,1,30),DA)

**C** New Style

Subfile #90507.6111 Field .01 DX CODE

Subfile #90507.6111 Field .02 DATE OF EVENT

Subfile #90507.6111 Field .03 RECORD

S

^BQI(90507.6,DA(3),1,DA(2),1,DA(1),1,"C",\$E(X(1),1,30),X(2),\$E(X(3),1,30),DA)  
=""

K

^BQI(90507.6,DA(3),1,DA(2),1,DA(1),1,"C",\$E(X(1),1,30),X(2),\$E(X(3),1,30),DA)

**D** New Style

Subfile #90507.6111 Field .04 DFN

Subfile #90507.6111 Field .02 DATE OF EVENT

Subfile #90507.6111 Field .03 RECORD

S

^BQI(90507.6,DA(3),1,DA(2),1,DA(1),1,"D",\$E(X(1),1,30),\$E(X(2),1,15),\$E(X(3),1,30),DA)=""

K

^BQI(90507.6,DA(3),1,DA(2),1,DA(1),1,"D",\$E(X(1),1,30),\$E(X(2),1,15),\$E(X(3),1,30),DA)

### **Subfile #90507.61111**

**B** Regular

Subfile #90507.61111 Field .01 SUPPORTING VALUES

S ^BQI(90507.6,DA(4),1,DA(3),1,DA(2),1,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.6,DA(4),1,DA(3),1,DA(2),1,DA(1),1,"B",\$E(X,1,30),DA)

### **Subfile # 90507.6112**

**B** Regular

Subfile #90507.6112 Field .01 LAB DATA

S ^BQI(90507.6,DA(3),1,DA(2),1,DA(1),2,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.6,DA(3),1,DA(2),1,DA(1),2,"B",\$E(X,1,30),DA)

### **Subfile # 90507.6115**

**B** Regular

Subfile #90507.6115 Field .01 USER

S ^BQI(90507.6,DA(3),1,DA(2),1,DA(1),5,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.6,DA(3),1,DA(2),1,DA(1),5,"B",\$E(X,1,30),DA)

## 6.3.25 90507.7 iCare Comm Alerts Export

**B** Regular

File #90507.7 Field .01 EXPORT DATE

S ^BQI(90507.7,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.7,"B",\$E(X,1,30),DA)

Cross-reference by the date of the export.

**A**C New Style

Subfile #90507.701 Field .01 Patient IEN

Subfile #90507.701 Field .07 Category

Subfile #90507.701 Field .1 Record IEN

Subfile #90507.701 Field .08 Event Date

S

^BQI(90507.7,"AC",\$E(X(1),1,15),\$E(X(2),1,45),\$E(X(3),1,15),\$E(X(4),1,15),DA(1 ),DA)=""

K

^BQI(90507.7,"AC",\$E(X(1),1,15),\$E(X(2),1,45),\$E(X(3),1,15),\$E(X(4),1,15),DA(1 ),DA)

Cross-reference of a community alert that has already been exported.

**S**ubfile #90507.701

**B** Regular

Subfile #90507.701 Field .01 PATIENT IEN

S ^BQI(90507.7,DA(1),10,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.7,DA(1),10,"B",\$E(X,1,30),DA)

Cross-reference by the patient internal entry number.

### 6.3.26 90507.8 iCare Community Alerts Definitions

**B** Regular

File #90507.8 Field .01 LABEL

S ^BQI(90507.8,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.8,"B",\$E(X,1,30),DA)

**C** Regular

File #90507.8 Field .03 DISPLAY GROUP

S ^BQI(90507.8,"C",\$E(X,1,30),DA)=""

K ^BQI(90507.8,"C",\$E(X,1,30),DA)

### **Subfile #90507.801**

**A**C Regular

Subfile #90507.801 Field .02 ICD CODE VALUE

S ^BQI(90507.8,DA(1),10,"AC",\$E(X,1,30),DA)=""

K ^BQI(90507.8,DA(1),10,"AC",\$E(X,1,30),DA)

**B** Regular

Subfile #90507.801 Field .01 ICD CODE PTR

S ^BQI(90507.8,DA(1),10,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.8,DA(1),10,"B",\$E(X,1,30),DA)

### **Subfile #90507.802**

**A**C Regular

Subfile #90507.802 Field .06 SERVICE CATEGORY

S ^BQI(90507.8,DA(1),20,"AC",\$E(X,1,30),DA)=""

K ^BQI(90507.8,DA(1),20,"AC",\$E(X,1,30),DA)

**B** Regular

Subfile #90507.802 Field .01 SEARCH ORDER

S ^BQI(90507.8,DA(1),20,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.8,DA(1),20,"B",\$E(X,1,30),DA)

### **Subfile #90507.811**

**B** Regular

Subfile #90507.811 Field .01 TAXONOMY NAME

S ^BQI(90507.8,DA(1),11,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.8,DA(1),11,"B",\$E(X,1,30),DA)

**Subfile #90507.8111****B** Regular

Subfile #90507.8111 Field .01 VSAC OID

S ^BQI(90507.8,DA(2),11,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.8,DA(2),11,DA(1),1,"B",\$E(X,1,30),DA)

**TOID** Regular

Subfile #90507.8111 Field .01 VSAC OID (whole file cross-reference)

S ^BQI(90507.8,"TOID",\$E(X,1,30),DA(2),DA(1),DA)=""

K ^BQI(90507.8,"TOID",\$E(X,1,30),DA(2),DA(1),DA)

**Subfile #90507.812****B** Regular

Subfile #90507.812 Field .01 LOINC TAXONOMY

S ^BQI(90507.8,DA(1),12,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.8,DA(1),12,"B",\$E(X,1,30),DA)

**Subfile #90507.8121****B** Regular

Subfile #90507.8121 Field .01 VSAC OID

S ^BQI(90507.8,DA(2),12,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.8,DA(2),12,DA(1),1,"B",\$E(X,1,30),DA)

**LOID** Regular

Subfile #90507.8121 Field .01 VSAC OID (whole file cross-reference)

S ^BQI(90507.8,"LOID",\$E(X,1,30),DA(2),DA(1),DA)=""

K ^BQI(90507.8,"LOID",\$E(X,1,30),DA(2),DA(1),DA)

**Subfile #90507.813****AB** Regular

Subfile #90507.813 Field .01 SNOMED SUBSETS (whole file cross-reference)

S ^BQI(90507.8,"AB",\$E(X,1,30),DA(1),DA)=""

K ^BQI(90507.8,"AB",\$E(X,1,30),DA(1),DA)

**A**C Regular

Subfile #90507.813 Field .02 CODESET (whole file cross-reference)

S ^BQI(90507.8,"AC",\$E(X,1,30),DA(1),DA)=""

K ^BQI(90507.8,"AC",\$E(X,1,30),DA(1),DA)

**B** Regular

Subfile #90507.813 Field .01 SNOMED SUBSETS

S ^BQI(90507.8,DA(1),13,"B",\$E(X,1,30),DA)=""

K ^BQI(90507.8,DA(1),13,"B",\$E(X,1,30),DA)

**SOID** Regular

Subfile #90507.813 Field .03 VSAC OID (whole file crsoss-reference)

S ^BQI(90507.8,"SOID",X,DA(1),DA)=""

K ^BQI(90507.8,"SOID",X,DA(1),DA)

### 6.3.27 90508 iCare Site Parameters

**B** Regular

File #90508 Field .01 HOME SITE

S ^BQI(90508,"B",\$E(X,1,30),DA)="

K ^BQI(90508,"B",\$E(X,1,30),DA)

**Subfile #90508.01**

**B** Regular

Subfile #90508.01 Field .01 YEAR

S ^BQI(90508,DA(1),20,""B""),\$E(X,1,30),DA)=""

K ^BQI(90508,DA(1),20,""B""),\$E(X,1,30),DA)

### **Subfile #90508.02**

**B** Regular

Subfile #90508.02 Field .01 SUMMARY INDICATOR

S ^BQI(90508,DA(2),20,DA(1),20,""B""),\$E(X,1,30),DA)=""

K ^BQI(90508,DA(2),20,DA(1),20,""B""),\$E(X,1,30),DA)

**C** Regular

Subfile #90508.02 Field .03 DISPLAY ORDER

S ^BQI(90508,DA(2),20,DA(1),20,""C""),\$E(X,1,30),DA)=""

K ^BQI(90508,DA(2),20,DA(1),20,""C""),\$E(X,1,30),DA)

### **Subfile # 90508.015**

**B** Regular

Subfile # 90508.015 Field .01 COMMUNITY ALERTS

S ^BQI(90508,DA(1),15,""B""),\$E(X,1,30),DA)=""

K ^BQI(90508,DA(1),15,""B""),\$E(X,1,30),DA)

### **Subfile # 90508.018**

**B** Regular

Subfile # 90508.018 Field .01 EMPLOYER

S ^BQI(90508,DA(1),18,""B""),\$E(X,1,30),DA)=""

K ^BQI(90508,DA(1),18,""B""),\$E(X,1,30),DA)

### **Subfile # 90508.021**

**B** Regular

Subfile #90508.021 Field .01 YEAR

S ^BQI(90508,DA(1),21,""B""),\$E(X,1,30),DA)=""

K ^BQI(90508,DA(1),21,""B""),\$E(X,1,30),DA)

**Subfile # 90508.022****B** Regular

Subfile #90508.022 Field .01 IPC MEASURES

S ^BQI(90508,DA(1),22,""B""",\$E(X,1,30),DA)=""

K ^BQI(90508,DA(1),22,""B""",\$E(X,1,30),DA)

**Subfile #90508.221****B** Regular

Subfile #90508.221 Field .01 MEASURE ID

S ^BQI(90508,DA(2),22,DA(1),1,""B""",\$E(X,1,30),DA)=""

K ^BQI(90508,DA(2),22,DA(1),1,""B""",\$E(X,1,30),DA)

**C** Regular

Subfile #90508.221 Field .06 DISPLAY ORDER

S ^BQI(90508,DA(2),22,DA(1),1,""C""",\$E(X,1,30),DA)=""

K ^BQI(90508,DA(2),22,DA(1),1,""C""",\$E(X,1,30),DA)

**Subfile #90508.2212****B** Regular

Subfile #90508.2212 Field .01 BUNDLE ID

S ^BQI(90508,DA(3),22,DA(2),1,DA(1),2,""B""",\$E(X,1,30),DA)=""

K ^BQI(90508,DA(3),22,DA(2),1,DA(1),2,""B""",\$E(X,1,30),DA)

**Subfile #90508.223****B** Regular

Subfile #90508.223 Field .01 DATES

S ^BQI(90508,DA(2),22,DA(1),3,""B""",\$E(X,1,30),DA)=""

K ^BQI(90508,DA(2),22,DA(1),3,""B""",\$E(X,1,30),DA)

**Subfile # 90508.023**

**B** Regular

Subfile #90508.023 Field .01 IPC CLINICS

S ^BQI(90508,DA(1),23,""B""",\$E(X,1,30),DA)=""

K ^BQI(90508,DA(1),23,""B""",\$E(X,1,30),DA)

**Subfile # 90508.03****AC** Regular

Subfile # 90508.03 Field .02 TAXONOMY POINTER

S ^BQI(90508,DA(1),10,""AC""",\$E(X,1,30),DA)=""

K ^BQI(90508,DA(1),10,""AC""",\$E(X,1,30),DA)

**AD** Regular

Subfile # 90508.03 Field .05 CATEGORY

S ^BQI(90508,DA(1),10,""AD""",\$E(X,1,30),DA)=""

K ^BQI(90508,DA(1),10,""AD""",\$E(X,1,30),DA)

**B** Regular

Subfile # 90508.03 Field .01 TAXONOMY NAME

S ^BQI(90508,DA(1),10,""B""",\$E(X,1,30),DA)=""

K ^BQI(90508,DA(1),10,""B""",\$E(X,1,30),DA)

### 6.3.28 90508.1 iCare User Templates

**B** Regular

File #90508.1 Field .01 NAME

S ^BQI(90508.1,"B",\$E(X,1,30),DA)=""

K ^BQI(90508.1,"B",\$E(X,1,30),DA)

**Subfile #90508.11****B** Regular

Subfile #90508.11 Field .01 FIELD

S ^BQI(90508.1,DA(1),10,"B",\$E(X,1,30),DA)=""

K ^BQI(90508.1,DA(1),10,"B",\$E(X,1,30),DA)

**C** Regular

Subfile #90508.11 Field .02 DISPLAY ORDER

S ^BQI(90508.1,DA(1),10,"C",\$E(X,1,30),DA)=""

K ^BQI(90508.1,DA(1),10,"C",\$E(X,1,30),DA)

**D** Regular

Subfile #90508.11 Field .03 SORT ORDER

S ^BQI(90508.1,DA(1),10,"D",\$E(X,1,30),DA)=""

K ^BQI(90508.1,DA(1),10,"D",\$E(X,1,30),DA)

### 6.3.29 90508.2 iCare Glossaries

**B** Regular

File #90508.2 Field .01 GLOSSARY NAME

S ^BQI(90508.2,"B",\$E(X,1,30),DA)=""

K ^BQI(90508.2,"B",\$E(X,1,30),DA)

Cross-reference of the names of the glossaries in iCare.

### 6.3.30 90508.3 iCare Taxonomy Category

**B** Regular

File #90508.3 Field .01 NAME

S ^BQI(90508.3,"B",\$E(X,1,30),DA)=""

K ^BQI(90508.3,"B",\$E(X,1,30),DA)

Cross-reference of the taxonomy category name.

### 6.3.31 90508.4 iCare Taxonomy Files

**B** Regular

File #90508.4 Field .01 NAME

S ^BQI(90508.4,"B",\$E(X,1,30),DA)=""

K ^BQI(90508.4,"B",\$E(X,1,30),DA)

Cross-reference of the data files of the taxonomies.

### 6.3.32 90508.5 iCare Treatment Prompts

**AC** Regular

File #90508.5 Field .03 PRIORITY

S ^BQI(90508.5,"AC",\$E(X,1,30),DA)=""

K ^BQI(90508.5,"AC",\$E(X,1,30),DA)

**AD** New Style

File #90508.5 Field .02 ASSOCIATED DX TAG

File #90508.5 Field .03 PRIORITY

S ^BQI(90508.5,"AD",\$E(X(1),1,30),\$E(X(2),1,3),DA)=""

K ^BQI(90508.5,"AD",\$E(X(1),1,30),\$E(X(2),1,3),DA)

Set condition: I \$P(^BQI(90508.5,DA,0),""^",4)'=""'" K X

**B** Regular

File #90508.5 Field .01 NAME

S ^BQI(90508.5,"B",\$E(X,1,30),DA)=""

K ^BQI(90508.5,"B",\$E(X,1,30),DA)

**C** Regular

Subfile #90508.55 Field .02 TAXONOMY NAME

S ^BQI(90508.5,"C",\$E(X,1,30),DA(1),DA)=""

K ^BQI(90508.5,"C",\$E(X,1,30),DA(1),DA)

**Subfile #90508.55****B** Regular

Subfile #90508.55 Field .01 ORDER

S ^BQI(90508.5,DA(1),5,"B",\$E(X,1,30),DA)=""

K ^BQI(90508.5,DA(1),5,"B",\$E(X,1,30),DA)

**6.3.33 90508.6 iCare V Files****B** Regular

File #90508.6 Field .01 FILE NUMBER

S ^BQI(90508.6,"B",\$E(X,1,30),DA)=""

K ^BQI(90508.6,"B",\$E(X,1,30),DA)

Cross-reference of the PCC V File number.

**6.3.34 90509 iCare DX Cat Registry****AC** Regular

File #90509 Field .02 PATIENT NAME

S ^BQIREG("AC",\$E(X,1,30),DA)=""

K ^BQIREG("AC",\$E(X,1,30),DA)

**B** Regular

File #90509 Field .01 DIAGNOSIS CATEGORY

S ^BQIREG("B",\$E(X,1,30),DA)=""

K ^BQIREG("B",\$E(X,1,30),DA)

**C** New Style

File #90509 Field .02 PATIENT NAME

File #90509 Field .01 DIAGNOSIS CATEGORY

S ^BQIREG("C",\$E(X(1),1,30),\$E(X(2),1,30),DA)=""

K ^BQIREG("C",\$E(X(1),1,30),\$E(X(2),1,30),DA)

**D** Regular

File #90509,.03 CURRENT STATUS

S ^BQIREG("D",\$E(X,1,30),DA)=""

K ^BQIREG("D",\$E(X,1,30),DA)

### **Subfile #90509.01**

**B** Regular

Subfile #90509.01,.01 STATUS HISTORY DATE

S ^BQIREG(DA(1),10,"B",\$E(X,1,30),DA)=""

K ^BQIREG(DA(1),10,"B",\$E(X,1,30),DA)

### **Subfile #90509.15**

**B** Regular

Subfile #90509.15,.01 OLD FACTORS

S ^BQIREG(DA(2),10,DA(1),5,"B",\$E(X,1,30),DA)=""

K ^BQIREG(DA(2),10,DA(1),5,"B",\$E(X,1,30),DA)

### **Subfile #90509.05**

**B** Regular

Subfile #90509.05,.01 CURRENT FACTORS

S ^BQIREG(DA(1),5,"B",\$E(X,1,30),DA)=""

K ^BQIREG(DA(1),5,"B",\$E(X,1,30),DA)

## 6.3.35 90509.1 iCare DX Cat Reasons

**B** Regular

File #90509.1 Field .01 TEXT

S ^BQI(90509.1,"B",\$E(X,1,30),DA)=""

K ^BQI(90509.1,"B",\$E(X,1,30),DA)

Cross-reference by the reason for the diagnostic tag.

### 6.3.36 90509.4 iCare Reminder Notifications

**B** Regular

File #90509.4 Field .01 PATIENT

S ^BQI(90509.4,"B",\$E(X,1,30),DA)=""

K ^BQI(90509.4,"B",\$E(X,1,30),DA)

**C** New Style

File #90509.4 Field .01 PATIENT

File #90509.4 Field .09 REMINDER

S ^BQI(90509.4,"C",\$E(X(1),1,30),\$E(X(2),1,30),DA)=""B

K ^BQI(90509.4,"C",\$E(X(1),1,30),\$E(X(2),1,30),DA)

**D** New Style

File #90509.4 Field .01 PATIENT

File #90509.4 Field .04 DATE/TIME CREATED

S ^BQI(90509.4,"D",\$E(X(1),1,20),\$E(X(2),1,10),DA)=""

K ^BQI(90509.4,"D",\$E(X(1),1,20),\$E(X(2),1,10),DA)

#### **Subfile #90509.41**

**B** Regular

Subfile #90509.41 Field .01 ADDITIONAL REMINDERS

S ^BQI(90509.4,DA(1),1,"B",\$E(X,1,30),DA)=""

K ^BQI(90509.4,DA(1),1,"B",\$E(X,1,30),DA)

### 6.3.37 90509.5 iCare DX Cat Factors

**AC** Regular

File #90509.5 Field .02 PATIENT

S ^BQIFACT("AC",\$E(X,1,30),DA)=""

K ^BQIFACT("AC",\$E(X,1,30),DA)

**A**D Regular

File #90509.5 Field .03 DIAGNOSIS CATEGORY

S ^BQIFACT("AD",\$E(X,1,30),DA)=""

K ^BQIFACT("AD",\$E(X,1,30),DA)

**B** Regular

File #90509.5 Field .01 FACTOR

S ^BQIFACT("B",\$E(X,1,30),DA)=""

K ^BQIFACT("B",\$E(X,1,30),DA)

**C** New Style

File #90509.5 Field .02 PATIENT

File #90509.5 Field .03 DIAGNOSIS CATEGORY

S ^BQIFACT("C",\$E(X(1),1,30),\$E(X(2),1,30),DA)=""

K ^BQIFACT("C",\$E(X(1),1,30),\$E(X(2),1,30),DA)

### 6.3.38 90509.9 iCare Temporary Data

**B** Regular

File #90509.9 Field .01 NAME

S ^BQI(90509.9,"B",\$E(X,1,30),DA)=""

K ^BQI(90509.9,"B",\$E(X,1,30),DA)

Cross-reference of the name of the glossary being sent out to update.

## 6.4 Table File

This section contains a simplified structure for each of the files in this release.

### 6.4.1 90505 iCare User

**Global: ^BQICARE(**

Field #	Field Name	Subscript	Piece	Type
.01	USER	D0,0	1	P
.02	DEFAULT VIEW	D0,0	2	P
.03	SPECIFIED PANEL	D0,0	3	F
.04	SPEC PANEL OWNER	D0,0	4	P
.05	PATIENT SEARCH PREF	D0,0	5	S
.06	DATE/TIME LAST LOGIN	D0,0	6	D
.07	PATIENT VIEW	D0,0	7	P
.08	RECORD VIEW	D0,0	8	S
.09	DEFAULT CMET VIEW	D0,0	9	S
.1	CMET QUEUED TIPS	D0,0	10	S
.11	CMET QUEUED FILTERS	D0,0	11	S
.12	CMET TRACKED TIPS	D0,0	12	S
.13	CMET TRACKED FILTERS	D0,0	13	S
.14	CMET FOLLOWUP TIPS	D0,0	14	S
.15	CMET FOLLOWUP FILTERS	D0,0	15	S
.16	*DEFAULT MU VIEW	D0,0	16	S
.17	USER ICARE GUI VERSION	D0,0	17	F
.18	DEFAULT CHART REV LOCATION	D0,0	18	P
.19	DEFAULT FOLLOWUP LTR LOCATION	D0,0	19	P
.2	DEFAULT TELEPHONE LOCATION	D0,0	20	P
.21	DEFAULT IPC VIEW	D0,0	21	S
1	PANEL DEFINITION (90505.01)			
.01	PANEL NAME	D0,1,D1,0	1	F

Field #	Field Name	Subscript	Piece	Type
.02	DATE/TIME CREATED	D0,1,D1,0	2	D
.03	SOURCE TYPE	D0,1,D1,0	3	S
.04	DEFINITION LAST UPDATED BY	D0,1,D1,0	4	P
.05	DATE/TIME DEFN LAST UPDATED	D0,1,D1,0	5	D
.06	AUTOPOPULATE FLAG	D0,1,D1,0	6	S
.07	DATE/TIME LAST POPULATED	D0,1,D1,0	7	D
.08	PATIENT LIST UPDATED BY	D0,1,D1,0	8	P
.09	DATE/TIME PATIENT LIST UPDATED	D0,1,D1,0	9	D
.1	# OF PATIENTS	D0,1,D1,0	10	N
.11	SOURCE NAME	D0,1,D1,0	11	F
.12	PATIENT FLAG	D0,1,D1,0	12	S
.13	STATUS	D0,1,D1,0	13	S
.14	FILTER SOURCE NAME	D0,1,D1,0	14	F
.15	ASSOCIATED PANEL	D0,1,D1,0	1	N
.16	LAST LOCKED BY	D0,1,D1,0	2	P
1	PANEL DESCRIPTION	D0,1,D1,1	1	F
2.1	IPC FLAG	D0,1,D1,2	1	S
2.2	CATEGORY	D0,1,D1,2	2	F
3.1	AUTOPOPULATE ORDER	D0,1,D1,3	10	N
3.11	LAST PANEL OPENED DATE/TIME	D0,1,D1,3	11	D
3.12	REMINDER PANEL	D0,1,D1,3	12	S
3.3	GPRA YEAR	D0,1,D1,3	3	F
3.4	AUTOPOPULATE STATUS	D0,1,D1,3	4	S
3.5	LAST POPULATED BY	D0,1,D1,3	5	P
3.6	SENSITIVE FLAG	D0,1,D1,3	6	S
3.7	DIVISION	D0,1,D1,3	7	P

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
3.8	POP START	D0,1,D1,3	8	D
3.9	POP END	D0,1,D1,3	9	D
4	LAYOUT TEMPLATES (90505.14)			
.01	LAYOUT TEMPLATES	D0,1,D1,4,D2,0	1	F
.02	TYPE	D0,1,D1,4,D2,0	2	P
5	GENERATED DESCRIPTION (90505.15)	D0,1,D1,5,00		W
10	PARAMETER DEFINITION (90505.02)			
.01	PARAMETER NAME	D0,1,D1,10,D2,0	1	F
.02	SINGLE VALUE	D0,1,D1,10,D2,0	2	F
.03	SINGLE VALUE IEN	D0,1,D1,10,D2,0	3	F
1	MULTIPLE VALUES (90505.21)			
.01	MULTIPLE VALUES	D0,1,D1,10,D2,1,D3,0	1	F
.02	MULTIPLE IEN	D0,1,D1,10,D2,1,D3,0	2	F
2	ASSOC PARAMETER (90505.212)			
.01	ASSOC PARAMETER	D0,1,D1,10,D2,1,D3,2,D4,0	1	F
.02	ASSOC VALUE	D0,1,D1,10,D2,1,D3,2,D4,0	2	F
.03	ASSOC VALUE IEN	D0,1,D1,10,D2,1,D3,2,D4,0	3	N
2	ASSOC PARAMETER (90505.22)			
.01	ASSOC PARAMETER	D0,1,D1,10,D2,2,D3,0	1	F
.02	ASSOC VALUE	D0,1,D1,10,D2,2,D3,0	2	F
.03	ASSOC VALUE IEN	D0,1,D1,10,D2,2,D3,0	3	N
15	FILTER DEFINITION (90505.115)			
.01	FILTER NAME	D0,1,D1,15,D2,0	1	F
.02	SINGLE VALUE	D0,1,D1,15,D2,0	2	F
.03	SINGLE VALUE IEN	D0,1,D1,15,D2,0	3	F

Field #	Field Name	Subscript	Piece	Type
1	MULTIPLE VALUES (90505.1151)			
.01	MULTIPLE VALUES	D0,1,D1,15,D2,1,D3,0	1	F
.02	MULTIPLE VALUE IEN	D0,1,D1,15,D2,1,D3,0	2	F
2	ASSOC PARAMETER (90505.11512)			
.01	ASSOC PARAMETER	D0,1,D1,15,D2,1,D3,2,D4,0	1	F
.02	ASSOC VALUE	D0,1,D1,15,D2,1,D3,2,D4,0	2	F
.03	ASSOC VALUE IEN	D0,1,D1,15,D2,1,D3,2,D4,0	3	N
1	MULTIPLE VALUES (90505.115121)			
.01	MULTIPLE VALUES	D0,1,D1,15,D2,1,D3,2,D4,1,D5,0	1	F
.02	MULTIPLE VALUES IEN	D0,1,D1,15,D2,1,D3,2,D4,1,D5,0	2	F
2	ASSOC PARAMETER (90505.1152)			
.01	ASSOC PARAMETER	D0,1,D1,15,D2,2,D3,0	1	F
.02	ASSOC VALUE	D0,1,D1,15,D2,2,D3,0	2	F
.03	ASSOC VALUE IEN	D0,1,D1,15,D2,2,D3,0	3	N
1	MULTIPLE VALUES (90505.11521)			
.01	MULTIPLE VALUES	D0,1,D1,15,D2,2,D3,1,D4,0	1	F
.02	MULTIPLE VALUES IEN	D0,1,D1,15,D2,2,D3,1,D4,0	2	F
20	CUSTOMIZED VIEW (90505.05)			
.01	CUSTOMIZED VIEW FIELD	D0,1,D1,20,D2,0	1	P
.02	DISPLAY ORDER	D0,1,D1,20,D2,0	2	N
.03	SORT ORDER	D0,1,D1,20,D2,0	3	N
.04	SORT DIRECTION	D0,1,D1,20,D2,0	4	S
.05	COLUMN SIZE	D0,1,D1,20,D2,0	5	N
21	MY MEASURES VIEW (90505.13)			
.01	MY MEASURES VIEW	D0,1,D1,21,D2,0	1	F

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.02	DISPLAY ORDER	D0,1,D1,21,D2,0	2	N
.03	SORT ORDER	D0,1,D1,21,D2,0	3	N
.04	SORT DIRECTION	D0,1,D1,21,D2,0	4	S
.05	COLUMN SIZE	D0,1,D1,21,D2,0	5	N
22	REMINDER VIEW (90505.122)			
.01	REMINDER VIEW	D0,1,D1,22,D2,0	1	F
.02	DISPLAY ORDER	D0,1,D1,22,D2,0	2	N
.03	SORT ORDER	D0,1,D1,22,D2,0	3	N
.04	SORT DIRECTION	D0,1,D1,22,D2,0	4	S
.05	COLUMN SIZE	D0,1,D1,22,D2,0	5	N
23	SOURCE VIEW (90505.123)			
.01	SOURCE VIEW	D0,1,D1,23,D2,0	1	F
1	VIEW FIELD (90505.1231)			
.01	VIEW FIELD	D0,1,D1,23,D2,1,D3,0	1	P
.02	DISPLAY ORDER	D0,1,D1,23,D2,1,D3,0	2	N
.03	SORT ORDER	D0,1,D1,23,D2,1,D3,0	3	N
.04	SORT DIRECTION	D0,1,D1,23,D2,1,D3,0	4	S
.05	COLUMN SIZE	D0,1,D1,23,D2,1,D3,0	5	N
25	GPRA FIELD VIEW (90505.125)			
.01	GPRA FIELD VIEW	D0,1,D1,25,D2,0	1	N
.02	DISPLAY ORDER	D0,1,D1,25,D2,0	2	N
.03	SORT ORDER	D0,1,D1,25,D2,0	3	N
.04	SORT DIRECTION	D0,1,D1,25,D2,0	4	S
.05	COLUMN SIZE	D0,1,D1,25,D2,0	5	N
26	REFERRALS VIEW (90505.126)			
.01	REFERRALS VIEW	D0,1,D1,26,D2,0	1	F
.02	DISPLAY ORDER	D0,1,D1,26,D2,0	2	N
.03	SORT ORDER	D0,1,D1,26,D2,0	3	N
.04	SORT DIRECTION	D0,1,D1,26,D2,0	4	S
.05	COLUMN SIZE	D0,1,D1,26,D2,0	5	N
27	CONSULTS VIEW (90505.127)			
.01	CONSULTS VIEW	D0,1,D1,27,D2,0	1	F

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.02	DISPLAY ORDER	D0,1,D1,27,D2,0	2	N
.03	SORT ORDER	D0,1,D1,27,D2,0	3	N
.04	SORT DIRECTION	D0,1,D1,27,D2,0	4	S
.05	COLUMN SIZE	D0,1,D1,27,D2,0	5	N
28	ORDERS VIEW (90505.128)			
.01	ORDERS VIEW	D0,1,D1,28,D2,0	1	F
.02	DISPLAY ORDER	D0,1,D1,28,D2,0	2	N
.03	SORT ORDER	D0,1,D1,28,D2,0	3	N
.04	SORT DIRECTION	D0,1,D1,28,D2,0	4	S
.05	COLUMN SIZE	D0,1,D1,28,D2,0	5	N
30	SHARED USERS (90505.03)			
.01	SHARED USER	D0,1,D1,30,D2,0	1	P
.02	ACCESS	D0,1,D1,30,D2,0	2	S
.03	DATE SHARE STARTS	D0,1,D1,30,D2,0	3	D
.04	DATE SHARE ENDS	D0,1,D1,30,D2,0	4	D
.05	SHARE LAYOUTS	D0,1,D1,30,D2,0	5	S
.06	CATEGORY	D0,1,D1,30,D2,0	6	F
4	LAYOUT TEMPLATES (90505.34)			
.01	LAYOUT TEMPLATES	D0,1,D1,30,D2,4,D3,0	1	F
.02	TYPE	D0,1,D1,30,D2,4,D3,0	2	P
20	CUSTOMIZED VIEW (90505.06)			
.01	CUSTOMIZED VIEW FIELD	D0,1,D1,30,D2,20,D3,0	1	P
.02	DISPLAY ORDER	D0,1,D1,30,D2,20,D3,0	2	N
.03	SORT ORDER	D0,1,D1,30,D2,20,D3,0	3	N
.04	SORT DIRECTION	D0,1,D1,30,D2,20,D3,0	4	S
.05	COLUMN SIZE	D0,1,D1,30,D2,20,D3,0	5	N
21	MY MEASURES VIEW (90505.321)			
.01	MY MEASURES VIEW	D0,1,D1,30,D2,21,D3,0	1	F
.02	DISPLAY ORDER	D0,1,D1,30,D2,21,D3,0	2	N

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.03	SORT ORDER	D0,1,D1,30,D2,21,D3,0	3	N
.04	SORT DIRECTION	D0,1,D1,30,D2,21,D3,0	4	S
.05	COLUMN SIZE	D0,1,D1,30,D2,21,D3,0	5	N
22	REMINDER VIEW (90505.322)			
.01	REMINDER VIEW	D0,1,D1,30,D2,22,D3,0	1	F
.02	DISPLAY ORDER	D0,1,D1,30,D2,22,D3,0	2	N
.03	SORT ORDER	D0,1,D1,30,D2,22,D3,0	3	N
.04	SORT DIRECTION	D0,1,D1,30,D2,22,D3,0	4	S
.05	COLUMN SIZE	D0,1,D1,30,D2,22,D3,0	5	N
23	SOURCE VIEW (90505.323)			
.01	SOURCE VIEW	D0,1,D1,30,D2,23,D3,0	1	F
1	VIEW FIELD (90505.3231)			
.01	VIEW FIELD	D0,1,D1,30,D2,23,D3,1,D4,0	1	P
.02	DISPLAY ORDER	D0,1,D1,30,D2,23,D3,1,D4,0	2	N
.03	SORT ORDER	D0,1,D1,30,D2,23,D3,1,D4,0	3	N
.04	SORT DIRECTION	D0,1,D1,30,D2,23,D3,1,D4,0	4	S
.05	COLUMN SIZE	D0,1,D1,30,D2,23,D3,1,D4,0	5	N
25	GPRA FIELD VIEW (90505.325)			
.01	GPRA FIELD VIEW	D0,1,D1,30,D2,25,D3,0	1	N
.02	DISPLAY ORDER	D0,1,D1,30,D2,25,D3,0	2	N
.03	SORT ORDER	D0,1,D1,30,D2,25,D3,0	3	N
.04	SORT DIRECTION	D0,1,D1,30,D2,25,D3,0	4	S
.05	COLUMN SIZE	D0,1,D1,30,D2,25,D3,0	5	N
26	REFERRAL VIEW (90505.326)			
.01	REFERRALS VIEW	D0,1,D1,30,D2,26,D3,0	1	F
.02	DISPLAY ORDER	D0,1,D1,30,D2,26,D3,0	2	N
.03	SORT ORDER	D0,1,D1,30,D2,26,D3,0	3	N
.04	SORT DIRECTION	D0,1,D1,30,D2,26,D3,0	4	S
.05	COLUMN SIZE	D0,1,D1,30,D2,26,D3,0	5	N
27	CONSULT VIEW (90505.327)			
.01	CONSULTS VIEW	D0,1,D1,30,D2,27,D3,0	1	F
.02	DISPLAY ORDER	D0,1,D1,30,D2,27,D3,0	2	N

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.03	SORT ORDER	D0,1,D1,30,D2,27,D3,0	3	N
.04	SORT DIRECTION	D0,1,D1,30,D2,27,D3,0	4	S
.05	COLUMN SIZE	D0,1,D1,30,D2,27,D3,0	5	N
28	ORDER VIEW (90505.328)			
.01	ORDER VIEW	D0,1,D1,30,D2,28,D3,0	1	F
.02	DISPLAY ORDER	D0,1,D1,30,D2,28,D3,0	2	N
.03	SORT ORDER	D0,1,D1,30,D2,28,D3,0	3	N
.04	SORT DIRECTION	D0,1,D1,30,D2,28,D3,0	4	S
.05	COLUMN SIZE	D0,1,D1,30,D2,28,D3,0	5	N
.01	CONSULTS VIEW	D0,1,D1,30,D2,28,D3,0	1	F
40	PATIENT LIST (90505.04)			
.01	PATIENT NAME	D0,1,D1,40,D2,0	1	P
.02	MANUAL FLAG	D0,1,D1,40,D2,0	2	S
.03	ADDED BY	D0,1,D1,40,D2,0	3	P
.04	DATE/TIME ADDED	D0,1,D1,40,D2,0	4	D
.05	REMOVED BY	D0,1,D1,40,D2,0	5	P
.06	DATE/TIME REMOVED	D0,1,D1,40,D2,0	6	D
.07	DATE/TIME INITIALLY LOADED	D0,1,D1,40,D2,0	7	D
.08	FLAG INDICATOR	D0,1,D1,40,D2,0	8	S
5	MATCHED CRITERIA (90505.18)			
.01	MATCHED CRITERIA	D0,1,D1,40,D2,5,D3,0	1	F
1	RECORD (90505.181)			
.01	RECORD	D0,1,D1,40,D2,5,D3,1,D4,0	1	F
2.01	MU PROV PERF TIPS	D0,2	1	S
2.02	MU HOSP PERF TIPS	D0,2	2	S
2.03	MU CQ AGG TIPS	D0,2	3	S
2.04	MU HOSP CQ TIPS	D0,2	4	S
2.05	PANEL VIEW	D0,2	5	P
2.06	PANEL SIZE	D0,2	6	S
2.07	IPC PAT DETAIL TIPS	D0,2	7	S

Field #	Field Name	Subscript	Piece	Type
2.08	IPC PAT DETAIL FILTERS	D0,2	8	S
2.09	IPC PROV DETAIL TIPS	D0,2	9	S
2.1	IPC PROV DETAIL FILTERS	D0,2	10	S
2.11	MU PCQ TIPS	D0,2	11	S
2.12	MU PCQ FILTERS	D0,2	12	S
2.13	CMET PANEL EVENT TIPS	D0,2	13	S
2.14	CMET PANEL EVENT FILTER	D0,2	14	S
2.15	MU PROV PERF FILTERS	D0,2	15	S
2.16	MU HOSP PERF FILTERS	D0,2	16	S
2.17	MU HOSP CQ FILTERS	D0,2	17	S
2.18	MU CQ AGG FILTERS	D0,2	18	S
2.19	MU PERF AGG FILTERS	D0,2	19	S
2.2	MU PERF AGG TIPS	D0,2	20	S
2.21	CMET MAIN FINDINGS DISPLAY	D0,2	21	S
2.22	CMET PANEL FINDINGS DISP	D0,2	22	S
2.23	IPC PROV AGG TIPS	D0,2	23	S
2.24	IPC PROV AGG FILTERS	D0,2	24	S
2.25	IPC FAC AGG TIPS	D0,2	25	S
2.26	IPC FAC AGG FILTERS	D0,2	26	S
2.27	IPC TEAM AGG TIPS	D0,2	27	S
2.28	IPC TEAM AGG FILTERS	D0,2	28	S
3	NOTIFICATION (90505.12)			
.01	DATE/TIME OF NOTIFICATION	D0,3,D1,0	1	D
.02	FROM WHOM	D0,3,D1,0	2	P

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.03	STATUS	D0,3,D1,0	3	S
.04	SUBJECT	D0,3,D1,0	4	F
1	BODY (90505.121)	D0,3,D1,1,D2,0		W
5	LAST VIEWED PANELS (90505.5)			
.01	PANEL ID	D0,5,D1,0	1	F
7	MY PATIENTS DEFINITION (90505.07)			
.01	MY PATIENTS DEFINITION	D0,7,D1,0	1	F
2	GENERATED DESCRIPTION	D0,7,D1,2	1	F
10	PARAMETERS (90505.08)			
.01	PARAMETER NAME	D0,7,D1,10,D2,0	1	F
.02	SINGLE VALUE	D0,7,D1,10,D2,0	2	F
.03	SINGLE VALUE IEN	D0,7,D1,10,D2,0	3	F
1	MULTIPLE VALUES (90505.81)			
.01	MULTIPLE VALUES	D0,7,D1,10,D2,1,D2,0	1	F
.02	MULTIPLE IEN	D0,7,D1,10,D2,1,D2,0	2	F
8	IPC USER PREFERENCES (90505.17)			
.01	IPC USER PREFERENCES		1	S
.02	DATE/TIME LAST EDITED		2	D
1	PARAMETERS (90505.171)			
.01	PARAMETERS		1	F
.02	SINGLE VALUE		2	F
.03	SINGLE VALUE IEN		3	F
1	MULTIPLE VALUES (90505.1711)			
.01	MULTIPLE VALUES		1	F
.02	MULTIPLE IEN		2	F
9	CMET USER PREFERENCES (90505.16)			

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.01	CMET USER PREFERENCES		1	S
.02	DATE/TIME LAST EDITED		2	D
1	PARAMETERS (90505.161)			
.01	PARAMETER NAME		1	F
.02	SINGLE VALUE		2	F
.03	SINGLE VALUE IEN		3	F
1	MULTIPLE VALUES (90505.1611)			
.01	MULTIPLE VALUES		1	F
.02	MULTIPLE IEN		2	F
10	FLAG DEFINITION (90505.09)			
.01	FLAG DEFINITION		1	P
10	PARAMETERS (90505.1)			
.01	PARAMETER NAME		1	F
.02	SINGLE VALUE		2	F
.03	SINGLE VALUE IEN		3	F
1	MULTIPLE VALUES (90505.11)			
.01	MULTIPLE VALUES		1	F
.02	MULTIPLE IENS		2	F
11	COMMUNITY ALERTS DEFINITION (90505.011)			
.01	COMMUNITY ALERTS DEFINITION		1	P
1	PARAMETERS (90505.111)			
.01	PARAMETER NAME		1	F
.02	SINGLE VALUE		2	F
12	MU USER PREFERENCES (90505.012)			
.01	MU USER PREFERENCES		1	S
.02	DATE/TIME LAST EDITED		2	D

Field #	Field Name	Subscript	Piece	Type
1	PARAMETERS (90505.022)			
.01	PARAMETERS		1	F
.02	SINGLE VALUE		2	F
.03	SINGLE VALUE IEN		3	F
1	MULTIPLE VALUES (90505.221)			
.01	MULTIPLE VALUES		1	F
.02	MULTIPLE IEN		2	F
13	GUI TABS (90505.013)			
.01	GUI TABS		1	P
14.01	DEFAULT MU VIEW	D0,14	1	P
15	LAYOUT TEMPLATES (90505.015)			
.01	LAYOUT TEMPLATES		1	F
.02	TYPE		2	P
.03	DEFAULT TEMPLATE		3	S
.04	DATE/TIME LAST EDITED		4	D
.05	Deletable Template?		5	S
1	FIELD (90505.151)			
.01	FIELD		1	F
.02	DISPLAY ORDER		2	N
.03	SORT ORDER		3	N
.04	SORT DIRECTION		4	S
.05	COLUMN SIZE		5	N
2	DISTRIBUTED TO (90505.152)			
.01	DISTRIBUTED TO		1	P
.02	DATE DISTRIBUTED		2	D
.03	USER DELETED		3	S
.04	USER TEMPLATE IEN		4	N
17	CATEGORY/FOLDER (90505.017)			

Field #	Field Name	Subscript	Piece	Type
.01	NAME		1	F
.02	COLOR		2	F

#### 6.4.2 90505.2 iCare Roles

**Global: ^BQI(90505.2,**

Field #	Field Name	Subscript	Piece	Type
.01	NAME	D0,0	1	F
.02	ICARE SECURITY KEY	D0,0	2	F
.03	HEADER POSITION	D0,0	3	N
10	RPMS PKG ASSOC KEY (90505.23)			
.01	RPMS PKG ASSOC KEY	D0,10,D1,0	1	F

#### 6.4.3 90505.3 iCare COVID Immunocompromised ICDS

Field #	Field Name	Subscript	Piece	Type
.01	ICD CODE	D0,0	1	P
.02	CONDITION	D0,0	2	F
.03	INACTIVE	D0,0	3	S

#### 6.4.4 90505.4 iCare Provider

**Global: ^BQIPROV(**

Field #	Field Name	Subscript	Piece	Type
.01	NAME	D0,0	1	P
10	12 MOS PERFORMANCE (90505.41)			
.01	VIEW FIELD	D0,10,D1,0	1	F
.02	CURRENT DENOMINATOR	D0,10,D1,0	2	F
.03	CURRENT NUMERATOR	D0,10,D1,0	3	F
.04	PREVIOUS DENOMINATOR	D0,10,D1,0	4	F

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.05	PREVIOUS NUMERATOR	D0,10,D1,0	5	F
1	CURRENT EXCLUSION	D0,10,D1,1	1	F
2	PREVIOUS EXCLUSION	D0,10,D1,2	1	F
3	ADHERENCE VALUE	D0,10,D1,3	1	F
11	12 MOS CLIN QUAL (90505.411)			
.01	VIEW FIELD	D0,11,D1,0	1	F
.02	CURRENT DENOMINATOR	D0,11,D1,0	2	F
.03	CURRENT NUMERATOR	D0,11,D1,0	3	F
.04	CURRENT EXCLUSION	D0,11,D1,0	4	F
.05	PREVIOUS DENOMINATOR	D0,11,D1,0	5	F
.06	PREVIOUS NUMERATOR	D0,11,D1,0	6	F
.07	PREVIOUS EXCLUSION	D0,11,D1,0	7	F
20	90 DAYS PERFORMANCE (90505.42)			
.01	VIEW FIELD	D0,20,D1,0	1	F
.02	CURRENT DENOMINATOR	D0,20,D1,0	2	F
.03	CURRENT NUMERATOR	D0,20,D1,0	3	F
.04	PREVIOUS DENOMINATOR	D0,20,D1,0	4	F
.05	PREVIOUS NUMERATOR	D0,20,D1,0	5	F
1	CURRENT EXCLUSION	D0,20,D1,1	1	F
2	PREVIOUS EXCLUSION	D0,20,D1,2	1	F
3	ADHERENCE VALUE	D0,20,D1,3	1	F

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
21	90 DAYS CLIN QUAL (90505.421)			
.01	VIEW FIELD	D0,21,D1,0	1	F
.02	CURRENT DENOMINATOR	D0,21,D1,0	2	F
.03	CURRENT NUMERATOR	D0,21,D1,0	3	F
.04	CURRENT EXCLUSION	D0,21,D1,0	4	F
.05	PREVIOUS DENOMINATOR	D0,21,D1,0	5	F
.06	PREVIOUS NUMERATOR	D0,21,D1,0	6	F
.07	PREVIOUS EXCLUSION	D0,21,D1,0	7	F
30	IPC MEASURES (90505.43)			
.01	IPC MEASURES	D0,30,D1,0	1	F
1	MONTHLY TIMEFRAME (90505.431)			
.01	TIMEFRAME	D0,30,D1,1,D2,0	1	D
.02	DENOMINATOR	D0,30,D1,1,D2,0	2	F
.03	NUMERATOR	D0,30,D1,1,D2,0	3	F
.06	TOTAL APPT MINUTES	D0,30,D1,1,D2,0	6	N
.07	NUM APPTS	D0,30,D1,1,D2,0	7	N
2	WEEKLY TIMEFRAME (90505.432)			
.01	WEEKLY TIMEFRAME	D0,30,D1,2,D2,0	1	N
.02	DENOMINATOR	D0,30,D1,2,D2,0	2	N
.03	NUMERATOR	D0,30,D1,2,D2,0	3	N
.04	FROM DATE	D0,30,D1,2,D2,0	4	D
.05	THRU DATE	D0,30,D1,2,D2,0	5	D
.06	TOTAL APPT MINUTES	D0,30,D1,2,D2,0	6	N
.07	NUM APPTS	D0,30,D1,2,D2,0	7	N

Field #	Field Name	Subscript	Piece	Type
40	PERFORMANCE MEASURES (90505.44)			
.01	PERFORMANCE MEASURES	D0,40,D1,0	1	D
1	MEASURE ID (90505.441)			
.01	MEASURE ID	D0,40,D1,1,D2,0	1	F
.02	DENOMINATOR	D0,40,D1,1,D2,0	2	F
.03	NUMERATOR	D0,40,D1,1,D2,0	3	F
.04	PERFORMANCE REPORT	D0,40,D1,1,D2,0	4	F
1	EXCLUSION	D0,40,D1,1,D2,1	1	F
50	CQ MEASURES (90505.45)			
.01	CQ DATE	D0,50,D1,0	1	D
1	MEASURE ID (90505.451)			
.01	MEASURE ID	D0,50,D1,1,D2,0	1	F
.02	DENOMINATOR	D0,50,D1,1,D2,0	2	F
.03	NUMERATOR	D0,50,D1,1,D2,0	3	F
.04	EXCLUSION	D0,50,D1,1,D2,0	4	F
60	CLIN QUAL TIMEFRAME (90505.46)			
.01	CLIN QUAL TIMEFRAME	D0,60,D1,0	1	F
.02	START DATE	D0,60,D1,0	2	D
.03	END DATE	D0,60,D1,0	3	D
10	MEASURE (90505.47)			
.01	MEASURE ID	D0,60,D1,10,D2,0	1	F
.02	DENOMINATOR	D0,60,D1,10,D2,0	2	F
.03	NUMERATOR	D0,60,D1,10,D2,0	3	F
.04	EXCLUSION	D0,60,D1,10,D2,0	4	F

## 6.4.5 90505.6 iCare Facility

**Global: ^BQIFAC(**

Field #	Field Name	Subscript	Piece	Type
.01	NAME	D0,0	1	P
10	12 MOS PERFORMANCE (90505.61)			
.01	VIEW FIELD	D0,10,D1,0	1	F
.02	CURRENT DENOMINATOR	D0,10,D1,0	2	F
.03	CURRENT NUMERATOR	D0,10,D1,0	3	F
.04	PREVIOUS DENOMINATOR	D0,10,D1,0	4	F
.05	PREVIOUS NUMERATOR	D0,10,D1,0	5	F
1	CURRENT EXCLUSION	D0,10,D1,1	1	F
2	PREVIOUS EXCLUSION	D0,10,D1,2	1	F
3	ADHERENCE VALUE	D0,10,D1,3	1	F
11	12 MOS CLIN QUAL (90505.611)			
.01	VIEW FIELD	D0,11,D1,0	1	F
.02	CURRENT DENOMINATOR	D0,11,D1,0	2	F
.03	CURRENT NUMERATOR	D0,11,D1,0	3	F
.04	CURRENT EXCLUSION	D0,11,D1,0	4	F
.05	PREVIOUS DENOMINATOR	D0,11,D1,0	5	F
.06	PREVIOUS NUMERATOR	D0,11,D1,0	6	F
.07	PREVIOUS EXCLUSION	D0,11,D1,0	7	F
20	90 DAYS PERFORMANCE (90505.62)			
.01	VIEW FIELD	D0,20,D1,0	1	F

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.02	CURRENT DENOMINATOR	D0,20,D1,0	2	F
.03	CURRENT NUMERATOR	D0,20,D1,0	3	F
.04	PREVIOUS DENOMINATOR	D0,20,D1,0	4	F
.05	PREVIOUS NUMERATOR	D0,20,D1,0	5	F
1	CURRENT EXCLUSION	D0,20,D1,1	1	F
2	PREVIOUS EXCLUSION	D0,20,D1,2	1	F
3	ADHERENCE VALUE	D0,20,D1,3	1	F
21	90 DAYS CLIN QUAL (90505.621)			
.01	VIEW FIELD	D0,21,D1,0	1	F
.02	CURRENT DENOMINATOR	D0,21,D1,0	2	F
.03	CURRENT NUMERATOR	D0,21,D1,0	3	F
.04	CURRENT EXCLUSION	D0,21,D1,0	4	F
.05	PREVIOUS DENOMINATOR	D0,21,D1,0	5	F
.06	PREVIOUS NUMERATOR	D0,21,D1,0	6	F
.07	PREVIOUS EXCLUSION	D0,21,D1,0	7	F
30	IPC MEASURES (90505.63)			
.01	IPC MEASURES	D0,30,D1,0	1	F
1	MONTHLY TIMEFRAME (90505.631)			
.01	TIMEFRAME	D0,30,D1,1,D2,0	1	D
.02	DENOMINATOR	D0,30,D1,1,D2,0	2	F
.03	NUMERATOR	D0,30,D1,1,D2,0	3	F
.06	TOTAL APPT MINUTES	D0,30,D1,1,D2,0	6	N
.07	NUM APPTS	D0,30,D1,1,D2,0	7	N

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
2	WEEKLY TIMEFRAME (90505.632)			
.01	WEEKLY TIMEFRAME	D0,30,D1,2,D2,0	1	N
.02	DENOMINATOR	D0,30,D1,2,D2,0	2	N
.03	NUMERATOR	D0,30,D1,2,D2,0	3	N
.04	FROM DATE	D0,30,D1,2,D2,0	4	D
.05	THRU DATE	D0,30,D1,2,D2,0	5	D
.06	TOTAL APPT MINUTES	D0,30,D1,2,D2,0	6	N
.07	NUM APPTS	D0,30,D1,2,D2,0	7	N
40	PERFORMANCE MEASURES (90505.64)			
.01	PERFORMANCE DATES	D0,40,D1,0	1	D
.02	START DATE	D0,40,D1,0	2	D
.03	END DATE	D0,40,D1,0	3	D
1	MEASURE ID (90505.641)			
.01	MEASURE ID	D0,40,D1,1,D2,0	1	F
.02	DENOMINATOR	D0,40,D1,1,D2,0	2	F
.03	NUMERATOR	D0,40,D1,1,D2,0	3	F
.04	PERFORMANCE REPORT	D0,40,D1,1,D2,0	4	F
1	EXCLUSION	D0,40,D1,1,D2,1	1	F
10	MEASURE (90505.65)			
.01	IPC BY DIVISION	D0,40,D1,10,D2,0	1	D
.02	DENOMINATOR	D0,40,D1,10,D2,0	2	F
.03	NUMERATOR	D0,40,D1,10,D2,0	3	F
.04	EXCLUSION	D0,40,D1,10,D2,0	4	F
50	CQ MEASURES (90505.66)			
.01	CQ DATE	D0,50,D1,0	1	D
1	MEASURE ID (90505.661)			
.01	MEASURE ID	D0,50,D1,1,D2,0	1	F
.02	DENOMINATOR	D0,50,D1,1,D2,0	2	F

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.03	NUMERATOR	D0,50,D1,1,D2,0	3	F
.04	EXCLUSION	D0,50,D1,1,D2,0	4	F
60	IPC BY DIVISION (90505.65)			
.01	IPC BY DIVISION	D0,60,D1,0	1	D
.02	DENOMINATOR	D0,60,D1,0	2	F
.03	NUMERATOR	D0,60,D1,0	3	F
.04	EXCLUSION	D0,60,D1,0	4	F
70	PERFORMANCE BY DIVISION (90505.67)			
.01	PERFORMANCE DATE	D0,70,D1,0	1	D
1	MEASURE ID (90505.671)			
.01	MEASURE ID	D0,70,D1,1,D2,0	1	F
.02	DENOMINATOR	D0,70,D1,1,D2,0	2	F
.03	NUMERATOR	D0,70,D1,1,D2,0	3	F
.04	PERFORMANCE REPORT	D0,70,D1,1,D2,0	4	F
1	EXCLUSION	D0,70,D1,1,D2,1	1	F
80	CLIN QUAL BY DIVISION (90505.68)			
.01	CLIN QUAL DATE	D0,80,D1,0	1	D
1	MEASURE ID (90505.681)			
.01	MEASURE ID	D0,80,D1,1,D2,0	1	F
.02	DENOMINATOR	D0,80,D1,1,D2,0	2	F
.03	NUMERATOR	D0,80,D1,1,D2,0	3	F
.04	EXCLUSION	D0,80,D1,1,D2,0	4	F

#### 6.4.6 90505.7 iCare Clinic

**Global: ^BQICLIN(**

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.01	HOSPITAL LOCATION	D0,0	1	P

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
10	IPC MEASURE (90505.701)			
.01	IPC MEASURE	D0,10,D1,0	1	F
10	MONTH TIMEFRAME (90505.703D)			
.01	MONTH TIMEFRAME	D0,10,D1,10,D2,0	1	D
.06	TOTAL APPTS	D0,10,D1,10,D2,0	6	N
.07	TOTAL APPTS CHECKEDIN	D0,10,D1,10,D2,0	7	N
.08	TOTAL APPTS CHECKEDOUT	D0,10,D1,10,D2,0	8	N
.09	TOTAL APPTS NOSHOW	D0,10,D1,10,D2,0	9	N
.1	TOTAL APPTS CANCELLED	D0,10,D1,10,D2,0	10	N
.11	TOTAL TIME (MINUTES)	D0,10,D1,10,D2,0	11	N
.12	AVG TIME (MINUTES)	D0,10,D1,10,D2,0	12	N
20	WEEK TIMEFRAME (90505.702)			
.01	WEEK TIMEFRAME	D0,10,D1,20,D2,0	1	N
.04	FROM DATE	D0,10,D1,20,D2,0	4	D
.05	THRU DATE	D0,10,D1,20,D2,0	5	D
.06	TOTAL APPTS	D0,10,D1,20,D2,0	6	N
.07	TOTAL APPTS CHECKEDIN	D0,10,D1,20,D2,0	7	N
.08	TOTAL APPTS CHECKEDOUT	D0,10,D1,20,D2,0	8	N
.09	TOTAL APPTS NOSHOW	D0,10,D1,20,D2,0	9	N
.1	TOTAL APPTS CANCELLED	D0,10,D1,20,D2,0	10	N
.11	TOTAL TIME (MINUTES)	D0,10,D1,20,D2,0	11	N
.12	AVG TIME (MINUTES)	D0,10,D1,20,D2,0	12	N

## 6.4.7 90505.8 iCare Team

**Global: ^BQITEAM(**

Field #	Field Name	Subscript	Piece	Type
.01	TEAM	D0,0	1	P
10	IPC MEASURE (90505.801)			
.01	IPC MEASURE	D0,10,D1,0	1	F
10	MONTH TIMEFRAME (90505.802)			
.01	MONTH TIMEFRAME	D0,10,D1,10,D2,0	1	D
.02	DENOMINATOR	D0,10,D1,10,D2,0	2	F
.03	NUMERATOR	D0,10,D1,10,D2,0	3	F
.06	TOTAL APPT MINUTES	D0,10,D1,10,D2,0	6	N
.07	NUM APPTS	D0,10,D1,10,D2,0	7	N
30	TEAM MEMBERS (90505.804)			
.01	TEAM MEMBERS	D0,10,D1,10,D2,30,D3,0	1	P
20	WEEKLY TIMEFRAME (90505.632)			
.01	WEEKLY TIMEFRAME	D0,10,D1,20,D2,0	1	N
.02	DENOMINATOR	D0,10,D1,20,D2,0	2	N
.03	NUMERATOR	D0,10,D1,20,D2,0	3	N
.04	FROM DATE	D0,10,D1,20,D2,0	4	D
.05	THRU DATE	D0,10,D1,20,D2,0	5	D
.06	TOTAL APPT MINUTES	D0,10,D1,20,D2,0	6	N
.07	NUM APPTS	D0,10,D1,20,D2,0	7	N
30	TEAM MEMBERS (90505.805)			
.01	TEAM MEMBERS	D0,10,D1,20,D2,30,D3,0	1	P

## 6.4.8 90505.9 iCare COVID High Risk ICDS

**Global: ^BQI(90505.9,**

Field #	Field Name	Subscript	Piece	Type
.01	ICD CODE	D0,0	1	P
.02	CONDITION	D0,0	2	F
.03	INACTIVE	D0,0	3	S

## 6.4.9 90506 iCare Definitions

**Global: ^BQI(90506,**

Field #	Field Name	Subscript	Piece	Type
.01	PANEL NAME	D0,0	1	F
.02	STATUS FLAG	D0,0	2	S
.03	RPC CALL	D0,0	3	P
.04	TYPE	D0,0	4	S
.05	FLAG ORDER	D0,0	5	N
1	DESCRIPTION	D0,1	1	F
2	SOURCE CODE	D0,2	E1,245	M
3	PARAMETERS (90506.03)			
.01	PARAMETER CODE	D0,3,D1,0	1	F
.02	DATA TYPE	D0,3,D1,0	2	S
.03	UPPER LIMIT	D0,3,D1,0	3	F
.04	LOWER LIMIT	D0,3,D1,0	4	F
.05	DEFAULT	D0,3,D1,0	5	F
.06	REQUIRED/OPTIONAL	D0,3,D1,0	6	S
.07	EXCLUDE	D0,3,D1,0	7	F
.08	TABLE FILE #	D0,3,D1,0	8	F
.09	DESCRIPTION	D0,3,D1,0	9	F
.1	DESCRIPTION ORDER	D0,3,D1,0	10	N
.11	MAP?	D0,3,D1,0	11	S
.12	MAPS TO	D0,3,D1,0	12	F
.13	INACTIVE	D0,3,D1,0	13	S
.14	PARM DESC ORDER- NEW	D0,3,D1,0	14	N
.15	DEF DETAILS DETERMINATOR	D0,3,D1,0	15	S

Field #	Field Name	Subscript	Piece	Type
1	LIST OF CHOICES	D0,3,D1,1	1	F
2	DESCRIPTION EXECUTABLE	D0,3,D1,2	E1,245	M
3	CHOICES (90506.33)			
.01	CHOICES	D0,3,D1,3,D2,0	1	F
.02	MAPS TO	D0,3,D1,3,D2,0	2	F
4	GENERATED DESCRIPTION	D0,3,D1,4	1	F
5	PARAMETER DESC FORMATTING (90506.04A)	D0,3,D1,5		
4	GENERATED DESCRIPTION	D0,4	1	F
5	DESCRIPTION EXECUTABLE	D0,5	E1,245	M
6	DESCRIPTION EXECUTABLE-NEW	D0,6	E1,245	M

#### 6.4.10 90506.1 iCare Panel View

Global: ^BQI(90506.1,

Field #	Field Name	Subscript	Piece	Type
.01	CODE	D0,0	1	F
.02	DISPLAY ORDER	D0,0	2	N
.03	FIELD NAME	D0,0	3	F
.04	PANEL REQ/OPT/DEF	D0,0	4	S
.05	FILE NUMBER	D0,0	5	F
.06	FIELD NUMBER	D0,0	6	F
.07	SORT ORDER	D0,0	7	N
.08	HEADER	D0,0	8	F
.09	GPRA VIEW REQ/OPT/DEF	D0,0	9	S
.1	INACTIVE	D0,0	10	S
.11	INACTIVE DATE	D0,0	11	D
.12	REMIND VIEW REQ/OPT/DEF	D0,0	12	S
.13	MEAS VIEW REQ/OPT/DEF	D0,0	13	S
.14	PERCENT DIRECTION	D0,0	14	S

Field #	Field Name	Subscript	Piece	Type
.15	COLUMN SIZE	D0,0	15	N
.16	EDITABLE?	D0,0	16	S
.17	BATCH EDITABLE?	D0,0	17	S
.18	ACTION TYPE	D0,0	18	S
.19	LINK TYPE	D0,0	19	S
.2	EXTERNAL/INTERNAL	D0,0	20	S
1	DISPLAY EXECUTABLE CODE	D0,1	E1,245	M
3.01	NEW SOURCE	D0,3	1	P
3.02	NEW CLINICAL GROUP	D0,3	2	F
3.03	NEW CATEGORY	D0,3	3	F
3.04	NEW REQ/OPT/DEF	D0,3	4	S
3.05	NEW DISPLAY ORDER	D0,3	5	N
3.06	NEW SORT ORDER	D0,3	6	N
3.07	Include in Layout?	D0,3	7	S
3.08	SORT DIRECTION	D0,3	8	S
3.09	ALTERNATE DISPLAY ORDER	D0,3	9	N
3.1	SECURITY KEY	D0,3	10	F
4	TOOLTIP (90506.14)	D0,4,D1,0		W
5	CALCULATE EXECUTABLE CODE	D0,5	E1,245	M

#### 6.4.11 90506.2 iCare Diagnosis Categories

Global: ^BQI(90506.2,

Field #	Field Name	Subscript	Piece	Type
.01	NAME	D0,0	1	F
.02	ID	D0,0	2	F
.03	INACTIVE	D0,0	3	S
.04	PROGRAM	D0,0	4	F
.05	SUBDEFINITION	D0,0	5	S
.06	ORDER	D0,0	6	N
.07	SHORT DESCRIPTION	D0,0	7	F
.08	ASSOCIATED REGISTER	D0,0	8	P

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.09	TREATMENT PROMPT PREFIX	D0,0	9	F
.1	HIERARCHICAL	D0,0	10	S
.11	TYPE	D0,0	11	S
1	EXECUTABLE	D0,1	E1,245	M
2	DESCRIPTION (90506.22)			
.01	DESCRIPTION	D0,2,D1,0	1	W
3	TOOLTIP (90506.23)			
.01	TOOLTIP	D0,3,D1,0	1	W
.02	ORDER	D0,3,D1,0	2	N
4	HIERARCHY (90506.24)			
.01	HIERARCHY	D0,4,D1,0	1	P
.02	HIERARCHY ORDER	D0,4,D1,0	2	N
5	LOGIC DEFINITION (90506.25)			
.01	SEARCH ORDER	D0,5,D1,0	1	N
.02	TAXONOMY	D0,5,D1,0	2	F
.03	TAXONOMY TYPE	D0,5,D1,0	3	S
.04	NUMBER OF ITERATIONS	D0,5,D1,0	4	N
.05	TIMEFRAME	D0,5,D1,0	5	F
.06	SEARCH FILE	D0,5,D1,0	6	F
.07	PROBLEM FILE CHECK	D0,5,D1,0	7	S
.08	SAME DAY CHECK	D0,5,D1,0	8	S
.09	CLINICAL RANKING	D0,5,D1,0	9	S
.1	SERVICE CATEGORY	D0,5,D1,0	10	F
.11	TAXONOMY CHECK ONLY	D0,5,D1,0	11	S

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
6	CARE MGMT FIELDS (90506.26)			
.01	CM CODE	D0,6,D1,0	1	F
.02	SEARCH FILE	D0,6,D1,0	2	P
.03	NAME	D0,6,D1,0	3	F
.04	POINTER VALUE	D0,6,D1,0	4	F
.05	DISPLAY	D0,6,D1,0	5	S
.06	REQ/OPT/DEF	D0,6,D1,0	6	S
.07	TAXONOMY	D0,6,D1,0	7	F
.08	DATE FORMAT	D0,6,D1,0	8	S
4	TOOLTIP (90506.264)			
.01	TOOLTIP	D0,6,D1,4,D2,0	1	W

#### 6.4.12 90506.3 iCare File Definition

**Global: ^BQI(90506.3,**

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.01	FILE NAME	D0,0	1	F
.02	FILE NUMBER	D0,0	2	F
.03	ACTIVE/INACTIVE	D0,0	3	S
.04	DISPLAY RPC CALL	D0,0	4	F
.05	NON-DISPLAY	D0,0	5	S
.06	GROUP	D0,0	6	S
.07	SUB-DEFINITION	D0,0	7	S
.08	SUB-DEFINITION TO	D0,0	8	P
.09	REFUSAL FILE NUMBER	D0,0	9	F
.1	SUB-FILE NUMBER	D0,0	10	F
.11	SUB-FIELD NUMBER	D0,0	11	F
.12	ADD/EDIT RPC CALL	D0,0	12	F
.13	INITIAL TRIGGER RPC CALL	D0,0	13	F

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.14	ASSOCIATE CARE MGMT	D0,0	14	P
.15	DEF DETAILS DETERMINATOR	D0,0	15	S
1	SUB-EXECUTABLE	D0,1	E1,245	M
2.01	DELETE RPC CALL	D0,2	1	F
3	DISPLAY RPC PARAMETER LIST (90506.34)			
.01	DISPLAY RPC PARAMETER	D0,3,D1,0	1	F
.02	DISPLAY RPC PARAMETER TYPE	D0,3,D1,0	2	S
.03	DISPLAY RPC PARAMETER ORDER	D0,3,D1,0	3	N
4	ADD/EDIT RPC PARAMETER LIST (90506.35)			
.01	ADD/EDIT RPC PARAMETER	D0,4,D1,0	1	F
.02	ADD/EDIT RPC PARAMETER TYPE	D0,4,D1,0	2	S
.03	ADD/EDIT RPC PARAMETER ORDER	D0,4,D1,0	3	N
5	INIT TRIG RPC PARAMETER LIST (90506.36)			
.01	INIT TRIG RPC PARAMETER	D0,5,D1,0	1	F
.02	INIT TRIG RPC PARAMETER TYPE	D0,5,D1,0	2	S
.03	INIT TRIG RPC PARAMETER ORDER	D0,5,D1,0	3	N
6	DELETE RPC PARAMETER LIST (90506.37)			

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.01	DELETE RPC PARAMETER	D0,6,D1,0	1	F
.02	DELETE RPC PARAMETER TYPE	D0,6,D1,0	2	S
.03	DELETE RPC PARAMETER ORDER	D0,6,D1,0	3	N
7	FILTER SOURCE (90506.38)			
.01	FILTER SOURCE	D0,7,D1,0	1	P
8.01	VALIDATION RPC	D0,8	1	F
10	DISPLAY COLUMNS (90506.31)			
.01	DISPLAY COLUMN NAME	D0,10,D1,0	1	F
.02	INTERNAL COLUMN NAME	D0,10,D1,0	2	F
.03	COLUMN SIZE	D0,10,D1,0	3	N
.04	COLUMN TYPE PEND	D0,10,D1,0	4	S
.05	DISPLAY ORDER	D0,10,D1,0	5	N
.06	SORT ORDER	D0,10,D1,0	6	N
.07	CODE	D0,10,D1,0	7	F
.08	TRIGGER	D0,10,D1,0	8	S
.09	TRIGGER RPC	D0,10,D1,0	9	F
.1	TRIGGER CODES	D0,10,D1,0	10	F
.11	INACTIVE	D0,10,D1,0	11	S
.12	COLUMN TYPE VIEW	D0,10,D1,0	12	S
.13	SORT DIRECTION	D0,10,D1,0	13	S
.14	NEW GROUP	D0,10,D1,0	14	S
1.01	CODE TYPE	D0,10,D1,1	1	S
1.02	CODE UPPER	D0,10,D1,1	2	F
1.03	CODE LOWER	D0,10,D1,1	3	F
1.04	CODE DEFAULT	D0,10,D1,1	4	F
1.05	CODE ACTION	D0,10,D1,1	5	S
1.06	CODE REQ/OPT	D0,10,D1,1	6	S

Field #	Field Name	Subscript	Piece	Type
1.07	CODE EXCLUSION	D0,10,D1,1	7	F
1.08	MULTIPLE REFERENCE	D0,10,D1,1	8	P
1.09	UNIQUE	D0,10,D1,1	9	S
1.1	LINK COLUMN CODE	D0,10,D1,1	10	F
2.01	CODE VALIDATION	D0,10,D1,2	1	F
2.02	CODE VALID INPUT	D0,10,D1,2	2	F
2.03	CODE TABLE	D0,10,D1,2	3	F
2.04	CODE TABLE LOOKUP	D0,10,D1,2	4	S
2.05	PROVIDER SCREEN	D0,10,D1,2	5	S
2.06	TABLE PRELOAD	D0,10,D1,2	6	S
2.07	DECIMAL PLACES	D0,10,D1,2	7	F
2.08	ALTERNATE DISPLAY	D0,10,D1,2	8	F
2.09	TABLE LOOKUP TYPE	D0,10,D1,2	9	S
2.1	PATCH REQUIREMENT	D0,10,D1,2	10	F
2.11	PATCH CHANGE	D0,10,D1,2	11	F
3.01	FMAN FIELD	D0,10,D1,3	1	F
3.02	RETRIEVAL FLAG	D0,10,D1,3	2	S
3.03	RECORD IEN	D0,10,D1,3	3	S
3.04	GROUP NAME	D0,10,D1,3	4	F
3.05	GRID DISPLAY ORDER	D0,10,D1,3	5	N
3.06	ALTERNATE HELP TEXT	D0,10,D1,3	6	F
4	TRANSFORM	D0,10,D1,4	E1,245	M
5	CHOICES (90506.315)			
.01	CHOICES TEXT	D0,10,D1,5,D2,0	1	F
.02	CHOICES CODES	D0,10,D1,5,D2,0	2	F
.03	VALIDATION	D0,10,D1,5,D2,0	3	S

Field #	Field Name	Subscript	Piece	Type
.04	HELP ASSOC WITH	D0,10,D1,5,D2,0	4	F
.05	INACTIVE	D0,10,D1,5,D2,0	5	S
.06	ORDER	D0,10,D1,5,D2,0	6	N
1	HELP TEXT (90506.3151)			
.01	HELP TEXT	D0,10,D1,5,D2,1,D3,0	1	W
6	TABLE SCREEN	D0,10,D1,6	1	F
7	CODE EDIT	D0,10,D1,7	E1,245	M
8	CODE DISPLAY EXEC	D0,10,D1,8	E1,245	M
9.01	LINK RPC	D0,10,D1,9	1	F
9.02	LINK INPUT	D0,10,D1,9	2	F
10	CLEAR FIELDS (90506.32)			
.01	CLEAR FIELDS	D0,10,D1,10,D2,0	1	F

#### 6.4.13 90506.4 iCare GUI Tabs

**Global: ^BQI(90506.4,**

Field #	Field Name	Subscript	Piece	Type
.01	NAME	D0,0	1	F
.02	KEY	D0,0	2	F
.03	TYPE	D0,0	3	S
.04	INACTIVE	D0,0	4	S
.05	DISPLAY ORDER	D0,0	5	N
.06	DISPLAY NAME	D0,0	6	F

#### 6.4.14 90506.5 iCare View Source

**Global: ^BQI(90506.5,**

Field #	Field Name	Subscript	Piece	Type
.01	NAME	D0,0	1	F
.02	CODE	D0,0	2	F
.03	ASSOCIATED REGISTER	D0,0	3	P
.04	SELECTABLE?	D0,0	4	S

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.05	REMINDERS?	D0,0	5	S
.06	ALTERNATE DISPLAY NAME	D0,0	6	F
.07	ASSOCIATED FORM	D0,0	7	P
.08	ASSOCIATED REPORT	D0,0	8	F
.09	TEMPLATE DEFAULT NAME	D0,0	9	F
.1	INACTIVE	D0,0	10	S
.11	ASSOCIATED DX TAG	D0,0	11	P
.12	SECURITY KEY	D0,0	12	F
.13	PATIENT DROPODOWN VIEW	D0,0	13	S
.14	PANEL DROPODOWN VIEW	D0,0	14	S
.15	MATCHED CRITERIA VIEW	D0,0	15	S
.16	NIGHTLY JOB?	D0,0	16	S
.17	MC TYPE	D0,0	17	F
.18	WEEKLY JOB?	D0,0	18	S
1	DENOMINATOR LOGIC	D0,1	E1,245	M
2.01	TITLE	D0,2	1	F
2.02	LAYOUT TYPE	D0,2	2	F
2.03	EXCLUDE TEMPLATE MGMT	D0,2	3	S
2.04	OWNER DD	D0,2	4	F
2.05	SHARE DD	D0,2	5	F
2.06	PANEL LAYOUT?	D0,2	6	S
3	COLUMN RPC	D0,3	1	F
4	SYSTEM DEFINITION RPC	D0,4	1	F
5	CATEGORY (90506.55)			

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.01	CATEGORY CODE	D0,5,D1,0	1	F
.02	CATEGORY NAME	D0,5,D1,0	2	F
6	CLINICAL GROUP (90506.56)			
.01	CLINICAL GROUP CODE	D0,6,D1,0	1	F
.02	NAME	D0,6,D1,0	2	F
10	LAYOUT FIELDS (90506.51)			
.01	LAY CODE	D0,10,D1,0	1	F
.02	SEARCH FILE	D0,10,D1,0	2	P
.03	NAME	D0,10,D1,0	3	F
.04	POINTER VALUE	D0,10,D1,0	4	F
.05	DISPLAY	D0,10,D1,0	5	S
.06	REQ/OPT/DEF	D0,10,D1,0	6	S
.07	TAXONOMY	D0,10,D1,0	7	F
.08	DATE FORMAT	D0,10,D1,0	8	S
.09	INACTIVE?	D0,10,D1,0	9	S
1	LOGIC EXECUTABLE	D0,10,D1,1	E1,245	M
2	NON TAXONOMY ITEM(S)	D0,10,D1,2	E1,245	M
3	ALT LOGIC EXECUTABLE	D0,10,D1,3	E1,245	M
4	TOOLTIP (90506.514)	D0,10,D1,1,D2,0		W
5.01	CLINICAL GROUP	D0,10,D1,5	1	F
5.02	CATEGORY	D0,10,D1,5	2	F

#### 6.4.15 90506.6 iCare Reports List

**Global:** ^BQI(90506.6,

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.01	REPORT NAME	D0,0	1	F
.02	RPC NAME	D0,0	2	F

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.03	DEFINITION	D0,0	3	P
.04	INACTIVE	D0,0	4	S
.05	DISPLAY	D0,0	5	S
.06	TYPE	D0,0	6	S
.07	NO PARAMETER	D0,0	7	S
.08	TAXONOMY CHECK	D0,0	8	F

#### 6.4.16 90506.7 iCare Startup Tabs

**Global:** ^BQI(90506.7,

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.01	CODE	D0,0	1	F
.02	DEFAULT VIEW	D0,0	2	F

#### 6.4.17 90506.8 iCare IPC Categories

**Global:** ^BQI(90506.8,

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.01	NAME	D0,0	1	F
.02	INACTIVE?	D0,0	2	S
.03	TYPE	D0,0	3	S
.04	SUBTO	D0,0	4	P
.05	IPC Version	D0,0	5	F
.06	EXCLUDE FOR DETAIL TABS	D0,0	6	S

#### 6.4.18 90506.9 iCare Timeframes

**Global:** ^BQI(90506.9,

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.01	NAME	D0,0	1	F
.02	OLD TIMEFRAME	"	2	F
.03	FROM	"	3	F
.04	THRU	"	4	F

Field #	Field Name	Subscript	Piece	Type
.05	EXECUTABLE	"	5	F
.06	ALLOW AUTOPOP	"	6	S
1	DEFINITION VARIABLE (90506.91)			
.01	DEFINITION VARIABLE	D0,1,D1,0	1	F
.02	DISPLAY ORDER	D0,1,D1,0	2	N

#### 6.4.19 90507 iCare Registry Index

Global: ^BQI(90507,

Field #	Field Name	Subscript	Piece	Type
.01	REGISTRY NAME	D0,0	1	F
.02	CASE MANAGER FILE#	D0,0	2	F
.03	CASE MANAGER FIELD#	D0,0	3	F
.04	CASE MANAGER XREF	D0,0	4	F
.05	PATIENT FIELD#	D0,0	5	F
.06	PATIENT XREF	D0,0	6	F
.07	PATIENT FILE#	D0,0	7	F
.08	ACTIVE	D0,0	8	S
.09	CMS REGISTER TYPE	D0,0	9	F
.1	ACCESS SECURITY KEY	D0,0	10	F
.11	SUBREGISTERS	D0,0	11	S
.12	SUBREGISTER FILE#	D0,0	12	F
.13	NAMESPACE	D0,0	13	F
.14	STATUS FIELD#	D0,0	14	F
.15	STATUS FILE#	D0,0	15	F
.16	ICARE ENABLED	D0,0	16	S
.17	RELATED TO	D0,0	17	F
1	STATUS IEN CALCULATION		E1,245	M

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
2	ADD ENTRY CODE		E1,245	M
3	PATIENT RECORD IENS		E1,245	M
4.01	REMINDERS CATEGORY	D0,4	1	F
4.02	REMINDERS CLINICAL GROUP	D0,4	2	F
10	TAXONOMY (90507.01)			
.01	TAXONOMY NAME	D0,10,D1,0	1	F
.02	TAXONOMY POINTER	D0,10,D1,0	2	V
.03	CATEGORY	D0,10,D1,0	3	F
.04	SITE-POPULATED	D0,10,D1,0	4	S
.05	TAXONOMY ID	D0,10,D1,0	5	S
.06	IGNORE MISSING ENTRIES	D0,10,D1,0	6	S
.07	CLINICAL GROUP	D0,10,D1,0	7	F
15	REMINDERS (90507.015)			
.01	REMINDERS	D0,15,D1,0	1	F
.03	STATUS	D0,15,D1,0	3	S
.05	CATEGORY	D0,15,D1,0	5	P
.09	ORDER	D0,15,D1,0	9	N
1	PROGRAM ID	D0,15,D1,1	2	F
2	DESCRIPTION (90507.152)	D0,15,D1,2,D2,0		W
13	TOOLTIP (90507.1513)	D0,15,D1,13,D2,0		W
20	REPORTS (90507.02)			
.01	NAME	D0,20,D1,0	1	F
.02	RPC	D0,20,D1,0	2	F
.03	DEFINITION	D0,20,D1,0	3	P
.04	INACTIVE	D0,20,D1,0	4	S

Field #	Field Name	Subscript	Piece	Type
.05	TYPE	D0,20,D1,0	5	S
.06	DISPLAY	D0,20,D1,0	6	S
.07	NO PARAMETER	D0,20,D1,0	7	S
.08	TAXONOMY CHECK	D0,20,D1,0	8	S
10	TAXONOMY (90507.03)			
.01	TAXONOMY	D0,20,D1,10,D2,0	1	F
.02	TAXONOMY POINTER	D0,20,D1,10,D2,0	2	V
.03	IGNORE MISSING ENTRIES	D0,20,D1,10,D2,0	3	S

#### 6.4.20 90507.1 iCare Weblinks

**Global:** ^BQI(90507.1,

Field #	Field Name	Subscript	Piece	Type
.01	LINK	D0,0	1	F
.02	CATEGORY	D0,0	2	P
.03	TITLE	D0,1	1	F

#### 6.4.21 90507.2 iCare Measurements Definitions

**Global:** ^BQI(90507.2,

Field #	Field Name	Subscript	Piece	Type
.01	MEASUREMENT	D0,0	1	F
.02	CODE	"	2	F
.03	POINTER	"	3	P
.04	TYPE	"	4	S
.05	PARENT	"	5	P
.06	INACTIVE	"	6	S
1.01	# OF BOXES	D1,0	1	N
1.02	BOX 1 MIN	"	2	N
1.03	BOX 1 MAX	"	3	N
1.04	BOX 2 MIN	"	4	N
1.05	BOX 2 MAX	"	5	N
1.06	BOX 3 MIN	"	6	N

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
1.07	BOX 3 MAX	"	7	N
1.08	BOX 4 MIN	"	8	N
1.09	BOX 4 MAX	"	9	N
1.1	BOX 5 MIN	"	10	N
1.11	BOX 5 MAX	"	11	N
1.12	BOX 6 MIN	"	12	N
1.13	BOX 6 MAX	"	13	N
1.14	BOX 7 MIN	"	14	N
1.15	BOX 7 MAX	"	15	N
1.16	BOX 8 MIN	"	16	N
1.17	BOX 8 MAX	"	17	N
1.18	# OF DECIMALS ALLOWED	"	18	N
2.01	SET OF CODES VALUES	D2,0	1	F

#### 6.4.22 90507.3 iCare Routine Events

**Global:** ^BQI(90507.3,

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.01	NAME	D0,0	1	F
.02	ASSOCIATED REMINDER	D0,0	2	F

#### 6.4.23 90507.5 iCare Patient

**Global:** ^BQIPAT(

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.01	PATIENT	D0,0	1	P
.02	GPRA YEAR CALCULATED	D0,0	2	F
.03	GPRA STARTING DATE	D0,0	3	D
.04	GPRA ENDING DATE	D0,0	4	D
.05	GPRA LAST RUN	D0,0	5	D
.06	DX CAT LAST RUN	D0,0	6	D
.07	TRMT PRMPTS LAST RUN	D0,0	7	D
.08	REMINDERS LAST RUN	D0,0	8	D

Field #	Field Name	Subscript	Piece	Type
.09	# HIGH RISK CONDITIONS	D0,0	9	N
5	HIGH RISK PATIENT ICD (90507.57)			
.01	HIGH RISK PATIENT ICD	D0,5,D1,0	1	P
.02	CONDITION	D0,5,D1,0	2	F
.03	DATE	D0,5,D1,0	3	D
.04	WHERE FOUND	D0,5,D1,0	4	S
.05	RECORD IEN	D0,5,D1,0	5	F
8	IMMUNOCOMPROMISED PT ICD (90507.58)			
.01	IMMUNOCOMPROMISED PT ICD	D0,8,D1,0	1	P
.02	CONDITION	D0,8,D1,0	2	F
.03	DATE	D0,8,D1,0	3	D
.04	WHERE FOUND	D0,8,D1,0	4	S
.05	RECORD IEN	D0,8,D1,0	5	F
10	FLAGS (90507.51)			
.01	FLAGS	D0,10,D1,0	1	P
5	RECORD (90507.515)			
.01	RECORD	D0,10,D1,5,D2,0	1	F
.02	DATE/TIME OF RECORD	D0,10,D1,5,D2,0	2	D
.03	DATE/TIME FLAGGED	D0,10,D1,5,D2,0	3	D
.04	VISIT RECORD	D0,10,D1,5,D2,0	4	F
1	ICARE USER (90507.5151)			
.01	ICARE USER	D0,10,D1,5,D2,1,D3,0	1	P
.02	STATUS	D0,10,D1,5,D2,1,D3,0	2	S
.03	DATE/TIME STATUS CHANGED	D0,10,D1,5,D2,1,D3,0	3	D
20	DIAGNOSIS CATEGORIES (90507.52)			
.01	DIAGNOSIS CATEGORIES	D0,20,D1,0	1	P
.02	DATE/TIME LAST UPDATED	D0,20,D1,0	2	D
1	FACTOR (90507.521)			
.01	FACTOR	D0,20,D1,1,D2,0	1	F
1	RECORD (90507.5211)			

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.01	RECORD	D0,20,D1,1,D2,1,D3,0	1	F
.02	RECORD DATE/TIME	D0,20,D1,1,D2,1,D3,0	2	D
.03	EXPIRATION DATE	D0,20,D1,1,D2,1,D3,0	3	D
.04	INDIVIDUAL IEN	D0,20,D1,1,D2,1,D3,0	4	F
.05	INDIVIDUAL FILE #	D0,20,D1,1,D2,1,D3,0	5	F
30	GPRA INDICATORS (90507.53)			
.01	SUMMARY INDICATOR NUMBER	D0,30,D1,0	1	F
.02	VALUE	D0,30,D1,0	2	F
.03	NUMERATOR	D0,30,D1,0	3	N
.04	DENOMINATOR	D0,30,D1,0	4	N
40	REMINDERS (90507.54)			
.01	REMINDERS	D0,40,D1,0	1	F
.02	LAST DATE	D0,40,D1,0	2	D
.03	DUE	D0,40,D1,0	3	F
.04	DUE DATE	D0,40,D1,0	4	D
.05	DATE/TIME LAST UPDATED	D0,40,D1,0	5	D
.06	RECORD	D0,40,D1,0	6	F
.07	INDIVIDUAL IEN	D0,40,D1,0	7	F
.08	INDIVIDUAL FILE #	D0,40,D1,0	8	F
50	TREATMENT PROMPTS (90507.55)			
.01	TREATMENT PROMPTS	D0,50,D1,0	1	P
.02	DATE IDENTIFIED	D0,50,D1,0	2	D
1	REMARK (90507.551)			
.01	REMARK	D0,50,D1,1,D2,0	1	W
60	SOURCE DATA (90507.56)			
.01	SOURCE DATA	D0,60,D1,0	1	P
.02	DATE/TIME LAST RUN	D0,60,D1,0	2	D
1	VIEW FIELD (90507.561)			
.01	VIEW FIELD	D0,60,D1,1,D2,0	1	F
.02	VALUE	D0,60,D1,1,D2,0	2	F
.03	DATE	D0,60,D1,1,D2,0	3	D
.04	RECORD	D0,60,D1,1,D2,0	4	F
.05	OTHER	D0,60,D1,1,D2,0	5	F

## 6.4.24 90507.6 iCare Community Alerts

**Global: ^BQI(90507.6,**

Field #	Field Name	Subscript	Piece	Type
.01	COMMUNITY	D0,0	1	P
1	ALERT TYPE (90507.61)			
.01	ALERT TYPE	D0,1,D1,0	1	F
1	DX CATEGORY (90507.611)			
.01	DX CATEGORY	D0,1,D1,1,D2,0	1	F
1	DX CODE (90507.6111)			
.01	DX CODE	D0,1,D1,1,D2,1,D3,0	1	F
.02	DATE OF EVENT	D0,1,D1,1,D2,1,D3,0	2	D
.03	RECORD	D0,1,D1,1,D2,1,D3,0	3	F
.04	DFN	D0,1,D1,1,D2,1,D3,0	4	F
.05	RECORD FILE	D0,1,D1,1,D2,1,D3,0	5	P
.06	VISIT IEN	D0,1,D1,1,D2,1,D3,0	6	F
1	SUPPORTING VALUES (90507.61111)			
.01	SUPPORTING VALUES	D0,1,D1,1,D2,1,D3,1,D4,0	1	F
.02	DATE OF EVENT	D0,1,D1,1,D2,1,D3,1,D4,0	2	D
.03	RECORD	D0,1,D1,1,D2,1,D3,1,D4,0	3	F
.04	RECORD FILE	D0,1,D1,1,D2,1,D3,1,D4,0	4	P
2	LAB DATA (90507.6112)			
.01	LAB DATA	D0,1,D1,1,D2,2,D3,0	1	F
.02	DATE OF EVENT	D0,1,D1,1,D2,2,D3,0	2	D
.03	RECORD	D0,1,D1,1,D2,2,D3,0	3	F
.04	DFN	D0,1,D1,1,D2,2,D3,0	4	F
.05	RECORD FILE	D0,1,D1,1,D2,2,D3,0	5	P
.06	VISIT IEN	D0,1,D1,1,D2,2,D3,0	6	F
5	USER (90507.6115)			
.01	USER	D0,1,D1,1,D2,5,D3,0	1	P

Field #	Field Name	Subscript	Piece	Type
.02	STATUS	D0,1,D1,1,D2,5,D3,0	2	S
1	DATE/TIME STATUS CHANGED	D0,1,D1,1,D2,5,D3,0	3	D

#### 6.4.25 90507.7 iCare Comm Alerts Export

Global: ^BQI(90507.7,

Field #	Field Name	Subscript	Piece	Type
.01	EXPORT DATE	D0,0	1	D
.02	FILENAME	D0,0	2	F
.03	SUCCESSFUL	D0,0	3	S
.04	NUMBER OF RECORDS	D0,0	4	N
.05	ERROR MESSAGE	D0,0	5	F
10	RECORDS (90507.701)			
.01	PATIENT IEN	D0,10,D1,0	1	F
.02	VISIT IEN	D0,10,D1,0	2	F
.03	ALERT TYPE	D0,10,D1,0	3	F
.04	SHORT DESCRIPTION	D0,10,D1,0	4	F
.05	GROUPING	D0,10,D1,0	5	S
.06	DX CODE	D0,10,D1,0	6	F
.07	CATEGORY	D0,10,D1,0	7	F
.08	EVENT DATE	D0,10,D1,0	8	D
.09	FILE	D0,10,D1,0	9	F
.1	RECORD IEN	D0,10,D1,0	10	F
.11	LAB IEN	D0,10,D1,0	11	F
.12	ALERT	D0,10,D1,0	12	P
50	ECR ONLY RECORDS (90507.702)			
.01	PATIENT IEN	D0,50,D1,0	1	F
.02	VISIT IEN	D0,50,D1,0	2	F
.03	ALERT TYPE	D0,50,D1,0	3	F
.04	SHORT DESCRIPTION	D0,50,D1,0	4	F

Field #	Field Name	Subscript	Piece	Type
.05	GROUPING	D0,50,D1,0	5	S
.06	DX CODE	D0,50,D1,0	6	F
.07	CATEGORY	D0,50,D1,0	7	F
.08	EVENT DATE	D0,50,D1,0	8	D
.09	FILE	D0,50,D1,0	9	F
.1	RECORD IEN	D0,50,D1,0	10	F
.11	LAB IEN	D0,50,D1,0	11	F
.12	ALERT	D0,50,D1,0	12	P

#### 6.4.26 90507.8 iCare Community Alerts Definitions

Global: ^BQI(90507.8,

Field #	Field Name	Subscript	Piece	Type
.01	LABEL	D0,0	1	F
.02	TITLE	D0,0	2	F
.03	DISPLAY GROUP	D0,0	3	S
.04	WEB LINK	D0,0	4	F
.05	INACTIVE?	D0,0	5	S
.06	CONDITION CODE	D0,0	6	F
.07	ECR CASE?	D0,0	7	S
1	GLOSSARY (90507.81)			
.01	GLOSSARY	D0,1,D2,0	1	W
2.01	CATEGORY	D0,2	1	F
2.02	DEFINITION	D0,2	2	S
2.03	CANES EXPORT	D0,2	3	S
2.04	CANES EXPORT DATE	D0,2	4	D
2.05	REPEATING TIMEFRAME	D0,2	5	S
2.06	EXPANDED DEFINITION	D0,2	6	S
2.07	CANES EXPORT ONLY?	D0,2	7	S
10	ICD CODES (90507.801)			

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.01	ICD CODE PTR	D0,10,D1,0	1	P
.02	ICD CODE VALUE	D0,10,D1,0	2	F
11	TAXONOMIES (90507.811)			
.01	TAXONOMY NAME	D0,11,D1,0	1	F
.02	TAXONOMY POINTER	D0,11,D1,0	2	V
.03	CATEGORY	D0,11,D1,0	3	S
.04	SITE-POPULATED?	D0,11,D1,0	4	S
.05	TAXONOMY ID	D0,11,D1,0	5	S
1	VSAC OID (90507.8111)			
.01	VSAC OID	D0,11,D1,1,D2,0	1	F
12	LAB TAXONOMIES (90507.812)			
.01	LOINC TAXONOMY	D0,12,D1,0	1	F
.02	LAB TAXONOMY	D0,12,D1,0	2	F
.03	TRIGGER	D0,12,D1,0	3	S
1	VSAC OID (90507.8121)			
.01	VSAC OID	D0,12,D1,1,D2,0	1	F
13	SNOMED SUBSETS (90507.813)			
.01	SNOMED SUBSETS	D0,13,D1,0	1	F
.02	CODESET	D0,13,D1,0	2	S
1	VSAC OID (90507.8131)			
.01	VSAC OID	D0,13,D1,1,D2,0	1	F
20	LOGIC (90507.802)			
.01	SEARCH ORDER	D0,20,D1,0	1	N
.02	TAXONOMY	D0,20,D1,0	2	F

Field #	Field Name	Subscript	Piece	Type
.03	TAXONOMY CATEGORY	D0,20,D1,0	3	P
.04	TAXONOMY FILE	D0,20,D1,0	4	P
.05	NUMBER OF ITERATIONS	D0,20,D1,0	5	N
.06	SERVICE CATEGORY	D0,20,D1,0	6	F
.07	TIMEFRAME	D0,20,D1,0	7	F
.08	TYPE	D0,20,D1,0	8	S
.09	SEARCH FILE	D0,20,D1,0	9	P
.1	RESULT	D0,20,D1,0	10	F
30	EXPANDED LOGIC EXECUTABLE	D0,30	E1,245	M
31	DIAGNOSTIC LOGIC EXECUTABLE	D0,31	E1,245	M

#### 6.4.27 90508 iCare Site Parameters

Global: ^BQI(90508,

Field #	Field Name	Subscript	Piece	Type
.01	HOME SITE	D0,0	1	P
.02	CANES EXPORT FORMAT	D0,0	2	S
.03	INCLUDE SUICIDE?	D0,0	3	S
.04	LAST MU RUN DATE	D0,0	4	D
.05	CANES EXPORT?	D0,0	5	S
.06	CANES CCDA EXPORT	D0,0	6	S
.07	MU EXPORT?	D0,0	7	S
.08	GUI VERSION	D0,0	8	F
.09	RPMS VERSION	D0,0	9	F
.1	POST-INSTALL TASK	D0,0	10	N
.11	NIGHTLY TASK	D0,0	11	N
.12	UPDATE TASK	D0,0	12	N

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.13	NIGHTLY STATUS	D0,0	13	S
.14	UPDATE STATUS	D0,0	14	S
.15	IMM FORECAST ON?	D0,0	15	S
.16	EHR IMMUN ON?	D0,0	16	S
.17	EHR ASTHMA ON?	D0,0	17	S
.18	HS IMMUN ON?	D0,0	18	S
.19	CONCURRENT CONNECTIONS	D0,0	19	N
.2	GRP ORDER ENTRY ENABLED	D0,0	20	S
.21	ICARE INACTIVITY TIMEOUT	D0,0	21	N
.22	ICARE WARNING TIMEOUT	D0,0	22	N
.23	ICARE SHUTDOWN TIMEOUT	D0,0	23	N
.24	CANES EXPORT TIMEFRAME	D0,0	24	F
.25	LAB CONFIRMED DISPLAY?	D0,0	25	S
.26	TEST MODE	D0,0	26	S
1	LAST VISIT IEN	DVISIT,0	1	F
1.01	LAST NOTE IEN	DVISIT,0	4	F
2	CURRENT CRS YEAR	DGPRA,0	1	F
2.01	LAST PT REMIND UPDATE IEN	D0,2	1	F
2.02	LAST PT CRS UPDATE IEN	D0,2	2	F
2.03	LAST TRMT UPDATE VALUE	D0,2	3	F

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
2.04	LAST PT CARE MGT UPDATE IEN	D0,2	4	F
3	LAST PROBLEM IEN	DVISIT,0	2	F
3.01	NIGHTLY FLAGS STARTED	D0,3	1	D
3.02	NIGHTLY FLAGS STOPPED	D0,3	2	D
3.03	NIGHTLY FLAGS STATUS	D0,3	3	S
3.04	NIGHTLY DX TAG STARTED	D0,3	4	D
3.05	NIGHTLY DX TAG STOPPED	D0,3	5	D
3.06	NIGHTLY DX TAG STATUS	D0,3	6	S
3.07	NIGHTLY CRS STARTED	D0,3	7	D
3.08	NIGHTLY CRS STOPPED	D0,3	8	D
3.09	NIGHTLY CRS STATUS	D0,3	9	S
3.1	NIGHTLY REMINDERS STARTED	D0,3	10	D
3.11	NIGHTLY REMINDERS STOPPED	D0,3	11	D
3.12	NIGHTLY REMINDERS STATUS	D0,3	12	S
3.13	NIGHTLY TRMT PROMPTS STARTED	D0,3	13	D
3.14	NIGHTLY TRMT PROMPTS STOPPED	D0,3	14	D
3.15	NIGHTLY TRMT PROMPTS STATUS	D0,3	15	S
3.16	NIGHTLY COMM ALERTS STARTED	D0,3	16	D

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
3.17	NIGHTLY COMM ALERTS STOPPED	D0,3	17	D
3.18	NIGHTLY COMM ALERTS STATUS	D0,3	18	S
3.19	NIGHTLY AUTOPOPULATE STARTED	D0,3	19	D
3.2	NIGHTLY AUTOPOPULATE STOPPED	D0,3	20	D
3.21	NIGHTLY AUTOPOPULATE STATUS	D0,3	21	S
3.22	NIGHTLY CARE MGT STARTED	D0,3	22	D
3.23	NIGHTLY CARE MGT STOPPED	D0,3	23	D
3.24	NIGHTLY CARE MGT STATUS	D0,3	24	S
4	LAST ORDER IEN	DVISIT,3	3	F
4.01	WEEKLY DX TAG STARTED	D0,4	1	D
4.02	WEEKLY DX TAG STOPPED	D0,4	2	D
4.03	WEEKLY DX TAG STATUS	D0,4	3	S
4.04	WEEKLY CRS STARTED	D0,4	4	D
4.05	WEEKLY CRS STOPPED	D0,4	5	D
4.06	WEEKLY CRS STATUS	D0,4	6	S
4.07	WEEKLY REMINDERS STARTED	D0,4	7	D
4.08	WEEKLY REMINDERS STOPPED	D0,4	8	D
4.09	WEEKLY REMINDERS STATUS	D0,4	9	S

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
4.1	WEEKLY TRMT PROMPTS STARTED	D0,4	10	D
4.11	WEEKLY TRMT PROMPTS STOPPED	D0,4	11	D
4.12	WEEKLY TRMT PROMPTS STATUS	D0,4	12	S
4.13	WEEKLY CARE MGT STARTED	D0,4	13	D
4.14	WEEKLY CARE MGT STOPPED	D0,4	14	D
4.15	WEEKLY CARE MGT STATUS	D0,4	15	S
4.16	DM AUDIT STARTED	D0,4	16	D
4.17	DM AUDIT STOPPED	D0,4	17	D
4.18	DM AUDIT STATUS	D0,4	18	S
4.19	NIGHTLY IZ STARTED	D0,4	19	D
4.2	NIGHTLY IZ STOPPED	D0,4	20	D
4.21	NIGHTLY IZ STATUS	D0,4	21	S
5	JOB TOOLTIP (90508.05)	D0,5,D1,0		W
6	TYPE TOOLTIP (90508.06)	D0,6,D1,0		W
7	END TOOLTIP (90508.07)	D0,7,D1,0		W
8.01	START TOOLTIP	D0,8	1	F
8.02	STATUS TOOLTIP	D0,8	2	F
8.03	NEXT TOOLTIP	D0,8	3	F
8.04	WEEKLY IPC STARTED	D0,8	4	D
8.05	WEEKLY IPC STOPPED	D0,8	5	D
8.06	WEEKLY IPC STATUS	D0,8	6	S

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
8.07	HIGH RISK STARTED	D0,8	7	D
8.08	HIGH RISK STOPPED	D0,8	8	D
8.09	HIGH RISK STATUS	D0,8	9	S
8.1	MONTHLY IPC STARTED	D0,8	10	D
8.11	MONTHLY IPC ENDED	D0,8	11	D
8.12	MONTHLY IPC STATUS	D0,8	12	S
9	LOG IN DATE/TIME	DLOG,0	1	D
9.01	MU PRF START DATE	D0,9	1	D
9.02	MU PRF END DATE	D0,9	2	D
9.03	CURRENT PERFORMANCE REPORT	D0,9	3	F
9.04	CURRENT CQM REPORT	D0,9	4	F
10	TAXONOMIES (90508.03)			
.01	TAXONOMY NAME	D0,10,D1,0	1	F
.02	TAXONOMY POINTER	D0,10,D1,0	2	V
.03	CATEGORY	D0,10,D1,0	3	S
.04	Site-Populated	D0,10,D1,0	4	S
.05	TAXONOMY ID	D0,10,D1,0	5	S
.06	TAXONOMY GENERATOR	D0,10,D1,0	6	F
.07	IGNORE MISSING ENTRIES	D0,10,D1,0	7	S
11	CURRENT IPC	D0,11	1	F
11.02	IPC DAY TO RUN	D0,11	2	N
11.03	IPC PROVIDER	D0,11	3	F
11.04	IPC TASK	D0,11	4	F
11.05	IPC MONTH	D0,11	5	F

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
11.06	IPC WEEK TASK	D0,11	6	F
11.07	IPC WEEK	D0,11	7	N
11.08	IPC SWITCH	D0,11	8	S
11.09	IPC SWITCH DATE/TIME	D0,11	9	D
11.1	IPC SWITCH USER	D0,11	20	P
12.01	MU PERFORM DEFAULT DATE	D0,12	1	S
12.02	MU CLASS COLUMN	D0,12	2	S
12.03	LAST MU CQ PROVIDER	D0,12	3	N
12.04	LAST MU PERF PROVIDER	D0,12	4	N
12.05	MU CQM TASK	D0,12	5	F
12.06	MU PERF TASK	D0,12	6	F
12.07	MU PROHIBITED?	D0,12	7	S
12.08	MU CQ START DATE	D0,12	8	D
12.09	MU CQ END DATE	D0,12	9	D
12.1	MU CQ DEFAULT DATE	D0,12	10	S
13	MU PROVIDER CLASSES (90508.013)			
.01	MU PROVIDER CLASSES	D0,13,D1,0	1	P
14	MU PROVIDERS (90508.014)			
.01	MU PROVIDER CLASSES	D0,14,D1,0	1	P
15	COMMUNITY ALERTS (90508.015)			
.01	COMMUNITY ALERTS	D0,15,D1,0	1	F
.02	WEB LINK	D0,15,D1,0	2	F
.03	TIMEFRAME	D0,15,D1,0	3	F

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
16	COMMUNITY ALERTS POPUP ENABLED	D0,16	3	S
16.01	PREGNANCY ALGORITHM	D0,16	1	S
16.02	ICARE TIMEFRAME	D0,16	2	N
16.04	REFERRAL TIMEFRAME	D0,16	4	F
16.05	CONSULT TIMEFRAME	D0,16	5	F
16.06	ORDER TIMEFRAME	D0,16	6	F
17	MAIL MERGE GLOSSARY TEXT (90508.017)	D0,17,D1,0		W
18	EMPLOYERS (90508.018)			
.01	EMPLOYER	D0,18,D1,0	1	P
19	MU CLIN QUAL PERIOD (90508.019)			
.01	MU CLIN QUAL PERIOD	D0,19,D1,0	1	F
.02	START DATE	D0,19,D1,0	2	D
.03	END DATE	D0,19,D1,0	3	D
.04	TIMEFRAME	D0,19,D1,0	4	S
.05	ACTIVE?	D0,19,D1,0	5	S
20	CRS PERFORMANCE MEASURES (90508.01)			
.01	YEAR	D0,20,D1,0	1	F
.02	INDICATORS FILE #	D0,20,D1,0	2	F
.03	INDIVIDUAL INDICATORS FILE #	D0,20,D1,0	3	F
.04	GPRA ROUTINE	D0,20,D1,0	4	F
.05	DATE YEAR CALC FROM	D0,20,D1,0	5	D

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.06	DATE YEAR CALC THRU	D0,20,D1,0	6	D
20	SUMMARY INDICATOR (90508.02)			
.01	SUMMARY INDICATOR	D0,20,D1,20,D2,0	1	F
.02	DEFAULT?	D0,20,D1,20,D2,0	2	S
.03	DISPLAY ORDER	D0,20,D1,20,D2,0	3	N
.04	N/A EXCEPTION	D0,20,D1,20,D2,0	4	S
1	TOOLTIP (90508.21)	D0,20,D1,20,D2,1,D3,0		W
21	DM AUDIT MEASURES (90508.021)			
.01	YEAR	D0,21,D1,0	1	F
.02	GATHER	D0,21,D1,0	2	F
.03	PRINT	D0,21,D1,0	3	F
.04	GLOBAL REFERENCE	D0,21,D1,0	4	F
21.01	CURRENT DM AUDIT YEAR	DDM,0	1	F
21.02	OFFICIAL DIABETES REGISTER	DDM,0	2	P
22	IPC MEASURES (90508.022)			
.01	IPC MEASURES	D0,22,D1,0	1	F
.02	TEST IP	D0,22,D1,0	2	F
.03	LIVE IP	D0,22,D1,0	3	F
1	MEASURE ID (90508.221)			
.01	MEASURE ID	D0,22,D1,1,D2,0	1	F
.02	TYPE	D0,22,D1,1,D2,0	2	S
.03	CATEGORY	D0,22,D1,1,D2,0	3	P
.04	MEASURE NAME	D0,22,D1,1,D2,0	4	F
.05	SUB-CATEGORY	D0,22,D1,1,D2,0	5	S
.06	DISPLAY ORDER	D0,22,D1,1,D2,0	6	N
.07	INACTIVE?	D0,22,D1,1,D2,0	7	S
.08	SHEET	D0,22,D1,1,D2,0	8	F

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.09	COLUMN DENOMINATOR	D0,22,D1,1,D2,0	9	F
.1	COLUMN NUMERATOR	D0,22,D1,1,D2,0	10	F
.11	CATEGORY2	D0,22,D1,1,D2,0	11	P
.12	GOAL	D0,22,D1,1,D2,0	12	F
.13	TAB	D0,22,D1,1,D2,0	13	S
.14	AGG TAB	D0,22,D1,1,D2,0	14	S
1	EXECUTABLE CODE	D0,22,D1,1,D2,1	E1,245	M
2	BUNDLE IDS (90508.2212)			
.01	BUNDLE ID	D0,22,D1,1,D2,2,D3,0	1	F
.02	GROUP NO.	D0,22,D1,1,D2,2,D3,0	2	F
3	TOOLTIP (90508.2213)	D0,22,D1,1,D2,3,D3,0		W
2	MICROSYSTEM PROVIDERS (90508.222)			
.01	MICROSYSTEM PROVIDERS	D0,22,D1,2,D2,0	1	P
1	CLINICS (90508.2221)			
.01	CLINICS	D0,22,D1,2,D2,1,D3,0	1	P
3	DATES (90508.223)			
.01	DATES	D0,22,D1,3,D2,0	1	D
.02	ROW	D0,22,D1,3,D2,0	2	F
4.01	TEST IP DOWNLOAD	D0,22,D1,4	1	F
4.02	TEST IP UPLOAD	D0,22,D1,4	2	F
5.01	LIVE IP DOWNLOAD	D0,22,D1,5	1	F
5.02	LIVE IP UPLOAD	D0,22,D1,5	2	F
23	IPC CLINICS (90508.023)			
.01	IPC CLINICS	D0,23,D1,0	1	P
24.01	NIGHTLY TASK	D0,24	1	F
24.02	BEST PRACTICE TASK	D0,24	2	F

Field #	Field Name	Subscript	Piece	Type
24.03	CARE MGT TASK	D0,24	3	F
24.04	DX TAG TASK	D0,24	4	F
24.05	CRS TASK	D0,24	5	F
24.06	REMINDERS TASK	D0,24	6	F
24.07	MU CQ TASK	D0,24	7	F
24.08	IPC TASK	D0,24	8	F
24.09	MU PF 90 TASK	D0,24	9	F
24.1	MU PF YR TASK	D0,24	10	F
24.11	CMET TASK	D0,24	11	F
25	SITE DIVISIONS (90508.025)			
.01	SITE DIVISIONS	D0,25,D1,0	1	P

#### 6.4.28 90508.1, iCare User Templates

Global: ^BQI(90508.1,

Field #	Field Name	Subscript	Piece	Type
.01	NAME	D0,0	1	F
.02	TYPE	D0,0	2	P
.03	TEMPLATE NAME	D0,0	3	F
.04	LAST EDIT DATE	D0,0	4	D
.05	TEMPLATE AUTHOR	D0,0	5	P
.06	TEMPLATE UPLOAD DATE	D0,0	6	D
10	FIELD (90508.11)			
.01	FIELD	D0,10,D1,0	1	F
.02	DISPLAY ORDER	D0,10,D1,0	2	N
.03	SORT ORDER	D0,10,D1,0	3	N
.04	SORT DIRECTION	D0,10,D1,0	4	S
.05	COLUMN SIZE	D0,10,D1,0	5	N

#### 6.4.29 90508.2, iCare Glossaries

**Global: ^BQI(90508.2,**

Field #	Field Name	Subscript	Piece	Type
.01	GLOSSARY NAME	D0,0	1	F
1	GLOSSARY TEXT (90508.22)			
.01	GLOSSARY TEXT	D0,1,D1,0	1	W
2	RETRIEVAL EXECUTABLE CODE	D0,2	E1,245	M

#### 6.4.30 90508.3, iCare Taxonomy Category

**Global: ^BQI(90508.3,**

Field #	Field Name	Subscript	Piece	Type
.01	NAME	D0,0	1	F
.02	ID	D0,0	2	F

#### 6.4.31 90508.4, iCare Taxonomy Files

**Global: ^BQI(90508.4,**

Field #	Field Name	Subscript	Piece	Type
.01	NAME	D0,0	1	P
.02	CATEGORY	D0,0	2	P
.03	SITE-SPECIFIED	D0,0	3	S
.04	USER EDITABLE	D0,0	4	S

#### 6.4.32 90508.5, iCare Treatment Prompts

**Global: ^BQI(90508.5,**

Field #	Field Name	Subscript	Piece	Type
.001	NUMBER	D0,		N
.01	NAME	D0,0	1	F
.02	ASSOCIATED DX TAG	D0,0	2	P
.03	PRIORITY	D0,0	3	N

Field #	Field Name	Subscript	Piece	Type
.04	INACTIVE	D0,0	4	S
1	REMARK (90508.51)			
.01	REMARK	D0,1,D1,0	1	W
2	M CODE	D0,2	E1,245	M
3	GLOSSARY (90508.53)			
.01	GLOSSARY	D0,3,D1,0	1	W
4	TOOLTIP (90508.54)			
.01	TOOLTIP	D0,4,D1,0	1	W

#### 6.4.33 90508.6, iCare V Files

**Global: ^BQI(90508.6,**

Field #	Field Name	Subscript	Piece	Type
.01	FILE NUMBER	D0,0	1	F
.02	FILE NAME	D0,0	2	F
.03	AA XREF FORMAT	D0,0	3	S

#### 6.4.34 90509, iCare DX Cat Registry

**Global: ^BQIREG(**

Field #	Field Name	Subscript	Piece	Type
.01	DIAGNOSIS CATEGORY	D0,0	1	P
.02	PATIENT NAME	D0,0	2	P
.03	CURRENT STATUS	D0,0	3	S
.04	CURRENT STATUS DATE	D0,0	4	D
.05	CURRENT USER	D0,0	5	F
.06	CURRENT STANDARD COMMENT	D0,0	6	P
1	CURRENT OTHER COMMENT (90509.02)			

Field #	Field Name	Subscript	Piece	Type
.01	CURRENT OTHER COMMENT	D0,1,D1,0	1	W
5	CURRENT FACTORS (90509.05)			
.01	CURRENT FACTORS	D0,5,D1,0	1	P
10	STATUS HISTORY (90509.01)			
.01	STATUS HISTORY DATE	D0,10,D1,0	1	D
.02	OLD STATUS	D0,10,D1,0	2	S
.03	OLD WHO	D0,10,D1,0	3	F
.04	STANDARD COMMENT	D0,10,D1,0	4	P
.05	OLD STATUS DATE	D0,10,D1,0	5	D
1	OTHER COMMENT (90509.11)			
.01	OTHER COMMENT	D0,10,D1,1,D2,0	1	W
5	OLD FACTORS (90509.15)			
.01	OLD FACTORS	D0,10,D1,5,D2,0	1	P

#### 6.4.35 90509.1, iCare DX Cat Reasons

Global: ^BQI(90509.1,

Field #	Field Name	Subscript	Piece	Type
.01	TEXT	D0,0	1	F
.02	INACTIVE	D0,0	2	S
.03	INTERACTIVE	D0,0	3	S
.04	ASSOCIATED STATUSES	D0,0	4	F
.05	DISPLAY ORDER	D0,0	5	N

#### 6.4.36 90509.4, iCare Reminder Notifications

**Global: ^BQI(90509.4,**

Field #	Field Name	Subscript	Piece	Type
.01	PATIENT	D0,0	1	P
.02	PREFERRED REMINDER METHOD	D0,0	2	S
.03	NOTIFICATION	D0,0	3	S
.04	DATE/TIME CREATED	D0,0	4	D
.05	WHO CREATED	D0,0	5	P
.06	TIU NOTE	D0,0	6	P
.07	PT WELLNESS HANDOUT	D0,0	7	P
.08	ELIGIBLE PROVIDER (EP)	D0,0	8	P
.09	REMINDER	D0,0	9	F
.1	DATE DUE	D0,0	10	D
.11	DATE COMPLETED	D0,0	11	D
.12	IMMUNIZATION LETTER	D0,0	12	P
1	ADDITIONAL REMINDERS (90509.41)			
.01	ADDITIONAL REMINDERS	D0,1,D1,0	1	F
.02	DATE DUE	D0,1,D1,0	2	D
.03	DATE COMPLETED	D0,1,D1,0	3	D

#### 6.4.37 90509.5, iCare DX Cat Factors

**Global: ^BQIFACT(**

Field #	Field Name	Subscript	Piece	Type
.01	FACTOR	D0,0	1	F
.02	PATIENT	D0,0	2	P
.03	DIAGNOSIS CATEGORY	D0,0	3	P
.04	DATE CREATED	D0,0	4	D
.05	VISIT/PROBLEM	D0,0	5	V

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.06	DATE/TIME OF RECORD	D0,0	6	D
.07	RECORD	D0,0	7	F
.08	RECORD FILE	D0,0	8	F
.09	EXPIRATION DATE	D0,0	9	D
.1	DATE IDENTIFIED	D0,0	10	D

#### 6.4.38 90509.9, iCare Temporary Data

Global: ^BQI(90509.9,

<b>Field #</b>	<b>Field Name</b>	<b>Subscript</b>	<b>Piece</b>	<b>Type</b>
.01	NAME	D0,0	1	F
1	TEXT DATA (90509.91)			
.01	TEXT DATA	D0,1,D2,0	1	W

## 7.0 External Relations

Routine	is Invoked by:
^%DT	BQI22POS, BQIDCABA, BQIDCABK, BQIDCERA, BQIDCEUA, BQIFLAG BQIUL1
COMMA^%DTC	BQIIPCW, BQIIPCW, BQIIPRRA
NOW^%DTC	BQIRPASM, BQIRPL, BQIRSPMT
^%ZIS	BQICARPT, BQICASE, BQIIPST, BQITXPRT
^%ZISC	BQICARPT, BQICASE, BQIIPST
\$\$DEFDIR^%ZISH	BQIUL1
\$\$DEL^%ZISH	BQIUL1
\$\$PWD^%ZISH	BQIUL1
CLOSE^%ZISH	BQICACCD, BQIUL1
OPEN^%ZISH	BQICACCD, BQIUL1
\$\$VERSION^%ZOSV	BQICACCD
^%ZTER	BQI1POJB, BQIAAP, BQIBHSFL, BQIBHSFP, BQICAHLP, BQICAPT BQICASPL, BQICASPM, BQICAVW, BQICEADD, BQICEVW, BQICMDNM BQICMLST, BQICMRUN, BQICMVW, BQICONPL, BQIDCDF, BQIDCEPL BQIDCLK, BQIDCPM, BQIDCREG, BQIDCTX, BQIEHHL, BQIFLGET BQIFLRUN, BQIFLUPD, BQIGPHLP BQIGPORD, BQIGPPL, BQIGPRA, BQIGPRA1, BQIGPRA3, BQIGPRA4 BQIGPRA5, BQIGPRA6, BQIGPRUN, BQIGPVW, BQIHEADR, BQIIPCGL BQIIPCCLN, BQIIPCW, BQIIPCME, BQIIPCWF, BQIIPCWH, BQIIPCUT BQIIPCW, BQIIPPNL, BQIIPPOR, BQIIPPRA, BQIIPPRV, BQIIPPT BQIIPTB, BQIPTVW, BQILKSMD BQILYDEF, BQIMSLST, BQIMSPL, BQIMSVW, BQIMTCRD, BQIMTCRT BQIMUCQH, BQIMUDCQ, BQIMUDFC, BQIMUDFH, BQIMUDPR, BQIMUFAC BQIMUFCH, BQIMUHLP, BQIMULST, BQIMUPRH, BQIMUPRS, BQIMUPRV BQIMURPT, BQIMURUN, BQIMUSIT, BQIMUTAB, BQIMUSR, BQIMUVFL BQINOTF, BQINOTR, BQINOTT BQINRUN, BQIORDPL, BQIPLADR, BQIPLAP, BQIPLCNV, BQIPLCP BQIPLCR, BQIPLCTX, BQIPLDF, BQIPLDFN, BQIPLDL, BQIPLFL BQIPLFLD, BQIPLFLG, BQIPLLAY, BQIPLLK, BQIPLLOG, BQIPLMF BQIPLMRU, BQIPLMY, BQIPLOVW, BQIPLPM, BQIPLPNL, BQIPLPP BQIPLPT, BQIPLRF, BQIPLRFV, BQIPLRP BQIPLRT, BQIPLRT1, BQIPLRVW, BQIPLSH, BQIPLSL, BQIPLSTA BQIPLTP, BQIPLUSR, BQIPLVW, BQIPLVW, BQIPLVWC, BQIPLVWP BQIPTALG, BQIPTAP, BQIPTBTL, BQIPTCPT, BQIPTDDG, BQIPTDG BQIPTDX, BQIPTED, BQIPTELD, BQIPTEXM, BQIPTFHD, BQIPTFHE BQIPTFHH, BQIPTFHR, BQIPTFH BQIPTFHT, BQIPTFLG, BQIPTHLP, BQIPTIMM, BQIPTINS BQIPTLKP, BQIPTLNK, BQIPTMSR, BQIPTPNL, BQIPTPOV, BQIPTPR BQIPTPRC, BQIPTPRV, BQIPTREG, BQIPTREP, BQIPTREV, BQIPTRF BQIPTRP1, BQIPTRPF, BQIPTRPU, BQIPTSEN, BQIPTSKN, BQIPTTR BQIPTVFV, BQIPTVS, BQIPTVST BQIREFPL, BQIREM, BQIRFCE, BQIRGACM, BQIRGADD, BQIRGAGL BQIRGCOP, BQIRGCVD, BQIRGDBA, BQIRGDEF, BQIRGDMS, BQIRGHGL BQIRGHL, BQIRGHOF, BQIRGLK, BQIRGPG, BQIRGPL, BQIRGPT BQIRGTH1, BQIRGTH2, BQIRGTHM, BQIRGVW, BQIRHS, BQIRHSR, BQIRLB BQIRMAGG, BQIRMD, BQIRMDR BQIRMHLP, BQIRMPAT, BQIRMPL, BQIRMREG, BQIRMRL, BQIRMUN BQIRMZDR, BQIRPASM, BQIRPL, BQIRPW, BQIRR, BQIRREG, BQIRRSP BQIRRPT, BQIRSPMT, BQIRSPR, BQIRWS, BQISYDIV, BQISYKEY BQISYPNL, BQISYPRM, BQISYSIT, BQISYWEB, BQITASK3, BQITAXX BQITAXX1, BQITAXX2 BQITAXX3, BQITDLST, BQITDPAT, BQITDPNL, BQITDPRC, BQITDRUN BQITDVAL, BQITIULS, BQITIUTX, BQITMPL, BQITMPLL, BQITMPLS BQITRGLS, BQITRHL, BQITRPAT, BQITRPRT, BQITRRUN, BQIULDT BQIULLK, BQIULSC, BQIUSPRF, BQIUTB, BQIUTB1, BQIVER, BQIVFADD BQIVFCHC, BQIVFDEF BQIVFTLK, BQIVFTRB, BQIVFTRE, BQIVFTRF, BQIVFTRH, BQIVFTRI

	BQIVFTRL, BQIVFTRM, BQIVFTRO, BQIVFTRP, BQIVFTRT, BQIVFVAL
	BQIWHPRF
^%ZTLOAD	BQI1POST, BQI202PS, BQI210PS, BQI22P1, BQI22POS, BQI25P1
	BQI25POS, BQI27P2, BQI27POS, BQI28P1, BQI28POS, BQI29P1
	BQI29P2, BQI29P3, BQI29POS, BQI2POSI, BQI2POST, BQICARPT
	BQICASE, BQIGPUPD, BQIIPC FX, BQI IPTST, BQIMULST, BQIMUMON
	BQINIGH3, BQIRMDR, BQIRMZDR
	BQITASK2, BQITASK4, BQITASK5, BQITASK6, BQITASK7, BQITXPRT
DESC^%ZTLOAD	BQI23POS
KILL^%ZTLOAD	BQI23P3, BQI23P4, BQI23POS
OPTION^%ZTLOAD	BQI23P3, BQI23P4, BQI23POS
PCLEAR^%ZTLOAD	BQI23P3, BQI23P4, BQI23POS
STAT^%ZTLOAD	BQI23POS, BQIMUTSK, BQINIGH3, BQISYSIT, BQISYTSK
SERVER^ADSRPT	BQIBCOMU
CHKRHI^AG	BQIRFCE
\$\$AETH^AGAPIPAT	BQIPTUPD
\$\$DETH^AGAPIPAT	BQIPTUPD
\$\$EMAIL^AGAPIPAT	BQIPTUPD
\$\$PMETH^AGAPIPAT	BQIPTUPD
\$\$PREF^AGAPIPAT	BQIPTUPD
ARACE^AGAPIPAT	BQIPTUPD
DRACE^AGAPIPAT	BQIPTUPD
^AGDATCK	BQIRFCE
START^AGFACE	BQIRFCE
EN^APCDALV	BQICEADD, BQIVFADD
\$\$ADDPROB^APCDALV2	BQIRPL
\$\$DELPROB^APCDALV2	BQIRPL
EN^APCDALVR	BQICEADD, BQIVFADD
INAC^APCDEA	BQIRGDMT
EP2^APCDLES1	BQIBHSFP
^APCDRF	BQIPTRPU
\$\$RFADD^APCDRF	BQIPTRPU
RHEDIT^APCDRF	BQIPTRPU
EN^APCDVDSG	BQIPTVST
PRINT^APCHAAP1	BQIAAP
PRINT^APCHPMH	BQIRWS
EP^APCHPWH1	BQIRWS
EN^APCHS	BQIRHS
\$\$MICRO^APCHS9B2	BQIRGDM S
\$\$URIN^APCHS9B2	BQIRGDM S
\$\$SELF^APCHS9B3	BQIRGDM S
\$\$DNKA^APCHS9B4	BQIRGDM S
\$\$EKG^APCHS9B7	BQIRGDM S
FMH^APCHSAS1	BQIRGASU
\$\$LASTSEV^APCHSAST	BQI2POS1, BQIRGASU, BQITDPRC
\$\$LASTACON^APCHSMAS	BQIRGASU
\$\$GVHMR^APCHSMU	BQIPTREV, BQIRM DR, BQIRMZDR
\$\$INAC^APCHSMU	BQITRASM, BQITRP HS
\$\$LASTITEM^APCHSMU	BQIRGASU
GVTP^APCHSMU	BQITRP RT
FIRST^APCHSTP	BQITRP HS
\$\$LASTMAM^APCLAPI1	BQIRGDM S
\$\$LASTFLU^APCLAPI4	BQIRGASU
\$\$LASTALR^APCLAPI6	BQIMUVFL
\$\$LASTALU^APCLAPI6	BQIMUVFL
\$\$LASTMLR^APCLAPI6	BQIMUVFL
\$\$LASTMLU^APCLAPI6	BQIMUVFL
\$\$LASTNAA^APCLAPI6	BQIMUVFL
\$\$LASTNAM^APCLAPI6	BQIMUVFL
\$\$LASTNAP^APCLAPI6	BQIMTCRD, BQIMUVFL
\$\$LASTPLR^APCLAPI6	BQIMTCRD, BQIMUVFL, BQIRPLN

\$\$LASTPLU^APCLAPI6	BQIMUVFL, BQIRPL
\$\$START1^APCLDF	BQICMUT2, BQIIPCBL, BQIRGHEP, BQITDWC, BQITRUTL
\$\$PNM^APCLSIL1	BQITD13
\$\$DEMO^APCLUTL	BQICACCD, BQIDCAH, BQIIPEMP
\$\$CLINIC^APCLV	BQIIPCBL, BQIIPEMP, BQIRGDMS
\$\$PBMI^APCLV	BQICAEXP, BQICAVA1, BQIPTMSR, BQITD11, BQITDBMI
\$\$PRIMPOV^APCLV	BQIRGDMS
\$\$PRIMPROV^APCLV	BQIIPCCP, BQIIPCC, BQIIPEMP
BLDTAX^ATXAPI	BQITUTL
LST^ATXAPI	BQINIGH1
\$\$ICD^ATXCHK	BQIRGDMS, BQIVFVAL
^ATXSTX	BQITAXXC
BULL^ATXSTX2	BQIBTXA, BQIBTXB, BQIBTXC, BQIBTXD, BQIBTXE, BQIBTXF, BQIBTXG BQIBTXH, BQIETXA, BQIETXB, BQIETXC, BQIETXD, BQIETXE, BQIETXF BQIFTXA, BQIHA, BQIHBL, BQIHC, BQIHD, BQIHE, BQIHTXA, BQIHTXB BQIHTXC, BQIHTXD, BQIJAA, BQIJAB, BQIJAC, BQIJAD, BQIJAE BQIJAF, BQIJAG BQIJAH, BQIJAJ, BQIJAK, BQIJAL, BQIJAM, BQIJAN, BQIJAO BQIJAP, BQIJAQ, BQIJAR, BQIJAS, BQIJAT, BQIJAU, BQIJAV, BQIJAW BQIJAX, BQIJAY, BQIJAZ, BQIJBA, BQIJBB, BQIJBC, BQIJBD, BQIJBE BQIJBF, BQIJBG, BQIJBH, BQIJBI, BQIJBJ, BQIJBK, BQIJBL, BQIJBM BQIJBN BQIJBO, BQIJBP, BQIJBQ, BQIJBR, BQIJBS, BQIJBT, BQIJBU, BQIJBV BQIJBW, BQIJBX, BQIJBY, BQIJBZ, BQIJCA, BQIJCB, BQIJCC, BQIJCD BQIJCE, BQIJCF, BQIJCG, BQIJCH, BQIJCI, BQIJCJ, BQIJCK, BQIJCL BQIJCM, BQIJCN, BQIJCO, BQIJCP, BQIJCQ, BQIJCR, BQIJCS, BQIJCT BQIJCU BQIJCV, BQIJCW, BQIJCX, BQIJCY, BQIJCZ, BQIJDA, BQIJDB, BQIJDC BQIJDD, BQIJDE, BQIJDF, BQIJDG, BQIJDH, BQIJDI, BQIJDJ, BQIJDK BQIJDL, BQIJDM, BQIJDN, BQIJDO, BQIJDP, BQIJDQ, BQIJDR, BQIJDS BQIJDT, BQIJDU, BQIJDV, BQIJDW, BQIJDX, BQIJDY, BQIJDZ, BQIJEA BQIJEB BQIJEC, BQIJED, BQIJEE, BQIJEF, BQIJEG, BQIJEH, BQIJEI, BQIJEJ BQIJEK, BQIJEL, BQIJEM, BQIJEN, BQIJEO, BQIJEP, BQIJEQ, BQIJER BQIJES, BQIJET, BQIJEU, BQIJEV, BQIJEW, BQIJEX, BQIJEY, BQIJEZ BQIJFA, BQIJFB, BQIJFC, BQIJFD, BQIJFE, BQIJFF, BQIJFG, BQIJFH BQIJFI BQIJFJ, BQIJFK, BQIJFL, BQIJFM, BQIJFN, BQIJFO, BQIJFP, BQIJFQ BQIJFR, BQIJFS, BQIJFT, BQIJFU, BQIJFW, BQIJFX, BQIJFY BQIJFZ, BQIJGA, BQIJGB, BQIJGC, BQIJGD, BQIJGE, BQIJGF, BQIJGG BQIJGH, BQIJGI, BQIJGJ, BQIJGK, BQIJGL, BQIJGM, BQIJGN, BQIJGO BQIJGP BQIJGQ, BQIJGR, BQIJGS, BQIJGT, BQIJGU, BQIJGV, BQIJGW, BQIJGX BQIJGY, BQIJGZ, BQIJHA, BQIJHB, BQIJHC, BQIJHD, BQIJHE, BQIJHF BQIJHG, BQIJHH, BQIJHI, BQIJHJ, BQIJHK, BQIJHL, BQIJHM, BQIJHN BQIJHO, BQIJHP, BQIJHQ, BQIJHR, BQIJHS, BQIJHT, BQIJHU, BQIJHV BQIJHW BQIJHX, BQIJHY, BQIJHZ, BQIJIA, BQIJIB, BQIJIC, BQIJID, BQIJIE BQIJIF, BQIJIG, BQIJIH, BQIJII, BQIJIJ, BQIJIK, BQIJIL, BQIJIM BQIJIN, BQIJIO, BQIJIP, BQIJIQ, BQIJIR, BQIJIS, BQIJIT, BQIJIU BQIJIV, BQIJIW, BQIJIX, BQIJIY, BQIJIZ, BQIJJA, BQIJJB, BQIJJC BQIJJD BQIJJE, BQIJF, BQIJG, BQIJH, BQIJH, BQIJJ, BQIJJJ, BQIJJK, BQIJL BQIJJM, BQIJN, BQIJJO, BQIJP, BQIJQ, BQIJR, BQIJJS, BQIJT BQIJU, BQIJV, BQIJW, BQIJX, BQIJY, BQIJZ, BQIJK, BQIJKB BQIJKC, BQIJKD, BQIJKE, BQIJKF, BQIJKG, BQIJKH, BQIJKI, BQIJKJ BQIJKK BQIJKL, BQIJKL, BQIJKL, BQIJKL, BQIJKM BQIBTXA, BQIBTXB, BQIBTXC, BQIBTXD, BQIBTXE, BQIBTXF, BQIBTXG BQIBTXH, BQIETXA, BQIETXB, BQIETXC, BQIETXD, BQIETXE, BQIETXF BQIFTXA, BQIHA, BQIHBL, BQIHC, BQIHD, BQIHE, BQIHTXA, BQIHTXB
KILL^ATXSTX2	

	BQIHTXC, BQIHTXD, BQIJAA, BQIJAB, BQIJAC, BQIJAD, BQIJAE BQIJAF, BQIJAG BQIJAH, BQIJAI, BQIJAJ, BQIJAK, BQIJAL, BQIJAM, BQIJAN, BQIJAO BQIJAP, BQIJAQ, BQIJAR, BQIJAS, BQIJAT, BQIJAU, BQIJAV, BQIJAW BQIJAX, BQIJAY, BQIJAZ, BQIJBA, BQIJBB, BQIJBC, BQIJBD, BQIJBE BQIJBF, BQIJBG, BQIJBH, BQIJBI, BQIJBJ, BQIJBK, BQIJBL, BQIJBM BQIJBN
KILL^ATXSTX2	BQIJBO, BQIJBP, BQIJBQ, BQIJBR, BQIJBS, BQIJBT, BQIJBU, BQIJBV BQIJBW, BQIJBX, BQIJBY, BQIJBZ, BQIJCA, BQIJCB, BQIJCC, BQIJCD BQIJCE, BQIJCF, BQIJCG, BQIJCH, BQIJCI, BQIJCJ, BQIJCK, BQIJCL BQIJCM, BQIJCN, BQIJCO, BQIJCP, BQIJCQ, BQIJCR, BQIJCS, BQIJCT BQIJCU BQIJCV, BQIJCW, BQIJCX, BQIJCY, BQIJCZ, BQIJDA, BQIJDB, BQIJDC BQIJDD, BQIJDE, BQIJDF, BQIJDG, BQIJDH, BQIJDI, BQIJDJ, BQIJDK BQIJDL, BQIJDM, BQIJDN, BQIJDO, BQIJDP, BQIJDQ, BQIJDR, BQIJDS BQIJDT, BQIJDU, BQIJDV, BQIJDW, BQIJDX, BQIJDY, BQIJDZ, BQIJEA BQIJEB BQIJEC, BQIJED, BQIJEE, BQIJEF, BQIJEG, BQIJEH, BQIJEI, BQIJEJ BQIJEK, BQIJEL, BQIJEM, BQIJEN, BQIJEO, BQIJEP, BQIJEQ, BQIJER BQIJES, BQIJET, BQIJEU, BQIJEV, BQIJEW, BQIJEX, BQIJEY, BQIJEZ BQIJFA, BQIJFB, BQIJFC, BQIJFD, BQIJFE, BQIJFF, BQIJFG, BQIJFH BQIJFI BQIJFJ, BQIJFK, BQIJFL, BQIJFM, BQIJFN, BQIJFO, BQIJFP, BQIJFQ BQIJFR, BQIJFS, BQIJFT, BQIJFU, BQIJFV, BQIJFW, BQIJFX, BQIJFY BQIJFZ, BQIJGA, BQIJGB, BQIJGC, BQIJGD, BQIJGE, BQIJGF, BQIJGG BQIJGH, BQIJGI, BQIJGJ, BQIJGK, BQIJGL, BQIJGM, BQIJGN, BQIJGO BQIJGP
KILL^ATXSTX2	BQIJGQ, BQIJGR, BQIJGS, BQIJGT, BQIJGU, BQIJGV, BQIJGW, BQIJGX BQIJGY, BQIJGZ, BQIJHA, BQIJHB, BQIJHC, BQIJHD, BQIJHE, BQIJHF BQIJHG, BQIJHH, BQIJHI, BQIJHJ, BQIJHK, BQIJHL, BQIJHM, BQIJHN BQIJHO, BQIJHP, BQIJHQ, BQIJHR, BQIJHS, BQIJHT, BQIJHU, BQIJHV BQIJHW BQIJHX, BQIJHY, BQIJHZ, BQIJIA, BQIJIB, BQIJIC, BQIJID, BQIJIE BQIJIF, BQIJIG, BQIJIH, BQIJII, BQIJIJ, BQIJIK, BQIJIL, BQIJIM BQIJIN, BQIJIO, BQIJIP, BQIJIQ, BQIJIR, BQIJIS, BQIJIT, BQIJIU BQIJIV, BQIJIW, BQIJIX, BQIJIY, BQIJIZ, BQIJJA, BQIJJB, BQIJJC BQIJJD BQIJJE, BQIJZF, BQIJJG, BQIJJH, BQIJJI, BQIJJJ, BQIJJK, BQIJ JL BQIJJM, BQIJJN, BQIJJO, BQIJJP, BQIJJQ, BQIJJR, BQIJJS, BQIJJT BQIJJU, BQIJJV, BQIJJW, BQIJJX, BQIJYY, BQIJZZ, BQIJKA, BQIJKB BQIJKC, BQIJKD, BQIJKE, BQIJKF, BQIJKG, BQIJKH, BQIJKI, BQIJKJ BQIJKK BQIJKL, BQIJLA, BQIJLB, BQIJLC, BQIJMA BQIBTXA, BQIBTXB, BQIBTXC, BQIBTXD, BQIBTXE, BQIBTXF, BQIBTXG BQIBTXH, BQIETXA, BQIETXB, BQIETXC, BQIETXD, BQIETXE, BQIETXF BQIFTXA, BQIHA, BQIHB, BQIHC, BQIHD, BQIHE, BQIHTXA, BQIHTXB BQIHTXC, BQIHTXD, BQIJAA, BQIJAB, BQIJAC, BQIJAD, BQIJAE BQIJAF, BQIJAG
TAX^ATXSTX2	BQIJAH, BQIJAI, BQIJAJ, BQIJAK, BQIJAL, BQIJAM, BQIJAN, BQIJAO BQIJAP, BQIJAQ, BQIJAR, BQIJAS, BQIJAT, BQIJAU, BQIJAV, BQIJAW BQIJAX, BQIJAY, BQIJAZ, BQIJBA, BQIJBB, BQIJBC, BQIJBD, BQIJBE BQIJBF, BQIJBG, BQIJBH, BQIJBI, BQIJBJ, BQIJBK, BQIJBL, BQIJBM BQIJBN BQIJBO, BQIJBP, BQIJBQ, BQIJBR, BQIJBS, BQIJBT, BQIJBU, BQIJBV BQIJBW, BQIJBX, BQIJBY, BQIJBZ, BQIJCA, BQIJCB, BQIJCC, BQIJCD BQIJCE, BQIJCF, BQIJCG, BQIJCH, BQIJCI, BQIJCJ, BQIJCK, BQIJCL BQIJCM, BQIJCN, BQIJCO, BQIJCP, BQIJCQ, BQIJCR, BQIJCS, BQIJCT BQIJCU BQIJCV, BQIJCW, BQIJCX, BQIJCY, BQIJCZ, BQIJDA, BQIJDB, BQIJDC BQIJDD, BQIJDE, BQIJDF, BQIJDG, BQIJDH, BQIJDI, BQIJDJ, BQIJDK BQIJDL, BQIJDM, BQIJDN, BQIJDO, BQIJDP, BQIJDQ, BQIJDR, BQIJDS
TAX^ATXSTX2	

	BQIJDT, BQIJDU, BQIJDV, BQIJDW, BQIJDX, BQIJDY, BQIJDZ, BQIJEA BQIJEB
	BQIJEC, BQIJED, BQIJEE, BQIJEF, BQIJEG, BQIJEH, BQIJEI, BQIJEJ BQIJEK, BQIJEL, BQIJEM, BQIJEN, BQIJEO, BQIJEP, BQIJEQ, BQIJER
	BQIJES, BQIJET, BQIJEU, BQIJEV, BQIJEW, BQIJEX, BQIJFY, BQIJEZ BQIJFA, BQIJFB, BQIJFC, BQIJFD, BQIJFE, BQIJFF, BQIJFG, BQIJFH BQIJFI
TAX^ATXSTX2	BQIJFJ, BQIJFK, BQIJFL, BQIJFM, BQIJFN, BQIJFO, BQIJFP, BQIJFQ BQIJFR, BQIJFS, BQIJFT, BQIJFU, BQIJFV, BQIJFW, BQIJFX, BQIJFY BQIJFZ, BQIJGA, BQIJGB, BQIJGC, BQIJGD, BQIJGE, BQIJGF, BQIJGG BQIJGH, BQIJGI, BQIJGJ, BQIJGK, BQIJGL, BQIJGM, BQIJGN, BQIJGO BQIJGP BQIJGQ, BQIJGR, BQIJGS, BQIJGT, BQIJGU, BQIJGV, BQIJGW, BQIJGX BQIJGY, BQIJGZ, BQIJHA, BQIJHB, BQIJHC, BQIJHD, BQIJHE, BQIJHF BQIJHG, BQIJHH, BQIJHI, BQIJHJ, BQIJHK, BQIJHL, BQIJHM, BQIJHN BQIJHO, BQIJHP, BQIJHQ, BQIJHR, BQIJHS, BQIJHT, BQIJHU, BQIJHV BQIJHW BQIJHX, BQIJHY, BQIJHZ, BQIJIA, BQIJIB, BQIJIC, BQIJID, BQIJIE BQIJIF, BQIJIG, BQIJIH, BQIJII, BQIJIJ, BQIJIK, BQIJIL, BQIJIM BQIJIN, BQIJIO, BQIJIP, BQIJIQ, BQIJIR, BQIJIS, BQIJIT, BQIJIU BQIJIV, BQIJIW, BQIJIX, BQIJIY, BQIJIZ, BQIJJA, BQIJJB, BQIJJC BQIJJD BQIJJE, BQIJF, BQIJG, BQIJH, BQIJJ, BQIJJJ, BQIJJK, BQIJL BQIJJM, BQIJN, BQIJJO, BQIJP, BQIJQ, BQIJR, BQIJJS, BQIJJT BQIJUU, BQIJJV, BQIJW, BQIJX, BQIJY, BQIJZ, BQIJK, BQIJKB BQIJKC, BQIJKD, BQIJKE, BQIJKF, BQIJKG, BQIJKH, BQIJKI, BQIJKJ BQIJKK
TAX^ATXSTX2	BQIJKL, BQIJLA, BQIJLB, BQIJLC, BQIJMA
VXAMR^AUPNCIX	BQIUTB3
\$\$AGE^AUPNPAT	BQIAGE
\$\$COMMRES^AUPNPAT	BQICAEP3, BQICAEXP, BQICAVA1
\$\$DOB^AUPNPAT	BQIRGDMS, BQIRGHEP
\$\$HRN^AUPNPAT	BQICAEP3, BQICAEXP, BQICAVA1
^AUPNVMS2	BQINIGH1
\$\$ASKCL^AUPNVPLC	BQIPTFHT, BQIVFTRB
\$\$UIDV^AUPNVSIT	BQICAEP3, BQICAEXP, BQICAVA1
\$\$PNPROB^AUPNVUTL	BQIPTFHD, BQIPTFHR, BQIPTFHS, BQIPTPRC, BQIRPL
COMPUTE^BARDRST	BQIIPRVG
\$\$HEP^BDMDA413	BQIRGDMS
\$\$DEPSCR^BDMDA12	BQIRGDMS
\$\$DENTAL^BDMDA17	BQIRGDMS
\$\$DFE^BDMDA17	BQIRGDMS
\$\$EYE^BDMDA17	BQIRGDMS
\$\$TOBACCO^BDMDA1T	BQIRGDMS
\$\$ASPIRIN^BDMS9B1	BQIRGDMS
\$\$DEPPL^BDMS9B1	BQIRGDMS
BP^BDMS9B1	BQIRGDMS
GETHWB^BDMS9B1	BQIRGDMS
\$\$ACRATIO^BDMS9B2	BQIRGDMS
\$\$CHOL^BDMS9B2	BQIRGDMS
\$\$CREAT^BDMS9B2	BQIRGDMS
\$\$GFR^BDMS9B2	BQIRGDMS
\$\$HBA1C^BDMS9B2	BQIRGDMS
\$\$HDL^BDMS9B2	BQIRGDMS
\$\$NLHGB^BDMS9B2	BQIRGDMS
\$\$NONHDL^BDMS9B2	BQIRGDMS
\$\$TB^BDMS9B2	BQIRGDMS
\$\$TCHOL^BDMS9B2	BQIRGDMS
\$\$TRIG^BDMS9B2	BQIRGDMS
\$\$CHEST^BDMS9B3	BQIRGDMS
\$\$DIETV^BDMS9B3	BQIRGDMS

\$\$FLU^BDMS9B3	BQIRGDMS
\$\$TD^BDMS9B3	BQIRGDMS
\$\$ACE^BDMS9B4	BQIRGDMS
\$\$CMSFDX^BDMS9B4	BQIRGDMS
\$\$PAP^BDMS9B4	BQIRGDMS
\$\$PNEU^BDMS9B4	BQIRGDMS
\$\$PPD^BDMS9B4	BQIRGDMS
\$\$PPDS^BDMS9B4	BQIRGDMS
AEDAP^BDPAPI	BQI2POST, BQIPTPRV, BQIRGADD
ALLDP^BDPAPI	BQIULPT, BQIVFDEF
DETAIL^BEHOCACV	BQIDCAH6, BQIPTALG
GRPORD^BEHOOGP	BQIGPORD
\$\$GETNAME^BEHOOPTP2	BQIPDSCM, BQIPLDSC
PLSTLST^BEHOOPTP2	BQIUTB2
PLSTPTS^BEHOOPTP2	BQIDCEPL
GETCATS^BGOEDTPR	BQIUTB4
GETITEMS^BGOEDTPR	BQIUTB4
\$\$GDEV^BGP4D2	BQIIPCBP
\$\$ICD^BGP4UTL2	BQIIPCBP
\$\$ANCONT^BGP6D31	BQIRGHEP
GETIMMS^BGP6D32	BQIRGHEP
\$\$PLTAX^BGP6DU	BQIRGHEP
\$\$CPTREFT^BGP6UTL1	BQIRGHEP
\$\$ICD^BGP6UTL2	BQIRGHEP
\$\$CPT^BGP7DU	BQICMUT2
\$\$LASTDX^BGP7UTL1	BQICMUT2
\$\$PHQ9^BGP8PC13	BQIIPUT1
\$\$YBD^BGP8PC7	BQIIPUT1
UNFOLDTX^BGP8UTL2	BQITASK
BQI^BGPMEHD	BQI22P1, BQITASK6
BQI^BGPMEPD	BQIIPMON, BQIIPSNG, BQIMUPRS, BQIMURPT
ADDPAT^BIPATE	BQIRMIZ
IMMFORC^BIRPC	BQIRMIZ
IMMPROF^BIRPC	BQIPTIMP, BQIRMIZ
PTEDTAX^BKMX11	BQIRGHQC
\$\$BKMIEN^BKMX3	BQICMDNM, BQIRGADD, BQIRGHML, BQIRGTHM, BQIRGUTL, BQIVFDEF
\$\$BKREG^BKMX3	BQIVFVAL
\$\$HIVIEN^BKMX3	BQICMDNM, BQIRGADD, BQIRGTHM, BQIVFVAL
RUN^BKMQQCR	BQIRGUTL, BQIRGHOF, BQIRGUTL
\$\$ACTMED^BKMQQCR4	BQIVFDEF
EN^BKMQSSR	BQIRREG
LDREC^BKMVVA1B	BQIRGTHM
\$\$ADDPAT^BKMVCD	BQIRGADD
\$\$ADDREG^BKMVCD	BQIRGADD
\$\$POSITIVE^BKMF32	BQITD08
API^BMCAP1	BQIPTRF, BQIREFPL
EVENT^BMXMEVN	BQINOTF, BQIPLRF
GETFCRS^BMXRPC10	BQISYDIV
GETFCRS^BMXRPC3	BQITASK1
\$\$DATE^BPHRMUPM	BQIMUPRS
\$\$TMZ^BPHRMUPM	BQIMUPRS
PHR^BPHRMUPM	BQIMUPRS
PEND^BSDU2	BQIPTAP
\$\$SEARCH^BSTSAPI	BQILKSMD
\$\$SUBLST^BSTSAPI	BQICAEP3, BQICALRT, BQICAOP0, BQICASUI, BQICMUT2, BQIDCAH6
SUBSET^BSTSAPIA	BQISNOMS, BQITAXX5, BQITUTL
\$\$CAT^BTPWPDSP	BQISNOMS, BQITAXX
EN^BTPWPFDN	BQICEADD
	BQINIGHT, BQINIGZT

\$\$FLG^BTPWPPAT	BQIGPPL, BQIHEADR, BQIMTCRD, BQIPLVWP, BQIRGPL, BQIRMPL
\$\$EVT^BTPWRMDR	BQIRMREG
CMET^BTPWTAX	BQIRMDR1
ITM^BTPWTAX	BQITAXX
\$\$LOG^BUSAAPI	BQIVFTRT
COPYGBL^BWPROF	BQICACCD
SORT^BWPROF2	BQIWHPRF
HEADER2^BWUTL7	BQIWHPRF
EN^DDIOL	BQI202PS, BQI22POS, BQI28POS, BQICALRN, BQIIPST, BQIPTMRG
NOTICE^DGSEC4	BQIPTSEN
SENS^DGSEC4	BQIPTSEN
^DIC	BQICACCD, BQICAEP3, BQICALRT, BQICAOP0, BQICASUI, BQICAVW BQICEVW, BQICMVW, BQIDCDF, BQIDCMCM, BQIDCMDP, BQIFLG BQIGPMNR, BQIGPORD, BQIGPUPD, BQIGPUTL, BQIGPVW, BQIIPMNU BQIIPMON, BQIIPRVG, BQIIPTM, BQIIPTVW, BQIIPUPD, BQIIPUT1 BQIIPUTL, BQILYDEF, BQILYUPD
\$\$FIND1^DIC	BQILYUTL, BQIMUDCQ, BQIMUMON, BQIMUPRS, BQIMUSIT, BQIMUUPD BQIMUUSR, BQINOTR, BQIPDSC1, BQIPDSCF, BQIPLCNV, BQIPLCR BQIPLCTX, BQIPLDS1, BQIPLFL1, BQIPLFLD, BQIPLFLG, BQIPLMRU BQIPLMY, BQIPLOVW, BQIPLRFV, BQIPLRVW, BQIPLUSR, BQIPLVIEW BQIPLVWC, BQIPTFHE BQIPTFHT, BQIRGACM, BQIRGASP, BQIRGDMA, BQIRGDMT, BQIRMDR BQISCHED, BQISYKEY, BQITASK, BQITASK6, BQITASK7, BQITAXXC BQITAXXU, BQITMPLE, BQITMPLS, BQITRADD, BQITUTL, BQIUL1 BQIULAY, BQIUSPRF, BQIVFTRB, BQIVFTRF, BQIVFTRP
FIND^DIC	BQI1POST, BQI202PS, BQI202PU, BQI210PS, BQI21POS, BQI22POS
IX^DIC	BQI23P1, BQI23P3, BQI23P4, BQI23POS, BQI24POS, BQI25P1
FILE^DICN	BQI25POS, BQI26POS, BQI27POS, BQI28POS, BQI29P1, BQI29P3 BQI29POS, BQICAEP2, BQICAEP3, BQICALRE, BQICALRT, BQICAPT BQICASPL, BQICASUI, BQICAUTL BQICEADD, BQICEVW, BQICMDNM, BQICMHLP, BQICMLST, BQICMVW BQIDCAH4, BQIDCASN, BQIDCUTL, BQIHEADR, BQIIPDXC, BQIMTCRD BQIMTCRT, BQINIGH2, BQINRUN, BQIPLCP, BQIPLCR, BQIPLRP BQIPLTP, BQIPTMSR, BQIPTPR, BQIPTREV, BQIRFCE, BQIRGACM BQIRGDEF, BQIRGPL, BQIRLB BQIRMAGG, BQIRMD, BQIRMDR, BQIRMHLP, BQIRMZDR, BQIRPASM BQITAXX, BQITAXX5, BQITBMI, BQITD05, BQITD11, BQITDBMI BQITDPRC, BQITDWC, BQITRCTB, BQITREDU, BQITRPHS, BQITRRSK BQITRSK, BQITRUPD, BQITRUT1, BQITRUTL, BQITUTL, BQIUTB4 BQIVFADD, BQIVFCHC, BQIVFDEF BQIVFVAL, BQIWHPRF
	BQICMUT2, BQIPTLKP, BQITAXX2, BQIVER, BQIVFTLK
	BQICAEP3, BQICAOP0, BQICASUI
	BQICACCD, BQICAEP3, BQICAEXP
	BQICALRT, BQICAOP0, BQICASUI, BQICAVW, BQICEADD, BQICEVW BQICMVW, BQIFLG, BQIFLG, BQIGPMNR, BQIGPRA4, BQIGPUPD BQIGPVW, BQIIPCLN, BQIIPMNU, BQIIPMON, BQIIPRVG, BQIIPSIT BQIIPTM, BQIIPTVW, BQIIPUPD, BQIIPUT1, BQIIPUTL, BQILYDEF BQILYUPD, BQIMSVW, BQIMTREG
	BQIMULST, BQIMUMON, BQIMUUSR, BQINIGH1, BQINIGH2, BQINIGH4 BQINOTF, BQINOTR, BQIPLCNV, BQIPLCP, BQIPLCR, BQIPLCTX BQIPLFL1, BQIPLFL1, BQIPLFLG, BQIPLMY, BQIPLOVW, BQIPLPM BQIPLRFV, BQIPLRVW, BQIPLSH, BQIPLTP, BQIPLVWC, BQIPTFHE BQIPTFHS, BQIPTFHT, BQIPTMRG
	BQIPTRP1, BQIPTRPU, BQIRGACM, BQIRGADD, BQIRGASP, BQIRGDMA BQIRGHPC, BQIRGPD, BQIRGPG, BQIRMDR, BQIRMZDR, BQIRPLN BQISYDIV, BQISYKEY, BQISYPRM, BQITASK, BQITAXX2, BQITAXX4 BQITAXXU, BQITDINS, BQITDPRC, BQITRMT, BQITRUPD, BQIULAY BQIULAY1, BQIUSPRF, BQIVFADD BQIVFTRB, BQIVFTRF, BQIVFTRP

YN^DICN	BQIRGDMT
DT^DICRW	BQI1POJB, BQICALRN, BQICALRT, BQIDCABA, BQIDCABK, BQIDCASN BQIDCERA, BQIDCEUA, BQIDCHSA, BQIDCMPR, BQIDCREM, BQIFLAG BQIFLFLG, BQIGPUTL, BQINIGH1, BQINIGHT, BQINIGZT, BQIUTB BQIUTB6
\$\$GET1^DID	BQIPTELD, BQIPTREP, BQIPTRP1, BQIUTB, BQIUTB1, BQIUTB5 BQIVFTLK
FIELD^DID	BQIDCAH3, BQIIPCUT, BQIIPSIT, BQIPLRT1, BQIRGADD, BQIRGHML BQIRGUTL, BQITAXX2, BQIUL2, BQIUTB1, BQIUTB3, BQIUTIL BQIVFDEF, BQIVFTLK
^DIE	BQI1POJB, BQI1POST, BQI26P1, BQINIGH2, BQIPLUS1, BQIPLUTL BQIRGADD, BQIRMDR, BQIRMZDR, BQITAXXC
FILE^DIE	BQI1POJB, BQI1POST, BQI201PS, BQI202PS, BQI202PU, BQI210PS BQI21P1, BQI21POS, BQI21PRE, BQI22P1, BQI22POS, BQI23P1 BQI23P2, BQI23P3, BQI23P4, BQI23POS, BQI23PU, BQI23PU3 BQI23PUC, BQI24P1, BQI24P2, BQI24P3, BQI24POS, BQI24PRE BQI24PU1, BQI25P1, BQI25P2 BQI25POS, BQI25PU, BQI26POS, BQI27P1, BQI27P2, BQI27POS BQI28P1, BQI28POS, BQI29P1, BQI29P3, BQI29POS, BQI2POS1 BQI2POSI, BQI2POST, BQICACCD, BQICAEP3, BQICAEXP, BQICALRT BQICAOP0, BQICASE, BQICASPM, BQICASUI, BQICAVW, BQICEADD BQICEVW, BQICMVW, BQIFLFLG
FILE^DIE	BQIFLG, BQIFLUPD, BQIGPFX, BQIGPMSR, BQIGPRA4, BQIGPRA6 BQIGPUPD, BQIGPVW, BQIIPC4, BQIIPC5, BQIIPCX, BQIIPMNU BQIIPMON, BQIIPSIT, BQIIPTVW, BQIIPUPD, BQIIPUT1, BQIIPUTL BQIIPWKL, BQILYDEF, BQILYUPD, BQIMSVW, BQIMTREG, BQIMUHLP BQIMULST, BQIMUMON, BQIMUPRS BQIMUSIT, BQIMUTAB, BQIMUUPD, BQIMUUSR, BQINIGH1, BQINIGH2 BQINIGH3, BQINIGH4, BQINIGHT, BQINIGZT, BQINOTF, BQINOTR BQIPLAP, BQIPLCNV, BQIPLCP, BQIPLCR, BQIPLCTX, BQIPLFL BQIPLFL1, BQIPLFLD, BQIPLFLG, BQIPLLK, BQIPLLOG, BQIPLMY BQIPLOVW, BQIPLPM, BQIPLPP BQIPLPU, BQIPLRF, BQIPLRFV, BQIPLRP, BQIPLRVW, BQIPLSH BQIPLTP, BQIPLUS1, BQIPLUSR, BQIPLVEW, BQIPLVWC, BQIPTFHE BQIPTFHS, BQIPTMRG, BQIPTREP, BQIPTRP1, BQIPTRPU, BQIPTUPD BQIRGACM, BQIRGADD, BQIRGASP, BQIRGDMA, BQIRGHOF, BQIRGHPC BQIRGPD, BQIRGPG, BQIRMDR BQIRMDR1, BQIRMDR2, BQIRMZDR, BQIRPL, BQIRPLN, BQISCHED BQISYPRM, BQITASK, BQITASK1, BQITASK2, BQITASK3, BQITASK5 BQITASK6, BQITASK7, BQITAXX1, BQITAXX2, BQITAXX4, BQITAXXU BQITDINS, BQITDPAT, BQITDPRC, BQITMLE, BQITMPLS, BQITRADD BQITRIBE, BQITRMT, BQITRUPD
FILE^DIE	BQIULAY, BQIULAY1, BQIUSPRF, BQIVFADD
UPDATE^DIE	BQIPLUS1, BQIPLUTL, BQIRGADD, BQITRADD
WP^DIE	BQI202PS, BQI202PU, BQI22POS, BQI23P3, BQI23P4, BQI23POS BQI2POS1, BQI2POST, BQICEADD, BQIMTREG, BQINIGH1, BQINIGH2 BQINIGH3, BQINOTF, BQIPLCP, BQIPLCTX, BQIPLFL, BQIPLPM BQIPLPP, BQIPLRF, BQIPLTP, BQIRGADD, BQIRGDMA, BQIRGHPC BQIRGPD, BQIRGPG, BQITASK
^DIK	BQITDPRC, BQITRADD, BQITRMT, BQITRUPD BQI1POJB, BQI1PRE, BQI202PR, BQI202PS, BQI202PU, BQI210PR BQI21P1, BQI21PRE, BQI22PRE, BQI22PSC, BQI23P1, BQI23P2 BQI23P3, BQI23P4, BQI23P5, BQI23POS, BQI23PRE, BQI24P3 BQI24PRE, BQI25P1, BQI25P2, BQI25PRE, BQI26PRE, BQI27P1 BQI27P2, BQI27POS, BQI27PRE BQI28P1, BQI28PRE, BQI29P1, BQI29P3, BQI29PRE, BQI2POS1 BQI2POST, BQI2PRE, BQICALRE, BQICALRT, BQICAVW, BQICEADD BQICMPAT, BQIFLG, BQIIPCEN, BQIIPSIT, BQIIPTVW, BQILYDEF BQIMULST, BQIMUSIT, BQIMUUSR, BQINIGH1, BQINIGH2, BQINIGH4 BQINIGHT, BQINIGZT, BQINOTF BQIPLCP, BQIPLCR, BQIPLCTX, BQIPLDL, BQIPLFL, BQIPLFLD

	BQIPLFLG, BQIPLMRU, BQIPLMY, BQIPLPM, BQIPLRP, BQIPLTP BQIPTFHE, BQIPTFHS, BQIPTMRG, BQIRMDR, BQIRMZDR, BQISYDIV BQISYKEY, BQISYPRM, BQITASK, BQITASK2, BQITASK4, BQITAXX1 BQITDINS, BQITDPAT, BQITDPRC BQITDTG, BQITMPLE, BQITMPLS, BQITRADD, BQITRMT, BQIUSPRF BQIPTMRG EN1^DIK ENALL^DIK
	BQI21POS, BQI22POS, BQI23POS, BQI23PU3, BQI24PU1, BQI25PU BQI2POST, BQICALRT, BQICASUI, BQILYUPD, BQINIGH4, BQIPLAP BQIRMDR, BQIRMZDR, BQIULAY, BQIUTIL IX^DIK
	BQI23P1, BQI29POS, BQICMUT4, BQIMUPRS, BQIPLCP, BQIPLCR BQIPLTP, BQITASK7, BQIUDEF, BQIUSRC IX1^DIK IXALL^DIK
	BQI1POJB, BQI25PU1, BQI2POST, BQINIGHT, BQINIGZT, BQIPLSH BQI1POST, BQI202PS, BQI210PS, BQI21PRE, BQI23P1, BQI23PU BQI23PU4, BQI27POS, BQI28P1, BQI29P1, BQI29POS, BQICALRE BQICALRT, BQICAOP0, BQICASUI, BQIIPC4, BQIIPC5, BQIIPC8H BQIMUUPD
\$\$IENS^DILF	BQIBHSFL, BQICACCD, BQICAEP3, BQICAEXP, BQICALRN BQICALRT, BQICAOP0 BQICAPT, BQICASE, BQICASPL, BQICASUI, BQICAVW, BQICEVW BQICMDNM, BQICMUT2, BQICMUTL, BQICMVW, BQICONPL, BQIDCAH1 BQIDCAH4, BQIDCAPC, BQIDCAPH, BQIDCDF, BQIDCPM, BQIDCREG BQIFLFLG, BQIFLG, BQIFLUPD, BQIGPFX, BQIGPHLP, BQIGPPL BQIGPRA, BQIGPRA1, BQIGPRA2 BQIGPUPD, BQIGPUTL, BQIGPVW, BQIHEADR, BQIIPC4, BQIIPC5 BQIIPCM, BQIIPCME, BQIIPCME, BQIIPCUT, BQIIPCW, BQIIPPNL BQIIPPR, BQIIPPRV, BQIIPPT, BQIIPTB, BQIIPTVW, BQIIPUPD BQIIPUT1, BQIIPUTL, BQILYDEF, BQIMSPL, BQIMSVW, BQIMTCRD BQIMTCRT, BQIMTREG, BQIMUMON BQIMUPER, BQIMUUPD, BQIMUUSR, BQINIGH1, BQINIGH2, BQINIGH3 BQINIGH4, BQINIGHT, BQINIGZT, BQINOTF, BQINOTR, BQIORDPL BQIPDSC1, BQIPDSC2, BQIPDSC3, BQIPDSCF, BQIPDSCL, BQIPDSCM BQIPLAP, BQIPLCNV, BQIPLCP, BQIPLCR, BQIPLDF, BQIPLDL BQIPLDS1, BQIPLDSC, BQIPLFL BQIPLFL1, BQIPLFLD, BQIPLFLG, BQIPLLK, BQIPLMF, BQIPLMRU BQIPLMY, BQIPLOVW, BQIPLPM, BQIPLPP, BQIPLPU, BQIPLRF BQIPLRFV, BQIPLRP, BQIPLRT, BQIPLRVW, BQIPLSH, BQIPLSL BQIPLTP, BQIPLUSR, BQIPLVEW, BQIPLVWC, BQIPLVWP, BQIPTALG BQIPTDDG, BQIPTDMG, BQIPTINS BQIPTPNL, BQIPTREG, BQIPTREP, BQIPTRP1, BQIREFPL, BQIRGACM BQIRGASP, BQIRGDBL, BQIRGDMA, BQIRGHML, BQIRGHPC, BQIRGHQC BQIRGPD, BQIRGPG, BQIRGPL, BQIRGTHM, BQIRGUTL, BQIRMDR BQIRMDR1, BQIRMHLP, BQIRMPL, BQIRMZDR, BQIRPL, BQIRPLN, BQIRR BQIRRPT, BQITASK BQITAXX, BQITAXX2, BQITAXX3, BQITAXX4, BQITAXX5, BQITAXXU BQITDINS, BQITDLST, BQITDPRC, BQITMPLE, BQITMPLS, BQITRMT BQIUL2, BQIUL4, BQIULAY1, BQIULPT, BQIUSPRF, BQIUTB2, BQIVER BQIVFCHC, BQIVFDEF, BQIVFTRL, BQIVFVAL BQIPTCON
DA^DILF	BQI2POS1, BQICAUTL, BQICEADD, BQICMUT1, BQICMUT4, BQICMUTL BQIDCREG, BQIDCTX, BQIDCUTL, BQIGPFX, BQIGPHLP, BQIGPRA BQIGPRA2, BQIGPRA5, BQIGPUPD, BQIIPDXC, BQIIPTB, BQIIPUPD BQIMUTAB, BQINIGH4, BQINIGHT, BQINIGZT, BQIPTLNK, BQIPTREG BQIPTRPF, BQIRGADD
\$\$ROOT^DILFD	BQIRGDBL, BQIRGLK, BQIRGUT1, BQITAXX2, BQITAXX5, BQITD03 BQITD05, BQITD08, BQITD11, BQITDGN, BQITDUTL, BQITHCH, BQITNPH BQITRPPT, BQITRSK, BQITRUT1, BQITRUTL, BQIUTB, BQIUTB1 BQIUTIL, BQIVFTLK
\$\$VFIELD^DILFD	BQI202PR, BQICAEXP, BQICAUTL, BQICAVA1, BQIDCAH7, BQIDCUTL BQIPTMSR, BQIRMDR, BQITBMI, BQITD05, BQITDW, BQITRALG BQITRCON, BQITRREF, BQITRRSK, BQITRSK, BQITUTL
\$\$VFILE^DILFD	BQIPTREG, BQIRGLK, BQIUTB, BQIUTB1, BQIVFTLK

```

$$FMTE^DILIBF      BQIUL1
EN1^DIP            BQIIPST
$$GET1^DIQ          BQIBHSFL, BQICACCD, BQICAEP3
                    BQICAEXP, BQICAHIS, BQICAHLO, BQICALRE, BQICALRN, BQICALRT
                    BQICAOP0, BQICAPT, BQICARP
                    BQICASE, BQICASPL, BQICASPM, BQICASUI, BQICAUTL, BQICAVA1
                    BQICAVAL, BQICAVW, BQICEADD, BQICEVW, BQICMDNM, BQICMHLP
                    BQICMLST, BQICMRUN, BQICMUT1, BQICMUT2, BQICMUT4, BQICMUTL
                    BQICMVW, BQICONPL, BQIDCABK, BQIDCAH1, BQIDCAH2
                    BQIDCAH6, BQIDCAH7, BQIDCAPC
                    BQIDCAH, BQIDCDF, BQIDCEUA, BQIDCINP, BQIDCLK, BQIDCMCM
                    BQIDCMDP, BQIDCMPR, BQIDCMSP, BQIDCMYC, BQIDCPM, BQIDCREG
                    BQIDCREM, BQIDCUTL, BQIFLG, BQIFLGET, BQIFLRUN, BQIGPAGG
                    BQIGPHLP, BQIGPORD, BQIGPPL, BQIGPRA, BQIGPRA1, BQIGPRA2
                    BQIGPRA3, BQIGPRA5, BQIGPRUN
                    BQIGPUPD, BQIGPUTL, BQIGPVW, BQIHEADR, BQIIPBNL, BQIIPCAT
                    BQIIPCM, BQIIPCMC, BQIIPCMH, BQIIPCUT, BQIIPCW, BQIIPDXC
                    BQIIPMNU, BQIIPMON, BQIIPOTC, BQIIPPNL, BQIIPPRA, BQIIPPRV
                    BQIIPPT, BQIIPSIT, BQIIPNSG, BQIIPTBL, BQIIPTVW, BQIIPUD
                    BQIIPUTL, BQILYDEF, BQIMSLST
                    BQIMSPL, BQIMSVW, BQIMTCR1, BQIMTCRD, BQIMTCRT, BQIMUEXP
                    BQIMUFAC, BQIMUFCH, BQIMUHLP, BQIMUPER, BQIMURUN, BQIMUSIT
                    BQIMUTAB, BQIMUUPD, BQIMUUSR, BQIMUVFL, BQINIGH1, BQINIGH2
                    BQINIGH4, BQINIGHT, BQINIGZT, BQINOTF, BQINOTR, BQINRUN
                    BQIORDPL, BQIPDSC1, BQIPDSC2
                    BQIPDSC3, BQIPDSCF, BQIPDSC1, BQIPDSCM, BQIPLADR, BQIPLAP
                    BQIPLCNV, BQIPLCP, BQIPLCR, BQIPLDF, BQIPLDL, BQIPLDS1
                    BQIPLDSC, BQIPLFL, BQIPLFLG, BQIPLLK, BQIPLLOG, BQIPLMF
                    BQIPLMRU, BQIPLMY, BQIPLOVW, BQIPLPM, BQIPLPP, BQIPLRF
                    BQIPLRFV, BQIPLRE, BQIPLRT, BQIPLRT1
                    BQIPLRVW, BQIPLSH, BQIPLSL, BQIPLTP, BQIPLUS1, BQIPLUSR
                    BQIPLVEW, BQIPLVW, BQIPLVWC, BQIPLVWP, BQIPTALG, BQIPTAP
                    BQIPTCON, BQIPTCPT, BQIPTDDG, BQIPTDG, BQIPTDMG, BQIPTDX
                    BQIPTED, BQIPTEID, BQIPTEXM, BQIPTFHD, BQIPTFHE, BQIPTFHH
                    BQIPTFHR, BQIPTFHS, BQIPTFHT
                    BQIPTHF, BQIPTHLP, BQIPTIMM, BQIPTINS, BQIPTLKP, BQIPTMSR
                    BQIPTORD, BQIPTPNL, BQIPTPOV, BQIPTPR, BQIPTPRC, BQIPTREG
                    BQIPTREP, BQIPTREV, BQIPTRF, BQIPTRP1, BQIPTRF, BQIPTRPU
                    BQIPTSKN, BQIPTVFV, BQIPTVS, BQIREFPL, BQIREM, BQIRGADD
                    BQIRGASP, BQIRGASU, BQIRGDBL
                    BQIRGDEF, BQIRGHLP, BQIRGHML, BQIRGHOF, BQIRGHPC, BQIRGHQC
                    BQIRGLK, BQIRGLST, BQIRGPG, BQIRGPL, BQIRGPT, BQIRGTHM
                    BQIRGUT1, BQIRGUTL, BQIRGVW, BQIRHSR, BQIRLB, BQIRMAGG, BQIRMD
                    BQIRMDR, BQIRMDR1, BQIRMHLP, BQIRMPL, BQIRMREG, BQIRMRLH
                    BQIRMRUN, BQIRMZDR
                    BQIRPL, BQIRPLN, BQIRPWH, BQIRRDP, BQIRRPT, BQISYPRM, BQISYSIT
                    BQISYWEB, BQITASK2, BQITASK4, BQITAXX, BQITAXX2, BQITAXX3
                    BQITAXX5, BQITBMI, BQITD03, BQITD031, BQITD05, BQITD06
                    BQITD08, BQITD11, BQITDGN, BQITDINS, BQITDLAB, BQITDLST
                    BQITDPAT, BQITDPNL, BQITDPRC
                    BQITDRUN, BQITDTG, BQITDUTL, BQITDVAL, BQITDW, BQITHCH
                    BQITIULS, BQITMPLE, BQITMPLS, BQITNPH, BQITRALG, BQITRCBP
                    BQITRCHR, BQITRCKN, BQITRCMD, BQITRCON, BQITRCSG, BQITRCTB
                    BQITREDU, BQITRGGLS, BQITRHLP, BQITRIBE, BQITRPHS, BQITRPPT
                    BQITRPRT, BQITRREF, BQITRRSK
                    BQITRRUN, BQITRSK, BQITRUT1, BQITRUT2, BQITRUTL, BQITUIX
                    BQITUTL, BQITXPRT, BQIUL1, BQIUL2, BQIUL4, BQIULLK, BQIULPT
                    BQIUSPRF, BQIUTB, BQIUTB1, BQIUTB2, BQIUTB4, BQIUTB5, BQIUTB6
                    BQIUTIL, BQIVER, BQIVFADD, BQIVFCHC, BQIVFDEF, BQIVFTLK
                    BQIVFTRB, BQIVFTRH
                    BQIVFTRI, BQIVFTRL, BQIVFTRO, BQIVFTRT, BQIVFVAL

```

EN^DIQ	BQIPTLNK
GETS^DIQ	BQICONPL, BQIMUHLP, BQIMUPRS, BQIPDSC1, BQIPDSCF, BQIPLDF
	BQIPLRP, BQIPLRT, BQIPTCON, BQIPTDDG, BQIPTDG, BQIPTFHE
	BQIPTFHR, BQIPTREP, BQIPTRPU, BQITMPLS, BQIVFTRF
^DIR	BQI1POST, BQI2POST, BQIBCOMU, BQICALRN, BQICARPT, BQIIPST
	BQITAXCK, BQITXPRT
EN^DIU2	BQI24PRE, BQI25PRE
^DIWP	BQICEADD, BQIPDSCM, BQIPLCTX, BQITRASM, BQITRPHS
\$\$HLDATE^HLFNC	BQICAHLO
\$\$ADDMMSG^HLOAPI	BQICAHLO
\$\$ADDSEG^HLOAPI	BQICAHLO
\$\$NEWBATCH^HLOAPI	BQICAHLO
SET^HLOAPI	BQICAHLO
\$\$SENDONE^HLOAPI1	BQICAHLO
DELETE^HLOPURGE	BQINIGH2
\$\$CODEC^ICDCODE	BQICMUT1, BQICMUT2, BQICMUT4, BQICMUTL, BQINIGH3, BQIPTPOV
	BQITDUTL, BQIULPT, BQIUTB3
\$\$ICDD^ICDCODE	BQIUL3
\$\$ICDDX^ICDCODE	BQIPDSCF, BQIPTFHE, BQITAXX5, BQIUL3, BQIVFTRF
\$\$ICDOP^ICDCODE	BQITAXX5, BQIUL3
\$\$VST^ICDCODE	BQICMUT1, BQICMUT2, BQICMUT4, BQICMUTL, BQINIGH3, BQIPTPOV
	BQIULPT, BQIUTB3
ICDDX^ICDCODE	BQIPDSCF
\$\$CODECS^ICDEX	BQICAHLO
\$\$CODEN^ICDEX	BQIIPDXC
\$\$CSI^ICDEX	BQITAXX5, BQIUL3
\$\$ICDDX^ICDEX	BQIUL3
\$\$ICDOP^ICDEX	BQIUL3
\$\$IMP^ICDEXA	BQICASUI, BQIIPOTC, BQIPDSCF
\$\$ICDDATA^ICDXCODE	BQIPDSCF
\$\$ICDDESC^ICDXCODE	BQIUL3
\$\$CPT^ICPTCOD	BQIIPCBP, BQIRGHEP, BQITAXX5, BQIUL3, BQIVFVAL
RANGE^LRVER5	BQIVFTRL
V25^LRVER5	BQIVFTRL
AGET^ORWORR	BQIGPORD
MAIN^PXRM	BQIRMDR1
\$\$PRIMVPRV^PXUTL1	BQIUL1, BQIUL2, BQIULPT
GET4EDIT^TIUSRVR	BQITIUTX
TGET^TIUSRVR1	BQITIUTX
\$\$CURRENT^USRML	BQIMUDPR, BQIMULST, BQIMUPRH, BQIMUPRV, BQIUTB, BQIUTB5
\$\$LOWER^VALM1	BQICMLST, BQIGPUPD, BQINIGH1, BQIPTALG, BQIREM, BQIRMAGG
	BQIRMDR1, BQIUTB
\$\$VAL^XBDIQ1	BQIIPCBP
\$\$VALI^XBDIQ1	BQIIPCBP
\$\$C^XBFUNC	BQIPTLNK
\$\$PROVCLSC^XBFUNC1	BQIRGDMS
^XBGSAVE	BQI28P1, BQICAEP3, BQICAEXP, BQICAVAL, BQIIPCME, BQIIPCME
	BQIMUEXP
\$\$DOW^XLFDT	BQI27POS, BQI28POS, BQIDCAH1, BQIIPWKL, BQIMULST, BQISCHED
	BQISYSIT, BQITASK6, BQITASK7
\$\$DT^XLFDT	BQI1POJB, BQI22POS, BQICALRE, BQICALRT, BQIDCLK, BQIGPRA4
	BQIGPRA5, BQIGPRA6, BQIMUSIT, BQINIGH2, BQINIGHT, BQINIGZT
	BQIPTRPF, BQIREM, BQIRGLK, BQIRMDR, BQIRMZDR, BQIRPL, BQISYTSK
	BQITASK, BQITASK1, BQITD10, BQITD11, BQITDGN, BQITHCH, BQITNPH
	BQITRSK, BQIUL4
	BQIULLK, BQIULPT
\$\$FMADD^XLFDT	BQI1POJB, BQI1POST, BQI202PS, BQI210PS, BQI22P1, BQI22POS
	BQI23P3, BQI23P4, BQI23POS, BQI25P1, BQI25POS, BQI27P2
	BQI27POS, BQI28P1, BQI28POS, BQI29P1, BQI29P2, BQI29P3
	BQI29POS, BQI2POSI, BQI2POST, BQICALRE, BQICALRT, BQICASE
	BQICASUI, BQICAUTL, BQICMPAT

\$\$FMADD^XLFDT	BQICMUT2, BQICMUT4, BQIDCAH1, BQIDCERV, BQIDCLK, BQIGPRA4 BQIGPRA5, BQIGPRA6, BQIGPUPD, BQIIPCT, BQIIPC FX, BQIIPEMP BQIIPMNU, BQIIPUT1, BQIIPUTL, BQIIPWKL, BQIMSPL, BQIMUMON BQIMUPRS, BQIMURPT, BQIMUSIT, BQIMUTIM, BQINIGH1, BQINIGH2 BQINIGH3, BQINIGH4 BQINIGHT, BQINIGZT, BQIPANEL, BQIPTRPF, BQIREM, BQIRGASP BQIRGDBA, BQIRGDMA, BQIRGDMS, BQIRGHOF, BQIRGLK, BQIRMDR BQIRMIZ, BQIRMZDR, BQIRPL, BQISCHED, BQISNOMS, BQISYDIV BQISYSIT, BQISYTSK, BQITASK, BQITASK1, BQITASK2, BQITASK4 BQITASK5, BQITASK6, BQITASK7 BQITD08, BQITD081, BQITD10, BQITD11, BQITD13, BQITDGN BQITDLAB, BQITDUTL, BQITHCH, BQITNPH, BQITRSK, BQITRUT2 BQIUL4, BQIULLK, BQIULPT
\$\$FMDIFF^XLFDT	BQI210PS, BQI25P1, BQI28P1, BQI29P1, BQI29P2, BQIAGE, BQICAEP3 BQICALRE, BQIIPC CYC, BQIPLPU, BQIRGHEP, BQISCHED, BQITASK BQITASK1, BQITASK2, BQITD031, BQITD081, BQITD10, BQITD11 BQITD13, BQITDGN, BQITDUTL, BQITHCH, BQITNPH, BQITRSK
\$\$FMTE^XLFDT	BQIBHSFP, BQICAEP3, BQICAEXP, BQICARP T, BQICMUT2, BQIGPRA BQIGPRA2, BQIGPRA5, BQIIPC BP, BQIMUEXP, BQINIGHT, BQINIGZT BQINOTR, BQIPDSCF, BQIPDSCM, BQIPLD S1, BQIPLDSC, BQIREM BQIRGDMA, BQIRGDM S, BQIRPASM, BQIRPL, BQIRSPMT, BQISYPNL BQISYSIT, BQITDWC, BQITRUTL BQIUL1
\$\$FMTHL7^XLFDT	BQICAEP3, BQICAEXP, BQICAV A1 BQICARP T, BQICASE, BQI IPTST, BQITXPRT
\$\$HTE^XLFDT	BQISYSIT, BQISYTSK
\$\$HTFM^XLFDT	BQIAAP
\$\$NOW^XLFDT	BQIBHSFL, BQIBHSFP, BQICACCD, BQICAHLO, BQICAHLP, BQICALRT BQICAPT, BQICASPL, BQICASPM BQICASUI, BQICAVW, BQICEADD, BQICEVW, BQICMDNM, BQICMLST BQICMRUN, BQICMVW, BQICONPL, BQIDCDF, BQIDCEPL, BQIDCLK BQIDCPM, BQIDCREG, BQIDCTX, BQIEHHL P, BQIFLG, BQIFLGET BQIFLRUN, BQIFLUPD, BQIGPHLP, BQIGPORD, BQIGPPL, BQIGPRA BQIGPRA1, BQIGPRA3, BQIGPRA4 BQIGPRA5, BQIGPRA6, BQIGPRUN, BQIGPUPD, BQIGPVW, BQIHEADR BQIIPC FX, BQIIPC GL, BQIIPC LN, BQIIPC M, BQIIPC MF BQIIPC MH, BQIIPC UT, BQIIPC W, BQIIPMNU, BQIIPMON, BQIIPPNL BQIIPPOR, BQIIPPR A, BQIIPPR V, BQIIPPT, BQIIPSNG, BQIIPTB L BQIIPTVW, BQIIPUTL, BQIIPWKL BQILKSMD, BQILYDEF, BQIMSLST, BQIMSPL, BQIMSVW, BQIMTCRD BQIMTCRT, BQIMUCQH, BQIMUDCQ, BQIMUDFC, BQIMUDFH, BQIMUDPR BQIMUEXP, BQIMUFAC, BQIMUFCH, BQIMUHLP, BQIMULST, BQIMUMON BQIMUPRH, BQIMUPRS, BQIMUPRV, BQIMURPT, BQIMURUN, BQIMUSIT BQIMUTAB, BQIMUUSR BQIMUVFL, BQINIGH1, BQINIGH2, BQINIGH3, BQINIGHT, BQINIGZT BQINOTF, BQINOTR, BQINOTT, BQINRUN, BQIORDPL, BQIPLADR BQIPLAP, BQIPLCNV, BQIPLCP, BQIPLCR, BQIPLCTX, BQIPLDF BQIPLDFN, BQIPLDL, BQIPLFL, BQIPLFLD, BQIPLFLG, BQIPLLAY BQIPLLK, BQIPLLLOG, BQIPLMF BQIPLMRU, BQIPLMY, BQIPLOVW, BQIPLPM, BQIPLPNL, BQIPLPP BQIPLPT, BQIPLRF, BQIPLRFV, BQIPLRP, BQIPLRT, BQIPLRT1 BQIPLRVW, BQIPLSH, BQIPLSL, BQIPLSTA, BQIPLTP, BQIPLUSR BQIPLVEW, BQIPLVW, BQIPLVWC, BQIPLVWP, BQIPTALG, BQIPTAP BQIPTBTL, BQIPTCPT, BQIPTDDG
\$\$NOW^XLFDT	BQIPTDG, BQIPTDX, BQIPTED, BQIPTELD, BQIPTEXM, BQIPTFHD BQIPTFHE, BQIPTFHH, BQIPTFHR, BQIPTFHS, BQIPTFHT, BQIPTFLG BQIPTHF, BQIPTHLP, BQIPTIMM, BQIPTINS, BQIPTLKP, BQIPTLN K BQIPTMSR, BQIPTPNL, BQIPTPOV, BQIPTPR, BQIPTPRC, BQIPTPRV BQIPTREG, BQIPTREP, BQIPTREV BQIPTRF, BQIPTRP1, BQIPTRPF, BQIPTRPU, BQIPTSEN, BQIPTSKN BQIPTTR, BQIPTVFV, BQIPTVS, BQIPTVST, BQIREFPL, BQIREM

```

BQIRFCE, BQIRGACM, BQIRGADD, BQIRGAGL, BQIRGASP, BQIRGCOP
BQIRGCVD, BQIRGDBA, BQIRGDEF, BQIRGDMS, BQIRGHGL, BQIRGHL
BQIRGHOF, BQIRGLK, BQIRGPG
BQIRGPL, BQIRGPT, BQIRGTH1, BQIRGTH2, BQIRGTHM, BQIRGVW
BQIRHS, BQIRHSR, BQIRLB, BQIRMAGG, BQIRMD, BQIRMDR, BQIRMDR2
BQIRMHLP, BQIRMIZ, BQIRMPAT, BQIRMPL, BQIRMREG, BQIRMRL
BQIRMRUN, BQIRMZDR, BQIRPASM, BQIRPL, BQIRPWH, BQIRRD, BQIRREG
BQIRRHS, BQIRRPT
BQIRSPMT, BQIRSPR, BQIRWS, BQISYDIV, BQISYKEY, BQISYPNL
BQISYPRM, BQISYSIT, BQISYTSK, BQISYWEB, BQITASK, BQITASK1
BQITASK2, BQITASK3, BQITASK4, BQITASK5, BQITASK6, BQITASK7
BQITAXX, BQITAXX1, BQITAXX2, BQITAXX3, BQITDBMI, BQITDLST
BQITDPAT, BQITDPNL, BQITDPRC
BQITDRUN, BQITDVAL, BQITIULS, BQITIUTX, BQITMPLE, BQITMPLL
BQITMPLS, BQITRGLS, BQITRHL, BQITRMT, BQITRPAT, BQITRPRT
BQITRRUN, BQIUL4, BQIULAY1, BQIULDT, BQIULLK, BQIULSC
BQIUSPRF, BQIUTB, BQIUTB1, BQIVER, BQIVFADD, BQIVFCHC
BQIVFDEF, BQIVFTLK, BQIVFTRB
BQIVFTRE, BQIVFTRF, BQIVFTRH, BQIVFTRI, BQIVFTRL, BQIVFTRM
BQIVFTRO, BQIVFTRP, BQIVFTRT, BQIVFVAL, BQIWHPRF
BQIDCAH1, BQIIPCCP, BQIIPCCT, BQIIPCFX, BQIIPCME, BQIIPCYC
BQIIPEMP, BQIIPMNU, BQIIPMON, BQIIPOTC, BQIIPPRG, BQIIPRVG
BQIMUMON, BQIMUTIM
BQIPTLK
BQI2ENV
BQIAAP, BQIBHSFP, BQICAEP3, BQICAEXP, BQIDCAH1, BQIGPRA
BQIGPRA2, BQIGPRA5, BQIPDSC1, BQIPTLNK, BQIRFCE, BQIRGADD
BQIRGDBA, BQIRGHML, BQIRGUTL, BQIRHS, BQIRPASM, BQIRSPMT
BQIRWS, BQITAXX, BQITAXX5, BQITIUTX, BQIUL2, BQIVFVAL
BQIWHPRF
BQIUTB6
BQI25POS, BQICAEP3, BQICAEXP, BQIDCAH3, BQIDCAH6, BQIDCAH7
BQIDCAH8, BQIGPVW, BQIMUEXP, BQIPDSCF, BQIPDSCM, BQIPLDS1
BQIPLDSC, BQIPTLK, BQIPTREV, BQIRDMA, BQIRGDM, BQIRMDR1
BQIRMIZ, BQITAXX3, BQITRUT1, BQITRUTL, BQIUL2, BQIULSC
BQIUTB2
BQICONPL, BQISYPNL, BQIULSC
BQI21P1, BQI23POS
BQICAHLO, BQIGPRUN
BQI22P1, BQI2ENV, BQIMUCQH, BQIMUTAB, BQIMUUPD, BQIPTFHD
BQIPTFHR, BQIPTFHS, BQIPTPRC, BQIPTRF, BQIPTR1, BQIPTUPD
BQIREM, BQIRMDR, BQIRMZDR, BQIRPL, BQIRWS, BQISCHED, BQISYSIT
BQITUTL, BQIVFDEF
BQI23PU, BQI2ENV, BQI2POST, BQI2PRE, BQIAAP, BQICAHLO
BQICALRE, BQICALRT, BQICASUI, BQICMLST, BQICMUT4, BQICMUTL
BQIDCASN, BQIDCMCM, BQIDCMDP, BQIDCMSP, BQIGPHLP, BQIGPPL
BQIGPRA, BQIGPRA1, BQIGPRA2, BQIGPRA4, BQIGPRA5, BQIGPRA6
BQIGPRUN, BQIGPUPD, BQIGPUTL
BQIIPDXC, BQIIPOTC, BQIIPPT, BQIMSLST, BQINIGHT, BQINIGZT
BQIPTDCF, BQIPTFHD, BQIPTFHE, BQIPTFHR, BQIPTFHS, BQIPTFHT
BQIPTPR, BQIPTPRC, BQIPTREP, BQIPTR1, BQIRGASU, BQIRPL
BQIRRPT, BQIRWS, BQISYSIT, BQITASK, BQITAXX2, BQIUL3, BQIULPT
BQIUTB3, BQIVFDEF
BQIVFTLK, BQIVFTRB, BQIVFTRF, BQIVFVAL
MES^XPDUML
BQI2ENV
BQIBCOMU, BQICACCD, BQICAEXP, BQICAVAL, BQIIPCME, BQIIPCME
BQIIPPOR, BQIIPST, BQIMUEXP
BQISYKEY
BQIULSC
BQIULSC
BQISCHED
RESCH^XUTMOPT

```

\$\$ERR^ZIBGCHAR	BQI1POST
\$\$NOJOURN^ZIBGCHAR	BQI1POST
\$\$SENDTO1^ZISHMSMU	BQICACCD

## 7.1 Callable Routines

### **\$\$AGE^BQIAGE(D0,PDATE,QUAL)**

This entry point was copied from the computed AGE field (2,.033) that calculates the age of a person based on the date of birth (DOB) (2,.03) and either the current date (DT) or the date of death (DOD) (2,.351). The entry point was modified to use a date passed into this function instead of just two dates, DT, and DOD (i.e., age as of the date passed). A qualifier may also be passed indicating that years (YRS), days (DYS), and months (MOS) should be returned.

Parameter	Description
D0	PATIENT IEN
PDATE	Other date to compare against patient's DOB
QUAL	Include qualifier (YRS, DYS, MOS)

### **\$\$DATE^BQICAEXP(D)**

This entry point takes a FileMan date format and puts it in YEARMONTHDAY format.

Parameter	Description
D	FileMan date (3201211) -> 20201211

### **\$\$JDATE^BQICAEXP(DATE)**

This entry point takes a FileMan date format and puts it in DAYMONTHYEAR format.

Parameter	Description
DATE	FileMan date (3201211) -> 11DEC2020

### **\$\$COMM^BQICALRE()**

This entry point gets the IEN of the UNKNOWN community.

### **\$\$COMM^BQICALRT()**

This entry point gets the IEN of the UNKNOWN community.

### **\$\$LAB^BQICAUTL(TMFRAME,RECENT,BQDFN,TAX,SEARCH,TREF)**

Searches for a lab test by result.

Parameter	Description
TMFRAME	Relative timeframe to search data for
RECENT	1=Only check most recent lab,0=Check all within timeframe
BQDFN	PATIENT IEN
TAX	Lab taxonomy to use for search
SEARCH	Array of Lab results to search for: OPER^RES^OPER2^RES2 OPER=Operand to use for result check RES=Result value to search for OPER2=If range, the other result operand RES2= If range, the other result value
TREF	Multiple same resulting taxonomies already built into a reference (usually global)

**\$\$LBB^BQICAUTL(TMFRAME,RECENT,DATE,BQDFN,TAX,SEARCH,TR EF)**

Searches for any lab test for a certain date.

Parameter	Description
TMFRAME	Relative timeframe to search data for
RECENT	1=Only check most recent lab,0=Check all within timeframe
DATE	The date of a lab test
BQDFN	PATIENT IEN
TAX	Lab taxonomy to use for search
SEARCH	Array of Lab results to search for: OPER^RES^OPER2^RES2 OPER=Operand to use for result check RES=Result value to search for OPER2=If range, the other result operand RES2= If range, the other result value
TREF	Multiple taxonomies already built into a reference (usually global)

**\$\$MEAS^BQICAUTL(BQDFN,MEAS,VISIT,RESVAL,OPER)**

Searches for a specific measurement value for a specific patient's visit.

Parameter	Description
BQDFN	Patient IEN

Parameter	Description
MEAS	Measurement IEN
VISIT	Visit IEN
RESVAL	Result value searching for
OPER	Operand

**\$\$TAX^BQICAUTL(TMFRAME,TAX,NIT,PTDFN,FREF,PRB,SAME,TREF)**

Parameter	Description
TMFRAME	Relative timeframe to search data for
TAX	Taxonomy to use for search
NIT	Number of iterations to search for
PTDFN	PATIENT IEN
FREF	FileMan File number reference
PRB	If Active Problem okay
SAME	1=If NIT is allowed for the same 30 days or not
TREF	Multiple taxonomies already built into a reference (usually global)

**\$\$UID^BQICAVAL(BQIDFN)**

Returns unique patient record id for given patient IEN.

Parameter	Description
DFN	Patient IEN

**\$\$VAL^BQICAVW(NDUZ,NDCN)**

Returns the status and timeframe of a specific community alert from user's preferences.

Parameter	Description
NDUZ	User IEN (aka DUZ)
NDCN	IEN of the community alert

**\$\$CDEF^BQICEVW()**

Returns the Care Management source default fields delimited by \$C(29). Assumes the value of CARE is defined.

Parameter	Description
CARE	Text name of the CMET source

**\$\$CVW^BQICEVW(CARE)**

Returns a list of the fields for a Customized CMET view for a specific panel delimited by \$C(29). Assumes the value of the owner and the panel.

Parameter	Description
CARE	Text name of the CMET source
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

**\$\$DFNC^BQICEVW()**

Returns a list of the standard display order for a CMET source delimited by \$C(29). Assumes the value of CARE is defined.

Parameter	Description
CARE	Text name of the CMET source

**\$\$SFNC^BQICEVW(CRN,TYP)**

Returns a list of the standard sort order for a CMET source delimited by \$C(29).

Parameter	Description
CRN	Text name of the CMET group
TYP	Unique identifier code for the CMET source

**\$\$TMPL^BQICEVW(CARE)**

Check if layout template is being used. Assumes the value of the owner and the panel.

Parameter	Description
CARE	Text name of the CMET source
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

**\$\$NRPC^BQICMDNM(DFN,CARE)**

Checks if a Care Management source has a special denominator executable and returns a 1 if the patient meets the denominator criteria.

Parameter	Description
DFN	Patient IEN
CARE	Text name of the Care Management source

**\$\$HIGH^BQICMUT3(DFN,NUM)**

Returns a value indicating if the patient is a High Risk patient or the number of High Risk Conditions that a patients has.

Parameter	Description
DFN	Patient IEN
NUM	Number of high risk conditions If null, returns Yes or No

**\$\$FND^BQICMUTL(CRN,COLN,BQDFN)**

Sets the values for a specific data column to pass to \$\$ITM^BQICMUTL in order to return the last data value for that data column.

Parameter	Description
CRN	Care Management source IEN
COLN	Column IEN
BQDFN	Patient IEN

**\$\$FTAG^BQICMUTL(TGN,COLN,BQDFN)**

Sets the values for a specific data column to pass to \$\$ITM^BQICMUTL in order to return the last data value for a specified Diagnostic Tag.

Parameter	Description
TGN	Diagnostic Tag IEN
COLN	Column IEN
BQDFN	Patient IEN

**\$\$ITM^BQICMUTL(TMFRAME,BQDFN,FREF,RREF,TIEN,TAX,TREF)**

Find the most recent visit value for a specific PCC V File for a patient, including checking refusals.

Parameter	Description
TMFRAME	Relative timeframe to search data for
BQDFN	Patient IEN
FREF	FileMan File number reference
RREF	Search file table file for refusals
TIEN	Item IEN to search on
TAX	Taxonomy to use for search

Parameter	Description
TREF	Multiple taxonomies already built into a reference (usually global)

**\$\$VISD^BQICMUTL(FILE,RIEN)**

Returns the visit date/time of specific PCC V File record.

Parameter	Description
FILE	PCC V File #
RIEN	Record IEN

**\$\$CDEF^BQICMVW()**

Returns the Care Management source default fields delimited by \$C(29). Assumes the value of CARE is defined.

Parameter	Description
CARE	Text name of the Care Management source.

**\$\$CVW^BQICMVW(CARE)**

Returns a list of the fields for a Customized Care Management view for a specific panel delimited by \$C(29). Assumes the value of the owner and the panel.

Parameter	Description
CARE	Text name of the Care Management source.
OWNR	IEN of the person who "owns" the panel.
PLIEN	IEN of the panel

**\$\$DFNC^BQICMVW()**

Returns a list of the standard display order for a Care Management source delimited by \$C(29). Assumes the value of CARE is defined.

Parameter	Description
CARE	Text name of the Care Management source.

**\$\$SFNC^BQICMVW(CRN,TYP)**

Returns a list of the standard sort order for a Care Management source delimited by \$C(29).

Parameter	Description
CRN	Text name of the Care Management group.
TYP	Unique identifier code for the Care Management source.

**\$\$TMPL^BQICMVW(CARE)**

Check if layout template is being used. Assumes the value of the owner and the panel.

Parameter	Description
CARE	Text name of the Care Management source.
OWNR	IEN of the person who “owns” the panel.
PLIEN	IEN of the panel

**\$\$LSET^BQIDCAH3(LN)**

Returns the set of codes values for a specific lab test if the result is defined as a set of codes.

Parameter	Description
LN	IEN of the lab test from File 60

**\$\$FILN^BQIDCDF(SOURCE,PNAME)**

Returns the FileMan file number if the parameter is a table.

Parameter	Description
SOURCE	The predefined panel definition name
PNAME	The parameter name

**\$\$MPF^BQIDCDF(SOURCE,PNAME)**

Returns a 1 if the parameter maps to another parameter or a 0 if it doesn't map to another parameter.

Parameter	Description
SOURCE	The predefined panel definition name
PNAME	The parameter name

**\$\$MPN^BQIDCDF(SOURCE,PNAME)**

If the parameter is mapped to another parameter, the IEN of the mapped to parameter is returned.

Parameter	Description
SOURCE	The predefined panel definition name
PNAME	The parameter name

**\$\$PEXE^BQIDCDF(SOURCE,PNAME)**

Returns the parameter executable.

Parameter	Description
SOURCE	The predefined panel definition name
PNAME	The parameter name

**\$\$PMAP^BQIDCDF(SOURCE,PNAME)**

If the parameter is mapped to another parameter, the name of the mapped to parameter is returned.

Parameter	Description
SOURCE	The predefined panel definition name
PNAME	The parameter name

**\$\$PORD^BQIDCDF(SOURCE,PNAME)**

Returns the parameter DESCRIPTION ORDER.

Parameter	Description
SOURCE	The predefined panel definition name
PNAME	The parameter name

**\$\$PP^BQIDCDF(SOURCE)**

Returns the IEN of a predefined panel name.

Parameter	Description
SOURCE	The predefined panel definition name

**\$\$PTYP^BQIDCDF(SOURCE,PNAME)**

Returns the type of parameter (table, text, date).

Parameter	Description
SOURCE	The predefined panel definition name
PNAME	The parameter name

**\$\$HF^BQIDCUTL(BQDFN,HFACT)**

Find the most recent record for a Health Factor for a patient.

Parameter	Description
BQDFN	Patient IEN
HFACT	Health Factor name or IEN

#### **\$\$HMEAS^BQIDCUTL(BQDFN,MEAS)**

Find the record with the highest value for a measurement for a patient.

Parameter	Description
BQDFN	Patient IEN
MEAS	Measurement name or IEN

#### **\$\$LAB^BQIDCUTL(BQDFN,TEST)**

Find the most recent record for a lab test for a patient.

Parameter	Description
BQDFN	Patient IEN
TEST	Lab test IEN

#### **\$\$MEAS^BQIDCUTL(BQDFN,MEAS)**

Find the most recent record for a measurement for a patient.

Parameter	Description
BQDFN	Patient IEN
MEAS	Measurement name or IEN

#### **\$\$FPAT^BQIFLAG(PDFN,OWNR,BQIPREF,TYPE)**

Checks if the patient has an active flag for the user and the user preferences.

Parameter	Description
PDFN	Patient IEN
OWNR	Owner IEN
BQIPREF	Array of owner's preferences
TYPE	"A"ll, "S"hown, or "H"idden

#### **\$\$HME^BQIGPUTL()**

Returns the IEN of the “home” facility.

**\$\$LKP^BQIGPUTL(BQIGYR)**

Returns the internal entry number in the ICARE SITE PARAMETERS file associated with the identified GPRA year.

Parameter	Description
BQIGYR	CRS (GPRA) year

**\$\$MEAS^BQIGPUTL(GCODE)**

Returns the reverse direction value for a specified GPRA measure.

Parameter	Description
GCODE	The CRS (GPRA) measure code; YEAR_IEN

**\$\$SPM^BQIGPUTL()**

Returns the IEN of the parameter record. Assumes the “home” facility.

**\$\$CVW^BQIGPVW()**

Returns the customized view for National Measures delimited by \$C(29). Assumes owner and panel.

Parameter	Description
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

**\$\$DFNC^BQIGPVW()**

Returns the standard view for National Measures delimited by \$C(29). Assumes owner and panel.

Parameter	Description
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

**\$\$GDEF^BQIGPVW()**

Returns the default view for National Measures delimited by \$C(29). Assumes owner and panel.

Parameter	Description
OWNR	IEN of the person who “owns” the panel

Parameter	Description
PLIEN	IEN of the panel

**\$\$SFNC^BQIGPVW()**

Returns the standard sort view for National Measures delimited by \$C(29). Assumes owner and panel.

Parameter	Description
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

**\$\$TMPL^BQIGPVW()**

Returns the view of a template for National Measures delimited by \$C(29). Assumes owner and panel.

Parameter	Description
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

**\$\$PAT^BQIIPBNL(DFN,XX)**

Determines if patient meets all of the bundle criteria. A bundle is a group of measures.

Parameter	Description
DFN	Patient IEN
XX	Array of codes comprising the bundle

**\$\$PT^BQIIPBNL(DFN,IPCN,CDN)**

Creates the array of codes comprising the bundle and determines if patient meets the bundle criteria.

Parameter	Description
DFN	Patient IEN
IPCN	IEN of the IPC version
CDN	IEN of the bundle measure

**\$\$DATE^BQIIPCME(DATE)**

Returns the last date of the month of the date entered in format MM/DD/YYYY.

Parameter	Description
DATE	Any FileMan date

**\$\$CIPC^BQIIPCUT(BQIPCDE)**

Checks if a measure code is in the current IPC version.

Parameter	Description
BQIIPCDE	IPC measure code

**\$\$CLIN^BQIIPCUT(BQIPCDE)**

Gets the category of the IPC measure code.

Parameter	Description
BQIIPCDE	IPC measure code

**\$\$DX^BQIIPDXC(TMFRAME,BQDFN,DXC,START,END)**

Finds the most recent visit for an ICD diagnosis code within a date range.

Parameter	Description
TMFRAME	Relative timeframe to search data for, starting date is assumed to be the beginning and the ending date is determined from the TMFRAME
BQDFN	Patient IEN
DXC	ICD Diagnosis code
START	Starting date in FileMan format
END	Ending date in FileMan format

**\$\$DEF^BQILYUTL(OWNR,TYPE)**

Returns the IEN of the default layout template.

Parameter	Description
OWNR	User
TYPE	The code of the view source

**\$\$TPN^BQILYUTL(OWNR,TEMPL)**

Returns the IEN of the template for a specific user and template name.

Parameter	Description
OWNR	User

Parameter	Description
TEMPL	Template name

**\$\$DUP^BQINOTE(USR,SUBJECT,DATE)**

Checks for a duplicate notification message.

Parameter	Description
USR	User
SUBJECT	Subject of message
DATE	Date of message

**\$\$LBRS^BQIPDSC1(LBVAL)**

Returns text describing the lab result search criteria in normal language for the panel description.

Parameter	Description
LBVAL	The value of the stored Lab Result search criteria for the panel definition

**\$\$EXRS^BQIPDSC2(EVAL)**

Returns text describing the exam result search criteria in normal language for the panel description.

Parameter	Description
EVAL	The value of the stored Exam Result search criteria for the panel definition

**\$\$MSRS^BQIPDSC2(MSVAL)**

Returns text describing the measurement result search criteria in normal language for the panel description.

Parameter	Description
MSVAL	The value of the stored Measurement Result search criteria for the panel definition

**\$\$GMVAL^BQIPDSCF(PTYP,FILN,IENS,SRC,NM)**

Returns the multiple values of a parameter/filter.

Parameter	Description
PTYP	Parameter type

Parameter	Description
FILN	FileMan File number
IENS	The internal entry numbers of the parameter
SRC	The panel definition source
NM	The name of the parameter

**\$\$GVAL^BQIPDSCF (PTYP,FILN,IENS,SRC,NM)**

Returns the single value of a parameter/filter.

Parameter	Description
PTYP	Parameter type
FILN	FileMan File number
IENS	The internal entry numbers of the parameter
SRC	The panel definition source
NM	The name of the parameter

**\$\$ASMPARM^BQIPDSCL(MN)**

Retrieves associated parameters from a multiple value field.

Parameter	Description
MN	IEN of the multiple valued filter parameter

**\$\$ASPARM^BQIPDSCL(MN)**

Retrieve associated parameters from a single value field.

Parameter	Description
FN	IEN of the filter parameter

**\$\$STRUNC^BQIPDSCM(VAL)**

Truncates a value that is greater than 255 down to 252 plus 3 dots.

Parameter	Description
VAL	String of text

**\$\$CVW^BQIPLCNV()**

Returns the customized view for Consults delimited by \$C(29). Assumes owner and panel.

Parameter	Description
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

### **\$\$TMPL^BQIPLCNV()**

Returns the view of a template for Consults delimited by \$C(29). Assumes owner and panel.

Parameter	Description
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

### **\$\$PCAT^BQIPLDF(OWNR,PLIEN)**

Returns a panel’s category (folder) name.

Parameter	Description
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

### **\$\$ADDAP^BQIPLDS1(FNM,VALUE)**

Returns the associated parameters text for a multiple filter parameter.

Parameter	Description
FNM	The name of the filter parameter
VALUE	The value of the filter parameter

### **\$\$FILTER^BQIPLDS1(FNM,VALUE)**

Retrieve all filters for this panel and return as a string in filter order.

Parameter	Description
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

### **\$\$MEN^BQIPLDSC(OWNR,PREF)**

Formats the My Patients categories generated description.

Parameter	Description
OWNR	IEN of the person who “owns” the panel

Parameter	Description
PREF	IEN of the My Patients preference type (e.g., MY PATIENTS-DPCP or MY PATIENTS-SPECIALTY PROVIDER)

**\$\$CVW^BQIPLOVW()**

Returns the customized view for Referrals delimited by \$C(29). Assumes owner and panel.

Parameter	Description
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

**\$\$TMPL^BQIPLOVW()**

Returns the view of a template for Orders tab delimited by \$C(29). Assumes owner and panel.

Parameter	Description
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

**\$\$CSTA^BQIPLRF(USR,PNL)**

Returns the current auto-populate status value of a panel. Value can be Currently Running, Pending or blank if completed.

Parameter	Description
USR	IEN of the person who “owns” the panel
PNL	IEN of the panel

**\$\$LCK^BQIPLRF(USR,PNL)**

Locks a panel.

Parameter	Description
USR	IEN of the person who “owns” the panel
PNL	IEN of the panel

**\$\$CVW^BQIPLRFV()**

Returns the customized view for Referrals delimited by \$C(29). Assumes owner and panel.

Parameter	Description
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

### **\$\$TMPL^BQIPLRFV()**

Returns the view of a template for Referrals delimited by \$C(29). Assumes owner and panel.

Parameter	Description
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

### **\$\$CVW^BQIPLRVW()**

Returns the customized view for Reminders delimited by \$C(29). Assumes owner and panel.

Parameter	Description
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

### **\$\$TMPL^BQIPLRVW()**

Returns the view of a template for Reminders delimited by \$C(29). Assumes owner and panel.

Parameter	Description
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

### **\$\$CKSHR^BQIPLSH(OWNR,PLIEN)**

Checks if a person who is sharing a panel has read and write rights.

Parameter	Description
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

### **\$\$CPFL^BQIPLUTL(OWNR,PLIEN)**

Checks if the passed in owner and panel contain any panel Ad Hoc filter value, then locks those panels.

Parameter	Description
OWNR	IEN of the person who “owns” the panel
PLIEN	IEN of the panel

**\$\$DFNC^BQIPLVW()**

Returns the standard default view for Panel List delimited by \$C(29).

**\$\$SFNC^BQIPLVW()**

Returns the standard sort list for Panel List delimited by \$C(29).

**\$\$CVW^BQIPLVWC()**

Returns the customized view delimited by \$C(29) for Patient demographics.

Parameter	Description
OWNR	IEN of the person who “owns” the panel.
PLIEN	IEN of the panel

**\$\$TMPL^BQIPLVWC()**

Checks if layout template is used for Patient demographics.

Parameter	Description
OWNR	IEN of the person who “owns” the panel.
PLIEN	IEN of the panel

**\$\$ETHN^BQIPTDMG(DFN,FLD)**

Returns a list of information about a patient’s ethnicities.

Parameter	Description
DFN	Patient IEN
FLD	Field number from ethnicity multiple; .01 = ETHNICITY name and .06 = METHOD OF COLLECTION

**\$\$RCE^BQIPTDMG(DFN,FLD)**

Returns a list of information about a patient’s races.

Parameter	Description
DFN	Patient IEN

Parameter	Description
FLD	Field number from ethnicity multiple; .01 = RACE name and .06 = METHOD OF COLLECTION

**\$\$ISACTIVE^BQIPTINS(EFFDT,ENDDT)**

Given a particular insurance type (Medicare, Medicaid, etc.), checks, based on the insurance effective and ending dates, whether it is active today.

Parameter	Description
EFFDT	Eligibility Date
ENDDT	Eligibility End Date

**\$\$IMM^BQIREM(IDFN,IMIEN)**

Returns the immunization due/last immunization date from the Immunization Forecaster module in RPMS.

Parameter	Description
IDFN	Patient IEN
IMIEN	Immunization IEN

**\$\$LIMM^BQIREM(IDFN,IMIEN)**

Returns the last immunization date from V Immunization file in RPMS.

Parameter	Description
IDFN	Patient IEN
IMIEN	Immunization IEN

**\$\$TOB^BQIRGASU(BQDFN)**

Returns the last Tobacco Health Factor for a patient.

Parameter	Description
DFN	Patient IEN

**\$\$AUD^BQIRGDMA(EVAL)**

Executes the Diabetes Audit API code.

Parameter	Description
EVAL	Evaluation API code for a Diabetes Audit Measure (\$\$LEAMP^BDMDG1D(BDMPD,BDMADAT)

**\$\$ITM^BQIRGUT1(TMFRAME,BQDFN,FREF,RREF,TIEN,TAX,TREF)**

Find the most recent visit value for a specific PCC V File for a patient, including checking refusals.

Parameter	Description
TMFRAME	Relative timeframe to search data for
BQDFN	Patient IEN
FREF	FileMan File number reference
RREF	Search file table file for refusals
TIEN	Item IEN to search on
TAX	Taxonomy to use for search
TREF	Multiple taxonomies already built into a reference (usually global).

**\$\$VAL^BQIRMDR1(CODE)**

Returns the name and type (e.g. EHR, CMET, HS, Forecaster, or HMS) of a reminder given the CODE.

Parameter	Description
CODE	Unique code identifying a reminder in file 90506.1.

**\$\$RDEF^BQIRMPL()**

Returns the system default list of columns for reminders separated by \$C(29).

**\$\$FIND^BQISCHED(X)**

Returns the IEN for an option.

Parameter	Description
X	The name of the option from File #19; e.g. BQI UPDATE TASK.

**\$\$ENTRS^BQITAXX(TAXV)**

Finds if the specified taxonomy contains any items.

Parameter	Description
TAXV	The taxonomy reference; e.g. 193;ATXAX( or 2;ATXLAB(.

**\$\$GREF^BQITAXX(VAL)**

Returns the file number of a global reference.

Parameter	Description
VAL	Global reference (usually a variable pointer value), e.g. 649;ATXAX(

**\$\$INCP^BQITAXX5(IHEN)**

Returns the inactive date of a specific CPT code.

Parameter	Description
IHEN	Internal entry number of the CPT code

**\$\$INIC^BQITAXX5(FILE,IHEN)**

Returns if a specific ICD code is inactive or not.

Parameter	Description
FILE	Either 80 or 80.1
IHEN	Internal entry number of the ICD code

**\$\$TYP^BQITD031(DFN,DX,TMREF)**

Returns a 'V' or 'P' to identify type of visit (V=Visit, P=Problem).

Parameter	Description
DFN	Patient IEN
DX	Diagnosis internal entry number
TMREF	Temporary array of diagnoses

**\$\$PAT^BQITD12(DEF,TGLOB,BDFN)**

Called by BQUITREDU to determine if patient is smoker.

Parameter	Description
DEF	Diagnostic Tag
TGLOB	Global reference
BDFN	Patient IEN

**\$\$EPG^BQITD13(BQIDFN)**

Determines if a Pregnancy has ended in the past 8 months.

Parameter	Description
BQIDFN	Patient IEN

**\$\$PAT^BQITDGN(BQARY,TGLOB,PTDFN,KEEP)**

Determines if a Diagnostic tag by single patient.

Parameter	Description
BQARY	Array of taxonomies and other information
TGLOB	Global array to store kept data in
PTDFN	Patient internal entry number
KEEP	1 if to keep the value, 0 if not to keep the value

**\$\$GETDATA^BQITDLST13(DFN)**

Returns standard patient demographic data in a string delimited by ‘^’; DFN, NAME, HRN, DOB, AGE, SEX, and DOD.

Parameter	Description
DFN	Patient IEN

**\$\$ACST^BQITDUTL(STAT)**

Returns if a specific Diagnostic Tag status is active or not.

Parameter	Description
STAT	Status code (“A” for accepted; “N” for not accepted)

**\$\$ACT^BQITDUTL(RDFN)**

Checks if a patient has any active tags.

Parameter	Description
RDFN	Patient IEN

**\$\$ATAG^BQITDUTL(RDFN,RTAG)**

Determines if a particular Diagnostic tag is active for a patient.

Parameter	Description
RDFN	Patient IEN
RTAG	Diagnostic Tag

### **\$\$CMP^BQITDUTL(RDFN,RTAG)**

C.compares the currently stored Diagnostic Tag factor data with recalculation of tag.

Parameter	Description
RDFN	Patient IEN
RTAG	Diagnostic Tag

### **\$\$CTAG^BQITDUTL(RDFN,RTAG)**

C.returns the current status of a Diagnostic Tag.

Parameter	Description
RDFN	Patient IEN
RTAG	Diagnostic Tag

### **\$\$LOW^BQITDUTL(DFN,TAG)**

C.checks if the Diagnostic tag has hierarchies and returns the next lower one found.

Parameter	Description
DFN	Patient IEN
TAG	Diagnostic Tag

### **\$\$FDX^BQITDUTL(BQDFN,TAX,POV)**

C.returns the date and visit number of the first diagnosis record for a patient for a specific taxonomy or Purpose of Visit/Problem.

Parameter	Description
BQDFN	Patient IEN
TAX	Taxonomy name
POV	Specific ICD9/ICD10 code

### **\$\$REG^BQITDUTL(BQIDFN,BQITAG)**

C.finds the status of the patient from an Associated Register (if the tag has a register).

Parameter	Description
BQIDFN	Patient IEN

Parameter	Description
BQITAG	Diagnostic Tag

**\$\$ACB^BQITRACB(BQDFN,BQRM)**

Checks if the patient needs Ace Inhibitor or ARB.

Parameter	Description
BQDFN	Patient IEN
BQRM	Best Practice remarks

**\$\$ACEI^BQITRALG(BQDFN,BDATE,EDATE)**

Checks if the patient is on Ace Inhibitor or ARB.

Parameter	Description
BQDFN	Patient IEN
BDATE	Beginning Date Range
EDATE	Ending Date Range

**\$\$ASA^BQITRALG(BQDFN,BDATE,EDATE)**

Checks if the patient is on Asa/Warfarin.

Parameter	Description
BQDFN	Patient IEN
BDATE	Beginning Date Range
EDATE	Ending Date Range

**\$\$BETA^BQITRALG(BQDFN,BDATE,EDATE)**

Checks if the patient is on a Beta Blocker.

Parameter	Description
BQDFN	Patient IEN
BDATE	Beginning Date Range
EDATE	Ending Date Range

**\$\$STAT^BQITRALG(BQDFN,BDATE,EDATE)**

Checks if the patient is on a Statin.

Parameter	Description
BQDFN	Patient IEN

Parameter	Description
BDATE	Beginning Date Range
EDATE	Ending Date Range

**\$\$ACEI^BQITRCON(BQDFN,BDATE,EDATE)**

Checks if the patient is contraindicated for Ace Inhibitor or ARB.

Parameter	Description
BQDFN	Patient IEN
BDATE	Beginning Date Range
EDATE	Ending Date Range

**\$\$ASA^BQITRCON(BQDFN,BDATE,EDATE)**

Checks if the patient is contraindicated for Asa/Warfarin.

Parameter	Description
BQDFN	Patient IEN
BDATE	Beginning Date Range
EDATE	Ending Date Range

**\$\$BETA^BQITRCON(BQDFN,BDATE,EDATE)**

Checks if the patient is contraindicated for a Beta Blocker.

Parameter	Description
BQDFN	Patient IEN
BDATE	Beginning Date Range
EDATE	Ending Date Range

**\$\$STAT^BQITRCON(BQDFN,BDATE,EDATE)**

Checks if the patient is contraindicated for a Statin.

Parameter	Description
BQDFN	Patient IEN
BDATE	Beginning Date Range
EDATE	Ending Date Range

**\$\$FED^BQITREDU(DATE,BQDFN,CODE)**

Finds education for a patient.

Parameter	Description
DATE	Date
BQDFN	Patient IEN
CODE	Education value

**\$\$FND^BQITRPPT(BQTRMT,BQGLOB,BQDFN,BQRM)**

Main programs that finds the Best Practice treatment prompts for a patient.

Parameter	Description
BQTRMT	Best Practice Prompt
BQGLOB	Reference to store data
BQDFN	Patient IEN
BQRM	Remarks array

**\$\$CLN^BQITRUT1(TMFRAME,BQDFN,CLINIC)**

Finds visits for a specific clinic code for a patient for a timeframe.

Parameter	Description
TMFRAME	Relative Date
BQDFN	Patient IEN
CLINIC	Education value

**\$\$EKG^BQITRUT1(BQDFN,BQRM)**

Checks if the patient has had EKG procedure during the timeframe.

Parameter	Description
BQDFN	Patient IEN
TMFRAME	Relative Date

**\$\$TAX^BQITRUT1(BQDFN,TMFRAME,TAX,FREF)**

Find a documented value from a taxonomy.

Parameter	Description
BQDFN	Patient IEN
TMFRAME	Relative Date
TAX	Taxonomy name
FREF	File reference to search

**\$\$BP^BQITRUTL(TMFRAME,BQDFN,SYS,DIA,OPER)**

Searches non ER Blood Pressure results.

Parameter	Description
TMFRAME	Relative timeframe to search data for
BQDFN	PATIENT IEN
SYS	Systolic value to search for
DIA	Diastolic value to search for
OPER	Operand to use for result check

### **\$\$FED^BQITRUTL(TMFRAME,BQDFN,TOP)**

Finds education topic for a patient.

Parameter	Description
TMFRAME	Relative timeframe to search data for
BQDFN	Patient IEN
TOP	Education topic

### **\$\$LAB^BQITRUTL(TMFRAME,RECENT,BQDFN,TAX,RESULT,OPER,RES2,OPER2,TREF)**

Returns the most recent lab test results.

Parameter	Description
TMFRAME	Relative timeframe to search data for
RECENT	1=Only check most recent lab,0=Check all within timeframe
BQDFN	PATIENT IEN
TAX	Lab taxonomy to use for search
RESULT	Result value to search for
OPER	Operand to use for result check
RES2	If range, the other result value
OPER2	If range, the other result operand
TREF	Multiple taxonomies already built into a reference (usually global)

### **\$\$NEGATIVE^BQITRUTL(RESULT)**

Returns a 1 (one) if the text result is negative else returns a 0 (zero).

Parameter	Description
RESULT	Result value

**\$\$POSITIVE^BQITRUTL(RESULT)**

Returns a 1 (one) if the text result is positive else returns a 0 (zero).

Parameter	Description
RESULT	Result value

**\$\$TAX^BQITRUTL(TMFRAME,TAX,NIT,PTDFN,FREF,PRB,SAME,TREF,START,END)**

Generic search that returns the most recent value of a taxonomy (TAX) or list of taxonomies (TREF).

Parameter	Description
TMFRAME	Relative timeframe to search data for
TAX	Taxonomy to use for search
NIT	Number of iterations to search for
PTDFN	PATIENT IEN
FREF	FileMan File number reference
PRB	If Active Problem okay
SAME	1=If NIT is allowed for the same 30 days or not
TREF	Multiple taxonomies already built into a reference (usually global).
START	Date to start search
END	Date to end search

**\$\$EXAM^BQITUTL(BQDFN,EXAM)**

Find most recent exam for a patient.

Parameter	Description
BQDFN	Patient IEN
EXAM	Exam name or code or IEN

**\$\$GDXN^BQITUTL(DEF)**

Returns the IEN of a Diagnosis Category definition.

Parameter	Description
DEF	Diagnosis Category definition name

**\$\$MEAS^BQITUTL(BQDFN,MEAS)**

Find most recent measurement for a patient.

Parameter	Description
BQDFN	Patient IEN
MEAS	Measurement name or code or IEN

#### **\$\$PLID^BQIUG1(OWNR,PLIEN)**

Returns a unique identifier for the panel using the following algorithm: the OWNER\_IEN concatenated with the PANEL\_IEN padded out to 4 with leading zeroes.

Parameter	Description
OWNR	Owner of the panel
PLIEN	The panel IEN

#### **\$\$CTRL^BQIUL1(X)**

Removes control characters from a data string.

Parameter	Description
X	Data string

#### **\$\$DATE^BQIUL1(DATE)**

Convert standard date/time to a FileMan date/time.

Parameter	Description
DATE	Date value

#### **\$\$FMTTE^BQIUL1(Y)**

Converts FileMan Date/Time to “MMM DD,CCYY HH:MM:SS” format.

Parameter	Description
Y	FileMan date/time

#### **\$\$FMTMDY^BQIUL1(DATE)**

Converts FileMan date to MM/DD/YYYY format.

Parameter	Description
DATE	FileMan date

#### **\$\$HRN^BQIUL1(BQIDFN)**

Returns a 1 (one) if the patient has any one active Health Record Number.

Parameter	Description
BQIDFN	Patient IEN

### **\$\$PROB^BQIUL1(PIEN)**

Returns the date/time from Problem file. Since not all dates exist or are not required data entry, the hierarchy is 'DATE ENTERED', and then 'DATE LAST MODIFIED'.

Parameter	Description
PIEN	Problem IEN

### **\$\$PRV^BQIUL1(VIEN)**

Returns the PRIMARY provider name for a visit.

Parameter	Description
VIEN	Visit IEN

### **\$\$STRIP^BQIUL1(STR,VAL)**

Removes one or more trailing characters in a string.

Parameter	Description
STR	Text string
VAL	Value to remove

### **\$\$TKO^BQIUL1(STR,VAL)**

Takes off the ending character at the end of a string.

Parameter	Description
STR	Text string
VAL	Value to remove

### **\$\$TMPFL^BQIUL1(MODE,UID,DFN)**

Temporary file handler designed for use when converting report text to RPC data strings.

Parameter	Description
MODE	'R'(Read), 'W'(Write), 'C'(Close), 'D'(Delete)
UID	Job identifier
DFN	Patient IEN

**\$\$STRIM^BQIUL1(STR,VAL)**

Removes one or more leading characters in a string.

Parameter	Description
STR	Text string
VAL	Value to remove

**\$\$VPNAR^BQIUL1(VIEN)**

Returns the provider narratives for a specific visit.

Parameter	Description
VIEN	Visit IEN

**\$\$VTHR^BQIUL1(BQIDFN)**

Returns a 1 (one) plus Visit IEN and Visit date/time if the patient has had a visit in the past 3 (three) years.

Parameter	Description
BQIDFN	Patient IEN

**\$\$VTWR^BQIUL1(BQIDFN)**

Returns a 1 (one) plus Visit IEN and Visit date/time if the patient has had a visit in the past 2 (two) years.

Parameter	Description
BQIDFN	Patient IEN

**\$\$VVNAR^BQIUL1(VIEN)**

Returns the POV narratives for a specific visit.

Parameter	Description
VIEN	Visit IEN

**\$\$PTR^BQIUL2(FIL,FLD,VVAL,VPEC)**

Finds a different value for a pointer other than the standard Field .01 value.

Parameter	Description
FIL	FileMan File #
FLD	FileMan Field #

Parameter	Description
VVAL	Data Value that is the pointer
VPEC	Field from pointed to file, defaults to .01 if not defined

**\$\$SCD^BQIUL2(STRNG,VAL)**

Returns the description for a code in a Set of Codes definition.

Parameter	Description
STRNG	The Set of Codes string from the DD
VAL	The value needing the description

**\$\$STC^BQIUL2(FIL,FLD,VAL)**

Find a value for a set of codes code.

Parameter	Description
FIL	FileMan File #
FLD	FileMan Field #
VAL	The set of codes

**\$\$STCC^BQIUL2(FIL,FLD,VAL)**

Find a value for a set of codes code.

Parameter	Description
FIL	FileMan File #
FLD	FileMan Field #
VAL	The set of codes

**\$\$ICD0^BQIUL3(VAL,IDT,PC)**

Return value of CSV PC of the ICD OPERATION/PROCEDURE file (#80.1).

Parameter	Description
VAL	ICD OPERATION/PROCEDURE internal entry number
IDT	ICD OPERATION/PROCEDURE date
PC	Piece of the string returned by \$\$ICDOP^ICDCODE that is being requested

**\$\$ICD9^BQIUL3(VAL,IDT,PC)**

Return value of CSV PC of the ICD DIAGNOSIS file (#80).

Parameter	Description
VAL	ICD DIAGNOSIS internal entry number
IDT	ICD DIAGNOSIS date
PC	Piece of the string returned by \$\$ICDDX^ICDCODE that is being requested

### **\$\$ICDD^BQIUL3(FIL,VAL,IDT)**

Return the description for a procedure or diagnosis.

Parameter	Description
FIL	FileMan File # - 80 or 80.1
VAL	The internal entry number of the procedure or diagnosis
IDT	Date

### **\$\$PUNC^BQIUL3(X)**

Removes all punctuation from a text string.

Parameter	Description
X	Text string

### **\$\$CALR^BQIULPT(DFN)**

Returns a Community Alert flag is the patient's community has alerts.

Parameter	Description
DFN	Patient IEN

### **\$\$CM^BQIULPT(DFN)**

Returns a patient's case manager.

Parameter	Description
DFN	Patient IEN

### **\$\$COUN^BQIULPT(DFN)**

Returns the county of the patient's current community.

Parameter	Description
DFN	Patient IEN

**\$\$DPCP^BQIULPT(DFN)**

Returns a patient's primary care provider.

Parameter	Description
DFN	Patient IEN

**\$\$FLG^BQIULPT(USR,PANEL,DFN)**

Returns a flag indicator for a specific user and panel.

Parameter	Description
USR	User IEN
PANEL	Panel IEN
DFN	Patient IEN

**\$\$GMET^BQIULPT(DFN)**

Returns a patient's GPRA MET value.

Parameter	Description
DFN	Patient IEN

**\$\$HRN^BQIULPT(DFN)**

Returns a patient's single health record number.

Parameter	Description
DFN	Patient IEN
DUZ(2)	Assumes DUZ(2) exists from user signing onto system

**\$\$HRNL^BQIULPT(DFN)**

Returns a patient's list of health record numbers.

Parameter	Description
DFN	Patient IEN

**\$\$LVDPCP^BQIULPT(DFN)**

Returns a patient's last visit with their DPCP.

Parameter	Description
DFN	Patient IEN

**\$\$LVDT^BQIULPT(DFN)**

Returns a patient's last visit date/time.

Parameter	Description
DFN	Patient IEN

**\$\$MFLAG^BQIULPT(USR,PANEL,DFN)**

Returns a value if the patient was manually added to the panel.

Parameter	Description
USR	User IEN
PANEL	Panel IEN
DFN	Patient IEN

**\$\$NAD^BQIULPT(DFN)**

Returns a patient's next appointment date.

Parameter	Description
DFN	Patient IEN

**\$\$PFLNG^BQIULPT(DFN)**

Returns a patient's preferred language.

Parameter	Description
DFN	Patient IEN

**\$\$SENS^BQIULPT(DFN)**

Checks to see if patient is designated as Sensitive and returns a flag (Y or N) to indicate if the patient is Sensitive.

Parameter	Description
DFN	Patient IEN

**\$\$KEYCHK^BQIULSC(KEY,USER)**

Checks to see if the security key was assigned to the user.

Parameter	Description
KEY	The security key

Parameter	Description
USER	The user

**\$\$CLOC^BQIUTIL()**

Returns the Current Default Location of the user.

Parameter	Description
DUZ(2)	Assumes DUZ(2) exists from user signing onto system

**\$\$MREC^BQIUTIL(PTDFN,FREF,ITEM)**

Find the most recent value for a specified item.

Parameter	Description
PTDFN	Patient IEN
FREF	FileMan File #
ITEM	ITEM IEN

**\$\$OLOC^BQIUTIL()**

Returns the Default Outside Location from EHR parameter BEHOENCX OTHER LOCATION.

Parameter	Description
DUZ(2)	Assumes DUZ(2) exists from user signing onto system

## 7.2 Published Entry Points

**LOG^BQINOTR(DFN,NTYP,TIUP,IMML,PWHN,REM,PROV)**

Log when a notification is done.

Parameter	Description
DFN	Patient IEN
NTYP	Notification Type; LETTER, EMAIL, PHONE
TIUP	TIU note pointer
IMML	Immunization letter pointer
PWHN	Patient Wellness Handout pointer
REM	Reminder (IMMUNIZATIONS if from immunization package)

Parameter	Description
PROV	Provider

**\$\$ACT^BQITDUTL(RDFN)**

Returns a 1 (one) if the patient has active diagnostic tags and 0 (zero) if the patient does not have any active diagnostic tags.

Parameter	Description
RDFN	Patient IEN

**BLD^BQITUTL(TAX,REF,BQTTYP)**

Parameter	Description
TAX	Name of taxonomy
REF	Local or global reference where entry is to be placed
BQTTYP	Type of taxonomy; L=Lab and blank for all non-lab taxonomies

**BLDSV^BQITUTL(FILEREF,VAL,TARGET)**

Sets up a single value to a target similar to building a list of values from a taxonomy.

Parameter	Description
FILEREF	File where the code resides
VAL	Value
TARGET	Local or global reference where entry is to be placed

**SNOM^BQITUTL(SUB,REF)**

Retrieves SNOMED Concept IDs for a SNOMED subset.

Parameter	Description
SUB	SNOMED Subset name
REF	Either local or global reference

## 7.3 Exported Options

Option Name	Description
BQI CANES EXPORT REPORT	CANE Surveillance Export Report
BQI CANES LAB EXPORT	CANES Export of Lab Data
BQI CANES LOINC MAP REPORT	CANES LOINCS mapped to Labs Report

Option Name	Description
BQI IPC MISMATCH PROV	Mismatched Designated Primary Care Providers
BQI IPC PROVIDER COUNT	Count of patients for Primary Care Providers
BQI NIGHTLY BACKGROUND	Nightly Background Job for iCare
BQI TEST LOINC PRINT	CANES LOINC Report
BQI UPDATE ALL REMINDERS	Updates all reminders for all patients
BQI UPDATE CARE MGMT	Updates all care management data for all patients
BQI UPDATE TASK	iCare Update Task
BQI UPDATE TREATMENT	Updates all treatment prompts for all patients
BQIRPC	BQI RPC Calls

## 8.0 Internal Relations

There are no documented internal relations in BQI.

## 9.0 iCare Windows Client

### 9.1 Description of Development Environment

The iCare application was developed using the programming language C# within Microsoft (MS) Visual Studio (VS) 2019 integrated development environment (IDE). iCare is written to utilize the Microsoft .NET 4.0 framework (Client Profile). All new classes created for the iCare application exist within the namespace IndianHealthService.iCare.

In addition to the standard .NET object classes, the iCare application also uses commercially available Windows form controls from Infragistics (TM). All the controls used were part of a package of controls named Infragistics NetAdvantage for Windows Forms 2020 Volume a.

In addition, the iCare application also utilizes the BMX version 4.0 software to facilitate security authentication and communication between the GUI Windows application and the RPMS server data. All data retrieval and updates are handled through the RPCs defined in the BQIRPC and BMXRPC namespaces.

All of the dynamic link library (dll) files upon which iCare depend are delivered with the iCare application install package and are stored in the iCare program directory. The default iCare install directory is: C:\%ProgramFiles%\Indian Health Service\iCare Version 2.9. There are no Active-X/COM files installed or registered with the iCare application.

### 9.2 iCare RPMS Server Requirements

The RPMS server portion of the iCare application does not require a specific version of Cache or operating system (OS). However, the server needs to be able to support BMX 4.0 fully and is therefore subject to any requirements needed to run that application. Please refer to the BMX version 4.0 Technical Manual for details.

The iCare GUI client has certain workstation OS and hardware requirements, as detailed in Section 2.2.2 of the iCare (BQI) Installation Guide and Release Notes.

### 9.3 List of iCare GUI Dependencies

Table 9-1 shows the GUI dependencies associated with the iCare application.

Table 9-1: GUI dependencies

Dependency	Assembly Version	Description
Microsoft .Net 4.0 Framework (Client Profile)	Version 4.0 with any subsequent service packs from Microsoft	The Microsoft.NET 4.0 Framework is required for the iCare allocation.
BMXNet40.dll	4.0.0.2	This library file contains the general BMXNet 4.0 client-side utilities and functions for connecting to the RPMS server and managing data connections.
BMXWIN40.dll	4.0.0.2	This dll contains BMXNet 4.0 client side utilities and functions that are specific to use within the Windows stand-alone application environment.
bqi-iCareControlLibrary1.dll	2.1	The iCareControlLibrary1 is a Visual Studio 2013 collection of custom UI controls used by the iCare client.
bqi-ultraGridToolBar.dll	2.1	The ultraGridToolBar is a Visual Studio 2013 custom UI control used by the iCare client.
RichTextBoxPrintControl.dll	1.0.0.0	This class extends the RichTextBox control to allow for generation of formatted print documents for use in print preview and print to printer functions. Specifically, this is used to print character based reports pulled from RPMS and displayed in the iCare application.
UserInactivityMonitoring.dll	0.0.0.0	This class allows the iCare application to monitor user activity and implement locking and timeout functionality required by IHS for implementation on shared client machines.
Infragistics NetAdvantage for Windows Forms 2020 Vol.1	20.1.20201.15020.1.20201.150	These dll files are also distributed with the iCare installation package. See Section 6.1 for details of individual files that are distributed.
Microsoft.Office.Interop.Excel.dll	14.0.0.0	Microsoft Office Interoperability dll used to allow iCare to open, edit and save MS Excel® files.

## 9.4 iCare Windows Client–Install %

Table 9-2 shows all of the files that will be installed with the iCare application. These files are installed into the main iCare application folder, which defaults to C:\%ProgramFiles%\Indian Health Service\iCare {Version Number}.

Table 9-2: iCare Windows install client

Filename	Assembly Version	Description
bqi-iCare.exe	2.9.3.8	This is the main iCare executable used to launch and run the iCare application.
BMXWIN40.dll	4.0.0.2	This dll contains BMXNet 4.0 client side utilities and functions that are specific to use within the Windows stand-alone application environment.
BMXNET40.dll	4.0.0.2	This library file contains the general BMXNet 4.0 client-side utilities and functions for connecting to the RPMS server and managing data connections.
bqi-iCareControlLibrary1.dll	2.1.0.0	The iCareControlLibrary1 is a Visual Studio 2012 collection of custom UI controls used by the iCare client.
bqi-ultraGridToolBar.dll	2.1.0.0	The ultraGridToolBar is a custom Visual Studio 2012 UI control that handles the set of buttons for search, print, copy, and export to MS Excel on each datagrid in the iCare application.
RichTextBoxPrintControl.dll	1.0.0.0	This class extends the RichTextBox control to allow generating formatted print documents in print preview and print to printer functions. Specifically, this is used to print character based reports pulled from RPMS and displayed in the iCare application.
UserInactivityMonitoring.dll	0.0.0.0	This class allows the iCare application to monitor user activity and implement locking and timeout functionality required by IHS for implementation on shared client machines.
Microsoft.Office.Interop.Excel.dll	14.0.0.0	Microsoft Interop dll. Used to reference Microsoft Office documents.
CMET.chm		Compiled HTML file that contains the online help for CMET.

<b>Filename</b>	<b>Assembly Version</b>	<b>Description</b>
CommunityAlerts.chm		Compiled HTML file that contains the online help for Community Alerts.
HIV_AIDS.chm		Compiled HTML file that contains the online help for HIV/AIDS.
Improving_Patient_Care.chm		Compiled HTML file that contains the online help for IPC.
Natl_Measures.chm		Compiled HTML file that contains the online help for National Measures.
Panel_Definition.chm		Compiled HTML file that contains the online help for Panel Definition.
Panel_List.chm		Compiled HTML file that contains the online help for Panel List.
Panel_View.chm		Compiled HTML file that contains the online help for Panel View.
Patient_Record.chm		Compiled HTML file that contains the online help for Patient Record.
Taxonomy_Maintenance.chm		Compiled HTML file that contains the online help for Taxonomy Maintenance.

Table 9-3 shows all the files that are part of a set of enhanced UI controls from Infragistics called NetAdvantage for Windows Forms Version 2020 Volume 1.

Table 9-3: Enhanced UI controls

<b>Filename</b>	<b>Assembly Version</b>	<b>Description</b>
Infragistics4.Documents.Core.v20.1.dll	20.1.20201.150	This file contains the Infragistics Document Engine that allows export of PDF and XML formats.
Infragistics4.Documents.Excel.v20.1.dll	20.1.20201.150	This file contains helper classes that allow export to Excel format without requiring that Excel is installed on the client machine.
Infragistics4.Documents.Reports.v20.1.dll	20.1.20201.150	This file contains the Infragistics Document Engine that allows export of PDF and XML formats.
Infragistics4.Shared.v20.1.dll	20.1.20201.150	This file contains general functions and types common to all the Infragistics controls.

<b>Filename</b>	<b>Assembly Version</b>	<b>Description</b>
Infragistics4.Win.Misc.v20.1.dll	20.1.20201.150	This is a set of other miscellaneous functions and data types used when working with the other Infragistics classes.
Infragistics4.Win.UltraWinChart.v20.1.dll	20.1.20201.150	This dll file contains functionality used when charting patient measurements from PCC over time.
Infragistics4.Win.UltraWinDataSource.v20.1.dll	20.1.20201.150	This dll file contains functionality to create manage data sources that can be used with the Infragistics UltraGrid, etc.
Infragistics4.Win.UltraWinEditors.v20.1.dll	20.1.20201.150	This dll file contains enhanced UI input controls such as the calendar date picker and special combo boxes.
Infragistics4.Win.UltraWinGauge.v20.1.dll	20.1.20201.150	This dll file contains enhanced UI input control such as gauges.
Infragistics4.Win.UltraWinGrid.ExcelExport.v20.1.dll	20.1.20201.150	This file contains the classes used to handle export of information from UltraGrid DataGrid to Excel format.
Infragistics4.Win.UltraWinGrid.v20.1.dll	20.1.20201.150	The UltraGrid is an enhanced data-bound DataGrid used to display tabular data to the user. This also allows users to sort, filter, arrange columns, and select rows of data at run time.
Infragistics4.Win.UltraWinPrintPreviewDialog.v20.1.dll	20.1.20201.150	This file contains classes to handle print preview windows for printable items with the application and allows for zoom, page layout adjustments, etc.
Infragistics4.Win.UltraWinStatusBar.v20.1.dll	20.1.20201.150	The UltraWinStatusBar provides the enhanced status bar used at the bottom of form to provide status text and row counts.
Infragistics4.Win.UltraWinTabbedMdi.v20.1.dll	20.1.20201.150	The classes within this file provide a way to present multiple forms within a tabbed interface style.
Infragistics4.Win.UltraWinTabControl.v20.1.dll	20.1.20201.150	The UltraWinTabControl provides an enhanced tab UI interface used on forms to present multiple pages of data.
Infragistics4.Win.UltraWinToolbars.v20.1.dll	20.1.20201.150	This file contains classes to handle the toolbars, menu and context menus within Windows forms.

<b>Filename</b>	<b>Assembly Version</b>	<b>Description</b>
Infragistics4.Win.UltraWinTree.v20.1.dll	20.1.20201.150	The UltraWinTree allows data presentation in a tree-style layout where the user is able to drill down into categories of data.
Infragistics4.Win.v20.1.dll	20.1.20201.150	This file contains classes used at a high level to control application-wide styles and appearances and interface with Windows XP themes, etc.

## 9.5 iCare Windows Client — List of Object Classes

Table 9-4 shows the new object classes used within the iCare Windows application. All of the specified class names exist within the namespace IndianHealthService.iCare.

Table 9-4: Object Classes

<b>Class Name</b>	<b>Assembly</b>	<b>Description</b>
Layout\ColumnRpcAttribute	bqi-iCare.exe	ColumnRpcAttribute – Attribute for layout column RPC.
Layout\InternalTitleAttribute	bqi-iCare.exe	InternalTitleAttribute – Attribute for layout Internal Title.
Layout\MnemonicAttribute	bqi-iCare.exe	MnemonicAttribute –Attribute for layout mnemonic.
Layout\PresentationNameAttribute	bqi-iCare.exe	PresentationNameAttribute – Attribute for layout presentation name.
Layout\SysDefRpcAttribute	bqi-iCare.exe	SysDefRpcAttribute– Attribute for layout System Definition RPC.
Layout>TitleAttribute	bqi-iCare.exe	TitleAttribute– Attribute for layout title.
Layout\ViewLayoutAttribute	bqi-iCare.exe	This is the base class used to add attributes for ViewLayoutType enum values
Layout\ViewLayoutType	bqi-iCare.exe	This contains the ViewLayoutType enum used to relate view layouts to the values uniquely tied to each ViewLayoutType.
Layout\ViewLayoutTypeExtensions	bqi-iCare.exe	These extensions allow lookups to/from ViewLayoutType values and their associated attributes.
CMETUtilities	bqi-iCare.exe	The CMETUtilities class provides utilities for implementing CMET functionality in iCare.

<b>Class Name</b>	<b>Assembly</b>	<b>Description</b>
CmetWorksheet	bqi-iCare.exe	The CmetWorksheet class is a custom user control used to implement the CMET Worksheet functionality for processing a CMET-tracked event through iCare.
Constants	bqi-iCare.exe	Constants class provides a list of constants (mostly layout related) variables to use across iCare classes.
DAddTemplate	bqi-iCare.exe	DAddTemplate class provides a view to allow users to select layout type and template name before editing a template.
DAppTimeCountdown	bqi-iCare.exe	DAppTimeCountdown class provides a 60-second timer gauge for counting down before minimizing iCare application.
DBackProcProperties	bqi-iCare.exe	The DBackProcProperties class provides a grid view of the status for background jobs that iCare utilizes. The screen displays the name of the process, the last run date/time, and the next run date/time.
DCategoryPicker	bqi-iCare.exe	The DCategories class provides the user the ability to pick a desired category for a panel. Category editing can also be accessed from this class.
DChartView	bqi-iCare.exe	The DChartView class provides the user the ability to graph PCC Measurement data for a specific patient through iCare.
DChartViewCommAlertsHist	bqi-iCare.exe	The DChartViewCommAlertsHist class provides the user the ability to graph Community Alerts History By Diagnosis data through iCare.
DChartViewCommAlertsHistByCat	bqi-iCare.exe	The DChartViewCommAlertsHist class provides the user the ability to graph Community Alerts History By Category (Community or Location) data through iCare.
DChartViewIPCClinicDetailByClinicCode	bqi-iCare.exe	The DChartViewIPCClinicDetailByClinicCode class provides the user the ability to graph IPC Clinic Detail By Clinic Code data through iCare.
DChartViewIPCClinicDetailByMeas	bqi-iCare.exe	The DChartViewIPCClinicDetailByMeas class provides the user the ability to graph IPC Clinic Detail By Measurement data through iCare.

<b>Class Name</b>	<b>Assembly</b>	<b>Description</b>
DChartViewIPCFacAgg	bqi-iCare.exe	The DChartViewIPCFacAgg class provides the user the ability to graph IPC Facility Aggregated Measurement data through iCare.
DChartViewIPCProvAg gByMeas	bqi-iCare.exe	The DChartViewIPCProvAggByMeas class provides the user the ability to graph IPC Provider Aggregated Measurement selected by measure data through iCare.
DChartViewIPCProvAg gByProv	bqi-iCare.exe	The DChartViewIPCProvAggByProv class provides the user the ability to graph IPC Provider Aggregated Measurement selected by provider data through iCare.
DChartViewIPCTeamA ggByMeas	bqi-iCare.exe	The DChartViewIPCTeamAggByMeas class provides the user the ability to graph IPC Team Aggregated Measurement selected by measure data through iCare.
DChartViewIPCTeamA ggByTeam	bqi-iCare.exe	The DChartViewIPCTeamAggByTeam class provides the user the ability to graph IPC Team Aggregated Measurement selected by team data through iCare.
DChartViewNationalMe asures	bqi-iCare.exe	The DChartViewNationalMeasures class provides the user the ability to graph National Measurement data for a specific patient through iCare.
DChoiceDlg	bqi-iCare.exe	The DChoiceDlg class allows the user to select one or more selections in a generic dialog as a list of option buttons or check boxes.
DCMETAddEvent	bqi-iCare.exe	The DCMETAddEvent class allows the user with CMET Package Manager access to add a manual event to CMET.
DColorPicker	bqi-iCare.exe	The DColorPicker class allows the user to select a desired color and is implemented to support the new panel category feature.
DCommAlerts	bqi-iCare.exe	The DCommAlerts class provides a display of any active community alerts at login.
DCopyPanel	bqi-iCare.exe	The DCopyPanel class allows the user to create a copy of a panel from the user's panel list in iCare.

<b>Class Name</b>	<b>Assembly</b>	<b>Description</b>
DCreateRegister	bqi-iCare.exe	The DCreateRegister class allows the user to create a register based on a panel in iCare.
DExamFilter	bqi-iCare.exe	The DExamFilter class allows users to edit an existing Exam Detail filter entry for use in DPanelDef as panel filter.
DGenEdit	bqi-iCare.exe	The DGenEdit class is a table-driven dynamic data entry form that can be used to provide an interface to simpler RPMS data entry screens.
DGenEditForm	bqi-iCare.exe	This class simply provides a prewrapped DGenEdit control in a form with appropriate default form settings preconfigured.
DGridView	bqi-iCare.exe	The DGridView class provides a generic grid data display form with the standard grid functions (search, print, etc.) for data best displayed in a tabular fashion.
DiCareMain	bqi-iCare.exe	The DiCareMain class provides the main form for the iCare application. It currently contains a tabbed multiple document interface (MDI) control that holds the Panel List and the Flag List for the signed-in iCare user. Closing the main form will exit the application.
DInputBox	bqi-iCare.exe	The DInputBox class provides a generic user input form used primarily when copying panels to a different name. Updated to allow masked input and encryption for electronic signature functionality.
DInputBoxMultiline	bqi-iCare.exe	The DInputBoxMultiline class provides a generic user input form to allow multiline data entry.
DLpcExport	bqi-iCare.exe	The DLpcExport class provides a method for the user to select a month and the provider to export for IPC reporting.
DLabFilter	bqi-iCare.exe	The DLabFilter class allows users to edit an existing Lab Detail filter entry for use in DPanelDef as panel filter.
DLetterView	bqi-iCare.exe	The DLetterView class allows users to create a TIU note through iCare, save it to RPMS, and sign it electronically to complete it.

<b>Class Name</b>	<b>Assembly</b>	<b>Description</b>
DManageTemplates	bqi-Care.exe	The DManageTemplates class provides a window for users to manage templates for panel view. Templates are now shareable across users.
DMeasurementFilter	bqi-Care.exe	The DLabFilter class allows users to edit an existing Measurement filter entry for use in DPanelDef as panel filter.
DMsgBox	bqi-iCare.exe	The DMsgBox class provides a generic message box that displays a message to the user when the application is performing a task that must complete before the user can continue.
DNewVersion	bqi-iCare.exe	The DNewVersion class allows users to choose to revisit their User Preferences when a new version of the software is released.
DNotifications	bqi-iCare.exe	The DNotifications class provides a form to allow the user to manage notifications received for the user regarding changes to shared panels, panel repopulate issues, etc.
DPanelDef	bqi-iCare.exe	The DPanelDef class provides a form to allow the user to manage an individual panel definition used to generate the patient list, as well as preview changes to the list, customize the patient list and detail layouts, manage sharing, and auto-repopulate options.
DPanelProperties	bqi-iCare.exe	This form provides a display of some of the panel's more detailed properties in tabbed interface.
DPanelSearch	bqi-iCare.exe	The DPanelSearch class provides a form to allow the user to search the patient list from DPanelView based on demographic fields.
DPanelView	bqi-iCare.exe	The DPanelView class provides a form to allow the user to view and manage an individual panel of patients. This form contains a customizable patient list, flag list, customizable GPRA detail list, and GPRA Aggregate all based on patients in the panel.
DPatientProperties	bqi-iCare.exe	The DPatientProperties form class provides a display of additional demographic and other fields related to the patient record in a pop-up window display.

<b>Class Name</b>	<b>Assembly</b>	<b>Description</b>
DPatientView	bqi-iCare.exe	The DPatientView class provides a form to allow the user to view and manage an individual patient. This form contains the following tabs: Cover Sheet, Flags, Reminders, Patient GPRA, Face Sheet, Health Summary, Wellness Summary, Labs, Meds, Radiology, and Problem List. The user can manage an individual patient's flags and view patient results in this form.
DPccEdit	bqi-iCare.exe	The DPccEdit class provides the user interface for entering historical PCC event data through iCare.
DPnlAddRemove	bqi-iCare.exe	The DPnlAddRemove class provides a form to allow users to select or deselect panels. This functionality is used when selecting panel filters, adding a patient to panels, and selecting panels to immediately repopulate in the background.
DQueuedEventsTrack	bqi-iCare.exe	The DQueuedEventsTrack class allows users to track CMET data mined events as a batch or singly with the ability to continue on to the CMET Worksheet.
DReassignPanel	bqi-iCare.exe	The DReassignPanel class allows users with iCare Package Manager access to reassign panels from one iCare user to another – especially if users are no longer with the organization.
DRegBatchEdit	bqi-iCare.exe	This class provides a dialog that allows the user to change selected values on multiple patients selected within a panel.
DReportGenCancel	bqi-iCare.exe	The DReportGenCancel provides a way to cancel Async loading reports.
DReportMsgCancel	bqi-iCare.exe	The DReportMsgCancel provides a cancel message box after a user cancels an Async report.
DSearchInfo	bqi-ultraGridToolBar.dll	The DSearchInfo class provides a form for the user to search for values within the context of a bound UltraGrid (Infragistics control).
DSearchText	bqi-iCare.exe	The DSearchText class allows users to search RichTextBox controls to implement Find functionality.

<b>Class Name</b>	<b>Assembly</b>	<b>Description</b>
DSelectPatient	bqi-iCare.exe	The DSelectPatient class provides a form to allow users to select patients from the RPMS system based on name, HRN, and DOB searches.
DSiteParametersCMET	bqi-iCare.exe	The DSiteParametersCMET class allows the user with CMET Package Manager access to edit the CMET Site Parameters.
DSiteParametersCommunityAlerts	bqi-iCare.exe	The DSiteParametersCommunityAlerts class allows the user with Community Alerts Details access to edit the Community Alerts Export Parameters.
DSiteParametersDivision	bqi-iCare.exe	The DSiteParametersDivision class provides a way for users to set Division site parameters settings.
DSiteParametersDMAudit	bqi-iCare.exe	The DSiteParametersDMAudit class provides a way for users to set DM Audit site parameters settings.
DSiteParametersEmployer	bqi-iCare.exe	The DSiteParametersEmployer class provides a way for users to set Employer site parameters settings.
DSiteParametersGroupOrder	bqi-iCare.exe	The DSiteParametersGroupOrder class provides a way for users to set Group Order site parameters settings.
DSiteParametersIPC	bqi-iCare.exe	The DSiteParametersIPC class provides a way for users to set IPC site parameters settings.
DSiteParametersLockiCare	bqi-iCare.exe	The DSiteParametersLockiCare class provides a way for users to set iCare time out settings.
DSiteParametersMU	bqi-iCare.exe	The DMUSiteParameters class allows users with the appropriate security key to maintain the site's MU site parameters.
DSiteParametersPregnancy	bqi-iCare.exe	The DSiteParametersPregnancy class provides a way for users to set Pregnancy site parameters settings.
DSplash	bqi-iCare.exe	The DSplash class provides the initial splash screen displayed when starting iCare to show startup progress and installed version.
DTableLookup	bqi-iCare.exe	The DTableLookup class provides the ability for users to search for items for generic table search and is implemented in support of the DGenEdit class for generic form generation.

<b>Class Name</b>	<b>Assembly</b>	<b>Description</b>
DTagHistory	bqi-iCare.exe	The DTagHistory class provides the user with the ability to review the audit history of changes related to a patient's diagnostic tags, including the factors that proposed the tag.
DTagReason	bqi-iCare.exe	The DTagReason class provides the user with a form to enter the reason for proposing, accepting or not accepting a diagnostic tag for a patient.
DTaxonomyLookup	bqi-iCare.exe	The DTaxonomyLookup class provides the ability to search for taxonomy items to be included in site populated taxonomies.
DTaxonomyMaint	bqi-iCare.exe	The DTaxonomyMaint class provides a form to allow users to review and edit site-populated taxonomies if the users have the proper access rights.
DTemplate	bqi-iCare.exe	The DTemplate class provides the user the ability to enter user data into existing TIU templates in order to include the template and input into a TIU note.
DTextView	bqi-iCare.exe	The DTextView class provides the user the ability to view text detail such as visit detail, lab detail, etc. for review in iCare.
DToast	bqi-iCare.exe	The DToast class provides the display of Notifications received by iCare displayed as a pop-up message that will appear and disappear like other MS notifications.
DTrackedEventClose	bqi-iCare.exe	The DTrackedEventClose class allows users to enter a close reason and comment when closing a CMET-tracked event.
DUnLock	bqi-iCare.exe	The DUnLock class prompts a user to enter their current verify code to unlock iCare.
DUserAppPrefs	bqi-iCare.exe	The DUserAppPrefs class provides a form to allow the user to manage their application preferences such as My Patients Definition, Flag Preferences, and Default Startup View. The form defined by this class also doubles as the Initial Login Wizard that allows users to set up their preferences when first logging into iCare.

<b>Class Name</b>	<b>Assembly</b>	<b>Description</b>
DUserRoles	bqi-iCare.exe	The DUserRoles class gives users the ability to manage iCare access rights to manager keys and editor keys for iCare and the CMET package manager keys.
DValAddRemove	bqi-iCare.exe	The DValAddRemove class allows users to select one or more values from RPMS tables.
DValTreeAddRemove	bqi-iCare.exe	The DValTreeAddRemove class allows users to select one or more values from RPMS tables using TreeView controls.
DValTreeAddRemoveNew	bqi-iCare.exe	The DValTreeAddRemoveNew class allows users to select one or more values from RPMS tables using enhanced TreeView controls.
DViewLayout	bqi-iCare.exe	The DViewLayout class allows users to edit their individual panel layouts and default layout templates.
DVisitFilter	bqi-iCare.exe	The DVisitFilter class allows users to define a Visit Detail filter associated with a panel definition. The DVisitFilter class is only referenced from DPanelDef at this time.
iCareDocumentManager	bqi-iCare.exe	The iCareDocumentManager class provides the framework for RPMS session connectivity, authentication, and other sign-on tasks. The iCareDocumentManager class also serves as the main document controller for the application by managing a list of open windows, document locking, most recently used (MRU) list, and logic to handle cleanup on application exit.
iCareUser32	bqi-iCare.exe	The iCareUser32 class provides access to User32.dll methods and is implemented to lock iCare.
iCareUtilities	bqi-iCare.exe	The iCareUtilities class contains utility functions used through the iCare application.
LabelLookup	bqi-iCare.exe	The LabelLookup class is a custom user control implemented in DGenEdit for table lookups when the RPMS table is too big to display as a combo box.

<b>Class Name</b>	<b>Assembly</b>	<b>Description</b>
mdiAlerts	bqi-iCare.exe	The mdiAlerts class provides the MDI form that allows users to manage flags for any patient in at least one panel of the user's panel list. Flags can be refreshed, shown, and hidden from this form, and patients can be opened from the form defined by this class, as well.
mdiCommunityAlerts	bqi-iCare.exe	The mdiCommunityAlerts class provides a form that can be added as a tab on iCareMain screen to provide a list of current community alerts.
mdiEventTracking	bqi-iCare.exe	The mdiEventTracking class provides a form that is added as a tab on the iCare Main form to provide access to CMET events via three sub-tabs, Events, Tracked Events, and Follow-up Events, where users can manage their site's CMET workflow.
mdiIPC	bqi-iCare.exe	The mdiIPC class provides a form that is added as a tab on the iCare Main form to provide access to IPC measurements via four sub-tabs where users can review their site's IPC performance: Patient Detail, Provider Detail, Providers Aggregated, and Facility Aggregated.
mdiMeaningfulUse	bqi-iCare.exe	The mdiMeaningfulUse class provides a form that is added as a tab on the iCare Main form to provide access to Meaningful Use measurements via four sub-tabs where users can review their site's MU performance: Providers – Obj, Hospital/CAHs – Obj, Providers – CQ, and Hospital/CAHs – CQ.
mdiNationalMeasures	bqi-iCare.exe	The mdiNationalMeasures class provides a form that is added as a tab on the iCare Main form to provide access to the site's National Measures performance.
mdiPanelList	bqi-iCare.exe	The mdiPanelList class provides the MDI-child form that allows users to manage panels that are owned (created) by them or shared with them by another user. In addition, the form defined by this class allows panels to be created, edited, repopulated, deleted, shared, opened, and copied.

<b>Class Name</b>	<b>Assembly</b>	<b>Description</b>
MultiltemEditor	bqi-iCareControlLibrary1.dll	MultiltemEditor is a grid-editing control that allows display and editing of multicolumn subrecord data within a single data entry form.
NoteProcess	bqi-iCare.exe	The NoteProcess class is a custom user control used to implement a note for selected patients.
NotificationProcessss	bqi-iCare.exe	The NotificationProcess class is a custom user control used to implement Reminders Notification; PatientBatchProcessing uses this method to control group box updates.
PatientBatchProcessin g	bqi-iCare.exe	The PatientBatchProcessing class is a custom user control used to implement the Definition Details Reminder Notification, Notification Process functionality for processing a notification sent to a user through iCare.
PnlDocument	bqi-iCare.exe	The PnlDocument class is the primary panel object for the RPMS panel file.
PnlFilters	bqi-iCare.exe	The PnlFilters class is the object used to contain the filters associated with a panel definition.
PnlLayout	bqi-iCare.exe	The PnlLayout class is the object used to contain a layout associated with the panel or the user preference default template layout.
PnlParams	bqi-iCare.exe	The PnlParams class is the object used to contain the parameters associated with a panel definition.
PtDocument	bqi-iCare.exe	The PtDocument class is the primary patient object based on the RPMS patient file.
TabFormattedTextBox	bqi-iCareControlLibrary1.dll	The TabFormattedTextBox class is used to override default behavior for UltraFormattedTextEditor.
ToastHelper	bqi-iCare.exe	The ToastHelper class describes the arguments used for the event arguments when the user opens the Notifications form from the Notification window.
ToolSeparatorDrawFilt er	bqi-iCare.exe	This ToolSeparateDrawFilter class provides a mechanism for changing properties on Begin new group on menu.

Class Name	Assembly	Description
UltraColorPickerPlus	bqi-iCare.exe	The UltraColorPickerPlus class is a copy of Infragistics Color Picker, modified to allow disabling of color selection tabs.
UltraGridToolBar	bqi-ultraGridToolBar.dll	The ultraGridToolBar class is a toolbar control that provides printing, exporting, copy, and search for a bound UltraGrid (Infragistics control).
UltraGridUtilities	bqi-ultraGridToolBar.dll	The ultraGridUtilities class is a grouping of methods by ultraGridToolBar.

## 10.0 Archiving and Purging

There is no archiving or purging in iCare.

## 11.0 Documentation Resources

This section describes a few methods to generate online technical documentation.

### 11.1 System Documentation

Online VPS system documentation can be generated through the use of several Kernel options, including, but not limited to:

- %INDEX
- Menu Management
- Inquire Option
- Print Option File
- VA FileMan
- Data Dictionary Utilities
- List File Attributes

For more option listings and further information about other utilities that supply online technical information, see the Decentralized Hospital Computer Program (DHCP) Kernel Reference manual.

#### 11.1.1 %INDEX

The %INDEX option analyzes the structure of a routine to determine in part, if the routine adheres to RPMS programming standards. The output can include the following components:

- Compiled list of errors and warnings
- Routine listing
- Local variables
- Global variables
- Naked globals
- Label references
- External references
- Running %INDEX for a specified set of routines allows users to discover any deviations from RPMS programming standards that exist, and to see how routines interact with one another (i.e., which routines call or are called by other routines).
- To run %INDEX for the VPS system:
- At the “Routine(s)?” prompt, type the BQI namespace.

### 11.1.2 Inquire Options

The Inquire menu management option provides the following information about a specified option:

- Option name
- Menu text
- Option description
- Type of option
- Lock (if any)

In addition, all items on the menu are listed for each menu option. To secure information about BQI options, specify the BQI namespace.

### 11.1.3 Print Option File

The Print Option File utility generates a listing of options from the Option file (#19). Users can print all of the entries or a single option or range of options.

### 11.1.4 List File Attributes

This VA FileMan option allows users to generate documentation pertaining to files and file structure. The standard format of this option provides the following data dictionary information for a specified file:

- File name and description
- Identifiers
- Cross-references
- Files pointed to by the file specified
- Files that point to the file specified
- Input, print, and sort templates

In addition, the following applicable data is supplied for each field in the file:

- Field name, number, title, and description
- Global location
- Help prompt
- Cross-references
- Input transform
- Date last edited

- Notes

Using the Global Map format of this option generates an output that lists the following information:

- All cross-references for the file selected
- Global location of each field in the file
- Input, print, and sort templates

For a comprehensive listing of iCare files, see Section 6.0.

## 11.2 Online Help

In addition to system documentation, RPMS includes special help displays for most menu options and data entry prompts. Typing a single question mark (?) at the “Select . . . Option” prompt displays information related to the current option, as shown in Table 11-1.

Table 11-1: RPMS online help

Typing . . .	Displays . . .
One question mark (?)	A list of all options accessible from the current option.
Two question marks (??)	A list of all accessible options and their formal names
Three question marks (???)	A brief description for each option in a menu.
One question mark (?) followed by an option name (?OPTION)	Extended help, if available, for that option.

## 12.0 SAC Requirements and Exemptions

There are no SAC exemptions in iCare.

# Glossary

## **Care Management Event Tracking (CMET)**

New functionality created in the BTPW namespace to implement event tracking for specific events from identification through patient notification. iCare is the first interface to use the CMET functionality.

## **Case File Manager(s)**

The system owner(s) of the individual CM application. The case file manager(s) will have full security access to the application to perform various setup functions and assign access roles to other users.

## **Case Manager(s) (CM)**

A term used to describe a particular type of clinical role within a clinic. Case managers are typically, but not always, nurses who perform clinical management tasks for specified groups of patients, e.g. diabetics.

## **Centers for Disease Control and Prevention (CDC)**

An agency within the Department of Health and Human Services (HHS).

## **Centers for Medicare & Medicaid Services (CMS)**

An agency within the HHS.

## **Electronic Health Record (EHR)**

An application used by medical organizations to track patient medical records and care.

## **Health Resources and Services Administration**

An agency within HHS.

## **ICD Codes**

One of several code sets used by the healthcare industry to standardize data. The International Classification of Disease (ICD) codes are an international diagnostic coding scheme. In addition to diseases, ICD also includes several families of terms for medical-specialty diagnoses, health status, disabilities, procedures, and reasons for contact with health care providers. IHS currently uses ICD-9 for coding.

## **Improving Patient Care (IPC)**

The Improving Patient Care program's aim is to change and improve the Indian Health system. IPC will develop high performing and innovative healthcare teams to improve the quality of and access to care. The IPC results will be a medical home that sets new standards for healthcare delivery and further advances the health and wellness of the American Indian and Alaska Native people. iCare is a tool used by the IPC healthcare teams to evaluate the quality of care and identify areas for improvement.

## **Meaningful Use (MU)**

Meaningful Use (MU) is a term used by CMS to ensure that providers and hospitals that have adopted certified EHR are using the technology to further the goals of information exchange among health care professionals. Eligible Providers (EPs) and Eligible Hospitals (EHs) will achieve meaningful use if the EP or EH: (a) demonstrate use of certified EHR technology in a meaningful manner, (b) demonstrate the certified EHR technology provides for electronic exchange of health information to improve quality of care, and (c) use certified EHR technology to submit information on clinical quality and other measures.

## **Office of Information Technology (OIT)**

The organization within IHS that is responsible for developing and maintaining RPMS and related IT functions.

## **PCC form**

The paper form used in most IHS direct, Tribal, and urban (I/T/U) clinics on which the provider(s) document all data from the patient's visit. Used by data entry staff to enter patient data into RPMS PCC.

## **PCC+**

The RPMS PCC+ software produces automated, customizable PCC forms.

## **Purpose of Visit (POV)**

In RPMS, ICD codes and narrative describing the patient's purpose of visit (POV) are documented in PCC V POV.

## **Resource and Patient Management System (RPMS)**

A series of integrated software components that includes clinical, administrative, and financial functions.

## **RPMS Patient Care Component (PCC)**

Refers to functions within RPMS as a clinical data repository, storing visit-related data about a patient.

**Software Quality Assurance (SQA)**

The office within OIT responsible for ensuring that the system conforms to RPMS Programming Standards and Conventions (SAC).

**Taxonomy**

In RPMS, a grouping of functionally related data elements, such as ICD codes. For iCare, taxonomies will be used as definitions for diagnoses, procedures, laboratory tests, medications, and other clinical data types.

**Text Integration Utility (TIU)**

Refers to functions within RPMS used to store long blocks of text in the medical record.

**Visual Studio**

Visual Studio is a Microsoft software-development tool and integrated development environment (IDE) used to develop the iCare client application.

## Acronym List

Acronym	Term Definition
API	Application Programmer Interface
BMI	Body Mass Index
CDC	Centers for Disease Control and Prevention
CFR	Code of Federal Regulations
CKD	Chronic Kidney Disease
CM	Case Manager(s)
CMET	Care Management Event Tracking
CMS	Center Medicaid and Medicare Services, an agency within IHS
CPT	Current Procedural Terminology
CRS	Clinical Reporting System
DM	Diabetes Mellitus
DOB	Date of Birth
DOD	Date of Death
DT	Current Date
DX	Diagnosis
EH	Eligible Hospitals
EHR	Electronic Health Record
EP	Eligible Providers
ESRD	End Stage Renal Disease
FC	Fully Compliant
GPRA	Government Performance and Results Act
GUI	Graphical User Interface
HHS	Health and Human Services
HIV	Human Immunodeficiency Virus
HMS	HIV Management System
HRN	Health Record Number within RPMS
HTML	HyperText Markup Language
ICD	International Classification of Diseases
IDE	Integrated Development Environment
IEN	Internal Entry Number
IHS	Indian Health Service
IPC	Improving Patient Care programs

<b>Acronym</b>	<b>Term Definition</b>
I/T/U	IHS direct, Tribal, and urban facilities. Using the abbreviation I/T/U generally refers to all components of the Indian healthcare system
KIDS	Kernel Installation and Distribution System
MDI	Multiple Document Interface
MRU	Most Recently Used
MS	Microsoft
MU	Meaningful Use
N/A	Not Applicable
NC	Non-Compliant
NND	Nationally Notifiable Diseases
NOS	Not Otherwise Specified
OIT	Office of Information and Technology
OS	Operating System
PC	Partially Compliant
PCC	RPMS Patient Care Component
PDF	Portable Document Format
PEP	Published Entry Points
PLWH/A	Patients Living With HIV/AIDS
POV	Purpose of Visit
QOC	Quality of Care
REM	Reminder
RPC	Remote Procedure Call
RPMS	Resource and Patient Management System
SAC	Standards and Conventions
SNOMED	Systematized Nomenclature of Medicine
SQA	Software Quality Assurance
TIU	Text Integration Utility
UI	User Interface
V-file	Visit File
VA	Department of Veterans Affairs
XML	Extensible Markup Language

## Contact Information

If you have any questions or comments regarding this distribution, please contact the IHS IT Service Desk.

**Phone:** (888) 830-7280 (toll free)

**Web:** <https://www.ihs.gov/itsupport/>

**Email:** [itsupport@ihs.gov](mailto:itsupport@ihs.gov)