

FY 2012

Indian Health Service



Urban Indian Health Programs GPRA Results

National GPRA Support Team
Indian Health Service / California Area Office

FOR MORE INFORMATION, CONTACT:

Diane Leach

National GPRA Coordinator

Diane.Leach@ihs.gov

Phyllis Wolfe

Director of Urban Programs

Phyllis.Wolfe@ihs.gov

Danielle Steward

Health Systems Specialist

Danielle.Steward@ihs.gov

National GPRA Support Team

caogpra@ihs.gov

TABLE OF CONTENTS

FY 2012 Urban Program Results Summary and Analysis 6

Final Urban Dashboard (All Programs)..... 9

2012 Urban CRS Dashboard 10

2012 Urban Dashboard by Program Type..... 11

Aberdeen Area:

 Nebraska Urban Indian Health Coalition 13

 South Dakota Urban Indian Health 14

Albuquerque Area:

 First Nations Community Healthsource (Albuquerque)..... 15

 Denver Indian Health and Family Services..... 16

Bemidji Area:

 American Indian Health Service of Chicago 17

 American Indian Health and Family Services (Detroit) 18

 Gerald L. Ignace Indian Health Center (Milwaukee)..... 19

 Indian Health Board of Minneapolis, Inc 20

Billings Area:

 Indian Health Board of Billings..... 21

 North American Indian Alliance (Butte)..... 22

 Indian Family Health Clinic (Great Falls) 23

 Helena Indian Alliance 24

Missoula Indian Center 25

California Area:

Bakersfield Indian Health Center 26

Fresno Native American Health Center 27

United American Indian Involvement (Los Angeles) 28

Native American Health Center Oakland/San Francisco 29

Sacramento Native American Health Center 30

San Diego American Indian Health Center 31

Indian Health Center of Santa Clara Valley (San Jose) 32

Santa Barbara Indian Health Center 33

Nashville Area:

Native American Lifelines (Boston) 34

The American Indian Community House of New York City, Inc. 35

Navajo Area:

NACA Family Health Center (Flagstaff) 36

Oklahoma Area:

Urban Inter-Tribal Center of Texas (Dallas) 37

Oklahoma City Urban Clinic 38

Indian Health Resource (Tulsa) 39

Hunter Health Clinic (Wichita) 40

Phoenix Area:

Native American Community Health Center (Phoenix) 41

Nevada Urban Indians (Reno) 42

Indian Walk-In Center (Salt Lake City)..... 43

Portland Area:

Native American Rehabilitation Association of the Northwest, Inc (Portland)..... 44

Seattle Indian Health Board 45

Native Health Clinic of Spokane 46

Tucson Area:

Tucson Indian Center 47

Appendix 1: Urban Program Results—Data Sources 48

FY 2012 URBAN PROGRAM RESULTS SUMMARY AND ANALYSIS

Introduction

In FY 2012, 35* urban programs reported GPRA data. The final results for all urban programs are in this report, including individual dashboards for each program, and two aggregate dashboards.

Background and Data Collection

IHS has been collecting GPRA data from urban programs since FY 2006. Like Tribal programs and unlike Federal programs, urban programs are not required to use the Resource Patient Management System (RPMS) as their patient data management system. However, urban programs are required to report GPRA data in order to receive funding.

The Clinical Reporting System (CRS) is a software application that runs off of RPMS to report GPRA data. CRS data is validated and the measure logic is updated at least annually. Therefore, data from different sites using RPMS/CRS can be combined and reported as an aggregate rate. Because many urban programs were not using RPMS when urban GPRA performance reporting commenced in FY 2006, the National GPRA Support Team (NGST), which is responsible for the collection of GPRA data, created special reporting instructions for urban programs. These instructions included Excel templates for performance reporting with placeholders for results for each measure. Programs not running RPMS/CRS were required to do an audit of records for each GPRA measure and submit their GPRA results using the Excel template. Programs were allowed to perform an electronic audit of their records using their own information system, but manual sample or 100% audits were also accepted. The data that came from either 100% or sample audits at non-RPMS sites was not validated by any external source. Until FY 2010, non-RPMS data that represented a 100% audit of records was combined with CRS data for the purposes of urban GPRA reporting.

Due to the difficulties of combining data from disparate and non-validated data sources, several years ago the Urban Program mandated that as of FY 2010, all programs that were not using RPMS and CRS would have to either report GPRA data via CRS or build a “bridge” between their own electronic record keeping system and CRS that would allow for performance reporting. The decision to move all urban programs to RPMS and CRS reporting was backed up by special funding distributed by the Urban Program to each non-RPMS urban clinic, to support and offset the costs of transition to RPMS, onsite RPMS training for non-RPMS sites, and training “boot camps” in Albuquerque. As of FY 2012, this requirement was still in place, though urban programs that had not yet completed the transition to RPMS and CRS reporting were allowed to submit a non-CRS 100% review.

During FY 2012, 24 of 35 urban programs reported data via RPMS/CRS. By comparison, in FY 2011, 21 of 34 programs reported via CRS; in FY 2010, 18 of 34 urban programs reported via CRS; and in FY 2009, 11 of 35 urban programs reported via CRS. Eleven urban sites reported via Excel spreadsheet from a non-RPMS data source in FY 2012. However, only data from the 24 urban programs using RPMS and reporting via CRS are included in the official urban GPRA results for FY 2012.

-
- The total count of urban programs includes two “hybrid” urban programs in Oklahoma (Oklahoma City and Tulsa) that are funded separately from other urban programs. Additionally, the San Francisco and Oakland programs report their GPRA results in one combined file, and are thus counted as one program.

FY 2012 Results

As with IHS and Tribal programs, in FY 2012, urban programs were given targets based on their FY 2011 results, and most targets were higher than FY 2011 results. Data from all 24 urban programs reporting via CRS are used to calculate measure status.

In FY 2012, urban programs met 6 of 16 measure targets. The measures that met targets were Influenza Immunization, Pneumococcal Immunization, Colorectal Cancer Screening, Tobacco Cessation, DV/IPV Screening, and Depression Screening.

The measures not met include all diabetes measures, Childhood Immunization, Pap Screening, Mammography Screening, Alcohol Screening, and Prenatal HIV Screening.

However, in FY 2012, ten of sixteen measures performed higher compared to FY 2011, including four that did not meet measure targets. The largest overall rate increases were seen in the Pneumococcal Immunization and Tobacco Cessation measures, which improved by 11.5 and 8.4 percentage points, respectively. Colorectal Cancer Screening also improved by 3.8 percentage points.

Other measures that improved over last year's results include Controlled Blood Pressure, Influenza Immunization, Pap Screening, Alcohol Screening, DV/IPV Screening, Depression Screening, and Prenatal HIV Screening.

The Childhood Immunization measure, however, decreased by 2.6 percentage points from FY 2011 to FY 2012. This measure added four Pneumococcal vaccines to the required series in FY 2011, and it was hoped that as providers become aware of the new vaccination requirements, this measure would begin to improve in FY 2012; however, this did not happen.

Any measure improvement among urban programs is significant because the aggregated results include two programs that began reporting via CRS this year, and a new contracted program in Boston that also reported via CRS. The adoption of a new reporting system is usually associated with lower rates initially, due to data entry lags.

Breakout Results

There are three categories of urban programs: Comprehensive (full-service) programs, Limited service programs, and Outreach and Referral programs. A comprehensive program provides direct medical care to patients for 40 or more hours per week, though the range of services varies among programs. A limited program provides direct medical care to patients for less than 40 hours per week. An outreach and referral program provides mental health, substance abuse, health education and referral services, but no direct medical care.

Currently, there are 23 comprehensive programs (including two hybrid H&HC programs in Oklahoma) that provide full services to patients, and 14 of these programs report data via CRS. There are 7 limited service programs, 6 of which report data via CRS, and 5 outreach and referral programs, 4 of which report data via CRS.

All urban programs are required to report data on 16 GPRA measures, despite the fact that limited and outreach programs often do not provide many of these services directly to patients. Therefore, results from limited and outreach and referral programs often are incomplete, and their results for many measures are well below the average.

If only data from 14 full-service urban programs results are considered, results improve significantly. Using only data from these programs, the urban program met 10 measures, and did not meet six. The four additional measures met are Nephropathy, Pap Screening, Mammography Screening, and Alcohol Screening.

However, these results include data from the two H&HC sites in Oklahoma, which receive funding from different sources and are very high performing. If the data from these two sites are excluded from the CRS comprehensive program results, urban programs only met two measures: Controlled Blood Pressure and Alcohol Screening. However, urban program targets for all measures were set using results that included these two programs.

Limited and outreach and referral sites overall had much lower measure results, and would not meet any measure targets if considered separately.

Individual Program Results

Individual urban program dashboards of results for all reported GPRA measures are included in this report. While reviewing individual urban program results in this report, it is important to keep in mind the limits of the various data collection methods. Non-CRS sites reported results on spreadsheets with no other supporting documentation; IHS cannot validate results from non-RPMS electronic systems, and these manual audits have not been independently verified. Finally, while CRS results can be validated, many urban programs have only recently begun using CRS for reporting, and in the transition phase, measure results can be impacted by the timeliness, accuracy, and completeness of data entry into RPMS. Therefore, all results, but particularly those from sites not reporting through CRS, should be viewed with some caution. Also note that if a program did not report any data for a specific measure, the result is categorized as “no data.”

2012 FINAL URBAN DASHBOARD (ALL PROGRAMS)

2012 Final Urban Dashboard (All Programs)	CRS 2012-Final	Non-CRS 2012-Final	CRS 2011-Final	Non-CRS 2011-Final	2012 Target	Results*
DIABETES						
Diabetes Dx Ever ^a	11.6%	22.2%	11.3%	18.5%	N/A ^a	N/A
Documented A1c ^a	83.4%	77.0%	83.6%	81.5%	N/A ^a	N/A
Poor Glycemic Control	17.4%	20.0%	15.3%	19.9%	14.9%	Not Met
Ideal Glycemic Control	31.9%	33.4%	35.2%	39.5%	36.1%	Not Met
Controlled BP <130/80	39.9%	58.3%	39.6%	55.8%	40.6%	Not Met
LDL Assessed	71.3%	58.0%	73.8%	63.5%	75.5%	Not Met
Nephropathy Assessed	61.2%	59.5%	61.5%	61.5%	62.9%	Not Met
IMMUNIZATIONS						
Influenza 65+	49.7%	38.6%	48.5%	33.3%	49.6%	MET
Pneumovax 65+	66.9%	41.4%	55.4%	36.1%	56.7%	MET
Childhood IZ	58.6%	59.7%	61.2%	59.4%	62.7%	Not Met
PREVENTION						
Pap Screening	54.7%	57.0%	54.2%	59.6%	55.5%	Not Met
Mammogram Screening	49.7%	41.7%	50.2%	39.6%	52.1%	Not Met
Colorectal Cancer Screening	28.1%	23.9%	24.3%	16.5%	25.2%	MET
Tobacco Cessation	31.8%	35.9%	23.4%	45.2%	23.9%	MET
Alcohol Screening (FAS Prevention)	62.8%	57.4%	62.4%	50.6%	63.4%	Not Met
DV/IPV Screening	60.5%	54.3%	59.0%	49.1%	59.0%	MET
Depression Screening	62.5%	57.2%	60.9%	55.8%	60.9%	MET
Prenatal HIV Screening	86.5%	50.9%	86.0%	56.4%	88.0%	Not Met
Childhood Weight Control ^b	16.4%	33.8%	16.2%	32.4%	N/A ^b	N/A

^aMeasures used for context; no annual targets

^cLong-term measure; no specific annual target for FY 2012

Dashboard includes data from 24 Urban Programs reporting via CRS and 11 non-CRS Urban Programs

*Aggregate results from all CRS programs are used to determine measure results

Measures Met: 6

Measures Not Met: 10

2012 URBAN CRS DASHBOARD

2012 Urban CRS Dashboard	CRS Comprehensive 2012-Final	CRS L/O&R 2012- Final	2012 Target	CRS Comprehensive Results- Final
DIABETES				
Diabetes Dx Ever ^a	11.5%	12.3%	N/A ^a	N/A
Documented A1c ^a	84.8%	71.5%	N/A ^a	N/A
Poor Glycemic Control	17.9%	13.2%	14.9%	Not Met
Ideal Glycemic Control	32.5%	27.4%	36.1%	Not Met
Controlled BP <130/80	40.4%	36.0%	40.6%	Not Met
LDL Assessed	72.4%	62.4%	75.5%	Not Met
Nephropathy Assessed	64.8%	30.9%	62.9%	MET
IMMUNIZATIONS				
Influenza 65+	52.8%	32.0%	49.6%	MET
Pneumovax 65+	70.8%	44.8%	56.7%	MET
Childhood IZ ^c	60.6%	30.2%	62.7%	Not Met
PREVENTION				
Pap Screening	57.3%	35.9%	55.5%	MET
Mammogram Screening	55.3%	14.2%	52.1%	MET
Colorectal Cancer Screening	30.3%	14.3%	25.2%	MET
Tobacco Cessation	33.3%	20.3%	23.9%	MET
Alcohol Screening (FAS Prevention)	66.1%	36.0%	63.4%	MET
DV/IPV Screening	64.3%	28.8%	59.0%	MET
Depression Screening	66.4%	36.4%	60.9%	MET
Prenatal HIV Screening	87.1%	57.1%	88.0%	Not Met
Childhood Weight Control	16.5%	10.0%	N/A ^b	N/A

^a Measures used for context; no annual targets

^b Long-term measure; no specific annual target for FY 2012

Dashboard includes data from 14 Full Service Urban Programs reporting via CRS in FY 2012

Dashboard includes data from 6 Limited Service Urban Programs and 4 O&R programs reporting via CRS in FY 2012

Results from Full Service CRS programs only were used to determine results.

Measures Met: 10

Measures Not Met: 6

2012 URBAN DASHBOARD BY PROGRAM TYPE

2012 Urban Dashboard By Program Type DIABETES	CRS Comprehensive 2012-Final	CRS Limited 2012- Final	CRS Outreach 2012- Final	Non CRS All 2012- Final
Diabetes Dx Ever ^a	11.5%	12.5%	11.7%	22.2%
Documented A1c ^a	84.8%	76.3%	50.0%	77.0%
Poor Glycemic Control	17.9%	15.1%	4.4%	20.0%
Ideal Glycemic Control	32.5%	29.3%	19.1%	33.4%
Controlled BP <130/80	40.4%	36.8%	32.4%	58.3%
LDL Assessed	72.4%	68.1%	36.8%	58.0%
Nephropathy Assessed	64.8%	32.6%	23.5%	59.5%
IMMUNIZATIONS				
Influenza 65+	52.8%	36.5%	11.8%	38.6%
Pneumovax 65+	70.8%	47.0%	35.3%	41.4%
Childhood IZ ^c	60.6%	31.6%	20.0%	59.7%
PREVENTION				
Pap Screening	57.3%	43.1%	9.3%	57.0%
Mammogram Screening	55.3%	15.9%	7.4%	41.7%
Colorectal Cancer Screening	30.3%	15.4%	10.0%	23.9%
Tobacco Cessation	33.3%	22.5%	8.7%	35.9%
Alcohol Screening (FAS Prevention)	66.1%	38.3%	27.9%	57.4%
DV/IPV Screening	64.3%	29.8%	25.3%	54.3%
Depression Screening	66.4%	36.4%	36.7%	57.2%
Prenatal HIV Screening	87.1%	66.7%	0.0%	50.9%
Childhood Weight Control	16.5%	11.1%	0.0%	33.8%

^a Measures used for context; no annual targets

^b Long-term measure; no specific annual target for FY 2012

Dashboard includes data from 14 Full Service Urban Programs reporting via CRS in FY 2012

Dashboard includes data from 6 Limited Service Urban Programs reporting via CRS in FY 2012

Dashboard includes data from 4 Outreach & Referral Urban Programs reporting via CRS in FY 2012

INDIVIDUAL URBAN PROGRAM RESULTS

**Nebraska Urban Indian Health Coalition
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
DIABETES	Nebraska 2012-Final	Nebraska 2011-Final	CRS Sites^b 2012-Final	2012 Target	2012 Final Results - Nebraska
Diabetes Dx Ever	28.7%	18.2%	11.6%	N/A ^a	N/A
Documented A1c	100.0%	100.0%	83.4%	N/A ^a	N/A
Poor Glycemic Control	14.5%	27.7%	17.4%	14.9%	MET
Ideal Glycemic Control	65.1%	44.6%	31.9%	36.1%	MET
Controlled BP <130/80	89.2%	68.7%	39.9%	40.6%	MET
LDL Assessed	100.0%	100.0%	71.3%	75.5%	MET
Nephropathy Assessed	100.0%	97.6%	61.2%	62.9%	MET
IMMUNIZATIONS					
Influenza 65+	100.0% ^d	100.0% ^d	49.7%	49.6%	MET
Pneumovax 65+	100.0% ^d	100.0% ^d	66.9%	56.7%	MET
Childhood IZ	100.0% ^d	100.0%	58.6%	62.7%	MET
PREVENTION					
Pap Screening	81.0%	63.1%	54.7%	55.5%	MET
Mammography Screening	51.7%	50.0%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	65.6%	76.2%	28.1%	25.2%	MET
Tobacco Cessation	64.4%	96.5%	31.8%	23.9%	MET
Alcohol Screening (FAS Prevention)	99.3%	93.8%	62.8%	63.4%	MET
DV/IPV Screening	99.2%	92.5%	60.5%	59.0%	MET
Depression Screening	99.0%	91.3%	62.5%	60.9%	MET
Prenatal HIV Screening	No Data	100.0% ^d	86.5%	88.0%	No Data
Childhood Weight Control	7.7%	4.2%	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012 ^d Measures with fewer than 20 patients in the denominator; use caution when interpreting these results					Measures Met = 14 Measures Not Met = 1 Measures with No Data = 1

**South Dakota Urban Indian Health
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
DIABETES	South Dakota 2012-Final	South Dakota 2011-Final	CRS Sites ^b 2012-Final	2012 Target	2012 Final Results - South Dakota
Diabetes Dx Ever	7.9%	7.0%	11.6%	N/A ^a	N/A
Documented A1c	81.5%	73.2%	83.4%	N/A ^a	N/A
Poor Glycemic Control	6.7%	18.6%	17.4%	14.9%	MET
Ideal Glycemic Control	21.0%	18.6%	31.9%	36.1%	Not Met
Controlled BP <130/80	41.2%	33.0%	39.9%	40.6%	MET
LDL Assessed	73.1%	63.9%	71.3%	75.5%	Not Met
Nephropathy Assessed	53.8%	48.5%	61.2%	62.9%	Not Met
IMMUNIZATIONS					
Influenza 65+	25.0%	30.2%	49.7%	49.6%	Not Met
Pneumovax 65+	60.0%	44.2%	66.9%	56.7%	MET
Childhood IZ	29.5%	48.2%	58.6%	62.7%	Not Met
PREVENTION					
Pap Screening	55.7%	53.2%	54.7%	55.5%	MET
Mammography Screening	34.1%	21.0%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	46.2%	30.3%	28.1%	25.2%	MET
Tobacco Cessation	51.2%	40.1%	31.8%	23.9%	MET
Alcohol Screening (FAS Prevention)	62.7%	62.4%	62.8%	63.4%	Not Met
DV/IPV Screening	61.8%	62.2%	60.5%	59.0%	MET
Depression Screening	62.3%	57.8%	62.5%	60.9%	MET
Prenatal HIV Screening	25.0% ^d	12.5% ^d	86.5%	88.0%	Not Met
Childhood Weight Control	18.5%	27.9%	16.4%	N/A ^c	N/A

^aMeasures used for context; no annual targets

^bCRS Results from 24 Urban Programs reporting via CRS

^cLong-term measure; no specific annual target for FY 2012

^dMeasures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures Met = 8

Measures Not Met = 8

Measures with No Data = 0

**First Nations Community Healthsource (Albuquerque)
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
DIABETES	First Nations 2012-Final	First Nations 2011-Final	CRS Sites^b 2012-Final	2012 Target	2012 Final Results - First Nations
Diabetes Dx Ever	29.5%	28.4%	11.6%	N/A ^a	N/A
Documented A1c	81.9%	86.9%	83.4%	N/A ^a	N/A
Poor Glycemic Control	24.5%	23.7%	17.4%	14.9%	Not Met
Ideal Glycemic Control	40.4%	48.0%	31.9%	36.1%	MET
Controlled BP <130/80	69.4%	86.9%	39.9%	40.6%	MET
LDL Assessed	57.7%	49.5%	71.3%	75.5%	Not Met
Nephropathy Assessed	77.7%	31.8%	61.2%	62.9%	MET
IMMUNIZATIONS					
Influenza 65+	48.6%	22.5%	49.7%	49.6%	Not Met
Pneumovax 65+	51.4%	15.0%	66.9%	56.7%	Not Met
Childhood IZ	67.6%	62.8%	58.6%	62.7%	MET
PREVENTION					
Pap Screening	71.1%	76.8%	54.7%	55.5%	MET
Mammography Screening	76.6%	75.3%	49.7%	52.1%	MET
Colorectal Cancer Screening	37.9%	26.9%	28.1%	25.2%	MET
Tobacco Cessation	50.9%	53.0%	31.8%	23.9%	MET
Alcohol Screening (FAS Prevention)	95.4%	93.9%	62.8%	63.4%	MET
DV/IPV Screening	95.5%	97.0%	60.5%	59.0%	MET
Depression Screening	97.0%	93.5%	62.5%	60.9%	MET
Prenatal HIV Screening	76.2%	68.3%	86.5%	88.0%	Not Met
Childhood Weight Control	59.2%	52.5%	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012					Measures Met = 11 Measures Not Met = 5 Measures with No Data = 0

**Denver Indian Health and Family Services
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Denver 2012-Final	Denver 2011-Final	CRS Sites ^b 2012-Final	2012 Target	2012 Final Results - Denver
DIABETES					
Diabetes Dx Ever	9.7%	9.3%	11.6%	N/A ^a	N/A
Documented A1c	90.4%	93.3%	83.4%	N/A ^a	N/A
Poor Glycemic Control	14.4%	21.1%	17.4%	14.9%	MET
Ideal Glycemic Control	46.2%	40.0%	31.9%	36.1%	MET
Controlled BP <130/80	47.1%	44.4%	39.9%	40.6%	MET
LDL Assessed	85.6%	93.3%	71.3%	75.5%	MET
Nephropathy Assessed	24.0%	0.0%	61.2%	62.9%	Not Met
IMMUNIZATIONS					
Influenza 65+	14.6%	12.2%	49.7%	49.6%	Not Met
Pneumovax 65+	24.4%	26.8%	66.9%	56.7%	Not Met
Childhood IZ	30.2%	53.3%	58.6%	62.7%	Not Met
PREVENTION					
Pap Screening	27.7%	35.8%	54.7%	55.5%	Not Met
Mammography Screening	3.7%	5.0%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	2.7%	1.7%	28.1%	25.2%	Not Met
Tobacco Cessation	2.8%	1.6%	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	51.8%	62.0%	62.8%	63.4%	Not Met
DV/IPV Screening	49.9%	61.1%	60.5%	59.0%	Not Met
Depression Screening	53.5%	59.2%	62.5%	60.9%	Not Met
Prenatal HIV Screening	60.0% ^d	0.0% ^d	86.5%	88.0%	Not Met
Childhood Weight Control	10.7%	15.2%	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012 ^d Measures with fewer than 20 patients in the denominator; use caution when interpreting these results					Measures Met = 4 Measures Not Met = 12 Measures with No Data = 0

**American Indian Health Service of Chicago
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
DIABETES	Chicago 2012-Final	Chicago 2011-Final	CRS Sites^b 2012-Final	2012 Target	2012 Final Results - Chicago
Diabetes Dx Ever	15.6%	15.0%	11.6%	N/A ^a	N/A
Documented A1c	79.7%	95.0%	83.4%	N/A ^a	N/A
Poor Glycemic Control	13.6%	26.7%	17.4%	14.9%	MET
Ideal Glycemic Control	27.1%	40.0%	31.9%	36.1%	Not Met
Controlled BP <130/80	25.4%	40.0%	39.9%	40.6%	Not Met
LDL Assessed	86.4%	81.7%	71.3%	75.5%	MET
Nephropathy Assessed	44.1%	76.7%	61.2%	62.9%	Not Met
IMMUNIZATIONS					
Influenza 65+	37.1%	48.8%	49.7%	49.6%	Not Met
Pneumovax 65+	65.7%	65.9%	66.9%	56.7%	MET
Childhood IZ	0.0% ^d	36.4% ^d	58.6%	62.7%	Not Met
PREVENTION					
Pap Screening	53.1%	61.3%	54.7%	55.5%	Not Met
Mammography Screening	12.0%	15.9%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	26.0%	22.5%	28.1%	25.2%	MET
Tobacco Cessation	28.9%	16.8%	31.8%	23.9%	MET
Alcohol Screening (FAS Prevention)	59.6%	59.2%	62.8%	63.4%	Not Met
DV/IPV Screening	59.0%	49.4%	60.5%	59.0%	MET
Depression Screening	58.1%	60.7%	62.5%	60.9%	Not Met
Prenatal HIV Screening	100.0% ^d	50.0% ^d	86.5%	88.0%	MET
Childhood Weight Control	0.0% ^d	10.0% ^d	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012 ^d Measures with fewer than 20 patients in the denominator; use caution when interpreting these results					Measures Met = 7 Measures Not Met = 9 Measures with No Data = 0

**American Indian Health and Family Services (Detroit)
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Detroit 2012-Final	Detroit 2011-Final	CRS Sites ^b 2012-Final	2012 Target	2012 Final Results - Detroit
DIABETES					
Diabetes Dx Ever	19.2%	19.2%	11.6%	N/A ^a	N/A
Documented A1c	82.7%	90.5%	83.4%	N/A ^a	N/A
Poor Glycemic Control	9.6%	16.7%	17.4%	14.9%	MET
Ideal Glycemic Control	23.1%	33.3%	31.9%	36.1%	Not Met
Controlled BP <130/80	34.6%	38.1%	39.9%	40.6%	Not Met
LDL Assessed	80.8%	90.5%	71.3%	75.5%	MET
Nephropathy Assessed	65.4%	78.6%	61.2%	62.9%	MET
IMMUNIZATIONS					
Influenza 65+	47.8%	52.4%	49.7%	49.6%	Not Met
Pneumovax 65+	82.6%	76.2%	66.9%	56.7%	MET
Childhood IZ	50.0% ^d	0.0% ^d	58.6%	62.7%	Not Met
PREVENTION					
Pap Screening	49.3%	53.4%	54.7%	55.5%	Not Met
Mammography Screening	11.9%	19.5%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	22.6%	25.0%	28.1%	25.2%	Not Met
Tobacco Cessation	22.7%	22.1%	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	47.9%	55.1%	62.8%	63.4%	Not Met
DV/IPV Screening	28.2%	49.0%	60.5%	59.0%	Not Met
Depression Screening	43.6%	53.6%	62.5%	60.9%	Not Met
Prenatal HIV Screening	100.0% ^d	100.0% ^d	86.5%	88.0%	MET
Childhood Weight Control	0.0% ^d	25.0% ^d	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012 ^d Measures with fewer than 20 patients in the denominator; use caution when interpreting these results					Measures Met = 5 Measures Not Met = 11 Measures with No Data = 0

**Gerald L. Ignace Indian Health Center (Milwaukee)
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Milwaukee 2012-Final	Milwaukee 2011-Final	CRS Sites ^b 2012-Final	2012 Target	2012 Final Results - Milwaukee
DIABETES					
Diabetes Dx Ever	32.5%	18.1%	11.6%	N/A ^a	N/A
Documented A1c	89.3%	89.0%	83.4%	N/A ^a	N/A
Poor Glycemic Control	16.1%	22.0%	17.4%	14.9%	Not Met
Ideal Glycemic Control	50.0%	44.9%	31.9%	36.1%	MET
Controlled BP <130/80	46.4%	68.6%	39.9%	40.6%	MET
LDL Assessed	83.9%	89.0%	71.3%	75.5%	MET
Nephropathy Assessed	21.4%	89.0%	61.2%	62.9%	Not Met
IMMUNIZATIONS					
Influenza 65+	31.3% ^d	84.8%	49.7%	49.6%	Not Met
Pneumovax 65+	0.0% ^d	81.8%	66.9%	56.7%	Not Met
Childhood IZ	No Data	82.9%	58.6%	62.7%	No Data
PREVENTION					
Pap Screening	18.8%	72.2%	54.7%	55.5%	Not Met
Mammography Screening	8.7%	37.8%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	0.0%	20.9%	28.1%	25.2%	Not Met
Tobacco Cessation	24.3%	69.3%	31.8%	23.9%	MET
Alcohol Screening (FAS Prevention)	12.2%	87.3%	62.8%	63.4%	Not Met
DV/IPV Screening	11.1%	86.9%	60.5%	59.0%	Not Met
Depression Screening	8.3%	87.8%	62.5%	60.9%	Not Met
Prenatal HIV Screening	0.0% ^d	24.0%	86.5%	88.0%	Not Met
Childhood Weight Control	0.0% ^d	22.9%	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012 ^d Measures with fewer than 20 patients in the denominator; use caution when interpreting these results					Measures Met = 4 Measures Not Met = 11 Measures with No Data = 1

**Indian Health Board of Minneapolis, Inc.
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Minneapolis	Minneapolis	CRS Sites ^b		2012 Final
DIABETES	2012-Final	2011-Final	2012-Final	2012 Target	Results - Minneapolis
Diabetes Dx Ever	16.7%	16.0%	11.6%	N/A ^a	N/A
Documented A1c	94.5%	93.1%	83.4%	N/A ^a	N/A
Poor Glycemic Control	17.9%	14.5%	17.4%	14.9%	Not Met
Ideal Glycemic Control	40.4%	49.0%	31.9%	36.1%	MET
Controlled BP <130/80	67.3%	62.1%	39.9%	40.6%	MET
LDL Assessed	90.9%	85.5%	71.3%	75.5%	MET
Nephropathy Assessed	84.8%	82.8%	61.2%	62.9%	MET
IMMUNIZATIONS					
Influenza 65+	42.3%	33.0%	49.7%	49.6%	Not Met
Pneumovax 65+	62.9%	36.9%	66.9%	56.7%	MET
Childhood IZ	88.9%	80.0%	58.6%	62.7%	MET
PREVENTION					
Pap Screening	40.3%	44.7%	54.7%	55.5%	Not Met
Mammography Screening	33.3%	25.0%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	14.9%	11.3%	28.1%	25.2%	Not Met
Tobacco Cessation	80.3%	63.1%	31.8%	23.9%	MET
Alcohol Screening (FAS Prevention)	63.2%	53.4%	62.8%	63.4%	Not Met
DV/IPV Screening	22.1%	27.0%	60.5%	59.0%	Not Met
Depression Screening	39.0%	29.8%	62.5%	60.9%	Not Met
Prenatal HIV Screening	90.9%	71.3%	86.5%	88.0%	MET
Childhood Weight Control	29.1%	49.1%	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012					Measures Met = 8 Measures Not Met = 8 Measures with No Data = 0

**Indian Health Board of Billings
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Billings	Billings	CRS Sites ^b		2012 Final
DIABETES	2012-Final	2011-Final	2012-Final	2012 Target	Results - Billings
Diabetes Dx Ever	12.1%	11.3%	11.6%	N/A ^a	N/A
Documented A1c	85.0%	80.3%	83.4%	N/A ^a	N/A
Poor Glycemic Control	14.0%	15.2%	17.4%	14.9%	MET
Ideal Glycemic Control	33.0%	27.3%	31.9%	36.1%	Not Met
Controlled BP <130/80	37.0%	43.9%	39.9%	40.6%	Not Met
LDL Assessed	59.0%	42.4%	71.3%	75.5%	Not Met
Nephropathy Assessed	51.0%	43.9%	61.2%	62.9%	Not Met
IMMUNIZATIONS					
Influenza 65+	43.9%	25.0%	49.7%	49.6%	Not Met
Pneumovax 65+	42.1%	50.0%	66.9%	56.7%	Not Met
Childhood IZ	0.0% ^d	14.3% ^d	58.6%	62.7%	Not Met
PREVENTION					
Pap Screening	43.6%	44.6%	54.7%	55.5%	Not Met
Mammography Screening	24.7%	27.8%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	19.6%	21.7%	28.1%	25.2%	Not Met
Tobacco Cessation	49.1%	38.8%	31.8%	23.9%	MET
Alcohol Screening (FAS Prevention)	76.0%	66.0%	62.8%	63.4%	MET
DV/IPV Screening	74.3%	62.4%	60.5%	59.0%	MET
Depression Screening	71.8%	59.2%	62.5%	60.9%	MET
Prenatal HIV Screening	11.1% ^d	0.0% ^d	86.5%	88.0%	Not Met
Childhood Weight Control	16.7% ^d	8.3% ^d	16.4%	N/A ^c	N/A

^aMeasures used for context; no annual targets

^bCRS Results from 24 Urban Programs reporting via CRS

^cLong-term measure; no specific annual target for FY 2012

^dMeasures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures Met = 5

Measures Not Met = 11

Measures with No Data = 0

North American Indian Alliance (Butte)
2012 Final
GPRA Report

2012 Final GPRA Dashboard					
	Butte	Butte	CRS Sites ^b		2012 Final
DIABETES	2012-Final	2011-Final	2012-Final	2012 Target	Results - Butte
Diabetes Dx Ever	10.5%	11.0%	11.6%	N/A ^a	N/A
Documented A1c	80.0%	87.5%	83.4%	N/A ^a	N/A
Poor Glycemic Control	20.0%	12.5%	17.4%	14.9%	Not Met
Ideal Glycemic Control	36.7%	41.7%	31.9%	36.1%	MET
Controlled BP <130/80	83.3%	58.3%	39.9%	40.6%	MET
LDL Assessed	66.7%	70.8%	71.3%	75.5%	Not Met
Nephropathy Assessed	60.0%	54.2%	61.2%	62.9%	Not Met
IMMUNIZATIONS					
Influenza 65+	50.0% ^d	78.9% ^d	49.7%	49.6%	MET
Pneumovax 65+	44.4% ^d	42.1% ^d	66.9%	56.7%	Not Met
Childhood IZ	0.0% ^d	No Data	58.6%	62.7%	Not Met
PREVENTION					
Pap Screening	42.0%	29.9%	54.7%	55.5%	Not Met
Mammography Screening	34.6%	15.0%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	10.9%	3.4%	28.1%	25.2%	Not Met
Tobacco Cessation	23.0%	21.2%	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	39.3%	59.3%	62.8%	63.4%	Not Met
DV/IPV Screening	28.4%	57.4%	60.5%	59.0%	Not Met
Depression Screening	42.1%	51.9%	62.5%	60.9%	Not Met
Prenatal HIV Screening	0.0% ^d	0.0% ^d	86.5%	88.0%	Not Met
Childhood Weight Control	No Data	0.0% ^d	16.4%	N/A ^c	N/A

^aMeasures used for context; no annual targets

^bCRS Results from 24 Urban Programs reporting via CRS

^cLong-term measure; no specific annual target for FY 2012

^dMeasures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures Met = 3

Measures Not Met = 13

Measures with No Data = 0

**Indian Family Health Clinic (Great Falls)
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Great Falls 2012-Final	Great Falls 2011-Final	CRS Sites ^b 2012-Final	2012 Target	2012 Final Results - Great Falls
DIABETES					
Diabetes Dx Ever	15.4%	15.0%	11.6%	N/A ^a	N/A
Documented A1c	74.3%	55.4%	83.4%	N/A ^a	N/A
Poor Glycemic Control	12.9%	3.0%	17.4%	14.9%	MET
Ideal Glycemic Control	33.7%	12.9%	31.9%	36.1%	Not Met
Controlled BP <130/80	33.7%	33.7%	39.9%	40.6%	Not Met
LDL Assessed	70.3%	43.6%	71.3%	75.5%	Not Met
Nephropathy Assessed	42.6%	8.9%	61.2%	62.9%	Not Met
IMMUNIZATIONS					
Influenza 65+	27.1%	29.2%	49.7%	49.6%	Not Met
Pneumovax 65+	37.3%	27.1%	66.9%	56.7%	Not Met
Childhood IZ	0.0% ^d	0.0% ^d	58.6%	62.7%	Not Met
PREVENTION					
Pap Screening	41.3%	38.7%	54.7%	55.5%	Not Met
Mammography Screening	15.4%	23.9%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	12.1%	1.1%	28.1%	25.2%	Not Met
Tobacco Cessation	15.0%	0.4%	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	24.8%	13.7%	62.8%	63.4%	Not Met
DV/IPV Screening	10.9%	4.9%	60.5%	59.0%	Not Met
Depression Screening	20.8%	14.5%	62.5%	60.9%	Not Met
Prenatal HIV Screening	66.7% ^d	0.0% ^d	86.5%	88.0%	Not Met
Childhood Weight Control	0.0% ^d	0.0% ^d	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012 ^d Measures with fewer than 20 patients in the denominator; use caution when interpreting these results					Measures Met = 1 Measures Not Met = 15 Measures with No Data = 0

**Helena Indian Alliance
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Helena 2012-Final	Helena 2011-Final	CRS Sites ^b 2012-Final	2012 Target	2012 Final Results - Helena
DIABETES					
Diabetes Dx Ever	17.2%	18.2%	11.6%	N/A ^a	N/A
Documented A1c	88.9%	90.9%	83.4%	N/A ^a	N/A
Poor Glycemic Control	13.0%	7.3%	17.4%	14.9%	MET
Ideal Glycemic Control	48.1%	54.5%	31.9%	36.1%	MET
Controlled BP <130/80	61.1%	52.7%	39.9%	40.6%	MET
LDL Assessed	68.5%	78.2%	71.3%	75.5%	Not Met
Nephropathy Assessed	74.1%	69.1%	61.2%	62.9%	MET
IMMUNIZATIONS					
Influenza 65+	33.3%	19.5%	49.7%	49.6%	Not Met
Pneumovax 65+	69.2%	68.3%	66.9%	56.7%	MET
Childhood IZ	No Data	No Data	58.6%	62.7%	No Data
PREVENTION					
Pap Screening	36.8%	43.9%	54.7%	55.5%	Not Met
Mammography Screening	55.8%	43.6%	49.7%	52.1%	MET
Colorectal Cancer Screening	33.6%	27.1%	28.1%	25.2%	MET
Tobacco Cessation	51.1%	33.3%	31.8%	23.9%	MET
Alcohol Screening (FAS Prevention)	69.7%	55.8%	62.8%	63.4%	MET
DV/IPV Screening	67.1%	50.0%	60.5%	59.0%	MET
Depression Screening	66.5%	51.1%	62.5%	60.9%	MET
Prenatal HIV Screening	No Data	No Data	86.5%	88.0%	No Data
Childhood Weight Control	0.0% ^d	100.0% ^d	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012 ^d Measures with fewer than 20 patients in the denominator; use caution when interpreting these results					Measures Met = 11 Measures Not Met = 3 Measures with No Data = 2

**Missoula Indian Center
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
DIABETES	Missoula 2012-Final	Missoula 2011-Final	CRS Sites^b 2012-Final	2012 Target	2012 Final Results - Missoula
Diabetes Dx Ever	9.1%	7.2%	11.6%	N/A ^a	N/A
Documented A1c	45.5%	20.0%	83.4%	N/A ^a	N/A
Poor Glycemic Control	3.0%	0.0%	17.4%	14.9%	MET
Ideal Glycemic Control	15.2%	0.0%	31.9%	36.1%	Not Met
Controlled BP <130/80	48.5%	10.0%	39.9%	40.6%	MET
LDL Assessed	30.3%	0.0%	71.3%	75.5%	Not Met
Nephropathy Assessed	0.0%	0.0%	61.2%	62.9%	Not Met
IMMUNIZATIONS					
Influenza 65+	29.4% ^d	0.0% ^d	49.7%	49.6%	Not Met
Pneumovax 65+	29.4% ^d	30.8% ^d	66.9%	56.7%	Not Met
Childhood IZ	100.0% ^d	No Data	58.6%	62.7%	MET
PREVENTION					
Pap Screening	2.3%	1.1%	54.7%	55.5%	Not Met
Mammography Screening	2.4%	0.0%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	0.0%	0.0%	28.1%	25.2%	Not Met
Tobacco Cessation	6.7%	0.0%	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	35.6%	36.4%	62.8%	63.4%	Not Met
DV/IPV Screening	33.3%	35.6%	60.5%	59.0%	Not Met
Depression Screening	45.1%	39.7%	62.5%	60.9%	Not Met
Prenatal HIV Screening	0.0% ^d	No Data	86.5%	88.0%	Not Met
Childhood Weight Control	0.0% ^d	No Data	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012 ^d Measures with fewer than 20 patients in the denominator; use caution when interpreting these results					Measures Met = 3 Measures Not Met = 13 Measures with No Data = 0

**Bakersfield Indian Health Center
2012 Final
GPRA Report**

2012 Final GPRA Dashboard	Bakersfield	Bakersfield	CA CRS Sites ^b	CRS Sites ^c	2012 Target	2012 Final
DIABETES	2012-Final	2011-Final	2012-Final	2012-Final		Results - Bakersfield
Diabetes Dx Ever	16.8%	12.5%	11.0%	11.6%	N/A ^a	N/A
Documented A1c	54.3%	60.5%	79.2%	83.4%	N/A ^a	N/A
Poor Glycemic Control	5.7%	28.9%	18.8%	17.4%	14.9%	MET
Ideal Glycemic Control	22.9%	18.4%	27.7%	31.9%	36.1%	Not Met
Controlled BP <130/80	17.1%	7.9%	38.7%	39.9%	40.6%	Not Met
LDL Assessed	42.9%	50.0%	61.0%	71.3%	75.5%	Not Met
Nephropathy Assessed	45.7%	28.9%	42.0%	61.2%	62.9%	Not Met
IMMUNIZATIONS						
Influenza 65+	2.9%	2.6%	28.7%	49.7%	49.6%	Not Met
Pneumovax 65+	38.2%	21.1%	50.8%	66.9%	56.7%	Not Met
Childhood IZ	0.0% ^e	0.0% ^e	37.9%	58.6%	62.7%	Not Met
PREVENTION						
Pap Screening	18.1%	9.1%	38.4%	54.7%	55.5%	Not Met
Mammography Screening	12.8%	8.3%	22.8%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	17.5%	10.5%	19.5%	28.1%	25.2%	Not Met
Tobacco Cessation	13.1%	12.8%	18.4%	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	18.7%	28.3%	39.6%	62.8%	63.4%	Not Met
DV/IPV Screening	14.7%	23.7%	37.1%	60.5%	59.0%	Not Met
Depression Screening	27.7%	25.4%	40.4%	62.5%	60.9%	Not Met
Prenatal HIV Screening	No Data	No Data	59.1%	86.5%	88.0%	No Data
Childhood Weight Control	0% ^e	No Data	29.6%	16.4%	N/A ^d	N/A

^aMeasures used for context; no annual targets

^bCA CRS Urban Results from 7 California urban programs reporting via CRS

^cCRS Results from 24 Urban Programs reporting via CRS

^dLong-term measure; no specific annual target for FY 2012

^eMeasures with fewer than 20 patients in the denominator; use caution when interpreting these results

*Measures Met = 1
Measures Not Met = 14
Measures with No Data = 1*

**Fresno Native American Health Center
2012 Final
GPRA Report**

2012 Final GPRA Dashboard	Fresno	Fresno	CA CRS Sites ^b	CRS Sites ^c	2012 Target	2012 Final
DIABETES	<u>2012-Final</u>	<u>2011-Final</u>	<u>2012-Final</u>	<u>2012-Final</u>		<u>Results - Fresno</u>
Diabetes Dx Ever	10.7%	8.8%	11.0%	11.6%	N/A ^a	N/A
Documented A1c	15.4% ^e	45.5% ^e	79.2%	83.4%	N/A ^a	N/A
Poor Glycemic Control	0.0% ^e	9.1% ^e	18.8%	17.4%	14.9%	MET
Ideal Glycemic Control	7.7% ^e	27.3% ^e	27.7%	31.9%	36.1%	Not Met
Controlled BP <130/80	15.4% ^e	18.2% ^e	38.7%	39.9%	40.6%	Not Met
LDL Assessed	15.4% ^e	18.2% ^e	61.0%	71.3%	75.5%	Not Met
Nephropathy Assessed	7.7% ^e	9.1% ^e	42.0%	61.2%	62.9%	Not Met
IMMUNIZATIONS						
Influenza 65+	20.0%	24.0%	28.7%	49.7%	49.6%	Not Met
Pneumovax 65+	16.7%	8.0%	50.8%	66.9%	56.7%	Not Met
Childhood IZ	0.0% ^e	50.0% ^e	37.9%	58.6%	62.7%	Not Met
PREVENTION						
Pap Screening	4.8%	2.1%	38.4%	54.7%	55.5%	Not Met
Mammography Screening	3.2%	13.6%	22.8%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	0.0%	0.0%	19.5%	28.1%	25.2%	Not Met
Tobacco Cessation	7.1%	9.1%	18.4%	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	19.0%	41.9%	39.6%	62.8%	63.4%	Not Met
DV/IPV Screening	17.6%	21.2%	37.1%	60.5%	59.0%	Not Met
Depression Screening	20.8%	18.0%	40.4%	62.5%	60.9%	Not Met
Prenatal HIV Screening	No Data	No Data	59.1%	86.5%	88.0%	No Data
Childhood Weight Control	No Data	No data	29.6%	16.4%	N/A ^d	N/A
^a Measures used for context; no annual targets ^b CA CRS Urban Results from 7 California urban programs reporting via CRS ^c CRS Results from 24 Urban Programs reporting via CRS ^d Long-term measure; no specific annual target for FY 2012 ^e Measures with fewer than 20 patients in the denominator; use caution when interpreting these results						<i>Measures Met = 1</i> <i>Measures Not Met = 14</i> <i>Measures with No Data = 1</i>

**United American Indian Involvement (Los Angeles)
2012 Final
GPRA Report**

2012 Final GPRA Dashboard	Los Angeles	Los Angeles	CA CRS Sites ^b	CRS Sites ^c	2012 Target	2012 Final Results - Los Angeles
DIABETES	2012-Final	2011-Final	2012-Final	2012-Final		
Diabetes Dx Ever	11.1%	10.4%	11.0%	11.6%	N/A ^a	N/A
Documented A1c	86.5%	70.3%	79.2%	83.4%	N/A ^a	N/A
Poor Glycemic Control	20.2%	19.8%	18.8%	17.4%	14.9%	Not Met
Ideal Glycemic Control	25.8%	18.7%	27.7%	31.9%	36.1%	Not Met
Controlled BP <130/80	33.7%	28.6%	38.7%	39.9%	40.6%	Not Met
LDL Assessed	62.9%	58.2%	61.0%	71.3%	75.5%	Not Met
Nephropathy Assessed	12.4%	7.7%	42.0%	61.2%	62.9%	Not Met
IMMUNIZATIONS						
Influenza 65+	52.2%	51.5%	28.7%	49.7%	49.6%	MET
Pneumovax 65+	68.7%	66.2%	50.8%	66.9%	56.7%	MET
Childhood IZ	50.0%	26.5%	37.9%	58.6%	62.7%	Not Met
PREVENTION						
Pap Screening	55.8%	60.7%	38.4%	54.7%	55.5%	MET
Mammography Screening	17.6%	22.1%	22.8%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	24.1%	17.0%	19.5%	28.1%	25.2%	Not Met
Tobacco Cessation	30.8%	12.3%	18.4%	31.8%	23.9%	MET
Alcohol Screening (FAS Prevention)	45.1%	48.4%	39.6%	62.8%	63.4%	Not Met
DV/IPV Screening	35.7%	45.6%	37.1%	60.5%	59.0%	Not Met
Depression Screening	48.6%	45.2%	40.4%	62.5%	60.9%	Not Met
Prenatal HIV Screening	No Data	0.0% ^e	59.1%	86.5%	88.0%	No Data
Childhood Weight Control	16.7% ^e	41.2% ^e	29.6%	16.4%	N/A ^d	N/A

^aMeasures used for context; no annual targets

^bCA CRS Urban Results from 7 California urban programs reporting via CRS

^cCRS Results from 24 Urban Programs reporting via CRS

^dLong-term measure; no specific annual target for FY 2012

^eMeasures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures Met = 4

Measures Not Met = 11

Measures with No Data = 1

**Native American Health Center Oakland/San Francisco
2012 Final
GPRA Report**

2012 Final GPRA Dashboard	Oakland/SF	Oakland/SF	CA CRS Sites ^b	CRS Sites ^c	2012 Target	2012 Final
DIABETES	2012-Final	2011-Final	2012-Final	2012-Final		Results - Oakland/SF
Diabetes Dx Ever	14.6%	14.9%	11.0%	11.6%	N/A ^a	N/A
Documented A1c	63.6%	84.7%	79.2%	83.4%	N/A ^a	N/A
Poor Glycemic Control	6.8%	17.6%	18.8%	17.4%	14.9%	MET
Ideal Glycemic Control	29.5%	22.4%	27.7%	31.9%	36.1%	Not Met
Controlled BP <130/80	47.7%	62.4%	38.7%	39.9%	40.6%	MET
LDL Assessed	36.4%	43.5%	61.0%	71.3%	75.5%	Not Met
Nephropathy Assessed	18.2%	35.3%	42.0%	61.2%	62.9%	Not Met
IMMUNIZATIONS						
Influenza 65+	5.8%	38.2%	28.7%	49.7%	49.6%	Not Met
Pneumovax 65+	46.2%	47.3%	50.8%	66.9%	56.7%	Not Met
Childhood IZ	13.3%	14.6%	37.9%	58.6%	62.7%	Not Met
PREVENTION						
Pap Screening	27.9%	34.1%	38.4%	54.7%	55.5%	Not Met
Mammography Screening	21.9%	8.6%	22.8%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	5.2%	5.6%	19.5%	28.1%	25.2%	Not Met
Tobacco Cessation	3.1%	11.6%	18.4%	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	5.7%	8.7%	39.6%	62.8%	63.4%	Not Met
DV/IPV Screening	1.7%	6.9%	37.1%	60.5%	59.0%	Not Met
Depression Screening	7.1%	12.1%	40.4%	62.5%	60.9%	Not Met
Prenatal HIV Screening	75.0% ^e	40.0% ^e	59.1%	86.5%	88.0%	Not Met
Childhood Weight Control	44.4% ^e	33.3% ^e	29.6%	16.4%	N/A ^d	N/A
^a Measures used for context; no annual targets ^b CA CRS Urban Results from 7 California urban programs reporting via CRS ^c CRS Results from 24 Urban Programs reporting via CRS ^d Long-term measure; no specific annual target for FY 2012 ^e Measures with fewer than 20 patients in the denominator; use caution when interpreting these results						Measures Met = 2 Measures Not Met = 14 Measures with No Data = 0

**Sacramento Native American Health Center
2012 Final
GPRA Report**

2012 Final GPRA Dashboard	Sacramento	Sacramento	CA CRS Sites ^b	CRS Sites ^c	2012 Target	2012 Final
DIABETES	2012-Final	2011-Final	2012-Final	2012-Final		Results - Sacramento
Diabetes Dx Ever	8.8%	9.6%	11.0%	11.6%	N/A ^a	N/A
Documented A1c	89.6%	74.5%	79.2%	83.4%	N/A ^a	N/A
Poor Glycemic Control	27.3%	7.8%	18.8%	17.4%	14.9%	Not Met
Ideal Glycemic Control	28.6%	31.4%	27.7%	31.9%	36.1%	Not Met
Controlled BP <130/80	41.6%	45.1%	38.7%	39.9%	40.6%	MET
LDL Assessed	68.8%	60.8%	61.0%	71.3%	75.5%	Not Met
Nephropathy Assessed	53.2%	52.9%	42.0%	61.2%	62.9%	Not Met
IMMUNIZATIONS						
Influenza 65+	37.1%	36.0%	28.7%	49.7%	49.6%	Not Met
Pneumovax 65+	37.1%	44.0%	50.8%	66.9%	56.7%	Not Met
Childhood IZ	72.2% ^e	33.3% ^e	37.9%	58.6%	62.7%	MET
PREVENTION						
Pap Screening	34.5%	47.3%	38.4%	54.7%	55.5%	Not Met
Mammography Screening	28.9%	19.2%	22.8%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	40.2%	24.8%	19.5%	28.1%	25.2%	MET
Tobacco Cessation	18.9%	30.1%	18.4%	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	62.9%	53.9%	39.6%	62.8%	63.4%	Not Met
DV/IPV Screening	60.1%	51.9%	37.1%	60.5%	59.0%	MET
Depression Screening	61.1%	35.2%	40.4%	62.5%	60.9%	MET
Prenatal HIV Screening	38.5% ^e	33.3% ^e	59.1%	86.5%	88.0%	Not Met
Childhood Weight Control	35.1%	25.0%	29.6%	16.4%	N/A ^d	N/A

^aMeasures used for context; no annual targets

^bCA CRS Urban Results from 7 California urban programs reporting via CRS

^cCRS Results from 24 Urban Programs reporting via CRS

^dLong-term measure; no specific annual target for FY 2012

^eMeasures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures Met = 5

Measures Not Met = 11

Measures with No Data = 0

**San Diego American Indian Health Center
2012 Final
GPRA Report**

2012 Final GPRA Dashboard	San Diego	San Diego	CA CRS Sites ^b	CRS Sites ^c	2012 Target	2012 Final
DIABETES	2012-Final	2011-Final	2012-Final	2012-Final		Results - San Diego
Diabetes Dx Ever	7.5%	7.9%	11.0%	11.6%	N/A ^a	N/A
Documented A1c	87.5%	89.7%	79.2%	83.4%	N/A ^a	N/A
Poor Glycemic Control	23.2%	22.4%	18.8%	17.4%	14.9%	Not Met
Ideal Glycemic Control	26.8%	39.7%	27.7%	31.9%	36.1%	Not Met
Controlled BP <130/80	50.0%	44.8%	38.7%	39.9%	40.6%	MET
LDL Assessed	75.0%	58.6%	61.0%	71.3%	75.5%	Not Met
Nephropathy Assessed	78.6%	75.9%	42.0%	61.2%	62.9%	MET
IMMUNIZATIONS						
Influenza 65+	35.0%	23.5% ^e	28.7%	49.7%	49.6%	Not Met
Pneumovax 65+	80.0%	70.6% ^e	50.8%	66.9%	56.7%	MET
Childhood IZ	41.7% ^e	42.9% ^e	37.9%	58.6%	62.7%	Not Met
PREVENTION						
Pap Screening	47.0%	43.1%	38.4%	54.7%	55.5%	Not Met
Mammography Screening	19.0%	9.3%	22.8%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	2.2%	1.6%	19.5%	28.1%	25.2%	Not Met
Tobacco Cessation	16.5%	24.2%	18.4%	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	42.1%	45.8%	39.6%	62.8%	63.4%	Not Met
DV/IPV Screening	46.4%	43.2%	37.1%	60.5%	59.0%	Not Met
Depression Screening	50.2%	51.9%	40.4%	62.5%	60.9%	Not Met
Prenatal HIV Screening	100.0% ^e	100.0% ^e	59.1%	86.5%	88.0%	MET
Childhood Weight Control	21.4% ^e	18.2% ^e	29.6%	16.4%	N/A ^d	N/A

^aMeasures used for context; no annual targets

^bCA CRS Urban Results from 7 California urban programs reporting via CRS

^cCRS Results from 24 Urban Programs reporting via CRS

^dLong-term measure; no specific annual target for FY 2012

^eMeasures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures Met = 4

Measures Not Met = 12

Measures with No Data = 0

**Indian Health Center of Santa Clara Valley (San Jose)
2012 Final
GPRA Report**

2012 Final GPRA Dashboard	San Jose	San Jose	CA CRS Sites ^b	CRS Sites ^c	2012 Target	2012 Final Results - San Jose
DIABETES	<u>2012-Final</u>	<u>2011-Final</u>	<u>2012-Final</u>	<u>2012-Final</u>		
Diabetes Dx Ever	14.7%	4.5%	11.0%	11.6%	N/A ^a	N/A
Documented A1c	66.7%	97.4%	79.2%	83.4%	N/A ^a	N/A
Poor Glycemic Control	14.0%	23.7%	18.8%	17.4%	14.9%	MET
Ideal Glycemic Control	23.7%	73.7%	27.7%	31.9%	36.1%	Not Met
Controlled BP <130/80	81.7%	25.0%	38.7%	39.9%	40.6%	MET
LDL Assessed	57.0%	51.3%	61.0%	71.3%	75.5%	Not Met
Nephropathy Assessed	64.5%	81.6%	42.0%	61.2%	62.9%	MET
IMMUNIZATIONS						
Influenza 65+	39.6%	18.2%	28.7%	49.7%	49.6%	Not Met
Pneumovax 65+	47.9%	15.2%	50.8%	66.9%	56.7%	Not Met
Childhood IZ	52.0%	81.8% ^e	37.9%	58.6%	62.7%	Not Met
PREVENTION						
Pap Screening	35.3%	48.2%	38.4%	54.7%	55.5%	Not Met
Mammography Screening	77.4%	30.2%	22.8%	49.7%	52.1%	MET
Colorectal Cancer Screening	47.7%	10.9%	19.5%	28.1%	25.2%	MET
Tobacco Cessation	68.2%	75.0%	18.4%	31.8%	23.9%	MET
Alcohol Screening (FAS Prevention)	9.1%	0.0%	39.6%	62.8%	63.4%	Not Met
DV/IPV Screening	7.4%	0.0%	37.1%	60.5%	59.0%	Not Met
Depression Screening	94.2%	64.4%	40.4%	62.5%	60.9%	MET
Prenatal HIV Screening	100.0% ^e	100.0% ^e	59.1%	86.5%	88.0%	MET
Childhood Weight Control	100.0%	39.1%	29.6%	16.4%	N/A ^d	N/A
^a Measures used for context; no annual targets ^b CA CRS Urban Results from 7 California urban programs reporting via CRS ^c CRS Results from 24 Urban Programs reporting via CRS ^d Long-term measure; no specific annual target for FY 2012 ^e Measures with fewer than 20 patients in the denominator; use caution when interpreting these results						Measures Met = 8 Measures Not Met = 8 Measures with No Data = 0

**Santa Barbara Indian Health Center
2012 Final
GPRA Report**

2012 Final GPRA Dashboard	Santa Barbara	Santa Barbara	CA CRS Sites ^b	CRS Sites ^c		2012 Final
DIABETES	2012-Final	2011-Final	2012-Final	2012-Final	2012 Target	Results - Santa Barbara
Diabetes Dx Ever	9.1%	9.5%	11.0%	11.6%	N/A ^a	N/A
Documented A1c	100.0%	100.0% ^e	79.2%	83.4%	N/A ^a	N/A
Poor Glycemic Control	27.3%	11.8% ^e	18.8%	17.4%	14.9%	Not Met
Ideal Glycemic Control	50.0%	41.2% ^e	27.7%	31.9%	36.1%	MET
Controlled BP <130/80	50.0%	70.6% ^e	38.7%	39.9%	40.6%	MET
LDL Assessed	95.5%	100.0% ^e	61.0%	71.3%	75.5%	MET
Nephropathy Assessed	90.9%	100.0% ^e	42.0%	61.2%	62.9%	MET
IMMUNIZATIONS						
Influenza 65+	45.0%	53.8% ^e	28.7%	49.7%	49.6%	Not Met
Pneumovax 65+	70.0%	100.0% ^e	50.8%	66.9%	56.7%	MET
Childhood IZ	50.0% ^e	75.0% ^e	37.9%	58.6%	62.7%	Not Met
PREVENTION						
Pap Screening	74.6%	73.6%	38.4%	54.7%	55.5%	MET
Mammography Screening	61.3%	51.9%	22.8%	49.7%	52.1%	MET
Colorectal Cancer Screening	50.0%	39.4%	19.5%	28.1%	25.2%	MET
Tobacco Cessation	35.8%	35.4%	18.4%	31.8%	23.9%	MET
Alcohol Screening (FAS Prevention)	79.5%	64.0%	39.6%	62.8%	63.4%	MET
DV/IPV Screening	76.0%	60.0%	37.1%	60.5%	59.0%	MET
Depression Screening	67.9%	64.9%	40.4%	62.5%	60.9%	MET
Prenatal HIV Screening	100.0% ^e	100.0% ^e	59.1%	86.5%	88.0%	MET
Childhood Weight Control	25.0% ^e	25.0% ^e	29.6%	16.4%	N/A ^d	N/A
^a Measures used for context; no annual targets ^b CA CRS Urban Results from 7 California urban programs reporting via CRS ^c CRS Results from 24 Urban Programs reporting via CRS ^d Long-term measure; no specific annual target for FY 2012 ^e Measures with fewer than 20 patients in the denominator; use caution when interpreting these results						Measures Met = 13 Measures Not Met = 3 Measures with No Data = 0

**Native American Lifelines (Boston)
2012 Final
GPR Report**

2012 Final GPR Dashboard					
	Boston 2012-Final	Boston 2011-Final	CRS Sites ^b 2012-Final	2012 Target	2012 Final Results - Boston
DIABETES					
Diabetes Dx Ever	0.0%	No Data	11.6%	N/A ^a	N/A
Documented A1c	No Data	No Data	83.4%	N/A ^a	N/A
Poor Glycemic Control	No Data	No Data	17.4%	14.9%	No Data
Ideal Glycemic Control	No Data	No Data	31.9%	36.1%	No Data
Controlled BP <130/80	No Data	No Data	39.9%	40.6%	No Data
LDL Assessed	No Data	No Data	71.3%	75.5%	No Data
Nephropathy Assessed	No Data	No Data	61.2%	62.9%	No Data
IMMUNIZATIONS					
Influenza 65+	No Data	No Data	49.7%	49.6%	No Data
Pneumovax 65+	No Data	No Data	66.9%	56.7%	No Data
Childhood IZ	No Data	No Data	58.6%	62.7%	No Data
PREVENTION					
Pap Screening	No Data	No Data	54.7%	55.5%	No Data
Mammography Screening	No Data	No Data	49.7%	52.1%	No Data
Colorectal Cancer Screening	No Data	No Data	28.1%	25.2%	No Data
Tobacco Cessation	No Data	No Data	31.8%	23.9%	No Data
Alcohol Screening (FAS Prevention)	No Data	No Data	62.8%	63.4%	No Data
DV/IPV Screening	No Data	No Data	60.5%	59.0%	No Data
Depression Screening	No Data	No Data	62.5%	60.9%	No Data
Prenatal HIV Screening	No Data	No Data	86.5%	88.0%	No Data
Childhood Weight Control	No Data	No Data	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012					<i>Measures Met = 0</i> <i>Measures Not Met = 0</i> <i>Measures with No Data = 16</i>

**The American Indian Community House of New York City, Inc.
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
DIABETES	New York 2012-Final	New York 2011-Final	CRS Sites^b 2012-Final	2012 Target	2012 Final Results - New York
Diabetes Dx Ever	1.2%	1.0%	11.6%	N/A ^a	N/A
Documented A1c	No Data	0.0% ^d	83.4%	N/A ^a	N/A
Poor Glycemic Control	No Data	No Data	17.4%	14.9%	No Data
Ideal Glycemic Control	No Data	No Data	31.9%	36.1%	No Data
Controlled BP <130/80	No Data	No Data	39.9%	40.6%	No Data
LDL Assessed	No Data	No Data	71.3%	75.5%	No Data
Nephropathy Assessed	No Data	No Data	61.2%	62.9%	No Data
IMMUNIZATIONS					
Influenza 65+	No Data	0.0% ^d	49.7%	49.6%	No Data
Pneumovax 65+	No Data	0.0% ^d	66.9%	56.7%	No Data
Childhood IZ	0% ^d	No Data	58.6%	62.7%	Not Met
PREVENTION					
Pap Screening	No Data	50.0% ^d	54.7%	55.5%	No Data
Mammography Screening	No Data	0.0% ^d	49.7%	52.1%	No Data
Colorectal Cancer Screening	No Data	25.0% ^d	28.1%	25.2%	No Data
Tobacco Cessation	No Data	No Data	31.8%	23.9%	No Data
Alcohol Screening (FAS Prevention)	No Data	0.0% ^d	62.8%	63.4%	No Data
DV/IPV Screening	No Data	20.0% ^d	60.5%	59.0%	No Data
Depression Screening	No Data	20.0%	62.5%	60.9%	No Data
Prenatal HIV Screening	No Data	No Data	86.5%	88.0%	No Data
Childhood Weight Control	No Data	No Data	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012 ^d Measures with fewer than 20 patients in the denominator; use caution when interpreting these results					<i>Measures Met = 0</i> <i>Measures Not Met = 1</i> <i>Measures with No Data = 15</i>

**NACA Family Health Center (Flagstaff)
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Flagstaff 2012-Final	Flagstaff 2011-Final	CRS Sites ^b 2012-Final	2012 Target	2012 Final Results - Flagstaff
DIABETES					
Diabetes Dx Ever	25.9%	12.0%	11.6%	N/A ^a	N/A
Documented A1c	97.4%	99.1%	83.4%	N/A ^a	N/A
Poor Glycemic Control	35.8%	27.4%	17.4%	14.9%	Not Met
Ideal Glycemic Control	94.8%	50.0%	31.9%	36.1%	MET
Controlled BP <130/80	94.8%	99.6%	39.9%	40.6%	MET
LDL Assessed	67.2%	43.9%	71.3%	75.5%	Not Met
Nephropathy Assessed	72.1%	74.3%	61.2%	62.9%	MET
IMMUNIZATIONS					
Influenza 65+	40.0%	13.2%	49.7%	49.6%	Not Met
Pneumovax 65+	30.5%	9.5%	66.9%	56.7%	Not Met
Childhood IZ	100.0% ^d	83.3% ^d	58.6%	62.7%	MET
PREVENTION					
Pap Screening	15.0%	14.4%	54.7%	55.5%	Not Met
Mammography Screening	36.2%	28.4%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	23.8%	13.5%	28.1%	25.2%	Not Met
Tobacco Cessation	17.2%	85.9%	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	61.8%	30.5%	62.8%	63.4%	Not Met
DV/IPV Screening	64.6%	52.0%	60.5%	59.0%	MET
Depression Screening	46.9%	32.2%	62.5%	60.9%	Not Met
Prenatal HIV Screening	7.1% ^d	0.0% ^d	86.5%	88.0%	Not Met
Childhood Weight Control	63.4%	26.9%	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012 ^d Measures with fewer than 20 patients in the denominator; use caution when interpreting these results					Measures Met = 5 Measures Not Met = 11 Measures with No Data = 0

**Urban Inter-Tribal Center of Texas (Dallas)
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Dallas 2012-Final	Dallas 2011-Final	CRS Sites ^b 2012-Final	2012 Target	2012 Final Results - Dallas
DIABETES					
Diabetes Dx Ever	18.6%	21.3%	11.6%	N/A ^a	N/A
Documented A1c	92.6%	95.0%	83.4%	N/A ^a	N/A
Poor Glycemic Control	16.4%	13.2%	17.4%	14.9%	Not Met
Ideal Glycemic Control	30.7%	35.4%	31.9%	36.1%	Not Met
Controlled BP <130/80	34.7%	27.9%	39.9%	40.6%	Not Met
LDL Assessed	80.5%	85.4%	71.3%	75.5%	MET
Nephropathy Assessed	49.8%	65.7%	61.2%	62.9%	Not Met
IMMUNIZATIONS					
Influenza 65+	50.4%	50.5%	49.7%	49.6%	MET
Pneumovax 65+	48.0%	47.5%	66.9%	56.7%	Not Met
Childhood IZ	25.9%	0.0% ^d	58.6%	62.7%	Not Met
PREVENTION					
Pap Screening	41.7%	38.4%	54.7%	55.5%	Not Met
Mammography Screening	13.8%	16.7%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	23.8%	47.7%	28.1%	25.2%	Not Met
Tobacco Cessation	9.1%	27.6%	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	45.4%	57.2%	62.8%	63.4%	Not Met
DV/IPV Screening	44.2%	44.0%	60.5%	59.0%	Not Met
Depression Screening	50.9%	55.9%	62.5%	60.9%	Not Met
Prenatal HIV Screening	0.0% ^d	0.0% ^d	86.5%	88.0%	Not Met
Childhood Weight Control	10.3%	8.3%	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012 ^d Measures with fewer than 20 patients in the denominator; use caution when interpreting these results					Measures Met = 2 Measures Not Met = 14 Measures with No Data = 0

**Oklahoma City Urban Clinic
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Oklahoma City 2012-Final	Oklahoma City 2011-Final	CRS Sites ^b 2012-Final	2012 Target	2012 Final Results - Oklahoma City
DIABETES					
Diabetes Dx Ever	15.0%	15.2%	11.6%	N/A ^a	N/A
Documented A1c	84.2%	86.9%	83.4%	N/A ^a	N/A
Poor Glycemic Control	20.8%	14.8%	17.4%	14.9%	Not Met
Ideal Glycemic Control	34.7%	43.2%	31.9%	36.1%	Not Met
Controlled BP <130/80	43.9%	49.6%	39.9%	40.6%	MET
LDL Assessed	71.1%	79.7%	71.3%	75.5%	Not Met
Nephropathy Assessed	72.7%	73.2%	61.2%	62.9%	MET
IMMUNIZATIONS					
Influenza 65+	79.7%	83.7%	49.7%	49.6%	MET
Pneumovax 65+	93.4%	93.8%	66.9%	56.7%	MET
Childhood IZ	83.7%	86.5%	58.6%	62.7%	MET
PREVENTION					
Pap Screening	76.0%	70.5%	54.7%	55.5%	MET
Mammography Screening	75.0%	79.2%	49.7%	52.1%	MET
Colorectal Cancer Screening	58.6%	51.7%	28.1%	25.2%	MET
Tobacco Cessation	56.8%	47.9%	31.8%	23.9%	MET
Alcohol Screening (FAS Prevention)	79.7%	75.4%	62.8%	63.4%	MET
DV/IPV Screening	78.4%	72.3%	60.5%	59.0%	MET
Depression Screening	81.1%	79.5%	62.5%	60.9%	MET
Prenatal HIV Screening	95.9%	95.8%	86.5%	88.0%	MET
Childhood Weight Control	15.2%	11.7%	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012					Measures Met = 13 Measures Not Met = 3 Measures with No Data = 0

**Indian Health Resource (Tulsa)
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Tulsa 2012-Final	Tulsa 2011-Final	CRS Sites ^b 2012-Final	2012 Target	2012 Final Results - Tulsa
DIABETES					
Diabetes Dx Ever	8.1%	7.7%	11.6%	N/A ^a	N/A
Documented A1c	80.0%	78.4%	83.4%	N/A ^a	N/A
Poor Glycemic Control	17.2%	14.4%	17.4%	14.9%	Not Met
Ideal Glycemic Control	26.8%	31.9%	31.9%	36.1%	Not Met
Controlled BP <130/80	33.3%	28.3%	39.9%	40.6%	Not Met
LDL Assessed	76.1%	77.7%	71.3%	75.5%	MET
Nephropathy Assessed	76.0%	73.1%	61.2%	62.9%	MET
IMMUNIZATIONS					
Influenza 65+	37.3%	24.4%	49.7%	49.6%	Not Met
Pneumovax 65+	73.2%	23.9%	66.9%	56.7%	MET
Childhood IZ	80.8%	79.7%	58.6%	62.7%	MET
PREVENTION					
Pap Screening	60.3%	57.9%	54.7%	55.5%	MET
Mammography Screening	77.3%	73.2%	49.7%	52.1%	MET
Colorectal Cancer Screening	6.6%	4.0%	28.1%	25.2%	Not Met
Tobacco Cessation	21.7%	4.1%	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	67.7%	68.9%	62.8%	63.4%	MET
DV/IPV Screening	66.7%	65.6%	60.5%	59.0%	MET
Depression Screening	68.4%	66.4%	62.5%	60.9%	MET
Prenatal HIV Screening	100.0%	97.8%	86.5%	88.0%	MET
Childhood Weight Control	16.0%	15.0%	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012					Measures Met = 6 Measures Not Met = 10 Measures with No Data = 0

**Hunter Health Clinic (Wichita)
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Wichita	Wichita	CRS Sites ^b	2012 Target	2012 Final
DIABETES	2012-Final	2011-Final	2012-Final		Results - Wichita
Diabetes Dx Ever	13.1%	14.8%	11.6%	N/A ^a	N/A
Documented A1c	91.8%	96.0%	83.4%	N/A ^a	N/A
Poor Glycemic Control	15.3%	23.2%	17.4%	14.9%	Not Met
Ideal Glycemic Control	38.2%	31.2%	31.9%	36.1%	MET
Controlled BP <130/80	41.8%	35.2%	39.9%	40.6%	MET
LDL Assessed	45.9%	56.0%	71.3%	75.5%	Not Met
Nephropathy Assessed	49.4%	42.4%	61.2%	62.9%	Not Met
IMMUNIZATIONS					
Influenza 65+	40.7%	50.0%	49.7%	49.6%	Not Met
Pneumovax 65+	13.6%	11.5%	66.9%	56.7%	Not Met
Childhood IZ	21.1% ^d	13.3% ^d	58.6%	62.7%	Not Met
PREVENTION					
Pap Screening	54.3%	57.7%	54.7%	55.5%	Not Met
Mammography Screening	17.2%	21.3%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	37.5%	29.2%	28.1%	25.2%	MET
Tobacco Cessation	20.8%	44.3%	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	72.2%	61.2%	62.8%	63.4%	MET
DV/IPV Screening	59.3%	55.1%	60.5%	59.0%	MET
Depression Screening	65.8%	67.4%	62.5%	60.9%	MET
Prenatal HIV Screening	88.2%	81.8% ^d	86.5%	88.0%	MET
Childhood Weight Control	9.7%	25.0% ^d	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012 ^d Measures with fewer than 20 patients in the denominator; use caution when interpreting these results					Measures Met = 7 Measures Not Met = 9 Measures with No Data = 0

**Native American Community Health Center (Phoenix)
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Phoenix 2012-Final	Phoenix 2011-Final	CRS Sites ^b 2012-Final	2012 Target	2012 Final Results - Phoenix
DIABETES					
Diabetes Dx Ever	34.0%	28.1%	11.6%	N/A ^a	N/A
Documented A1c	69.5%	81.1%	83.4%	N/A ^a	N/A
Poor Glycemic Control	23.7%	17.4%	17.4%	14.9%	Not Met
Ideal Glycemic Control	28.9%	37.4%	31.9%	36.1%	Not Met
Controlled BP <130/80	62.0%	66.3%	39.9%	40.6%	MET
LDL Assessed	40.2%	79.5%	71.3%	75.5%	Not Met
Nephropathy Assessed	36.5%	78.9%	61.2%	62.9%	Not Met
IMMUNIZATIONS					
Influenza 65+	19.0%	37.7%	49.7%	49.6%	Not Met
Pneumovax 65+	7.9%	17.2%	66.9%	56.7%	Not Met
Childhood IZ	65.5%	64.4%	58.6%	62.7%	MET
PREVENTION					
Pap Screening	67.8%	55.8%	54.7%	55.5%	MET
Mammography Screening	50.4%	37.8%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	16.5%	16.0%	28.1%	25.2%	Not Met
Tobacco Cessation	17.7%	7.6%	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	95.3%	93.1%	62.8%	63.4%	MET
DV/IPV Screening	90.4%	92.4%	60.5%	59.0%	MET
Depression Screening	97.9%	95.2%	62.5%	60.9%	MET
Prenatal HIV Screening	74.6%	65.6%	86.5%	88.0%	Not Met
Childhood Weight Control	62.0%	27.6%	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012					Measures Met = 6 Measures Not Met = 10 Measures with No Data = 0

**Nevada Urban Indians (Reno)
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Reno 2012-Final	Reno 2011-Final	CRS Sites ^b 2012-Final	2012 Target	2012 Final Results - Reno
DIABETES					
Diabetes Dx Ever	9.2%	11.2%	11.6%	N/A ^a	N/A
Documented A1c	58.3% ^d	24.4%	83.4%	N/A ^a	N/A
Poor Glycemic Control	8.3% ^d	12.2%	17.4%	14.9%	MET
Ideal Glycemic Control	33.3% ^d	22.0%	31.9%	36.1%	Not Met
Controlled BP <130/80	50.0% ^d	14.6%	39.9%	40.6%	MET
LDL Assessed	58.3% ^d	31.7%	71.3%	75.5%	Not Met
Nephropathy Assessed	0.0% ^d	31.7%	61.2%	62.9%	Not Met
IMMUNIZATIONS					
Influenza 65+	23.8%	15.8% ^d	49.7%	49.6%	Not Met
Pneumovax 65+	19.0%	10.5% ^d	66.9%	56.7%	Not Met
Childhood IZ	No Data	9.3%	58.6%	62.7%	No Data
PREVENTION					
Pap Screening	18.0%	12.5%	54.7%	55.5%	Not Met
Mammography Screening	15.4% ^d	33.3% ^d	49.7%	52.1%	Not Met
Colorectal Cancer Screening	0.0%	11.9%	28.1%	25.2%	Not Met
Tobacco Cessation	0.0% ^d	50.0% ^d	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	31.4%	64.5%	62.8%	63.4%	Not Met
DV/IPV Screening	18.5%	4.5%	60.5%	59.0%	Not Met
Depression Screening	18.0%	36.4%	62.5%	60.9%	Not Met
Prenatal HIV Screening	No Data	50.0% ^d	86.5%	88.0%	No Data
Childhood Weight Control	0.0% ^d	33.3% ^d	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012 ^d Measures with fewer than 20 patients in the denominator; use caution when interpreting these results					Measures Met = 2 Measures Not Met = 12 Measures with No Data = 2

**Indian Walk-In Center (Salt Lake City)
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Salt Lake City	Salt Lake City	CRS Sites ^b	2012 Target	2012 Final
DIABETES	2012-Final	2011-Final	2012-Final		Results - Salt Lake City
Diabetes Dx Ever	26.9%	70.8%	11.6%	N/A ^a	N/A
Documented A1c	95.4%	54.2%	83.4%	N/A ^a	N/A
Poor Glycemic Control	30.6%	15.3%	17.4%	14.9%	Not Met
Ideal Glycemic Control	33.9%	34.5%	31.9%	36.1%	Not Met
Controlled BP <130/80	58.5%	34.5%	39.9%	40.6%	MET
LDL Assessed	63.1%	60.5%	71.3%	75.5%	Not Met
Nephropathy Assessed	95.4%	60.5%	61.2%	62.9%	MET
IMMUNIZATIONS					
Influenza 65+	0.0%	49.2%	49.7%	49.6%	Not Met
Pneumovax 65+	0.0%	49.2%	66.9%	56.7%	Not Met
Childhood IZ	No Data	64.0%	58.6%	62.7%	No Data
PREVENTION					
Pap Screening	30.9%	53.7%	54.7%	55.5%	Not Met
Mammography Screening	0.0%	47.6%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	5.1%	7.4%	28.1%	25.2%	Not Met
Tobacco Cessation	0.0%	20.8%	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	0.0%	12.0%	62.8%	63.4%	Not Met
DV/IPV Screening	0.0%	12.0%	60.5%	59.0%	Not Met
Depression Screening	1.7%	54.2%	62.5%	60.9%	Not Met
Prenatal HIV Screening	33.3%	75.5%	86.5%	88.0%	Not Met
Childhood Weight Control	2.1%	37.8%	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012					Measures Met = 2 Measures Not Met = 13 Measures with No Data = 1

**Native American Rehabilitation Association of the Northwest, Inc. (Portland)
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Portland	Portland	CRS Sites ^b		2012 Final
DIABETES	2012-Final	2011-Final	2012-Final	2012 Target	Results - Portland
Diabetes Dx Ever	18.1%	19.0%	11.6%	N/A ^a	N/A
Documented A1c	97.8%	96.6%	83.4%	N/A ^a	N/A
Poor Glycemic Control	14.0%	15.8%	17.4%	14.9%	MET
Ideal Glycemic Control	37.6%	39.5%	31.9%	36.1%	MET
Controlled BP <130/80	49.5%	46.3%	39.9%	40.6%	MET
LDL Assessed	89.2%	88.7%	71.3%	75.5%	MET
Nephropathy Assessed	82.8%	77.4%	61.2%	62.9%	MET
IMMUNIZATIONS					
Influenza 65+	46.1%	32.3%	49.7%	49.6%	Not Met
Pneumovax 65+	50.0%	60.6%	66.9%	56.7%	Not Met
Childhood IZ	50.8%	52.6% ^d	58.6%	62.7%	Not Met
PREVENTION					
Pap Screening	46.5%	52.3%	54.7%	55.5%	Not Met
Mammography Screening	41.0%	54.5%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	28.0%	22.3%	28.1%	25.2%	MET
Tobacco Cessation	0.0%	0.0%	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	34.3%	37.7%	62.8%	63.4%	Not Met
DV/IPV Screening	41.5%	40.6%	60.5%	59.0%	Not Met
Depression Screening	44.6%	41.0%	62.5%	60.9%	Not Met
Prenatal HIV Screening	25.8%	32.1%	86.5%	88.0%	Not Met
Childhood Weight Control	34.5%	60.0%	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012 ^d Measures with fewer than 20 patients in the denominator; use caution when interpreting these results					Measures Met = 6 Measures Not Met = 10 Measures with No Data = 0

**Seattle Indian Health Board
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Seattle 2012-Final	Seattle 2011-Final	CRS Sites ^b 2012-Final	2012 Target	2012 Final Results - Seattle
DIABETES					
Diabetes Dx Ever	11.2%	8.8%	11.6%	N/A ^a	N/A
Documented A1c	62.4%	73.5%	83.4%	N/A ^a	N/A
Poor Glycemic Control	13.8%	16.4%	17.4%	14.9%	MET
Ideal Glycemic Control	19.0%	22.5%	31.9%	36.1%	Not Met
Controlled BP <130/80	34.1%	24.8%	39.9%	40.6%	Not Met
LDL Assessed	46.6%	52.3%	71.3%	75.5%	Not Met
Nephropathy Assessed	34.4%	32.2%	61.2%	62.9%	Not Met
IMMUNIZATIONS					
Influenza 65+	40.5%	37.2%	49.7%	49.6%	Not Met
Pneumovax 65+	42.3%	40.4%	66.9%	56.7%	Not Met
Childhood IZ	32.7%	43.2%	58.6%	62.7%	Not Met
PREVENTION					
Pap Screening	79.1%	81.0%	54.7%	55.5%	MET
Mammography Screening	31.9%	26.8%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	22.5%	14.1%	28.1%	25.2%	Not Met
Tobacco Cessation	88.3%	84.9%	31.8%	23.9%	MET
Alcohol Screening (FAS Prevention)	9.8%	12.2%	62.8%	63.4%	Not Met
DV/IPV Screening	9.1%	4.0%	60.5%	59.0%	Not Met
Depression Screening	17.2%	18.1%	62.5%	60.9%	Not Met
Prenatal HIV Screening	34.9%	51.1%	86.5%	88.0%	Not Met
Childhood Weight Control	No Data	20.0%	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012					Measures Met = 3 Measures Not Met = 13 Measures with No Data = 0

**Native Health Clinic of Spokane
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
DIABETES	Spokane 2012-Final	Spokane 2011-Final	CRS Sites ^b 2012-Final	2012 Target	2012 Final Results - Spokane
Diabetes Dx Ever	11.2%	10.2%	11.6%	N/A ^a	N/A
Documented A1c	73.1%	80.5%	83.4%	N/A ^a	N/A
Poor Glycemic Control	19.4%	28.0%	17.4%	14.9%	Not Met
Ideal Glycemic Control	25.1%	37.2%	31.9%	36.1%	Not Met
Controlled BP <130/80	37.7%	51.2%	39.9%	40.6%	Not Met
LDL Assessed	40.6%	58.5%	71.3%	75.5%	Not Met
Nephropathy Assessed	45.1%	52.4%	61.2%	62.9%	Not Met
IMMUNIZATIONS					
Influenza 65+	47.2%	51.2%	49.7%	49.6%	Not Met
Pneumovax 65+	54.7%	46.5%	66.9%	56.7%	Not Met
Childhood IZ	57.9%	53.3%	58.6%	62.7%	MET
PREVENTION					
Pap Screening	56.6%	77.8%	54.7%	55.5%	MET
Mammography Screening	35.8%	60.8%	49.7%	52.1%	Not Met
Colorectal Cancer Screening	27.9%	26.9%	28.1%	25.2%	MET
Tobacco Cessation	36.8%	54.6%	31.8%	23.9%	MET
Alcohol Screening (FAS Prevention)	65.8%	74.1%	62.8%	63.4%	MET
DV/IPV Screening	60.8%	72.3%	60.5%	59.0%	MET
Depression Screening	73.7%	83.3%	62.5%	60.9%	MET
Prenatal HIV Screening	44.4%	43.1%	86.5%	88.0%	Not Met
Childhood Weight Control	31.2%	19.3%	16.4%	N/A ^c	N/A
^a Measures used for context; no annual targets ^b CRS Results from 24 Urban Programs reporting via CRS ^c Long-term measure; no specific annual target for FY 2012					Measures Met = 7 Measures Not Met = 9 Measures with No Data = 0

**Tucson Indian Center
2012 Final
GPRA Report**

2012 Final GPRA Dashboard					
	Tucson	Tucson	CRS Sites ^b		2012 Final
DIABETES	2012-Final	2011-Final	2012-Final	2012 Target	Results - Tucson
Diabetes Dx Ever	31.2%	33.3%	11.6%	N/A ^a	N/A
Documented A1c	0.0%	0.0%	83.4%	N/A ^a	N/A
Poor Glycemic Control	0.0%	0.0%	17.4%	14.9%	MET
Ideal Glycemic Control	0.0%	0.0%	31.9%	36.1%	Not Met
Controlled BP <130/80	0.0%	0.0%	39.9%	40.6%	Not Met
LDL Assessed	0.0%	0.0%	71.3%	75.5%	Not Met
Nephropathy Assessed	0.0%	0.0%	61.2%	62.9%	Not Met
IMMUNIZATIONS					
Influenza 65+	0.0%	No Data	49.7%	49.6%	Not Met
Pneumovax 65+	0.0%	No Data	66.9%	56.7%	Not Met
Childhood IZ	0.0% ^d	45.5% ^d	58.6%	62.7%	Not Met
PREVENTION					
Pap Screening	0.0%	No Data	54.7%	55.5%	Not Met
Mammography Screening	0.0%	No Data	49.7%	52.1%	Not Met
Colorectal Cancer Screening	0.0%	No Data	28.1%	25.2%	Not Met
Tobacco Cessation	0.0%	0.0% ^d	31.8%	23.9%	Not Met
Alcohol Screening (FAS Prevention)	100.0%	100.0%	62.8%	63.4%	MET
DV/IPV Screening	100.0%	100.0%	60.5%	59.0%	MET
Depression Screening	100.0%	100.0%	62.5%	60.9%	MET
Prenatal HIV Screening	No Data	No Data	86.5%	88.0%	No Data
Childhood Weight Control	100.0% ^d	No Data	16.4%	N/A ^c	N/A

^aMeasures used for context; no annual targets

^bCRS Results from 24 Urban Programs reporting via CRS

^cLong-term measure; no specific annual target for FY 2012

^dMeasures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures Met = 4

Measures Not Met = 11

Measures with No Data = 1

APPENDIX 1: URBAN PROGRAM RESULTS—DATA SOURCES

Reported from CRS
South Dakota Urban Indian Health
Denver Indian Health and Family Services
American Indian Health Service of Chicago
Gerald L. Ignace Indian Health Center (Milwaukee)
American Indian Health and Family Services (Detroit)
Indian Health Board of Billings
North American Indian Alliance (Butte)
Indian Family Health Clinic (Great Falls)
Helena Indian Alliance
Missoula Indian Center
Bakersfield Indian Health Center
Fresno Native American Health Center
United American Indian Involvement (Los Angeles)
Native American Health Center Oakland/San Francisco
Sacramento Native American Health Center
San Diego American Indian Health Center
Santa Barbara Indian Health Center
Native American Lifelines (Boston)
The American Indian Community House of New York City, Inc.
Urban Inter-Tribal Center of Texas (Dallas)
Oklahoma City Urban Clinic
Indian Health Resource (Tulsa)
Hunter Health Center (Wichita)
Nevada Urban Indians (Reno)

Reported from non-CRS
Nebraska Urban Indian Health Coalition
First Nations Community Healthsource (Albuquerque)
Indian Health Board of Minneapolis, Inc.
Indian Health Center of Santa Clara Valley (San Jose)
NACA Family Health Center (Flagstaff)
Native American Community Health Center (Phoenix)
Indian Walk-In Center (Salt Lake City)
Native American Rehabilitation Association of the Northwest, Inc. (Portland)
Seattle Indian Health Board
Native Health Clinic of Spokane
Tucson Indian Center