#### **Indian Health Service**




Division of Epidemiology and Disease Prevention

Influenza-like Illness Surveillance Report IHS Influenza Awareness System (IIAS) (Week 20: 05/15/2022 – 05/21/2022)

- IHS national Influenza-like illness (ILI) activity is low at 1.1%, below the IHS baseline of 1.93%
  - Eight of the eleven IHS Areas reported a decrease in ILI activity, while the remaining three Areas reported a slight increase in ILI activity from the previous week.
  - This week's IHS ILI activity is below the CDC's ILINet ILI activity for week 20 (2.42%) below the ILINet baseline (2.5%) and the IHS baseline of 1.93%.
- To date, IHS has administered 307,316 doses of influenza vaccine.
- Overall, 35.0% of the IHS Active Clinical population ages 6 months and older has received an influenza vaccine
  this season to date.

All Reporting IHS Areas Influenza-Like Illness (ILI) for Current Surveillance Year and Previous Six Surveillance Years Percentage of Visits for ILI Visits per Week



Percent ILI visits is number of ILI visits divided by total number of daily outpatient visits.


The horizontal line represents the 2021-2022 IIAS baseline. The baseline is the mean percentage of patient visits for ILI during non-influenza weeks (as defined by CDC) for the previous four seasons plus two standard deviations.

The horizontal line is the 2021-2022 IIAS baseline. The ILINet baseline value for 2021-2022 is 2.5.

Baselines are computed as the mean percentage of ILI patient visits during non-influenza weeks (as defined by CDC) for the previous three seasons, plus two standard deviations

Sources: ILINet - CDC Sentinel Surveillance System for Influenza-Like Illness, IIAS - IHS Influenza Awareness System

### Percentage of Outpatient Visits for Influenza-Like Illness (ILI) Percent ILI for Flu Year 2021 - 2022 CDC ILINet vs. IHS Influenza-like Illness Awareness System (IIAS) 10/03/21 through 05/21/22 (Week 20)



Percent ILI visits is number of ILI visits divided by total number of daily outpatient visits.


The horizontal line is the 2021-2022 IHS Influenza-like Illness Awareness System baseline. The CDC ILINet baseline value for 2021-2022 is 2.5.

Baselines are computed as the mean percentage of ILI patient visits during non-influenza weeks (as defined by CDC) for the previous four seasons, plus two star

Baselines are computed as the mean percentage of ILI patient visits during non-influenza weeks (as defined by CDC) for the previous four seasons, plus two standard deviations.

Sources: ILINet - CDC Sentinel Surveillance System for Influenza-Like Illness, IHS IIAS - Influenza-like Illness Awareness System

#### IHS Influenza-like Illness Awareness System vs. CDC ILINet Influenza-Like Illness (ILI) for six year window from latest full week Percentage of Visits for ILI per week 10/03/21 through 05/21/22 (Week 20)




Percent ILI visits is number of ILI visits divided by total number of daily outpatient visits.

The horizontal line is the 2021-2022 IHS Influenza-like Illness Awareness System baseline. The CDC ILINet baseline value for 2021-2022 is 2.5.

Baselines are computed as the mean percentage of ILI patient visits during non-influenza weeks (as defined by CDC) for the previous four seasons, plus two standard deviations

Sources: ILINet - CDC Sentinal Surveillance System for Influenza-Like Illness, IHS IIAS - Influenza-like Illness Awareness System

#### Percentage of Influenza-Like Illness Visits by IHS Area For Week Ending 05/21/22 (Week 20)



Percent ILI Visits\*
Current week compared to previous week
For Week Ending 05/21/22 (Week 20)


IHS Areas	Previous Week (19)	Current Week (20)
NATIONAL	1.2	1.1
ALBUQUERQUE	1.5	1.9
BEMIDJI	1.2	0.9
BILLINGS	0.9	0.8
CALIFORNIA	0.7	0.9
GREAT PLAINS	1.3	1.3
NASHVILLE	1.8	1.8
NAVAJO	1.7	1.2
OKLAHOMA	0.4	0.3
PHOENIX	2.4	2.0
PORTLAND	0.7	0.6
TUCSON	2.8	2.3

Percentage of ILI visits is number of ILI visits divided by total number of daily visits.

#### **IHS Influenza Vaccination Surveillance**

As of 05/21/2022, sites reporting to the IIAS have administered 307,316 doses (1st and 2nd) of seasonal influenza vaccine to active clinical patients 6 months of age and older.

All Reporting IHS Areas
Percentage of Seasonal Influenza Vaccine Coverage among Active Clinical Population
07/04/21 through 05/21/22 (Week 20)



#### All Reporting IHS Areas Seasonal Influenza Vaccine Coverage by Age Group\* Active Clinical Population\*\* 07/04/21 through 05/21/22 (Week 20)

Age Group	Active Clinical Population**	Seasonal Flu Vaccine (At Least 1 Dose)***	% Seasonal Flu (At Least 1 Dose)	Seasonal Flu Vaccine (At Least 2 Doses)	% Seasonal Flu (At Least 2 Doses)	Total # Doses Administered ****
0 - 5 months	2,486	92	3.7	200	8.0	292
6 - 23 months	12,394	6,025	48.6	2,093	16.9	8,138
2 - 4 years	33,096	7,925	23.9	192	0.6	8,145
5 - 17 years	134,936	42,799	31.7	330	0.2	43,269
18 - 49 years	274,534	76,770	28.0	35,270	12.8	112,302
50 - 64 years	122,062	53,691	44.0	19,741	16.2	73,663
65 + years	87,589	45,348	51.8	16,120	18.4	61,799
Children (6 months-17 years)	180,426	56,749	31.5	2,615	1.4	59,552
Adults (18+ years)	484,185	175,809	36.3	71,131	14.7	247,764
All (6 months+)	664,611	232,558	35.0	73,746	11.1	307,316

<sup>\*</sup> Limited to sites that exported both doses administered along with accompanying Active Clinical population data.

### Seasonal Influenza Vaccination Code Counts by IHS Area 07/04/21 through 05/21/22 (Week 20)

Area	INACTIVE CVX CODES*	CVX 88 FLU- NOS**	CVX 149 FLU- LAIV4	CVX 150 FLU- IIV4pf	CVX 158 FLU- IIV4	CVX 161 IIV4pf ped	CVX 168 FLU- IIV3ad	CVX 171 FLU- ccl4pf	CVX 185 FLU- RIV4	CVX 186 FLU- ccl4	CVX 197 FLU- HIGH	CVX 205 FLU- IIV4ad	Proc 99.5 2 Vac Inf	ICD-9 V04.81 Vac Inf	CPT Billing Codes+	Cumulative # of Doses Seasonal Flu
ALB	168	455	56	11,545	6,854	332	12	33	11	27	51	3,746	0	0	84	23,374
BEM	31	110	32	5,212	159	2	1	17	14	2	19	566	0	0	37	6,202
BIL	165	143	119	8,889	2,054	42	0	15	44	11	13	1,228	0	0	64	12,787
CAO	854	185	5	2,543	426	46	3	276	195	215	67	181	0	0	39	5,035
GPA	737	178	10	7,590	1,505	855	0	17	2	3	54	145	0	0	19	11,115
NSA	406	310	31	6,129	3,553	30	1	69	51	3	70	1,108	0	0	97	11,858
NAV	150	500	3	56,217	7,390	975	1	2,141	28	415	80,190	3,260	0	0	265	151,535
OKC	1,356	2,269	312	33,241	5,361	421	32	142	99	28	331	7,756	0	0	114	51,462
PHX	259	507	1	18,079	8,691	165	2	26	6	7	19	2,436	0	0	73	30,271
POR	106	69	35	481	1,563	19	0	186	2	1	25	114	0	0	13	2,614
TUC	28	9	0	6,338	51	25	0	6	0	2	0	0	0	0	16	6,475
	4,260	4,735	604	156,264	37,607	2,912	52	2,928	452	714	80,839	20,540	0	0	821	312,728

Patient Counts Not Deduplicated

<sup>\*\*</sup> Active Clinical is defined as patients who have had at least 2 visits in the last 3 years.

<sup>\*\*\*</sup> Number of unique patients with at least 1 dose.

<sup>\*\*\*\*</sup> Total # Doses Administered = All doses administered to patients including doses not included in coverage calculation due to lack of Active Clinical Population

<sup>\*</sup> Inactive CVX Codes 15 (FLU-TIVhx), 16 (FLU-WHOLE), 111 (FLU-LAIV3), 123 (FLU-H5N1), 135 (FLU-HIGH), 140 (FLU-IIV3pf), 141 (FLU-IIV3), 144 (FLU-DERMAL), 151 (FLU-NasNOS),

<sup>153 (</sup>FLU-ccIIV3), 155 (FLU-RIV3), 160 (H5N1,adj)and 166 (FLU-DERM4) should not be used to document flu vaccines administered during flu season 2020-2021.


<sup>\*\*</sup> CVX Code 88 (FLU-NOS) should only be used to document flu vaccines given elsewhere when flu vaccine type is unknown.

<sup>+</sup> CPT Flu codes include: 90654-90658,90662, 90672, 90673, 90685, 90686, G0008, and G8108.

<sup>^</sup> ICD9 codes V04.8 and V06.6 are not displayed on this report and are not used in any of the influenza vaccine coverage calculations.

Starting in Week 11, 2022 CVX 197 FLU-HIGH and CVX 205 FLU-IIV4ad were updated in the flu vaccination logic.

# All Reporting IHS Areas Influenza Vaccine Coverage for all Age Groups for National and in each Area % Seasonal Flu (At Least 1 Dose) for Active Clinical Population 07/04/21 through 05/21/22 (Week 20)



# All Reporting IHS Areas Influenza Vaccine Coverage for all Age Groups for National and in each Area % Seasonal Flu (At Least 1 Dose) for Active Clinical Population 07/04/21 through 05/21/22 (Week 20)

Area	Children (6 mons-17 yrs)	Adults (18+ yrs)	Seniors (65+ yrs)	All (6 mons +)
NATIONAL	31.5	36.3	51.8	35.0
ALBUQUERQUE	35.9	39.2	55.3	38.4
BEMIDJI	22.8	25.5	38.6	24.7
BILLINGS	29.0	32.7	48.1	31.6
CALIFORNIA	13.7	13.3	21.7	13.4
GREAT PLAINS	28.1	23.1	37.1	24.5
NASHVILLE	28.2	35.5	55.7	33.5
NAVAJO	53.5	60.9	65.4	58.9
OKLAHOMA	19.3	28.4	52.3	26.0
PHOENIX	34.9	37.4	50.2	36.6
PORTLAND	20.3	24.3	43.1	23.6
TUCSON	45.2	44.6	53.9	44.8

#### Number of RPMS Databases Reporting for Week Ending 05/21/22 (Week 20)

IHS Area	# of RPMS Databases Reporting*	# of Facilities Reporting**
NATIONAL	101	179
ALBUQUERQUE	14	20
BEMIDJI	5	11
BILLINGS	10	19
CALIFORNIA	10	16
GREAT PLAINS	7	10
NASHVILLE	20	24
NAVAJO	6	22
OKLAHOMA	18	36
PHOENIX	6	12
PORTLAND	4	6
TUCSON	1	3

<sup>\*</sup> Exporting databases may include data from multiple facilities.

<sup>\*\*</sup> Includes only facility categories: Hospital, Health Center, Health Station and Health Location