

FY 2019 GPRA/GPRAMA IDCS National Results

INDIAN HEALTH SERVICE (IHS) GPRA PERFORMANCE RESULTS

Introduction

Beginning with FY 2018, IHS clinical GPRA results are calculated from the Integrated Data Collection System (IDCS), a data mart within the National Data Warehouse (NDW) General Data Mart. Service unit/health program data is exported to the NDW by reporting sites for inclusion in GPRA results.

The measure logic is programmed centrally within the IDCS data mart and mimics the CRS measure logic, which is located [here](#)

Each clinical measure has two graphs:

- IHS national performance result and historical data
 - IHS Area graphs comparing the current reporting year to the previous year for each of IHS's twelve Area Offices.
-
- FY 2019 National results include data from IHS, Tribal, and Urban Indian health programs (prior to FY 2018 urban results were posted separately).
 - FY 2018 National results include data from IHS, Tribal, and Urban Indian health programs (prior to FY 2018 urban results were posted separately).

Area Abbreviations

| Abbreviation | Area |
|--------------|--------------|
| ALA | Alaska |
| ALB | Albuquerque |
| BEM | Bemidji |
| BIL | Billings |
| CAL | California |
| GPA | Great Plains |
| NAS | Nashville |
| NAV | Navajo |
| OKL | Oklahoma |
| PHX | Phoenix |
| POR | Portland |
| TUC | Tucson |

Acronym Definitions

| Acronym | Definition |
|---------|--|
| NPIRS | National Patient Information Reporting System |
| NDW | National Data Warehouse |
| IDCS | Integrated Data Collection System |
| AI/AN | American Indian/Alaska Native |
| A1c | Hemoglobin A1c |
| BMI | Body Mass Index |
| BP | Blood Pressure |
| CHD | Coronary Heart Disease |
| CVD | Cardiovascular Disease |
| DV/IPV | Domestic Violence/Intimate Partner Violence |
| HP | Healthy People |
| IHD | Ischemic Heart Disease |
| LDL | Low Density Lipoprotein |
| MH | Million Hearts |
| HIV | Human Immunodeficiency Virus |
| SBIRT | Screening, Brief Intervention, & Referral to Treatment |

GPRA 2019 Results Summary

Of the 26 measures that IHS/Tribal/Urban programs reported in FY 2019:

- 10 measures improved over FY 2018 results
- 13 measures decreased in performance from FY 2018 results
- 1 measure had no change from FY 2018 results
- 2 measures were new in FY 2019 and had a baseline target
- 16 measures met or exceeded FY 2019 targets
- 8 measures did not meet FY 2019 targets
- The IPV/DV GPRAMA measure did not meet the 2019 target

FY 2019 IHS/Tribal/Urban Results Summary

In FY 2019, 10 measures improved over FY 2018 performance

| Measure | FY 2018 Q4 | FY 2019 Q4 | % Improvement |
|-----------------------------------|------------|------------|---------------|
| HIV Screening Ever | 26.1% | 30.9% | 4.8% |
| Tobacco Cessation | 28.9% | 32.9% | 4.0% |
| SBIRT | 11.8% | 14.9% | 3.1% |
| Influenza Vaccination 6mo – 17yrs | 24.0% | 25.7% | 1.7% |
| Dental Access | 28.3% | 30.0% | 1.7% |
| Diabetes: Controlled BP | 55.6% | 57.2% | 1.6% |
| Depression Screening 12-17 yrs | 36.0% | 37.3% | 1.3% |
| Cervical Cancer (Pap) Screening | 36.0% | 37.1% | 1.1% |
| Retinopathy Exam | 49.2% | 49.7% | 0.5% |
| Influenza Vaccination 18+ | 23.3% | 23.6% | 0.3% |


FY 2019 IHS/Tribal/Urban Results Summary

In FY 2019, 13 measures decreased in performance from FY 2018

| Measure | FY 2018 Q4 | FY 2019 Q4 | % Decrease |
|-----------------------------|------------|------------|------------|
| Controlling High BP (MH) | 48.4% | 41.5% | 6.9% |
| Adult Immunizations | 54.9% | 53.3% | 1.6% |
| IPV/DV Screening | 38.1% | 36.6% | 1.5% |
| Breastfeeding Rates | 40.1% | 38.7% | 1.4% |
| Topical Fluoride | 32.9% | 32.1% | 0.8% |
| Childhood Immunizations | 42.2% | 41.4% | 0.8% |
| Childhood Weight Control | 21.9% | 22.7% | 0.8% |
| Depression Screening 18+ | 43.3% | 42.6% | 0.7% |
| CVD Statin Therapy | 32.8% | 32.2% | 0.6% |
| Dental: Sealants | 16.4% | 15.9% | 0.5% |
| Colorectal Cancer Screening | 31.9% | 31.5% | 0.4% |
| Nephropathy Assessment | 44.2% | 44.0% | 0.2% |
| Universal Alcohol Screening | 40.9% | 40.7% | 0.2% |


Diabetes: Poor Glycemic Control

AI/AN patients with diabetes who have had Poor A1c control (>9) during the past year.




*New measure in FY 2019

Diabetes: Poor Glycemic Control




Diabetes: Blood Pressure Control

AI/AN patients with diabetes who have maintained BP control (<140/90) during the past year.




Diabetes: Blood Pressure Control (<140/90)




Diabetes: Statin Therapy to Prevent Cardiovascular Disease Risk

AI/AN patients with diabetes who are statin therapy users or receive a prescription for statin therapy during the report period.




Diabetes: Statin Therapy to Prevent CVD Risk




Diabetes: Nephropathy Assessment

AI/AN patients with diabetes who have been assessed for nephropathy within the past year.




Diabetes: Nephropathy Assessment




Diabetes: Retinopathy

AI/AN patients with diabetes who have been assessed for retinopathy within the past year.




Diabetes: Retinopathy




Dental: General Access

AI/AN patients who have received dental services within the past year.




Dental: General Access




Dental: Sealants

AI/AN children with intact dental sealants.




Dental: Sealants




Dental: Topical Fluorides

AI/AN children with at least one topical fluoride treatment within the past year.




*Prior to FY 2013, this measure tracked the number of patients receiving one or more fluoride applications in the past year.

Dental: Topical Fluorides




Immunizations: Influenza 6mo - 17yrs

AI/AN patients (ages 6 months to 17 years) who have received the influenza vaccine within the past year.




Immunizations: Influenza 6mo – 17yr




Immunizations: Influenza 18+

AI/AN patients (ages 18+) who have received the influenza vaccine within the past year.




Immunizations: Influenza 18+




Immunizations: Adult Immunizations

AI/AN patients (age 19+) who have received all age-appropriate immunization combinations.




*New measure in FY 2018

Adult Immunizations




Immunizations: Childhood (19-35 months)

AI/AN patients (age 19-35 months) who have received the combined childhood vaccination series (4:3:1:3*:3:1:4).




Immunizations: Childhood (19-35 months)




Cancer Screening: Cervical (Pap Screen)

AI/AN women age 24-64 who have received a Pap screen
within the previous three years, or age 30-64 years with a Pap screen in the
past three years or a Pap Screen and an HPV DNA in the past five years.




Cancer Screening: Cervical (Pap Screen)




Cancer Screening: Breast (Mammography)

AI/AN women (age 52-74) who have received mammography screening
within the previous two years.




*Prior to FY 2019, measure tracked women ages 52-64 years

Cancer Screening: Breast (Mammography)




Cancer Screening: Colorectal

AI/AN patients ages 50-75 who have received appropriate Colorectal Cancer Screening.




Cancer Screening: Colorectal




Tobacco Cessation

AI/AN tobacco-using patients who have received tobacco cessation intervention within the past year or quit their tobacco use within the past year.




Tobacco Cessation




Universal Alcohol Screening

AI/AN patients ages 9-75 who have been screened for alcohol use within the past year.




Universal Alcohol Screening




Screening, Brief Intervention, Referral to Treatment (SBIRT)

AI/AN patients ages 9-75 who screened positive for alcohol use and were provided a brief intervention or brief negotiated interview within seven days of the positive screen




SBIRT




Domestic Violence/Intimate Partner Violence Screening:

AI/AN women (ages 14-46 years) who were screened for domestic violence/intimate partner violence within the past year.




DV/IPV Screening




Depression Screening 12-17

AI/AN patients ages 12-17 who have been screened for depression or diagnosed with a mood disorder within the past year.




Depression Screening 12 – 17 years




Depression Screening 18+

AI/AN patients ages 18 and older who have been screened for depression or diagnosed with a mood disorder within the past year.




Depression Screening 18+




Childhood Weight Control (CWC)

AI/AN children ages 2-5 years with a BMI at or above 95th percentile.




Childhood Weight Control




HIV Screening Ever

AI/AN patients who have ever received screening for HIV.




HIV Screening Ever




CVD Statin Therapy

Patients age 40 to 75 years with diabetes, or age 21 and older with documented CVD or an LDL greater than or equal to 190 who are statin therapy users or receive a prescription for statin therapy




CVD Statin Therapy




Controlling High Blood Pressure (MH)

AI/AN patients with diagnosed hypertension who have achieved blood pressure control (<140/90).




*Measure logic change in FY 2019.

Controlling High Blood Pressure (MH)




Breastfeeding Rates

AI/AN patients who, at the age of two months, were either exclusively or mostly breastfed.



Breastfeeding Rates



2019 Final National Dashboard (IHS/Tribal/Urban)

| | 2018 Target | 2018 Final | 2019 Target | 2019 Final | 2019 Final Results |
|--------------------------------------|-------------|------------|-------------|------------|--------------------|
| DIABETES | | | | | |
| Poor Glycemic Control ^a | N/A | N/A | Baseline | 17.4% | Met |
| Controlled BP <140/90 | 52.3% | 55.6% | 52.3% | 57.2% | Met |
| Statin Therapy | 37.5% | 47.4% | 37.5% | 47.4% | Met |
| Nephropathy Assessed | 34.0% | 44.2% | 34.0% | 44.0% | Met |
| Retinopathy Exam | 49.7% | 49.2% | 49.7% | 49.7% | Met |
| DENTAL | | | | | |
| Dental: General Access | 27.2% | 28.3% | 27.2% | 30.0% | Met |
| Sealants | 16.0% | 16.4% | 16.0% | 15.9% | Not Met |
| Topical Fluoride | 30.0% | 32.9% | 30.0% | 32.1% | Met |
| IMMUNIZATIONS | | | | | |
| Influenza Vaccination 6mo - 17yrs | 20.6% | 24.0% | 20.6% | 25.7% | Met |
| Influenza Vaccination 18+ | 18.8% | 23.3% | 18.8% | 23.6% | Met |
| Adult Immunizations | Baseline | 54.9% | 54.9% | 53.3% | Not Met |
| Childhood IZ | 45.6% | 42.2% | 45.6% | 41.4% | Not Met |
| PREVENTION | | | | | |
| (Cervical) Pap Screening | 35.9% | 36.0% | 35.9% | 37.1% | Met |
| Mammography Screening ^b | 42.0% | 42.6% | Baseline | 42.0% | Met |
| Colorectal Cancer Screening | 32.6% | 31.9% | 32.6% | 31.5% | Not Met |
| Tobacco Cessation | 27.5% | 28.9% | 27.5% | 32.9% | Met |
| Universal Alcohol Screening | 37.0% | 40.9% | 37.0% | 40.7% | Met |
| SBIRT | 8.9% | 11.8% | 8.9% | 14.9% | Met |
| IPV/DV Screening | 41.6% | 38.1% | 41.6% | 36.3% | Not Met |
| Depression Screening 12 - 17 years | 27.6% | 36.0% | 27.6% | 37.3% | Met |
| Depression Screening 18+ | 42.2% | 43.3% | 42.2% | 42.6% | Met |
| Childhood Weight Control | 22.6% | 21.9% | 22.6% | 22.7% | Not Met |
| Controlling High Blood Pressure (MH) | 42.3% | 48.4% | 42.3% | 41.5% | Not Met |
| CVD Statin Therapy | 26.6% | 32.8% | 26.6% | 32.2% | Met |
| HIV Screen Ever | 17.3% | 26.1% | 17.3% | 30.9% | Met |
| Breastfeeding Rates | 39.0% | 40.1% | 39.0% | 38.7% | Not Met |

^aNew measure as of FY 2019

Measures Met: 18

^bLogic change in FY 2019

Measures Not Met: 8

Measures in red are GPRAMA measures