



RESOURCE AND PATIENT MANAGEMENT SYSTEM

# IHS Standard Terminology Application Programming Interface (BSTS)

## Installation Guide and Release Notes

Version 2.0  
February 2017

Office of Information Technology  
Division of Information Technology

## Table of Contents

<b>1.0</b>	<b>Release Notes .....</b>	<b>1</b>
<b>2.0</b>	<b>Installation Notes.....</b>	<b>2</b>
2.1	Contents of Distribution .....	2
2.2	Required Resources .....	2
2.3	Before You Begin: Installation Issues .....	3
<b>3.0</b>	<b>Installation Instructions .....</b>	<b>4</b>
3.1	Disk Space .....	4
3.2	Pre-installation .....	4
3.3	RPMS Server Install .....	4
<b>4.0</b>	<b>Sample RPMS Installations.....</b>	<b>6</b>
4.1	Installation over BSTS Version 1.0 Patch 8 (Most Common) .....	6
4.2	New BSTS Installation – No Previous BSTS Installs .....	31
4.3	Version 2.0 Installation into Environment with BSTS Version 1.0 .....	53
<b>5.0</b>	<b>Installation Configuration .....</b>	<b>79</b>
5.1	Set up the SSL/TLS CONFIGURATION .....	79
5.2	Defining the Web Service Endpoint .....	81
5.3	Editing Site Parameters .....	82
5.3.1	Troubleshooting Site Parameters .....	84
5.4	Testing the Web Service Endpoint.....	84
5.5	Setting up Users to Access BSTS GUI Lookup Tools.....	85
	<b>Acronym List .....</b>	<b>86</b>
	<b>Contact Information .....</b>	<b>87</b>

## 1.0 Release Notes

The BSTS package is a component of the Indian Health Service (IHS) Resource and Patient Management System (RPMS) that provides a general interface and caching mechanism for Massachusetts General Hospital (M) Utility Multi Programming System (MUMPS)-based/FileMan-based systems to interact with an external terminology server, specifically, Apelon's Distributed Terminology System (DTS). The Application Program Interfaces (APIs) are designed to be application independent and stand-alone interfaces.

The intended audiences for this document are IHS site managers and other technical staff. Technical documentation accompanies this installation document in this release. Please refer to the IHS Standard Terminology Technical Manual for additional information.

## 2.0 Installation Notes

**Prefix:** BSTS

**Current Version:** 2.0

Read entire notes file (if included) prior to attempting any installation.

### 2.1 Contents of Distribution

Table 2-1: Contents of Distribution

File	Description
bsts0200.k	Version 2.0 KIDS installation file
bsts020i.pdf	Version 2.0 Installation Manual (this document)
bsts020t.pdf	Version 2.0 Technical Manual
bsts020u.pdf	Version 2.0 User Manual

### 2.2 Required Resources

Table 2-2 shows the prerequisite patch requirements.

Table 2-2: Required Resources

Package	Minimum Version	Brief Patch Description
IHS ICD/CPT LOOKUP & GROUPER (AICD)	Version 4.0	The version 4.0 release of the AICD package. It contains updated API calls to handle the new ICD-10 codeset.

Table 2-3 shows the versions of other packages that should be installed for BSTS to work properly. These packages are not required for installing BSTS version 2.0. However, because they are all basic RPMS packages, they should already be installed on the client system.

Table 2-3 Modules and Versions

Module	Minimum Version
Ensemble 2012	v2012.2
VA FileMan (DI)	v22.0 Patch 1017
IHS/VA Utilities (XB)	v3.0 through Patch 11

Module	Minimum Version
IHS Kernel Toolkit (XT)	V7.3 through Patch 1017
VA Kernel (XU)	v8.0 Patch 1017

## 2.3 Before You Begin: Installation Issues

1. Make a copy of this distribution for offline storage.
2. Print all notes and readme files.
3. Capture the terminal output during the installation using an auxport printer attached to the terminal at which the software installation is being performed. This will ensure that a printed audit trail is available, should any problems arise.
4. Make sure all users are logged off of the system. The BSTS application is utilized by a number of applications (Integrated Problem List, Lab, Pharmacy, Adverse Reaction Tracking, Referred Care Information System, Behavioral Health, CCDA, iCare, PCC, etc.). In order to avoid issues/corruption in those applications and in the BSTS application itself, it is very important that users be kept off the system while this patch is being installed.

This patch does not contain content data, so it will not take nearly as long to install as previous BSTS releases. The expected installation time is approximately one minute.

## 3.0 Installation Instructions

The IHS Standard Terminology API consists of a Kernel Installation and Distribution System (KIDS) build only. All classes are imported and compiled as part of the KIDS installation.

### 3.1 Disk Space

With Version 2.0 of the IHS Standard Terminology API, the installation will have a negligible effect on disk space usage. This is because it does not include any new data content or application routines and classes overwrite existing routines and classes

### 3.2 Pre-installation

Unlike previous BSTS release installs, there are no steps required prior to installation of this release.

### 3.3 RPMS Server Install

Before beginning the RPMS KIDS installation, verify that all users are logged off the system (EHR, iCare, and RPMS) before proceeding.

1. On the RPMS server, load and install the bsts0200.k file using the **KIDS** menu options. From the **KIDS** menu, select the **Installation** menu.
2. From the **Installation** menu, select **Option 1: Load a Distribution**.
3. At the “Enter a Host File” prompt, type **bsts0200.k** and press **Enter**. It may be necessary to precede the file name with the appropriate host path. This is the file used to retrieve from the appropriate software directory.
4. At the “Want to Continue with Load?” prompt, press **Enter** to accept the default (Yes).
5. From the **Installation** menu, select **Option 2: Verify Checksums in Transport Global**. This option provides a mechanism for ensuring the integrity of the routines. It verifies checksums for the components of the Transport global, and reports any errors uncovered.
6. Type **IHS STANDARD TERMINOLOGY 2.0** as the install name and press **Enter**. At this point, one of the following installation options may be added:
  - **Back Up a Transport Global.** This creates a MailMan message that will back up all current routines on the system that would be replaced by this release. (Because this is a new release, no files will be replaced.)

- **Compare Transport Global.** This displays all changes that will result from the installation of this patch and compares them with the values currently loaded on the system (routines, data dictionaries, templates, etc.).
7. From the **Installation** menu, select the **Install Packages** option.
  8. At the “Select Install Name” prompt, type **IHS STANDARD TERMINOLOGY 2.0** and press **Enter**.
  9. Respond to the following prompts as indicated:
    - a. At the “Want KIDS to Rebuild Menu Trees Upon Completion of Install?” prompt, type **NO** and press **Enter**.
    - b. At the “Want KIDS to INHIBIT LOGONs during the install?” prompt, press **Enter** to accept the default (YES).
    - c. At the “Want to DISABLE Scheduled Options, Menu Options and Protocols?” prompt, type **NO** and press **Enter**.
  10. Type the name of the device that will print the install messages and press **Enter**.
  11. Exit the **Installation** menu.

Proceed to Section 5.0 for further information and setup instructions.

## 4.0 Sample RPMS Installations

Since this release of BSTS is a new version, there are a number of scenarios in which it can be installed. It can be installed in systems that have not installed BSTS in the past. It can be installed in Version 1.0 environments, Version 1.0 Patch 1 environments, or in Version 1.0 Patch 2 through Patch 8 environments. Below are sample installations of BSTS Version 2.0 in a number of these scenarios.

**Note:** User responses appear in bold type. Explanatory text is enclosed in square brackets [*text*].

### 4.1 Installation over BSTS Version 1.0 Patch 8 (Most Common)

Figure 4-1 shows a sample installation screen capture of a Version 2.0 installation in an environment where no iterations of BSTS have ever been installed.

```
Select Kernel Installation & Distribution System <TEST ACCOUNT> Option:  
Installation  
  
1      Load a Distribution  
2      Verify Checksums in Transport Global  
3      Print Transport Global  
4      Compare Transport Global to Current System  
5      Backup a Transport Global  
6      Install Package(s)  
          Restart Install of Package(s)  
          Unload a Distribution  
  
You have PENDING ALERTS  
Enter "VA to jump to VIEW ALERTS option  
  
Select Installation <TEST ACCOUNT> Option: 1 Load a Distribution  
Enter a Host File: D:\RPMS\bsts0200.k [Enter the correct file path of the  
KIDS file]  
  
KIDS Distribution saved on Dec 01, 2016@19:34:24  
Comment: IHS STANDARD TERMINOLOGY 2.0  
  
This Distribution contains Transport Globals for the following Package(s):  
    IHS STANDARD TERMINOLOGY 2.0  
Distribution OK!  
  
Want to Continue with Load? YES//  
Loading Distribution...  
  
Build IHS STANDARD TERMINOLOGY 2.0 has an Environmental Check Routine  
Want to RUN the Environment Check Routine? YES//  
    IHS STANDARD TERMINOLOGY 2.0  
Will first run the Environment Check Routine, BSTS2PRE
```

```
Use INSTALL NAME: IHS STANDARD TERMINOLOGY 2.0 to install this  
Distribution.
```

```
1 Load a Distribution  
2 Verify Checksums in Transport Global  
3 Print Transport Global  
4 Compare Transport Global to Current System  
5 Backup a Transport Global  
6 Install Package(s)  
Restart Install of Package(s)  
Unload a Distribution
```

```
You have PENDING ALERTS  
Enter "VA to jump to VIEW ALERTS option
```

```
Select Installation <TEST ACCOUNT> Option: 2 Verify Checksums in Transport  
Glob  
al  
Select INSTALL NAME: IHS STANDARD TERMINOLOGY 2.0 Loaded from  
Distributio  
n 12/2/16@13:34:54  
=> IHS STANDARD TERMINOLOGY 2.0 ;Created on Dec 01, 2016@19:34:24
```

```
This Distribution was loaded on Dec 02, 2016@13:34:54 with header of  
IHS STANDARD TERMINOLOGY 2.0 ;Created on Dec 01, 2016@19:34:24  
It consisted of the following Install(s):  
IHS STANDARD TERMINOLOGY 2.0
```

```
Want each Routine Listed with Checksums: Yes// YES  
DEVICE: HOME// Virtual
```

```
PACKAGE: IHS STANDARD TERMINOLOGY 2.0 Dec 02, 2016 1:35 pm PAGE  
1-----  
-----
```

```
BSTS2PRE Calculated 7259816  
BSTS2PST Calculated 43827628  
BSTSAPI Calculated 8223301  
BSTSAPIA Calculated 78204701  
BSTSAPIB Calculated 108925247  
BSTSAPIC Calculated 112350715  
BSTSAPID Calculated 35667577  
BSTSAPIF Calculated 101148101  
BSTSCDET Calculated 134218285  
BSTSCFIX Calculated 210236829  
BSTSCLAS Calculated 22293545  
BSTCMCL Calculated 55778516  
BSTSDTS0 Calculated 197578166  
BSTSDTS1 Calculated 163741823  
BSTSDTS2 Calculated 130746208  
BSTSDTS3 Calculated 177243904
```

```
PACKAGE: IHS STANDARD TERMINOLOGY 2.0 Dec 02, 2016 1:35 pm PAGE  
2-----  
-----
```

```

BSTSDTS4 Calculated 131664728
BSTSDTSS Calculated 151089381
BSTSDTSC Calculated 1839766
BSTS LKP Calculated 16303885
BSTS LSR C Calculated 26115275
BSTS MAP1 Calculated 180369742
BSTS MSR Calculated 24500341
BSTS NDET Calculated 3917
BSTS RPC Calculated 141665996
BSTS RPC1 Calculated 42782685
BSTS RPCU Calculated 9318783
BSTS RPT Calculated 125788487
BSTS SRCH Calculated 42118106
BSTS STA Calculated 28250552
BSTS TST Calculated 7500485
BSTS UPD Calculated 840054
BSTS UPRF Calculated 27340149

PACKAGE: IHS STANDARD TERMINOLOGY 2.0      Dec 02, 2016 1:35 pm      PAGE
3
-----
-----
BSTS UTIL Calculated 175650716
BSTS VID Calculated 1682018
BSTS VOF1 Calculated 65085596
BSTS VOF1L Calculated 197211482
BSTS VRSC Calculated 200960871
BSTS VRSN Calculated 118518195
BSTS VRXN Calculated 36669855
BSTS WSV Calculated 184692341
BSTS WSV1 Calculated 112737014
BSTS XREF Calculated 693027

43 Routines checked, 0 failed.

1 Load a Distribution
2 Verify Checksums in Transport Global
3 Print Transport Global
4 Compare Transport Global to Current System
5 Backup a Transport Global
6 Install Package(s)
   Restart Install of Package(s)
   Unload a Distribution

You have PENDING ALERTS
Enter "VA to jump to VIEW ALERTS option

Select Installation <TEST ACCOUNT> Option: 6 Install Package(s)
Select INSTALL NAME: IHS STANDARD TERMINOLOGY 2.0 Loaded from
Distribution 12/2/16@13:34:54
=> IHS STANDARD TERMINOLOGY 2.0 ;Created on Dec 01, 2016@19:34:24

This Distribution was loaded on Dec 02, 2016@13:34:54 with header of
IHS STANDARD TERMINOLOGY 2.0 ;Created on Dec 01, 2016@19:34:24
It consisted of the following Install(s):
IHS STANDARD TERMINOLOGY 2.0

```



```
Installing Routines:  
Dec 02, 2016@13:35:11  
  
Running Pre-Install Routine: EN^BSTS2PRE  
  
Installing Data Dictionaries:  
Dec 02, 2016@13:35:11  
  
Installing Data:  
Dec 02, 2016@13:35:11  
  
Installing PACKAGE COMPONENTS:  
  
Installing SECURITY KEY  
  
Installing INPUT TEMPLATE  
  
Installing REMOTE PROCEDURE  
  
Installing OPTION  
Dec 02, 2016@13:35:11  
  
Running Post-Install Routine: EN^BSTS2PST  
Deleting class BSTS.DtsDaoPort  
Deleting class BSTS.DtsQueryDaoPort  
Deleting class BSTS.SOAP.WebFunctions  
Deleting class BSTS.ns1.ConceptAssociationQualifierSearchRequest  
Deleting class BSTS.ns1.ConceptAssociationSearchRequest  
Deleting class BSTS.ns1.ConceptAssociationUpdateRequest  
Deleting class BSTS.ns1.ConceptAttributeRequest  
Deleting class BSTS.ns1.ConceptChildRootsRequest  
Deleting class BSTS.ns1.ConceptPropertyQualifierSearchRequest  
Deleting class BSTS.ns1.ConceptPropertyRequest  
Deleting class BSTS.ns1.ConceptPropertySearchRequest  
Deleting class BSTS.ns1.ConceptPropertyUpdateRequest  
Deleting class BSTS.ns1.ConceptRoleSearchRequest  
Deleting class BSTS.ns1.ConceptSearchRequest  
Deleting class BSTS.ns1.ConceptSynonymSearchRequest  
Deleting class BSTS.ns1.ContextItem  
Deleting class BSTS.ns1.DTSServerException  
Deleting class BSTS.ns1.DefiningConceptUpdateRequest  
Deleting class BSTS.ns1.DefiningRoleUpdateRequest  
Deleting class BSTS.ns1.DtsSubsetExpression  
Deleting class BSTS.ns1.FilterSubsetConceptsRequest  
Deleting class BSTS.ns1.NamespacePropertyRequest  
Deleting class BSTS.ns1.NamespacePropertyUpdateRequest  
Deleting class BSTS.ns1.NavContextInNamespaceRequest  
Deleting class BSTS.ns1.NavContextRequest  
Deleting class BSTS.ns1.SEAttributeExcludeFilter  
Deleting class BSTS.ns1.SEAttributeFilter  
Deleting class BSTS.ns1.SEConcept  
Deleting class BSTS.ns1.SEConceptExcludeFilter  
Deleting class BSTS.ns1.SEConceptFilter  
Deleting class BSTS.ns1.SEConceptFilterModifier  
Deleting class BSTS.ns1.SEExcludeFilter  
Deleting class BSTS.ns1.SEFilterOperator  
Deleting class BSTS.ns1.SEKbType  
Deleting class BSTS.ns1.SENamespaceFilter  
Deleting class BSTS.ns1.SESearchAttribute  
Deleting class BSTS.ns1.SESearchFilter  
Deleting class BSTS.ns1.SESubsetExcludeFilter
```

```
Deleting class BSTS.ns1.SESubsetFilter
Deleting class BSTS.ns1.SqlItem
Deleting class BSTS.ns1.SqlParameter
Deleting class BSTS.ns1.SqlParameterType
Deleting class BSTS.ns1.SubsetConceptChildRootsRequest
Deleting class BSTS.ns1.SubsetNavContextRequest
Deleting class BSTS.ns1.SubsetPropertyRequest
Deleting class BSTS.ns1.SubsetPropertyUpdateRequest
Deleting class BSTS.ns1.SynonymUpdateRequest
Deleting class BSTS.ns1.TAdminPermission
Deleting class BSTS.ns1.TAssociation
Deleting class BSTS.ns1.TAssociationType
Deleting class BSTS.ns1.TAssociationTypeList
Deleting class BSTS.ns1.TAttributeSetDescriptor
Deleting class BSTS.ns1.TAuthority
Deleting class BSTS.ns1.TAuthorityList
Deleting class BSTS.ns1.TAuthorityPermission
Deleting class BSTS.ns1.TAuthorityPermissionItem
Deleting class BSTS.ns1.TClassifyCycleError
Deleting class BSTS.ns1.TClassifyDetail
Deleting class BSTS.ns1.TClassifyEquivError
Deleting class BSTS.ns1.TClassifyStatus
Deleting class BSTS.ns1.TConcept
Deleting class BSTS.ns1.TConceptASDRoot
Deleting class BSTS.ns1.TConceptAssociation
Deleting class BSTS.ns1.TConceptAttributeSetDescriptor
Deleting class BSTS.ns1.TConceptItem
Deleting class BSTS.ns1.TConceptList
Deleting class BSTS.ns1.TConceptNav
Deleting class BSTS.ns1.TConceptNode
Deleting class BSTS.ns1.TConceptSORoot
Deleting class BSTS.ns1.TConceptSearchOptions
Deleting class BSTS.ns1.TConceptSearchResult
Deleting class BSTS.ns1.TContent
Deleting class BSTS.ns1.TContentAttributeSetDescriptor
Deleting class BSTS.ns1.TContentRevision
Deleting class BSTS.ns1.TContentType
Deleting class BSTS.ns1.TContentVersion
Deleting class BSTS.ns1.TContentVersionList
Deleting class BSTS.ns1.TDataTypeFilter
Deleting class BSTS.ns1.TItemStatus
Deleting class BSTS.ns1.TItemsConnected
Deleting class BSTS.ns1.TKind
Deleting class BSTS.ns1.TModifiesItemType
Deleting class BSTS.ns1.TNamespace
Deleting class BSTS.ns1.TNamespaceList
Deleting class BSTS.ns1.TNamespacePermission
Deleting class BSTS.ns1.TNamespacePermissionItem
Deleting class BSTS.ns1.TNamespaceRevision
Deleting class BSTS.ns1.TNamespaceType
Deleting class BSTS.ns1.TNavChildContext
Deleting class BSTS.ns1.TNavParentContext
Deleting class BSTS.ns1.TObject
Deleting class BSTS.ns1.TOntylogConcept
Deleting class BSTS.ns1.TOntylogConceptList
Deleting class BSTS.ns1.TPreviewOptions
Deleting class BSTS.ns1.TPropertiedObject
Deleting class BSTS.ns1.TProperty
Deleting class BSTS.ns1.T.PropertyType
Deleting class BSTS.ns1.T.PropertyTypeList
Deleting class BSTS.ns1.TPurpose
```

```
Deleting class BSTS.ns1.TQualifier
Deleting class BSTS.ns1.TQualifierType
Deleting class BSTS.ns1.TQualifierTypeList
Deleting class BSTS.ns1.TQualifiesItemType
Deleting class BSTS.ns1.TRole
Deleting class BSTS.ns1.TRoleModifier
Deleting class BSTS.ns1.TRoleType
Deleting class BSTS.ns1.TRoleTypeList
Deleting class BSTS.ns1.TSubset
Deleting class BSTS.ns1.TSubsetAttributeSetDescriptor
Deleting class BSTS.ns1.TSubsetExpression
Deleting class BSTS.ns1.TSubsetList
Deleting class BSTS.ns1.TSubsetPermission
Deleting class BSTS.ns1.TSubsetPermissionItem
Deleting class BSTS.ns1.TSubsetRevision
Deleting class BSTS.ns1.TSynonym
Deleting class BSTS.ns1.TSystemConfigReportDvo
Deleting class BSTS.ns1.TSystemContextDvo
Deleting class BSTS.ns1.TTerm
Deleting class BSTS.ns1.TTermAssociation
Deleting class BSTS.ns1.TTermAttributeSetDescriptor
Deleting class BSTS.ns1.TTermItem
Deleting class BSTS.ns1.TTermList
Deleting class BSTS.ns1.TTermSORoot
Deleting class BSTS.ns1.TTermSearchOptions
Deleting class BSTS.ns1.TUserRole
Deleting class BSTS.ns1.TVersionedContent
Deleting class BSTS.ns1.TermAssociationQualifierSearchRequest
Deleting class BSTS.ns1.TermAssociationSearchRequest
Deleting class BSTS.ns1.TermAssociationUpdateRequest
Deleting class BSTS.ns1.TermAttributeRequest
Deleting class BSTS.ns1.TermPropertyQualifierSearchRequest
Deleting class BSTS.ns1.TermPropertyRequest
Deleting class BSTS.ns1.TermPropertySearchRequest
Deleting class BSTS.ns1.TermPropertyUpdateRequest
Deleting class BSTS.ns1.TermSearchRequest
Deleting class BSTS.ns1.VersionPropertyRequest
Deleting class BSTS.ns1.VersionPropertyUpdateRequest
Deleting class BSTS.ns2.stringArray
Deleting class BSTS.tns.DTSServerException
List started on 12/02/2016 13:35:13
Listing file D:\intersystems\E3IHS\mgr\Temp\6eXG5JD9RDyc4w.xml as xml
List finished successfully.

Load started on 12/02/2016 13:35:13
Loading file D:\intersystems\E3IHS\mgr\Temp\Z1ugJSsdzMJzrQ.xml as xml
Imported class: BSTS.DtsDaoPort
Imported class: BSTS.DtsQueryDaoPort
Imported class: BSTS.SOAP.WebFunctions
Imported class: BSTS.ns1.ConceptAssociationQualifierSearchRequest
Imported class: BSTS.ns1.ConceptAssociationSearchRequest
Imported class: BSTS.ns1.ConceptAssociationUpdateRequest
Imported class: BSTS.ns1.ConceptAttributeRequest
Imported class: BSTS.ns1.ConceptChildRootsRequest
Imported class: BSTS.ns1.ConceptPropertyQualifierSearchRequest
Imported class: BSTS.ns1.ConceptPropertyRequest
Imported class: BSTS.ns1.ConceptPropertySearchRequest
Imported class: BSTS.ns1.ConceptPropertyUpdateRequest
Imported class: BSTS.ns1.ConceptRoleSearchRequest
Imported class: BSTS.ns1.ConceptSearchRequest
Imported class: BSTS.ns1.ConceptSynonymSearchRequest
```

```
Imported class: BSTS.ns1.ContextItem
Imported class: BSTS.ns1.DTSServerException
Imported class: BSTS.ns1.DefiningConceptUpdateRequest
Imported class: BSTS.ns1.DefiningRoleUpdateRequest
Imported class: BSTS.ns1.DtsSubsetExpression
Imported class: BSTS.ns1.FilterSubsetConceptsRequest
Imported class: BSTS.ns1.NamespacePropertyRequest
Imported class: BSTS.ns1.NamespacePropertyUpdateRequest
Imported class: BSTS.ns1.NavContextInNamespaceRequest
Imported class: BSTS.ns1.NavContextRequest
Imported class: BSTS.ns1.SEAttributeExcludeFilter
Imported class: BSTS.ns1.SEAttributeFilter
Imported class: BSTS.ns1.SEConcept
Imported class: BSTS.ns1.SEConceptExcludeFilter
Imported class: BSTS.ns1.SEConceptFilter
Imported class: BSTS.ns1.SEConceptFilterModifier
Imported class: BSTS.ns1.SEEExcludeFilter
Imported class: BSTS.ns1.SEFilterOperator
Imported class: BSTS.ns1.SEKbType
Imported class: BSTS.ns1.SENamespaceFilter
Imported class: BSTS.ns1.SESearchAttribute
Imported class: BSTS.ns1.SESearchFilter
Imported class: BSTS.ns1.SESubsetExcludeFilter
Imported class: BSTS.ns1.SESubsetFilter
Imported class: BSTS.ns1.SqlItem
Imported class: BSTS.ns1.SqlParameter
Imported class: BSTS.ns1.SqlParameterType
Imported class: BSTS.ns1.SubsetConceptChildRootsRequest
Imported class: BSTS.ns1.SubsetNavContextRequest
Imported class: BSTS.ns1.SubsetPropertyRequest
Imported class: BSTS.ns1.SubsetPropertyUpdateRequest
Imported class: BSTS.ns1.SynonymUpdateRequest
Imported class: BSTS.ns1.TAdminPermission
Imported class: BSTS.ns1.TAssociation
Imported class: BSTS.ns1.TAssociationType
Imported class: BSTS.ns1.TAssociationTypeList
Imported class: BSTS.ns1.TAttributeSetDescriptor
Imported class: BSTS.ns1.TAuthority
Imported class: BSTS.ns1.TAuthorityList
Imported class: BSTS.ns1.TAuthorityPermission
Imported class: BSTS.ns1.TAuthorityPermissionItem
Imported class: BSTS.ns1.TClassifyCycleError
Imported class: BSTS.ns1.TClassifyDetail
Imported class: BSTS.ns1.TClassifyEquivError
Imported class: BSTS.ns1.TClassifyStatus
Imported class: BSTS.ns1.TConcept
Imported class: BSTS.ns1.TConceptASDRoot
Imported class: BSTS.ns1.TConceptAssociation
Imported class: BSTS.ns1.TConceptAttributeSetDescriptor
Imported class: BSTS.ns1.TConceptItem
Imported class: BSTS.ns1.TConceptList
Imported class: BSTS.ns1.TConceptNav
Imported class: BSTS.ns1.TConceptNode
Imported class: BSTS.ns1.TConceptSORoot
Imported class: BSTS.ns1.TConceptSearchOptions
Imported class: BSTS.ns1.TConceptSearchResult
Imported class: BSTS.ns1.TContent
Imported class: BSTS.ns1.TContentAttributeSetDescriptor
Imported class: BSTS.ns1.TContentRevision
Imported class: BSTS.ns1.TContentType
Imported class: BSTS.ns1.TContentVersion
```

```
Imported class: BSTS.ns1.TContentVersionList
Imported class: BSTS.ns1.TDataTypeFilter
Imported class: BSTS.ns1.TItemStatus
Imported class: BSTS.ns1.TItemsConnected
Imported class: BSTS.ns1.TKind
Imported class: BSTS.ns1.TModifiesItemType
Imported class: BSTS.ns1.TNamespace
Imported class: BSTS.ns1.TNamespaceList
Imported class: BSTS.ns1.TNamespacePermission
Imported class: BSTS.ns1.TNamespacePermissionItem
Imported class: BSTS.ns1.TNamespaceRevision
Imported class: BSTS.ns1.TNamespaceType
Imported class: BSTS.ns1.TNavChildContext
Imported class: BSTS.ns1.TNavParentContext
Imported class: BSTS.ns1.TObject
Imported class: BSTS.ns1.TOntylogConcept
Imported class: BSTS.ns1.TOntylogConceptList
Imported class: BSTS.ns1.TPreviewOptions
Imported class: BSTS.ns1.TPropertiedObject
Imported class: BSTS.ns1.TProperty
Imported class: BSTS.ns1.T.PropertyType
Imported class: BSTS.ns1.T.PropertyTypeList
Imported class: BSTS.ns1.TPurpose
Imported class: BSTS.ns1.TQualifier
Imported class: BSTS.ns1.TQualifierType
Imported class: BSTS.ns1.TQualifierTypeList
Imported class: BSTS.ns1.TQualifiesItemType
Imported class: BSTS.ns1.TRole
Imported class: BSTS.ns1.TRoleModifier
Imported class: BSTS.ns1.TRoleType
Imported class: BSTS.ns1.TRoleTypeList
Imported class: BSTS.ns1.TSubset
Imported class: BSTS.ns1.TSubsetAttributeSetDescriptor
Imported class: BSTS.ns1.TSubsetExpression
Imported class: BSTS.ns1.TSubsetList
Imported class: BSTS.ns1.TSubsetPermission
Imported class: BSTS.ns1.TSubsetPermissionItem
Imported class: BSTS.ns1.TSubsetRevision
Imported class: BSTS.ns1.TSynonym
Imported class: BSTS.ns1.TSystemConfigReportDvo
Imported class: BSTS.ns1.TSystemContextDvo
Imported class: BSTS.ns1.TTerm
Imported class: BSTS.ns1.TTermAssociation
Imported class: BSTS.ns1.TTermAttributeSetDescriptor
Imported class: BSTS.ns1.TTermItem
Imported class: BSTS.ns1.TTermList
Imported class: BSTS.ns1.TTermSORoot
Imported class: BSTS.ns1.TTermSearchOptions
Imported class: BSTS.ns1.TUserRole
Imported class: BSTS.ns1.TVersionedContent
Imported class: BSTS.ns1.TermAssociationQualifierSearchRequest
Imported class: BSTS.ns1.TermAssociationSearchRequest
Imported class: BSTS.ns1.TermAssociationUpdateRequest
Imported class: BSTS.ns1.TermAttributeRequest
Imported class: BSTS.ns1.TermPropertyQualifierSearchRequest
Imported class: BSTS.ns1.TermPropertyRequest
Imported class: BSTS.ns1.TermPropertySearchRequest
Imported class: BSTS.ns1.TermPropertyUpdateRequest
Imported class: BSTS.ns1.TermSearchRequest
Imported class: BSTS.ns1.VersionPropertyRequest
Imported class: BSTS.ns1.VersionPropertyUpdateRequest
```

```
Imported class: BSTS.ns2.stringArray
Imported class: BSTS.tns.DTSServerException, compiling 139 classes
Compiling class BSTS.DtsDaoPort
Compiling class BSTS.DtsQueryDaoPort
Compiling class BSTS.SOAP.WebFunctions
Compiling class BSTS.ns1.ConceptAssociationQualifierSearchRequest
Compiling class BSTS.ns1.ConceptAssociationSearchRequest
Compiling class BSTS.ns1.ConceptAssociationUpdateRequest
Compiling class BSTS.ns1.ConceptAttributeRequest
Compiling class BSTS.ns1.ConceptChildRootsRequest
Compiling class BSTS.ns1.ConceptPropertyQualifierSearchRequest
Compiling class BSTS.ns1.ConceptPropertyRequest
Compiling class BSTS.ns1.ConceptPropertySearchRequest
Compiling class BSTS.ns1.ConceptPropertyUpdateRequest
Compiling class BSTS.ns1.ConceptRoleSearchRequest
Compiling class BSTS.ns1.ConceptSearchRequest
Compiling class BSTS.ns1.ConceptSynonymSearchRequest
Compiling class BSTS.ns1.ContextItem
Compiling class BSTS.ns1.DTSServerException
Compiling class BSTS.ns1.DefiningConceptUpdateRequest
Compiling class BSTS.ns1.DefiningRoleUpdateRequest
Compiling class BSTS.ns1.DtsSubsetExpression
Compiling class BSTS.ns1.FilterSubsetConceptsRequest
Compiling class BSTS.ns1.NamespacePropertyRequest
Compiling class BSTS.ns1.NamespacePropertyUpdateRequest
Compiling class BSTS.ns1.NavContextInNamespaceRequest
Compiling class BSTS.ns1.NavContextRequest
Compiling class BSTS.ns1.SEConcept
Compiling class BSTS.ns1.SEConceptFilterModifier
Compiling class BSTS.ns1.SEFilterOperator
Compiling class BSTS.ns1.SEKbType
Compiling class BSTS.ns1.SESearchAttribute
Compiling class BSTS.ns1.SqlItem
Compiling class BSTS.ns1.SqlParameterType
Compiling class BSTS.ns1.SubsetConceptChildRootsRequest
Compiling class BSTS.ns1.SubsetNavContextRequest
Compiling class BSTS.ns1.SubsetPropertyRequest
Compiling class BSTS.ns1.SubsetPropertyUpdateRequest
Compiling class BSTS.ns1.SynonymUpdateRequest
Compiling class BSTS.ns1.TAdminPermission
Compiling class BSTS.ns1.TAssociation
Compiling class BSTS.ns1.TAssociationTypeList
Compiling class BSTS.ns1.TAttributeSetDescriptor
Compiling class BSTS.ns1.TAuthorityList
Compiling class BSTS.ns1.TAuthorityPermission
Compiling class BSTS.ns1.TClassifyCycleError
Compiling class BSTS.ns1.TClassifyDetail
Compiling class BSTS.ns1.TClassifyEquivError
Compiling class BSTS.ns1.TClassifyStatus
Compiling class BSTS.ns1.TConceptASDRoot
Compiling class BSTS.ns1.TConceptList
Compiling class BSTS.ns1.TConceptNav
Compiling class BSTS.ns1.TConceptSORoot
Compiling class BSTS.ns1.TConceptSearchResult
Compiling class BSTS.ns1.TContent
Compiling class BSTS.ns1.TContentType
Compiling class BSTS.ns1.TContentVersionList
Compiling class BSTS.ns1.TDataTypeFilter
Compiling class BSTS.ns1.TItemStatus
Compiling class BSTS.ns1.TItemsConnected
Compiling class BSTS.ns1.TModifiesItemType
```

```
Compiling class BSTS.ns1.TNamespaceList
Compiling class BSTS.ns1.TNamespacePermission
Compiling class BSTS.ns1.TNamespaceType
Compiling class BSTS.ns1.TNavChildContext
Compiling class BSTS.ns1.TNavParentContext
Compiling class BSTS.ns1.TObject
Compiling class BSTS.ns1.TOntylogConceptList
Compiling class BSTS.ns1.TPreviewOptions
Compiling class BSTS.ns1.TProperty
Compiling class BSTS.ns1.T.PropertyTypeList
Compiling class BSTS.ns1.TPurpose
Compiling class BSTS.ns1.TQualifier
Compiling class BSTS.ns1.TQualifierTypeList
Compiling class BSTS.ns1.TQualifiesItemType
Compiling class BSTS.ns1.TRoleModifier
Compiling class BSTS.ns1.TRoleTypeList
Compiling class BSTS.ns1.TSubsetExpression
Compiling class BSTS.ns1.TSubsetList
Compiling class BSTS.ns1.TSubsetPermission
Compiling class BSTS.ns1.TSynonym
Compiling class BSTS.ns1.TSystemConfigReportDvo
Compiling class BSTS.ns1.TSystemContextDvo
Compiling class BSTS.ns1.TTermList
Compiling class BSTS.ns1.TTermSORoot
Compiling class BSTS.ns1.TermAssociationQualifierSearchRequest
Compiling class BSTS.ns1.TermAssociationSearchRequest
Compiling class BSTS.ns1.TermAssociationUpdateRequest
Compiling class BSTS.ns1.TermAttributeRequest
Compiling class BSTS.ns1.TermPropertyQualifierSearchRequest
Compiling class BSTS.ns1.TermPropertyRequest
Compiling class BSTS.ns1.TermPropertySearchRequest
Compiling class BSTS.ns1.TermPropertyUpdateRequest
Compiling class BSTS.ns1.TermSearchRequest
Compiling class BSTS.ns1.VersionPropertyRequest
Compiling class BSTS.ns1.VersionPropertyUpdateRequest
Compiling class BSTS.ns2.stringArray
Compiling class BSTS.tns.DTSServerException
Compiling class BSTS.ns1.SEExcludeFilter
Compiling class BSTS.ns1.SESEarchFilter
Compiling class BSTS.ns1.SqlParameter
Compiling class BSTS.ns1.TAssociationType
Compiling class BSTS.ns1.TAuthority
Compiling class BSTS.ns1.TAuthorityPermissionItem
Compiling class BSTS.ns1.TConceptAssociation
Compiling class BSTS.ns1.TConceptItem
Compiling class BSTS.ns1.TConceptNode
Compiling class BSTS.ns1.TConceptSearchOptions
Compiling class BSTS.ns1.TContentAttributeSetDescriptor
Compiling class BSTS.ns1.TContentRevision
Compiling class BSTS.ns1.TContentVersion
Compiling class BSTS.ns1.TKind
Compiling class BSTS.ns1.TNamespacePermissionItem
Compiling class BSTS.ns1.TPropertiedObject
Compiling class BSTS.ns1.T.PropertyType
Compiling class BSTS.ns1.TQualifierType
Compiling class BSTS.ns1.TRole
Compiling class BSTS.ns1.TRoleType
Compiling class BSTS.ns1.TSubsetPermissionItem
Compiling class BSTS.ns1.TTermAssociation
Compiling class BSTS.ns1.TTermAttributeSetDescriptor
Compiling class BSTS.ns1.TTermItem
```

```
Compiling class BSTS.ns1.TTermSearchOptions
Compiling class BSTS.ns1.TUserRole
Compiling class BSTS.ns1.TVersionedContent
Compiling class BSTS.ns1.SEAttributeExcludeFilter
Compiling class BSTS.ns1.SEAttributeFilter
Compiling class BSTS.ns1.SEConceptExcludeFilter
Compiling class BSTS.ns1.SEConceptFilter
Compiling class BSTS.ns1.SENamespaceFilter
Compiling class BSTS.ns1.SESubsetExcludeFilter
Compiling class BSTS.ns1.SESubsetFilter
Compiling class BSTS.ns1.TConcept
Compiling class BSTS.ns1.TConceptAttributeSetDescriptor
Compiling class BSTS.ns1.TNamespace
Compiling class BSTS.ns1.TNamespaceRevision
Compiling class BSTS.ns1.TSubset
Compiling class BSTS.ns1.TSubsetAttributeSetDescriptor
Compiling class BSTS.ns1.TSubsetRevision
Compiling class BSTS.ns1.TTerm
Compiling class BSTS.ns1.TOntylogConcept
Compiling table BSTS_SOAP.WebFunctions
Compiling routine BSTS.DtsDaoPort.1
Compiling routine BSTS.DtsQueryDaoPort.1
Compiling routine BSTS.SOAP.WebFunctions.1
Compiling routine BSTS.ns1.ConceptAssociationQualifierSearchRequest.1
Compiling routine BSTS.ns1.ConceptAssociationSearchRequest.1
Compiling routine BSTS.ns1.ConceptAssociationUpdateRequest.1
Compiling routine BSTS.ns1.ConceptAttributeRequest.1
Compiling routine BSTS.ns1.ConceptChildRootsRequest.1
Compiling routine BSTS.ns1.ConceptPropertyQualifierSearchRequest.1
Compiling routine BSTS.ns1.ConceptPropertyRequest.1
Compiling routine BSTS.ns1.ConceptPropertySearchRequest.1
Compiling routine BSTS.ns1.ConceptPropertyUpdateRequest.1
Compiling routine BSTS.ns1.ConceptRoleSearchRequest.1
Compiling routine BSTS.ns1.ConceptSearchRequest.1
Compiling routine BSTS.ns1.ConceptSynonymSearchRequest.1
Compiling routine BSTS.ns1.ContextItem.1
Compiling routine BSTS.ns1.DTSServerException.1
Compiling routine BSTS.ns1.DefiningConceptUpdateRequest.1
Compiling routine BSTS.ns1.DefiningRoleUpdateRequest.1
Compiling routine BSTS.ns1.DtsSubsetExpression.1
Compiling routine BSTS.ns1.FilterSubsetConceptsRequest.1
Compiling routine BSTS.ns1.NamespacePropertyRequest.1
Compiling routine BSTS.ns1.NamespacePropertyUpdateRequest.1
Compiling routine BSTS.ns1.NavContextInNamespaceRequest.1
Compiling routine BSTS.ns1.NavContextRequest.1
Compiling routine BSTS.ns1.SEConcept.1
Compiling routine BSTS.ns1.SEConceptFilterModifier.1
Compiling routine BSTS.ns1.SEFilterOperator.1
Compiling routine BSTS.ns1.SEKbType.1
Compiling routine BSTS.ns1.SESearchAttribute.1
Compiling routine BSTS.ns1.SqlItem.1
Compiling routine BSTS.ns1.SqlParameterType.1
Compiling routine BSTS.ns1.SubsetConceptChildRootsRequest.1
Compiling routine BSTS.ns1.SubsetNavContextRequest.1
Compiling routine BSTS.ns1.SubsetPropertyRequest.1
Compiling routine BSTS.ns1.SubsetPropertyUpdateRequest.1
Compiling routine BSTS.ns1.SynonymUpdateRequest.1
Compiling routine BSTS.ns1.TAdminPermission.1
Compiling routine BSTS.ns1.TAssociation.1
Compiling routine BSTS.ns1.TAssociationTypeList.1
Compiling routine BSTS.ns1.TAttributeSetDescriptor.1
```

```
Compiling routine BSTS.ns1.TAuthorityList.1
Compiling routine BSTS.ns1.TAuthorityPermission.1
Compiling routine BSTS.ns1.TClassifyCycleError.1
Compiling routine BSTS.ns1.TClassifyDetail.1
Compiling routine BSTS.ns1.TClassifyEquivError.1
Compiling routine BSTS.ns1.TClassifyStatus.1
Compiling routine BSTS.ns1.TConceptASDRoot.1
Compiling routine BSTS.ns1.TConceptList.1
Compiling routine BSTS.ns1.TConceptNav.1
Compiling routine BSTS.ns1.TConceptSORoot.1
Compiling routine BSTS.ns1.TConceptSearchResult.1
Compiling routine BSTS.ns1.TContent.1
Compiling routine BSTS.ns1.TContentType.1
Compiling routine BSTS.ns1.TContentVersionList.1
Compiling routine BSTS.ns1.TDataTypeFilter.1
Compiling routine BSTS.ns1.TItemStatus.1
Compiling routine BSTS.ns1.TItemsConnected.1
Compiling routine BSTS.ns1.TModifiesItemType.1
Compiling routine BSTS.ns1.TNamespaceList.1
Compiling routine BSTS.ns1.TNamespacePermission.1
Compiling routine BSTS.ns1.TNamespaceType.1
Compiling routine BSTS.ns1.TNavChildContext.1
Compiling routine BSTS.ns1.TNavParentContext.1
Compiling routine BSTS.ns1.TObject.1
Compiling routine BSTS.ns1.TOntylogConceptList.1
Compiling routine BSTS.ns1.TPreviewOptions.1
Compiling routine BSTS.ns1.TProperty.1
Compiling routine BSTS.ns1.T.PropertyTypeList.1
Compiling routine BSTS.ns1.TPurpose.1
Compiling routine BSTS.ns1.TQualifier.1
Compiling routine BSTS.ns1.TQualifierTypeList.1
Compiling routine BSTS.ns1.TQualifiesItemType.1
Compiling routine BSTS.ns1.TRoleModifier.1
Compiling routine BSTS.ns1.TRoleTypeList.1
Compiling routine BSTS.ns1.TSubsetExpression.1
Compiling routine BSTS.ns1.TSubsetList.1
Compiling routine BSTS.ns1.TSubsetPermission.1
Compiling routine BSTS.ns1.TSynonym.1
Compiling routine BSTS.ns1.TSystemConfigReportDvo.1
Compiling routine BSTS.ns1.TSystemContextDvo.1
Compiling routine BSTS.ns1.TTermList.1
Compiling routine BSTS.ns1.TTermSORoot.1
Compiling routine BSTS.ns1.TermAssociationQualifierSearchRequest.1
Compiling routine BSTS.ns1.TermAssociationSearchRequest.1
Compiling routine BSTS.ns1.TermAssociationUpdateRequest.1
Compiling routine BSTS.ns1.TermAttributeRequest.1
Compiling routine BSTS.ns1.TermPropertyQualifierSearchRequest.1
Compiling routine BSTS.ns1.TermPropertyRequest.1
Compiling routine BSTS.ns1.TermPropertySearchRequest.1
Compiling routine BSTS.ns1.TermPropertyUpdateRequest.1
Compiling routine BSTS.ns1.TermSearchRequest.1
Compiling routine BSTS.ns1.VersionPropertyRequest.1
Compiling routine BSTS.ns1.VersionPropertyUpdateRequest.1
Compiling routine BSTS.ns2.stringArray.1
Compiling routine BSTS.tns.DTSServerException.1
Compiling routine BSTS.ns1.SEEExcludeFilter.1
Compiling routine BSTS.ns1.SESearchFilter.1
Compiling routine BSTS.ns1.SqlParameter.1
Compiling routine BSTS.ns1.TAssociationType.1
Compiling routine BSTS.ns1.TAuthority.1
Compiling routine BSTS.ns1.TAuthorityPermissionItem.1
```

```
Compiling routine BSTS.ns1.TConceptAssociation.1
Compiling routine BSTS.ns1.TConceptItem.1
Compiling routine BSTS.ns1.TConceptNode.1
Compiling routine BSTS.ns1.TConceptSearchOptions.1
Compiling routine BSTS.ns1.TContentAttributeSetDescriptor.1
Compiling routine BSTS.ns1.TContentRevision.1
Compiling routine BSTS.ns1.TContentVersion.1
Compiling routine BSTS.ns1.TKind.1
Compiling routine BSTS.ns1.TNamespacePermissionItem.1
Compiling routine BSTS.ns1.TPropertiedObject.1
Compiling routine BSTS.ns1.T.PropertyType.1
Compiling routine BSTS.ns1.TQualifierType.1
Compiling routine BSTS.ns1.TRole.1
Compiling routine BSTS.ns1.TRoleType.1
Compiling routine BSTS.ns1.TSubsetPermissionItem.1
Compiling routine BSTS.ns1.TTermAssociation.1
Compiling routine BSTS.ns1.TTermAttributeSetDescriptor.1
Compiling routine BSTS.ns1.TTermItem.1
Compiling routine BSTS.ns1.TTermSearchOptions.1
Compiling routine BSTS.ns1.TUserRole.1
Compiling routine BSTS.ns1.TVersionedContent.1
Compiling routine BSTS.ns1.SEAttributeExcludeFilter.1
Compiling routine BSTS.ns1.SEAttributeFilter.1
Compiling routine BSTS.ns1.SEConceptExcludeFilter.1
Compiling routine BSTS.ns1.SEConceptFilter.1
Compiling routine BSTS.ns1.SENamespaceFilter.1
Compiling routine BSTS.ns1.SESubsetExcludeFilter.1
Compiling routine BSTS.ns1.SESubsetFilter.1
Compiling routine BSTS.ns1.TConcept.1
Compiling routine BSTS.ns1.TConceptAttributeSetDescriptor.1
Compiling routine BSTS.ns1.TNamespace.1
Compiling routine BSTS.ns1.TNamespaceRevision.1
Compiling routine BSTS.ns1.TSubset.1
Compiling routine BSTS.ns1.TSubsetAttributeSetDescriptor.1
Compiling routine BSTS.ns1.TSubsetRevision.1
Compiling routine BSTS.ns1.TTerm.1
Compiling routine BSTS.ns1.TOntylogConcept.1
Compiling class BSTS.DtsDaoPort.addAuthority
Compiling class BSTS.DtsDaoPort.addAuthorityProperty
Compiling class BSTS.DtsDaoPort.addConcept
Compiling class BSTS.DtsDaoPort.addNamespace
Compiling class BSTS.DtsDaoPort.addNamespaceProperty
Compiling class BSTS.DtsDaoPort.addVersion
Compiling class BSTS.DtsDaoPort.addVersionProperty
Compiling class BSTS.DtsDaoPort.deleteAuthorityById
Compiling class BSTS.DtsDaoPort.deleteAuthorityByName
Compiling class BSTS.DtsDaoPort.deleteAuthorityProperty
Compiling class BSTS.DtsDaoPort.deleteConcept
Compiling class BSTS.DtsDaoPort.deleteNamespaceById
Compiling class BSTS.DtsDaoPort.deleteNamespaceByName
Compiling class BSTS.DtsDaoPort.deleteNamespaceProperty
Compiling class BSTS.DtsDaoPort.deleteVersionById
Compiling class BSTS.DtsDaoPort.deleteVersionByName
Compiling class BSTS.DtsDaoPort.deleteVersionProperty
Compiling class BSTS.DtsDaoPort.executeConceptTextSearch
Compiling class BSTS.DtsDaoPort.executeSQL
Compiling class BSTS.DtsDaoPort.findAssociationTypeById
Compiling class BSTS.DtsDaoPort.findAssociationTypeByName
Compiling class BSTS.DtsDaoPort.findAuthorityPropertyTypeById
Compiling class BSTS.DtsDaoPort.findAuthorityPropertyTypeByName
Compiling class BSTS.DtsDaoPort.findAuthorityQualifierTypeById
```

```
Compiling class BSTS.DtsDaoPort.findAuthorityQualifierTypeByName
Compiling class BSTS.DtsDaoPort.findConceptByCode
Compiling class BSTS.DtsDaoPort.findConceptById
Compiling class BSTS.DtsDaoPort.findConceptByName
Compiling class BSTS.DtsDaoPort.findConceptsWithAllSynonymMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithConceptAssociationMatching
Compiling class
BSTS.DtsDaoPort.findConceptsWithInverseConceptAssociationMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithInverseRoleMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithNameMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithPropertyMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithRoleMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithSynonymMatching
Compiling class BSTS.DtsDaoPort.findNamespaceByCode
Compiling class BSTS.DtsDaoPort.findNamespaceById
Compiling class BSTS.DtsDaoPort.findNamespaceByName
Compiling class BSTS.DtsDaoPort.find.PropertyTypeById
Compiling class BSTS.DtsDaoPort.find.PropertyTypeByName
Compiling class BSTS.DtsDaoPort.find.QualifierTypeById
Compiling class BSTS.DtsDaoPort.find.QualifierTypeByName
Compiling class BSTS.DtsDaoPort.findSubset.PropertyTypeById
Compiling class BSTS.DtsDaoPort.findSubset.PropertyTypeByName
Compiling class BSTS.DtsDaoPort.findSubset.QualifierTypeById
Compiling class BSTS.DtsDaoPort.findSubset.QualifierTypeByName
Compiling class BSTS.DtsDaoPort.findTermByCode
Compiling class BSTS.DtsDaoPort.findTermById
Compiling class BSTS.DtsDaoPort.findTermsByName
Compiling class BSTS.DtsDaoPort.findTermsWithInverseTermAssociationMatching
Compiling class BSTS.DtsDaoPort.findTermsWithNameMatching
Compiling class BSTS.DtsDaoPort.findTermsWithPropertyMatching
Compiling class BSTS.DtsDaoPort.findTermsWithTermAssociationMatching
Compiling class BSTS.DtsDaoPort.getAllNamespaceQualifierTypes
Compiling class BSTS.DtsDaoPort.getAllSubsetQualifierTypes
Compiling class BSTS.DtsDaoPort.getAssociationNavChildContext
Compiling class BSTS.DtsDaoPort.getAssociationNavParentContext
Compiling class BSTS.DtsDaoPort.getAssociationTypes
Compiling class BSTS.DtsDaoPort.getAuthorities
Compiling class BSTS.DtsDaoPort.getAuthority.PropertyTypeQualiferTypes
Compiling class BSTS.DtsDaoPort.getAuthority.PropertyType
Compiling class BSTS.DtsDaoPort.getConceptAssociationTypes
Compiling class BSTS.DtsDaoPort.getConceptChildRoots
Compiling class BSTS.DtsDaoPort.getConcept.PropertyTypeQualiferTypes
Compiling class BSTS.DtsDaoPort.getConcept.PropertyType
Compiling class BSTS.DtsDaoPort.getNamespace.PropertyTypeQualiferTypes
Compiling class BSTS.DtsDaoPort.getNamespace.PropertyType
Compiling class BSTS.DtsDaoPort.getNameSpaces
Compiling class BSTS.DtsDaoPort.getNavChildContext
Compiling class BSTS.DtsDaoPort.getNavParentContext
Compiling class BSTS.DtsDaoPort.getRoleTypes
Compiling class BSTS.DtsDaoPort.getSubset.PropertyTypeQualiferTypes
Compiling class BSTS.DtsDaoPort.getSubset.PropertyType
Compiling class BSTS.DtsDaoPort.getSubsetVersion.PropertyTypeQualiferTypes
Compiling class BSTS.DtsDaoPort.getSubsetVersion.PropertyType
Compiling class BSTS.DtsDaoPort.getSynonymTypes
Compiling class BSTS.DtsDaoPort.getTermAssociationTypes
Compiling class BSTS.DtsDaoPort.getTermProperty.QualifierTypes
Compiling class BSTS.DtsDaoPort.getTermProperty.Types
Compiling class BSTS.DtsDaoPort.getVersionPropertyParams
Compiling class BSTS.DtsDaoPort.getVersionPropertyParams
Compiling class BSTS.DtsDaoPort.getVersions
Compiling class BSTS.DtsDaoPort.isAssociationTypeUsed
```

```
Compiling class BSTS.DtsDaoPort.isPropertyTypeUsed
Compiling class BSTS.DtsDaoPort.isQualifierTypeUsed
Compiling class BSTS.DtsDaoPort.updateAuthority
Compiling class BSTS.DtsDaoPort.updateAuthorityProperty
Compiling class BSTS.DtsDaoPort.updateConcept
Compiling class BSTS.DtsDaoPort.updateNamespace
Compiling class BSTS.DtsDaoPort.updateNamespaceProperty
Compiling class BSTS.DtsDaoPort.updateVersion
Compiling class BSTS.DtsDaoPort.updateVersionProperty
Compiling class BSTS.DtsQueryDaoPort.addAssociationType
Compiling class BSTS.DtsQueryDaoPort.addAuthority
Compiling class BSTS.DtsQueryDaoPort.addAuthorityProperty
Compiling class BSTS.DtsQueryDaoPort.addConcept
Compiling class BSTS.DtsQueryDaoPort.addConceptAssociation
Compiling class BSTS.DtsQueryDaoPort.addConceptProperty
Compiling class BSTS.DtsQueryDaoPort.addDefiningConcept
Compiling class BSTS.DtsQueryDaoPort.addDefiningRole
Compiling class BSTS.DtsQueryDaoPort.addNamespace
Compiling class BSTS.DtsQueryDaoPort.addNamespaceProperty
Compiling class BSTS.DtsQueryDaoPort.addPropertyType
Compiling class BSTS.DtsQueryDaoPort.addQualifierType
Compiling class BSTS.DtsQueryDaoPort.addRoleType
Compiling class BSTS.DtsQueryDaoPort.addRootConcept
Compiling class BSTS.DtsQueryDaoPort.addSubset
Compiling class BSTS.DtsQueryDaoPort.addSubsetProperty
Compiling class BSTS.DtsQueryDaoPort.addSubsetVersion
Compiling class BSTS.DtsQueryDaoPort.addSubsetVersionProperty
Compiling class BSTS.DtsQueryDaoPort.addSynonym
Compiling class BSTS.DtsQueryDaoPort.addTerm
Compiling class BSTS.DtsQueryDaoPort.addTermAssociation
Compiling class BSTS.DtsQueryDaoPort.addTermProperty
Compiling class BSTS.DtsQueryDaoPort.addVersion
Compiling class BSTS.DtsQueryDaoPort.addVersionProperty
Compiling class BSTS.DtsQueryDaoPort.buildSubset
Compiling class BSTS.DtsQueryDaoPort.classify
Compiling class BSTS.DtsQueryDaoPort.createNamespaceRevision
Compiling class BSTS.DtsQueryDaoPort.createRoleGroup
Compiling class BSTS.DtsQueryDaoPort.createSubsetRevision
Compiling class BSTS.DtsQueryDaoPort.deleteAssociationType
Compiling class BSTS.DtsQueryDaoPort.deleteAuthorityById
Compiling class BSTS.DtsQueryDaoPort.deleteAuthorityByName
Compiling class BSTS.DtsQueryDaoPort.deleteAuthorityProperty
Compiling class BSTS.DtsQueryDaoPort.deleteConcept
Compiling class BSTS.DtsQueryDaoPort.deleteConceptAssociation
Compiling class BSTS.DtsQueryDaoPort.deleteConceptProperty
Compiling class BSTS.DtsQueryDaoPort.deleteDefiningConcept
Compiling class BSTS.DtsQueryDaoPort.deleteDefiningRole
Compiling class BSTS.DtsQueryDaoPort.deleteNamespaceByCode
Compiling class BSTS.DtsQueryDaoPort.deleteNamespaceById
Compiling class BSTS.DtsQueryDaoPort.deleteNamespaceByName
Compiling class BSTS.DtsQueryDaoPort.deleteNamespaceProperty
Compiling class BSTS.DtsQueryDaoPort.delete.PropertyType
Compiling class BSTS.DtsQueryDaoPort.deleteQualifierType
Compiling class BSTS.DtsQueryDaoPort.deleteRoleType
Compiling class BSTS.DtsQueryDaoPort.deleteRoleTypeWithReferences
Compiling class BSTS.DtsQueryDaoPort.deleteRootConcept
Compiling class BSTS.DtsQueryDaoPort.deleteSubset
Compiling class BSTS.DtsQueryDaoPort.deleteSubsetProperty
Compiling class BSTS.DtsQueryDaoPort.deleteSubsetVersionById
Compiling class BSTS.DtsQueryDaoPort.deleteSubsetVersionByName
Compiling class BSTS.DtsQueryDaoPort.deleteSubsetVersionProperty
```

```
Compiling class BSTS.DtsQueryDaoPort.deleteSynonym
Compiling class BSTS.DtsQueryDaoPort.deleteSystemContextProperty
Compiling class BSTS.DtsQueryDaoPort.deleteTerm
Compiling class BSTS.DtsQueryDaoPort.deleteTermAssociation
Compiling class BSTS.DtsQueryDaoPort.deleteTermProperty
Compiling class BSTS.DtsQueryDaoPort.deleteUserContextProperty
Compiling class BSTS.DtsQueryDaoPort.deleteVersionById
Compiling class BSTS.DtsQueryDaoPort.deleteVersionByName
Compiling class BSTS.DtsQueryDaoPort.deleteVersionProperty
Compiling class BSTS.DtsQueryDaoPort.executeBatchSQLUpdate
Compiling class BSTS.DtsQueryDaoPort.executeSQL
Compiling class BSTS.DtsQueryDaoPort.executeQuery
Compiling class BSTS.DtsQueryDaoPort.executeUpdate
Compiling class BSTS.DtsQueryDaoPort.executeSQLUpdates
Compiling class BSTS.DtsQueryDaoPort.fetchAuthorityById
Compiling class BSTS.DtsQueryDaoPort.fetchAuthorityByName
Compiling class BSTS.DtsQueryDaoPort.fetchConceptHistory
Compiling class BSTS.DtsQueryDaoPort.fetchConceptSubsets
Compiling class BSTS.DtsQueryDaoPort.fetchParentReferences
Compiling class BSTS.DtsQueryDaoPort.fetchRightIdentityReferences
Compiling class BSTS.DtsQueryDaoPort.fetchSubsetConceptCount
Compiling class BSTS.DtsQueryDaoPort.fetchSubsetConcepts
Compiling class BSTS.DtsQueryDaoPort.fetchSubsetNamespaces
Compiling class BSTS.DtsQueryDaoPort.fetchSubsetPreview
Compiling class BSTS.DtsQueryDaoPort.fetchTermHistory
Compiling class BSTS.DtsQueryDaoPort.fetchTermProperties
Compiling class BSTS.DtsQueryDaoPort.fetchVersionById
Compiling class BSTS.DtsQueryDaoPort.fetchVersionByName
Compiling class BSTS.DtsQueryDaoPort.filterSubsetConcepts
Compiling class BSTS.DtsQueryDaoPort.findAllSubsets
Compiling class BSTS.DtsQueryDaoPort.findAssociationTypeById
Compiling class BSTS.DtsQueryDaoPort.findAssociationTypeByName
Compiling class BSTS.DtsQueryDaoPort.findAuthorityPropertyTypeById
Compiling class BSTS.DtsQueryDaoPort.findAuthorityPropertyTypeByName
Compiling class BSTS.DtsQueryDaoPort.findAuthorityQualifierTypeById
Compiling class BSTS.DtsQueryDaoPort.findAuthorityQualifierTypeByName
Compiling class BSTS.DtsQueryDaoPort.findConceptByCode
Compiling class BSTS.DtsQueryDaoPort.findConceptById
Compiling class BSTS.DtsQueryDaoPort.findConceptByName
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithAllSynonymMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithAssociationQualifierMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithConceptAssociationMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithInverseConceptAssociationMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithInverseRoleMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithNameMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithPropertyMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithPropertyQualifierMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithRoleMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithSynonymMatching
Compiling class BSTS.DtsQueryDaoPort.findNamespaceByCode
Compiling class BSTS.DtsQueryDaoPort.findNamespaceById
Compiling class BSTS.DtsQueryDaoPort.findNamespaceByName
Compiling class BSTS.DtsQueryDaoPort.findPropertyTypeById
Compiling class BSTS.DtsQueryDaoPort.findPropertyTypeByName
Compiling class BSTS.DtsQueryDaoPort.findQualifierTypeById
Compiling class BSTS.DtsQueryDaoPort.findQualifierTypeByName
Compiling class BSTS.DtsQueryDaoPort.findRoleTypeByCode
```

```
Compiling class BSTS.DtsQueryDaoPort.findRoleTypeById
Compiling class BSTS.DtsQueryDaoPort.findRoleTypeByName
Compiling class BSTS.DtsQueryDaoPort.findSubset
Compiling class BSTS.DtsQueryDaoPort.findSubsetById
Compiling class BSTS.DtsQueryDaoPort.findSubsetByName
Compiling class BSTS.DtsQueryDaoPort.findSubsetPropertyTypeById
Compiling class BSTS.DtsQueryDaoPort.findSubsetPropertyTypeByName
Compiling class BSTS.DtsQueryDaoPort.findSubsetQualifierTypeById
Compiling class BSTS.DtsQueryDaoPort.findSubsetQualifierTypeByName
Compiling class BSTS.DtsQueryDaoPort.findSubsetVersionById
Compiling class BSTS.DtsQueryDaoPort.findSubsetVersionByName
Compiling class BSTS.DtsQueryDaoPort.findTermByCode
Compiling class BSTS.DtsQueryDaoPort.findTermById
Compiling class BSTS.DtsQueryDaoPort.findTermsByName
Compiling class
BSTS.DtsQueryDaoPort.findTermsWithAssociationQualifierMatching
Compiling class BSTS.DtsQueryDaoPort.findTermsWithInverseSynonymMatching
Compiling class
BSTS.DtsQueryDaoPort.findTermsWithInverseTermAssociationMatching
Compiling class BSTS.DtsQueryDaoPort.findTermsWithNameMatching
Compiling class BSTS.DtsQueryDaoPort.findTermsWithPropertyMatching
Compiling class BSTS.DtsQueryDaoPort.findTermsWithPropertyQualifierMatching
Compiling class BSTS.DtsQueryDaoPort.findTermsWithTermAssociationMatching
Compiling class BSTS.DtsQueryDaoPort.generateAuthorityItemId
Compiling class BSTS.DtsQueryDaoPort.generateNamespaceItemId
Compiling class BSTS.DtsQueryDaoPort.generateNextConceptId
Compiling class BSTS.DtsQueryDaoPort.generateNextTermId
Compiling class BSTS.DtsQueryDaoPort.generateSubsetItemId
Compiling class BSTS.DtsQueryDaoPort.getAllKinds
Compiling class BSTS.DtsQueryDaoPort.getAllLicenses
Compiling class BSTS.DtsQueryDaoPort.getAllNamespaceQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getAllPropertyTypesOfAuthority
Compiling class BSTS.DtsQueryDaoPort.getAllRoleTypes
Compiling class BSTS.DtsQueryDaoPort.getAllSubsetQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getAssociationNavChildContext
Compiling class BSTS.DtsQueryDaoPort.getAssociationNavParentContext
Compiling class BSTS.DtsQueryDaoPort.getAssociationTypes
Compiling class BSTS.DtsQueryDaoPort.getAuthorities
Compiling class BSTS.DtsQueryDaoPort.getAuthorityPropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getAuthorityPropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getClassifyDetail
Compiling class BSTS.DtsQueryDaoPort.getConceptAssociationTypes
Compiling class BSTS.DtsQueryDaoPort.getConceptChildRoots
Compiling class BSTS.DtsQueryDaoPort.getConceptPropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getConceptPropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getCycleErrors
Compiling class BSTS.DtsQueryDaoPort.getEqErrors
Compiling class BSTS.DtsQueryDaoPort.getExtendingNamespaces
Compiling class BSTS.DtsQueryDaoPort.getKinds
Compiling class BSTS.DtsQueryDaoPort.getLicense
Compiling class BSTS.DtsQueryDaoPort.getNamespacePropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getNamespacePropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getNamespaces
Compiling class BSTS.DtsQueryDaoPort.getNavChildContext
Compiling class BSTS.DtsQueryDaoPort.getNavChildContextInNamespace
Compiling class BSTS.DtsQueryDaoPort.getNavParentContext
Compiling class BSTS.DtsQueryDaoPort.getNavParentContextInNamespace
Compiling class BSTS.DtsQueryDaoPort.getNoKindConcepts
Compiling class BSTS.DtsQueryDaoPort.getNoParentConcepts
Compiling class BSTS.DtsQueryDaoPort.getRoleTypes
Compiling class BSTS.DtsQueryDaoPort.getSchemaVersion
```

```
Compiling class BSTS.DtsQueryDaoPort.getServerDatabaseType
Compiling class BSTS.DtsQueryDaoPort.getServerVersion
Compiling class BSTS.DtsQueryDaoPort.getSubConcepts
Compiling class BSTS.DtsQueryDaoPort.getSubsetConceptChildRoots
Compiling class BSTS.DtsQueryDaoPort.getSubsetNavChildContext
Compiling class BSTS.DtsQueryDaoPort.getSubsetNavParentContext
Compiling class BSTS.DtsQueryDaoPort.getSubsetPropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getSubsetPropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getSubsetVersion
Compiling class BSTS.DtsQueryDaoPort.getSubsetVersionByTime
Compiling class BSTS.DtsQueryDaoPort.getSubsetVersionPropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getSubsetVersionPropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getSubsetVersions
Compiling class BSTS.DtsQueryDaoPort.getSynonymTypes
Compiling class BSTS.DtsQueryDaoPort.getSystemContextProperty
Compiling class BSTS.DtsQueryDaoPort.getSystemContextPropertyKeys
Compiling class BSTS.DtsQueryDaoPort.getTermAssociationTypes
Compiling class BSTS.DtsQueryDaoPort.getTermPropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getTermPropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getUserContextProperty
Compiling class BSTS.DtsQueryDaoPort.getUserContextPropertyKeys
Compiling class BSTS.DtsQueryDaoPort.getVersion
Compiling class BSTS.DtsQueryDaoPort.getVersionByTime
Compiling class BSTS.DtsQueryDaoPort.getVersionPropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getVersionPropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getVersions
Compiling class BSTS.DtsQueryDaoPort.hasAdminPermission
Compiling class BSTS.DtsQueryDaoPort.hasAuthorityPermission
Compiling class BSTS.DtsQueryDaoPort.hasNamespacePermission
Compiling class BSTS.DtsQueryDaoPort.hasSubsetPermission
Compiling class BSTS.DtsQueryDaoPort.isAssociationTypeUsed
Compiling class BSTS.DtsQueryDaoPort.is.PropertyTypeUsed
Compiling class BSTS.DtsQueryDaoPort.isQualifierTypeUsed
Compiling class BSTS.DtsQueryDaoPort.isRoleTypeUsed
Compiling class BSTS.DtsQueryDaoPort.isSubConcept
Compiling class BSTS.DtsQueryDaoPort.isSubConceptByCode
Compiling class BSTS.DtsQueryDaoPort.isSubConceptById
Compiling class BSTS.DtsQueryDaoPort.isSubConceptByName
Compiling class BSTS.DtsQueryDaoPort.isSubConceptOfConcepts
Compiling class BSTS.DtsQueryDaoPort.isSubConceptOfConceptsByName
Compiling class BSTS.DtsQueryDaoPort.isWorkingVersion
Compiling class BSTS.DtsQueryDaoPort.ping
Compiling class BSTS.DtsQueryDaoPort.saveSubsetExpression
Compiling class BSTS.DtsQueryDaoPort.saveSystemContextProperty
Compiling class BSTS.DtsQueryDaoPort.saveUserContextProperty
Compiling class BSTS.DtsQueryDaoPort.syncAuthorityItemId
Compiling class BSTS.DtsQueryDaoPort.syncNamespaceItemId
Compiling class BSTS.DtsQueryDaoPort.syncSubsetItemId
Compiling class BSTS.DtsQueryDaoPort.ungroupRoleGroup
Compiling class BSTS.DtsQueryDaoPort.updateAssociationType
Compiling class BSTS.DtsQueryDaoPort.updateAuthority
Compiling class BSTS.DtsQueryDaoPort.updateAuthorityProperty
Compiling class BSTS.DtsQueryDaoPort.updateConcept
Compiling class BSTS.DtsQueryDaoPort.updateConceptAssociation
Compiling class BSTS.DtsQueryDaoPort.updateConceptProperty
Compiling class BSTS.DtsQueryDaoPort.updateDefiningConcept
Compiling class BSTS.DtsQueryDaoPort.updateDefiningRole
Compiling class BSTS.DtsQueryDaoPort.updateNamespace
Compiling class BSTS.DtsQueryDaoPort.updateNamespaceProperty
Compiling class BSTS.DtsQueryDaoPort.updatePrimitive
Compiling class BSTS.DtsQueryDaoPort.update.PropertyType
```

```
Compiling class BSTS.DtsQueryDaoPort.updateQualifierType
Compiling class BSTS.DtsQueryDaoPort.updateRoleType
Compiling class BSTS.DtsQueryDaoPort.updateSubset
Compiling class BSTS.DtsQueryDaoPort.updateSubsetProperty
Compiling class BSTS.DtsQueryDaoPort.updateSubsetVersion
Compiling class BSTS.DtsQueryDaoPort.updateSubsetVersionProperty
Compiling class BSTS.DtsQueryDaoPort.updateSynonym
Compiling class BSTS.DtsQueryDaoPort.updateTerm
Compiling class BSTS.DtsQueryDaoPort.updateTermAssociation
Compiling class BSTS.DtsQueryDaoPort.updateTermProperty
Compiling class BSTS.DtsQueryDaoPort.updateVersion
Compiling class BSTS.DtsQueryDaoPort.updateVersionProperty
Compiling routine BSTS.DtsDaoPort.addAuthority.1
Compiling routine BSTS.DtsDaoPort.addAuthorityProperty.1
Compiling routine BSTS.DtsDaoPort.addConcept.1
Compiling routine BSTS.DtsDaoPort.addNamespace.1
Compiling routine BSTS.DtsDaoPort.addNamespaceProperty.1
Compiling routine BSTS.DtsDaoPort.addVersion.1
Compiling routine BSTS.DtsDaoPort.addVersionProperty.1
Compiling routine BSTS.DtsDaoPort.deleteAuthorityById.1
Compiling routine BSTS.DtsDaoPort.deleteAuthorityByName.1
Compiling routine BSTS.DtsDaoPort.deleteAuthorityProperty.1
Compiling routine BSTS.DtsDaoPort.deleteConcept.1
Compiling routine BSTS.DtsDaoPort.deleteNamespaceById.1
Compiling routine BSTS.DtsDaoPort.deleteNamespaceByName.1
Compiling routine BSTS.DtsDaoPort.deleteNamespaceProperty.1
Compiling routine BSTS.DtsDaoPort.deleteVersionById.1
Compiling routine BSTS.DtsDaoPort.deleteVersionByName.1
Compiling routine BSTS.DtsDaoPort.deleteVersionProperty.1
Compiling routine BSTS.DtsDaoPort.executeConceptTextSearch.1
Compiling routine BSTS.DtsDaoPort.executeSQL.1
Compiling routine BSTS.DtsDaoPort.findAssociationTypeById.1
Compiling routine BSTS.DtsDaoPort.findAssociationTypeByName.1
Compiling routine BSTS.DtsDaoPort.findAuthorityPropertyTypeById.1
Compiling routine BSTS.DtsDaoPort.findAuthorityPropertyTypeByName.1
Compiling routine BSTS.DtsDaoPort.findAuthorityQualifierTypeById.1
Compiling routine BSTS.DtsDaoPort.findAuthorityQualifierTypeByName.1
Compiling routine BSTS.DtsDaoPort.findConceptByCode.1
Compiling routine BSTS.DtsDaoPort.findConceptById.1
Compiling routine BSTS.DtsDaoPort.findConceptByName.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithAllSynonymMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithConceptAssociationMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithInverseConceptAssociationMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithInverseRoleMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithNameMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithPropertyMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithRoleMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithSynonymMatching.1
Compiling routine BSTS.DtsDaoPort.findNamespaceByCode.1
Compiling routine BSTS.DtsDaoPort.findNamespaceById.1
Compiling routine BSTS.DtsDaoPort.findNamespaceByName.1
Compiling routine BSTS.DtsDaoPort.findPropertyTypeById.1
Compiling routine BSTS.DtsDaoPort.findPropertyTypeByName.1
Compiling routine BSTS.DtsDaoPort.findQualifierTypeById.1
Compiling routine BSTS.DtsDaoPort.findQualifierTypeByName.1
Compiling routine BSTS.DtsDaoPort.findSubsetPropertyTypeById.1
Compiling routine BSTS.DtsDaoPort.findSubsetPropertyTypeByName.1
Compiling routine BSTS.DtsDaoPort.findSubsetQualifierTypeById.1
Compiling routine BSTS.DtsDaoPort.findSubsetQualifierTypeByName.1
```

```
Compiling routine BSTS.DtsDaoPort.findTermByCode.1
Compiling routine BSTS.DtsDaoPort.findTermById.1
Compiling routine BSTS.DtsDaoPort.findTermsByName.1
Compiling routine
BSTS.DtsDaoPort.findTermsWithInverseTermAssociationMatching.1
Compiling routine BSTS.DtsDaoPort.findTermsWithNamedMatching.1
Compiling routine BSTS.DtsDaoPort.findTermsWithPropertyMatching.1
Compiling routine BSTS.DtsDaoPort.findTermsWithTermAssociationMatching.1
Compiling routine BSTS.DtsDaoPort.getAllNamespaceQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getAllSubsetQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getAssociationNavChildContext.1
Compiling routine BSTS.DtsDaoPort.getAssociationNavParentContext.1
Compiling routine BSTS.DtsDaoPort.getAssociationTypes.1
Compiling routine BSTS.DtsDaoPort.getAuthorities.1
Compiling routine BSTS.DtsDaoPort.getAuthorityPropertyQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getAuthorityPropertyTypes.1
Compiling routine BSTS.DtsDaoPort.getConceptAssociationTypes.1
Compiling routine BSTS.DtsDaoPort.getConceptChildRoots.1
Compiling routine BSTS.DtsDaoPort.getConceptPropertyQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getConceptPropertyTypes.1
Compiling routine BSTS.DtsDaoPort.getNamespacePropertyQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getNamespacePropertyTypes.1
Compiling routine BSTS.DtsDaoPort.getNamespaces.1
Compiling routine BSTS.DtsDaoPort.getNavChildContext.1
Compiling routine BSTS.DtsDaoPort.getNavParentContext.1
Compiling routine BSTS.DtsDaoPort.getRoleTypes.1
Compiling routine BSTS.DtsDaoPort.getSubsetPropertyQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getSubsetPropertyTypes.1
Compiling routine BSTS.DtsDaoPort.getSubsetVersionPropertyQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getSubsetVersionPropertyTypes.1
Compiling routine BSTS.DtsDaoPort.getSynonymTypes.1
Compiling routine BSTS.DtsDaoPort.getTermAssociationTypes.1
Compiling routine BSTS.DtsDaoPort.getTermPropertyQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getTermPropertyTypes.1
Compiling routine BSTS.DtsDaoPort.getVersionPropertyQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getVersionPropertyTypes.1
Compiling routine BSTS.DtsDaoPort.getVersions.1
Compiling routine BSTS.DtsDaoPort.isAssociationTypeUsed.1
Compiling routine BSTS.DtsDaoPort.isPropertyTypeUsed.1
Compiling routine BSTS.DtsDaoPort.isQualifierTypeUsed.1
Compiling routine BSTS.DtsDaoPort.updateAuthority.1
Compiling routine BSTS.DtsDaoPort.updateAuthorityProperty.1
Compiling routine BSTS.DtsDaoPort.updateConcept.1
Compiling routine BSTS.DtsDaoPort.updateNamespace.1
Compiling routine BSTS.DtsDaoPort.updateNamespaceProperty.1
Compiling routine BSTS.DtsDaoPort.updateVersion.1
Compiling routine BSTS.DtsDaoPort.updateVersionProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addAssociationType.1
Compiling routine BSTS.DtsQueryDaoPort.addAuthority.1
Compiling routine BSTS.DtsQueryDaoPort.addAuthorityProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addConcept.1
Compiling routine BSTS.DtsQueryDaoPort.addConceptAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.addConceptProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addDefiningConcept.1
Compiling routine BSTS.DtsQueryDaoPort.addDefiningRole.1
Compiling routine BSTS.DtsQueryDaoPort.addNamespace.1
Compiling routine BSTS.DtsQueryDaoPort.addNamespaceProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addPropertyType.1
Compiling routine BSTS.DtsQueryDaoPort.addQualifierType.1
Compiling routine BSTS.DtsQueryDaoPort.addRoleType.1
Compiling routine BSTS.DtsQueryDaoPort.addRootConcept.1
```

```
Compiling routine BSTS.DtsQueryDaoPort.addSubset.1
Compiling routine BSTS.DtsQueryDaoPort.addSubsetProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addSubsetVersion.1
Compiling routine BSTS.DtsQueryDaoPort.addSubsetVersionProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addSynonym.1
Compiling routine BSTS.DtsQueryDaoPort.addTerm.1
Compiling routine BSTS.DtsQueryDaoPort.addTermAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.addTermProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addVersion.1
Compiling routine BSTS.DtsQueryDaoPort.addVersionProperty.1
Compiling routine BSTS.DtsQueryDaoPort.buildSubset.1
Compiling routine BSTS.DtsQueryDaoPort.classify.1
Compiling routine BSTS.DtsQueryDaoPort.createNamespaceRevision.1
Compiling routine BSTS.DtsQueryDaoPort.createRoleGroup.1
Compiling routine BSTS.DtsQueryDaoPort.createSubsetRevision.1
Compiling routine BSTS.DtsQueryDaoPort.deleteAssociationType.1
Compiling routine BSTS.DtsQueryDaoPort.deleteAuthorityById.1
Compiling routine BSTS.DtsQueryDaoPort.deleteAuthorityByName.1
Compiling routine BSTS.DtsQueryDaoPort.deleteAuthorityProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteConcept.1
Compiling routine BSTS.DtsQueryDaoPort.deleteConceptAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.deleteConceptProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteDefiningConcept.1
Compiling routine BSTS.DtsQueryDaoPort.deleteDefiningRole.1
Compiling routine BSTS.DtsQueryDaoPort.deleteNamespaceByCode.1
Compiling routine BSTS.DtsQueryDaoPort.deleteNamespaceById.1
Compiling routine BSTS.DtsQueryDaoPort.deleteNamespaceByName.1
Compiling routine BSTS.DtsQueryDaoPort.deleteNamespaceProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deletePropertyType.1
Compiling routine BSTS.DtsQueryDaoPort.deleteQualifierType.1
Compiling routine BSTS.DtsQueryDaoPort.deleteRoleType.1
Compiling routine BSTS.DtsQueryDaoPort.deleteRoleTypeWithReferences.1
Compiling routine BSTS.DtsQueryDaoPort.deleteRootConcept.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSubset.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSubsetProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSubsetVersionById.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSubsetVersionByName.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSubsetVersionProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSynonym.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSystemContextProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteTerm.1
Compiling routine BSTS.DtsQueryDaoPort.deleteTermAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.deleteTermProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteUserContextProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteVersionById.1
Compiling routine BSTS.DtsQueryDaoPort.deleteVersionByName.1
Compiling routine BSTS.DtsQueryDaoPort.deleteVersionProperty.1
Compiling routine BSTS.DtsQueryDaoPort.executeBatchSQLUpdate.1
Compiling routine BSTS.DtsQueryDaoPort.executeSQL.1
Compiling routine BSTS.DtsQueryDaoPort.executeSQLQuery.1
Compiling routine BSTS.DtsQueryDaoPort.executesQLUpdate.1
Compiling routine BSTS.DtsQueryDaoPort.executeSQLUpdates.1
Compiling routine BSTS.DtsQueryDaoPort.fetchAuthorityById.1
Compiling routine BSTS.DtsQueryDaoPort.fetchAuthorityByName.1
Compiling routine BSTS.DtsQueryDaoPort.fetchConceptHistory.1
Compiling routine BSTS.DtsQueryDaoPort.fetchConceptSubsets.1
Compiling routine BSTS.DtsQueryDaoPort.fetchParentReferences.1
Compiling routine BSTS.DtsQueryDaoPort.fetchRightIdentityReferences.1
Compiling routine BSTS.DtsQueryDaoPort.fetchSubsetConceptCount.1
Compiling routine BSTS.DtsQueryDaoPort.fetchSubsetConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.fetchSubsetNamespaces.1
```

```
Compiling routine BSTS.DtsQueryDaoPort.fetchSubsetPreview.1
Compiling routine BSTS.DtsQueryDaoPort.fetchTermHistory.1
Compiling routine BSTS.DtsQueryDaoPort.fetchTermProperties.1
Compiling routine BSTS.DtsQueryDaoPort.fetchVersionById.1
Compiling routine BSTS.DtsQueryDaoPort.fetchVersionByName.1
Compiling routine BSTS.DtsQueryDaoPort.filterSubsetConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.findAllSubsets.1
Compiling routine BSTS.DtsQueryDaoPort.findAssociationTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findAssociationTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findAuthorityPropertyTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findAuthorityPropertyTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findAuthorityQualifierTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findAuthorityQualifierTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptByCode.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptById.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptByName.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithAllSynonymMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithAssociationQualifierMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithConceptAssociationMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithInverseConceptAssociationMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithInverseRoleMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithNameMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithPropertyMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithPropertyQualifierMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithRoleMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithSynonymMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findNamespaceByCode.1
Compiling routine BSTS.DtsQueryDaoPort.findNamespaceById.1
Compiling routine BSTS.DtsQueryDaoPort.findNamespaceByName.1
Compiling routine BSTS.DtsQueryDaoPort.findPropertyTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findPropertyTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findQualifierTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findQualifierTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findRoleTypeByCode.1
Compiling routine BSTS.DtsQueryDaoPort.findRoleTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findRoleTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findSubset.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetById.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetByName.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetPropertyTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetPropertyTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetQualifierTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetQualifierTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetVersionById.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetVersionByName.1
Compiling routine BSTS.DtsQueryDaoPort.findTermByCode.1
Compiling routine BSTS.DtsQueryDaoPort.findTermById.1
Compiling routine BSTS.DtsQueryDaoPort.findTermsByName.1
Compiling routine BSTS.DtsQueryDaoPort.findTermsWithAssociationQualifierMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findTermsWithInverseSynonymMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findTermsWithInverseTermAssociationMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findTermsWithNameMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findTermsWithPropertyMatching.1
```

```
Compiling routine BSTS.DtsQueryDaoPort.findTermsWithPropertyQualifierMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findTermsWithTermAssociationMatching.1
Compiling routine BSTS.DtsQueryDaoPort.generateAuthorityItemId.1
Compiling routine BSTS.DtsQueryDaoPort.generateNamespaceItemId.1
Compiling routine BSTS.DtsQueryDaoPort.generateNextConceptId.1
Compiling routine BSTS.DtsQueryDaoPort.generateNextTermId.1
Compiling routine BSTS.DtsQueryDaoPort.generateSubsetItemId.1
Compiling routine BSTS.DtsQueryDaoPort.getAllKinds.1
Compiling routine BSTS.DtsQueryDaoPort.getAllLicenses.1
Compiling routine BSTS.DtsQueryDaoPort.getAllNamespaceQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getAllPropertyTypesOfAuthority.1
Compiling routine BSTS.DtsQueryDaoPort.getAllRoleTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getAllSubsetQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getAssociationNavChildContext.1
Compiling routine BSTS.DtsQueryDaoPort.getAssociationNavParentContext.1
Compiling routine BSTS.DtsQueryDaoPort.getAssociationTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getAuthorities.1
Compiling routine BSTS.DtsQueryDaoPort.getAuthorityPropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getAuthorityPropertyTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getClassifyDetail.1
Compiling routine BSTS.DtsQueryDaoPort.getConceptAssociationTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getConceptChildRoots.1
Compiling routine BSTS.DtsQueryDaoPort.getConceptPropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getConceptPropertyTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getCycleErrors.1
Compiling routine BSTS.DtsQueryDaoPort.getEqErrors.1
Compiling routine BSTS.DtsQueryDaoPort.getExtendingNamespaces.1
Compiling routine BSTS.DtsQueryDaoPort.getKinds.1
Compiling routine BSTS.DtsQueryDaoPort.getLicense.1
Compiling routine BSTS.DtsQueryDaoPort.getNamespacePropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getNamespacePropertyTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getNamespaces.1
Compiling routine BSTS.DtsQueryDaoPort.getNavChildContext.1
Compiling routine BSTS.DtsQueryDaoPort.getNavChildContextInNamespace.1
Compiling routine BSTS.DtsQueryDaoPort.getNavParentContext.1
Compiling routine BSTS.DtsQueryDaoPort.getNavParentContextInNamespace.1
Compiling routine BSTS.DtsQueryDaoPort.getNoKindConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.getNoParentConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.getRoleTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSchemaVersion.1
Compiling routine BSTS.DtsQueryDaoPort.getServerDatabaseType.1
Compiling routine BSTS.DtsQueryDaoPort.getServerVersion.1
Compiling routine BSTS.DtsQueryDaoPort.getSubConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetConceptChildRoots.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetNavChildContext.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetNavParentContext.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetPropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetPropertyTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetVersion.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetVersionByTime.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetVersionPropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetVersionPropertyTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetVersions.1
Compiling routine BSTS.DtsQueryDaoPort.getSynonymTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSystemContextProperty.1
Compiling routine BSTS.DtsQueryDaoPort.getSystemContextPropertyKeys.1
Compiling routine BSTS.DtsQueryDaoPort.getTermAssociationTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getTermPropertyQualifierTypes.1
```

```
Compiling routine BSTS.DtsQueryDaoPort.getTermPropertyTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getUserContextProperty.1
Compiling routine BSTS.DtsQueryDaoPort.getUserContextPropertyKeys.1
Compiling routine BSTS.DtsQueryDaoPort.getVersion.1
Compiling routine BSTS.DtsQueryDaoPort.getVersionByTime.1
Compiling routine BSTS.DtsQueryDaoPort.getVersionPropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getVersionPropertyTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getVersions.1
Compiling routine BSTS.DtsQueryDaoPort.hasAdminPermission.1
Compiling routine BSTS.DtsQueryDaoPort.hasAuthorityPermission.1
Compiling routine BSTS.DtsQueryDaoPort.hasNamespacePermission.1
Compiling routine BSTS.DtsQueryDaoPort.hasSubsetPermission.1
Compiling routine BSTS.DtsQueryDaoPort.isAssociationTypeUsed.1
Compiling routine BSTS.DtsQueryDaoPort.is.PropertyTypeUsed.1
Compiling routine BSTS.DtsQueryDaoPort.is.QualifierTypeUsed.1
Compiling routine BSTS.DtsQueryDaoPort.is.RoleTypeUsed.1
Compiling routine BSTS.DtsQueryDaoPort.is.SubConcept.1
Compiling routine BSTS.DtsQueryDaoPort.is.SubConceptByCode.1
Compiling routine BSTS.DtsQueryDaoPort.is.SubConceptById.1
Compiling routine BSTS.DtsQueryDaoPort.is.SubConceptByName.1
Compiling routine BSTS.DtsQueryDaoPort.is.SubConceptOfConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.is.SubConceptOfConceptsByName.1
Compiling routine BSTS.DtsQueryDaoPort.isWorkingVersion.1
Compiling routine BSTS.DtsQueryDaoPort.ping.1
Compiling routine BSTS.DtsQueryDaoPort.saveSubsetExpression.1
Compiling routine BSTS.DtsQueryDaoPort.saveSystemContextProperty.1
Compiling routine BSTS.DtsQueryDaoPort.saveUserContextProperty.1
Compiling routine BSTS.DtsQueryDaoPort.syncAuthorityItemId.1
Compiling routine BSTS.DtsQueryDaoPort.syncNamespaceItemId.1
Compiling routine BSTS.DtsQueryDaoPort.syncSubsetItemId.1
Compiling routine BSTS.DtsQueryDaoPort.ungroupRoleGroup.1
Compiling routine BSTS.DtsQueryDaoPort.updateAssociationType.1
Compiling routine BSTS.DtsQueryDaoPort.updateAuthority.1
Compiling routine BSTS.DtsQueryDaoPort.updateAuthorityProperty.1
Compiling routine BSTS.DtsQueryDaoPort.updateConcept.1
Compiling routine BSTS.DtsQueryDaoPort.updateConceptAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.updateConceptProperty.1
Compiling routine BSTS.DtsQueryDaoPort.updateDefiningConcept.1
Compiling routine BSTS.DtsQueryDaoPort.updateDefiningRole.1
Compiling routine BSTS.DtsQueryDaoPort.updateNamespace.1
Compiling routine BSTS.DtsQueryDaoPort.updateNamespaceProperty.1
Compiling routine BSTS.DtsQueryDaoPort.updatePrimitive.1
Compiling routine BSTS.DtsQueryDaoPort.update.PropertyType.1
Compiling routine BSTS.DtsQueryDaoPort.update.QualifierType.1
Compiling routine BSTS.DtsQueryDaoPort.update.RoleType.1
Compiling routine BSTS.DtsQueryDaoPort.updateSubset.1
Compiling routine BSTS.DtsQueryDaoPort.updateSubsetProperty.1
Compiling routine BSTS.DtsQueryDaoPort.updateSubsetVersion.1
Compiling routine BSTS.DtsQueryDaoPort.updateSubsetVersionProperty.1
Compiling routine BSTS.DtsQueryDaoPort.updateSynonym.1
Compiling routine BSTS.DtsQueryDaoPort.updateTerm.1
Compiling routine BSTS.DtsQueryDaoPort.updateTermAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.updateTermProperty.1
Compiling routine BSTS.DtsQueryDaoPort.updateVersion.1
Compiling routine BSTS.DtsQueryDaoPort.updateVersionProperty.1
Load finished successfully.
```

Updating 9002318.5 Record

Verifying connection to DTS server is working. This may take several minutes to complete

```
Updating Routine file...
Updating KIDS files...
IHS STANDARD TERMINOLOGY 2.0 Installed.
Dec 02, 2016@13:35:57
Not a VA primary domain

Install Completed
```

Figure 4-1: Installation Example

## 4.2 New BSTS Installation – No Previous BSTS Installs

Figure 4-2 shows a sample installation of a Version 2.0 installation in an environment where no iterations of BSTS have ever been installed.

```
Select Kernel Installation & Distribution System <TEST ACCOUNT> Option:
Installation

1      Load a Distribution
2      Verify Checksums in Transport Global
3      Print Transport Global
4      Compare Transport Global to Current System
5      Backup a Transport Global
6      Install Package(s)
      Restart Install of Package(s)
      Unload a Distribution

You have PENDING ALERTS
      Enter "VA to jump to VIEW ALERTS option

Select Installation <TEST ACCOUNT> Option: 1  Load a Distribution
Enter a Host File: D:\RPMS\bsts0200.k [Enter the correct file path of the
KIDS file]

KIDS Distribution saved on Dec 01, 2016@19:34:24
Comment: IHS STANDARD TERMINOLOGY 2.0

This Distribution contains Transport Globals for the following Package(s):
      IHS STANDARD TERMINOLOGY 2.0
Distribution OK!

Want to Continue with Load? YES// 
Loading Distribution...

Build IHS STANDARD TERMINOLOGY 2.0 has an Environmental Check Routine
Want to RUN the Environment Check Routine? YES// 
      IHS STANDARD TERMINOLOGY 2.0
Will first run the Environment Check Routine, BSTS2PRE

Use INSTALL NAME: IHS STANDARD TERMINOLOGY 2.0 to install this
Distribution.
```

```
1      Load a Distribution
2      Verify Checksums in Transport Global
3      Print Transport Global
4      Compare Transport Global to Current System
5      Backup a Transport Global
6      Install Package(s)
       Restart Install of Package(s)
       Unload a Distribution

You have PENDING ALERTS
Enter "VA to jump to VIEW ALERTS option

Select Installation <TEST ACCOUNT> Option: 2 Verify Checksums in Transport
Glob
al
Select INSTALL NAME:    IHS STANDARD TERMINOLOGY 2.0      Loaded from
Distributio
n      12/2/16@10:42:31
      => IHS STANDARD TERMINOLOGY 2.0 ;Created on Dec 01, 2016@19:34:24

This Distribution was loaded on Dec 02, 2016@10:42:31 with header of
IHS STANDARD TERMINOLOGY 2.0 ;Created on Dec 01, 2016@19:34:24
It consisted of the following Install(s):
IHS STANDARD TERMINOLOGY 2.0

Want each Routine Listed with Checksums: Yes// YES
DEVICE: HOME// Virtual

PACKAGE: IHS STANDARD TERMINOLOGY 2.0      Dec 02, 2016 10:42 am      PAGE
1
-----
-----
BSTS2PRE Calculated 7259816
BSTS2PST Calculated 43827628
BSTSAPI Calculated 8223301
BSTSAPIA Calculated 78204701
BSTSAPIB Calculated 108925247
BSTSAPIC Calculated 112350715
BSTSAPID Calculated 35667577
BSTSAPIF Calculated 101148101
BSTSCDET Calculated 134218285
BSTSCFIX Calculated 210236829
BSTSCLAS Calculated 22293545
BSTCMCL Calculated 55778516
BSTSRTS0 Calculated 197578166
BSTSRTS1 Calculated 163741823
BSTSRTS2 Calculated 130746208
BSTSRTS3 Calculated 177243904

PACKAGE: IHS STANDARD TERMINOLOGY 2.0      Dec 02, 2016 10:42 am      PAGE
2
-----
-----
BSTSRTS4 Calculated 131664728
```

```
BSTSDETS5 Calculated 151089381
BSTSDTSC Calculated 1839766
BSTSLKP Calculated 16303885
BSTSLSRC Calculated 26115275
BSTSMAP1 Calculated 180369742
BSTSMSR Calculated 24500341
BSTSNDET Calculated 3917
BSTSRPC Calculated 141665996
BSTSRPC1 Calculated 42782685
BSTSRPCU Calculated 9318783
BSTSRPT Calculated 125788487
BSTSSRCH Calculated 42118106
BSTSSTA Calculated 28250552
BSTSTST Calculated 7500485
BSTSUPD Calculated 840054
BSTSUPRF Calculated 27340149
```

```
PACKAGE: IHS STANDARD TERMINOLOGY 2.0      Dec 02, 2016 10:42 am      PAGE
3
```

---

```
-----  
-----  
BSTSUTIL Calculated 175650716
BSTSVIDC Calculated 1682018
BSTSVOF1 Calculated 65085596
BSTSVOFL Calculated 197211482
BSTSVRSC Calculated 200960871
BSTSVRSN Calculated 118518195
BSTSVRXN Calculated 36669855
BSTSWSV Calculated 184692341
BSTSWSV1 Calculated 112737014
BSTSXREF Calculated 693027
```

43 Routines checked, 0 failed.

```
1 Load a Distribution
2 Verify Checksums in Transport Global
3 Print Transport Global
4 Compare Transport Global to Current System
5 Backup a Transport Global
6 Install Package(s)
Restart Install of Package(s)
Unload a Distribution
```

You have PENDING ALERTS  
Enter "VA to jump to VIEW ALERTS option

```
Select Installation <TEST ACCOUNT> Option: 6 Install Package(s)
Select INSTALL NAME: IHS STANDARD TERMINOLOGY 2.0 Loaded from
Distribution
n 12/2/16@10:42:31
=> IHS STANDARD TERMINOLOGY 2.0 ;Created on Dec 01, 2016@19:34:24
```

```
This Distribution was loaded on Dec 02, 2016@10:42:31 with header of
IHS STANDARD TERMINOLOGY 2.0 ;Created on Dec 01, 2016@19:34:24
It consisted of the following Install(s):
IHS STANDARD TERMINOLOGY 2.0
Checking Install for Package IHS STANDARD TERMINOLOGY 2.0
```

Will first run the Environment Check Routine, BSTS2PRE

Install Questions for IHS STANDARD TERMINOLOGY 2.0

### Incoming Files:

9002318 BSTS SITE PARAMETERS

9002318.1 BSTS CODESET

9002318.2 BSTS WEB SERVICE ENDPOINT

9002318.3 BSTS TERMINOLOGY

9002318.4 BSTS CONCEPT

9002318.5 BSTS CACHE CLASS TRANSPORT (including data)

9002318.6 BSTS SNOMED MAPPING CONV (including data)

9002318.7 BSTS USER PREFERENCES

Want KIDS to Rebuild Menu Trees Upon Completion of Install? NO//

Want KIDS to INHIBIT LOGONs during the install? YES//  
Want to DISABLE Scheduled Options, Menu Options, and Protocols? NO//

Enter the Device you want to print the Install messages.  
You can queue the install by enter a 'Q' at the device prompt.  
Enter a '^' to abort the install.

Install Started for IHS STANDARD TERMINOLOGY 2.0 :  
Dec 02, 2016@10:42:47

Build Distribution Date: Dec 01, 2016

Installing Routines:  
Dec 02, 2016@10:42:47

Running Pre-Install Routine: EN^BSTS2PRE

## Installing Data Dictionaries:

## Installing Data:

```
Installing PACKAGE COMPONENTS:  
  
Installing SECURITY KEY  
  
Installing INPUT TEMPLATE  
  
Installing REMOTE PROCEDURE  
  
Installing OPTION  
Dec 02, 2016@10:42:48  
  
Running Post-Install Routine: EN^BSTS2PST  
List started on 12/02/2016 10:42:48  
Listing file D:\intersystems\E3IHS\mgr\Temp\ZaYHvoPW2dXDWw.xml as xml  
List finished successfully.  
  
Load started on 12/02/2016 10:42:48  
Loading file D:\intersystems\E3IHS\mgr\Temp\iMb2SjKapBkaWQ.xml as xml  
Imported class: BSTS.DtsDaoPort  
Imported class: BSTS.DtsQueryDaoPort  
Imported class: BSTS.SOAP.WebFunctions  
Imported class: BSTS.ns1.ConceptAssociationQualifierSearchRequest  
Imported class: BSTS.ns1.ConceptAssociationSearchRequest  
Imported class: BSTS.ns1.ConceptAssociationUpdateRequest  
Imported class: BSTS.ns1.ConceptAttributeRequest  
Imported class: BSTS.ns1.ConceptChildRootsRequest  
Imported class: BSTS.ns1.ConceptPropertyQualifierSearchRequest  
Imported class: BSTS.ns1.ConceptPropertyRequest  
Imported class: BSTS.ns1.ConceptPropertySearchRequest  
Imported class: BSTS.ns1.ConceptPropertyUpdateRequest  
Imported class: BSTS.ns1.ConceptRoleSearchRequest  
Imported class: BSTS.ns1.ConceptSearchRequest  
Imported class: BSTS.ns1.ConceptSynonymSearchRequest  
Imported class: BSTS.ns1.ContextItem  
Imported class: BSTS.ns1.DTSServerException  
Imported class: BSTS.ns1.DefiningConceptUpdateRequest  
Imported class: BSTS.ns1.DefiningRoleUpdateRequest  
Imported class: BSTS.ns1.DtsSubsetExpression  
Imported class: BSTS.ns1.FilterSubsetConceptsRequest  
Imported class: BSTS.ns1.NamespacePropertyRequest  
Imported class: BSTS.ns1.NamespacePropertyUpdateRequest  
Imported class: BSTS.ns1.NavContextInNamespaceRequest  
Imported class: BSTS.ns1.NavContextRequest  
Imported class: BSTS.ns1.SEAttributeExcludeFilter  
Imported class: BSTS.ns1.SEAttributeFilter  
Imported class: BSTS.ns1.SEConcept  
Imported class: BSTS.ns1.SEConceptExcludeFilter  
Imported class: BSTS.ns1.SEConceptFilter  
Imported class: BSTS.ns1.SEConceptFilterModifier  
Imported class: BSTS.ns1.SEExcludeFilter  
Imported class: BSTS.ns1.SEFilterOperator  
Imported class: BSTS.ns1.SEKbType  
Imported class: BSTS.ns1.SENamespaceFilter  
Imported class: BSTS.ns1.SESearchAttribute  
Imported class: BSTS.ns1.SESearchFilter  
Imported class: BSTS.ns1.SESubsetExcludeFilter  
Imported class: BSTS.ns1.SESubsetFilter  
Imported class: BSTS.ns1.SqlItem  
Imported class: BSTS.ns1.SqlParameter  
Imported class: BSTS.ns1.SqlParameterType  
Imported class: BSTS.ns1.SubsetConceptChildRootsRequest
```

```
Imported class: BSTS.ns1.SubsetNavContextRequest
Imported class: BSTS.ns1.SubsetPropertyRequest
Imported class: BSTS.ns1.SubsetPropertyUpdateRequest
Imported class: BSTS.ns1.SynonymUpdateRequest
Imported class: BSTS.ns1.TAdminPermission
Imported class: BSTS.ns1.TAssociation
Imported class: BSTS.ns1.TAssociationType
Imported class: BSTS.ns1.TAssociationTypeList
Imported class: BSTS.ns1.TAttributeSetDescriptor
Imported class: BSTS.ns1.TAuthority
Imported class: BSTS.ns1.TAuthorityList
Imported class: BSTS.ns1.TAuthorityPermission
Imported class: BSTS.ns1.TAuthorityPermissionItem
Imported class: BSTS.ns1.TClassifyCycleError
Imported class: BSTS.ns1.TClassifyDetail
Imported class: BSTS.ns1.TClassifyEquivError
Imported class: BSTS.ns1.TClassifyStatus
Imported class: BSTS.ns1.TConcept
Imported class: BSTS.ns1.TConceptASDRoot
Imported class: BSTS.ns1.TConceptAssociation
Imported class: BSTS.ns1.TConceptAttributeSetDescriptor
Imported class: BSTS.ns1.TConceptItem
Imported class: BSTS.ns1.TConceptList
Imported class: BSTS.ns1.TConceptNav
Imported class: BSTS.ns1.TConceptNode
Imported class: BSTS.ns1.TConceptSORoot
Imported class: BSTS.ns1.TConceptSearchOptions
Imported class: BSTS.ns1.TConceptSearchResult
Imported class: BSTS.ns1.TContent
Imported class: BSTS.ns1.TContentAttributeSetDescriptor
Imported class: BSTS.ns1.TContentRevision
Imported class: BSTS.ns1.TContentType
Imported class: BSTS.ns1.TContentVersion
Imported class: BSTS.ns1.TContentVersionList
Imported class: BSTS.ns1.TDataTypeFilter
Imported class: BSTS.ns1.TItemStatus
Imported class: BSTS.ns1.TItemsConnected
Imported class: BSTS.ns1.TKind
Imported class: BSTS.ns1.TModifiesItemType
Imported class: BSTS.ns1.TNamespace
Imported class: BSTS.ns1.TNamespaceList
Imported class: BSTS.ns1.TNamespacePermission
Imported class: BSTS.ns1.TNamespacePermissionItem
Imported class: BSTS.ns1.TNamespaceRevision
Imported class: BSTS.ns1.TNamespaceType
Imported class: BSTS.ns1.TNavChildContext
Imported class: BSTS.ns1.TNavParentContext
Imported class: BSTS.ns1.TObject
Imported class: BSTS.ns1.TOntylogConcept
Imported class: BSTS.ns1.TOntylogConceptList
Imported class: BSTS.ns1.TPreviewOptions
Imported class: BSTS.ns1.TPropertiedObject
Imported class: BSTS.ns1.TProperty
Imported class: BSTS.ns1.T.PropertyType
Imported class: BSTS.ns1.T.PropertyTypeList
Imported class: BSTS.ns1.TPurpose
Imported class: BSTS.ns1.TQualifier
Imported class: BSTS.ns1.TQualifierType
Imported class: BSTS.ns1.TQualifierTypeList
Imported class: BSTS.ns1.TQualifiesItemType
Imported class: BSTS.ns1.TRole
```

```
Imported class: BSTS.ns1.TRoleModifier
Imported class: BSTS.ns1.TRoleType
Imported class: BSTS.ns1.TRoleTypeList
Imported class: BSTS.ns1.TSubset
Imported class: BSTS.ns1.TSubsetAttributeSetDescriptor
Imported class: BSTS.ns1.TSubsetExpression
Imported class: BSTS.ns1.TSubsetList
Imported class: BSTS.ns1.TSubsetPermission
Imported class: BSTS.ns1.TSubsetPermissionItem
Imported class: BSTS.ns1.TSubsetRevision
Imported class: BSTS.ns1.TSynonym
Imported class: BSTS.ns1.TSystemConfigReportDvo
Imported class: BSTS.ns1.TSystemContextDvo
Imported class: BSTS.ns1.TTerm
Imported class: BSTS.ns1.TTermAssociation
Imported class: BSTS.ns1.TTermAttributeSetDescriptor
Imported class: BSTS.ns1.TTermItem
Imported class: BSTS.ns1.TTermList
Imported class: BSTS.ns1.TTermSORoot
Imported class: BSTS.ns1.TTermSearchOptions
Imported class: BSTS.ns1.TUserRole
Imported class: BSTS.ns1.TVersionedContent
Imported class: BSTS.ns1.TermAssociationQualifierSearchRequest
Imported class: BSTS.ns1.TermAssociationSearchRequest
Imported class: BSTS.ns1.TermAssociationUpdateRequest
Imported class: BSTS.ns1.TermAttributeRequest
Imported class: BSTS.ns1.TermPropertyQualifierSearchRequest
Imported class: BSTS.ns1.TermPropertyRequest
Imported class: BSTS.ns1.TermPropertySearchRequest
Imported class: BSTS.ns1.TermPropertyUpdateRequest
Imported class: BSTS.ns1.TermSearchRequest
Imported class: BSTS.ns1.VersionPropertyRequest
Imported class: BSTS.ns1.VersionPropertyUpdateRequest
Imported class: BSTS.ns2.stringArray
Imported class: BSTS.tns.DTSServerException, compiling 139 classes
Compiling class BSTS.DtsDaoPort
Compiling class BSTS.DtsQueryDaoPort
Compiling class BSTS.SOAP.WebFunctions
Compiling class BSTS.ns1.ConceptAssociationQualifierSearchRequest
Compiling class BSTS.ns1.ConceptAssociationSearchRequest
Compiling class BSTS.ns1.ConceptAssociationUpdateRequest
Compiling class BSTS.ns1.ConceptAttributeRequest
Compiling class BSTS.ns1.ConceptChildRootsRequest
Compiling class BSTS.ns1.ConceptPropertyQualifierSearchRequest
Compiling class BSTS.ns1.ConceptPropertyRequest
Compiling class BSTS.ns1.ConceptPropertySearchRequest
Compiling class BSTS.ns1.ConceptPropertyUpdateRequest
Compiling class BSTS.ns1.ConceptRoleSearchRequest
Compiling class BSTS.ns1.ConceptSearchRequest
Compiling class BSTS.ns1.ConceptSynonymSearchRequest
Compiling class BSTS.ns1.ContextItem
Compiling class BSTS.ns1.DTSServerException
Compiling class BSTS.ns1.DefiningConceptUpdateRequest
Compiling class BSTS.ns1.DefiningRoleUpdateRequest
Compiling class BSTS.ns1.DtsSubsetExpression
Compiling class BSTS.ns1.FilterSubsetConceptsRequest
Compiling class BSTS.ns1.NamespacePropertyRequest
Compiling class BSTS.ns1.NamespacePropertyUpdateRequest
Compiling class BSTS.ns1.NavContextInNamespaceRequest
Compiling class BSTS.ns1.NavContextRequest
Compiling class BSTS.ns1.SEConcept
```

```
Compiling class BSTS.ns1.SEConceptFilterModifier
Compiling class BSTS.ns1.SEFilterOperator
Compiling class BSTS.ns1.SEKbType
Compiling class BSTS.ns1.SESearchAttribute
Compiling class BSTS.ns1.SqlItem
Compiling class BSTS.ns1.SqlParameterType
Compiling class BSTS.ns1.SubsetConceptChildRootsRequest
Compiling class BSTS.ns1.SubsetNavContextRequest
Compiling class BSTS.ns1.SubsetPropertyRequest
Compiling class BSTS.ns1.SubsetPropertyUpdateRequest
Compiling class BSTS.ns1.SynonymUpdateRequest
Compiling class BSTS.ns1.TAdminPermission
Compiling class BSTS.ns1.TAssociation
Compiling class BSTS.ns1.TAssociationTypeList
Compiling class BSTS.ns1.TAttributeSetDescriptor
Compiling class BSTS.ns1.TAuthorityList
Compiling class BSTS.ns1.TAuthorityPermission
Compiling class BSTS.ns1.TClassifyCycleError
Compiling class BSTS.ns1.TClassifyDetail
Compiling class BSTS.ns1.TClassifyEquivError
Compiling class BSTS.ns1.TClassifyStatus
Compiling class BSTS.ns1.TConceptASDRoot
Compiling class BSTS.ns1.TConceptList
Compiling class BSTS.ns1.TConceptNav
Compiling class BSTS.ns1.TConceptSORoot
Compiling class BSTS.ns1.TConceptSearchResult
Compiling class BSTS.ns1.TContent
Compiling class BSTS.ns1.TContentType
Compiling class BSTS.ns1.TContentVersionList
Compiling class BSTS.ns1.TDataTypeFilter
Compiling class BSTS.ns1.TItemStatus
Compiling class BSTS.ns1.TItemsConnected
Compiling class BSTS.ns1.TModifiesItemType
Compiling class BSTS.ns1.TNamespaceList
Compiling class BSTS.ns1.TNamespacePermission
Compiling class BSTS.ns1.TNamespaceType
Compiling class BSTS.ns1.TNavChildContext
Compiling class BSTS.ns1.TNavParentContext
Compiling class BSTS.ns1.TObject
Compiling class BSTS.ns1.TOntylogConceptList
Compiling class BSTS.ns1.TPreviewOptions
Compiling class BSTS.ns1.TProperty
Compiling class BSTS.ns1.T.PropertyTypeList
Compiling class BSTS.ns1.TPurpose
Compiling class BSTS.ns1.TQualifier
Compiling class BSTS.ns1.TQualifierTypeList
Compiling class BSTS.ns1.TQualifiesItemType
Compiling class BSTS.ns1.TRoleModifier
Compiling class BSTS.ns1.TRoleTypeList
Compiling class BSTS.ns1.TSubsetExpression
Compiling class BSTS.ns1.TSubsetList
Compiling class BSTS.ns1.TSubsetPermission
Compiling class BSTS.ns1.TSynonym
Compiling class BSTS.ns1.TSystemConfigReportDvo
Compiling class BSTS.ns1.TSystemContextDvo
Compiling class BSTS.ns1.TTermList
Compiling class BSTS.ns1.TTermSORoot
Compiling class BSTS.ns1.TermAssociationQualifierSearchRequest
Compiling class BSTS.ns1.TermAssociationSearchRequest
Compiling class BSTS.ns1.TermAssociationUpdateRequest
Compiling class BSTS.ns1.TermAttributeRequest
```

```
Compiling class BSTS.ns1.TermPropertyQualifierSearchRequest
Compiling class BSTS.ns1.TermPropertyRequest
Compiling class BSTS.ns1.TermPropertySearchRequest
Compiling class BSTS.ns1.TermPropertyUpdateRequest
Compiling class BSTS.ns1.TermSearchRequest
Compiling class BSTS.ns1.VersionPropertyRequest
Compiling class BSTS.ns1.VersionPropertyUpdateRequest
Compiling class BSTS.ns2.stringArray
Compiling class BSTS.tns.DTSServerException
Compiling class BSTS.ns1.SEExcludeFilter
Compiling class BSTS.ns1.SESearchFilter
Compiling class BSTS.ns1.SqlParameter
Compiling class BSTS.ns1.TAssociationType
Compiling class BSTS.ns1.TAuthority
Compiling class BSTS.ns1.TAuthorityPermissionItem
Compiling class BSTS.ns1.TConceptAssociation
Compiling class BSTS.ns1.TConceptItem
Compiling class BSTS.ns1.TConceptNode
Compiling class BSTS.ns1.TConceptSearchOptions
Compiling class BSTS.ns1.TContentAttributeSetDescriptor
Compiling class BSTS.ns1.TContentRevision
Compiling class BSTS.ns1.TContentVersion
Compiling class BSTS.ns1.TKind
Compiling class BSTS.ns1.TNamespacePermissionItem
Compiling class BSTS.ns1.TPropertiedObject
Compiling class BSTS.ns1.T.PropertyType
Compiling class BSTS.ns1.TQualifierType
Compiling class BSTS.ns1.TRole
Compiling class BSTS.ns1.TRoleType
Compiling class BSTS.ns1.TSubsetPermissionItem
Compiling class BSTS.ns1.TTermAssociation
Compiling class BSTS.ns1.TTermAttributeSetDescriptor
Compiling class BSTS.ns1.TTermItem
Compiling class BSTS.ns1.TTermSearchOptions
Compiling class BSTS.ns1.TUserRole
Compiling class BSTS.ns1.TVersionedContent
Compiling class BSTS.ns1.SEAttributeExcludeFilter
Compiling class BSTS.ns1.SEAttributeFilter
Compiling class BSTS.ns1.SEConceptExcludeFilter
Compiling class BSTS.ns1.SEConceptFilter
Compiling class BSTS.ns1.SENamespaceFilter
Compiling class BSTS.ns1.SESubsetExcludeFilter
Compiling class BSTS.ns1.SESubsetFilter
Compiling class BSTS.ns1.TConcept
Compiling class BSTS.ns1.TConceptAttributeSetDescriptor
Compiling class BSTS.ns1.TNamespace
Compiling class BSTS.ns1.TNamespaceRevision
Compiling class BSTS.ns1.TSubset
Compiling class BSTS.ns1.TSubsetAttributeSetDescriptor
Compiling class BSTS.ns1.TSubsetRevision
Compiling class BSTS.ns1.TTerm
Compiling class BSTS.ns1.TOntylogConcept
Compiling table BSTS_SOAP.WebFunctions
Compiling routine BSTS.DtsDaoPort.1
Compiling routine BSTS.DtsQueryDaoPort.1
Compiling routine BSTS.SOAP.WebFunctions.1
Compiling routine BSTS.ns1.ConceptAssociationQualifierSearchRequest.1
Compiling routine BSTS.ns1.ConceptAssociationSearchRequest.1
Compiling routine BSTS.ns1.ConceptAssociationUpdateRequest.1
Compiling routine BSTS.ns1.ConceptAttributeRequest.1
Compiling routine BSTS.ns1.ConceptChildRootsRequest.1
```

```
Compiling routine BSTS.ns1.ConceptPropertyQualifierSearchRequest.1
Compiling routine BSTS.ns1.ConceptPropertyRequest.1
Compiling routine BSTS.ns1.ConceptPropertySearchRequest.1
Compiling routine BSTS.ns1.ConceptPropertyUpdateRequest.1
Compiling routine BSTS.ns1.ConceptRoleSearchRequest.1
Compiling routine BSTS.ns1.ConceptSearchRequest.1
Compiling routine BSTS.ns1.ConceptSynonymSearchRequest.1
Compiling routine BSTS.ns1.ContextItem.1
Compiling routine BSTS.ns1.DTSServerException.1
Compiling routine BSTS.ns1.DefiningConceptUpdateRequest.1
Compiling routine BSTS.ns1.DefiningRoleUpdateRequest.1
Compiling routine BSTS.ns1.DtsSubsetExpression.1
Compiling routine BSTS.ns1.FilterSubsetConceptsRequest.1
Compiling routine BSTS.ns1.NamespacePropertyRequest.1
Compiling routine BSTS.ns1.NamespacePropertyUpdateRequest.1
Compiling routine BSTS.ns1.NavContextInNamespaceRequest.1
Compiling routine BSTS.ns1.NavContextRequest.1
Compiling routine BSTS.ns1.SEConcept.1
Compiling routine BSTS.ns1.SEConceptFilterModifier.1
Compiling routine BSTS.ns1.SEFilterOperator.1
Compiling routine BSTS.ns1.SEKbType.1
Compiling routine BSTS.ns1.SESearchAttribute.1
Compiling routine BSTS.ns1.SqlItem.1
Compiling routine BSTS.ns1.SqlParameterType.1
Compiling routine BSTS.ns1.SubsetConceptChildRootsRequest.1
Compiling routine BSTS.ns1.SubsetNavContextRequest.1
Compiling routine BSTS.ns1.SubsetPropertyRequest.1
Compiling routine BSTS.ns1.SubsetPropertyUpdateRequest.1
Compiling routine BSTS.ns1.SynonymUpdateRequest.1
Compiling routine BSTS.ns1.TAdminPermission.1
Compiling routine BSTS.ns1.TAssociation.1
Compiling routine BSTS.ns1.TAssociationTypeList.1
Compiling routine BSTS.ns1.TAttributeSetDescriptor.1
Compiling routine BSTS.ns1.TAuthorityList.1
Compiling routine BSTS.ns1.TAuthorityPermission.1
Compiling routine BSTS.ns1.TClassifyCycleError.1
Compiling routine BSTS.ns1.TClassifyDetail.1
Compiling routine BSTS.ns1.TClassifyEquivError.1
Compiling routine BSTS.ns1.TClassifyStatus.1
Compiling routine BSTS.ns1.TConceptASDRoot.1
Compiling routine BSTS.ns1.TConceptList.1
Compiling routine BSTS.ns1.TConceptNav.1
Compiling routine BSTS.ns1.TConceptSORoot.1
Compiling routine BSTS.ns1.TConceptSearchResult.1
Compiling routine BSTS.ns1.TContent.1
Compiling routine BSTS.ns1.TContentType.1
Compiling routine BSTS.ns1.TContentVersionList.1
Compiling routine BSTS.ns1.TDataTypeFilter.1
Compiling routine BSTS.ns1.TItemStatus.1
Compiling routine BSTS.ns1.TItemsConnected.1
Compiling routine BSTS.ns1.TModifiesItemType.1
Compiling routine BSTS.ns1.TNamespaceList.1
Compiling routine BSTS.ns1.TNamespacePermission.1
Compiling routine BSTS.ns1.TNamespaceType.1
Compiling routine BSTS.ns1.TNavChildContext.1
Compiling routine BSTS.ns1.TNavParentContext.1
Compiling routine BSTS.ns1.TObject.1
Compiling routine BSTS.ns1.TOnlylogConceptList.1
Compiling routine BSTS.ns1.TPreviewOptions.1
Compiling routine BSTS.ns1.TProperty.1
Compiling routine BSTS.ns1.TPropertyTypeList.1
```

```
Compiling routine BSTS.ns1.TPurpose.1
Compiling routine BSTS.ns1.TQualifier.1
Compiling routine BSTS.ns1.TQualifierTypeList.1
Compiling routine BSTS.ns1.TQualifiesItemType.1
Compiling routine BSTS.ns1.TRoleModifier.1
Compiling routine BSTS.ns1.TRoleTypeList.1
Compiling routine BSTS.ns1.TSubsetExpression.1
Compiling routine BSTS.ns1.TSubsetList.1
Compiling routine BSTS.ns1.TSubsetPermission.1
Compiling routine BSTS.ns1.TSynonym.1
Compiling routine BSTS.ns1.TSystemConfigReportDvo.1
Compiling routine BSTS.ns1.TSystemContextDvo.1
Compiling routine BSTS.ns1.TTermList.1
Compiling routine BSTS.ns1.TTermSORoot.1
Compiling routine BSTS.ns1.TermAssociationQualifierSearchRequest.1
Compiling routine BSTS.ns1.TermAssociationSearchRequest.1
Compiling routine BSTS.ns1.TermAssociationUpdateRequest.1
Compiling routine BSTS.ns1.TermAttributeRequest.1
Compiling routine BSTS.ns1.TermPropertyQualifierSearchRequest.1
Compiling routine BSTS.ns1.TermPropertyRequest.1
Compiling routine BSTS.ns1.TermPropertySearchRequest.1
Compiling routine BSTS.ns1.TermPropertyUpdateRequest.1
Compiling routine BSTS.ns1.TermSearchRequest.1
Compiling routine BSTS.ns1.VersionPropertyRequest.1
Compiling routine BSTS.ns1.VersionPropertyUpdateRequest.1
Compiling routine BSTS.ns2.StringArray.1
Compiling routine BSTS.tns.DTSServerException.1
Compiling routine BSTS.ns1.SEExcludeFilter.1
Compiling routine BSTS.ns1.SESearchFilter.1
Compiling routine BSTS.ns1.SqlParameter.1
Compiling routine BSTS.ns1.TAssociationType.1
Compiling routine BSTS.ns1.TAuthority.1
Compiling routine BSTS.ns1.TAuthorityPermissionItem.1
Compiling routine BSTS.ns1.TConceptAssociation.1
Compiling routine BSTS.ns1.TConceptItem.1
Compiling routine BSTS.ns1.TConceptNode.1
Compiling routine BSTS.ns1.TConceptSearchOptions.1
Compiling routine BSTS.ns1.TContentAttributeSetDescriptor.1
Compiling routine BSTS.ns1.TContentRevision.1
Compiling routine BSTS.ns1.TContentVersion.1
Compiling routine BSTS.ns1.TKind.1
Compiling routine BSTS.ns1.TNamespacePermissionItem.1
Compiling routine BSTS.ns1.TPropertiedObject.1
Compiling routine BSTS.ns1.T.PropertyType.1
Compiling routine BSTS.ns1.TQualifierType.1
Compiling routine BSTS.ns1.TRole.1
Compiling routine BSTS.ns1.TRoleType.1
Compiling routine BSTS.ns1.TSubsetPermissionItem.1
Compiling routine BSTS.ns1.TTermAssociation.1
Compiling routine BSTS.ns1.TTermAttributeSetDescriptor.1
Compiling routine BSTS.ns1.TTermItem.1
Compiling routine BSTS.ns1.TTermSearchOptions.1
Compiling routine BSTS.ns1.TUserRole.1
Compiling routine BSTS.ns1.TVersionedContent.1
Compiling routine BSTS.ns1.SEAttributeExcludeFilter.1
Compiling routine BSTS.ns1.SEAttributeFilter.1
Compiling routine BSTS.ns1.SEConceptExcludeFilter.1
Compiling routine BSTS.ns1.SEConceptFilter.1
Compiling routine BSTS.ns1.SENamespaceFilter.1
Compiling routine BSTS.ns1.SESubsetExcludeFilter.1
Compiling routine BSTS.ns1.SESubsetFilter.1
```

```
Compiling routine BSTS.ns1.TConcept.1
Compiling routine BSTS.ns1.TConceptAttributeSetDescriptor.1
Compiling routine BSTS.ns1.TNamespace.1
Compiling routine BSTS.ns1.TNamespaceRevision.1
Compiling routine BSTS.ns1.TSubset.1
Compiling routine BSTS.ns1.TSubsetAttributeSetDescriptor.1
Compiling routine BSTS.ns1.TSubsetRevision.1
Compiling routine BSTS.ns1.TTerm.1
Compiling routine BSTS.ns1.TOntylogConcept.1
Compiling class BSTS.DtsDaoPort.addAuthority
Compiling class BSTS.DtsDaoPort.addAuthorityProperty
Compiling class BSTS.DtsDaoPort.addConcept
Compiling class BSTS.DtsDaoPort.addNamespace
Compiling class BSTS.DtsDaoPort.addNamespaceProperty
Compiling class BSTS.DtsDaoPort.addVersion
Compiling class BSTS.DtsDaoPort.addVersionProperty
Compiling class BSTS.DtsDaoPort.deleteAuthorityById
Compiling class BSTS.DtsDaoPort.deleteAuthorityByName
Compiling class BSTS.DtsDaoPort.deleteAuthorityProperty
Compiling class BSTS.DtsDaoPort.deleteConcept
Compiling class BSTS.DtsDaoPort.deleteNamespaceById
Compiling class BSTS.DtsDaoPort.deleteNamespaceByName
Compiling class BSTS.DtsDaoPort.deleteNamespaceProperty
Compiling class BSTS.DtsDaoPort.deleteVersionById
Compiling class BSTS.DtsDaoPort.deleteVersionByName
Compiling class BSTS.DtsDaoPort.deleteVersionProperty
Compiling class BSTS.DtsDaoPort.executeConceptTextSearch
Compiling class BSTS.DtsDaoPort.executeSQL
Compiling class BSTS.DtsDaoPort.findAssociationTypeById
Compiling class BSTS.DtsDaoPort.findAssociationTypeByName
Compiling class BSTS.DtsDaoPort.findAuthorityPropertyTypeById
Compiling class BSTS.DtsDaoPort.findAuthorityPropertyTypeByName
Compiling class BSTS.DtsDaoPort.findAuthorityQualifierTypeById
Compiling class BSTS.DtsDaoPort.findAuthorityQualifierTypeByName
Compiling class BSTS.DtsDaoPort.findConceptByCode
Compiling class BSTS.DtsDaoPort.findConceptById
Compiling class BSTS.DtsDaoPort.findConceptByName
Compiling class BSTS.DtsDaoPort.findConceptsWithAllSynonymMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithConceptAssociationMatching
Compiling class
BSTS.DtsDaoPort.findConceptsWithInverseConceptAssociationMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithInverseRoleMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithNameMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithPropertyMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithRoleMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithSynonymMatching
Compiling class BSTS.DtsDaoPort.findNamespaceByCode
Compiling class BSTS.DtsDaoPort.findNamespaceById
Compiling class BSTS.DtsDaoPort.findNamespaceByName
Compiling class BSTS.DtsDaoPort.findPropertyTypeById
Compiling class BSTS.DtsDaoPort.findPropertyTypeByName
Compiling class BSTS.DtsDaoPort.findQualifierTypeById
Compiling class BSTS.DtsDaoPort.findQualifierTypeByName
Compiling class BSTS.DtsDaoPort.findSubsetPropertyTypeById
Compiling class BSTS.DtsDaoPort.findSubsetPropertyTypeByName
Compiling class BSTS.DtsDaoPort.findSubsetQualifierTypeById
Compiling class BSTS.DtsDaoPort.findSubsetQualifierTypeByName
Compiling class BSTS.DtsDaoPort.findTermByCode
Compiling class BSTS.DtsDaoPort.findTermById
Compiling class BSTS.DtsDaoPort.findTermsByName
Compiling class BSTS.DtsDaoPort.findTermsWithInverseTermAssociationMatching
```

```
Compiling class BSTS.DtsDaoPort.findTermsWithSimpleNameMatching
Compiling class BSTS.DtsDaoPort.findTermsWithPropertyMatching
Compiling class BSTS.DtsDaoPort.findTermsWithTermAssociationMatching
Compiling class BSTS.DtsDaoPort.getAllNamespaceQualifierTypes
Compiling class BSTS.DtsDaoPort.getAllSubsetQualifierTypes
Compiling class BSTS.DtsDaoPort.getAssociationNavChildContext
Compiling class BSTS.DtsDaoPort.getAssociationNavParentContext
Compiling class BSTS.DtsDaoPort.getAssociationTypes
Compiling class BSTS.DtsDaoPort.getAuthorities
Compiling class BSTS.DtsDaoPort.getAuthorityPropertyQualifierTypes
Compiling class BSTS.DtsDaoPort.getAuthorityPropertyTypes
Compiling class BSTS.DtsDaoPort.getConceptAssociationTypes
Compiling class BSTS.DtsDaoPort.getConceptChildRoots
Compiling class BSTS.DtsDaoPort.getConceptPropertyQualifierTypes
Compiling class BSTS.DtsDaoPort.getConceptPropertyTypes
Compiling class BSTS.DtsDaoPort.getNamespacePropertyQualifierTypes
Compiling class BSTS.DtsDaoPort.getNamespacePropertyTypes
Compiling class BSTS.DtsDaoPort.getNameSpaces
Compiling class BSTS.DtsDaoPort.getNavChildContext
Compiling class BSTS.DtsDaoPort.getNavParentContext
Compiling class BSTS.DtsDaoPort.getRoleTypes
Compiling class BSTS.DtsDaoPort.getSubsetPropertyQualifierTypes
Compiling class BSTS.DtsDaoPort.getSubsetPropertyTypes
Compiling class BSTS.DtsDaoPort.getSubsetVersionPropertyQualifierTypes
Compiling class BSTS.DtsDaoPort.getSubsetVersionPropertyTypes
Compiling class BSTS.DtsDaoPort.getSynonymTypes
Compiling class BSTS.DtsDaoPort.getTermAssociationTypes
Compiling class BSTS.DtsDaoPort.getTermPropertyQualifierTypes
Compiling class BSTS.DtsDaoPort.getTermPropertyTypes
Compiling class BSTS.DtsDaoPort.getVersionPropertyQualifierTypes
Compiling class BSTS.DtsDaoPort.getVersionPropertyTypes
Compiling class BSTS.DtsDaoPort.getVersions
Compiling class BSTS.DtsDaoPort.isAssociationTypeUsed
Compiling class BSTS.DtsDaoPort.isPropertyTypeUsed
Compiling class BSTS.DtsDaoPort.isQualifierTypeUsed
Compiling class BSTS.DtsDaoPort.updateAuthority
Compiling class BSTS.DtsDaoPort.updateAuthorityProperty
Compiling class BSTS.DtsDaoPort.updateConcept
Compiling class BSTS.DtsDaoPort.updateNamespace
Compiling class BSTS.DtsDaoPort.updateNamespaceProperty
Compiling class BSTS.DtsDaoPort.updateVersion
Compiling class BSTS.DtsDaoPort.updateVersionProperty
Compiling class BSTS.DtsQueryDaoPort.addAssociationType
Compiling class BSTS.DtsQueryDaoPort.addAuthority
Compiling class BSTS.DtsQueryDaoPort.addAuthorityProperty
Compiling class BSTS.DtsQueryDaoPort.addConcept
Compiling class BSTS.DtsQueryDaoPort.addConceptAssociation
Compiling class BSTS.DtsQueryDaoPort.addConceptProperty
Compiling class BSTS.DtsQueryDaoPort.addDefiningConcept
Compiling class BSTS.DtsQueryDaoPort.addDefiningRole
Compiling class BSTS.DtsQueryDaoPort.addNamespace
Compiling class BSTS.DtsQueryDaoPort.addNamespaceProperty
Compiling class BSTS.DtsQueryDaoPort.addPropertyType
Compiling class BSTS.DtsQueryDaoPort.addQualifierType
Compiling class BSTS.DtsQueryDaoPort.addRoleType
Compiling class BSTS.DtsQueryDaoPort.addRootConcept
Compiling class BSTS.DtsQueryDaoPort.addSubset
Compiling class BSTS.DtsQueryDaoPort.addSubsetProperty
Compiling class BSTS.DtsQueryDaoPort.addSubsetVersion
Compiling class BSTS.DtsQueryDaoPort.addSubsetVersionProperty
Compiling class BSTS.DtsQueryDaoPort.addSynonym
```

```
Compiling class BSTS.DtsQueryDaoPort.addTerm
Compiling class BSTS.DtsQueryDaoPort.addTermAssociation
Compiling class BSTS.DtsQueryDaoPort.addTermProperty
Compiling class BSTS.DtsQueryDaoPort.addVersion
Compiling class BSTS.DtsQueryDaoPort.addVersionProperty
Compiling class BSTS.DtsQueryDaoPort.buildSubset
Compiling class BSTS.DtsQueryDaoPort.classify
Compiling class BSTS.DtsQueryDaoPort.createNamespaceRevision
Compiling class BSTS.DtsQueryDaoPort.createRoleGroup
Compiling class BSTS.DtsQueryDaoPort.createSubsetRevision
Compiling class BSTS.DtsQueryDaoPort.deleteAssociationType
Compiling class BSTS.DtsQueryDaoPort.deleteAuthorityById
Compiling class BSTS.DtsQueryDaoPort.deleteAuthorityByName
Compiling class BSTS.DtsQueryDaoPort.deleteAuthorityProperty
Compiling class BSTS.DtsQueryDaoPort.deleteConcept
Compiling class BSTS.DtsQueryDaoPort.deleteConceptAssociation
Compiling class BSTS.DtsQueryDaoPort.deleteConceptProperty
Compiling class BSTS.DtsQueryDaoPort.deleteDefiningConcept
Compiling class BSTS.DtsQueryDaoPort.deleteDefiningRole
Compiling class BSTS.DtsQueryDaoPort.deleteNamespaceByCode
Compiling class BSTS.DtsQueryDaoPort.deleteNamespaceById
Compiling class BSTS.DtsQueryDaoPort.deleteNamespaceByName
Compiling class BSTS.DtsQueryDaoPort.deleteNamespaceProperty
Compiling class BSTS.DtsQueryDaoPort.delete.PropertyType
Compiling class BSTS.DtsQueryDaoPort.deleteQualifierType
Compiling class BSTS.DtsQueryDaoPort.deleteRoleType
Compiling class BSTS.DtsQueryDaoPort.deleteRoleTypeWithReferences
Compiling class BSTS.DtsQueryDaoPort.deleteRootConcept
Compiling class BSTS.DtsQueryDaoPort.deleteSubset
Compiling class BSTS.DtsQueryDaoPort.deleteSubsetProperty
Compiling class BSTS.DtsQueryDaoPort.deleteSubsetVersionById
Compiling class BSTS.DtsQueryDaoPort.deleteSubsetVersionByName
Compiling class BSTS.DtsQueryDaoPort.deleteSubsetVersionProperty
Compiling class BSTS.DtsQueryDaoPort.deleteSynonym
Compiling class BSTS.DtsQueryDaoPort.deleteSystemContextProperty
Compiling class BSTS.DtsQueryDaoPort.deleteTerm
Compiling class BSTS.DtsQueryDaoPort.deleteTermAssociation
Compiling class BSTS.DtsQueryDaoPort.deleteTermProperty
Compiling class BSTS.DtsQueryDaoPort.deleteUserContextProperty
Compiling class BSTS.DtsQueryDaoPort.deleteVersionById
Compiling class BSTS.DtsQueryDaoPort.deleteVersionByName
Compiling class BSTS.DtsQueryDaoPort.deleteVersionProperty
Compiling class BSTS.DtsQueryDaoPort.executeBatchSQLUpdate
Compiling class BSTS.DtsQueryDaoPort.executeSQL
Compiling class BSTS.DtsQueryDaoPort.executeQuery
Compiling class BSTS.DtsQueryDaoPort.executeUpdate
Compiling class BSTS.DtsQueryDaoPort.executeSQLUpdates
Compiling class BSTS.DtsQueryDaoPort.fetchAuthorityById
Compiling class BSTS.DtsQueryDaoPort.fetchAuthorityByName
Compiling class BSTS.DtsQueryDaoPort.fetchConceptHistory
Compiling class BSTS.DtsQueryDaoPort.fetchConceptSubsets
Compiling class BSTS.DtsQueryDaoPort.fetchParentReferences
Compiling class BSTS.DtsQueryDaoPort.fetchRightIdentityReferences
Compiling class BSTS.DtsQueryDaoPort.fetchSubsetConceptCount
Compiling class BSTS.DtsQueryDaoPort.fetchSubsetConcepts
Compiling class BSTS.DtsQueryDaoPort.fetchSubsetNamespaces
Compiling class BSTS.DtsQueryDaoPort.fetchSubsetPreview
Compiling class BSTS.DtsQueryDaoPort.fetchTermHistory
Compiling class BSTS.DtsQueryDaoPort.fetchTermProperties
Compiling class BSTS.DtsQueryDaoPort.fetchVersionById
Compiling class BSTS.DtsQueryDaoPort.fetchVersionByName
```

```
Compiling class BSTS.DtsQueryDaoPort.filterSubsetConcepts
Compiling class BSTS.DtsQueryDaoPort.findAllSubsets
Compiling class BSTS.DtsQueryDaoPort.findAssociationTypeById
Compiling class BSTS.DtsQueryDaoPort.findAssociationTypeByName
Compiling class BSTS.DtsQueryDaoPort.findAuthorityPropertyTypeById
Compiling class BSTS.DtsQueryDaoPort.findAuthorityPropertyTypeByName
Compiling class BSTS.DtsQueryDaoPort.findAuthorityQualifierTypeById
Compiling class BSTS.DtsQueryDaoPort.findAuthorityQualifierTypeByName
Compiling class BSTS.DtsQueryDaoPort.findConceptByCode
Compiling class BSTS.DtsQueryDaoPort.findConceptById
Compiling class BSTS.DtsQueryDaoPort.findConceptByName
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithAllSynonymMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithAssociationQualifierMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithConceptAssociationMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithInverseConceptAssociationMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithInverseRoleMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithNameMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithPropertyMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithPropertyQualifierMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithRoleMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithSynonymMatching
Compiling class BSTS.DtsQueryDaoPort.findNamespaceByCode
Compiling class BSTS.DtsQueryDaoPort.findNamespaceById
Compiling class BSTS.DtsQueryDaoPort.findNamespaceByName
Compiling class BSTS.DtsQueryDaoPort.findPropertyTypeById
Compiling class BSTS.DtsQueryDaoPort.findPropertyTypeByName
Compiling class BSTS.DtsQueryDaoPort.findQualifierTypeById
Compiling class BSTS.DtsQueryDaoPort.findQualifierTypeByName
Compiling class BSTS.DtsQueryDaoPort.findRoleTypeByCode
Compiling class BSTS.DtsQueryDaoPort.findRoleTypeById
Compiling class BSTS.DtsQueryDaoPort.findRoleTypeByName
Compiling class BSTS.DtsQueryDaoPort.findSubset
Compiling class BSTS.DtsQueryDaoPort.findSubsetById
Compiling class BSTS.DtsQueryDaoPort.findSubsetByName
Compiling class BSTS.DtsQueryDaoPort.findSubset.PropertyTypeById
Compiling class BSTS.DtsQueryDaoPort.findSubset.PropertyTypeByName
Compiling class BSTS.DtsQueryDaoPort.findSubset.QualifierTypeById
Compiling class BSTS.DtsQueryDaoPort.findSubset.QualifierTypeByName
Compiling class BSTS.DtsQueryDaoPort.findSubset.VersionById
Compiling class BSTS.DtsQueryDaoPort.findSubset.VersionByName
Compiling class BSTS.DtsQueryDaoPort.findTermByCode
Compiling class BSTS.DtsQueryDaoPort.findTermById
Compiling class BSTS.DtsQueryDaoPort.findTermsByName
Compiling class BSTS.DtsQueryDaoPort.findTerms
Compiling class BSTS.DtsQueryDaoPort.findTermsWithAssociationQualifierMatching
Compiling class BSTS.DtsQueryDaoPort.findTermsWithInverseSynonymMatching
Compiling class BSTS.DtsQueryDaoPort.findTermsWithInverseTermAssociationMatching
Compiling class BSTS.DtsQueryDaoPort.findTermsWithNameMatching
Compiling class BSTS.DtsQueryDaoPort.findTermsWithPropertyMatching
Compiling class BSTS.DtsQueryDaoPort.findTermsWithPropertyQualifierMatching
Compiling class BSTS.DtsQueryDaoPort.findTermsWithTermAssociationMatching
Compiling class BSTS.DtsQueryDaoPort.generateAuthorityItemId
Compiling class BSTS.DtsQueryDaoPort.generateNamespaceItemId
Compiling class BSTS.DtsQueryDaoPort.generateNextConceptId
Compiling class BSTS.DtsQueryDaoPort.generateNextTermId
Compiling class BSTS.DtsQueryDaoPort.generateSubsetItemId
```

```
Compiling class BSTS.DtsQueryDaoPort.getAllKinds
Compiling class BSTS.DtsQueryDaoPort.getAllLicenses
Compiling class BSTS.DtsQueryDaoPort.getAllNamespaceQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getAllPropertyTypesOfAuthority
Compiling class BSTS.DtsQueryDaoPort.getAllRoleTypes
Compiling class BSTS.DtsQueryDaoPort.getAllSubsetQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getAssociationNavChildContext
Compiling class BSTS.DtsQueryDaoPort.getAssociationNavParentContext
Compiling class BSTS.DtsQueryDaoPort.getAssociationTypes
Compiling class BSTS.DtsQueryDaoPort.getAuthorities
Compiling class BSTS.DtsQueryDaoPort.getAuthorityPropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getAuthorityPropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getClassifyDetail
Compiling class BSTS.DtsQueryDaoPort.getConceptAssociationTypes
Compiling class BSTS.DtsQueryDaoPort.getConceptChildRoots
Compiling class BSTS.DtsQueryDaoPort.getConceptPropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getConceptPropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getCycleErrors
Compiling class BSTS.DtsQueryDaoPort.getEqErrors
Compiling class BSTS.DtsQueryDaoPort.getExtendingNamespaces
Compiling class BSTS.DtsQueryDaoPort.getKinds
Compiling class BSTS.DtsQueryDaoPort.getLicense
Compiling class BSTS.DtsQueryDaoPort.getNamespacePropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getNamespacePropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getNamespaces
Compiling class BSTS.DtsQueryDaoPort.getNavChildContext
Compiling class BSTS.DtsQueryDaoPort.getNavChildContextInNamespace
Compiling class BSTS.DtsQueryDaoPort.getNavParentContext
Compiling class BSTS.DtsQueryDaoPort.getNavParentContextInNamespace
Compiling class BSTS.DtsQueryDaoPort.getNoKindConcepts
Compiling class BSTS.DtsQueryDaoPort.getNoParentConcepts
Compiling class BSTS.DtsQueryDaoPort.getRoleTypes
Compiling class BSTS.DtsQueryDaoPort.getSchemaVersion
Compiling class BSTS.DtsQueryDaoPort.getServerDatabaseType
Compiling class BSTS.DtsQueryDaoPort.getServerVersion
Compiling class BSTS.DtsQueryDaoPort.getSubConcepts
Compiling class BSTS.DtsQueryDaoPort.getSubsetConceptChildRoots
Compiling class BSTS.DtsQueryDaoPort.getSubsetNavChildContext
Compiling class BSTS.DtsQueryDaoPort.getSubsetNavParentContext
Compiling class BSTS.DtsQueryDaoPort.getSubsetPropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getSubsetPropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getSubsetVersion
Compiling class BSTS.DtsQueryDaoPort.getSubsetVersionByTime
Compiling class BSTS.DtsQueryDaoPort.getSubsetVersionPropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getSubsetVersionPropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getSubsetVersions
Compiling class BSTS.DtsQueryDaoPort.getSynonymTypes
Compiling class BSTS.DtsQueryDaoPort.getSystemContextProperty
Compiling class BSTS.DtsQueryDaoPort.getSystemContextPropertyKeys
Compiling class BSTS.DtsQueryDaoPort.getTermAssociationTypes
Compiling class BSTS.DtsQueryDaoPort.getTermPropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getTermPropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getUserContextProperty
Compiling class BSTS.DtsQueryDaoPort.getUserContextPropertyKeys
Compiling class BSTS.DtsQueryDaoPort.getVersion
Compiling class BSTS.DtsQueryDaoPort.getVersionByTime
Compiling class BSTS.DtsQueryDaoPort.getVersionPropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getVersionPropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getVersions
Compiling class BSTS.DtsQueryDaoPort.hasAdminPermission
Compiling class BSTS.DtsQueryDaoPort.hasAuthorityPermission
```

```
Compiling class BSTS.DtsQueryDaoPort.hasNamespacePermission
Compiling class BSTS.DtsQueryDaoPort.hasSubsetPermission
Compiling class BSTS.DtsQueryDaoPort.isAssociationTypeUsed
Compiling class BSTS.DtsQueryDaoPort.isPropertyTypeUsed
Compiling class BSTS.DtsQueryDaoPort.isQualifierTypeUsed
Compiling class BSTS.DtsQueryDaoPort.isRoleTypeUsed
Compiling class BSTS.DtsQueryDaoPort.isSubConcept
Compiling class BSTS.DtsQueryDaoPort.isSubConceptByCode
Compiling class BSTS.DtsQueryDaoPort.isSubConceptById
Compiling class BSTS.DtsQueryDaoPort.isSubConceptByName
Compiling class BSTS.DtsQueryDaoPort.isSubConceptOfConcepts
Compiling class BSTS.DtsQueryDaoPort.isSubConceptOfConceptsByName
Compiling class BSTS.DtsQueryDaoPort.isWorkingVersion
Compiling class BSTS.DtsQueryDaoPort.ping
Compiling class BSTS.DtsQueryDaoPort.saveSubsetExpression
Compiling class BSTS.DtsQueryDaoPort.saveSystemContextProperty
Compiling class BSTS.DtsQueryDaoPort.saveUserContextProperty
Compiling class BSTS.DtsQueryDaoPort.syncAuthorityItemId
Compiling class BSTS.DtsQueryDaoPort.syncNamespaceItemId
Compiling class BSTS.DtsQueryDaoPort.syncSubsetItemId
Compiling class BSTS.DtsQueryDaoPort.ungroupRoleGroup
Compiling class BSTS.DtsQueryDaoPort.updateAssociationType
Compiling class BSTS.DtsQueryDaoPort.updateAuthority
Compiling class BSTS.DtsQueryDaoPort.updateAuthorityProperty
Compiling class BSTS.DtsQueryDaoPort.updateConcept
Compiling class BSTS.DtsQueryDaoPort.updateConceptAssociation
Compiling class BSTS.DtsQueryDaoPort.updateConceptProperty
Compiling class BSTS.DtsQueryDaoPort.updateDefiningConcept
Compiling class BSTS.DtsQueryDaoPort.updateDefiningRole
Compiling class BSTS.DtsQueryDaoPort.updateNamespace
Compiling class BSTS.DtsQueryDaoPort.updateNamespaceProperty
Compiling class BSTS.DtsQueryDaoPort.updatePrimitive
Compiling class BSTS.DtsQueryDaoPort.update.PropertyType
Compiling class BSTS.DtsQueryDaoPort.updateQualifierType
Compiling class BSTS.DtsQueryDaoPort.updateRoleType
Compiling class BSTS.DtsQueryDaoPort.updateSubset
Compiling class BSTS.DtsQueryDaoPort.updateSubsetProperty
Compiling class BSTS.DtsQueryDaoPort.updateSubsetVersion
Compiling class BSTS.DtsQueryDaoPort.updateSubsetVersionProperty
Compiling class BSTS.DtsQueryDaoPort.updateSynonym
Compiling class BSTS.DtsQueryDaoPort.updateTerm
Compiling class BSTS.DtsQueryDaoPort.updateTermAssociation
Compiling class BSTS.DtsQueryDaoPort.updateTermProperty
Compiling class BSTS.DtsQueryDaoPort.updateVersion
Compiling class BSTS.DtsQueryDaoPort.updateVersionProperty
Compiling routine BSTS.DtsDaoPort.addAuthority.1
Compiling routine BSTS.DtsDaoPort.addAuthorityProperty.1
Compiling routine BSTS.DtsDaoPort.addConcept.1
Compiling routine BSTS.DtsDaoPort.addNamespace.1
Compiling routine BSTS.DtsDaoPort.addNamespaceProperty.1
Compiling routine BSTS.DtsDaoPort.addVersion.1
Compiling routine BSTS.DtsDaoPort.addVersionProperty.1
Compiling routine BSTS.DtsDaoPort.deleteAuthorityById.1
Compiling routine BSTS.DtsDaoPort.deleteAuthorityByName.1
Compiling routine BSTS.DtsDaoPort.deleteAuthorityProperty.1
Compiling routine BSTS.DtsDaoPort.deleteConcept.1
Compiling routine BSTS.DtsDaoPort.deleteNamespaceById.1
Compiling routine BSTS.DtsDaoPort.deleteNamespaceByName.1
Compiling routine BSTS.DtsDaoPort.deleteNamespaceProperty.1
Compiling routine BSTS.DtsDaoPort.deleteVersionById.1
Compiling routine BSTS.DtsDaoPort.deleteVersionByName.1
```

```
Compiling routine BSTS.DtsDaoPort.deleteVersionProperty.1
Compiling routine BSTS.DtsDaoPort.executeConceptTextSearch.1
Compiling routine BSTS.DtsDaoPort.executeSQL.1
Compiling routine BSTS.DtsDaoPort.findAssociationTypeById.1
Compiling routine BSTS.DtsDaoPort.findAssociationTypeByName.1
Compiling routine BSTS.DtsDaoPort.findAuthorityPropertyTypeById.1
Compiling routine BSTS.DtsDaoPort.findAuthorityPropertyTypeByName.1
Compiling routine BSTS.DtsDaoPort.findAuthorityQualifierTypeById.1
Compiling routine BSTS.DtsDaoPort.findAuthorityQualifierTypeByName.1
Compiling routine BSTS.DtsDaoPort.findConceptByCode.1
Compiling routine BSTS.DtsDaoPort.findConceptById.1
Compiling routine BSTS.DtsDaoPort.findConceptByName.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithAllSynonymMatching.1
Compiling routine
BSTS.DtsDaoPort.findConceptsWithConceptAssociationMatching.1
Compiling routine
BSTS.DtsDaoPort.findConceptsWithInverseConceptAssociationMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithInverseRoleMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithNameMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithPropertyMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithRoleMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithSynonymMatching.1
Compiling routine BSTS.DtsDaoPort.findNamespaceByCode.1
Compiling routine BSTS.DtsDaoPort.findNamespaceById.1
Compiling routine BSTS.DtsDaoPort.findNamespaceByName.1
Compiling routine BSTS.DtsDaoPort.findPropertyTypeById.1
Compiling routine BSTS.DtsDaoPort.findPropertyTypeByName.1
Compiling routine BSTS.DtsDaoPort.findQualifierTypeById.1
Compiling routine BSTS.DtsDaoPort.findQualifierTypeByName.1
Compiling routine BSTS.DtsDaoPort.findSubsetPropertyTypeById.1
Compiling routine BSTS.DtsDaoPort.findSubsetPropertyTypeByName.1
Compiling routine BSTS.DtsDaoPort.findSubsetQualifierTypeById.1
Compiling routine BSTS.DtsDaoPort.findSubsetQualifierTypeByName.1
Compiling routine BSTS.DtsDaoPort.findTermByCode.1
Compiling routine BSTS.DtsDaoPort.findTermById.1
Compiling routine BSTS.DtsDaoPort.findTermsByName.1
Compiling routine
BSTS.DtsDaoPort.findTermsWithInverseTermAssociationMatching.1
Compiling routine BSTS.DtsDaoPort.findTermsWithNameMatching.1
Compiling routine BSTS.DtsDaoPort.findTermsWithPropertyMatching.1
Compiling routine BSTS.DtsDaoPort.findTermsWithTermAssociationMatching.1
Compiling routine BSTS.DtsDaoPort.getAllNamespaceQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getAllSubsetQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getAssociationNavChildContext.1
Compiling routine BSTS.DtsDaoPort.getAssociationNavParentContext.1
Compiling routine BSTS.DtsDaoPort.getAssociationTypes.1
Compiling routine BSTS.DtsDaoPort.getAuthorities.1
Compiling routine BSTS.DtsDaoPort.getAuthorityPropertyQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getAuthorityPropertyTypes.1
Compiling routine BSTS.DtsDaoPort.getConceptAssociationTypes.1
Compiling routine BSTS.DtsDaoPort.getConceptChildRoots.1
Compiling routine BSTS.DtsDaoPort.getConceptPropertyQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getConceptPropertyTypes.1
Compiling routine BSTS.DtsDaoPort.getNamespacePropertyQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getNamespacePropertyTypes.1
Compiling routine BSTS.DtsDaoPort.getNameSpaces.1
Compiling routine BSTS.DtsDaoPort.getNavChildContext.1
Compiling routine BSTS.DtsDaoPort.getNavParentContext.1
Compiling routine BSTS.DtsDaoPort.getRoleTypes.1
Compiling routine BSTS.DtsDaoPort.getSubsetPropertyQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getSubsetPropertyTypes.1
```

```
Compiling routine BSTS.DtsDaoPort.getSubsetVersionPropertyQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getSubsetVersionPropertyTypes.1
Compiling routine BSTS.DtsDaoPort.getSynonymTypes.1
Compiling routine BSTS.DtsDaoPort.getTermAssociationTypes.1
Compiling routine BSTS.DtsDaoPort.getTermPropertyQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getTermPropertyTypes.1
Compiling routine BSTS.DtsDaoPort.getVersionPropertyQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getVersionPropertyTypes.1
Compiling routine BSTS.DtsDaoPort.getVersions.1
Compiling routine BSTS.DtsDaoPort.isAssociationTypeUsed.1
Compiling routine BSTS.DtsDaoPort.isPropertyTypeUsed.1
Compiling routine BSTS.DtsDaoPort.isQualifierTypeUsed.1
Compiling routine BSTS.DtsDaoPort.updateAuthority.1
Compiling routine BSTS.DtsDaoPort.updateAuthorityProperty.1
Compiling routine BSTS.DtsDaoPort.updateConcept.1
Compiling routine BSTS.DtsDaoPort.updateNamespace.1
Compiling routine BSTS.DtsDaoPort.updateNamespaceProperty.1
Compiling routine BSTS.DtsDaoPort.updateVersion.1
Compiling routine BSTS.DtsDaoPort.updateVersionProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addAssociationType.1
Compiling routine BSTS.DtsQueryDaoPort.addAuthority.1
Compiling routine BSTS.DtsQueryDaoPort.addAuthorityProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addConcept.1
Compiling routine BSTS.DtsQueryDaoPort.addConceptAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.addConceptProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addDefiningConcept.1
Compiling routine BSTS.DtsQueryDaoPort.addDefiningRole.1
Compiling routine BSTS.DtsQueryDaoPort.addNamespace.1
Compiling routine BSTS.DtsQueryDaoPort.addNamespaceProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addPropertyType.1
Compiling routine BSTS.DtsQueryDaoPort.addQualifierType.1
Compiling routine BSTS.DtsQueryDaoPort.addRoleType.1
Compiling routine BSTS.DtsQueryDaoPort.addRootConcept.1
Compiling routine BSTS.DtsQueryDaoPort.addSubset.1
Compiling routine BSTS.DtsQueryDaoPort.addSubsetProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addSubsetVersion.1
Compiling routine BSTS.DtsQueryDaoPort.addSubsetVersionProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addSynonym.1
Compiling routine BSTS.DtsQueryDaoPort.addTerm.1
Compiling routine BSTS.DtsQueryDaoPort.addTermAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.addTermProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addVersion.1
Compiling routine BSTS.DtsQueryDaoPort.addVersionProperty.1
Compiling routine BSTS.DtsQueryDaoPort.buildSubset.1
Compiling routine BSTS.DtsQueryDaoPort.classify.1
Compiling routine BSTS.DtsQueryDaoPort.createNamespaceRevision.1
Compiling routine BSTS.DtsQueryDaoPort.createRoleGroup.1
Compiling routine BSTS.DtsQueryDaoPort.createSubsetRevision.1
Compiling routine BSTS.DtsQueryDaoPort.deleteAssociationType.1
Compiling routine BSTS.DtsQueryDaoPort.deleteAuthorityById.1
Compiling routine BSTS.DtsQueryDaoPort.deleteAuthorityByName.1
Compiling routine BSTS.DtsQueryDaoPort.deleteAuthorityProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteConcept.1
Compiling routine BSTS.DtsQueryDaoPort.deleteConceptAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.deleteConceptProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteDefiningConcept.1
Compiling routine BSTS.DtsQueryDaoPort.deleteDefiningRole.1
Compiling routine BSTS.DtsQueryDaoPort.deleteNamespaceByCode.1
Compiling routine BSTS.DtsQueryDaoPort.deleteNamespaceById.1
Compiling routine BSTS.DtsQueryDaoPort.deleteNamespaceByName.1
Compiling routine BSTS.DtsQueryDaoPort.deleteNamespaceProperty.1
```

```
Compiling routine BSTS.DtsQueryDaoPort.deletePropertyType.1
Compiling routine BSTS.DtsQueryDaoPort.deleteQualifierType.1
Compiling routine BSTS.DtsQueryDaoPort.deleteRoleType.1
Compiling routine BSTS.DtsQueryDaoPort.deleteRoleTypeWithReferences.1
Compiling routine BSTS.DtsQueryDaoPort.deleteRootConcept.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSubset.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSubsetProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSubsetVersionById.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSubsetVersionByName.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSubsetVersionProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSynonym.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSystemContextProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteTerm.1
Compiling routine BSTS.DtsQueryDaoPort.deleteTermAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.deleteTermProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteUserContextProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteVersionById.1
Compiling routine BSTS.DtsQueryDaoPort.deleteVersionByName.1
Compiling routine BSTS.DtsQueryDaoPort.deleteVersionProperty.1
Compiling routine BSTS.DtsQueryDaoPort.executeBatchSQLUpdate.1
Compiling routine BSTS.DtsQueryDaoPort.execSQL.1
Compiling routine BSTS.DtsQueryDaoPort.executesQLQuery.1
Compiling routine BSTS.DtsQueryDaoPort.executeSQLUpdate.1
Compiling routine BSTS.DtsQueryDaoPort.executeSQLUpdates.1
Compiling routine BSTS.DtsQueryDaoPort.fetchAuthorityById.1
Compiling routine BSTS.DtsQueryDaoPort.fetchAuthorityByName.1
Compiling routine BSTS.DtsQueryDaoPort.fetchConceptHistory.1
Compiling routine BSTS.DtsQueryDaoPort.fetchConceptSubsets.1
Compiling routine BSTS.DtsQueryDaoPort.fetchParentReferences.1
Compiling routine BSTS.DtsQueryDaoPort.fetchRightIdentityReferences.1
Compiling routine BSTS.DtsQueryDaoPort.fetchSubsetConceptCount.1
Compiling routine BSTS.DtsQueryDaoPort.fetchSubsetConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.fetchSubsetNamespaces.1
Compiling routine BSTS.DtsQueryDaoPort.fetchSubsetPreview.1
Compiling routine BSTS.DtsQueryDaoPort.fetchTermHistory.1
Compiling routine BSTS.DtsQueryDaoPort.fetchTermProperties.1
Compiling routine BSTS.DtsQueryDaoPort.fetchVersionById.1
Compiling routine BSTS.DtsQueryDaoPort.fetchVersionByName.1
Compiling routine BSTS.DtsQueryDaoPort.filterSubsetConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.findAllSubsets.1
Compiling routine BSTS.DtsQueryDaoPort.findAssociationTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findAssociationTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findAuthorityPropertyTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findAuthorityPropertyTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findAuthorityQualifierTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findAuthorityQualifierTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptByCode.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptById.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptByName.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithAllSynonymMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithAssociationQualifierMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithConceptAssociationMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithInverseConceptAssociationMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithInverseRoleMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithNameMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithPropertyMatching.1
```

```
Compiling routine
BSTS.DtsQueryDaoPort.findConceptsWithPropertyQualifierMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithRoleMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithSynonymMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findNamespaceByCode.1
Compiling routine BSTS.DtsQueryDaoPort.findNamespaceById.1
Compiling routine BSTS.DtsQueryDaoPort.findNamespaceByName.1
Compiling routine BSTS.DtsQueryDaoPort.findPropertyTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findPropertyTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findQualifierTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findQualifierTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findRoleTypeByCode.1
Compiling routine BSTS.DtsQueryDaoPort.findRoleTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findRoleTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findSubset.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetById.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetByName.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetPropertyTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetPropertyTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetQualifierTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetQualifierTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetVersionById.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetVersionByName.1
Compiling routine BSTS.DtsQueryDaoPort.findTermByCode.1
Compiling routine BSTS.DtsQueryDaoPort.findTermById.1
Compiling routine BSTS.DtsQueryDaoPort.findTermsByName.1
Compiling routine
BSTS.DtsQueryDaoPort.findTermsWithAssociationQualifierMatching.1
Compiling routine
BSTS.DtsQueryDaoPort.findTermsWithInverseSynonymMatching.1
Compiling routine
BSTS.DtsQueryDaoPort.findTermsWithInverseTermAssociationMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findTermsWithNameMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findTermsWithPropertyMatching.1
Compiling routine
BSTS.DtsQueryDaoPort.findTermsWithPropertyQualifierMatching.1
Compiling routine
BSTS.DtsQueryDaoPort.findTermsWithTermAssociationMatching.1
Compiling routine BSTS.DtsQueryDaoPort.generateAuthorityItemId.1
Compiling routine BSTS.DtsQueryDaoPort.generateNamespaceItemId.1
Compiling routine BSTS.DtsQueryDaoPort.generateNextConceptId.1
Compiling routine BSTS.DtsQueryDaoPort.generateNextTermId.1
Compiling routine BSTS.DtsQueryDaoPort.generateSubsetItemId.1
Compiling routine BSTS.DtsQueryDaoPort.getAllKinds.1
Compiling routine BSTS.DtsQueryDaoPort.getAllLicenses.1
Compiling routine BSTS.DtsQueryDaoPort.getAllNamespaceQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getAllPropertyTypesOfAuthority.1
Compiling routine BSTS.DtsQueryDaoPort.getAllRoleTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getAllSubsetQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getAssociationNavChildContext.1
Compiling routine BSTS.DtsQueryDaoPort.getAssociationNavParentContext.1
Compiling routine BSTS.DtsQueryDaoPort.getAssociationTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getAuthorities.1
Compiling routine BSTS.DtsQueryDaoPort.getAuthorityPropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getAuthorityPropertyTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getClassifyDetail.1
Compiling routine BSTS.DtsQueryDaoPort.getConceptAssociationTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getConceptChildRoots.1
Compiling routine BSTS.DtsQueryDaoPort.getConceptPropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getConceptPropertyTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getCycleErrors.1
```

```
Compiling routine BSTS.DtsQueryDaoPort.getEqErrors.1
Compiling routine BSTS.DtsQueryDaoPort.getExtendingNamespaces.1
Compiling routine BSTS.DtsQueryDaoPort.getKinds.1
Compiling routine BSTS.DtsQueryDaoPort.getLicense.1
Compiling routine BSTS.DtsQueryDaoPort.getNamespacePropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getNamespacePropertyTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getNamespaces.1
Compiling routine BSTS.DtsQueryDaoPort.getNavChildContext.1
Compiling routine BSTS.DtsQueryDaoPort.getNavChildContextInNamespace.1
Compiling routine BSTS.DtsQueryDaoPort.getNavParentContext.1
Compiling routine BSTS.DtsQueryDaoPort.getNavParentContextInNamespace.1
Compiling routine BSTS.DtsQueryDaoPort.getNoKindConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.getNoParentConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.getRoleTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSchemaVersion.1
Compiling routine BSTS.DtsQueryDaoPort.getServerDatabaseType.1
Compiling routine BSTS.DtsQueryDaoPort.getServerVersion.1
Compiling routine BSTS.DtsQueryDaoPort.getSubConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetConceptChildRoots.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetNavChildContext.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetNavParentContext.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetPropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetPropertyTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetVersion.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetVersionByTime.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetVersionPropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetVersionPropertyTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetVersions.1
Compiling routine BSTS.DtsQueryDaoPort.getSynonymTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSystemContextProperty.1
Compiling routine BSTS.DtsQueryDaoPort.getSystemContextPropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.getTermAssociationTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getTermPropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getTermPropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.getUserContextProperty.1
Compiling routine BSTS.DtsQueryDaoPort.getUserContextPropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.getVersion.1
Compiling routine BSTS.DtsQueryDaoPort.getVersionByTime.1
Compiling routine BSTS.DtsQueryDaoPort.getVersionPropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.getVersionPropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.getVersions.1
Compiling routine BSTS.DtsQueryDaoPort.hasAdminPermission.1
Compiling routine BSTS.DtsQueryDaoPort.hasAuthorityPermission.1
Compiling routine BSTS.DtsQueryDaoPort.hasNamespacePermission.1
Compiling routine BSTS.DtsQueryDaoPort.hasSubsetPermission.1
Compiling routine BSTS.DtsQueryDaoPort.isAssociationTypeUsed.1
Compiling routine BSTS.DtsQueryDaoPort.is.PropertyTypeUsed.1
Compiling routine BSTS.DtsQueryDaoPort.isQualifierTypeUsed.1
Compiling routine BSTS.DtsQueryDaoPort.isRoleTypeUsed.1
Compiling routine BSTS.DtsQueryDaoPort.isSubConcept.1
Compiling routine BSTS.DtsQueryDaoPort.isSubConceptByCode.1
Compiling routine BSTS.DtsQueryDaoPort.isSubConceptById.1
Compiling routine BSTS.DtsQueryDaoPort.isSubConceptByName.1
Compiling routine BSTS.DtsQueryDaoPort.isSubConceptOfConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.isSubConceptOfConceptsByName.1
Compiling routine BSTS.DtsQueryDaoPort.isWorkingVersion.1
Compiling routine BSTS.DtsQueryDaoPort.ping.1
Compiling routine BSTS.DtsQueryDaoPort.saveSubsetExpression.1
Compiling routine BSTS.DtsQueryDaoPort.saveSystemContextPropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.saveUserContextPropertyParams.1
```

```

Compiling routine BSTS.DtsQueryDaoPort.syncAuthorityItemId.1
Compiling routine BSTS.DtsQueryDaoPort.syncNamespaceItemId.1
Compiling routine BSTS.DtsQueryDaoPort.syncSubsetItemId.1
Compiling routine BSTS.DtsQueryDaoPort.ungroupRoleGroup.1
Compiling routine BSTS.DtsQueryDaoPort.updateAssociationType.1
Compiling routine BSTS.DtsQueryDaoPort.updateAuthority.1
Compiling routine BSTS.DtsQueryDaoPort.updateAuthorityProperty.1
Compiling routine BSTS.DtsQueryDaoPort.updateConcept.1
Compiling routine BSTS.DtsQueryDaoPort.updateConceptAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.updateConceptProperty.1
Compiling routine BSTS.DtsQueryDaoPort.updateDefiningConcept.1
Compiling routine BSTS.DtsQueryDaoPort.updateDefiningRole.1
Compiling routine BSTS.DtsQueryDaoPort.updateNamespace.1
Compiling routine BSTS.DtsQueryDaoPort.updateNamespaceProperty.1
Compiling routine BSTS.DtsQueryDaoPort.updatePrimitive.1
Compiling routine BSTS.DtsQueryDaoPort.update.PropertyType.1
Compiling routine BSTS.DtsQueryDaoPort.updateQualifierType.1
Compiling routine BSTS.DtsQueryDaoPort.updateRoleType.1
Compiling routine BSTS.DtsQueryDaoPort.updateSubset.1
Compiling routine BSTS.DtsQueryDaoPort.updateSubsetProperty.1
Compiling routine BSTS.DtsQueryDaoPort.updateSubsetVersion.1
Compiling routine BSTS.DtsQueryDaoPort.updateSubsetVersionProperty.1
Compiling routine BSTS.DtsQueryDaoPort.updateSynonym.1
Compiling routine BSTS.DtsQueryDaoPort.updateTerm.1
Compiling routine BSTS.DtsQueryDaoPort.updateTermAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.updateTermProperty.1
Compiling routine BSTS.DtsQueryDaoPort.updateVersion.1
Compiling routine BSTS.DtsQueryDaoPort.updateVersionProperty.1
Load finished successfully.

Updating 9002318.5 Record

Verifying connection to DTS server is working. This may take several
minutes to complete

Updating Routine file...

Updating KIDS files...

IHS STANDARD TERMINOLOGY 2.0 Installed.
Dec 02, 2016@10:43:35

Not a VA primary domain

Install Completed

```

Figure 4-2: New BSTS Installation

### 4.3 Version 2.0 Installation into Environment with BSTS Version 1.0

Figure 4-3 shows a screen capture of a Version 2.0 installation in an environment where Version 1.0 has been installed, but no subsequent patches have been installed.

```

Select Kernel Installation & Distribution System <TEST ACCOUNT> Option:
Installation

1 Load a Distribution

```

```
2 Verify Checksums in Transport Global
3 Print Transport Global
4 Compare Transport Global to Current System
5 Backup a Transport Global
6 Install Package(s)
Restart Install of Package(s)
Unload a Distribution

You have PENDING ALERTS
Enter "VA to jump to VIEW ALERTS option

Select Installation <TEST ACCOUNT> Option: 1 Load a Distribution
Enter a Host File: D:\RPMS\bsts0200.k [Enter the correct file path of the KIDS file]

KIDS Distribution saved on Dec 01, 2016@19:34:24
Comment: IHS STANDARD TERMINOLOGY 2.0

This Distribution contains Transport Globals for the following Package(s):
    IHS STANDARD TERMINOLOGY 2.0
Distribution OK!

Want to Continue with Load? YES// 
Loading Distribution...

Build IHS STANDARD TERMINOLOGY 2.0 has an Environmental Check Routine
Want to RUN the Environment Check Routine? YES// 
    IHS STANDARD TERMINOLOGY 2.0
Will first run the Environment Check Routine, BSTS2PRE

Use INSTALL NAME: IHS STANDARD TERMINOLOGY 2.0 to install this
Distribution.

1 Load a Distribution
2 Verify Checksums in Transport Global
3 Print Transport Global
4 Compare Transport Global to Current System
5 Backup a Transport Global
6 Install Package(s)
Restart Install of Package(s)
Unload a Distribution

You have PENDING ALERTS
Enter "VA to jump to VIEW ALERTS option

Select Installation <TEST ACCOUNT> Option: 2 Verify Checksums in Transport
Glob
al
Select INSTALL NAME: IHS STANDARD TERMINOLOGY 2.0 Loaded from
Distribution 12/1/16@19:36:19
=> IHS STANDARD TERMINOLOGY 2.0 ;Created on Dec 01, 2016@19:34:24

This Distribution was loaded on Dec 01, 2016@19:36:19 with header of
    IHS STANDARD TERMINOLOGY 2.0 ;Created on Dec 01, 2016@19:34:24
    It consisted of the following Install(s):
IHS STANDARD TERMINOLOGY 2.0

Want each Routine Listed with Checksums: Yes// YES
DEVICE: HOME// Virtual
```

PACKAGE: IHS STANDARD TERMINOLOGY 2.0			Dec 01, 2016 7:36 pm	PAGE
1				
-----				
BSTS2PRE	Calculated	7259816		
BSTS2PST	Calculated	43827628		
BSTSAPI	Calculated	8223301		
BSTSAPIA	Calculated	78204701		
BSTSAPIB	Calculated	108925247		
BSTSAPIC	Calculated	112350715		
BSTSAPID	Calculated	35667577		
BSTSAPIF	Calculated	101148101		
BSTSCDET	Calculated	134218285		
BSTSCFIX	Calculated	210236829		
BSTSCLAS	Calculated	22293545		
BSTSCMCL	Calculated	55778516		
BSTSDT50	Calculated	197578166		
BSTSDT51	Calculated	163741823		
BSTSDT52	Calculated	130746208		
BSTSDT53	Calculated	177243904		
PACKAGE: IHS STANDARD TERMINOLOGY 2.0			Dec 01, 2016 7:36 pm	PAGE
2				
-----				
BSTSDT54	Calculated	131664728		
BSTSDT55	Calculated	151089381		
BSTSDTSC	Calculated	1839766		
BSTS LKP	Calculated	16303885		
BSTS LSR	Calculated	26115275		
BSTS MAP1	Calculated	180369742		
BSTS MSR	Calculated	24500341		
BSTS NDET	Calculated	3917		
BSTS RPC	Calculated	141665996		
BSTS RPC1	Calculated	42782685		
BSTS RPCU	Calculated	9318783		
BSTS RPT	Calculated	125788487		
BSTS SRCH	Calculated	42118106		
BSTS STA	Calculated	28250552		
BSTS TST	Calculated	7500485		
BSTS UPD	Calculated	840054		
BSTS UPRF	Calculated	27340149		
PACKAGE: IHS STANDARD TERMINOLOGY 2.0			Dec 01, 2016 7:36 pm	PAGE
3				
-----				
BSTS UTIL	Calculated	175650716		
BSTS VICD	Calculated	1682018		
BSTS VOF1	Calculated	65085596		
BSTS VOF1	Calculated	197211482		
BSTS VRSC	Calculated	200960871		
BSTS VRSN	Calculated	118518195		
BSTS VRXN	Calculated	36669855		
BSTS WSV	Calculated	184692341		
BSTS WSV1	Calculated	112737014		
BSTS XREF	Calculated	693027		

```
43 Routines checked, 0 failed.

1      Load a Distribution
2      Verify Checksums in Transport Global
3      Print Transport Global
4      Compare Transport Global to Current System
5      Backup a Transport Global
6      Install Package(s)
      Restart Install of Package(s)
      Unload a Distribution

You have PENDING ALERTS
      Enter "VA to jump to VIEW ALERTS option

Select Installation <TEST ACCOUNT> Option: 6  Install Package(s)
Select INSTALL NAME:   IHS STANDARD TERMINOLOGY 2.0    Loaded from
Distribution    12/1/16@19:36:19
=> IHS STANDARD TERMINOLOGY 2.0 ;Created on Dec 01, 2016@19:34:24

This Distribution was loaded on Dec 01, 2016@19:36:19 with header of
      IHS STANDARD TERMINOLOGY 2.0 ;Created on Dec 01, 2016@19:34:24
      It consisted of the following Install(s):
IHS STANDARD TERMINOLOGY 2.0
Checking Install for Package IHS STANDARD TERMINOLOGY 2.0
Will first run the Environment Check Routine, BSTS2PRE

Install Questions for IHS STANDARD TERMINOLOGY 2.0

Incoming Files:

      9002318  BSTS SITE PARAMETERS
Note: You already have the 'BSTS SITE PARAMETERS' File.

      9002318.1 BSTS CODESET
Note: You already have the 'BSTS CODESET' File.

      9002318.2 BSTS WEB SERVICE ENDPOINT
Note: You already have the 'BSTS WEB SERVICE ENDPOINT' File.

      9002318.3 BSTS TERMINOLOGY
Note: You already have the 'BSTS TERMINOLOGY' File.

      9002318.4 BSTS CONCEPT
Note: You already have the 'BSTS CONCEPT' File.

      9002318.5 BSTS CACHE CLASS TRANSPORT (including data)
Note: You already have the 'BSTS CACHE CLASS TRANSPORT' File.
I will OVERWRITE your data with mine.

      9002318.6 BSTS SNOMED MAPPING CONV (including data)
Note: You already have the 'BSTS SNOMED MAPPING CONV' File.
I will OVERWRITE your data with mine.

      9002318.7 BSTS USER PREFERENCES
Note: You already have the 'BSTS USER PREFERENCES' File.

Want KIDS to Rebuild Menu Trees Upon Completion of Install? NO//  

Want KIDS to INHIBIT LOGONs during the install? YES//  

Want to DISABLE Scheduled Options, Menu Options, and Protocols? NO//
```



```
Deleting class BSTS.ns1.NavContextRequest
Deleting class BSTS.ns1.SEAttributeExcludeFilter
Deleting class BSTS.ns1.SEAttributeFilter
Deleting class BSTS.ns1.SEConcept
Deleting class BSTS.ns1.SEConceptExcludeFilter
Deleting class BSTS.ns1.SEConceptFilter
Deleting class BSTS.ns1.SEConceptFilterModifier
Deleting class BSTS.ns1.SEExcludeFilter
Deleting class BSTS.ns1.SEFilterOperator
Deleting class BSTS.ns1.SEKbType
Deleting class BSTS.ns1.SENamespaceFilter
Deleting class BSTS.ns1.SESearchAttribute
Deleting class BSTS.ns1.SESearchFilter
Deleting class BSTS.ns1.SESubsetExcludeFilter
Deleting class BSTS.ns1.SESubsetFilter
Deleting class BSTS.ns1.SqlItem
Deleting class BSTS.ns1.SqlParameter
Deleting class BSTS.ns1.SqlParameterType
Deleting class BSTS.ns1.SubsetConceptChildRootsRequest
Deleting class BSTS.ns1.SubsetNavContextRequest
Deleting class BSTS.ns1.SubsetPropertyRequest
Deleting class BSTS.ns1.SubsetPropertyUpdateRequest
Deleting class BSTS.ns1.SynonymUpdateRequest
Deleting class BSTS.ns1.TAdminPermission
Deleting class BSTS.ns1.TAssociation
Deleting class BSTS.ns1.TAssociationType
Deleting class BSTS.ns1.TAssociationTypeList
Deleting class BSTS.ns1.TAttributeSetDescriptor
Deleting class BSTS.ns1.TAuthority
Deleting class BSTS.ns1.TAuthorityList
Deleting class BSTS.ns1.TAuthorityPermission
Deleting class BSTS.ns1.TAuthorityPermissionItem
Deleting class BSTS.ns1.TClassifyCycleError
Deleting class BSTS.ns1.TClassifyDetail
Deleting class BSTS.ns1.TClassifyEquivError
Deleting class BSTS.ns1.TClassifyStatus
Deleting class BSTS.ns1.TConcept
Deleting class BSTS.ns1.TConceptASDRoot
Deleting class BSTS.ns1.TConceptAssociation
Deleting class BSTS.ns1.TConceptAttributeSetDescriptor
Deleting class BSTS.ns1.TConceptItem
Deleting class BSTS.ns1.TConceptList
Deleting class BSTS.ns1.TConceptNav
Deleting class BSTS.ns1.TConceptNode
Deleting class BSTS.ns1.TConceptSORoot
Deleting class BSTS.ns1.TConceptSearchOptions
Deleting class BSTS.ns1.TConceptSearchResult
Deleting class BSTS.ns1.TContent
Deleting class BSTS.ns1.TContentAttributeSetDescriptor
Deleting class BSTS.ns1.TContentRevision
Deleting class BSTS.ns1.TContentType
Deleting class BSTS.ns1.TContentVersion
Deleting class BSTS.ns1.TContentVersionList
Deleting class BSTS.ns1.TDataTypeFilter
Deleting class BSTS.ns1.TItemStatus
Deleting class BSTS.ns1.TItemsConnected
Deleting class BSTS.ns1.TKind
Deleting class BSTS.ns1.TModifiesItemType
Deleting class BSTS.ns1.TNamespace
Deleting class BSTS.ns1.TNamespaceList
Deleting class BSTS.ns1.TNamespacePermission
```

```
Deleting class BSTS.ns1.TNamespacePermissionItem
Deleting class BSTS.ns1.TNamespaceRevision
Deleting class BSTS.ns1.TNamespaceType
Deleting class BSTS.ns1.TNavChildContext
Deleting class BSTS.ns1.TNavParentContext
Deleting class BSTS.ns1.TObject
Deleting class BSTS.ns1.TOntylogConcept
Deleting class BSTS.ns1.TOntylogConceptList
Deleting class BSTS.ns1.TPreviewOptions
Deleting class BSTS.ns1.TPropertiedObject
Deleting class BSTS.ns1.TProperty
Deleting class BSTS.ns1.T.PropertyType
Deleting class BSTS.ns1.T.PropertyTypeList
Deleting class BSTS.ns1.TPurpose
Deleting class BSTS.ns1.TQualifier
Deleting class BSTS.ns1.TQualifierType
Deleting class BSTS.ns1.TQualifierTypeList
Deleting class BSTS.ns1.TQualifiesItemType
Deleting class BSTS.ns1.TRole
Deleting class BSTS.ns1.TRoleModifier
Deleting class BSTS.ns1.TRoleType
Deleting class BSTS.ns1.TRoleTypeList
Deleting class BSTS.ns1.TSubset
Deleting class BSTS.ns1.TSubsetAttributeSetDescriptor
Deleting class BSTS.ns1.TSubsetExpression
Deleting class BSTS.ns1.TSubsetList
Deleting class BSTS.ns1.TSubsetPermission
Deleting class BSTS.ns1.TSubsetPermissionItem
Deleting class BSTS.ns1.TSubsetRevision
Deleting class BSTS.ns1.TSynonym
Deleting class BSTS.ns1.TSystemConfigReportDvo
Deleting class BSTS.ns1.TSystemContextDvo
Deleting class BSTS.ns1.TTerm
Deleting class BSTS.ns1.TTermAssociation
Deleting class BSTS.ns1.TTermAttributeSetDescriptor
Deleting class BSTS.ns1.TTermItem
Deleting class BSTS.ns1.TTermList
Deleting class BSTS.ns1.TTermSORoot
Deleting class BSTS.ns1.TTermSearchOptions
Deleting class BSTS.ns1.TUserRole
Deleting class BSTS.ns1.TVersionedContent
Deleting class BSTS.ns1.TermAssociationQualifierSearchRequest
Deleting class BSTS.ns1.TermAssociationSearchRequest
Deleting class BSTS.ns1.TermAssociationUpdateRequest
Deleting class BSTS.ns1.TermAttributeRequest
Deleting class BSTS.ns1.TermPropertyQualifierSearchRequest
Deleting class BSTS.ns1.TermPropertyRequest
Deleting class BSTS.ns1.TermPropertySearchRequest
Deleting class BSTS.ns1.TermPropertyUpdateRequest
Deleting class BSTS.ns1.TermSearchRequest
Deleting class BSTS.ns1.VersionPropertyRequest
Deleting class BSTS.ns1.VersionPropertyUpdateRequest
Deleting class BSTS.ns2.stringArray
Deleting class BSTS.tns.DTSServerException
List started on 12/01/2016 19:36:38
Listing file D:\intersystems\E3IHS\mgr\Temp\AaBVeH1HP7YzEg.xml as xml
List finished successfully.

Load started on 12/01/2016 19:36:39
Loading file D:\intersystems\E3IHS\mgr\Temp\XOe3aBb21Y0sxg.xml as xml
Imported class: BSTS.DtsDaoPort
```

```
Imported class: BSTS.DtsQueryDaoPort
Imported class: BSTS.SOAP.WebFunctions
Imported class: BSTS.ns1.ConceptAssociationQualifierSearchRequest
Imported class: BSTS.ns1.ConceptAssociationSearchRequest
Imported class: BSTS.ns1.ConceptAssociationUpdateRequest
Imported class: BSTS.ns1.ConceptAttributeRequest
Imported class: BSTS.ns1.ConceptChildRootsRequest
Imported class: BSTS.ns1.ConceptPropertyQualifierSearchRequest
Imported class: BSTS.ns1.ConceptPropertyRequest
Imported class: BSTS.ns1.ConceptPropertySearchRequest
Imported class: BSTS.ns1.ConceptPropertyUpdateRequest
Imported class: BSTS.ns1.ConceptRoleSearchRequest
Imported class: BSTS.ns1.ConceptSearchRequest
Imported class: BSTS.ns1.ConceptSynonymSearchRequest
Imported class: BSTS.ns1.ContextItem
Imported class: BSTS.ns1.DTSServerException
Imported class: BSTS.ns1.DefiningConceptUpdateRequest
Imported class: BSTS.ns1.DefiningRoleUpdateRequest
Imported class: BSTS.ns1.DtsSubsetExpression
Imported class: BSTS.ns1.FilterSubsetConceptsRequest
Imported class: BSTS.ns1.NamespacePropertyRequest
Imported class: BSTS.ns1.NamespacePropertyUpdateRequest
Imported class: BSTS.ns1.NavContextInNamespaceRequest
Imported class: BSTS.ns1.NavContextRequest
Imported class: BSTS.ns1.SEAttributeExcludeFilter
Imported class: BSTS.ns1.SEAttributeFilter
Imported class: BSTS.ns1.SEConcept
Imported class: BSTS.ns1.SEConceptExcludeFilter
Imported class: BSTS.ns1.SEConceptFilter
Imported class: BSTS.ns1.SEConceptFilterModifier
Imported class: BSTS.ns1.SEEExcludeFilter
Imported class: BSTS.ns1.SEFilterOperator
Imported class: BSTS.ns1.SEKbType
Imported class: BSTS.ns1.SENamespaceFilter
Imported class: BSTS.ns1.SESearchAttribute
Imported class: BSTS.ns1.SESearchFilter
Imported class: BSTS.ns1.SESubsetExcludeFilter
Imported class: BSTS.ns1.SESubsetFilter
Imported class: BSTS.ns1.SqlItem
Imported class: BSTS.ns1.SqlParameter
Imported class: BSTS.ns1.SqlParameterType
Imported class: BSTS.ns1.SubsetConceptChildRootsRequest
Imported class: BSTS.ns1.SubsetNavContextRequest
Imported class: BSTS.ns1.SubsetPropertyRequest
Imported class: BSTS.ns1.SubsetPropertyUpdateRequest
Imported class: BSTS.ns1.SynonymUpdateRequest
Imported class: BSTS.ns1.TAdminPermission
Imported class: BSTS.ns1.TAssociation
Imported class: BSTS.ns1.TAssociationType
Imported class: BSTS.ns1.TAssociationTypeList
Imported class: BSTS.ns1.TAttributeSetDescriptor
Imported class: BSTS.ns1.TAuthority
Imported class: BSTS.ns1.TAuthorityList
Imported class: BSTS.ns1.TAuthorityPermission
Imported class: BSTS.ns1.TAuthorityPermissionItem
Imported class: BSTS.ns1.TClassifyCycleError
Imported class: BSTS.ns1.TClassifyDetail
Imported class: BSTS.ns1.TClassifyEquivError
Imported class: BSTS.ns1.TClassifyStatus
Imported class: BSTS.ns1.TConcept
Imported class: BSTS.ns1.TConceptASDRoot
```

```
Imported class: BSTS.ns1.TConceptAssociation
Imported class: BSTS.ns1.TConceptAttributeSetDescriptor
Imported class: BSTS.ns1.TConceptItem
Imported class: BSTS.ns1.TConceptList
Imported class: BSTS.ns1.TConceptNav
Imported class: BSTS.ns1.TConceptNode
Imported class: BSTS.ns1.TConceptSORoot
Imported class: BSTS.ns1.TConceptSearchOptions
Imported class: BSTS.ns1.TConceptSearchResult
Imported class: BSTS.ns1.TContent
Imported class: BSTS.ns1.TContentAttributeSetDescriptor
Imported class: BSTS.ns1.TContentRevision
Imported class: BSTS.ns1.TContentType
Imported class: BSTS.ns1.TContentVersion
Imported class: BSTS.ns1.TContentVersionList
Imported class: BSTS.ns1.TDataTypeFilter
Imported class: BSTS.ns1.TItemStatus
Imported class: BSTS.ns1.TItemsConnected
Imported class: BSTS.ns1.TKind
Imported class: BSTS.ns1.TModifiesItemType
Imported class: BSTS.ns1.TNamespace
Imported class: BSTS.ns1.TNamespaceList
Imported class: BSTS.ns1.TNamespacePermission
Imported class: BSTS.ns1.TNamespacePermissionItem
Imported class: BSTS.ns1.TNamespaceRevision
Imported class: BSTS.ns1.TNamespaceType
Imported class: BSTS.ns1.TNavChildContext
Imported class: BSTS.ns1.TNavParentContext
Imported class: BSTS.ns1.TObject
Imported class: BSTS.ns1.TOntylogConcept
Imported class: BSTS.ns1.TOntylogConceptList
Imported class: BSTS.ns1.TPreviewOptions
Imported class: BSTS.ns1.TPropertiedObject
Imported class: BSTS.ns1.TProperty
Imported class: BSTS.ns1.T.PropertyType
Imported class: BSTS.ns1.T.PropertyTypeList
Imported class: BSTS.ns1.TPurpose
Imported class: BSTS.ns1.TQualifier
Imported class: BSTS.ns1.TQualifierType
Imported class: BSTS.ns1.TQualifierTypeList
Imported class: BSTS.ns1.TQualifiesItemType
Imported class: BSTS.ns1.TRole
Imported class: BSTS.ns1.TRoleModifier
Imported class: BSTS.ns1.TRoleType
Imported class: BSTS.ns1.TRoleTypeList
Imported class: BSTS.ns1.TSubset
Imported class: BSTS.ns1.TSubsetAttributeSetDescriptor
Imported class: BSTS.ns1.TSubsetExpression
Imported class: BSTS.ns1.TSubsetList
Imported class: BSTS.ns1.TSubsetPermission
Imported class: BSTS.ns1.TSubsetPermissionItem
Imported class: BSTS.ns1.TSubsetRevision
Imported class: BSTS.ns1.TSynonym
Imported class: BSTS.ns1.TSystemConfigReportDvo
Imported class: BSTS.ns1.TSystemContextDvo
Imported class: BSTS.ns1.TTerm
Imported class: BSTS.ns1.TTermAssociation
Imported class: BSTS.ns1.TTermAttributeSetDescriptor
Imported class: BSTS.ns1.TTermItem
Imported class: BSTS.ns1.TTermList
Imported class: BSTS.ns1.TTermSORoot
```

```
Imported class: BSTS.ns1.TTermSearchOptions
Imported class: BSTS.ns1.TUserRole
Imported class: BSTS.ns1.TVersionedContent
Imported class: BSTS.ns1.TermAssociationQualifierSearchRequest
Imported class: BSTS.ns1.TermAssociationSearchRequest
Imported class: BSTS.ns1.TermAssociationUpdateRequest
Imported class: BSTS.ns1.TermAttributeRequest
Imported class: BSTS.ns1.TermPropertyQualifierSearchRequest
Imported class: BSTS.ns1.TermPropertyRequest
Imported class: BSTS.ns1.TermPropertySearchRequest
Imported class: BSTS.ns1.TermPropertyUpdateRequest
Imported class: BSTS.ns1.TermSearchRequest
Imported class: BSTS.ns1.VersionPropertyRequest
Imported class: BSTS.ns1.VersionPropertyUpdateRequest
Imported class: BSTS.ns2.stringArray
Imported class: BSTS.tns.DTSServerException, compiling 139 classes
Compiling class BSTS.DtsDaoPort
Compiling class BSTS.DtsQueryDaoPort
Compiling class BSTS.SOAP.WebFunctions
Compiling class BSTS.ns1.ConceptAssociationQualifierSearchRequest
Compiling class BSTS.ns1.ConceptAssociationSearchRequest
Compiling class BSTS.ns1.ConceptAssociationUpdateRequest
Compiling class BSTS.ns1.ConceptAttributeRequest
Compiling class BSTS.ns1.ConceptChildRootsRequest
Compiling class BSTS.ns1.ConceptPropertyQualifierSearchRequest
Compiling class BSTS.ns1.ConceptPropertyRequest
Compiling class BSTS.ns1.ConceptPropertySearchRequest
Compiling class BSTS.ns1.ConceptPropertyUpdateRequest
Compiling class BSTS.ns1.ConceptRoleSearchRequest
Compiling class BSTS.ns1.ConceptSearchRequest
Compiling class BSTS.ns1.ConceptSynonymSearchRequest
Compiling class BSTS.ns1.ContextItem
Compiling class BSTS.ns1.DTSServerException
Compiling class BSTS.ns1.DefiningConceptUpdateRequest
Compiling class BSTS.ns1.DefiningRoleUpdateRequest
Compiling class BSTS.ns1.DtsSubsetExpression
Compiling class BSTS.ns1.FilterSubsetConceptsRequest
Compiling class BSTS.ns1.NamespacePropertyRequest
Compiling class BSTS.ns1.NamespacePropertyUpdateRequest
Compiling class BSTS.ns1.NavContextInNamespaceRequest
Compiling class BSTS.ns1.NavContextRequest
Compiling class BSTS.ns1.SEConcept
Compiling class BSTS.ns1.SEConceptFilterModifier
Compiling class BSTS.ns1.SEFilterOperator
Compiling class BSTS.ns1.SEKbType
Compiling class BSTS.ns1.SESearchAttribute
Compiling class BSTS.ns1.SqlItem
Compiling class BSTS.ns1.SqlParameterType
Compiling class BSTS.ns1.SubsetConceptChildRootsRequest
Compiling class BSTS.ns1.SubsetNavContextRequest
Compiling class BSTS.ns1.SubsetPropertyRequest
Compiling class BSTS.ns1.SubsetPropertyUpdateRequest
Compiling class BSTS.ns1.SynonymUpdateRequest
Compiling class BSTS.ns1.TAdminPermission
Compiling class BSTS.ns1.TAssociation
Compiling class BSTS.ns1.TAssociationTypeList
Compiling class BSTS.ns1.TAttributeSetDescriptor
Compiling class BSTS.ns1.TAuthorityList
Compiling class BSTS.ns1.TAuthorityPermission
Compiling class BSTS.ns1.TClassifyCycleError
Compiling class BSTS.ns1.TClassifyDetail
```

```
Compiling class BSTS.ns1.TClassifyEquivError
Compiling class BSTS.ns1.TClassifyStatus
Compiling class BSTS.ns1.TConceptASDRoot
Compiling class BSTS.ns1.TConceptList
Compiling class BSTS.ns1.TConceptNav
Compiling class BSTS.ns1.TConceptSORoot
Compiling class BSTS.ns1.TConceptSearchResult
Compiling class BSTS.ns1.TContent
Compiling class BSTS.ns1.TContentType
Compiling class BSTS.ns1.TContentVersionList
Compiling class BSTS.ns1.TDataTypeFilter
Compiling class BSTS.ns1.TItemStatus
Compiling class BSTS.ns1.TItemsConnected
Compiling class BSTS.ns1.TModifiesItemType
Compiling class BSTS.ns1.TNamespaceList
Compiling class BSTS.ns1.TNamespacePermission
Compiling class BSTS.ns1.TNamespaceType
Compiling class BSTS.ns1.TNavChildContext
Compiling class BSTS.ns1.TNavParentContext
Compiling class BSTS.ns1.TObject
Compiling class BSTS.ns1.TOntylogConceptList
Compiling class BSTS.ns1.TPreviewOptions
Compiling class BSTS.ns1.TProperty
Compiling class BSTS.ns1.T.PropertyTypeList
Compiling class BSTS.ns1.TPurpose
Compiling class BSTS.ns1.TQualifier
Compiling class BSTS.ns1.TQualifierTypeList
Compiling class BSTS.ns1.TQualifiesItemType
Compiling class BSTS.ns1.TRoleModifier
Compiling class BSTS.ns1.TRoleTypeList
Compiling class BSTS.ns1.TSubsetExpression
Compiling class BSTS.ns1.TSubsetList
Compiling class BSTS.ns1.TSubsetPermission
Compiling class BSTS.ns1.TSynonym
Compiling class BSTS.ns1.TSystemConfigReportDvo
Compiling class BSTS.ns1.TSystemContextDvo
Compiling class BSTS.ns1.TTermList
Compiling class BSTS.ns1.TTermSORoot
Compiling class BSTS.ns1.TermAssociationQualifierSearchRequest
Compiling class BSTS.ns1.TermAssociationSearchRequest
Compiling class BSTS.ns1.TermAssociationUpdateRequest
Compiling class BSTS.ns1.TermAttributeRequest
Compiling class BSTS.ns1.TermPropertyQualifierSearchRequest
Compiling class BSTS.ns1.TermPropertyRequest
Compiling class BSTS.ns1.TermPropertySearchRequest
Compiling class BSTS.ns1.TermPropertyUpdateRequest
Compiling class BSTS.ns1.TermSearchRequest
Compiling class BSTS.ns1.VersionPropertyRequest
Compiling class BSTS.ns1.VersionPropertyUpdateRequest
Compiling class BSTS.ns2.stringArray
Compiling class BSTS.tns.DTSServerException
Compiling class BSTS.ns1.SEExcludeFilter
Compiling class BSTS.ns1.SESearchFilter
Compiling class BSTS.ns1.SqlParameter
Compiling class BSTS.ns1.TAssociationType
Compiling class BSTS.ns1.TAuthority
Compiling class BSTS.ns1.TAuthorityPermissionItem
Compiling class BSTS.ns1.TConceptAssociation
Compiling class BSTS.ns1.TConceptItem
Compiling class BSTS.ns1.TConceptNode
Compiling class BSTS.ns1.TConceptSearchOptions
```

```
Compiling class BSTS.ns1.TContentAttributeSetDescriptor
Compiling class BSTS.ns1.TContentRevision
Compiling class BSTS.ns1.TContentVersion
Compiling class BSTS.ns1.TKind
Compiling class BSTS.ns1.TNamespacePermissionItem
Compiling class BSTS.ns1.TPropertiedObject
Compiling class BSTS.ns1.T.PropertyType
Compiling class BSTS.ns1.TQualifierType
Compiling class BSTS.ns1.TRole
Compiling class BSTS.ns1.TRoleType
Compiling class BSTS.ns1.TSubsetPermissionItem
Compiling class BSTS.ns1.TTermAssociation
Compiling class BSTS.ns1.TTermAttributeSetDescriptor
Compiling class BSTS.ns1.TTermItem
Compiling class BSTS.ns1.TTermSearchOptions
Compiling class BSTS.ns1.TUserRole
Compiling class BSTS.ns1.TVersionedContent
Compiling class BSTS.ns1.SEAttributeExcludeFilter
Compiling class BSTS.ns1.SEAttributeFilter
Compiling class BSTS.ns1.SEConceptExcludeFilter
Compiling class BSTS.ns1.SEConceptFilter
Compiling class BSTS.ns1.SENamespaceFilter
Compiling class BSTS.ns1.SESubsetExcludeFilter
Compiling class BSTS.ns1.SESubsetFilter
Compiling class BSTS.ns1.TConcept
Compiling class BSTS.ns1.TConceptAttributeSetDescriptor
Compiling class BSTS.ns1.TNamespace
Compiling class BSTS.ns1.TNamespaceRevision
Compiling class BSTS.ns1.TSubset
Compiling class BSTS.ns1.TSubsetAttributeSetDescriptor
Compiling class BSTS.ns1.TSubsetRevision
Compiling class BSTS.ns1.TTerm
Compiling class BSTS.ns1.TOntylogConcept
Compiling table BSTS_SOAP.WebFunctions
Compiling routine BSTS.DtsDaoPort.1
Compiling routine BSTS.DtsQueryDaoPort.1
Compiling routine BSTS.SOAP.WebFunctions.1
Compiling routine BSTS.ns1.ConceptAssociationQualifierSearchRequest.1
Compiling routine BSTS.ns1.ConceptAssociationSearchRequest.1
Compiling routine BSTS.ns1.ConceptAssociationUpdateRequest.1
Compiling routine BSTS.ns1.ConceptAttributeRequest.1
Compiling routine BSTS.ns1.ConceptChildRootsRequest.1
Compiling routine BSTS.ns1.ConceptPropertyQualifierSearchRequest.1
Compiling routine BSTS.ns1.ConceptPropertyRequest.1
Compiling routine BSTS.ns1.ConceptPropertySearchRequest.1
Compiling routine BSTS.ns1.ConceptPropertyUpdateRequest.1
Compiling routine BSTS.ns1.ConceptRoleSearchRequest.1
Compiling routine BSTS.ns1.ConceptSearchRequest.1
Compiling routine BSTS.ns1.ConceptSynonymSearchRequest.1
Compiling routine BSTS.ns1.ContextItem.1
Compiling routine BSTS.ns1.DTSServerException.1
Compiling routine BSTS.ns1.DefiningConceptUpdateRequest.1
Compiling routine BSTS.ns1.DefiningRoleUpdateRequest.1
Compiling routine BSTS.ns1.DtsSubsetExpression.1
Compiling routine BSTS.ns1.FilterSubsetConceptsRequest.1
Compiling routine BSTS.ns1.NamespacePropertyRequest.1
Compiling routine BSTS.ns1.NamespacePropertyUpdateRequest.1
Compiling routine BSTS.ns1.NavContextInNamespaceRequest.1
Compiling routine BSTS.ns1.NavContextRequest.1
Compiling routine BSTS.ns1.SEConcept.1
Compiling routine BSTS.ns1.SEConceptFilterModifier.1
```

```
Compiling routine BSTS.ns1.SEFilterOperator.1
Compiling routine BSTS.ns1.SEKbType.1
Compiling routine BSTS.ns1.SESearchAttribute.1
Compiling routine BSTS.ns1.SqlItem.1
Compiling routine BSTS.ns1.SqlParameterType.1
Compiling routine BSTS.ns1.SubsetConceptChildRootsRequest.1
Compiling routine BSTS.ns1.SubsetNavContextRequest.1
Compiling routine BSTS.ns1.SubsetPropertyRequest.1
Compiling routine BSTS.ns1.SubsetPropertyUpdateRequest.1
Compiling routine BSTS.ns1.SynonymUpdateRequest.1
Compiling routine BSTS.ns1.TAdminPermission.1
Compiling routine BSTS.ns1.TAssociation.1
Compiling routine BSTS.ns1.TAssociationTypeList.1
Compiling routine BSTS.ns1.TAttributeSetDescriptor.1
Compiling routine BSTS.ns1.TAuthorityList.1
Compiling routine BSTS.ns1.TAuthorityPermission.1
Compiling routine BSTS.ns1.TClassifyCycleError.1
Compiling routine BSTS.ns1.TClassifyDetail.1
Compiling routine BSTS.ns1.TClassifyEquivError.1
Compiling routine BSTS.ns1.TClassifyStatus.1
Compiling routine BSTS.ns1.TConceptASDRoot.1
Compiling routine BSTS.ns1.TConceptList.1
Compiling routine BSTS.ns1.TConceptNav.1
Compiling routine BSTS.ns1.TConceptSORoot.1
Compiling routine BSTS.ns1.TConceptSearchResult.1
Compiling routine BSTS.ns1.TContent.1
Compiling routine BSTS.ns1.TContentType.1
Compiling routine BSTS.ns1.TContentVersionList.1
Compiling routine BSTS.ns1.TDataTypeFilter.1
Compiling routine BSTS.ns1.TItemStatus.1
Compiling routine BSTS.ns1.TItemsConnected.1
Compiling routine BSTS.ns1.TModifiesItemType.1
Compiling routine BSTS.ns1.TNamespaceList.1
Compiling routine BSTS.ns1.TNamespacePermission.1
Compiling routine BSTS.ns1.TNamespaceType.1
Compiling routine BSTS.ns1.TNavChildContext.1
Compiling routine BSTS.ns1.TNavParentContext.1
Compiling routine BSTS.ns1.TObject.1
Compiling routine BSTS.ns1.TOntylogConceptList.1
Compiling routine BSTS.ns1.TPreviewOptions.1
Compiling routine BSTS.ns1.TProperty.1
Compiling routine BSTS.ns1.T.PropertyTypeList.1
Compiling routine BSTS.ns1.TPurpose.1
Compiling routine BSTS.ns1.TQualifier.1
Compiling routine BSTS.ns1.TQualifierTypeList.1
Compiling routine BSTS.ns1.TQualifiesItemType.1
Compiling routine BSTS.ns1.TRoleModifier.1
Compiling routine BSTS.ns1.TRoleTypeList.1
Compiling routine BSTS.ns1.TSubsetExpression.1
Compiling routine BSTS.ns1.TSubsetList.1
Compiling routine BSTS.ns1.TSubsetPermission.1
Compiling routine BSTS.ns1.TSynonym.1
Compiling routine BSTS.ns1.TSystemConfigReportDvo.1
Compiling routine BSTS.ns1.TSystemContextDvo.1
Compiling routine BSTS.ns1.TTermList.1
Compiling routine BSTS.ns1.TTermSORoot.1
Compiling routine BSTS.ns1.TermAssociationQualifierSearchRequest.1
Compiling routine BSTS.ns1.TermAssociationSearchRequest.1
Compiling routine BSTS.ns1.TermAssociationUpdateRequest.1
Compiling routine BSTS.ns1.TermAttributeRequest.1
Compiling routine BSTS.ns1.TermPropertyQualifierSearchRequest.1
```

```
Compiling routine BSTS.ns1.TermPropertyRequest.1
Compiling routine BSTS.ns1.TermPropertySearchRequest.1
Compiling routine BSTS.ns1.TermPropertyUpdateRequest.1
Compiling routine BSTS.ns1.TermSearchRequest.1
Compiling routine BSTS.ns1.VersionPropertyRequest.1
Compiling routine BSTS.ns1.VersionPropertyUpdateRequest.1
Compiling routine BSTS.ns2.stringArray.1
Compiling routine BSTS.tns.DTSServerException.1
Compiling routine BSTS.ns1.SEExcludeFilter.1
Compiling routine BSTS.ns1.SESEarchFilter.1
Compiling routine BSTS.ns1.SqlParameter.1
Compiling routine BSTS.ns1.TAssociationType.1
Compiling routine BSTS.ns1.TAuthority.1
Compiling routine BSTS.ns1.TAuthorityPermissionItem.1
Compiling routine BSTS.ns1.TConceptAssociation.1
Compiling routine BSTS.ns1.TConceptItem.1
Compiling routine BSTS.ns1.TConceptNode.1
Compiling routine BSTS.ns1.TConceptSearchOptions.1
Compiling routine BSTS.ns1.TContentAttributeSetDescriptor.1
Compiling routine BSTS.ns1.TContentRevision.1
Compiling routine BSTS.ns1.TContentVersion.1
Compiling routine BSTS.ns1.TKind.1
Compiling routine BSTS.ns1.TNamespacePermissionItem.1
Compiling routine BSTS.ns1.TPropertiedObject.1
Compiling routine BSTS.ns1.T.PropertyType.1
Compiling routine BSTS.ns1.TQualifierType.1
Compiling routine BSTS.ns1.TRole.1
Compiling routine BSTS.ns1.TRoleType.1
Compiling routine BSTS.ns1.TSubsetPermissionItem.1
Compiling routine BSTS.ns1.TTermAssociation.1
Compiling routine BSTS.ns1.TTermAttributeSetDescriptor.1
Compiling routine BSTS.ns1.TTermItem.1
Compiling routine BSTS.ns1.TTermSearchOptions.1
Compiling routine BSTS.ns1.TUserRole.1
Compiling routine BSTS.ns1.TVersionedContent.1
Compiling routine BSTS.ns1.SEAttributeExcludeFilter.1
Compiling routine BSTS.ns1.SEAttributeFilter.1
Compiling routine BSTS.ns1.SEConceptExcludeFilter.1
Compiling routine BSTS.ns1.SEConceptFilter.1
Compiling routine BSTS.ns1.SENamespaceFilter.1
Compiling routine BSTS.ns1.SESubsetExcludeFilter.1
Compiling routine BSTS.ns1.SESubsetFilter.1
Compiling routine BSTS.ns1.TConcept.1
Compiling routine BSTS.ns1.TConceptAttributeSetDescriptor.1
Compiling routine BSTS.ns1.TNamespace.1
Compiling routine BSTS.ns1.TNamespaceRevision.1
Compiling routine BSTS.ns1.TSubset.1
Compiling routine BSTS.ns1.TSubsetAttributeSetDescriptor.1
Compiling routine BSTS.ns1.TSubsetRevision.1
Compiling routine BSTS.ns1.TTerm.1
Compiling routine BSTS.ns1.TOntylogConcept.1
Compiling class BSTS.DtsDaoPort.addAuthority
Compiling class BSTS.DtsDaoPort.addAuthorityProperty
Compiling class BSTS.DtsDaoPort.addConcept
Compiling class BSTS.DtsDaoPort.addNamespace
Compiling class BSTS.DtsDaoPort.addNamespaceProperty
Compiling class BSTS.DtsDaoPort.addVersion
Compiling class BSTS.DtsDaoPort.addVersionProperty
Compiling class BSTS.DtsDaoPort.deleteAuthorityById
Compiling class BSTS.DtsDaoPort.deleteAuthorityByName
Compiling class BSTS.DtsDaoPort.deleteAuthorityProperty
```

```
Compiling class BSTS.DtsDaoPort.deleteConcept
Compiling class BSTS.DtsDaoPort.deleteNamespaceById
Compiling class BSTS.DtsDaoPort.deleteNamespaceByName
Compiling class BSTS.DtsDaoPort.deleteNamespaceProperty
Compiling class BSTS.DtsDaoPort.deleteVersionById
Compiling class BSTS.DtsDaoPort.deleteVersionByName
Compiling class BSTS.DtsDaoPort.deleteVersionProperty
Compiling class BSTS.DtsDaoPort.executeConceptTextSearch
Compiling class BSTS.DtsDaoPort.executeSQL
Compiling class BSTS.DtsDaoPort.findAssociationTypeById
Compiling class BSTS.DtsDaoPort.findAssociationTypeByName
Compiling class BSTS.DtsDaoPort.findAuthorityPropertyTypeById
Compiling class BSTS.DtsDaoPort.findAuthorityPropertyTypeByName
Compiling class BSTS.DtsDaoPort.findAuthorityQualifierTypeById
Compiling class BSTS.DtsDaoPort.findAuthorityQualifierTypeByName
Compiling class BSTS.DtsDaoPort.findConceptByCode
Compiling class BSTS.DtsDaoPort.findConceptById
Compiling class BSTS.DtsDaoPort.findConceptByName
Compiling class BSTS.DtsDaoPort.findConceptsWithAllSynonymMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithConceptAssociationMatching
Compiling class
BSTS.DtsDaoPort.findConceptsWithInverseConceptAssociationMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithInverseRoleMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithNameMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithPropertyMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithRoleMatching
Compiling class BSTS.DtsDaoPort.findConceptsWithSynonymMatching
Compiling class BSTS.DtsDaoPort.findNamespaceByCode
Compiling class BSTS.DtsDaoPort.findNamespaceById
Compiling class BSTS.DtsDaoPort.findNamespaceByName
Compiling class BSTS.DtsDaoPort.findPropertyTypeById
Compiling class BSTS.DtsDaoPort.findPropertyTypeByName
Compiling class BSTS.DtsDaoPort.findQualifierTypeById
Compiling class BSTS.DtsDaoPort.findQualifierTypeByName
Compiling class BSTS.DtsDaoPort.findSubsetPropertyTypeById
Compiling class BSTS.DtsDaoPort.findSubsetPropertyTypeByName
Compiling class BSTS.DtsDaoPort.findSubsetQualifierTypeById
Compiling class BSTS.DtsDaoPort.findSubsetQualifierTypeByName
Compiling class BSTS.DtsDaoPort.findTermByCode
Compiling class BSTS.DtsDaoPort.findTermById
Compiling class BSTS.DtsDaoPort.findTermsByName
Compiling class BSTS.DtsDaoPort.findTermsWithInverseTermAssociationMatching
Compiling class BSTS.DtsDaoPort.findTermsWithNameMatching
Compiling class BSTS.DtsDaoPort.findTermsWithPropertyMatching
Compiling class BSTS.DtsDaoPort.findTermsWithTermAssociationMatching
Compiling class BSTS.DtsDaoPort.getAllNamespaceQualifierTypes
Compiling class BSTS.DtsDaoPort.getAllSubsetQualifierTypes
Compiling class BSTS.DtsDaoPort.getAssociationNavChildContext
Compiling class BSTS.DtsDaoPort.getAssociationNavParentContext
Compiling class BSTS.DtsDaoPort.getAssociationTypes
Compiling class BSTS.DtsDaoPort.getAuthorities
Compiling class BSTS.DtsDaoPort.getAuthorityPropertyQualifierTypes
Compiling class BSTS.DtsDaoPort.getAuthorityPropertyTypes
Compiling class BSTS.DtsDaoPort.getConceptAssociationTypes
Compiling class BSTS.DtsDaoPort.getConceptChildRoots
Compiling class BSTS.DtsDaoPort.getConceptPropertyQualifierTypes
Compiling class BSTS.DtsDaoPort.getConceptPropertyTypes
Compiling class BSTS.DtsDaoPort.getNamespacePropertyQualifierTypes
Compiling class BSTS.DtsDaoPort.getNamespacePropertyTypes
Compiling class BSTS.DtsDaoPort.getNameSpaces
Compiling class BSTS.DtsDaoPort.getNavChildContext
```

```
Compiling class BSTS.DtsDaoPort.getNavParentContext
Compiling class BSTS.DtsDaoPort.getRoleTypes
Compiling class BSTS.DtsDaoPort.getSubsetPropertyQualifierTypes
Compiling class BSTS.DtsDaoPort.getSubsetPropertyTypes
Compiling class BSTS.DtsDaoPort.getSubsetVersionPropertyQualifierTypes
Compiling class BSTS.DtsDaoPort.getSubsetVersionPropertyTypes
Compiling class BSTS.DtsDaoPort.getSynonymTypes
Compiling class BSTS.DtsDaoPort.getTermAssociationTypes
Compiling class BSTS.DtsDaoPort.getTermPropertyQualifierTypes
Compiling class BSTS.DtsDaoPort.getTermPropertyTypes
Compiling class BSTS.DtsDaoPort.getVersionPropertyQualifierTypes
Compiling class BSTS.DtsDaoPort.getVersionPropertyTypes
Compiling class BSTS.DtsDaoPort.getVersions
Compiling class BSTS.DtsDaoPort.isAssociationTypeUsed
Compiling class BSTS.DtsDaoPort.isPropertyTypeUsed
Compiling class BSTS.DtsDaoPort.isQualifierTypeUsed
Compiling class BSTS.DtsDaoPort.updateAuthority
Compiling class BSTS.DtsDaoPort.updateAuthorityProperty
Compiling class BSTS.DtsDaoPort.updateConcept
Compiling class BSTS.DtsDaoPort.updateNamespace
Compiling class BSTS.DtsDaoPort.updateNamespaceProperty
Compiling class BSTS.DtsDaoPort.updateVersion
Compiling class BSTS.DtsDaoPort.updateVersionProperty
Compiling class BSTS.DtsQueryDaoPort.addAssociationType
Compiling class BSTS.DtsQueryDaoPort.addAuthority
Compiling class BSTS.DtsQueryDaoPort.addAuthorityProperty
Compiling class BSTS.DtsQueryDaoPort.addConcept
Compiling class BSTS.DtsQueryDaoPort.addConceptAssociation
Compiling class BSTS.DtsQueryDaoPort.addConceptProperty
Compiling class BSTS.DtsQueryDaoPort.addDefiningConcept
Compiling class BSTS.DtsQueryDaoPort.addDefiningRole
Compiling class BSTS.DtsQueryDaoPort.addNamespace
Compiling class BSTS.DtsQueryDaoPort.addNamespaceProperty
Compiling class BSTS.DtsQueryDaoPort.addPropertyType
Compiling class BSTS.DtsQueryDaoPort.addQualifierType
Compiling class BSTS.DtsQueryDaoPort.addRoleType
Compiling class BSTS.DtsQueryDaoPort.addRootConcept
Compiling class BSTS.DtsQueryDaoPort.addSubset
Compiling class BSTS.DtsQueryDaoPort.addSubsetProperty
Compiling class BSTS.DtsQueryDaoPort.addSubsetVersion
Compiling class BSTS.DtsQueryDaoPort.addSubsetVersionProperty
Compiling class BSTS.DtsQueryDaoPort.addSynonym
Compiling class BSTS.DtsQueryDaoPort.addTerm
Compiling class BSTS.DtsQueryDaoPort.addTermAssociation
Compiling class BSTS.DtsQueryDaoPort.addTermProperty
Compiling class BSTS.DtsQueryDaoPort.addVersion
Compiling class BSTS.DtsQueryDaoPort.addVersionProperty
Compiling class BSTS.DtsQueryDaoPort.buildSubset
Compiling class BSTS.DtsQueryDaoPort.classify
Compiling class BSTS.DtsQueryDaoPort.createNamespaceRevision
Compiling class BSTS.DtsQueryDaoPort.createRoleGroup
Compiling class BSTS.DtsQueryDaoPort.createSubsetRevision
Compiling class BSTS.DtsQueryDaoPort.deleteAssociationType
Compiling class BSTS.DtsQueryDaoPort.deleteAuthorityById
Compiling class BSTS.DtsQueryDaoPort.deleteAuthorityByName
Compiling class BSTS.DtsQueryDaoPort.deleteAuthorityProperty
Compiling class BSTS.DtsQueryDaoPort.deleteConcept
Compiling class BSTS.DtsQueryDaoPort.deleteConceptAssociation
Compiling class BSTS.DtsQueryDaoPort.deleteConceptProperty
Compiling class BSTS.DtsQueryDaoPort.deleteDefiningConcept
Compiling class BSTS.DtsQueryDaoPort.deleteDefiningRole
```

```
Compiling class BSTS.DtsQueryDaoPort.deleteNamespaceByCode
Compiling class BSTS.DtsQueryDaoPort.deleteNamespaceById
Compiling class BSTS.DtsQueryDaoPort.deleteNamespaceByName
Compiling class BSTS.DtsQueryDaoPort.deleteNamespaceProperty
Compiling class BSTS.DtsQueryDaoPort.delete.PropertyType
Compiling class BSTS.DtsQueryDaoPort.deleteQualifierType
Compiling class BSTS.DtsQueryDaoPort.deleteRoleType
Compiling class BSTS.DtsQueryDaoPort.deleteRoleTypeWithReferences
Compiling class BSTS.DtsQueryDaoPort.deleteRootConcept
Compiling class BSTS.DtsQueryDaoPort.deleteSubset
Compiling class BSTS.DtsQueryDaoPort.deleteSubsetProperty
Compiling class BSTS.DtsQueryDaoPort.deleteSubsetVersionById
Compiling class BSTS.DtsQueryDaoPort.deleteSubsetVersionByName
Compiling class BSTS.DtsQueryDaoPort.deleteSubsetVersionProperty
Compiling class BSTS.DtsQueryDaoPort.deleteSynonym
Compiling class BSTS.DtsQueryDaoPort.deleteSystemContextProperty
Compiling class BSTS.DtsQueryDaoPort.deleteTerm
Compiling class BSTS.DtsQueryDaoPort.deleteTermAssociation
Compiling class BSTS.DtsQueryDaoPort.deleteTermProperty
Compiling class BSTS.DtsQueryDaoPort.deleteUserContextProperty
Compiling class BSTS.DtsQueryDaoPort.deleteVersionById
Compiling class BSTS.DtsQueryDaoPort.deleteVersionByName
Compiling class BSTS.DtsQueryDaoPort.deleteVersionProperty
Compiling class BSTS.DtsQueryDaoPort.executeBatchSQLUpdate
Compiling class BSTS.DtsQueryDaoPort.executeSQL
Compiling class BSTS.DtsQueryDaoPort.executeSQLQuery
Compiling class BSTS.DtsQueryDaoPort.executeSQLUpdate
Compiling class BSTS.DtsQueryDaoPort.executeSQLUpdates
Compiling class BSTS.DtsQueryDaoPort.fetchAuthorityById
Compiling class BSTS.DtsQueryDaoPort.fetchAuthorityByName
Compiling class BSTS.DtsQueryDaoPort.fetchConceptHistory
Compiling class BSTS.DtsQueryDaoPort.fetchConceptSubsets
Compiling class BSTS.DtsQueryDaoPort.fetchParentReferences
Compiling class BSTS.DtsQueryDaoPort.fetchRightIdentityReferences
Compiling class BSTS.DtsQueryDaoPort.fetchSubsetConceptCount
Compiling class BSTS.DtsQueryDaoPort.fetchSubsetConcepts
Compiling class BSTS.DtsQueryDaoPort.fetchSubsetNamespaces
Compiling class BSTS.DtsQueryDaoPort.fetchSubsetPreview
Compiling class BSTS.DtsQueryDaoPort.fetchTermHistory
Compiling class BSTS.DtsQueryDaoPort.fetchTermProperties
Compiling class BSTS.DtsQueryDaoPort.fetchVersionById
Compiling class BSTS.DtsQueryDaoPort.fetchVersionByName
Compiling class BSTS.DtsQueryDaoPort.filterSubsetConcepts
Compiling class BSTS.DtsQueryDaoPort.findAllSubsets
Compiling class BSTS.DtsQueryDaoPort.findAssociationTypeById
Compiling class BSTS.DtsQueryDaoPort.findAssociationTypeByName
Compiling class BSTS.DtsQueryDaoPort.findAuthority.PropertyTypeById
Compiling class BSTS.DtsQueryDaoPort.findAuthority.PropertyTypeByName
Compiling class BSTS.DtsQueryDaoPort.findAuthority.QualifierTypeById
Compiling class BSTS.DtsQueryDaoPort.findAuthority.QualifierTypeByName
Compiling class BSTS.DtsQueryDaoPort.findConceptByCode
Compiling class BSTS.DtsQueryDaoPort.findConceptById
Compiling class BSTS.DtsQueryDaoPort.findConceptByName
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithAllSynonymMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithAssociationQualifierMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithConceptAssociationMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithInverseConceptAssociationMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithInverseRoleMatching
```

```
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithSimpleNameMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithPropertyMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithPropertyQualifierMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithRoleMatching
Compiling class BSTS.DtsQueryDaoPort.findConceptsWithSynonymMatching
Compiling class BSTS.DtsQueryDaoPort.findNamespaceByCode
Compiling class BSTS.DtsQueryDaoPort.findNamespaceById
Compiling class BSTS.DtsQueryDaoPort.findNamespaceByName
Compiling class BSTS.DtsQueryDaoPort.find.PropertyTypeById
Compiling class BSTS.DtsQueryDaoPort.find.PropertyTypeByName
Compiling class BSTS.DtsQueryDaoPort.find.QualifierTypeById
Compiling class BSTS.DtsQueryDaoPort.find.QualifierTypeByName
Compiling class BSTS.DtsQueryDaoPort.find.RoleTypeByCode
Compiling class BSTS.DtsQueryDaoPort.find.RoleTypeById
Compiling class BSTS.DtsQueryDaoPort.find.RoleTypeByName
Compiling class BSTS.DtsQueryDaoPort.findSubset
Compiling class BSTS.DtsQueryDaoPort.findSubsetById
Compiling class BSTS.DtsQueryDaoPort.findSubsetByName
Compiling class BSTS.DtsQueryDaoPort.findSubset.PropertyTypeById
Compiling class BSTS.DtsQueryDaoPort.findSubset.PropertyTypeByName
Compiling class BSTS.DtsQueryDaoPort.findSubset.QualifierTypeById
Compiling class BSTS.DtsQueryDaoPort.findSubset.QualifierTypeByName
Compiling class BSTS.DtsQueryDaoPort.findSubsetVersionById
Compiling class BSTS.DtsQueryDaoPort.findSubsetVersionByName
Compiling class BSTS.DtsQueryDaoPort.find.TermByCode
Compiling class BSTS.DtsQueryDaoPort.find.TermById
Compiling class BSTS.DtsQueryDaoPort.find.TermsByName
Compiling class BSTS.DtsQueryDaoPort.find.TermsWithAssociationQualifierMatching
Compiling class BSTS.DtsQueryDaoPort.find.TermsWithInverseSynonymMatching
Compiling class BSTS.DtsQueryDaoPort.find.TermsWithInverseTermAssociationMatching
Compiling class BSTS.DtsQueryDaoPort.find.TermsWithNameMatching
Compiling class BSTS.DtsQueryDaoPort.find.TermsWithPropertyParams
Compiling class BSTS.DtsQueryDaoPort.find.TermsWithPropertyParamsOfAuthority
Compiling class BSTS.DtsQueryDaoPort.find.TermsWithRoleTypes
Compiling class BSTS.DtsQueryDaoPort.find.TermsWithSubsetQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.get.AssociationNavChildContext
Compiling class BSTS.DtsQueryDaoPort.get.AssociationNavParentContext
Compiling class BSTS.DtsQueryDaoPort.get.AssociationTypes
Compiling class BSTS.DtsQueryDaoPort.get.Authorities
Compiling class BSTS.DtsQueryDaoPort.get.AuthorityPropertyParams
Compiling class BSTS.DtsQueryDaoPort.get.AuthorityPropertyParamsOfAuthority
Compiling class BSTS.DtsQueryDaoPort.get.ClassifyDetail
Compiling class BSTS.DtsQueryDaoPort.get.ConceptAssociationTypes
Compiling class BSTS.DtsQueryDaoPort.get.ConceptChildRoots
Compiling class BSTS.DtsQueryDaoPort.get.ConceptPropertyParams
Compiling class BSTS.DtsQueryDaoPort.get.ConceptPropertyParamsOfAuthority
Compiling class BSTS.DtsQueryDaoPort.get.CycleErrors
Compiling class BSTS.DtsQueryDaoPort.get.EqErrors
```

```
Compiling class BSTS.DtsQueryDaoPort.getExtendingNamespaces
Compiling class BSTS.DtsQueryDaoPort.getKinds
Compiling class BSTS.DtsQueryDaoPort.getLicense
Compiling class BSTS.DtsQueryDaoPort.getNamespacePropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getNamespacePropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getNamespaces
Compiling class BSTS.DtsQueryDaoPort.getNavChildContext
Compiling class BSTS.DtsQueryDaoPort.getNavChildContextInNamespace
Compiling class BSTS.DtsQueryDaoPort.getNavParentContext
Compiling class BSTS.DtsQueryDaoPort.getNavParentContextInNamespace
Compiling class BSTS.DtsQueryDaoPort.getNoKindConcepts
Compiling class BSTS.DtsQueryDaoPort.getNoParentConcepts
Compiling class BSTS.DtsQueryDaoPort.getRoleTypes
Compiling class BSTS.DtsQueryDaoPort.getSchemaVersion
Compiling class BSTS.DtsQueryDaoPort.getServerDatabaseType
Compiling class BSTS.DtsQueryDaoPort.getServerVersion
Compiling class BSTS.DtsQueryDaoPort.getSubConcepts
Compiling class BSTS.DtsQueryDaoPort.getSubsetConceptChildRoots
Compiling class BSTS.DtsQueryDaoPort.getSubsetNavChildContext
Compiling class BSTS.DtsQueryDaoPort.getSubsetNavParentContext
Compiling class BSTS.DtsQueryDaoPort.getSubsetPropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getSubsetPropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getSubsetVersion
Compiling class BSTS.DtsQueryDaoPort.getSubsetVersionByTime
Compiling class BSTS.DtsQueryDaoPort.getSubsetVersionPropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getSubsetVersionPropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getSubsetVersions
Compiling class BSTS.DtsQueryDaoPort.getSynonymTypes
Compiling class BSTS.DtsQueryDaoPort.getSystemContextProperty
Compiling class BSTS.DtsQueryDaoPort.getSystemContextPropertyKeys
Compiling class BSTS.DtsQueryDaoPort.getTermAssociationTypes
Compiling class BSTS.DtsQueryDaoPort.getTermPropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getTermPropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getUserContextProperty
Compiling class BSTS.DtsQueryDaoPort.getUserContextPropertyKeys
Compiling class BSTS.DtsQueryDaoPort.getVersion
Compiling class BSTS.DtsQueryDaoPort.getVersionByTime
Compiling class BSTS.DtsQueryDaoPort.getVersionPropertyQualifierTypes
Compiling class BSTS.DtsQueryDaoPort.getVersionPropertyTypes
Compiling class BSTS.DtsQueryDaoPort.getVersions
Compiling class BSTS.DtsQueryDaoPort.hasAdminPermission
Compiling class BSTS.DtsQueryDaoPort.hasAuthorityPermission
Compiling class BSTS.DtsQueryDaoPort.hasNamespacePermission
Compiling class BSTS.DtsQueryDaoPort.hasSubsetPermission
Compiling class BSTS.DtsQueryDaoPort.isAssociationTypeUsed
Compiling class BSTS.DtsQueryDaoPort.is.PropertyTypeUsed
Compiling class BSTS.DtsQueryDaoPort.isQualifierTypeUsed
Compiling class BSTS.DtsQueryDaoPort.isRoleTypeUsed
Compiling class BSTS.DtsQueryDaoPort.isSubConcept
Compiling class BSTS.DtsQueryDaoPort.isSubConceptByCode
Compiling class BSTS.DtsQueryDaoPort.isSubConceptById
Compiling class BSTS.DtsQueryDaoPort.isSubConceptByName
Compiling class BSTS.DtsQueryDaoPort.isSubConceptOfConcepts
Compiling class BSTS.DtsQueryDaoPort.isSubConceptOfConceptsByName
Compiling class BSTS.DtsQueryDaoPort.isWorkingVersion
Compiling class BSTS.DtsQueryDaoPort.ping
Compiling class BSTS.DtsQueryDaoPort.saveSubsetExpression
Compiling class BSTS.DtsQueryDaoPort.saveSystemContextProperty
Compiling class BSTS.DtsQueryDaoPort.saveUserContextProperty
Compiling class BSTS.DtsQueryDaoPort.syncAuthorityItemId
Compiling class BSTS.DtsQueryDaoPort.syncNamespaceItemId
```

```
Compiling class BSTS.DtsQueryDaoPort.syncSubsetItemId
Compiling class BSTS.DtsQueryDaoPort.ungroupRoleGroup
Compiling class BSTS.DtsQueryDaoPort.updateAssociationType
Compiling class BSTS.DtsQueryDaoPort.updateAuthority
Compiling class BSTS.DtsQueryDaoPort.updateAuthorityProperty
Compiling class BSTS.DtsQueryDaoPort.updateConcept
Compiling class BSTS.DtsQueryDaoPort.updateConceptAssociation
Compiling class BSTS.DtsQueryDaoPort.updateConceptProperty
Compiling class BSTS.DtsQueryDaoPort.updateDefiningConcept
Compiling class BSTS.DtsQueryDaoPort.updateDefiningRole
Compiling class BSTS.DtsQueryDaoPort.updateNamespace
Compiling class BSTS.DtsQueryDaoPort.updateNamespaceProperty
Compiling class BSTS.DtsQueryDaoPort.updatePrimitive
Compiling class BSTS.DtsQueryDaoPort.update.PropertyType
Compiling class BSTS.DtsQueryDaoPort.updateQualifierType
Compiling class BSTS.DtsQueryDaoPort.updateRoleType
Compiling class BSTS.DtsQueryDaoPort.updateSubset
Compiling class BSTS.DtsQueryDaoPort.updateSubsetProperty
Compiling class BSTS.DtsQueryDaoPort.updateSubsetVersion
Compiling class BSTS.DtsQueryDaoPort.updateSubsetVersionProperty
Compiling class BSTS.DtsQueryDaoPort.updateSynonym
Compiling class BSTS.DtsQueryDaoPort.updateTerm
Compiling class BSTS.DtsQueryDaoPort.updateTermAssociation
Compiling class BSTS.DtsQueryDaoPort.updateTermProperty
Compiling class BSTS.DtsQueryDaoPort.updateVersion
Compiling class BSTS.DtsQueryDaoPort.updateVersionProperty
Compiling routine BSTS.DtsDaoPort.addAuthority.1
Compiling routine BSTS.DtsDaoPort.addAuthorityProperty.1
Compiling routine BSTS.DtsDaoPort.addConcept.1
Compiling routine BSTS.DtsDaoPort.addNamespace.1
Compiling routine BSTS.DtsDaoPort.addNamespaceProperty.1
Compiling routine BSTS.DtsDaoPort.addVersion.1
Compiling routine BSTS.DtsDaoPort.addVersionProperty.1
Compiling routine BSTS.DtsDaoPort.deleteAuthorityById.1
Compiling routine BSTS.DtsDaoPort.deleteAuthorityByName.1
Compiling routine BSTS.DtsDaoPort.deleteAuthorityProperty.1
Compiling routine BSTS.DtsDaoPort.deleteConcept.1
Compiling routine BSTS.DtsDaoPort.deleteNamespaceById.1
Compiling routine BSTS.DtsDaoPort.deleteNamespaceByName.1
Compiling routine BSTS.DtsDaoPort.deleteNamespaceProperty.1
Compiling routine BSTS.DtsDaoPort.deleteVersionById.1
Compiling routine BSTS.DtsDaoPort.deleteVersionByName.1
Compiling routine BSTS.DtsDaoPort.deleteVersionProperty.1
Compiling routine BSTS.DtsDaoPort.executeConceptTextSearch.1
Compiling routine BSTS.DtsDaoPort.executeSQL.1
Compiling routine BSTS.DtsDaoPort.findAssociationTypeById.1
Compiling routine BSTS.DtsDaoPort.findAssociationTypeByName.1
Compiling routine BSTS.DtsDaoPort.findAuthorityPropertyTypeById.1
Compiling routine BSTS.DtsDaoPort.findAuthorityPropertyTypeByName.1
Compiling routine BSTS.DtsDaoPort.findAuthorityQualifierTypeById.1
Compiling routine BSTS.DtsDaoPort.findAuthorityQualifierTypeByName.1
Compiling routine BSTS.DtsDaoPort.findConceptByCode.1
Compiling routine BSTS.DtsDaoPort.findConceptById.1
Compiling routine BSTS.DtsDaoPort.findConceptByName.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithAllSynonymMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithConceptAssociationMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithInverseConceptAssociationMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithInverseRoleMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithNameMatching.1
```

```
Compiling routine BSTS.DtsDaoPort.findConceptsWithPropertyMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithRoleMatching.1
Compiling routine BSTS.DtsDaoPort.findConceptsWithSynonymMatching.1
Compiling routine BSTS.DtsDaoPort.findNamespaceByCode.1
Compiling routine BSTS.DtsDaoPort.findNamespaceById.1
Compiling routine BSTS.DtsDaoPort.findNamespaceByName.1
Compiling routine BSTS.DtsDaoPort.find.PropertyTypeById.1
Compiling routine BSTS.DtsDaoPort.find.PropertyTypeByName.1
Compiling routine BSTS.DtsDaoPort.find.QualifierTypeById.1
Compiling routine BSTS.DtsDaoPort.find.QualifierTypeByName.1
Compiling routine BSTS.DtsDaoPort.findSubset.PropertyTypeById.1
Compiling routine BSTS.DtsDaoPort.findSubset.PropertyTypeByName.1
Compiling routine BSTS.DtsDaoPort.findSubset.QualifierTypeById.1
Compiling routine BSTS.DtsDaoPort.findSubset.QualifierTypeByName.1
Compiling routine BSTS.DtsDaoPort.find.TermByCode.1
Compiling routine BSTS.DtsDaoPort.find.TermById.1
Compiling routine BSTS.DtsDaoPort.find.TermsByName.1
Compiling routine BSTS.DtsDaoPort.findTermsWithInverseTermAssociationMatching.1
Compiling routine BSTS.DtsDaoPort.findTermsWithNameMatching.1
Compiling routine BSTS.DtsDaoPort.findTermsWithPropertyMatching.1
Compiling routine BSTS.DtsDaoPort.findTermsWithTermAssociationMatching.1
Compiling routine BSTS.DtsDaoPort.getAllNamespaceQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getAllSubsetQualifierTypes.1
Compiling routine BSTS.DtsDaoPort.getAssociationNavChildContext.1
Compiling routine BSTS.DtsDaoPort.getAssociationNavParentContext.1
Compiling routine BSTS.DtsDaoPort.getAssociationTypes.1
Compiling routine BSTS.DtsDaoPort.getAuthorities.1
Compiling routine BSTS.DtsDaoPort.getAuthority.PropertyTypeQualiferTypes.1
Compiling routine BSTS.DtsDaoPort.getAuthority.PropertyTypeTypes.1
Compiling routine BSTS.DtsDaoPort.getConceptAssociationTypes.1
Compiling routine BSTS.DtsDaoPort.getConceptChildRoots.1
Compiling routine BSTS.DtsDaoPort.getConcept.PropertyTypeQualiferTypes.1
Compiling routine BSTS.DtsDaoPort.getConcept.PropertyTypeTypes.1
Compiling routine BSTS.DtsDaoPort.getNamespace.PropertyTypeQualiferTypes.1
Compiling routine BSTS.DtsDaoPort.getNamespace.PropertyTypeTypes.1
Compiling routine BSTS.DtsDaoPort.getNamespaces.1
Compiling routine BSTS.DtsDaoPort.getNavChildContext.1
Compiling routine BSTS.DtsDaoPort.getNavParentContext.1
Compiling routine BSTS.DtsDaoPort.getRoleTypes.1
Compiling routine BSTS.DtsDaoPort.getSubset.PropertyTypeQualiferTypes.1
Compiling routine BSTS.DtsDaoPort.getSubset.PropertyTypeTypes.1
Compiling routine BSTS.DtsDaoPort.getSubsetVersion.PropertyTypeQualiferTypes.1
Compiling routine BSTS.DtsDaoPort.getSubsetVersion.PropertyTypeTypes.1
Compiling routine BSTS.DtsDaoPort.getSynonymTypes.1
Compiling routine BSTS.DtsDaoPort.getTermAssociationTypes.1
Compiling routine BSTS.DtsDaoPort.getTerm.PropertyTypeQualiferTypes.1
Compiling routine BSTS.DtsDaoPort.getTerm.PropertyTypeTypes.1
Compiling routine BSTS.DtsDaoPort.getVersion.PropertyTypeQualiferTypes.1
Compiling routine BSTS.DtsDaoPort.getVersion.PropertyTypeTypes.1
Compiling routine BSTS.DtsDaoPort.getVersions.1
Compiling routine BSTS.DtsDaoPort.isAssociationTypeUsed.1
Compiling routine BSTS.DtsDaoPort.is.PropertyTypeUsed.1
Compiling routine BSTS.DtsDaoPort.is.QualifierTypeUsed.1
Compiling routine BSTS.DtsDaoPort.updateAuthority.1
Compiling routine BSTS.DtsDaoPort.updateAuthorityProperty.1
Compiling routine BSTS.DtsDaoPort.updateConcept.1
Compiling routine BSTS.DtsDaoPort.updateNamespace.1
Compiling routine BSTS.DtsDaoPort.updateNamespaceProperty.1
Compiling routine BSTS.DtsDaoPort.updateVersion.1
Compiling routine BSTS.DtsDaoPort.updateVersionProperty.1
```

```
Compiling routine BSTS.DtsQueryDaoPort.addAssociationType.1
Compiling routine BSTS.DtsQueryDaoPort.addAuthority.1
Compiling routine BSTS.DtsQueryDaoPort.addAuthorityProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addConcept.1
Compiling routine BSTS.DtsQueryDaoPort.addConceptAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.addConceptProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addDefiningConcept.1
Compiling routine BSTS.DtsQueryDaoPort.addDefiningRole.1
Compiling routine BSTS.DtsQueryDaoPort.addNamespace.1
Compiling routine BSTS.DtsQueryDaoPort.addNamespaceProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addPropertyType.1
Compiling routine BSTS.DtsQueryDaoPort.addQualifierType.1
Compiling routine BSTS.DtsQueryDaoPort.addRoleType.1
Compiling routine BSTS.DtsQueryDaoPort.addRootConcept.1
Compiling routine BSTS.DtsQueryDaoPort.addSubset.1
Compiling routine BSTS.DtsQueryDaoPort.addSubsetProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addSubsetVersion.1
Compiling routine BSTS.DtsQueryDaoPort.addSubsetVersionProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addSynonym.1
Compiling routine BSTS.DtsQueryDaoPort.addTerm.1
Compiling routine BSTS.DtsQueryDaoPort.addTermAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.addTermProperty.1
Compiling routine BSTS.DtsQueryDaoPort.addVersion.1
Compiling routine BSTS.DtsQueryDaoPort.addVersionProperty.1
Compiling routine BSTS.DtsQueryDaoPort.buildSubset.1
Compiling routine BSTS.DtsQueryDaoPort.classify.1
Compiling routine BSTS.DtsQueryDaoPort.createNamespaceRevision.1
Compiling routine BSTS.DtsQueryDaoPort.createRoleGroup.1
Compiling routine BSTS.DtsQueryDaoPort.createSubsetRevision.1
Compiling routine BSTS.DtsQueryDaoPort.deleteAssociationType.1
Compiling routine BSTS.DtsQueryDaoPort.deleteAuthorityById.1
Compiling routine BSTS.DtsQueryDaoPort.deleteAuthorityByName.1
Compiling routine BSTS.DtsQueryDaoPort.deleteAuthorityProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteConcept.1
Compiling routine BSTS.DtsQueryDaoPort.deleteConceptAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.deleteConceptProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteDefiningConcept.1
Compiling routine BSTS.DtsQueryDaoPort.deleteDefiningRole.1
Compiling routine BSTS.DtsQueryDaoPort.deleteNamespaceByCode.1
Compiling routine BSTS.DtsQueryDaoPort.deleteNamespaceById.1
Compiling routine BSTS.DtsQueryDaoPort.deleteNamespaceByName.1
Compiling routine BSTS.DtsQueryDaoPort.deleteNamespaceProperty.1
Compiling routine BSTS.DtsQueryDaoPort.delete.PropertyType.1
Compiling routine BSTS.DtsQueryDaoPort.deleteQualifierType.1
Compiling routine BSTS.DtsQueryDaoPort.deleteRoleType.1
Compiling routine BSTS.DtsQueryDaoPort.deleteRoleTypeWithReferences.1
Compiling routine BSTS.DtsQueryDaoPort.deleteRootConcept.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSubset.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSubsetProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSubsetVersionById.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSubsetVersionByName.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSubsetVersionProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSynonym.1
Compiling routine BSTS.DtsQueryDaoPort.deleteSystemContextProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteTerm.1
Compiling routine BSTS.DtsQueryDaoPort.deleteTermAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.deleteTermProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteUserContextProperty.1
Compiling routine BSTS.DtsQueryDaoPort.deleteVersionById.1
Compiling routine BSTS.DtsQueryDaoPort.deleteVersionByName.1
Compiling routine BSTS.DtsQueryDaoPort.deleteVersionProperty.1
```

```
Compiling routine BSTS.DtsQueryDaoPort.executeBatchSQLUpdate.1
Compiling routine BSTS.DtsQueryDaoPort.executeSQL.1
Compiling routine BSTS.DtsQueryDaoPort.executeSQLQuery.1
Compiling routine BSTS.DtsQueryDaoPort.executeSQLUpdate.1
Compiling routine BSTS.DtsQueryDaoPort.executeSQLUpdates.1
Compiling routine BSTS.DtsQueryDaoPort.fetchAuthorityById.1
Compiling routine BSTS.DtsQueryDaoPort.fetchAuthorityByName.1
Compiling routine BSTS.DtsQueryDaoPort.fetchConceptHistory.1
Compiling routine BSTS.DtsQueryDaoPort.fetchConceptSubsets.1
Compiling routine BSTS.DtsQueryDaoPort.fetchParentReferences.1
Compiling routine BSTS.DtsQueryDaoPort.fetchRightIdentityReferences.1
Compiling routine BSTS.DtsQueryDaoPort.fetchSubsetConceptCount.1
Compiling routine BSTS.DtsQueryDaoPort.fetchSubsetConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.fetchSubsetNamespaces.1
Compiling routine BSTS.DtsQueryDaoPort.fetchSubsetPreview.1
Compiling routine BSTS.DtsQueryDaoPort.fetchTermHistory.1
Compiling routine BSTS.DtsQueryDaoPort.fetchTermProperties.1
Compiling routine BSTS.DtsQueryDaoPort.fetchVersionById.1
Compiling routine BSTS.DtsQueryDaoPort.fetchVersionByName.1
Compiling routine BSTS.DtsQueryDaoPort.filterSubsetConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.findAllSubsets.1
Compiling routine BSTS.DtsQueryDaoPort.findAssociationTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findAssociationTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findAuthorityPropertyTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findAuthorityPropertyTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findAuthorityQualifierTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findAuthorityQualifierTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptByCode.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptById.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptByName.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithAllSynonymMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithAssociationQualifierMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithConceptAssociationMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithInverseConceptAssociationMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithInverseRoleMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithNameMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithPropertyMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithPropertyQualifierMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithRoleMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findConceptsWithSynonymMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findNamespaceByCode.1
Compiling routine BSTS.DtsQueryDaoPort.findNamespaceById.1
Compiling routine BSTS.DtsQueryDaoPort.findNamespaceByName.1
Compiling routine BSTS.DtsQueryDaoPort.findPropertyTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findPropertyTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findQualifierTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findQualifierTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findRoleTypeByCode.1
Compiling routine BSTS.DtsQueryDaoPort.findRoleTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findRoleTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findSubset.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetById.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetByName.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetPropertyTypeById.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetPropertyTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetQualifierTypeById.1
```

```
Compiling routine BSTS.DtsQueryDaoPort.findSubsetQualifierTypeByName.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetVersionById.1
Compiling routine BSTS.DtsQueryDaoPort.findSubsetVersionByName.1
Compiling routine BSTS.DtsQueryDaoPort.findTermByCode.1
Compiling routine BSTS.DtsQueryDaoPort.findTermById.1
Compiling routine BSTS.DtsQueryDaoPort.findTermsByName.1
Compiling routine
BSTS.DtsQueryDaoPort.findTermsWithAssociationQualifierMatching.1
Compiling routine
BSTS.DtsQueryDaoPort.findTermsWithInverseSynonymMatching.1
Compiling routine
BSTS.DtsQueryDaoPort.findTermsWithInverseTermAssociationMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findTermsWithNameMatching.1
Compiling routine BSTS.DtsQueryDaoPort.findTermsWithPropertyMatching.1
Compiling routine
BSTS.DtsQueryDaoPort.findTermsWithPropertyQualifierMatching.1
Compiling routine
BSTS.DtsQueryDaoPort.findTermsWithTermAssociationMatching.1
Compiling routine BSTS.DtsQueryDaoPort.generateAuthorityItemId.1
Compiling routine BSTS.DtsQueryDaoPort.generateNamespaceItemId.1
Compiling routine BSTS.DtsQueryDaoPort.generateNextConceptId.1
Compiling routine BSTS.DtsQueryDaoPort.generateNextTermId.1
Compiling routine BSTS.DtsQueryDaoPort.generateSubsetItemId.1
Compiling routine BSTS.DtsQueryDaoPort.getAllKinds.1
Compiling routine BSTS.DtsQueryDaoPort.getAllLicenses.1
Compiling routine BSTS.DtsQueryDaoPort.getAllNamespaceQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getAllPropertyTypesOfAuthority.1
Compiling routine BSTS.DtsQueryDaoPort.getAllRoleTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getAllSubsetQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getAssociationNavChildContext.1
Compiling routine BSTS.DtsQueryDaoPort.getAssociationNavParentContext.1
Compiling routine BSTS.DtsQueryDaoPort.getAssociationTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getAuthorities.1
Compiling routine BSTS.DtsQueryDaoPort.getAuthorityPropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getAuthorityPropertyTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getClassifyDetail.1
Compiling routine BSTS.DtsQueryDaoPort.getConceptAssociationTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getConceptChildRoots.1
Compiling routine BSTS.DtsQueryDaoPort.getConceptPropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getConceptPropertyTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getCycleErrors.1
Compiling routine BSTS.DtsQueryDaoPort.getEqErrors.1
Compiling routine BSTS.DtsQueryDaoPort.getExtendingNamespaces.1
Compiling routine BSTS.DtsQueryDaoPort.getKinds.1
Compiling routine BSTS.DtsQueryDaoPort.getLicense.1
Compiling routine BSTS.DtsQueryDaoPort.getNamespacePropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getNamespacePropertyTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getNamespaces.1
Compiling routine BSTS.DtsQueryDaoPort.getNavChildContext.1
Compiling routine BSTS.DtsQueryDaoPort.getNavChildContextInNamespace.1
Compiling routine BSTS.DtsQueryDaoPort.getNavParentContext.1
Compiling routine BSTS.DtsQueryDaoPort.getNavParentContextInNamespace.1
Compiling routine BSTS.DtsQueryDaoPort.getNoKindConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.getNoParentConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.getRoleTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSchemaVersion.1
Compiling routine BSTS.DtsQueryDaoPort.getServerDatabaseType.1
Compiling routine BSTS.DtsQueryDaoPort.getServerVersion.1
Compiling routine BSTS.DtsQueryDaoPort.getSubConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetConceptChildRoots.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetNavChildContext.1
```

```
Compiling routine BSTS.DtsQueryDaoPort.getSubsetNavParentContext.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetPropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetPropertyTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetVersion.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetVersionByTime.1
Compiling routine
BSTS.DtsQueryDaoPort.getSubsetVersionPropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetVersionPropertyTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSubsetVersions.1
Compiling routine BSTS.DtsQueryDaoPort.getSynonymTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getSystemContextProperty.1
Compiling routine BSTS.DtsQueryDaoPort.getSystemContextPropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.getTermAssociationTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getTermPropertyQualifierTypes.1
Compiling routine BSTS.DtsQueryDaoPort.getTermPropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.getUserContextPropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.getUserContextPropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.getVersion.1
Compiling routine BSTS.DtsQueryDaoPort.getVersionByTime.1
Compiling routine BSTS.DtsQueryDaoPort.getVersionPropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.getVersionPropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.getVersions.1
Compiling routine BSTS.DtsQueryDaoPort.hasAdminPermission.1
Compiling routine BSTS.DtsQueryDaoPort.hasAuthorityPermission.1
Compiling routine BSTS.DtsQueryDaoPort.hasNamespacePermission.1
Compiling routine BSTS.DtsQueryDaoPort.hasSubsetPermission.1
Compiling routine BSTS.DtsQueryDaoPort.isAssociationTypeUsed.1
Compiling routine BSTS.DtsQueryDaoPort.isPropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.isQualifierTypeUsed.1
Compiling routine BSTS.DtsQueryDaoPort.isRoleTypeUsed.1
Compiling routine BSTS.DtsQueryDaoPort.isSubConcept.1
Compiling routine BSTS.DtsQueryDaoPort.isSubConceptByCode.1
Compiling routine BSTS.DtsQueryDaoPort.isSubConceptById.1
Compiling routine BSTS.DtsQueryDaoPort.isSubConceptByName.1
Compiling routine BSTS.DtsQueryDaoPort.isSubConceptOfConcepts.1
Compiling routine BSTS.DtsQueryDaoPort.isSubConceptOfConceptsByName.1
Compiling routine BSTS.DtsQueryDaoPort.isWorkingVersion.1
Compiling routine BSTS.DtsQueryDaoPort.ping.1
Compiling routine BSTS.DtsQueryDaoPort.saveSubsetExpression.1
Compiling routine BSTS.DtsQueryDaoPort.saveSystemContextPropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.saveUserContextPropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.syncAuthorityItemId.1
Compiling routine BSTS.DtsQueryDaoPort.syncNamespaceItemId.1
Compiling routine BSTS.DtsQueryDaoPort.syncSubsetItemId.1
Compiling routine BSTS.DtsQueryDaoPort.ungroupRoleGroup.1
Compiling routine BSTS.DtsQueryDaoPort.updateAssociationType.1
Compiling routine BSTS.DtsQueryDaoPort.updateAuthority.1
Compiling routine BSTS.DtsQueryDaoPort.updateAuthorityPropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.updateConcept.1
Compiling routine BSTS.DtsQueryDaoPort.updateConceptAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.updateConceptPropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.updateDefiningConcept.1
Compiling routine BSTS.DtsQueryDaoPort.updateDefiningRole.1
Compiling routine BSTS.DtsQueryDaoPort.updateNamespace.1
Compiling routine BSTS.DtsQueryDaoPort.updateNamespacePropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.updatePrimitive.1
Compiling routine BSTS.DtsQueryDaoPort.updatePropertyParams.1
Compiling routine BSTS.DtsQueryDaoPort.updateQualifierType.1
Compiling routine BSTS.DtsQueryDaoPort.updateRoleType.1
Compiling routine BSTS.DtsQueryDaoPort.updateSubset.1
Compiling routine BSTS.DtsQueryDaoPort.updateSubsetPropertyParams.1
```

```
Compiling routine BSTS.DtsQueryDaoPort.updateSubsetVersion.1
Compiling routine BSTS.DtsQueryDaoPort.updateSubsetVersionProperty.1
Compiling routine BSTS.DtsQueryDaoPort.updateSynonym.1
Compiling routine BSTS.DtsQueryDaoPort.updateTerm.1
Compiling routine BSTS.DtsQueryDaoPort.updateTermAssociation.1
Compiling routine BSTS.DtsQueryDaoPort.updateTermProperty.1
Compiling routine BSTS.DtsQueryDaoPort.updateVersion.1
Compiling routine BSTS.DtsQueryDaoPort.updateVersionProperty.1
Load finished successfully.

Updating 9002318.5 Record

Verifying connection to DTS server is working. This may take several
minutes to complete

Updating Routine file...

Updating KIDS files...

IHS STANDARD TERMINOLOGY 2.0 Installed.
Dec 01, 2016@19:37:25

Not a VA primary domain

Install Completed
```

Figure 4-3: Installation of V2.0 with V1.0 Pre-Installed

## 5.0 Installation Configuration

Version 2.0 does not require any pre- or post-installation setup. For sites that already have a previous version of BSTS installed, it will update the BSTS WEB SERVICE file entry to use the new port assigned to the DTS 4.4 server. For new installations, it will set up the BSTS WEB SERVICE entry, the associated BSTS SITE PARAMETERS entry, as well as the SSL/TLS CONFIGURATION entry in the Ensemble Management portal. The following configuration information has been provided in case a setting inadvertently gets removed or changed and instructions are needed to reconfigure the settings.

### 5.1 Set up the SSL/TLS CONFIGURATION

Version 2.0 does not require any changes to the existing SSL/TLS configuration. If the configuration gets removed or changed and the BSTS connection is no longer working, the following steps should be used to configure the SSL/TLS configuration.

1. Go to **System Administration, Security, SSL/TLS Configurations** as shown in (Figure 5-1.)



Figure 5-1: Navigate to the SSL/TLS Configurations screen

2. Click the **Create New Configuration** button as shown in (Figure 5-2.)

The screenshot shows a web-based application interface. At the top, there's a navigation bar with links for 'Menu', 'Home | About | Help | Logout', and 'System > Security Manager'. Below this is a blue header bar with the text 'SSL/TLS Configurations'. In the center of the page, there's a button labeled 'Create New Configuration' which is highlighted with a red oval. Below this button, there's a table-like structure with columns labeled 'Name', 'Description', 'Enabled', and 'Type'. A message 'No Results' is displayed below the table. At the bottom of the page, there are pagination controls: 'Page size: 0', 'Results: 0', 'Page: 1 of 1', and arrows for navigating through pages.

Figure 5-2: Create a new SSL/TLS Configuration

3. Set up a new entry for SNOMEDServer (Fill in the Configuration Name and Description) Fields with the information shown in (Figure 5-3.)

This is a configuration form for a new SSL/TLS configuration. It includes fields for 'Configuration Name' (set to 'SNOMEDServer'), 'Description' (set to 'SNOMED terminology server'), 'Enabled' (checkbox checked), 'Type' (radio button selected for 'Client'), and 'Peer certificate verification level' (radio button selected for 'None').

Figure 5-3: Enter the New Configuration name

4. Now, click the **Test** button at the bottom of this page.

*Information/graphic redacted due to security concerns. Please contact SQA for full document.*

Figure 5-4: Enter the server host name

5. Another prompt will display asking for the TEST SERVER PORT.

*Information/graphic redacted due to security concerns. Please contact SQA for full document.*

Figure 5-5: Enter the server port

6. A message at the top of the Original SSL Configuration screen should display saying that the connection succeeded. See (Figure 5-6.)

Use the form below to edit an existing SSL/TLS configuration:

SSL connection succeeded  
Protocol: TLSv1/SSLv3  
Ciphersuite: AES128-SHA  
Peer:  
Request: GET / HTTP/1.0  
Reply: HTTP/1.1 200 OK

	Configuration Name: SNOMEDServer
	Required.
	Description: SNOMED Terminolo

Figure 5-6: Successful creation message

7. Click **Save**.

## 5.2 Defining the Web Service Endpoint

The Version 2.0 installation will automatically update the port number in the BSTS WEB SERVICE ENDPOINT entry for sites that have installed a previous version of BSTS. For new sites, the Version 2.0 installation will set up a new BSTS WEB SERVICE ENDPOINT entry. If the configuration gets removed or changed and the BSTS connection is no longer working, please follow the steps below to configure the BSTS WEB SERVICE ENDPOINT. Figure 5-7 shows the current definition for the PRODUCTION SERVER (Please note that the timeout and connection settings may differ based on the preferences at each site). Also, note that to access this option and other BSTS options, users will need to assign themselves the BSTSZMENU security key.

Information redacted due to security concerns. Please contact SQA for full document.

Figure 5-7: Setting up the BSTS WEB SERVICE ENDPOINT entry

Some of the properties listed above are site-configurable. They can be modified to account for network issues and site preferences. These properties are explained as follows:

**TIMEOUT OVERRIDE** – The maximum amount of time in seconds that a DTS web service call will wait for a query to finish before it quits (if null, the default is 60 seconds). If a DTS call exceeds this value, the BSTS application will switch over to local access mode. Note that this property pertains to *all* calls to DTS. Many of these calls happen in the background and are not apparent to the user. Care should be taken to set this property to a value of *less than 60 seconds*. To control DTS maximum DTS search times, please adjust the **MAXIMUM REMOTE SEARCH TIME** property instead of this property.

**CONNECTION TIMEOUT OVERRIDE** – The maximum amount of time in seconds that a DTS web service call will wait for a connection to be established to the DTS server (if null, the default is 2 seconds). Sites with slower network connections may need to adjust this setting to a higher value. Every effort should be taken however to *keep this value as low as possible* to avoid longer waits during SNOMED concept lookups. If the time to establish a connection with the DTS server exceeds this value, the BSTS application will switch over to local access mode.

**CHECK FOR DTS CONNECTION ON** – When the DTS server is operating in local access mode, this property will contain a date and time in the future. This is the date and time after which the application will attempt to contact the DTS server again to see if it is online. If the value of this property is null, the connection to the DTS server is operating successfully.

**MAXIMUM REMOTE SEARCH TIME** - After a search call to DTS is completed and it is determined that, even though the call was successful, it still took longer to complete than the number of seconds listed in this field, it will switch the server to local access mode. This value *should be less than or equal to* the **TIMEOUT OVERRIDE** value.

**CHECK FOR CONNECTION AFTER** – When the DTS server switches to local access mode, it will remain in local access mode until the number of minutes specified in this property are reached. When that wait period has been reached, the next call made to DTS will attempt to restore connection to the server. If the server is back online or search calls are now returning within the allowable **MAXIMUM REMOTE SEARCH TIME**, the DTS link will be switched back on.

## 5.3 Editing Site Parameters

The Version 2.0 installation will not change any BSTS SITE PARAMETERS settings for sites which have previously installed BSTS. For new sites, the Version 2.0 installation will automatically set up a BSTS SITE PARAMETER entry with the appropriate information. If the configuration gets removed or changed and the BSTS connection is no longer working, the steps listed in Figure 5-8 should be used to configure the BSTS SITE PARAMETERS entry. Figure 5-8 shows the current definition for a typical site.

**Note:** The BSTS SITE PARAMETERS NAME will differ at each site.

```

OPTION NAME: BSTSMENU          IHS Standard Terminology Management

WEB      Add/Edit Terminology Web Service
ESP      Edit Terminology Site Parameters
TST      Terminology Web Service Test
DES      Description Id Population Utility
REF      Refresh IHS Standard Terminology Local Cache
STS      Check Terminology Web Service Status

You have PENDING ALERTS
Enter "VA to jump to VIEW ALERTS option

Select IHS Standard Terminology Management <TEST ACCOUNT> Option: ESP  Edit
Terminology Site Parameters
Select BSTS SITE PARAMETERS NAME:      2013 DEMO HOSPITAL
REFRESH SUBSETS EVERY # DAYS:
Select WEB SERVICE: PRODUCTION
Are you adding 'PRODUCTION' as a new WEB SERVICE (the 1ST for this BSTS
SITE P
ARAMETERS)? No// Y  (Yes)
PRIORITY: 1
DAYS TO KEEP ERR RESPONSES:
Select WEB SERVICE: Select WEB SERVICE:

```

Figure 5-8: Setting up the BSTS SITE PARAMETERS entry

Some of the properties listed in (Figure 5-8) are site-configurable. They can be modified to account for network issues and site preferences. These properties are explained as follows:

- **REFRESH SUBSETS EVERY # DAYS** – Previous content releases of codeset and subset updates were included in KIDS releases. Future content releases are published to the Apelon DTS server and will be periodically pulled down from the server to the local site. This setting controls how often to refresh the subsets stored locally at the site with the information stored on the remote DTS server. The minimum value for this parameter is fourteen (14) days and the default setting is sixty (60) days. Updates to content are planned to be available for download every thirty (30) to sixty (60) days. Since this refresh process can be system-intensive and take several hours to run, please optimize this setting by keeping this value as high as possible. If necessary, the subset refresh process can always be kicked off manually, when a subset update is released and the content is needed immediately.

- **DAYS TO KEEP ERR RESPONSES** – BSTS logs any attempted connections to the DTS server which did not complete successfully. This logged information is very helpful in troubleshooting connection issues at the site. Allowable values for this parameter are between seven (7) days and thirty (30) days. The default setting is fourteen (14) days. An automatic nightly purge will run to purge logged data that is older than the value specified in this parameter.

### 5.3.1 Troubleshooting Site Parameters

For new installations, the BSTS Version 2.0 installation automatically attempts to set up a default entry in the BSTS SITE PARAMETERS file. Occasionally, this step is not able to complete properly because of duplicate (or even similar) entries in the RPMS SITE or INSTITUTION files. If, after performing a Version 2.0 installation at a new site, an entry cannot be located in the file, use FileMan to manually enter the site location into the file. Then perform the setup shown in the previous section to enter the remaining information.

```
>D P^DTI

VA FileMan 22.0

Select OPTION: 1 ENTER OR EDIT FILE ENTRIES

INPUT TO WHAT FILE: BSTS SITE PARAMETERS// 
EDIT WHICH FIELD: ALL// NAME
THEN EDIT FIELD:

Select BSTS SITE PARAMETERS NAME: 2011 DEMO HOSPITAL      HEADQUARTERS
WEST
ALBUQUERQUE      01      NM HOSPITAL 8999      [Enter the site
location]
Are you adding '2011 DEMO HOSPITAL' as
a new BSTS SITE PARAMETERS (the 1ST)? No// Y (Yes)
```

Figure 5-9: Manually setting up BSTS SITE PARAMETER entry

## 5.4 Testing the Web Service Endpoint

The Terminology Web Service Test option can be run to check to see if the connection to the server is working. Figure 5-10 shows a sample display of the option.

Information redacted due to security concerns. Please contact SQA for full document.

Figure 5-10: Testing a BSTS Web Service

## 5.5 Setting up Users to Access BSTS GUI Lookup Tools

In order for users to utilize the BSTS GUI lookup components in EHR, they need to either be assigned the XUPROGMODE security key, or they must be assigned the BSTSRPC option as a secondary menu option. The following instructions explain how to set up a user with the BSTSRPC secondary menu option.

1. Initiate a RPMS telnet session. Run the ‘Edit an Existing User’ (XUSEREDIT) RPMS menu option. Enter the user to edit when prompted as shown in (Figure 5-11.)

Select OPTION NAME: Edit an existing user XUSEREDIT	Edit an Existing User
Edit an EXISTING USER	
Select NEW PERSION NAME:	

Figure 5-11: Run the RPMS Edit an Existing User Option

2. In the ‘Select SECONDARY MENU OPTIONS’ field, enter BSTSRPC as shown in (Figure 5-12.)

Edit an Existing User	
NAME . . . EVERETT,BRIAN E	
NAME . . . EVERETT,BRIAN E	INITIAL:
TITLE:	NICK NAME:
SSN:	DOB:
DEGREE:	MAIL CODE:
DISSUER:	TERMINATION DATE:
Termination Reason:	
PRIMARY MENU OPTION: AKMOEVE	
Select SECONDARY MENU OPTIONS: <b>BSTSRPC</b>	
Want to edit ACCESS CODE (Y/N):	FILE MANAGER ACCESS CODE:
Want to edit VERIFY CODE (Y/N):	
Select DIVISION: 2011 DEMO HOSPITAL	
SERVICE/SECTION: INFORMATION TECHNOLOGY	
COMMAND: Press <PF1>H for	

Figure 5-12: Adding BSTSRPC as a Secondary Menu Option

## Acronym List

Acronym	Definition
API	Application Program Interfaces
DTS	Distributed Terminology System
EHR	Electronic Health Record
GUI	Graphical User Interface
IHS	Indian Health Service
KIDS	Kernel Installation and Distribution System
MUMPS	Massachusetts General Hospital (M) Utility Multi Programming System
PCC	Patient Care Component
RPMS	Resource and Patient Management System
SNOMED	Systemized Nomenclature of Medicine
SSL	Single Socket Layer
TSL	Transport Layer Security

## Contact Information

If you have any questions or comments regarding this distribution, please contact the OIT Help Desk (IHS).

**Phone:** (888) 830-7280 (toll free)

**Web:** <http://www.ihs.gov/helpdesk/>

**Email:** [support@ihs.gov](mailto:support@ihs.gov)