#### **Indian Health Service**




Division of Epidemiology and Disease Prevention

Influenza-like Illness Surveillance Report IHS Influenza Awareness System (IIAS) (Week 04: 01/23/2022 – 01/29/2022)

- IHS national Influenza-like illness (ILI) activity is low at 0.5%, below the IHS baseline of 1.93%
  - Eight out of eleven IHS Areas reported a decrease in ILI activity, while other IHS Areas reported having consistent or slightly increased ILI activity from the previous week.
  - This week's IHS ILI activity is below the CDC's ILINet ILI activity for week 04 (2.00%) below the ILINet baseline (2.5%) and the IHS baseline of 1.93%.
- To date, IHS has administered 190,052 doses of influenza vaccine.
- Overall, 28.4% of the IHS Active Clinical population ages 6 months and older has received an influenza vaccine
  this season to date.
- The data within this report reflects data gathered after the installation of ILI/H1N1 Surveillance Export (APCL v3.0 patch 33) at most sites. Patch change request information can be provided upon request.

All Reporting IHS Areas Influenza-Like Illness (ILI) for Current Surveillance Year and Previous Six Surveillance Years Percentage of Visits for ILI Visits per Week



Percent ILI visits is number of ILI visits divided by total number of daily outpatient visits.


The horizontal line represents the 2021-2022 IIAS baseline. The baseline is the mean percentage of patient visits for ILI during non-influenza weeks (as defined by CDC) for the previous four seasons plus two standard deviations.

The horizontal line is the 2021-2022 IIAS baseline. The ILINet baseline value for 2021-2022 is 2.5.

Baselines are computed as the mean percentage of ILI patient visits during non-influenza weeks (as defined by CDC) for the previous three seasons, plus two standard deviations.

Sources: ILINet - CDC Sentinel Surveillance System for Influenza-Like Illness, IIAS - IHS Influenza Awareness System

### Percentage of Outpatient Visits for Influenza-Like Illness (ILI) Percent ILI for Flu Year 2021 - 2022 CDC ILINet vs. IHS Influenza-like Illness Awareness System (IIAS) 10/03/21 through 01/29/22 (Week 04)




Percent ILI visits is number of ILI visits divided by total number of daily outpatient visits.

The horizontal line is the 2021-2022 IHS Influenza-like Illness Awareness System baseline. The CDC ILINet baseline value for 2021-2022 is 2.5.

Baselines are computed as the mean percentage of ILI patient visits during non-influenza weeks (as defined by CDC) for the previous four seasons, plus two standard deviations.

 $Sources: \ ILINet-CDC \ Sentinel \ Surveillance \ System \ for \ Influenza-Like \ Illness, IHS \ IIAS-Influenza-like \ Illness \ Awareness \ System \ Syst$ 

#### IHS Influenza-like Illness Awareness System vs. CDC ILINet Influenza-Like Illness (ILI) for six year window from latest full week Percentage of Visits for ILI per week 10/03/21 through 01/29/22 (Week 04)




Percent ILI visits is number of ILI visits divided by total number of daily outpatient visits.

The horizontal line is the 2021-2022 IHS Influenza-like Illness Awareness System baseline. The CDC ILINet baseline value for 2021-2022 is 2.5.

Baselines are computed as the mean percentage of ILI patient visits during non-influenza weeks (as defined by CDC) for the previous four seasons, plus two standard

Sources: ILINet - CDC Sentinal Surveillance System for Influenza-Like Illness, IHS IIAS - Influenza-like Illness Awareness System

#### Percentage of Influenza-Like Illness Visits by IHS Area For Week Ending 01/29/22 (Week 04)



Percent ILI Visits\*
Current week compared to previous week
For Week Ending 01/29/22 (Week 04)


IHS Areas	Previous Week (03)	Current Week (04)
NATIONAL	0.8	0.5
ALBUQUERQUE	0.5	0.2
BEMIDJI	2.5	1.6
BILLINGS	1.5	0.8
CALIFORNIA	0.2	0.3
GREAT PLAINS	2.1	1.7
NASHVILLE	1.4	1.0
NAVAJO	0.3	0.2
OKLAHOMA	1.0	0.5
PHOENIX	0.6	0.5
PORTLAND	0.0	0.0
TUCSON	0.5	0.6

Percentage of ILI visits is number of ILI visits divided by total number of daily visits.

#### **IHS Influenza Vaccination Surveillance**

As of 01/29/2022, sites reporting to the IIAS have administered 190,052 doses (1st and 2nd) of seasonal influenza vaccine to active clinical patients 6 months of age and older.

All Reporting IHS Areas
Percentage of Seasonal Influenza Vaccine Coverage among Active Clinical Population
07/04/21 through 01/29/22 (Week 04)



#### All Reporting IHS Areas Seasonal Influenza Vaccine Coverage by Age Group\* Active Clinical Population\*\* 07/04/21 through 01/29/22 (Week 04)

Age Group	Active Clinical Population**	Seasonal Flu Vaccine (At Least 1 Dose)***	% Seasonal Flu (At Least 1 Dose)	Seasonal Flu Vaccine (At Least 2 Doses)	% Seasonal Flu (At Least 2 Doses)	Total # Doses Administered ****
0 - 5 months	2,468	18	0.7	0	0.0	18
6 - 23 months	12,331	4,564	37.0	1,014	8.2	5,586
2 - 4 years	32,928	6,473	19.7	91	0.3	6,587
5 - 17 years	134,083	38,575	28.8	233	0.2	38,928
18 - 49 years	272,091	66,969	24.6	339	0.1	67,559
50 - 64 years	120,822	48,492	40.1	267	0.2	48,983
65 + years	86,678	21,952	25.3	140	0.2	22,409
Children (6 months-17 years)	179,342	49,612	27.7	1,338	0.7	51,101
Adults (18+ years)	479,591	137,413	28.7	746	0.2	138,951
All (6 months+)	658,933	187,025	28.4	2,084	0.3	190,052

<sup>\*</sup> Limited to sites that exported both doses administered along with accompanying Active Clinical population data.

### Seasonal Influenza Vaccination Code Counts by IHS Area 07/04/21 through 01/29/22 (Week 04)

Area	INACTIVE CVX CODES*	CVX 88 FLU- NOS**	CVX 149 FLU- LAIV4	CVX 150 FLU- IIV4pf	CVX 158 FLU- IIV4	CVX 161 IIV4pf ped	CVX 168 FLU- IIV3ad	CVX 171 FLU- ccl4pf	CVX 185 FLU- RIV4	CVX 186 FLU- ccl4	CVX 197 FLU- HIGH	CVX 205 FLU- IIV4ad	Proc 99.52 Vac Inf	ICD-9 V04.81 Vac Inf	CPT Billing Codes+	Cumulative # of Doses Seasonal Flu
ALB	157	380	56	10,189	6,433	242	11	17	10	26	0	0	0	0	70	17,591
BEM	29	100	32	4,764	109	2	1	16	10	2	0	0	0	0	33	5,098
BIL	160	109	119	7,680	1,896	32	0	11	44	9	0	0	0	0	54	10,114
CAO	816	170	5	2,168	409	21	3	274	186	184	0	0	0	0	32	4,268
GPA	705	150	10	7,054	1,266	840	0	17	1	2	0	0	0	0	15	10,060
NSA	386	264	31	5,374	3,379	16	1	55	29	3	0	0	0	0	91	9,629
NAV	131	412	1	53,406	6,311	675	1	1,525	13	269	0	0	0	0	247	62,991
OKC	1,322	1,995	311	30,087	4,989	380	28	131	97	27	0	0	0	0	98	39,465
PHX	249	461	1	16,791	7,508	84	2	23	5	7	0	0	0	0	65	25,196
POR	101	64	35	441	1,460	16	0	153	1	1	0	0	0	0	12	2,284
TUC	27	8	0	5,217	46	27	0	4	0	1	0	0	0	0	8	5,338
	4,083	4,113	601	143,171	33,806	2,335	47	2,226	396	531	0	0	0	0	725	192,034

Patient Counts Not Deduplicated

<sup>\*\*</sup> Active Clinical is defined as patients who have had at least 2 visits in the last 3 years.

<sup>\*\*\*</sup> Number of unique patients with at least 1 dose.

<sup>\*\*\*\*</sup> Total # Doses Administered = All doses administered to patients including doses not included in coverage calculation due to lack of Active Clinical Population

<sup>\*</sup> Inactive CVX Codes 15 (FLU-TIVhx), 16 (FLU-WHOLE), 111 (FLU-LAIV3), 123 (FLU-H5N1), 135 (FLU-HIGH), 140 (FLU-IIV3pf), 141 (FLU-IIV3), 144 (FLU-DERMAL), 151 (FLU-NasNOS),


<sup>153 (</sup>FLU-ccIIV3), 155 (FLU-RIV3), 160 (H5N1,adj)and 166 (FLU-DERM4) should not be used to document flu vaccines administered during flu season 2020-2021.

<sup>\*\*</sup> CVX Code 88 (FLU-NOS) should only be used to document flu vaccines given elsewhere when flu vaccine type is unknown.

<sup>+</sup> CPT Flu codes include: 90654-90658,90662, 90672, 90673, 90685, 90686, G0008, and G8108.

<sup>^</sup> ICD9 codes V04.8 and V06.6 are not displayed on this report and are not used in any of the influenza vaccine coverage calculations.

# All Reporting IHS Areas Influenza Vaccine Coverage for all Age Groups for National and in each Area % Seasonal Flu (At Least 1 Dose) for Active Clinical Population 07/04/21 through 01/29/22 (Week 04)



# All Reporting IHS Areas Influenza Vaccine Coverage for all Age Groups for National and in each Area % Seasonal Flu (At Least 1 Dose) for Active Clinical Population 07/04/21 through 01/29/22 (Week 04)

Area	Children (6 mons-17 yrs)	Adults (18+ yrs)	Seniors (65+ yrs)	All (6 mons +)
NATIONAL	27.7	28.7	25.3	28.4
ALBUQUERQUE	30.8	28.1	7.9	28.7
ВЕМІОЛІ	19.2	20.9	20.4	20.4
BILLINGS	23.8	25.7	20.3	25.1
CALIFORNIA	11.4	11.6	17.8	11.5
GREAT PLAINS	25.2	21.2	31.7	22.3
NASHVILLE	24.5	28.3	29.0	27.3
NAVAJO	48.0	47.3	41.0	47.5
OKLAHOMA	17.4	21.8	18.1	20.6
PHOENIX	30.4	30.6	19.7	30.6
PORTLAND	17.4	21.3	33.0	20.6
TUCSON	35.3	38.3	49.1	37.4

#### Number of RPMS Databases Reporting for Week Ending 01/29/22 (Week 04)

IHS Area	# of RPMS Databases Reporting*	# of Facilities Reporting**
NATIONAL	102	184
ALBUQUERQUE	14	21
BEMIDJI	3	5
BILLINGS	10	22
CALIFORNIA	11	17
GREAT PLAINS	7	8
NASHVILLE	22	25
NAVAJO	6	23
OKLAHOMA	18	39
PHOENIX	7	16
PORTLAND	3	5
TUCSON	1	3

<sup>\*</sup> Exporting databases may include data from multiple facilities.

<sup>\*\*</sup> Includes only facility categories: Hospital, Health Center, Health Station and Health Location NR = Not Reported