## For Data Reported from October 1, 2010 through September 31, 2011 Medical Management Of Cellulitis

#### Numerator - Length of Stay Equal to or Greater than 5 days Denominator - All Admissions With a Primary Diagnosis of Cellulitis Run Date: November 2011 NDW data

|                         |    |             |    | qua           | rter |               |    |               |             |        |
|-------------------------|----|-------------|----|---------------|------|---------------|----|---------------|-------------|--------|
|                         |    | QTR<br>2010 |    | t QTR<br>2011 |      | d QTR<br>2011 |    | 1 QTR<br>2011 | INDIC<br>RA |        |
|                         | N  | %           | N  | %             | N    | %             | N  | %             | N           | PctN   |
| Cellulitis Status       |    |             |    |               |      |               |    |               |             |        |
| Length Of Stay > 5 Days | 10 | 22.73       | 8  | 32.00         | 9    | 26.47         | 2  | 6.45          | 29          | 21.64  |
| Length Of Stay < 5 Days | 34 | 77.27       | 17 | 68.00         | 25   | 73.53         | 29 | 93.55         | 105         | 78.36  |
| # of Denominator Cases  | 44 | 100.00      | 25 | 100.00        | 34   | 100.00        | 31 | 100.00        | 134         | 100.00 |

For: Quentin N Burdick

|                         |   |             |                    | qua    | rter               |        |                    |        |                   |        |
|-------------------------|---|-------------|--------------------|--------|--------------------|--------|--------------------|--------|-------------------|--------|
|                         |   | QTR<br>2010 | 1st QTR<br>of 2011 |        | 2nd QTR<br>of 2011 |        | 3rd QTR<br>of 2011 |        | INDICATOR<br>RATE |        |
|                         | N | %           | N                  | %      | N                  | %      | N                  | %      | N                 | PctN   |
| Cellulitis Status       |   |             |                    |        |                    |        |                    |        |                   |        |
| Length Of Stay > 5 Days | 3 | 50.00       | 1                  | 20.00  | 3                  | 42.86  |                    |        | 7                 | 35.00  |
| Length Of Stay < 5 Days | 3 | 50.00       | 4                  | 80.00  | 4                  | 57.14  | 2                  | 100.00 | 13                | 65.00  |
| # of Denominator Cases  | 6 | 100.00      | 5                  | 100.00 | 7                  | 100.00 | 2                  | 100.00 | 20                | 100.00 |

## For Data Reported from October 1, 2010 through September 31, 2011 Medical Management Of Cellulitis

## Numerator - Length of Stay Equal to or Greater than 5 days Denominator - All Admissions With a Primary Diagnosis of Cellulitis Run Date: November 2011 NDW data

|                         |    |             |    | qua         | rter |               |    |               |             |        |
|-------------------------|----|-------------|----|-------------|------|---------------|----|---------------|-------------|--------|
|                         |    | QTR<br>2010 |    | QTR<br>2011 |      | d QTR<br>2011 |    | 1 QTR<br>2011 | INDIC<br>RA |        |
|                         | N  | %           | N  | %           | N    | %             | N  | %             | N           | PctN   |
| Cellulitis Status       |    |             |    |             |      |               |    |               |             |        |
| Length Of Stay > 5 Days | 10 | 22.73       | 8  | 32.00       | 9    | 26.47         | 2  | 6.45          | 29          | 21.64  |
| Length Of Stay < 5 Days | 34 | 77.27       | 17 | 68.00       | 25   | 73.53         | 29 | 93.55         | 105         | 78.36  |
| # of Denominator Cases  | 44 | 100.00      | 25 | 100.00      | 34   | 100.00        | 31 | 100.00        | 134         | 100.00 |

For: Winnebago

|                         |   |             |                    | qua    | rter               |        |                    |        |                   |        |
|-------------------------|---|-------------|--------------------|--------|--------------------|--------|--------------------|--------|-------------------|--------|
|                         |   | QTR<br>2010 | 1st QTR<br>of 2011 |        | 2nd QTR<br>of 2011 |        | 3rd QTR<br>of 2011 |        | INDICATOR<br>RATE |        |
|                         | N | %           | N                  | %      | N                  | %      | N                  | %      | N                 | PctN   |
| Cellulitis Status       |   |             |                    |        |                    |        |                    |        |                   |        |
| Length Of Stay > 5 Days | 2 | 28.57       | 1                  | 50.00  |                    |        |                    |        | 3                 | 21.43  |
| Length Of Stay < 5 Days | 5 | 71.43       | 1                  | 50.00  | 3                  | 100.00 | 2                  | 100.00 | 11                | 78.57  |
| # of Denominator Cases  | 7 | 100.00      | 2                  | 100.00 | 3                  | 100.00 | 2                  | 100.00 | 14                | 100.00 |

# For Data Reported from October 1, 2010 through September 31, 2011 Medical Management Of Cellulitis

## Numerator - Length of Stay Equal to or Greater than 5 days Denominator - All Admissions With a Primary Diagnosis of Cellulitis Run Date: November 2011 NDW data

|                         |    |   |    | qua    | rter |        |    |        |                   |        |
|-------------------------|----|---|----|--------|------|--------|----|--------|-------------------|--------|
|                         |    | 4th QTR 1st QTR 2nd QTR 3rd QTR I   of 2010 of 2011 of 2011 of 2011 |    |        |      |        |    |        | INDICATOR<br>RATE |        |
|                         | N  | %   | N  | %      | N    | %      | N  | %      | N                 | PctN   |
| Cellulitis Status       |    |   |    |        |      |        |    |        |                   |        |
| Length Of Stay > 5 Days | 10 | 22.73   | 8  | 32.00  | 9    | 26.47  | 2  | 6.45   | 29                | 21.64  |
| Length Of Stay < 5 Days | 34 | 77.27   | 17 | 68.00  | 25   | 73.53  | 29 | 93.55  | 105               | 78.36  |
| # of Denominator Cases  | 44 | 100.00  | 25 | 100.00 | 34   | 100.00 | 31 | 100.00 | 134               | 100.00 |

For: Zuni

|                         | 4th ( | arter<br>QTR of<br>010 | INDIC<br>RA | ATOR<br>TE |
|-------------------------|-------|------------------------|-------------|------------|
|                         | N     | %                      | N           | PctN       |
| Cellulitis Status       |       |                        |             |            |
| Length Of Stay < 5 Days | 1     | 100.00                 | 1           | 100.00     |
| # of Denominator Cases  | 1     | 100.00                 | 1           | 100.00     |

## For Data Reported from October 1, 2010 through September 31, 2011 Medical Management Of Cellulitis

## Numerator - Length of Stay Equal to or Greater than 5 days Denominator - All Admissions With a Primary Diagnosis of Cellulitis Run Date: November 2011 NDW data

|                         |    |             |    | qua         | rter |               |    |               |             |        |
|-------------------------|----|-------------|----|-------------|------|---------------|----|---------------|-------------|--------|
|                         |    | QTR<br>2010 |    | QTR<br>2011 |      | d QTR<br>2011 |    | 1 QTR<br>2011 | INDIC<br>RA |        |
|                         | N  | %           | N  | %           | N    | %             | N  | %             | N           | PctN   |
| Cellulitis Status       |    |             |    |             |      |               |    |               |             |        |
| Length Of Stay > 5 Days | 10 | 22.73       | 8  | 32.00       | 9    | 26.47         | 2  | 6.45          | 29          | 21.64  |
| Length Of Stay < 5 Days | 34 | 77.27       | 17 | 68.00       | 25   | 73.53         | 29 | 93.55         | 105         | 78.36  |
| # of Denominator Cases  | 44 | 100.00      | 25 | 100.00      | 34   | 100.00        | 31 | 100.00        | 134         | 100.00 |

For: Barrow

|                         | 1+1 | OTD         | 1.00 | qua           |   | 4 OTD         | 2 11/2 | 1 OTD         | INDICATOR |        |  |
|-------------------------|-----|-------------|------|---------------|---|---------------|--------|---------------|-----------|--------|--|
|                         |     | QTR<br>2010 |      | t QTR<br>2011 |   | d QTR<br>2011 |        | 1 QTR<br>2011 | RA        |        |  |
|                         | N   | %           | N    | %             | N | %             | N      | %             | N         | PctN   |  |
| Cellulitis Status       |     |             |      |               |   |               |        |               |           |        |  |
| Length Of Stay > 5 Days | 2   | 100.00      | 2    | 50.00         | 1 | 100.00        |        |               | 5         | 62.50  |  |
| Length Of Stay < 5 Days | •   |             | 2    | 50.00         |   |               | 1      | 100.00        | 3         | 37.50  |  |
| # of Denominator Cases  | 2   | 100.00      | 4    | 100.00        | 1 | 100.00        | 1      | 100.00        | 8         | 100.00 |  |

# For Data Reported from October 1, 2010 through September 31, 2011 Medical Management Of Cellulitis

## Numerator - Length of Stay Equal to or Greater than 5 days Denominator - All Admissions With a Primary Diagnosis of Cellulitis Run Date: November 2011 NDW data

|                         |    |   |    | qua    | rter |        |    |               |            |        |
|-------------------------|----|---|----|--------|------|--------|----|---------------|------------|--------|
|                         |    | 4th QTR   1st QTR   2nd QTR   3rd Q' of 2010   of 2011   of 2011   of 201 |    |        |      |        |    | 1 QTR<br>2011 | ATOR<br>TE |        |
|                         | N  | %   | N  | %      | N    | %      | N  | %             | N          | PctN   |
| Cellulitis Status       |    |   |    |        |      |        |    |               |            |        |
| Length Of Stay > 5 Days | 10 | 22.73   | 8  | 32.00  | 9    | 26.47  | 2  | 6.45          | 29         | 21.64  |
| Length Of Stay < 5 Days | 34 | 77.27   | 17 | 68.00  | 25   | 73.53  | 29 | 93.55         | 105        | 78.36  |
| # of Denominator Cases  | 44 | 100.00  | 25 | 100.00 | 34   | 100.00 | 31 | 100.00        | 134        | 100.00 |

For: YK

|                         |   |        |   | qua    | rter |        |                         |        |    |                   |  |  |
|-------------------------|---|--------|---|--------|------|--------|-------------------------|--------|----|-------------------|--|--|
|                         |   |        |   |        |      |        | 2nd QTR of 2011 of 2011 |        |    | INDICATOR<br>RATE |  |  |
|                         | N | %      | N | %      | N    | %      | N                       | %      | N  | PctN              |  |  |
| Cellulitis Status       |   |        |   |        |      |        |                         |        |    |                   |  |  |
| Length Of Stay > 5 Days |   |        | 1 | 20.00  | 3    | 37.50  |                         |        | 4  | 12.50             |  |  |
| Length Of Stay < 5 Days | 9 | 100.00 | 4 | 80.00  | 5    | 62.50  | 10                      | 100.00 | 28 | 87.50             |  |  |
| # of Denominator Cases  | 9 | 100.00 | 5 | 100.00 | 8    | 100.00 | 10                      | 100.00 | 32 | 100.00            |  |  |

## For Data Reported from October 1, 2010 through September 31, 2011 Medical Management Of Cellulitis

## Numerator - Length of Stay Equal to or Greater than 5 days Denominator - All Admissions With a Primary Diagnosis of Cellulitis Run Date: November 2011 NDW data

|                         |    |             |    | qua    | rter |               |    |               |             |        |
|-------------------------|----|-------------|----|--------|------|---------------|----|---------------|-------------|--------|
|                         |    | QTR<br>2010 |    | 2011   |      | d QTR<br>2011 |    | 1 QTR<br>2011 | INDIC<br>RA |        |
|                         | N  | %           | N  | %      | N    | %             | N  | %             | N           | PctN   |
| Cellulitis Status       |    |             |    |        |      |               |    |               |             |        |
| Length Of Stay > 5 Days | 10 | 22.73       | 8  | 32.00  | 9    | 26.47         | 2  | 6.45          | 29          | 21.64  |
| Length Of Stay < 5 Days | 34 | 77.27       | 17 | 68.00  | 25   | 73.53         | 29 | 93.55         | 105         | 78.36  |
| # of Denominator Cases  | 44 | 100.00      | 25 | 100.00 | 34   | 100.00        | 31 | 100.00        | 134         | 100.00 |

For: Maniilaq

|                         |   |             |   | qua                 | rter |        |   |               |                   |        |
|-------------------------|---|-------------|---|---------------------|------|--------|---|---------------|-------------------|--------|
|                         |   | QTR<br>2010 |   | QTR 2nd QTR of 2011 |      |        |   | 1 QTR<br>2011 | INDICATOR<br>RATE |        |
|                         | N | %           | N | %                   | N    | %      | N | %             | N                 | PctN   |
| Cellulitis Status       |   |             |   |                     |      |        |   |               |                   |        |
| Length Of Stay > 5 Days | ٠ |             | 1 | 50.00               |      |        | ٠ |               | 1                 | 16.67  |
| Length Of Stay < 5 Days | 1 | 100.00      | 1 | 50.00               | 2    | 100.00 | 1 | 100.00        | 5                 | 83.33  |
| # of Denominator Cases  | 1 | 100.00      | 2 | 100.00              | 2    | 100.00 | 1 | 100.00        | 6                 | 100.00 |

## For Data Reported from October 1, 2010 through September 31, 2011 Medical Management Of Cellulitis

#### Numerator - Length of Stay Equal to or Greater than 5 days Denominator - All Admissions With a Primary Diagnosis of Cellulitis Run Date: November 2011 NDW data

|                         | quarter            |        |                    |        |                    |        |                    |        |                   |        |
|-------------------------|--------------------|--------|--------------------|--------|--------------------|--------|--------------------|--------|-------------------|--------|
|                         | 4th QTR<br>of 2010 |        | 1st QTR<br>of 2011 |        | 2nd QTR<br>of 2011 |        | 3rd QTR<br>of 2011 |        | INDICATOR<br>RATE |        |
|                         | N                  | %      | N                  | %      | N                  | %      | N                  | %      | N                 | PctN   |
| Cellulitis Status       |                    |        |                    |        |                    |        |                    |        |                   |        |
| Length Of Stay > 5 Days | 10                 | 22.73  | 8                  | 32.00  | 9                  | 26.47  | 2                  | 6.45   | 29                | 21.64  |
| Length Of Stay < 5 Days | 34                 | 77.27  | 17                 | 68.00  | 25                 | 73.53  | 29                 | 93.55  | 105               | 78.36  |
| # of Denominator Cases  | 44                 | 100.00 | 25                 | 100.00 | 34                 | 100.00 | 31                 | 100.00 | 134               | 100.00 |

For: Shiprock

|                         | quarter            |        |                    |        |                    |        |                    |        |                   |        |
|-------------------------|--------------------|--------|--------------------|--------|--------------------|--------|--------------------|--------|-------------------|--------|
|                         | 4th QTR<br>of 2010 |        | 1st QTR<br>of 2011 |        | 2nd QTR<br>of 2011 |        | 3rd QTR<br>of 2011 |        | INDICATOR<br>RATE |        |
|                         | N                  | %      | N                  | %      | N                  | %      | N                  | %      | N                 | PctN   |
| Cellulitis Status       |                    |        |                    |        |                    |        |                    |        |                   |        |
| Length Of Stay > 5 Days | 3                  | 16.67  | 2                  | 28.57  | 2                  | 15.38  | 2                  | 13.33  | 9                 | 16.98  |
| Length Of Stay < 5 Days | 15                 | 83.33  | 5                  | 71.43  | 11                 | 84.62  | 13                 | 86.67  | 44                | 83.02  |
| # of Denominator Cases  | 18                 | 100.00 | 7                  | 100.00 | 13                 | 100.00 | 15                 | 100.00 | 53                | 100.00 |