



RESOURCE AND PATIENT MANAGEMENT SYSTEM

Clinical Reporting System

(BGP)

Technical Manual

Version 18.0
November 2017

Office of Information Technology
Division of Information Technology

Document Version History

| Version | Date | Notes |
|---------|----------------|---|
| 1.0 | August 2005 | Initial version |
| 8.0 | August 2008 | Updated to include changes to the logic descriptions and performance measures for FY 2008 and reformatted |
| 9.0 | June 2009 | Updated for version 9.0 |
| 10.0 | May 2010 | Updated for version 10.0 |
| 11.0 | January 2011 | Updated for version 11.0 |
| 11.1 | May 2011 | Updated for version 11.1 |
| 12.0 | December 2011 | Updated for version 12.0 |
| 12.1 | April 2012 | Updated for version 12.1 |
| 13.0 | November 2012 | Updated for version 13.0 |
| 14.0 | November 2013 | Updated for version 14.0 |
| 14.1 | May 2014 | Updated for version 14.1 |
| 15.0 | November 2014 | Updated for version 15.0 |
| 15.1 | May 2015 | Updated for version 15.1 |
| 16.0 | November 2015 | Updated for version 16.0 |
| 16.1 | February 2016 | Updated for version 16.1 |
| 17.0 | September 2016 | Updated for version 17.0 |
| 17.1 | March 2017 | Updated for version 17.1 |
| 18.0 | October 2017 | Updated for version 18.0 |

Table of Contents

| | | |
|------------|--|-----------|
| 1.0 | Introduction..... | 1 |
| 1.1 | Key Changes in v18.0..... | 2 |
| 1.1.1 | Logic Changes to National GPRA/GPRAMA Report Measures..... | 2 |
| 1.1.2 | Key Logic Changes to Non-GPRA Measures..... | 6 |
| 1.1.3 | Additional Key Enhancements and Revisions | 6 |
| 2.0 | Implementation and Maintenance | 7 |
| 2.1 | System Requirements | 7 |
| 2.2 | Security Keys..... | 7 |
| 3.0 | Routines | 8 |
| 3.1 | Routines and Descriptions..... | 8 |
| 4.0 | Files and Tables..... | 36 |
| 4.1 | File List | 36 |
| 4.2 | File Access | 37 |
| 4.3 | Cross References | 37 |
| 4.4 | Table File..... | 69 |
| 4.4.1 | BGP Control File..... | 70 |
| 4.4.2 | BGP SITE PARAMETERS | 74 |
| 4.4.3 | FILE: BGP SUMMARY CATEGORIES..... | 75 |
| 4.4.4 | FILE: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS | 76 |
| 4.4.5 | FILE: BGP AREA AUTOMATED GPRA PARAMS | 76 |
| 4.4.6 | FILE: BGP GPRA FLAT FILE DATA | 77 |
| 4.4.7 | FILE: BGP 18 MEASURES | 78 |
| 4.4.8 | FILE: BGP 18 INDIVIDUAL MEASURES | 81 |
| 4.4.9 | FILE: BGP 18 NATIONAL PATIENT LISTS | 85 |
| 4.4.10 | FILE: BGP 18 SNOMED SUBSETS | 85 |
| 4.4.11 | FILE: BGP 18 TAXONOMIES..... | 86 |
| 4.4.12 | FILE: BGP 18 MEASURE GROUPS | 86 |
| 4.4.13 | FILE: BGP 18 PATIENT ED DATA CURRENT | 87 |
| 4.4.14 | FILE: BGP 18 PATIENT ED DATA PREVIOUS | 89 |
| 4.4.15 | FILE: BGP 18 PATIENT ED DATA BASELINE | 91 |
| 4.4.16 | FILE: BGP 18 PAT ED MEASURES | 92 |
| 4.4.17 | FILE: BGP 18 ICARE GROUPS | 93 |
| 4.4.18 | FILE: BGP 18 ICARE CATEGORIES | 94 |
| 4.4.19 | FILE: BGP 18 GUI OUTPUT | 94 |
| 4.4.20 | FILE: BGP 18 ELDER INDIVIDUAL MEASURES | 96 |
| 4.4.21 | FILE: BGP 18 ELDER MEASURES | 96 |
| 5.0 | Internal Relations | 98 |
| 6.0 | External Relations | 99 |
| 6.1 | External Calls | 99 |

| | | |
|-------------|---|------------|
| 6.2 | Callable Routines..... | 136 |
| 6.3 | Published Entry Points..... | 137 |
| 6.4 | Exported Options..... | 137 |
| 7.0 | Security Keys..... | 151 |
| 8.0 | Archiving and Purging..... | 152 |
| 9.0 | Documentation Resources..... | 153 |
| 9.1 | How to Generate Online Documentation..... | 153 |
| 9.2 | System Documentation..... | 153 |
| 9.2.1 | %INDEX..... | 153 |
| 9.2.2 | Inquire Option..... | 154 |
| 9.2.3 | Print Option File..... | 154 |
| 9.2.4 | List File Attributes..... | 154 |
| 9.3 | Online Help..... | 155 |
| 10.0 | SAC Requirements..... | 156 |
| | Glossary..... | 157 |
| | Acronym List..... | 159 |
| | Contact Information..... | 160 |

Preface

This manual contains the technical manual for the Clinical Reporting System (CRS) v18.0, which adds fiscal year (FY) 2018 clinical performance measures to existing FY 2002 through FY 2017 measures.

1.0 Introduction

This manual provides Indian Health Service (IHS) site managers with a technical description of the Clinical Reporting System routines, files, menus, cross references, globals, and other necessary information required to effectively manage the system.

All routines, files, options, and keys have a namespace starting with the letters “BGP.”

The file number range for this package is 90240, 90370–90561, 90530–90539, 90558–90599.

The Government Performance and Results Act (GPRA) requires federal agencies to report annually on how the agency measured against the performance targets set in its annual plan. The IHS GPRA measures include clinical prevention and treatment, quality of care, infrastructure, and administrative efficiency functions.

The IHS Clinical Reporting System (CRS) is a Resource and Patient Management System (RPMS) software application designed for national reporting, as well as Area Office and local monitoring of clinical GPRA and developmental measures. CRS was first released for FY 2002 performance measures (as GPRA+) and is based on a design by the Aberdeen Area Office (GPRA2000).

This manual provides technical information for the CRS v18.0. V18.0 adds FY 2018 clinical performance measures to existing FY 2002 through FY 2017 measures.

CRS is the reporting tool used by the IHS Office of Planning and Evaluation to collect and report clinical performance results annually to the Department of Health and Human Services (HHS) and to Congress.

Each year, an updated version of CRS software is released to reflect changes in the logic descriptions of the different denominators and numerators. Additional performance measures may also be added. Local facilities can run reports as often as they want and can also use CRS to transmit data to their Area Office. The Area Office can use CRS to produce an aggregated Area Office report for either annual GPRA or Area Office director performance reports.

CRS produces reports on demand from local RPMS databases for both GPRA and developmental clinical performance measures that are based on RPMS data, thus eliminating the need for manual chart audits for evaluating and reporting clinical measures.

To produce reports with comparable data across every facility, the GPRA measures definitions were translated into programming code with the assistance of clinical subject matter experts. CRS uses predefined taxonomies to find data items in the RPMS Patient Care Component to determine if a patient meets the performance measure criteria. Taxonomies contain groups of codes (e.g., diagnoses or procedures) or site-specific terms. Each performance measure topic has one or more defined denominators and numerators.

Administrative and clinical users can review individual or all measures at any time to:

- Identify potential data issues in their RPMS; for example, missing or incorrect data.
- Monitor their site's performance against past national performance and upcoming agency goals.
- Identify specific areas where the facility is not meeting the measure in order to initiate business process or other changes.
- Quickly measure impact of process changes on performance measures.
- Identify IHS Area Offices meeting or exceeding measures to provide lessons learned.

Users of the RPMS CRS include:

- Area Office and site quality improvement staff
- Compliance officers
- GPRA coordinators
- Clinical staff, such as physicians, nurses, nurse practitioners, and other providers
- Area Office directors
- Any staff involved with quality assurance initiatives
- Staff who run the various CRS reports

1.1 Key Changes in v18.0

1.1.1 Logic Changes to National GPRA/GPRAMA Report Measures

- GPRA Developmental Measures:
 - Added the following new GPRA Developmental measures:
 - Access to Dental Service (patients with a dental visit – new logic)
 - Cancer Screening: Pap Smear Rates (Pap Smear and HPV must be on the same day)

- Cancer Screening: Mammogram Rates (ages 52–74)
- Tobacco Cessation (new logic for denominator that only looks at health factors)
- Chlamydia Testing: (new age breakdown of 21–24; new measures to match HEDIS measures for patients identified as sexually active)
- Concurrent Use of Opioids and Benzodiazepines (new topic)
- Removed measures:
 - Adult IZ measures moved to GPRA report
- Updated codes and/or logic in the following measures: Access to Dental Service; Dental Sealants; Topical Fluoride; Adult Immunizations; Childhood Immunizations; Colorectal Cancer Screening (changed logic to match HEDIS definition); Comprehensive Cancer Screening; Weight Assessment and Counseling for Nutrition and Physical Activity; HIV Screening; Sexually Transmitted Infection (STI) Screening; Visit Statistics.
- Diabetes: Glycemic Control:
 - Changed GPRA measure to User Pop Diabetic Patients denominator.
- Diabetes: Blood Pressure Control:
 - Changed GPRA measure to User Pop Diabetic Patients denominator.
- Statin Therapy to Reduce Cardiovascular Disease Risk in Patients with Diabetes:
 - Changed GPRA measure to User Pop Diabetic Patients denominator.
 - Added new pregnancy codes.
 - Included outside statin medications.
 - Added "Nystatin" as an exception to adverse reaction to statins in Allergy Tracking file and Patient List.
- Diabetes: Nephropathy Assessment:
 - Changed GPRA measure to User Pop Diabetic Patients denominator.
- Diabetic Retinopathy:
 - Changed GPRA measure to User Pop Diabetic Patients denominator.
- Dental Sealants:
 - Removed restriction on 0007 code that it cannot be documented on the same visit as other codes.
- Influenza:
 - Changed GPRA measure to User Population denominator.
 - Added CVX codes 168, 185, 186 and CPT codes 90653, 90682.
 - Removed Egg Allergy as a contraindication.

- Adult Immunizations:
 - Changed GPRA measure to User Population 19 and older with age-appropriate immunizations.
 - Split pneumococcal definition into Pneumococcal Polysaccharide (PPSV23) and Pneumococcal Conjugate (PCV13).
 - Removed POV code V06.6 from Pneumococcal definition.
 - Updated definition of up-to-date Pneumococcal Polysaccharide vaccine (PPSV23)/Pneumo conjugate (PCV13): Patients who received A) a dose of PCV13 on or after age 19 years OR who received a dose of PPSV23 in the past year AND B) a dose of PPSV23 on or after age 65 years OR a dose of PPSV23 in the past 5 years OR who received a dose of PCV13 in the past year.
 - Moved measures for separate age groups and immunizations including combo measures from GPRA Dev report and added corresponding logic.
 - Added new measures that look for PPSV23 and PCV13, including combo measures.
 - Removed contraindication/NMI refusal sub-numerators.
- Childhood Immunizations:
 - Changed GPRA measure to User Population denominator.
 - Added CVX code 148 and CPT code 90644 to Hib (4-dose) definition.
 - Added Encephalopathy due to vaccination with vaccine adverse-effect to DTaP contraindication definition.
 - Added Immunodeficiency, HIV, and Lymphoreticular cancer, multiple myeloma or leukemia to MMR and varicella contraindication definitions.
- Cancer Screening: Pap Smear Rates:
 - Changed GPRA measure to User Population denominator.
 - Replaced codes 0UT9*ZZ with 0UTC*ZZ in hysterectomy definition.
 - Added HCPCS code G0476 to HPV definition.
- Cancer Screening: Mammogram Rates:
 - Changed GPRA measure to User Population denominator.
- Colorectal Cancer Screening:
 - Changed GPRA measure to User Population denominator.
 - Added POV codes ICD-9: V10.06 and ICD-10: C21.2, C21.8, Z85.048 to colorectal cancer definition.
 - Added CPT codes 45346, 45347, 45349, 45350 to flexible sigmoidoscopy definition.

- Added CPT codes 44401-44408, 45388-45390, 45393, 45398 to colonoscopy definition.
- Tobacco Cessation:
 - Changed GPRA measure to User Population denominator.
 - Added Tobacco: Electronic Nicotine Delivery Systems (ENDS) health factors (Current ENDS user and Cessation ENDS user) to Tobacco User/User in Cessation definition.
 - Added Previous (former) ENDS user to Quit Tobacco Use definition.
 - Updated tobacco cessation counseling definition to include patient education codes containing SNOMED codes in data set PXRMBPG TOBACCO TOPICS.
- Alcohol Screening:
 - Changed GPRA measure to User Population denominator.
 - Changed age range to 9–75.
 - Removed measures for age 12–75.
- Screening, Brief Intervention, and Referral to Treatment (SBIRT):
 - Changed GPRA measure to User Population denominator.
- Intimate Partner (Domestic) Violence Screening:
 - Changed GPRA measure to User Population denominator.
- Depression Screening:
 - Changed GPRAMA and GPRA measures to User Population denominator.
 - Added new POV codes ICD-9: 290.13, 290.21, 290.43, 298.0, 301.12, 309.0, 309.1, 309.28; ICD-10: F01.51, F31.74, F32.89, F34.81, F34.89, F43.21, F43.23 to mood disorder definition.
- Antidepressant Medication Management:
 - Updated the number of gap days from 30 to 31 for Effective Acute Phase treatment measure.
 - Excluded outside medications and e-prescribed medications from these measures.
 - Clarified that inpatient, outpatient, ED, intensive outpatient or partial hospitalization setting is defined as Service Categories A and H.
 - Fixed logic errors.
- Childhood Weight Control:
 - Changed GPRA measure to User Population denominator.
- Controlling High Blood Pressure - Million Hearts:
 - Added new pregnancy codes.

- Statin Therapy for the Prevention and Treatment of Cardiovascular Disease:
 - Added new pregnancy codes.
 - Included outside statin medications.
 - Added "Nystatin" as an exception to adverse reaction to statins in Allergy Tracking file and Patient List.
- HIV Screening:
 - Added CPT codes 87389 and 87806 to HIV screening definition.
 - Added new pregnancy codes.
- Breastfeeding Rates:
 - Changed GPRA measure to User Population denominator.

1.1.2 Key Logic Changes to Non-GPRA Measures

For key logic changes to non-GPRA measures, please refer to the *CRS 2018 (Version 18.0) Selected Measures Report Performance Measure List and Definitions* document located on the CRS Web site at

http://www.ihs.gov/crs/includes/themes/newihstheme/display_objects/documents/crsv18/SelectedMeasuresV180.pdf.

1.1.3 Additional Key Enhancements and Revisions

- Changed the GPRA reporting period to October 1 through September 30.

2.0 Implementation and Maintenance

The Clinical Reporting System occupies the BGP namespace. Options, security locks/keys, templates, routines, and globals have the namespace BGP.

Note: This version of the CRS (v.18.0) only contains the 2018 files, options, routines, templates, etc. This was done at the request of the verification staff due to the size of this package. V17.1 is a requirement to install v18.0. Please see the technical manual for previous versions for information about all previous versions.

2.1 System Requirements

IHS Clinical Reporting System v18.0 must be installed (bgp_1800.k).

2.2 Security Keys

Table 2-1 provides security key information.

Table 2-1: Security key names, descriptive names, and descriptions

| Name | Descriptive Name | Description |
|----------------------|---------------------|--|
| BGPZAREA | BGP AREA REPORT | This key unlocks the area report options on the main BGPMENU. This key should only be assigned at the Area Office level. |
| BGPZMENU | BGP MAIN MENU-CRS | This key unlocks the main CRS menu. It should be assigned to all users who need to run GPRA/CRS reports. |
| BGPZ PATIENT LISTS | BGP PATIENT LISTS | This key allows the holder to obtain patient lists. The patient lists contain sensitive patient/clinical information. This key should only be given to those users who have a need for such information. |
| BGPZ SITE PARAMETERS | BGP SITE PARAMETERS | This key should be given to those with authority to update the site parameters. |
| BGPZ TAXONOMY EDIT | BGP TAXONOMY EDIT | This key should be given only to users who need to update taxonomies. |

3.0 Routines

This section includes Table 3-1, which lists BGP routines and their descriptions.

Please note that the only routines distributed in v18.0 are the BGP8* routines, Previous versions of CRS contain the other routines. This was done at the request of the verification staff and is due to the large size of the build.

3.1 Routines and Descriptions

Table 3-1 provides a list of routines with comprehensive descriptions of the functions.

Table 3-1: BGP Routines

| ROUTINE | DESCRIPTION |
|---------|---|
| BGP81 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81A | IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 19, 2017 |
| BGP81B | IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 19, 2017 |
| BGP81C | IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 18, 2017 |
| BGP81D | IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 19, 2017 |
| BGP81E | IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 19, 2017 |
| BGP81F | IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 19, 2017 |
| BGP81G | IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 19, 2017 |
| BGP81H | IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 24, 2017 |
| BGP81I | IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 25, 2017 |
| BGP81J | IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 25, 2017 |
| BGP81K | IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 25, 2017 |
| BGP81L | IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 25, 2017 |
| BGP81M | IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 25, 2017 |
| BGP81N | IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 25, 2017 |
| BGP81O | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 01, 2017 |
| BGP81P | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 05, 2017 |
| BGP81Q | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 05, 2017 |
| BGP81R | IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 26, 2017 |
| BGP81S | IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 26, 2017 |
| BGP81T | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81T2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81U | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81V | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP81W10 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W11 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W12 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W13 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W14 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W15 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W16 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W17 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W18 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W19 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W20 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W21 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W22 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W23 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W24 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W25 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W26 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W27 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W28 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W29 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W8 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81W9 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81X | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81X2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81Y | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81Y2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81Y3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81Y4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81Z | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81Z2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP81Z3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81Z4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP81Z5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A10 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A11 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A12 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A13 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A14 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A15 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A16 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A17 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A18 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A19 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A20 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A21 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A22 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A23 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A24 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A25 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A26 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A27 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A28 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A29 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A30 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A31 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A32 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A33 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A34 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A35 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A36 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A37 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A38 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP82A39 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A40 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A8 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82A9 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82B | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82B2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82B3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82B4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82B5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82B6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82B7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82B8 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82C | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82C10 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82C11 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82C12 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82C13 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82C2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82C3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82C4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82C5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82C6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82C7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82C8 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82C9 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82D | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82D10 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82D11 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82D12 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82D13 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82D14 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82D15 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP82D2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82D3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82D4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82D5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82D6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82D7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82D8 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82D9 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82E | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82F | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82F2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82F3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82F4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82F5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82F6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82F7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82F8 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82F9 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G10 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G11 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G12 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G13 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G14 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G15 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G16 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G17 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G18 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G19 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G20 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G21 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G22 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G23 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G24 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G25 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP82G26 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G27 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G28 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G29 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G30 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G8 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82G9 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H10 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H11 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H12 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H13 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H14 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H15 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H16 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H17 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H18 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H19 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H20 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H21 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H22 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H23 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H24 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H25 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H26 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H27 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H28 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H29 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H30 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP82H31 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H8 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82H9 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I10 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I11 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I12 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I13 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I14 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I15 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I16 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I17 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I18 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I19 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I20 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I21 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I22 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I23 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I24 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I25 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I26 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I27 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I28 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I29 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I30 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I31 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I32 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I33 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I34 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I35 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP82I36 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I37 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I38 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I39 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I40 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I41 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I42 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I43 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I44 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I45 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I46 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I48 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I49 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I50 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I51 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I52 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I53 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I54 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I55 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I56 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I57 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I58 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I59 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I60 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I61 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I62 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I63 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I64 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I65 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I66 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82I8 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP82I9 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J10 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J11 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J12 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J13 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J14 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J15 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J16 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J17 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J18 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J19 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J20 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J21 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J22 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J23 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J24 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J26 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J27 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J28 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J29 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J30 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J31 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J8 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82J9 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K10 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K11 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K12 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP82K13 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K14 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K15 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K16 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K17 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K18 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K19 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K8 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82K9 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82L | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82L10 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82L11 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82L12 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82L13 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82L14 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82L15 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82L16 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82L2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82L3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82L4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82L5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82L6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82L7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82L8 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82L9 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82M | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82M2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82M3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82M4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82M5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP82N | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82N2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O10 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O11 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O12 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O13 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O14 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O15 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O16 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O17 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O18 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O19 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O20 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O21 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O22 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O23 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O24 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O25 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O26 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O27 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O28 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O29 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O30 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O31 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O32 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O33 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O34 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O35 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O36 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O37 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O38 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP82O6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O8 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82O9 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P10 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P11 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P12 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P13 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P14 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P15 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P16 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P17 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P18 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P19 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P20 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P21 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P22 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P23 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P24 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P25 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P26 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P27 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P28 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P29 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P8 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82P9 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Q | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Q2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Q3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP82Q4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Q5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Q6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Q7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82R | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82S | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82S2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82S3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82S4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82S5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82S6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82S7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82T | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82U | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82U10 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82U11 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82U12 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82U13 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82U14 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82U15 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82U2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82U3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82U4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82U5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82U6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82U7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82U8 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82U9 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82V | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82W | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82X | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82X2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82X3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82X4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82X5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82X6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP82X7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Y | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z10 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z11 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z12 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z13 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z14 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z15 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z16 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z17 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z18 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z19 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z20 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z21 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z22 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z23 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z24 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z25 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z26 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z27 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z28 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z29 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z30 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z31 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z32 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z33 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z34 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z35 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z36 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z37 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z38 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z39 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP82Z40 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z41 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z42 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z43 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z44 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z45 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z46 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z47 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z48 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z49 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z50 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z51 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z52 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z53 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z54 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z55 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z56 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z57 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z58 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z59 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z60 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z61 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z62 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z63 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z64 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z65 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z66 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z67 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z68 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z69 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z70 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z71 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z72 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP82Z73 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z74 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z75 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z76 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z77 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z78 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z79 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z8 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP82Z9 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON SEP 11, 2017 |
| BGP83A | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A10 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A11 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A12 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A13 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A14 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A15 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A16 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A17 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A18 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A19 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A2 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A20 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A21 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A22 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A23 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A24 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A25 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A26 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A27 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A28 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A29 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A3 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A30 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A31 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A32 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP83A33 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A34 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A35 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A36 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A37 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A38 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A39 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A4 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A40 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A41 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A42 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A43 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A44 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A45 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A46 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A5 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A6 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A7 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A8 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83A9 | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 09, 2017 |
| BGP83B | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 10, 2017 |
| BGP83C | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 10, 2017 |
| BGP83D | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 10, 2017 |
| BGP83E | IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 24, 2017 |
| BGP83F | IHS/CMI/LAB -CREATED BY ^ATXSTX ON SEP 11, 2017 |
| BGP83G | IHS/CMI/LAB -CREATED BY ^ATXSTX ON SEP 11, 2017 |
| BGP83H | IHS/CMI/LAB -CREATED BY ^ATXSTX ON SEP 11, 2017 |
| BGP83I | IHS/CMI/LAB -CREATED BY ^ATXSTX ON SEP 11, 2017 |
| BGP83J | IHS/CMI/LAB -CREATED BY ^ATXSTX ON SEP 11, 2017 |
| BGP83K | IHS/CMI/LAB -CREATED BY ^ATXSTX ON SEP 11, 2017 |
| BGP83L | IHS/CMI/LAB -CREATED BY ^ATXSTX ON SEP 11, 2017 |
| BGP8ALG | IHS/CMI/LAB - measure AHR.A |
| BGP8ALG1 | IHS/CMI/LAB - measure AHR.A |
| BGP8ALG2 | IHS/CMI/LAB - measure AHR.A |
| BGP8ASL | IHS/CMI/LAB - DISPLAY IND LISTS 28 Apr 2006 2:10 PM |
| BGP8ASL1 | IHS/CMI/LAB - DISPLAY IND LISTS |

| ROUTINE | DESCRIPTION |
|----------------|--|
| BGP8AU1A | IHS/CMI/LAB - BUILD CRS* FILES |
| BGP8AU1D | IHS/CMI/LAB - GPRA FLAT FILE DATA DUMP |
| BGP8AU1M | IHS/CMI/LAB - SEND MAIL MESSAGE |
| BGP8AU1R | IHS/CMI/LAB - READ, PROCESS GPRA FILE |
| BGP8AUJEX | IHS/CMI/LAB - BUILD SITE GPRA FILES, EXPORT TO AREA |
| BGP8AUJUL | IHS/CMI/LAB - AREA UPLOAD |
| BGP8AUJUP | IHS/CMI/LAB - UPLOAD SITE FILES, CREATE EXCEL FILES |
| BGP8BAN | IHS/CMI/LAB - BANNER FOR CRS |
| BGP8C11 | IHS/CMI/LAB - calc CMS measures 02 Jul 2010 8:31 AM |
| BGP8C13 | IHS/CMI/LAB - calc CMS measures 26 Sep 2004 11:28 AM |
| BGP8CON | IHS/CMI/LAB - measure AHR.A |
| BGP8CON1 | IHS/CMI/LAB - measure logic |
| BGP8CSI | IHS/CMI/LAB - DISPLAY IND LISTS |
| BGP8CSII | IHS/CMI/LAB - DISPLAY IND LISTS |
| BGP8CTL | IHS/CMI/LAB - DISPLAY IND LISTS |
| BGP8CTS | IHS/CMI/LAB - display ind lists |
| BGP8CU | IHS/CMI/LAB - calc cms measures |
| BGP8CU1 | IHS/CMI/LAB - calc CMS measures |
| BGP8D1 | IHS/CMI/LAB - CALC MEASURES |
| BGP8D10 | IHS/CMI/LAB - calc measures |
| BGP8D2 | IHS/CMI/LAB - measure 1,2,3,4 |
| BGP8D21 | IHS/CMI/LAB - measure 6 |
| BGP8D211 | IHS/CMI/LAB - measure 6 19 Sep 2014 8:12 AM |
| BGP8D212 | IHS/CMI/LAB - measure 6 19 Sep 2014 8:12 AM |
| BGP8D213 | IHS/CMI/LAB - measure 6 13 Aug 2015 6:58 AM |
| BGP8D214 | IHS/CMI/LAB - measure 6 19 Sep 2014 8:12 AM |
| BGP8D21A | IHS/CMI/LAB - measure 6 |
| BGP8D22 | IHS/CMI/LAB - measure I2 |
| BGP8D24 | IHS/CMI/LAB - sti measure |
| BGP8D24A | IHS/CMI/LAB - sti measure |
| BGP8D25 | IHS/CMI/LAB - MEASURE |
| BGP8D26 | IHS/CMI/LAB - MEASURE LOGIC |
| BGP8D27 | IHS/CMI/LAB - measure I2 |
| BGP8D28 | IHS/CMI/LAB - measure I2 |
| BGP8D3 | IHS/CMI/LAB - MEASURE LOGIC |
| BGP8D31 | IHS/CMI/LAB - MEASURE LOGIC |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP8D32 | IHS/CMI/LAB - MEASURE LOGIC |
| BGP8D33 | IHS/CMI/LAB - measure C |
| BGP8D34 | IHS/CMI/LAB - measure C |
| BGP8D341 | IHS/CMI/LAB - measure C |
| BGP8D35 | IHS/CMI/LAB - MEASURE LOGIC |
| BGP8D36 | IHS/CMI/LAB - MEASURE IMM LOGIC |
| BGP8D37 | IHS/CMI/LAB - IMMUNIZATIONS |
| BGP8D38 | IHS/CMI/LAB - IMMUNIZATIONS |
| BGP8D39 | IHS/CMI/LAB - measure C |
| BGP8D3A | IHS/CMI/LAB - MEASURE LOGIC |
| BGP8D3B | IHS/CMI/LAB - PNEUMO REMINDER 27 Feb 2015 7:52 AM |
| BGP8D3C | IHS/CMI/LAB - VARIOUS UTILS |
| BGP8D4 | IHS/CMI/LAB - MEASURE LOGIC 3 |
| BGP8D41 | IHS/CMI/LAB - measure 3 |
| BGP8D42 | IHS/CMI/LAB - measure 11 |
| BGP8D5 | IHS/CMI/LAB - measure calc |
| BGP8D51 | IHS/CMI/LAB - measure l2 26 Mar 2015 10:09 AM |
| BGP8D52 | IHS/CMI/LAB - measure 31 |
| BGP8D53 | IHS/CMI/LAB - measure calc |
| BGP8D54 | IHS/CMI/LAB - measure calc 02 Jul 2010 8:08 AM |
| BGP8D55 | IHS/CMI/LAB - measure calc |
| BGP8D5A | IHS/CMI/LAB - measure calc |
| BGP8D6 | IHS/CMI/LAB - measure 31 |
| BGP8D62 | IHS/CMI/LAB - MEASURE 31 |
| BGP8D63 | IHS/CMI/LAB - MEASURE LOGIC |
| BGP8D64 | IHS/CMI/LAB - measure 31 01 Jul 2010 7:47 PM |
| BGP8D7 | IHS/CMI/LAB - measure 31 06 Nov 2014 2:31 PM |
| BGP8D71 | IHS/CMI/LAB - measure C |
| BGP8D711 | IHS/CMI/LAB - measure C 30 Jun 2010 12:14 PM |
| BGP8D712 | IHS/CMI/LAB - TOBACCO HF |
| BGP8D713 | IHS/CMI/LAB - measure 31 |
| BGP8D714 | IHS/CMI/LAB - measure 6 |
| BGP8D72 | IHS/CMI/LAB - measure 31 |
| BGP8D721 | IHS/CMI/LAB - measure AHR.A |
| BGP8D722 | IHS/CMI/LAB - measure MEDS |
| BGP8D723 | IHS/CMI/LAB - measure AHR.A |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP8D724 | IHS/CMI/LAB - CONTRA (CONT) |
| BGP8D729 | IHS/CMI/LAB - measure AHR.A |
| BGP8D73 | IHS/CMI/LAB - measure 31 |
| BGP8D731 | IHS/CMI/LAB - measure AHR.A |
| BGP8D732 | IHS/CMI/LAB - measure AHR.A |
| BGP8D74 | IHS/CMI/LAB - MEASURE LOGIC |
| BGP8D75 | IHS/CMI/LAB - measure 31 |
| BGP8D76 | IHS/CMI/LAB - MEASURE LOGIC |
| BGP8D8 | IHS/CMI/LAB - measure C 11 Feb 2018 3:35 PM |
| BGP8D81 | IHS/CMI/LAB - measure C 17 Oct 2014 8:51 AM |
| BGP8D811 | IHS/CMI/LAB - PCR, MMR |
| BGP8D812 | IHS/CMI/LAB - measure C |
| BGP8D82 | IHS/CMI/LAB - measure C 14 Mar 2010 11:49 AM |
| BGP8D83 | IHS/CMI/LAB - measure C 07 Jan 2018 11:45 AM |
| BGP8D84 | IHS/CMI/LAB - measure C |
| BGP8D841 | IHS/CMI/LAB - measure C |
| BGP8D85 | IHS/CMI/LAB - measure C 09 Jun 2018 5:18 PM |
| BGP8D86 | IHS/CMI/LAB - measure C 06 Nov 2009 2:26 PM |
| BGP8D861 | IHS/CMI/LAB - measure C |
| BGP8D862 | IHS/CMI/LAB - measure C |
| BGP8D863 | IHS/CMI/LAB - measure C |
| BGP8D864 | IHS/CMI/LAB - measure C |
| BGP8D87 | IHS/CMI/LAB - measure calc 01 Nov 2014 2:35 PM |
| BGP8D88 | IHS/CMI/LAB - measure C 03 Jul 2010 7:05 AM |
| BGP8D89 | IHS/CMI/LAB - measure C 03 Jul 2010 7:05 AM |
| BGP8D9 | IHS/CMI/LAB - measure J |
| BGP8D91 | IHS/CMI/LAB - MEASURE LOGIC |
| BGP8DADB | IHS/CMI/LAB - MEASURE LOGIC |
| BGP8DAP | IHS/CMI/LAB - GPRA AREA DRIVER |
| BGP8DAR | IHS/CMI/LAB - GPRA AREA REPORT |
| BGP8DARO | IHS/CMI/LAB - ihs area GPRA |
| BGP8DBPR | IHS/CMI/LAB - IHS gpra print 03 Jul 2010 6:26 AM |
| BGP8DCEI | IHS/CMI/LAB - calculate HEDIS measures |
| BGP8DCHW | IHS/CMI/LAB - calc measures 29 Apr 2007 7:38 PM |
| BGP8DCI | IHS/CMI/LAB - AREA GPRA |
| BGP8DCL | IHS/CMI/LAB - national patient list 20 Dec 2004 9:24 AM |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP8DCLD | IHS/CMI/LAB - IHS gpra print |
| BGP8DCLP | IHS/CMI/LAB - IHS gpra print |
| BGP8DEL | IHS/CMI/LAB - GPRA REPORT DRIVER |
| BGP8DELA | IHS/CMI/LAB - GPRA REPORT |
| BGP8DELP | IHS/CMI/LAB - IHS HEDIS print |
| BGP8DEMO | IHS/CMI/LAB - demo patient search template |
| BGP8DESI | IHS/CMI/LAB - DISPLAY IND LISTS |
| BGP8DESL | IHS/CMI/LAB - IHS 2018 DISPLAY IND LISTS |
| BGP8DGPA | IHS/CMI/LAB - ihs area GPRA 02 Sep 2004 1:11 PM |
| BGP8DGPU | IHS/CMI/LAB - IHS AREA CLIN 05 REPORT DRIVER |
| BGP8DH | IHS/CMI/LAB - HEADER |
| BGP8DH1 | IHS/CMI/LAB - COVER PAGE |
| BGP8DH2 | IHS/CMI/LAB - COVER PAGE |
| BGP8DHSL | IHS/CMI/LAB - IHS 2018 DISPLAY IND LISTS |
| BGP8DICR | IHS/CMI/LAB - ICARE LIST |
| BGP8DL | IHS/CMI/LAB - LOCAL COM REPORT |
| BGP8DLT | IHS/CMI/LAB - national patient list 20 Dec 2004 9:24 AM |
| BGP8DMT | IHS/CMI/LAB - NATIONAL LIST |
| BGP8DNDB | IHS/CMI/LAB - NATIONAL EXPORT |
| BGP8DNE1 | IHS/CMI/LAB - NATL COMP |
| BGP8DNG | IHS/CMI/LAB - NATL COM EXPORT |
| BGP8DNGP | IHS/CMI/LAB - NATL RPT PRT |
| BGP8DNGS | IHS/CMI/LAB - NATL COMP EXPORT 13 Nov 2006 12:31 PM |
| BGP8DON | IHS/CMI/LAB - NATL COMP EXPORT 13 Nov 2006 12:31 PM |
| BGP8DP | IHS/CMI/LAB - IHS gpra print 03 Jul 2010 6:26 AM |
| BGP8DP1 | IHS/CMI/LAB - print ind 1 21 Mar 2010 12:55 PM |
| BGP8DP11 | IHS/CMI/LAB - print ind 1 |
| BGP8DP12 | IHS/CMI/LAB - print ind 19 AGE DIST |
| BGP8DP13 | IHS/CMI/LAB - print ind 19 AGE DIST 02 Feb 2018 1:14 PM |
| BGP8DP14 | IHS/CMI/LAB - print ind 19 AGE DIST |
| BGP8DP19 | IHS/CMI/LAB - print ind 1 03 Jul 2010 7:40 AM |
| BGP8DP1C | IHS/CMI/LAB - print ind 1 21 Mar 2010 12:55 PM |
| BGP8DP1D | IHS/CMI/LAB - print ind |
| BGP8DP1E | IHS/CMI/LAB - PRINT IND |
| BGP8DP1F | IHS/CMI/LAB - PRINT IND |
| BGP8DP1G | IHS/CMI/LAB - print ind 1 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP8DP1H | IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM |
| BGP8DP1I | IHS/CMI/LAB - print ind 1 |
| BGP8DP1J | IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM |
| BGP8DP1K | IHS/CMI/LAB - print ind 1 |
| BGP8DP1L | IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM |
| BGP8DP1M | IHS/CMI/LAB - PRINT IND |
| BGP8DP1N | IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM |
| BGP8DP1O | IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM |
| BGP8DP1S | IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM |
| BGP8DP1T | IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM |
| BGP8DP2 | IHS/CMI/LAB - print ind 10 02 Jul 2010 9:25 AM |
| BGP8DP3 | IHS/CMI/LAB - print ind 1 |
| BGP8DP4 | IHS/CMI/LAB - print ind 31 |
| BGP8DP5 | IHS/CMI/LAB - print ind H |
| BGP8DP50 | IHS/CMI/LAB - print ind H |
| BGP8DP51 | IHS/CMI/LAB - print ind H |
| BGP8DP6 | IHS/CMI/LAB - print ind H |
| BGP8DP60 | IHS/CMI/LAB - print ind H 02 Feb 2018 1:59 PM |
| BGP8DP7 | IHS/CMI/LAB - print ind 10 |
| BGP8DP8 | IHS/CMI/LAB - print ind H |
| BGP8DPA | IHS/CMI/LAB - FORECAST |
| BGP8DPA1 | IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT |
| BGP8DPA2 | IHS/CMI/LAB - FORECAST |
| BGP8DPA4 | IHS/CMI/LAB - FORECAST |
| BGP8DPAP | IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT |
| BGP8DPAW | IHS/CMI/LAB - FORECAST PRINT |
| BGP8DPE | IHS/CMI/LAB - REPORT DRIVER |
| BGP8DPE1 | IHS/CMI/LAB - EDUC REPRT |
| BGP8DPE2 | IHS/CMI/LAB - EDUC REPORT |
| BGP8DPE3 | IHS/CMI/LAB - patient ed report |
| BGP8DPEA | IHS/CMI/LAB - EDUC REPORT |
| BGP8DPED | IHS/CMI/LAB - EDUC REPORT |
| BGP8DPEE | IHS/CMI/LAB - IHS gpra print |
| BGP8DPEF | IHS/CMI/LAB - IHS gpra print |
| BGP8DPEL | IHS/CMI/LAB - IHS gpra print |
| BGP8DPEP | IHS/CMI/LAB - EDUC RPT PRINT |

| ROUTINE | DESCRIPTION |
|----------------|--|
| BGP8DPEQ | IHS/CMI/LAB - IHS gpra print |
| BGP8DPH | IHS/CMI/LAB - AREA REPORT HEADER 01 Jul 2010 7:54 PM |
| BGP8DPP | IHS/CMI/LAB - PP REPORT |
| BGP8DPSI | IHS/CMI/LAB - DISPLAY IND LISTS |
| BGP8DS | IHS/CMI/LAB - IHS gpra print |
| BGP8DSI | IHS/CMI/LAB - DISPLAY IND LISTS |
| BGP8DSL | IHS/CMI/LAB - IHS 2018 DISPLAY IND LISTS |
| BGP8DSP | IHS/CMI/LAB - SUM PAGE |
| BGP8DSPD | IHS/CMI/LAB - IHS summary page |
| BGP8DSPN | IHS/CMI/LAB - IHS summary page |
| BGP8DSPO | IHS/CMI/LAB - SUM P AGE |
| BGP8DSTM | IHS/CMI/LAB - national patient |
| BGP8DU | IHS/CMI/LAB - gpra utility calls |
| BGP8EL10 | IHS/CMI/LAB - print ind 1 |
| BGP8EL11 | IHS/CMI/LAB - print ind 1 20 Jan 2018 4:41 PM |
| BGP8EL12 | IHS/CMI/LAB - print ind |
| BGP8EL13 | IHS/CMI/LAB - print ind 1 |
| BGP8EL14 | IHS/CMI/LAB - print ind 1 |
| BGP8EL15 | IHS/CMI/LAB - print ind 1 |
| BGP8EL16 | IHS/CMI/LAB - print ind 1 |
| BGP8EL17 | IHS/CMI/LAB - print ind 1 |
| BGP8EL18 | IHS/CMI/LAB - print ind 1 |
| BGP8EL19 | IHS/CMI/LAB - print ind 1 |
| BGP8EL1A | IHS/CMI/LAB - print ind 1 |
| BGP8EL1B | IHS/CMI/LAB - ELDER |
| BGP8EL1C | IHS/CMI/LAB - ELDER |
| BGP8EL1D | IHS/CMI/LAB - print ind 1 |
| BGP8EL1E | IHS/CMI/LAB - print ind 1 |
| BGP8EL1F | IHS/CMI/LAB - print ind 1 |
| BGP8EL1G | IHS/CMI/LAB - ELDER CALC |
| BGP8EL1H | IHS/CMI/LAB - print ind 1 |
| BGP8EL1I | IHS/CMI/LAB - print ind 1 |
| BGP8EL1J | IHS/CMI/LAB - print ind 1 05 Feb 2018 1:41 PM |
| BGP8EL1K | IHS/CMI/LAB - print ind 1 |
| BGP8EL1L | IHS/CMI/LAB - print ind 1 |
| BGP8EL1M | IHS/CMI/LAB - print ind 1 |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP8EL1N | IHS/CMI/LAB - print ind 1 |
| BGP8EL1O | IHS/CMI/LAB - print ind 1 |
| BGP8EL1P | IHS/CMI/LAB - print ind 01 Jul 2010 7:55 PM |
| BGP8EL1Q | IHS/CMI/LAB - print ind 05 Feb 2018 9:01 AM |
| BGP8EL1R | IHS/CMI/LAB - print ind |
| BGP8EL1S | IHS/CMI/LAB - print ind 1 |
| BGP8EL1T | IHS/CMI/LAB - print ind 1 |
| BGP8EL2 | IHS/CMI/LAB - measure 1,2,3,4 |
| BGP8EL3 | IHS/CMI/LAB - ELDER MEASURES |
| BGP8EL31 | IHS/CMI/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM |
| BGP8EL4 | IHS/CMI/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM |
| BGP8ELH | IHS/CMI/LAB - cover page for ELDER 25 Jun 2010 10:20 AM |
| BGP8ELHH | IHS/CMI/LAB - cover page for ELDER 25 Jun 2010 10:20 AM |
| BGP8ELL | IHS/CMI/LAB - IHS gpra print 01 Jul 2010 7:56 PM |
| BGP8ELL1 | IHS/CMI/LAB - print ind 1 20 Jan 2017 4:52 PM |
| BGP8ELL2 | IHS/CMI/LAB - print ind 20 Jan 2017 4:41 PM |
| BGP8ELL3 | IHS/CMI/LAB - print ind |
| BGP8ELL4 | IHS/CMI/LAB - print ind 20 Jan 2017 4:36 PM |
| BGP8ELL5 | IHS/CMI/LAB - print ind |
| BGP8ELL6 | IHS/CMI/LAB - print ind |
| BGP8ELL7 | IHS/CMI/LAB - print ind 03 Feb 2017 4:55 PM |
| BGP8ELL8 | IHS/CMI/LAB - print ind |
| BGP8ELL9 | IHS/CMI/LAB - print ind |
| BGP8ELLA | IHS/CMI/LAB - print ind 20 Jan 2017 4:46 PM |
| BGP8ELLB | IHS/CMI/LAB - print ind 20 Jan 2017 4:48 PM |
| BGP8ELLC | IHS/CMI/LAB - print ind |
| BGP8ELLD | IHS/CMI/LAB - print ind |
| BGP8ELLE | IHS/CMI/LAB - print ind 03 Feb 2017 10:05 AM |
| BGP8ELLF | IHS/CMI/LAB - print ind |
| BGP8ELLG | IHS/CMI/LAB - print ind |
| BGP8ELLH | IHS/CMI/LAB - print ind 07 Jun 2017 4:19 PM |
| BGP8ELLI | IHS/CMI/LAB - print ind 25 Mar 2017 6:57 PM |
| BGP8ELLJ | IHS/CMI/LAB - print ind |
| BGP8ELLK | IHS/CMI/LAB - print ind |
| BGP8ELLL | IHS/CMI/LAB - print ind 05 Feb 2017 9:00 AM |
| BGP8ELLM | IHS/CMI/LAB - print ind |

| ROUTINE | DESCRIPTION |
|----------------|--|
| BGP8ELLN | IHS/CMI/LAB - print ind 1 |
| BGP8ELLO | IHS/CMI/LAB - print ind |
| BGP8ELLP | IHS/CMI/LAB - print ind |
| BGP8ELLQ | IHS/CMI/LAB - print ind |
| BGP8ELLR | IHS/CMI/LAB - print ind |
| BGP8ELLS | IHS/CMI/LAB - print ind |
| BGP8ELLT | IHS/CMI/LAB - print ind |
| BGP8ELLU | IHS/CMI/LAB - print ind |
| BGP8ELLV | IHS/CMI/LAB - print ind |
| BGP8ELLW | IHS/CMI/LAB - print ind |
| BGP8ELLX | IHS/CMI/LAB - print ind 30 Jun 2017 10:24 AM |
| BGP8ELP1 | IHS/CMI/LAB - print ind 1 |
| BGP8ELS | IHS/CMI/LAB - IHS gpra print |
| BGP8ELSL | IHS/CMI/LAB - IHS gpra print |
| BGP8ETL | IHS/CMI/LAB - DISPLAY IND LISTS |
| BGP8EUTL | IHS/CMI/LAB - |
| BGP8GACW | IHS/CMI/LAB - AREA NATIONAL GPRA REPORT |
| BGP8GADB | IHS/CMI/LAB - AREA NATIONAL GPRA REPORT |
| BGP8GAEL | IHS/CMI/LAB - AREA NATIONAL GPRA REPORT |
| BGP8GAG9 | IHS/CMI/LAB - AREA NATIONAL GPRA REPORT |
| BGP8GAGP | IHS/CMI/LAB - AREA NATIONAL GPRA REPORT |
| BGP8GAGS | IHS/CMI/LAB - AREA NATIONAL GPRA REPORT |
| BGP8GAHE | IHS/CMI/LAB - AREA NATIONAL GPRA REPORT |
| BGP8GALL | IHS/CMI/LAB - GUI COM REPORT |
| BGP8GAON | IHS/CMI/LAB - AREA OTHER NATIONAL MEASURES GPRA REPORT |
| BGP8GAPE | IHS/CMI/LAB - AREA NATIONAL GPRA REPORT |
| BGP8GAPU | IHS/CMI/LAB - AREA NATIONAL GPRA REPORT |
| BGP8GCMP | IHS/CMI/LAB - CRS |
| BGP8GCMS | IHS/CMI/LAB - GUI CMS REPORT 27 Apr 2010 10:30 PM |
| BGP8GCOM | IHS/CMI/LAB - GUI COM REPORT |
| BGP8GDON | IHS/CMI/LAB - GUI Other National Measurer Report |
| BGP8GDSSH | IHS/CMI/LAB - GPRA DASHBOARD GUI |
| BGP8GELD | IHS/CMI/LAB - GUI COM REPORT |
| BGP8GFO9 | IHS/CMI/LAB - GUI Patient Forecast Report |
| BGP8GFOR | IHS/CMI/LAB - GUI Patient Forecast Report |

| ROUTINE | DESCRIPTION |
|----------------|--|
| BGP8GGPU | IHS/CMI/LAB - CRS |
| BGP8GHED | IHS/CMI/LAB - CRS |
| BGP8GLHW | IHS/CMI/LAB - CRS |
| BGP8GLST | IHS/CMI/LAB - GUI CMS REPORT |
| BGP8GLTX | IHS/CMI/LAB - CRS |
| BGP8GM | IHS/CMI/LAB - BGPG Visual CRS Reports |
| BGP8GMTX | IHS/CMI/LAB - CRS |
| BGP8GMUE | IHS/CMI/LAB - GUI MU EP REPORT |
| BGP8GMUH | IHS/CMI/LAB - GUI MU HOS REPORT |
| BGP8GNPL | IHS/CMI/LAB - CRS 26 Mar 2010 5:09 PM |
| BGP8GNST | IHS/CMI/LAB - CRS |
| BGP8GNT9 | IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM |
| BGP8GNTL | IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM |
| BGP8GNTP | IHS/CMI/LAB - BGP 18 DESIGNATED PROVIDER REPORT |
| BGP8GNTS | IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM |
| BGP8GNXP | IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM |
| BGP8GPED | IHS/CMI/LAB - GUI COM REPORT |
| BGP8GPP | IHS/CMI/LAB - GUI PP REPORT |
| BGP8GR | IHS/CMI/LAB - BGPG Visual CRS Reports |
| BGP8GR1 | IHS/CMI/LAB - BGPG Visual CRS Reports 12/30/2004 12:29:35 PM |
| BGP8GR2 | IHS/CMI/LAB - BGPG Visual CRS Reports |
| BGP8GRA | IHS/CMI/LAB - BGP Gui Area Reports 5/2/2005 8:38:59 PM |
| BGP8GRB | IHS/CMI/LAB - BGP Gui Area Reports 5/2/2005 8:38:59 PM |
| BGP8GT | IHS/CMI/LAB - BGPG Gui CRS Tables 2/2/2005 10:24:22 AM |
| BGP8GTA | IHS/CMI/LAB - BGPG Gui CRS Tables 2/2/2005 10:24:22 AM |
| BGP8GU | IHS/CMI/LAB - BGP Gui Utilities 10/29/ |
| BGP8GUA | IHS/CMI/LAB - BGP Gui Utilities |
| BGP8GUPL | IHS/CMI/LAB - GUI Upload 16 May 2016 2:34 PM |
| BGP8HUTL | IHS/CMI/LAB - |
| BGP8LHW | IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM |
| BGP8LSTF | IHS/CMI/LAB - List 'BG08' files in pub |
| BGP8NPL | IHS/CMI/LAB - national patient list |
| BGP8NPLD | IHS/CMI/LAB - IHS gpra print 30 Jun 2010 5:59 PM |
| BGP8NPLP | IHS/CMI/LAB - IHS gpra print 30 Jun 2010 5:58 PM |
| BGP8P1 | IHS/CMI/LAB - v11.0 patch 1 env routine 08 Dec 2010 3:10 PM |
| BGP8P3 | IHS/CMI/LAB - CRS |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP8PARP | IHS/CMI/LAB - IHS gpra print |
| BGP8PARQ | IHS/CMI/LAB - IHS gpra print |
| BGP8PD19 | IHS/CMI/LAB - print ind 03 Jul 2010 8:56 AM |
| BGP8PDH1 | IHS/CMI/LAB - cover page for gpra del 0 |
| BGP8PDL | IHS/CMI/LAB - IHS gpra print 01 Jul 2010 8:02 PM |
| BGP8PDL0 | IHS/CMI/LAB - print ind 1 01 Jul 2010 8:03 PM |
| BGP8PDL1 | IHS/CMI/LAB - print ind 1 01 Jul 2010 8:03 PM |
| BGP8PDL2 | IHS/CMI/LAB - print ind 1 |
| BGP8PDL3 | IHS/CMI/LAB - print ind 1 |
| BGP8PDL4 | IHS/CMI/LAB - print ind 1 01 Jul 2010 8:04 PM |
| BGP8PDL5 | IHS/CMI/LAB - print ind 1 01 Jul 2010 8:04 PM |
| BGP8PDL7 | IHS/CMI/LAB - print ind 1 |
| BGP8PDL8 | IHS/CMI/LAB - print ind 1 |
| BGP8PDL9 | IHS/CMI/LAB - print ind |
| BGP8PDLA | IHS/CMI/LAB - print ind |
| BGP8PDLB | IHS/CMI/LAB - print ind |
| BGP8PDL D | IHS/CMI/LAB - IHS gpra print |
| BGP8PDLH | IHS/CMI/LAB - cover page |
| BGP8PDLL | IHS/CMI/LAB - print ind 1 |
| BGP8PDLN | IHS/CMI/LAB - IHS gpra print |
| BGP8PDLO | IHS/CMI/LAB - IHS gpra print |
| BGP8PDLS | IHS/CMI/LAB - IHS gpra print |
| BGP8PDLT | IHS/CMI/LAB - print ind 1 03 Jul 2010 7:40 AM |
| BGP8PDPA | IHS/CMI/LAB - print ind 03 Jul 2010 8:56 AM |
| BGP8PDPB | IHS/CMI/LAB - print ind |
| BGP8PESI | IHS/CMI/LAB - DISPLAY IND LISTS |
| BGP8PESL | IHS/CMI/LAB - FY 06 DISPLAY IND LISTS |
| BGP8PHEL | IHS/CMI/LAB - IHS gpra print |
| BGP8POS | IHS/CMI/LAB - POST INIT |
| BGP8POS1 | IHS/CMI/LAB - POST INIT |
| BGP8POS2 | IHS/CMI/LAB - NO DESCRIPTION PROVIDED 28 Jan 2005 1:34 PM |
| BGP8PPEL | IHS/CMI/LAB - IHS gpra print |
| BGP8PUTL | IHS/CMI/LAB - |
| BGP8REF | IHS/CMI/LAB - measure AHR.A |
| BGP8REF1 | IHS/CMI/LAB - measure AHR.A |
| BGP8SDP | IHS/CMI/LAB - IHS summary page 11 Dec 2006 1:24 PM |

| ROUTINE | DESCRIPTION |
|----------------|---|
| BGP8SDPD | IHS/CMI/LAB - IHS summary page |
| BGP8SDPN | IHS/CMI/LAB - IHS summary page |
| BGP8SDPO | IHS/CMI/LAB - IHS summary page |
| BGP8TXCH | IHS/CMI/LAB - TAXONOMY CHECK FOR FY03 GPRA REPORT |
| BGP8ULF | IHS/CMI/LAB - UPLOAD AREA FILES |
| BGP8UTL | IHS/CMI/LAB - UTILITIES |
| BGP8UTL1 | IHS/CMI/LAB - UTILITIES |
| BGP8UTL2 | IHS/CMI/LAB - UTILITIES |
| BGP8UTL3 | IHS/CMI/LAB - UTILITIES |
| BGP8UTLC | IHS/CMI/LAB - UTILITIES |
| BGP8XTCH | IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT |
| BGP8XTCN | IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT |
| BGP8XTCO | IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT |
| BGP8XTEL | IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT |
| BGP8XTEO | IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT |
| BGP8XTHE | IHS/CMI/LAB - TAXONOMY CHECK FOR FY07 HEDIS REPORT |
| BGP8XTL | IHS/CMI/LAB - DISPLAY IND LISTS |
| BGP8XTS | IHS/CMI/LAB - DISPLAY IND LISTS |
| BGP8XTV | IHS/CMI/LAB - DISPLAY IND LISTS 15 Dec 2010 9:42 AM |
| BGP8XTV1 | IHS/CMI/LAB - DISPLAY IND LISTS |

4.0 Files and Tables

4.1 File List

Table 4-1 provides information for files and tables. Please note that only files beginning with BGP 18 are distributed with v18.0; all previous versions of CRS must be installed prior to v18.0. If v17.1 is installed then all previous versions have been installed.

Table 4-1: BGP File List

| File | Global | Filename |
|----------|-------------|--|
| 90241.01 | ^BGPCTRL(| BGP CONTROL FILE |
| 90241.02 | ^BGPSITE(| BGP SITE PARAMETERS |
| 90241.03 | ^BGPSCAT(| BGP SUMMARY CATEGORIES |
| 90241.04 | ^BGP2PR(| BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS |
| 90245 | ^BGP1PR(| BGP AREA AUTOMATED GPRA PARAMS |
| 90245.1 | ^BGP1RM(| BGP GPRA FLAT FILE DATA |
| 90560.01 | ^BGPINDR(| BGP 18 MEASURES |
| 90560.02 | ^BGPINDRC (| BGP 18 INDIVIDUAL MEASURES |
| 90560.03 | ^BGPDCR(| BGP 18 DATA CURRENT |
| 90560.04 | ^BGPDPDR(| BGP 18 DATA PREVIOUS |
| 90560.05 | ^BGPDBR(| BGP 18 DATA BASELINE |
| 90560.06 | ^BGNPLR(| BGP 18 NATIONAL PATIENT LISTS |
| 90588.07 | ^BGPSNOSR(| BGP 18 SNOMED SUBSETS |
| 90560.08 | ^BGPAXR(| BGP 18 TAXONOMIES |
| 90560.09 | ^BGPAXTR(| BGP 18 TAXONOMY TEMP |
| 90560.1 | ^BGPGRPR(| BGP 18 MEASURE GROUPS |
| 90560.12 | ^BGPEDCR(| BGP 18 PATIENT ED DATA CURRENT |
| 90560.13 | ^BGPEDPR(| BGP 18 PATIENT ED DATA PREVIOUS |
| 90560.14 | ^BGPEDBR(| BGP 18 PATIENT ED DATA BASELINE |
| 90560.15 | ^BGPPEIR(| BGP 18 PAT ED MEASURES |
| 90560.17 | ^BGPICAGR(| BGP 18 ICARE GROUPS |
| 90560.18 | ^BGPICACR(| BGP 18 ICARE CATEGORIES |
| 90560.19 | ^BPGUIR(| BGP 18 GUI OUTPUT |
| 90560.21 | ^BGPSNOMR(| BGP 18 SNOMED LISTS |
| 90561.02 | ^BGP1IR(| BGP 18 ELDER INDIVIDUAL INDICATORS |
| 90561.03 | ^BGP1DCR(| BGP 18 ELDER DATA CURRENT |
| 90561.04 | ^BGP1DPR(| BGP 18 ELDER DATA PREVIOUS |
| 90561.05 | ^BGP1DBR(| BGP 18 ELDER DATA BASELINE |
| 90561.06 | ^BGP1IR(| BGP 18 ELDER INDICATORS |

4.2 File Access

Table 4-2: BGP File List

| File (#) | Global | RD | WR | LYG | DD | DEL |
|----------|------------|----|----|-----|----|-----|
| 90241.01 | ^BGPCTRL | @ | @ | @ | @ | @ |
| 90241.02 | ^BGPSITE | M | M | M | @ | @ |
| 90241.03 | ^BGPSCAT(| @ | @ | @ | @ | @ |
| 90241.04 | ^BGP2PR(| M | M | M | @ | M |
| 90245 | ^BGP1PM(| M | M | M | @ | M |
| 90245.1 | ^BGP1RD(| M | M | M | @ | M |
| 90560.01 | ^BGPINDR(| @ | @ | @ | @ | @ |
| 90560.02 | ^BGPINDRC(| @ | @ | @ | @ | @ |
| 90560.03 | ^BGPDCR(| @ | @ | @ | @ | @ |
| 90560.04 | ^BGPDPDR(| @ | @ | @ | @ | @ |
| 90560.05 | ^BGPDBR(| @ | @ | @ | @ | @ |
| 90560.06 | ^BGNPLR(| @ | @ | @ | @ | @ |
| 90560.07 | ^BGPSNOSR(| @ | @ | @ | @ | @ |
| 90560.08 | ^BGPTAXR(| @ | @ | @ | @ | @ |
| 90560.09 | ^BGPTAXTR(| @ | @ | @ | @ | @ |
| 90560.1 | ^BGMGRPR(| @ | @ | @ | @ | @ |
| 90560.12 | ^BPPEDCR(| @ | @ | @ | @ | @ |
| 90560.13 | ^BPPEDPR(| @ | @ | @ | @ | @ |
| 90560.14 | ^BPPEDBR(| @ | @ | @ | @ | @ |
| 90560.15 | ^BPPAIR(| @ | @ | @ | @ | @ |
| 90560.17 | ^BGPICAGR(| @ | @ | @ | @ | @ |
| 90560.18 | ^BGPICACR(| @ | @ | @ | @ | @ |
| 90560.19 | ^BPGUIR(| @ | @ | @ | @ | @ |
| 90560.21 | ^BGPSNOMR(| @ | @ | @ | @ | @ |
| 90561.02 | ^BPELIIR(| @ | @ | @ | @ | @ |
| 90561.03 | ^BPELDCR(| @ | @ | @ | @ | @ |
| 90561.04 | ^BPELDPR(| @ | @ | @ | @ | @ |
| 90561.05 | ^BPELDBR(| @ | @ | @ | @ | @ |
| 90561.06 | ^BPELIR(| @ | @ | @ | @ | @ |

4.3 Cross References

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01                10/11/17        PAGE 1
-----
File #90241.01

Traditional Cross-References:

B      REGULAR
      Field:  FY  (90241.01,.01)
            1)= S ^BGPCTRL("B", $E(X,1,30),DA)=" "
    
```

```

                2)= K ^BGPCTRL("B", $E(X,1,30),DA)

C    REGULAR
      Field:  GPRA YEAR   (90241.01,.14)
            1)= S ^BGPCTRL("C", $E(X,1,30),DA)=" "
            2)= K ^BGPCTRL("C", $E(X,1,30),DA)

Subfile #90241.0111

Traditional Cross-References:

B    REGULAR
      Field:  CLINIC CODE (90241.0111,.01)
            1)= S ^BGPCTRL(DA(1),11,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPCTRL(DA(1),11,"B", $E(X,1,30),DA)

Subfile #90241.0112

Traditional Cross-References:

B    REGULAR
      Field:  CLINIC CODES FOR 2ND VISIT (90241.0112,.01)
            1)= S ^BGPCTRL(DA(1),12,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPCTRL(DA(1),12,"B", $E(X,1,30),DA)

Subfile #90241.011301

Traditional Cross-References:

B    REGULAR
      Field:  BH CLINIC CODES (90241.011301,.01)
            1)= S ^BGPCTRL(DA(1),1301,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPCTRL(DA(1),1301,"B", $E(X,1,30),DA)

Subfile #90241.0145

Traditional Cross-References:

B    REGULAR
      Field:  CRSONMNT3 COLUMN HEADERS (90241.0145,.01)
            1)= S ^BGPCTRL(DA(1),45,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPCTRL(DA(1),45,"B", $E(X,1,30),DA)

Subfile #90241.0168

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01                10/11/17                PAGE 2
-----

Traditional Cross-References:

B    REGULAR
      Field:  EO NT1 LABELS (90241.0168,.01)
            1)= S ^BGPCTRL(DA(1),68,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPCTRL(DA(1),68,"B", $E(X,1,30),DA)

Subfile #90241.0195

```

Traditional Cross-References:

B REGULAR

Field: CLINIC CODES FOR BH ACT CL (90241.0195,.01)
 1)= S ^BGPCTRL(DA(1),95,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),95,"B", \$E(X,1,30),DA)

Subfile #90241.36

Traditional Cross-References:

B REGULAR

Field: PIECE (90241.36,.01)
 1)= S ^BGPCTRL(DA(1),36,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),36,"B", \$E(X,1,30),DA)

Subfile #90241.37

Traditional Cross-References:

B REGULAR

Field: PIECE (90241.37,.01)
 1)= S ^BGPCTRL(DA(1),37,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),37,"B", \$E(X,1,30),DA)

Subfile #90241.38

Traditional Cross-References:

B REGULAR

Field: PIECE (90241.38,.01)
 1)= S ^BGPCTRL(DA(1),38,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),38,"B", \$E(X,1,30),DA)

Subfile #90241.4

Traditional Cross-References:

B REGULAR

Field: PIECE (90241.4,.01)
 1)= S ^BGPCTRL(DA(1),40,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),40,"B", \$E(X,1,30),DA)

Subfile #90241.41

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 10/11/17 PAGE 3

Traditional Cross-References:

B REGULAR

Field: MEASURE (90241.41,.01)
 1)= S ^BGPCTRL(DA(1),41,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),41,"B", \$E(X,1,30),DA)

Subfile #90241.55

Traditional Cross-References:

B REGULAR

Field: MEASURE (90241.55,.01)
 1)= S ^BGPCTRL(DA(1),55,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),55,"B", \$E(X,1,30),DA)

Subfile #90241.551101

Traditional Cross-References:

B REGULAR

Field: MEASURE ID (90241.551101,.01)
 1)= S ^BGPCTRL(DA(2),55,DA(1),11,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(2),55,DA(1),11,"B", \$E(X,1,30),DA)

Subfile #90241.62

Traditional Cross-References:

B REGULAR

Field: PATIENT ED TOPICS (90241.62,.01)
 1)= S ^BGPCTRL(DA(1),62,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),62,"B", \$E(X,1,30),DA)

Subfile #90241.63

Traditional Cross-References:

B REGULAR

Field: DISEASE STATE ABBRV (90241.63,.01)
 1)= S ^BGPCTRL(DA(1),63,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),63,"B", \$E(X,1,30),DA)

Subfile #90241.6311

Traditional Cross-References:

B REGULAR

Field: ICD MAPPING (90241.6311,.01)
 1)= S ^BGPCTRL(DA(2),63,DA(1),11,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(2),63,DA(1),11,"B", \$E(X,1,30),DA)

Subfile #90241.79

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 10/11/17 PAGE 4

Traditional Cross-References:

B REGULAR

Field: GPRA NT3 (90241.79,.01)
 1)= S ^BGPCTRL(DA(1),79,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),79,"B", \$E(X,1,30),DA)

Subfile #90241.81

```

Traditional Cross-References:

B   REGULAR
      Field:  GPRA NT4  (90241.81,.01)
              1)= S ^BGPCTRL(DA(1),81,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPCTRL(DA(1),81,"B", $E(X,1,30),DA)

Subfile #90241.85

Traditional Cross-References:

B   REGULAR
      Field:  DEVEL 3  (90241.85,.01)
              1)= S ^BGPCTRL(DA(1),85,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPCTRL(DA(1),85,"B", $E(X,1,30),DA)

Subfile #90241.86

Traditional Cross-References:

B   REGULAR
      Field:  ONMT 4 HEADERS  (90241.86,.01)
              1)= S ^BGPCTRL(DA(1),86,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPCTRL(DA(1),86,"B", $E(X,1,30),DA)

Subfile #90241.87

Traditional Cross-References:

B   REGULAR
      Field:  ONMT5 HEADERS  (90241.87,.01)
              1)= S ^BGPCTRL(DA(1),87,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPCTRL(DA(1),87,"B", $E(X,1,30),DA)

Subfile #90241.97

Traditional Cross-References:

B   REGULAR
      Field:  GPRANT3  (90241.97,.01)
              1)= S ^BGPCTRL(DA(1),97,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPCTRL(DA(1),97,"B", $E(X,1,30),DA)

Subfile #90241.9801

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01                10/11/17        PAGE 5
-----
Traditional Cross-References:

B   REGULAR
      Field:  PATCHES BULLETIN TEXT  (90241.9801,.01)
              1)= S ^BGPCTRL(DA(1),98,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPCTRL(DA(1),98,"B", $E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.02                10/11/17        PAGE 1
-----

```



```

(90241.04,.01,1,3,1.4)
1.4)= S DIH=$R(^BGP2PM(DIV(0),5)),DIV=X S $P(^5),U,1)=DI
V,DIH=90241.04,DIG=5.1 D ^DICR
2)= Q
CREATE VALUE)= S X=$$VALI^XBIDIQ1(90241.02,$P(^BGP2PM(DA,0
),U,1),.05)
DELETE VALUE)= NO EFFECT
FIELD)= #5.1

```

Subfile #90241.12

Traditional Cross-References:

B REGULAR

```

Field: EXTRACT DATE (90241.12,.01)
1)= S ^BGP2PM(DA(1),8,"B",E(X,1,30),DA)="
2)= K ^BGP2PM(DA(1),8,"B",E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90245 10/11/17 PAGE 1

File #90245

Traditional Cross-References:

B REGULAR

```

Field: NAME (90245,.01)
1)= S ^BGP1PM("B",E(X,1,30),DA)="
2)= K ^BGP1PM("B",E(X,1,30),DA)

```

Subfile #90245.07

Traditional Cross-References:

B REGULAR

```

Field: REPORT BEGIN DATE (90245.07,.01)
1)= S ^BGP1PM(DA(1),7,"B",E(X,1,30),DA)="
2)= K ^BGP1PM(DA(1),7,"B",E(X,1,30),DA)

```

Subfile #90245.09

Traditional Cross-References:

B REGULAR

```

Field: FACILITY (90245.09,.01)
1)= S ^BGP1PM(DA(1),9,"B",E(X,1,30),DA)="
2)= K ^BGP1PM(DA(1),9,"B",E(X,1,30),DA)

```

C REGULAR

```

Field: ASUFAC (90245.09,.02)
1)= S ^BGP1PM(DA(1),9,"C",E(X,1,30),DA)="
2)= K ^BGP1PM(DA(1),9,"C",E(X,1,30),DA)

```

TRIGGER

```

Field: FACILITY (90245.09,.01)
Triggered Field: ASUFAC (90245.09,.02)

```



```

1)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)
=$S($D(^BGP1PM(D0,9,D1,0)):^(0),1:"") S X=$P(Y(1),U,2),X=
X S DIU=X K Y X ^DD(90245.09,.01,1,2,1.1) X ^DD(90245.09,.0
1,1,2,1.4)
1.1)= S X=DIV S I(1,0)=$R(D1),I(0,0)=$R(D0),D0=DIV S:'D0!'$
D(^AUTTLOC(+D0,0)) D0=-1 S Y(101)=$S($D(^AUTTLOC(D0,0)):^(0
),1:"") S X=$P(Y(101),U,10) S D0=I(0,0) S D1=I(1,0)
1.4)= S DIH=$R(^BGP1PM(DIV(0),9,DIV(1),0)),DIV=X S $P(^0
),U,2)=DIV,DIH=90245.09,DIG=.02 D ^DICR
2)= Q
CREATE VALUE)=#.01:ASUFAC INDEX
DELETE VALUE)=NO EFFECT
FIELD)=#.02

```

Subfile #90245.992

Traditional Cross-References:

B REGULAR

Field: EMAIL RECIPIENT (90245.992,.01)

1)= S ^BGP1PM(DA(1),99.2,"B",\$E(X,1,30),DA)="

2)= K ^BGP1PM(DA(1),99.2,"B",\$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90245.1

10/11/17

PAGE 1

File #90245.1

Traditional Cross-References:

B REGULAR

Field: INDICATOR NAME (90245.1,.01)

1)= S ^BGP1RD("B",\$E(X,1,30),DA)="

2)= K ^BGP1RD("B",\$E(X,1,30),DA)

CBD REGULAR

Field: CURRENT REPORT BEGIN DATE (90245.1,.07)

1)= S ^BGP1RD("CBD",\$E(X,1,30),DA)="

2)= K ^BGP1RD("CBD",\$E(X,1,30),DA)

D REGULAR

Field: SITE NAME (90245.1,.03)

1)= S ^BGP1RD("D",\$E(X,1,30),DA)="

2)= K ^BGP1RD("D",\$E(X,1,30),DA)

New-Style Indexes:

C (#253) RECORD REGULAR IR LOOKUP & SORTING

Short Descr: COMPOUND INDEX

Set Logic: S ^BGP1RD("C",\$E(X(1),1,50),\$E(X(2),1,30),X(3),X(4),DA)="

Kill Logic: K ^BGP1RD("C",\$E(X(1),1,50),\$E(X(2),1,30),X(3),X(4),DA)

Whole Kill: K ^BGP1RD("C")

X(1): INDICATOR NAME (90245.1,.01) (Subscr 1) (Len 50)
(forwards)

X(2): SITE NAME (90245.1,.03) (Subscr 2) (Len 30) (forwards)

X(3): CURRENT REPORT BEGIN DATE (90245.1,.07) (Subscr 3)
(forwards)
X(4): CURRENT REPORT END DATE (90245.1,.08) (Subscr 4)
(forwards)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.01 10/12/17 PAGE 1

File #90560.01

Traditional Cross-References:

ADEV REGULAR

Field: DEVELOPMENTAL MEASURE? (90560.01,.14)
1)= S ^BGPINDR("ADEV", \$E(X,1,30),DA)=" "
2)= K ^BGPINDR("ADEV", \$E(X,1,30),DA)

ADEVO REGULAR

Field: ORDER ON DEVELOPMENTAL REPORT (90560.01,1302)
1)= S ^BGPINDR("ADEVO", \$E(X,1,30),DA)=" "
2)= K ^BGPINDR("ADEVO", \$E(X,1,30),DA)

AO REGULAR

Field: ORDER ON SELECTION/REPORT (90560.01,.02)
1)= S ^BGPINDR("AO", \$E(X,1,30),DA)=" "
2)= K ^BGPINDR("AO", \$E(X,1,30),DA)

AOI REGULAR

Field: ORDER IND (90560.01,1206)
1)= S ^BGPINDR("AOI", \$E(X,1,30),DA)=" "
2)= K ^BGPINDR("AOI", \$E(X,1,30),DA)

B REGULAR

Field: MEASURE NUMBER (90560.01,.01)
1)= S ^BGPINDR("B", \$E(X,1,30),DA)=" "
2)= K ^BGPINDR("B", \$E(X,1,30),DA)

C REGULAR

Field: TITLE/SELECTION TITLE (90560.01,.03)
1)= S ^BGPINDR("C", \$E(X,1,30),DA)=" "
2)= K ^BGPINDR("C", \$E(X,1,30),DA)

D REGULAR

Field: ORDER IND (90560.01,1206)
1)= S ^BGPINDR("D", \$E(X,1,30),DA)=" "
2)= K ^BGPINDR("D", \$E(X,1,30),DA)

GPRA REGULAR

Field: NATIONAL REPORT (90560.01,.07)
1)= S ^BGPINDR("GPRA", \$E(X,1,30),DA)=" "
2)= K ^BGPINDR("GPRA", \$E(X,1,30),DA)

ON REGULAR

Field: OTHER NATIONAL MEASURES RPT? (90560.01,1201)
1)= S ^BGPINDR("ON", \$E(X,1,30),DA)=" "

```

                2)= K ^BGPINDR("ON", $E(X,1,30),DA)

PUID      REGULAR
          Field:  PUID FROM RM (90560.01,1203)
INDEX AND CROSS-REFERENCE LIST -- FILE #90560.01          10/12/17    PAGE 2
-----
                1)= S ^BGPINDR("PUID", $E(X,1,30),DA)=" "
                2)= K ^BGPINDR("PUID", $E(X,1,30),DA)

U      MUMPS
          Field:  TITLE/SELECTION TITLE (90560.01,.03)
                1)= S ^BGPINDR("U", $$SUP^XLFSTR(X),DA)=" "
                2)= K ^BGPINDR("U", $$SUP^XLFSTR(X),DA)

Subfile #90560.0114

Traditional Cross-References:

ALORI     REGULAR     WHOLE FILE (#90560.01)
          Field:  TAXONOMY (90560.0114,.03)
                1)= S ^BGPINDR("ALORI", $E(X,1,30),DA(1),DA)=" "
                2)= K ^BGPINDR("ALORI", $E(X,1,30),DA(1),DA)

B      REGULAR
          Field:  TAXONOMIES USED (90560.0114,.01)
                1)= S ^BGPINDR(DA(1),14,"B", $E(X,1,30),DA)=" "
                2)= K ^BGPINDR(DA(1),14,"B", $E(X,1,30),DA)

Subfile #90560.0115

Traditional Cross-References:

B      REGULAR
          Field:  LAB TAXONOMIES USED (90560.0115,.01)
                1)= S ^BGPINDR(DA(1),15,"B", $E(X,1,30),DA)=" "
                2)= K ^BGPINDR(DA(1),15,"B", $E(X,1,30),DA)

TRIGGER
          Field:  LAB TAXONOMIES USED (90560.0115,.01)
          Triggered Field:  LAB TAXONOMY NAME (90560.0115,.02)
                1)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)
                =$$($D(^BGPINDR(D0,15,D1,0)):^(0),1:"") S X=$P(Y(1),U,2),X=
                X S DIU=X K Y X ^DD(90560.0115,.01,1,2,1.1) X ^DD(90560.011
                5,.01,1,2,1.4)
                1.1)= S X=DIV S I(1,0)=$R(D1),I(0,0)=$R(D0),D0=DIV S:'D0! '$
                D(^ATXLAB(+D0,0)) D0=-1 S Y(101)=$S($D(^ATXLAB(D0,0)):^(0),
                1:"") S X=$P(Y(101),U,1) S D0=I(0,0) S D1=I(1,0)
                1.4)= S DIH=$R(^BGPINDR(DIV(0),15,DIV(1),0)),DIV=X S $P(^0
                ),U,2)=DIV,DIH=90560.0115,DIG=.02 D ^DICR
                2)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)
                =$$($D(^BGPINDR(D0,15,D1,0)):^(0),1:"") S X=$P(Y(1),U,2),X=
                X S DIU=X K Y X ^DD(90560.0115,.01,1,2,2.1) X ^DD(90560.011
                5,.01,1,2,2.4)
                2.1)= S X=DIV X ^DD(90560.0115,.01,1,2,59.2) S X=$P(Y(101),
                U,1) S D0=I(0,0) S D1=I(1,0)
                2.4)= S DIH=$R(^BGPINDR(DIV(0),15,DIV(1),0)),DIV=X S $P(^0

```

```

),U,2)=DIV,DIH=90560.0115,DIG=.02 D ^DICR
59.2)= S I(1,0)=$R(D1),I(0,0)=$R(D0),Y(1)=$S($D(^BGPINDR(D0
INDEX AND CROSS-REFERENCE LIST -- FILE #90560.01          10/12/17    PAGE 3
-----

```

```

,15,D1,0)):^(0),1:""),D0=$P(Y(1),U,1) S:'D0!'$D(^ATXLAB(+D0
,0)) D0=-1 S Y(101)=$S($D(^ATXLAB(D0,0)):^(0),1:"")
CREATE VALUE)=#.01:#.01
DELETE VALUE)=#.01:#.01
FIELD)=#.02

```

Subfile #90560.0161

Traditional Cross-References:

B REGULAR

```

Field: DENOMINATOR DEFINITIONS (90560.0161,.01)
1)= S ^BGPINDR(DA(1),61,"B", $E(X,1,30),DA)=" "
2)= K ^BGPINDR(DA(1),61,"B", $E(X,1,30),DA)

```

Subfile #90560.016112

Traditional Cross-References:

B REGULAR

```

Field: REPORT SUB TYPES (90560.016112,.01)
1)= S ^BGPINDR(DA(2),61,DA(1),12,"B", $E(X,1,30),DA)=" "
2)= K ^BGPINDR(DA(2),61,DA(1),12,"B", $E(X,1,30),DA)

```

Subfile #90560.0162

Traditional Cross-References:

B REGULAR

```

Field: NUMERATOR DEFINITIONS (90560.0162,.01)
1)= S ^BGPINDR(DA(1),62,"B", $E(X,1,30),DA)=" "
2)= K ^BGPINDR(DA(1),62,"B", $E(X,1,30),DA)

```

Subfile #90560.016212

Traditional Cross-References:

B REGULAR

```

Field: REPORT SUB TYPE (90560.016212,.01)
1)= S ^BGPINDR(DA(2),62,DA(1),12,"B", $E(X,1,30),DA)=" "
2)= K ^BGPINDR(DA(2),62,DA(1),12,"B", $E(X,1,30),DA)

```

Subfile #90560.0181

Traditional Cross-References:

B REGULAR

```

Field: NATL GPRA DENOM DEFS (90560.0181,.01)
1)= S ^BGPINDR(DA(1),81,"B", $E(X,1,30),DA)=" "
2)= K ^BGPINDR(DA(1),81,"B", $E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.01

10/12/17

PAGE 4

 Subfile #90560.018112

Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPES (90560.018112,.01)
 1)= S ^BGPINDR(DA(2),81,DA(1),12,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(2),81,DA(1),12,"B",SE(X,1,30),DA)

Subfile #90560.0182

Traditional Cross-References:

B REGULAR

Field: NATL GPRA NUMERATOR DEFS (90560.0182,.01)
 1)= S ^BGPINDR(DA(1),82,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),82,"B",SE(X,1,30),DA)

Subfile #90560.018212

Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPES (90560.018212,.01)
 1)= S ^BGPINDR(DA(2),82,DA(1),12,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(2),82,DA(1),12,"B",SE(X,1,30),DA)

Subfile #90560.0183

Traditional Cross-References:

B REGULAR

Field: OTHER NATL MEAS DENOM DEFS (90560.0183,.01)
 1)= S ^BGPINDR(DA(1),83,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),83,"B",SE(X,1,30),DA)

Subfile #90560.018312

Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPES (90560.018312,.01)
 1)= S ^BGPINDR(DA(2),83,DA(1),12,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(2),83,DA(1),12,"B",SE(X,1,30),DA)

Subfile #90560.0184

Traditional Cross-References:

B REGULAR

Field: OTHER NATL MEAS NUMER DEFS (90560.0184,.01)
 1)= S ^BGPINDR(DA(1),84,"B",SE(X,1,30),DA)=" "

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.01 10/12/17 PAGE 5

 2)= K ^BGPINDR(DA(1),84,"B",SE(X,1,30),DA)

Subfile #90560.018412

Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPES (90560.018412,.01)
 1)= S ^BGPINDR(DA(2),84,DA(1),12,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(2),84,DA(1),12,"B",\$(X,1,30),DA)

Subfile #90560.0185

Traditional Cross-References:

B REGULAR

Field: DEVELMENTAL MEAS DENOM DEFS (90560.0185,.01)
 1)= S ^BGPINDR(DA(1),85,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),85,"B",\$(X,1,30),DA)

Subfile #90560.018512

Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPE (90560.018512,.01)
 1)= S ^BGPINDR(DA(2),85,DA(1),12,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(2),85,DA(1),12,"B",\$(X,1,30),DA)

Subfile #90560.0186

Traditional Cross-References:

B REGULAR

Field: DEVELOPMENTAL MEAS NUMER DEFS (90560.0186,.01)
 1)= S ^BGPINDR(DA(1),86,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),86,"B",\$(X,1,30),DA)

Subfile #90560.018612

Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPES (90560.018612,.01)
 1)= S ^BGPINDR(DA(2),86,DA(1),12,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(2),86,DA(1),12,"B",\$(X,1,30),DA)

Subfile #90560.0187

Traditional Cross-References:

B REGULAR

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.01 10/12/17 PAGE 6

Field: DM DENOM DEFS (90560.0187,.01)
 1)= S ^BGPINDR(DA(1),87,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),87,"B",\$(X,1,30),DA)

Subfile #90560.0188

Traditional Cross-References:

B REGULAR

Field: DM NUMER DEFS (90560.0188,.01)
 1)= S ^BGPINDR(DA(1),88,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),88,"B",\$(X,1,30),DA)

Subfile #90560.0189

Traditional Cross-References:

B REGULAR

Field: CVD DENOM DEFS (90560.0189,.01)
 1)= S ^BGPINDR(DA(1),89,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),89,"B",\$(X,1,30),DA)

Subfile #90560.0191

Traditional Cross-References:

B REGULAR

Field: CVD NUM DEFS (90560.0191,.01)
 1)= S ^BGPINDR(DA(1),91,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),91,"B",\$(X,1,30),DA)

Subfile #90560.0192

Traditional Cross-References:

B REGULAR

Field: WH DEN DEFS (90560.0192,.01)
 1)= S ^BGPINDR(DA(1),92,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),92,"B",\$(X,1,30),DA)

Subfile #90560.0193

Traditional Cross-References:

B REGULAR

Field: WH NUM DEFS (90560.0193,.01)
 1)= S ^BGPINDR(DA(1),93,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),93,"B",\$(X,1,30),DA)

Subfile #90560.0194

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.01 10/12/17 PAGE 7

 Traditional Cross-References:

B REGULAR

Field: IPC DEN DEFS (90560.0194,.01)
 1)= S ^BGPINDR(DA(1),94,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),94,"B",\$(X,1,30),DA)

Subfile #90560.0195

Traditional Cross-References:

B REGULAR

Field: IPC NUM DEFS (90560.0195,.01)
 1)= S ^BGPINDR(DA(1),95,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),95,"B", \$E(X,1,30),DA)

Subfile #90560.0196

Traditional Cross-References:

B REGULAR

Field: PQA DEM DEFS (90560.0196,.01)
 1)= S ^BGPINDR(DA(1),96,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),96,"B", \$E(X,1,30),DA)

Subfile #90560.0197

Traditional Cross-References:

B REGULAR

Field: PQA NUM DEFS (90560.0197,.01)
 1)= S ^BGPINDR(DA(1),97,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),97,"B", \$E(X,1,30),DA)

Subfile #90560.0198

Traditional Cross-References:

B REGULAR

Field: ASTHMA DEN DEFS (90560.0198,.01)
 1)= S ^BGPINDR(DA(1),98,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),98,"B", \$E(X,1,30),DA)

Subfile #90560.0199

Traditional Cross-References:

B REGULAR

Field: ASTHMA NUM DEFS (90560.0199,.01)
 1)= S ^BGPINDR(DA(1),99,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),99,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.02 10/12/17 PAGE 1

File #90560.02

Traditional Cross-References:

AAST REGULAR

Field: ASTHMA REPORT? (90560.02,.23)
 1)= S ^BGPINDRC("AAST", \$E(X,1,30),DA)=" "


```

                2)= K ^BGPINDRC("AAST", $E(X,1,30),DA)

AB      MUMPS
      Field: ORDER (90560.02,1204)
            1)= S ^BGPINDRC("AB", $P(X,".",1,2),X,DA)=" "
            2)= K ^BGPINDRC("AB", $P(X,".",1,2),X,DA)

ABC      MUMPS
      Field: ORDER (90560.02,1204)
            1)= S ^BGPINDRC("ABC", $P(X,".",1,2), $TR(X,".",""),DA)=" "
            2)= K ^BGPINDRC("ABC", $P(X,".",1,2), $TR(X,".",""),DA)

ACARD    REGULAR
      Field: CARDIO INDICATOR? (90560.02,.13)
            1)= S ^BGPINDRC("ACARD", $E(X,1,30),DA)=" "
            2)= K ^BGPINDRC("ACARD", $E(X,1,30),DA)

ADASH    REGULAR
      Field: DASHBOARD ORDER (90560.02,1417)
            1)= S ^BGPINDRC("ADASH", $E(X,1,30),DA)=" "
            2)= K ^BGPINDRC("ADASH", $E(X,1,30),DA)

ADM      REGULAR
      Field: DM INDICATOR? (90560.02,.12)
            1)= S ^BGPINDRC("ADM", $E(X,1,30),DA)=" "
            2)= K ^BGPINDRC("ADM", $E(X,1,30),DA)

AEL      REGULAR
      Field: ELDER RELATED (90560.02,1203)
            1)= S ^BGPINDRC("AEL", $E(X,1,30),DA)=" "
            2)= K ^BGPINDRC("AEL", $E(X,1,30),DA)

AGPRA    REGULAR
      Field: NATIONAL/PART (90560.02,.05)
            1)= S ^BGPINDRC("AGPRA", $E(X,1,30),DA)=" "
            2)= K ^BGPINDRC("AGPRA", $E(X,1,30),DA)

AIPC     REGULAR
      Field: IPC REPORT? (90560.02,1101)
            1)= S ^BGPINDRC("AIPC", $E(X,1,30),DA)=" "
            2)= K ^BGPINDRC("AIPC", $E(X,1,30),DA)

APQA     REGULAR
      Field: PQA (90560.02,1102)
INDEX AND CROSS-REFERENCE LIST -- FILE #90560.02                10/12/17        PAGE 2
-----
            1)= S ^BGPINDRC("APQA", $E(X,1,30),DA)=" "
            2)= K ^BGPINDRC("APQA", $E(X,1,30),DA)

AWH      REGULAR
      Field: WOMEN'S HEALTH (90560.02,1202)
            1)= S ^BGPINDRC("AWH", $E(X,1,30),DA)=" "
            2)= K ^BGPINDRC("AWH", $E(X,1,30),DA)

B        REGULAR
      Field: INDICATOR (90560.02,.01)

```

```

1)= S ^BGPINDRC("B", $E(X,1,30),DA)=" "
2)= K ^BGPINDRC("B", $E(X,1,30),DA)

C    REGULAR
      Field:  INDICATOR ID  (90560.02,.04)
1)= S ^BGPINDRC("C", $E(X,1,30),DA)=" "
2)= K ^BGPINDRC("C", $E(X,1,30),DA)

D    REGULAR
      Field:  TITLE FOR SCHEDULING OPTION  (90560.02,1209)
1)= S ^BGPINDRC("D", $E(X,1,30),DA)=" "
2)= K ^BGPINDRC("D", $E(X,1,30),DA)

OR   REGULAR
      Field:  ORDER  (90560.02,1204)
1)= S ^BGPINDRC("OR", $E(X,1,30),DA)=" "
2)= K ^BGPINDRC("OR", $E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.03          10/12/17    PAGE 1
-----

File #90560.03

Traditional Cross-References:

B    REGULAR
      Field:  BEGINNING DATE  (90560.03,.01)
1)= S ^BGPDPDCR("B", $E(X,1,30),DA)=" "
2)= K ^BGPDPDCR("B", $E(X,1,30),DA)

Subfile #90560.031111

Traditional Cross-References:

B    REGULAR
      Field:  MFI LOCATIONS  (90560.031111,.01)
1)= S ^BGPDPDCR(DA(1),1111,"B", $E(X,1,30),DA)=" "
2)= K ^BGPDPDCR(DA(1),1111,"B", $E(X,1,30),DA)

Subfile #90560.12999

Traditional Cross-References:

B    REGULAR
      Field:  COMMUNITIES  (90560.12999,.01)
1)= S ^BGPDPDCR(DA(1),9999,"B", $E(X,1,30),DA)=" "
2)= K ^BGPDPDCR(DA(1),9999,"B", $E(X,1,30),DA)

Subfile #90560.129999

Traditional Cross-References:

B    REGULAR
      Field:  PATIENTS EISS  (90560.129999,.01)
1)= S ^BGPDPDCR(DA(1),99999,"B", $E(X,1,30),DA)=" "
2)= K ^BGPDPDCR(DA(1),99999,"B", $E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.04 10/12/17 PAGE 1

File #90560.04

Traditional Cross-References:

B REGULAR
 Field: BEGINNING DATE (90560.04,.01)
 1)= S ^BGPDPDR("B", \$E(X,1,30),DA)=" "
 2)= K ^BGPDPDR("B", \$E(X,1,30),DA)

Subfile #90560.041111

Traditional Cross-References:

B REGULAR
 Field: MFI LOCATIONS (90560.041111,.01)
 1)= S ^BGPDPDR(DA(1),1111,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPDPDR(DA(1),1111,"B", \$E(X,1,30),DA)

Subfile #90560.13999

Traditional Cross-References:

B REGULAR
 Field: COMMUNITIES (90560.13999,.01)
 1)= S ^BGPDPDR(DA(1),9999,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPDPDR(DA(1),9999,"B", \$E(X,1,30),DA)

Subfile #90560.139999

Traditional Cross-References:

B REGULAR
 Field: PATIENTS EISS (90560.139999,.01)
 1)= S ^BGPDPDR(DA(1),99999,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPDPDR(DA(1),99999,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.05 10/12/17 PAGE 1

File #90560.05

Traditional Cross-References:

B REGULAR
 Field: BEGINNING DATE (90560.05,.01)
 1)= S ^BGPDPDR("B", \$E(X,1,30),DA)=" "
 2)= K ^BGPDPDR("B", \$E(X,1,30),DA)

Subfile #90560.051111

Traditional Cross-References:

```

B      REGULAR
      Field:  MFI LOCATIONS  (90560.051111,.01)
            1)= S ^BGPDPDBR(DA(1),1111,"B",$(X,1,30),DA)=" "
            2)= K ^BGPDPDBR(DA(1),1111,"B",$(X,1,30),DA)

```

Subfile #90560.14999

Traditional Cross-References:

```

B      REGULAR
      Field:  COMMUNITIES  (90560.14999,.01)
            1)= S ^BGPDPDBR(DA(1),9999,"B",$(X,1,30),DA)=" "
            2)= K ^BGPDPDBR(DA(1),9999,"B",$(X,1,30),DA)

```

Subfile #90560.149999

Traditional Cross-References:

```

B      REGULAR
      Field:  PATIENTS EISS  (90560.149999,.01)
            1)= S ^BGPDPDBR(DA(1),99999,"B",$(X,1,30),DA)=" "
            2)= K ^BGPDPDBR(DA(1),99999,"B",$(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.06 10/12/17 PAGE 1

File #90560.06

Traditional Cross-References:

```

AN     MUMPS
      Field:  ORDER ON NATIONAL  (90560.06,.05)
            1)= S ^BGNPLR("AN",+^BGNPLR(DA,0),X,DA)=" "
            2)= K ^BGNPLR("AN",+^BGNPLR(DA,0),X,DA)

```

```

AON    MUMPS
      Field:  ORDER ON OTHER NATIONAL  (90560.06,.06)
            1)= S ^BGNPLR("AON",+^BGNPLR(DA,0),X,DA)=" "
            2)= K ^BGNPLR("AON",+^BGNPLR(DA,0),X,DA)

```

```

AR     MUMPS
      Field:  NATIONAL/OTHER NATIONAL  (90560.06,.04)
            1)= S ^BGNPLR("AR",+^BGNPLR(DA,0),X,DA)=" "
            2)= K ^BGNPLR("AR",+^BGNPLR(DA,0),X,DA)

```

```

B      REGULAR
      Field:  POINTER  (90560.06,.01)
            1)= S ^BGNPLR("B",$(X,1,30),DA)=" "
            2)= K ^BGNPLR("B",$(X,1,30),DA)

```

```

C      REGULAR
      Field:  INDIVIDUAL INDICATOR ID  (90560.06,.02)
            1)= S ^BGNPLR("C",$(X,1,30),DA)=" "
            2)= K ^BGNPLR("C",$(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.07 10/12/17 PAGE 1

 File #90560.07

Traditional Cross-References:

B REGULAR
 Field: SUBSET NAME (90560.07,.01)
 1)= S ^BGPSNOSR("B", \$E(X,1,30),DA)=" "
 2)= K ^BGPSNOSR("B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.08 10/12/17 PAGE 1

File #90560.08

Traditional Cross-References:

B REGULAR
 Field: TAXONOMY NAME (90560.08,.01)
 1)= S ^BGPTAXR("B", \$E(X,1,30),DA)=" "
 2)= K ^BGPTAXR("B", \$E(X,1,30),DA)

Subfile #90560.0812

Traditional Cross-References:

B REGULAR
 Field: REPORTS (90560.0812,.01)
 1)= S ^BGPTAXR(DA(1),12,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPTAXR(DA(1),12,"B", \$E(X,1,30),DA)

Subfile #90560.0813

Traditional Cross-References:

B REGULAR
 Field: MEASURES USED WITH (90560.0813,.01)
 1)= S ^BGPTAXR(DA(1),13,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPTAXR(DA(1),13,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.1 10/12/17 PAGE 1

File #90560.1

Traditional Cross-References:

B REGULAR
 Field: GROUP NAME (90560.1,.01)
 1)= S ^BGPMGRPR("B", \$E(X,1,30),DA)=" "
 2)= K ^BGPMGRPR("B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.12 10/12/17 PAGE 1

File #90560.12

Traditional Cross-References:

B REGULAR

Field: BEGINNING DATE (90560.12,.01)
 1)= S ^BGPPEDCR("B", \$E(X,1,30),DA)=" "
 2)= K ^BGPPEDCR("B", \$E(X,1,30),DA)

Subfile #90560.12111

Traditional Cross-References:

B REGULAR

Field: MFI COMMUNITIES (90560.12111,.01)
 1)= S ^BGPPEDCR(DA(1),1111,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPPEDCR(DA(1),1111,"B", \$E(X,1,30),DA)

Subfile #90560.1212

Traditional Cross-References:

B REGULAR

Field: 2.1 RATE (90560.1212,.01)
 1)= S ^BGPPEDCR(DA(1),12,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPPEDCR(DA(1),12,"B", \$E(X,1,30),DA)

Subfile #90560.1213

Traditional Cross-References:

B REGULAR

Field: TOP 25 DXS (90560.1213,.01)
 1)= S ^BGPPEDCR(DA(1),13,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPPEDCR(DA(1),13,"B", \$E(X,1,30),DA)

Subfile #90560.1214

Traditional Cross-References:

B REGULAR

Field: 4.1.1 (90560.1214,.01)
 1)= S ^BGPPEDCR(DA(1),14,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPPEDCR(DA(1),14,"B", \$E(X,1,30),DA)

Subfile #90560.1215

Traditional Cross-References:

B REGULAR

Field: 5.1.1 (90560.1215,.01)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.12 10/12/17 PAGE 2

 1)= S ^BGPPEDCR(DA(1),15,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPPEDCR(DA(1),15,"B", \$E(X,1,30),DA)

Subfile #90560.1216

Traditional Cross-References:

B REGULAR

Field: 7.2.1 (90560.1216,.01)
 1)= S ^BGPPEDCR(DA(1),16,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPPEDCR(DA(1),16,"B",SE(X,1,30),DA)

Subfile #90560.1217

Traditional Cross-References:

B REGULAR

Field: 7.1.2 GOAL NOT SET (90560.1217,.01)
 1)= S ^BGPPEDCR(DA(1),17,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPPEDCR(DA(1),17,"B",SE(X,1,30),DA)

Subfile #90560.1218

Traditional Cross-References:

B REGULAR

Field: GOAL MET (90560.1218,.01)
 1)= S ^BGPPEDCR(DA(1),18,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPPEDCR(DA(1),18,"B",SE(X,1,30),DA)

Subfile #90560.1219

Traditional Cross-References:

B REGULAR

Field: GOAL MAINTAINED (90560.1219,.01)
 1)= S ^BGPPEDCR(DA(1),19,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPPEDCR(DA(1),19,"B",SE(X,1,30),DA)

Subfile #90560.1221

Traditional Cross-References:

B REGULAR

Field: GOAL NOT MET (90560.1221,.01)
 1)= S ^BGPPEDCR(DA(1),21,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPPEDCR(DA(1),21,"B",SE(X,1,30),DA)

Subfile #90560.129

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.12 10/12/17 PAGE 3

 Traditional Cross-References:

B REGULAR

Field: COMMUNITIES (90560.129,.01)
 1)= S ^BGPPEDCR(DA(1),9999,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPPEDCR(DA(1),9999,"B",SE(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.13 10/12/17 PAGE 1

File #90560.13

Traditional Cross-References:

B REGULAR
 Field: BEGINNING DATE (90560.13,.01)
 1)= S ^BGPPEDPR("B", \$E(X,1,30),DA)=" "
 2)= K ^BGPPEDPR("B", \$E(X,1,30),DA)

Subfile #90560.13111

Traditional Cross-References:

B REGULAR
 Field: MFI COMMUNITIES (90560.13111,.01)
 1)= S ^BGPPEDPR(DA(1),1111,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPPEDPR(DA(1),1111,"B", \$E(X,1,30),DA)

Subfile #90560.1312

Traditional Cross-References:

B REGULAR
 Field: 2.1 RATE (90560.1312,.01)
 1)= S ^BGPPEDPR(DA(1),12,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPPEDPR(DA(1),12,"B", \$E(X,1,30),DA)

Subfile #90560.1313

Traditional Cross-References:

B REGULAR
 Field: TOP 25 DXS (90560.1313,.01)
 1)= S ^BGPPEDPR(DA(1),13,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPPEDPR(DA(1),13,"B", \$E(X,1,30),DA)

Subfile #90560.1314

Traditional Cross-References:

B REGULAR
 Field: 4.1.1 (90560.1314,.01)
 1)= S ^BGPPEDPR(DA(1),14,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPPEDPR(DA(1),14,"B", \$E(X,1,30),DA)

Subfile #90560.1315

Traditional Cross-References:

B REGULAR
 Field: 5.1.1 (90560.1315,.01)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.13 10/12/17 PAGE 2

| | | |
|--|---|--------|
| ----- | | |
| | 1)= S ^BGPPEDPR(DA(1),15,"B",SE(X,1,30),DA)=" " | |
| | 2)= K ^BGPPEDPR(DA(1),15,"B",SE(X,1,30),DA) | |
| Subfile #90560.1316 | | |
| Traditional Cross-References: | | |
| B | REGULAR | |
| | Field: 7.2.1 (90560.1316,.01) | |
| | 1)= S ^BGPPEDPR(DA(1),16,"B",SE(X,1,30),DA)=" " | |
| | 2)= K ^BGPPEDPR(DA(1),16,"B",SE(X,1,30),DA) | |
| Subfile #90560.1317 | | |
| Traditional Cross-References: | | |
| B | REGULAR | |
| | Field: 7.1.2 GOAL NOT SET (90560.1317,.01) | |
| | 1)= S ^BGPPEDPR(DA(1),17,"B",SE(X,1,30),DA)=" " | |
| | 2)= K ^BGPPEDPR(DA(1),17,"B",SE(X,1,30),DA) | |
| Subfile #90560.1318 | | |
| Traditional Cross-References: | | |
| B | REGULAR | |
| | Field: GOAL MET (90560.1318,.01) | |
| | 1)= S ^BGPPEDPR(DA(1),18,"B",SE(X,1,30),DA)=" " | |
| | 2)= K ^BGPPEDPR(DA(1),18,"B",SE(X,1,30),DA) | |
| Subfile #90560.1319 | | |
| Traditional Cross-References: | | |
| B | REGULAR | |
| | Field: GOAL MAINTAINED (90560.1319,.01) | |
| | 1)= S ^BGPPEDPR(DA(1),19,"B",SE(X,1,30),DA)=" " | |
| | 2)= K ^BGPPEDPR(DA(1),19,"B",SE(X,1,30),DA) | |
| Subfile #90560.1321 | | |
| Traditional Cross-References: | | |
| B | REGULAR | |
| | Field: GOAL NOT MET (90560.1321,.01) | |
| | 1)= S ^BGPPEDPR(DA(1),21,"B",SE(X,1,30),DA)=" " | |
| | 2)= K ^BGPPEDPR(DA(1),21,"B",SE(X,1,30),DA) | |
| Subfile #90560.139 | | |
| INDEX AND CROSS-REFERENCE LIST -- FILE #90560.13 | | |
| | 10/12/17 | PAGE 3 |
| ----- | | |
| Traditional Cross-References: | | |
| B | REGULAR | |

```

Field: COMMUNITIES (90560.139,.01)
      1)= S ^BGPPEDPR(DA(1),9999,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDPR(DA(1),9999,"B",$(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.14 10/12/17 PAGE 1

File #90560.14

Traditional Cross-References:

```

B    REGULAR
      Field: BEGINNING DATE (90560.14,.01)
      1)= S ^BGPPEDBR("B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDBR("B",$(X,1,30),DA)

```

Subfile #90560.14111

Traditional Cross-References:

```

B    REGULAR
      Field: MFI COMMUNITIES (90560.14111,.01)
      1)= S ^BGPPEDBR(DA(1),1111,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDBR(DA(1),1111,"B",$(X,1,30),DA)

```

Subfile #90560.1412

Traditional Cross-References:

```

B    REGULAR
      Field: 2.1 RATE (90560.1412,.01)
      1)= S ^BGPPEDBR(DA(1),12,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDBR(DA(1),12,"B",$(X,1,30),DA)

```

Subfile #90560.1413

Traditional Cross-References:

```

B    REGULAR
      Field: TOP 25 DXS (90560.1413,.01)
      1)= S ^BGPPEDBR(DA(1),13,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDBR(DA(1),13,"B",$(X,1,30),DA)

```

Subfile #90560.1414

Traditional Cross-References:

```

B    REGULAR
      Field: 4.1.1 (90560.1414,.01)
      1)= S ^BGPPEDBR(DA(1),14,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDBR(DA(1),14,"B",$(X,1,30),DA)

```

Subfile #90560.1415

Traditional Cross-References:

```

B      REGULAR
      Field:  5.1.1  (90560.1415,.01)
INDEX AND CROSS-REFERENCE LIST -- FILE #90560.14          10/12/17    PAGE 2
-----
      1)= S ^BGPPEDBR(DA(1),15,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDBR(DA(1),15,"B",$(X,1,30),DA)

Subfile #90560.1416

Traditional Cross-References:

B      REGULAR
      Field:  7.2.1  (90560.1416,.01)
      1)= S ^BGPPEDBR(DA(1),16,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDBR(DA(1),16,"B",$(X,1,30),DA)

Subfile #90560.1417

Traditional Cross-References:

B      REGULAR
      Field:  7.1.2 GOAL NOT SET  (90560.1417,.01)
      1)= S ^BGPPEDBR(DA(1),17,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDBR(DA(1),17,"B",$(X,1,30),DA)

Subfile #90560.1418

Traditional Cross-References:

B      REGULAR
      Field:  GOAL MET  (90560.1418,.01)
      1)= S ^BGPPEDBR(DA(1),18,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDBR(DA(1),18,"B",$(X,1,30),DA)

Subfile #90560.1419

Traditional Cross-References:

B      REGULAR
      Field:  GOAL MAINTAINED  (90560.1419,.01)
      1)= S ^BGPPEDBR(DA(1),19,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDBR(DA(1),19,"B",$(X,1,30),DA)

Subfile #90560.1421

Traditional Cross-References:

B      REGULAR
      Field:  GOAL NOT MET  (90560.1421,.01)
      1)= S ^BGPPEDBR(DA(1),21,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDBR(DA(1),21,"B",$(X,1,30),DA)

Subfile #90560.149

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.14          10/12/17    PAGE 3
-----

```

Traditional Cross-References:

B REGULAR

Field: COMMUNITIES (90560.149,.01)
 1)= S ^BGPPEDBR(DA(1),9999,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPPEDBR(DA(1),9999,"B",SE(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.15 10/12/17 PAGE 1

File #90560.15

Traditional Cross-References:

AO REGULAR

Field: ORDER TO DISPLAY (90560.15,.03)
 1)= S ^BGPPEIR("AO",SE(X,1,30),DA)=" "
 2)= K ^BGPPEIR("AO",SE(X,1,30),DA)

B REGULAR

Field: MEASURE NUMBER (90560.15,.01)
 1)= S ^BGPPEIR("B",SE(X,1,30),DA)=" "
 2)= K ^BGPPEIR("B",SE(X,1,30),DA)

Subfile #90560.1514

Traditional Cross-References:

B REGULAR

Field: TAXONOMIES USED (90560.1514,.01)
 1)= S ^BGPPEIR(DA(1),14,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPPEIR(DA(1),14,"B",SE(X,1,30),DA)

TRIGGER

Field: TAXONOMY PTR (PROGRAMMER USE) (90560.1514,.02)
 Triggered Field: TAXONOMY NAME (90560.1514,.03)
 1)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)
 =\$\$(\$D(^BGPPEIR(D0,14,D1,0)):^(0),1:"") S X=\$P(Y(1),U,3),X=
 X S DIU=X K Y X ^DD(90560.1514,.02,1,1,1.1) X ^DD(90560.151
 4,.02,1,1,1.4)
 1.1)= S X=DIV S I(1,0)=\$R(D1),I(0,0)=\$R(D0),D0=DIV S:'D0!'
 D(^ATXAX(+D0,0)) D0=-1 S Y(101)=\$S(\$D(^ATXAX(D0,0)):^(0),1:
 "") S X=\$P(Y(101),U,1) S D0=I(0,0) S D1=I(1,0)
 1.4)= S DIH=\$R(^BGPPEIR(DIV(0),14,DIV(1),0)),DIV=X S \$P(^0
),U,3)=DIV,DIH=90560.1514,DIG=.03 D ^DICR
 2)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)
 =\$\$(\$D(^BGPPEIR(D0,14,D1,0)):^(0),1:"") S X=\$P(Y(1),U,3),X=
 X S DIU=X K Y X ^DD(90560.1514,.02,1,1,2.1) X ^DD(90560.151
 4,.02,1,1,2.4)
 2.1)= S X=DIV X ^DD(90560.1514,.02,1,1,59.2) S X=\$P(Y(101),
 U,1) S D0=I(0,0) S D1=I(1,0)
 2.4)= S DIH=\$R(^BGPPEIR(DIV(0),14,DIV(1),0)),DIV=X S \$P(^0
),U,3)=DIV,DIH=90560.1514,DIG=.03 D ^DICR
 59.2)= S I(1,0)=\$R(D1),I(0,0)=\$R(D0),Y(1)=\$S(\$D(^BGPPEIR(D0
 ,14,D1,0)):^(0),1:""),D0=\$P(Y(1),U,2) S:'D0!'
 \$D(^ATXAX(+D0,0)) D0=-1 S Y(101)=\$S(\$D(^ATXAX(D0,0)):^(0),1:"")
 CREATE VALUE)=#.02:#.01

DELETE VALUE)= #.02:#.01
FIELD)= #.03

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.15 10/12/17 PAGE 2

Subfile #90560.1561

Traditional Cross-References:

B REGULAR

Field: DENOMINATOR DEFINITIONS (90560.1561,.01)
1)= S ^BGPPEIR(DA(1),61,"B", \$E(X,1,30),DA)=" "
2)= K ^BGPPEIR(DA(1),61,"B", \$E(X,1,30),DA)

Subfile #90560.1562

Traditional Cross-References:

B REGULAR

Field: NUMERATOR (90560.1562,.01)
1)= S ^BGPPEIR(DA(1),62,"B", \$E(X,1,30),DA)=" "
2)= K ^BGPPEIR(DA(1),62,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.17 10/12/17 PAGE 1

File #90560.17

Traditional Cross-References:

B REGULAR

Field: GROUP (90560.17,.01)
1)= S ^BGPICAGR("B", \$E(X,1,30),DA)=" "
2)= K ^BGPICAGR("B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.18 10/12/17 PAGE 1

File #90560.18

Traditional Cross-References:

B REGULAR

Field: CATEGORY (90560.18,.01)
1)= S ^BGPICACR("B", \$E(X,1,30),DA)=" "
2)= K ^BGPICACR("B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.19 10/12/17 PAGE 1

File #90560.19

Traditional Cross-References:

AC REGULAR

Field: START TIME (90560.19,.03)

```

1)= S ^BPGGUIR("AC", $E(X,1,30), DA)=""
2)= K ^BPGGUIR("AC", $E(X,1,30), DA)

AUSR      MUMPS
  Field:   START TIME (90560.19,.03)
1)= S ^BPGGUIR("AUSR", $S($P($R(^BPGGUIR(DA,0)), "^", 2):$P(^B
PGGUIR(DA,0), "^", 2), 1:1), (9999999.9999-X), DA)=""
2)= K ^BPGGUIR("AUSR", $S($P($R(^BPGGUIR(DA,0)), "^", 2):$P(^B
PGGUIR(DA,0), "^", 2), 1:1), (9999999.9999-X), DA)

B         REGULAR
  Field:   NAME (90560.19,.01)
1)= S ^BPGGUIR("B", $E(X,1,30), DA)=""
2)= K ^BPGGUIR("B", $E(X,1,30), DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.21          10/12/17    PAGE 1
-----

File #90560.21

Traditional Cross-References:

B         REGULAR
  Field:   NAME OF LIST (90560.21,.01)
1)= S ^BGPSNOMR("B", $E(X,1,30), DA)=""
2)= K ^BGPSNOMR("B", $E(X,1,30), DA)

Subfile #90560.2111

Traditional Cross-References:

B         REGULAR
  Field:   SNOMED CODE (90560.2111,.01)
1)= S ^BGPSNOMR(DA(1), 11, "B", $E(X,1,30), DA)=""
2)= K ^BGPSNOMR(DA(1), 11, "B", $E(X,1,30), DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90561.02          10/12/17    PAGE 1
-----

File #90561.02

Traditional Cross-References:

AB        MUMPS
  Field:   ORDER (90561.02,1204)
1)= S ^BGPELIIR("AB", $P(X,".", 1,2), X, DA)=""
2)= K ^BGPELIIR("AB", $P(X,".", 1,2), X, DA)

ABC       MUMPS
  Field:   ORDER (90561.02,1204)
1)= S ^BGPELIIR("ABC", $P(X,".", 1,2), $STR(X,".", ""), DA)=""
2)= K ^BGPELIIR("ABC", $P(X,".", 1,2), $STR(X,".", ""), DA)

AE        MUMPS
  Field:   ORDER (90561.02,1204)
1)= S ^BGPELIIR("AE", $P(X,"."), $P(X,".", 2), $P(X,".", 3), DA)=

```

```

      ""
      2)= Q

AP    MUMPS
      Field:  ORDER    (90561.02,1204)
          1)= S ^BGPELIIR("AP", $P(X, ".", 1, 2), DA)=""
          2)= K ^BGPELIIR("AP", $P(X, ".", 1, 2), DA)

B     REGULAR
      Field:  INDICATOR (90561.02,.01)
          1)= S ^BGPELIIR("B", $E(X, 1, 30), DA)=""
          2)= K ^BGPELIIR("B", $E(X, 1, 30), DA)

C     REGULAR
      Field:  INDICATOR ID (90561.02,.04)
          1)= S ^BGPELIIR("C", $E(X, 1, 30), DA)=""
          2)= K ^BGPELIIR("C", $E(X, 1, 30), DA)

OR    REGULAR
      Field:  ORDER    (90561.02,1204)
          1)= S ^BGPELIIR("OR", $E(X, 1, 30), DA)=""
          2)= K ^BGPELIIR("OR", $E(X, 1, 30), DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90561.03 10/12/17 PAGE 1

File #90561.03

Traditional Cross-References:

```

B     REGULAR
      Field:  BEGINNING DATE (90561.03,.01)
          1)= S ^BGPEDLCR("B", $E(X, 1, 30), DA)=""
          2)= K ^BGPEDLCR("B", $E(X, 1, 30), DA)

```

Subfile #90561.031111

Traditional Cross-References:

```

B     REGULAR
      Field:  MFI LOCATIONS (90561.031111,.01)
          1)= S ^BGPEDLCR(DA(1), 1111, "B", $E(X, 1, 30), DA)=""
          2)= K ^BGPEDLCR(DA(1), 1111, "B", $E(X, 1, 30), DA)

```

Subfile #90561.12999

Traditional Cross-References:

```

B     REGULAR
      Field:  COMMUNITIES (90561.12999,.01)
          1)= S ^BGPEDLCR(DA(1), 9999, "B", $E(X, 1, 30), DA)=""
          2)= K ^BGPEDLCR(DA(1), 9999, "B", $E(X, 1, 30), DA)

```

Subfile #90561.129999

Traditional Cross-References:

```

B    REGULAR
      Field:  PATIENTS EISS  (90561.129999,.01)
              1)= S ^BGPEDLCR(DA(1),99999,"B",$(X,1,30),DA)=" "
              2)= K ^BGPEDLCR(DA(1),99999,"B",$(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90561.04 10/12/17 PAGE 1

File #90561.04

Traditional Cross-References:

```

B    REGULAR
      Field:  BEGINNING DATE  (90561.04,.01)
              1)= S ^BGPEDLPR("B",$(X,1,30),DA)=" "
              2)= K ^BGPEDLPR("B",$(X,1,30),DA)

```

Subfile #90561.041111

Traditional Cross-References:

```

B    REGULAR
      Field:  MFI LOCATIONS  (90561.041111,.01)
              1)= S ^BGPEDLPR(DA(1),1111,"B",$(X,1,30),DA)=" "
              2)= K ^BGPEDLPR(DA(1),1111,"B",$(X,1,30),DA)

```

Subfile #90561.13999

Traditional Cross-References:

```

B    REGULAR
      Field:  COMMUNITIES  (90561.13999,.01)
              1)= S ^BGPEDLPR(DA(1),9999,"B",$(X,1,30),DA)=" "
              2)= K ^BGPEDLPR(DA(1),9999,"B",$(X,1,30),DA)

```

Subfile #90561.139999

Traditional Cross-References:

```

B    REGULAR
      Field:  PATIENTS EISS  (90561.139999,.01)
              1)= S ^BGPEDLPR(DA(1),99999,"B",$(X,1,30),DA)=" "
              2)= K ^BGPEDLPR(DA(1),99999,"B",$(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90561.05 10/12/17 PAGE 1

File #90561.05

Traditional Cross-References:

```

B    REGULAR
      Field:  BEGINNING DATE  (90561.05,.01)
              1)= S ^BGPEDLBR("B",$(X,1,30),DA)=" "
              2)= K ^BGPEDLBR("B",$(X,1,30),DA)

```


Subfile #90561.051111

Traditional Cross-References:

B REGULAR

Field: MFI LOCATIONS (90561.051111,.01)
 1)= S ^BGPEDLBR(DA(1),1111,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPEDLBR(DA(1),1111,"B",\$(X,1,30),DA)

Subfile #90561.14999

Traditional Cross-References:

B REGULAR

Field: COMMUNITIES (90561.14999,.01)
 1)= S ^BGPEDLBR(DA(1),9999,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPEDLBR(DA(1),9999,"B",\$(X,1,30),DA)

Subfile #90561.149999

Traditional Cross-References:

B REGULAR

Field: PATIENTS EISS (90561.149999,.01)
 1)= S ^BGPEDLBR(DA(1),99999,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPEDLBR(DA(1),99999,"B",\$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90561.06 10/12/17 PAGE 1

File #90561.06

Traditional Cross-References:

AO REGULAR

Field: ORDER ON SELECTION/REPORT (90561.06,.02)
 1)= S ^BGPELIR("AO",\$(X,1,30),DA)=" "
 2)= K ^BGPELIR("AO",\$(X,1,30),DA)

B REGULAR

Field: INDICATOR NUMBER (90561.06,.01)
 1)= S ^BGPELIR("B",\$(X,1,30),DA)=" "
 2)= K ^BGPELIR("B",\$(X,1,30),DA)

C REGULAR

Field: TITLE (90561.06,.03)
 1)= S ^BGPELIR("C",\$(X,1,30),DA)=" "
 2)= K ^BGPELIR("C",\$(X,1,30),DA)

D MUMPS

Field: TITLE (90561.06,.03)
 1)= S ^BGPELIR("D",\$\$SUP^XLFSTR(X),DA)=" "
 2)= K ^BGPELIR("D",\$\$SUP^XLFSTR(X),DA)

PUID REGULAR

```

Field:  PUID  (90561.06,1201)
        1)= S ^BGPELIR("PUID", $E(X,1,30),DA)=" "
        2)= K ^BGPELIR("PUID", $E(X,1,30),DA)

Subfile #90561.0661

Traditional Cross-References:

B      REGULAR
      Field:  DENOMINATOR DEFINITIONS  (90561.0661,.01)
        1)= S ^BGPELIR(DA(1),61,"B", $E(X,1,30),DA)=" "
        2)= K ^BGPELIR(DA(1),61,"B", $E(X,1,30),DA)

Subfile #90561.0662

Traditional Cross-References:

B      REGULAR
      Field:  NUMERATOR DEFINITIONS  (90561.0662,.01)
        1)= S ^BGPELIR(DA(1),62,"B", $E(X,1,30),DA)=" "
        2)= K ^BGPELIR(DA(1),62,"B", $E(X,1,30),DA) Traditional Cross-

```

Figure 4-1: Index and Cross Reference List

4.4 Table File

The following six files have over 1,000 fields per file. These files are used to hold calculated data values for the GPRA reports. To conserve space in this document, the table files are not listed here. To generate a listing, use the ^XBFLD or FM data dictionary listing utility to list the data dictionary in detail.

FILE: 90560.03 BGP 18 DATA CURRENT

GLOBAL: ^BGPDPDCR(

FILE: 90560.04 BGP 18 DATA PREVIOUS

GLOBAL: ^BGPDPDPR(

FILE: 90560.05 BGP 18 DATA BASELINE

GLOBAL: ^BGPHEDBR(

FILE: 90561.03 BGP 18 ELDER DATA CURRENT

GLOBAL: ^BGPELDCR(

FILE: 90561.04 BGP 18 ELDER DATA PREVIOUS

GLOBAL: ^BGPELDPR(

FILE: 90561.05 BGP 18 ELDER DATA BASELINE

GLOBAL: ^BGPELDBR(

4.4.1 BGP Control File

GLOBAL: ^BGPCTRL(

FILE #: 90241.01

```

CONDENSED DATA DICTIONARY---BGP CONTROL FILE FILE (#90241.01)UCI: CMBA,CMBA
VERSION: 18.0

STORED IN: ^BGPCTRL(                                10/12/17    PAGE 1
-----
                                           FILE SECURITY
                                           DD SECURITY      : @      DELETE SECURITY: @
                                           READ SECURITY   : @      LAYGO SECURITY  : @
                                           WRITE SECURITY  : @

CROSS REFERENCED BY:
    FY(B)  GPRA YEAR(C)

                                           FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        FY (RF), [0;1]
.02        ENDING COLUMN FOR ONM1 (NJ4,0), [0;2]
.03        ENDING COLUMN FOR ONM2 (NJ4,0), [0;3]
.04        ENDING COLUMN FOR GPRANT1 (NJ4,0), [0;4]
.05        PROGRAM FOR ICARE TO RUN (F), [0;5]
.06        FILE FOR MEASURES (P1'), [0;6]
.07        FILE # FOR INDIVIDUAL INDS (P1'), [0;7]
.08        BEGINNING DATE FOR GPRA YEAR (D), [0;8]
.09        ENDING DATE FOR GPRA YEAR (D), [0;9]
.1         BEG DATE FOR PREVIOUS YEAR (D), [0;10]
.11        ENDING DATE FOR PREVIOUS YEAR (D), [0;11]
.12        BEG DATE FOR BASELINE YEAR (D), [0;12]
.13        ENDING DATE FOR BASELINE YR (D), [0;13]
.14        GPRA YEAR (D), [0;14]
.15        VERSION (F), [0;15]
.16        ENDING COLUMN FOR GPRANT2 (NJ3,0), [0;16]
.17        CONTRAINDICATIONS ROUTINE (F), [0;17]
.18        ALLERGY ROUTINE (F), [0;18]
.19        REFUSAL API ROUTINE (F), [0;19]
.2         *ENDING COLUMN FOR EO (NJ4,0), [0;20]
.21        END COLUMN FOR CRSONMNT3 (NJ4,0), [0;21]
.22        ENDING COLUMN FOR DEVEL1 (NJ3,0), [0;22]
.23        ENDING COLUMN FOR DEVEL2 (NJ3,0), [0;23]
.24        ENDING COLUMN FOR DEVEL3 (NJ4,0), [0;24]
.25        ONMT 4 ENDING COLUMN (NJ4,0), [0;25]
.26        ONMT 5 (NJ4,0), [0;26]
.27        ENDING COLUMN FOR GPRANT3 (NJ3,0), [0;27]
.28        ENDING COLUMN FOR DEV 4 (NJ3,0), [0;28]
.29        ENDING COLUMN FOR GPRANT4 (NJ3,0), [0;29]
.3         UNFOLDTX ROUTINE (F), [0;30]
.31        ENDING COLUMN FOR GPRANT5 (NJ3,0), [0;31]
    
```

| | |
|------|---|
| .32 | ENDING COLUMN FOR NT6 (NJ3,0), [0;32] |
| 1101 | CLINICS FOR CLINICAL USER (Multiple-90241.0111), [11;0] |
| | .01 CLINIC CODE (MF), [0;1] |
| | .019 CLINIC NAME (CJ8), [;] |
| 1201 | CLINIC CODES FOR 2ND VISIT (Multiple-90241.0112), [12;0] |
| | .01 CLINIC CODES FOR 2ND VISIT (MF), [0;1] |
| 1300 | LOCAL REPORT HEADER PAGE (Multiple-90241.13), [13;0] |
| | .01 LOCAL REPORT HEADER PAGE (W), [0;1] |
| 1301 | BH CLINIC CODES (Multiple-90241.011301), [1301;0] |
| | .01 BH CLINIC CODES (MF), [0;1] |
| 1400 | NATIONAL GPRA COVER PG NONCHS (Multiple-90241.14), [14;0] |
| | .01 GPRA REPORT HEADER PAGE (W), [0;1] |
| 1500 | AREA REPORT HEADER PAGE (Multiple-90241.15), [15;0] |
| | .01 AREA REPORT HEADER PAGE (W), [0;1] |
| 1600 | HEDIS REPORT HEADER PAGE (Multiple-90241.16), [16;0] |
| | .01 HEDIS REPORT HEADER PAGE (W), [0;1] |
| 1700 | COM REPORT HEADER PAGE (Multiple-90241.17), [17;0] |
| | .01 COM REPORT HEADER PAGE (W), [0;1] |
| 1800 | PP REPORT HEADER PAGE (Multiple-90241.18), [18;0] |
| | .01 PP REPORT HEADER PAGE (W), [0;1] |
| 1900 | ALL REPORT HEADER PAGE (Multiple-90241.19), [19;0] |
| | .01 ALL REPORT HEADER PAGE (W), [0;1] |
| 2100 | *CMS REPORT COVER PAGE (Multiple-90241.0321), [21;0] |
| | .01 CMS REPORT COVER PAGE (W), [0;1] |
| 2200 | ELDER CARE COVER PAGE (Multiple-90241.22), [22;0] |
| | .01 ELDER CARE COVER PAGE (W), [0;1] |
| 2300 | *NATL GPRA COVER PAGE - CHS (Multiple-90241.23), [23;0] |
| | .01 CHS NATIONAL GPRA RPT HEADER (W), [0;1] |
| 2400 | *CHS COM REPORT HEADER (Multiple-90241.24), [24;0] |
| | .01 CHS COM REPORT HEADER (W), [0;1] |
| 2500 | *CHS ALL REPORT HEADER (Multiple-90241.25), [25;0] |
| | .01 CHS ALL REPORT HEADER (W), [0;1] |
| 2600 | *CHS ELDER REPORT HEADER (Multiple-90241.26), [26;0] |
| | .01 CHS ELDER REPORT HEADER (W), [0;1] |
| 2700 | *CHS HEDIS REPORT HEADER (Multiple-90241.27), [27;0] |
| | .01 CHS HEDIS REPORT HEADER (W), [0;1] |
| 2800 | COMP NATL PAT LIST 1ST PAGE (Multiple-90241.0328), [28;0] |
| | .01 1ST PAGE COMP LIST (W), [0;1] |
| 2900 | *AREA CHS NGR HEADER PAGE (Multiple-90241.29), [29;0] |
| | .01 AREA CHS NGR HEADER PAGE (W), [0;1] |
| 3000 | BH ALCOHOL PROBLEM CODES (Multiple-90241.013), [30;0] |
| | .01 BH ALCOHOL PROBLEM CODES (MF), [0;1] |
| 3100 | *AREA GPVA CHS HEADER (Multiple-90241.31), [31;0] |
| | .01 AREA CHS HEADER (W), [0;1] |
| 3200 | *AREA CHS HEDIS COVER PAGE (Multiple-90241.32), [32;0] |
| | .01 AREA HEDIS COVER PAGE (W), [0;1] |
| 3300 | *AREA ELDER CHS COVER PAGE (Multiple-90241.33), [33;0] |
| | .01 AREA ELDER CHS COVER PAGE (W), [0;1] |
| 3400 | PATIENT ED COVER PAGE (Multiple-90241.34), [34;0] |
| | .01 PATIENT ED COVER PAGE (W), [0;1] |
| 3500 | AREA PAT ED COVER PAG (Multiple-90241.35), [35;0] |
| | .01 AREA PAT ED COVER PAG (W), [0;1] |
| 3600 | ON 1 HEADERS (Multiple-90241.36), [36;0] |
| | .01 PIECE (MNJ5,0X), [0;1] |
| | .02 HEADER (F), [0;2] |
| 3700 | ON 2 HEADERS (Multiple-90241.37), [37;0] |

| | | |
|------|------|--|
| | .01 | PIECE (MNJ4,0X), [0;1] |
| | .02 | HEADER (F), [0;2] |
| 3800 | | GPRA NT1 (Multiple-90241.38), [38;0] |
| | .01 | PIECE (MNJ4,0X), [0;1] |
| | .02 | HEADER (F), [0;2] |
| 3900 | | FORECAST DENOMINATOR DEFS PAGE (Multiple-90241.39), [39;0] |
| | .01 | SCHEDULING OPTION COVER PAGE (W), [0;1] |
| 4000 | | GPRA NT2 (Multiple-90241.4), [40;0] |
| | .01 | PIECE (MNJ4,0), [0;1] |
| | .02 | LABEL (F), [0;2] |
| 4100 | | MEASURE (Multiple-90241.41), [41;0] |
| | .01 | MEASURE (MRNJ3,0), [0;1] |
| | 11 | DENOM TEXT (Multiple-90241.4111), [11;0] |
| | .01 | DENOM TEXT (W), [0;1] |
| 4200 | | *CMS REPORT INTRODUCTION (Multiple-90241.42), [42;0] |
| | .01 | CMS REPORT INTRODUCTION (W), [0;1] |
| 4300 | | LAB TAXONOMY INTRO TEXT (Multiple-90241.43), [43;0] |
| | .01 | LAB TAXONOMY INTRO TEXT (W), [0;1] |
| 4400 | | MED TAX INTRO (Multiple-90241.44), [44;0] |
| | .01 | MED TAX INTRO (W), [0;1] |
| 4500 | | CRSONMNT3 COLUMN HEADERS (Multiple-90241.0145), [45;0] |
| | .01 | CRSONMNT3 COLUMN HEADERS (MNJ4,0), [0;1] |
| | .02 | HEADER TEXT (F), [0;2] |
| 4600 | | *URBAN GP COVER PAGE (Multiple-90241.46), [46;0] |
| | .01 | URBAN GP COVER PAGE (Wx), [0;1] |
| 4700 | | *URBAN SUM ONLY GP (Multiple-90241.47), [47;0] |
| | .01 | URBAN SUM ONLY GP (Wx), [0;1] |
| 4800 | | *URBAN COM COVER PAGE (Multiple-90241.48), [48;0] |
| | .01 | URBAN COM COVER PAGE (Wx), [0;1] |
| 4900 | | *URBAN ALL COVER PAGE (Multiple-90241.49), [49;0] |
| | .01 | URBAN ALL COVER PAGE (Wx), [0;1] |
| 5000 | | DEP SCR BH CLINICS (Multiple-90241.015), [50;0] |
| | .01 | DEP SCR BH CLINICS (MF), [0;1] |
| 5100 | | *URBAN ONM COVER PAGE (Multiple-90241.51), [51;0] |
| | .01 | URBAN ONM COVER PAGE (Wx), [0;1] |
| 5200 | | *URBAN ELDER COVER PAGE (Multiple-90241.52), [52;0] |
| | .01 | URBAN ELDER COVER PAGE (Wx), [0;1] |
| 5300 | | XP 2008-2009 INFORMING (Multiple-90241.0153), [53;0] |
| | .01 | XP 2008-2009 INFORMING (W), [0;1] |
| 5400 | | XP REPORT INFORM (Multiple-90241.54), [54;0] |
| | .01 | XP REPORT INFORM (W), [0;1] |
| 5500 | | XP MEASURES (Multiple-90241.55), [55;0] |
| | .01 | MEASURE (MP90530.01'), [0;1] |
| | 1101 | INDIVIDUAL MEASURES (Multiple-90241.551101), [11;0] |
| | .01 | MEASURE ID (MNJ3,0), [0;1] |
| | .02 | VALUE FOR EXPORT (K), [1;E1,245] |
| | .03 | MEASURE LABEL (F), [0;3] |
| 5600 | | ONM COVER PAGE (Multiple-90241.56), [56;0] |
| | .01 | ONM COVER PAGE (W), [0;1] |
| 5700 | | *ONM CHS COVER PAGE (Multiple-90241.57), [57;0] |
| | .01 | ONM CHS COVER PAGE (W), [0;1] |
| 5800 | | FORECAST REPORT INFORMING (Multiple-90241.58), [58;0] |
| | .01 | FORECAST REPORT INFORMING (W), [0;1] |
| 5900 | | *EO REPORT COVER PAGE (Multiple-90241.0159), [59;0] |
| | .01 | EO REPORT COVER PAGE (W), [0;1] |
| 6100 | | PAT ED INFORMING (Multiple-90241.61), [61;0] |

| | |
|------|--|
| | .01 PAT ED INFORMING (W), [0;1] |
| 6200 | PATIENT ED TOPICS (Multiple-90241.62), [62;0] |
| | .01 PATIENT ED TOPICS (F), [0;1] |
| | .02 DIAGNOSIS (F), [0;2] |
| | .03 TOPIC (F), [0;3] |
| 6300 | PAT ED ICD MAPPINGS (Multiple-90241.63), [63;0] |
| | .01 DISEASE STATE ABBRV (MF), [0;1] |
| | .02 DISEASE STATE NAME (F), [0;2] |
| | .03 TAXONOMY NAME (F), [0;3] |
| 1100 | ICD MAPPING (Multiple-90241.6311), [11;0] |
| | .01 ICD MAPPING (MF), [0;1] |
| | .02 LENGTH TO CHECK (NJ1,0), [0;2] |
| | .03 EXACT LENGTH? (S), [0;3] |
| 6400 | *EO REPORT COVER PAGE CHS ONLY (Multiple-90241.0164), [64;0] |
| | .01 EO REPORT COVER PAGE CHS ONLY (W), [0;1] |
| 6500 | *EO REPORT INFORMING (Multiple-90241.0165), [65;0] |
| | .01 EO REPORT INFORMING (W), [0;1] |
| 6600 | *EO AREA REPORT COVER PAGE (Multiple-90241.0166), [66;0] |
| | .01 EO AREA REPORT COVER PAGE (W), [0;1] |
| 6700 | *EO AREA REPORT CHS COVER PAGE (Multiple-90241.0467), [67;0] |
| | .01 EO AREA REPORT CHS COVER PAGE (W), [0;1] |
| 6800 | *EO NT (Multiple-90241.0168), [68;0] |
| | .01 EO NT (MNJ4,0), [0;1] |
| | .02 TEXT (F), [0;2] |
| 6900 | FORECAST INFORMING FOR NEXT YR (Multiple-90241.69), [69;0] |
| | .01 FORECAST INFORMING FOR NEXT YR (W), [0;1] |
| 7100 | GPRA RPT SUM ONLY INFORMING (Multiple-90241.71), [71;0] |
| | .01 GPRA RPT SUM ONLY INFORMING (W), [0;1] |
| 7200 | NATL GPRA DES PROV INFORMING (Multiple-90241.72), [72;0] |
| | .01 NATL GPRA DES PROV INFORMING (W), [0;1] |
| 7300 | HW OPTION INFORMING (Multiple-90241.73), [73;0] |
| | .01 HW OPTION INFORMING (W), [0;1] |
| 7400 | PAT ED PP INFORMING (Multiple-90241.74), [74;0] |
| | .01 PAT ED PP INFORMING (W), [0;1] |
| 7500 | PED PP COVER PAGE (Multiple-90241.75), [75;0] |
| | .01 PED PP COVER PAGE (W), [0;1] |
| 7600 | GPRA SUM ONLY COVER PAGE (Multiple-90241.76), [76;0] |
| | .01 GPRA SUM ONLY COVER PAGE (W), [0;1] |
| 7700 | *NATL GPRA SUM CHS COVER (Multiple-90241.77), [77;0] |
| | .01 NATL GPRA SUM CHS COVER (W), [0;1] |
| 7800 | XP9 INFORMING (Multiple-90241.78), [78;0] |
| | .01 XP9 INFORMING (W), [0;1] |
| 7900 | DEVEL 1 (Multiple-90241.79), [79;0] |
| | .01 DEVEL 1 (MNJ3,0), [0;1] |
| | .02 TEXT (F), [0;2] |
| 8100 | DEVEL 2 (Multiple-90241.81), [81;0] |
| | .01 DEVEL 2 (MNJ3,0), [0;1] |
| | .02 TEXT (F), [0;2] |
| 8200 | XP 10 INFORMING (Multiple-90241.82), [82;0] |
| | .01 XP 10 INFORMING (W), [0;1] |
| 8300 | GPU W/PP COVER PAGE (Multiple-90241.83), [83;0] |
| | .01 GPU W/PP COVER PAGE (W), [0;1] |
| 8400 | XP INFORMING FOR 2011 (Multiple-90241.84), [84;0] |
| | .01 XP INFORMING FOR 2011 (Wx), [0;1] |
| 8500 | DEVEL 3 (Multiple-90241.85), [85;0] |
| | .01 DEVEL 3 (NJ4,0), [0;1] |

```

      .02 TEXT (F), [0;2]
8501  DEV 4 HEADERS (Multiple-90241.18501), [851;0]
      .01 DEV 4 HEADERS (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8600  ONMT 4 HEADERS (Multiple-90241.86), [86;0]
      .01 ONMT 4 HEADERS (NJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8700  ONMT5 HEADERS (Multiple-90241.87), [87;0]
      .01 ONMT5 HEADERS (NJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8800  DASHBOARD INFORMING (Multiple-90241.88), [88;0]
      .01 DASHBOARD INFORMING (Wx), [0;1]
8900  AREA ELDER TOP (Multiple-90241.89), [89;0]
      .01 AREA ELDER TOP (Wx), [0;1]
9100  DASHBOARD COVER PAGE (Multiple-90241.91), [91;0]
      .01 DASHBOARD COVER PAGE (Wx), [0;1]
9200  *DASHBOARD COVER PAGE CHS (Multiple-90241.92), [92;0]
      .01 DASHBOARD COVER PAGE CHS (Wx), [0;1]
9300  *DASHBOARD INFORMING URBAN (Multiple-90241.93), [93;0]
      .01 DASHBOARD INFORMING URBAN (Wx), [0;1]
9400  AREA DASHBOARD COVER (Multiple-90241.94), [94;0]
      .01 AREA DASHBOARD COVER (Wx), [0;1]
9500  CLINIC CODES FOR BH ACT CL (Multiple-90241.0195), [95;0]
      .01 CLINIC CODES FOR BH ACT CL (MF), [0;1]
9601  AUTO EXPORT UTILITY ROUTINE (F), [96;1]
9602  AUTO EXPORT RUN ROUTINE (F), [96;2]
9700  GPRA NT3 (Multiple-90241.97), [97;0]
      .01 GPRANT3 (MNJ4,0), [0;1]
      .02 HEADER (F), [0;2]
9701  GPRA NT4 (Multiple-90241.971), [971;0]
      .01 GPRA NT4 (NJ3,0), [0;1]
      .02 TEXT (F), [0;2]
9702  GPRA NT5 LABELS (Multiple-90241.1972), [972;0]
      .01 GPRA NT5 LABELS (MNJ3,0), [0;1]
      .02 LABEL (F), [0;2]
9703  GPRA NT6 LABELS (Multiple-90241.1973), [973;0]
      .01 GPRA NT6 LABELS (NJ4,0), [0;1]
9801  PATCHES BULLETIN TEXT (Multiple-90241.9801), [98;0]
      .01 PATCHES BULLETIN TEXT (MNJ2,0X), [0;1]
      11 BULLETIN TEXT (Multiple-90241.980111), [11;0]
          .01 BULLETIN TEXT (W), [0;1]

```

Figure 4-2: BGP Control File

4.4.2 BGP SITE PARAMETERS

GLOBAL: ^BGPSITE(

FILE #: 90241.02

```

CONDENSED DATA DICTIONARY---BGP SITE PARAMETERS FILE (#90241.02)UCI: DEV,DEV
VERSION: 18.0

```

```

STORED IN: ^BGPSITE(

```

```

10/11/17

```

```

PAGE 1

```

```

-----
                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : M   LAYGO SECURITY  : M
                                WRITE SECURITY : M

CROSS REFERENCED BY:
  LOCATION(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        LOCATION (RP9999999.06'X), [0;1]
.02        HOME LOCATION (P9999999.06'), [0;2]
.03        AREA EXPORT? (S), [0;3]
.04        INCLUDE DATA IN WEB EISS? (S), [0;4]
.05        DEFAULT COMMUNITY TAXONOMY (*P9002226'), [0;5]
.06        CHS SITE ONLY (S), [0;6]
.08        MFI SITE? (S), [0;8]
.09        MFI LOCATION TAXONOMY (*P9002226'), [0;9]
.11        EXPORT HT/WT DATA (S), [0;11]
.12        DEMO PATIENT SEARCH TEMPLATE (P.401'), [0;12]
.13        URBAN PROGRAM? (S), [0;13]
.14        DIRECTORY FOR EXPORT FILES (FX), [0;14]
    
```

Figure 4-3: BGP SITE PARAMETERS

4.4.3 FILE: BGP SUMMARY CATEGORIES

GLOBAL: ^BGPSCAT(FILE #: 90241.03

```

VERSION: 18.0

STORED IN: ^BGPSCAT(                               10/11/17       PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  CATEGORY(B)  ORDER ON GPRA SUMMARY(C)  ORDER NO NON-GPRA SUMMARY(D)
  ORDER ON EO REPORT(E)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]
.02        ORDER ON GPRA SUMMARY (NJ2,0), [0;2]
    
```


| | |
|-----|--|
| .03 | ORDER NO NON-GPRA SUMMARY (NJ2,0), [0;3] |
| .04 | ORDER ON EO REPORT (NJ2,0), [0;4] |

Figure 4-4: BGP SUMMARY CATEGORIES

4.4.4 FILE: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS GLOBAL: ^BGP2PM(FILE #: 90241.04

```

CONDENSED DATA DICTIONARY---BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS FILE
(#90241.04)UCI: DEV,DEV  VERSION: 18.0

STORED IN: ^BGP2PM(                               10/11/17      PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY    : M      LAYGO SECURITY : M
                                WRITE SECURITY   : M

CROSS REFERENCED BY:
SITE(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        SITE (R*P9999999.06'X), [0;1]
.02        TYPE OF AUTO EXTRACT (S), [0;2]
1.1        DEFAULT DIRECTORY (F), [1;1]
4.1        REMOTE HOST NAME (F), [4;1]
4.2        REMOTE HOST IP ADDRESS (F), [4;2]
4.3        REMOTE HOST DIRECTORY (F), [4;3]
4.4        REMOTE HOST USERNAME (F), [4;4]
4.5        REMOTE HOST PASSWORD (F), [4;5]
5.1        DEFAULT COMMUNITY TAXONOMY (P9002226'), [5;1]
8          EXTRACT DATE (Multiple-90241.12), [8;0]
           .01 EXTRACT DATE (MD), [0;1]
           .02 EXTRACT FILE NAME (F), [0;2]
           .03 EXTRACT BEGIN DATE (D), [0;3]
           .04 EXTRACT END DATE (D), [0;4]
           .05 ERROR MESSAGE (F), [0;5]
    
```

Figure 4-5: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS

4.4.5 FILE: BGP AREA AUTOMATED GPRA PARAMS GLOBAL: ^BGP1PM(FILE #: 90245

```

CONDENSED DATA DICTIONARY---BGP AREA AUTOMATED GPRA PARAMS FILE (#90245)UCI: DEV,DEV
VERSION: 18.0

STORED IN: ^BGP1PM(                               10/11/17      PAGE 1
    
```

```

-----
                                FILE SECURITY
                                DD SECURITY   : @      DELETE SECURITY: M
                                READ SECURITY  : M      LAYGO SECURITY  : M
                                WRITE SECURITY : M

CROSS REFERENCED BY:
NAME(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        NAME (RFX), [0;1]
.02        TYPE OF AUTO EXTRACT (S), [0;2]
1.1        DEFAULT DIRECTORY (F), [1;1]
1.2        SUBDIRECTORY (F), [1;2]
7          DATE PROCESSED (Multiple-90245.07), [7;0]
          .01 REPORT BEGIN DATE (MD), [0;1]
          .02 REPORT END DATE (D), [0;2]
          .03 DATE PROCESSED (D), [0;3]
          .04 STATUS (S), [0;4]
          .05 ERROR MESSAGE (F), [0;5]
          .06 PROCESSING ATTEMPTS (NJ6,0), [0;6]
          .07 ASUFAC (F), [0;7]
          .08 FILE PROCESSED (F), [0;8]
          .09 PROCESS START DATE (D), [0;9]
9          FACILITY (Multiple-90245.09), [9;0]
          .01 FACILITY (MP9999999.06'), [0;1]
          .02 ASUFAC (NJ6,0), [0;2]
          .03 ACTIVE (S), [0;3]
          .04 IP ADDRESS (F), [0;4]
          .05 GENERIC LISTENER PORT (NJ9,0), [0;5]
99.1       ALERT/MAILMAN SENDER (P200'), [99.1;1]
99.2       ALERT/MM RECIPIENT (Multiple-90245.992), [99.2;0]
          .01 EMAIL RECIPIENT (MP200'), [0;1 ]
    
```

Figure 4-6: BGP AREA AUTOMATED GPRA PARAMS

4.4.6 FILE: BGP GPRA FLAT FILE DATA

GLOBAL: ^BGP1RD(FILE #: 90245.1

```

CONDENSED DATA DICTIONARY---BGP GPRA FLAT FILE DATA FILE (#90245.1)UCI: DEV,DEV
VERSION: 18.0

STORED IN: ^BGP1RD(                                10/11/17      PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @      DELETE SECURITY: @
                                READ SECURITY  : @      LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
    
```

```

INDICATOR NAME(B)  CURRENT REPORT BEGIN DATE(CBD)
SITE NAME(D)

FILE #90245.1
INDEXED BY:      INDICATOR NAME & SITE NAME & CURRENT REPORT BEGIN DATE &
                  CURRENT REPORT END DATE (C)

                        FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        INDICATOR NAME (RF), [0;1]
.02        INDICATOR NUMBER (F), [0;2]
.03        SITE NAME (F), [0;3]
.04        ASUFAC (F), [0;4]
.05        DB ID (NJ5,0), [0;5]
.06        DATE REPORT RUN (D), [0;6]
.07        CURRENT REPORT BEGIN DATE (D), [0;7]
.08        CURRENT REPORT END DATE (D), [0;8]
.09        PREVIOUS YEAR BEGIN DATE (D), [0;9]
.1         PREVIOUS YEAR END DATE (D), [0;10]
.11        BASELINE YEAR BEGIN DATE (D), [0;11]
.12        BASELINE YEAR END DATE (D), [0;12]
.13        CURRENT NUMERATOR (NJ6,0), [0;13]
.14        CURRENT DENOMINATOR (NJ6,0), [0;14]
.15        CURRENT PERCENT (NJ8,1), [0;15]
.16        PREVIOUS NUMERATOR (NJ6,0), [0;16]
.17        PREVIOUS DENOMINATOR (NJ6,0), [0;17]
.18        PREVIOUS PERCENT (NJ8,1), [0;18]
.19        BASELINE NUMERATOR (NJ6,0), [0;19]
.2         BASELINE DENOMINATOR (NJ6,0), [0;20]
.21        BASELINE PERCENT (NJ8,1), [0;21]
    
```

Figure 4-7: BGP GPRA FLAT FILE DATA

4.4.7 FILE: BGP 18 MEASURES

GLOBAL: ^BGPINDR(FILE #: 90560.01

```

CONDENSED DATA DICTIONARY---BGP 18 MEASURES FILE (#90560.01)UCI: CMBA,CMBA
VERSION: 18.0

STORED IN: ^BGPINDR(                               10/12/17    PAGE 1
-----

                                FILE SECURITY
                                DD SECURITY      : @    DELETE SECURITY: @
                                READ SECURITY    : @    LAYGO SECURITY  : @
                                WRITE SECURITY   : @

CROSS REFERENCED BY:
DEVELOPMENTAL MEASURE?(ADEV)  ORDER ON DEVELOPMENTAL REPORT(ADEVO)
TAXONOMY(ALORI)              ORDER ON SELECTION/REPORT(AO)
ORDER IND(AOI) MEASURE NUMBER(B)  TITLE/SELECTION TITLE(C)
    
```

| FIELD NUMBER | FIELD NAME |
|--------------|---|
| | ORDER IND(D) NATIONAL REPORT(GPRA) OTHER NATIONAL MEASURES RPT?(ON) |
| | PUID FROM RM(PUID) TITLE/SELECTION TITLE(U) |
| | FILE STRUCTURE |
| .01 | MEASURE NUMBER (RNJ3,0X), [0;1] |
| .02 | ORDER ON SELECTION/REPORT (F), [0;2] |
| .03 | TITLE/SELECTION TITLE (F), [0;3] |
| .05 | LIST SELECTION TITLE (F), [0;5] |
| .06 | ORDER TO DISPLAY (NJ4,0), [0;6] |
| .07 | NATIONAL REPORT (S), [0;7] |
| .12 | NO LIST (S), [0;12] |
| .13 | # DENOMINATORS (NJ2,0), [0;13] |
| .14 | DEVELOPMENTAL MEASURE? (S), [0;14] |
| 1 | M CODE TO EXECUTE (K), [1;E1,245] |
| 2 | SET LIST VALUE (K), [2;E1,245] |
| 3 | PRINT M CODE (K), [3;E1,245] |
| 4 | DELIMITED FILE PRINT (K), [4;E1,245] |
| 1100 | SELECTED REPORT FY LOGIC TEXT (Multiple-90560.0111), [11;0] |
| | .01 SELECTED REPORT FY LOGIC TEXT (W), [0;1] |
| 1201 | OTHER NATIONAL MEASURES RPT? (S), [12;1] |
| 1202 | WEB SITE UNIQUE ID (F), [12;2] |
| 1203 | PUID FROM RM (NJ4,0), [12;3] |
| 1204 | GROUP (P90560.1'), [12;4] |
| 1205 | UPDATED THIS YEAR? (S), [12;5] |
| 1206 | ORDER IND (NJ4,0), [12;6] |
| 1301 | SKIP SELECTED REPORT? (S), [13;1] |
| 1302 | ORDER ON DEVELOPMENTAL REPORT (NJ3,0), [13;2] |
| 1303 | SKIP NGR PRINT/DEV ONLY (S), [13;3] |
| 1400 | TAXONOMIES USED (Multiple-90560.0114), [14;0] |
| | .01 TAXONOMIES USED (MS), [0;1] |
| | .03 TAXONOMY (F), [0;3] |
| 1500 | LAB TAXONOMIES USED (Multiple-90560.0115), [15;0] |
| | .01 LAB TAXONOMIES USED (MP9002228'), [0;1] |
| | .02 LAB TAXONOMY NAME (F), [0;2] |
| 5100 | INDICATOR DESCRIPTION (Multiple-90560.0151), [51;0] |
| | .01 DESCRIPTION (W), [0;1] |
| 5200 | PAST PERFORMANCE (Multiple-90560.0152), [52;0] |
| | .01 REPORT PRINT SECTION (W), [0;1] |
| 5300 | REPORT PRINT 2ND PAGE (Multiple-90560.0153), [53;0] |
| | .01 REPORT PRINT 2ND PAGE (W), [0;1] |
| 5400 | NATIONAL GPRA/GPRAMA LOGIC (Multiple-90560.54), [54;0] |
| | .01 NATIONAL GPRA/GPRAMA (W), [0;1] |
| 5500 | SOURCE (Multiple-90560.55), [55;0] |
| | .01 SOURCE (W), [0;1] |
| 5600 | OTHER NATIONAL GPRA LOGIC TEXT (Multiple-90560.56), [56;0] |
| | .01 OTHER NATIONAL GPRA LOGIC TEXT (W), [0;1] |
| 5700 | INDICATOR DESCRIPTION FOR 10 (Multiple-90560.57), [57;0] |
| | .01 INDICATOR DESCRIPTION FOR 10 (W), [0;1] |
| 5800 | DEVELOPMENTAL RPT LOGIC TEXT (Multiple-90560.58), [58;0] |
| | .01 DEVELOPMENTAL RPT LOGIC TEXT (W), [0;1] |
| 6100 | SELECTED MEASURES DENOM DEF (Multiple-90560.0161), [61;0] |
| | .01 DENOMINATOR DEFINITIONS (MNJ2,0), [0;1] |
| 1 | DENOM DESCRIPTION (Multiple-90560.01611), [1;0] |

| | |
|------|---|
| | .01 DENOM DESCRIPTION (W), [0;1] |
| | 1200 REPORT SUB TYPES (Multiple-90560.016112), [12;0] |
| | .01 REPORT SUB TYPES (MS), [0;1] |
| 6200 | SELECTED MEAS NUMERATOR DEFS (Multiple-90560.0162), [62;0] |
| | .01 NUMERATOR DEFINITIONS (MNJ2,0X), [0;1] |
| | 1 NUMERATOR DESCRIPTION (Multiple-90560.01621), [1;0] |
| | .01 NUMERATOR DESCRIPTION (W), [0;1] |
| | 1200 REPORT SUB TYPE (Multiple-90560.016212), [12;0] |
| | .01 REPORT SUB TYPE (MS), [0;1] |
| 7100 | REPORT LIST 1ST PAGE (Multiple-90560.0171), [71;0] |
| | .01 REPORT LIST 1ST PAGE (W), [0;1] |
| 7200 | LIST PRINT SECOND PAGE (Multiple-90560.0172), [72;0] |
| | .01 LIST PRINT SECOND PAGE (W), [0;1] |
| 8100 | NATL GPRA DENOM DEFS (Multiple-90560.0181), [81;0] |
| | .01 NATL GPRA DENOM DEFS (MNJ2,0), [0;1] |
| | 1 TEXT (Multiple-90560.1811), [1;0] |
| | .01 TEXT (W), [0;1] |
| | 1200 REPORT SUBTYPES (Multiple-90560.018112), [12;0] |
| | .01 REPORT SUBTYPES (MS), [0;1] |
| 8200 | NATL GPRA NUMERATOR DEFS (Multiple-90560.0182), [82;0] |
| | .01 NATL GPRA NUMERATOR DEFS (MNJ2,0), [0;1] |
| | 1 TEXT (Multiple-90560.01821), [1;0] |
| | .01 TEXT (W), [0;1] |
| | 1200 REPORT SUBTYPES (Multiple-90560.018212), [12;0] |
| | .01 REPORT SUBTYPES (MS), [0;1] |
| 8300 | OTHER NATL MEAS DENOM DEFS (Multiple-90560.0183), [83;0] |
| | .01 OTHER NATL MEAS DENOM DEFS (MNJ2,0), [0;1] |
| | 1 TEXT (Multiple-90560.01831), [1;0] |
| | .01 TEXT (W), [0;1] |
| | 1200 REPORT SUBTYPES (Multiple-90560.018312), [12;0] |
| | .01 REPORT SUBTYPES (MS), [0;1] |
| 8400 | OTHER NATL MEAS NUMER DEFS (Multiple-90560.0184), [84;0] |
| | .01 OTHER NATL MEAS NUMER DEFS (MNJ2,0), [0;1] |
| | 1 TEXT (Multiple-90560.01841), [1;0] |
| | .01 TEXT (W), [0;1] |
| | 1200 REPORT SUBTYPES (Multiple-90560.018412), [12;0] |
| | .01 REPORT SUBTYPES (MS), [0;1] |
| 8500 | DEVELOPMENTAL MEAS DENOM DEFS (Multiple-90560.0185), [85;0] |
| | .01 DEVELOPMENTAL MEAS DENOM DEFS (MNJ2,0), [0;1] |
| | 1 TEXT (Multiple-90560.01851), [1;0] |
| | .01 TEXT (W), [0;1] |
| | 1200 REPORT SUBTYPE (Multiple-90560.018512), [12;0] |
| | .01 REPORT SUBTYPE (MS), [0;1] |
| 8600 | DEVELOPMENTAL MEAS NUMER DEFS (Multiple-90560.0186), [86;0] |
| | .01 DEVELOPMENTAL MEAS NUMER DEFS (MNJ2,0), [0;1] |
| | 1 TEXT (Multiple-90560.01861), [1;0] |
| | .01 TEXT (W), [0;1] |
| | 1200 REPORT SUBTYPES (Multiple-90560.018612), [12;0] |
| | .01 REPORT SUBTYPES (MS), [0;1] |
| 8700 | DM DENOM DEFS (Multiple-90560.0187), [87;0] |
| | .01 DM DENOM DEFS (NJ2,0), [0;1] |
| | 1 TEXT (Multiple-90560.01871), [1;0] |
| | .01 TEXT (Wx), [0;1] |
| 8800 | DM NUMER DEFS (Multiple-90560.0188), [88;0] |
| | .01 DM NUMER DEFS (NJ2,0), [0;1] |
| | 1 TEXT (Multiple-90560.01881), [1;0] |

```

      .01 TEXT (Wx), [0;1]
8900  CVD DENOM DEFS (Multiple-90560.0189), [89;0]
      .01 CVD DENOM DEFS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90560.01891), [1;0]
      .01 TEXT (Wx), [0;1]
9100  CVD NUM DEFS (Multiple-90560.0191), [91;0]
      .01 CVD NUM DEFS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90560.01911), [1;0]
      .01 TEXT (Wx), [0;1]
9200  WH DEN DEFS (Multiple-90560.0192), [92;0]
      .01 WH DEN DEFS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90560.01921), [1;0]
      .01 TEXT (Wx), [0;1]
9300  WH NUM DEFS (Multiple-90560.0193), [93;0]
      .01 WH NUM DEFS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90560.01931), [1;0]
      .01 TEXT (Wx), [0;1]
9400  IPC DEN DEFS (Multiple-90560.0194), [94;0]
      .01 IPC DEN DEFS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90560.01941), [1;0]
      .01 TEXT (Wx), [0;1]
9500  IPC NUM DEFS (Multiple-90560.0195), [95;0]
      .01 IPC NUM DEFS (MNJ3,0), [0;1]
      1   TEXT (Multiple-90560.01951), [1;0]
      .01 TEXT (Wx), [0;1]
9600  PQA DEM DEFS (Multiple-90560.0196), [96;0]
      .01 PQA DEM DEFS (MNJ3,0), [0;1]
      1   TEXT (Multiple-90560.01961), [1;0]
      .01 TEXT (Wx), [0;1]
9700  PQA NUM DEFS (Multiple-90560.0197), [97;0]
      .01 PQA NUM DEFS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90560.01971), [1;0]
      .01 TEXT (Wx), [0;1]
9800  ASTHMA DEN DEFS (Multiple-90560.0198), [98;0]
      .01 ASTHMA DEN DEFS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90560.01981), [1;0]
      .01 TEXT (W), [0;1]
9900  ASTHMA NUM DEFS (Multiple-90560.0199), [99;0]
      .01 ASTHMA NUM DEFS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90560.01991), [1;0]
      .01 TEXT (W), [0;1]

```

Figure 4-8: BGP 18 MEASURES

4.4.8 FILE: BGP 18 INDIVIDUAL MEASURES

GLOBAL: ^BGPINDRC(FILE #: 90560.02

```

CONDENSED DATA DICTIONARY---BGP 18 INDIVIDUAL MEASURES FILE (#90560.02)UCI:
CMBA,CMBA  VERSION: 18.0

STORED IN: ^BGPINDRC(                               10/12/17  PAGE 1
-----
                                           FILE SECURITY

```

| | | | | | |
|----------------------|-----------------------------------|--------------------|--------------------|--------------------------|---|
| | DD SECURITY | : | @ | DELETE SECURITY: | @ |
| | READ SECURITY | : | @ | LAYGO SECURITY : | @ |
| | WRITE SECURITY | : | @ | | |
| CROSS REFERENCED BY: | | | | | |
| | ASTHMA REPORT?(AAST) | ORDER(AB) | ORDER(ABC) | CARDIO INDICATOR?(ACARD) | |
| | DASHBOARD ORDER(ADASH) | DM INDICATOR?(ADM) | ELDER RELATED(AEL) | | |
| | NATIONAL/PART(AGPRA) | IPC REPORT?(AIPC) | PQA(APQA) | | |
| | WOMEN'S HEALTH(AWH) | INDICATOR(B) | INDICATOR ID(C) | | |
| | TITLE FOR SCHEDULING OPTION(D) | ORDER(OR) | | | |
| FILE STRUCTURE | | | | | |
| FIELD NUMBER | FIELD NAME | | | | |
| .01 | INDICATOR (RP90560.01') | | [0;1] | | |
| .04 | INDICATOR ID (F) | | [0;4] | | |
| .05 | NATIONAL/PART (S) | | [0;5] | | |
| .06 | ONMNT1 (NJ3,0) | | [0;6] | | |
| .07 | ONMNT2 (NJ3,0) | | [0;7] | | |
| .08 | DENOM FIELD NUMBER (NJ7,3) | | [0;8] | | |
| .09 | NUMERATOR FIELD NUMBER (NJ7,3) | | [0;9] | | |
| .11 | PAGE BREAK DENOM NGR (S) | | [0;11] | | |
| .12 | DM INDICATOR? (S) | | [0;12] | | |
| .13 | CARDIO INDICATOR? (S) | | [0;13] | | |
| .14 | GPRANT1 PIECE (NJ5,0) | | [0;14] | | |
| .22 | ADD BANG (S) | | [0;22] | | |
| .23 | ASTHMA REPORT? (S) | | [0;23] | | |
| .24 | PAGE BREAK DENOM (S) | | [0;24] | | |
| 1 | M CODE NUMERATOR (K) | | [1;E1,245] | | |
| 2 | M CODE DENOMINATOR (K) | | [2;E1,245] | | |
| 3 | M CODE FOR COMP PL (K) | | [3;E1,245] | | |
| 4 | M CODE FOR SCHEDULING (K) | | [4;E1,245] | | |
| 1101 | IPC REPORT? (S) | | [11;1] | | |
| 1102 | PQA (S) | | [11;2] | | |
| 1103 | GPRANT3 (NJ4,0) | | [11;3] | | |
| 1201 | COLUMN TEXT FOR CMP PL (F) | | [12;1] | | |
| 1202 | WOMEN'S HEALTH (S) | | [12;2] | | |
| 1203 | ELDER RELATED (S) | | [12;3] | | |
| 1204 | ORDER (F) | | [12;4] | | |
| 1208 | PAGE BREAK NUMER COM (S) | | [12;8] | | |
| 1209 | TITLE FOR SCHEDULING OPTION (F) | | [12;9] | | |
| 1211 | ICARE TAB (S) | | [12;11] | | |
| 1212 | OTHER NATIONAL (S) | | [12;12] | | |
| 1213 | GPRANT2 PIECE (NJ3,0) | | [12;13] | | |
| 1214 | SKIP DENOM DISPLAY? (S) | | [12;14] | | |
| 1215 | PAGE BREAK DENOM ONM? (S) | | [12;15] | | |
| 1216 | TITLE 2 FOR SCHEDULING OPTION (F) | | [12;16] | | |
| 1217 | COUNT ONLY? (S) | | [12;17] | | |
| 1401 | NATL GPRA SUMMARY? (S) | | [14;1] | | |
| 1402 | NATL PREV YR (F) | | [14;2] | | |
| 1403 | NATL GPRA 2020 TARGET (F) | | [14;3] | | |
| 1404 | NATL SUM TITLE (F) | | [14;4] | | |
| 1405 | NATL SUM CATEGORY 1 (P90241.03') | | [14;5] | | |
| 1406 | NATL SUM SHEET ORDER (NJ4,0) | | [14;6] | | |

```

1407 NATL SUM TITLE 2 (F), [14;7]
1408 NATL GPRA TARGET (F), [14;8]
1409 NATL GPRA TARGET 2ND LINE (F), [14;9]
1410 NATL SUM PY LINE 2 (F), [14;10]
1411 SECOND LINE 2012 GOAL (F), [14;11]
1412 NATL SUM TITLE 3 (F), [14;12]
1413 NATL SUM TARGET (?) (F), [14;13]
1414 NATL SUM TITLE NY (F), [14;14]
1415 NATL SUM TITLE NY 2 (F), [14;15]
1416 NATL SUM TITLE NY 3 (F), [14;16]
1417 DASHBOARD ORDER (NJ2,0), [14;17]
1501 NON GPRA SUMMARY? (S), [15;1]
1502 NG NATIONAL CURRENT (F), [15;2]
1503 NG GOAL PY (F), [15;3]
1504 NG TITLE (F), [15;4]
1505 NG CATEGORY (P90241.03'), [15;5]
1506 NG ORDER ON SUMMARY SHEET (NJ4,0), [15;6]
1507 NG TITLE 2 (F), [15;7]
1508 NG GOAL (F), [15;8]
1509 NG SECOND LINE GOAL (F), [15;9]
1510 NG NATIONAL CURRENT 2 (F), [15;10]
1511 NG 2ND LINE 2012 GOAL (F), [15;11]
1512 NG TITLE 3 (F), [15;12]
1600 TEXT FOR SCHEDULING OPTION (Multiple-90560.16), [16;0]
    .01 TEXT FOR SCHEDULING OPTION (W), [0;1]
1601 TEXT FOR SCHEDULING NEXT YR (Multiple-90560.161), [1601;0]
    .01 TEXT FOR SCHEDULING NEXT YR (W), [0;1]
1701 ICARE GROUP (P90560.17'), [17;1]
1702 ICARE CATEGORY (P90560.18'), [17;2]
1703 ICARE MEASURE NAME (F), [17;3]
1704 ICARE EXCEPTION (S), [17;4]
1705 ICARE PERFORMANCE DIRECTION (F), [17;5]
1706 ICARE REPORT CODE (S), [17;6]
1707 ICARE IPC MEASURE? (S), [17;7]
1708 PREVOUS INDICATOR ID (F), [17;8]
1800 ICARE TOOLTIPS (Multiple-90560.0218), [18;0]
    .01 ICARE TOOLTIPS (W), [0;1]
1901 ON SUMMARY? (S), [19;1]
1902 ON NATIONAL CURRENT (F), [19;2]
1903 2020 TARGET (F), [19;3]
1904 ON TITLE (F), [19;4]
1905 ON CATEGORY (P90241.03'), [19;5]
1906 ON ORDER (NJ3,0), [19;6]
1907 ON TITLE 2 (F), [19;7]
1908 ON GOAL 08 (F), [19;8]
1909 ON SECOND LINE GOAL (F), [19;9]
1910 ON NATIONAL CURRENT 2 (F), [19;10]
1911 ON SECOND LINE 2012 GOAL (F), [19;11]
1912 ON TITLE 3 (F), [19;12]
1913 %? (S), [19;13]
2102 SKIP SELECTED REPORT? (S), [21;2]
2103 DEVELF1 PIECE (NJ4,0), [21;3]
2104 DEVELF2 PIECE (NJ3,0), [21;4]
2105 PAGE BREAK NUMER NGR? (S), [21;5]
2106 DEVELOPMENTAL MEASURE? (S), [21;6]
2107 ONMT3 (NJ3,0), [21;7]

```



```

2108   DEVELF3 (NJ4,0), [21;8]
2109   ONMT4 (NJ4,0), [21;9]
2110   ONMT5 (NJ3,0), [21;10]
2111   DEVELF4 (NJ3,0), [21;11]
2112   GPRANT4 (NJ3,0), [21;12]
2113   GPRANT5 (NJ4,0), [21;13]
2114   GPRANT6 (NJ3,0), [21;14]
2201   DEV SUMMARY? (S), [22;1]
2202   DEV NATIONAL CURRENT (F), [22;2]
2203   DEV GOAL (F), [22;3]
2204   DEV TITLE (F), [22;4]
2205   CATEGORY (P90241.03'), [22;5]
2206   DEV ORDER ON SUMMARY SHEET (NJ3,0), [22;6]
2207   DEV TITLE 2 (F), [22;7]
2208   DEV GOAL NY (F), [22;8]
2209   DEV SECOND LINE GOAL (F), [22;9]
2210   DEV NATL CURRENT 2 (F), [22;10]
2211   DEV SECOND LINE GOAL (F), [22;11]
2212   DEV TITLE 3 (F), [22;12]
2213   PART MEASURE? (S), [22;13]
2214   PART 2012 (F), [22;14]
2215   ADD %LINE? (S), [22;15]
2301   ADD BANG ON DASHBOARD? (S), [23;1]
2302   DASHBOARD LABEL (F), [23;2]
2303   DASHBOARD # NOT % (S), [23;3]
2304   PERCENT INCREASE NO DENOM (NJ7,2), [23;4]
2305   NEG DASHBOARD (S), [23;5]
2306   DASHBOARD LABEL 2 (F), [23;6]
2307   USE PRE-SPLIT LABELS? (S), [23;7]
2401   DEN LABEL SELECTED (F), [24;1]
2402   NUM LABEL SELECTED (F), [24;2]
2501   DEN LABEL NGR (F), [25;1]
2502   NUM LABEL NGR (F), [25;2]
2601   DEN LABEL DEV (F), [26;1]
2602   NUM LABEL DEV (F), [26;2]
2701   DEN LABEL ONM (F), [27;1]
2702   NUM LABEL ONM (F), [27;2]
2801   DEN LABEL DM (F), [28;1]
2802   NUM LABEL DM (F), [28;2]
2901   DEN LABEL CVD (F), [29;1]
2902   NUM LABEL CVD (F), [29;2]
3101   DEN LABEL WH (F), [31;1]
3102   NUM LABEL WH (F), [31;2]
3201   DEN LABEL PQA (F), [32;1]
3202   NUM LABEL PQA (F), [32;2]
3301   DEN LABEL IPC (F), [33;1]
3302   NUM LABEL IPC (F), [33;2]
3401   DEN LABEL ASTHMA (F), [34;1]
3402   NUM LABEL ASTHMA (F), [34;2]
9999   LORI (S), [9999;1]
99991  LORI1 (S), [9999;2]

```

Figure 4-9: BGP 18 INDIVIDUAL MEASURES

4.4.9 FILE: BGP 18 NATIONAL PATIENT LISTS

GLOBAL: ^BGNPLR(FILE #: 90560.06

```

CONDENSED DATA DICTIONARY---BGP 18 NATIONAL PATIENT LISTS FILE (#90560.06)UCI:
CMBA,CMBA  VERSION: 18.0

STORED IN: ^BGNPLR(                               10/12/17    PAGE 1
-----
                                           FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY: @

CROSS REFERENCED BY:
ORDER ON NATIONAL(AN)  ORDER ON OTHER NATIONAL(AON)
NATIONAL/OTHER NATIONAL(AR)  POINTER(B)  INDIVIDUAL INDICATOR ID(C)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        POINTER (RP90560.01'), [0;1]
.02        INDIVIDUAL INDICATOR ID (F), [0;2]
.03        LIST TITLE (F), [0;3]
.04        NATIONAL/OTHER NATIONAL (S), [0;4]
.05        ORDER ON NATIONAL (NJ3,0), [0;5]
.06        ORDER ON OTHER NATIONAL (NJ3,0), [0;6]
.07        DEVELOPMENTAL OR NATIONAL (S), [0;7]
1101       LIST TITLE FOR REPORT (Multiple-90560.61101), [11;0]
           .01 LIST TITLE FOR REPORT (W), [0;1]
1201       SET LIST VALUE (K), [12;E1,245]

```

Figure 4-10: BGP 18 NATIONAL PATIENT LISTS

4.4.10 FILE: BGP 18 SNOMED SUBSETS

GLOBAL: ^BGPSNOSR(FILE #: 90560.07

```

CONDENSED DATA DICTIONARY---BGP 18 SNOMED SUBSETS FILE (#90560.07)UCI: CMBA,CMBA
VERSION: 18.0

STORED IN: ^BGPSNOSR(                               10/12/17    PAGE 1
-----
                                           FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY: @

CROSS REFERENCED BY:
SUBSET NAME(B)

```

| FILE STRUCTURE | |
|----------------|-------------------------|
| FIELD NUMBER | FIELD NAME |
| .01 | SUBSET NAME (RF), [0;1] |

Figure 4-11: BGP 18 SNOMED SUBSETS

4.4.11 FILE: BGP 18 TAXONOMIES

GLOBAL: ^BGPTAXR(FILE #: 90560.08

| VERSION: 18.0 | |
|----------------------|---|
| STORED IN: ^BGPTAXR(| 10/11/17 PAGE 1 |
| ----- | |
| | FILE SECURITY |
| | DD SECURITY : @ DELETE SECURITY: @ |
| | READ SECURITY : @ LAYGO SECURITY : @ |
| | WRITE SECURITY : @ |
| CROSS REFERENCED BY: | |
| TAXONOMY NAME(B) | |
| FILE STRUCTURE | |
| FIELD NUMBER | FIELD NAME |
| .01 | TAXONOMY NAME (RF), [0;1] |
| .02 | TYPE (S), [0;2] |
| .03 | LAST CHECKED/EXPORTED (D), [0;3] |
| .04 | EDITABLE? (S), [0;4] |
| .05 | EXPORT? (S), [0;6] |
| 1100 | DESCRIPTION (Multiple-90560.0811), [11;0] |
| | .01 DESCRIPTION (W), [0;1] |
| 1200 | REPORTS (Multiple-90560.0812), [12;0] |
| | .01 REPORTS (MS), [0;1] |
| 1201 | USED THIS YEAR (S), [0;5] |

Figure 4-12: BGP 18 TAXONOMIES

4.4.12 FILE: BGP 18 MEASURE GROUPS

GLOBAL: ^BGPMGRPR(FILE #: 90560.1

| | |
|-----------------------|-----------------|
| VERSION: 18.0 | |
| STORED IN: ^BGPMGRPR(| 10/11/17 PAGE 1 |
| ----- | |
| FILE SECURITY | |

```

DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY   : @      LAYGO SECURITY  : @
WRITE SECURITY  : @

CROSS REFERENCED BY:
  GROUP NAME(B)

FILE STRUCTURE

FIELD   FIELD
NUMBER  NAME

.01     GROUP NAME (RF), [0;1]
    
```

Figure 4-13: BGP 18 MEASURE GROUPS

4.4.13 FILE: BGP 18 PATIENT ED DATA CURRENT

GLOBAL: ^BGPPEDCR(FILE #: 90560.12

```

CONDENSED DATA DICTIONARY---BGP 18 PATIENT ED DATA CURRENT FILE (#90560.12)UCI:
DEV,DEV  VERSION: 18.0

STORED IN: ^BGPPEDCR(                               10/11/17      PAGE 1
-----
FILE SECURITY
DD SECURITY   : @      DELETE SECURITY: @
READ SECURITY : M      LAYGO SECURITY : M
WRITE SECURITY: M

CROSS REFERENCED BY:
  BEGINNING DATE(B)

FILE STRUCTURE

FIELD   FIELD
NUMBER  NAME

.01     BEGINNING DATE (RD), [0;1]
.02     ENDING DATE (RD), [0;2]
.03     PREVIOUS YR BEG DATE (RD), [0;3]
.04     PREVIOUS YR END DATE (RD), [0;4]
.05     BASELINE YEAR BEG DATE (RD), [0;5]
.06     BASELINE YR END DATE (RD), [0;6]
.07     FY (D), [0;7]
.08     QUARTER (S), [0;8]
.09     FACILITY ASUFAC (F), [0;9]
.1      SU CODE (F), [0;10]
.11     POPULATION (S), [0;11]
.12     DB ID (F), [0;12]
.13     DATE REPORT RUN (D), [0;13]
.14     TEMPLATE? (S), [0;14]
1101    USER POP (NJ6,0), [11;1]
1102    NUMBER W/EDUCATION 1.1.1 (NJ6,0), [11;2]
1103    AVG TIME SPENT 2.1.2A (NJ8,0), [11;3]
    
```

```

1104 MINIMUM TIME SPENT (NJ6,0), [11;4]
1105 MAXIMUM TIME SPENT (NJ6,0), [11;5]
1106 # TOPICS W/MINS & PROVIDER (NJ9,0), [11;6]
1107 TOTAL # OF MINS 2.1.1 (NJ8,0), [11;7]
1108 TOTAL # OF CODES 3.1.1 (NJ5,0), [11;8]
1109 TOTAL # TOPICS 4.1.1 (NJ5,0), [11;9]
1110 TOTAL 5.1.1 (NJ7,0), [11;10]
1111 MFI COMMUNITIES (Multiple-90560.12111), [1111;0]
    .01 MFI COMMUNITIES (F), [0;1]
1112 TOTAL 6.1.1 (NJ6,0), [11;12]
1113 GOOD (NJ6,0), [11;13]
1114 FAIR (NJ6,0), [11;14]
1115 POOR (NJ6,0), [11;15]
1116 REFUSED (NJ6,0), [11;16]
1117 GROUP NO ASSESS (NJ6,0), [11;17]
1118 BLANK (NJ5,0), [11;18]
1119 7 DENOM (NJ5,0), [11;19]
1120 7.2.1 NUMER GS (NJ5,0), [11;20]
1121 7.2.2 NUMER GNS (NJ5,0), [11;21]
1122 7.1.3 NUMER GM (NJ5,0), [11;22]
1123 7.2.4 NUMER (NJ5,0), [11;23]
1124 7.1.1 (NJ5,0), [11;24]
1129 7.1 DENOM USER POP (NJ5,0), [11;29]
1200 2.1 RATE (Multiple-90560.1212), [12;0]
    .01 2.1 RATE (F), [0;1]
    .02 LONG NAME (F), [0;2]
    .03 # MINS (NJ6,0), [0;3]
1300 TOP 25 DXS (Multiple-90560.1213), [13;0]
    .01 TOP 25 DXS (F), [0;1]
    .02 LONG NAME (F), [0;2]
    .03 # OF CODES (NJ6,0), [0;3]
1400 4.1.1 (Multiple-90560.1214), [14;0]
    .01 4.1.1 (F), [0;1]
    .02 LONG NAME (F), [0;2]
    .03 # TOPICS (NJ6,0), [0;3]
1500 5.1.1 (Multiple-90560.1215), [15;0]
    .01 5.1.1 (F), [0;1]
    .02 LONG NAME (F), [0;2]
    .03 # TOPICS (NJ7,0), [0;3]
1600 7.2.1 (Multiple-90560.1216), [16;0]
    .01 7.2.1 (F), [0;1]
    .02 GOAL TYPE (F), [0;2]
    .03 # OF GOAL (NJ5,0), [0;3]
1700 7.1.2 GOAL NOT SET (Multiple-90560.1217), [17;0]
    .01 7.1.2 GOAL NOT SET (F), [0;1]
    .02 GOAL NOT SET TYPE (F), [0;2]
    .03 # NOT SET (NJ5,0), [0;3]
1800 GOAL MET (Multiple-90560.1218), [18;0]
    .01 GOAL MET (F), [0;1]
    .02 GOAL MET (F), [0;2]
    .03 # MET (NJ4,0), [0;3]
1900 GOAL MAINTAINED (Multiple-90560.1219), [19;0]
    .01 GOAL MAINTAINED (F), [0;1]
    .02 GOAL MAINTAINED (F), [0;2]
    .03 # MAINTAINED (NJ6,0), [0;3]
2100 GOAL NOT MET (Multiple-90560.1221), [21;0]

```

```

.01 GOAL NOT MET (F), [0;1]
.02 GOAL NOT MET (F), [0;2]
.03 # GOAL NOT MET (NJ6,0), [0;3]
9999 COMMUNITIES (Multiple-90560.129), [9999;0]
.01 COMMUNITIES (F), [0;1]
    
```

Figure 4-14: BGP 18 PATIENT ED DATA CURRENT

4.4.14 FILE: BGP 18 PATIENT ED DATA PREVIOUS

GLOBAL: ^BGPPEDPR(FILE #: 90560.13

```

CONDENSED DATA DICTIONARY---BGP 18 PATIENT ED DATA PREVIOUS FILE (#90560.13)UCI:
DEV,DEV  VERSION: 18.0

STORED IN: ^BGPPEDPR(                               10/11/17       PAGE 1
-----
                                           FILE SECURITY
                                           DD SECURITY      : @      DELETE SECURITY: M
                                           READ SECURITY    : M      LAYGO SECURITY  : M
                                           WRITE SECURITY   : M

CROSS REFERENCED BY:
  BEGINNING DATE(B)

                                           FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        BEGINNING DATE (RD), [0;1]
.02        ENDING DATE (RD), [0;2]
.03        PREVIOUS YR BEG DATE (RD), [0;3]
.04        PREVIOUS YR END DATE (RD), [0;4]
.05        BASELINE YEAR BEG DATE (RD), [0;5]
.06        BASELINE YR END DATE (RD), [0;6]
.07        FY (D), [0;7]
.08        QUARTER (S), [0;8]
.09        FACILITY ASUFAC (F), [0;9]
.1         SU CODE (F), [0;10]
.11        POPULATION (S), [0;11]
.12        DB ID (F), [0;12]
.13        DATE REPORT RUN (D), [0;13]
.14        TEMPLATE? (S), [0;14]
1101       USER POP (NJ6,0), [11;1]
1102       NUMBER W/EDUCATION 1.1.1 (NJ6,0), [11;2]
1103       AVG TIME SPENT 2.1.2A (NJ8,0), [11;3]
1104       MINIMUM TIME SPENT (NJ6,0), [11;4]
1105       MAXIMUM TIME SPENT (NJ6,0), [11;5]
1106       # TOPICS W/MINS & PROVIDER (NJ9,0), [11;6]
1107       TOTAL # OF MINS 2.1.1 (NJ8,0), [11;7]
1108       TOTAL # OF CODES 3.1.1 (NJ5,0), [11;8]
1109       TOTAL # TOPICS 4.1.1 (NJ5,0), [11;9]
1110       TOTAL 5.1.1 (NJ7,0), [11;10]
    
```

| | |
|------|--|
| 1111 | MFI COMMUNITIES (Multiple-90560.13111), [1111;0] |
| | .01 MFI COMMUNITIES (F), [0;1] |
| 1112 | TOTAL 6.1.1 (NJ6,0), [11;12] |
| 1113 | GOOD (NJ6,0), [11;13] |
| 1114 | FAIR (NJ6,0), [11;14] |
| 1115 | POOR (NJ6,0), [11;15] |
| 1116 | REFUSED (NJ6,0), [11;16] |
| 1117 | GROUP NO ASSESS (NJ6,0), [11;17] |
| 1118 | BLANK (NJ5,0), [11;18] |
| 1119 | 7 DENOM (NJ5,0), [11;19] |
| 1120 | 7.2.1 NUMER GS (NJ5,0), [11;20] |
| 1121 | 7.2.2 NUMER GNS (NJ5,0), [11;21] |
| 1122 | 7.1.3 NUMER GM (NJ5,0), [11;22] |
| 1124 | 7.1.1 (NJ5,0), [11;24] |
| 1129 | 7.1 DENOM USER POP (NJ5,0), [11;29] |
| 1200 | 2.1 RATE (Multiple-90560.1312), [12;0] |
| | .01 2.1 RATE (F), [0;1] |
| | .02 LONG NAME (F), [0;2] |
| | .03 # MINS (NJ6,0), [0;3] |
| 1300 | TOP 25 DXS (Multiple-90560.1313), [13;0] |
| | .01 TOP 25 DXS (F), [0;1] |
| | .02 LONG NAME (F), [0;2] |
| | .03 # OF CODES (NJ6,0), [0;3] |
| 1400 | 4.1.1 (Multiple-90560.1314), [14;0] |
| | .01 4.1.1 (F), [0;1] |
| | .02 LONG NAME (F), [0;2] |
| | .03 # TOPICS (NJ6,0), [0;3] |
| 1500 | 5.1.1 (Multiple-90560.1315), [15;0] |
| | .01 5.1.1 (F), [0;1] |
| | .02 LONG NAME (F), [0;2] |
| | .03 # TOPICS (NJ7,0), [0;3] |
| 1600 | 7.2.1 (Multiple-90560.1316), [16;0] |
| | .01 7.2.1 (F), [0;1] |
| | .02 GOAL TYPE (F), [0;2] |
| | .03 # OF GOAL (NJ5,0), [0;3] |
| 1700 | 7.1.2 GOAL NOT SET (Multiple-90560.1317), [17;0] |
| | .01 7.1.2 GOAL NOT SET (F), [0;1] |
| | .02 GOAL NOT SET TYPE (F), [0;2] |
| | .03 # NOT SET (NJ5,0), [0;3] |
| 1800 | GOAL MET (Multiple-90560.1318), [18;0] |
| | .01 GOAL MET (F), [0;1] |
| | .02 GOAL MET (F), [0;2] |
| | .03 # MET (NJ4,0), [0;3] |
| 1900 | GOAL MAINTAINED (Multiple-90560.1319), [19;0] |
| | .01 GOAL MAINTAINED (F), [0;1] |
| | .02 GOAL MAINTAINED (F), [0;2] |
| | .03 # MAINTAINED (NJ6,0), [0;3] |
| 2100 | GOAL NOT MET (Multiple-90560.1321), [21;0] |
| | .01 GOAL NOT MET (F), [0;1] |
| | .02 GOAL NOT MET (F), [0;2] |
| | .03 # GOAL NOT MET (NJ6,0), [0;3] |
| 9999 | COMMUNITIES (Multiple-90560.139), [9999;0] |
| | .01 COMMUNITIES (F), [0;1] |

Figure 4-15: BGP 18 PATIENT ED DATA PREVIOUS

4.4.15 FILE: BGP 18 PATIENT ED DATA BASELINE

GLOBAL: ^BGPPEDBR(FILE #: 90560.14

```

CONDENSED DATA DICTIONARY---BGP 18 PATIENT ED DATA BASELINE FILE (#90560.14)UCI:
DEV,DEV  VERSION: 18.0

STORED IN: ^BGPPEDBR(                               10/11/17       PAGE 1
-----
                                           FILE SECURITY
                                           DD SECURITY   : @   DELETE SECURITY: M
                                           READ SECURITY  : M   LAYGO SECURITY : M
                                           WRITE SECURITY: M

CROSS REFERENCED BY:
  BEGINNING DATE(B)

                                           FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        BEGINNING DATE (RD), [0;1]
.02        ENDING DATE (RD), [0;2]
.03        PREVIOUS YR BEG DATE (RD), [0;3]
.04        PREVIOUS YR END DATE (RD), [0;4]
.05        BASELINE YEAR BEG DATE (RD), [0;5]
.06        BASELINE YR END DATE (RD), [0;6]
.07        FY (D), [0;7]
.08        QUARTER (S), [0;8]
.09        FACILITY ASUFAC (F), [0;9]
.1         SU CODE (F), [0;10]
.11        POPULATION (S), [0;11]
.12        DB ID (F), [0;12]
.13        DATE REPORT RUN (D), [0;13]
.14        TEMPLATE? (S), [0;14]
1101       USER POP (NJ6,0), [11;1]
1102       NUMBER W/EDUCATION 1.1.1 (NJ6,0), [11;2]
1103       AVG TIME SPENT 2.1.2A (NJ8,0), [11;3]
1104       MINIMUM TIME SPENT (NJ6,0), [11;4]
1105       MAXIMUM TIME SPENT (NJ6,0), [11;5]
1106       # TOPICS W/MINS & PROVIDER (NJ9,0), [11;6]
1107       TOTAL # OF MINS 2.1.1 (NJ8,0), [11;7]
1108       TOTAL # OF CODES 3.1.1 (NJ5,0), [11;8]
1109       TOTAL # TOPICS 4.1.1 (NJ5,0), [11;9]
1110       TOTAL 5.1.1 (NJ7,0), [11;10]
1111       MFI COMMUNITIES (Multiple-90560.14111), [1111;0]
           .01 MFI COMMUNITIES (F), [0;1]
1112       TOTAL 6.1.1 (NJ6,0), [11;12]
1113       GOOD (NJ6,0), [11;13]
1114       FAIR (NJ6,0), [11;14]
1115       POOR (NJ6,0), [11;15]
1116       REFUSED (NJ6,0), [11;16]
1117       GROUP NO ASSESS (NJ6,0), [11;17]
1118       BLANK (NJ5,0), [11;18]
    
```


| | |
|------|--|
| 1119 | 7 DENOM (NJ5,0), [11;19] |
| 1120 | 7.2.1 NUMER GS (NJ5,0), [11;20] |
| 1121 | 7.2.2 NUMER GNS (NJ5,0), [11;21] |
| 1122 | 7.1.3 NUMER GM (NJ5,0), [11;22] |
| 1123 | 7.2.4 NUMER (NJ5,0), [11;23] |
| 1124 | 7.1.1 (NJ5,0), [11;24] |
| 1129 | 7.1 DENOM USER POP (NJ5,0), [11;29] |
| 1200 | 2.1 RATE (Multiple-90560.1412), [12;0] |
| | .01 2.1 RATE (F), [0;1] |
| | .02 LONG NAME (F), [0;2] |
| | .03 # MINS (NJ6,0), [0;3] |
| 1300 | TOP 25 DXS (Multiple-90560.1413), [13;0] |
| | .01 TOP 25 DXS (F), [0;1] |
| | .02 LONG NAME (F), [0;2] |
| | .03 # OF CODES (NJ6,0), [0;3] |
| 1400 | 4.1.1 (Multiple-90560.1414), [14;0] |
| | .01 4.1.1 (F), [0;1] |
| | .02 LONG NAME (F), [0;2] |
| | .03 # TOPICS (NJ6,0), [0;3] |
| 1500 | 5.1.1 (Multiple-90560.1415), [15;0] |
| | .01 5.1.1 (F), [0;1] |
| | .02 LONG NAME (F), [0;2] |
| | .03 # TOPICS (NJ7,0), [0;3] |
| 1600 | 7.2.1 (Multiple-90560.1416), [16;0] |
| | .01 7.2.1 (F), [0;1] |
| | .02 GOAL TYPE (F), [0;2] |
| | .03 # OF GOAL (NJ5,0), [0;3] |
| 1700 | 7.1.2 GOAL NOT SET (Multiple-90560.1417), [17;0] |
| | .01 7.1.2 GOAL NOT SET (F), [0;1] |
| | .02 GOAL NOT SET TYPE (F), [0;2] |
| | .03 # NOT SET (NJ5,0), [0;3] |
| 1800 | GOAL MET (Multiple-90560.1418), [18;0] |
| | .01 GOAL MET (F), [0;1] |
| | .02 GOAL MET (F), [0;2] |
| | .03 # MET (NJ4,0), [0;3] |
| 1900 | GOAL MAINTAINED (Multiple-90560.1419), [19;0] |
| | .01 GOAL MAINTAINED (F), [0;1] |
| | .02 GOAL MAINTAINED (F), [0;2] |
| | .03 # MAINTAINED (NJ6,0), [0;3] |
| 2100 | GOAL NOT MET (Multiple-90560.1421), [21;0] |
| | .01 GOAL NOT MET (F), [0;1] |
| | .02 GOAL NOT MET (F), [0;2] |
| | .03 # GOAL NOT MET (NJ6,0), [0;3] |
| 9999 | COMMUNITIES (Multiple-90560.149), [9999;0] |
| | .01 COMMUNITIES (F), [0;1] |

Figure 4-16: BGP 18 PATIENT ED DATA BASELINE

4.4.16 FILE: BGP 18 PAT ED MEASURES

GLOBAL: ^BGPPEIR(FILE #: 90560.15

CONDENSED DATA DICTIONARY---BGP 18 PAT ED MEASURES FILE (#90560.15)UCI: DEV,DEV
VERSION: 18.0

```

STORED IN: ^BGPPEIR(                                     10/11/17      PAGE 1
-----
                                           FILE SECURITY
DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY    : @      LAYGO SECURITY  : @
WRITE SECURITY   : @

CROSS REFERENCED BY:
    ORDER TO DISPLAY(AO)  MEASURE NUMBER(B)
FILE STRUCTURE

FIELD          FIELD
NUMBER         NAME

.01            MEASURE NUMBER (RNJ2,0), [0;1]
.02            TITLE (F), [0;2]
.03            ORDER TO DISPLAY (NJ2,0), [0;3]
.04            LIST SELECTION TITLE (F), [0;4]
1101          FY LOGIC (Multiple-90560.151101), [11;0]
              .01 FY LOGIC (W), [0;1]
1400          TAXONOMIES USED (Multiple-90560.1514), [14;0]
              .01 TAXONOMIES USED (MS), [0;1]
              .02 TAXONOMY PTR (PROGRAMMER USE) (P9002226'), [0;2]
              .03 TAXONOMY NAME (F), [0;3]
6100          DENOMINATOR DEFINITIONS (Multiple-90560.1561), [61;0]
              .01 DENOMINATOR DEFINITIONS (NJ2,0), [0;1]
              11 TEXT (Multiple-90560.156111), [11;0]
                 .01 TEXT (W), [0;1]
6200          NUMERATOR (Multiple-90560.1562), [62;0]
              .01 NUMERATOR (MNJ2,0), [0;1]
              11 TEXT (Multiple-90560.156211), [11;0]
                 .01 TEXT (W), [0;1]
7100          LIST PRINT 1ST PAGE (Multiple-90560.1571), [71;0]
              .01 LIST PRINT 1ST PAGE (W), [0;1]
7200          LIST PRINT SECOND PAGE (Multiple-90560.1572), [72;0]
              .01 LIST PRINT SECOND PAGE (W), [0;1]
    
```

Figure 4-17: BGP 18 PAT ED MEASURES

4.4.17 FILE: BGP 18 ICARE GROUPS

GLOBAL: ^BGPICAGR(FILE #: 90560.17

```

VERSION: 18.0

STORED IN: ^BGPICAGR(                                     10/11/17      PAGE 1
-----
                                           FILE SECURITY
DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY    : @      LAYGO SECURITY  : @
WRITE SECURITY   : @

CROSS REFERENCED BY:
    
```

```

CATEGORY(B)

FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]
    
```

Figure 4-18: BGP 18 ICARE GROUPS

4.4.18 FILE: BGP 18 ICARE CATEGORIES

GLOBAL: ^BGPICACR(FILE #: 90560.18

```

VERSION: 18.0

STORED IN: ^BGPICACR(                               10/11/17    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY   : @      LAYGO SECURITY  : @
                                WRITE SECURITY  : @

CROSS REFERENCED BY:
CATEGORY(B)

FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]
    
```

Figure 4-19: BGP 18 ICARE CATEGORIES

4.4.19 FILE: BGP 18 GUI OUTPUT

GLOBAL: ^BGPGUIR(FILE #: 90560.19

```

CONDENSED DATA DICTIONARY---BGP 18 GUI REPORT OUTPUT FILE (#90560.19)UCI: CMBA,C
MBA                                                                VERSION: 18.0

STORED IN: ^BGPGUIR(                               10/11/17    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY   : @      LAYGO SECURITY  : @
                                WRITE SECURITY  : @

CROSS REFERENCED BY:
    
```

```

START TIME(AC)  START TIME(AUSR)  NAME(B)

                                FILE STRUCTURE

FIELD          FIELD
NUMBER        NAME

.01           NAME (RF), [0;1]
.02           USER WHO REQUESTED REPORT (P200'), [0;2]
.03           START TIME (D), [0;3]
.04           END TIME (D), [0;4]
.05           TYPE OF REPORT (F), [0;5]
.06           STATUS (S), [0;6]
.07           TYPE OF OUTPUT (S), [0;7]
.08           EXPORT FILENAME (F), [0;8]
.09           TASK NUMBER (NJ9,0), [0;9]
1             EXPORTED FILENAMES (F), [1;1]
1100          PRINT FORMATTED OUTPUT (Multiple-90560.1911), [11;0]
              .01 OUTPUT (W), [0;1]
1200          DELIMITED FORMATTED OUTPUT (Multiple-90560.1912), [12;0]
              .01 DELIMITED FORMATTED OUTPUT (W), [0;1]
FILE: BGP 18 SNOMED LISTS
    
```

Figure 4-20: BGP 18 GUI OUTPUT

GLOBAL: ^BGPSNOMR(FILE #: 90560.21

```

CONDENSED DATA DICTIONARY---BGP 18 SNOMED LISTS FILE (#90560.21)UCI: CMBA,CMBA
VERSION: 18.0

STORED IN: ^BGPSNOMR(                               10/11/17       PAGE 1
-----

                                FILE SECURITY
                                DD SECURITY   : @      DELETE SECURITY: @
                                READ SECURITY  : @      LAYGO SECURITY  : @
                                WRITE SECURITY: @

CROSS REFERENCED BY:
NAME OF LIST(B)

                                FILE STRUCTURE

FIELD          FIELD
NUMBER        NAME

.01           NAME OF LIST (RF), [0;1]
1101          SNOMED CODE (Multiple-90560.2111), [11;0]
              .01 SNOMED CODE (MF), [0;1]
    
```

Figure 4-21: BGP 18 SNOMED LISTS

4.4.20 FILE: BGP 18 ELDER INDIVIDUAL MEASURES

GLOBAL: ^BGPELIIR(FILE #: 90561.02

```

CONDENSED DATA DICTIONARY---BGP 18 ELDER INDIVIDUAL MEASURES FILE (#90561.02)UCI:
CMBA,CMBA  VERSION: 18.0

STORED IN: ^BGPELIIR(                               10/12/17  PAGE 1
-----
                                           FILE SECURITY
                                           DD SECURITY   : @   DELETE SECURITY: @
                                           READ SECURITY  : @   LAYGO SECURITY : @
                                           WRITE SECURITY : @

CROSS REFERENCED BY:
ORDER(AB) ORDER(ABC) ORDER(AE) ORDER(AP) INDICATOR(B)
INDICATOR ID(C) ORDER(OR)

                                           FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        INDICATOR (RP90561.06'), [0;1]
.019       INDICATOR (CJ8), [ ; ]
.04        INDICATOR ID (F), [0;4]
.08        DENOM FIELD NUMBER (NJ10,3), [0;8]
.09        NUMERATOR FIELD NUMBER (NJ10,3), [0;9]
.15        LINE TITLE 1 (F), [0;15]
.16        LINE TITLE 2 (F), [0;16]
.17        LOCAL DENOM TITLE 1 (F), [0;17]
.18        LOCAL DENOM TITLE 2 (F), [0;18]
.19        LINE TITLE 3 (F), [0;19]
.21        LOCAL DENOM TITLE 3 (F), [0;21]
.22        ADD BANG (S), [0;22]
1          M CODE NUMERATOR (K), [1;E1,245]
2          M CODE DENOMINATOR (K), [2;E1,245]
1204      ORDER (F), [12;4]
2401      DEN LABEL (F), [24;1]
2402      NUM LABEL (F), [24;2]
    
```

Figure 4-22: BGP 18 ELDER INDIVIDUAL MEASURES

4.4.21 FILE: BGP 18 ELDER MEASURES

GLOBAL: ^BGPELIR(FILE #: 90561.06

```

VERSION: 18.0

STORED IN: ^BGPELIR(                               10/11/17  PAGE 1
-----
                                           FILE SECURITY
    
```

```

DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY   : @      LAYGO SECURITY  : @
WRITE SECURITY  : @

CROSS REFERENCED BY:
ORDER ON SELECTION/REPORT(AO)  INDICATOR NUMBER(B)
TITLE(C)  TITLE(D)  PUID(PUID)

FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        INDICATOR NUMBER (RNJ3,0X), [0;1]
.02        ORDER ON SELECTION/REPORT (F), [0;2]
.03        TITLE (F), [0;3]
.04        SELECTION TITLE (F), [0;4]
.05        LIST SELECTION TITLE (F), [0;5]
.06        ORDER TO DISPLAY (NJ4,0), [0;6]
.12        NO LIST (S), [0;12]
1          M CODE TO EXECUTE (K), [1;E1,245]
2          SET LIST VALUE (K), [2;E1,245]
3          PRINT M CODE (K), [3;E1,245]
4          DELIMITED FILE PRINT (K), [4;E1,245]
1100      FY LOGIC (Multiple-90561.0611), [11;0]
          .01 LOGIC USED (W), [0;1]
1201      PUID (NJ3,0), [12;1]
5300      REPORT PRINT 2ND PAGE (Multiple-90561.0653), [53;0]
          .01 REPORT PRINT 2ND PAGE (W), [0;1]
6100      DENOMINATOR DEFINITIONS (Multiple-90561.0661), [61;0]
          .01 DENOMINATOR DEFINITIONS (MNJ2,0), [0;1]
          1 DENOM DESCRIPTION (Multiple-90561.06611), [1;0]
          .01 DENOM DESCRIPTION (W), [0;1]
6200      NUMERATOR DEFINITIONS (Multiple-90561.0662), [62;0]
          .01 NUMERATOR DEFINITIONS (MNJ2,0X), [0;1]
          .02 REPORTS (F), [0;2]
          .03 SEL (F), [0;3]
          1 NUMERATOR DESCRIPTION (Multiple-90561.06621), [1;0]
          .01 NUMERATOR DESCRIPTION (W), [0;1]
7100      REPORT LIST 1ST PAGE (Multiple-90561.0671), [71;0]
          .01 REPORT LIST 1ST PAGE (W), [0;1]
7200      LIST PRINT SECOND PAGE (Multiple-90561.0672), [72;0]
          .01 LIST PRINT SECOND PAGE (W), [0;1] 7200
    
```

Figure 4-23: BGP 18 ELDER MEASURES

5.0 Internal Relations

All users should be given the access to the appropriate options and keys, as needed.
All options in this system stand alone.

6.0 External Relations

6.1 External Calls

This package calls the following documented entry points:

| V. A. C R O S S R E F E R E N C E R 7.3 [2008 VA Standards & Conventions] UCI: CMBA CPU: CMBA Oct 12, 2017@07:13:32 | |
|---|---|
| Routine | is Invoked by: |
| ^%DT | BGP8AU1R, BGP8GUA, BGP8UTL1, dd90241.01, dd90245.07 dd90245.1, dd90560.03, dd90560.04, dd90560.05 dd90560.08, dd90560.12, dd90560.13, dd90560.14 dd90560.19, dd90561.03, dd90561.04, dd90561.05 |
| DD^%DT | BGP8AU1M, BGP8DPE |
| ^%DTC | BGP8D36 |
| C^%DTC | BGP8GMUE, BGP8GMUH, BGP8UTL3 |
| COMMA^%DTC | BGP8DBPR, BGP8DELP, BGP8DP, BGP8DP11, BGP8DP12, BGP8DP13 BGP8DP14, BGP8DP19, BGP8DP1C, BGP8DP1H, BGP8DP1I, BGP8DP1J BGP8DP1K, BGP8DP1L, BGP8DP1M, BGP8DP1N, BGP8DP1O, BGP8DP1S BGP8DP1T, BGP8DP2, BGP8DP3, BGP8DP4, BGP8DP5, BGP8DP50 BGP8DP51, BGP8DP6, BGP8DP60 BGP8DP7, BGP8DP8, BGP8DPED, BGP8DPEP, BGP8DPH, BGP8EL10 BGP8EL11, BGP8EL12, BGP8EL13, BGP8EL14, BGP8EL15, BGP8EL16 BGP8EL17, BGP8EL18, BGP8EL19, BGP8EL1A, BGP8EL1B, BGP8EL1C BGP8EL1D, BGP8EL1E, BGP8EL1F, BGP8EL1G, BGP8EL1H, BGP8EL1I BGP8EL1J, BGP8EL1K BGP8EL1L, BGP8EL1M, BGP8EL1N, BGP8EL1O, BGP8EL1P, BGP8EL1Q BGP8EL1R, BGP8EL1S, BGP8EL1T, BGP8ELL, BGP8ELL1, BGP8ELL2 BGP8ELL3, BGP8ELL4, BGP8ELL5, BGP8ELL6, BGP8ELL7, BGP8ELL8 BGP8ELL9, BGP8ELLA, BGP8ELLB, BGP8ELLC, BGP8ELLD, BGP8ELLE BGP8ELLF, BGP8ELLG BGP8ELLH, BGP8ELLI, BGP8ELLJ, BGP8ELLK, BGP8ELLL, BGP8ELLM BGP8ELLN, BGP8ELLO, BGP8ELLP, BGP8ELLQ, BGP8ELLR, BGP8ELLS BGP8ELLT, BGP8ELLU, BGP8ELLV, BGP8ELLW, BGP8ELLX, BGP8ELP1 BGP8PD19, BGP8PDL, BGP8PDL0, BGP8PDL1, BGP8PDL2, BGP8PDL3 BGP8PDL4, BGP8PDL5 BGP8PDL7, BGP8PDL8, BGP8PDL9, BGP8PDLA, BGP8PDLB, BGP8PDL D BGP8PDLL, BGP8PDLN, BGP8PDLO, BGP8PDLT, BGP8PDPA, BGP8PDPB |
| DW^%DTC | BGP8AUEX, BGP8AUUL, BGP8AUUP |
| NOW^%DTC | BGP8DPA, BGP8DPAP, BGP8GRB |
| DEBUG^%Serenji | BGP8GR1, BGP8GRA, BGP8GRB, BGP8GU, BGP8GUA |
| ^%ZIS | BGP8DADB, BGP8DAP, BGP8DAR, BGP8DARO, BGP8DCL, BGP8DEL BGP8DELA, BGP8DGPA, BGP8DGPU, BGP8DICR, BGP8DL, BGP8DLT BGP8DMT, BGP8DNDB, BGP8DNE1, BGP8DNG, BGP8DNGP, BGP8DN GS BGP8DON, BGP8DPA, BGP8DPE, BGP8DPEA, BGP8DPP, BGP8DSTM BGP8NPL, BGP8XTCH |
| HOME^%ZIS | BGP8AU1A, BGP8AUUL, BGP8DADB, BGP8DAR, BGP8DARO, BGP8DICR BGP8DLT, BGP8DMT, BGP8LSTF, BGP8TXCH, BGP8ULF, BGP8XTCH BGP8XTCN, BGP8XTCO, BGP8XTEL, BGP8XTEO, BGP8XTHE |
| ^%ZISC | BGP8AUEX, BGP8AUUL, BGP8DADB, BGP8DAP, BGP8DAR, BGP8DARO BGP8DBPR, BGP8DCL, BGP8DEL, BGP8DELA, BGP8DELP, BGP8DGPA BGP8DGPU, BGP8DICR, BGP8DL, BGP8DLT, BGP8DMT, BGP8DNDB |

| | |
|-----------------------|--|
| | BGP8DNE1, BGP8DNG, BGP8DNGP, BGP8DNGS, BGP8DON, BGP8DP BGP8DPA, BGP8DPE, BGP8DPEA, BGP8DPEP BGP8DPP, BGP8DSTM, BGP8GUPL, BGP8NPL, BGP8PARP, BGP8PARQ BGP8PHEL, BGP8PPEL, BGP8ULF, BGP8UTL, BGP8UTL3, BGP8UTLC BGP8XTCH |
| \$\$LIST^%ZISH | BGP8AUUP, BGP8GLST, BGP8GU, BGP8LSTF, BGP8UTL2 |
| \$\$OPEN^%ZISH | BGP8AUUL, BGP8DNE1, BGP8GUPL, BGP8ULF, BGP8UTL, BGP8UTL3 BGP8UTLC |
| \$\$\$STATUS^%ZISH | BGP8AU1R, BGP8AUUL, BGP8AUUP, BGP8GUPL, BGP8ULF |
| CLOSE^%ZISH | BGP8AU1D, BGP8AU1M, BGP8AU1R, BGP8AUUP |
| DF^%ZISH | BGP8AU1R |
| MV^%ZISH | BGP8AUUP |
| OPEN^%ZISH | BGP8AU1D, BGP8AU1M, BGP8AU1R, BGP8AUUP |
| JOBPAR^%ZOSV | BGP8GUA |
| ^%ZTER | BGP8GU |
| ^%ZTLOAD | BGP8AUEX, BGP8AUUL, BGP8AUUP, BGP8DADB, BGP8DAP, BGP8DAR BGP8DARO, BGP8DCL, BGP8DEL, BGP8DELA, BGP8DGPA, BGP8DGPU BGP8DICR, BGP8DL, BGP8DLT, BGP8DMT, BGP8DNDB, BGP8DNE1 BGP8DNG, BGP8DNGP, BGP8DNGS, BGP8DON, BGP8DPA, BGP8DPAP BGP8DPE, BGP8DPEA, BGP8DPP, BGP8DSTM BGP8GADB, BGP8GAEL, BGP8GAG9, BGP8GAGP, BGP8GAGS, BGP8GAHE BGP8GALL, BGP8GAON, BGP8GAPE, BGP8GAPU, BGP8GCM, BGP8GCMC BGP8GCOM, BGP8GDON, BGP8GDSH, BGP8GELD, BGP8GFO9, BGP8GFOR BGP8GGPU, BGP8GHED, BGP8GLHW, BGP8GLST, BGP8GLTX, BGP8GMTX BGP8GMUE, BGP8GMUH BGP8GNPL, BGP8GNST, BGP8GNT9, BGP8GNTL, BGP8GNTP, BGP8GNTS BGP8GNXP, BGP8GPED, BGP8GPP, BGP8GRB, BGP8LHW, BGP8NPL BGP8XTCH |
| KILL^%ZTLOAD | BGP8AUEX |
| STAT^%ZTLOAD | BGP8AUEX |
| \$\$LASTITEM^APCLAPIU | BGP8D28 |
| ALLV^APCLAPIU | BGP8D1, BGP8D21, BGP8D211, BGP8D24, BGP8D53, BGP8D55, BGP8D714 |
| \$\$START1^APCLDF | BGP6D3A, BGP7D3A, BGP8ALG1, BGP8ALG2, BGP8C11, BGP8C13 BGP8CON1, BGP8CU, BGP8CU1, BGP8D1, BGP8D10, BGP8D2, BGP8D21 BGP8D211, BGP8D212, BGP8D213, BGP8D22, BGP8D24, BGP8D24A BGP8D25, BGP8D26, BGP8D27, BGP8D31, BGP8D33, BGP8D34, BGP8D35 BGP8D37, BGP8D38, BGP8D3A BGP8D3C, BGP8D4, BGP8D41, BGP8D5, BGP8D51, BGP8D52, BGP8D53 BGP8D54, BGP8D55, BGP8D5A, BGP8D6, BGP8D62, BGP8D64, BGP8D7 BGP8D71, BGP8D711, BGP8D714, BGP8D72, BGP8D722, BGP8D723 BGP8D724, BGP8D729, BGP8D731, BGP8D732, BGP8D74, BGP8D75 BGP8D8, BGP8D81, BGP8D811 |
| \$\$START1^APCLDF | BGP8D812, BGP8D82, BGP8D83, BGP8D84, BGP8D86, BGP8D87, BGP8D88 BGP8D89, BGP8D9, BGP8D91, BGP8DCHW, BGP8DCLP, BGP8DPA2 BGP8DPA4, BGP8DPE1, BGP8DPE2, BGP8DU, BGP8EL2, BGP8EL4 BGP8NPLP |
| \$\$CLINIC^APCLV | BGP8D1, BGP8D10, BGP8D2, BGP8D21, BGP8D211, BGP8D213, BGP8D22 BGP8D26, BGP8D27, BGP8D31, BGP8D41, BGP8D51, BGP8D53, BGP8D7 BGP8D711, BGP8D714, BGP8D83, BGP8D84, BGP8D88, BGP8D89, BGP8D9 BGP8DPA4, BGP8DU, BGP8EL2, BGP8EL4, BGP8NPLP |
| \$\$DSCHDATE^APCLV | BGP8D51 |
| \$\$PRIMPOV^APCLV | BGP8D21, BGP8D211, BGP8D22, BGP8D31, BGP8D51, BGP8D71 BGP8D711 |
| \$\$PRIMPROV^APCLV | BGP8D1, BGP8D10, BGP8D21, BGP8D211, BGP8D213, BGP8D51, BGP8D53 BGP8D714, BGP8DCLP, BGP8DPA4, BGP8DPE2 |
| \$\$VD^APCLV | BGP6D3A, BGP7D3A, BGP8D211, BGP8D24, BGP8D26, BGP8D27, BGP8D28 |

| | |
|---------------------|---|
| | BGP8D37, BGP8D39, BGP8D3A, BGP8D3B, BGP8D3C, BGP8D53, BGP8D55 BGP8D714, BGP8D81, BGP8D811, BGP8D812, BGP8D841, BGP8D87 BGP8D89, BGP8D9, BGP8D91, BGP8DPA2, BGP8DPA4, BGP8DPE2 BGP8NPLP, BGP8UTL1 |
| \$\$VDTM^APCLV | BGP8D2, BGP8D841 |
| \$\$ICD^ATXAPI | BGP8D36 |
| BLDTAX^ATXAPI | BGP8DU, BGP8UTL2 |
| \$\$ICD^ATXCHK | BGP8UTL2 |
| BULL^ATXSTX2 | BGP81A, BGP81B, BGP81C, BGP81D, BGP81E, BGP81F, BGP81G, BGP81H BGP81I, BGP81J, BGP81K, BGP81L, BGP81M, BGP81N, BGP81O, BGP81P BGP81Q, BGP81R, BGP81S, BGP81T, BGP81U, BGP81V, BGP81W, BGP81X BGP81Y, BGP81Z, BGP82A, BGP82B, BGP82C, BGP82D, BGP82E, BGP82F BGP82G BGP82H, BGP82I, BGP82J, BGP82K, BGP82L, BGP82M, BGP82N, BGP82O BGP82P, BGP82Q, BGP82R, BGP82S, BGP82T, BGP82U, BGP82V, BGP82W BGP82X, BGP82Y, BGP82Z, BGP83A, BGP83B, BGP83C, BGP83D, BGP83E BGP83F, BGP83G, BGP83H, BGP83I, BGP83J, BGP83K, BGP83L |
| KILL^ATXSTX2 | BGP81A, BGP81B, BGP81C, BGP81D, BGP81E, BGP81F, BGP81G, BGP81H BGP81I, BGP81J, BGP81K, BGP81L, BGP81M, BGP81N, BGP81O, BGP81P BGP81Q, BGP81R, BGP81S, BGP81T, BGP81U, BGP81V, BGP81W, BGP81X BGP81Y, BGP81Z, BGP82A, BGP82B, BGP82C, BGP82D, BGP82E, BGP82F BGP82G BGP82H, BGP82I, BGP82J, BGP82K, BGP82L, BGP82M, BGP82N, BGP82O BGP82P, BGP82Q, BGP82R, BGP82S, BGP82T, BGP82U, BGP82V, BGP82W BGP82X, BGP82Y, BGP82Z, BGP83A, BGP83B, BGP83C, BGP83D, BGP83E BGP83F, BGP83G, BGP83H, BGP83I, BGP83J, BGP83K, BGP83L |
| TAX^ATXSTX2 | BGP81A, BGP81B, BGP81C, BGP81D, BGP81E, BGP81F, BGP81G, BGP81H BGP81I, BGP81J, BGP81K, BGP81L, BGP81M, BGP81N, BGP81O, BGP81P BGP81Q, BGP81R, BGP81S, BGP81T, BGP81U, BGP81V, BGP81W, BGP81X BGP81Y, BGP81Z, BGP82A, BGP82B, BGP82C, BGP82D, BGP82E, BGP82F BGP82G BGP82H, BGP82I, BGP82J, BGP82K, BGP82L, BGP82M, BGP82N, BGP82O BGP82P, BGP82Q, BGP82R, BGP82S, BGP82T, BGP82U, BGP82V, BGP82W BGP82X, BGP82Y, BGP82Z, BGP83A, BGP83B, BGP83C, BGP83D, BGP83E BGP83F, BGP83G, BGP83H, BGP83I, BGP83J, BGP83K, BGP83L |
| \$\$AGE^AUPNPAT | BGP8D1, BGP8D10, BGP8D21, BGP8D39, BGP8D6, BGP8D7, BGP8D83 BGP8D84, BGP8D85, BGP8D87, BGP8DCHW, BGP8DPA1, BGP8DPA2 BGP8DPE1, BGP8EL4, BGP8GUA |
| \$\$BEN^AUPNPAT | BGP8D1, BGP8DPE1 |
| \$\$COMMRES^AUPNPAT | BGP8DCHW, BGP8DNE1, BGP8DPAP, BGP8DPAW |
| \$\$DOB^AUPNPAT | BGP6D3A, BGP7D3A, BGP8ALG1, BGP8ALG2, BGP8C11, BGP8C13 BGP8CON1, BGP8CU1, BGP8D1, BGP8D10, BGP8D2, BGP8D21, BGP8D211 BGP8D212, BGP8D213, BGP8D214, BGP8D22, BGP8D24A, BGP8D27 BGP8D28, BGP8D3, BGP8D31, BGP8D32, BGP8D33, BGP8D34, BGP8D35 BGP8D36, BGP8D37, BGP8D38 BGP8D3A, BGP8D3B, BGP8D3C, BGP8D4, BGP8D62, BGP8D71, BGP8D72 BGP8D721, BGP8D724, BGP8D729, BGP8D731, BGP8D732, BGP8D75 BGP8D76, BGP8D8, BGP8D81, BGP8D811, BGP8D82, BGP8D841, BGP8D86 BGP8D89, BGP8D9, BGP8D91, BGP8DPA1, BGP8DPA2, BGP8DPA4 BGP8DPAW, BGP8DPEE BGP8DPEL, BGP8DS, BGP8DU, BGP8EL2, BGP8ELS, BGP8ELSL, BGP8NPLP BGP8UTL1, BGP8UTL2 |
| \$\$DOD^AUPNPAT | BGP8D1, BGP8DPE1 |
| \$\$HRN^AUPNPAT | BGP8DCLD, BGP8DCLP, BGP8DEMO, BGP8DPAP, BGP8DPAW, BGP8DPEE BGP8DPEL, BGP8DS, BGP8ELS, BGP8ELSL, BGP8GUA, BGP8NPLD |

| | |
|---------------------|---|
| | BGP8NPLP , BGP8PDLs |
| \$\$SEX^AUPNPAT | BGP8DPAW |
| \$\$TRIBE^AUPNPAT | BGP8DCHW |
| KILL^AUPNPAT | BGP8AUEx , BGP8DADB , BGP8DAP , BGP8DAR , BGP8DARO , BGP8DCL |
| | BGP8DEL , BGP8DELA , BGP8DGPA , BGP8DGPU , BGP8DL , BGP8DNDB |
| | BGP8DNE1 , BGP8DNG , BGP8DNGP , BGP8DNgs , BGP8DON , BGP8DPE |
| | BGP8DPEA , BGP8DPP , BGP8DSTM , BGP8GACW , BGP8GADB , BGP8GAEL |
| | BGP8GAG9 , BGP8GAGP , BGP8GAGS |
| | BGP8GAHE , BGP8GALL , BGP8GAON , BGP8GAPE , BGP8GAPU , BGP8GCMP |
| | BGP8GCMS , BGP8GCOM , BGP8GDON , BGP8GDSH , BGP8GELD , BGP8GF09 |
| | BGP8GFOR , BGP8GGPU , BGP8GHED , BGP8GLHW , BGP8GLST , BGP8GLTX |
| | BGP8GMTX , BGP8GMUE , BGP8GMUH , BGP8GNPL , BGP8GNST , BGP8GNT9 |
| | BGP8GNTL , BGP8GNTP |
| | BGP8GNTS , BGP8GNXP , BGP8GPED , BGP8GPP , BGP8LHW , BGP8NPL |
| \$\$STATUS^BDGSPT2 | BGP8GUA |
| ALLDP^BDPAPI | BGP8D1 |
| \$\$GETDIR^BGP0UTL2 | BGP8DNE1 |
| \$\$DATE^BGP1UTL | BGP8D213 , BGP8D31 , BGP8D4 , BGP8D72 , BGP8D722 , BGP8D9 |
| DIRCHK^BGP3UTL2 | dd90241.02 |
| AUTO^BGP4AUEx | opt |
| MAN^BGP4AUEx | opt |
| SITEPAR^BGP4AUEx | opt |
| AUTO^BGP4AUUP | opt |
| MAN^BGP4AUUP | opt |
| SCH^BGP4AUUP | opt |
| ^BGP4BAN | opt |
| ^BGP4CTS | opt |
| ^BGP4DADB | opt |
| ^BGP4DAP | opt |
| ^BGP4DAR | opt |
| SUMONLY^BGP4DAR | opt |
| ^BGP4DAR9 | opt |
| ^BGP4DARO | opt |
| ^BGP4DCL | opt |
| ^BGP4DEL | opt |
| ^BGP4DELA | opt |
| ^BGP4DEMO | opt |
| ^BGP4DGPA | opt |
| ^BGP4DGPU | opt |
| ^BGP4DICR | opt |
| ^BGP4DL | opt |
| CMS^BGP4DLT | opt |
| CRS^BGP4DLT | opt |
| ELDER^BGP4DLT | opt |
| GPRA^BGP4DLT | opt |
| ONM^BGP4DLT | opt |
| CMS^BGP4DMT | opt |
| CRS^BGP4DMT | opt |
| ELDER^BGP4DMT | opt |
| GPRA^BGP4DMT | opt |
| ONM^BGP4DMT | opt |
| ^BGP4DNDB | opt |
| ^BGP4DNG | opt |
| ^BGP4DNG9 | opt |
| ^BGP4DNGP | opt |
| ^BGP4DNgs | opt |

| | |
|------------------|----------|
| ^BGP4DON | opt |
| W^BGP4DP | BGP8NPLP |
| ^BGP4DPA | opt |
| COVPAGE^BGP4DPA | opt |
| ^BGP4DPA9 | opt |
| ^BGP4DPAP | opt |
| ^BGP4DPE | opt |
| PP^BGP4DPE | opt |
| ^BGP4DPEA | opt |
| ^BGP4DPP | opt |
| ^BGP4DSTM | opt |
| ^BGP4LSTF | opt |
| ^BGP4NPL | opt |
| NONNPL^BGP4NPL | opt |
| ^BGP4ULF | opt |
| ^BGP4XTCH | opt |
| ^BGP4XTCN | opt |
| ^BGP4XTCO | opt |
| ^BGP4XTEL | opt |
| ^BGP4XTV | opt |
| AUTO^BGP5AUEX | opt |
| MAN^BGP5AUEX | opt |
| SITEPAR^BGP5AUEX | opt |
| AUTO^BGP5AUUP | opt |
| MAN^BGP5AUUP | opt |
| SCH^BGP5AUUP | opt |
| ^BGP5BAN | opt |
| ^BGP5CTS | opt |
| ^BGP5DADB | opt |
| ^BGP5DAP | opt |
| ^BGP5DAR | opt |
| SUMONLY^BGP5DAR | opt |
| ^BGP5DARO | opt |
| ^BGP5DCL | opt |
| ^BGP5DEL | opt |
| ^BGP5DELA | opt |
| ^BGP5DEMO | opt |
| ^BGP5DGPA | opt |
| ^BGP5DGPU | opt |
| ^BGP5DICR | opt |
| ^BGP5DL | opt |
| CMS^BGP5DLT | opt |
| CRS^BGP5DLT | opt |
| ELDER^BGP5DLT | opt |
| GPRA^BGP5DLT | opt |
| ONM^BGP5DLT | opt |
| CMS^BGP5DMT | opt |
| CRS^BGP5DMT | opt |
| ELDER^BGP5DMT | opt |
| GPRA^BGP5DMT | opt |
| ONM^BGP5DMT | opt |
| ^BGP5DNDB | opt |
| ^BGP5DNG | opt |
| ^BGP5DNGP | opt |
| ^BGP5DNGS | opt |
| ^BGP5DON | opt |

| | |
|--------------------|---------|
| ^BGP5DPA | opt |
| COVPAGE^BGP5DPA | opt |
| ^BGP5DPAP | opt |
| ^BGP5DPE | opt |
| PP^BGP5DPE | opt |
| ^BGP5DPEA | opt |
| ^BGP5DPP | opt |
| ^BGP5DSTM | opt |
| ^BGP5LSTF | opt |
| ^BGP5NPL | opt |
| NONNPL^BGP5NPL | opt |
| ^BGP5ULF | opt |
| ^BGP5XTCH | opt |
| ^BGP5XTCN | opt |
| ^BGP5XTCO | opt |
| ^BGP5XTEL | opt |
| ^BGP5XTV | opt |
| AUTO^BGP6AUEX | opt |
| MAN^BGP6AUEX | opt |
| SITEPAR^BGP6AUEX | opt |
| AUTO^BGP6AUUP | opt |
| MAN^BGP6AUUP | opt |
| SCH^BGP6AUUP | opt |
| ^BGP6BAN | opt |
| ^BGP6CTS | opt |
| \$\$ANCONT^BGP6D31 | BGP6D3A |
| ^BGP6DADB | opt |
| ^BGP6DAP | opt |
| ^BGP6DAR | opt |
| SUMONLY^BGP6DAR | opt |
| ^BGP6DARO | opt |
| ^BGP6DCL | opt |
| ^BGP6DEL | opt |
| ^BGP6DELA | opt |
| ^BGP6DEMO | opt |
| ^BGP6DGPA | opt |
| ^BGP6DGPU | opt |
| ^BGP6DICR | opt |
| ^BGP6DL | opt |
| CMS^BGP6DLT | opt |
| CRS^BGP6DLT | opt |
| ELDER^BGP6DLT | opt |
| GPRA^BGP6DLT | opt |
| ONM^BGP6DLT | opt |
| CMS^BGP6DMT | opt |
| CRS^BGP6DMT | opt |
| ELDER^BGP6DMT | opt |
| GPRA^BGP6DMT | opt |
| ONM^BGP6DMT | opt |
| ^BGP6DNDB | opt |
| ^BGP6DNG | opt |
| ^BGP6DNGP | opt |
| ^BGP6DNDS | opt |
| ^BGP6DON | opt |
| ^BGP6DPA | opt |
| COVPAGE^BGP6DPA | opt |

| | |
|---------------------|---------|
| ^BGP6DPAP | opt |
| ^BGP6DPE | opt |
| PP^BGP6DPE | opt |
| ^BGP6DPEA | opt |
| | |
| ^BGP6DPP | opt |
| ^BGP6DSTM | opt |
| \$\$CPT^BGP6DU | BGP6D3A |
| \$\$CPTI^BGP6DU | BGP6D3A |
| \$\$LASTITEM^BGP6DU | BGP6D3A |
| ^BGP6LSTF | opt |
| ^BGP6NPL | opt |
| NONNPL^BGP6NPL | opt |
| ^BGP6ULF | opt |
| \$\$DATE^BGP6UTL | BGP6D3A |
| \$\$NMIREF^BGP6UTL1 | BGP6D3A |
| \$\$ICD^BGP6UTL2 | BGP6D3A |
| ^BGP6XTCH | opt |
| ^BGP6XTCN | opt |
| ^BGP6XTCO | opt |
| ^BGP6XTEL | opt |
| ^BGP6XTV | opt |
| AUTO^BGP7AUEX | opt |
| MAN^BGP7AUEX | opt |
| SITEPAR^BGP7AUEX | opt |
| AUTO^BGP7AUUP | opt |
| MAN^BGP7AUUP | opt |
| SCH^BGP7AUUP | opt |
| ^BGP7BAN | opt |
| ^BGP7CTS | opt |
| \$\$ANCONT^BGP7D31 | BGP7D3A |
| ^BGP7DADB | opt |
| ^BGP7DAP | opt |
| ^BGP7DAR | opt |
| SUMONLY^BGP7DAR | opt |
| ^BGP7DARO | opt |
| ^BGP7DCL | opt |
| ^BGP7DEL | opt |
| ^BGP7DELA | opt |
| ^BGP7DEMO | opt |
| ^BGP7DGPA | opt |
| ^BGP7DGPU | opt |
| ^BGP7DICR | opt |
| ^BGP7DL | opt |
| CMS^BGP7DLT | opt |
| CRS^BGP7DLT | opt |
| ELDER^BGP7DLT | opt |
| GPRA^BGP7DLT | opt |
| ONM^BGP7DLT | opt |
| CMS^BGP7DMT | opt |
| CRS^BGP7DMT | opt |
| ELDER^BGP7DMT | opt |
| GPRA^BGP7DMT | opt |
| ONM^BGP7DMT | opt |
| ^BGP7DNDB | opt |
| ^BGP7DNG | opt |

| | |
|---------------------|-------------------|
| ^BGP7DNBP | opt |
| ^BGP7DNBS | opt |
| ^BGP7DON | opt |
| ^BGP7DPA | opt |
| COVPAGE^BGP7DPA | opt |
| ^BGP7DPAP | opt |
| ^BGP7DPE | opt |
| PP^BGP7DPE | opt |
| ^BGP7DPEA | opt |
| ^BGP7DPP | opt |
| ^BGP7DSTM | opt |
| \$\$CPT^BGP7DU | BGP7D3A |
| \$\$CPTI^BGP7DU | BGP7D3A |
| \$\$LASTITEM^BGP7DU | BGP7D3A |
| ^BGP7LSTF | opt |
| ^BGP7NPL | opt |
| NONNPL^BGP7NPL | opt |
| ^BGP7ULF | opt |
| \$\$DATE^BGP7UTL | BGP7D3A , BGP8D76 |
| \$\$NMIREF^BGP7UTL1 | BGP7D3A |
| \$\$ICD^BGP7UTL2 | BGP7D3A |
| ^BGP7XTCH | opt |
| ^BGP7XTCN | opt |
| ^BGP7XTCO | opt |
| ^BGP7XTEL | opt |
| ^BGP7XTV | opt |
| ^BGP81 | BGP8POS |
| ^BGP81A | BGP81 |
| ^BGP81B | BGP81 |
| ^BGP81C | BGP81 |
| ^BGP81D | BGP81 |
| ^BGP81E | BGP81 |
| ^BGP81F | BGP81 |
| ^BGP81G | BGP81 |
| ^BGP81H | BGP81 |
| ^BGP81I | BGP81 |
| ^BGP81J | BGP81 |
| ^BGP81K | BGP81 |
| ^BGP81L | BGP81 |
| ^BGP81M | BGP81 |
| ^BGP81N | BGP81 |
| ^BGP81O | BGP81 |
| ^BGP81P | BGP81 |
| ^BGP81Q | BGP81 |
| ^BGP81R | BGP81 |
| ^BGP81S | BGP81 |
| ^BGP81T | BGP81 |
| ^BGP81T2 | BGP81T |
| ^BGP81U | BGP81 |
| ^BGP81V | BGP81 |
| ^BGP81W | BGP81 |
| ^BGP81W10 | BGP81W |
| ^BGP81W11 | BGP81W |
| ^BGP81W12 | BGP81W |
| ^BGP81W13 | BGP81W |
| ^BGP81W14 | BGP81W |

| | |
|-----------|---------|
| ^BGP81W15 | BGP81W |
| ^BGP81W16 | BGP81W |
| ^BGP81W17 | BGP81W |
| ^BGP81W18 | BGP81W |
| ^BGP81W19 | BGP81W |
| ^BGP81W2 | BGP81W |
| ^BGP81W20 | BGP81W |
| ^BGP81W21 | BGP81W |
| ^BGP81W22 | BGP81W |
| ^BGP81W23 | BGP81W |
| ^BGP81W24 | BGP81W |
| ^BGP81W25 | BGP81W |
| ^BGP81W26 | BGP81W |
| ^BGP81W27 | BGP81W |
| ^BGP81W28 | BGP81W |
| ^BGP81W29 | BGP81W |
| ^BGP81W3 | BGP81W |
| ^BGP81W4 | BGP81W |
| ^BGP81W5 | BGP81W |
| ^BGP81W6 | BGP81W |
| ^BGP81W7 | BGP81W |
| ^BGP81W8 | BGP81W |
| ^BGP81W9 | BGP81W |
| ^BGP81X | BGP81 |
| ^BGP81X2 | BGP81X |
| ^BGP81Y | BGP81 |
| ^BGP81Y2 | BGP81Y |
| ^BGP81Y3 | BGP81Y |
| ^BGP81Y4 | BGP81Y |
| ^BGP81Z | BGP81 |
| ^BGP81Z2 | BGP81Z |
| ^BGP81Z3 | BGP81Z |
| ^BGP81Z4 | BGP81Z |
| ^BGP81Z5 | BGP81Z |
| ^BGP82 | BGP8POS |
| ^BGP82A | BGP82 |
| ^BGP82A10 | BGP82A |
| ^BGP82A11 | BGP82A |
| ^BGP82A12 | BGP82A |
| ^BGP82A13 | BGP82A |
| ^BGP82A14 | BGP82A |
| ^BGP82A15 | BGP82A |
| ^BGP82A16 | BGP82A |
| ^BGP82A17 | BGP82A |
| ^BGP82A18 | BGP82A |
| ^BGP82A19 | BGP82A |
| ^BGP82A2 | BGP82A |
| ^BGP82A20 | BGP82A |
| ^BGP82A21 | BGP82A |
| ^BGP82A22 | BGP82A |
| ^BGP82A23 | BGP82A |
| ^BGP82A24 | BGP82A |
| ^BGP82A25 | BGP82A |
| ^BGP82A26 | BGP82A |
| ^BGP82A27 | BGP82A |
| ^BGP82A28 | BGP82A |

| | |
|-----------|--------|
| ^BGP82A29 | BGP82A |
| ^BGP82A3 | BGP82A |
| ^BGP82A30 | BGP82A |
| ^BGP82A31 | BGP82A |
| ^BGP82A32 | BGP82A |
| ^BGP82A33 | BGP82A |
| ^BGP82A34 | BGP82A |
| ^BGP82A35 | BGP82A |
| ^BGP82A36 | BGP82A |
| ^BGP82A37 | BGP82A |
| ^BGP82A38 | BGP82A |
| ^BGP82A39 | BGP82A |
| ^BGP82A4 | BGP82A |
| ^BGP82A40 | BGP82A |
| ^BGP82A5 | BGP82A |
| ^BGP82A6 | BGP82A |
| ^BGP82A7 | BGP82A |
| ^BGP82A8 | BGP82A |
| ^BGP82A9 | BGP82A |
| ^BGP82B | BGP82 |
| ^BGP82B2 | BGP82B |
| ^BGP82B3 | BGP82B |
| ^BGP82B4 | BGP82B |
| ^BGP82B5 | BGP82B |
| ^BGP82B6 | BGP82B |
| ^BGP82B7 | BGP82B |
| ^BGP82B8 | BGP82B |
| ^BGP82C | BGP82 |
| ^BGP82C10 | BGP82C |
| ^BGP82C11 | BGP82C |
| ^BGP82C12 | BGP82C |
| ^BGP82C13 | BGP82C |
| ^BGP82C2 | BGP82C |
| ^BGP82C3 | BGP82C |
| ^BGP82C4 | BGP82C |
| ^BGP82C5 | BGP82C |
| ^BGP82C6 | BGP82C |
| ^BGP82C7 | BGP82C |
| ^BGP82C8 | BGP82C |
| ^BGP82C9 | BGP82C |
| ^BGP82D | BGP82 |
| ^BGP82D10 | BGP82D |
| ^BGP82D11 | BGP82D |
| ^BGP82D12 | BGP82D |
| ^BGP82D13 | BGP82D |
| ^BGP82D14 | BGP82D |
| ^BGP82D15 | BGP82D |
| ^BGP82D2 | BGP82D |
| ^BGP82D3 | BGP82D |
| ^BGP82D4 | BGP82D |
| ^BGP82D5 | BGP82D |
| ^BGP82D6 | BGP82D |
| ^BGP82D7 | BGP82D |
| ^BGP82D8 | BGP82D |
| ^BGP82D9 | BGP82D |
| ^BGP82E | BGP82 |

| | |
|-----------|--------|
| ^BGP82F | BGP82 |
| ^BGP82F2 | BGP82F |
| ^BGP82F3 | BGP82F |
| ^BGP82F4 | BGP82F |
| ^BGP82F5 | BGP82F |
| ^BGP82F6 | BGP82F |
| ^BGP82F7 | BGP82F |
| ^BGP82F8 | BGP82F |
| ^BGP82F9 | BGP82F |
| ^BGP82G | BGP82 |
| ^BGP82G10 | BGP82G |
| ^BGP82G11 | BGP82G |
| ^BGP82G12 | BGP82G |
| ^BGP82G13 | BGP82G |
| ^BGP82G14 | BGP82G |
| ^BGP82G15 | BGP82G |
| ^BGP82G16 | BGP82G |
| ^BGP82G17 | BGP82G |
| ^BGP82G18 | BGP82G |
| ^BGP82G19 | BGP82G |
| ^BGP82G2 | BGP82G |
| ^BGP82G20 | BGP82G |
| ^BGP82G21 | BGP82G |
| ^BGP82G22 | BGP82G |
| ^BGP82G23 | BGP82G |
| ^BGP82G24 | BGP82G |
| ^BGP82G25 | BGP82G |
| ^BGP82G26 | BGP82G |
| ^BGP82G27 | BGP82G |
| ^BGP82G28 | BGP82G |
| ^BGP82G29 | BGP82G |
| ^BGP82G3 | BGP82G |
| ^BGP82G30 | BGP82G |
| ^BGP82G4 | BGP82G |
| ^BGP82G5 | BGP82G |
| ^BGP82G6 | BGP82G |
| ^BGP82G7 | BGP82G |
| ^BGP82G8 | BGP82G |
| ^BGP82G9 | BGP82G |
| ^BGP82H | BGP82 |
| ^BGP82H10 | BGP82H |
| ^BGP82H11 | BGP82H |
| ^BGP82H12 | BGP82H |
| ^BGP82H13 | BGP82H |
| ^BGP82H14 | BGP82H |
| ^BGP82H15 | BGP82H |
| ^BGP82H16 | BGP82H |
| ^BGP82H17 | BGP82H |
| ^BGP82H18 | BGP82H |
| ^BGP82H19 | BGP82H |
| ^BGP82H2 | BGP82H |
| ^BGP82H20 | BGP82H |
| ^BGP82H21 | BGP82H |
| ^BGP82H22 | BGP82H |
| ^BGP82H23 | BGP82H |
| ^BGP82H24 | BGP82H |

| | |
|-----------|--------|
| ^BGP82H25 | BGP82H |
| ^BGP82H26 | BGP82H |
| ^BGP82H27 | BGP82H |
| ^BGP82H28 | BGP82H |
| ^BGP82H29 | BGP82H |
| ^BGP82H3 | BGP82H |
| ^BGP82H30 | BGP82H |
| ^BGP82H31 | BGP82H |
| ^BGP82H4 | BGP82H |
| ^BGP82H5 | BGP82H |
| ^BGP82H6 | BGP82H |
| ^BGP82H7 | BGP82H |
| ^BGP82H8 | BGP82H |
| ^BGP82H9 | BGP82H |
| ^BGP82I | BGP82I |
| ^BGP82I10 | BGP82I |
| ^BGP82I11 | BGP82I |
| ^BGP82I12 | BGP82I |
| ^BGP82I13 | BGP82I |
| ^BGP82I14 | BGP82I |
| ^BGP82I15 | BGP82I |
| ^BGP82I16 | BGP82I |
| ^BGP82I17 | BGP82I |
| ^BGP82I18 | BGP82I |
| ^BGP82I19 | BGP82I |
| ^BGP82I2 | BGP82I |
| ^BGP82I20 | BGP82I |
| ^BGP82I21 | BGP82I |
| ^BGP82I22 | BGP82I |
| ^BGP82I23 | BGP82I |
| ^BGP82I24 | BGP82I |
| ^BGP82I25 | BGP82I |
| ^BGP82I26 | BGP82I |
| ^BGP82I27 | BGP82I |
| ^BGP82I28 | BGP82I |
| ^BGP82I29 | BGP82I |
| ^BGP82I3 | BGP82I |
| ^BGP82I30 | BGP82I |
| ^BGP82I31 | BGP82I |
| ^BGP82I32 | BGP82I |
| ^BGP82I33 | BGP82I |
| ^BGP82I34 | BGP82I |
| ^BGP82I35 | BGP82I |
| ^BGP82I36 | BGP82I |
| ^BGP82I37 | BGP82I |
| ^BGP82I38 | BGP82I |
| ^BGP82I39 | BGP82I |
| ^BGP82I4 | BGP82I |
| ^BGP82I40 | BGP82I |
| ^BGP82I41 | BGP82I |
| ^BGP82I42 | BGP82I |
| ^BGP82I43 | BGP82I |
| ^BGP82I44 | BGP82I |
| ^BGP82I45 | BGP82I |
| ^BGP82I46 | BGP82I |
| ^BGP82I47 | BGP82I |

| | |
|-----------|--------|
| ^BGP82I48 | BGP82I |
| ^BGP82I49 | BGP82I |
| ^BGP82I5 | BGP82I |
| ^BGP82I50 | BGP82I |
| ^BGP82I51 | BGP82I |
| ^BGP82I52 | BGP82I |
| ^BGP82I53 | BGP82I |
| ^BGP82I54 | BGP82I |
| ^BGP82I55 | BGP82I |
| ^BGP82I56 | BGP82I |
| ^BGP82I57 | BGP82I |
| ^BGP82I58 | BGP82I |
| ^BGP82I59 | BGP82I |
| ^BGP82I6 | BGP82I |
| ^BGP82I60 | BGP82I |
| ^BGP82I61 | BGP82I |
| ^BGP82I62 | BGP82I |
| ^BGP82I63 | BGP82I |
| ^BGP82I64 | BGP82I |
| ^BGP82I65 | BGP82I |
| ^BGP82I66 | BGP82I |
| ^BGP82I7 | BGP82I |
| ^BGP82I8 | BGP82I |
| ^BGP82I9 | BGP82I |
| ^BGP82J | BGP82 |
| ^BGP82J10 | BGP82J |
| ^BGP82J11 | BGP82J |
| ^BGP82J12 | BGP82J |
| ^BGP82J13 | BGP82J |
| ^BGP82J14 | BGP82J |
| ^BGP82J15 | BGP82J |
| ^BGP82J16 | BGP82J |
| ^BGP82J17 | BGP82J |
| ^BGP82J18 | BGP82J |
| ^BGP82J19 | BGP82J |
| ^BGP82J2 | BGP82J |
| ^BGP82J20 | BGP82J |
| ^BGP82J21 | BGP82J |
| ^BGP82J22 | BGP82J |
| ^BGP82J23 | BGP82J |
| ^BGP82J24 | BGP82J |
| ^BGP82J25 | BGP82J |
| ^BGP82J26 | BGP82J |
| ^BGP82J27 | BGP82J |
| ^BGP82J28 | BGP82J |
| ^BGP82J29 | BGP82J |
| ^BGP82J3 | BGP82J |
| ^BGP82J30 | BGP82J |
| ^BGP82J31 | BGP82J |
| ^BGP82J4 | BGP82J |
| ^BGP82J5 | BGP82J |
| ^BGP82J6 | BGP82J |
| ^BGP82J7 | BGP82J |
| ^BGP82J8 | BGP82J |
| ^BGP82J9 | BGP82J |
| ^BGP82K | BGP82 |

| | |
|-----------|--------|
| ^BGP82K10 | BGP82K |
| ^BGP82K11 | BGP82K |
| ^BGP82K12 | BGP82K |
| ^BGP82K13 | BGP82K |
| ^BGP82K14 | BGP82K |
| ^BGP82K15 | BGP82K |
| ^BGP82K16 | BGP82K |
| ^BGP82K17 | BGP82K |
| ^BGP82K18 | BGP82K |
| ^BGP82K19 | BGP82K |
| ^BGP82K2 | BGP82K |
| ^BGP82K3 | BGP82K |
| ^BGP82K4 | BGP82K |
| ^BGP82K5 | BGP82K |
| ^BGP82K6 | BGP82K |
| ^BGP82K7 | BGP82K |
| ^BGP82K8 | BGP82K |
| ^BGP82K9 | BGP82K |
| ^BGP82L | BGP82 |
| ^BGP82L10 | BGP82L |
| ^BGP82L11 | BGP82L |
| ^BGP82L12 | BGP82L |
| ^BGP82L13 | BGP82L |
| ^BGP82L14 | BGP82L |
| ^BGP82L15 | BGP82L |
| ^BGP82L16 | BGP82L |
| ^BGP82L2 | BGP82L |
| ^BGP82L3 | BGP82L |
| ^BGP82L4 | BGP82L |
| ^BGP82L5 | BGP82L |
| ^BGP82L6 | BGP82L |
| ^BGP82L7 | BGP82L |
| ^BGP82L8 | BGP82L |
| ^BGP82L9 | BGP82L |
| ^BGP82M | BGP82 |
| ^BGP82M2 | BGP82M |
| ^BGP82M3 | BGP82M |
| ^BGP82M4 | BGP82M |
| ^BGP82M5 | BGP82M |
| ^BGP82N | BGP82 |
| ^BGP82N2 | BGP82N |
| ^BGP82O | BGP82 |
| ^BGP82O10 | BGP82O |
| ^BGP82O11 | BGP82O |
| ^BGP82O12 | BGP82O |
| ^BGP82O13 | BGP82O |
| ^BGP82O14 | BGP82O |
| ^BGP82O15 | BGP82O |
| ^BGP82O16 | BGP82O |
| ^BGP82O17 | BGP82O |
| ^BGP82O18 | BGP82O |
| ^BGP82O19 | BGP82O |
| ^BGP82O2 | BGP82O |
| ^BGP82O20 | BGP82O |
| ^BGP82O21 | BGP82O |
| ^BGP82O22 | BGP82O |

| | |
|-----------|--------|
| ^BGP82023 | BGP820 |
| ^BGP82024 | BGP820 |
| ^BGP82025 | BGP820 |
| ^BGP82026 | BGP820 |
| ^BGP82027 | BGP820 |
| ^BGP82028 | BGP820 |
| ^BGP82029 | BGP820 |
| ^BGP8203 | BGP820 |
| ^BGP82030 | BGP820 |
| ^BGP82031 | BGP820 |
| ^BGP82032 | BGP820 |
| ^BGP82033 | BGP820 |
| ^BGP82034 | BGP820 |
| ^BGP82035 | BGP820 |
| ^BGP82036 | BGP820 |
| ^BGP82037 | BGP820 |
| ^BGP82038 | BGP820 |
| ^BGP8204 | BGP820 |
| ^BGP8205 | BGP820 |
| ^BGP8206 | BGP820 |
| ^BGP8207 | BGP820 |
| ^BGP8208 | BGP820 |
| ^BGP8209 | BGP820 |
| ^BGP82P | BGP82 |
| ^BGP82P10 | BGP82P |
| ^BGP82P11 | BGP82P |
| ^BGP82P12 | BGP82P |
| ^BGP82P13 | BGP82P |
| ^BGP82P14 | BGP82P |
| ^BGP82P15 | BGP82P |
| ^BGP82P16 | BGP82P |
| ^BGP82P17 | BGP82P |
| ^BGP82P18 | BGP82P |
| ^BGP82P19 | BGP82P |
| ^BGP82P2 | BGP82P |
| ^BGP82P20 | BGP82P |
| ^BGP82P21 | BGP82P |
| ^BGP82P22 | BGP82P |
| ^BGP82P23 | BGP82P |
| ^BGP82P24 | BGP82P |
| ^BGP82P25 | BGP82P |
| ^BGP82P26 | BGP82P |
| ^BGP82P27 | BGP82P |
| ^BGP82P28 | BGP82P |
| ^BGP82P29 | BGP82P |
| ^BGP82P3 | BGP82P |
| ^BGP82P4 | BGP82P |
| ^BGP82P5 | BGP82P |
| ^BGP82P6 | BGP82P |
| ^BGP82P7 | BGP82P |
| ^BGP82P8 | BGP82P |
| ^BGP82P9 | BGP82P |
| ^BGP82Q | BGP82 |
| ^BGP82Q2 | BGP82Q |
| ^BGP82Q3 | BGP82Q |
| ^BGP82Q4 | BGP82Q |

| | |
|-----------|--------|
| ^BGP82Q5 | BGP82Q |
| ^BGP82Q6 | BGP82Q |
| ^BGP82Q7 | BGP82Q |
| ^BGP82R | BGP82 |
| ^BGP82S | BGP82 |
| ^BGP82S2 | BGP82S |
| ^BGP82S3 | BGP82S |
| ^BGP82S4 | BGP82S |
| ^BGP82S5 | BGP82S |
| ^BGP82S6 | BGP82S |
| ^BGP82S7 | BGP82S |
| ^BGP82T | BGP82 |
| ^BGP82U | BGP82 |
| ^BGP82U10 | BGP82U |
| ^BGP82U11 | BGP82U |
| ^BGP82U12 | BGP82U |
| ^BGP82U13 | BGP82U |
| ^BGP82U14 | BGP82U |
| ^BGP82U15 | BGP82U |
| ^BGP82U2 | BGP82U |
| ^BGP82U3 | BGP82U |
| ^BGP82U4 | BGP82U |
| ^BGP82U5 | BGP82U |
| ^BGP82U6 | BGP82U |
| ^BGP82U7 | BGP82U |
| ^BGP82U8 | BGP82U |
| ^BGP82U9 | BGP82U |
| ^BGP82V | BGP82 |
| ^BGP82W | BGP82 |
| ^BGP82X | BGP82 |
| ^BGP82X2 | BGP82X |
| ^BGP82X3 | BGP82X |
| ^BGP82X4 | BGP82X |
| ^BGP82X5 | BGP82X |
| ^BGP82X6 | BGP82X |
| ^BGP82X7 | BGP82X |
| ^BGP82Y | BGP82 |
| ^BGP82Z | BGP82 |
| ^BGP82Z10 | BGP82Z |
| ^BGP82Z11 | BGP82Z |
| ^BGP82Z12 | BGP82Z |
| ^BGP82Z13 | BGP82Z |
| ^BGP82Z14 | BGP82Z |
| ^BGP82Z15 | BGP82Z |
| ^BGP82Z16 | BGP82Z |
| ^BGP82Z17 | BGP82Z |
| ^BGP82Z18 | BGP82Z |
| ^BGP82Z19 | BGP82Z |
| ^BGP82Z2 | BGP82Z |
| ^BGP82Z20 | BGP82Z |
| ^BGP82Z21 | BGP82Z |
| ^BGP82Z22 | BGP82Z |
| ^BGP82Z23 | BGP82Z |
| ^BGP82Z24 | BGP82Z |
| ^BGP82Z25 | BGP82Z |
| ^BGP82Z26 | BGP82Z |

| | |
|-----------|--------|
| ^BGP82Z27 | BGP82Z |
| ^BGP82Z28 | BGP82Z |
| ^BGP82Z29 | BGP82Z |
| ^BGP82Z3 | BGP82Z |
| ^BGP82Z30 | BGP82Z |
| ^BGP82Z31 | BGP82Z |
| ^BGP82Z32 | BGP82Z |
| ^BGP82Z33 | BGP82Z |
| ^BGP82Z34 | BGP82Z |
| ^BGP82Z35 | BGP82Z |
| ^BGP82Z36 | BGP82Z |
| ^BGP82Z37 | BGP82Z |
| ^BGP82Z38 | BGP82Z |
| ^BGP82Z39 | BGP82Z |
| ^BGP82Z4 | BGP82Z |
| ^BGP82Z40 | BGP82Z |
| ^BGP82Z41 | BGP82Z |
| ^BGP82Z42 | BGP82Z |
| ^BGP82Z43 | BGP82Z |
| ^BGP82Z44 | BGP82Z |
| ^BGP82Z45 | BGP82Z |
| ^BGP82Z46 | BGP82Z |
| ^BGP82Z47 | BGP82Z |
| ^BGP82Z48 | BGP82Z |
| ^BGP82Z49 | BGP82Z |
| ^BGP82Z5 | BGP82Z |
| ^BGP82Z50 | BGP82Z |
| ^BGP82Z51 | BGP82Z |
| ^BGP82Z52 | BGP82Z |
| ^BGP82Z53 | BGP82Z |
| ^BGP82Z54 | BGP82Z |
| ^BGP82Z55 | BGP82Z |
| ^BGP82Z56 | BGP82Z |
| ^BGP82Z57 | BGP82Z |
| ^BGP82Z58 | BGP82Z |
| ^BGP82Z59 | BGP82Z |
| ^BGP82Z6 | BGP82Z |
| ^BGP82Z60 | BGP82Z |
| ^BGP82Z61 | BGP82Z |
| ^BGP82Z62 | BGP82Z |
| ^BGP82Z63 | BGP82Z |
| ^BGP82Z64 | BGP82Z |
| ^BGP82Z65 | BGP82Z |
| ^BGP82Z66 | BGP82Z |
| ^BGP82Z67 | BGP82Z |
| ^BGP82Z68 | BGP82Z |
| ^BGP82Z69 | BGP82Z |
| ^BGP82Z7 | BGP82Z |
| ^BGP82Z70 | BGP82Z |
| ^BGP82Z71 | BGP82Z |
| ^BGP82Z72 | BGP82Z |
| ^BGP82Z73 | BGP82Z |
| ^BGP82Z74 | BGP82Z |
| ^BGP82Z75 | BGP82Z |
| ^BGP82Z76 | BGP82Z |
| ^BGP82Z77 | BGP82Z |

| | |
|-----------|---------|
| ^BGP82Z78 | BGP82Z |
| ^BGP82Z79 | BGP82Z |
| ^BGP82Z8 | BGP82Z |
| ^BGP82Z9 | BGP82Z |
| ^BGP83 | BGP8POS |
| ^BGP83A | BGP83 |
| ^BGP83A10 | BGP83A |
| ^BGP83A11 | BGP83A |
| ^BGP83A12 | BGP83A |
| ^BGP83A13 | BGP83A |
| ^BGP83A14 | BGP83A |
| ^BGP83A15 | BGP83A |
| ^BGP83A16 | BGP83A |
| ^BGP83A17 | BGP83A |
| ^BGP83A18 | BGP83A |
| ^BGP83A19 | BGP83A |
| ^BGP83A2 | BGP83A |
| ^BGP83A20 | BGP83A |
| ^BGP83A21 | BGP83A |
| ^BGP83A22 | BGP83A |
| ^BGP83A23 | BGP83A |
| ^BGP83A24 | BGP83A |
| ^BGP83A25 | BGP83A |
| ^BGP83A26 | BGP83A |
| ^BGP83A27 | BGP83A |
| ^BGP83A28 | BGP83A |
| ^BGP83A29 | BGP83A |
| ^BGP83A3 | BGP83A |
| ^BGP83A30 | BGP83A |
| ^BGP83A31 | BGP83A |
| ^BGP83A32 | BGP83A |
| ^BGP83A33 | BGP83A |
| ^BGP83A34 | BGP83A |
| ^BGP83A35 | BGP83A |
| ^BGP83A36 | BGP83A |
| ^BGP83A37 | BGP83A |
| ^BGP83A38 | BGP83A |
| ^BGP83A39 | BGP83A |
| ^BGP83A4 | BGP83A |
| ^BGP83A40 | BGP83A |
| ^BGP83A41 | BGP83A |
| ^BGP83A42 | BGP83A |
| ^BGP83A43 | BGP83A |
| ^BGP83A44 | BGP83A |
| ^BGP83A45 | BGP83A |
| ^BGP83A46 | BGP83A |
| ^BGP83A5 | BGP83A |
| ^BGP83A6 | BGP83A |
| ^BGP83A7 | BGP83A |
| ^BGP83A8 | BGP83A |
| ^BGP83A9 | BGP83A |
| ^BGP83B | BGP83 |
| ^BGP83C | BGP83 |
| ^BGP83D | BGP83 |
| ^BGP83E | BGP83 |
| ^BGP83F | BGP83 |

| | |
|----------------------|---|
| ^BGP83G | BGP83 |
| ^BGP83H | BGP83 |
| ^BGP83I | BGP83 |
| ^BGP83J | BGP83 |
| ^BGP83K | BGP83 |
| ^BGP83L | BGP83 |
| ACEI^BGP8ALG1 | BGP8ALG |
| ARB^BGP8ALG1 | BGP8ALG |
| ASA^BGP8ALG1 | BGP8ALG |
| BETA^BGP8ALG1 | BGP8ALG |
| STATIN^BGP8ALG2 | BGP8ALG |
| EN^BGP8ASL | BGP8DADB , BGP8DAR , BGP8DARO , BGP8DELA , BGP8DGPA , BGP8DPEA |
| GET^BGP8ASL | BGP8GU |
| ELD^BGP8ASL1 | BGP8ASL |
| NGR^BGP8ASL1 | BGP8ASL |
| ONM^BGP8ASL1 | BGP8ASL |
| PED^BGP8ASL1 | BGP8ASL |
| EN^BGP8AU1A | BGP8AUUP |
| EN^BGP8AU1D | BGP8AUUP |
| MSG1^BGP8AU1M | BGP8AUUP |
| EN^BGP8AU1R | BGP8AUUP |
| AUTO^BGP8AUEX | opt |
| AUTOEX^BGP8AUEX | BGP8UTL |
| DELTASK^BGP8AUEX | BGP8AUUL |
| MAN^BGP8AUEX | opt |
| QUE^BGP8AUEX | BGP8GRB |
| SITEPAR^BGP8AUEX | opt |
| EN^BGP8AUUL | BGP8AUUP |
| SCH^BGP8AUUL | BGP8AUUP |
| AUTO^BGP8AUUP | opt |
| MAN^BGP8AUUP | opt |
| SCH^BGP8AUUP | opt |
| XIT^BGP8AUUP | BGP8AUUL |
| ^BGP8BAN | opt |
| \$\$RPTVER^BGP8BAN | BGP8DCL , BGP8DCLD , BGP8DCLP , BGP8DGPU , BGP8DH , BGP8DH1 BGP8DICR , BGP8DLT , BGP8DMT , BGP8DPAW , BGP8DSTM , BGP8ELH BGP8ELHH , BGP8NPL , BGP8NPLD , BGP8NPLP , BGP8PDLH |
| ACEIALG1^BGP8C11 | BGP8D722 , BGP8D723 , BGP8D732 |
| ARBALG1^BGP8C13 | BGP8C11 |
| ACEI^BGP8CON1 | BGP8CON |
| ASA^BGP8CON1 | BGP8CON |
| STATIN^BGP8CON1 | BGP8CON |
| EP^BGP8CTL | BGP8CTS |
| ^BGP8CTS | opt |
| INIT^BGP8CTS | BGP8GU |
| GETMEDS^BGP8CU | BGP8C13 , BGP8CU1 |
| \$\$ASAALLEG^BGP8CU1 | BGP8D721 |
| ^BGP8D1 | BGP8AUEX , BGP8DAP , BGP8DCL , BGP8DEL , BGP8DGPU , BGP8DL BGP8DNDB , BGP8DNG , BGP8DNGP , BGP8DNGS , BGP8DON , BGP8DSTM BGP8GALL , BGP8GCM , BGP8GCOM , BGP8GDON , BGP8GDSH , BGP8GELD BGP8GGPU , BGP8GHED , BGP8GLHW , BGP8GNPL , BGP8GNST , BGP8GNT9 BGP8GNTL , BGP8GNTP , BGP8GNTS BGP8LHW , BGP8NPL |
| \$\$ACTUP^BGP8D1 | BGP8DNE1 |
| \$\$V2^BGP8D1 | BGP8D2 , BGP8D729 |
| \$\$V2DM^BGP8D1 | BGP8D10 , BGP8D211 |

| | |
|-----------------------|--|
| PROCCY^BGP8D1 | BGP8DNE1, BGP8DPA, BGP8DPAP |
| ^BGP8D10 | BGP8DGPU, BGP8DPP, BGP8GGPU, BGP8GPP |
| \$\$GDEV^BGP8D2 | BGP8D22, BGP8D26, BGP8D41, BGP8D9 |
| \$\$HGBA1C^BGP8D2 | BGP8D22, BGP8DPA1 |
| \$\$LDL^BGP8D2 | BGP8D72, BGP8D73, BGP8DPA1 |
| \$\$LOINC^BGP8D2 | BGP8ALG2, BGP8D213, BGP8D722, BGP8D723, BGP8D841 |
| \$\$MEANBP^BGP8D2 | BGP8D22, BGP8DPA1 |
| \$\$MEANBPD^BGP8D2 | BGP8D9 |
| DMBP^BGP8D2 | BGP8EL2 |
| DMGC^BGP8D2 | BGP8EL2 |
| \$\$BF^BGP8D21 | BGP8D212, BGP8D213, BGP8EL2 |
| \$\$DENTSRV^BGP8D21 | BGP8DPA1, BGP8DPA2, BGP8EL2 |
| \$\$DNKA^BGP8D21 | BGP8D213, BGP8DPA4 |
| \$\$EYE^BGP8D21 | BGP8D22 |
| \$\$LOINC^BGP8D21 | BGP8D212, BGP8D8, BGP8D811, BGP8D812, BGP8D82, BGP8D83 BGP8D84, BGP8D841, BGP8D861, BGP8D864, BGP8D88 |
| DMEYE^BGP8D21 | BGP8EL2 |
| DMNA^BGP8D21 | BGP8EL2 |
| I61^BGP8D21 | BGP8DPA1 |
| \$\$DENTSRVD^BGP8D211 | BGP8D21, BGP8D3 |
| \$\$DMFB^BGP8D211 | BGP8D2 |
| \$\$DMPVPL^BGP8D211 | BGP8D2 |
| \$\$ESRD^BGP8D211 | BGP8D21, BGP8D212, BGP8D213, BGP8D22, BGP8D39, BGP8D9 BGP8DPA2, BGP8EL2 |
| \$\$GFR^BGP8D211 | BGP8D21, BGP8D22 |
| \$\$QUANTUP^BGP8D211 | BGP8D21, BGP8D22 |
| JVN^BGP8D211 | BGP8D21 |
| \$\$ALCHEP^BGP8D212 | BGP8D213, BGP8EL2 |
| \$\$CHDLDL^BGP8D212 | BGP8D213, BGP8EL2 |
| \$\$LASTLDLV^BGP8D212 | BGP8D213, BGP8EL2 |
| \$\$STATNMI^BGP8D212 | BGP8D213, BGP8EL2 |
| STRC^BGP8D212 | BGP8DPA4 |
| \$\$CLIVER^BGP8D213 | BGP8D212, BGP8EL2 |
| \$\$EMP^BGP8D213 | BGP8D22, BGP8D28, BGP8D81 |
| \$\$FOOT^BGP8D213 | BGP8D22 |
| \$\$STATALG^BGP8D213 | BGP8D212, BGP8EL2 |
| CVD^BGP8D213 | BGP8DPA4 |
| OPTOM^BGP8D213 | BGP8D3B |
| \$\$STATIN^BGP8D214 | BGP8D212, BGP8D213, BGP8EL2 |
| \$\$BLINDPL^BGP8D21A | BGP8D21, BGP8D22, BGP8EL2 |
| \$\$CHDPL^BGP8D21A | BGP8D212 |
| \$\$ASSEV^BGP8D22 | BGP8D28, BGP8D31, BGP8D81 |
| \$\$BPCPT^BGP8D22 | BGP8D2, BGP8D26, BGP8D41, BGP8D9, BGP8DPA1 |
| \$\$COPD^BGP8D22 | BGP8D28, BGP8D81 |
| \$\$CREAT^BGP8D22 | BGP8D82 |
| \$\$PERASTH^BGP8D22 | BGP8D28, BGP8D81 |
| \$\$SEVPER^BGP8D22 | BGP8D81 |
| \$\$PCV^BGP8D24 | BGP8EL4 |
| BNI^BGP8D24 | BGP8DPA4 |
| \$\$HIVDX^BGP8D24A | BGP8D33, BGP8D35, BGP8D38 |
| \$\$KEYSTI^BGP8D24A | BGP8D24 |
| \$\$DEP^BGP8D25 | BGP8D26, BGP8D41, BGP8DPA2, BGP8DPA4 |
| \$\$DEPEDU^BGP8D25 | BGP8DPA2, BGP8DPA4 |
| \$\$DEPSCR^BGP8D25 | BGP8D26, BGP8D41, BGP8DPA2, BGP8DPA4 |
| \$\$DEPSUIC^BGP8D25 | BGP8D41 |
| DEPEP^BGP8D25 | BGP8EL3 |

| | |
|----------------------|---|
| \$\$MEANBP^BGP8D26 | BGP8D41 |
| \$\$AMP^BGP8D27 | BGP8D22 |
| \$\$DEPSCRBH^BGP8D27 | BGP8D25 |
| \$\$DEN7^BGP8D3 | BGP8DPA1 |
| \$\$FLU^BGP8D3 | BGP8D3B, BGP8DPA1, BGP8DPA4, BGP8EL3 |
| \$\$HPV^BGP8D3 | BGP8D64 |
| \$\$HYSTER^BGP8D3 | BGP8D64 |
| \$\$PAP^BGP8D3 | BGP8D64, BGP8DPA1 |
| \$\$PAPHPVWH^BGP8D3 | BGP8D31 |
| \$\$ANCONT^BGP8D31 | BGP8D33, BGP8D34, BGP8D35, BGP8D36, BGP8D37, BGP8D38, BGP8D3A BGP8D3B, BGP8D86 |
| \$\$ANEGCONT^BGP8D31 | BGP8D38 |
| \$\$ANIMCONT^BGP8D31 | BGP8D37, BGP8D3C |
| \$\$ANNECONT^BGP8D31 | BGP8D33 |
| \$\$HOSP^BGP8D31 | BGP8EL31 |
| \$\$MMRCONT^BGP8D31 | BGP8D33, BGP8D35, BGP8D811 |
| \$\$PAPHPV^BGP8D31 | BGP8D3 |
| \$\$PNEU^BGP8D31 | BGP8DPA1 |
| \$\$SEV^BGP8D31 | BGP8D28 |
| \$\$V2ASTH^BGP8D31 | BGP8EL31 |
| \$\$IMMREF^BGP8D32 | BGP8D35 |
| GETIMMS^BGP8D32 | BGP8D33, BGP8D34, BGP8D35, BGP8D36, BGP8D37, BGP8D38, BGP8D811 BGP8D86 |
| I14^BGP8D32 | BGP8DPA1 |
| \$\$MMR^BGP8D33 | BGP8D32 |
| \$\$OPV^BGP8D33 | BGP8D32 |
| \$\$DTAP^BGP8D34 | BGP8D32 |
| RESET^BGP8D34 | BGP8D341 |
| TEST^BGP8D341 | BGP8D34 |
| \$\$HEP^BGP8D35 | BGP8D32 |
| \$\$PNEUMO^BGP8D35 | BGP8D32 |
| \$\$VAR^BGP8D35 | BGP8D32 |
| \$\$AGE^BGP8D36 | BGP8D3, BGP8DPA4 |
| \$\$ENCEPH^BGP8D36 | BGP8D34 |
| \$\$HPV^BGP8D36 | BGP8D85 |
| \$\$IMMUNO^BGP8D36 | BGP8D33, BGP8D35, BGP8D38 |
| \$\$INTUSS^BGP8D36 | BGP8D37 |
| \$\$LYMPHO^BGP8D36 | BGP8D33, BGP8D35, BGP8D38 |
| \$\$MEN^BGP8D36 | BGP8D85 |
| \$\$SCID^BGP8D36 | BGP8D37 |
| \$\$HEPA^BGP8D37 | BGP8D32 |
| \$\$ROTA2^BGP8D37 | BGP8D32 |
| \$\$ROTA3^BGP8D37 | BGP8D32 |
| FLU^BGP8D37 | BGP8D3 |
| \$\$HIB3^BGP8D38 | BGP8D32 |
| \$\$HIB4^BGP8D38 | BGP8D32 |
| \$\$INFLU^BGP8D38 | BGP8D32 |
| \$\$DTAP^BGP8D3A | BGP8D3B |
| \$\$DTAPT^BGP8D3A | BGP8D3B |
| \$\$GA^BGP8D3A | BGP8D21 |
| \$\$HIGHR^BGP8D3A | BGP8D3 |
| \$\$HIGHRP^BGP8D3A | BGP8D3B |
| \$\$SEALDEV^BGP8D3A | BGP8D3 |
| \$\$TF^BGP8D3A | BGP8D3 |
| SEAL^BGP8D3A | BGP8D3 |
| SEALR^BGP8D3A | BGP8D3 |

| | |
|-----------------------|---|
| I13^BGP8D3B | BGP8D3 , BGP8DPA4 |
| PN^BGP8D3B | BGP8EL3 |
| \$\$FIRSTPDX^BGP8D3C | BGP8D3B |
| \$\$IZOSTER^BGP8D3C | BGP8D3B |
| \$\$LASTVD^BGP8D3C | BGP8D3B |
| \$\$PCV13^BGP8D3C | BGP8D3B |
| \$\$PPSV23^BGP8D3C | BGP8D3B |
| \$\$DEN8^BGP8D4 | BGP8D64 , BGP8DPA1 |
| \$\$MAM^BGP8D4 | BGP8D64 , BGP8DPA1 , BGP8EL3 |
| \$\$MAS^BGP8D4 | BGP8EL3 |
| \$\$MEANBP^BGP8D41 | BGP8D9 |
| BPCV^BGP8D41 | BGP8EL3 |
| I0302ASC^BGP8D41 | BGP8DPA2 |
| \$\$ALPED^BGP8D5 | BGP8D55 , BGP8DPA2 |
| \$\$ALPRC^BGP8D5 | BGP8D26 |
| \$\$DV61^BGP8D5 | BGP8D26 |
| \$\$DVDX^BGP8D5 | BGP8D26 , BGP8DPA2 |
| \$\$DVEX^BGP8D5 | BGP8D26 , BGP8DPA2 |
| \$\$DVPED^BGP8D5 | BGP8D26 , BGP8DPA2 |
| DV^BGP8D5 | BGP8EL3 |
| ICRSAMM^BGP8D51 | BGP8DPA4 |
| \$\$EAPT^BGP8D52 | BGP8D51 |
| DVDX^BGP8D54 | BGP8D5 |
| \$\$ALDX^BGP8D55 | BGP8D26 |
| ALSCRN^BGP8D55 | BGP8D24 , BGP8DPA2 , BGP8DPA4 |
| \$\$ALDX^BGP8D5A | BGP8DPA2 |
| \$\$BMI^BGP8D6 | BGP8D26 , BGP8D41 , BGP8D52 , BGP8D71 , BGP8EL3 |
| \$\$BMIOR^BGP8D6 | BGP8DPA2 |
| \$\$OB^BGP8D6 | BGP8D71 , BGP8DPA2 , BGP8EL3 |
| \$\$OW^BGP8D6 | BGP8D71 , BGP8DPA2 , BGP8EL3 |
| \$\$REF^BGP8D6 | BGP8EL3 |
| \$\$COLO^BGP8D62 | BGP8D64 , BGP8DPA2 |
| \$\$CRC^BGP8D62 | BGP8D63 , BGP8D64 , BGP8DPA2 , BGP8EL3 |
| \$\$FOB^BGP8D62 | BGP8D64 , BGP8DPA2 |
| \$\$SIG^BGP8D62 | BGP8D64 , BGP8DPA2 |
| CRCP^BGP8D62 | BGP8EL3 |
| \$\$CPTSM^BGP8D7 | BGP8D26 , BGP8D41 , BGP8D713 , BGP8D89 |
| \$\$DENT^BGP8D7 | BGP8D26 , BGP8D41 , BGP8D713 |
| \$\$DX^BGP8D7 | BGP8D26 , BGP8D713 |
| \$\$DXS^BGP8D7 | BGP8D713 |
| \$\$DXSL^BGP8D7 | BGP8D713 |
| \$\$DXU^BGP8D7 | BGP8D713 |
| \$\$LASTHF^BGP8D7 | BGP8D71 , BGP8D712 , BGP8D76 , BGP8D9 |
| \$\$PED^BGP8D7 | BGP8D26 , BGP8D41 , BGP8D713 |
| \$\$PREG^BGP8D7 | BGP8CON1 , BGP8D21 , BGP8D212 , BGP8D213 , BGP8D3B , BGP8D52 BGP8D722 , BGP8D723 , BGP8D75 , BGP8D8 , BGP8D88 , BGP8D9 , BGP8DPA2 BGP8EL2 |
| \$\$TOBACCO^BGP8D7 | BGP8D26 , BGP8D41 |
| TA^BGP8D7 | BGP8EL3 |
| I91^BGP8D71 | BGP8DPA2 |
| \$\$MEDNUTR^BGP8D711 | BGP8D41 |
| \$\$MEDNUTRD^BGP8D711 | BGP8D41 , BGP8D71 |
| \$\$OTHREL^BGP8D711 | BGP8D41 , BGP8D71 |
| \$\$PED^BGP8D711 | BGP8D71 , BGP8D76 , BGP8DPA2 |
| \$\$SPECEX^BGP8D711 | BGP8D41 , BGP8D71 |
| \$\$SPECNUTR^BGP8D711 | BGP8D41 , BGP8D71 |

| | |
|-----------------------|--|
| \$\$TOBHF^BGP8D712 | BGP8D7 , BGP8D713 , BGP8D89 |
| PREGSCRN^BGP8D713 | BGP8D7 |
| PREG^BGP8D714 | BGP8D7 |
| \$\$AMA^BGP8D72 | BGP8D731 , BGP8D87 |
| \$\$BETAALG1^BGP8D72 | BGP8D721 , BGP8D731 , BGP8D75 |
| \$\$EXPIRED^BGP8D72 | BGP8D731 , BGP8D87 |
| \$\$TRANS^BGP8D72 | BGP8D731 , BGP8D87 |
| \$\$ASA^BGP8D721 | BGP8D731 |
| \$\$ASAALLEG^BGP8D721 | BGP8D731 , BGP8D75 |
| \$\$BETA^BGP8D721 | BGP8D731 |
| \$\$BETACONT^BGP8D721 | BGP8D731 , BGP8D75 |
| \$\$ACEALG^BGP8D722 | BGP8D721 , BGP8D731 , BGP8D75 |
| \$\$ACECONT^BGP8D722 | BGP8D721 , BGP8D731 |
| \$\$ACERX^BGP8D722 | BGP8D721 , BGP8D731 |
| \$\$RESAL^BGP8D722 | BGP8D213 |
| \$\$RESCK^BGP8D722 | BGP8D213 |
| \$\$STATALG^BGP8D722 | BGP8D721 , BGP8D731 , BGP8D75 |
| \$\$STATCON^BGP8D722 | BGP8D721 , BGP8D731 , BGP8D75 |
| \$\$STATRX^BGP8D722 | BGP8D721 , BGP8D731 |
| \$\$ACEALG^BGP8D723 | BGP8D21 |
| \$\$ACECONT^BGP8D723 | BGP8D21 |
| BETACONT^BGP8D724 | BGP8CON , BGP8D721 |
| \$\$CHD^BGP8D729 | BGP8D25 , BGP8D41 , BGP8D721 , BGP8D73 , BGP8DPA2 |
| CHEL^BGP8D73 | BGP8EL4 |
| \$\$HOSPICE^BGP8D74 | BGP8D39 , BGP8D53 |
| \$\$FIRSTHF^BGP8D8 | BGP8D26 |
| \$\$HIVDX^BGP8D8 | BGP8D88 |
| \$\$HIVDX1^BGP8D8 | BGP8D812 |
| \$\$HIVTEST^BGP8D8 | BGP8D24A |
| IE2^BGP8D8 | BGP8DPA2 |
| \$\$VAPI^BGP8D81 | BGP8D711 , BGP8D721 , BGP8D731 , BGP8D75 , BGP8D82 , BGP8D863 BGP8D91 |
| \$\$ART^BGP8D811 | BGP8D8 |
| \$\$PCR^BGP8D811 | BGP8D8 |
| \$\$CD4^BGP8D812 | BGP8D8 |
| \$\$HIVTEST1^BGP8D812 | BGP8D8 |
| \$\$CLASS^BGP8D82 | BGP8D863 |
| \$\$DAYS^BGP8D82 | BGP8D21 , BGP8D214 , BGP8D52 , BGP8D721 , BGP8D722 , BGP8D723 BGP8D732 , BGP8D863 |
| \$\$CD4RES^BGP8D841 | BGP8D8 |
| HEPC^BGP8D841 | BGP8D84 |
| \$\$TDAP^BGP8D86 | BGP8D85 |
| \$\$FIRSTHTN^BGP8D9 | BGP8D21 |
| \$\$LASTBP^BGP8D9 | BGP8DPA2 |
| \$\$MHHTN^BGP8D9 | BGP8DPA2 |
| \$\$V1HTN^BGP8D9 | BGP8D21 |
| ^BGP8DADB | opt |
| ^BGP8DAP | opt |
| ^BGP8DAR | opt |
| SUMONLY^BGP8DAR | opt |
| ^BGP8DARO | opt |
| ^BGP8DBPR | BGP8DP |
| AREA^BGP8DBPR | BGP8PARP |
| PRINTN^BGP8DBPR | BGP8DP |
| CALCIND^BGP8DCEI | BGP8D1 |
| \$\$STATE^BGP8DCHW | BGP8DNE1 |

| | |
|-------------------|---|
| \$\$UID^BGP8DCHW | BGP8DNE1 |
| CALCIND^BGP8DCI | BGP8D1 ,BGP8D10 |
| ^BGP8DCL | opt |
| CPPL1^BGP8DCLD | BGP8PDL |
| \$\$LAST^BGP8DCLP | BGP8DCLD |
| CPPL1^BGP8DCLP | BGP8DP |
| ^BGP8DEL | opt |
| ^BGP8DELA | opt |
| ^BGP8DELP | BGP8DEL |
| PRINT1^BGP8DELP | BGP8PHEL |
| ^BGP8DEMO | opt |
| EN^BGP8DESI | BGP8DEL |
| EN^BGP8DESL | BGP8DEL |
| PT^BGP8DESL | BGP8DEL ,BGP8DELA |
| RT^BGP8DESL | BGP8DEL |
| ^BGP8DGPA | opt |
| ^BGP8DGPU | opt |
| ENDDATE^BGP8DGPU | BGP8DADB ,BGP8DAP ,BGP8DAR ,BGP8DL ,BGP8DNDB ,BGP8DPP BGP8UTL3 |
| ^BGP8DH | BGP8DBPR ,BGP8DP ,BGP8DPEP |
| \$\$USR^BGP8DH | BGP8DH1 |
| AREACP^BGP8DH | BGP8DBPR ,BGP8PARP ,BGP8PARQ ,BGP8PPEL |
| ENDTIME^BGP8DH | BGP8DH1 |
| EOP^BGP8DH | BGP8LSTF ,BGP8ULF |
| HDR^BGP8DH | BGP8DH1 ,BGP8DH2 |
| MD^BGP8DH | BGP8DH1 |
| PD^BGP8DH | BGP8DH1 |
| PEDCP^BGP8DH | BGP8DH1 |
| AHDR^BGP8DH1 | BGP8DH ,BGP8DH2 |
| ALLHDR^BGP8DH1 | BGP8DH |
| AREACP^BGP8DH1 | BGP8DBPR ,BGP8DH |
| COMHDR^BGP8DH1 | BGP8DH |
| GPRAHDRS^BGP8DH1 | BGP8DH |
| GPUPPHDR^BGP8DH1 | BGP8DH |
| ONMHDR^BGP8DH1 | BGP8DH |
| PEHDR^BGP8DH1 | BGP8DH |
| PPHDR^BGP8DH1 | BGP8DH |
| DASH^BGP8DH2 | BGP8DH |
| DASHHDRA^BGP8DH2 | BGP8DH1 |
| GPRAHDRA^BGP8DH2 | BGP8DH1 |
| ONMHDRA^BGP8DH2 | BGP8DH1 |
| ^BGP8DICR | opt |
| ^BGP8DL | opt |
| AI^BGP8DL | BGP8GALL ,BGP8GCOM ,BGP8GPP |
| CHKY^BGP8DL | BGP8UTL3 |
| II^BGP8DL | BGP8GALL ,BGP8GCOM ,BGP8GPP |
| PI^BGP8DL | BGP8GALL ,BGP8GCOM ,BGP8GPP |
| CMS^BGP8DLT | opt |
| CRS^BGP8DLT | opt |
| ELDER^BGP8DLT | opt |
| GPRA^BGP8DLT | opt |
| ONM^BGP8DLT | opt |
| CMS^BGP8DMT | opt |
| CRS^BGP8DMT | opt |
| ELDER^BGP8DMT | opt |
| GPRA^BGP8DMT | opt |

| | |
|--------------------|---|
| ONM^BGP8DMT | opt |
| ^BGP8DNDB | opt |
| PRINT^BGP8DNE1 | BGP8DNE1 |
| PROC^BGP8DNE1 | BGP8DNE1 ,BGP8GNXP |
| ^BGP8DNG | opt |
| \$\$CTR^BGP8DNG | BGP8AUEX |
| ^BGP8DNNGP | opt |
| ^BGP8DNNGS | opt |
| ^BGP8DON | opt |
| ^BGP8DP | BGP8DAP ,BGP8DCL ,BGP8DGPU ,BGP8DL ,BGP8DNDB ,BGP8DNG BGP8DNNGP ,BGP8DNNGS ,BGP8DON ,BGP8DPP ,BGP8DSTM ,BGP8NPL |
| PRINT1^BGP8DP | BGP8PARP ,BGP8PARQ |
| SETEXCEL^BGP8DP | BGP8AU1A ,BGP8PARP ,BGP8PARQ |
| W^BGP8DP | BGP8DBPR ,BGP8DCLP ,BGP8DH ,BGP8DH1 ,BGP8DH2 ,BGP8DP ,BGP8DP1C BGP8DP1H ,BGP8DP1I ,BGP8DP1J ,BGP8DP1K ,BGP8DP1L ,BGP8DP1M BGP8DP1N ,BGP8DP1O ,BGP8DP1S ,BGP8DP1T ,BGP8DPH ,BGP8DS BGP8DSP ,BGP8DSPD ,BGP8DSPN ,BGP8DSPO ,BGP8DSTM ,BGP8NPLP BGP8SDP ,BGP8SDPD BGP8SDPN ,BGP8SDPO |
| WTITLE^BGP8DP | BGP8DS ,BGP8NPLP |
| PI^BGP8DP1 | BGP8DP2 |
| I1AGE^BGP8DP11 | BGP8DP1C |
| I1AGE^BGP8DP12 | BGP8DP1 |
| I1AGE^BGP8DP13 | BGP8DP1 |
| I1AGE^BGP8DP14 | BGP8DP1 |
| \$\$SB^BGP8DP1C | BGP8DP1E |
| \$\$V^BGP8DP1C | BGP8DBPR ,BGP8DP11 ,BGP8DP12 ,BGP8DP13 ,BGP8DP14 ,BGP8DP19 BGP8DP1C ,BGP8DP1H ,BGP8DP1L ,BGP8DP1M ,BGP8DP1N ,BGP8DP1O BGP8DP1S ,BGP8DP1T ,BGP8DP2 ,BGP8DP3 ,BGP8DP4 ,BGP8DP5 BGP8DP50 ,BGP8DP51 ,BGP8DP6 ,BGP8DP60 ,BGP8DP7 ,BGP8DP8 BGP8PD19 ,BGP8PDL0 ,BGP8PDL1 BGP8PDL2 ,BGP8PDL3 ,BGP8PDL4 ,BGP8PDL5 ,BGP8PDL7 ,BGP8PDL8 BGP8PDL9 ,BGP8PDLA ,BGP8PDLB ,BGP8PDLI ,BGP8PDLT ,BGP8PDPA BGP8PDPB |
| GPRANT1^BGP8DP1C | BGP8DP19 ,BGP8PD19 |
| I1AGE^BGP8DP1C | BGP8DP1 |
| PI^BGP8DP1C | BGP8DP1 ,BGP8DP10 ,BGP8DP3 ,BGP8DP4 ,BGP8DP5 ,BGP8DP6 |
| PI1^BGP8DP1C | BGP8DP4 ,BGP8DP5 |
| SETEXA^BGP8DP1C | BGP8DP19 ,BGP8DP1H ,BGP8DP1T ,BGP8DP2 ,BGP8DP3 ,BGP8DP7 BGP8PD19 ,BGP8PDL1 ,BGP8PDL2 ,BGP8PDL3 |
| SETN^BGP8DP1C | BGP8DP2 ,BGP8DP3 ,BGP8DP7 ,BGP8PDL1 ,BGP8PDL2 ,BGP8PDL3 |
| SETN1^BGP8DP1C | BGP8DP1H ,BGP8DP1T |
| GPRANT3^BGP8DP1D | BGP8DP1C |
| ONM1^BGP8DP1D | BGP8DP1C |
| \$\$CHECK^BGP8DP1E | BGP8DP1C ,BGP8DP2 ,BGP8DP3 ,BGP8PDL1 ,BGP8PDL2 ,BGP8PDL3 |
| SETDEV^BGP8DP1E | BGP8DP1C |
| ONN4^BGP8DP1F | BGP8DP1D |
| GPRANT5^BGP8DP1G | BGP8DP1D |
| AH^BGP8DP1H | BGP8DP1I ,BGP8DP1K |
| BL^BGP8DP1I | BGP8DP1J |
| PR^BGP8DP1I | BGP8DP1J |
| SNDPG^BGP8DP1I | BGP8DP1H |
| I1AGEP^BGP8DP1J | BGP8DP1H |
| BL^BGP8DP1K | BGP8DP1I |
| ^BGP8DP1L | BGP8DP1 ,BGP8PDL1 |
| ^BGP8DP1M | BGP8DP1 ,BGP8PDL1 |

| | |
|-----------------------|---|
| ^BGP8DP1N | BGP8DP1 ,BGP8PDL1 |
| ^BGP8DP1O | BGP8DP1 ,BGP8PDL1 |
| ^BGP8DP1S | BGP8DP1 ,BGP8PDL1 |
| ^BGP8DP1T | BGP8DP1S |
| PI^BGP8DP2 | BGP8DP1 |
| PI1^BGP8DP2 | BGP8DP1C |
| SETSUM^BGP8DP2 | BGP8PDL2 |
| I1AGEP^BGP8DP50 | BGP8DP5 ,BGP8DP51 |
| I1AGEP^BGP8DP60 | BGP8DP6 |
| I1AGE^BGP8DP8 | BGP8DP1 |
| ^BGP8DPA | opt |
| COVPAGE^BGP8DPA | opt |
| PROC^BGP8DPA | BGP8DPA ,BGP8GFOR |
| \$\$TITLE^BGP8DPA1 | BGP8DPA4 |
| \$\$TITLE2^BGP8DPA1 | BGP8DPA1 |
| ISS^BGP8DPA1 | BGP8D1 |
| \$\$TITLE^BGP8DPA2 | BGP8DPA4 |
| \$\$EYE^BGP8DPA4 | BGP8DPA1 |
| ^BGP8DPAP | opt |
| PRINT^BGP8DPAW | BGP8DPA |
| ^BGP8DPE | opt |
| GETDATES^BGP8DPE | BGP8DPEA |
| PP^BGP8DPE | opt |
| ^BGP8DPE1 | BGP8DPE ,BGP8GPED |
| \$\$EDUALLOW^BGP8DPE1 | BGP8DPE2 |
| 5^BGP8DPE2 | BGP8DPE1 |
| 6^BGP8DPE2 | BGP8DPE1 |
| 7^BGP8DPE2 | BGP8DPE1 |
| SET73^BGP8DPE3 | BGP8DPE2 |
| SET74^BGP8DPE3 | BGP8DPE2 |
| SET75^BGP8DPE3 | BGP8DPE2 |
| ^BGP8DPEA | opt |
| ^BGP8DPED | BGP8PPEL |
| \$\$V^BGP8DPED | BGP8DPEF |
| DEL^BGP8DPED | BGP8DPEP |
| S^BGP8DPED | BGP8DPEF |
| SETN^BGP8DPED | BGP8DPEF |
| ^BGP8DPEE | BGP8DPED |
| 7^BGP8DPEF | BGP8DPED |
| ^BGP8DPEL | BGP8DPEP |
| ^BGP8DPEP | BGP8DPE |
| \$\$C^BGP8DPEP | BGP8DPEQ |
| \$\$V^BGP8DPEP | BGP8DPEQ |
| HEADER^BGP8DPEP | BGP8DPEQ |
| PRINT1^BGP8DPEP | BGP8PPEL |
| SETN^BGP8DPEP | BGP8DPEQ |
| 7^BGP8DPEQ | BGP8DPEP |
| SETNM^BGP8DPEQ | BGP8DPEF ,BGP8DPEQ |
| H1^BGP8DPH | BGP8DP1 ,BGP8DP1C ,BGP8DP10 ,BGP8DP2 ,BGP8DP4 ,BGP8DP5 BGP8DP6 ,BGP8DPEP ,BGP8DPEQ ,BGP8ELP1 |
| H10^BGP8DPH | BGP8DP14 |
| H2^BGP8DPH | BGP8DP1C ,BGP8DPEP ,BGP8DPEQ ,BGP8ELP1 |
| H3^BGP8DPH | BGP8DP11 |
| H4^BGP8DPH | BGP8DP12 ,BGP8DP13 |
| H9^BGP8DPH | BGP8DP19 |
| HEADER^BGP8DPH | BGP8DBPR ,BGP8DELP ,BGP8DP ,BGP8DP1 ,BGP8DP11 ,BGP8DP12 |

| | |
|---------------------|---|
| | BGP8DP13, BGP8DP14, BGP8DP19, BGP8DP1C, BGP8DP1H, BGP8DP1I BGP8DP1J, BGP8DP1K, BGP8DP1L, BGP8DP1M, BGP8DP1N, BGP8DP1O BGP8DP1S, BGP8DP1T, BGP8DP2, BGP8DP3, BGP8DP4, BGP8DP5 BGP8DP50, BGP8DP51, BGP8DP6 BGP8DP60, BGP8DP8, BGP8DPEL, BGP8DPEP, BGP8DS, BGP8DSP BGP8DSPD, BGP8DSPN, BGP8DSPO, BGP8DSTM, BGP8EL10, BGP8EL11 BGP8EL12, BGP8EL13, BGP8EL14, BGP8EL15, BGP8EL16, BGP8EL17 BGP8EL18, BGP8EL19, BGP8EL1A, BGP8EL1B, BGP8EL1C, BGP8EL1D BGP8EL1E, BGP8EL1F, BGP8EL1G BGP8EL1H, BGP8EL1I, BGP8EL1J, BGP8EL1K, BGP8EL1L, BGP8EL1M BGP8EL1N, BGP8EL1O, BGP8EL1P, BGP8EL1Q, BGP8EL1R, BGP8EL1S BGP8EL1T, BGP8ELP1, BGP8ELS, BGP8PDLT, BGP8SDP, BGP8SDPD BGP8SDPN, BGP8SDPO |
| HPA^BGP8DPH | BGP8PDLT |
| ^BGP8DPP | opt |
| ^BGP8DS | BGP8DP |
| EN^BGP8DSI | BGP8DAP, BGP8DL, BGP8DPP, BGP8DSTM, BGP8NPL |
| EN^BGP8DSL | BGP8DAP, BGP8DL, BGP8DPP |
| PT^BGP8DSL | BGP8DADB, BGP8DAP, BGP8DAR, BGP8DARO, BGP8DCL, BGP8DGPA BGP8DGPU, BGP8DL, BGP8DNDB, BGP8DNG, BGP8DNGP, BGP8DNGS BGP8DON, BGP8DPP, BGP8DSTM, BGP8NPL |
| RT^BGP8DSL | BGP8DAP, BGP8DCL, BGP8DL, BGP8DPP, BGP8DSTM, BGP8NPL |
| TEXT^BGP8DSL | BGP8DAP, BGP8DAR, BGP8DARO, BGP8DCL, BGP8DEL, BGP8DELA BGP8DGPA, BGP8DGPU, BGP8DL, BGP8DNG, BGP8DNGP, BGP8DON BGP8DPE, BGP8DPEA, BGP8DPP, BGP8NPL |
| ^BGP8DSP | BGP8DP |
| ^BGP8DSPD | BGP8DP |
| ^BGP8DSPN | BGP8DP |
| ^BGP8DSPO | BGP8DP |
| ^BGP8DSTM | opt |
| CT^BGP8DSTM | BGP8DP, BGP8PDL |
| \$\$CPT^BGP8DU | BGP8D2, BGP8D21, BGP8D211, BGP8D213, BGP8D22, BGP8D25, BGP8D27 BGP8D3, BGP8D31, BGP8D37, BGP8D3A, BGP8D3C, BGP8D4, BGP8D52 BGP8D53, BGP8D62, BGP8D63, BGP8D64, BGP8D7, BGP8D71, BGP8D711 BGP8D714, BGP8D72, BGP8D74, BGP8D812, BGP8D83, BGP8D84 BGP8D841, BGP8D861 BGP8D87, BGP8D88, BGP8D9, BGP8DPA4 |
| \$\$CPTI^BGP8DU | BGP8C13, BGP8CON1, BGP8CU1, BGP8D2, BGP8D211, BGP8D214 BGP8D3A, BGP8D3B, BGP8D71, BGP8D711, BGP8D72, BGP8D721 BGP8D724, BGP8D73, BGP8D731, BGP8D732, BGP8D75, BGP8D811 BGP8D82, BGP8D841, BGP8D861, BGP8D864, BGP8D9, BGP8DPA4 BGP8EL2 |
| \$\$IPLSNOID^BGP8DU | BGP8D212, BGP8D213, BGP8D54, BGP8D55, BGP8D7, BGP8D71 BGP8D841 |
| \$\$IPLSNOND^BGP8DU | BGP8CON1, BGP8D211, BGP8D213, BGP8D21A, BGP8D22, BGP8D3 BGP8D33, BGP8D35, BGP8D37, BGP8D4, BGP8D62, BGP8D722, BGP8D724 BGP8D75, BGP8D811 |
| \$\$LASTITEM^BGP8DU | BGP8D25, BGP8D3A, BGP8UTL2 |
| \$\$PLTAX^BGP8DU | BGP8D33, BGP8D811 |
| \$\$PLTAXID^BGP8DU | BGP8D212, BGP8D213, BGP8D54, BGP8D55, BGP8D71, BGP8D841 |
| \$\$PLTAXND^BGP8DU | BGP8CON1, BGP8D211, BGP8D213, BGP8D21A, BGP8D22, BGP8D3 BGP8D33, BGP8D35, BGP8D36, BGP8D37, BGP8D4, BGP8D62, BGP8D722 BGP8D724, BGP8D75, BGP8D811 |
| \$\$RAD^BGP8DU | BGP8D53 |
| \$\$TRAN^BGP8DU | BGP8D2, BGP8D21, BGP8D211, BGP8D22, BGP8D3, BGP8D31, BGP8D37 BGP8D3C, BGP8D4, BGP8D53, BGP8D62, BGP8D63, BGP8D64, BGP8D714 |

| | |
|----------------------|--|
| | BGP8D72, BGP8D812, BGP8D83, BGP8D84, BGP8D841, BGP8D861 BGP8D88, BGP8DPA4 |
| \$\$TRANI^BGP8DU | BGP8C13, BGP8CON1, BGP8CU1, BGP8D2, BGP8D211, BGP8D711 BGP8D72, BGP8D721, BGP8D724, BGP8D73, BGP8D731, BGP8D732 BGP8D75, BGP8D811, BGP8D82, BGP8D861, BGP8D864, BGP8D9 BGP8EL2 |
| \$\$WH^BGP8DU | BGP8D3, BGP8D4 |
| ALLCPT^BGP8DU | BGP8D31 |
| PAUSE^BGP8DU | BGP8AUEX, BGP8AUUL, BGP8DAP, BGP8DCL, BGP8DEL, BGP8DGPU BGP8DL, BGP8DNDB, BGP8DNG, BGP8DNGP, BGP8DNQS, BGP8DON BGP8DPA, BGP8DPE, BGP8DPP, BGP8DSI, BGP8DSTM, BGP8NPL |
| I1AGE^BGP8EL10 | BGP8ELP1 |
| I1AGE^BGP8EL11 | BGP8ELP1 |
| H3^BGP8EL12 | BGP8EL13 |
| I1AGE^BGP8EL12 | BGP8ELP1 |
| I1AGE^BGP8EL13 | BGP8ELP1 |
| I1AGE^BGP8EL15 | BGP8ELP1 |
| I1AGE^BGP8EL16 | BGP8ELP1 |
| I1AGE^BGP8EL17 | BGP8ELP1 |
| I1AGE^BGP8EL18 | BGP8ELP1 |
| I1AGE^BGP8EL19 | BGP8ELP1 |
| I1AGE^BGP8EL1A | BGP8ELP1 |
| I1AGE^BGP8EL1B | BGP8ELP1 |
| I1AGE^BGP8EL1C | BGP8ELP1 |
| I1AGE^BGP8EL1D | BGP8ELP1 |
| I1AGE^BGP8EL1E | BGP8ELP1 |
| I1AGE^BGP8EL1F | BGP8ELP1 |
| I1AGE^BGP8EL1G | BGP8ELP1 |
| I1AGE^BGP8EL1H | BGP8ELP1 |
| I1AGE^BGP8EL1I | BGP8ELP1 |
| I1AGE^BGP8EL1J | BGP8ELP1 |
| I1AGE^BGP8EL1K | BGP8ELP1 |
| IELDPHA^BGP8EL1L | BGP8ELP1 |
| I1AGE^BGP8EL1M | BGP8ELP1 |
| I1AGE^BGP8EL1N | BGP8ELP1 |
| I1AGE^BGP8EL1O | BGP8ELP1 |
| H3^BGP8EL1P | BGP8EL1Q, BGP8EL1R |
| I1AGE^BGP8EL1P | BGP8ELP1 |
| ^BGP8EL1Q | BGP8EL1P |
| ^BGP8EL1R | BGP8EL1Q |
| ^BGP8EL1T | BGP8ELP1 |
| IELDASA^BGP8EL31 | BGP8EL3 |
| IELDFSA^BGP8EL31 | BGP8EL3 |
| IELDPHA^BGP8EL31 | BGP8EL3 |
| \$\$FUNCTION^BGP8EL4 | BGP8EL31 |
| \$\$PHNV^BGP8EL4 | BGP8EL31 |
| ^BGP8ELH | BGP8DELP |
| AREACP^BGP8ELH | BGP8PHEL |
| ^BGP8ELHH | BGP8ELL |
| ^BGP8ELL | BGP8DELP, BGP8PHEL |
| SETN^BGP8ELL1 | BGP8ELLN |
| \$\$SB^BGP8ELL2 | BGP8ELL1, BGP8ELL4, BGP8ELL5, BGP8ELL6, BGP8ELL7, BGP8ELL8 BGP8ELL9, BGP8ELLA, BGP8ELLB, BGP8ELLC, BGP8ELLD, BGP8ELLE BGP8ELLF, BGP8ELLG, BGP8ELLH, BGP8ELLI, BGP8ELLJ, BGP8ELLK BGP8ELLL, BGP8ELLM, BGP8ELLN, BGP8ELLO, BGP8ELLP, BGP8ELLQ BGP8ELLR, BGP8ELLS |

| | |
|-------------------|--|
| | BGP8ELLT, BGP8ELLU, BGP8ELLV, BGP8ELLW, BGP8ELLX |
| H2^BGP8ELL2 | BGP8ELL1 |
| H3^BGP8ELL2 | BGP8ELL3, BGP8ELL4, BGP8ELL5, BGP8ELL6, BGP8ELL7, BGP8ELL8 BGP8ELL9, BGP8ELLA, BGP8ELLB, BGP8ELLC, BGP8ELLD, BGP8ELLE BGP8ELLF, BGP8ELLG, BGP8ELLI, BGP8ELLJ, BGP8ELLK, BGP8ELLL BGP8ELLM, BGP8ELLP, BGP8ELLW |
| I1AGE^BGP8ELL2 | BGP8ELL1 |
| I1AGE^BGP8ELL3 | BGP8ELL1 |
| I1AGE^BGP8ELL4 | BGP8ELL1 |
| I1AGE^BGP8ELL6 | BGP8ELL1 |
| I1AGE^BGP8ELL7 | BGP8ELL1 |
| I1AGE^BGP8ELL8 | BGP8ELL1 |
| I1AGE^BGP8ELL9 | BGP8ELL1 |
| I1AGE^BGP8ELLA | BGP8ELL1 |
| I1AGE^BGP8ELLB | BGP8ELL1 |
| I1AGE^BGP8ELLC | BGP8ELL1 |
| I1AGE^BGP8ELLD | BGP8ELL1 |
| I1AGE^BGP8ELLE | BGP8ELL1 |
| I1AGE^BGP8ELLF | BGP8ELL1 |
| I1AGE^BGP8ELLG | BGP8ELL1 |
| I1AGE^BGP8ELLH | BGP8ELL1 |
| I1AGE^BGP8ELLI | BGP8ELL1 |
| I1AGE^BGP8ELLJ | BGP8ELL1 |
| I1AGE^BGP8ELLK | BGP8ELL1 |
| I1AGE^BGP8ELLL | BGP8ELL1 |
| I1AGE^BGP8ELLM | BGP8ELL1 |
| I1ELDPHA^BGP8ELLN | BGP8ELL1 |
| I1AGE^BGP8ELLO | BGP8ELL1 |
| I1AGE^BGP8ELLP | BGP8ELL1 |
| I1AGEP^BGP8ELLQ | BGP8ELL3 |
| I1AGE^BGP8ELLR | BGP8ELL1 |
| I1AGE^BGP8ELLS | BGP8ELL1 |
| I1AGEP^BGP8ELLT | BGP8ELLS |
| ^BGP8ELLU | BGP8ELLT |
| BL^BGP8ELLV | BGP8ELLJ |
| I1AGE^BGP8ELLX | BGP8ELL1 |
| SETN^BGP8ELP1 | BGP8EL1L |
| ^BGP8ELS | BGP8DELP |
| ^BGP8ELSL | BGP8ELL |
| GETIEN^BGP8EUTL | BGP8GUPL, BGP8ULF |
| GS^BGP8EUTL | BGP8DEL, BGP8GELD |
| REPORT^BGP8EUTL | BGP8DEL, BGP8GELD |
| STMP^BGP8EUTL | BGP8DCEI |
| EP^BGP8GACW | BGP8GRA |
| EP^BGP8GADB | BGP8GRB |
| EP^BGP8GAEL | BGP8GRA |
| EP^BGP8GAG9 | BGP8GRA |
| EP^BGP8GAGP | BGP8GRA |
| EP^BGP8GAGS | BGP8GRA |
| EP^BGP8GAHE | BGP8GRA |
| EP^BGP8GALL | BGP8GR |
| EP^BGP8GAON | BGP8GRA |
| EP^BGP8GAPE | BGP8GRA |
| EP^BGP8GAPU | BGP8GRA |
| EP^BGP8GCMP | BGP8GR2 |
| EP^BGP8GCMS | BGP8GR |

| | |
|--------------------|--|
| EP^BGP8GCOM | BGP8GR |
| EP^BGP8GDON | BGP8GRA |
| EP^BGP8GDSH | BGP8GR2 |
| EP^BGP8GELD | BGP8GR1 |
| EP^BGP8GFO9 | BGP8GRB |
| EP^BGP8GFOR | BGP8GRB |
| EP^BGP8GGPU | BGP8GR |
| EP^BGP8GHED | BGP8GR |
| EP^BGP8GLHW | BGP8GR2 |
| EP^BGP8GLST | BGP8GU |
| EP^BGP8GLTX | BGP8GU |
| EP^BGP8GMTX | BGP8GU |
| EP^BGP8GMUE | BGP8GM |
| EP^BGP8GMUH | BGP8GM |
| EP^BGP8GNPL | BGP8GR , BGP8GRA |
| EP^BGP8GNST | BGP8GR |
| EP^BGP8GNT9 | BGP8GR1 |
| EP^BGP8GNTL | BGP8GR |
| EP^BGP8GNTP | BGP8GR1 |
| EPSUM^BGP8GNTS | BGP8GR1 |
| EP^BGP8GNXP | BGP8GR2 |
| EP^BGP8GPED | BGP8GR2 |
| EP^BGP8GPP | BGP8GR |
| CATSTR^BGP8GR | BGP8GR1 , BGP8GRA |
| ELD^BGP8GR1 | BGP8GR |
| CATSTR^BGP8GU | BGP8GRB |
| \$\$CHKFQT^BGP8GUA | BGP8GU |
| UPLOG^BGP8GUA | BGP8GADB , BGP8GAEL , BGP8GAG9 , BGP8GAGP , BGP8GAGS , BGP8GAHE BGP8GALL , BGP8GAON , BGP8GAPE , BGP8GAPU , BGP8GCMP , BGP8GCMS BGP8GCOM , BGP8GDON , BGP8GDSH , BGP8GELD , BGP8GFO9 , BGP8GFOR BGP8GGPU , BGP8GLHW , BGP8GLST , BGP8GLTX , BGP8GMTX , BGP8GMUE BGP8GMUH , BGP8GNPL BGP8GNST , BGP8GNT9 , BGP8GNTL , BGP8GNTP , BGP8GNTS , BGP8GNXP BGP8GPED , BGP8GPP |
| EP^BGP8GUPL | BGP8GU |
| GS^BGP8HUTL | BGP8GHED |
| REPORT^BGP8HUTL | BGP8GHED |
| ^BGP8LSTF | opt |
| ^BGP8NPL | opt |
| NONNPL^BGP8NPL | opt |
| NPL1^BGP8NPLP | BGP8DP , BGP8PDL |
| PRINT^BGP8PARP | BGP8AU1A , BGP8DADB , BGP8DAR , BGP8DGPA |
| PRINT^BGP8PARQ | BGP8DARO |
| I1AGE^BGP8PD19 | BGP8PDL1 |
| ALLHDR^BGP8PDH1 | BGP8PDLH |
| COMHDR^BGP8PDH1 | BGP8PDLH |
| DENOMHDR^BGP8PDH1 | BGP8PDLH |
| GPRAHDRS^BGP8PDH1 | BGP8PDLH |
| PEDCP^BGP8PDH1 | BGP8PDLH |
| PEHDR^BGP8PDH1 | BGP8PDLH |
| PPHDR^BGP8PDH1 | BGP8PDLH |
| HEADER^BGP8PDL | BGP8PDL0 , BGP8PDLN , BGP8PDLO |
| SAVEDEL^BGP8PDL | BGP8DBPR , BGP8DP , BGP8PARP , BGP8PARQ |
| \$\$SB^BGP8PDL1 | BGP8D26 , BGP8D6 , BGP8EL3 |
| H1^BGP8PDL1 | BGP8DP10 , BGP8DPED , BGP8DPEF , BGP8PDL0 , BGP8PDL2 , BGP8PDL3 BGP8PDL4 , BGP8PDL7 |

| | |
|------------------|--|
| H2^BGP8PDL1 | BGP8DPED ,BGP8DPEF |
| PI^BGP8PDL1 | BGP8DP10 ,BGP8PDL0 ,BGP8PDL2 ,BGP8PDL3 ,BGP8PDL4 ,BGP8PDL7 |
| PI1^BGP8PDL1 | BGP8PDL4 ,BGP8PDL7 |
| SETN^BGP8PDL1 | BGP8PDL0 |
| PI^BGP8PDL2 | BGP8PDL1 |
| PI1^BGP8PDL2 | BGP8PDL1 |
| I1AGEP^BGP8PDL5 | BGP8PDL0 |
| I1AGEP^BGP8PDL8 | BGP8PDL7 |
| I1AGE^BGP8PDL9 | BGP8PDL1 |
| I1AGE^BGP8PDLA | BGP8PDL1 |
| I1AGE^BGP8PDLB | BGP8PDL1 |
| DEVSUM^BGP8PDLD | BGP8PDL |
| SDP^BGP8PDLD | BGP8PDL |
| ^BGP8PDLH | BGP8DPED ,BGP8PDL |
| ^BGP8PDLI | BGP8PDL1 |
| NONSUM^BGP8PDLN | BGP8PDL |
| SDP^BGP8PDLN | BGP8PDL |
| OTHSUM^BGP8PDLO | BGP8PDL |
| ^BGP8PDLS | BGP8PDL |
| I1AGE^BGP8PDLT | BGP8DP1 |
| I1AGE^BGP8PDPA | BGP8PDL1 |
| I1AGE^BGP8PDPB | BGP8PDL1 |
| EN^BGP8PESI | BGP8DPE |
| EN^BGP8PESL | BGP8DPE |
| PT^BGP8PESL | BGP8DPE ,BGP8DPEA |
| RT^BGP8PESL | BGP8DPE |
| PRINT^BGP8PHEL | BGP8DELA |
| DRUGS^BGP8POS1 | BGP8POS |
| LAB^BGP8POS1 | BGP8POS |
| PRE^BGP8POS2 | BGP8POS |
| ^BGP8PPEL | BGP8DPEA |
| GETIEN^BGP8PUTL | BGP8GUPL ,BGP8ULF |
| GS^BGP8PUTL | BGP8DPE ,BGP8GPED |
| REPORT^BGP8PUTL | BGP8DPE ,BGP8GPED |
| ACEI^BGP8REF1 | BGP8REF |
| ARB^BGP8REF1 | BGP8REF |
| ASA^BGP8REF1 | BGP8REF |
| BETA^BGP8REF1 | BGP8REF |
| STATIN^BGP8REF1 | BGP8REF |
| ^BGP8SDP | BGP8DP |
| ^BGP8SDPD | BGP8DP |
| ^BGP8SDPN | BGP8DP |
| ^BGP8SDPO | BGP8DP |
| ^BGP8ULF | opt |
| \$\$D^BGP8UTL | BGP8AU1A ,BGP8DAR ,BGP8DARO ,BGP8DNE1 ,BGP8GAG9 ,BGP8GAGP BGP8GAON ,BGP8GLHW ,BGP8GNXP |
| \$\$DATE^BGP8UTL | BGP8ALG1 ,BGP8ALG2 ,BGP8ASL ,BGP8ASL1 ,BGP8C11 ,BGP8C13 BGP8CON1 ,BGP8CU ,BGP8CU1 ,BGP8D2 ,BGP8D21 ,BGP8D211 ,BGP8D212 BGP8D213 ,BGP8D214 ,BGP8D22 ,BGP8D24 ,BGP8D24A ,BGP8D25 BGP8D26 ,BGP8D27 ,BGP8D28 ,BGP8D3 ,BGP8D31 ,BGP8D39 ,BGP8D3A BGP8D3B ,BGP8D4 ,BGP8D41 BGP8D5 ,BGP8D51 ,BGP8D52 ,BGP8D53 ,BGP8D54 ,BGP8D55 ,BGP8D5A BGP8D6 ,BGP8D62 ,BGP8D63 ,BGP8D64 ,BGP8D7 ,BGP8D71 ,BGP8D713 BGP8D714 ,BGP8D72 ,BGP8D721 ,BGP8D722 ,BGP8D723 ,BGP8D724 BGP8D73 ,BGP8D731 ,BGP8D732 ,BGP8D74 ,BGP8D75 ,BGP8D76 ,BGP8D8 BGP8D81 ,BGP8D811 |

| | |
|-----------------------|---|
| \$\$DATE^BGP8UTL | BGP8D812, BGP8D82, BGP8D83, BGP8D84, BGP8D841, BGP8D87 BGP8D88, BGP8D89, BGP8D9, BGP8D91, BGP8DCLP, BGP8DP, BGP8DPA1 BGP8DPA2, BGP8DPA4, BGP8DPAP, BGP8DPAW, BGP8DPE2, BGP8DPEL BGP8DS, BGP8EL2, BGP8EL3, BGP8EL31, BGP8EL4, BGP8ELS, BGP8NPLP BGP8REF1, BGP8UTL2 |
| \$\$EDT^BGP8UTL | BGP8DNE1, BGP8DPEE, BGP8DS, BGP8ELSL, BGP8NPLP |
| \$\$LZERO^BGP8UTL | BGP8AU1A, BGP8AUEX, BGP8DAR, BGP8DARO, BGP8DNE1, BGP8GAG9 BGP8GAGP, BGP8GAON |
| \$\$RZERO^BGP8UTL | BGP8AU1A, BGP8D2, BGP8DAR, BGP8DARO, BGP8GACW, BGP8GAG9 BGP8GAGP, BGP8GAON, BGP8GLHW |
| GETIEN^BGP8UTL | BGP8AUUL, BGP8GUPL, BGP8ULF |
| GNT1^BGP8UTL | BGP8AU1A, BGP8DAR, BGP8GAG9, BGP8GAGP, BGP8GAGS |
| GS^BGP8UTL | BGP8AUEX, BGP8DGPU, BGP8DNG, BGP8DON, BGP8GDON, BGP8GGPU BGP8GNT9, BGP8GNTL, BGP8LHW |
| JRNL^BGP8UTL | BGP8D1, BGP8D10, BGP8DNE1, BGP8DPA, BGP8DPAP |
| ONN1^BGP8UTL | BGP8DARO, BGP8GAON |
| REPORT^BGP8UTL | BGP8AUEX, BGP8DAP, BGP8DCL, BGP8DGPU, BGP8DL, BGP8DNDB BGP8DNG, BGP8DNGP, BGP8DNDS, BGP8DON, BGP8DPP, BGP8DSTM BGP8GALL, BGP8GCM, BGP8GCOM, BGP8GDON, BGP8GDSH, BGP8GGPU BGP8GLHW, BGP8GNPL, BGP8GNST, BGP8GNT9, BGP8GNTL, BGP8GNTF BGP8GNTS, BGP8GPP, BGP8LHW BGP8NPL |
| SETHDR^BGP8UTL | BGP8UTL3 |
| STMP^BGP8UTL | BGP8DCI |
| XTMP^BGP8UTL | BGP8D1, BGP8DPE1 |
| \$\$CPTREFT^BGP8UTL1 | BGP8D24A, BGP8D3, BGP8D31, BGP8D34, BGP8D35, BGP8D37, BGP8D38 BGP8D3B, BGP8D3C, BGP8D4, BGP8D53, BGP8D62 |
| \$\$FIRSTCPT^BGP8UTL1 | BGP8D3C, BGP8D841 |
| \$\$FIRSTPRC^BGP8UTL1 | BGP8D3C |
| \$\$LABEL^BGP8UTL1 | BGP8DP1C, BGP8DP2, BGP8DP3, BGP8DP7, BGP8PDL1, BGP8PDL2 BGP8PDL3 |
| \$\$LABLEL^BGP8UTL1 | BGP8EL1L, BGP8ELL1, BGP8ELLN, BGP8ELP1 |
| \$\$LASTDX^BGP8UTL1 | BGP8ALG1, BGP8CON1, BGP8CU1, BGP8D1, BGP8D10, BGP8D2, BGP8D21 BGP8D211, BGP8D212, BGP8D213, BGP8D22, BGP8D3, BGP8D36 BGP8D39, BGP8D3B, BGP8D4, BGP8D52, BGP8D53, BGP8D7, BGP8D71 BGP8D72, BGP8D721, BGP8D724, BGP8D731, BGP8D74, BGP8D75 BGP8D841, BGP8D89, BGP8D9 BGP8DPA2, BGP8EL2 |
| \$\$LASTPRC^BGP8UTL1 | BGP8D21, BGP8D211, BGP8D27, BGP8D3, BGP8D4, BGP8D5, BGP8D53 BGP8D55, BGP8D62, BGP8D63, BGP8D64, BGP8D714, BGP8D72, BGP8D83 BGP8D84, BGP8D87, BGP8D88 |
| \$\$NMIREF^BGP8UTL1 | BGP8D31, BGP8D37, BGP8D3A, BGP8D3B, BGP8D3C |
| \$\$PRCREFT^BGP8UTL1 | BGP8D62 |
| \$\$RADREF^BGP8UTL1 | BGP8D4, BGP8D62 |
| \$\$REFUSAL^BGP8UTL1 | BGP8D213, BGP8D24A, BGP8D25, BGP8D3, BGP8D5, BGP8D53, BGP8D6 BGP8D62, BGP8D74, BGP8DPA4 |
| \$\$CHKDST^BGP8UTL2 | BGP8GUA |
| \$\$CODEN^BGP8UTL2 | BGP8D51, BGP8DU, BGP8UTL1 |
| \$\$DEMOCHK^BGP8UTL2 | BGP8AUEX, BGP8DAP, BGP8DCL, BGP8DEL, BGP8DGPU, BGP8DL BGP8DNDB, BGP8DNG, BGP8DNGP, BGP8DNDS, BGP8DON, BGP8DPA BGP8DPE, BGP8DPP, BGP8DSTM, BGP8NPL |
| \$\$EDD^BGP8UTL2 | BGP8D3B |
| \$\$GETDEDIR^BGP8UTL2 | BGP8DH, BGP8DH1, BGP8DSL, BGP8ELH, BGP8ELHH, BGP8PDH1 BGP8PDLH, BGP8PESL |
| \$\$GETDIR^BGP8UTL2 | BGP8AUEX, BGP8DADB, BGP8DAR, BGP8DARO, BGP8DEL, BGP8DGPU BGP8DL, BGP8DNDB, BGP8DNG, BGP8DON, BGP8DPE, BGP8GACW |

| | |
|--------------------|---|
| \$\$ICD^BGP8UTL2 | BGP8GAGP, BGP8GAGS, BGP8GDON, BGP8GELD, BGP8GFO9, BGP8GFOR BGP8GLHW, BGP8GNT9, BGP8GNTL, BGP8GNTP, BGP8GNTP, BGP8GNTP, BGP8GNTP, BGP8GNXP BGP8GPED, BGP8LHW, BGP8NPL BGP8ALG1, BGP8ALG2, BGP8C11, BGP8C13, BGP8CU1, BGP8D1, BGP8D10 BGP8D212, BGP8D213, BGP8D21A, BGP8D22, BGP8D24, BGP8D24A BGP8D25, BGP8D26, BGP8D27, BGP8D31, BGP8D35, BGP8D37, BGP8D38 BGP8D3A, BGP8D4, BGP8D5, BGP8D51, BGP8D52, BGP8D53, BGP8D55 BGP8D5A, BGP8D6 BGP8D7, BGP8D71, BGP8D711, BGP8D713, BGP8D714, BGP8D72 BGP8D722, BGP8D723, BGP8D729, BGP8D731, BGP8D732, BGP8D74 BGP8D75, BGP8D8, BGP8D81, BGP8D812, BGP8D82, BGP8D83, BGP8D84 BGP8D841, BGP8D87, BGP8D88, BGP8D89, BGP8D9, BGP8D91, BGP8DPA2 BGP8DPE1, BGP8DU BGP8UTL1 |
| \$\$ICDDX^BGP8UTL2 | BGP8ALG1, BGP8ALG2, BGP8C11, BGP8C13, BGP8CU1, BGP8D213 BGP8D25, BGP8D41, BGP8D5, BGP8D52, BGP8D5A, BGP8D6, BGP8D7 BGP8D711, BGP8D72, BGP8D722, BGP8D723, BGP8D732, BGP8D74 BGP8D8, BGP8D82, BGP8D83, BGP8D84, BGP8D89, BGP8DPA2, BGP8DPE1 BGP8UTL1 |
| \$\$ICDOP^BGP8UTL2 | BGP8CU1, BGP8UTL1 |
| \$\$RCIS^BGP8UTL2 | BGP8D87 |
| GETMEDS^BGP8UTL2 | BGP8CON1, BGP8D21, BGP8D214, BGP8D22, BGP8D39, BGP8D53 BGP8D711, BGP8D721, BGP8D722, BGP8D723, BGP8D731, BGP8D732 BGP8D74, BGP8D75, BGP8D81, BGP8D811, BGP8D82, BGP8D83, BGP8D84 BGP8D863, BGP8D864, BGP8D87, BGP8D89, BGP8DPA4 |
| UNFOLDTX^BGP8UTL2 | BGP8D1, BGP8D10, BGP8DPA |
| AGEDATE^BGP8UTL3 | BGP8D32 |
| ONN4^BGP8UTL3 | BGP8UTL |
| TESTDR^BGP8UTL3 | BGP8DNG, BGP8DNCP, BGP8DNCS |
| GNT3^BGP8UTLC | BGP8UTL |
| ^BGP8XTCH | opt |
| TAXCHK^BGP8XTCH | BGP8DAP, BGP8DL, BGP8DPP, BGP8XTCH |
| ^BGP8XTCN | opt |
| TAXCHK^BGP8XTCN | BGP8DCL, BGP8DGPU, BGP8DNDB, BGP8DNE1, BGP8DNG, BGP8DNCP BGP8DNCS, BGP8DPA, BGP8DSTM, BGP8NPL |
| ^BGP8XTCO | opt |
| TAXCHK^BGP8XTCO | BGP8DON, BGP8NPL |
| ^BGP8XTEL | opt |
| TAXCHK^BGP8XTEL | BGP8DEL |
| EP^BGP8XTL | BGP8XTS |
| ^BGP8XTV | opt |
| INIT^BGP8XTV | BGP8GU |
| EP^BGP8XTV1 | BGP8CTS, BGP8XTV |
| CATSTR^BGPGR | BGP8GRA, BGP8GRB |
| INIT^BGP8MUDSI | BGP8GTA |
| INITH^BGP8MUDSI | BGP8GTA |
| INITM^BGP8MUDSI | BGP8GTA |
| INIT^BGP8MUDSL | BGP8GTA |
| ^BGP8MUEHD | BGP8GMUH |
| ^BGP8MUEPD | BGP8GMUE |
| GUIR^BGP8XBLM | BGP8GADB, BGP8GAEL, BGP8GAG9, BGP8GAGP, BGP8GAGS, BGP8GAHE BGP8GALL, BGP8GAON, BGP8GAPE, BGP8GAPU, BGP8GCMP, BGP8GCMS BGP8GCOM, BGP8GDON, BGP8GDSH, BGP8GELD, BGP8GFO9, BGP8GFOR BGP8GGPU, BGP8GLHW, BGP8GLTX, BGP8GMTX, BGP8GMUE, BGP8GMUH BGP8GNPL, BGP8GNST BGP8GNT9, BGP8GNTL, BGP8GNTP, BGP8GNTP, BGP8GNTP, BGP8GNTP, BGP8GNXP, BGP8GPED |

| | |
|--------------------|--|
| | BGP8GPP , BGP8GU |
| GUIEP^BMXPO | BGP8POS |
| LIST^BSDAPI2 | BGP8DPA |
| \$\$SUBLST^BSTSAPI | BGP8UTL2 |
| SUBLST^BSTSAPI | BGP8UTL2 |
| EN^DDIOL | BGP8AU1A, BGP8AU1D, BGP8AU1M, BGP8AU1R, BGP8AUEx, BGP8AUUL BGP8AUUP, BGP8UTL2 |
| NOTICE^DGSEC4 | BGP8GUA |
| OWNREC^DGSEC4 | BGP8GUA |
| SENS^DGSEC4 | BGP8GUA |
| ^DIC | BGP8AUEx, BGP8CTL, BGP8DCL, BGP8DEL, BGP8DEMO, BGP8DGPU BGP8DL, BGP8DNDB, BGP8DNE1, BGP8DNG, BGP8DNGP, BGP8DNGS BGP8DON, BGP8DPA, BGP8DPAP, BGP8DPE, BGP8DPP, BGP8DSTM BGP8ETL, BGP8EUTL, BGP8GNXP, BGP8HUTL, BGP8NPL, BGP8P1, BGP8P3 BGP8POS, BGP8POS1, BGP8PUTL BGP8UTL, BGP8XTL, dd90241.0111, dd90241.02 |
| IX^DIC | BGP8P1, BGP8P3, BGP8POS |
| FILE^DICN | BGP8AU1R, BGP8AUEx, BGP8AUUL, BGP8AUUP, BGP8CTL, BGP8DPA BGP8DPAP, BGP8ETL, BGP8GACW, BGP8GADB, BGP8GAEL, BGP8GAG9 BGP8GAGP, BGP8GAGS, BGP8GAHE, BGP8GALL, BGP8GAON, BGP8GAPE BGP8GAPU, BGP8GCMP, BGP8GCMS, BGP8GCOM, BGP8GDON, BGP8GDSH BGP8GELD, BGP8GFO9 BGP8GFOR, BGP8GGPU, BGP8GHED, BGP8GLHW, BGP8GLST, BGP8GLTX BGP8GMTX, BGP8GMUE, BGP8GMUH, BGP8GNPL, BGP8GNST, BGP8GNT9 BGP8GNTL, BGP8GNTP, BGP8GNTS, BGP8GNXP, BGP8GPED, BGP8GPP BGP8GRB, BGP8GUPL, BGP8LHW, BGP8ULF, BGP8XTL |
| ^DICR | dd90245.09, dd90560.1514 |
| ^DIE | BGP8AU1R, BGP8AUEx, BGP8AUUL, BGP8AUUP, BGP8CTL, BGP8DEMO BGP8DPA, BGP8DPAP, BGP8DSTM, BGP8ETL, BGP8GACW, BGP8GADB BGP8GAEL, BGP8GAG9, BGP8GAGP, BGP8GAGS, BGP8GAHE, BGP8GALL BGP8GAON, BGP8GAPE, BGP8GAPU, BGP8GCMP, BGP8GCMS, BGP8GCOM BGP8GDON, BGP8GDSH |
| ^DIE | BGP8GELD, BGP8GFO9, BGP8GFOR, BGP8GGPU, BGP8GHED, BGP8GLHW BGP8GLST, BGP8GLTX, BGP8GMTX, BGP8GMUE, BGP8GMUH, BGP8GNPL BGP8GNST, BGP8GNT9, BGP8GNTL, BGP8GNTP, BGP8GNTS, BGP8GNXP BGP8GPED, BGP8GPP, BGP8GUA, BGP8LHW, BGP8POS, BGP8POS1 BGP8XTL |
| FILE^DIE | BGP8GU |
| UPDATE^DIE | BGP8GU |
| ^DIK | BGP8AUUL, BGP8AUUP, BGP8DAP, BGP8DCL, BGP8DEL, BGP8DGPU BGP8DL, BGP8DNDB, BGP8DNE1, BGP8DNG, BGP8DNGP, BGP8DNGS BGP8DON, BGP8DPA, BGP8DPE, BGP8DPP, BGP8DSTM, BGP8GU, BGP8GUA BGP8GUPL, BGP8NPL, BGP8P1, BGP8P3, BGP8POS, BGP8POS1, BGP8POS2 BGP8ULF |
| IX1^DIK | BGP8AUUL, BGP8DPA, BGP8DPAP, BGP8DSTM, BGP8GUPL, BGP8POS BGP8POS1, BGP8ULF |
| ^DIM | dd90241.551101, dd90560.01, dd90560.02, dd90560.06 dd90561.02, dd90561.06 |
| \$\$GET1^DIQ | BGP8D81, BGP8DCHW, BGP8GU, BGP8GUA, BGP8POS1, BGP8UTL2 |
| ^DIR | BGP8ASL, BGP8AU1R, BGP8AUEx, BGP8AUUL, BGP8AUUP, BGP8CSI BGP8CSII, BGP8CTL, BGP8CTS, BGP8CU, BGP8DADB, BGP8DAP, BGP8DAR BGP8DARO, BGP8DBPR, BGP8DCL, BGP8DCLP, BGP8DEL, BGP8DELA BGP8DELP, BGP8DEMO, BGP8DESI, BGP8DESL, BGP8DGPA, BGP8DGPU BGP8DH, BGP8DH1, BGP8DHSL BGP8DICR, BGP8DL, BGP8DLT, BGP8DMT, BGP8DNDB, BGP8DNE1 BGP8DNG, BGP8DNGP, BGP8DNGS, BGP8DON, BGP8DP, BGP8DPA |

| | |
|-------------------|---|
| | BGP8DPAP, BGP8DPAW, BGP8DPE, BGP8DPEA, BGP8DPEL, BGP8DPEP BGP8DPH, BGP8DPP, BGP8DPSI, BGP8DS, BGP8DSI, BGP8DSL, BGP8DSTM BGP8DU, BGP8ELH, BGP8ELHH BGP8ELS, BGP8ELSL, BGP8ETL, BGP8LSTF, BGP8NPL, BGP8NPLP BGP8PDLS, BGP8PESI, BGP8PESL, BGP8TXCH, BGP8ULF, BGP8UTL2 BGP8UTL3, BGP8XTCH, BGP8XTCN, BGP8XTCO, BGP8XTEL, BGP8XTEO BGP8XTHE, BGP8XTL, BGP8XTS, BGP8XTV BGP8DBPR, BGP8DELP, BGP8DP, BGP8DPAW, BGP8DPEL, BGP8DPEP BGP8DS, BGP8ELL, BGP8ELS, BGP8UTL1 |
| ^DIWP | |
| \$\$CODEN^ICDCODE | BGP8UTL2 |
| \$\$ICDD^ICDCODE | BGP8UTL2 |
| \$\$ICDDX^ICDCODE | BGP8UTL2 |
| \$\$ICDOP^ICDCODE | BGP8UTL2 |
| \$\$VSTD^ICDCODE | BGP8UTL2 |
| \$\$VSTP^ICDCODE | BGP8UTL2 |
| \$\$CODEN^ICDEX | BGP8UTL2 |
| \$\$ICDD^ICDEX | BGP8UTL2 |
| \$\$ICDDX^ICDEX | BGP8UTL2 |
| \$\$ICDOP^ICDEX | BGP8UTL2 |
| \$\$VSTD^ICDEX | BGP8UTL2 |
| \$\$VSTP^ICDEX | BGP8UTL2 |
| \$\$CODEN^ICPTCOD | BGP6D3A, BGP7D3A, BGP8C13, BGP8CON1, BGP8CU1, BGP8D2, BGP8D211 BGP8D214, BGP8D24, BGP8D33, BGP8D34, BGP8D35, BGP8D36, BGP8D37 BGP8D3A, BGP8D3B, BGP8D62, BGP8D71, BGP8D711, BGP8D72 BGP8D721, BGP8D724, BGP8D73, BGP8D731, BGP8D732, BGP8D75 BGP8D811, BGP8D82 |
| \$\$CODEN^ICPTCOD | BGP8D841, BGP8D86, BGP8D861, BGP8D864, BGP8D9, BGP8DPA4 BGP8EL2 |
| \$\$CPT^ICPTCOD | BGP6D3A, BGP7D3A, BGP8CU1, BGP8D22, BGP8D33, BGP8D34, BGP8D35 BGP8D36, BGP8D37, BGP8D38, BGP8D3A, BGP8D4, BGP8D52, BGP8D811 BGP8D86, BGP8DPA2, BGP8DPE1, BGP8DU |
| EN^VALM | BGP8ASL, BGP8CSI, BGP8CSII, BGP8CTL, BGP8CTS, BGP8DEMO BGP8DESI, BGP8DESL, BGP8DHSL, BGP8DPSI, BGP8DSI, BGP8DSL BGP8ETL, BGP8PESI, BGP8PESL, BGP8XTL, BGP8XTS, BGP8XTV BGP8XTV1 |
| TERM^VALM0 | BGP8ASL, BGP8CSI, BGP8CSII, BGP8CTL, BGP8CTS, BGP8DEMO BGP8DESI, BGP8DESL, BGP8DHSL, BGP8DNGP, BGP8DNGS, BGP8DPA BGP8DPSI, BGP8DSI, BGP8DSL, BGP8ETL, BGP8NPL, BGP8PESI BGP8PESL, BGP8XTL, BGP8XTS, BGP8XTV, BGP8XTV1 |
| CLEAR^VALM1 | BGP8ASL, BGP8CSI, BGP8CSII, BGP8CTL, BGP8CTS, BGP8DEMO BGP8DESI, BGP8DESL, BGP8DHSL, BGP8DPSI, BGP8DSI, BGP8DSL BGP8ETL, BGP8PESI, BGP8PESL, BGP8XTL, BGP8XTS, BGP8XTV BGP8XTV1 |
| FULL^VALM1 | BGP8ASL, BGP8CSI, BGP8CSII, BGP8CTL, BGP8CTS, BGP8DEMO BGP8DESI, BGP8DESL, BGP8DHSL, BGP8DPSI, BGP8DSI, BGP8DSL BGP8ETL, BGP8PESI, BGP8PESL, BGP8XTL, BGP8XTS, BGP8XTV BGP8XTV1 |
| ^XBDBQUE | BGP8DADB, BGP8DAP, BGP8DAR, BGP8DARO, BGP8DCL, BGP8DEL BGP8DELA, BGP8DGPA, BGP8DGPU, BGP8DL, BGP8DNDB, BGP8DNG BGP8DNGP, BGP8DNGS, BGP8DON, BGP8DPAP, BGP8DPE, BGP8DPEA BGP8DPP, BGP8DSTM, BGP8NPL, BGP8TXCH, BGP8XTCN, BGP8XTCO BGP8XTEL, BGP8XTEO, BGP8XTHE |
| \$\$VAL^XBDIQ1 | BGP6D3A, BGP7D3A, BGP8ALG1, BGP8ALG2, BGP8AU1M, BGP8AUEx BGP8AUUP, BGP8C11, BGP8C13, BGP8CON1, BGP8CTL, BGP8CTS BGP8CU1, BGP8D211, BGP8D212, BGP8D213, BGP8D214, BGP8D21A BGP8D22, BGP8D24, BGP8D24A, BGP8D26, BGP8D3, BGP8D31, BGP8D39 |

| | |
|----------------------|--|
| | BGP8D3A, BGP8D5, BGP8D54 BGP8D55, BGP8D7, BGP8D71, BGP8D711, BGP8D72, BGP8D721 BGP8D722, BGP8D723, BGP8D731, BGP8D732, BGP8D75, BGP8D8 BGP8D81, BGP8D811, BGP8D812, BGP8D841, BGP8D87, BGP8D88 BGP8D89, BGP8D9, BGP8DCHW, BGP8DEMO, BGP8DH1, BGP8DICR BGP8DNG, BGP8DPA4, BGP8DPE2, BGP8DU BGP8ELH, BGP8ELHH, BGP8ETL, BGP8GRB, BGP8PDLH, BGP8UTL1 BGP8UTL2, BGP8XTV, BGP8XTV1 |
| \$\$VALI^XBIDIQ1 | BGP8D22, BGP8D26, BGP8D31, BGP8D3C, BGP8D55, BGP8D7, BGP8D711 BGP8D87, BGP8DICR, BGP8DPE2, BGP8DU, BGP8EL4, BGP8UTL1 |
| ^XBFMK | BGP8AUEX, BGP8AUUL, BGP8CTL, BGP8DADB, BGP8DAP, BGP8DAR BGP8DARO, BGP8DCL, BGP8DEL, BGP8DELA, BGP8DEMO, BGP8DGPA BGP8DGPU, BGP8DICR, BGP8DL, BGP8DLT, BGP8DMT, BGP8DNDB BGP8DNE1, BGP8DNG, BGP8DNGP, BGP8DNGB, BGP8DON, BGP8DPA BGP8DPAP, BGP8DPE, BGP8DPEA, BGP8DPP BGP8DSTM, BGP8ETL, BGP8EUTL, BGP8GACW, BGP8GADB, BGP8GAEL BGP8GAG9, BGP8GAGP, BGP8GAGS, BGP8GAHE, BGP8GALL, BGP8GAON BGP8GAPE, BGP8GAPU, BGP8GCMP, BGP8GCMS, BGP8GCOM, BGP8GDON BGP8GDSH, BGP8GELD, BGP8GFO9, BGP8GFOR, BGP8GGPU, BGP8GHED BGP8GLHW, BGP8GLST |
| ^XBFMK | BGP8GLTX, BGP8GMTX, BGP8GMUE, BGP8GMUH, BGP8GNPL, BGP8GNST BGP8GNT9, BGP8GNTL, BGP8GNTP, BGP8GNST, BGP8GNXP, BGP8GPED BGP8GPP, BGP8GRB, BGP8GUPL, BGP8HUTL, BGP8LHW, BGP8NPL BGP8POS1, BGP8PUTL, BGP8ULF, BGP8UTL, BGP8XTL |
| \$\$EXTSET^XBIFUNC | BGP8CU1, BGP8D74, BGP8DPE2 |
| ^XBGSAVE | BGP8AUEX, BGP8DNE1, BGP8DPED, BGP8ELL, BGP8EUTL, BGP8HUTL BGP8PDL, BGP8PUTL, BGP8UTL |
| ^XBKVAR | BGP8AU1A, BGP8AU1D, BGP8AU1M, BGP8GACW, BGP8GADB, BGP8GAEL BGP8GAG9, BGP8GAGP, BGP8GAGS, BGP8GAHE, BGP8GALL, BGP8GAON BGP8GAPE, BGP8GAPU, BGP8GCMP, BGP8GCMS, BGP8GCOM, BGP8GDON BGP8GDSH, BGP8GELD, BGP8GFO9, BGP8GFOR, BGP8GGPU, BGP8GHED BGP8GLHW, BGP8GLST BGP8GLTX, BGP8GMTX, BGP8GMUE, BGP8GMUH, BGP8GNPL, BGP8GNST BGP8GNT9, BGP8GNTL, BGP8GNTP, BGP8GNST, BGP8GNXP, BGP8GPED BGP8GPP, BGP8GUPL, BGP8LHW |
| GUIR^XBLM EN^XBVK | BGP8DPA, BGP8DPAP, BGP8GHED, BGP8LHW BGP8AUEX, BGP8AUUP, BGP8CTL, BGP8CTS, BGP8DADB, BGP8DAP BGP8DAR, BGP8DARO, BGP8DCL, BGP8DEL, BGP8DELA, BGP8DEMO BGP8DGPA, BGP8DGPU, BGP8DICR, BGP8DL, BGP8DLT, BGP8DMT BGP8DNDB, BGP8DNE1, BGP8DNG, BGP8DNGP, BGP8DNGB, BGP8DON BGP8DPA, BGP8DPAP, BGP8DPE, BGP8DPEA BGP8DPP, BGP8DSTM, BGP8ETL, BGP8GACW, BGP8GADB, BGP8GAEL BGP8GAG9, BGP8GAGP, BGP8GAGS, BGP8GAHE, BGP8GALL, BGP8GAON BGP8GAPE, BGP8GAPU, BGP8GCMP, BGP8GCMS, BGP8GCOM, BGP8GDON BGP8GDSH, BGP8GELD, BGP8GGPU, BGP8GHED, BGP8GLHW, BGP8GLST BGP8GM, BGP8GMUE, BGP8GMUH BGP8GNPL, BGP8GNST, BGP8GNT9, BGP8GNTL, BGP8GNTP, BGP8GNST BGP8GNXP, BGP8GPED, BGP8GPP, BGP8GR, BGP8GR1, BGP8GR2, BGP8GRA BGP8GRB, BGP8GU, BGP8LHW, BGP8LSTF, BGP8NPL, BGP8XTL, BGP8XTS BGP8XTV, BGP8XTV1 |
| \$\$DT^XLFDI | BGP8D36, BGP8GACW, BGP8GADB, BGP8GAEL, BGP8GAG9, BGP8GAGP BGP8GAGS, BGP8GAHE, BGP8GALL, BGP8GAON, BGP8GAPE, BGP8GAPU BGP8GCMP, BGP8GCMS, BGP8GCOM, BGP8GDON, BGP8GDSH, BGP8GELD BGP8GFO9, BGP8GFOR, BGP8GGPU, BGP8GHED, BGP8GLHW, BGP8GLST BGP8GLTX, BGP8GMTX BGP8GMUE, BGP8GMUH, BGP8GNPL, BGP8GNST, BGP8GNT9, BGP8GNTL |

| | |
|-----------------|--|
| | BGP8GNTP, BGP8GNTPS, BGP8GNXP, BGP8GPED, BGP8GPP, BGP8GUPL BGP8LHW |
| \$\$FMADD^XLFD | BGP6D3A, BGP7D3A, BGP8ALG2, BGP8ASL, BGP8AUEX, BGP8AUUL BGP8AUUP, BGP8BAN, BGP8C11, BGP8C13, BGP8CON1, BGP8CU, BGP8D1 BGP8D10, BGP8D2, BGP8D21, BGP8D211, BGP8D213, BGP8D214 BGP8D22, BGP8D24, BGP8D24A, BGP8D25, BGP8D26, BGP8D28, BGP8D3 BGP8D31, BGP8D34, BGP8D37 BGP8D39, BGP8D3A, BGP8D3B, BGP8D4, BGP8D41, BGP8D5, BGP8D51 BGP8D52, BGP8D53, BGP8D6, BGP8D62, BGP8D63, BGP8D64, BGP8D7 BGP8D71, BGP8D714, BGP8D72, BGP8D721, BGP8D722, BGP8D723 BGP8D729, BGP8D73, BGP8D731, BGP8D732, BGP8D74, BGP8D75 BGP8D76, BGP8D8, BGP8D81 |
| \$\$FMADD^XLFD | BGP8D82, BGP8D83, BGP8D84, BGP8D863, BGP8D87, BGP8D88, BGP8D89 BGP8D9, BGP8DADB, BGP8DAP, BGP8DAR, BGP8DARO, BGP8DCL BGP8DCLP, BGP8DEL, BGP8DELA, BGP8DGPA, BGP8DGPU, BGP8DL BGP8DNDB, BGP8DNE1, BGP8DON, BGP8DPA, BGP8DPA1, BGP8DPA2 BGP8DPA4, BGP8DPAP, BGP8DPE1 BGP8DPP, BGP8DSTM, BGP8DU, BGP8GAEL, BGP8GAHE, BGP8GALL BGP8GAON, BGP8GAPU, BGP8GCMP, BGP8GCOM, BGP8GDON, BGP8GELD BGP8GGPU, BGP8GHED, BGP8GMUE, BGP8GMUH, BGP8GNPL, BGP8GNST BGP8GPP, BGP8GRB, BGP8NPL, BGP8NPLP, BGP8REF1, BGP8UTL BGP8UTL1, BGP8UTL2, BGP8UTL3 |
| \$\$FMDIFF^XLFD | BGP8D1, BGP8D10, BGP8D214, BGP8D22, BGP8D24, BGP8D33, BGP8D34 BGP8D341, BGP8D35, BGP8D36, BGP8D37, BGP8D38, BGP8D39, BGP8D52 BGP8D7, BGP8D721, BGP8D722, BGP8D723, BGP8D731, BGP8D732 BGP8D74, BGP8D75, BGP8D811, BGP8D82, BGP8D83, BGP8D84 BGP8D841, BGP8D861 BGP8D863, BGP8D87, BGP8D9, BGP8DBPR, BGP8DPA, BGP8DPA2, BGP8GU |
| \$\$FMTE^XLFD | BGP6D3A, BGP7D3A, BGP8ALG1, BGP8ALG2, BGP8AUEX, BGP8AUUL BGP8AUUP, BGP8C11, BGP8C13, BGP8CON1, BGP8CU, BGP8CU1, BGP8D1 BGP8D10, BGP8D2, BGP8D21, BGP8D211, BGP8D212, BGP8D213 BGP8D22, BGP8D24, BGP8D24A, BGP8D25, BGP8D26, BGP8D27, BGP8D3 BGP8D31, BGP8D37, BGP8D3A BGP8D3C, BGP8D4, BGP8D41, BGP8D5, BGP8D51, BGP8D52, BGP8D53 BGP8D54, BGP8D55, BGP8D5A, BGP8D6, BGP8D62, BGP8D64, BGP8D7 BGP8D71, BGP8D711, BGP8D714, BGP8D72, BGP8D722, BGP8D723 BGP8D724, BGP8D729, BGP8D731, BGP8D732, BGP8D74, BGP8D75 BGP8D8, BGP8D81, BGP8D811 BGP8D812, BGP8D87, BGP8D88, BGP8D89, BGP8D9, BGP8D91, BGP8DADB BGP8DAP, BGP8DAR, BGP8DARO, BGP8DBPR, BGP8DCHW, BGP8DCL BGP8DCLD, BGP8DCLP, BGP8DEL, BGP8DELA, BGP8DGPA, BGP8DGPU BGP8DH, BGP8DH1, BGP8DICR, BGP8DL, BGP8DLT, BGP8DMT, BGP8DNDB BGP8DNE1, BGP8DNG BGP8DNGP, BGP8DNNGS, BGP8DON, BGP8DPA, BGP8DPA2, BGP8DPA4 BGP8DPAP, BGP8DPAW, BGP8DPE, BGP8DPE1, BGP8DPE2, BGP8DPEA BGP8DPEL, BGP8DPEP, BGP8DPH, BGP8DPP, BGP8DS, BGP8DSTM, BGP8DU BGP8EL2, BGP8EL4, BGP8ELH, BGP8ELHH, BGP8ELL, BGP8ELS BGP8ELSL, BGP8GU, BGP8GUA BGP8NPL, BGP8NPLD, BGP8NPLP, BGP8PDL, BGP8PDLH, BGP8PDLs BGP8UTL3 |
| \$\$FMTH^XLFD | BGP8AUEX, BGP8AUUL, BGP8GRB |
| \$\$HTE^XLFD | BGP8AUUL |
| \$\$NOW^XLFD | BGP8AU1A, BGP8AUEX, BGP8AUUP, BGP8DAR, BGP8DARO, BGP8DNE1 BGP8DPA, BGP8DPAP, BGP8GACW, BGP8GADB, BGP8GAEL, BGP8GAG9 BGP8GAGP, BGP8GAGS, BGP8GAHE, BGP8GALL, BGP8GAON, BGP8GAPE BGP8GAPU, BGP8GCMP, BGP8GCMS, BGP8GCOM, BGP8GDON, BGP8GDSH |

| | |
|----------------------|--|
| | BGP8GELD, BGP8GFO9 |
| | BGP8GFOR, BGP8GGPU, BGP8GHED, BGP8GLHW, BGP8GLST, BGP8GLTX |
| | BGP8GMTX, BGP8GMUE, BGP8GMUH, BGP8GNPL, BGP8GNST, BGP8GNT9 |
| | BGP8GNTL, BGP8GNTP, BGP8GNTS, BGP8GNXP, BGP8GPED, BGP8GPP |
| | BGP8GRB, BGP8GU, BGP8LHW |
| \$\$LEAP^XLFDT2 | BGP8AUEX, BGP8AUUP, BGP8GRB |
| \$\$ABS^XLFMTH | BGP8D74 |
| \$\$CJ^XLFSTR | BGP8DBPR, BGP8DP, BGP8P1, BGP8P3, BGP8POS |
| \$\$REPEAT^XLFSTR | BGP8DICR, BGP8DLT, BGP8DMT |
| \$\$STRIP^XLFSTR | BGP8D39, BGP8D722, BGP8DBPR, BGP8DCHW, BGP8DP1C, BGP8DP1D |
| | BGP8DP1F, BGP8DP1G, BGP8DPED, BGP8DPEP, BGP8EL2, BGP8ELL1 |
| | BGP8ELLN, BGP8ELP1, BGP8PDL3 |
| \$\$SUP^XLFSTR | BGP8ALG1, BGP8ALG2, BGP8C11, BGP8C13, BGP8CU1, BGP8D2, BGP8D21 |
| | BGP8D213, BGP8D214, BGP8D21A, BGP8D22, BGP8D3, BGP8D31 |
| | BGP8D39, BGP8D51, BGP8D711, BGP8D72, BGP8D721, BGP8D722 |
| | BGP8D723, BGP8D731, BGP8D732, BGP8D74, BGP8D75, BGP8D81 |
| | BGP8D811, BGP8D812, BGP8D82 |
| | BGP8D83, BGP8D84, BGP8D841, BGP8D863, BGP8D87, BGP8D89 |
| | BGP8D91, BGP8DARO, BGP8DON, BGP8DPA4, BGP8DU, BGP8POS1 |
| | BGP8ULF, dd90560.01, dd90561.06 |
| ^XMD | BGP8AUUP |
| \$\$VERSION^XPDUTL | BGP8P1, BGP8P3, BGP8POS |
| BMES^XPDUTL | BGP8AUEX, BGP8AUUL |
| MES^XPDUTL | BGP8P1, BGP8P3, BGP8POS |
| SETUP^XQALERT | BGP8AUUP |
| DISP^XQORM1 | BGP8ASL, BGP8CSI, BGP8CSII, BGP8CTL, BGP8CTS, BGP8DEMO |
| | BGP8DESI, BGP8DESL, BGP8DHSL, BGP8DPSI, BGP8DSI, BGP8DSL |
| | BGP8ETL, BGP8PESI, BGP8PESL, BGP8XTL, BGP8XTS, BGP8XTV |
| | BGP8XTV1 |
| \$\$NOJOURN^ZIBGCHAR | BGP8DPE1, BGP8EUTL, BGP8HUTL, BGP8PUTL, BGP8UTL |
| ***** END ***** | |
| --- END --- | |

Figure 6-1: External Calls

6.2 Callable Routines

Published entry points for use by iCARE:

Routine: BGP8D10

BQI(DFN,BQIGREF);PEP-iCare EP

- Description:
 - Entry point called by the iCare module, returns GPRA data by global reference:
 - DFN = Patient internal entry number:

– BQIGREF = Global reference to store data.

6.3 Published Entry Points

Note: There are no Published Entry Points for this application.

6.4 Exported Options

Table 6-1: Exported BGP Options

| Option Name | Description | KEY |
|-------------------------------|--|--------------------|
| BGPGRPC | BGPG Application Context | |
| BGP 14 AREA DSH | National GPRA Dashboard | |
| BGP 14 AREA ELDER REPORT | AREA Elder Care Report | |
| BGP 14 AREA GP SUM ONLY | AREA National GPRA/GPRAMA Report Perf Summaries | |
| BGP 14 AREA GPRA | AREA National GPRA/GPRAMA Report-Includes GPRA Dev | |
| BGP 14 AREA GPU | AREA GPRA/GPRAMA Performance Report | |
| BGP 14 AREA MENU | Area Options | BGPZAREA |
| BGP 14 AREA NGR FOR 2014 | 2014 AREA National GPRA & PART Report | |
| BGP 14 AREA ONM | AREA Other National Measures Report | |
| BGP 14 AREA PAT ED RPT | AREA Patient Education Rpt w/Community Specified | |
| BGP 14 AUTO AREA PARAMS | Setup Area Automated Parameters | |
| BGP 14 AUTO EDIT CLIENT PARAM | Setup Automated GPRA Extract | |
| BGP 14 AUTO MANUALLY EXTRACT | Manually Run GPRA Extract | |
| BGP 14 AUTO PROC SITE MAN | Manually Run Area Aggregate of GPRA Extracts | |
| BGP 14 AUTO REPORT AUTOMATION | Report Automation | BGPZAREA |
| BGP 14 AUTO SCHEDULE AREA | Schedule Auto Area File Aggregation | |
| BGP 14 COMPREHENSIVE PAT LIST | Comprehensive National GPRA/GPRAMA Patient List | BGPZ PATIENT LISTS |
| BGP 14 CRS TAXONOMY SETUP | Taxonomy Setup-All CRS Reports | |
| BGP 14 ELDER REPORT | Elder Care Report | |
| BGP 14 ELDER TAXONOMY CHECK | Taxonomy Check-Elder Care Report | |
| BGP 14 GPU GPRA PERFORMANCE | GPRA/GPRAMA Performance Report | |
| BGP 14 LAB TAX CMS | Lab Taxonomies-CMS Report | |

| Option Name | Description | KEY |
|-------------------------------|--|--------------------|
| BGP 14 LAB TAX CRS | Lab Taxonomies-Selected Measures Reports | |
| BGP 14 LAB TAX ELDER | Lab Taxonomies-Elder Care Report | |
| BGP 14 LAB TAX GPRA | Lab Taxonomies-National GPRA/GPRA Perf Report | |
| BGP 14 LAB TAX ONM | Lab Taxonomies-Other National Measures Report | |
| BGP 14 LAB TAX REPORT MENU | Lab Taxonomy Report | |
| BGP 14 LIST FILES | List files in a directory | |
| BGP 14 LOCAL REPORTS MENU | Reports for Local Use: IHS Clinical Measures | |
| BGP 14 LOCAL TAXONOMY CHECK | Taxonomy Check-Selected Measures Reports | |
| BGP 14 MAIN MENU | CRS 2014 | |
| BGP 14 MEASURES FORECAST CP | GPRA/GPRAMA Forecast Denominator Definitions | |
| BGP 14 MED TAX CMS | Med Taxonomies-CMS Report | |
| BGP 14 MED TAX CRS | Med Taxonomies-Selected Measures Reports | |
| BGP 14 MED TAX ELDER | Med Taxonomies-Elder Care Report | |
| BGP 14 MED TAX GPRA | Med Taxonomies-National GPRA/GPRA Perf Report | |
| BGP 14 MED TAX ONM | Med Taxonomies-Other National Measures Report | |
| BGP 14 MED TAX REPORT MENU | Medication Taxonomy Report | |
| BGP 14 MENU NATIONAL | National GPRA/GPRAMA Reports | |
| BGP 14 NATIONAL DASHBOARD | National GPRA Dashboard | |
| BGP 14 NATIONAL GPRA REPORT | National GPRA/GPRAMA Report | |
| BGP 14 NATIONAL GPRA SUM ONLY | National GPRA/GPRAMA Clinical Perf Summaries | |
| BGP 14 NATIONAL PAT LISTS | National GPRA/GPRAMA Patient List | BGPZ PATIENT LISTS |
| BGP 14 NATL GPRA DESG PROV | National GPRA/GPRAMA Report by Designated Provider | |
| BGP 14 NGR TAXONOMY CHECK | Taxonomy Check-National GPRA/GPRA Performance Rpts | |
| BGP 14 NGR TAXONOMY SETUP | Taxonomy Setup-National GPRA/GPRA Performance Rpts | |
| BGP 14 NPL SEARCH TEMPLATE | Create Search Template for National Patient List | BGPZ PATIENT LISTS |
| BGP 14 OTHER NATIONAL LISTS | Other National Measures Report Patient List | BGPZ PATIENT LISTS |

| Option Name | Description | KEY |
|--------------------------------|--|----------------------|
| BGP 14 OTHER NATIONAL MEAS RPT | Other National Measures Report | |
| BGP 14 OTHER NTL RPTS MENU | Other National Reports | |
| BGP 14 PAT ED REPORT | Patient Education w/Community Specified | |
| BGP 14 PATIENT ED MENU | Patient Education Reports | |
| BGP 14 PATIENT ED PP | Patient Education w/Patient Panel Population | |
| BGP 14 PTS W SCHED APPT | GPRA/GPRAMA Forecast Patient List | BGPZ PATIENT LISTS |
| BGP 14 PTS W/GPRA DATA | Selected Patients with GPRA measure Data | |
| BGP 14 REPORTS MENU | Reports | |
| BGP 14 SEL ALL PATS | Selected Measures w/All Communities | |
| BGP 14 SEL PATIENT PANEL | Selected Measures w/Patient Panel Population | |
| BGP 14 SELECTED IND REPORT | Selected Measures w/Community Specified | |
| BGP 14 SITE PARAMETERS | Site Parameters | BGPZ SITE PARAMETERS |
| BGP 14 SYSTEM SETUP | System Setup | |
| BGP 14 TAX CHK ONM | Taxonomy Check-Other National Measures Report | |
| BGP 14 TAX SETUP ONM | Taxonomy Setup-Other National Measures Report | |
| BGP 14 TAXONOMY CHECK | Taxonomy Check | |
| BGP 14 TAXONOMY REPORTS | Taxonomy Reports | |
| BGP 14 TAXONOMY SETUP | Taxonomy Setup | |
| BGP 14 UPDATE DEMO SEARCH TEMP | Update the Demo/Test Patient Search Template | |
| BGP 14 UPLOAD FILES | Upload Report Files from Site | |
| BGP 14 VIEW ANY TAXONOMY | View All CRS Taxonomies | |
| BGP 15 AREA DSH | National GPRA Dashboard | |
| BGP 15 AREA ELDER REPORT | AREA Elder Care Report | |
| BGP 15 AREA GP SUM ONLY | AREA National GPRA/GPRAMA Report Perf Summaries | |
| BGP 15 AREA GPRA | AREA National GPRA/GPRAMA Report-Includes GPRA Dev | |
| BGP 15 AREA GPU | AREA GPRA/GPRAMA Performance Report | |
| BGP 15 AREA MENU | Area Options | BGPZAREA |
| BGP 15 AREA NGR FOR 2014 | 2015 AREA National GPRA & PART Report | |
| BGP 15 AREA ONM | AREA Other National Measures Report | |
| BGP 15 AREA PAT ED RPT | AREA Patient Education Rpt w/Community Specified | |
| BGP 15 AUTO AREA PARAMS | Setup Area Automated Parameters | |

| Option Name | Description | KEY |
|-------------------------------|---|--------------------|
| BGP 15 AUTO EDIT CLIENT PARAM | Setup Automated GPRA Extract | |
| BGP 15 AUTO MANUALLY EXTRACT | Manually Run GPRA Extract | |
| BGP 15 AUTO PROC SITE MAN | Manually Run Area Aggregate of GPRA Extracts | |
| BGP 15 AUTO REPORT AUTOMATION | Report Automation | BGPZAREA |
| BGP 15 AUTO SCHEDULE AREA | Schedule Auto Area File Aggregation | |
| BGP 15 COMPREHENSIVE PAT LIST | Comprehensive National GPRA/GPRAMA Patient List | BGPZ PATIENT LISTS |
| BGP 15 CRS TAXONOMY SETUP | Taxonomy Setup-All CRS Reports | |
| BGP 15 ELDER REPORT | Elder Care Report | |
| BGP 15 ELDER TAXONOMY CHECK | Taxonomy Check-Elder Care Report | |
| BGP 15 GPU GPRA PERFORMANCE | GPRA/GPRAMA Performance Report | |
| BGP 15 LAB TAX CMS | Lab Taxonomies-CMS Report | |
| BGP 15 LAB TAX CRS | Lab Taxonomies-Selected Measures Reports | |
| BGP 15 LAB TAX ELDER | Lab Taxonomies-Elder Care Report | |
| BGP 15 LAB TAX GPRA | Lab Taxonomies-National GPRA/GPRA Perf Report | |
| BGP 15 LAB TAX ONM | Lab Taxonomies-Other National Measures Report | |
| BGP 15 LAB TAX REPORT MENU | Lab Taxonomy Report | |
| BGP 15 LIST FILES | List files in a directory | |
| BGP 15 LOCAL REPORTS MENU | Reports for Local Use: IHS Clinical Measures | |
| BGP 15 LOCAL TAXONOMY CHECK | Taxonomy Check-Selected Measures Reports | |
| BGP 15 MAIN MENU | CRS 2015 | |
| BGP 15 MEASURES FORECAST CP | GPRA/GPRAMA Forecast Denominator Definitions | |
| BGP 15 MED TAX CMS | Med Taxonomies-CMS Report | |
| BGP 15 MED TAX CRS | Med Taxonomies-Selected Measures Reports | |
| BGP 15 MED TAX ELDER | Med Taxonomies-Elder Care Report | |
| BGP 15 MED TAX GPRA | Med Taxonomies-National GPRA/GPRA Perf Report | |
| BGP 15 MED TAX ONM | Med Taxonomies-Other National Measures Report | |
| BGP 15 MED TAX REPORT MENU | Medication Taxonomy Report | |

| Option Name | Description | KEY |
|--------------------------------|--|----------------------|
| BGP 15 MENU NATIONAL | National GPRA/GPRAMA Reports | |
| BGP 15 NATIONAL DASHBOARD | National GPRA Dashboard | |
| BGP 15 NATIONAL GPRA REPORT | National GPRA/GPRAMA Report | |
| BGP 15 NATIONAL GPRA SUM ONLY | National GPRA/GPRAMA Clinical Perf Summaries | |
| BGP 15 NATIONAL PAT LISTS | National GPRA/GPRAMA Patient List | BGPZ PATIENT LISTS |
| BGP 15 NATL GPRA DESG PROV | National GPRA/GPRAMA Report by Designated Provider | |
| BGP 15 NGR TAXONOMY CHECK | Taxonomy Check-National GPRA/GPRA Performance Rpts | |
| BGP 15 NGR TAXONOMY SETUP | Taxonomy Setup-National GPRA/GPRA Performance Rpts | |
| BGP 15 NPL SEARCH TEMPLATE | Create Search Template for National Patient List | BGPZ PATIENT LISTS |
| BGP 15 OTHER NATIONAL LISTS | Other National Measures Report Patient List | BGPZ PATIENT LISTS |
| BGP 15 OTHER NATIONAL MEAS RPT | Other National Measures Report | |
| BGP 15 OTHER NTL RPTS MENU | Other National Reports | |
| BGP 15 PAT ED REPORT | Patient Education w/Community Specified | |
| BGP 15 PATIENT ED MENU | Patient Education Reports | |
| BGP 15 PATIENT ED PP | Patient Education w/Patient Panel Population | |
| BGP 15 PTS W SCHED APPT | GPRA/GPRAMA Forecast Patient List | BGPZ PATIENT LISTS |
| BGP 15 PTS W/GPRA DATA | Selected Patients with GPRA measure Data | |
| BGP 15 REPORTS MENU | Reports | |
| BGP 15 SEL ALL PATS | Selected Measures w/All Communities | |
| BGP 15 SEL PATIENT PANEL | Selected Measures w/Patient Panel Population | |
| BGP 15 SELECTED IND REPORT | Selected Measures w/Community Specified | |
| BGP 15 SITE PARAMETERS | Site Parameters | BGPZ SITE PARAMETERS |
| BGP 15 SYSTEM SETUP | System Setup | |
| BGP 15 TAX CHK ONM | Taxonomy Check-Other National Measures Report | |
| BGP 15 TAX SETUP ONM | Taxonomy Setup-Other National Measures Report | |
| BGP 15 TAXONOMY CHECK | Taxonomy Check | |
| BGP 15 TAXONOMY REPORTS | Taxonomy Reports | |

| Option Name | Description | KEY |
|--------------------------------|--|--------------------|
| BGP 15 TAXONOMY SETUP | Taxonomy Setup | |
| BGP 15 UPDATE DEMO SEARCH TEMP | Update the Demo/Test Patient Search Template | |
| BGP 15 UPLOAD FILES | Upload Report Files from Site | |
| BGP 15 VIEW ANY TAXONOMY | View All CRS Taxonomies | |
| BGP 16 AREA DSH | National GPRA Dashboard | |
| BGP 16 AREA ELDER REPORT | AREA Elder Care Report | |
| BGP 16 AREA GP SUM ONLY | AREA National GPRA/GPRAMA Report Perf Summaries | |
| BGP 16 AREA GPRA | AREA National GPRA/GPRAMA Report-Includes GPRA Dev | |
| BGP 16 AREA GPU | AREA GPRA/GPRAMA Performance Report | |
| BGP 16 AREA MENU | Area Options | BGPZAREA |
| BGP 16 AREA ONM | AREA Other National Measures Report | |
| BGP 16 AREA PAT ED RPT | AREA Patient Education Rpt w/Community Specified | |
| BGP 16 AUTO AREA PARAMS | Set up Area Automated Parameters | |
| BGP 16 AUTO EDIT CLIENT PARAM | Set up Automated GPRA Extract | |
| BGP 16 AUTO GPRA EXTRACT | Auto GPRA Extract | |
| BGP 16 AUTO HOST PARAMS | Set up Host (Area) Automated Parameters | |
| BGP 16 AUTO MANUALLY EXTRACT | Manually Run GPRA Extract | |
| BGP 16 AUTO PROC SITE FILES | Auto Process GPRA Extract Files | |
| BGP 16 AUTO PROC SITE MAN | Manually Run Area Aggregate of GPRA Extracts | |
| BGP 16 AUTO REPORT AUTOMATION | Report Automation | BGPZAREA |
| BGP 16 AUTO SCHEDULE AREA | Schedule Auto Area File Aggregation | |
| BGP 16 COMPREHENSIVE PAT LIST | Comprehensive National GPRA/GPRAMA Patient List | BGPZ PATIENT LISTS |
| BGP 16 CRS TAXONOMY SETUP | Taxonomy Setup-All CRS Reports | |
| BGP 16 DISPLAY ICARE TEXT | Display iCare Data Items | |
| BGP 16 ELDER REPORT | Elder Care Report | |
| BGP 16 ELDER TAXONOMY CHECK | Taxonomy Check-Elder Care Report | |
| BGP 16 GPU GPRA PERFORMANCE | GPRA/GPRAMA Performance Report | |
| BGP 16 LAB TAX CMS | Lab Taxonomies-CMS Report | |
| BGP 16 LAB TAX CRS | Lab Taxonomies-Selected Measures Reports | |

| Option Name | Description | KEY |
|-------------------------------|--|--------------------------|
| BGP 16 LAB TAX ELDER | Lab Taxonomies-Elder Care Report | |
| BGP 16 LAB TAX GPRA | Lab Taxonomies-National GPRA/GPRA Perf Report | |
| BGP 16 LAB TAX ONM | Lab Taxonomies-Other National Measures Report | |
| BGP 16 LAB TAX REPORT MENU | Lab Taxonomy Report | |
| BGP 16 LIST FILES | List files in a directory | |
| BGP 16 LOCAL REPORTS MENU | Reports for Local Use: IHS Clinical Measures | |
| BGP 16 LOCAL TAXONOMY CHECK | Taxonomy Check-Selected Measures Reports | |
| BGP 16 MAIN MENU | CRS 2016 | |
| BGP 16 MEASURES FORECAST CP | GPRA/GPRAMA Forecast Denominator Definitions | |
| BGP 16 MED TAX CMS | Med Taxonomies-CMS Report | |
| BGP 16 MED TAX CRS | Med Taxonomies-Selected Measures Reports | |
| BGP 16 MED TAX ELDER | Med Taxonomies-Elder Care Report | |
| BGP 16 MED TAX GPRA | Med Taxonomies-National GPRA/GPRA Perf Report | |
| BGP 16 MED TAX ONM | Med Taxonomies-Other National Measures Report | |
| BGP 16 MED TAX REPORT MENU | Medication Taxonomy Report | |
| BGP 16 MENU NATIONAL | National GPRA/GPRAMA Reports | |
| BGP 16 NATIONAL DASHBOARD | National GPRA Dashboard | |
| BGP 16 NATIONAL GPRA REPORT | National GPRA/GPRAMA Report | |
| BGP 16 NATIONAL GPRA SUM ONLY | National GPRA/GPRAMA Clinical Perf Summaries | |
| BGP 16 NATIONAL PAT LISTS | National GPRA/GPRAMA Patient List | BGPZ PATIENT LISTS |
| BGP 16 NATL GPRA DESG PROV | National GPRA/GPRAMA Report by Designated Provider | |
| BGP 16 NGR TAXONOMY CHECK | Taxonomy Check-National GPRA/GPRA Performance Rpts | |
| BGP 16 NGR TAXONOMY SETUP | Taxonomy Setup-National GPRA/GPRA Performance Rpts | |
| BGP 16 NPL SEARCH TEMPLATE | Create Search Template for National Patient List | BGPZ PATIENT LISTS |
| BGP 16 OTHER CMS REPORTS | Other CMS Reports | |

| Option Name | Description | KEY |
|--------------------------------|--|----------------------|
| BGP 16 OTHER NATIONAL LISTS | Other National Measures Report Patient List | BGPZ PAT |
| IENT LISTS | | |
| BGP 16 OTHER NATIONAL MEAS RPT | Other National Measures Report | |
| BGP 16 OTHER NTL RPTS MENU | Other National Reports | |
| BGP 16 PAT ED REPORT | Patient Education w/Community Specified | |
| BGP 16 PATIENT ED MENU | Patient Education Reports | |
| BGP 16 PATIENT ED PP | Patient Education w/Patient Panel Population | |
| BGP 16 PTS W SCHED APPT | GPRA/GPRAMA Forecast Patient List | BGPZ PATIENT LISTS |
| BGP 16 PTS W/GPRA DATA | Selected Patients with GPRA measure Data | |
| BGP 16 REPORT AUTOMATION | Report Automation | BGPZAREA |
| BGP 16 REPORTS MENU | Reports | |
| BGP 16 SEL ALL PATS | Selected Measures w/All Communities | |
| BGP 16 SEL PATIENT PANEL | Selected Measures w/Patient Panel Population | |
| BGP 16 SELECTED IND REPORT | Selected Measures w/Community Specified | |
| BGP 16 SITE PARAMETERS | Site Parameters | BGPZ SITE PARAMETERS |
| BGP 16 SYSTEM SETUP | System Setup | |
| BGP 16 TAX CHK ONM | Taxonomy Check-Other National Measures Report | |
| BGP 16 TAX SETUP ONM | Taxonomy Setup-Other National Measures Report | |
| BGP 16 TAXONOMY CHECK | Taxonomy Check | |
| BGP 16 TAXONOMY REPORTS | Taxonomy Reports | |
| BGP 16 TAXONOMY SETUP | Taxonomy Setup | |
| BGP 16 UPDATE DEMO SEARCH TEMP | Update the Demo/Test Patient Search Template | |
| BGP 16 UPLOAD FILES | Upload Report Files from Site | |
| BGP 16 VIEW ANY TAXONOMY | View All CRS Taxonomies | |
| BGP 17 AREA DSH | National GPRA Dashboard | |
| BGP 17 AREA ELDER REPORT | AREA Elder Care Report | |
| BGP 17 AREA GP SUM ONLY | AREA National GPRA/GPRAMA Report Perf Summaries | |
| BGP 17 AREA GPRA | AREA National GPRA/GPRAMA Report-Includes GPRA Dev | |
| BGP 17 AREA GPU | AREA GPRA/GPRAMA Performance Report | |
| BGP 17 AREA MENU | Area Options | BGPZAREA |

| Option Name | Description | KEY |
|-------------------------------|--|--------------------|
| BGP 17 AREA ONM | AREA Other National Measures Report | |
| BGP 17 AREA PAT ED RPT | AREA Patient Education Rpt w/Community Specified | |
| BGP 17 AUTO AREA PARAMS | Set up Area Automated Parameters | |
| BGP 17 AUTO EDIT CLIENT PARAM | Set up Automated GPRA Extract | |
| BGP 17 AUTO GPRA EXTRACT | Auto GPRA Extract | |
| BGP 17 AUTO HOST PARAMS | Set up Host (Area) Automated Parameters | |
| BGP 17 AUTO MANUALLY EXTRACT | Manually Run GPRA Extract | |
| BGP 17 AUTO PROC SITE FILES | Auto Process GPRA Extract Files | |
| BGP 17 AUTO PROC SITE MAN | Manually Run Area Aggregate of GPRA Extracts | |
| BGP 17 AUTO REPORT AUTOMATION | Report Automation | BGPZAREA |
| BGP 17 AUTO SCHEDULE AREA | Schedule Auto Area File Aggregation | |
| BGP 17 COMPREHENSIVE PAT LIST | Comprehensive National GPRA/GPRAMA Patient List | BGPZ PATIENT LISTS |
| BGP 17 CRS TAXONOMY SETUP | Taxonomy Setup-All CRS Reports | |
| BGP 17 DISPLAY ICARE TEXT | Display iCare Data Items | |
| BGP 17 ELDER REPORT | Elder Care Report | |
| BGP 17 ELDER TAXONOMY CHECK | Taxonomy Check-Elder Care Report | |
| BGP 17 GPU GPRA PERFORMANCE | GPRA/GPRAMA Performance Report | |
| BGP 17 LAB TAX CMS | Lab Taxonomies-CMS Report | |
| BGP 17 LAB TAX CRS | Lab Taxonomies-Selected Measures Reports | |
| BGP 17 LAB TAX ELDER | Lab Taxonomies-Elder Care Report | |
| BGP 17 LAB TAX GPRA | Lab Taxonomies-National GPRA/GPRA Perf Report | |
| BGP 17 LAB TAX ONM | Lab Taxonomies-Other National Measures Report | |
| BGP 17 LAB TAX REPORT MENU | Lab Taxonomy Report | |
| BGP 17 LIST FILES | List files in a directory | |
| BGP 17 LOCAL REPORTS MENU | Reports for Local Use: IHS Clinical Measures | |
| BGP 17 LOCAL TAXONOMY CHECK | Taxonomy Check-Selected Measures Reports | |
| BGP 17 MAIN MENU | CRS 2017 | |

| Option Name | Description | KEY |
|--------------------------------|--|--------------------|
| BGP 17 MEASURES FORECAST CP | GPRA/GPRAMA Forecast Denominator Definitions | |
| BGP 17 MED TAX CMS | Med Taxonomies-CMS Report | |
| BGP 17 MED TAX CRS | Med Taxonomies-Selected Measures Reports | |
| BGP 17 MED TAX ELDER | Med Taxonomies-Elder Care Report | |
| BGP 17 MED TAX GPRA | Med Taxonomies-National GPRA/GPRA Perf Report | |
| BGP 17 MED TAX ONM | Med Taxonomies-Other National Measures Report | |
| BGP 17 MED TAX REPORT MENU | Medication Taxonomy Report | |
| BGP 17 MENU NATIONAL | National GPRA/GPRAMA Reports | |
| BGP 17 NATIONAL DASHBOARD | National GPRA Dashboard | |
| BGP 17 NATIONAL GPRA REPORT | National GPRA/GPRAMA Report | |
| BGP 17 NATIONAL GPRA SUM ONLY | National GPRA/GPRAMA Clinical Perf Summaries | |
| BGP 17 NATIONAL PAT LISTS | National GPRA/GPRAMA Patient List | BGPZ PATIENT LISTS |
| BGP 17 NATL GPRA DESG PROV | National GPRA/GPRAMA Report by Designated Provider | |
| BGP 17 NGR TAXONOMY CHECK | Taxonomy Check-National GPRA/GPRA Performance Rpts | |
| BGP 17 NGR TAXONOMY SETUP | Taxonomy Setup-National GPRA/GPRA Performance Rpts | |
| BGP 17 NPL SEARCH TEMPLATE | Create Search Template for National Patient List | BGPZ PATIENT LISTS |
| BGP 17 OTHER CMS REPORTS | Other CMS Reports | |
| BGP 17 OTHER NATIONAL LISTS | Other National Measures Report Patient List | BGPZ PATIENT LISTS |
| BGP 17 OTHER NATIONAL MEAS RPT | Other National Measures Report | |
| BGP 17 OTHER NTL RPTS MENU | Other National Reports | |
| BGP 17 PAT ED REPORT | Patient Education w/Community Specified | |
| BGP 17 PATIENT ED MENU | Patient Education Reports | |
| BGP 17 PATIENT ED PP | Patient Education w/Patient Panel Population | |
| BGP 17 PTS W SCHED APPT | GPRA/GPRAMA Forecast Patient List | BGPZ PATIENT LISTS |

| Option Name | Description | KEY |
|--------------------------------|--|----------------------|
| BGP 17 PTS W/GPRA DATA | Selected Patients with GPRA measure Data | |
| BGP 17 REPORT AUTOMATION | Report Automation | BGPZAREA |
| BGP 17 REPORTS MENU | Reports | |
| BGP 17 SEL ALL PATS | Selected Measures w/All Communities | |
| BGP 17 SEL PATIENT PANEL | Selected Measures w/Patient Panel Population | |
| BGP 17 SELECTED IND REPORT | Selected Measures w/Community Specified | |
| BGP 17 SITE PARAMETERS | Site Parameters | BGPZ SITE PARAMETERS |
| BGP 17 SYSTEM SETUP | System Setup | |
| BGP 17 TAX CHK ONM | Taxonomy Check-Other National Measures Report | |
| BGP 17 TAX SETUP ONM | Taxonomy Setup-Other National Measures Report | |
| BGP 17 TAXONOMY CHECK | Taxonomy Check | |
| BGP 17 TAXONOMY REPORTS | Taxonomy Reports | |
| BGP 17 TAXONOMY SETUP | Taxonomy Setup | |
| BGP 17 UPDATE DEMO SEARCH TEMP | Update the Demo/Test Patient Search Template | |
| BGP 17 UPLOAD FILES | Upload Report Files from Site | |
| BGP 17 VIEW ANY TAXONOMY | View All CRS Taxonomies | |
| BGPMENU | IHS Clinical Reporting System (CRS) Main Menu | BGPZMENU |
| BGP 18 AREA DSH | National GPRA Dashboard | |
| BGP 18 AREA ELDER REPORT | AREA Elder Care Report | |
| BGP 18 AREA GP SUM ONLY | AREA National GPRA/GPRAMA Report Perf Summaries | |
| BGP 18 AREA GPRA | AREA National GPRA/GPRAMA Report-Includes GPRA Dev | |
| BGP 18 AREA GPU | AREA GPRA/GPRAMA Performance Report | |
| BGP 18 AREA MENU | Area Options | BGPZAREA |
| BGP 18 AREA ONM | AREA Other National Measures Report | |
| BGP 18 AREA PAT ED RPT | AREA Patient Education Rpt w/Community Specified | |
| BGP 18 AUTO AREA PARAMS | Set up Area Automated Parameters | |
| BGP 18 AUTO EDIT CLIENT PARAM | Set up Automated GPRA Extract | |
| BGP 18 AUTO GPRA EXTRACT | Auto GPRA Extract | |
| BGP 18 AUTO HOST PARAMS | Set up Host (Area) Automated Parameters | |
| BGP 18 AUTO MANUALLY EXTRACT | Manually Run GPRA Extract | |
| BGP 18 AUTO PROC SITE FILES | Auto Process GPRA Extract Files | |

| Option Name | Description | KEY |
|-------------------------------|---|--------------------|
| BGP 18 AUTO PROC SITE MAN | Manually Run Area Aggregate of GPRA Extracts | |
| BGP 18 AUTO REPORT AUTOMATION | Report Automation | BGPZAREA |
| BGP 18 AUTO SCHEDULE AREA | Schedule Auto Area File Aggregation | |
| BGP 18 COMPREHENSIVE PAT LIST | Comprehensive National GPRA/GPRAMA Patient List | BGPZ PATIENT LISTS |
| BGP 18 CRS TAXONOMY SETUP | Taxonomy Setup-All CRS Reports | |
| BGP 18 DISPLAY ICARE TEXT | Display iCare Data Items | |
| BGP 18 ELDER REPORT | Elder Care Report | |
| BGP 18 ELDER TAXONOMY CHECK | Taxonomy Check-Elder Care Report | |
| BGP 18 GPU GPRA PERFORMANCE | GPRA/GPRAMA Performance Report | |
| BGP 18 LAB TAX CMS | Lab Taxonomies-CMS Report | |
| BGP 18 LAB TAX CRS | Lab Taxonomies-Selected Measures Reports | |
| BGP 18 LAB TAX ELDER | Lab Taxonomies-Elder Care Report | |
| BGP 18 LAB TAX GPRA | Lab Taxonomies-National GPRA/GPRA Perf Report | |
| BGP 18 LAB TAX ONM | Lab Taxonomies-Other National Measures Report | |
| BGP 18 LAB TAX REPORT MENU | Lab Taxonomy Report | |
| BGP 18 LIST FILES | List files in a directory | |
| BGP 18 LOCAL REPORTS MENU | Reports for Local Use: IHS Clinical Measures | |
| BGP 18 LOCAL TAXONOMY CHECK | Taxonomy Check-Selected Measures Reports | |
| BGP 18 MAIN MENU | CRS 2018 | |
| BGP 18 MEASURES FORECAST CP | GPRA/GPRAMA Forecast Denominator Definitions | |
| BGP 18 MED TAX CMS | Med Taxonomies-CMS Report | |
| BGP 18 MED TAX CRS | Med Taxonomies-Selected Measures Reports | |
| BGP 18 MED TAX ELDER | Med Taxonomies-Elder Care Report | |
| BGP 18 MED TAX GPRA | Med Taxonomies-National GPRA/GPRA Perf Report | |
| BGP 18 MED TAX ONM | Med Taxonomies-Other National Measures Report | |
| BGP 18 MED TAX REPORT MENU | Medication Taxonomy Report | |
| BGP 18 MENU NATIONAL | National GPRA/GPRAMA Reports | |

| Option Name | Description | KEY |
|--------------------------------|--|----------------------|
| BGP 18 NATIONAL DASHBOARD | National GPRA Dashboard | |
| BGP 18 NATIONAL GPRA REPORT | National GPRA/GPRAMA Report | |
| BGP 18 NATIONAL GPRA SUM ONLY | National GPRA/GPRAMA Clinical Perf Summaries | |
| BGP 18 NATIONAL PAT LISTS | National GPRA/GPRAMA Patient List | BGPZ PATIENT LISTS |
| BGP 18 NATL GPRA DESG PROV | National GPRA/GPRAMA Report by Designated Provider | |
| BGP 18 NGR TAXONOMY CHECK | Taxonomy Check-National GPRA/GPRA Performance Rpts | |
| BGP 18 NGR TAXONOMY SETUP | Taxonomy Setup-National GPRA/GPRA Performance Rpts | |
| BGP 18 NPL SEARCH TEMPLATE | Create Search Template for National Patient List | BGPZ PATIENT LISTS |
| BGP 18 OTHER CMS REPORTS | Other CMS Reports | |
| BGP 18 OTHER NATIONAL | Other National Measures Report Patient List | BGPZ PATIENT LISTS |
| BGP 18 OTHER NATIONAL MEAS RPT | Other National Measures Report | |
| BGP 18 OTHER NTL RPTS MENU | Other National Reports | |
| BGP 18 PAT ED REPORT | Patient Education w/Community Specified | |
| BGP 18 PATIENT ED MENU | Patient Education Reports | |
| BGP 18 PATIENT ED PP | Patient Education w/Patient Panel Population | |
| BGP 18 PTS W SCHED APPT | GPRA/GPRAMA Forecast Patient List | BGPZ PATIENT LISTS |
| BGP 18 PTS W/GPRA DATA | Selected Patients with GPRA measure Data | |
| BGP 18 REPORT AUTOMATION | Report Automation | BGPZAREA |
| BGP 18 REPORTS MENU | Reports | |
| BGP 18 SEL ALL PATS | Selected Measures w/All Communities | |
| BGP 18 SEL PATIENT PANEL | Selected Measures w/Patient Panel Population | |
| BGP 18 SELECTED IND REPORT | Selected Measures w/Community Specified | |
| BGP 18 SITE PARAMETERS | Site Parameters | BGPZ SITE PARAMETERS |
| BGP 18 SYSTEM SETUP | System Setup | |
| BGP 18 TAX CHK ONM | Taxonomy Check-Other National Measures Report | |

| Option Name | Description | KEY |
|--------------------------------|---|------------|
| BGP 18 TAX SETUP ONM | Taxonomy Setup-Other National Measures Report | |
| BGP 18 TAXONOMY CHECK | Taxonomy Check | |
| BGP 18 TAXONOMY REPORTS | Taxonomy Reports | |
| BGP 18 TAXONOMY SETUP | Taxonomy Setup | |
| BGP 18 UPDATE DEMO SEARCH TEMP | Update the Demo/Test Patient Search Template | |
| BGP 18 UPLOAD FILES | Upload Report Files from Site | |
| BGP 18 VIEW ANY TAXONOMY | View All CRS Taxonomies | |

7.0 Security Keys

Table 2-1 provides the BGP security keys and their descriptions.

8.0 Archiving and Purging

There is no archiving and purging in this package.

9.0 Documentation Resources

This section describes a few methods to generate online technical documentation.

9.1 How to Generate Online Documentation

The file number range for this package is 90240, 90370, 90530–90539 and 90558–90599. The namespace is BGP. All templates, routines, screen forms, etc., begin with BGP.

This section describes some methods by which users can generate IHS RPMS CRS technical documentation. Online technical documentation pertaining to the IHS RPMS clinical reporting software can be generated through the use of several kernel options. This is in addition to that which is located in the help prompts and on the help screens throughout the IHS RPMS Clinical Reporting package. These include, but are not limited to, the sections that follow.

9.2 System Documentation

Online VPS system documentation can be generated through the use of several kernel options, including:

- %INDEX
- Menu Management
- Inquire Option
- Print Option File
- VA FileMan
- Data Dictionary Utilities
- List File Attributes

For more option listings and further information about other utilities that supply online technical information, see the Decentralized Hospital Computer Program (DHCP) Kernel Reference manual.

9.2.1 %INDEX

The %INDEX option analyzes the structure of a routine to determine, in part, if the routine adheres to RPMS programming standards. The output can include the following components:

- Compiled list of errors and warnings
- Routine listings
- Local variables

- Global variables
- Naked globals
- Label references
- External references

Running %INDEX for a specified set of routines allows users to discover any deviations from RPMS programming standards that exist, and to see how routines interact with one another (i.e., which routines call, or are called by, other routines).

To run %INDEX for the IHS RPMS Clinical Reporting package, specify the BGP namespace at the “Routine(s)?>” prompt.

9.2.2 Inquire Option

The Inquire menu management option provides the following information about a specified option:

- Option name
- Menu text
- Option description
- Type of option
- Lock (if any)

In addition, all items on the menu are listed for each menu option. To secure information about IHS RPMS Clinical Reporting options, the BGP namespace must be specified.

9.2.3 Print Option File

Note: The Print Option File utility generates a listing of options from the Option file (#19). It can print all entries, a single option, or range of options. For a list of IHS RPMS Clinical Reporting options, see Section 9.1.
There are no Published Entry Points for this application.

9.2.4 List File Attributes

This VA FileMan option allows users to generate documentation pertaining to files and file structure. The standard format of this option provides the following data dictionary information for a specified file:

- File name and description
- Identifiers

- Cross-references
- Files pointed to by the specified file
- Files that point to the specified file
- Input, print, and sort templates

In addition, the following applicable data is supplied for each field in the file:

- Field name, number, title, and description
- Global location
- Help prompt
- Cross-references
- Input transform
- Date last edited
- Notes

Using the Global Map format of this option generates an output that lists the following information:

- All cross references for the selected file
- Global location of each field in the file
- Input, print, and sort templates

For a comprehensive listing of CLINICAL files, see Section 4.0.

9.3 Online Help

In addition to system documentation, RPMS includes special help displays for most menu options and data entry prompts. Typing a question mark (?) at the Select Option prompt displays information related to the current option. Table 9-1 displays the options available.

Table 9-1: Online Help Options

| Typing | Displays |
|---|--|
| A single question mark (?) | A list of all options accessible from the current option |
| Two question marks (??) | A list of all accessible options and their formal names |
| Three question marks (???) | A brief description for each option in a menu |
| A single question mark (?) followed by an option name (?OPTION) | Extended help, if available, for that option |

10.0 SAC Requirements

This program uses a standard global for exporting data to the Area Office. The global is called ^BGPDATA (and is killed at the root level in various routines.)

The kill of these unsubscripted globals has been approved by the Standards and Conventions committee.

Glossary

Archiving

The storage of historical or little-used data off-line (often on tape.)

Cross Reference

An indexing method whereby files can include presorted lists of entries as part of the stored database. Cross references (x-refs) facilitate look-up and reporting.

Entry Point

A point within a routine that is referenced by a “DO” or “GOTO” command from a routine internal to a package.

File

A set of related records or entries treated as a single unit.

FileMan

The database management system for RPMS.

Global

In MUMPS, global refers to a variable stored on disk (global variable) or the array to which the global variable may belong (global array).

INDEX (%INDEX)

A kernel utility used to verify routines and other MUMPS code associated with a package. Checking is done according to current ANSI MUMPS standards and RPMS programming standards. This tool can be invoked through an option or from direct mode (>D ^%INDEX).

Kernel

The set of MUMPS software utilities that function as an intermediary between the host operating system and application packages, such as Laboratory and Pharmacy. The kernel provides a standard and consistent user and programmer interface between application packages and the underlying MUMPS implementation. These utilities provide the foundation for RPMS.

Menu

A list of choices for computing activity. A menu is a type of option designed to identify a series of items (other options) for presentation to the user for selection. When displayed, menu-type options are preceded by the word “Select” and followed by the word “option,” as in “Select Menu Management option:” (the menu’s select prompt.)

Namespace

A unique set of 2 to 4 alpha characters that are assigned to a software application by the database administrator.

Option

An entry in the Option file. As an item in a menu, an option provides an opportunity for users to select it, thereby invoking the associated computing activity. Options may also be scheduled to run in the background, non-interactively, by TaskMan.

Routine

A program or sequence of instructions called by a program that may have some general or frequent use. MUMPS routines are groups of program lines that are saved, loaded, and called as a single unit via a specific name.

Utility

A callable routine line tag or function. A universal routine usable by anyone.

Variable

A character or group of characters that refers to a value. MUMPS recognizes three types of variables: local variables, global variables, and special variables. Local variables exist in a partition of the main memory and disappear at signoff. A global variable is stored on disk, potentially available to any user. Global variables usually exist as parts of global arrays.

Acronym List

| Acronym | Term Meaning |
|----------------|---|
| CRS | Clinical Reporting System |
| DHCP | Decentralized Hospital Computer Program |
| ICD | International Classification of Diseases |
| FIPS | Federal Information Processing Standards |
| FOIA | Freedom of Information Act |
| GPRA | Government Performance and Results Act |
| GPRAMA | GPRA Modernization Act |
| HHS | (Department of) Health and Human Services |
| ICD | International Classification of Diseases |
| IHS | Indian Health Service |
| ISC | Information System Coordinator |
| MUMPS | Massachusetts General Hospital (M) Utility Multi Programming System |
| OIT | Office of Information Technology |
| RPMS | Resource and Patient Management System |
| VPS | Volume Performance Standard |

Contact Information

For questions or comments regarding this distribution, please contact the OIT Help Desk (IHS).

Phone: (888) 830-7280 (toll free)

Web: <http://www.ihs.gov/helpdesk/>

Email: support@ihs.gov