



RESOURCE AND PATIENT MANAGEMENT SYSTEM

# **RPMS Uniform Data System Reporting System**

**(BUD)**

## **Technical Manual**

Version 11.0  
January 2017

Office of Information Technology (OIT)  
Division of Information Technology

# Table of Contents

<b>1.0</b>	<b>About this Manual .....</b>	<b>1</b>
1.1	Key Changes for Version 11.0.....	1
1.1.1	Menu Changes .....	1
1.1.2	Table 3A .....	1
1.1.3	Table 3B.....	1
1.1.4	Table 5–Staffing and Utilization .....	1
1.1.5	Table 6A– Selected Diagnoses and Services Rendered .....	1
1.1.6	Table 6B–Quality of Care Measures.....	1
1.1.7	Table 7–Quality of Care Indicators .....	2
1.1.8	Taxonomy Changes .....	3
<b>2.0</b>	<b>Introduction.....</b>	<b>4</b>
2.1	About the BPHC Uniform Data System .....	4
2.2	RPMS UDS Reporting System Overview .....	5
<b>3.0</b>	<b>Implementation and Maintenance .....</b>	<b>6</b>
3.1	System Requirements .....	6
3.2	Security Keys.....	6
<b>4.0</b>	<b>Routines .....</b>	<b>7</b>
<b>5.0</b>	<b>Tables and Files.....</b>	<b>11</b>
5.1	File List .....	11
5.2	File Access .....	11
5.3	Cross References .....	11
5.4	Table File.....	18
<b>6.0</b>	<b>External Relations .....</b>	<b>23</b>
6.1	External Calls .....	23
6.2	Callable Routines.....	41
6.3	Published Entry Points.....	42
6.4	Exported Options .....	42
<b>7.0</b>	<b>Internal Relations .....</b>	<b>61</b>
<b>8.0</b>	<b>Security Keys.....</b>	<b>62</b>
<b>9.0</b>	<b>Archiving and Purging .....</b>	<b>63</b>
<b>10.0</b>	<b>Documentation Resources .....</b>	<b>64</b>
10.1	How to Generate Online Documentation .....	64
10.2	System Documentation.....	64
10.2.1	%INDEX .....	64
10.2.2	Inquire Option .....	65
10.2.3	Print Option File.....	65
10.2.4	List File Attributes .....	65

10.3 Online Help ..... 66

**11.0 Standards and Conventions Requirements ..... 67**

**Glossary ..... 68**

**Acronym List ..... 70**

**Contact Information ..... 71**

## Preface

This manual contains the technical overview of the Resource and Patient Management System (RPMS) Uniform Data System (UDS) Reporting System for calendar year 2016. Please note that this manual contains information regarding the UDS 2016 reports, routines, files, and options only. For information regarding previous year's reports please see the technical manual for that year and version.

RPMS UDS Reporting is intended for use by Tribal or urban health facilities receiving grant funds for primary care system development programs administered by the Bureau of Primary Health Care (BPHC), Health Resources and Services Administration (HRSA). The RPMS UDS Reporting System provides passive extraction of patient and visit data from the Indian Health Service (IHS) RPMS to produce 10 of the 12 UDS report tables required annually by BPHC grantees.

**Note:** Submit 2016 UDS data by February 15, 2017 to assure adequate time for review and correction of data errors prior to final submission. Changes to these data will be permitted until March 31, 2017.

The RPMS UDS Reporting System software will be reviewed annually and updated as needed as BPHC reporting requirements change.

Additional information about BPHC grants and BPHC UDS reporting can be found at the following Web site: <https://bphc.hrsa.gov/datareporting/reporting/index.html>.

### Rules of Behavior

All RPMS users are required to observe Department of Health and Human Services (HHS) and IHS Rules of Behavior (ROB) regarding patient privacy and the security of both patient information and IHS computers and networks. This document provides both RPMS and UDS ROBs.

## 1.0 About this Manual

This manual provides the technical documentation for the RPMS UDS Reporting System for CY 2016.

### 1.1 Key Changes for Version 11.0

#### 1.1.1 Menu Changes

- Reports Menu Changes
  - Added UD16 UDS 2016 ... menu option.
  - Removed UD07 UDS 2007 ... menu option.

#### 1.1.2 Table 3A

Renamed table to Patients by Age and by Sex Assigned at Birth.

#### 1.1.3 Table 3B

- Renamed table to Demographic Characteristics.
- Added new sections for Patients by Sexual Orientation and Patients by Gender Identity.

#### 1.1.4 Table 5–Staffing and Utilization

Added three new staff categories: Dental Therapists, Community Health Workers (CHWs), and Quality Improvement (QI).

#### 1.1.5 Table 6A– Selected Diagnoses and Services Rendered

Removed ICD-9 codes.

#### 1.1.6 Table 6B–Quality of Care Measures

- Aligned many measures with Centers for Medicare and Medicaid Services (CMS') electronic-Clinical Quality Measures (e-CQM).
- Added Systemized Nomenclature of Medicine (SNOMED) codes to many measures.
- Section C – Childhood Immunization Status:
  - Denominator changed to patients age 2

- Added 1 Hepatitis A, 2 or 3 rotavirus, and 2 influenza vaccines to those required
- Section D – Cervical Cancer Screening:
  - Denominator changed to patients age 23 through 64
  - Numerator no longer includes patients with Pap and HPV for those over 30
- Section F – Preventive Care and Screening: BMI Screening and Follow-Up:
  - Added denominator exclusions for patients receiving palliative care, refusal of height and/or weight, or other medical reason
- Section G – Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention:
  - Denominator includes patients with either at least two medical visits or one preventative visit during the report period
  - Added denominator exclusions for patients with medical reason for not screening for tobacco use
- Section H – Use of Appropriate Medications for Asthma:
  - Denominator changed to patients age 5 through 64
  - Denominator does not include criteria of two visits ever
  - Added denominator exclusions for patients with emphysema, COPD, cystic fibrosis, or acute respiratory failure
  - Removed exclusion of allergic reaction to asthma medications
- Section K – Colorectal Cancer Screening:
  - Denominator changed to patients age 50 through 75
- Section M – Preventive Care and Screening: Screening for Clinical Depression and Follow-Up Plan:
  - Added denominator exclusions for patients with refusal or who are in urgent or emergent situations
  - Changed logic so that follow-up plan must be on the same day as the positive screen
- Section N – Oral Health Sealant for Children 6–9 Years:
  - Denominator includes criteria that patient must have a dental visit during the report period

### 1.1.7 Table 7–Quality of Care Indicators

- Aligned measures with CMS’ e-CQM measures.
- Added SNOMED codes to measures.
- Section B – Controlling High Blood Pressure:

- Denominator changed to patients age 18 through 85
- Added denominator exclusions for patients with dialysis, renal transplant, or chronic kidney disease
- Denominator does not include criteria of two visits during the report period
- Section C – Diabetes: Hemoglobin A1c Poor Control:
  - Denominator changed to patients age 18 through 75
  - Denominator does not include criteria of two visits during the report period

### 1.1.8 Taxonomy Changes

None

## 2.0 Introduction

IHS RPMS UDS Reporting is intended for use by Tribal or urban health facilities receiving grant funds for primary care system development programs administered by the BPHC and HRSA. The RPMS UDS Reporting System provides passive extraction of patient and visit data from the RPMS to produce 10 of the 12 UDS reports. For each of the 10 reports, RPMS UDS also produces lists of all patients and related visits that are counted in the reports.

**Note:** The UDS 2016 reports are due to BPHC on or before February 15, 2017 to assure adequate time for review and correction of data errors prior to final submission. Changes to these data will be permitted until March 31, 2017.

RPMS UDS Reporting System software will be reviewed annually and updated as needed as BPHC reporting requirements change.

## 2.1 About the BPHC Uniform Data System

The BPHC UDS is an integrated reporting system used by all grantees of the following primary care programs administered by the BPHC, HRSA:

- Community Health Center, as defined in Section 330(e) of the Health Centers Consolidation Act as amended
- Migrant Health Center, as defined in Section 330(g) of the Act
- Health Care for the Homeless, as defined in Section 330(h) of the Act
- Public Housing Primary Care, as defined in Section 330(i) of the Act

BPHC collects data on its programs to ensure compliance with legislative mandates and to report to Congress, the Office of Management and Budget (OMB), and other policy makers on program accomplishments. To meet these objectives, BPHC requires that grantees annually submit a core set of information that is appropriate for monitoring and evaluating performance and for reporting on annual trends. The UDS is the vehicle used by BPHC to obtain this information.

UDS reports provide a comprehensive picture of all activities within the scope of BPHC-supported projects. Grantees should report on the total unduplicated number of patients and activities within the scope of projects supported by all BPHC primary care programs covered by the UDS.

See Quick Reference Guide for relevant excerpts from the BPHC UDS manual. Additional information can be obtained from the following Web site:

<https://bphc.hrsa.gov/datareporting/reporting/index.html>.



## 2.2 RPMS UDS Reporting System Overview

The RPMS UDS Reporting System is a software tool that produces 10 of the 12 reports required annually by BPHC grantees. These reports provide an overview of patients and visits at a grantee facility, including number, age, gender, zip code of residence, race/ethnicity of patients, number of visits by provider type, by key diagnoses and services, quality of care indicators and health outcome, and disparities. The system produces the following reports:

- Patients by Zip Code
- Table 3A Patients by Age and Gender
- Table 3B Patients by Hispanic or Latino Identity/Race/Language
- Table 4 Selected Patient Characteristics
- Table 5 Staffing and Utilization (Column A)
- Table 5 Staffing and Utilization (Columns B and C)
- Table 6A Selected Diagnoses and Services Rendered
- Table 6B Quality of Care Indicators
- Table 7 Health Outcome and Disparities
- Table 9D Patient-Related Revenue

Additionally, RPMS UDS will provide the following lists to assist in verifying data:

- LST1–Lists for Tables Zip Code, 3A & 3B, 4, 5, and 6A
- LST2–Lists for Table 6B
- LST3–Lists for Table 7

Individual quarter reports for the entire calendar year can also be run.

**Note:** Tables 6B and 7 must be run using the Full Calendar Year option. If these reports are run using the Quarterly options, the totals combined will not match the calendar year totals.

The RPMS UDS also includes an option to save all patients that meet the BPHC definition of a patient to an RPMS search template. That data can then be used to prepare the other needed reports that are submitted to BPHC.

**Note:** BPHC reporting is based on calendar year (January through December) rather than fiscal year (October through September).

See the “Report Descriptions” section in the BUD User Manual for a description of the detailed logic for each report.

## 3.0 Implementation and Maintenance

The RPMS UDS occupies the BUD namespace. Options, security locks and keys, templates, routines, and globals are namespaced “BUD.”

### 3.1 System Requirements

- Kernel 8.0 or higher
- FileMan 21 or higher
- Uniform Data System V10.0 (bud\_1000.k)
- Clinical Reporting System V17.0 or higher (bgp\_1700.k)

### 3.2 Security Keys

Table 3-1 provides a list of security keys and their descriptions.

Table 3-1: Security Keys

Name	Descriptive Name	Description
BUDZMGR	BUD MANAGER UTILITIES	This key unlocks the manager utilities menu option. Give this key to the person in charge of UDS reporting.
BUDZMENU	BUD MAIN MENU-UDS	This key unlocks the main UDS menu. It should be assigned to all users who need to run UDS reports.

## 4.0 Routines

Table 4-1 Lists routine names and a description of each. The description includes the date the routine was created.

Table 4-1: Routines

ROUTINE	DESCRIPTION
BUDBAN	IHS/CMI/LAB–Banner routine for UDS package
BUDDBAN	IHS/CMI/LAB - Banner routine for UDS package
BUDD1	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1A	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 21, 2016
BUDD1B	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 21, 2016
BUDD1C	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 27, 2016
BUDD1D	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D10	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D11	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D12	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D13	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D14	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D15	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D16	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D17	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D18	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D19	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D20	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D21	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D22	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D23	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D24	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D25	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D26	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D27	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D28	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D29	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D30	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D31	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016

<b>ROUTINE</b>	<b>DESCRIPTION</b>
BUDD1D5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D8	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDD1D9	IHS/CMI/LAB -CREATED BY ^ATXSTX ON NOV 30, 2016
BUDDDSI	IHS/CMI/LAB - DISPLAY IND LISTS
BUDDDU	IHS/CMI/LAB - gpra utility calls
BUDDENV	IHS/CMI/LAB - environmental check
BUDEXP	IHS/CMI/LAB - Export to UDS
BUDDRP61	IHS/CMI/LAB - UDS REPORT PROCESSOR
BUDDRP6A	IHS/CMI/LAB - HIV/DEP
BUDDRP6B	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP6C	IHS/CMI/LAB - UDS REPORT PROCESSOR
BUDDRP6D	IHS/CMI/LAB - UDS REPORT PROCESSOR
BUDDRP6E	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP6F	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP6G	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP6H	IHS/CMI/LAB - UDS REPORT PROCESSOR
BUDDRP6I	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP6J	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP6K	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP6L	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP6M	IHS/CMI/LAB - UDS REPORT PROCESSOR
BUDDRP6N	IHS/CMI/LAB - UDS REPORT PROCESSOR
BUDDRP6O	IHS/CMI/LAB - UDS REPORT PROCESSOR
BUDDRP6P	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP6Q	IHS/CMI/LAB - HIV/DEP
BUDDRP6R	IHS/CMI/LAB - UDS REPORT PROCESSOR
BUDDRP6S	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP6T	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP6U	IHS/CMI/LAB - UDS REPORT PROCESSOR
BUDDRP6V	IHS/CMI/LAB - UDS REPORT PROCESSOR
BUDDRP6W	IHS/CMI/LAB - UDS REPORT PROCESSOR 01 Dec 2015 4:03 PM
BUDDRP6X	IHS/CMI/LAB - measure C
BUDDRP6Y	IHS/CMI/LAB - UDS REPORT PROCESSOR 01 Dec 2015 4:03 PM
BUDDRP7	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP71	IHS/CMI/LAB - UDS REPORT DRIVER TABLE
BUDDRP7A	IHS/CMI/LAB - UDS REPORT PROCESSOR
BUDDRP7B	IHS/CMI/LAB - UDS REPORT PROCESSOR
BUDDRP7C	IHS/CMI/LAB - UDS REPORT PROCESSOR

<b>ROUTINE</b>	<b>DESCRIPTION</b>
BUDDRP7F	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP7G	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP7I	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP7J	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP7K	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP7L	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP7M	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP7N	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP7O	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP7P	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP7Q	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP7S	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRP7T	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 7
BUDDRP7U	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRPC1	IHS/CMI/LAB - UDS TABLE 6
BUDDRPC2	IHS/CMI/LAB - UDS TABLE 6
BUDDRPC3	IHS/CMI/LAB - UDS TABLE 6
BUDDRPC4	IHS/CMI/LAB - UDS TABLE 6
BUDDRPL1	IHS/CMI/LAB - UDS print lists
BUDDRPL2	IHS/CMI/LAB - UDS print lists
BUDDRPL3	IHS/CMI/LAB - UDS print lists
BUDDRPL4	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRPL5	IHS/CMI/LAB - UDS REPORT DRIVER TABLE 6B
BUDDRPP1	IHS/CMI/LAB - UDS PRINT TABLE 6
BUDDRPP2	IHS/CMI/LAB - UDS REPORT PRINT
BUDDRPT1	IHS/CMI/LAB - UDS REPORT DRIVER
BUDDRPT2	IHS/CMI/LAB - UDS REPORT DRIVER
BUDDRPTC	IHS/CMI/LAB - UDS REPORT PROCESSOR
BUDDRPTD	IHS/CMI/LAB - UDS REPORT PROCESSOR 05 Oct 2015 5:03 PM
BUDDRPT E	IHS/CMI/LAB - UDS REPORT PROCESSOR
BUDDRPTL	IHS/CMI/LAB - UDS
BUDDRPTP	IHS/CMI/LAB - UDS REPORT PRINT M
BUDDRPTS	IHS/CMI/LAB - UDS REPORT DRIVER 12 Dec 2015 8:11 AM
BUDDSTMP	IHS/CMI/LAB - CREATE SEARCH TEMPLATE FOR PGEN (PATIENT) REPORTS
BUDDUPVL	IHS/CMI/LAB - update visit locations UDS 30 Dec 2015 10:34 AM
BUDDUTL1	IHS/CMI/LAB - NO DESCRIPTION PROVIDED 02 Jul 2015 2:07 PM
BUDDUTL2	IHS/CMI/LAB - utilities for BUD
BUDDUTXL	IHS/CMI/LAB - DISPLAY IND LISTS
BUDDUTXS	IHS/CMI/LAB - DISPLAY IND LISTS 16 Dec 2015 1:48 PM

---

ROUTINE	DESCRIPTION
BUDDXTCH	IHS/CMI/LAB - TAXONOMY CHECK FOR FY04 GPRA REPORT

## 5.0 Tables and Files

### 5.1 File List

The file list, detailed in Table 5-1, lists the file name, its associated global and the name.

Table 5-1: File List

File	Global	Name
90668.1	^BUDDSITE	UDS 16 SITE PARAMETERS
90668.2	^BUDDCNTL	UDS 16 CONTROL TABLES
90668.3	^BUDDTTA	UDS 16 TABLE 3 FORMAT
90668.4	^BUDDIL	UDS 16 INCOME LEVELS
90668.5	^BUDDTFIV	UDS 16 TABLE 5 FORMAT
90668.6	^BUDDLST2	UDS 16 LST2 REPORTS
90668.7	^BUDDTSC	UDS 16 TABLE 6 CODES
90668.8	^BUDDTSSC	UDS 16 TABLE 6B&7 CODE LISTS

### 5.2 File Access

File Access files are listed in Table 5-2. The table includes the file number, its associated global and other characteristics.

Table 5-2: File Access

File (#)	Global	RD	WR	LYG	DD	DEL
90668.1	^BUDDSITE	M	M	M	@	@
90668.2	^BUDDCNTL	@	@	@	@	@
90668.3	^BUDDTTA	@	@	@	@	@
90668.4	^BUDDIL	@	@	@	@	@
90668.5	^BUDDTFIV	@	@	@	@	@
90668.6	^BUDDLST2	@	@	@	@	@
90668.7	^BUDDTSC	@	@	@	@	@
90668.8	^BUDDTSS	@	@	@	@	@

### 5.3 Cross References

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01	08/12/16	PAGE 1
--------------------------------------------------	----------	--------

INDEX AND CROSS-REFERENCE LIST -- FILE #90668.1 12/15/16 PAGE 1

---

File #90668.1

Traditional Cross-References:

B REGULAR  
 Field: SITE NAME (90668.1,.01)  
 1)= S ^BUDDSITE("B",\$(X,1,30),DA)=" "  
 2)= K ^BUDDSITE("B",\$(X,1,30),DA)

Subfile #90668.111

Traditional Cross-References:

B REGULAR  
 Field: VISIT LOCATIONS FOR UDS REPORT (90668.111,.01)  
 1)= S ^BUDDSITE(DA(1),11,"B",\$(X,1,30),DA)=" "  
 2)= K ^BUDDSITE(DA(1),11,"B",\$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90668.2 12/15/16 PAGE 1

---

File #90668.2

Traditional Cross-References:

B REGULAR  
 Field: TYPE OF CONTROL (90668.2,.01)  
 1)= S ^BUDDCNTL("B",\$(X,1,30),DA)=" "  
 2)= K ^BUDDCNTL("B",\$(X,1,30),DA)

Subfile #90668.211

Traditional Cross-References:

B REGULAR  
 Field: ITEMS/VALUES (90668.211,.01)  
 1)= S ^BUDDCNTL(DA(1),11,"B",\$(X,1,30),DA)=" "  
 2)= K ^BUDDCNTL(DA(1),11,"B",\$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90668.3 12/15/16 PAGE 1

---

File #90668.3

Traditional Cross-References:

AC REGULAR  
 Field: COLUMN 1 HEADER (90668.3,.02)  
 1)= S ^BUDDTTA("AC",\$(X,1,30),DA)=" "  
 2)= K ^BUDDTTA("AC",\$(X,1,30),DA)

B REGULAR  
 Field: LINE NUMBER (90668.3,.01)  
 1)= S ^BUDDTTA("B",\$(X,1,30),DA)=" "  
 2)= K ^BUDDTTA("B",\$(X,1,30),DA)



INDEX AND CROSS-REFERENCE LIST -- FILE #90668.4 12/15/16 PAGE 1

---

File #90668.4

Traditional Cross-References:

B REGULAR  
 Field: NUMBER IN HOUSEHOLD (90668.4,.01)  
 1)= S ^BUDDIL("B", \$E(X,1,30),DA)=" "  
 2)= K ^BUDDIL("B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90668.5 12/15/16 PAGE 1

---

File #90668.5

Traditional Cross-References:

B REGULAR  
 Field: LINE NUMBER (90668.5,.01)  
 1)= S ^BUDDTFIV("B", \$E(X,1,30),DA)=" "  
 2)= K ^BUDDTFIV("B", \$E(X,1,30),DA)

Subfile #90668.511

Traditional Cross-References:

AA MUMPS WHOLE FILE (#90668.5)  
 Field: PROVIDER CLASS CODES (90668.511,.01)  
 1)= S ^BUDDTFIV("AA",X,\$P(^BUDDTFIV(DA(1),0),U),DA)=" "  
 2)= K ^BUDDTFIV("AA",X,\$P(^BUDDTFIV(DA(1),0),U),DA)

B REGULAR  
 Field: PROVIDER CLASS CODES (90668.511,.01)  
 1)= S ^BUDDTFIV(DA(1),11,"B", \$E(X,1,30),DA)=" "  
 2)= K ^BUDDTFIV(DA(1),11,"B", \$E(X,1,30),DA)

C REGULAR WHOLE FILE (#90668.5)  
 Field: PROVIDER CLASS CODES (90668.511,.01)  
 1)= S ^BUDDTFIV("C", \$E(X,1,30),DA(1),DA)=" "  
 2)= K ^BUDDTFIV("C", \$E(X,1,30),DA(1),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90668.6 12/15/16 PAGE 1

---

File #90668.6

Traditional Cross-References:

B REGULAR  
 Field: NAME (90668.6,.01)  
 1)= S ^BUDDLST2("B", \$E(X,1,30),DA)=" "  
 2)= K ^BUDDLST2("B", \$E(X,1,30),DA)

```

C    REGULAR
      Field:  ABBRV    (90668.6,.03)
              1)= S ^BUDDLST2("C", $E(X,1,30),DA)=" "
              2)= K ^BUDDLST2("C", $E(X,1,30),DA)

OR   REGULAR
      Field:  ORDER ON MENU (90668.6,.02)
              1)= S ^BUDDLST2("OR", $E(X,1,30),DA)=" "
              2)= K ^BUDDLST2("OR", $E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90668.7          12/15/16    PAGE 1
-----

File #90668.7

Traditional Cross-References:

B    REGULAR
      Field:  ORDER    (90668.7,.01)
              1)= S ^BUDDTSC("B", $E(X,1,30),DA)=" "
              2)= K ^BUDDTSC("B", $E(X,1,30),DA)

C    REGULAR
      Field:  1ST COLUMN (90668.7,.03)
              1)= S ^BUDDTSC("C", $E(X,1,30),DA)=" "
              2)= K ^BUDDTSC("C", $E(X,1,30),DA)

Subfile #90668.71

Traditional Cross-References:

B    REGULAR
      Field:  PATIENT ED CODES (90668.71,.01)
              1)= S ^BUDDTSC(DA(1),10,"B", $E(X,1,30),DA)=" "
              2)= K ^BUDDTSC(DA(1),10,"B", $E(X,1,30),DA)

Subfile #90668.711

Traditional Cross-References:

B    REGULAR
      Field:  CLINIC CODES (90668.711,.01)
              1)= S ^BUDDTSC(DA(1),11,"B", $E(X,1,30),DA)=" "
              2)= K ^BUDDTSC(DA(1),11,"B", $E(X,1,30),DA)

Subfile #90668.712

Traditional Cross-References:

B    REGULAR
      Field:  ADA CODES (90668.712,.01)
              1)= S ^BUDDTSC(DA(1),12,"B", $E(X,1,30),DA)=" "
              2)= K ^BUDDTSC(DA(1),12,"B", $E(X,1,30),DA)

Subfile #90668.72

Traditional Cross-References:

B    REGULAR
      Field:  COLUMN 2 (90668.72,.01)

```

```

1)= S ^BUDDTSC(DA(1),2,"B",$(X,1,30),DA)=" "
2)= K ^BUDDTSC(DA(1),2,"B",$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90668.7                12/15/16    PAGE 2
-----
Subfile #90668.74

Traditional Cross-References:

B    REGULAR
      Field:  COLUMN 4 (90668.74,.01)
          1)= S ^BUDDTSC(DA(1),4,"B",$(X,1,30),DA)=" "
          2)= K ^BUDDTSC(DA(1),4,"B",$(X,1,30),DA)

Subfile #90668.77

Traditional Cross-References:

AC   REGULAR    WHOLE FILE (#90668.7)
      Field:  POINTER (POPULATE IN POST) (90668.77,.02)
          1)= S ^BUDDTSC("AC",$(X,1,30),DA(1),DA)=" "
          2)= K ^BUDDTSC("AC",$(X,1,30),DA(1),DA)

B    REGULAR
      Field:  CODES (90668.77,.01)
          1)= S ^BUDDTSC(DA(1),7,"B",$(X,1,30),DA)=" "
          2)= K ^BUDDTSC(DA(1),7,"B",$(X,1,30),DA)

Subfile #90668.78

Traditional Cross-References:

B    REGULAR
      Field:  CPT CODES (90668.78,.01)
          1)= S ^BUDDTSC(DA(1),8,"B",$(X,1,30),DA)=" "
          2)= K ^BUDDTSC(DA(1),8,"B",$(X,1,30),DA)

Subfile #90668.79

Traditional Cross-References:

B    REGULAR
      Field:  CVX CODES (90668.79,.01)
          1)= S ^BUDDTSC(DA(1),9,"B",$(X,1,30),DA)=" "
          2)= K ^BUDDTSC(DA(1),9,"B",$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90668.8                12/15/16    PAGE 1
-----
File #90668.8

Traditional Cross-References:

B    REGULAR
      Field:  NAME OF LIST (90668.8,.01)
          1)= S ^BUDDTSSC("B",$(X,1,30),DA)=" "
          2)= K ^BUDDTSSC("B",$(X,1,30),DA)

```

Subfile #90668.811

Traditional Cross-References:

```
AD    REGULAR    WHOLE FILE (#90668.8)
      Field:    POINTER    (90668.811,.02)
                1)= S ^BUDDTSSC("AD", $E(X,1,30),DA(1),DA)=" "
                2)= K ^BUDDTSSC("AD", $E(X,1,30),DA(1),DA)

B     REGULAR
      Field:    ICD DIAGNOSES (90668.811,.01)
                1)= S ^BUDDTSSC(DA(1),11,"B", $E(X,1,30),DA)=" "
                2)= K ^BUDDTSSC(DA(1),11,"B", $E(X,1,30),DA)
```

Subfile #90668.812

Traditional Cross-References:

```
AP    REGULAR    WHOLE FILE (#90668.8)
      Field:    POINTER    (90668.812,.02)
                1)= S ^BUDDTSSC("AP", $E(X,1,30),DA(1),DA)=" "
                2)= K ^BUDDTSSC("AP", $E(X,1,30),DA(1),DA)

B     REGULAR
      Field:    ICD PROCEDURES (90668.812,.01)
                1)= S ^BUDDTSSC(DA(1),12,"B", $E(X,1,30),DA)=" "
                2)= K ^BUDDTSSC(DA(1),12,"B", $E(X,1,30),DA)
```

Subfile #90668.813

Traditional Cross-References:

```
AS    REGULAR    WHOLE FILE (#90668.8)
      Field:    SNOMED CODES (90668.813,.01)
                1)= S ^BUDDTSSC("AS", $E(X,1,30),DA(1),DA)=" "
                2)= K ^BUDDTSSC("AS", $E(X,1,30),DA(1),DA)

B     REGULAR
      Field:    SNOMED CODES (90668.813,.01)
                1)= S ^BUDDTSSC(DA(1),13,"B", $E(X,1,30),DA)=" "
                2)= K ^BUDDTSSC(DA(1),13,"B", $E(X,1,30),DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90668.8 12/15/16 PAGE 2

Subfile #90668.814

Traditional Cross-References:

```
AC    REGULAR    WHOLE FILE (#90668.8)
      Field:    CPT CODES (90668.814,.01)
                1)= S ^BUDDTSSC("AC", $E(X,1,30),DA(1),DA)=" "
                2)= K ^BUDDTSSC("AC", $E(X,1,30),DA(1),DA)

B     REGULAR
      Field:    CPT CODES (90668.814,.01)
                1)= S ^BUDDTSSC(DA(1),14,"B", $E(X,1,30),DA)=" "
                2)= K ^BUDDTSSC(DA(1),14,"B", $E(X,1,30),DA)
```

```

Subfile #90668.815

Traditional Cross-References:

B    REGULAR
      Field:  CVX CODES   (90668.815,.01)
          1)= S ^BUDDTSSC(DA(1),15,"B",$(X,1,30),DA)=" "
          2)= K ^BUDDTSSC(DA(1),15,"B",$(X,1,30),DA)

Subfile #90668.816

Traditional Cross-References:

B    REGULAR
      Field:  PROVIDER CODES (90668.816,.01)
          1)= S ^BUDDTSSC(DA(1),16,"B",$(X,1,30),DA)=" "
          2)= K ^BUDDTSSC(DA(1),16,"B",$(X,1,30),DA)

Subfile #90668.817

Traditional Cross-References:

B    REGULAR
      Field:  CLINIC CODES (90668.817,.01)
          1)= S ^BUDDTSSC(DA(1),17,"B",$(X,1,30),DA)=" "
          2)= K ^BUDDTSSC(DA(1),17,"B",$(X,1,30),DA)

Subfile #90668.818

Traditional Cross-References:

B    REGULAR
      Field:  HEALTH FACTORS (90668.818,.01)
          1)= S ^BUDDTSSC(DA(1),18,"B",$(X,1,30),DA)=" "
          2)= K ^BUDDTSSC(DA(1),18,"B",$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90668.8                12/15/16    PAGE 3
-----
Subfile #90668.819

Traditional Cross-References:

B    REGULAR
      Field:  RX NORM (90668.819,.01)
          1)= S ^BUDDTSSC(DA(1),19,"B",$(X,1,30),DA)=" "
          2)= K ^BUDDTSSC(DA(1),19,"B",$(X,1,30),DA)

Subfile #90668.821

Traditional Cross-References:

B    REGULAR
      Field:  ADA CODES (90668.821,.01)
          1)= S ^BUDDTSSC(DA(1),21,"B",$(X,1,30),DA)=" "
          2)= K ^BUDDTSSC(DA(1),21,"B",$(X,1,30),DA)
    
```

Figure 5-1: Cross reference example

## 5.4 Table File

### FILE: UDS 16 SITE PARAMETERS

GLOBAL: ^BUDDSITE(

FILE #: 90668.1

Table 5-3 UDS Site Parameters

Field #	Field Name	Subscript	Piece	Type
.01	Site Name	D0,0	1	P
.02	UDS No.	D0,0	2	F
1101.01	Visit Locations for UDS Report (90668.111)	D0, 11, D1,0	1	P

### FILE: UDS 16 CONTROL TABLES

GLOBAL: ^BUDDCNTL(

FILE #: 90668.2

Table 5-4 UDS 16 Control Tables

Field #	Field Name	Subscript	Piece	Type
.01	Type of Control	D0,0	1	F
1101.01	Items/Values (90668.211)	D0,11,D1 ,0	1	F
1101.02	Second Value	D0, 11, D1, 0	2	F
1101.03	Third Value	D0, 11, D1, 0	3	F
1	Fourth Value	D0, 11, D1, 0	1	F

**FILE: UDS 16 TABLE 3 FORMAT**

**GLOBAL: ^BUDDTTA(**

**FILE #: 90668.3**

Table 5-5 UDS 16 Table 3 Format

Field #	Field Name	Subscript	Piece	Type
.01	Line Number	D0, 0	1	N
.02	Column 1 Header	D0, 0	2	F
.03	Column 2 Header	D0, 0	3	F
.04	Column 3 Header	D0, 0	4	F
.05	Column 4 Header	D0, 0	5	F
.06	Column 5 Header	D0, 0	6	F
.07	Low Value	D0, 0	7	N
.08	High Value	D0, 0	8	N
1101	Centered Title 1	D0, 11	1	F

**FILE: UDS 16 INCOME LEVELS**

**GLOBAL: ^BUDDIL(**

**FILE #: 90668.4**

Table 5-6: UDS 16 Income Levels

Field #	Field Name	Subscript	Piece	Type
.01	Number in Household	D0, 0	1	N
.02	US Income	D0, 0	2	N
.03	Alaska Income	D0, 0	3	N
.04	Hawaii Income	D0, 0	4	N

**FILE: UDS 16 TABLE 5 FORMAT**

**GLOBAL: ^BUDDTFIV(**

**FILE #: 90668.5**

Table 5-7: UDS 16 Table 5 Format

Field #	Field Name	Subscript	Piece	Type
.01	Line Number	D0, 0	1	F
.02	Label	D0, 0	2	F
.03	Label 2	D0, 0	3	F
.04	Label 3	D0, 0	4	F
1101.01	Provider Class Codes (90668.511)	D0, 11, D1, 0	1	F

**FILE: UDS 16 LST2 REPORTS**

**GLOBAL: ^BUDDLST2(**

**FILE #: 90668.6**

Table 5-8: UDS 16 LST2 Reports

Field #	Field Name	Subscript	Piece	Type
.01	Name	D0, 0	1	F
.02	Order on Menu	D0, 0	2	N
.03	Abbreviation	D0, 0	3	F
1	MUMPS Code to Execute	D0, 1		K
1100.01	Introductory Text (90668.611)	D0, 11, D1, 0	1	W
1200.01	List Header Text (90668.612)	D0, 12, D1, 0	1	W2



**FILE: UDS 16 TABLE 6 CODES**

**GLOBAL: ^BUDDTSC(**

**FILE #: 90668.7**

Table 5-9: UDS 16 Table 6 Codes

Field #	Field Name	Subscript	Piece	Type
.01	Order	D0, 0	1	N
.02	Header Line?	D0, 0	2	S
.03	1 <sup>st</sup> Column	D0, 0	3	F
1	M Code Get	D0, 1		K
2.01	Column 2 (90668.72)	D0, 2, D1, 0	1	F
4.01	Column 4 (90668.74)	D0, 4, D1, 0	1	F
7.01	DX Codes (907668.77)	D0, 7, D1, 0	1	F
7.02	Pointer (Populate in Post)	D0, 7, D1, 0	2	P
7.03	Coding System	D0, 7, D1, 0	3	P
8.01	CPT Codes (90668.78)	D0, 8, D1, 0	1	F
9.01	CVX Codes (90668.79)	D0, 9, D1, 0	1	F
10.01	Patient Ed Codes (90668.71)	D0, 10, D1, 0	1	F
11.01	Clinic Codes (90668.711)	D0, 11, D1, 0	1	F
12.01	ADA Codes (90668.712)	D0, 12, D1, 0	1	F

**FILE: UDS 16 TABLE CODE LISTS****GLOBAL: ^BUDDTSSC(****FILE #: 90668.8**

Table 5-10: UDS 16 Table Code List

Field #	Field Name	Subscript	Piece	Type
.01	Name of List	D0, 0	1	F
1101.01	ICD Diagnoses (90668.811)	D0, 11, D1, 0	1	F
1101.02	Pointer	D0, 11, D1, 0	2	P
1101.03	Coding System	D0, 11, D1, 0	3	P
1200.01	ICD Procedures (90668.812)	D0, 12, D1, 0	1	F
1200.02	Pointer	D0, 12, D1, 0	2	P
1200.03	Coding System	D0, 12, D1, 0	3	P
1300.01	SNOMED Codes (90668.813)	D0, 13, D1, 0	1	F
1400.01	CPT Codes (90668.814)	D0, 14, D1, 0	1	F
1500.01	CVX Codes (90668.815)	D0, 15, D1, 0	1	F
1600.01	Provider Codes (90668.816)	D0, 16, D1, 0	1	F
1700.01	Clinical Codes (90668.817)	D0, 17, D1, 0	1	F
1800.01	Health Factors (90668.818)	D0, 18, D1, 0	1	F
1900.01	RX Norm (90668.819)	D0, 19, D1, 0	1	F
2100.01	ADA Codes (90668.821)	D0, 21, D1, 0	1	F

## 6.0 External Relations

### 6.1 External Calls

This package calls the documented entry points found in Figure 6-1:

Routine	is Invoked by:
^%DT	BUDDUTL1
^%DTC	BUDDUTL2
COMMA^%DTC	BUDDRP6B, BUDDRP6E, BUDDRP7, BUDDRP71, BUDDRP7F, BUDDRP7G BUDDRP7N, BUDDRP7O, BUDDRP7P, BUDDRP7Q, BUDDRPL3, BUDDRPP1 BUDDRPP2, BUDDRPTP, BUDDRPTQ
^%ZIS	BUDDRP6B, BUDDRP7, BUDDRPT1, BUDDRPT2, BUDDRPTS
HOME^%ZIS	BUDDXTCH
^%ZISC	BUDDRP6B, BUDDRP7, BUDDRP71, BUDDRPT1, BUDDRPT2, BUDDRPTP BUDDRPTS
^%ZTLOAD	BUDDRP6B, BUDDRP7, BUDDRPT1, BUDDRPT2, BUDDRPTS
\$\$LASTITEM^APCLAPIU	BUDDRP6V
ALLV^APCLAPIU	BUDDRP6A, BUDDRP6B, BUDDRP6C, BUDDRP6D, BUDDRP6H, BUDDRP6M BUDDRP6N, BUDDRP6O, BUDDRP6Q, BUDDRP6R, BUDDRP6U, BUDDRP6V BUDDRP6X, BUDDRP6Y, BUDDRP7B
\$\$START1^APCLDF	BUDDDU, BUDDRP6A, BUDDRP6B, BUDDRP6C, BUDDRP6D, BUDDRP6H BUDDRP6M, BUDDRP6O, BUDDRP6Q, BUDDRP6R, BUDDRP6U, BUDDRP6V BUDDRP6X, BUDDRP6Y, BUDDRP7A, BUDDRP7B, BUDDRP7C, BUDDRPTD
\$\$CLINIC^APCLV	BUDDDU, BUDDRP6D, BUDDRP6M, BUDDRP6O, BUDDRP6Q, BUDDRP6R BUDDRP6U, BUDDRP6V, BUDDRP6W, BUDDRP7A, BUDDRP7I, BUDDRP7J BUDDRP7K, BUDDRP7L, BUDDRP7M, BUDDRP7S, BUDDRP7T, BUDDRP7U BUDDRPC2, BUDDRPL1, BUDDRPL2, BUDDRPL3, BUDDRPL4, BUDDRPTD BUDDRPTL
\$\$LOCENC^APCLV	BUDDRP6D, BUDDRPL1, BUDDRPL2, BUDDRPL3, BUDDRPL4, BUDDRPTL
\$\$PRIMPOV^APCLV	BUDDRP6Q, BUDDRPL3, BUDDRPTC, BUDDRPTD
\$\$PRIMPROV^APCLV	BUDDRP6D, BUDDRP6M, BUDDRP6O, BUDDRP6U, BUDDRP7A, BUDDRP7B BUDDRP7C, BUDDRP7I, BUDDRP7J, BUDDRP7K, BUDDRP7L, BUDDRP7M BUDDRP7S, BUDDRP7T, BUDDRP7U, BUDDRPL2, BUDDRPL3, BUDDRPL4 BUDDRPTC, BUDDRPTD, BUDDRPTL
****	Cross Reference of all Routines ***** Dec 15, 2016@09:39:32 page 44
Routine	is Invoked by:
\$\$VD^APCLV	BUDDDU, BUDDRP6B, BUDDRP6M, BUDDRP6O, BUDDRP6Q, BUDDRP6R BUDDRP6U, BUDDRP6V, BUDDRPC1, BUDDRPC2, BUDDRPC3, BUDDRPTC BUDDRPTD, BUDDRPTL, BUDDUTL1
\$\$ICD^ATXAPI	BUDDRP6V
\$\$ICD^ATXCHK	BUDDDU, BUDDRP6B, BUDDRP6Q, BUDDRP6U, BUDDRP6W, BUDDRP7A BUDDRP7C, BUDDUTL1
BULL^ATXSTX2	BUDD1A, BUDD1B, BUDD1C, BUDD1D
KILL^ATXSTX2	BUDD1A, BUDD1B, BUDD1C, BUDD1D
TAX^ATXSTX2	BUDD1A, BUDD1B, BUDD1C, BUDD1D
\$\$AGE^AUPNPAT	BUDDRP61, BUDDRP6A, BUDDRP6B, BUDDRP6I, BUDDRP6J, BUDDRP6K BUDDRP6L, BUDDRP6N, BUDDRP6P, BUDDRP6S, BUDDRP6W, BUDDRP7 BUDDRP7K, BUDDRP7M, BUDDRP7S, BUDDRPC2, BUDDRPL1, BUDDRPL2 BUDDRPL3, BUDDRPL4, BUDDRPL5, BUDDRPTC, BUDDRPTL
\$\$BEN^AUPNPAT	BUDDRP6B, BUDDRP7, BUDDRPTC
\$\$COMMRES^AUPNPAT	BUDDRP6B, BUDDRP7, BUDDRPC3, BUDDRPTC
\$\$DOB^AUPNPAT	BUDDDU, BUDDRP6A, BUDDRP6C, BUDDRP6D, BUDDRP6H, BUDDRP6N

	BUDDRP60, BUDDRP6U, BUDDRP6X, BUDDRP6Y, BUDDRP7B, BUDDRP7C BUDDRPC3
\$\$HRN^AUPNPAT	BUDDRP61, BUDDRP6A, BUDDRP6F, BUDDRP6G, BUDDRP6I, BUDDRP6J BUDDRP6K, BUDDRP6L, BUDDRP6N, BUDDRP6P, BUDDRP6S, BUDDRP6T BUDDRP6W, BUDDRP7I, BUDDRP7J, BUDDRP7K, BUDDRP7L, BUDDRP7M BUDDRP7S, BUDDRP7T, BUDDRP7U, BUDDRPC3, BUDDRPL1, BUDDRPL2 BUDDRPL3, BUDDRPL4 BUDDRPL5, BUDDRPTL
\$\$RR^AUPNPAT	BUDDRPC2, BUDDRPC3
\$\$DATE^BGP6UTL	BUDDRP6A
^BUD0BAN	opt
^BUD0RP6B	opt
IMMLIST1^BUD0RP6B	opt
IMMLIST2^BUD0RP6B	opt
M^BUD0RP6B	opt
PAPLIST1^BUD0RP6B	opt
PAPLIST2^BUD0RP6B	opt
PRGA^BUD0RP6B	opt
^BUD0RP7	opt
DME1LIST^BUD0RP7	opt
DME2LIST^BUD0RP7	opt
DME3LIST^BUD0RP7	opt
DMELIST^BUD0RP7	opt
DMR1LIST^BUD0RP7	opt
DMR2LIST^BUD0RP7	opt
DMR3LIST^BUD0RP7	opt
DMRLIST^BUD0RP7	opt
HTCELIST^BUD0RP7	opt
HTCRLIST^BUD0RP7	opt
HTELIST^BUD0RP7	opt
HTRLIST^BUD0RP7	opt
HTUELIST^BUD0RP7	opt
***** Cross Reference of all Routines ***** Dec 15, 2016@09:39:32 page 45	
Routine	is Invoked by:
HTURLIST^BUD0RP7	opt
MDM^BUD0RP7	opt
MHT^BUD0RP7	opt
MPRG^BUD0RP7	opt
PRGHLIST^BUD0RP7	opt
PRGRLIST^BUD0RP7	opt
M^BUD0RPT1	opt
T3A^BUD0RPT1	opt
T3B^BUD0RPT1	opt
T5^BUD0RPT1	opt
T51^BUD0RPT1	opt
T6^BUD0RPT1	opt
TZ^BUD0RPT1	opt
^BUD0RPT2	opt
M^BUD0RPT2	opt
T3A^BUD0RPT2	opt
T5^BUD0RPT2	opt
T5A^BUD0RPT2	opt
T5B^BUD0RPT2	opt
T5C^BUD0RPT2	opt
T6^BUD0RPT2	opt
TOL^BUD0RPT2	opt
TUSVE^BUD0RPT2	opt
TUSVR^BUD0RPT2	opt
TZ^BUD0RPT2	opt

EN^BUD0RPTS		opt
^BUD0UPVL		opt
^BUD0UTXS		opt
^BUD1BAN		opt
^BUD1RP6B		opt
IMMLIST1^BUD1RP6B		opt
IMMLIST2^BUD1RP6B		opt
M^BUD1RP6B		opt
PAPLIST1^BUD1RP6B		opt
PAPLIST2^BUD1RP6B		opt
PRGA^BUD1RP6B		opt
AWSLIST1^BUD1RP6F		opt
AWSLIST2^BUD1RP6F		opt
WACLIST1^BUD1RP6F		opt
WACLIST2^BUD1RP6F		opt
APTLIST1^BUD1RP6S		opt
APTLIST2^BUD1RP6S		opt
TCILIST1^BUD1RP6T		opt
TCILIST2^BUD1RP6T		opt
TUALIST1^BUD1RP6T		opt
TUALIST2^BUD1RP6T		opt
^BUD1RP7		opt
DME1LIST^BUD1RP7		opt
***** Cross Reference of all Routines ***** Dec 15, 2016@09:39:32 page 46		
Routine	is	Invoked by:
DME2LIST^BUD1RP7		opt
DME3LIST^BUD1RP7		opt
DMELIST^BUD1RP7		opt
DMR1LIST^BUD1RP7		opt
DMR2LIST^BUD1RP7		opt
DMR3LIST^BUD1RP7		opt
DMR4LIST^BUD1RP7		opt
DMRLIST^BUD1RP7		opt
HTCELIST^BUD1RP7		opt
HTCRLIST^BUD1RP7		opt
HTELIST^BUD1RP7		opt
HTRLIST^BUD1RP7		opt
HTUELIST^BUD1RP7		opt
HTURLIST^BUD1RP7		opt
MDM^BUD1RP7		opt
MHT^BUD1RP7		opt
MPRG^BUD1RP7		opt
PRGHLIST^BUD1RP7		opt
PRGRLIST^BUD1RP7		opt
M^BUD1RPT1		opt
T3A^BUD1RPT1		opt
T3B^BUD1RPT1		opt
T4^BUD1RPT1		opt
T5^BUD1RPT1		opt
T51^BUD1RPT1		opt
T6^BUD1RPT1		opt
T9^BUD1RPT1		opt
T9D^BUD1RPT1		opt
TZ^BUD1RPT1		opt
^BUD1RPT2		opt
M^BUD1RPT2		opt
T3A^BUD1RPT2		opt
T4CHAR^BUD1RPT2		opt
T4IPPL^BUD1RPT2		opt

T4PMIS^BUD1RPT2		opt
T5^BUD1RPT2		opt
T5A^BUD1RPT2		opt
T5B^BUD1RPT2		opt
T5C^BUD1RPT2		opt
T6^BUD1RPT2		opt
TOL^BUD1RPT2		opt
TUSVE^BUD1RPT2		opt
TUSVR^BUD1RPT2		opt
TZ^BUD1RPT2		opt
EN^BUD1RPTS		opt
^BUD1UPVL		opt
^BUD1UTXS		opt
^BUD2BAN		opt
***** Cross Reference of all Routines ***** Dec 15, 2016@09:39:32 page 47		
Routine	is	Invoked by:
^BUD2RP6B		opt
IMMLIST1^BUD2RP6B		opt
IMMLIST2^BUD2RP6B		opt
M^BUD2RP6B		opt
PAPLIST1^BUD2RP6B		opt
PAPLIST2^BUD2RP6B		opt
PRGA^BUD2RP6B		opt
AWSLIST1^BUD2RP6F		opt
AWSLIST2^BUD2RP6F		opt
WACLIST1^BUD2RP6F		opt
WACLIST2^BUD2RP6F		opt
CAD2LIST^BUD2RP6J		opt
CADLIST1^BUD2RP6J		opt
IVDLIST1^BUD2RP6K		opt
IVDLIST2^BUD2RP6K		opt
CRCLIST1^BUD2RP6L		opt
CRCLIST2^BUD2RP6L		opt
APTLIST1^BUD2RP6S		opt
APTLIST2^BUD2RP6S		opt
TCILIST1^BUD2RP6T		opt
TCILIST2^BUD2RP6T		opt
TUALIST1^BUD2RP6T		opt
TUALIST2^BUD2RP6T		opt
^BUD2RP7		opt
DME1LIST^BUD2RP7		opt
DME2LIST^BUD2RP7		opt
DME3LIST^BUD2RP7		opt
DMELIST^BUD2RP7		opt
DMR1LIST^BUD2RP7		opt
DMR2LIST^BUD2RP7		opt
DMR3LIST^BUD2RP7		opt
DMR4LIST^BUD2RP7		opt
DMRLIST^BUD2RP7		opt
HTCELIST^BUD2RP7		opt
HTCRLIST^BUD2RP7		opt
HTELIST^BUD2RP7		opt
HTRLIST^BUD2RP7		opt
HTUELIST^BUD2RP7		opt
HTURLIST^BUD2RP7		opt
MDM^BUD2RP7		opt
MHT^BUD2RP7		opt
MPRG^BUD2RP7		opt
PRGHLIST^BUD2RP7		opt

PRGRLIST^BUD2RP7		opt
M^BUD2RPT1		opt
T3A^BUD2RPT1		opt
T3B^BUD2RPT1		opt
T4^BUD2RPT1		opt
***** Cross Reference of all Routines ***** Dec 15, 2016@09:39:32 page 48		
Routine	is	Invoked by:
T5^BUD2RPT1		opt
T51^BUD2RPT1		opt
T6^BUD2RPT1		opt
T9^BUD2RPT1		opt
T9D^BUD2RPT1		opt
TZ^BUD2RPT1		opt
^BUD2RPT2		opt
M^BUD2RPT2		opt
T3A^BUD2RPT2		opt
T4CHAR^BUD2RPT2		opt
T4IPPL^BUD2RPT2		opt
T4PMIS^BUD2RPT2		opt
T5^BUD2RPT2		opt
T5A^BUD2RPT2		opt
T5B^BUD2RPT2		opt
T5C^BUD2RPT2		opt
T6^BUD2RPT2		opt
TOL^BUD2RPT2		opt
TUSVE^BUD2RPT2		opt
TUSVR^BUD2RPT2		opt
TZ^BUD2RPT2		opt
EN^BUD2RPTS		opt
^BUD2UPVL		opt
^BUD2UTXS		opt
^BUD8BAN		opt
^BUD8RP6B		opt
IMMLIST1^BUD8RP6B		opt
IMMLIST2^BUD8RP6B		opt
M^BUD8RP6B		opt
PAPLIST1^BUD8RP6B		opt
PAPLIST2^BUD8RP6B		opt
PRGA^BUD8RP6B		opt
^BUD8RP7		opt
DME1LIST^BUD8RP7		opt
DME2LIST^BUD8RP7		opt
DME3LIST^BUD8RP7		opt
DMELIST^BUD8RP7		opt
DMR2LIST^BUD8RP7		opt
DMR3LIST^BUD8RP7		opt
DMRLIST^BUD8RP7		opt
HTCELIST^BUD8RP7		opt
HTCRLIST^BUD8RP7		opt
HTELIST^BUD8RP7		opt
HTRLIST^BUD8RP7		opt
HTUELIST^BUD8RP7		opt
HTURLIST^BUD8RP7		opt
MDM^BUD8RP7		opt
MHT^BUD8RP7		opt

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 15, 2016@09:39:32 page 49

Routine	is	Invoked by:
MPRG^BUD8RP7		opt
PRGELIST^BUD8RP7		opt
PRGHLIST^BUD8RP7		opt
PRGRLIST^BUD8RP7		opt
DMR1^BUD8RP7L		opt
M^BUD8RPT1		opt
T3A^BUD8RPT1		opt
T3B^BUD8RPT1		opt
T5^BUD8RPT1		opt
T51^BUD8RPT1		opt
T6^BUD8RPT1		opt
TZ^BUD8RPT1		opt
^BUD8RPT2		opt
M^BUD8RPT2		opt
T3A^BUD8RPT2		opt
T5^BUD8RPT2		opt
T5A^BUD8RPT2		opt
T5B^BUD8RPT2		opt
T5C^BUD8RPT2		opt
T6^BUD8RPT2		opt
TOL^BUD8RPT2		opt
TUSVE^BUD8RPT2		opt
TUSVR^BUD8RPT2		opt
TZ^BUD8RPT2		opt
^BUD8UPVL		opt
^BUD8UTXS		opt
^BUD9BAN		opt
^BUD9RP6B		opt
IMMLIST1^BUD9RP6B		opt
IMMLIST2^BUD9RP6B		opt
M^BUD9RP6B		opt
PAPLIST1^BUD9RP6B		opt
PAPLIST2^BUD9RP6B		opt
PRGA^BUD9RP6B		opt
^BUD9RP7		opt
DME1LIST^BUD9RP7		opt
DME2LIST^BUD9RP7		opt
DME3LIST^BUD9RP7		opt
DMELIST^BUD9RP7		opt
DMR1LIST^BUD9RP7		opt
DMR2LIST^BUD9RP7		opt
DMR3LIST^BUD9RP7		opt
DMRLIST^BUD9RP7		opt
HTCELIST^BUD9RP7		opt
HTCRLIST^BUD9RP7		opt
HTELIST^BUD9RP7		opt
HTRLIST^BUD9RP7		opt
HTUELIST^BUD9RP7		opt



\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 15, 2016@09:39:32 page 50

Routine is Invoked by:

HTURLIST^BUD9RP7	opt
MDM^BUD9RP7	opt
MHT^BUD9RP7	opt
MPRG^BUD9RP7	opt
PRGELIST^BUD9RP7	opt
PRGHLIST^BUD9RP7	opt
PRGRLIST^BUD9RP7	opt
M^BUD9RPT1	opt
T3A^BUD9RPT1	opt
T3B^BUD9RPT1	opt
T5^BUD9RPT1	opt
T51^BUD9RPT1	opt
T6^BUD9RPT1	opt
TZ^BUD9RPT1	opt
^BUD9RPT2	opt
M^BUD9RPT2	opt
T3A^BUD9RPT2	opt
T5^BUD9RPT2	opt
T5A^BUD9RPT2	opt
T5B^BUD9RPT2	opt
T5C^BUD9RPT2	opt
T6^BUD9RPT2	opt
TOL^BUD9RPT2	opt
TUSVE^BUD9RPT2	opt
TUSVR^BUD9RPT2	opt
TZ^BUD9RPT2	opt
EN^BUD9RPTS	opt
^BUD9UPVL	opt
^BUD9UTXS	opt
^BUDABAN	opt
^BUDARP6B	opt
IMMLIST1^BUDARP6B	opt
IMMLIST2^BUDARP6B	opt
M^BUDARP6B	opt
PAPLIST1^BUDARP6B	opt
PAPLIST2^BUDARP6B	opt
PRGA^BUDARP6B	opt
AWSLIST1^BUDARP6F	opt
AWSLIST2^BUDARP6F	opt
WACLIST1^BUDARP6F	opt
WACLIST2^BUDARP6F	opt
CAD2LIST^BUDARP6J	opt
CADLIST1^BUDARP6J	opt
IVDLIST1^BUDARP6K	opt
IVDLIST2^BUDARP6K	opt
CRCLIST1^BUDARP6L	opt
CRCLIST2^BUDARP6L	opt
APTLIST1^BUDARP6S	opt

```

***** Cross Reference of all Routines ***** Dec 15, 2016@09:39:32 page 51
Routine is Invoked by:
  APTLIST2^BUDARP6S | opt
  TCILIST1^BUDARP6T | opt
  TCILIST2^BUDARP6T | opt
  TUALIST1^BUDARP6T | opt
  TUALIST2^BUDARP6T | opt
  ^BUDARP7 | opt
  DME1LIST^BUDARP7 | opt
  DME2LIST^BUDARP7 | opt
  DME3LIST^BUDARP7 | opt
  DMELIST^BUDARP7 | opt
  DMR1LIST^BUDARP7 | opt
  DMR2LIST^BUDARP7 | opt
  DMR3LIST^BUDARP7 | opt
  DMR4LIST^BUDARP7 | opt
  DMRLIST^BUDARP7 | opt
  HTCELIST^BUDARP7 | opt
  HTCRLIST^BUDARP7 | opt
  HTELIST^BUDARP7 | opt
  HTRLIST^BUDARP7 | opt
  HTUELIST^BUDARP7 | opt
  HTURLIST^BUDARP7 | opt
  MDM^BUDARP7 | opt
  MHT^BUDARP7 | opt
  MPRG^BUDARP7 | opt
  PRGHLIST^BUDARP7 | opt
  PRGRLIST^BUDARP7 | opt
  M^BUDARPT1 | opt
  T3A^BUDARPT1 | opt
  T3B^BUDARPT1 | opt
  T4^BUDARPT1 | opt
  T5^BUDARPT1 | opt
  T51^BUDARPT1 | opt
  T6^BUDARPT1 | opt
  T9^BUDARPT1 | opt
  T9D^BUDARPT1 | opt
  TZ^BUDARPT1 | opt
  ^BUDARPT2 | opt
  M^BUDARPT2 | opt
  T3A^BUDARPT2 | opt
  T4CHAR^BUDARPT2 | opt
  T4IPPL^BUDARPT2 | opt
  T4PMIS^BUDARPT2 | opt
  T5^BUDARPT2 | opt
  T5A^BUDARPT2 | opt
  T5B^BUDARPT2 | opt
  T5C^BUDARPT2 | opt
  T6^BUDARPT2 | opt
  TOL^BUDARPT2 | opt
  
```

```

***** Cross Reference of all Routines ***** Dec 15, 2016@09:39:32 page 52
Routine          is Invoked by:
TUSVE^BUDARPT2  |opt
TUSVR^BUDARPT2  |opt
TZ^BUDARPT2     |opt
EN^BUDARPTS     |opt
^BUDAUPVL       |opt
^BUDAUTXS       |opt
^BUDBAN         |opt
^BUDBBAN        |opt
DEPLIST1^BUDBRP6A |opt
DEPLIST2^BUDBRP6A |opt
HIVLIST1^BUDBRP6A |opt
HIVLIST2^BUDBRP6A |opt
^BUDBRP6B       |opt
IMMLIST1^BUDBRP6B |opt
IMMLIST2^BUDBRP6B |opt
M^BUDBRP6B      |opt
PAPLIST1^BUDBRP6B |opt
PAPLIST2^BUDBRP6B |opt
PRGA^BUDBRP6B   |opt
AWSLIST1^BUDBRP6F |opt
AWSLIST2^BUDBRP6F |opt
WACLIST1^BUDBRP6F |opt
WACLIST2^BUDBRP6F |opt
CAD2LIST^BUDBRP6J |opt
CADLIST1^BUDBRP6J |opt
IVDLIST1^BUDBRP6K |opt
IVDLIST2^BUDBRP6K |opt
CRCLIST1^BUDBRP6L |opt
CRCLIST2^BUDBRP6L |opt
APTLIST1^BUDBRP6S |opt
APTLIST2^BUDBRP6S |opt
TUALIST1^BUDBRP6T |opt
TUALIST2^BUDBRP6T |opt
^BUDBRP7        |opt
DME1LIST^BUDBRP7 |opt
DME2LIST^BUDBRP7 |opt
DME3LIST^BUDBRP7 |opt
DMELIST^BUDBRP7  |opt
DMR1LIST^BUDBRP7 |opt
DMR2LIST^BUDBRP7 |opt
DMR3LIST^BUDBRP7 |opt
DMRLIST^BUDBRP7  |opt
HTCELIST^BUDBRP7 |opt
HTCRLIST^BUDBRP7 |opt
HTELIST^BUDBRP7  |opt
HTRLIST^BUDBRP7  |opt
HTUELIST^BUDBRP7 |opt
HTURLIST^BUDBRP7 |opt
    
```

```

***** Cross Reference of all Routines ***** Dec 15, 2016@09:39:32 page 53
Routine          is Invoked by:
MDM^BUDBRP7     |opt
MHT^BUDBRP7     |opt
MPRG^BUDBRP7    |opt
PRGHLIST^BUDBRP7|opt
PRGRLIST^BUDBRP7|opt
M^BUDBRPT1      |opt
T3A^BUDBRPT1    |opt
T3B^BUDBRPT1    |opt
T4^BUDBRPT1     |opt
T5^BUDBRPT1     |opt
T51^BUDBRPT1    |opt
T6^BUDBRPT1     |opt
T9^BUDBRPT1     |opt
T9D^BUDBRPT1    |opt
TZ^BUDBRPT1     |opt
^BUDBRPT2       |opt
M^BUDBRPT2      |opt
T3A^BUDBRPT2    |opt
T4CHAR^BUDBRPT2|opt
T4IPPL^BUDBRPT2|opt
T4PMIS^BUDBRPT2|opt
T5^BUDBRPT2     |opt
T5A^BUDBRPT2    |opt
T5B^BUDBRPT2    |opt
T5C^BUDBRPT2    |opt
T6^BUDBRPT2     |opt
TOL^BUDBRPT2    |opt
TUSVE^BUDBRPT2  |opt
TUSVR^BUDBRPT2  |opt
TZ^BUDBRPT2     |opt
EN^BUDBRPTS     |opt
^BUDBUPVL       |opt
^BUDBUTXS       |opt
^BUDCBAN        |opt
DSL1ST1^BUDCRP61|opt
DSL1ST2^BUDCRP61|opt
HIVL1ST1^BUDCRP6A|opt
HIVL1ST2^BUDCRP6A|opt
^BUDCRP6B       |opt
IMML1ST1^BUDCRP6B|opt
IMML1ST2^BUDCRP6B|opt
M^BUDCRP6B      |opt
PAPL1ST1^BUDCRP6B|opt
PAPL1ST2^BUDCRP6B|opt
PRGA^BUDCRP6B   |opt
AWSL1ST1^BUDCRP6F|opt
AWSL1ST2^BUDCRP6F|opt
WACL1ST1^BUDCRP6F|opt
    
```

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 15, 2016@09:39:32 page 54

Routine is Invoked by:

WACLIST2^BUDCRP6F	opt
CAD2LIST^BUDCRP6J	opt
CADLIST1^BUDCRP6J	opt
IVDLIST1^BUDCRP6K	opt
IVDLIST2^BUDCRP6K	opt
CRCLIST1^BUDCRP6L	opt
CRCLIST2^BUDCRP6L	opt
DEPLIST1^BUDCRP6N	opt
DEPLIST2^BUDCRP6N	opt
APTLIST1^BUDCRP6S	opt
APTLIST2^BUDCRP6S	opt
TUALIST1^BUDCRP6T	opt
TUALIST2^BUDCRP6T	opt
^BUDCRP7	opt
DMR1LIST^BUDCRP7	opt
DMR2LIST^BUDCRP7	opt
DMRLIST^BUDCRP7	opt
HTCRLIST^BUDCRP7	opt
HTRLIST^BUDCRP7	opt
HTURLIST^BUDCRP7	opt
MDM^BUDCRP7	opt
MHT^BUDCRP7	opt
MPRG^BUDCRP7	opt
PRGHLIST^BUDCRP7	opt
PRGRLIST^BUDCRP7	opt
M^BUDCRPT1	opt
T3A^BUDCRPT1	opt
T3B^BUDCRPT1	opt
T4^BUDCRPT1	opt
T5^BUDCRPT1	opt
T51^BUDCRPT1	opt
T6^BUDCRPT1	opt
T9^BUDCRPT1	opt
T9D^BUDCRPT1	opt
TZ^BUDCRPT1	opt
^BUDCRPT2	opt
M^BUDCRPT2	opt
T3A^BUDCRPT2	opt
T4CHAR^BUDCRPT2	opt
T4IPPL^BUDCRPT2	opt
T4PMIS^BUDCRPT2	opt
T5^BUDCRPT2	opt
T5A^BUDCRPT2	opt
T5B^BUDCRPT2	opt
T5C^BUDCRPT2	opt
T6^BUDCRPT2	opt
TOL^BUDCRPT2	opt
TUSVE^BUDCRPT2	opt

```

***** Cross Reference of all Routines ***** Dec 15, 2016@09:39:32 page 55
Routine          is Invoked by:
TUSVR^BUDCRPT2  |opt
TZ^BUDCRPT2     |opt
EN^BUDCRPTS     |opt
^BUDCUPVL       |opt
^BUDCUTXS       |opt
^BUDD1          BUDDENV
^BUDD1A         BUDD1
^BUDD1B         BUDD1
^BUDD1C         BUDD1
^BUDD1D         BUDD1
^BUDD1D10       BUDD1D
^BUDD1D11       BUDD1D
^BUDD1D12       BUDD1D
^BUDD1D13       BUDD1D
^BUDD1D14       BUDD1D
^BUDD1D15       BUDD1D
^BUDD1D16       BUDD1D
^BUDD1D17       BUDD1D
^BUDD1D18       BUDD1D
^BUDD1D19       BUDD1D
^BUDD1D2        BUDD1D
^BUDD1D20       BUDD1D
^BUDD1D21       BUDD1D
^BUDD1D22       BUDD1D
^BUDD1D23       BUDD1D
^BUDD1D24       BUDD1D
^BUDD1D25       BUDD1D
^BUDD1D26       BUDD1D
^BUDD1D27       BUDD1D
^BUDD1D28       BUDD1D
^BUDD1D29       BUDD1D
^BUDD1D3        BUDD1D
^BUDD1D30       BUDD1D
^BUDD1D31       BUDD1D
^BUDD1D4        BUDD1D
^BUDD1D5        BUDD1D
^BUDD1D6        BUDD1D
^BUDD1D7        BUDD1D
^BUDD1D8        BUDD1D
^BUDD1D9        BUDD1D
^BUddbAN       |opt
EN^BUDDDSI     BUDDRP6B
$$CPT^BUDDDU   BUDDRP6B, BUDDRP6D, BUDDRP6N, BUDDRP7A, BUDDRP7B, BUDDRP7C
$$CPTI^BUDDDU  BUDDRP6A, BUDDRP6O, BUDDRP6U, BUDDRP6V
$$DATE^BUDDDU  BUDDRP6N
$$DEMO^BUDDDU  BUDDRP6B, BUDDRP7, BUDDRP7C
$$LASTITEM^BUDDDU BUDDRP7B
$$PLCL^BUDDDU  BUDDRP6A, BUDDRP6C, BUDDRP6D, BUDDRP6H, BUDDRP6M, BUDDRP6N
                BUDDRP6O, BUDDRP6R, BUDDRP6U, BUDDRP6V, BUDDRP6X, BUDDRP6Y
                BUDDRP7B, BUDDRP7C
    
```

```

***** Cross Reference of all Routines ***** Dec 15, 2016@09:39:32 page 56
Routine is Invoked by:
  $$PLCODE^BUDDDU BUDDRP6X
  $$TRAN^BUDDDU BUDDRP6B, BUDDRP6D, BUDDRP7A
  $$WH^BUDDDU BUDDRP6D
  HT6B^BUDDDU BUDDRP61, BUDDRP6A, BUDDRP6F, BUDDRP6G, BUDDRP6I, BUDDRP6J
  BUDDRP6K, BUDDRP6L, BUDDRP6N, BUDDRP6P, BUDDRP6S, BUDDRP6T
  BUDDRPTE
  IN6B^BUDDDU BUDDRP61, BUDDRP6A, BUDDRP6F, BUDDRP6G, BUDDRP6I, BUDDRP6J
  BUDDRP6K, BUDDRP6L, BUDDRP6N, BUDDRP6P, BUDDRP6S, BUDDRP6T
  DS1^BUDDRP61 BUDDRP6B
  DS1L^BUDDRP61 BUDDRP6I
  DS2^BUDDRP61 BUDDRP6B
  DS2L^BUDDRP61 BUDDRP6I
  DSLIST1^BUDDRP61 | opt
  DSLIST2^BUDDRP61 | opt
  HIV1L^BUDDRP6A BUDDRP6I
  HIV2L^BUDDRP6A BUDDRP6I
  HIVLIST1^BUDDRP6A | opt
  HIVLIST2^BUDDRP6A | opt
  N^BUDDRP6A BUDDRP6B, BUDDRPTC
  ^BUDDRP6B | opt
  $$PREG^BUDDRP6B BUDDRP6V, BUDDRP7A, BUDDRP7B
  EN1^BUDDRP6B BUDDRP61, BUDDRP6A, BUDDRP6F, BUDDRP6J, BUDDRP6K, BUDDRP6L
  BUDDRP6N, BUDDRP6S, BUDDRP6T
  GENI^BUDDRP6B BUDDDU
  IMMLIST1^BUDDRP6B | opt
  IMMLIST2^BUDDRP6B | opt
  M^BUDDRP6B | opt
  PAPLIST1^BUDDRP6B | opt
  PAPLIST2^BUDDRP6B | opt
  PRENATT^BUDDRP6B BUDDRPT1
  PRGA^BUDDRP6B | opt
  PRINT^BUDDRP6B BUDDRP6B, BUDDRPTP
  PROC^BUDDRP6B BUDDRP6B
  $$ANAREACT^BUDDRP6C BUDDRP6D, BUDDRP6Y
  $$ANCONT^BUDDRP6C BUDDRP6H, BUDDRP6X, BUDDRP6Y
  $$CONTRA^BUDDRP6C BUDDRP6D, BUDDRP6H, BUDDRP6X, BUDDRP6Y
  $$EGGCONT^BUDDRP6C BUDDRP6H
  $$MMRCONT^BUDDRP6C BUDDRP6D, BUDDRP6Y
  IMM^BUDDRP6C BUDDRP6B, BUDDRPTC
  $$MMR^BUDDRP6D BUDDRP6C
  PAPD^BUDDRP6D BUDDRP6B, BUDDRPTC
  REST6B^BUDDRP6E BUDDRP6B
  AWSLIST1^BUDDRP6F | opt
  AWSLIST2^BUDDRP6F | opt
  WAC1L^BUDDRP6F BUDDRP6I
  WAC2L^BUDDRP6F BUDDRP6I
  WACLIST1^BUDDRP6F | opt
  WACLIST2^BUDDRP6F | opt
  
```

```

***** Cross Reference of all Routines ***** Dec 15, 2016@09:39:32 page 57
Routine is Invoked by:
AWS1^BUDDRP6G BUDDRP6F
AWS1L^BUDDRP6G BUDDRP6I
AWS2^BUDDRP6G BUDDRP6F
AWS2L^BUDDRP6G BUDDRP6I
$$FLU^BUDDRP6H BUDDRP6C
$$HEPA^BUDDRP6H BUDDRP6C
$$ROTA^BUDDRP6H BUDDRP6C
GENI^BUDDRP6I BUDDRP6L , BUDDRP6A , BUDDRP6B , BUDDRP6W
IMM1^BUDDRP6I BUDDRP6B
IMM2^BUDDRP6I BUDDRP6B
LISTS^BUDDRP6I BUDDRP6B
PAUSE^BUDDRP6I BUDDRP6W
PRENATT^BUDDRP6I BUDDRP6B
CAD1L^BUDDRP6J BUDDRP6I
CAD2L^BUDDRP6J BUDDRP6I
CAD2LIST^BUDDRP6J | opt
CADLIST1^BUDDRP6J | opt
IVD1L^BUDDRP6K BUDDRP6I
IVD2L^BUDDRP6K BUDDRP6I
IVDLIST1^BUDDRP6K | opt
IVDLIST2^BUDDRP6K | opt
CRC1L^BUDDRP6L BUDDRP6I
CRC2L^BUDDRP6L BUDDRP6I
CRCLIST1^BUDDRP6L | opt
CRCLIST2^BUDDRP6L | opt
$$FDEPSCR^BUDDRP6M BUDDRP6Q
J^BUDDRP6M BUDDRP6B , BUDDRPTC
DEP1L^BUDDRP6N BUDDRP6I
DEP2L^BUDDRP6N BUDDRP6I
DEPLIST1^BUDDRP6N | opt
DEPLIST2^BUDDRP6N | opt
K^BUDDRP6N BUDDRP6B , BUDDRPTC
I^BUDDRP6O BUDDRP6B , BUDDRPTC
PAP1^BUDDRP6P BUDDRP6B
PAP1L^BUDDRP6P BUDDRP6I
PAP2^BUDDRP6P BUDDRP6B
PAP2L^BUDDRP6P BUDDRP6I
L^BUDDRP6Q BUDDRP6B , BUDDRPTC
M^BUDDRP6Q BUDDRP6B , BUDDRPTC
G^BUDDRP6R BUDDRP6V
APT1L^BUDDRP6S BUDDRP6I
APT2L^BUDDRP6S BUDDRP6I
APTLIST1^BUDDRP6S | opt
APTLIST2^BUDDRP6S | opt
TUA1L^BUDDRP6T BUDDRP6I
TUA2L^BUDDRP6T BUDDRP6I
TUALIST1^BUDDRP6T | opt
TUALIST2^BUDDRP6T | opt

```



\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 15, 2016@09:39:32 page 58

Routine	is Invoked by:
\$\$PREVV^BUDDRP6U	BUDDRP6R
H^BUDDRP6U	BUDDRP6B, BUDDRPTC
\$\$VBBD^BUDDRP6V	BUDDRP6M, BUDDRP6O, BUDDRP6R
ADOLWT^BUDDRP6V	BUDDRP6B, BUDDRPTC
ADULT^BUDDRP6V	BUDDRP6B, BUDDRPTC
G^BUDDRP6V	BUDDRP6B, BUDDRPTC
\$\$ROTACONT^BUDDRP6W	BUDDRP6H
PRGA^BUDDRP6W	BUDDRP6B
PRGAL^BUDDRP6W	BUDDRP6I
\$\$DTAP^BUDDRP6X	BUDDRP6C
\$\$HEPB^BUDDRP6Y	BUDDRP6C
\$\$HIB^BUDDRP6Y	BUDDRP6C
\$\$PNEU^BUDDRP6Y	BUDDRP6C
\$\$VAR^BUDDRP6Y	BUDDRP6C
^BUDDRP7	opt
DMR1LIST^BUDDRP7	opt
DMR2LIST^BUDDRP7	opt
DMRLIST^BUDDRP7	opt
HTCRLIST^BUDDRP7	opt
HTRLIST^BUDDRP7	opt
HTURLIST^BUDDRP7	opt
MDM^BUDDRP7	opt
MHT^BUDDRP7	opt
MPRG^BUDDRP7	opt
PAUSE^BUDDRP7	BUDDRPT1
PRENATT^BUDDRP7	BUDDRPT1
PRGHLIST^BUDDRP7	opt
PRGRLIST^BUDDRP7	opt
PRINT^BUDDRP7	BUDDRP7, BUDDRPTP
PROC^BUDDRP7	BUDDRP7
LINE^BUDDRP71	BUDDRP7O
LINE1^BUDDRP71	BUDDRP7O
LINE4^BUDDRP71	BUDDRP7O
LINE5^BUDDRP71	BUDDRP7O
PRINT^BUDDRP71	BUDDRP7
T7H^BUDDRP71	BUDDRP7O
T7H1^BUDDRP71	BUDDRP7O
PRGHLST^BUDDRP7A	BUDDRP7, BUDDRPTC
PRGRLST^BUDDRP7A	BUDDRP7, BUDDRPTC
HTN^BUDDRP7B	BUDDRP7, BUDDRPTC
DM^BUDDRP7C	BUDDRP7, BUDDRPTC
LINE^BUDDRP7F	BUDDRP7G
LINE1^BUDDRP7F	BUDDRP7G
T7H^BUDDRP7F	BUDDRP7G
T7H1^BUDDRP7F	BUDDRP7G
DMRACE1^BUDDRP7G	BUDDRP7F
DMRACE2^BUDDRP7G	BUDDRP7F
\$\$RACE^BUDDRP7I	BUDDRP7A, BUDDRP7B, BUDDRP7C

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 15, 2016@09:39:32 page 59

Routine	is Invoked by:
\$\$RACEL^BUDDRP7I	BUDDRP7J, BUDDRP7L, BUDDRP7T, BUDDRP7U
GENI^BUDDRP7I	BUDDRP7, BUDDRP7J, BUDDRP7L, BUDDRP7U
PRGH^BUDDRP7I	BUDDRP7
PRGHL^BUDDRP7I	BUDDRP71
PRGR^BUDDRP7I	BUDDRP7
PRGRL^BUDDRP7I	BUDDRP71
HTCR^BUDDRP7J	BUDDRP7
HTCRL^BUDDRP7J	BUDDRP71
HTR^BUDDRP7J	BUDDRP7
HTRL^BUDDRP7J	BUDDRP71
DMR^BUDDRP7L	BUDDRP7
DMR1^BUDDRP7L	BUDDRP7
DMR1L^BUDDRP7L	BUDDRP71
DMRL^BUDDRP7L	BUDDRP71
LINE^BUDDRP7P	BUDDRP7Q
LINE1^BUDDRP7P	BUDDRP7Q
T7H^BUDDRP7P	BUDDRP7Q
DMRACE1^BUDDRP7Q	BUDDRP7P
DMR2^BUDDRP7T	BUDDRP7
DMR2L^BUDDRP7T	BUDDRP71
HTUR^BUDDRP7U	BUDDRP7
HTURL^BUDDRP7U	BUDDRP71
T6^BUDDRPC1	BUDDRPTC
\$\$MCD^BUDDRPC2	BUDDRPC3
\$\$MCR^BUDDRPC2	BUDDRPC3
\$\$OPI^BUDDRPC2	BUDDRPC3
\$\$OPIC^BUDDRPC2	BUDDRPC3
\$\$PI^BUDDRPC2	BUDDRPC3
\$\$TPL^BUDDRPC2	BUDDRPC3
\$\$WC^BUDDRPC2	BUDDRPC3
T4^BUDDRPC2	BUDDRPTC
\$\$ZIPINS^BUDDRPC3	BUDDRPTC
OPI^BUDDRPC3	BUDDRPC2
OPIC^BUDDRPC3	BUDDRPC2
PI^BUDDRPC3	BUDDRPC2
T9D^BUDDRPC3	BUDDRPTC
T9^BUDDRPC4	BUDDRPTC
T3A^BUDDRPL2	BUDDRPTL
T51^BUDDRPL2	BUDDRPTL
T52^BUDDRPL2	BUDDRPTL
T3A^BUDDRPL3	BUDDRPTP
T3BR^BUDDRPL4	BUDDRPTL
T4CHAR^BUDDRPL5	BUDDRPTL
T4IPPL^BUDDRPL5	BUDDRPTL
T4PMIS^BUDDRPL5	BUDDRPTL
T6^BUDDRPP1	BUDDRPTP
T4^BUDDRPP2	BUDDRPTP
T9^BUDDRPP2	BUDDRPTP

```

***** Cross Reference of all Routines ***** Dec 15, 2016@09:39:32 page 60
Routine          is Invoked by:
M^BUDDRPT1      |opt
T3A^BUDDRPT1    |opt
T3B^BUDDRPT1    |opt
T4^BUDDRPT1     |opt
T5^BUDDRPT1     |opt
T51^BUDDRPT1    |opt
T6^BUDDRPT1     |opt
T9^BUDDRPT1     |opt
T9D^BUDDRPT1    |opt
TZ^BUDDRPT1     |opt
^BUDDRPT2       |opt
M^BUDDRPT2      |opt
T3A^BUDDRPT2    |opt
T4CHAR^BUDDRPT2|opt
T4IPPL^BUDDRPT2|opt
T4PMIS^BUDDRPT2|opt
T5^BUDDRPT2     |opt
T5A^BUDDRPT2    |opt
T5B^BUDDRPT2    |opt
T5C^BUDDRPT2    |opt
T6^BUDDRPT2     |opt
TOL^BUDDRPT2    |opt
TUSVE^BUDDRPT2  |opt
TUSVR^BUDDRPT2  |opt
TZ^BUDDRPT2     |opt
$$HISP^BUDDRP7A,BUDDRP7B,BUDDRP7C,BUDDRP7I,BUDDRP7J,BUDDRP7K
$$RACE^BUDDRP7L,BUDDRP7M,BUDDRP7S,BUDDRP7T,BUDDRP7U,BUDDRP7L
BUDDRP7T,BUDDRP7U,BUDDRPL1,BUDDRPL2,BUDDRPL3,BUDDRPL4
BUDDRPTL
PROC^BUDDRP7A,BUDDRP7B,BUDDRP7C,BUDDRP7I,BUDDRP7J,BUDDRP7K
$$LOTE^BUDDRP7L,BUDDRP7M,BUDDRP7S,BUDDRP7T,BUDDRP7U,BUDDRP7L
GETV^BUDDRP6B,BUDDRP7,BUDDRPTC
S^BUDDRP6B,BUDDRP7,BUDDRPTC
SAVEDEL^BUDDRP6B,BUDDRP7,BUDDRPTC
T6DH^BUDDRP6B,BUDDRP7,BUDDRPTC
TZH^BUDDRP6B,BUDDRP7,BUDDRPTC
TZHD^BUDDRP6B,BUDDRP7,BUDDRPTC
WDEL^BUDDRP6B,BUDDRP7,BUDDRPTC
DEP2HD^BUDDRP6B,BUDDRP7,BUDDRPTC
GENDIDEN^BUDDRP6B,BUDDRP7,BUDDRPTC
PROC^BUDDRP6B,BUDDRP7,BUDDRPTC
PT^BUDDRP6B,BUDDRP7,BUDDRPTC
SEXOR^BUDDRP6B,BUDDRP7,BUDDRPTC
T5DH^BUDDRP6B,BUDDRP7,BUDDRPTC
^BUDDRP6B,BUDDRP7,BUDDRPTC
HEADER^BUDDRP6B,BUDDRP6E,BUDDRP71,BUDDRP7F,BUDDRP7G,BUDDRP7N
BUDDRP7O,BUDDRP7P,BUDDRP7Q,BUDDRPL3,BUDDRPP1,BUDDRPP2
BUDDRPTQ
    
```

```

***** Cross Reference of all Routines ***** Dec 15, 2016@09:39:32 page 61
Routine is Invoked by:
PRINT^BUDDRPTP BUDDRPT1, BUDDRPT2, BUDDRPTS
REST3B^BUDDRPTQ BUDDRPTP
EN^BUDDRPTS |opt
STEMP^BUDDRPTS BUDDRPL3
EN^BUDDSTMP BUDDRPTS
^BUDDUPVL |opt
PAUSE^BUDDUPVL BUDDSTMP
$$DATE^BUDDUTL1 BUDDRP6A, BUDDRP6B, BUDDRP6C, BUDDRP6D, BUDDRP6H, BUDDRP6J
BUDDRP6M, BUDDRP6O, BUDDRP6Q, BUDDRP6R, BUDDRP6U, BUDDRP6V
BUDDRP6X, BUDDRP6Y, BUDDRP7A, BUDDRP7B, BUDDRP7C
$$LASTPRC^BUDDUTL1 BUDDRP6B, BUDDRP6O, BUDDRP7A
$$REFRNU^BUDDUTL1 BUDDRP6V
$$REFRU^BUDDUTL1 BUDDRP6Q
$$AGE^BUDDUTL2 BUDDRPC2
GETMEDS^BUDDUTL2 BUDDRP6M, BUDDRP6O, BUDDRP6R, BUDDRP6U, BUDDRP7C
EP^BUDDUTXL BUDDUTXS
^BUDDUTXS |opt
TAXCHK^BUDDXTCH BUDDRP6B, BUDDRP7, BUDDRPT1, BUDDRPT2, BUDDRPTS
^DIC BUDDENV, BUDDRP6B, BUDDRP7, BUDDRPT1, BUDDRPT2, BUDDRPTS
BUDDSTMP, BUDDUPVL, BUDDUTXL
IX^DIC BUDDENV
FILE^DICN BUDDUTXL
^DIE BUDDSTMP, BUDDUPVL, BUDDUTXL
^DIK BUDDENV, BUDDSTMP
EN^DIK BUDDUPVL
IX1^DIK BUDDENV, BUDDSTMP
IXALL^DIK BUDDENV
^DIM |dd90668.6, |dd90668.7
$$GET1^DIQ BUDDRP6Q, BUDDRPC4
^DIR BUDDDSI, BUDDDU, BUDDRP61, BUDDRP6A, BUDDRP6B, BUDDRP6F
BUDDRP6G, BUDDRP6I, BUDDRP6J, BUDDRP6K, BUDDRP6L, BUDDRP6N
BUDDRP6P, BUDDRP6S, BUDDRP6T, BUDDRP6W, BUDDRP7, BUDDRP7I
BUDDRP7F, BUDDRP7G, BUDDRP7I, BUDDRP7J, BUDDRP7K, BUDDRP7L
BUDDRP7M, BUDDRP7N, BUDDRP7O
BUDDRP7P, BUDDRP7Q, BUDDRP7S, BUDDRP7T, BUDDRP7U, BUDDRPL1
BUDDRPL2, BUDDRPL3, BUDDRPL4, BUDDRPL5, BUDDRPT1, BUDDRPT2
BUDDRPTD, BUDDRPT E, BUDDRPTL, BUDDRPTP, BUDDRPTS, BUDDSTMP
BUDDUPVL, BUDDUTXL, BUDDUTXS, BUDDXTCH
$$CODEN^ICDEX BUDDDU, BUDDRP6Q, BUDDUTL1
$$ICDDX^ICDEX BUDDENV, BUDDRP6Q, BUDDRPC1, BUDDUTL1
$$ICDOP^ICDEX BUDDENV, BUDDUTL1
$$CODEN^ICPTCOD BUDDRP6O
$$CPT^ICPTCOD BUDDDU, BUDDRP6A, BUDDRP6Q, BUDDRP6U, BUDDRP6V, BUDDRPC1
BUDDRPC2, BUDDUTL1
EN^VALM BUDDDSI, BUDDUPVL, BUDDUTXL, BUDDUTXS
TERM^VALM0 BUDDDSI, BUDDUPVL, BUDDUTXL, BUDDUTXS
CLEAR^VALM1 BUDDDSI, BUDDUPVL, BUDDUTXL, BUDDUTXS
FULL^VALM1 BUDDDSI, BUDDUPVL, BUDDUTXL, BUDDUTXS

```

```

***** Cross Reference of all Routines ***** Dec 15, 2016@09:39:32 page 62

Routine          is Invoked by:
^XBCLS           BUDDUPVL
^XBDBQUE         BUDDRP6B, BUDDRP7, BUDDRPT2, BUDDXTCH
$$VAL^XBIDIQ1   BUDDDU, BUDDRP6A, BUDDRP6B, BUDDRP6C, BUDDRP6D, BUDDRP6H
                BUDDRP6M, BUDDRP6N, BUDDRP6O, BUDDRP6Q, BUDDRP6R, BUDDRP6U
                BUDDRP6V, BUDDRP6W, BUDDRP6X, BUDDRP6Y, BUDDRP7A, BUDDRP7B
                BUDDRP7C, BUDDRP7I, BUDDRP7J, BUDDRP7K, BUDDRP7L, BUDDRP7M
                BUDDRP7S, BUDDRP7T
                BUDDRP7U, BUDDRPC1, BUDDRPC2, BUDDRPC3, BUDDRPC4, BUDDRPT1
                BUDDRPTC, BUDDRPTD, BUDDUPVL
$$VALI^XBIDIQ1  BUDDRP6A, BUDDRP6C, BUDDRP6D, BUDDRP6H, BUDDRP6M, BUDDRP6N
                BUDDRP6O, BUDDRP6Q, BUDDRP6R, BUDDRP6U, BUDDRP6V, BUDDRP6W
                BUDDRP6X, BUDDRP6Y, BUDDRP7B, BUDDRPC1, BUDDRPC2, BUDDRPC3
                BUDDUPVL, BUDDUTXL
^XBFMK          BUDDUPVL, BUDDUTXL
$$PROVCLSC^XBFUNC1 BUDDRP6V
^XBGSAVE        BUDDRPTD
EN^XBVK         BUDDDU, BUDDRP61, BUDDRP6A, BUDDRP6B, BUDDRP6F, BUDDRP6J
                BUDDRP6K, BUDDRP6L, BUDDRP6N, BUDDRP6S, BUDDRP6T, BUDDRP7
                BUDDRPT1, BUDDRPT2, BUDDRPTS, BUDDUPVL, BUDDUTXL, BUDDUTXS
                BUDDUTL2
$$DT^XLFDT      BUDDDU, BUDDRP6B, BUDDRP6C, BUDDRP6D, BUDDRP6M, BUDDRP6Q
                BUDDRP6V, BUDDRP7, BUDDRP7A, BUDDRPC2, BUDDRPTE, BUDDUTL1
$$FMDIFF^XLFDT  BUDDRP6C, BUDDRP6H, BUDDRP6X, BUDDRP6Y
                BUDDDU, BUDDRP61, BUDDRP6A, BUDDRP6B, BUDDRP6D, BUDDRP6F
                BUDDRP6G, BUDDRP6I, BUDDRP6J, BUDDRP6K, BUDDRP6L, BUDDRP6M
                BUDDRP6N, BUDDRP6O, BUDDRP6P, BUDDRP6S, BUDDRP6T, BUDDRP6U
                BUDDRP6V, BUDDRP6W, BUDDRP7, BUDDRP7A, BUDDRP7B, BUDDRP7C
                BUDDRP7I, BUDDRP7J
                BUDDRP7K, BUDDRP7L, BUDDRP7M, BUDDRP7S, BUDDRP7T, BUDDRP7U
                BUDDRPC3, BUDDRPL1, BUDDRPL2, BUDDRPL3, BUDDRPL4, BUDDRPL5
                BUDDRPT1, BUDDRPT2, BUDDRPTD, BUDDRPTE, BUDDRPTL, BUDDRPTP
                BUDDRPTS, BUDDUTL1
$$CJ^XLFSTR     BUDDENV
$$LOW^XLFSTR    BUDDRPTP
$$REPEAT^XLFSTR BUDDRP6B, BUDDRP6E, BUDDRP7, BUDDRP71, BUDDRP7F, BUDDRP7N
                BUDDRP7P, BUDDRPTS
$$STRIP^XLFSTR  BUDDENV, BUDDRP6O, BUDDRP7C, BUDDUTL2
$$UP^XLFSTR     BUDDRP6C, BUDDRP6D, BUDDRP6M, BUDDRP6O, BUDDRP6R, BUDDRP6U
                BUDDRP6Y, BUDDRP7C
$$VERSION^XPDUTL BUDDENV, BUDDRPC1
MES^XPDUTL      BUDDENV
DISP^XQORM1     BUDDDSI, BUDDUPVL, BUDDUTXL, BUDDUTXS

*****      END      *****

--- END

```

Figure 6-1: External Calls example

## 6.2 Callable Routines

There are no Published Entry points within this software application.

## 6.3 Published Entry Points

There are no Published Entry points within the IHS/RPMS UDS software.

## 6.4 Exported Options

Table 6-1 shows the exported UDS option names and descriptions. For detailed explanation of each option, see the individual User Manual for the application.

Table 6-1: Exported UDS Options

Option Name	Description
BUD 04 ALL TABLES	Multiple/ALL UDS Tables
BUD 04 LIST 5BC	All Users by Service Category (Table 5 col B&C)
BUD 04 LIST MULTIPLE	Multiple/ALL Lists
BUD 04 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 04 LIST T3A/T3B	All Users w/Visits, by Age, Gender, Race (3A & 3B)
BUD 04 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 04 LIST T6	All Users by Selected Primary Diagnosis (Table 6)
BUD 04 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 04 MANAGER UTILITIES	Manager Utilities
BUD 04 MENU	UDS 2004
BUD 04 MENU LISTS	User (Patient) and Provider Lists
BUD 04 PATIENT LISTS	User (Patient) Lists
BUD 04 REPORTS	Reports
BUD 04 SETUP LOCATIONS	Update/Review Site Parameters
BUD 04 TABLE 3A	Table 3A: Users by Age and Gender
BUD 04 TABLE 3B	Table 3B: Users by Race/Ethnicity & Linguistic Pref
BUD 04 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 04 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 04 TABLE 6	Table 6: Selected Diagnoses and Services Rendered
BUD 04 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2004
BUD 05 ALL TABLES	Multiple/ALL UDS Tables
BUD 05 LIST 5BC	All Users by Service Category (Table 5 col B&C)
BUD 05 LIST MULTIPLE	Multiple/ALL Lists
BUD 05 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 05 LIST T3A/T3B	All Users w/Visits, by Age, Gender, Race (3A & 3B)
BUD 05 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 05 LIST T6	All Users by Selected Primary Diagnosis (Table 6)
BUD 05 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 05 MANAGER UTILITIES	Manager Utilities
BUD 05 MENU	UDS 2005
BUD 05 MENU LISTS	User (Patient) and Provider Lists
BUD 05 PATIENT LISTS	User (Patient) Lists
BUD 05 REPORTS	Reports

Option Name	Description
BUD 05 SETUP LOCATIONS	Update/Review Site Parameters
BUD 05 TABLE 3A	Table 3A: Users by Age and Gender
BUD 05 TABLE 3B	Table 3B: Users by Race/Ethnicity & Linguistic Pref
BUD 05 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 05 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 05 TABLE 6	Table 6: Selected Diagnoses and Services Rendered
BUD 05 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2005
BUD 05 ZIP LIST	All Users w/Visits by Zip (Center/Grantee Profile)
BUD 05 ZIP TABLE	Center/Grantee Profile: User/Patient by Zip Code
BUD 06 ALL TABLES	Multiple/ALL UDS Tables
BUD 06 LIST 5BC	All Users by Service Category (Table 5 col B&C)
BUD 06 LIST MULTIPLE	Multiple/ALL Lists
BUD 06 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 06 LIST T3A/T3B	All Users w/Visits, by Age, Gender, Race (3A & 3B)
BUD 06 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 06 LIST T6	All Users by Selected Primary Diagnosis (Table 6)
BUD 06 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 06 MANAGER UTILITIES	Manager Utilities
BUD 06 MENU	UDS 2006
BUD 06 MENU LISTS	User (Patient) and Provider Lists
BUD 06 PATIENT LISTS	User (Patient) Lists
BUD 06 REPORTS	Reports
BUD 06 SETUP LOCATIONS	Update/Review Site Parameters
BUD 06 TABLE 3A	Table 3A: Users by Age and Gender
BUD 06 TABLE 3B	Table 3B: Users by Race/Ethnicity&Linguistic Pref
BUD 06 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 06 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 06 TABLE 6	Table 6: Selected Diagnoses and Services Rendered
BUD 06 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2006
BUD 06 ZIP LIST	All Users w/Visits by Zip (Center/Grantee Profile)
BUD 06 ZIP TABLE	Center/Grantee Profile: User/Patient by Zip Code
BUD 07 ALL TABLES	Multiple/ALL UDS Tables
BUD 07 LIST 5BC	All Patients by Service Category (Table 5 col B&C)
BUD 07 LIST MULTIPLE	Multiple/ALL Lists
BUD 07 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 07 LIST T3A/T3B	All Patients w/Visits by Age, Gender, Race (3A&3B)
BUD 07 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 07 LIST T6	All Patients by Selected Primary DX (Table 6)
BUD 07 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 07 MANAGER UTILITIES	Manager Utilities
BUD 07 MENU	UDS 2007
BUD 07 MENU LISTS	Patient and Provider Lists
BUD 07 MULT VISITS IN SRV CAT	All Patients w/Multiple Visits in Srv Cats (5B&C)

Option Name	Description
BUD 07 PATIENT LISTS	Patient Lists
BUD 07 REPORTS	Reports
BUD 07 SETUP LOCATIONS	Update/Review Site Parameters
BUD 07 TABLE 3A	Table 3A: Patients by Age and Gender
BUD 07 TABLE 3B	Table 3B: Patients by Ethnicity/Race/Language
BUD 07 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 07 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 07 TABLE 6	Table 6: Selected Diagnoses and Services Rendered
BUD 07 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2007
BUD 07 ZIP LIST	All Patients w/Visits by Zip (Center/Grantee Prof)
BUD 07 ZIP TABLE	Center/Grantee Profile: Patients by Zip Code
BUD 08 ALL TABLES	Multiple/ALL Tables Zip through 6A
BUD 08 LIST 5BC	All Patients by Service Category (Table 5 col B&C)
BUD 08 LIST MULTIPLE	Multiple/ALL Lists Zip through 6A
BUD 08 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 08 LIST T3A/T3B	All Pts w/Visits, by Age & Gender (Table 3A)
BUD 08 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 08 LIST T6	All Patients by Selected Primary DX (Table 6A)
BUD 08 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 08 LIST USVE	All Pts w/Visits, by Ethnicity (3B)
BUD 08 LIST USVR	All Pts w/Visits, by Hispanic Identity & Race (3B)
BUD 08 LST1	Lists for Tables Zip Code, 3A&3B, 5, and 6A
BUD 08 LST2	Lists for Table 6B
BUD 08 LST2 CIM1	All Patients Age 2 w/All Child Immunizations
BUD 08 LST2 CIM2	All Patients Age 2 w/o All Child Immunizations
BUD 08 LST2 M6B	Multiple/ALL Lists for Table 6B
BUD 08 LST2 PAP1	All Female Patients w/Pap Test
BUD 08 LST2 PAP2	All Female Patients w/o Pap Test
BUD 08 LST2 PRGA	All Pregnant Patients by Age
BUD 08 LST3 DM MENU	Diabetes Patient Lists
BUD 08 LST3 DM MULTIPLE	Multiple/ALL Lists for DM Patients
BUD 08 LST3 DME	All Patients w/DM by Ethnicity
BUD 08 LST3 DME1	All Patients w/DM and A1c <7 by Ethnicity
BUD 08 LST3 DME2	All Patients w/DM and A1c >=7 and <=9 by Ethnicity
BUD 08 LST3 DME3	All Patients w/DM and A1c >9 by Ethnicity
BUD 08 LST3 DMR	All Patients w/DM by Race
BUD 08 LST3 DMR1	All Patients w/DM and A1c <7 by Race
BUD 08 LST3 DMR2	All Patients w/DM and A1c >=7 and <=9 by Race
BUD 08 LST3 DMR3	All Patients w/DM and A1c >9 by Race
BUD 08 LST3 HT MENU	Hypertension Patient Lists
BUD 08 LST3 HTCE	All HTN Patients w/Controlled BP by Ethnicity
BUD 08 LST3 HTCR	All HTN Patients w/Controlled BP by Race
BUD 08 LST3 HTE	All HTN Patients by Ethnicity



Option Name	Description
BUD 08 LST3 HTR	All HTN Patients by Race
BUD 08 LST3 HTUE	All HTN Patients w/Uncontrolled BP by Ethnicity
BUD 08 LST3 HTUR	All HTN Patients w/Uncontrolled BP by Race
BUD 08 LST3 MENU	Lists for Table 7
BUD 08 LST3 MT	Multiple/ALL Lists for HTN Patients
BUD 08 LST3 MULTIPLE	Multiple/ALL Lists for Pregnant Patients
BUD 08 LST3 PRG	Pregnant Patient Lists
BUD 08 LST3 PRGE	All Pregnant Patients by Ethnicity
BUD 08 LST3 PRGH	All Pregnant Patients w/HIV
BUD 08 LST3 PRGR	All Pregnant Patients by Race
BUD 08 MANAGER UTILITIES	Manager Utilities
BUD 08 MENU	UDS 2008
BUD 08 MENU LISTS	Patient and Provider Lists Main Menu
BUD 08 MULT VISITS IN SRV CAT	All Patients w/Multiple Visits in Srv Cats (5B&C)
BUD 08 PATIENT LISTS	Patient Lists
BUD 08 REPORTS	Reports
BUD 08 SETUP LOCATIONS	Update/Review Site Parameters
BUD 08 TABLE 3A	Table 3A: Patients by Age and Gender
BUD 08 TABLE 3B	Table 3B: Patients by Ethnicity/Race/Language
BUD 08 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 08 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 08 TABLE 6A	Table 6A: Selected Diagnoses and Services Rendered
BUD 08 TABLE 6B	Table 6B: Quality of Care Indicators
BUD 08 TABLE 7	Table 7: Health Outcomes and Disparities
BUD 08 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2008
BUD 08 ZIP LIST	All Patients w/Visits by Zip
BUD 08 ZIP TABLE	Patients by Zip Code
BUD 09 ALL TABLES	Multiple/ALL Tables Zip through 6A
BUD 09 LIST 5BC	All Patients by Service Category (Table 5 col B&C)
BUD 09 LIST MULTIPLE	Multiple/ALL Lists Zip through 6A
BUD 09 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 09 LIST T3A/T3B	All Pts w/Visits, by Age & Gender (3A)
BUD 09 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 09 LIST T6	All Patients by Selected Primary DX (Table 6A)
BUD 09 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 09 LIST USVE	All Pts w/Visits, by Ethnicity (3B)
BUD 09 LIST USVR	All Pts w/Visits, by Hispanic Identity & Race (3B)
BUD 09 LST1	Lists for Tables Zip Code, 3A&3B, 5, and 6A
BUD 09 LST2	Lists for Table 6B
BUD 09 LST2 CIM1	All Patients Age 2 w/All Child Immunizations
BUD 09 LST2 CIM2	All Patients Age 2 w/o All Child Immunizations
BUD 09 LST2 M6B	Multiple/ALL Lists for Table 6B
BUD 09 LST2 PAP1	All Female Patients w/Pap Test

Option Name	Description
BUD 09 LST2 PAP2	All Female Patients w/o Pap Test
BUD 09 LST2 PRGA	All Pregnant Patients by Age
BUD 09 LST3 DM MENU	Diabetes Patient Lists
BUD 09 LST3 DM MULTIPLE	Multiple/ALL Lists for DM Patients
BUD 09 LST3 DME	All Patients w/DM by Ethnicity
BUD 09 LST3 DME1	All Patients w/DM and A1c <7 by Ethnicity
BUD 09 LST3 DME2	All Patients w/DM and A1c >=7 and <=9 by Ethnicity
BUD 09 LST3 DME3	All Patients w/DM and A1c >9 by Ethnicity
BUD 09 LST3 DMR	All DM Patients by Race & Hisp Identity
BUD 09 LST3 DMR1	All DM Patients w/A1c <7 by Race & Hisp Identity
BUD 09 LST3 DMR2	All DM Pts w/A1c >=7 & <=9 by Race & Hisp Identity
BUD 09 LST3 DMR3	All DM Patients w/A1c >9 by Race & Hisp Identity
BUD 09 LST3 HT MENU	Hypertension Patient Lists
BUD 09 LST3 HTCE	All HTN Patients w/Controlled BP by Ethnicity
BUD 09 LST3 HTCR	All HTN Pts w/Contr BP by Race & Hisp Identity
BUD 09 LST3 HTE	All HTN Patients by Ethnicity
BUD 09 LST3 HTR	All HTN Patients by Race & Hisp Identity
BUD 09 LST3 HTUE	All HTN Patients w/Uncontrolled BP by Ethnicity
BUD 09 LST3 HTUR	All HTN Pts w/Uncont BP by Race & Hisp Identity
BUD 09 LST3 MENU	Lists for Table 7
BUD 09 LST3 MT	Multiple/ALL Lists for HTN Patients
BUD 09 LST3 MULTIPLE	Multiple/ALL Lists for Pregnant Patients
BUD 09 LST3 PRG	Pregnant Patient Lists
BUD 09 LST3 PRGE	All Pregnant Patients by Ethnicity
BUD 09 LST3 PRGH	All Pregnant Patients w/HIV
BUD 09 LST3 PRGR	All Pregnant Patients by Race & Hisp Identity
BUD 09 MANAGER UTILITIES	Manager Utilities
BUD 09 MENU	UDS 2009
BUD 09 MENU LISTS	Patient and Provider Lists Main Menu
BUD 09 MULT VISITS IN SRV CAT	All Patients w/Multiple Visits in Srv Cats (5B&C)
BUD 09 PATIENT LISTS	Patient Lists
BUD 09 REPORTS	Reports
BUD 09 SEARCH TEMPLATE	Create Search Template of Patients on Table 3A
BUD 09 SETUP LOCATIONS	Update/Review Site Parameters
BUD 09 TABLE 3A	Table 3A: Patients by Age and Gender
BUD 09 TABLE 3B	Table 3B: Patients by Hisp Identity/Race/Language
BUD 09 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 09 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 09 TABLE 6A	Table 6A: Selected Diagnoses and Services Rendered
BUD 09 TABLE 6B	Table 6B: Quality of Care Indicators
BUD 09 TABLE 7	Table 7: Health Outcomes and Disparities
BUD 09 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2009
BUD 09 ZIP LIST	All Patients w/Visits by Zip

Option Name	Description
BUD 09 ZIP TABLE	Patients by Zip Code
BUD 10 ALL TABLES	Multiple/ALL Tables Zip through 7
BUD 10 LIST 5BC	All Patients by Service Category (Table 5 col B&C)
BUD 10 LIST MULTIPLE	Multiple/ALL Lists Zip through 6A
BUD 10 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 10 LIST T3A/T3B	All Pts w/Visits, by Age & Gender (3A)
BUD 10 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 10 LIST T6	All Patients by Selected Primary DX (Table 6A)
BUD 10 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 10 LIST USVE	All Pts w/Visits, by Ethnicity (3B)
BUD 10 LIST USVR	All Pts w/Visits, by Hispanic Identity & Race (3B)
BUD 10 LST1	Lists for Tables Zip Code, 3A&3B, 5, and 6A
BUD 10 LST2	Lists for Table 6B
BUD 10 LST2 CIM1	All Patients Age 2 w/All Child Immunizations
BUD 10 LST2 CIM2	All Patients Age 2 w/o All Child Immunizations
BUD 10 LST2 M6B	Multiple/ALL Lists for Table 6B
BUD 10 LST2 PAP1	All Female Patients w/Pap Test
BUD 10 LST2 PAP2	All Female Patients w/o Pap Test
BUD 10 LST2 PRGA	All Pregnant Patients by Age
BUD 10 LST3 DM MENU	Diabetes Patient Lists
BUD 10 LST3 DM MULTIPLE	Multiple/ALL Lists for DM Patients
BUD 10 LST3 DME	All Patients w/DM by Ethnicity
BUD 10 LST3 DME1	All Patients w/DM and A1c <7 by Ethnicity
BUD 10 LST3 DME2	All Patients w/DM and A1c >=7 and <=9 by Ethnicity
BUD 10 LST3 DME3	All Patients w/DM and A1c >9 by Ethnicity
BUD 10 LST3 DMR	All DM Patients by Race & Hisp Identity
BUD 10 LST3 DMR1	All DM Patients w/A1c <7 by Race & Hisp Identity
BUD 10 LST3 DMR2	All DM Pts w/A1c >=7 & <=9 by Race & Hisp Identity
BUD 10 LST3 DMR3	All DM Patients w/A1c >9 by Race & Hisp Identity
BUD 10 LST3 HT MENU	Hypertension Patient Lists
BUD 10 LST3 HTCE	All HTN Patients w/Controlled BP by Ethnicity
BUD 10 LST3 HTCR	All HTN Pts w/Contr BP by Race & Hisp Identity
BUD 10 LST3 HTE	All HTN Patients by Ethnicity
BUD 10 LST3 HTR	All HTN Patients by Race & Hisp Identity
BUD 10 LST3 HTUE	All HTN Patients w/Uncontrolled BP by Ethnicity
BUD 10 LST3 HTUR	All HTN Pts w/Uncont BP by Race & Hisp Identity
BUD 10 LST3 MENU	Lists for Table 7
BUD 10 LST3 MT	Multiple/ALL Lists for HTN Patients
BUD 10 LST3 MULTIPLE	Multiple/ALL Lists for Pregnant Patients
BUD 10 LST3 PRG	Pregnant Patient Lists
BUD 10 LST3 PRGH	All Pregnant Patients w/HIV
BUD 10 LST3 PRGR	All Pregnant Patients by Race & Hisp Identity
BUD 10 MANAGER UTILITIES	Manager Utilities

Option Name	Description
BUD 10 MENU	UDS 2010
BUD 10 MENU LISTS	Patient and Provider Lists Main Menu
BUD 10 MULT VISITS IN SRV CAT	All Patients w/Multiple Visits in Srv Cats (5B&C)
BUD 10 PATIENT LISTS	Patient Lists
BUD 10 REPORTS	Reports
BUD 10 SEARCH TEMPLATE	Create Search Template of Patients on Table 3A
BUD 10 SETUP LOCATIONS	Update/Review Site Parameters
BUD 10 TABLE 3A	Table 3A: Patients by Age and Gender
BUD 10 TABLE 3B	Table 3B: Patients by Hisp Identity/Race/Language
BUD 10 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 10 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 10 TABLE 6A	Table 6A: Selected Diagnoses and Services Rendered
BUD 10 TABLE 6B	Table 6B: Quality of Care Indicators
BUD 10 TABLE 7	Table 7: Health Outcomes and Disparities
BUD 10 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2010
BUD 10 ZIP LIST	All Patients w/Visits by Zip
BUD 10 ZIP TABLE	Patients by Zip Code
BUD 11 ALL TABLES	Multiple/ALL Tables Zip through 9D
BUD 11 LIST 5BC	All Patients by Service Category (Table 5 col B&C)
BUD 11 LIST CHAR	Characteristics of Special Populations (Table 4)
BUD 11 LIST IPPL	Income Percent of Poverty Level (Table 4)
BUD 11 LIST MULTIPLE	Multiple/ALL Lists Zip through 6A
BUD 11 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 11 LIST PMIS	Principle Third Party Medical Insurance (Table 4)
BUD 11 LIST T3A/T3B	All Pts w/Visits, by Age & Gender (3A)
BUD 11 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 11 LIST T6	All Patients by Selected Primary DX (Table 6A)
BUD 11 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 11 LIST USVE	All Pts w/Visits, by Ethnicity (3B)
BUD 11 LIST USVR	All Pts w/Visits, by Hispanic Identity & Race (3B)
BUD 11 LST1	Lists for Tables Zip Code, 3A&3B, 4, 5, and 6A
BUD 11 LST2	Lists for Table 6B
BUD 11 LST2 APT1	All Asthma Pts 5-40 w/Asthma Therapy Medication
BUD 11 LST2 APT2	All Asthma Pts 5-40 w/o Asthma Therapy Medication
BUD 11 LST2 AWS1	All Patients 18+ w/BMI & over/underweight w/plan
BUD 11 LST2 AWS2	All Patients 18+ w/o BMI or w/o follow-up plan
BUD 11 LST2 CIM1	All Patients Age 2 w/All Child Immunizations
BUD 11 LST2 CIM2	All Patients Age 2 w/o All Child Immunizations
BUD 11 LST2 M6B	Multiple/ALL Lists for Table 6B
BUD 11 LST2 PAP1	All Female Patients w/Pap Test
BUD 11 LST2 PAP2	All Female Patients w/o Pap Test
BUD 11 LST2 PRGA	All Pregnant Patients by Age

Option Name	Description
BUD 11 LST2 TC11	All Pts 18+ smokers/tobacco user w/intervention
BUD 11 LST2 TC12	All Pts 18+ smokers/tobacco users w/o intervention
BUD 11 LST2 TUA1	All Patients 18+ w/tobacco use assessment
BUD 11 LST2 TUA2	All Patients 18+ w/o tobacco use assessment
BUD 11 LST2 WAC1	All Patients 2-17 w/WT Assessment & Counseling
BUD 11 LST2 WAC2	All Patients 2-17 w/o WT Assessment & Counseling
BUD 11 LST3 DM MENU	Diabetes Patient Lists
BUD 11 LST3 DM MULTIPLE	Multiple/ALL Lists for DM Patients
BUD 11 LST3 DME	All Patients w/DM by Ethnicity
BUD 11 LST3 DME1	All Patients w/DM and A1c <7 by Ethnicity
BUD 11 LST3 DME2	All Patients w/DM and A1c >=7 and <=9 by Ethnicity
BUD 11 LST3 DME3	All Patients w/DM and A1c >9 by Ethnicity
BUD 11 LST3 DMR	All DM Patients by Race & Hisp Identity
BUD 11 LST3 DMR1	All DM Patients w/A1c <7 by Race & Hisp Identity
BUD 11 LST3 DMR2	All DM Pts w/A1c >=7 & <8 by Race & Hisp Identity
BUD 11 LST3 DMR3	All DM Pts w/A1c >=8 & <=9 by Race & Hisp Identity
BUD 11 LST3 DMR4	All DM Pts w/o A1c or >9 by Race & Hisp Identity
BUD 11 LST3 HT MENU	Hypertension Patient Lists
BUD 11 LST3 HTCE	All HTN Patients w/Controlled BP by Ethnicity
BUD 11 LST3 HTCR	All HTN Pts w/Contr BP by Race & Hisp Identity
BUD 11 LST3 HTE	All HTN Patients by Ethnicity
BUD 11 LST3 HTR	All HTN Patients by Race & Hisp Identity
BUD 11 LST3 HTUE	All HTN Patients w/Uncontrolled BP by Ethnicity
BUD 11 LST3 HTUR	All HTN Pts w/Uncont BP by Race & Hisp Identity
BUD 11 LST3 MENU	Lists for Table 7
BUD 11 LST3 MT	Multiple/ALL Lists for HTN Patients
BUD 11 LST3 MULTIPLE	Multiple/ALL Lists for Pregnant Patients
BUD 11 LST3 PRG	Pregnant Patient Lists
BUD 11 LST3 PRGH	All Pregnant Patients w/HIV
BUD 11 LST3 PRGR	All Pregnant Patients by Race & Hisp Identity
BUD 11 MANAGER UTILITIES	Manager Utilities
BUD 11 MENU	UDS 2011
BUD 11 MENU LISTS	Patient and Provider Lists Main Menu
BUD 11 MULT VISITS IN SRV CAT	All Patients w/Multiple Visits in Srv Cats (5B&C)
BUD 11 PATIENT LISTS	Patient Lists
BUD 11 REPORTS	Reports
BUD 11 SEARCH TEMPLATE	Create Search Template of Patients on Table 3A
BUD 11 SETUP LOCATIONS	Update/Review Site Parameters
BUD 11 TABLE 3A	Table 3A: Patients by Age and Gender
BUD 11 TABLE 3B	Table 3B: Patients by Hisp Identity/Race/Language
BUD 11 TABLE 4	Table 4: Selected Patient Characteristics
BUD 11 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 11 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)

Option Name	Description
BUD 11 TABLE 6A	Table 6A: Selected Diagnoses and Services Rendered
BUD 11 TABLE 6B	Table 6B: Quality of Care Indicators
BUD 11 TABLE 7	Table 7: Health Outcomes and Disparities
BUD 11 TABLE 9D	Table 9D: Patient-Related Revenue (Totals Only)
BUD 11 TABLE 9D DELIMITED	Table 9D: Patient-Related Revenue (Delimited Rept)
BUD 11 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2011
BUD 11 ZIP LIST	All Patients w/Visits by Zip
BUD 11 ZIP TABLE	Patients by Zip Code
BUD 12 ALL TABLES	Multiple/ALL Tables Zip through 9D
BUD 12 LIST 5BC	All Patients by Service Category (Table 5 col B&C)
BUD 12 LIST CHAR	Characteristics of Special Populations (Table 4)
BUD 12 LIST IPPL	Income Percent of Poverty Level (Table 4)
BUD 12 LIST MULTIPLE	Multiple/ALL Lists Zip through 6A
BUD 12 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 12 LIST PMIS	Principle Third Party Medical Insurance (Table 4)
BUD 12 LIST T3A/T3B	All Pts w/Visits, by Age & Gender (3A)
BUD 12 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 12 LIST T6	All Patients by Selected DX (Table 6A)
BUD 12 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 12 LIST USVE	All Pts w/Visits, by Ethnicity (3B)
BUD 12 LIST USVR	All Pts w/Visits, by Hispanic Identity & Race (3B)
BUD 12 LST1	Lists for Tables Zip Code, 3A&3B, 4, 5, and 6A
BUD 12 LST2	Lists for Table 6B
BUD 12 LST2 A-D	Table 6B Section A through D
BUD 12 LST2 ALL	Table 6B All Patient Lists
BUD 12 LST2 APT1	All Asthma Pts 5-40 w/Asthma Therapy Medication
BUD 12 LST2 APT2	All Asthma Pts 5-40 w/o Asthma Therapy Medication
BUD 12 LST2 AWS1	All Patients 18+ w/BMI & over/underweight w/plan
BUD 12 LST2 AWS2	All Patients 18+ w/o BMI or w/o follow-up plan
BUD 12 LST2 CAD1	All CAD patients 18+ w/Lipid Therapy
BUD 12 LST2 CAD2	All CAD patients 18+ w/o Lipid Therapy
BUD 12 LST2 CIM1	All Patients Age 2 w/All Child Immunizations
BUD 12 LST2 CIM2	All Patients Age 2 w/o All Child Immunizations
BUD 12 LST2 CRC1	All Patients 51-74 years of age w/CRC Scrn
BUD 12 LST2 CRC2	All patients 51-74 years of age w/o CRC Scrn
BUD 12 LST2 E-G2	Table 6B Section E through G2
BUD 12 LST2 H-K	Table 6B Section H through K
BUD 12 LST2 IVD1	All IVD Pts 18+ w/ASA or Antithrombotic
BUD 12 LST2 IVD2	All IVD Pts 18+ w/o ASA or Antithrombotic
BUD 12 LST2 M6B	Multiple/ALL Lists for Table 6B
BUD 12 LST2 PAP1	All Female Patients w/Pap Test
BUD 12 LST2 PAP2	All Female Patients w/o Pap Test
BUD 12 LST2 PRGA	All Pregnant Patients by Age

Option Name	Description
BUD 12 LST2 TC11	All Pts 18+ smokers/tobacco user w/intervention
BUD 12 LST2 TC12	All Pts 18+ smokers/tobacco users w/o intervention
BUD 12 LST2 TUA1	All Patients 18+ w/tobacco use assessment
BUD 12 LST2 TUA2	All Patients 18+ w/o tobacco use assessment
BUD 12 LST2 WAC1	All Patients 2-17 w/WT Assessment & Counseling
BUD 12 LST2 WAC2	All Patients 2-17 w/o WT Assessment & Counseling
BUD 12 LST3 DM MENU	Diabetes Patient Lists
BUD 12 LST3 DM MULTIPLE	Multiple/ALL Lists for DM Patients
BUD 12 LST3 DME	All Patients w/DM by Ethnicity
BUD 12 LST3 DME1	All Patients w/DM and A1c <7 by Ethnicity
BUD 12 LST3 DME2	All Patients w/DM and A1c >=7 and <=9 by Ethnicity
BUD 12 LST3 DME3	All Patients w/DM and A1c >9 by Ethnicity
BUD 12 LST3 DMR	All DM Patients by Race & Hisp Identity
BUD 12 LST3 DMR1	All DM Patients w/A1c <7 by Race & Hisp Identity
BUD 12 LST3 DMR2	All DM Pts w/A1c >=7 & <8 by Race & Hisp Identity
BUD 12 LST3 DMR3	All DM Pts w/A1c >=8 & <=9 by Race & Hisp Identity
BUD 12 LST3 DMR4	All DM Pts w/o A1c or >9 by Race & Hisp Identity
BUD 12 LST3 HT MENU	Hypertension Patient Lists
BUD 12 LST3 HTCE	All HTN Patients w/Controlled BP by Ethnicity
BUD 12 LST3 HTCR	All HTN Pts w/Contr BP by Race & Hisp Identity
BUD 12 LST3 HTE	All HTN Patients by Ethnicity
BUD 12 LST3 HTR	All HTN Patients by Race & Hisp Identity
BUD 12 LST3 HTUE	All HTN Patients w/Uncontrolled BP by Ethnicity
BUD 12 LST3 HTUR	All HTN Pts w/Uncont BP by Race & Hisp Identity
BUD 12 LST3 MENU	Lists for Table 7
BUD 12 LST3 MT	Multiple/ALL Lists for HTN Patients
BUD 12 LST3 MULTIPLE	Multiple/ALL Lists for Pregnant Patients
BUD 12 LST3 PRG	Pregnant Patient Lists
BUD 12 LST3 PRGH	All Pregnant Patients w/HIV
BUD 12 LST3 PRGR	All Pregnant Patients by Race & Hisp Identity
BUD 12 MANAGER UTILITIES	Manager Utilities
BUD 12 MENU	UDS 2012
BUD 12 MENU LISTS	Patient and Provider Lists Main Menu
BUD 12 MULT VISITS IN SRV CAT	All Patients w/Multiple Visits in Srv Cats (5B&C)
BUD 12 PATIENT LISTS	Patient Lists
BUD 12 REPORTS	Reports
BUD 12 SEARCH TEMPLATE	Create Search Template of Patients on Table 3A
BUD 12 SETUP LOCATIONS	Update/Review Site Parameters
BUD 12 TABLE 3A	Table 3A: Patients by Age and Gender
BUD 12 TABLE 3B	Table 3B: Patients by Hisp Identity/Race/Language
BUD 12 TABLE 4	Table 4: Selected Patient Characteristics
BUD 12 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 12 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)

Option Name	Description
BUD 12 TABLE 6A	Table 6A: Selected Diagnoses and Services Rendered
BUD 12 TABLE 6B	Table 6B: Quality of Care Indicators
BUD 12 TABLE 7	Table 7: Health Outcomes and Disparities
BUD 12 TABLE 9D	Table 9D: Patient-Related Revenue (Totals Only)
BUD 12 TABLE 9D DELIMITED	Table 9D: Patient-Related Revenue (Delimited Rept)
BUD 12 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2012
BUD 12 ZIP LIST	All Patients w/Visits by Zip
BUD 12 ZIP TABLE	Patients by Zip Code
BUD ALL TABLES	Multiple/ALL UDS Tables
BUD 13 ALL TABLES	Multiple/ALL Tables Zip through 9D
BUD 13 LIST 5BC	All Patients by Service Category (Table 5 col B&C)
BUD 13 LIST CHAR	Characteristics of Special Populations (Table 4)
BUD 13 LIST IPPL	Income Percent of Poverty Level (Table 4)
BUD 13 LIST MULTIPLE	Multiple/ALL Lists Zip through 6A
BUD 13 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 13 LIST PMIS	Principle Third Party Medical Insurance (Table 4)
BUD 13 LIST T3A/T3B	All Pts w/Visits, by Age & Gender (3A)
BUD 13 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 13 LIST T6	All Patients by Selected DX (Table 6A)
BUD 13 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 13 LIST USVE	All Pts w/Visits, by Ethnicity (3B)
BUD 13 LIST USVR	All Pts w/Visits, by Hispanic Identity & Race (3B)
BUD 13 LST1	Lists for Tables Zip Code, 3A&3B, 4, 5, and 6A
BUD 13 LST2	Lists for Table 6B
BUD 13 LST2 A-D	Table 6B Section A through D
BUD 13 LST2 ALL	Table 6B All Patient Lists
BUD 13 LST2 APT1	All Asthma Pts 5-40 w/Asthma Therapy Medication
BUD 13 LST2 APT2	All Asthma Pts 5-40 w/o Asthma Therapy Medication
BUD 13 LST2 AWS1	All Patients 18+ w/BMI & over/underweight w/plan
BUD 13 LST2 AWS2	All Patients 18+ w/o BMI or w/o follow-up plan
BUD 13 LST2 CAD1	All CAD patients 18+ w/Lipid Therapy
BUD 13 LST2 CAD2	All CAD patients 18+ w/o Lipid Therapy
BUD 13 LST2 CIM1	All Patients Age 3 w/All Child Immunizations
BUD 13 LST2 CIM2	All Patients Age 3 w/o All Child Immunizations
BUD 13 LST2 CRC1	All Patients 51-74 years of age w/CRC Scrn
BUD 13 LST2 CRC2	All patients 51-74 years of age w/o CRC Scrn
BUD 13 LST2 E-G2	Table 6B Section E through G2
BUD 13 LST2 H-K	Table 6B Section H through K
BUD 13 LST2 IVD1	All IVD Pts 18+ w/ASA or Antithrombotic
BUD 13 LST2 IVD2	All IVD Pts 18+ w/o ASA or Antithrombotic
BUD 13 LST2 M6B	Multiple/ALL Lists for Table 6B
BUD 13 LST2 PAP1	All Female Patients w/Pap Test
BUD 13 LST2 PAP2	All Female Patients w/o Pap Test



Option Name	Description
BUD 13 LST2 PRGA	All Pregnant Patients by Age
BUD 13 LST2 TC11	All Pts 18+ smokers/tobacco user w/intervention
BUD 13 LST2 TC12	All Pts 18+ smokers/tobacco users w/o intervention
BUD 13 LST2 TUA1	All Patients 18+ w/tobacco use assessment
BUD 13 LST2 TUA2	All Patients 18+ w/o tobacco use assessment
BUD 13 LST2 WAC1	All Patients 2-17 w/WT Assessment & Counseling
BUD 13 LST2 WAC2	All Patients 2-17 w/o WT Assessment & Counseling
BUD 13 LST3 DM MENU	Diabetes Patient Lists
BUD 13 LST3 DM MULTIPLE	Multiple/ALL Lists for DM Patients
BUD 13 LST3 DME	All Patients w/DM by Ethnicity
BUD 13 LST3 DME1	All Patients w/DM and A1c <7 by Ethnicity
BUD 13 LST3 DME2	All Patients w/DM and A1c >=7 and <=9 by Ethnicity
BUD 13 LST3 DME3	All Patients w/DM and A1c >9 by Ethnicity
BUD 13 LST3 DMR	All DM Patients by Race & Hisp Identity
BUD 13 LST3 DMR1	All DM Patients w/A1c <7 by Race & Hisp Identity
BUD 13 LST3 DMR2	All DM Pts w/A1c >=7 & <8 by Race & Hisp Identity
BUD 13 LST3 DMR3	All DM Pts w/A1c >=8 & <=9 by Race & Hisp Identity
BUD 13 LST3 DMR4	All DM Pts w/o A1c or >9 by Race & Hisp Identity
BUD 13 LST3 HT MENU	Hypertension Patient Lists
BUD 13 LST3 HTCE	All HTN Patients w/Controlled BP by Ethnicity
BUD 13 LST3 HTCR	All HTN Pts w/Contr BP by Race & Hisp Identity
BUD 13 LST3 HTE	All HTN Patients by Ethnicity
BUD 13 LST3 HTR	All HTN Patients by Race & Hisp Identity
BUD 13 LST3 HTUE	All HTN Patients w/Uncontrolled BP by Ethnicity
BUD 13 LST3 HTUR	All HTN Pts w/Uncont BP by Race & Hisp Identity
BUD 13 LST3 MENU	Lists for Table 7
BUD 13 LST3 MT	Multiple/ALL Lists for HTN Patients
BUD 13 LST3 MULTIPLE	Multiple/ALL Lists for Pregnant Patients
BUD 13 LST3 PRG	Pregnant Patient Lists
BUD 13 LST3 PRGH	All Pregnant Patients w/HIV
BUD 13 LST3 PRGR	All Pregnant Patients by Race & Hisp Identity
BUD 13 MANAGER UTILITIES	Manager Utilities
BUD 13 MENU	UDS 2012
BUD 13 MENU LISTS	Patient and Provider Lists Main Menu
BUD 13 MULT VISITS IN SRV CAT	All Patients w/Multiple Visits in Srv Cats (5B&C)
BUD 13 PATIENT LISTS	Patient Lists
BUD 13 REPORTS	Reports
BUD 13 SEARCH TEMPLATE	Create Search Template of Patients on Table 3A
BUD 13 SETUP LOCATIONS	Update/Review Site Parameters
BUD 13 TABLE 3A	Table 3A: Patients by Age and Gender
BUD 13 TABLE 3B	Table 3B: Patients by Hisp Identity/Race/Language
BUD 13 TABLE 4	Table 4: Selected Patient Characteristics
BUD 13 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)

Option Name	Description
BUD 13 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 13 TABLE 6A	Table 6A: Selected Diagnoses and Services Rendered
BUD 13 TABLE 6B	Table 6B: Quality of Care Indicators
BUD 13 TABLE 7	Table 7: Health Outcomes and Disparities
BUD 13 TABLE 9D	Table 9D: Patient-Related Revenue (Totals Only)
BUD 13 TABLE 9D DELIMITED	Table 9D: Patient-Related Revenue (Delimited Rept)
BUD 13 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2012
BUD 13 ZIP LIST	All Patients w/Visits by Zip
BUD 13 ZIP TABLE	Patients by Zip Code
BUD 14 ALL TABLES	Multiple/ALL Tables Zip through 9D
BUD 14 LIST 5BC	All Patients by Service Category (Table 5 col B&C)
BUD 14 LIST CHAR	Characteristics of Special Populations (Table 4)
BUD 14 LIST IPPL	Income Percent of Poverty Level (Table 4)
BUD 14 LIST MULTIPLE	Multiple/ALL Lists Zip through 6A
BUD 14 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 14 LIST PMIS	Principle Third Party Medical Insurance (Table 4)
BUD 14 LIST T3A/T3B	All Pts w/Visits, by Age & Gender (3A)
BUD 14 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 14 LIST T6	All Patients by Selected DX (Table 6A)
BUD 14 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 14 LIST USVE	All Pts w/Visits, by Ethnicity (3B)
BUD 14 LIST USVR	All Pts w/Visits, by Hispanic Identity & Race (3B)
BUD 14 LST1	Lists for Tables Zip Code, 3A&3B, 4, 5, and 6A
BUD 14 LST2	Lists for Table 6B
BUD 14 LST2 A-D	Table 6B Section A through D
BUD 14 LST2 ALL	Table 6B All Patient Lists
BUD 14 LST2 APT1	All Asthma Pts 5-40 w/Asthma Therapy Medication
BUD 14 LST2 APT2	All Asthma Pts 5-40 w/o Asthma Therapy Medication
BUD 14 LST2 AWS1	All Patients 18+ w/BMI & over/underweight w/plan
BUD 14 LST2 AWS2	All Patients 18+ w/o BMI or w/o follow-up plan
BUD 14 LST2 CAD1	All CAD patients 18+ w/Lipid Therapy
BUD 14 LST2 CAD2	All CAD patients 18+ w/o Lipid Therapy
BUD 14 LST2 CIM1	All Patients Age 3 w/All Child Immunizations
BUD 14 LST2 CIM2	All Patients Age 3 w/o All Child Immunizations
BUD 14 LST2 CRC1	All Patients 51-74 years of age w/CRC Scrn
BUD 14 LST2 CRC2	All patients 51-74 years of age w/o CRC Scrn
BUD 14 LST2 DEP1	All Patients 12+ w/DEP and Follow-up
BUD 14 LST2 DEP2	All Pts 12+ w/o Dep Scrn or w/o Follow-up
BUD 14 LST2 E-H	Table 6B Section E through H
BUD 14 LST2 HIV1	All Patients w/First HIV Dx & Timely Follow-up
BUD 14 LST2 HIV2	All Patients w/First HIV Dx w/o Timely Follow-up
BUD 14 LST2 I-M	Table 6B Section I through M
BUD 14 LST2 IVD1	All IVD Pts 18+ w/ASA or Antithrombotic

Option Name	Description
BUD 14 LST2 IVD2	All IVD Pts 18+ w/o ASA or Antithrombotic
BUD 14 LST2 M6B	Multiple/ALL Lists for Table 6B
BUD 14 LST2 PAP1	All Female Patients w/Pap Test
BUD 14 LST2 PAP2	All Female Patients w/o Pap Test
BUD 14 LST2 PRGA	All Pregnant Patients by Age
BUD 14 LST2 TUA1	All Patients 18+ w/tobacco use scrn & cessation
BUD 14 LST2 TUA2	All Patients 18+ w/o tobacco use scrn or cessation
BUD 14 LST2 WAC1	All Patients 2-17 w/WT Assessment & Counseling
BUD 14 LST2 WAC2	All Patients 2-17 w/o WT Assessment & Counseling
BUD 14 LST3 DM MENU	Diabetes Patient Lists
BUD 14 LST3 DM MULTIPLE	Multiple/ALL Lists for DM Patients
BUD 14 LST3 DME	All Patients w/DM by Ethnicity
BUD 14 LST3 DME1	All Patients w/DM and A1c <7 by Ethnicity
BUD 14 LST3 DME2	All Patients w/DM and A1c >=7 and <=9 by Ethnicity
BUD 14 LST3 DME3	All Patients w/DM and A1c >9 by Ethnicity
BUD 14 LST3 DMR	All DM Patients by Race & Hisp Identity
BUD 14 LST3 DMR1	All DM Patients w/A1c <8 by Race & Hisp Identity
BUD 14 LST3 DMR2	All DM Pts w/A1c >=8 & <=9 by Race & Hisp Identity
BUD 14 LST3 DMR3	All DM Pts w/o A1c or >9 by Race & Hisp Identity
BUD 14 LST3 HT MENU	Hypertension Patient Lists
BUD 14 LST3 HTCE	All HTN Patients w/Controlled BP by Ethnicity
BUD 14 LST3 HTCR	All HTN Pts w/Contr BP by Race & Hisp Identity
BUD 14 LST3 HTE	All HTN Patients by Ethnicity
BUD 14 LST3 HTR	All HTN Patients by Race & Hisp Identity
BUD 14 LST3 HTUE	All HTN Patients w/Uncontrolled BP by Ethnicity
BUD 14 LST3 HTUR	All HTN Pts w/Uncont BP by Race & Hisp Identity
BUD 14 LST3 MENU	Lists for Table 7
BUD 14 LST3 MT	Multiple/ALL Lists for HTN Patients
BUD 14 LST3 MULTIPLE	Multiple/ALL Lists for Pregnant Patients
BUD 14 LST3 PRG	Pregnant Patient Lists
BUD 14 LST3 PRGH	All Pregnant Patients w/HIV
BUD 14 LST3 PRGR	All Pregnant Patients by Race & Hisp Identity
BUD 14 MANAGER UTILITIES	Manager Utilities
BUD 14 MENU	UDS 2014
BUD 14 MENU LISTS	Patient and Provider Lists Main Menu
BUD 14 MULT VISITS IN SRV CAT	All Patients w/Multiple Visits in Srv Cats (5B&C)
BUD 14 PATIENT LISTS	Patient Lists
BUD 14 REPORTS	Reports
BUD 14 SEARCH TEMPLATE	Create Search Template of Patients on Table 3A
BUD 14 SETUP LOCATIONS	Update/Review Site Parameters
BUD 14 TABLE 3A	Table 3A: Patients by Age and Gender
BUD 14 TABLE 3B	Table 3B: Patients by Hisp Identity/Race/Language
BUD 14 TABLE 4	Table 4: Selected Patient Characteristics

Option Name	Description
BUD 14 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 14 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 14 TABLE 6A	Table 6A: Selected Diagnoses and Services Rendered
BUD 14 TABLE 6B	Table 6B: Quality of Care Indicators
BUD 14 TABLE 7	Table 7: Health Outcomes and Disparities
BUD 14 TABLE 9D	Table 9D: Patient-Related Revenue (Totals Only)
BUD 14 TABLE 9D DELIMITED	Table 9D: Patient-Related Revenue (Delimited Rept)
BUD 14 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2014
BUD 14 ZIP LIST	All Patients w/Visits by Zip and Ins Source
BUD 15 ALL TABLES	Multiple/ALL Tables Zip through 9D
BUD 15 LIST 5BC	All Patients by Service Category (Table 5 col B&C)
BUD 15 LIST CHAR	Characteristics of Special Populations (Table 4)
BUD 15 LIST IPPL	Income Percent of Poverty Level (Table 4)
BUD 15 LIST MULTIPLE	Multiple/ALL Lists Zip through 6A
BUD 15 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 15 LIST PMIS	Principle Third Party Medical Insurance (Table 4)
BUD 15 LIST T3A/T3B	All Pts w/Visits, by Age & Gender (3A)
BUD 15 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 15 LIST T6	All Patients by Selected DX (Table 6A)
BUD 15 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 15 LIST USVE	All Pts w/Visits, by Ethnicity (3B)
BUD 15 LIST USVR	All Pts w/Visits, by Hispanic Identity & Race (3B)
BUD 15 LST1	Lists for Tables Zip Code, 3A&3B, 4, 5, and 6A
BUD 15 LST2	Lists for Table 6B
BUD 15 LST2 A-D	Table 6B Section A through D
BUD 15 LST2 ALL	Table 6B All Patient Lists
BUD 15 LST2 APT1	All Asthma Pts 5-40 w/Asthma Therapy Medication
BUD 15 LST2 APT2	All Asthma Pts 5-40 w/o Asthma Therapy Medication
BUD 15 LST2 AWS1	All Patients 18+ w/BMI & over/underweight w/plan
BUD 15 LST2 AWS2	All Patients 18+ w/o BMI or w/o follow-up plan
BUD 15 LST2 CAD1	All CAD patients 18+ w/Lipid Therapy
BUD 15 LST2 CAD2	All CAD patients 18+ w/o Lipid Therapy
BUD 15 LST2 CIM1	All Patients Age 3 w/All Child Immunizations
BUD 15 LST2 CIM2	All Patients Age 3 w/o All Child Immunizations
BUD 15 LST2 CRC1	All Patients 51-74 years of age w/CRC Scrn
BUD 15 LST2 CRC2	All patients 51-74 years of age w/o CRC Scrn
BUD 15 LST2 DEN1	All Patients 6-9 at Risk with First Molar Sealant
BUD 15 LST2 DEN2	All Patients 6-9 at Risk w/o First Molar Sealant
BUD 15 LST2 DEP1	All Patients 12+ w/DEP and Follow-up
BUD 15 LST2 DEP2	All Pts 12+ w/o Dep Scrn or w/o Follow-up
BUD 15 LST2 E-I	Table 6B Section E through I
BUD 15 LST2 HIV1	All Patients w/First HIV Dx & Timely Follow-up
BUD 15 LST2 HIV2	All Patients w/First HIV Dx w/o Timely Follow-up
BUD 15 LST2 IVD1	All IVD Pts 18+ w/ASA or Antithrombotic
BUD 15 LST2 IVD2	All IVD Pts 18+ w/o ASA or Antithrombotic
BUD 15 LST2 J-N	Table 6B Section J through N
BUD 15 LST2 M6B	Multiple/ALL Lists for Table 6B
BUD 15 LST2 PAP1	All Female Patients w/Pap Test
BUD 15 LST2 PAP2	All Female Patients w/o Pap Test

Option Name	Description
BUD 15 LST2 PRGA	All Pregnant Patients by Age
BUD 15 LST2 TUA1	All Patients 18+ w/tobacco use scrn & cessation
BUD 15 LST2 TUA2	All Patients 18+ w/o tobacco use scrn or cessation
BUD 15 LST2 WAC1	All Patients 2-17 w/WT Assessment & Counseling
BUD 15 LST2 WAC2	All Patients 2-17 w/o WT Assessment & Counseling
BUD 15 LST3 DM MENU	Diabetes Patient Lists
BUD 15 LST3 DM MULTIPLE	Multiple/ALL Lists for DM Patients
BUD 15 LST3 DMR	All DM Patients by Race & Hisp Identity
BUD 15 LST3 DMR1	All DM Patients w/A1c <8 by Race & Hisp Identity
BUD 15 LST3 DMR2	All DM Pts w/o A1c or >9 by Race & Hisp Identity
BUD 15 LST3 HT MENU	Hypertension Patient Lists
BUD 15 LST3 HTCR	All HTN Pts w/Contr BP by Race & Hisp Identity
BUD 15 LST3 HTR	All HTN Patients by Race & Hisp Identity
BUD 15 LST3 HTUR	All HTN Pts w/Uncont BP by Race & Hisp Identity
BUD 15 LST3 MENU	Lists for Table 7
BUD 15 LST3 MT	Multiple/ALL Lists for HTN Patients
BUD 15 LST3 MULTIPLE	Multiple/ALL Lists for Pregnant Patients
BUD 15 LST3 PRG	Pregnant Patient Lists
BUD 15 LST3 PRGH	All Pregnant Patients w/HIV
BUD 15 LST3 PRGR	All Pregnant Patients by Race & Hisp Identity
BUD 15 MANAGER UTILITIES	Manager Utilities
BUD 15 MENU	UDS 2015
BUD 15 MENU LISTS	Patient and Provider Lists Main Menu
BUD 15 MULT VISITS IN SRV CAT	All Patients w/Multiple Visits in Srv Cats (5B&C)
BUD 15 PATIENT LISTS	Patient Lists
BUD 15 REPORTS	Reports
BUD 15 SEARCH TEMPLATE	Create Search Template of Patients on Table 3A
BUD 15 SETUP LOCATIONS	Update/Review Site Parameters
BUD 15 TABLE 3A	Table 3A: Patients by Age and Gender
BUD 15 TABLE 3B	Table 3B: Patients by Hisp Ethnicity/Race/Language
BUD 15 TABLE 4	Table 4: Selected Patient Characteristics
BUD 15 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 15 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 15 TABLE 6A	Table 6A: Selected Diagnoses and Services Rendered
BUD 15 TABLE 6B	Table 6B: Quality of Care Indicators
BUD 15 TABLE 7	Table 7: Health Outcomes and Disparities
BUD 15 TABLE 9D	Table 9D: Patient-Related Revenue (Totals Only)
BUD 15 TABLE 9D DELIMITED	Table 9D: Patient-Related Revenue (Delimited Rept)
BUD 15 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2015
BUD 15 ZIP LIST	All Patients w/Visits by Zip and Ins Source
BUD 15 ZIP TABLE	Patients by Zip Codes and Insurance Source
BUD 16 ALL TABLES	Multiple/ALL Tables Zip through 9D
BUD 16 LIST 5BC	All Patients by Service Category (Table 5 col B&C)
BUD 16 LIST CHAR	Characteristics of Special Populations (Table 4)
BUD 16 LIST IPPL	Income Percent of Poverty Level (Table 4)
BUD 16 LIST MULTIPLE	Multiple/ALL Lists Zip through 6A
BUD 16 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 16 LIST PMIS	Principal Third Party Medical Insurance (Table 4)
BUD 16 LIST T3A/T3B	All Pts w/Visits, by Age&Sex Assigned/Birth (3A)
BUD 16 LIST T5A	Provider/Staff List (Table 5 col A)

Option Name	Description
BUD 16 LIST T6	All Patients by Diagnosis (Table 6A)
BUD 16 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 16 LIST USVE	All Pts w/Visits, by Ethnicity (3B)
BUD 16 LIST USVR	All Pts w/Visits, by Hispanic Identity & Race (3B)
BUD 16 LST1	Lists for Tables Zip Code, 3A&3B, 4, 5, and 6A
BUD 16 LST2	Lists for Table 6B
BUD 16 LST2 A-D	Table 6B Section A through D
BUD 16 LST2 ALL	Table 6B All Patient Lists
BUD 16 LST2 APT1	All Asthma Pts 5-64 w/Asthma Therapy Medication
BUD 16 LST2 APT2	All Asthma Pts 5-64 w/o Asthma Therapy Medication
BUD 16 LST2 AWS1	All Patients 18+ w/BMI & over/underweight w/plan
BUD 16 LST2 AWS2	All Patients 18+ w/o BMI or w/o follow-up plan
BUD 16 LST2 CAD1	All CAD patients 18+ w/Lipid Therapy
BUD 16 LST2 CAD2	All CAD patients 18+ w/o Lipid Therapy
BUD 16 LST2 CIM1	All Patients Age 2 w/All Child Immunizations
BUD 16 LST2 CIM2	All Patients Age 2 w/o All Child Immunizations
BUD 16 LST2 CRC1	All Patients 50-75 years of age w/CRC Scrn
BUD 16 LST2 CRC2	All patients 50-75 years of age w/o CRC Scrn
BUD 16 LST2 DEN1	All Pts 6-9 at Risk with First Molar Sealant
BUD 16 LST2 DEN2	All Pts 6-9 w/First Molar w/o Sealant
BUD 16 LST2 DEP1	All Patients 12+ w/DEP Scrn and Follow-up
BUD 16 LST2 DEP2	All Pts 12+ w/o Dep Scrn or w/o Follow-up
BUD 16 LST2 E-I	Table 6B Section E through I
BUD 16 LST2 HIV1	All Patients w/First HIV Dx & Timely Follow-up
BUD 16 LST2 HIV2	All Patients w/First HIV Dx w/o Timely Follow-up
BUD 16 LST2 IVD1	All IVD Pts 18+ w/ASA or Antithrombotic
BUD 16 LST2 IVD2	All IVD Pts 18+ w/o ASA or Antithrombotic
BUD 16 LST2 J-N	Table 6B Section J through N
BUD 16 LST2 M6B	Multiple/ALL Lists for Table 6B
BUD 16 LST2 PAP1	All Female Patients 23-64 w/Pap Test
BUD 16 LST2 PAP2	All Female Patients 23-64 w/o Pap Test
BUD 16 LST2 PRGA	All Pregnant Patients by Age
BUD 16 LST2 TUA1	All Patients 18+ w/tobacco use scrn & cessation
BUD 16 LST2 TUA2	All Patients 18+ w/o tobacco use scrn or cessation
BUD 16 LST2 WAC1	All Patients 3-17 w/WT Assessment & Counseling
BUD 16 LST2 WAC2	All Patients 3-17 w/o WT Assessment & Counseling
BUD 16 LST3 DM MENU	Diabetes Patient Lists
BUD 16 LST3 DM MULTIPLE	Multiple/ALL Lists for DM Patients
BUD 16 LST3 DMR	All DM Patients by Race & Hisp Identity
BUD 16 LST3 DMR1	All DM Patients w/A1c <8 by Race & Hisp Identity
BUD 16 LST3 DMR2	All DM Pts w/o A1c or >9 by Race & Hisp Identity
BUD 16 LST3 HT MENU	Hypertension Patient Lists
BUD 16 LST3 HTCR	All HTN Pts w/Contr BP by Race & Hisp Identity
BUD 16 LST3 HTR	All HTN Patients by Race & Hisp Identity
BUD 16 LST3 HTUR	All HTN Pts w/Uncont BP by Race & Hisp Identity
BUD 16 LST3 MENU	Lists for Table 7
BUD 16 LST3 MT	Multiple/ALL Lists for HTN Patients
BUD 16 LST3 MULTIPLE	Multiple/ALL Lists for Pregnant Patients
BUD 16 LST3 PRG	Pregnant Patient Lists
BUD 16 LST3 PRGH	All Pregnant Patients w/HIV

Option Name	Description
BUD 16 LST3 PRGR	All Pregnant Patients by Race & Hisp Identity
BUD 16 MANAGER UTILITIES	Manager Utilities
BUD 16 MENU	UDS 2016
BUD 16 MENU LISTS	Patient and Provider Lists Main Menu
BUD 16 MULT VISITS IN SRV CAT	All Patients w/Multiple Visits in Srv Cats (5B&C)
BUD 16 PATIENT LISTS	Patient Lists
BUD 16 REPORTS	Reports
BUD 16 SEARCH TEMPLATE	Create Search Template of Patients on Table 3A
BUD 16 SETUP LOCATIONS	Update/Review Site Parameters
BUD 16 TABLE 3A	Table 3A: Patients By Age & Sex Assigned at Birth
BUD 16 TABLE 3B	Table 3B: Demographic Characteristics
BUD 16 TABLE 4	Table 4: Selected Patient Characteristics
BUD 16 TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD 16 TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD 16 TABLE 6A	Table 6A: Selected Diagnoses and Services Rendered
BUD 16 TABLE 6B	Table 6B: Quality of Care Indicators
BUD 16 TABLE 7	Table 7: Health Outcomes and Disparities
BUD 16 TABLE 9D	Table 9D: Patient-Related Revenue (Totals Only)
BUD 16 TABLE 9D DELIMITED	Table 9D: Patient-Related Revenue (Delimited Rept)
BUD 16 TAXONOMY UPDATE	Update Taxonomies for Use with UDS 2016
BUD 16 ZIP LIST	All Patients w/Visits by Zip and Ins Source
BUD 16 ZIP TABLE	Patients by Zip Codes and Insurance Source
BUD 16 ALL TABLES	Multiple/ALL Tables Zip through 9D
BUD 16 LIST 5BC	All Patients by Service Category (Table 5 col B&C)
BUD 16 LIST CHAR	Characteristics of Special Populations (Table 4)
BUD 16 LIST IPPL	Income Percent of Poverty Level (Table 4)
BUD 16 LIST MULTIPLE	Multiple/ALL Lists Zip through 6A
BUD 16 LIST ORPHANS	Incomplete Visits related to Table 6
BUD 16 LIST PMIS	Principal Third Party Medical Insurance (Table 4)
BUD 16 LIST T3A/T3B	All Pts w/Visits, by Age&Sex Assigned/Birth (3A)
BUD 16 LIST T5A	Provider/Staff List (Table 5 col A)
BUD 16 LIST T6	All Patients by Diagnosis (Table 6A)
BUD 16 LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD 16 LIST USVE	All Pts w/Visits, by Ethnicity (3B)
BUD 16 LIST USVR	All Pts w/Visits, by Hispanic Identity & Race (3B)
BUD 16 LST1	Lists for Tables Zip Code, 3A&3B, 4, 5, and 6A
BUD 16 LST2	Lists for Table 6B
BUD 16 LST2 A-D	Table 6B Section A through D
BUD 16 LST2 ALL	Table 6B All Patient Lists
BUD 16 LST2 APT1	All Asthma Pts 5-64 w/Asthma Therapy Medication
BUD 16 LST2 APT2	All Asthma Pts 5-64 w/o Asthma Therapy Medication
BUD 16 LST2 AWS1	All Patients 18+ w/BMI & over/underweight w/plan
BUD 16 LST2 AWS2	All Patients 18+ w/o BMI or w/o follow-up plan
BUD 16 LST2 CAD1	All CAD patients 18+ w/Lipid Therapy
BUD 16 LST2 CAD2	All CAD patients 18+ w/o Lipid Therapy
BUD 16 LST2 CIM1	All Patients Age 2 w/All Child Immunizations
BUD 16 LST2 CIM2	All Patients Age 2 w/o All Child Immunizations
BUD ALL TABLES	Multiple/ALL UDS Tables
BUD EXPORT UDS	Export to UDS
BUD LIST 5BC	All Users by Service Category (Table 5 col B&C)

<b>Option Name</b>	<b>Description</b>
BUD LIST MULTIPLE	Multiple/ALL Lists
BUD LIST ORPHANS	Incomplete Visits related to Table 6
BUD LIST T3A/T3B	All Users w/Visits, by Age, Gender, Race (3A & 3B)
BUD LIST T5A	Provider/Staff List (Table 5 col A)
BUD LIST T6	All Users by Selected Primary Diagnosis (Table 6)
BUD LIST TABLE 5 2	Visits w/Uncategorized Primary Prov (Table 5 B&C)
BUD MANAGER UTILITIES	Manager Utilities
BUD MENU LISTS	User (Patient) Lists
BUD PATIENT LISTS	User (Patient) Lists
BUD REPORTS	Reports
BUD SETUP LOCATIONS	Update/Review Site Parameters
BUD TABLE 3A	Table 3A: Users by Age and Gender
BUD TABLE 3B	Table 3B: Users by Race/Ethnicity & Linguistic Pref
BUD TABLE 5	Table 5 (b&c): Staffing and Utilization (cols b&c)
BUD TABLE 5A STAFF	Table 5 (a): Staffing List only (column A)
BUD TABLE 6	Table 6: Selected Diagnoses and Services Rendered
BUD3 03 MENU	UDS 2003
BUDMENU	RPMS UDS Reporting System



## 7.0 Internal Relations

All users should be given the access to the appropriate options and keys, as needed.  
All the options within this system are stand-alone options.

## **8.0 Security Keys**

Section 3.2 provides a list of security keys and their descriptions.

## **9.0 Archiving and Purging**

There is no archiving and purging in this package.

## 10.0 Documentation Resources

This section describes a few methods to generate online technical documentation.

### 10.1 How to Generate Online Documentation

The file number range for this package is 90345–90349 and 90660–90669.

All templates, routines, screen forms, etc. begin with BUD.

This section describes some methods by which UDS technical documentation can be generated. UDS software offers several help prompts and help screens throughout the program. In addition, there are several Kernel options that can generate on-line technical documentation.

Some of those documents are described in the following sections.

### 10.2 System Documentation

Online VPS system documentation can be generated using several Kernel options, including, but not limited to:

- %INDEX
- Menu Management
- Inquire Option
- Print Option File
- VA FileMan
- Data Dictionary Utilities
- List File Attributes

For more option listings and further information about other utilities that supply online technical information, see the Decentralized Hospital Computer Program (DHCP) Kernel Reference manual.

#### 10.2.1 %INDEX

The %INDEX option analyzes the structure of a routine to determine in part, if the routine adheres to RPMS programming standards. The output can include the following components:

- Compiled list of errors and warnings
- Routine listing

- Local variables
- Global variables
- Naked globals
- Label references
- External references

Running %INDEX for a specified set of routines allows users to discover any deviations from RPMS programming standards that exist, and to see how routines interact with one another (i.e., which routines call or are called by other routines).

To run %INDEX for the UDS, specify the BUD namespace at the “Routine(s)?>” prompt and IHS/RPMS UNIFORM DATA SYSTEM V4.0 build at the “Build” prompt.

### 10.2.2 Inquire Option

The Inquire menu management option provides the following information about a specified option:

- Option name
- Menu text
- Option description
- Type of option
- Lock (if any)

In addition, all items on the menu are listed for each menu option. To secure information about UDS options, the BUD namespace must be specified.

### 10.2.3 Print Option File

The Print Option File utility generates a listing of options from the Option file (#19). All entries, a single option, or range of options can be printed. For a list of UDS options, see Section 6.3.

### 10.2.4 List File Attributes

This VA FileMan option allows users to generate documentation pertaining to files and file structure. The standard format of this option provides the following data dictionary information for a specified file:

- File name and description
- Identifiers

- Cross-references
- Files pointed to by the file specified
- Files that point to the file specified
- Input, print, and sort templates

In addition, the following applicable data is supplied for each field in the file:

- Field name, number, title, and description
- Global location
- Help prompt
- Cross-references
- Input transform
- Date last edited
- Notes

Using the Global Map format of this option generates an output that lists the following information:

- All cross-references for the file selected
- Global location of each field in the file
- Input, print, and sort templates

For a comprehensive listing of UDS files, see Section 5.1.

## 10.3 Online Help

In addition to system documentation, RPMS includes special help displays for most menu options and data entry prompts. Typing a single question mark “?” at the “Select . . . Option” prompt displays information related to the current option, where:

Table 10-1: Help Displays

Typing . . .	Displays . . .
A single question mark (?)	A list of all options accessible from the current option.
Two question marks (??)	A list of all accessible options and their formal names
Three question marks (???)	A brief description for each option in a menu.
A single question mark (?) followed by an option name (?OPTION)	Extended help, if available, for that option

## **11.0 Standards and Conventions Requirements**

There are no new Standards and Conventions exemptions within this application.

## Glossary

### Archiving

The storage of historical or little-used data off-line (often on tape).

### Banner

A line of text with a user's name and domain.

### Browser

An interactive application that displays ASCII text on a terminal that supports a scroll region. The text can be in the form of a word-processing field or sequential local or global array. The user can navigate freely within the document.

### Cross-Reference

An indexing method whereby files can include pre-sorted lists of entries as part of the stored database. Cross-references (x-refs) facilitate look-up and reporting.

### Entry Point

A point within a routine that is referenced by a "DO" or "GOTO" command from a routine internal to a package.

### File

A set of related records or entries treated as a single unit.

### FileMan

The database management system for RPMS.

### Global

In MUMPS, global refers to a variable stored on disk (global variable) or the array to which the global variable may belong (global array).

### INDEX (%INDEX)

A Kernel utility used to verify routines and other Massachusetts General Hospital (M) Utility Multi-Programming System (MUMPS) code associated with a package. Checking is done per current ANSI MUMPS standards and RPMS programming standards. This tool can be invoked through an option or from direct mode (>D ^%INDEX).



**Kernel**

The set of MUMPS software utilities that function as an intermediary between the host operating system and application packages, such as Laboratory and Pharmacy. The Kernel provides a standard and consistent user and programmer interface between application packages and the underlying MUMPS implementation. These utilities provide the foundation for RPMS.

**Menu**

A list of choices for computing activity. A menu is a type of option designed to identify a series of items (other options) for presentation to the user for selection. When displayed, menu-type options are preceded by the word “Select” and followed by the word “option,” as in Select Menu Management option: (the menu’s select prompt).

**Namespace**

A unique set of 2 to 4 alpha characters that are assigned by the database administrator to a software application.

**Option**

An entry in the Option file. As an item on a menu, an option provides an opportunity for users to select it, thereby invoking the associated computing activity. Options may also be scheduled to run in the background, not interactively, by TaskMan.

**Routine**

A program or sequence of instructions called by a program that may have some general or frequent use. MUMPS routines are groups of program lines that are saved, loaded, and called as a single unit via a specific name.

**Utility**

A callable routine line tag or function. A universal routine usable by anyone.

**Variable**

A character or group of characters that refers to a value. MUMPS recognizes three types of variables: local variables, global variables, and special variables. Local variables exist in a partition of the main memory and disappear at sign-off. A global variable is stored on disk, potentially available to any user. Global variables usually exist as parts of global arrays.

## Acronym List

Acronym	Term Meaning
ANSI	American National Standards Institute
BPHC	Bureau of Primary Health Care
CHW	Community Health Worker
CMS	Centers for Medicare and Medicaid Services
COPD	Chronic Obstructive Pulmonary Disease
e-CQM	Electronic-Clinical Quality Measure
CY	Calendar Year
DHCP	Decentralized Hospital Computer Program
HHS	Department of Health and Human Services
HRSA	Health Resources and Services Administration
ICD	International Classification of Diseases.
IHS	Indian Health Service
MUMPS	Massachusetts General Hospital (M) Utility Multi Programming System
OMB	Office of Management and Budget
QI	Quality Improvement
ROB	Rules of Behavior
RPMS	Resource and Patient Management System
SNOMED	Systemized Nomenclature of Medicine
UDS	Uniform Data System

## Contact Information

If you have any questions or comments regarding this distribution, please contact the OIT Help Desk (IHS).

**Phone:** (888) 830-7280 (toll free)

**Web:** <http://www.ihs.gov/helpdesk/>

**Email:** [support@ihs.gov](mailto:support@ihs.gov)