

GPRA Measure Numerator and Denominator Definitions		
DIABETES	Numerator	Denominator
Diabetes Dx Ever	# patients ever diagnosed w/diabetes	Active GPRA User Population
Documented HbA1c	# patients with Hemoglobin A1c documented during report period	Active Diabetic Patients
Poor Glycemic Control	# patients with A1c > 9.5	Active Diabetic Patients
Ideal Glycemic Control	# patients with A1c < 7	Active Diabetic Patients
Controlled BP <130/80	# patients with controlled BP (<130/80) documented during report period (uses mean of last three BPs documented on non-ER visits)	Active Diabetic Patients
LDL Assessed	# patients with LDL completed during report period	Active Diabetic Patients
Nephropathy Assessed	# patients with nephropathy assessment during report period or diagnosis/treatment of ESRD any time before end of report period	Active Diabetic Patients
Retinopathy Exam	# patients receiving qualified retinal exam during report period	Active Diabetic Patients
DENTAL		
Access to Services	# patients w/documented dental visit during report period	Active GPRA User Population
Sealants	total # of dental sealants during report period	No Denominator (count only)
Topical Fluoride- Patients	# of patients receiving flouride application during report period	No Denominator (count only)
IMMUNIZATIONS		
Influenza 65+	# patients with flu vaccine during report period	Active clinical population 65 +
Pneumovax 65+	# patients with pneumo vaccine during report period	Active clinical population 65 +
Childhood Izs	# patients who received the 4:3:1:3:3:1:4 combo (including contraindications and evidence of disease)	Active GPRA user pop patients age 19-35mo (who are active in the immunization package)
PREVENTION		
Pap Smear Rates	# patients with documented pap smear in past three years	Female active clinical patients age 21-64 (without a documented hysterectomy)
Mammogram Rates	# patients with documented mammogram in past two years	Female active clinical patients age 52-64 (without documented bilateral mastectomy or two unilateral mastectomies)
Colorectal Cancer Screening	# patients who have had any colorectal cancer screening	Active clinical patients age 51-80 without history of colorectal cancer or colectomy
Tobacco Cessation	# patients who received tobacco cessation counseling or an Rx for smoking cesssation	Active clinical patients identified as current tobacco users prior to the report period
FAS Prevention	# patients screened for alcohol use during report period	Female active clinical patients age 15-44
IPV/DV Screening	# patients screened for or diagnosed with DV/IPV during report period	Female active clinical patients age 15-40
Depression Screening	# patients screened for depression or diagnosed with mood disorder during report period	Active clinical patients age 18+
CVD-Comprehensive Assessment	# patients who received a comprehensive CVD assessment	Active IHD patients age 22+
Prenatal HIV Screening	# patients who received HIV test during the past 20 months	All pregnant active clinical patients w/ no documented miscarriage or abortion in past 20 months and no recorded HIV diagnosis ever
Childhood Weight Control	# Patients with a BMI at or above the 95th percentile	Active clinical patients age 2-5 for whom BMI could be calculated

User Population for National GPRA Reporting

- Must have been seen at least once in the three years prior to the end of the time period, regardless of the clinic type, and the visit must be either ambulatory (including day surgery or observation) or a hospitalization; the rest of the service categories are excluded.
- Must be alive on the last day of the Report Period.
- Must be American Indian/Alaska Native (AI/AN) (defined as Beneficiary 01).
- Must reside in a community specified in the site's GPRA community taxonomy, defined as all communities of residence in the defined CHS catchment area.

Active Clinical Population for National GPRA Reporting

- Must have two visits to medical clinics in the past three years. Chart reviews and telephone calls from these clinics do not count; the visits must be face-to-face. At least one visit must be to a core medical clinic. Refer to the CRS User Manual for listing of these clinics.
- Must be alive on the last day of the Report Period.
- Must be American Indian/Alaska Native (AI/AN) (defined as Beneficiary 01).
- Must reside in a community specified in the site's GPRA community taxonomy, defined as all communities of residence in the defined CHS catchment area.

Active Diabetic Patients

- All active clinical patients diagnosed with diabetes at least one year prior to the report period
- At least 2 visits in the past year
- 2 DM-related visits ever

Nephropathy Assessment

- an estimated GFR AND a quantitative urinary protein assessment during the report period OR
- evidence of diagnosis and/or treatment of End Stage Renal Disease (ESRD) at any time before the end of the report period

Colorectal Cancer Screening Definition (includes any of the following)

- Fecal occult blood test (FOBT) during the report period
- Flexible sigmoidoscopy or double contrast barium enema in the past five years
- Colonoscopy in the past 10 years
- documented refusal in the past year

Active IHD Patients

- Active clinical patients diagnosed with ischemic heart disease (IHD) prior to the report period
- At least 2 visits during the report period
- 2 IHD-related visits ever

Comprehensive CVD-Related Assessment

- Blood pressure value documented at least twice in prior two years
- LDL completed in past five years, regardless of result
- Screened for tobacco use during report period
- For whom a BMI could be calculated, including refusals in the past year
- Who have received any lifestyle adaptation counseling during the report period