

Universal Alcohol Screening

- Replaces the Alcohol Screening (FAS Prevention) measure reported in prior years

	Measure Logic
Numerator:	Patients screened for alcohol use or had an alcohol-related diagnosis or procedure during the Report Period
Denominator:	Active Clinical Plus BH patients ages 12 through 75 years

- FY 2017 Target: Baseline

Depression Screening 12-17 year olds

	Measure Logic
Numerator:	Patients screened for depression or diagnosed with a mood disorder at any time during the report period
Denominator:	Active Clinical patients ages 12 through 17,

- FY 2017 Target: Baseline

Screening, Brief Intervention & Referral to Treatment (SBIRT)

	Measure Logic
Numerator:	Patients provided a Brief Negotiated Interview (BNI) or Brief Intervention (BI) in Ambulatory Care within 7 days of screen
Denominator:	Active Clinical Plus BH patients age 9 through 75 years screened positive for risky or harmful alcohol use during the Report Period

- FY 2017 Target: Baseline

Antidepressant Medication Management: Acute Treatment

	Measure Logic
Numerator:	Patients who filled a sufficient number of separate prescriptions or refills of antidepressant medication for continuous treatment of at least 84 days (12 weeks)
Denominator:	As of the 120 th day of the Report Period, User Population patients 18 years and older who were diagnosed with a new episode of depression and treated with antidepressant medication in the past year

- FY 2017 Target: Baseline

Antidepressant Medication Management: Continuous Treatment

	Measure Logic
Numerator:	Patients who filled a sufficient number of separate prescriptions or refills of antidepressant medication for continuous treatment for at least 180 days (6 months)
Denominator:	As of the 120 th day of the Report Period, User Population patients 18 years and older who were diagnosed with a new episode of depression and treated with antidepressant medication in the past year

- FY 2017 Target: Baseline