American Indian Infant Health Initiative (AIIHI)

Patricia Lavalas-Howe, R.N. MSN Nurse Consultant III Indian Health Program





The American Indian Infant Health Initiative (AIIHI)

 Funded in 1995 to address relatively poor maternal child health profile of high-risk American Indian families.

- Home visitation program targeting:
 - high-risk pregnant American Indian women
 - at risk American Indian families with children ages zero to five.

The American Indian Infant Health Initiative (AIIHI)

AIIHI annually receives \$424,000 federal Title V funding through an interagency agreement with the California Department of Public Health (CDPH), Maternal Child Adolescent Health (MCAH) program and the Department of Health Care Services (DHCS), Indian Health Program (IHP).



The goals of the AIIHI are:

- To identify high risk pregnancies and parenting challenges for American Indian women and families
- To assist parents in meeting the challenges of parenting through resources that acknowledge and respect American Indian culture and traditions
- To promote optimal child growth and development

The goals of the AIIHI are:

- To promote trust between the AIIHI staff and parents, to encourage positive parent-child interaction, and improve parenting skills
- To decrease infant mortality rates and teen pregnancy rates
- To decrease late entry into prenatal care

AllHI to 5 Counties:

CALIFORNIA STATE INDIAN HEALTH PROCEDUM American Indian Infant Health Initiative (AIIHI)



- AIIHI is administered in five counties with the highest rates of poor Indian Maternal, Child Health outcomes*
- Five counties include: Humboldt, San Bernardino, Riverside, Sacramento, and San Diego.
 - Encompassing 20% of CA's Al population

^{*}According to State data

Healthy Families America Home Visitation Module

- AllHI is based on a modified version of the national home visitation program, Healthy Families America (HFA).
- It focuses on:
 - the establishment of pre and post pregnancy medical care in the homes
 - completed well-child visits
 - building parenting skills
 - appropriate use of health and social services to to improve outcomes for the family

AIIHI Implementation:

- Local native Community Health Representatives (CHRs) receive supervision from Public Health Nurses (PHNs).
- Most CHRs are American Indian community members who have earned the respect of the community.
- Some of the PHNs are American Indians. PHNs meet weekly with CHRs, monitor family progress, counsel, and maintain the SOW.

Community Health Representatives

- They visit the homes of clients and provide basic health education, support, and referral services.
- AllHI personnel are trained in conducting family based assessments and are provided tools for basic health education.
 - Educational materials developed with funding from the California Endowment are used in the AliHI program.
 - They are culturally appropriate booklets
 - Were developed and adapted with guidance from American Indian community members including program participants, American Indian nurses, and American Indian physicians.

AIIHI Data



- Demographic Data is collected and a Maternal Child Risk Profile is completed when a file is started on a family. A score determines family eligibility.
- The program targets high-risk families with a history of child abuse or neglect, family violence, drug and alcohol abuse, maternal history of mental illness or developmental delays, sexual abuse, limited social support, or a teen facing an unplanned pregnancy.
- Quarterly reports submitted to the State IHP monitors child development checks, frequency of home visits, referrals, family goals, progress of goals, and family education.

AMERICAN INDIAN INFANT HEALTH INITIATIVE (AIIHI) DATABASE FORM

FSW/CHR complete within first quarter of service and submit with an initial Quarterly Progress Report (DHCS 4496).

				Enrollment date (mm/dd/yy)
Client/Mother (MOB) Data				
MOB ID number	MOB date of birth		Age	
American Indian	Education blobast and a	-malatad	Still in school	
Yes No	Education-highest grade of	ompieted	☐ Yes	□No
Marital status		Gravida (including the cur		
Single Married Divorced	☐ Separated			
Currently pregnant ☐ Yes ☐ No If yes, complete the following	EDC (mm/dd/yy)	Date of first prenatal	visit (mm/dd/yy)	Trimester: First Second Third
Yes No If yes, complete the following Recently gave birth	Date of birth	Birth weight child #		Birth weight child #2
Yes No If yes, complete the following	r -	lbs	OZ.	ibs. oz.
Type of birth	Gestation			The state of the s
Singleton Multiple	Preterm (-37 week	s) Full term (38-42	weeks)	Post term (43+ weeks)
Birth Complications (Check all that apply.				
Mother None	Child #1 None		Child #2 None	
Medical (Including C-section)	☐ Medical		☐ Medical	
Drug/alcohol use-related	☐ Drug/alcohol exp	posure	☐ Drug/alcoh	ol exposure
Infections	□ Developmental		□ Developme	
Other (explain):	Other (explain):		Other (expl	ain):
Living with (check all that apply):				Number in household
	☐ Parent(s)/extended fami ☐Other (explain):	lv		
Source of Income (check all that apply):				
	Father of baby (FOB)			
	Other (explain):			
Has child(ren) under age 5 (NOT including the newbo		ow many?	Ho	w old?
Yes No If yes, comple	ete the following:			
Father (FOB) Data				
American Indian Date of birth	(mm/dd/yy) Age If	DOB is unknown, enter es		ived with pregnancy/child Yes No Unknown
Assessments (Maternal/Child Risk Profil	le)			
☐ Not done (If checked, submit the results in fo	•			
Client/MOB Psychosocial Risk Factors (Chec		served risks)		
□ None identified		erres name,		
1. Substance abuse or positive toxicity:	Dwith OR D	without treatment (exp	lain):	
2. Maternal Hx of mental illness or develo		,		
3. Maternal Hx of child abuse, rape, moles	station, or incest (as a vi	ctim)		
4. Age <18 years or >40 years				
 5. Single, separated (legal or geographical 				
 6. Self or partner unemployed or seasonal 				
7. Education <12 th grade or illiterate (Engl				
8. Inadequate income (<200% FPL or on I		-NIEII-A		
Unstable housing (homeless, frequent r	moves, overcrowaea, mi	ultifamily)		
10. No telephone or message only				
☐ 11. Lack of transportation/public transport or dependent on others ☐ 12. First-time mother				
13. Late (after third trimester), inadequate/sporadic, or no prenatal care				
15. Late (airet unit uninesse) inacequatersporation, or no prematar care				
15. Depression or suicidal ideation (past or present)				
16. Depression of suicidal ideation (pass or present) 16. Child/ren) in foster home placement (past or present) or CPS involvement				
10. Children in Toster home placement, glass of present of or a involvement. 17. Hx of domestic/family violence or rape/sexual assault (as a victim)				
18. Other (e.g., no support system/person,	unplanned pregnancy, u	inrealistic expectation of	child developn	nent)
(explain):				
* Each of factors 1-4 is worth 10 points each.				Score
Each of factors 5ce18 is worth 1 point.				[]
Refer client to AllHi If she: (1) score s 10 or higher; or (2) sco	res 5-9 with significant medical	i risk(s) (see —Medical Risk Fa	ctors" on the follow	ing page.

AMERICAN INDIAN INFANT HEALTH INITIATIVE (AIIHI) QUARTERLY PROGRESS REPORT

CHR/FSW complet	te this form every q	uarter.		
Clinic name				
Year	Quarter ending March 31	☐ June 30 ☐ Se	eptember 30	☐ December 31
Client/Mother (MC MOB ID number	OB) Data		MOB date of birth	(mm/dd/vv)
MOD ID Hamber			mice date of billing	(1111102)))
Assessments Client/MOR New Ris	sk Factors (Check if	any new or additional risk t	actors have been id	lentified since previous encounter.)
None identified 1. Substance at 2. Maternal Hx c 3. Maternal Hx c 4. Age <18 year 5. Single, separ 6. Self or partne 7. Education <1 8. Inadequate ir 9. Unstable hou 10. No telephone 11. Lack of trans 12. First-time mo 13. Late (after thi 14. Hx of therape 15. Depression o 16. Child(ren) int 17. Hx of domest 18. Other (e.g., n	buse or positive toxicition for mental illness or do for child abuse, rape, it is or >40 years atted (legal or geograe runemployed or sea 2th grade or illiterate income (<200% FPL or sising (homeless, frequent or message only portation/public transither in trimester), inadequeutic abortion (actual ir suicidal ideation (proster home placeme tic-family violence or incompanion of the placeme tic-family violence or incompanion or mental incompanion in the placeme tic-family violence or incompanion or incompanion in the placeme tic-family violence or incompanion in the placement in the pl	ity with or every with or ity with or every with or ity with or ity with it	without treatme) victim) multifamily) s al care e miscarriages involvement ctim)	
(explain): 19. No changes t	this quarter			
		s (Complete only if new as	sessments were ma	nde.)
Denver Development	tal Test			
		mm/dd/yy):)	☐ Not done
Ages and Stages Qu Normal AllHl Workbook Deve	Delayed—(Date ()	☐ Not done
Normal	☐ Delayed—(Date (mm/dd/yy):)	
Visits Scheduled frequency Weekly Actual number of home	Biweekly	Monthly Number of unsuccessfi	Quarterly Il home visit attempts	Other Number of phone counseling
If no contact was ma Client did not wan Other (explain):		on (check all that apply): Could not locate client		FOB/family member objected

Screenings

PATIENT HEALTH QUESTIONNAIRE – 9 (PHQ-9)

(८॥ल-३)				
Over the last 2 weeks, how often have you been bothered by any of the following problems? (Use "✓" to indicate your answer)	Not at all	Several days	More than half the days	Nearly every day
1. Little interest or pleasure in doing things	0	1	2	3
2. Feeling down, depressed, or hopeless	0	1	2	3
3. Trouble falling or staying asleep, or sleeping too much	0	1	2	3
4. Feeling tired or having little energy	0	1	2	3
5. Poor appetite or overeating	0	1	2	3
6. Feeling bad about yourself — or that you are a failure or have let yourself or your family down	0	1	2	3
7. Trouble concentrating on things, such as reading the newspaper or watching television	0	1	2	3
8. Moving or speaking so slowly that other people could have noticed? Or the opposite — being so fidgety or restless that you have been moving around a lot more than usual	0	1	2	3
9. Thoughts that you would be better off dead or of hurting yourself in some way	0	1	2	3

FOR OFFICE CODING 0 + ____ + ___ + ___

=Total Score:

If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?

Not difficult at all	Somewhat Difficult	Very difficult	Extremely difficult

Each item is scored from 1-5. Thus, scores for this inventory range from 4-20. A score of greater than 10 is considered positive. Follow AIIHI protocol for a positive screen.

"HITS" A domestic violence screening tool for use in the community					
HITS Tool for Intimate Partner Violence Screening: Please read each of the					
following activities and fill	in circle th	at best ind	icates the fre	quency wi	th which
you partner acts in the way depicted.					
How often does your	Never	Rarely	Sometimes	Fairly	Frequently
partner?				often	
1. Physically hurt you					
2. Insult or talk down to					
you					
3. Threaten you with					
harm					
4. Scream or cuss at you					
	1	2	3	4	5

The AUDIT-C is a 3 question screen that can help identify patients with alcohol misuse. The AUDIT-C is scored on a scale of 0-12 points (scores of 0 reflect no alcohol use in the past year). In men, a score of 4 points or more is considered positive for alcohol misuse; in women, a score of 3 points or more is considered positive. Generally, the higher the AUDIT-C score, the more likely it is that the patient's drinking is affecting his/her health and safety. The VA's performance measure requires brief counseling for alcohol use for any patient who scores 5 points or more on the AUDIT-C.

The AUDIT-C questions are:	
Q#1: How often did you have a drink con	taining alcohol in the past year?

□ Never (0 points)*
☐ Monthly or less (1 point)
☐ Two to four times a month (2 points)
☐ Two to three times per week (3 points)
☐ Four or more times a week (4 points)
Q#2: How many drinks containing alcohol did you have on a typical day when you were
drinking in the past year?
□ 0 drinks (0 points)*
☐ 1 or 2 (0 points)
☐ 3 or 4 (1 point)
☐ 5 or 6 (2 points)
☐ 7 to 9 (3 points)
☐ 10 or more (4 points)
Q#3: How often did you have six or more drinks on one occasion in the past year?
☐ Never (0 points)
☐ Less than monthly (1 point)
☐ Monthly (2 points)
☐ Weekly (3 points)
☐ Daily or almost daily (4 points)

Contact Information

Patricia Lavalas-Howe R.N., MSN
Nurse Consultant III
Department of Health Care Services
Indian Health Program
P.O. Box 997413, M.S. 8502
Sacramento, CA 95899-7413
Phone: (916) 440-7749

Email: Patricia.Lavalas-Howe@dhcs.ca.gov

