



## Adolescent vaccine coverage 13 year olds FY12 Q1 – FY16 Q4



Adolescent vaccines: Tetanus toxoid, reduced diphtheria toxoid and acellular pertussis [Tdap], Meningococcal conjugate [MCV4], and human papillomavirus [HPV] vaccines, 1 dose of Tdap or TD, 1 dose of MCV4, 3 doses of HPV [1 Tdap/Td – 1 MCV4 – 3 HPV].

The Adolescent Immunization Report includes all adolescents meeting the electronically-determined “Active Clinical” user definition – i.e. 2 primary care visits in the last 3 years.


## Adolescent vaccine coverage 13-17 year olds FY12 Q1 – FY16 Q4



Adolescent vaccines: Tetanus toxoid, reduced diphtheria toxoid and acellular pertussis [Tdap], Meningococcal conjugate [MCV4], and human papillomavirus [HPV] vaccines, 1 dose of Tdap or TD, 1 dose of MCV4, 3 doses of HPV [1 Tdap/Td – 1 MCV4 – 3 HPV].

The Adolescent Immunization Report includes all adolescents meeting the electronically-determined “Active Clinical” user definition – i.e. 2 primary care visits in the last 3 years.

## HPV vaccine coverage 13 - 17 years (Males and Females combined) FY12 Q1 – FY16 Q4



\* The Adolescent Immunization Report includes all adolescents meeting the electronically-determined “Active Clinical” user definition – i.e. 2 primary care visits in the last 3 years.