

**IHS INFLUENZA AWARENESS
SYSTEM (IIAS) — 2014–2015**


IHS Influenza Awareness System Reporting 2014-2015

IHS Area	# of RPMS Databases Reporting*	# of Facilities Reporting**
NATIONAL	165	367
ALASKA	11	68
ALBUQUERQUE	13	18
BEMIDJI	5	12
BILLINGS	13	28
CALIFORNIA	20	38
GREAT PLAINS	17	31
NASHVILLE	17	24
NAVAJO	7	32
OKLAHOMA	18	45
PHOENIX	18	31
PORTLAND	24	32
TUCSON	2	8

*Exporting databases may include data from multiple facilities.

**Includes only facility categories: Hospital, Health Center, Health Station, Health Location, Alaska Village Clinic.

All IHS Areas
Influenza-Like Illness (ILI) All Surveillance Years - Continuous
Percentage of Visits for ILI per week
01/04/09 to 6/20/15 (Week 25)




Percentage of ILI visits is number of ILI visits divided by total number of daily visits

All IHS Areas

Influenza-Like Illness (ILI) for All Surveillance Years

Percentage of Visits for ILI per week*




*Percentage of ILI visits is number of ILI visits divided by total number of daily visits.
 The horizontal line represents the 2013-2014 baseline. The baseline is the mean percentage of patient visits for ILI during non-influenza weeks for the previous three seasons plus two standard deviations.

Proportion of Outpatient Visits for Influenza-Like Illness (ILI)

Percent ILI for FluYear 2014 - 2015

ILINet vs. IIAS



Percentage of ILI visits is number of ILI visits divided by total number of daily visits (outpatient visits).
 The horizontal line represents the 2013-2014 baseline. The baseline is the mean percentage of patient visits for ILI during non-influenza weeks for the previous three seasons plus two standard deviations.

Sources: ILINet - CDC Sentinal Surveillance System for Influenza-Like Illness, IIAS - IHS Influenza Awareness System

Protect the Circle of Life

**Your Flu Vaccine Protects Me
My Flu Vaccine Protects You**

- The flu vaccine is safe. You can't get the flu from a flu vaccine.
- Pneumonia and flu are a leading cause of death among Native elders.
- Please get a flu vaccine each year to protect you and your family.

Learn more at www.cdc.gov/flu
or call 1-800-CDC-INFO

**I won't spread flu
to my patients
or my family.**

Even healthy people can get the flu, and it can be serious.

Everyone 6 months and older should get a flu vaccine. This means you.

This season, protect yourself—and those around you—by getting a flu vaccine.

For more information, visit: <http://www.flu.gov>

U.S. Department of Health and Human Services
Centers for Disease Control and Prevention

IHS INFLUENZA VACCINE COVERAGE FOR 2014-2015

All IHS Areas
 Seasonal Influenza Vaccine Coverage by Age Group*
 06/29/14 to 6/20/15
 Active Clinical Population**

Age Group	Active Clinical Population**	Seasonal Flu Vaccine (At Least 1 Dose)***	% Seasonal Flu (At Least 1 Dose)	Seasonal Flu Vaccine (At Least 2 Doses)	% Seasonal Flu (At Least 2 Doses)	Total #Doses Administered****
0 - 5 months	5,448	252	4.6	7	0.1	261
6 - 23 months	27,437	18,805	68.5	6,766	24.7	25,638
2 - 4 years	65,493	25,091	38.3	860	1.3	26,035
5 - 17 years	247,647	93,735	37.9	1,054	0.4	95,148
18 - 49 years	521,316	148,974	28.6	1,860	0.4	151,411
50 - 64 years	212,232	93,850	44.2	1,208	0.6	95,476
65 + years	119,077	61,458	51.6	1,014	0.9	62,857
Children (6 months-17 years)	340,577	137,631	40.4	8,680	2.5	146,821
Adults (18 + years)	852,625	304,282	35.7	4,082	0.5	309,744
All (6 months +)	1,193,202	441,913	37.0	12,762	1.1	456,565

* Limited to sites that exported both doses administered and active clinical population data.

** Active Clinical is defined as patients who have had at least 2 visits in the last 3 years.

*** Number of unique patients with at least 1 dose.

**** Total # Doses Administered = All doses administered to patients including doses not included in coverage calculation due to lack of Active Clinical Population data.

All IHS Areas
 Seasonal Influenza Vaccine Coverage by Age Group*
 06/29/14 to 6/20/15
 Active Clinical Population**

Age Group	Active Clinical Population**	Seasonal Flu Vaccine (At Least 1 Dose)***	% Seasonal Flu (At Least 1 Dose)	Seasonal Flu Vaccine (At Least 2 Doses)	% Seasonal Flu (At Least 2 Doses)	Total #Doses Administered****
0 - 5 months	5,448	252	4.6	7	0.1	261
6 - 23 months	27,437	18,805	68.5	6,766	24.7	25,638
2 - 4 years	65,493	25,091	38.3	860	1.3	26,035
5 - 17 years	247,647	93,735	37.9	1,054	0.4	95,148
18 - 49 years	521,316	148,974	28.6	1,860	0.4	151,411
50 - 64 years	212,232	93,850	44.2	1,208	0.6	95,476
65 + years	119,077	61,458	51.6	1,014	0.9	62,857
Children (6 months-17 years)	340,577	137,631	40.4	8,680	2.5	146,821
Adults (18 + years)	852,625	304,282	35.7	4,082	0.5	309,744
All (6 months +)	1,193,202	441,913	37.0	12,762	1.1	456,565


* Limited to sites that exported both doses administered and active clinical population data.

** Active Clinical is defined as patients who have had at least 2 visits in the last 3 years.

*** Number of unique patients with at least 1 dose.


**** Total # Doses Administered = All doses administered to patients including doses not included in coverage calculation due to lack of Active Clinical Population data.

2014–2015 Seasonal Influenza Vaccine Coverage 6 Months and older IHS Active Clinical Population*




* Data from IHS Influenza Awareness System (IIAS)

IHS Influenza Vaccine Coverage 1 dose, All Ages (≥ 6 months)




IHS Healthcare Personnel (HCP) Influenza Vaccination Coverage



Data as of March 31st, 2015.


IHS Influenza Vaccine Coverage reports available at: www.ihs.gov/flu

HCP Influenza Vaccine Coverage by Area 2014–2015



N= 31,016

HCP Influenza Vaccine Coverage by Area 2013–2014 & 2014–2015



N = 2013-2014; 33,157 (160 facilities)
2014-2015; 31,016 (141 facilities)