



RESOURCE AND PATIENT MANAGEMENT SYSTEM

IHS Clinical Quality Mapping

(BCQM)

User Manual

Version 1.0 Patch 13
December 2025

Table of Contents

1.0	Introduction.....	1
2.0	CQM Main Menu Option	2
2.1	NHSN—National Health Safety Network.....	2
Appendix A	Rules of Behavior	8
A.1	All RPMS Users	8
A.1.1	Access.....	8
A.1.2	Information Accessibility	9
A.1.3	Accountability	9
A.1.4	Confidentiality	10
A.1.5	Integrity.....	10
A.1.6	System Logon.....	11
A.1.7	Passwords.....	11
A.1.8	Backups.....	12
A.1.9	Reporting.....	12
A.2	Session Timeouts	12
A.2.1	Hardware.....	12
A.2.2	Awareness.....	13
A.2.3	Remote Access	13
A.2.4	RPMS Developers	14
A.2.5	Privileged Users	14
Glossary.....	17	
Acronym List	18	
Contact Information	19	

1.0 Introduction

The BCQM v1.0 p13 release delivers updated work needed to prepare the electronic Clinical Quality Measures (eCQMs) for the 2025 CMS Reporting Period. eCQMs are tools that help measure and track the quality of healthcare services that eligible clinicians (EC), eligible hospitals (EH), and critical access hospitals (CAH) provide. Measuring and reporting eCQMs helps to ensure that our healthcare system is delivering effective, safe, efficient, patient-centered, equitable, and timely care. This BCQM patch release will also support local quality improvement activities by updating the product to 2025 version and maintaining the Office of the National Coordinator for Health Information Technology (ONC) Certification Criteria for Health IT necessary for participating in various Centers for Medicare and Medicaid Services (CMS) Programs. This criterion includes: IHS Code Mapping, local installation used by inpatient and outpatient facilities, used during data entry to translate the value sets used by RPMS to value sets recognized by CQM. Maps ICD-10, CPT, and HCPCS codes on SNOMED and LOINC codes recognized by the measure.

2.0 CQM Main Menu Option

The clinical quality measure (CQM) is security key restricted. The options from the main menu are shown on the following page. A brief description of each option follows.

```
*****
** BCQM: Associating Hospital Location with NHSN Location Codes **
*****
Version 1 (Patch 13)

2013 DEMO HOSPITAL

NHSN CQM NHSN CONFIGURATION

You have PENDING ALERTS
Enter "VA to jump to VIEW ALERTS option

Select CQM MAIN MENU <TEST ACCOUNT> Option: NHSN CQM NHSN CONFIGURATION
```

Figure 2-1: Main menu for Clinical Quality Measure (CQM)

2.1 NHSN–National Health Safety Network

The **NHSN** option is used to map a Hospital Location (HL) to a NHSN Location Code. Each hospital location can be assigned an appropriate NHSN location code for ECQM measure reporting purposes.

NHSN Resources for users, if needed:

NHSN Chapter 15 CDC Location Labels and Location Descriptions:

https://www.cdc.gov/nhsn/pdfs/pscmanual/15locationsdescriptions_current.pdf

NHSN CDA Submission Portal–Code System: HSLOC

<https://www.cdc.gov/nhsn/cdaportal/terminology/codesystem/hsloc.html>

```
This option is used to map a Hospital Location (HL) to a NHSN Location Code. Each hospital location can be assigned an appropriate NHSN location code for ECQM reporting purposes.
```

```
Do you wish to continue? Y// ES
```

```
The next screen will present all HL and associated NHSN codes.
```

Figure 2-2: Sample Interaction to Update to map a HL to a NHSN Location Code

Update HL NHSN Codes	Aug 01, 2025 15:36:59	Page:	1 of 1
Location Name	TYPE OF LOC.	NHSN Code	NHSN Description
1) DEMO CLINIC ECQM_ONLINE	CLINIC	1026-4	Burn Critical Care
2) 5-C	WARD	1008-2	Radiology
3) 4-A	WARD	1026-4	Burn Critical Care
4) CLINIC DEMO-2	CLINIC	1026-4	Burn Critical Care
5) DEMO RADIOLOGY MEDICATION CLIN	CLINIC	1026-4	Burn Critical Care
6) BEHAVIORAL HEALTH (TIU) SUP	OTHER LOCATIO		
7) EAST (ICU)	OTHER LOCATIO		
8) HD-Brehmeyer	CLINIC	1008-2	Radiology
9) ECQM DAY SURGERY CLINIC	CLINIC	1005-8	Cardiac Catheterization Ro

Enter ?? for more actions

A Add Location
 S Select Hospital Location
 Q Quit
 Select Action:A//

Figure 2-3: Listing of Hospital Locations Mapped to NHSN Location Codes

Select CQM NHSN HL MAPPING LOCATION: DEMO CLINIC MEDICATION CLINICS
 SAEED, FAROOQ
 ...OK? Yes// N (No)
 DEMO
 1 DEMO
 2 DEMO CLINIC ECQM_ONLINE
 3 DEMO RADIOLOGY MEDICATION CLIN
 CHOOSE 1-3: 2
 Are you adding 'DEMO CLINIC ECQM_ONLINE' as
 a new CQM NHSN HL MAPPING (the 16TH)? No// Y (Yes)
 CQM NHSN HL MAPPING LOCATION: DEMO CLINIC ECQM_ONLINE

Figure 2-4: Select Mapping Location

Update HL NHSN Codes	Aug 01, 2025 15:36:59	Page: 1 of 1
Location Name	TYPE OF LOC.	NHSN Code NHSN Description
1) DEMO CLINIC ECQM_ONLINE	CLINIC	1026-4 Burn Critical Care
2) 5-C	WARD	1008-2 Radiology
3) 4-A	WARD	1026-4 Burn Critical Care
4) CLINIC DEMO-2	CLINIC	1026-4 Burn Critical Care
5) DEMO RADIOLOGY MEDICATION CLIN	CLINIC	1026-4 Burn Critical Care
6) BEHAVIORAL HEALTH (TIU) SUP	OTHER LOCATIO	
7) EAST (ICU)	OTHER LOCATIO	
8) HD-Brehmeyer	CLINIC	1008-2 Radiology
9) ECQM DAY SURGERY CLINIC	CLINIC	1005-8 Cardiac Catheterization Ro

Enter ?? for more actions

A Add Location
 S Select Hospital Location
 Q Quit
 Select Action:A//

Figure 2-5: Add Hospital Location for NHSN Location Code Assignment

Update HL NHSN Codes	Aug 01, 2025 15:43:18	Page: 1 of 1
Location Name	TYPE OF LOC.	NHSN Code NHSN Description
1) DEMO CLINIC ECQM_ONLINE	CLINIC	1026-4 Burn Critical Care
2) 5-C	WARD	1008-2 Radiology
3) 4-A	WARD	1026-4 Burn Critical Care
4) CLINIC DEMO-2	CLINIC	1026-4 Burn Critical Care
5) DEMO RADIOLOGY MEDICATION CLIN	CLINIC	1026-4 Burn Critical Care
6) BEHAVIORAL HEALTH (TIU) SUP	OTHER LOCATIO	
7) EAST (ICU)	OTHER LOCATIO	
8) HD-Brehmeyer	CLINIC	1008-2 Radiology
9) ECQM DAY SURGERY CLINIC	CLINIC	1005-8 Cardiac Catheterization Ro

Enter ?? for more actions

Q Quit
 Select Action:A// S Select Hospital Location

Which item(s): (1-9):

Figure 2-6: Select Hospital Location from List


```
Which item(s): (1-9): 6

LOCATION: BEHAVIORAL HEALTH (TIU) SUP//  

NHSN CODE: 1091-8// 109
  1 1091-8      Pediatric Dialysis Specialty Care Area
  2 1092-6      Solid Organ Transplant Specialty Care Area
  3 1093-4      Pediatric Solid Organ Transplant Specialty Care Area
  4 1095-9      Cesarean Section Room/Suite
  5 1096-7      Operating Room/Suite
Press <RETURN> to see more, '^' to exit this list, OR
CHOOSE 1-5: 5 1096-7      Operating Room/Suite

Press <ENTER> to continue : █
```

Figure 2-7: Select NHSN Code from Options List



Location Name	TYPE OF LOC.	NHSN Code	NHSN Description
1) DEMO CLINIC ECQM_ONLINE	CLINIC	1026-4	Burn Critical Care
2) 5-C	WARD	1008-2	Radiology
3) 4-A	WARD	1026-4	Burn Critical Care
4) CLINIC DEMO-2	CLINIC	1026-4	Burn Critical Care
5) DEMO RADIOLOGY MEDICATION CLIN	CLINIC	1026-4	Burn Critical Care
6) BEHAVIORAL HEALTH (TIU) SUP	OTHER LOCATIO		
7) EAST (ICU)	OTHER LOCATIO		
8) HD-Brehmeyer	CLINIC	1008-2	Radiology
9) ECQM DAY SURGERY CLINIC	CLINIC	1005-8	Cardiac Catheterization Ro

Enter ?? for more actions

Q Quit
Select Action:A// S Select Hospital Location


Which item(s): (1-9): █

Figure 2-8: Select TYPE OF LOC. NHSN Code NHSN Description

```
Which item(s): (1-9): 6

LOCATION: BEHAVIORAL HEALTH (TIU) SUP//  
NHSN CODE: 1091-8// 109  
1 1091-8      Pediatric Dialysis Specialty Care Area  
2 1092-6      Solid Organ Transplant Specialty Care Area  
3 1093-4      Pediatric Solid Organ Transplant Specialty Care Area  
4 1095-9      Cesarean Section Room/Suite  
5 1096-7      Operating Room/Suite  
Press <RETURN> to see more, '^' to exit this list, OR  
CHOOSE 1-5: 5 1096-7  Operating Room/Suite  
Press <ENTER> to continue :
```

Figure 2-9: Location: Behavior Health Code Selection



10.76.0.15 - InterSystems IRIS Telnet

File Edit Connect Help

Update HL NHSN Codes Aug 01, 2025 15:43:18 Page: 1 of 1

Location Name	TYPE OF LOC.	NHSN Code	NHSN Description
1) DEMO BLINIC ECQM_ONLINE	CLINIC	1026-4	Burn Critical Care
2) 5-C	WARD	1008-2	Radiology
3) 4-A	WARD	1026-4	Burn Critical Care
4) CLINIC DEMO-2	CLINIC	1026-4	Burn Critical Care
5) DEMO RADIOLOGY MEDICATION CLIN	CLINIC	1026-4	Burn Critical Care
6) BEHAVIORAL HEALTH (TIU) SUP	OTHER LOCATIO		
7) EAST (ICU)	OTHER LOCATIO		
8) HD-Brehmeyer	CLINIC	1008-2	Radiology
9) ECQM DAY SURGERY CLINIC	CLINIC	1005-8	Cardiac Catheterization Ro

Enter ?? for more actions

Q Quit

Select Action:A// S Select Hospital Location

Which item(s): (1-9):

Figure 2-10: Select Hospital Location

Location Name	TYPE OF LOC.	NHSN Code	NHSN Description
1) DEMO CLINIC ECQM_ONLINE	CLINIC	1026-4	Burn Critical Care
2) 5-C	WARD	1008-2	Radiology
3) 4-A	WARD	1026-4	Burn Critical Care
4) CLINIC DEMO-2	CLINIC	1026-4	Burn Critical Care
5) DEMO RADIOLOGY MEDICATION CLIN	CLINIC	1026-4	Burn Critical Care
6) BEHAVIORAL HEALTH (TIU) SUP	OTHER LOCATIO		
7) EAST (ICU)	OTHER LOCATIO		
8) HD-Brehmeyer	CLINIC	1008-2	Radiology
9) ECQM DAY SURGERY CLINIC	CLINIC	1005-8	Cardiac Catheterization Ro

Enter ?? for more actions

Q Quit

Select Action:A// S Select Hospital Location

Which item(s): (1-9):

Figure 2-11: Selection Action/Selection Hospital Location

LOCATION: EAST (ICU) // @

SURE YOU WANT TO DELETE THE ENTIRE CQM NHSN HL MAPPING? Y (Yes)

Figure 2-12: Delete Hospital Location for NHSN Location Code Assignment

Appendix A Rules of Behavior

The Resource and Patient Management (RPMS) system is an information system operated by the United States Department of Health and Human Services (HHS) and the Indian Health Service (IHS) that is FOR OFFICIAL USE ONLY. The RPMS system is monitored; therefore, no expectation of privacy shall be assumed. Individuals found performing unauthorized activities are subject to disciplinary action, including criminal prosecution.

In accordance with IHS policy, all RPMS users (Contractors and IHS Employees) will be provided a copy of the Rules of Behavior (ROB) and must acknowledge that they have received and read them before being granted access to an RPMS system.

- For a listing of general ROB for all users, see the most recent edition of the IHS General User Security Handbook (SOP 06-11a).
- For a listing of system administrators/managers' rules, see the most recent edition of the IHS Technical and Managerial Handbook (SOP 06-11b).

Both documents are available on this IHS Website:
<https://home.ihs.gov/security/index.cfm>.

Note: Users must be logged on to the IHS D1 Intranet to access these documents.

The ROB listed in the following sections are specific to RPMS.

A.1 All RPMS Users

In addition to these rules, each application may include additional ROBs that may be defined within that application's documentation (e.g., dental, pharmacy).

A.1.1 Access

RPMS users shall:

- Only use data for which you have been granted authorization.
- Only give information to personnel who have access authority and have a need to know.
- Always verify a caller's identification and job purpose with your supervisor or the entity provided as an employer before providing any information system access, sensitive or nonpublic agency information.
- Be aware that personal use of information resources is authorized on a limited basis within the provisions of Indian Health Manual Part 8, "Information Resources Management," Chapter 6, "Limited Personal Use of Information Technology Resources."

RPMS users shall not:

- Retrieve information for someone who does not have the authority to access the information.
- Access, research, or change any user account, file, directory, table, or record not required to perform their official duties.
- Store sensitive files on a PC hard drive, portable devices, or media if access to the PC or files cannot be physically or technically limited.
- Exceed their authorized access limits in RPMS by changing information or searching databases beyond the responsibilities of their jobs or by divulging information to anyone not authorized to know that information.

A.1.2 Information Accessibility

RPMS shall restrict access to information based on the type and identity of the user. However, regardless of the type of user, access shall be restricted to the minimum level necessary to perform the job.

RPMS users shall:

- Access only those documents they created and those other documents to which they have a valid need-to-know and to which they have specifically granted access through an RPMS application based on their menus (job roles), keys, and FileMan access codes. Some users may be afforded additional privileges based on their functions, such as system administrator or application administrator.
- Acquire a written preauthorization in accordance with IHS policies and procedures before interconnection to or transferring data from RPMS.

A.1.3 Accountability

RPMS users shall:

- Behave ethically, technically proficient, informed, and trustworthy.
- Log out of the system whenever they leave the vicinity of their personal computers (PCs).
- Be alert to threats and vulnerabilities in the security of the system.
- Report all security incidents to their local Information System Security Officer (ISSO)
- Differentiate tasks and functions to ensure that no person has sole access to or control of important resources.
- Protect all sensitive data entrusted to them as part of their government employment.

- Abide by all Department and Agency policies, procedures, and guidelines related to ethics, conduct, behavior, and information technology (IT) information processes.

A.1.4 Confidentiality

RPMS users shall:

- Be aware of the sensitivity of electronic and hard copy information and protect it accordingly.
- Store hard copy reports/storage media containing confidential information in a locked room or cabinet.
- Erase sensitive data on storage media before reusing or disposing of the media.
- Protect all RPMS terminals from public viewing at all times.
- Abide by all Health Insurance Portability and Accountability Act (HIPAA) regulations to ensure patient confidentiality.

RPMS users shall not:

- Allow confidential information to remain on the PC screen when someone not authorized to access that data is nearby.
- Store sensitive files on a portable device or media without encrypting.

A.1.5 Integrity

RPMS users shall:

- Protect their systems against viruses and similar malicious programs.
- Observe all software license agreements.
- Follow industry standard procedures for maintaining and managing RPMS hardware, operating system software, application software, and/or database software and database tables.
- Comply with all copyright regulations and license agreements associated with RPMS software.

RPMS users shall not:

- Violate federal copyright laws.
- Install or use unauthorized software within the system libraries or folders.
- Users may not use freeware, shareware, or public domain software on/with the system without their manager's written permission and without first scanning it for viruses.

A.1.6 System Logon

RPMS users shall:

- Have a unique user identification/account name and password.
- Be granted access based on authenticating the account name and password entered.
- Be locked out of an account after five successive failed login attempts within a specified time period (e.g., one hour).

A.1.7 Passwords

RPMS users shall:

- Change passwords a minimum of every 90 days.
- Create passwords with a minimum of eight characters.
- If the system allows, use a combination of alpha-numeric characters for passwords, with at least one uppercase letter, one lowercase letter, and one number. If possible, it is recommended that a special character be used in the password.
- Change vendor-supplied passwords immediately.
- Protect passwords by committing them to memory or storing them safely (do not store passwords in login scripts or batch files).
- Change passwords immediately if the password has been seen, guessed, or otherwise compromised, and report the compromise or suspected compromise to their ISSO.
- Keep user identifications (IDs) and passwords confidential.

RPMS users shall not:

- Use common words found in any dictionary as a password.
- Use obvious readable passwords or passwords that incorporate personal data elements (e.g., user's name, date of birth, address, telephone number, or social security number; names of children or spouses; favorite band, sports team, or automobile; or other personal attributes).
- Share passwords/IDs with anyone or accept using another's password/ID, even if offered.
- Reuse passwords. A new password must contain no more than five characters per eight characters from the previous password.
- Post passwords.
- Keep a password list in an obvious place, such as under keyboards, in desk drawers, or in any other location where it might be disclosed.

- Give a password out over the phone.

A.1.8 Backups

RPMS users shall:

- Plan for contingencies such as physical disasters, loss of processing, and disclosure of information by preparing alternate work strategies and system recovery mechanisms.
- Make backups of systems and files on a regular, defined basis.
- If possible, store backups away from the system in a secure environment.

A.1.9 Reporting

RPMS users shall:

- Contact and inform their ISSO that they have identified an IT security incident and begin the reporting process by providing an IT Incident Reporting Form regarding this incident.
- Report security incidents as detailed in the IHS Incident Handling Guide (SOP 05-03).

RPMS users shall not:

- Assume that someone else has already reported an incident. The risk of an incident going unreported far outweighs the possibility that an incident gets reported more than once.

A.2 Session Timeouts

The RPMS system implements system-based timeouts, which allow users to exit a prompt after 5 minutes of inactivity.

RPMS users shall:

- Utilize a screen saver with password protection set to suspend operations at no greater than 10 minutes of inactivity. This will prevent inappropriate access and viewing of any material displayed on the screen after some period of inactivity.

A.2.1 Hardware

RPMS users shall:

- Avoid placing system equipment near obvious environmental hazards (e.g., water pipes).
- Keep an inventory of all system equipment.

- Keep records of maintenance/repairs performed on system equipment.

RPMS users shall not:

- Eat or drink near system equipment.

A.2.2 Awareness

RPMS users shall:

- Participate in organization-wide security training as required.
- Read and adhere to security information pertaining to system hardware and software.
- Take the annual information security awareness.
- Read all applicable RPMS manuals for the applications used in their jobs.

A.2.3 Remote Access

Each subscriber organization establishes its own policies for determining which employees may work at home or in other remote workplace locations. Any remote work arrangement should include policies that:

- Are in writing.
- Provide remote user authentication through ID and password or other acceptable technical means.
- Outline the work requirements, security safeguards, and procedures the employee must follow.
- Ensure adequate storage of files, removal, and nonrecovery of temporary files created in processing sensitive data, virus protection, and intrusion detection, and provide physical security for government equipment and sensitive data.
- Establish mechanisms to back up data created and/or stored at alternate work locations.

Remote RPMS users shall:

- Remotely access RPMS through a virtual private network (VPN) whenever possible. Direct dial-in access must be justified and approved in writing, and its use secured in accordance with industry best practices or government procedures.

Remote RPMS users shall not:

- Disable any encryption established for network, internet, and Web browser communications.

A.2.4 RPMS Developers

RPMS developers shall:

- When writing or revising code, always remember to protect the confidentiality, availability, and integrity of RPMS.
- Always follow the IHS RPMS Programming Standards and Conventions (SAC) when developing RPMS.
- Only access information or code within the namespaces they have been assigned as part of their duties.
- Remember that all RPMS code is the property of the U.S. Government, not the developer.
- Not access live production systems without obtaining appropriate written access and shall only retain that access for the shortest period possible to accomplish the task that requires the access.
- Observe the separation of duties, policies, and procedures to the fullest extent possible.
- Document or comment on all changes to any RPMS software when the change or update is made. Documentation shall include the programmer's initials, change date, and reason for the change.
- Checksums or other integrity mechanisms should be used when releasing their certified applications to ensure the integrity of the routines within their RPMS applications.
- Follow industry best standards for systems assigned to develop, maintain, and abide by all Department and Agency policies and procedures.
- Document and implement security processes whenever available.

RPMS developers shall not:

- Write any code that adversely impacts RPMS, such as backdoor access, "Easter eggs," time bombs, or any other malicious code, or make inappropriate comments within the code, manuals, or help frames.
- Grant any user or system administrator access to RPMS unless proper documentation is provided.
- Release any sensitive agency or patient information.

A.2.5 Privileged Users

Personnel with significant access to processes and data in RPMS, such as system security administrators, systems administrators, and database administrators, have added responsibilities to ensure its secure operation.

Privileged RPMS users shall:

- Verify that any user requesting access to any RPMS system has completed the appropriate access request forms.
- Ensure that government and contractor personnel understand and comply with license requirements. End users, supervisors, and functional managers are ultimately responsible for this compliance.
- Advise the system owner on matters concerning information technology security.
- Assist the system owner in developing security plans, risk assessments, and supporting documentation for the certification and accreditation process.
- Ensure that any changes to RPMS that affect contingency and disaster recovery plans are conveyed to the person responsible for maintaining continuity of operations plans.
- Ensure that adequate physical and administrative safeguards are operational within their areas of responsibility and that access to information and data is restricted to authorized personnel on a need-to-know basis.
- Verify that users have received appropriate security training before allowing access to RPMS.
- Implement applicable security access procedures and mechanisms, incorporate appropriate levels of system auditing, and review audit logs.
- Document and investigate known or suspected security incidents or violations and report them to the ISSO, Chief Information Security Officer (CISO), and systems owner.
- Protect the supervisor, superuser, or system administrator passwords.
- Avoid instances where the same individual is responsible for several functions (e.g., transaction entry and transaction approval).
- Watch for unscheduled, unusual, and unauthorized programs.
- Help train system users on the appropriate use and security of the system.
- Establish protective controls to ensure the system's accountability, integrity, confidentiality, and availability.
- Replace passwords when a compromise is suspected. Delete user accounts as quickly as possible after the user is no longer authorized to use the system. Passwords forgotten by their owner should be replaced, not reissued.
- Terminate user accounts when a user transfers or has been terminated. If the user has the authority to grant authorizations to others, review these other authorizations. Retrieve any devices used to gain access to the system or equipment. Cancel login IDs and passwords and delete or reassign related active and backup files.

- If the system is left on and unattended, use a suspended program to prevent an unauthorized user from logging on with the current user's ID.
- Verify the user's identity when resetting passwords. This can be done in person or by having the user answer a question that can be compared to one in the administrator's database.
- Shall follow industry best standards for systems they are assigned to and abide by all Department and Agency policies and procedures.

Privileged RPMS users shall not:

- Access any files, records, systems, etc., that are not explicitly needed to perform their duties.
- Grant any user or system administrator access to RPMS unless proper documentation is provided.
- Release any sensitive agency or patient information.

Glossary

Hospital Location

Locations at an RPMS site where patient care is provided.

Acronym List

Acronym	Meaning
eCQM	Electronic Clinical Quality Measures
IHS	Indian Health Service
NHSN	National Health Safety Network
RPMS	Resource and Patient Management System

Contact Information

If you have any questions or comments regarding this distribution, please contact the IHS IT Service Desk.

Phone: (888) 830-7280 (toll free)

Web: <https://www.ihs.gov/itsupport/>

Email: itsupport@ihs.gov