



RESOURCE AND PATIENT MANAGEMENT SYSTEM

Master Patient Index

(AGMP)

Technical Manual

Version 1.0 Patch 5
June 2026

Office of Information Technology
Division of Information Technology

Table of Contents

1.0	Introduction.....	1
2.0	Implementation and Maintenance	3
2.1	General Information	3
2.2	System Requirements	3
2.3	Security Keys.....	3
2.4	HL7 Messaging.....	3
2.4.1	Outbound Patient ADT	4
2.4.2	Inbound ACKs	5
2.4.3	Inbound MFN.....	5
2.4.4	Outbound MFK	5
2.5	HL7 Message Types.....	6
2.5.1	ADT/ACK A28–Add Person Information	6
2.5.2	ADT/ACK A08–Update Patient Information	7
2.5.3	ADT/ACK A01–Admit/Visit Notification	9
2.5.4	ADT/ACK A03–Discharge/End Visit	11
2.5.5	MFN/MFK M05–Location Master File	12
2.6	HL7 Escape Characters.....	12
2.7	Obtaining Data Dictionary Listings.....	12
2.8	AGMPI.PatientRegistration Production.....	12
3.0	Routines	14
3.1	Routines Description.....	14
4.0	Classes	15
4.1	Classes Description	15
4.2	Method List	16
4.2.1	AGMPI.Adapters.AlertInbound.OnTask.....	16
4.2.2	AGMPI.Adapters.HLOGlobalInbound.OnTask.....	16
4.2.3	AGMPI.Adapters.HLOGlobalInbound.GetFilemanDateTime	16
4.2.4	AGMPI.Adapters.HLOGlobalOutbound.FileMessage	17
4.2.5	AGMPI.Adapters.HLOGlobalOutbound.GetNewIENA	17
4.2.6	AGMPI.Adapters.HLOGlobalOutbound.GetNewIENB	17
4.2.7	AGMPI.Adapters.HLOGlobalOutbound.GetFilemanDateTime	17
4.2.8	AGMPI.Adapters.HLOGlobalOutbound.SendAlert.....	18
4.2.9	AGMPI.Install.Installer.setup	18
4.2.10	AGMPI.Install.Installer.SetupDefaults.....	18
4.2.11	AGMPI.Install.PostInstall.RunTask.....	18
4.2.12	AGMPI.Install.PreInstall.RunTask	18
4.2.13	AGMPI.Manage.ApplicationStatus.DisplaySummary	19
4.2.14	AGMPI.Manage.ApplicationStatus.DisplayBasicInfo	19
4.2.15	AGMPI.Manage.ApplicationStatus.GetSiteInfo	19
4.2.16	AGMPI.Manage.ApplicationStatus.GetPatches.....	19

4.2.17	AGMPI.Manage.ApplicationStatus.GetProductionStatus	20
4.2.18	AGMPI.Manage.ApplicationStatus.GetProductionSettings.....	20
4.2.19	AGMPI.Manage.ApplicationStatus.GetTaskStatus.....	20
4.2.20	AGMPI.Manage.ApplicationStatus.GetTaskRunTime	20
4.2.21	AGMPI.Manage.ApplicationStatus.DisplayQueues	21
4.2.22	AGMPI.Manage.ApplicationStatus.DisplaySiteInfo.....	21
4.2.23	AGMPI.Manage.ApplicationStatus.GetDuzFromTmUser	21
4.2.24	AGMPI.Manage.ApplicationStatus.DisplayQueueInfo	21
4.2.25	AGMPI.Manage.ApplicationStatus.DisplayIOMessages.....	21
4.2.26	AGMPI.Manage.ApplicationStatus.DisplayUSMessages6	22
4.2.27	AGMPI.Manage.ApplicationStatus.PageBreak.....	22
4.2.28	AGMPI.Manage.ApplicationStatus.FilemanToTimestamp.....	22
4.2.29	AGMPI.Manage.ApplicationStatus.Output.....	22
4.2.30	AGMPI.Manage.ApplicationStatus.ConvertSpecialCharacters.....	23
4.2.31	AGMPI.Manage.Facility.QueueFacilityJob	23
4.2.32	AGMPI.Manage.Facility.QueueNewFacilities	23
4.2.33	AGMPI.Manage.RemoveAGMPCHK.....	23
4.2.34	AGMPI.Operations.MPI.OnMessage	24
4.2.35	AGMPI.Operations.RPMS.OnMessage	24
4.2.36	AGMPI.Services.Alert.OnProcessInput	24
4.2.37	AGMPI.Services.MPI.OnProcessInput	24
4.2.38	AGMPI.Services.RPMS.OnProcessInput	25
4.2.39	AGMPI.Task.StatusCheck.OnTask	25
4.2.40	AGMPI.Task.StatusCheck.SendEmail.....	25
4.2.41	AGMPI.Task.StatusCheck.GetStatusString.....	25
5.0	Schemas.....	26
5.1	Schema Description.....	26
6.0	Files	27
6.1	File List	27
6.2	File Access	27
6.3	Cross References	27
6.4	Table File.....	28
7.0	External Relations	29
7.1	Callable Routines.....	29
7.2	Published Entry Points.....	29
7.3	Exported Options	29
7.4	External Entry Points	30
8.0	Internal Relations	32
9.0	Mail Group.....	33
10.0	Parameters.....	34
10.1	MPI Facility List.....	34
10.2	Application Status	35

11.0 Menu Diagram..... 36

12.0 Protocols and Links 37

 12.1 Protocols..... 37

 12.2 Links 37

13.0 Purging..... 39

14.0 How to Generate Online Documentation 40

 14.1 %INDEX 40

 14.2 Inquire Option 41

 14.3 Print Option File 41

 14.4 List File Attributes 41

 14.5 Class Reference 42

 14.6 Production Configuration 42

Glossary..... 43

Acronym List 45

Contact Information 46

List of Figures

Figure 2-1: ADT-A28—Add Person or Patient Information message sent from RPMS to MPI ...	7
Figure 2-2: ACK-A28—Commit acknowledgment sent from MPI to RPMS	7
Figure 2-3: ACK-A28—Application acknowledgment sent from MPI to RPMS.....	7
Figure 2-4: ADT A08—Update Patient Information message sent from RPMS to MPI	9
Figure 2-5: ACK-A08—Commit acknowledgment sent from MPI to RPMS	9
Figure 2-6: ACK-A08—Application acknowledgment sent from MPI to RPMS.....	9
Figure 2-7: ADT A01—Admit/Visit Notification message sent from RPMS to MPI	10
Figure 2-8: ACK A01—Commit acknowledgment sent from MPI to RPMS.....	10
Figure 2-9: ACK A01—Application acknowledgment sent from MPI to RPMS	11
Figure 2-10: ADT A03—Discharge/End Visit message sent from RPMS to MPI	12
Figure 2-11: ACK-A03—Commit acknowledgment sent from MPI to RPMS	12
Figure 2-12: ACK-A03—Application acknowledgment sent from MPI to RPMS.....	12
Figure 10-1: EDIT option menu	34
Figure 10-2: Editing the MPI facility list.....	35
Figure 10-3: Editing the application status	35
Figure 11-1: Menu Diagram for MPI and RPT menus	36
Figure 12-1: HL LOGICAL LINK	38

Revision History

Date of Change	Location of Revision	Revision
06/2021	All sections	First published
06/2022	Multiple	Updated for p1
08/2023	Preface Sections 1.0, 2.4.4, 2.5.6, 2.8, 3.1, 7.3, 11.0	Updated information based on deprecation of the Treating Facility List file and associated menu options
08/2023	Section 2.1	Removed Patient Merge recommendation
08/2023	Section 2.2	Removed requirements for earlier releases
08/2023	Section 2.3	Updated security key name
08/2023	Section 3.1	Added p2 post-install routine
09/2023	Section 12.2	Mask IP address and port number
04/2024	Sections 1.0, 2.4.1, 2.5.5, 7.3, 11.0	Removed A40 messages
04/2024	Sections 2.2, 3.1	Updated for p3
04/2024	Sections 3.1, 4.1, 4.2.13-30, 11.0	Added application status report information
04/2024	Section 13.0	Updated purge information
10/2025	Section 3.1	Updated for p4
10/2025	Preface; Sections 2.1, 2.8, 3.1, 4.1, 4.2, 7.3, 13.0, 14.5, 14.6	Updated to IRIS
10/2025	Sections 2.4.1, 2.5, 6.4	Added GUID, prod/test flag, and pivot table throttle information
04/2026	Sections 2.2, 3.1	Updated for p5
04/2026	Section 2.5	Updated ZPD segments
04/2026	Sections 4.1, 4.2, 6.3, 6.4, 10.0	Added MPI facility list information and updated EDIT option

Preface

For over 20 years, hospitals and health centers of the Indian Health Service and numerous tribal health programs have utilized an information system called the Resource and Patient Management System (RPMS). The RPMS Master Patient Index (MPI) is a suite of software applications designed to improve quality of care and patient safety in Direct Indian Health Service/Tribal/Urban facilities.

Traditionally, patient records have been maintained separately from those at other facilities. MPI was developed to establish the framework for sharing patient information between sites. The MPI creates a common database that allows patients and healthcare providers to work together to create a unified healthcare plan.

During the initialization to the MPI, each active patient record receives an Integration Control Number (ICN), also known as an Enterprise Unique Identifier (EUID). The creation of the ICN or EUID allows access to MPI patient data and provides a means through a single best record to bring disparate records and facilities together. For example, Patient A is seen at multiple facilities and data is sent to MPI. MPI must link all disparate records into a single best record by using a matching matrix. The matching matrix uses weighted factors in various data fields to determine if the records belong to the same patient.

Benefits of using MPI include an improvement in patient care because providers can share data common to a single patient across the enterprise. Upon implementation of this software package, a site will become part of the network of sites that share key demographic data for patients via HL7 messaging.

The MPI interface transfers patient data via HL7 messages to the MPI database. The RPMS HL7-Optimized (HLO) application and IRIS production interface work together to send patient admission, discharge, and transfer (ADT) information to the MPI and to receive and store information.

Trademark Notice

Caché® and IRIS® are registered trademarks of InterSystems Corporation.

HL7® and Health Level Seven® are registered trademarks of Health Level Seven International.

1.0 Introduction

The Master Patient Index (MPI) is composed of a unique list of patients and a current list of facilities where each patient has been seen. This enables the sharing of patient data between operationally and regionally diverse systems. Each record (or index entry) in the MPI contains a small amount of patient data used to identify individual entries.

An MPI is a dynamic, secured directory of uniquely identifiable persons with links to their medical and insurance data located anywhere within the enterprise. MPI software utilizes a variety of probabilistic and other forms of matching algorithm protocols to evaluate and match identities. The mission of the MPI is to uniquely identify a patient and to link that patient's data throughout the Indian Health Service (IHS) facilities using the Integration Control Number (ICN), also known as the Enterprise Unique Identifier (EUID). The MPI is the authoritative source of a patient's ICN, the enterprise-wide identifier for IHS facilities and the key to accessing a patient's record. The accuracy of patient information and patient identification directly affects clinical, administrative, billing, and interdepartmental processes.

One factor contributing to unreliability of a database is duplicate records. If there are duplicate entries in the MPI for a patient, a physician will not see a complete picture of the care provided at other sites. In addition, inter-facility consults between sites cannot be accomplished. Duplicate entries in the MPI require examination to verify whether they are or are not the same patient with more than one ICN. Therefore, identifying ways to deal with duplicate records is a standard part of the process. One way to begin managing duplicate records is to clean files to reduce the number of duplicate records before they are placed in the MPI. Whether files are reviewed before or after the MPI is implemented, duplicate record management must occur on an ongoing basis once the database is in place.

An MPI can provide comprehensive, accurate patient record information to practitioners at the point of care to enhance patient safety, efficiency, and effectiveness in healthcare delivery for American Indian/Alaska Native (AI/AN) people. The MPI can provide real-time data that can be used for quality improvement measurements.

With the MPI's ability to uniquely differentiate patients who are seen at more than one facility and to provide a list of all facilities at which a patient receives care, the door is open for use by other applications. As IHS moves closer to having one electronic record for each patient and being able to share that record among stakeholders, it is critical that each patient's unique record identity is maintained and that duplicate patient records are eliminated.

This document focuses on identifying the requirements for an interface that enables secure communication of specified data between the RPMS database and the MPI database in a way that easily and quickly enables users of the MPI to obtain updated information about patients and health care providers, and enables RPMS administrators to identify problems, provide maintenance, and support the interface.

This interface includes the following functionality:

- **HL7 A28 Add a Patient Message from RPMS:** Sends patient data to the MPI when the Add a Patient option is used in Patient Registration (AG)
- **HL7 A08 Update a Patient Message from RPMS:** Sends patient data to the MPI whenever cross-referenced fields are edited in Patient Registration (AG) edit screens
- **HL7 A01 Check in and Check out Message from RPMS:** Sends patient data to the MPI whenever a patient is checked in or checked out
- **HL7 A03 Admissions and Discharges Message from RPMS:** Sends patient data to the MPI whenever a patient is admitted or discharged
- **HL7 M05 Location Master File Message from MPI:** Receives treating facility information from the MPI whenever a patient is seen at a new facility or two patient records are linked in the MPI. Beginning in p2, the treating facility list is deprecated and M05 messages are not processed, although the central MPI may still send messages to RPMS.

2.0 Implementation and Maintenance

2.1 General Information

The Master Patient Index application consists of two parts, which reside in separate IRIS databases. The RPMS part of the MPI interface, which includes options, security keys, routines, and protocols, uses the AGMP namespace in the RPMS database. The IRIS Interoperability part of the interface, which includes classes and an IRIS production, is located in the AGMPI package in the AGMPI database.

The interface was previously implemented as Patient Registration (AG) v7.2. Installing AGMP v1.0 of the interface replaces AG v7.2.

2.2 System Requirements

- AGMP*1.0*4
- XU*8.0*1020
- DI*22.0*1020

2.3 Security Keys

AGMPZMENU. Key for the main AGMPI menu, which contains both the upload menu and the menu to send individual messages. This should be given to site managers or those assigned responsibility for monitoring the MPI messaging module. Prior to p2, the security key was named AGMPZMGR.

Table 2-1: Security keys and the roles they are assigned to

Security Key	Description	Assign To
AGMPZMENU	LOCKS MPI MANAGER MENU	Site managers and anyone responsible for the interface.

2.4 HL7 Messaging

HL7 (Health Level Seven) is a standard protocol that specifies the implementation of electronic data exchange between two computer applications (sender and receiver) in healthcare environments. HL7 allows healthcare institutions to exchange key sets of data from different application systems. Specifically, it the standard defines the following:

- The data to be exchanged
- The timing of the interchange
- The communication of acknowledgments and errors to the sending application

The formats are general in nature and must be configured to meet the needs of the two applications involved. An HL7 interface specification should be written detailing which formats (events, messages, segments, and fields) will be used and which lower-level protocol will be implemented in order for the two applications to interface with one another.

The HL7 protocol defines the content and format of abstract messages and transactions for interface capabilities for various areas, including the following:

- Admission, discharge, and transfer (ADT)
- Order entry
- Query
- Financial applications such as charge, payment adjustments, and insurance
- Ancillary data reporting for laboratory, radiology, pharmacy, etc.

In HL7, information is exchanged using HL7 messages when an event occurs in an application. Each HL7 message consists of one or more HL7 segments. A segment can be thought of as a record in a file. Each segment consists of one or more fields separated by a special character called the field separator. The field separator character is defined in the Message Header (MSH) segment of an HL7 message. The MSH segment is always the first segment in every HL7 message. Each field is assigned an HL7 data type (e.g., numeric, text).

2.4.1 Outbound Patient ADT

The MPI application uses four outbound HL7 message types:

- **ADT A28 Add Person Information** sends patient data to the MPI when the Add a Patient option is used in Patient Registration (AG).
- **ADT A08 Update Patient Information** sends patient data to the MPI whenever cross-referenced fields are edited in Patient Registration (AG) edit screens.
- **ADT A01 Admit/Visit Notification** sends patient data to the MPI whenever a patient is admitted or checked in.
- **ADT A03 Discharge/End Visit** sends patient data to the MPI whenever a patient is discharged or checked out.

After the initial installation of the MPI application, there is a patient load of all existing patients with no ICN. All patients are included, because initially no patient will have this field populated. This background job creates an A28 (Add Person Information) message for each patient without an ICN. This initial load is a TaskMan job that sites run at the site. The time required to run this job depends on the number of patients and the system activity. It runs with a low priority.

After the load is completed, new registrations and updates are triggered by certain events in Patient Registration, such as adding/registering a patient, editing patient demographic information, checking a patient in or out, or admitting and discharging a patient. Registration messages can be sent manually as well.

To assist the central MPI prevent data corruption by verifying the source of the ADT messages, the local MPI application sets a prod/test flag in MSH-11.1 (Processing ID) and the IRIS instance GUID (globally unique identifier) in ZPD-7 (Instance GUID).

2.4.2 Inbound ACKs

When the MPI receives an ADT message, it sends an ACK (acknowledgment) message synchronously back to the sending RPMS system. This ACK message contains a commit acknowledgment code, which indicates whether the message was received and understood.

Once the central MPI processes the ADT message, it returns an ACK message asynchronously to the RPMS system that sent the ADT message. This ACK message contains an application acknowledgment code, which indicates whether the message was processed. If the ADT was successfully processed, the ACK message also contains the value of the ICN assigned to this patient.

2.4.3 Inbound MFN

When a patient has been added to MPI, the MPI transmits an MFN M05 (Location Master File) message to all associated facilities to update the local Treating Facility List. Associated facilities are all facilities linked in the MPI to a particular patient.

2.4.4 Outbound MFK

Originally, when the RPMS system received an MFN message and updated the Treating Facility List (#391.71) file, it transmitted an MFK (master file acknowledgment) message back to the central MPI indicating that the MFN message was processed. This functionality was removed in p2 due to the deprecation of the Treating Facility List. Now, when the RPMS system receives an MFN message, it marks the message complete without any further processing and without generating an MFK message.

2.5 HL7 Message Types

2.5.1 ADT/ACK A28–Add Person Information

The purpose of the ADT A28 message is to establish a patient on the MPI so that the patient record can be viewed across the enterprise and to allow multiple systems and respective master patient databases to communicate activity related to a person regardless of whether that person is currently a patient on each system. Each system has an interest in the database activity of the others in order to maintain data integrity across an enterprise. To the enterprise systems, the person may be a current patient or a potential future patient.

The person whose data is being sent should be identified in the PID segment using the PID-3 (Patient Identifier List) field. An A28 message requests the establishment of an ICN and stores the patient identifiers (e.g., social security number, claim number, or other unique identifiers) as passed in the PID-3 field. Other identifiers such as deprecated identifiers (e.g., local IEN) can be sent in the PID-4 (Alternate Patient ID - PID) field, which are also stored as an alternative ID on the MPI for that system to include in subsequent communication from the MPI. Each new system needs to register the identifier list and assign authority with the MPI development group.

2.5.1.1 ADT/ACK A28 Message Structures

Table 2-2 and Table 2-3 detail the structure of the ADT A28 and ACK A28 messages, respectively.

Table 2-2: ADT A28 message structure

ADT^A28 Segments	Segment Description
MSH	Message Header
EVN	Event Type
PID	Patient Identification
[PD1]	Additional Demographics
PV1	Patient Visit
[ZPD]	IHS-Specific Patient Information Segment

Table 2-3: ACK A28 message structure

ACK^A28 Segments	Segment Description
MSH	Message Header
MSA	Message Acknowledgment
[ERR]	Error

2.5.1.2 Sample ADT/ACK A28 Messages

Figure 2-1 contains a sample ADT A28 message, which is sent from RPMS to the central MPI.

Note: Only RPMS systems can add patients to the MPI at this time.

```
MSH^^|\&^RPMS-MPI^14752~1.2.3.4:1234~DNS^MPI
^8990~:8899~DNS^20100708094653-0600^^ADT~A28^14752 1198^T~^2.4^^AL^NE^
EVN^A28^^^^398~DEMO~USER~~~~~USIHS&&0363~L~~~NI~IHS FACILITY ID -NOT-A-REAL
FACILITY&14752&L^14752
PID^1^V^V~~~USIHS&&0363~NI~IHS FACILITY ID - NOT-A-REAL FACILITY&14752&L|779358
654~~~USSSA&&0363~SS~IHS FACILITY ID - NOT-A-REAL FACILITY&14752&L|7296~~~USIHS&
&0363~PI~IHS FACILITY ID - NOT-A-REAL FACILITY&14752&L|V~~~USIHS&&0363~NI~IHS FA
CILITY ID - NOT-A-REAL FACILITY&14752&L~~200910205571-0700^^DEMO~MARION~M~~~~L
^DEMO~JEREMIAH~DARRYL~~~~M^19630808^F^DEMO~JEREMIAH~DARRYL^^BOX 123~~KETTLE
RIVER~MN~~~P~|~~MINNEAPOLIS~MN~~~N^~~~|~~|~~|~~~~~|
ZPD^1^997^C^01^UNSPECIFIED^7296~0000109481~516~19316~~101202|7296~0000109482~517~174
93~~101303^580A421E-7F52-B1FB-C1CB74824B6^19316
```

Figure 2-1: ADT-A28—Add Person or Patient Information message sent from RPMS to MPI

Figure 2-2 contains a sample ACK A28 commit acknowledgment returned from the central MPI to the sending RPMS.

```
MSH^^|\&^MPI^8990^RPMS-MPI^14752^20100708094702.267-0700^^ACK~A28^29501^T^2.4^^^
NE^NE
MSA^CA^14752 1198
```

Figure 2-2: ACK-A28—Commit acknowledgment sent from MPI to RPMS

Figure 2-3 contains a sample ACK A28 application acknowledgment sent from the central MPI to the sending RPMS.

```
MSH^^|\&^MPI^8990^RPMS-MPI^14752^20100708094721-0600^^ACK~A28^23696-se^T^2.4^^^A
L^NE
MSA^AA^14752 1198^^^^DFN=1000592558
```

Figure 2-3: ACK-A28—Application acknowledgment sent from MPI to RPMS

2.5.2 ADT/ACK A08—Update Patient Information

The A08 trigger event occurs when patient demographic information has changed or has been edited. For example, an A08 event can be used to notify the MPI of a change of the patient's name or address.

Note: Updates to specific patient demographic data will trigger the broadcast of a HL7 ADT A08 message. Because there is no set way of identifying when an edit to patient information is complete, these edit events are marked as needing to be transmitted in the ADT/HL7 PIVOT file (#391.71). The background job AGMP A08 BCKGRND UPDATE TSK, scheduled in TaskMan, periodically broadcasts the HL7 ADT A08 message, containing any changes to data, to the MPI. To avoid overloading the MPI when a process modifies a large number of records, the number of pivot table entries uploaded in a given day is limited to the setting stored in the MAX DAILY UPDATES (#.04) field in the AGMP PARAMETERS (#9002021.01) file.

2.5.2.1 ADT/ACK A08 Message Structures

Table 2-4 and Table 2-5 detail the structure of the ADT A08 and ACK A08 messages, respectively.

Table 2-4: ADT A08 message structure

ADT^A08 Segments	Segment Description
MSH	Message Header
EVN	Event Type
PID	Patient Identification
[PD1]	Additional Demographics
PV1	Patient Visit
[ZPD]	IHS-Specific Patient Information Segment

Table 2-5: ACK A08 message structure

ACK^A08 Segments	
MSH	Message Header
MSA	Message Acknowledgment
[ERR]	Error

2.5.2.2 Sample ADT/ACK A08 Messages

Figure 2-4 contains a sample ADT A08 message, which is sent from RPMS to the central MPI.

```
MSH^~|~\&^RPMS-MPI^14752~1.2.3.4:1234~DNS^MPI
^8990~:8899~DNS^20100708101516-0600^^ADT~A08^14752 1201^T~^2.4^
```

```

^AL^NE^
EVN^A08^^^^398~DEMO~USER~~~~~USIHS&&0363~L~~NI~IHS FACILITY ID -NOT-A-REAL
FACILITY&14752&L^^14752
PID^1^1000592558V803451^1000592558V803451~~~USIHS&&0363~NI~IHS FACILITY ID - NO
T-A-REAL FACILITY&14752&L|779358654~~~USSSA&&0363~SS~IHS FACILITY ID - NOT-A-REA
L FACILITY&14752&L|7296~~~USIHS&&0363~PI~IHS FACILITY ID - NOT-A-REAL FACILITY&1
4752&L|1000592558V803451~~~USIHS&&0363~NI~IHS FACILITY ID - NOT-A-REAL FACILITY&
14752&L~~200910205571-0700^^DEMO~MARION~M~~~~L^DEMO~JEREMIAH~DARRYL~~~~M^19
630808^F^DEMO~JEREMIAH~DARRYL^^BOX 123~~KETTLE RIVER~MN~~~P~|~~MINNEAPOLIS~MN~~
~N^~~~|~~|~~|~~~~~|
PD1^^^~D~
PV1^1^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
ZPD^1^997^C^01^UNSPECIFIED^7296~0000109481~516~19316~~101202|7296~0000109482~517~174
93~~~101303^580A421E-7F52-B1FB-C1CB74824B6^19316

```

Figure 2-4: ADT A08—Update Patient Information message sent from RPMS to MPI

Figure 2-5 contains an example ACK A08 commit acknowledgment returned from the central MPI to the sending RPMS system.

```
MSH^~|\&^MPI^8990^RPMS-MPI^14752^20100708101519.28-0700^^ACK~A08^29502^T^2.4^^^N
E^NE
MSA^CA^14752 1201
```

Figure 2-5: ACK-A08—Commit acknowledgment sent from MPI to RPMS

Figure 2-6 contains a sample ACK A08 application acknowledgment message sent from the MPI to the sending RPMS system.

```
MSH^^~|\&^MPI^8990^RPMs-MPI^14752^20100708101527-0600^^ACK~A08^23697-se^T^2.4^^^A
L^NE
MSA^AA^14752_1201^^^DFN=1000592558
```

Figure 2-6: ACK-A08—Application acknowledgment sent from MPI to RPMS

2.5.3 ADT/ACK A01–Admit/Visit Notification

An A01 event is intended to be used for patient admission or check-ins only. An A01 event is sent as a result of a patient undergoing the admission or check-in process.

2.5.3.1 ADT/ACK A01 Message Structures

Table 2-6 and Table 2-7 detail the structure of the ADT A01 and ACK A01 messages, respectively.

Table 2-6: ADT A01 message structure

ADT^A01 Segments	Segment Description
MSH	Message Header
EVN	Event Type
PID	Patient Identification

ADT^A01 Segments	Segment Description
[PD1]	Additional Demographics
PV1	Patient Visit
[ZPD]	IHS-Specific Patient Information Segment

Table 2-7: ACK A01 message structure

ACK^A01 Segments	Segment Description
MSH	Message Header
MSA	Message Acknowledgment
[ERR]	Error

2.5.3.2 Sample ADT/ACK A01 Messages

Figure 2-7 contains a sample ADT A01 message, which is sent from RPMS to the MPI.

```
MSH^^|\&^RPMs-MPI^14752~1.2.3.4:1234~DNS^MPI
^8990~:8899~DNS^20100708102554~0600^^ADT~A01^14752 1204^T~^2.4^^^AL^NE^
EVN^A1^^^398~DEMO~USER~USIHS&0363~L~~~NI~IHS FACILITY ID -NOT-A-REAL F
ACILITY&14752&L^^14752
PID^1^1000592558V803451^1000592558V803451~~~USIHS&&0363~NI~IHS FACILITY ID - NO
T-A-REAL FACILITY&14752&L|779358654~~~USSSA&0363~SS~IHS FACILITY ID - NOT-A-REA
L FACILITY&14752&L|7296~~~USIHS&0363~PI~IHS FACILITY ID - NOT-A-REAL FACILITY&1
4752&L|1000592558V803451~~~USIHS&0363~NI~IHS FACILITY ID - NOT-A-REAL FACILITY&
14752&L~~200910205571-0700^^DEMO~MARION~M~~~~L^DEMO~JEREMIAH~DARRYL~~~~M^19
630808^F^DEMO~JEREMIAH~DARRYL^^BOX 123~~KETTLE RIVER~MN~~~P|~~MINNEAPOLIS~MN~~
~N^~~~|~~|~~|~~|~~~~~|
PD1^^^~D~
PV1^1^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^2010-07-08 00:00:00
ZPD^1^997^C^01^UNSPECIFIED^7296~0000109481~516~19316~~101202|7296~0000109482~517~174
93~~101303^580A421E-7F52-B1FB-C1CB74824B6^19316
```

Figure 2-7: ADT A01—Admit/Visit Notification message sent from RPMS to MPI

Figure 2-8 contains a sample ACK A01 commit acknowledgment returned from the MPI to the sending RPMS system.

```
MSH~|&^MPI^8990^RPMS-MPI^14752^20100708102554.749-0700^^ACK~A01^29503^T^2.4^^^
NE^NE
MSA^CA^14752 1204
```

Figure 2-8: ACK A01—Commit acknowledgment sent from MPI to RPMS

Figure 2-9 contains a sample ACK A01 application acknowledgment sent from the central MPI to the RPMS system.

```
MSH^~|\&^MPI^8990^RPMS-MPI^14752^20100708102600-0600^^ACK~A01^23698-se^T^2.4^^^A
L^NE
```

```
MSA^AA^14752 1204^^^^DFN=1000592558
```

Figure 2-9: ACK A01—Application acknowledgment sent from MPI to RPMS

2.5.4 ADT/ACK A03—Discharge/End Visit

An A03 event signals the end of a patient's stay in a healthcare facility. Because the check-out process does not currently trigger the corresponding protocol in RPMS, A03 messages are sent only for inpatient discharge events, not for check-outs.

2.5.4.1 ADT/ACK A03 Message Structures

Table 2-8 and Table 2-9 detail the structure of the ADT A03 and ACK A03 messages, respectively.

Table 2-8: ADT A03 message structure

ADT^A03 Segments	Segment Description
MSH	Message Header
EVN	Event Type
PID	Patient Identification
[PD1]	Additional Demographics
PV1	Patient Visit
[ZPD]	IHS-Specific Patient Information Segment

Table 2-9: ACK A03 message structure

ACK^A03 Segments	Segment Description
MSH	Message Header
MSA	Message Acknowledgment
[ERR]	Error

2.5.4.2 Sample ADT/ACK A03 Messages

Figure 2-10 contains a sample ADT A03 message, which is sent from RPMS to the central MPI.

```
MSH^~|~\&^RPMS-MPI^14752~1.2.3.4:1234~DNS^MPI
^8990~:8899~DNS^20100708105736-0600^^ADT~A03^14752 1210^T~^2.4^^^AL^NE^
EVN^A2^^^^398~DEMO~USER~~~~~~USIHS&&0363~L~~~NI~IHS FACILITY ID -NOT-A-REAL F
ACILITY&14752&L^^14752
PID^1^1000592558V803451^1000592558V803451~~~USIHS&&0363~NI~IHS FACILITY ID - NO
T-A-REAL FACILITY&14752&L|779358654~~~USSSA&&0363~SS~IHS FACILITY ID - NOT-A-REA
L FACILITY&14752&L|7296~~~USIHS&&0363~PI~IHS FACILITY ID - NOT-A-REAL FACILITY&1
4752&L|1000592558V803451~~~USIHS&&0363~NI~IHS FACILITY ID - NOT-A-REAL FACILITY&
14752&L~~200910205571-0700^^DEMO~MARION~M~~~L^DEMO~JEREMIAH~DARRYL~~~M^19
630808^F^DEMO~JEREMIAH~DARRYL^^BOX 123~~KETTLE RIVER~MN~~~P~|~~MINNEAPOLIS~MN~~
```

```
~N^~~|~~|~~|^~~~~~|  
PD1^^~D~  
PV1^1^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^2010-07-09 00:00:00  
ZPD^1^997^C^01^UNSPECIFIED^7296~0000109481~516~19316~~101202|7296~0000109482~517~174  
93~~101303^580A421E-7F52-B1FB-C1CB74824B6^19316
```

Figure 2-10: ADT A03—Discharge/End Visit message sent from RPMS to MPI

Figure 2-11 contains a sample ACK A03 commit acknowledgment returned from the central MPI to the sending RPMS system.

```
MSH^~|&^MPI^8990^RPMs-MPI^14752^20100708105747-0600^^ACK~A03^23699-se^T^2.4^^AL^NE
MSA^CA^14752 1210
```

Figure 2-11: ACK-A03—Commit acknowledgment sent from MPI to RPMS

Figure 2-12 contains a sample ACK A03 application acknowledgment sent from the central MPI to the sending RPMS system.

```
MSH^~|&^MPI^8990^RMS-MPI^14752^20100708105740.532-0700^^ACK~A03^29505^T^2.4^^^
MSA^AA^14752 1210^^^^^DFN=1000592558
```

Figure 2-12: ACK-A03—Application acknowledgment sent from MPI to RPMS

2.5.5 MFN/MFK M05—Location Master File

The purpose of the MFN M05 message was to transmit information about the facilities where the patient has been seen, to allow the RPMS system to maintain the Treating Facility List (#391.91) file. This file is now deprecated. As a result, the RPMS system does not process MFN messages and does not generate an MFK acknowledgment.

2.6 HL7 Escape Characters

HL7 encoding characters, if found within a data field, are automatically replaced with the proper escape sequence. The escape sequences used in MPI messaging are ^ = \F, ~ = \S, | = \R, \ = \E, & = \T.

2.7 Obtaining Data Dictionary Listings

Technical information about files and the fields in files is stored in data dictionaries. Use the List File Attributes option on the Data Dictionary Utilities submenu in FileMan to print formatted data dictionaries.

2.8 AGMPI.PatientRegistration Production

The PatientRegistration production within the AGMPI package transports HL7 messages between the MPI and the RPMS system. It interacts with the RPMS database via the HLO globals ^HLB and ^HLA.

HL7 messages are retrieved from the RPMS system via the HLOGlobalInbound adapter. The adapter loops through the ^HLB “QUEUE” node, determining which messages are to be sent to the receiving facility by pulling information from the ^HLB and ^HLA global nodes. An HL7 message is formed and sent to the calling service. The service receives the HL7 message and determines whether the message is a valid message (using the AGMPI.RPMS.HL7 schema). If the message is valid, it is sent to the HL7 routing engine where the message is routed using the RPMS routing rule. ACK (acknowledgment) reply messages from the MPI are stored back into the RPMS ^HLB and ^HLA global nodes.

Messages are sent from the MPI to RPMS in real time. If the HL7 message is valid (using the AGMPI.MPI.HL7 schema), the IRIS production places the messages into the ^HLB and ^HLA global nodes via the HLOGlobalOutbound adapter. Because the Treating Facility List file has been deprecated, if the received message is an MFN, the IRIS production will mark it complete without any further processing.

3.0 Routines

3.1 Routines Description

Table 3-1: Routines with descriptions

Routine Name	Description
AGMP1E00	Environmental check routine
AGMP1P00	Pre-install and post-install routine
AGMP1P01	Pre-install and post-install routine for p1
AGMP1P02	Post-install routine for p2
AGMP1P03	Post-install routine for p3
AGMP1P04	Post-install routine for p4
AGMP1P05	Post-install routine for p5
AGMPACK	A28/A08 ACK processor
AGMPADT	A01/A03 ACK processor; A01/A03/A28 message generator
AGMPBGP	Inbound message processor
AGMPCHK	Utilities for verifying the site's institution numbers
AGMPCLAS	Utilities for transporting classes via KIDS
AGMPEDIT	AGMP parameters editor
AGMPHL1	Extension to AGMPHLO routine
AGMPHLO	MPI HL7 message generator
AGMPMFN	MFN message processor (deprecated)
AGMPMICN	Missing ICN background process
AGMPOPT	Utilities for opting out of and opting in to the MPI application
AGMPPID	PID segment builder
AGMPPIVT	Pivot table processor
AGMPPRST	IRIS production status checker
AGMPPURG	HLO message purge
AGMPRPT1	MPI reports
AGMPRPT2	MPI reports
AGMPMSG	Options for sending messages manually
AGMPSTAT	Application status report
AGMPVQQ	VQQ ACK processor (deprecated)

4.0 Classes

4.1 Classes Description

Table 4-1: Classes

Class	Description
AGMPI.Adapters.AlertInbound	IRIS adapter reading application alerts logged since the last alert email was sent
AGMPI.Adapters.HLOGlobalInbound	IRIS adapter reading HL7 messages from the RPMS ^HLB and ^HLA global nodes
AGMPI.Adapters.HLOGlobalOutbound	IRIS adapter writing HL7 messages to the RPMS ^HLB and ^HLA global nodes
AGMPI.AlertEmailAddress	Persistent class containing the alert email addresses
AGMPI.Alerts.AlertItem	Persistent class containing application alerts
AGMPI.Alerts.AlertLog	Persistent class containing the alerts that have been sent (via email)
AGMPI.Install.Installer	Installer class to create AGMPI database and namespace and to set up mappings
AGMPI.Install.PostInstall	Performs post-install steps in the AGMPI namespace
AGMPI.Install.PreInstall	Performs pre-install steps in the AGMPI namespace
AGMPI.Install.ProductionSettings	Persistent class for storing IRIS production settings during installation
AGMP.Manage.Applicationstatus	Displays the application status report
AGMP.Manage.Facility	Utilities for maintaining facility information
AGMPI.MPIAlertRouting	Routing class for alert messages
AGMPI.MPIMessageRouting	Routing class for messages received from the MPI system
AGMPI.Operations.MPI	Business operation sending HL7 messages to the MPI system
AGMPI.Operations.RPMS	Business operation sending HL7 messages to the RPMS system via the AGMPI.Adapters.HLOGlobalOutbound adapter
AGMPI.PatientRegistration	IRIS production class
AGMPI.Process.AlertProcess	Business process logging the alert and determining whether to send an e-mail in response to the alert
AGMPI.RPMSMessageRouting	Routing class for sending messages to the MPI system

Class	Description
AGMPI.Services.Alert	Business service for sending logged application alerts
AGMPI.Services.MPI	Business service receiving HL7 messages from the MPI system
AGMPI.Services.RPMS	Business service receiving HL7 messages from the RPMS system
AGMPI.Task.StatusCheck	IRIS task to report status information about the production to RPMS

4.2 Method List

4.2.1 AGMPI.Adapters.AlertInbound.OnTask

This method reads in logged application alerts that have not yet been emailed. It is invoked from the associated business service.

- Input Parameter Description:
None
- Output Description:
Returns an alert message to the business service that initiated the method

4.2.2 AGMPI.Adapters.HLOGlobalInbound.OnTask

This method reads the HL7 information from the ^HLB and ^HLA global nodes. It is invoked from the associated business service.

- Input Parameter Description:
None
- Output Description:
Returns the HL7 message(s) to the business service that initiated the method

4.2.3 AGMPI.Adapters.HLOGlobalInbound.GetFilemanDateTime

Returns a date and time in FileMan format.

- Input Parameter Description:
Number of days to add to the current date/time.
- Output Description:
Returns the current date/time plus an offset number of days in FileMan format

4.2.4 AGMPI.Adapters.HLOGlobalOutbound.FileMessage

This method writes HL7 information into the ^HLB and ^HLA global nodes as messages are received. It is invoked from the associated business operation.

- Input Parameter Description:
None
- Output Description:
Returns the HL7 message(s) written to the ^HLB and ^HLA global nodes

4.2.5 AGMPI.Adapters.HLOGlobalOutbound.GetNewIENA

Obtains an unused IEN for the ^HLA global (file 777), using the same algorithm as \$\$NEWIEN^HLOF777().

- Input Parameter Description:
None
- Output Description:
Returns an unused IEN for the ^HLA global

4.2.6 AGMPI.Adapters.HLOGlobalOutbound.GetNewIENB

Obtains an unused IEN for the ^HLB global (file 778), using the same algorithm as \$\$NEWIEN^HLOF778A().

- Input Parameter Description:
None
- Output Description:
Returns an unused IEN for the ^HLB global

4.2.7 AGMPI.Adapters.HLOGlobalOutbound.GetFilemanDateTime

Returns a date and time in FileMan format.

- Input Parameter Description:
Number of days to add to the current date/time.
- Output Description:
Returns the current date/time plus an offset number of days in FileMan format.

4.2.8 AGMPI.Adapters.HLOGlobalOutbound.SendAlert

Triggers an IRIS alert message.

- Input Parameter Description:
Text of the alert.
- Output Description:
None

4.2.9 AGMPI.Install.Installer.setup

This method generates the code that creates the AGMPI database and namespace and sets up mappings. This method was generated automatically by IRIS.

- Input Parameter Description:
The input parameters were specified by IRIS and should not be altered.
- Output Description:
Status of the code generation

4.2.10 AGMPI.Install.Installer.SetupDefaults

This method is a placeholder for any defaults that need to be set up. This method was generated automatically by IRIS.

- Input Parameter Description:
The input parameters were specified by IRIS and should not be altered.
- Output Description:
Status

4.2.11 AGMPI.Install.PostInstall.RunTask

This method performs post-install tasks that must be run in the AGMPI namespace.

- Input Parameter Description:
None
- Output Description:
Status

4.2.12 AGMPI.Install.PreInstall.RunTask

This method performs pre-install tasks that must be run in the AGMPI namespace.

- Input Parameter Description:

None

- Output Description:

None

4.2.13 AGMPI.Manage.ApplicationStatus.DisplaySummary

This method displays the application status report.

- Input Parameter Description:

Flags indicating whether to display page breaks in the middle and at the end

- Output Description:

None

4.2.14 AGMPI.Manage.ApplicationStatus.DisplayBasicInfo

This method displays basic application information on the application status report.

- Input Parameter Description:

None

- Output Description:

None

4.2.15 AGMPI.Manage.ApplicationStatus.GetSiteInfo

This method gets information about the site for the application status report.

- Input Parameter Description:

None

- Output Description:

Site info

4.2.16 AGMPI.Manage.ApplicationStatus.GetPatches

This method gets information about the application's patches for display on the application status report.

- Input Parameter Description:

None

- Output Description:

Summarized list of patches

4.2.17 AGMPI.Manage.ApplicationStatus.GetProductionStatus

This method gets the status of the IRIS production for display on the application status report.

- Input Parameter Description:
None
- Output Description:
Production status code

4.2.18 AGMPI.Manage.ApplicationStatus.GetProductionSettings

This method gets information about the IRIS production for display on the application status report.

- Input Parameter Description:
None
- Output Description:
SiteID parameters; IP, port, and SSL connection information; and listener port

4.2.19 AGMPI.Manage.ApplicationStatus.GetTaskStatus

This method gets information about the AGMP TaskMan tasks for the application status report.

- Input Parameter Description:
None
- Output Description:
String summarizing the task statuses and the time the Missing ICN task is scheduled to run

4.2.20 AGMPI.Manage.ApplicationStatus.GetTaskRunTime

This method gets the time a TaskMan task is scheduled to run.

- Input Parameter Description:
Task name
- Output Description:
Scheduled run time

4.2.21 AGMPI.Manage.ApplicationStatus.DisplayQueues

This method displays IRIS queue information on the application status report.

- Input Parameter Description:
None
- Output Description:
Status

4.2.22 AGMPI.Manage.ApplicationStatus.DisplaySiteInfo

This method displays site/facility information on the application status report.

- Input Parameter Description:
None
- Output Description:
None

4.2.23 AGMPI.Manage.ApplicationStatus.GetDuzFromTmUser

This method gets the DUZ(2) value from the user that TaskMan is running as.

- Input Parameter Description:
None
- Output Description:
DUZ(2) value

4.2.24 AGMPI.Manage.ApplicationStatus.DisplayQueueInfo

This method displays HLO queue information on the application status report.

- Input Parameter Description:
None
- Output Description:
None

4.2.25 AGMPI.Manage.ApplicationStatus.DisplayIOMessages

This method displays the most recent inbound or outbound message headers on the application status report.

- Input Parameter Description:

Flag indicating whether to display inbound or outbound messages and the number of messages to display

- Output Description:

None

4.2.26 AGMPI.Manage.ApplicationStatus.DisplayUSMessages6

This method displays the oldest unsuccessful outbound messages on the application status report.

- Input Parameter Description:
Number of messages to display
- Output Description:
None

4.2.27 AGMPI.Manage.ApplicationStatus.PageBreak

This method displays a page break.

- Input Parameter Description:
Number of blank lines to display
- Output Description:
None

4.2.28 AGMPI.Manage.ApplicationStatus.FilemanToTimestamp

This method converts a FileMan time to Cache timestamp format.

- Input Parameter Description:
Time in FileMan format
- Output Description:
Time in Cache timestamp format

4.2.29 AGMPI.Manage.ApplicationStatus.Output

This method returns a string and any special information, such as control characters or trailing spaces.

- Input Parameter Description:
Raw string
- Output Description:

String plus special information

4.2.30 AGMPI.Manage.ApplicationStatus.ConvertSpecialCharacters

This method returns special information about a string, such as whether it contains control characters or has trailing spaces.

- Input Parameter Description:
String
- Output Description:
Special information

4.2.31 AGMPI.Manage.Facility.QueueFacilityJob

This method removes the ICN from patient records that have a chart at a new MPI facility.

- Input Parameter Description:
Comma-separated list of facility IDs
- Output Description:
None

4.2.32 AGMPI.Manage.Facility.QueueNewFacilities

This method starts a background job to remove the ICN from patient records that have a chart at a new MPI facility.

- Input Parameter Description:
Array of facility IDs
- Output Description:
None

4.2.33 AGMPI.Manage.RemoveAGMPCHK

This method removes the ^AGMPCHK globals that were deprecated in patch 5.

- Input Parameter Description:
None
- Output Description:

None

4.2.34 AGMPI.Operations.MPI.OnMessage

This method overrides the standard OnMessage() method for the EnsLib.HL7.Operation.TCPOperation class. It disables journaling in order to save journal space, then calls the parent method.

- Input Parameter Description:
IRIS request message
- Output Description:
IRIS response message

4.2.35 AGMPI.Operations.RPMS.OnMessage

This method overrides the standard OnMessage() method for the EnsLib.HL7.Operation.Standard class. It disables journaling in order to save journal space, then calls the parent method.

- Input Parameter Description:
IRIS request message
- Output Description:
IRIS response message

4.2.36 AGMPI.Services.Alert.OnProcessInput

This method accepts an alert message from the adapter and sends it to the EmailAlert business operation.

- Input Parameter Description:
Alert message
- Output Description:
None

4.2.37 AGMPI.Services.MPI.OnProcessInput

This method accepts an HL7 message, disables journaling to save journal space, then calls the parent method to process the message.

- Input Parameter Description:
HL7 message object
- Output Description:

Left over data

4.2.38 AGMPI.Services.RPMS.OnProcessInput

This method received an HL7 object, sets some HL7 object information, validates the message, and passes it to the RPMS routing engine.

- Input Parameter Description:
Inboundmessage: HL7 message object
- Output Description:
Returns the HL7 message(s) to a business process.

4.2.39 AGMPI.Task.StatusCheck.OnTask

This method writes information about the MPI production to a global to be read by the production check task in RPMS.

- Input Parameter Description:
None
- Output Description:
Status

4.2.40 AGMPI.Task.StatusCheck.SendEmail

This method sends an email containing production status information to the recipient list configured in the EmailAlert adapter.

- Input Parameter Description:
None
- Output Description:
Message indicating why the email could not be sent

4.2.41 AGMPI.Task.StatusCheck.GetStatusString

This method obtains the error text from a status object.

- Input Parameter Description:
Status object
- Output Description:
Error text

5.0 Schemas

5.1 Schema Description

Table 5-1: Schemas

Schema	Description
AGMPI.MPI.HL7	Schema for HL7 messages received from the central MPI. Based on HL7 2.4.
AGMP.RPMS.HL7	Schema for HL7 messages being sent to the central MPI. Based on HL7 2.4.

6.0 Files

6.1 File List

Table 6-1: Files and contents

File #	Filename	Description
9002021.01	AGMP PARAMETERS	Contains parameters affecting the behavior of the AGMP application
9002021.02	AGMP CLASS TRANSPORT	Contains packed class definitions, which can be distributed via KIDS

6.2 File Access

Table 6-2: Files and access

File #	Filename	GL	RD	WR	LYG	DD	DEL
9002021.01	AGMP PARAMETERS	^AGMP(9002021.01,	@	@	@	@	@
9002021.02	AGMP CLASS TRANSPORT	^AGMPCLS(	@	@	@	@	@

6.3 Cross References

9002021.01 (AGMP PARAMETERS)

.01 HOME SITE

B regular cross reference

9002021.011 (MPI STATUS HISTORY SUB-FIELD)

.01 STATUS CHANGE DATE/TIME

B regular cross reference

9002021.12 (MPI FACILITY SUB-FIELD)

.01 MPI FACILITY

B regular cross reference

9002021.02 (AGMP CLASS TRANSPORT)

.01 PACKAGE NAME

B regular cross reference

9002021.022 (XML SUB-FIELD)

.01 XML

B regular cross reference

9002021.023 (CLASS SUB-FIELD)

.01 CLASS

B regular cross reference

6.4 Table File

File: 9002021.01 AGMP PARAMETERS

Global: ^AGMP(9002021.01,

Table 6-3: Fields in file 9002021.01 AGMP PARAMETERS

Field #	Field Name	Subscript	Piece	Type
.01	HOME SITE	0	1	F
.02	ENABLED	0	2	S
.03	UPLOAD TYPE	0	3	S
.04	MAX DAILY UPDATES	0	4	N
1	MPI STATUS HISTORY	1	0	M
2	MPI FACILITY	2	0	M

File: 9002021.02 AGMP CLASS TRANSPORT

Global: ^AGMPCLS(

Table 6-4: Fields in file 9002021.02 AGMP CLASS TRANSPORT

Field #	Field Name	Subscript	Piece	Type
.01	PACKAGE NAME	0	1	F
1.02	RPMS STATUS	1	2	S
1.03	RPMS DATE/TIME INSTALLED	1	3	D
10	XML	10	0	W
11	CLASS	2	0	M

7.0 External Relations

7.1 Callable Routines

There are no callable routines in this package. All entry points and routines are called internally.

7.2 Published Entry Points

There are no published entry points in this package.

7.3 Exported Options

Table 7-1: Exported options and descriptions

Option Name	Description
AGMP A08 BCKGRND UPDATE TSK	Background task that traverses the pivot table and generates an ADT A08 for each updated patient
AGMP ACK BCKGRND TSK	Background task that processes inbound messages (ACKs and MFNs)
AGMP EDIT SITE PARAMETERS	Edit AGMP parameters
AGMP HLO A28 ADD PATIENT	Generate an ADT A28 message manually
AGMP HLO MPI MANAGER OPTIONS	Contains all AGMP options
AGMP HLO PROCESS MFN	Process an MFN M05 message manually (deprecated)
AGMP HLO RESEND MSG	Resend an HL7 message
AGMP HLO SEND A01/A03	Generate an ADT A01 or A03 message manually
AGMP HLO SEND A08 UPDATE	Generate an ADT A08 message manually
AGMP HLO SEND A40	Generate an ADT A40 message manually (deprecated)
AGMP MPI EVENT/TYPE/ACK RPT	Report of messages of a given type (e.g., ADT) and event (e.g., A28)—disabled in patch 1 because it can display full SSNs
AGMP MPI ICN REPORT	Report of the number of patients without ICNs assigned and, optionally, a list of those patients
AGMP MPI MESSAGE TOTALS	Report of the number of MPI messages in the inbound and outbound queues
AGMP MPI MISSING ICN TSK	Background task that generates an ADT A28 message for each patient that doesn't have an ICN assigned

Option Name	Description
AGMP MPI MSG ERR SEG RPT	Report of central MPI errors reported in inbound acknowledgments—disabled in p1 because it can display full SSNs
AGMP MPI MSG ERR SEG TSK RPT	Task that reports central MPI errors reported in inbound acknowledgments
AGMP MPI PURGE HLO MSGS	Background task that purges old HL7 messages
AGMP MPI RPT MSGS BY DATE	Report of messages in a given date range
AGMP MPI RPTS AND DEBUG MENU	Contains AGMP reporting options
AGMP MPI UNSUCCESS MSGS	Report of unsuccessful messages in a given date range
AGMP MPI UNSUCCESSFUL MFE	Report of unsuccessful Treating Facility List updates (deprecated)
AGMP PROD STATUS TSK	Background task that monitors the status of the IRIS production

7.4 External Entry Points

This package calls the following documented entry points:

Table 7-2: External entry points and description

Entry Point	Description
PTLKNKIL^AG	Lookup patient
\$\$HLDATE^HLFNC	Create an HL7 formatted date
\$\$HLNAME^HLFNC	Get HL7 formatted name
\$\$HLPHONE^HLFNC	Get HL7 formatted phone
\$\$ADDSEG^HLOAPI	Add an HL7 message segment
\$\$NEWBATCH^HLOAPI	Start a new batch message
\$\$NEWMSG^HLOAPI	Create a new HL7 message
SET^HLOAPI	Set a field in an HL7 segment
\$\$SENDONE^HLOAPI1	Send one HL7 message
\$\$RSEND^HLOAPI3	Resend a message
\$\$NEXTSEG^HLOPRS	Get next segment
\$\$STARTMSG^HLOPRS	Begin processing a message
DEM^VADPT	Call to get PID demographic data
KVA^VADPT	Kill certain local variables
\$\$ADDR^VAFHLFNC	Create an HL7 formatted address
\$\$SITE^VASITE	Get station number for a given DUZ(2)

Entry Point	Description
\$\$DIR^XBDIR	Interface to ^DIR
C^XBFUNC	Center a string
\$\$DT^XLFD	Get the current date
\$\$FMADD^XLFD	Add to a FileMan date
\$\$FMTE^XLFD	Get formatted date
\$\$HTFM^XLFD	Convert format from \$H to FileMan
\$\$NOW^XLFD	Get the current date/time
\$\$HLNAME^XLNAME	Get formatted name
\$\$CJ^XLSTR	Center justify a string
\$\$ADD^XPDMENU	Add options to a menu
BMES^XPDU	Insert a blank line before a message
SETUP^XQALERT	Set up alert call for mail group
EN^XQOR	Unroll protocols so subscribers will get unwrapped
\$\$NS^XUAF4	Get facility info
\$\$STA^XUAF4	Get station number
\$\$PROD^XUPROD	Report whether this is a production account
RESCH^XUTMOPT	Reschedule
\$\$VERSION^%ZOSV	Return Caché version
UNWIND^%ZTER	Unwind the stack for the error trap
^%ZIS	Get device
HOME^%ZIS	Establish IO* variables for home device
^%ZISC	Close device
^%ZTLOAD	Queue a task

8.0 Internal Relations

All users should be given access to the appropriate options and keys to those options, as needed. All of the options stand alone.

9.0 Mail Group

There is one mail group for this application: G.AGMP MPI. The users in this mail group receive notifications of errors via Veterans Administration (VA) alerts generated on both outbound and incoming messages.

The users in this group need the ability to review these messages and possibly take action and reprocess or resend messages.

10.0 Parameters

The AGMP application has two user-editable parameters: the MPI Facility list and Application Status. These parameters can be edited via the EDIT option on the **MPI Manager Options** menu.

When the EDIT option is accessed, the application will display information about the option, followed by a menu allowing the user to edit the MPI facility list or change the application status (enabled/disabled), as shown in Figure. At the “What action would you like to perform” prompt, enter **F** to edit the MPI facility list, **S** to change the application status, or **Q** to quit and return to the AGMPI menu.

```

This option allows a site to edit site-specific parameters for the MPI
application.

The MPI facilities list allows a site to specify which facilities are
considered registering facilities. Only patients associated with an MPI
facility are uploaded to the central MPI. The central MPI must be
configured
to accept messages from these facilities. Therefore, it is important to
coordinate changes to the list of MPI facilities with the central MPI team
before making any changes.

The status setting can be used to 'opt out' of participation in the central
MPI. Disabling the application removes all MPI-related data from RPMS and
will require reuploading all patients in order to re-enable.

      Select one of the following:

          F          Edit the MPI facility list
          S          Change the application status (enable/disable)
          Q          Quit

What action would you like to perform: Q//

```

Figure 10-1: EDIT option menu

10.1 MPI Facility List

The MPI facility list determines which facilities are considered MPI facilities. Patients with a chart at one or more MPI facilities are uploaded to the central MPI. The central MPI must be configured to accept messages from these facilities, so it is imperative that the central MPI team be informed of any changes before editing the list.

When the **Edit the MPI facility list** option is selected, the application will display the current list of MPI facilities and ask the user if they want to edit the list. If the user enters **N**, they will return to the EDIT menu. If the user instead enters **Y**, the application will then ask the user to confirm that they have coordinated the changes with the central MPI team. If the user enters **Y** to confirm they have informed the central MPI team of the changes, they will then be permitted to edit the MPI Facility list.

```
Current MPI facilities:
      SAMPLE FACILITY
      TEST HOSPITAL

Edit the list of facilities? No// Y  (Yes)

Have you coordinated the facility changes with the central MPI team? No// Y
(Yes)

Editing list of facilities to upload to the MPI:

Select MPI FACILITY: SAMPLE FACILITY//
```

Figure 10-2: Editing the MPI facility list

10.2 Application Status

If the user changes the application status to **DISABLED**, then the entire MPI application is disabled and any existing messages are purged. This option is intended for sites that wish to “opt out” of the central MPI. No messages will be generated for new patients, edited patients, or visits, and the central MPI application will not be updated. As a result, a site wishing to re-enable the AMGP application *must* open a help desk ticket and coordinate with the AGMP and central MPI support teams *before* changing this setting to **ENABLED**.

```
Select whether to enable or disable the MPI application:

      Select one of the following:

      E          Enabled
      D          Disabled

MPI Application Status: Enabled//
```

Figure 10-3: Editing the application status

11.0 Menu Diagram

Figure 11-1 displays the main MPI menu and the RPT menu.




Figure 11-1: Menu Diagram for MPI and RPT menus

12.0 Protocols and Links

12.1 Protocols

Four protocols have been added to enable AGMPI to subscribe to registration, admission and discharge, check-in and check-out, and update events. Table 12-1 provides further information about the protocols.

Table 12-1: Protocols in the AG MPI application

New Protocol	Parent Protocol	Sequence Number	Description
AGMP MPI REGISTRATION	AG REGISTER A PATIENT	40	Sends registration information to the MPI.
AGMP MPI ADMIT DISCHARGE	BDGPM MOVEMENT EVENTS	140	Sends admit or discharge information to the MPI.
AGMP MPI CHECKIN CHECKOUT	BSDAM APPOINTMENT EVENTS	40	Sends check in or check out information to MPI.
AGMP MPI UPDATE	AG UPDATE A PATIENT	40	Sends update information to the MPI.

12.2 Links

The HLO application uses logical links when building the message header (MSH) segment of the HL7 message. The NODE stored in the HL LOGICAL LINK file for AGMP is MPI.

```
Select OPTION: INQUIRE TO FILE ENTRIES

OUTPUT FROM WHAT FILE: HL LOGICAL LINK//
Select HL LOGICAL LINK NODE: MPI
    1  MPI
    2  MPIVA
    3  MPIVA DIR
CHOOSE 1-3: 1  MPI
ANOTHER ONE:
STANDARD CAPTIONED OUTPUT? Yes//  (Yes)
Include COMPUTED fields:  (N/Y/R/B): NO//  - No record number (IEN), no
Computed
Fields

NODE: MPI                                LLP TYPE: TCP
DEVICE TYPE: Persistent Client           STATE: Enabled
AUTOSTART: Disabled                     TIME STARTED: JUL 02, 2012@10:50:11
TIME STOPPED: JUL 02, 2012@10:50:11    SHUTDOWN LLP ?: NO
QUEUE SIZE: 10                         TCP/IP ADDRESS: 1.2.3.4
```

```
TCP/IP SERVICE TYPE: CLIENT (SENDER)  PERSISTENT: NO  
TCP/IP PORT (OPTIMIZED): 1234
```

Figure 12-1: HL LOGICAL LINK

13.0 Purging

Three tasks can be scheduled to purge old AGMP messages to reclaim database space and keep the application running efficiently. The TaskMan task AGMP MPI PURGE HLO MSGS OPTION purges successfully processed HLO messages from RPMS and resubmits and purges HLO messages older than 60 days that were not successfully processed. The TaskMan VAFH PIVOT PURGE task purges old entries from the pivot table. The IRIS task AGMPI Message Purge Task purges old IRIS interoperability messages from the AGMPI namespace. Instructions for scheduling these tasks can be found in *Master Patient Index Interface (AGMP) Installation Guide and Release Notes*.

14.0 How to Generate Online Documentation

The namespace is AG. All parameters, routines, options, etc., begin with AG.

This section describes some of the methods by which users can generate dental technical documentation. Online technical documentation pertaining to the Patient Registration MPI Interface software can be generated through the use of several Kernel options. These include, but are not limited to, the following:

- %INDEX
- Menu Management
- Inquire Option
- Print Option File
- VA FileMan
- Data Dictionary Utilities
- List File Attributes

Entering question marks at the “Select...Option” prompts also provides users with valuable technical information. For example, typing a single question mark (?) lists all options that can be accessed from the current option. Typing two question marks (??) lists all options accessible from the current one, showing the formal name and lock for each.

Typing three question marks (???) displays a brief description for each option in a menu, whereas an option name preceded by a question mark (?OPTION) shows extended help, if available, for that option.

For a more exhaustive option listing and further information about other utilities that supply online technical information, consult the DHCP Kernel Reference Manual.

14.1 %INDEX

This option analyzes the structure of a routine to determine in part if the routine adheres to RPMS Programming Standards. The %INDEX output can include the following components:

- Compiled list of errors and warnings
- Routine listing
- Local variables
- Global variables
- Naked globals
- Label references

- External references

By running %INDEX for a specified set of routines, you are afforded the opportunity to discover any deviations from RPMS Programming Standards that exist in the selected routines, and to see how routines interact with one another (for example, which routines call or are called by other routines).

To run %INDEX for the Patient Registration MPI Interface package, specify the **AGMP** namespace at the “Routine(s)?>” prompt.

14.2 Inquire Option

This menu management option provides the following information about a specific option:

- Option name
- Menu text
- Option description
- Type of option
- Lock (if any)

In addition, all items on the menu are listed for each menu option. To secure information about Patient Registration MPI Interface options, specify the AG namespace.

14.3 Print Option File

This utility generates a listing of options from the Option file (#19). You can choose to print all of the entries in this file, or you can specify a single option or range of options. For a list of Patient Registration MPI Interface options, refer to Section 9.0.

14.4 List File Attributes

This VA FileMan option enables you to generate documentation pertaining to files and file structure. Using the standard format of this option yields the following data dictionary information for a specified file:

- File name and description
- Identifiers
- Cross-references
- Files pointed to by the file specified
- Files that point to the file specified
- Input, print, and sort templates

In addition, the following applicable data is supplied for each field in the file:

- Field name, number, title, and description
- Global location
- Help prompt
- Cross-references
- Input transform
- Date last edited
- Notes

Using the Global Map format of this option generates an output that lists the following information:

- All cross-references for the file selected.
- Global location of each field in the file.
- Input, print, and sort templates.

14.5 Class Reference

Class documentation is generated by IRIS for all classes. The reference gives general information about a class, in addition to listing and describing all of the class's properties, parameters, and methods.

To view the class documentation, open the IRIS Documentation and select *Class Reference* from the menu bar. Select the AGMPI namespace from the drop-down menu at the top left, then select the class from the left frame.

14.6 Production Configuration

Specific settings for the production may be viewed via IRIS's Management Portal.

In IRIS's Management Portal, click the Interoperability button on the left, choose the AGMPI namespace, and then click Configure, then Production to navigate to the Production Configuration page.

Clicking on a business host in the left frame will display that host's settings in the right frame.

Glossary

Callable Entry Point

Place in a routine that can be called from an application program.

Cross-reference

An indexing method whereby files can include presorted lists of entries as part of the stored database. Cross-references (x-refs) facilitate lookup and reporting.

Entry Point

Entry point within a routine that is referenced by a “DO” or “GOTO” command from a routine internal to a package.

File

A set of related records or entries treated as a single unit.

FileMan

The database management system for RPMS.

Global

In MUMPS, “global” refers to a variable stored on disk (global variable) or the array to which the global variable may belong (global array).

INDEX (%INDEX)

A Kernel utility used to verify routines and other MUMPS code associated with a package. Checking is done according to current ANSI MUMPS standards and RPMS programming standards.

Kernel

The set of MUMPS software utilities that function as an intermediary between the host operating system and application packages, such as Laboratory and Pharmacy. The Kernel provides a standard and consistent user and programmer interface between application packages and the underlying MUMPS implementation. These utilities provide the foundation for RPMS.

Menu

A list of choices for computing activity. A menu is a type of option designed to identify a series of items (other options) for presentation to the user for selection. When menu-type options are displayed, the prompt includes the name of the menu preceded by the word “Select” and followed by the word “option,” as in “Select Menu Management option” (the menu’s “Select” prompt).

Namespace

A unique set of two to four alpha characters assigned by the database administrator to a software application.

Option

An item on a menu that provides an opportunity for users to select it, thereby invoking the associated computing activity. Options may also be scheduled to run in the background, non-interactively, by TaskMan.

Queuing

Requesting that a job or message be processed at a later time rather than within the current session.

Routine

A program or sequence of instructions called by a program that may have some general or frequent use. MUMPS routines are groups of commands that are saved, loaded, and called as a single unit via a specific name.

Variable

A character or group of characters that refers to a value. MUMPS recognizes two types of variables: local variables and global variables. Local variables exist in a partition of the main memory and disappear at sign-off. Global variables are stored on disk, potentially available to any user, and most persist across computing sessions. Global variables usually exist as parts of global arrays.

Acronym List

Acronym	Term Meaning
ACK	HL7 acknowledgment
ADT	Admit, Discharge, Transfer
AGMP	Namespace for the Master Patient Index RPMS application
EUID	Enterprise Unique Identifier
HLO	Health Level Seven Optimized
HL7	Health Level Seven
ICN	Integration Control Number
IHS	Indian Health Service
IEN	Internal Entry Number. A unique number used to identify a record within a file.
MFK	Master File Acknowledgment
MFN	Master File Notification
MPI	Master Patient Index
MUMPS	Massachusetts General Hospital Utility Multi-Programming System
RPMS	Resource and Patient Management System
TFL	Treating Facility List

Contact Information

If you have any questions or comments regarding this distribution, please contact the IHS IT Service Desk.

Phone: (888) 830-7280 (toll free)

Web: <https://www.ihs.gov/itsupport/>

Email: itsupport@ihs.gov