



RESOURCE AND PATIENT MANAGEMENT SYSTEM

IHS Emergency Department Dashboard

(BEDD)

Technical Manual

Version 2.0 Patch 10
April 2025

Office of Information Technology
Division of Information Resource Management

Table of Contents

1.0	Introduction.....	1
2.0	Orientation	2
3.0	Implementation and Maintenance	3
3.1	General Information	3
3.2	Package-Wide Variables	3
3.3	Security Keys.....	3
4.0	BEDD Menu	4
5.0	Routine Descriptions	5
5.1	Routine List.....	5
5.1.1	Kernel Installation and Distribution System (KIDS).....	5
5.1.2	XML File Release	5
5.2	Routines with Description	5
5.3	Function List	7
6.0	Classes	15
6.1	List of Emergency Department Dashboard (EDD) Classes	15
6.2	Method List–BEDD Package	15
7.0	Cache Server Page (CSP) Files	19
7.1	List of EDD Cache Server Pages.....	19
8.0	Files and Tables.....	20
9.0	External Relations	21
9.1	External Calls	21
9.2	Callable Routines.....	23
9.3	Published Entry Points.....	28
9.4	Exported Options	28
10.0	Internal Relations	29
11.0	Archiving and Purging	30
12.0	Documentation Resources	31
13.0	SAC Requirements and Exemptions	32
	Glossary.....	33
	Acronym List	34
	Contact Information	35

Revision History

Version	Date	Author	Section	Page Number	Summary of Change
1.1	04/19/2023	Brian Everett	All	All	Updated entire document to reflect application changes since the BEDD v2.0 p4 release.
1.2	02/26/2025	Brian Everett	All	All	Updated entire document to reflect application changes since the BEDD v2.0 p10 release.

Preface

The purpose of this manual is to provide technical information about the v2.0 p10 release of the Indian Health Service (IHS) Emergency Department Dashboard (EDD) application, which has been developed and released for use in the Resource and Patient Management System (RPMS) BEDD namespace. This package is completely dependent upon the RPMS Emergency Room System (ERS) packages.

1.0 Introduction

The EDD is a tool that electronically enables facilities to run and manage their emergency and urgent care clinics. It is dependent upon the ERS in the AMER namespace. EDD was built on the ERS foundation to enhance patient flow and provider communication.

EDD can be set up to operate as a standalone icon on the staff computer or can be accessed from within the RPMS Electronic Health Record (EHR) application.

This manual provides IHS site managers with a technical description of the BEDD package routines, files, menus, cross references, globals, and other necessary information required to effectively manage the EDD system. The document has been updated to reflect changes released with BEDD v2.0 p10.

All routines, files, options, and keys are name spaced, starting with the letters BEDD. The file number range for this package is 9002316–9002316.99; although currently there are no BEDD-specific files, this file number range has been set aside for use by BEDD.

2.0 Orientation

The EDD Application has no RPMS menu options for users. The only RPMS preparation specifically needed prior to installing the EDD Application is that the AMER v3.0 p16, XU v8.0 p1020, and DI v22.0 p1020 releases must first be installed. After these patches are installed, the BEDD0200.10.xml XML build and BEDD*2.0*10k Kernel Installation and Distribution System (KIDS) build can be installed. See the *Addendum to the Installation Guide and Release Notes* for details on server and client installation and configuration.

3.0 Implementation and Maintenance

The EDD is designed to work with RPMS by interfacing directly with the AMER application, which it accesses using the site's standalone Internet Information Services (IIS) web server.

3.1 General Information

Table 3-1 shows the prerequisite patch requirements to install BEDD v2.0, p10.

Table 3-1: Prerequisite Patch Requirements

Package and Version	Associated Patch Designation(s)	Brief Patch Description
Veterans Administration (VA) FileMan (DI)	p1020	v22.0 p1020 release.
VA Kernel (XU)	p1020	v8.0 p1020 release.
AMER v3.0	p16	Contains AMER changes needed to implement the features in BEDD v2.0 p10.
IHS EMERGENCY DEPARTMENT DASHBOARD 2.0	p9	Previous BEDD iteration release containing enhancements and bug fixes.

3.2 Package-Wide Variables

There are no package-wide BEDD variables in RPMS.

3.3 Security Keys

Access to BEDD is granted through the allocation of security keys, as listed below:

1. BEDDZMGR: Users holding this key are allowed both manager access and reports menu access in the EDD application.
2. BEDDZDASH: Users holding this key are allowed user access to the EDD application.
3. BEDDZREPORTS: Users with this key are allowed to access the reports menu in the EDD application.
4. BEDDZWHITEBOARD: Users holding this key and the BEDDZMGR key are allowed to modify the BEDD Whiteboard custom settings.

4.0 BEDD Menu

BEDD is a separate GUI application and, therefore, has no RPMS menus or options.

5.0 Routine Descriptions

The BEDD p10 release delivers new and modified routines. Routines are delivered as part of a standard KIDS release as well as components in an XML file release.

5.1 Routine List

5.1.1 Kernel Installation and Distribution System (KIDS)

- BEDD2P10
- BEDDADM
- BEDDUTD1
- BEDDUTID
- BEDDUTIL
- BEDDUTL1

5.1.2 XML File Release

- BEDD2X10
- BEDDACRP
- BEDDRPT
- BEDDUTW1

5.2 Routines with Description

Table 5-1 contains a listing of the BEDD routines and a description of each.

Table 5-1: BEDD Routines and Descriptions

Routine	Description	Patch 10
BEDD2ENV	v2.0 environmental checking routine	No
BEDD2P01	v2.0 p1 environmental checking and post-installation routine	No
BEDD2P02	v2.0 p2 environmental checking and post-installation routine	No
BEDD2P03	v2.0 p3 environmental checking and post-installation routine	No
BEDD2P04	v2.0 p4 environmental checking and post-installation routine	No
BEDD2P05	v2.0 p5 environmental checking and post-installation routine	No
BEDD2P06	v2.0 p6 environmental checking and post-installation routine	No
BEDD2P07	v2.0 p7 environmental checking and post-installation routine	No
BEDD2P08	v2.0 p8 environmental checking and post-installation routine	No

Routine	Description	Patch 10
BEDD2P09	v2.0 p9 environmental checking and post-installation routine	No
BEDD2P10	v2.0 p10 environmental checking and post-installation routine	Yes
BEDD2PST	v2.0 post-installation routine	No
BEDD2X01	Routine stub to verify that v2.0 p1 XML build was loaded	No
BEDD2X02	Routine stub to verify that v2.0 p2 XML build was loaded	No
BEDD2X03	Routine stub to verify that v2.0 p3 XML build was loaded	No
BEDD2X04	Routine stub to verify that v2.0 p4 XML build was loaded	No
BEDD2X05	Routine stub to verify that v2.0 p5 XML build was loaded	No
BEDD2X06	Routine stub to verify that v2.0 p6 XML build was loaded	No
BEDD2X07	Routine stub to verify that v2.0 p7 XML build was loaded	No
BEDD2X08	Routine stub to verify that v2.0 p8 XML build was loaded	No
BEDD2X09	Routine stub to verify that v2.0 p9 XML build was loaded	No
BEDD2X10	Routine stub to verify that v2.0 p10 XML build was loaded	Yes
BEDD2XML	Routine stub to verify that v2.0 XML build was loaded	No
BEDDACRP	Activity report compile routine	Yes
BEDDADM	BEDD IN patient admission routine	Yes
BEDDCPRT	BEDD IN custom print routine	No
BEDDEHR	Contains code to change the EHR patient and visit	No
BEDDEHRS	Patient-routing slip generator	No
BEDDGET	Utility function routine	No
BEDDINJ	Patient injury handling routine	No
BEDDMREC	Patient medication reconciliation report	No
BEDDPCC	BEDD IN visit creation logic	No
BEDDPLKP	BEDD IN patient lookup	No
BEDDPOV	Purpose of visit handling routine	No
BEDDPREF	Setup user preference handling	No
BEDDPRT	BEDD IN document printing	No
BEDDRPT	Generates EDD reports	Yes
BEDDSYNC	Routine to synchronize BEDD with AMER	No
BEDDTRPT	BEDD EDD triage report	No
BEDDUTD1	BEDD overflow utility routine	Yes
BEDDUTID	Contains functions which integrate the dashboard with RPMS	Yes
BEDDUTIF	Print formatting—currently not utilized but included for future use	No
BEDDUTIL	Contains additional functions that integrate the dashboard with RPMS	Yes
BEDDUTIS	Discharge from BEDD and AMER	No

Routine	Description	Patch 10
BEDDUTIU	Contains additional functions that integrate the dashboard with RPMS	No
BEDDUTL1	Decision to admit date handling	Yes
BEDDUTL2	Utility routine—clinic and hospital location handling	No
BEDDUTS1	Utility routine—GUI Cache Calls	Yes
BEDDUTW	Various room and bed management functions	No
BEDDUTW1	Various dashboard functions	Yes
BEDDVFIX	Record cleanup routine 1	No
BEDDVFX1	Record cleanup routine 2	No

5.3 Function List

The following list contains each KIDS function name and a description of what each produce:

1. **ACMP^BEDDUTIU:** Returns a list of ambulance company names.
2. **\$\$ADATE^BEDDADM:** Convert user entered admit date/time to correct format.
3. **\$\$ADMCHK^BEDDUTIU:** Returns whether or not the patient is already admitted.
4. **ADDDX^BEDDUTID:** Original function to add new International Classification of Diseases (ICD) code set 10 entry to the V POV file.
5. **\$\$ADMAMB^BEDDUTIU:** Returns the ambulance billing number for the patient visit.
6. **\$\$ADMAMC^BEDDUTIU:** Returns the admission ambulance company for a patient visit.
7. **\$\$ADMAMN^BEDDUTIU:** Returns the ambulance number for the visit admission.
8. **\$\$ADMCMP^BEDDUTIU:** Returns the visit's presenting complaint.
9. **\$\$ADMDTM^BEDDUTIU:** Returns the current admission date and time value for a patient visit.
10. **\$\$ADMFTRN^BEDDUTIU:** Returns the admission transferred from for a patient visit.
11. **\$\$ADMMAT^BEDDUTIU:** Returns whether the medical attendant was present for the admission.

12. **\$\$ADMMOT^BEDDUTIU**: Returns the admission mode of transport for a patient visit.
13. **\$\$ADMTRN^BEDDUTIU**: Returns the admission transferred value for a patient visit.
14. **\$\$ADMVTP^BEDDUTIU**: Returns the admission visit type.
15. **\$\$AGE^BEDDUTID**: Returns the patient's age.
16. **\$\$AMVISIT^BEDDPCC**: Creates PCC visit. Called by \$\$VISIT^BEDDPCC.
17. **AUD^BEDDVFIX**: File audit ^XTMP entry.
18. **\$\$AUTH^BEDDUTIL**: Returns whether the user has been granted access to the EDD.
19. **BEDDED^BEDDUTW**: Returns EDD information for a visit.
20. **BEDDLST^BEDDUTIL**: Returns a list of patients currently on the EDD.
21. **BLDACMP^BEDDADM**: Returns a list of ambulance companies.
22. **BLDMTRN^BEDDADM**: Returns a list of transport modes.
23. **BLDTFRM^BEDDADM**: Returns a list of transfer from choices.
24. **BLDTMOD^BEDDADM**: Returns a list of transport means choices.
25. **BLDTRG^BEDDUTIL**: Returns a list of triage acuities.
26. **BLDVTYPE^BEDDADM**: Returns list of visit types.
27. **\$\$CCLN^BEDDUTID**: Returns clinic mnemonic.
28. **\$\$CHECKAV^BEDDUTIL**: Validates the ACCESS and VERIFY code entries and returns DUZ information.
29. **\$\$CHECKWB^BEDDPREF**: Checks Whiteboard login credentials.
30. **\$\$CHGENC^BEDDEHR**: Function which changes the EHR visit to the selected visit.
31. **\$\$CHGPAT^BEDDEHR**: Function which changes the EHR patient to the selected patient.
32. **CHKADTTM^BEDDSYNC**: Update ER ADMISSION/BEDD if visit date/time change in PCC.
33. **CHKLK^BEDDUTW**: Check and unlock record, if needed.

34. **\$\$CLIN^BEDDADM:** Return the clinic mnemonic.
35. **CIDX^BEDDVFIX:** Remove duplicate indexes.
36. **CLEAN^BEDDVFIX:** Perform cleanup of BEDD entries.
37. **CLIN^BEDDUTID:** Returns list of clinics.
38. **\$\$CLIN^BEDDUTIU:** Returns the clinic internal entry number.
39. **CLIN^BEDDUTL2:** Return list of applicable clinics.
40. **CONS^BEDDUTIU:** Returns list of consult types.
41. **CUSTOM^BEDDPRT:** Front end to print custom document.
42. **DAILY^BEDDVFIX:** Daily AMER/BEDD cleanup front end.
43. **\$\$DATE^BEDDPLKP:** Date and time conversion function.
44. **\$\$DATE^BEDDUTIL:** Converts standard date and time to FileMan date and time.
45. **\$\$DATE^BEDDUTIU:** Converts external date to FileMan.
46. **\$\$DC^BEDDUTIS:** Discharges the patient from the AMER and EDD.
47. **\$\$DECADM^BEDDUTL1:** Return decision to admit date.
48. **\$\$DEFMTRN^BEDDADM:** Returns IEN of “PRIVATE VEHICLE TRANSFER” entry.
49. **\$\$DEFTMOD^BEDDADM:** Returns IEN of “PRIVATE VEHICLE/WALK IN” entry.
50. **\$\$DEFVTYP^BEDDADM:** Returns IEN of “UNSCHEDULED” visit type.
51. **\$\$DEL^BEDDPOV:** Delete a V POV entry.
52. **DEVLST^BEDDUTIU:** Returns a list of RPMS devices.
53. **DISP^BEDDUTID:** Returns a list of dispositions.
54. **\$\$DPCP^BEDDUTIL:** Returns the patient’s designated primary care provider.
55. **\$\$DPCP^BEDDUTW:** Returns the PtDFN field value.
56. **\$\$DSAVE^BEDDUTID:** Saves patient discharge information.
57. **\$\$DSPINFO^BEDDUTW:** Returns the BEDD.EDVISIT info value for a patient visit.

58. **\$\$DSUM^BEDDUTID**: Returns if discharge summary global is defined.
59. **\$\$DT^BEDDUTIS**: Calculates the difference between two times.
60. **\$\$DTCHK^BEDDUTIU**: Date checking function.
61. **\$\$DTCMP^BEDDUTIU**: Adds or subtracts days from the supplied date.
62. **\$\$DVLEN^BEDDADM**: Returns an IEN of a specified printer.
63. **DVLIST^BEDDADM**: Returns of list of printers.
64. **DX^BEDDUTID**: Returns an array of EDD ICD-10 code entries for a patient.
65. **\$\$DXCNT^BEDDUTIS**: Gets a count of EDD ICD-10 codes for a patient visit.
66. **DXLKP^BEDDPOV**: ICD Lexicon lookup.
67. **DXLKP^BEDDUTID**: Returns list of ICD-10 codes meeting the specified search criteria.
68. **EDCON^BEDDUTD1**: Returns an array of EDD consults for a patient.
69. **\$\$EDCNT^BEDDUTIS**: Gets a count of EDD consults for a patient visit.
70. **EDSYS^BEDDUTW**: Loads system variables for AMER admission.
71. **EMBCARD^BEDDUTW**: Print Embossed Cards.
72. **\$\$EMV^BEDDUTID**: Returns the V EMERGENCY VISIT RECORD entry.
73. **EN^BEDDCPRT**: Front end for custom BEDD IN print routine.
74. **EN^BEDDEHRS**: Prints patient routing slip.
75. **EN^BEDDMREC**: Prints patient medication reconciliation.
76. **\$\$ESAVE^BEDDUTID**: Performs dashboard board edit page save.
77. **\$\$FLAGS^BEDDUTL1**: Return flag summary information.
78. **\$\$FMTE^BEDDUTIL**: Return external date and time.
79. **\$\$FM2HD^BEDDUTIL**: Converts FileMan date and time to \$H date portion.
80. **\$\$FM2HT^BEDDUTIL**: Converts FileMan date and time to \$H time portion.
81. **FND^BEDDPLKP**: BEDD IN patient lookup.
82. **\$\$FNDDX^BEDDUTW**: Returns whether an ICD-10 code has been entered for a patient visit.

83. **\$\$FNDNARR^BEDDPOV:** File narrative and return IEN.
84. **\$\$FNOW^BEDDUTIL:** Returns the current FileMan date and time.
85. **\$\$GCLINIC^BEDDADM:** Returns the visit clinic.
86. **\$\$GETCC^BEDDUTIL:** Returns the chief complaint for the patient for the visit.
87. **\$\$GETF^BEDDUTIL:** Returns the specified FileMan field and file value.
88. **\$\$GETOSTAT^BEDDUTIL:** Get order summary by package type.
89. **\$\$GETPOV^BEDDPOV:** Get POV for a visit.
90. **\$\$HLK^BEDDPLKP:** Returns HRN for a location.
91. **\$\$HTIME^BEDDUTID:** Given seconds portion of \$H value, return time.
92. **\$\$HRNL^BEDDPLKP:** Returns list of HRNs.
93. **ICAU^BEDDUTI:** Returns a list of injury causes.
94. **ICD^BEDDPOV:** Return ICD information.
95. **IMES^BEDD2ENV:** Display install message to screen.
96. **INJFLD^BEDDINJ:** Update specific BEDD injury field.
97. **INJURY^BEDDINJ:** Returns injury-related information.
98. **INST^BEDDUTID:** Returns list of follow-up instructions.
99. **\$\$ISINJ^BEDDINJ:** Returns whether visit is injury related or not.
100. **\$\$ISINJURY^BEDDUTW:** Returns whether visit is injury related.
101. **\$\$KEYCK^BEDDUTID:** Returns if the user has the BEDDZMGR key.
102. **LABEL^BEDDPRT:** Print labels.
103. **LIST^BEDDPOV:** Return list of V POV entries for a visit.
104. **LKLST^BEDDUTW:** Returns a list of locked entries on the EDD.
105. **LOADSYS^BEDDUTW:** Returns a list of EDD system values.
106. **LOG^BEDDUTI:** File entry into BUSA.
107. **\$\$LUPREF^BEDDPREF:** Returns user preferences for a site/user.
108. **\$\$MDTRN^BEDDUTID:** Updates the MODE OF TRANSPORT for a patient visit.

109. **\$\$MEDIAN^BEDDUTL2:** Return the median wait time for each dashboard section.
110. **\$\$MINWTG^BEDDUTIL:** Calculates difference in minutes between specified value and \$H.
111. **MREC^BEDDPRT:** Print Med Rec Report.
112. **MTRN^BEDDUTIU:** Returns a mode of transport list values.
113. **\$\$NADM^BEDDADM:** Creates new ER ADMISSION and VISIT record entries.
114. **\$\$NARR^BEDDUTIU:** Returns the internal entry number for the provider narrative.
115. **\$\$NEW^BEDDADM:** Create new EDD class record.
116. **\$\$NEW^BEDDUTW:** Logs new visit on the EDD and returns the new internal entry number.
117. **\$\$NMFRMT^BEDDPREF:** Formats a patient's name for display.
118. **PCCPRV^BEDDUTIS:** Log consult providers in V PROVIDER.
119. **PLABEL^BEDDPRT:** Label background process entry point.
120. **\$\$PLCHLD^BEDDUTID:** Returns information for default ".9999" ICD-10 code.
121. **PMREC^BEDDPRT:** Med Rec background process entry point.
122. **POV^BEDDUTIU:** Log entries in V POV.
123. **\$\$PPN^BEDDUTW1:** Returns either the patient name or patient preferred name.
124. **\$\$PPR^BEDDUTIL:** Returns the primary provider.
125. **\$\$PRCNT^BEDDUTIS:** Gets a count of EDD procedures for a patient visit.
126. **\$\$PRIMDX^BEDDUTID:** Retrieves/Saves the primary ICD-10 code.
127. **PROC^BEDDUTID:** Returns an array of EDD procedures for a patient.
128. **PROC^BEDDUTIU:** Returns a list of EDD procedures.
129. **PROUTE^BEDDPRT:** Print patient routing slip.
130. **PROV^BEDDUTD1:** Returns list of providers.

131. **\$\$PROV^BEDDUTL2:** Returns an array of providers for a visit.
132. **PRPOV^BEDDUTIU:** Log ER Procedure provider entries in the V PROVIDER file.
133. **PRTSLIP^BEDDPRT:** Patient routing slip background process entry point.
134. **\$\$PTALG^BEDDUTIL:** Returns a list of the allergies for a patient.
135. **\$\$PTPCP^BEDDUTIL:** Returns a patient's primary care provider.
136. **PTROUTE^BEDDPRT:** Routing slip background process entry point.
137. **PVFRMT^BEDDUTD1:** Assemble provider information.
138. **QUE^BEDDEHRS:** Queue routing slip print.
139. **QUE^BEDDMREC:** Queue med rec report.
140. **RIDX^BEDDVFIX:** Remove duplicate indexes.
141. **RMAV^BEDDUTW:** Checks room availability.
142. **\$\$RMCHK^BEDDUTW:** Returns whether the specified room is occupied by anyone other than the patient.
143. **RMRMV^BEDDUTW:** Make patient's room unoccupied.
144. **\$\$RMLST^BEDDUTW:** Returns the last room occupied by a patient for a visit.
145. **ROUTE^BEDDPRT:** Print routing slip.
146. **SAFE^BEDDUTIU:** Returns a list of safety measures.
147. **\$\$SAVE^BEDDPOV:** Adds/updates V POV entry.
148. **\$\$SAVEADM^BEDDADM:** Admits a patient to the EDD.
149. **SAVEDX^BEDDUTW:** Saves the diagnosis information into the Cache class.
150. **SCEN^BEDDUTIU:** Returns a list of injury settings.
151. **\$\$SCLN^BEDDUTID:** Returns converted clinic internal entry number.
152. **\$\$SECWTG^BEDDUTLA:** Calculate difference in seconds from \$H.
153. **\$\$SENS^BEDDPLKP:** Returns whether patient is sensitive or not.
154. **SITE^BEDDUTIL:** Returns a list of sites from the MEDICAL CENTER DIVISION (#40.8) file.

- 155. **\$\$\$NAME^BEDDUTIL:** Returns the file site name of the specified entry.
- 156. **START^BEDDEHRS:** Display routing slip.
- 157. **START^BEDDMREC:** Display med rec report.
- 158. **\$\$\$SUPREF^BEDDPREF:** Saves user preferences for a site/user.
- 159. **TFRM^BEDDUTIU:** Returns a list of Transfer from values.
- 160. **\$\$TKO^BEDDPLKP:** Strips trailing character off of string.
- 161. **\$\$TODLH^BEDDUTIL:** Converts external date to \$H format.
- 162. **TOTAL^BEDDUTL2:** Assemble dashboard totals.
- 163. **\$\$TRGUPD^BEDDUTIL:** Updates visit triage information.
- 164. **\$\$TRIAGE^BEDDUTS1:** Returns the first or last triage information on file.
- 165. **TRNF^BEDDUTID:** Returns list of transfer facilities.
- 166. **UPDINJ^BEDDINJ:** Update BEDD injury information.
- 167. **UPDTVTIM^BEDDSYNC:** Update PCC/BEDD visit date/time of current ED patient.
- 168. **\$\$UPPER^BEDDUTID:** Converts string to uppercase.
- 169. **UPPRV^BEDDUTW:** Saves the primary provider.
- 170. **\$\$VCLIN^BEDDUTL2:** Return the ER clinic based on the visit.
- 171. **VDTM^BEDDSYNC:** Update PCC/BEDD with new visit date/time.
- 172. **\$\$VISIT^BEDDPCC:** Create PCC visit.
- 173. **VTYP^BEDDUTIU:** Returns a list of EDD visit types.
- 174. **\$\$WACCESS^BEDDPREF:** Returns whether a user can edit the Whiteboard settings.
- 175. **\$\$WARN^BEDDUTW1:** Determine warnings for a visit.
- 176. **\$\$WBPREF^BEDDPREF:** Saves Whiteboard settings.
- 177. **\$\$XCLIN^BEDDUTIL:** Returns the external clinic value.
- 178. **\$\$XDATE^BEDDUTID:** Converts external date and time to FileMan date and time.
- 179. **\$\$XNOW^BEDDUTIL:** Returns current external date and time.

6.0 Classes

6.1 List of Emergency Department Dashboard (EDD) Classes

A list of the new classes with the EDD Application is in Table 6-1. All of the specified class names exist within the BEDD package.

Table 6-1: List of Emergency Department Dashboard Classes and Descriptions

Class Name	Description
BEDD.EDConsults	Main storage for EDD Consult Patient Data
BEDD.EDDiagnosis	Holds diagnosis information for the patient visit that will be sent to the patient record
BEDD.EDInjury	Main storage for EDD Injury Patient Data
BEDD.EDProc	Main storage for EDD Procedure Patient Data
BEDD.EDRooms	Main storage for EDD Room Data
BEDD.EDRoomUse	Main storage for EDD Room Use Data
BEDD.EDSYSTEM	Main storage for EDD System Data
BEDD.EDUserPreferences	Storage for individual user preferences
BEDD.EDVISIT	Main storage for EDD Visa
BEDD.EDWarning	Main storage for EDD Warning Data—Currently not implemented
BEDDAPPL.EDManager	%Zen EDD Manager page stylesheet
BEDDAPPL.EDMenu	%Zen EDD Menu page stylesheet
BEDDAPPL.EDRoom	%Zen EDD Room page stylesheet
BEDDAPPL.EDRoomModel	%Zen Data Model for EDD Rooms
BEDDAPPL.EDSystem	%Zen EDD System stylesheet
BEDDAPPL.EDSystemModel	%Zen Data Model for EDD System
BEDDAPPL.EDWarning	%Zen stylesheet for EDD Dashboard Warnings
BEDDAPPL.EDWarningModel	%Zen Data Model for EDD Dashboard Warnings

6.2 Method List—BEDD Package

1. **BEDD.EDConsults.CmbDt:** Returns the combined check-in date and time.
2. **BEDD.EDConsults.CmbNotify:** Returns the combined check in date and time.
3. **BEDD.EDConsults.GetAge:** Returns the patient's age.
4. **BEDD.EDConsults.GetChart:** Returns the patient chart number.
5. **BEDD.EDConsults.GetCIDt:** Returns the check-in date.

6. **BEDD.EDConsults.GetCITm:** Returns the check-in time.
7. **BEDD.EDConsults.GetCN:** *Not utilized in current version.*
8. **BEDD.EDConsults.GetCNS:** *Not utilized in current version.*
9. **BEDD.EDConsults.GetDOB:** Returns the patient's date of birth.
10. **BEDD.EDConsults.GetCN:** *Not utilized in current version.*
11. **BEDD.EDConsults.GetName:** Returns the check-in date.
12. **BEDD.EDConsults.GetSex:** Returns the patient's sex.
13. **BEDD.EDProc.GetName:** Returns the patient's name.
14. **BEDD.EDProc.GetStfN:** Returns the procedure staff.
15. **BEDD.EDProc.GetChart:** Returns the patient's chart.
16. **BEDD.EDProc.GetAge:** Returns the patient's age.
17. **BEDD.EDProc.GetSex:** Returns the patient's sex.
18. **BEDD.EDProc.GetCIDt:** Returns the visit check in date.
19. **BEDD.EDProc.CalcTime:** Calculates the procedure time spent.
20. **BEDD.EDProc.GetCITm:** Returns the visit check in time.
21. **BEDD.EDProc.CmbDt:** Returns the combined check in date and time.
22. **BEDD.EDProc.CmbDtT:** Returns the combined procedure date and time.
23. **BEDD.EDProc.GetDOB:** Returns the patient's date of birth.
24. **BEDD.EDProc.GetProcN:** Returns the procedure name.
25. **BEDD.EDSYSTEM.GetName:** Returns site name.
26. **BEDD.EDSYSTEM.GetPName:** Returns site name.
27. **BEDD.EDVISIT.GetName:** Returns the patient's name.
28. **BEDD.EDVISIT.GetProvN:** Returns the provider's name.
29. **BEDD.EDVISIT.GetDispN:** Returns the disposition.
30. **BEDD.EDVISIT.GetInjC:** Returns the injury cause.
31. **BEDD.EDVISIT.GetInjS:** Returns the injury setting.
32. **BEDD.EDVISIT.GetPtComplaint:** Returns the visit complaint.

33. **BEDD.EDVISIT.GetDecAdmit:** Returns decision to admit date.
34. **BEDD.EDVISIT.GetPtStat:** Returns the patient's status (check-in, triage, in room, pending).
35. **BEDD.EDVISIT.GetCIDt:** Returns the patient's check in date.
36. **BEDD.EDVISIT.GetCITm:** Returns the patient's check in time.
37. **BEDD.EDVISIT.GetTrgA:** Returns the visit triage acuity.
38. **BEDD.EDVISIT.GetTrgDt:** Returns the visit triage date.
39. **BEDD.EDVISIT.GetPTrgDt:** Returns the triage provider date.
40. **BEDD.EDVISIT.GetTrgPrv:** Returns the triage provider.
41. **BEDD.EDVISIT.GetTrgPrvDtTm:** Returns the triage provider date/time.
42. **BEDD.EDVISIT.GetTrgDtTm:** Returns the visit triage date and time.
43. **BEDD.EDVISIT.GetAdPvDtm:** Returns the visit admitting provider date and time.
44. **BEDD.EDVISIT.GetAM:** Returns the visit mode of transport.
45. **BEDD.EDVISIT.GetTrgTm:** Returns the visit triage time.
46. **BEDD.EDVISIT.GetTrgN:** Returns the visit triage nurse.
47. **BEDD.EDVISIT.GetTrgC:** Returns the visit triage clinic type.
48. **BEDD.EDVISIT.GetDisp:** Returns the visit disposition.
49. **BEDD.EDVISIT.GetDCN:** Returns the visit discharge nurse.
50. **BEDD.EDVISIT.GetDCP:** Returns the visit discharge provider.
51. **BEDD.EDVISIT.GetDCDtTm:** Returns the visit discharge date and time.
52. **BEDD.EDVISIT.GetDCDt:** Returns the visit discharge date.
53. **BEDD.EDVISIT.GetDCTm:** Returns the visit discharge time.
54. **BEDD.EDVISIT.GetCln:** Returns the visit discharge clinic.
55. **BEDD.EDVISIT.GetERCC:** Returns the presenting complaint for the visit.
56. **BEDD.EDVISIT.CmbDt:** Returns the combined check in date and time.
57. **BEDD.EDVISIT.GetCC:** Returns the chief complaint.

58. **BEDD.EDVISIT.GetDC:** Returns the visit disposition.
59. **BEDD.EDVISIT.GetPrimN:** Returns the primary nurse for the visit.
60. **BEDD.EDVISIT.GetICDN:** Returns the ICD-10 code.
61. **BEDD.EDVISIT.GetAdmPrv:** Returns the admitting provider.
62. **BEDD.EDVISIT.GetSex:** Returns the patient's sex.
63. **BEDD.EDVISIT.GetDOB:** Returns the patient's date of birth.
64. **BEDD.EDVISIT.GetAge:** Returns the patient's age.
65. **BEDD.EDVISIT.GetChart:** Returns the patient's chart.
66. **BEDD.EDVISIT.GetWtg:** Returns the visit wait time based on their status.
67. **BEDD.EDVISIT.GetPtStatN:** Returns the visit external status.
68. **BEDD.EDVISIT.GetVD:** Returns the total visit duration.
69. **BEDD.EDVISIT.GetInstN:** Returns the follow-up instructions.
70. **BEDD.EDVISIT.GetInd:** Returns the industry—*not implemented*.
71. **BEDD.EDVISIT.GetOcc:** Returns the occupation—*not implemented*.
72. **BEDD.EDVISIT.GetFinA:** Returns the final acuity.
73. **BEDD.EDVISIT.GetPrimNurseDUZ:** Returns the DUZ of the current primary nurse.
74. **BEDD.EDVISIT.GetPrmNurseDTM:** Returns the date/time of the current primary nurse.
75. **BEDD.EDVISIT.GetEDPvDtm:** Returns the date/time of the current ED Provider.
76. **BEDD.EDVISIT.GetTrgTm:** Returns the triage nurse time.
77. **BEDD.EDVISIT.GetPTrgTm:** Returns the triage provider time.
78. **BEDD.EDVISIT.GetFlags:** Returns patient flag information.
79. **BEDD.EDVISIT.GetTraumaYN:** Returns whether the trauma team was activated.
80. **BEDD.EDVISIT.GetTraumaBy:** Returns the trauma activated provider.
81. **BEDD.EDVISIT.GetTraumaDTM:** Returns the trauma activation date/time.

7.0 Cache Server Page (CSP) Files

7.1 List of EDD Cache Server Pages

A list and description of the new CSP pages for the EDD Application is shown in Table 7-1. All of the specified class names exist within the BEDD package.

Table 7-1: List of EDD Cache Server Page Files

CSP Page Name	Description
BEDD	Main Emergency Department Dashboard screen
BEDDACTRPT	Activity Report
BEDDAdmit	BEDD IN patient admission page
BEDDASRPT	Admissions Summary Report
BEDDCHFCMP	Add/Enter/Delete Chief Complaint Page
BEDDCITMRPT	Check-In Summary by Hour Report
BEDDCLOGRPT	Central Log Report
BEDDCONS	Emergency Department Consult Worksheet
BEDDDC	Main Discharge Screen
BEDDDCTMRPT	Discharge Summary by Discharge Hour Report
BEDDDIAG	Diagnosis Page Worksheet
BEDDEDC	Discharge Listing
BEDDEDCV	Discharge Summary
BEDDEDIT1	Edit Page
BEDDIL	Invalid Login Page
BEDDINJ	Injury Worksheet
BEDDLCKIT	Locking Page
BEDDLCKREL	Locked Records Listing
BEDDLogin	Main Entry/Login Page
BEDDLogin1	ACCESS/VERIFY Page
BEDDLOSRT	Length of Stay by Acuity
BEDDPROC	Procedure Page
BEDDRMTMRPT	Room Utilization by Hour
BEDDRPTMNU	Main Report Menu Page
BEDDTARPT	Trauma Report
BEDDTRG	Triage Report
BEDDUA	Unauthorized Access Page
BEDDUNLOCK	Unlock Record Page

8.0 Files and Tables

- File List: There are no RPMS files or tables included in the BEDD application
- File Access: N/A
- Cross References: N/A
- Table File: N/A
- File Diagram or Flowchart: N/A

9.0 External Relations

9.1 External Calls

The BEDD package utilizes the external calls in Figure 9-1.

Routine	is Invoked by:
^%DT	BEDDACRP, BEDDADM, BEDDPLKP, BEDDUTID, BEDDUTIL, BEDDUTIU
C^%DTC	BEDDACRP, BEDDUTIL, BEDDUTIU
H^%DTC	BEDDUTIS
NOW^%DTC	BEDDADM, BEDDUTIL, BEDDVFIX, BEDDVFX1
YX^%DTC	BEDDUTIS
^%ZIS	BEDDEHRS, BEDDMREC
HOME^%ZIS	BEDDEHRS, BEDDMREC
^%ZISC	BEDDEHRS, BEDDMREC, BEDDPRT
CLOSE^%ZISH	BEDDEHRS, BEDDMREC
\$\$VERSION^%ZOSV	BEDD2ENV
^%ZTER	BEDDACRP, BEDDADM, BEDDGET, BEDDPLKP, BEDDPOV, BEDDPRT BEDDRPT, BEDDTRPT, BEDDUTID, BEDDUTIL, BEDDUTIU, BEDDUTW BEDDVFIX
^%ZTLOAD	BEDDEHRS, BEDDMREC
HDR^AG	BEDDUTIL
PHDR^AG	BEDDUTIL
PTLK^AG	BEDDEHRS, BEDDMREC
DFN^AGCARD	BEDDUTIL
\$\$OPT^AMERO	BEDDUTIS
UTL^AMERO	BEDDUTIS
\$\$GETCLN^AMER2A	BEDDUTL2
\$\$CKHLOC^AMERBSD	BEDDADM, BEDDUTID
CO^AMERBSD	BEDDUTIS
LOG^AMERBUSA	BEDDUTIU
START^AMERCLP	BEDDPRT
SYNC^AMERPRV	BEDDUTID, BEDDUTIS
TRAUMA^AMERPRV	BEDDADM, BEDDUTID
\$\$DR1^AMERSAV	BEDDUTIS
CONSULT^AMERSAV	BEDDUTIS
DRM^AMERSAV	BEDDUTIS
KILLADM^AMERSAV	BEDDUTIS
STUFF^AMERSAV	BEDDUTIS
\$\$DT^AMERSAV1	BEDDUTIS
\$\$RUN^AMERSAV1	BEDDUTIS
INJ^AMERSAV1	BEDDUTIS
\$\$AICD^AMERUTIL	BEDDPOV
\$\$POV^AMERUTIL	BEDD2PST, BEDDPOV, BEDDUTID
\$\$PPN^AMERUTIL	BEDDEHRS, BEDDMREC
LEX^AMERUTIL	BEDDPOV
POV^AMERUTIL	BEDDPOV, BEDDUTIS
NRPRV^AMERVER	BEDDUTID
UTRG^AMERVER	BEDDUTIS
VER^AMERVER	BEDDADM, BEDDUTID, BEDDUTIS
\$\$AUD^AMERVFIX	BEDDVFIX
\$\$CKVISIT^AMERVFIX	BEDDVFX1
DAILY^AMERVFIX	BEDDVFIX
PCADM^AMERVFIX	BEDDVFX1
\$\$GETOPIEN^AMERVSIT	BEDDPCC
\$\$GETVOPTN^AMERVSIT	BEDDPCC

VSITDIE^AMERSVIT	BEDDPCC
^APCDALVR	BEDDPOV
GETVISIT^APCDAPI4	BEDDPCC
START^APCDCVDT	BEDDSYNC
CHKPAT^AUPNLK	BEDDPLKP
\$\$AGE^AUPNPAT	BEDDUTID
\$\$IMP^AUPNSICD	BEDDPOV
\$\$GETPREF^AUPNSOGI	BEDDPLKP,BEDDUTW1
MOD^AUPNVISIT	BEDDINJ,BEDDPOV,BEDDSYNC,BEDDUTID
\$\$ICDDX^AUPNVUTL	BEDDPOV,BEDDUTID
DEL^BGOCC	BEDDGET
SET^BGOCC	BEDDGET
\$\$UPDATE^BGOUTL	BEDDPOV
SINGLE^BSDROUT	BEDDPRT
\$\$DIV^BSDU	BEDDPRT
\$\$LOG^BUSAAPI	BEDDADM
GETSUBSC^CIANBEVT	BEDDEHR
QUEUE^CIANBEVT	BEDDEHR
\$\$QUEUE^CIAUTSK	BEDDPRT
\$\$HASKEY^CIAVCXUS	BEDDPREF
DEVICE^CIAVUTIO	BEDD2P02,BEDDUTIU
\$\$GETACT^DGPFAPI	BEDDUTL1
SETLOG1^DGSEC	BEDDUTIL
^DIC	BEDD2P01,BEDD2P02,BEDD2P03,BEDD2P04,BEDD2P05, BEDDUTID,BEDDUTIL,BEDDUTIU
FIND^DIC	BEDDPLKP
IX^DIC	BEDD2P01,BEDD2P02,BEDD2P03,BEDD2P04,BEDD2P05
FILE^DICN	BEDDADM,BEDDUTID,BEDDUTIS,BEDDUTIU
^DIE	BEDDUTIS
FILE^DIE	BEDD2PST,BEDDADM,BEDDPOV,BEDDSYNC,BEDDUTID,BEDDUTIS BEDDVFX1
\$\$IENS^DILF	BEDDPCC,BEDDUTD1,BEDDUTID,BEDDUTIS,BEDDUTIU,BEDDUTL2
\$\$GET1^DIQ	BEDD2PST,BEDDACRP,BEDDADM,BEDDEHRS,BEDDGET,BEDDMREC BEDDPCC,BEDDPLKP,BEDDPOV,BEDDPRT,BEDDRPT,BEDDSYNC, BEDDTRPT,BEDDUTD1,BEDDUTID,BEDDUTIL,BEDDUTIS, BEDDUTIU,BEDDUTL1,BEDDUTL2,BEDDUTW,BEDDUTW1, BEDDVFIX,BEDDVFX1
^DIR	BEDDMREC
\$\$ICDDX^ICDCODE	BEDDPOV
\$\$ICDDX^ICDEX	BEDDPOV
\$\$IMP^ICDEXA	BEDDUTID
LOOK^LEXA	BEDDPOV
CONFIG^LEXSET	BEDDPOV
\$\$MAIN^TIULADR	BEDDUTIL
\$\$LIST^TIULMED	BEDDMREC
INP^VADPT	BEDDPRT
EN^XBNEW	BEDDPRT
\$\$DT^XLFDT	BEDDPOV,BEDDUTIL,BEDDUTIS,BEDDUTIU
\$\$FMTE^XLFDT	BEDDADM,BEDDRPT,BEDDUTIL,BEDDUTL1,BEDDUTW
\$\$FMTH^XLFDT	BEDDRPT,BEDDSYNC,BEDDUTIL,BEDDUTIS,BEDDUTW,BEDDVFIX BEDDVFX1
\$\$HDIFF^XLFDT	BEDDRPT,BEDDUTIL,BEDDUTW1
\$\$HTE^XLFDT	BEDDACRP,BEDDRPT,BEDDUTID
\$\$HTFM^XLFDT	BEDDACRP,BEDDRPT,BEDDUTIU,BEDDUTW,BEDDVFIX
\$\$NOW^XLFDT	BEDDPLKP
\$\$REMDBL^XLFNAM1	BEDDPLKP
\$\$CJ^XLFSTR	BEDD2ENV,BEDD2P06,BEDD2P07,BEDD2P08,BEDD2P09, BEDD2P10
\$\$UP^XLFSTR	BEDDPLKP
\$\$VERSION^XPDUTL	BEDDUTID
BMES^XPDUTL	BEDD2ENV,BEDD2P01,BEDD2P02,BEDD2P03,BEDD2P04,

```

BEDD2P05,MES^XPDUTL,BEDD2ENV,BEDD2P06,BEDD2P07,BEDD2P08,BEDD2P09,BEDD2P10
DUZ^XUP          BEDDPOV,BEDDPRT,BEDDUTID,BEDDUTIS,BEDDUTIU,BEDDUTW1
$$CHECKAV^XUS    BEDDUTIL

*****      END      *****

```

Figure 9-1: BEDD External Calls screen

9.2 Callable Routines

Table 9-1 lists Callable entry points and their descriptions.

Table 9-1: Callable Entry Points

Routine Called	Description
10^BEDDUTIF	10 Point print
12^BEDDUTIF	12 Point print
ACMP^BEDDUTIU	Return ambulance company name list
\$\$ADATE^BEDDADM	Convert user entered admit date/time to correct format
ADDDX^BEDDUTID	Add DX TO V POV FILE
ADM^BEDDVFIX	Clean up BEDD side of AMER ER ADMISSION entry
\$\$ADMAMB^BEDDUTIU	Return admission ambulance billing
\$\$ADMAMC^BEDDUTIU	Return admission ambulance company
\$\$ADMAMN^BEDDUTIU	Return admission ambulance number
\$\$ADMCHK^BEDDUTIU	Determine if patient is already admitted
\$\$ADMCMP^BEDDUTIU	Return presenting complaint
\$\$ADMDTM^BEDDUTIU	Return current admission date/time
\$\$ADMFTRN^BEDDUTIU	Return admission transferred from
\$\$ADMMAT^BEDDUTIU	Return admission medical attendant present
\$\$ADMOT^BEDDUTIU	Return admission mode of transport
\$\$ADMTRN^BEDDUTIU	Return admission transferred
\$\$ADMVTP^BEDDUTIU	Return admission visit type
\$\$AGE^BEDDUTID	Return Patients Age
\$\$ALIAS^BEDDPLKP	Return patient alias
ALST^BEDDRPT	Assemble list of information for date range
AS^BEDDRPT	Set up entry for Admission Summary
\$\$ASAVE^BEDDUTIU	Not implemented
AUD^BEDDVFIX	File audit entry into ^XTMP
\$\$AUTH^BEDDUTIL	Authenticate User for ED Access
BEDDED^BEDDUTW	Retrieve information from BEDD.EDVISIT entry

Routine Called	Description
BEDDLST^BEDDUTIL	Return list of dashboard patients
BLDACMP^BEDDADM	Returns a list of ambulance companies
BLDMTRN^BEDDADM	Returns a list of transport modes
BLDTFRM^BEDDADM	Returns a list of transfer from choices
BLDTMOD^BEDDADM	Returns a list of transport means choices
BLDTRG^BEDDUTIL	Build list of acuity values
BLDTRG^BEDDUTW1	Return list of triage entries
BLDVTP^BEDDADM	Build visit type array
BOLD^BEDDUTIF	Print bold
\$\$CCLN^BEDDUTID	Return Clinic Mnemonic
\$\$CHECKAV^BEDDUTIL	Access/Verify authentication
CHGENC^BEDDEHR	Function which changes the EHR visit to the selected visit
CHGPAT^BEDDEHR	Function which changes the EHR patient to the selected patient
CHKDATA^BEDDUTW	Save primary provider and assigned provider
CHKDATA^BEDDUTW1	Save provider information
CHKLK^BEDDUTW	Check and unlock record, if needed
CHKLK^BEDDUTW1	Check and unlock visit record
CI^BEDDRPT	Check in summary by hour
CL^BEDDRPT	Set up entry for Central Log
CLEAN^BEDDVFIX	Clean up BEDD entries (called by AMER daily cleanup)
CLIN^BEDDUTID	Return List of Applicable Clinics
\$\$CLIN^BEDDUTIU	Return clinic ^AMER(3) IEN
CONS^BEDDUTIU	Return list of consult types
CONSQRV^BEDDUTIS	Perform query to gather EDD consults for a visit
DAILY^BEDDVFIX	Front end for daily record cleanup
\$\$DATE^BEDDPLKP	Date and time conversion function
\$\$DATE^BEDDUTIL	Convert standard date/time to FileMan date/time
\$\$DATE^BEDDUTIU	Convert external date to FileMan
DCUPDATE^BEDDUTIS	Discharge a Reversed DC
DEFMTRN^BEDDADM	Returns IEN of "PRIVATE VEHICLE TRANSFER" entry.
DEFTMOD^BEDDADM	Returns IEN of "PRIVATE VEHICLE/WALK IN" entry
\$\$DEFVTP^BEDDADM	Returns IEN of "UNSCHEDULED" visit type
DEVLST^BEDDUTIU	Return list of devices
DI^BEDDRPT	Discharge summary by hour
DIAGQ^BEDDUTIS	Perform query to gather EDD diagnosis entries for a visit
DISCH^BEDDUTW	Update discharge information from RPMS

Routine Called	Description
DISP^BEDDUTID	Return List of Dispositions
DLST^BEDDUTW	Assemble list of discharges for date ranges
DLST^BEDDRPT	Assemble list of Discharges for Date ranges
\$\$DPCP^BEDDUTIL	Get patient's DPCP
\$\$DPCP^BEDDUTW	Return patient DFN
\$\$DSAVE^BEDDUTID	Dashboard Discharge Screen Save
\$\$DSPINFO^BEDDUTW	Retrieve BEDD.EDVISIT info value
\$\$DSUM^BEDDUTID	Return if Discharge Summary Global is defined
\$\$DT^BEDDUTIS	Calculate time difference
\$\$DTCHK^BEDDUTIU	Date checking function
\$\$DTCMP^BEDDUTIU	Add or subtract days from supplied date
DX^BEDDUTID	Get list of ER DX'S
\$\$DXLKP^BEDDPOV	Lookup to file 80
DXLKP^BEDDUTID	Lookup to File 80 (DX)
EDCON^BEDDUTID	Get list of ER Consults
EDSYS^BEDDUTW	Load system variables for AMER admission
\$\$EMV^BEDDUTID	Return V EMERGENCY VISIT RECORD entry
EN^BEDDCPRT	Front end for custom BEDD IN print routine
EN^BEDDEHRS	Front end to print patient routing slip
EN^BEDDMREC	Front end to patient medication reconciliation report
EN^BEDDTRPT	Front end for the patient triage report
END^BEDDMREC	Med Rec report cleanup
FND^BEDDPLKP	Patient lookup
ERR^BEDDUTID	Capture error
ERR^BEDDUTIU	Capture error
\$\$ESAVE^BEDDUTID	Dashboard Edit Screen Save
\$\$FM2HD^BEDDUTIL	Convert FileMan date/time to \$H date portion
\$\$FM2HT^BEDDUTIL	Convert FileMan date/time to \$H time portion
\$\$FMTE^BEDDUTIL	Convert FileMan to standard external date/time
\$\$FNDDX^BEDDUTW	Locate DX code in patient visit
\$\$FNOW^BEDDUTID	Return Current FileMan Date and Time
\$\$GETCC^BEDDUTIL	Return V NARRATIVE TEXT
\$\$GETCHIEF^BEDDGET	Get V NARRATIVE TEXT entry
\$\$GETDX^BEDDPOV	Retrieve V POV information for a particular entry
\$\$GETF^BEDDUTIL	Return value from specified field in a file
\$\$GETOSTAT^BEDDUTIL	Get Order Summary By Pack Type

Routine Called	Description
GSITE^BEDDUTW	Retrieve individual site info
HDR^BEDDEHRS	Display report header
HDR^BEDDMREC	Display Med Rec report header
\$\$HLK^BEDDPLKP	Returns HRN for a location
\$\$HRNL^BEDDPLKP	Returns list of HRNs
\$\$HTIME^BEDDUTID	Given seconds portion of \$H value, return time
\$\$ICAU^BEDDUTIU	Return list of injury causes
\$\$IND^BEDDUTIL	Return the industry (not implemented)
\$\$INJCAUSE^BEDDUTIL	Return cause of injury
\$\$INJSTG^BEDDUTIL	Return injury setting
INST^BEDDUTID	Return list of Follow-up Instructions
\$\$INSTALLD^BEDD2ENV	Returns whether passed in build is installed
\$\$INSTALLD^BEDD2P01	Returns whether passed in build is installed
\$\$INSTALLD^BEDD2P02	Returns whether passed in build is installed
\$\$LEX^BEDDPOV	Lexicon lookup
\$\$LIST^BEDDPOV	Return list of POVs
\$\$KEYCK^BEDDUTID	Determine if user has BEDDZMGR Key
LKLST^BEDDUTW	Assemble list of locked records
LKLST^BEDDUTW1	Get any locked records
LOADSYS^BEDDUTW	Load system variables
LOG^BEDDUTIU	Log entry into BUSA
LOGSEC^BEDDUTIL	Updates an entry in the DG SECURITY LOG (#38.1) file
\$\$LUPREF^BEDDPREF	Return user preferences for a site/user
\$\$MDTRN^BEDDUTID	Update Patient's MODE OF TRANSPORT
\$\$MINWTG^BEDDUTIL	Calculate difference in minutes from \$H
MTRN^BEDDUTIU	Return mode of transport list
\$\$NARR^BEDDUTIU	Get provider narrative IEN
NEW^BEDDADM	Create new EDD class record
NEW^BEDDUTIL	Admits a patient to the EDD
NEW^BEDDUTW	Add new admission to dashboard
NONBOLD^BEDDUTIF	Print normal density
NUNDLN^BEDDUTIF	No Underline
\$\$OCC^BEDDUTIL	Return the occupation – not implemented
P10^BEDDUTIF	10 PITCH, 6 LINES/INCH, 60 LINES PER PAGE
P12^BEDDUTIF	12 PITCH, 6 LINES/INCH, 60 LINES PER PAGE
\$\$PLCHLD^BEDDUTID	Look for Diagnosis Default

Routine Called	Description
POV^BEDDUTIU	Log ER VISIT Provider entries in the V POV (#9000010.07) file
\$\$PPR^BEDDUTIL	Return the Primary Provider
\$\$PRIMDX^BEDDUTID	Retrieve/Save the Primary EHR DX
PROC^BEDDUTID	Get list of ER Procedures Performed
PROC^BEDDUTIU	Return list of ER Procedures
PROCQ^BEDDUTIS	Perform query to gather EDD procedures for a visit
PROV^BEDDUTD1	Return List of Providers
PRPOV^BEDDUTIU	Log ER Procedure provider entries in the V PROVIDER (#9000010.06) file
PRV^BEDDUTIU	Log ER VISIT Provider entries in the V PROVIDER (#9000010.06) file
\$\$PTALG^BEDDUTIL	Return patient allergies
\$\$PTPCP^BEDDUTIL	Return patient primary care provider
RMAV^BEDDUTW	Check room availability
\$\$RMCHK^BEDDUTW	Return whether room is occupied
\$\$RMLST^BEDDUTW	Return patient's last room occupied
RMRMV^BEDDUTW	Make patient's room unoccupied
RMRPT^BEDDRPT	Assemble Room Information by Date Range
RTRN^BEDDMREC	Force RETURN entry
RU^BEDDRPT	Room Use Report
SAFE^BEDDUTIU	Return list of safety measures
SAVEDX^BEDDUTW	Save the diagnosis information into the class
SCEN^BEDDUTIU	Return list of injury settings
\$\$SCLN^BEDDUTID	Convert Clinic
\$\$SECWTG^BEDDUTIL	Calculate difference in seconds from \$H
\$\$SENS^BEDDPLKP	Returns whether patient is sensitive or not
SINIT^BEDDUTW	Initialize the site settings
SITE^BEDDUTIL	Return list of sites
\$\$SNAME^BEDDUTIL	Return site name
SPOV^BEDDUTIU	Log the specified purpose of visit in V POV (#9000010.07) file
SPRV^BEDDUTIU	Log the specified provider in the V PROVIDER (#9000010.06) file
\$\$SUPREF^BEDDPREF	Save user preferences for a site/user
SYNC^BEDDSYNC	Sync BEDD with AMER/PCC
TFRM^BEDDUTIU	Return list of transfer from values
\$\$TKO^BEDDPLKP	Strips trailing character off of string
\$\$TODLH^BEDDUTIL	Convert external date to \$H
TRNF^BEDDUTID	Return List of Transfer Facilities

Routine Called	Description
\$\$TRGUPD^BEDDUTIL	Update ER ADMISSION TRIAGE NURSE/ADMITTING PROV/ACUITY
UNLK^BEDDUTW	Unlock all records
UNDLN^BEDDUTIF	Underline
\$\$UPPER^BEDDUTID	Convert to uppercase
UPPRV^BEDDUTW	Save the primary provider
UPPRV^BEDDUTW1	Update provider
VERENTRY^BEDDUTIS	Create V EMERGENCY VISIT RECORD entry
\$\$VISIT^BEDDPCC	Create PCC visit
VST^BEDDVFIX	Update BEDD entry based on AMER ER VISIT entry
VTYP^BEDDUTIU	Return list of ER Visit Types
\$\$WACCESS^BEDDPREF	Return whether user can edit the whiteboard settings
\$\$WARN^BEDDUTW1	Returns all warnings for a specified visit
\$\$WBPREF^BEDDPREF	Save Whiteboard information
\$\$XCLIN^BEDDUTIL	Create ED Entry
\$\$XDATE^BEDDUTID	Convert External Date to FileMan
\$\$XNOW^BEDDUTID	Return current external date and time

9.3 Published Entry Points

Table 9-2: Published Entry Points

Routine Called	Description
EN^BEDDCPRT	Front end for custom BEDD IN printing on admission

9.4 Exported Options

There are no exported options included with the BEDD package.

10.0 Internal Relations

All functions within this application work independently. There are no documented internal relations in the BEDD package.

11.0 Archiving and Purging

There is no archiving or purging in the BEDD package.

12.0 Documentation Resources

The BEDD package is not a part of RPMS and does not utilize its own menus or FileMan data structures.

This section describes a few methods to generate online technical documentation.

13.0 SAC Requirements and Exemptions

There are no SAC exemptions required for the BEDD package.

Glossary

ICD Codes

One of several code sets used by the healthcare industry to standardize data. The International Classification of Disease (ICD) codes are an international diagnostic coding scheme. In addition to diseases, ICD also includes several families of terms for medical-specialty diagnoses, health status, disablements, procedures, and reasons for contact with Health Care Providers (HCPs). IHS currently uses ICD-10 for coding.

Office of Information Technology (OIT)

The organization within IHS that is responsible for developing and maintaining RPMS and related IT functions.

Purpose of Visit (POV)

In RPMS, ICD codes and narrative describing the patient's purpose of visit are documented in PCC V POV.

Resource and Patient Management System (RPMS)

An IHS program that incorporates a series of integrated software components that include clinical, administrative, and financial functions.

RPMS Patient Care Component (PCC)

Refers to functions within RPMS as a clinical data repository, storing visit-related data about a patient.

Acronym List

Acronym	Term Definition
APCD	PCC Data Entry
CSP	Cache Server Page
DI	VA FileMan
EDD	Emergency Department Dashboard
EHR	Electronic Health Record
ERS	Emergency Room System
HCP	Health Care Provider
ICD	International Classification of Diseases
IHS	Indian Health Service
IIS	Internet Information Services
KIDS	Kernel Installation and Distribution System
OIT	Office of Information Technology
PCC	Patient Care Component
POV	Purpose of Visit
RPMS	Resource and Patient Management System
XML	eXtensible Markup Language

Contact Information

If you have any questions or comments regarding this distribution, please contact the IHS IT Service Desk.

Phone: (888) 830-7280 (toll free)

Web: <https://www.ihs.gov/itsupport/>

Email: itsupport@ihs.gov