



RESOURCE AND PATIENT MANAGEMENT SYSTEM

Release of Information Disclosure System (BRN)

Technical Manual

**Version 2.0
April 2003**

**Information Technology Support Center
Division of Information Resources
Albuquerque, New Mexico**

PREFACE

The purpose of this manual is to provide technical information about the Release of Information Disclosure system (ROI). The BRN package is designed to track the following information:

- Requesting Party;
- Disclosure Record Status (Open/Closed/Hold);
- Type of Disclosure (Personnel, Medical, Record, Other);
- Purpose of the Disclosure (Further Medical Care, Insurance, Attorney, Personal, School, Tort, ROI, Subpoena, Other);
- Detailed Description/Additional pertinent information/Medical Record Date Range;
- Request Priority (Non-Critical, Stat);
- Field Staff Assignment;
- Congressional Requests;
- Receiving Parties.

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	IMPLEMENTATION AND MAINTENANCE	2
2.1	System Requirements	2
2.2	Security Keys	2
3.0	MENU DIAGRAM	3
4.0	ROUTINES	4
4.1	Routine List	4
4.2	Routines w/ Descriptions	4
5.0	FILES AND TABLES	6
5.1	File List	6
5.2	File Access	6
5.3	Cross References	6
5.4	Table File	8
6.0	INTERNAL RELATIONS	11
7.0	EXTERNAL RELATIONS	12
7.1	External Calls	12
7.2	Published Entry Points	12
7.3	Exported Options	12
8.0	ARCHIVING AND PURGING	14
9.0	GENERATING ONLINE DOCUMENTATION	15
9.1	%INDEX	15
9.2	List File Attributes	16
10.0	TEMPLATES	17
10.1	Input Templates	17
10.2	Print Templates	19
10.3	Sort Templates	26
11.0	SAC REQUIREMENTS / EXEMPTIONS	29
12.0	MENU OPTION LIST	30
13.0	GLOSSARY	36
14.0	CONTACT INFORMATION	39

1.0 Introduction

This manual provides IHS site managers with a technical description of the Release of Information Disclosure System routines, files, menus, cross references, globals, and other necessary information required to effectively manage the system.

All routines, files, options, and keys are namespaced starting with the letters “BRN.” The file number range for this package is 90264-90264.3.

2.0 Implementation and Maintenance

2.1 System Requirements

- FileMan V21 or higher
- Kernel V8.0 or higher
- XB Utilities V3.0

2.2 Security Keys

Key Name	Description
BRNZMENU	This is the Main Menu for the ROI Disclosure Program The additional Manager Key is named AZXAZMGR
BRNZMGR	This is the Security Key for the Manager Menu Option of the ROI Disclosure Program
BRNZDELETE	This is the Security Key to Delete 'OPEN' Disclosures Only.
BRNZEDIT	This is the Security Key for the ROI Data Entry Option.

3.0 Menu Diagram

```

RELEASE OF INFORMATION SYSTEM (BRNMENU)
|
|__DE ROI EDIT MENU [BRN MENU DE]
|   |__ADD Add a New Disclosure Record [BRN DE ADD NEW RECORD]
|   |__MOD Edit Existing Disclosure Record [BRN DE INPUT ALL DATA]
|   |__DIS Enter Disclosure Documentation [BRN DE DISCLOSURE]
|   |__DEL Delete Open Disclosure Records [BRN DE DELETE RECORD]
|   |__AREQ Enter Additional Request Receipt Dates (2nd/3rd)
|   |       [BRNDE ADDITIONAL REQUEST]
|   |__DDL PATIENT Detail Disclosure Log (Cummulative) [BRN GS PATIENT]
|   |__DSP Inquire to a Specific ROI Disclosure Record [BRN RPT INQUIRY]
|   |__PTC Listing Patient Cumulative Disclosures (SUSPEND) [BRN PT
|   |       CUMMULATIVE RECORD]
|   |__STAT Edit Request Status [BRN DE STATUS]
|   |__ADDR Enter Patient Address (If different from Pt Reg)
|   |       [BRN DE ADDRESS]
|   |__SUDT Enter or Edit Beg/End SUSPEND Dates [BRN ENTER SUSPEND DATE]
|
|__RPT ROI REPORTS MENU [BRN MENU RPT]
|   |__2ND Print All Disclosures W/2nd and/or 3rd Requests
|   |       [BRN RPT2ND REQUEST]
|   |__AGE Print AGING Report - By Request Status [BRN GS AGING RPT]
|   |__AGER Print AGING Report - By a Selected Age Range [BRN GS AGING1 RPT]
|   |__CNT Count Closed Disclosures By Purpose/Date Range
|   |       [BRN PURPOSE SUBTOTAL]
|   |__DDL PATIENT Detail Disclosure Log(Cummulative)
|   |       [BRN GS PATIENT ACCOUNTING]
|   |__DIS Print CLOSED Disclosure Records [BRN RPT DISCLOSURE RECORDS]
|   |__FOIA Print Total Number First Party Requests [BRN FOIA REPORTING]
|   |__IQ Inquire to a Specific ROI Disclosure Record [BRN RPT INQUIRY]
|   |__ML Print Master Log (By Date Range) [BRN GS MAST LOG]
|   |__OP Print OPEN Disclosures Only [BRN RPT OPEN STATUS]
|   |__PAGE Print Reproduction Page Costs (By Date Range)
|   |       [BRN RPT REPRODUCTION]
|   |__REQ Priority Request Report (By STATUS) [BRN RPT PRIORITY REQUEST]
|   |__RPW Print Requesting Party Workload by Date Range
|   |       [BRN RPT REQUESTING PARTY]
|   |__SUSP Print SUSPEND Disclosures Only (For Date Range) [BRN RPT SUSPEND]
|   |__WK Print User Workload by Date Range [BRN RPT USER WORKLOAD]
|__MGT ROI MANAGEMENT MENU [BRN MENU MGT]
|   |__CHG Change Spelling of Requesting Party [BRN MGT CHANGE REQ PARTY]
|   |__EDT Edit Disclosure Date Initiated Only [BRN DE EDIT DATE]
|   |__PE Enter or Edit Requesting/Receiving Parties
|   |       [BRN MGT INPUT REQ/REC PARTY]
|   |__PRT Print Listing of all Parties [BRN MGT PRINT REQ/REC PARTY]
|   |__RR Inquire to a Specific Requesting Party [BRN MGT INQUIRE]
|   |__SITE Enter or Edit Site Parameter [BRN SITE PARAMETER]

```

Figure 3-1: Menu Diagram

4.0 Routines

4.1 Routine List

BRN	BRN2ND	BRNADD	BRNAGE	BRNAGE1	BRNCLOS
BRNDEL	BRNDTST	BRNFMC	BRNFMTS	BRNFOIA	BRNKILL
BRNL	BRNLKI1	BRNMLOG	BRNPAGE	BRNPOST	BRNPOST1
BRNPRE	BRNPREI	BRNPTN	BRNPTR	BRNPTRQ	BRNPUR
BRNRD	BRNRD1	BRNRDLT	BRNRDSP	BRNREF	BRNRLU
BRNSERV	BRNSUSPN	BRNUSER			

4.2 Routines w/ Descriptions

Routine	Description
BRN	DISCLOSURE SYSTEM ;
BRN2ND	ROI CLOSED DISCLOSURES FOR 2ND & 3RD REQUESTS
BRNADD	ADD A NEW DISCLOSURE DATE
BRNAGE	ROI AGING REPORT (BY STATUS
BRNAGE1	ROI AGING REPORT (BY AGE STARTING POINT)
BRNCLOS	ROI CLOSED DISCLOSURES (BY DATE RANGE)
BRNDEL	DISCLOSURE DELETE
BRNDTST	ROI SELECTED REQUEST STATUS AND (BY DATE RANGE)
BRNFMC	DISCLOSURE FILEMAN CALLS
BRNFMTS	driver for primary care provider report
BRNFOIA	ROI FOIA DISCLOSURES BY PURPOSE (BY DATE RANGE)
BRNKILL	KILL ALL BRN VARIABLES
BRNL	List Template Exporter
BRNLKI1	IDENTIFIERS FOR DISCLOSURE LOOKUP 2
BRNMLOG	ROI MASTER LOG (BY DATE RANGE)
BRNPAGE	ROI REPRODUCTION COSTS (BY DATE RANGE)
BRNPOST	Post Init Routine
BRNPOST1	Populate the File Conversion Field
BRNPRE	PREINIT, CHK RQMNTS, ETC., DELETE DICS

Routine	Description
BRNPREI	CREATED BY XBBPI ON JAN 20, 2003
BRNPTN	ROI CUMMULATIVE PATIENT HX FOR CHART
BRNPTR	PT RECORD
BRNPTRQ	ROI REQUESTING PARTY (BY DATE RANGE)
BRNPUR	ROI CLOSED DISCLOSURES BY PURPOSE (BY DATE RANGE)
BRNRD	DISCLOSURE DISPLAY
BRNRD1	NO DESCRIPTION PROVIDED ;
BRNRDLT	REFERRAL DELETE
BRNRDSP	ROI DISPLAY OF DISCLOSURE
BRNREF	SET DISCOSURE VARIABLES
BRNRLU	ROI GEN RETR UTILITIES
BRNSERV	INQUIRY FOR DISCLOSURE DISPLAY - PT SPECIFIC
BRNSUSPN	ROI SUSPENDED DISCLOSURES (BY DATE RANGE)
BRNUSER	ROI USER INITAIED WORKLOAD REPORT AND (BY DATE RANGE)

5.0 Files and Tables

5.1 File List

File Number	File Name
90264	ROI LISTING RECORD
90264.1	ROI LISTING REC PARTY
90264.2	ROI LISTING PARAMETER
90264.3	ROI LISTING DEPARTMENT

5.2 File Access

FILE (#)	GL	RD	WR	LYG	DD	DEL
90264 ROI LISTING RECORD	^BRNREC(	M	M	M	@	M
90264.1 ROI LISTING REC PARTY	^BRNTREQ(	M	M	M	@	@
90264.2 ROI LISTING PARAMETER	^BRNPARM(	M	M	M	@	@
90264.3 ROI LISTING DEPARTMENT	^BRNDEPT(	M	M	M	@	@

5.3 Cross References

90264 (ROI Listing Record)

.01 DATE REQUEST INITIATED

B Regular type cross reference

^TRIGGER^90264^.12

CREATE VALUE S X=DUZ

DELETE VALUE NO EFFECT

FIELD USER INITIATED

^TRIGGER^90264^.02

CREATE VALUE S X=(DUZ(2))_DA

DELETE VALUE NO EFFECT

FIELD DISCLOSURE NUMBER

^TRIGGER^90264^.08

CREATE VALUE S X="O"

DELETE VALUE NO EFFECT

FIELD REQUEST STATUS

.02 DISCLOSURE NUMBER

C Regular type cross reference

.03 PATIENT

AA MUMPS type cross reference

E Regular type cross reference

.06 REQUESTING PARTY

D Regular type cross reference
AP MUMPS type cross reference

.08 REQUEST STATUS

^TRIGGER^90264^.13

CREATE VALUE S X=DUZ
DELETE VALUE NO EFFECT
FIELD USER COMPLETED

^TRIGGER^90264^.19

CREATE VALUE SET X=DT
DELETE VALUE NO EFFECT
FIELD DATE DISCLOSURE CLOSED

^TRIGGER^90264^.09

CREATE VALUE S X="N"
DELETE VALUE NO EFFECT
FIELD REQUEST PRIORITY

AC MUMPS type cross reference

.12 USER INITIATED

AD MUMPS type cross reference

23 RECEIVING PARTY (90264.023)

.01 RECEIVING PARTY

B Regular type cross reference

^TRIGGER^90264^2501

CREATE VALUE DISCLOSURE OPEN COUNTER+1
DELETE VALUE DISCLOSURE OPEN COUNTER-1
FIELD DISCLOSURE OPEN

.02 DISCLOSURE DATE

^TRIGGER^90264^2502

CREATE VALUE DATE DISCLOSED COUNTER+1
DELETE VALUE DATE DISCLOSED COUNTER-1
FIELD DATE DISCLOSED COUNTER

^TRIGGER^90264.023^.05

CREATE VALUE S X=DUZ
DELETE VALUE NO EFFECT
FIELD USER DISSEMINATED

24 TABLE DATA

2402 SUSPEND START DT

^TRIGGER^90264^2404

CREATE VALUE S X=1
DELETE VALUE @
FIELD SUSPENDED DISCLOSURE

2403 SUSPEND STOP DT

^TRIGGER^90264^2404

CREATE VALUE S X=1
DELETE VALUE @
FIELD SUSPENDED DISCLOSURE

2502 DATE DISCLOSED COUNTER
 ^TRIGGER^90264^.08
 CREATE VALUE SET X="C"
 DELETE VALUE SET X="C"
 FIELD REQUEST STATUS
 2901 FACILITY DEPARTMENT
 AE Regular type cross reference

90264.1 (ROI Listing Rec Party)

.01 NAME
 X: B Regular type cross reference
 .02 MNEMONIC " 2 F
 X: C Regular type cross reference
 .07 PHONE NUMBERS (90264.11)
 .01 CONTACT TYPE
 B Regular type cross reference

90264.2 (ROI Listing Parameter)

.01 FACILITY NAME
 B Regular type of cross reference

90264.3 (ROI Listing Department)

.01 DEPARTMENT NAME
 B Regular type cross reference
 1 DEPARTMENT CODE
 C Regular type cross reference

5.4 Table File

File: 90264ROI Listing Record
 Global: ^BRNREC(

Field #	Field Name	Subscript	Piece	Type
.01	Date Request Initiated	D0,0	1	D
.02	Disclosure Number	"	2	F
.03	Patient	"	3	P
.04	Type	"	4	S
.05	Other Type Description	"	5	F
.06	Requesting Party	"	6	P
.07	Purpose	"	7	S
.08	Request Status	"	8	S
.09	Request Priority	"	9	S
.11	Staff Assignment	"	11	P
.12	User Initiated	"	12	P
.13	User Completed	"	13	P
.14	Entire Record	"	14	S

Field #	Field Name	Subscript	Piece	Type
.15	Beginning Event Date	"	15	D
.16	Ending Event Date	"	16	D
.17	Specific Record Information	"	17	F
.18	Congressional	"	18	S
.19	Date Disclosure Closed	"	19	D
22	Disclosure Notes	(90264.022)		
.01	Disclosure Notes	D0,22,D1,0	1	W
23	Receiving Party	(90264.023)		
.01	Receiving Party	D0,23,D1,0	1	P
.02	Disclosure Date	"	2	D
.03	Record Dissemination	"	3	S
.04	Number of Days Old	COMPUTED		
.05	User Disseminated	D0,23,D1,0	4	P
.06	Number of Pages	"	5	N
.07	Cost per Page	"	6	N
.08	Total Cost	COMPUTED		
24	Table Data	D0,24	1	S
2401	First Party Request	"	2	S
2402	Suspend Start DT	"	3	D
2403	Suspend Stop DT	"	4	D
2404	Suspended Disclosure	"	5	S
2501	Disclosure Open Counter	D0,0	25	N
2502	Date Disclosed Counter	"	26	N
2601	2ND Request Date	D0,26	1	D
2602	3RD Request Date	"	2	D
2701	Total Pages	COMPUTED		
2702	Total Reproduction Cost	"		
2801	Patient Mailing Street/PO Box	D0,28	1	F
2802	Patient Mailing City	"	2	F
2803	Patient Mailing State	"	3	P
2804	Patient Mailing Zip	"	4	F
2901	Facility Department	D0,29	1	P

File: 90264.1 ROI Listing Rec Party
Global: ^BRNTREQ(

FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.01	Name	D0,0	1	F
.02	Mnemonic	"	2	F
.03	Street/PO Box	"	3	F
.04	City	"	4	F
.05	State	"	5	P
.06	Zip	"	6	F

FIELD #	FIELD NAME	SUBSCRIPT	PIECE	TYPE
.07	Phone Numbers	(90264.11)		
.01	Contact Type	D0,1,D1,0	1	S
.02	Phone Numbers	"	2	F
.03	Extension Number	"	3	F

FILE: 90264.2 ROI LISTING PARAMETER
GLOBAL: ^BRNPARM(

Field #	Field Name	Subscript	Piece	Type
.01	Facility Name	D0,0	1	P
.02	Disclosure Counter Number	"	2	N
.03	Universal/Site Specific	"	3	S
.04	File Conversion Completed	"	4	S
.05	Prompt for Department	"	5	S

FILE: 90264.3 ROI LISTING DEPARTMENT
GLOBAL: ^BRNDEPT(

Field #	Field Name	Subscript	Piece	Type
.01	Department Name	D0,0	1	F
1	Department Code	"	2	F

6.0 Internal Relations

Users should be given access to the appropriate options and keys, as needed. All of the options in this system stand alone.

7.0 External Relations

7.1 External Calls

The following list indicates the external calls made by the system to other RPMS packages:

Routine Called

AUPNPAT

Invoked By

BRNADD+48, BRNPTR+64, BRNRD+17,
BRNRLU+22, BRNRLU+23, BRNRLU+24

7.2 Published Entry Points

Routine

BRNRD+3: EP(BRNRIEN)

7.3 Exported Options

Option Name	Description
BRN DE ADD NEW RECORD	Add a New Disclosure Record
BRN DE ADDITIONAL REQUEST	Enter Additional Request Receipt Dates (2nd/3rd)
BRN DE ADDRESS	Enter Patient Address (If different from Pt Reg)
BRN DE DELETE RECORD	Delete Open Disclosure Records
BRN DE DISCLOSURE	Enter Disclosure Documentation
BRN DE EDIT DATE	Edit Disclosure Date Initiated Only
BRN DE INPUT ALL DATA	Edit Existing Disclosure Record
BRN DE STATUS	Edit Request Status
BRN ENTER SUSPEND DATE	Enter or Edit Beg/End SUSPEND Dates
BRN FOIA REPORTING	Print Total Number First Party Requests
BRN GS AGING RPT	Print AGING Report - By Request Status
BRN GS AGING1 RPT	Print AGING Report - By a Selected Age Range
BRN GS MAST LOG	Print Master Log (By Date Range)
BRN GS PATIENT	PATIENT Detail Disclosure Log (Cumulative)
BRN GS PATIENT ACCOUNTING	PATIENT Detail Disclosure Log (Cumulative)
BRN MENU DE	ROI EDIT MENU
BRN MENU MGT	ROI MANAGEMENT MENU
BRN MENU RPT	ROI REPORTS MENU
BRN MGT CHANGE REQ PARTY	Change Spelling of Requesting Party
BRN MGT INPUT REQ/REC PARTY	Enter or Edit Requesting/Receiving Parties

Option Name	Description
BRN MGT INQUIRE	Inquire to a Specific Requesting Party
BRN MGT PRINT REQ/REC PARTY	Print Listing of all Parties
BRN PT CUMMULATIVE RECORD	Listing Patient Cumulative Disclosures (SUSPEND)
BRN PURPOSE SUBTOTAL	Count Closed Disclosures By Purpose/Date Range
BRN RPT 2ND REQUEST	Print All Disclosures W/2nd and/or 3rd Requests
BRN RPT DISCLOSURE RECORDS	Print CLOSED Disclosure Records
BRN RPT INQUIRY	Inquire to a Specific ROI Disclosure Record
BRN RPT OPEN STATUS	Print OPEN Disclosures Only
BRN RPT PRIORITY REQUEST	Priority Request Report (By STATUS)
BRN RPT REPRODUCTION	Print Reproduction Page Costs (By Date Range)
BRN RPT REQUESTING PARTY	Print Requesting Party Workload by Date Range
BRN RPT SUSPEND	Print SUSPEND Disclosures Only (For Date Range)
BRN RPT USER WORKLOAD	Print User Workload by Date Range
BRN SITE PARAMETER	Enter or Edit Site Parameter
BRNMENU	RELEASE OF INFORMATION SYSTEM

8.0 Archiving and Purging

There is no archiving and purging in this package.

9.0 Generating Online Documentation

This section describes a few methods to generate Release of Information Disclosure system technical documentation. Online ROI software technical documentation, in addition to that which is located in the help prompts throughout the ROI package, can be generated through the use of several Kernel options. These include, but are not limited to, the following:

- %INDEX
- Menu Management
- Inquire Option
- Print Option File
- VA FileMan
- Data Dictionary Utilities
- List File Attributes

Typing ? at the “Select . . . Option” prompt will provide online technical information.

- A single question mark (?) lists all options that can be accessed from the current option.
- Two question marks (??) list all options accessible from the current one, showing the formal name and lock for each.
- Three question marks (???) display a brief description for each option in a menu.
- An option name preceded by a question mark (?OPTION) shows extended help, if available, for that option.

For a more exhaustive option listing and further information about other utilities that supply online technical information, consult the DHCP Kernel Reference manual.

9.1 %INDEX

This option analyzes the structure of a routine to determine in part if the routine adheres to RPMS programming standards. The %INDEX output can include the following components:

- Compiled list of errors and warnings
- Routine listing
- Local variables
- Global variables
- Naked globals
- Label references
- External references

Running %INDEX for a specified set of routines, allows users to discover any deviations from RPMS programming standards that exist in the selected routines and

to see how routines interact with one another (i.e., which routines call or are called by other routines).

To run %INDEX for the ROI package, type the BRN namespace at the Routine(s)?> prompt.

9.2 List File Attributes

This VA FileMan option allows users to generate documentation pertaining to files and file structure. Using the standard format of this option yields the following data dictionary information for a specified file:

- File name and description
- Identifiers
- Cross-references
- Files pointed to by the file specified
- Files that point to the file specified
- Input, print, and sort templates

In addition, the following applicable data is supplied for each field in the file:

- Field name, number, title, and description
- Global location
- Help prompt
- Cross-references
- Input transform
- Date last edited
- Notes

Using the Global Map format of this option generates an output that lists the following information:

- All cross-references for the file selected
- Global location of each field in the file
- Input, print, and sort templates

10.0 Templates

10.1 Input Templates

NAME: BRN ADDITIONAL REQUEST INPUT DATE CREATED: OCT 04, 2001@11:37

READ ACCESS: M FILE: ROI LISTING RECORD
USER #: 1 WRITE ACCESS: @
DATE LAST USED: JAN 17, 2003

NAME: BRN BRANCH 3 DATE CREATED: JAN 10, 2003@13:18
READ ACCESS: M FILE: ROI LISTING RECORD
USER #: 1 WRITE ACCESS: @
DATE LAST USED: JAN 10, 2003

NAME: BRN DATE EDIT DATE CREATED: JAN 10, 2003@13:19
READ ACCESS: M FILE: ROI LISTING RECORD
USER #: 1 WRITE ACCESS: @
DATE LAST USED: JAN 10, 2003

NAME: BRN DATE EDIT DATE CREATED: JAN 10, 2003@13:19
READ ACCESS: M FILE: ROI LISTING RECORD
USER #: 1 WRITE ACCESS: @
DATE LAST USED: JAN 10, 2003

NAME: BRN DELETE DISCLOSURE DATE CREATED: JAN 10, 2003@13:19
READ ACCESS: M FILE: ROI LISTING RECORD
USER #: 1 WRITE ACCESS: @
DATE LAST USED: JAN 10, 2003

NAME: BRN DISCLOSURE INPUT DATE CREATED: JAN 10, 2003@13:20
READ ACCESS: M FILE: ROI LISTING RECORD
USER #: 1 WRITE ACCESS: @
DATE LAST USED: JAN 17, 2003

NAME: BRN EDIT REQUESTING PARTY DATE CREATED: OCT 30, 2001@15:05
READ ACCESS: M FILE: ROI OLD REQ REC PARTY
USER #: 1 DATE LAST USED: JUN 04, 2002

NAME: BRN EDIT REQUESTING PARTY DATE CREATED: OCT 30, 2001@15:05
READ ACCESS: M FILE: ROI LISTING REC PARTY
USER #: 1 DATE LAST USED: DEC 05, 2002

NAME: BRN EDIT REQUESTING PARTY DATE CREATED: OCT 30, 2001@15:05

READ ACCESS: M FILE: ROI LISTING REC PARTY

USER #: 1 DATE LAST USED: JAN 08, 2002

NAME: BRN GS INPUT DATA DATE CREATED: JAN 10, 2003@13:21

READ ACCESS: M FILE: ROI LISTING RECORD

USER #: 1 WRITE ACCESS: @

DATE LAST USED: JAN 17, 2003

NAME: BRN INPUT ALL DATA DATE CREATED: JAN 10, 2003@13:22

READ ACCESS: M FILE: ROI LISTING RECORD

USER #: 1 WRITE ACCESS: @

DATE LAST USED: JAN 10, 2003

NAME: BRN J DISCLOSURE RECORD DATE CREATED: JAN 10, 2003@13:23

READ ACCESS: M FILE: ROI LISTING RECORD

USER #: 1 WRITE ACCESS: @

DATE LAST USED: JAN 10, 2003

NAME: BRN JCK BRANCH DATE CREATED: JAN 14, 2002@13:39

READ ACCESS: M FILE: ROI RECORD DISCLOSURE

USER #: 1 WRITE ACCESS: @

DATE LAST USED: JUN 04, 2002

NAME: BRN JCK BRANCH DATE CREATED: JAN 10, 2003@13:24

READ ACCESS: M FILE: ROI LISTING RECORD

USER #: 1 WRITE ACCESS: @

DATE LAST USED: JAN 17, 2003

NAME: BRN REQ REC INPUT DATE CREATED: APR 17, 2000@11:49

READ ACCESS: M FILE: ROI OLD REQ REC PARTY

USER #: 1 WRITE ACCESS: @

DATE LAST USED: JAN 08, 2002

NAME: BRN REQ REC INPUT DATE CREATED: APR 17, 2000@11:49

READ ACCESS: M FILE: ROI LISTING REC PARTY

USER #: 1 WRITE ACCESS: @

DATE LAST USED: NOV 26, 2002

NAME: BRN REQ REC INPUT DATE CREATED: APR 17, 2000@11:49

READ ACCESS: M FILE: ROI LISTING REC PARTY

USER #: 1 WRITE ACCESS: @

DATE LAST USED: JAN 08, 2002

NAME: BRN REQUEST STATUS DATE CREATED: JAN 10,
2003@13:24

READ ACCESS: M FILE: ROI LISTING RECORD
USER #: 1 WRITE ACCESS: @
DATE LAST USED: JAN 10, 2003

NAME: BRN SITE PARAMETER DATE CREATED: JUL 10,
2000@10:01

READ ACCESS: M FILE: ROI OLD SITE PARAMETER
USER #: 1 WRITE ACCESS: @
DATE LAST USED: JUN 04, 2002

NAME: BRN SITE PARAMETER DATE CREATED: JUL 10,
2000@10:01

READ ACCESS: M FILE: ROI LISTING PARAMETER
USER #: 1 WRITE ACCESS: @
DATE LAST USED: DEC 05, 2002

NAME: BRN SUSPEND INPUT DATE CREATED: JAN 10,
2003@15:42

READ ACCESS: M FILE: ROI LISTING RECORD
USER #: 1 WRITE ACCESS: @
DATE LAST USED: JAN 17, 2003

10.2 Print Templates

NAME: BRN ADDITIONAL REQUEST
FIRST PRINT FIELD: NUMDATE(DATE REQUEST INITIATED);"DT"//
THEN PRINT FIELD: DISCLOSURE NUMBER//
THEN PRINT FIELD: REQUESTING PARTY;L25//
THEN PRINT FIELD: REQUEST STATUS//
THEN PRINT FIELD: NUMDATE(2ND REQUEST DATE);"2ND RQST DT"//
THEN PRINT FIELD: NUMDATE(3RD REQUEST DATE);"3RD RQST DT"//

NAME: BRN CONFIDENTIAL HEADING
FIRST PRINT FIELD: " **CONFIDENTIAL PATIENT DATA COVERED
BY PRIVAC
Y ACT**"//

NAME: BRN DISCLOSURE INFO
FIRST PRINT FIELD: DISCLOSURE NUMBER;"DIS #"/>
THEN PRINT FIELD: NUMDATE(DATE REQUEST
INITIATED);"DATE";Y1;C10;L8//
THEN PRINT FIELD: USER INITIATED;L9//
THEN PRINT FIELD: PATIENT;L15//
THEN PRINT FIELD: AFUN CHART(PATIENT);"HRN #"/>
THEN PRINT FIELD: TYPE;L1//

THEN PRINT FIELD: REQUESTING PARTY;L15//

NAME: BRN DT RANGE

FIRST PRINT FIELD: DATE REQUEST INITIATED;L15//

THEN PRINT FIELD: DISCLOSURE NUMBER;L10//

THEN PRINT FIELD: TYPE;L20//

THEN PRINT FIELD: USER INITIATED;L15//

THEN PRINT FIELD: USER COMPLETED;L15//

NAME: BRN DTRANGE

FIRST PRINT FIELD: DATE REQUEST INITIATED//

THEN PRINT FIELD: DISCLOSURE NUMBER//

THEN PRINT FIELD: TYPE//

THEN PRINT FIELD: USER INITIATED//

THEN PRINT FIELD: USER COMPLETED//

NAME: BRN FOIA SUBTOTAL PRINT

FIRST PRINT FIELD: PURPOSE;C25!//

NAME: BRN GS ACCOUNTING HEADER

FIRST PRINT FIELD: " **CONFIDENTIAL PATIENT DATA COVERED
BY PRIVAC

Y ACT**"//

THEN PRINT FIELD: "RIO CUMMULATIVE PATIENT RECORD";C2//

THEN PRINT FIELD: TODAY;C45;L18//

THEN PRINT FIELD: "PAGE ";C65//

THEN PRINT FIELD: PAGE//

THEN PRINT FIELD: PATIENT_ " -HR#: " _AFUN CHART(PATIENT)//

THEN PRINT FIELD: "RECORD INFORMATION";C35//

THEN PRINT FIELD: "REC PTY";C60//

THEN PRINT FIELD: "DT DISC";C70//

THEN PRINT FIELD: "-----
-----";Y2;C1//

NAME: BRN GS ACCOUNTING RECORD

FIRST PRINT FIELD: NUMDATE(DATE REQUEST INITIATED);"DATE
RECEIVED";S1//

THEN PRINT FIELD: DISCLOSURE NUMBER;L9//

THEN PRINT FIELD: PURPOSE;L2//

THEN PRINT FIELD: SPECIFIC RECORD INFORMATION;W25//

THEN PRINT FIELD: RECEIVING PARTY//

THEN PRINT RECEIVING PARTY SUB-FIELD: RECEIVING
PARTY;"RELEASED TO";"RELEASED
TO";L15//

THEN PRINT RECEIVING PARTY SUB-FIELD: //

THEN PRINT FIELD: NUMDATE(DATE DISCLOSURE CLOSED);"DATE
RELEASED"//

```
NAME: BRN GS AGING RPT
FIRST PRINT FIELD: DISCLOSURE NUMBER;"DISC #"/
THEN PRINT FIELD: REQUEST STATUS;L1;"ST"/
THEN PRINT FIELD: NUMDATE(DATE REQUEST INITIATED);"DT REC'D"/
THEN PRINT FIELD: RECEIVING PARTY//
  THEN PRINT RECEIVING PARTY SUB-FIELD: RECEIVING PARTY;L12//
  THEN PRINT RECEIVING PARTY SUB-FIELD: NUMBER OF DAYS
OLD;"AGE";L4//
  THEN PRINT RECEIVING PARTY SUB-FIELD: NUMDATE(DISCLOSURE
DATE);"DISC DT"/
  THEN PRINT RECEIVING PARTY SUB-FIELD: //
THEN PRINT FIELD: REQUEST PRIORITY;L1;"P"/
THEN PRINT FIELD: PURPOSE;L17//
```

```
NAME: BRN GS PRINT DIS HEADING
FIRST PRINT FIELD: "MASTER CONTROL LOG -CONFIDENTIAL PATIENT
DATA";Y1;C2//
THEN PRINT FIELD: TODAY;C45;L18//
THEN PRINT FIELD: "PAGE";C65//
THEN PRINT FIELD: PAGE//
THEN PRINT FIELD: "DT REC'D";Y2;C2//
THEN PRINT FIELD: "REQ PTY/ADDRESS";Y2;C15//
THEN PRINT FIELD: "PATIENT/HR #";Y2;C39//
THEN PRINT FIELD: "DESCRIPTION";Y2;C60//
THEN PRINT FIELD: "PURPOSE";Y3;C39//
THEN PRINT FIELD: "DT DISCLOSED";Y3;C60//
THEN PRINT FIELD: "-----"
-----";Y4;C1//
THEN PRINT FIELD: "";Y4;C1//
```

```
NAME: BRN GS PRINT DISCLOSURE LOG
FIRST PRINT FIELD: NUMDATE(DATE REQUEST INITIATED);Y1;C1;L8;S1//
  THEN PRINT ROI LISTING REC PARTY FIELD: REQUESTING PARTY://
  THEN PRINT ROI LISTING REC PARTY FIELD: NAME;Y1;C12;L20;"REQ
PTY/ADDRESS"/
  THEN PRINT ROI LISTING REC PARTY FIELD: //
THEN PRINT FIELD: PATIENT;C39;L15;"PATIENT/HR # PURPOSE"/
THEN PRINT FIELD: SPECIFIC RECORD INFORMATION;"DESCRIPTION -
DT DISCLOSED";L25//
  THEN PRINT ROI LISTING REC PARTY FIELD: REQUESTING PARTY://
  THEN PRINT ROI LISTING REC PARTY FIELD: STREET/PO
BOX;Y2;C12;L17//
  THEN PRINT ROI LISTING REC PARTY FIELD: //
THEN PRINT FIELD: "HR# "_AFUN CHART(PATIENT);Y2;C39;""//
THEN PRINT FIELD: NUMDATE(DATE DISCLOSURE CLOSED);C56;""//
  THEN PRINT ROI LISTING REC PARTY FIELD: REQUESTING PARTY://
```

```
THEN PRINT ROI LISTING REC PARTY FIELD: CITY_", "_STATE_"
"_ZIP;Y3;C12;""//
THEN PRINT ROI LISTING REC PARTY FIELD: PURPOSE;L15;C39;""//
THEN PRINT ROI LISTING REC PARTY FIELD: //
THEN PRINT FIELD: "DISCLOSURE #: "_DISCLOSURE NUMBER//
```

```
NAME: BRN GS RPT DISCLOSURE LOG
FIRST PRINT FIELD: REQUESTING PARTY;L10//
THEN PRINT FIELD: PATIENT;L10//
THEN PRINT FIELD: NUMDATE(DATE REQUEST INITIATED);"DATE
RECEIVED"//
THEN PRINT FIELD: RECEIVING PARTY//
THEN PRINT RECEIVING PARTY SUB-FIELD: NUMDATE(DISCLOSURE
DATE);"DATE DISCLOSED
"//
THEN PRINT RECEIVING PARTY SUB-FIELD: //
THEN PRINT FIELD: PURPOSE;L10//
```

```
NAME: BRN HEADING
FIRST PRINT FIELD: PATIENT//
THEN PRINT FIELD: AFUN CHART(PATIENT)//
```

```
NAME: BRN JCK DISCLOSURE
FIRST PRINT FIELD: NUMDATE(DATE REQUEST INITIATED);"DATE
RECEIVED"//
THEN PRINT FIELD: RECEIVING PARTY//
THEN PRINT RECEIVING PARTY SUB-FIELD: RECEIVING
PARTY;"RELEASED TO";"RELEASED
TO";L10//
THEN PRINT RECEIVING PARTY SUB-FIELD: //
THEN PRINT FIELD: PURPOSE;L10//
THEN PRINT FIELD: SPECIFIC RECORD INFORMATION;"INFO
FURNISHED";L10//
THEN PRINT FIELD: NUMDATE(DATE DISCLOSURE CLOSED);"DATE
RELEASED"//
```

```
NAME: BRN JCK DISCLOSURE LOG
FIRST PRINT FIELD: REQUESTING PARTY;L30;S2;C1//
THEN PRINT FIELD: PATIENT;L15;C2//
THEN PRINT FIELD: DATE REQUEST INITIATED;L6;C3//
THEN PRINT FIELD: DATE DISCLOSURE CLOSED;L6;C4//
THEN PRINT FIELD: SPECIFIC RECORD INFORMATION;L45;C5//
```

```
NAME: BRN JCK SORT
FIRST PRINT FIELD: DATE REQUEST INITIATED;L6//
THEN PRINT FIELD: RECEIVING PARTY//
THEN PRINT RECEIVING PARTY SUB-FIELD: RECEIVING PARTY;L20//
```

```
THEN PRINT RECEIVING PARTY SUB-FIELD: //
THEN PRINT FIELD: PURPOSE//
THEN PRINT FIELD: SPECIFIC RECORD INFORMATION;L15//
THEN PRINT FIELD: DATE DISCLOSURE CLOSED//
```

```
NAME: BRN JTP ADDRESS LOG
FIRST PRINT ROI OLD REQ REC PARTY FIELD: REQUESTING PARTY://
THEN PRINT ROI OLD REQ REC PARTY FIELD: NAME;Y1;C1;L15;S1;"REQ
PARTY ADDRESS"/
/
THEN PRINT ROI OLD REQ REC PARTY FIELD: //
THEN PRINT FIELD: PATIENT;C20;L15;"PATIENT"//
THEN PRINT FIELD: NUMDATE(DATE REQUEST
INITIATED);C40;L10;"INITIATED"//
THEN PRINT FIELD: NUMDATE(DATE DISCLOSURE
CLOSED);C52;L10;"CLOSED"//
THEN PRINT FIELD: PURPOSE;C65;L15//
THEN PRINT ROI OLD REQ REC PARTY FIELD: REQUESTING PARTY://
THEN PRINT ROI OLD REQ REC PARTY FIELD: STREET/PO
BOX;Y2;C1;L15;"//
THEN PRINT ROI OLD REQ REC PARTY FIELD: "CHART: "_AFUN
CHART(PATIENT);Y2;C20//
THEN PRINT ROI OLD REQ REC PARTY FIELD: CITY_",
"_STATE;Y3;C1;"//
THEN PRINT ROI OLD REQ REC PARTY FIELD: ZIP;Y4;C1;"//
THEN PRINT ROI OLD REQ REC PARTY FIELD: //
THEN PRINT FIELD: //
```

```
NAME: BRN JTP DISCLOSURE
FIRST PRINT FIELD: NUMDATE(DATE REQUEST INITIATED);"DATE
RECEIVED";L8;S1//
THEN PRINT FIELD: RECEIVING PARTY//
THEN PRINT RECEIVING PARTY SUB-FIELD: RECEIVING
PARTY;"RELEASED TO";L10;L10//
THEN PRINT RECEIVING PARTY SUB-FIELD: //
THEN PRINT FIELD: PURPOSE;L10//
THEN PRINT FIELD: SPECIFIC RECORD INFORMATION;"INFO
FURNISHED";L10//
THEN PRINT FIELD: NUMDATE(DATE DISCLOSURE CLOSED);"DATE
RELEASED";L8//
```

```
NAME: BRN JTP DISCLOSURE #2
FIRST PRINT FIELD: RECEIVING PARTY//
THEN PRINT RECEIVING PARTY SUB-FIELD: RECEIVING PARTY//
THEN PRINT RECEIVING PARTY SUB-FIELD: //
THEN PRINT FIELD: PATIENT//
THEN PRINT FIELD: DATE REQUEST INITIATED//
```

THEN PRINT FIELD: DATE DISCLOSURE CLOSED//
THEN PRINT FIELD: PURPOSE//

NAME: BRN JTP DISCLOSURE 2
FIRST PRINT FIELD: RECEIVING PARTY//
THEN PRINT RECEIVING PARTY SUB-FIELD: RECEIVING PARTY;L10//
THEN PRINT RECEIVING PARTY SUB-FIELD: NUMBER OF DAYS OLD;L3//
THEN PRINT RECEIVING PARTY SUB-FIELD: //
THEN PRINT FIELD: PATIENT;L10//
THEN PRINT FIELD: DATE REQUEST INITIATED//
THEN PRINT FIELD: DATE DISCLOSURE CLOSED//
THEN PRINT FIELD: PURPOSE;L10//

NAME: BRN PRIORITY REQUEST
FIRST PRINT FIELD: NUMDATE(DATE REQUEST INITIATED);"DATE"//
THEN PRINT FIELD: DISCLOSURE NUMBER;L6//
THEN PRINT FIELD: TYPE;L15//
THEN PRINT FIELD: REQUEST PRIORITY;L7//
THEN PRINT FIELD: REQUEST STATUS;L5//
THEN PRINT FIELD: STAFF ASSIGNMENT;L15//

NAME: BRN PURPOSE SUBTOTAL PRINT
FIRST PRINT FIELD: PURPOSE;C25//

NAME: BRN REPRODUCTION COST
FIRST PRINT FIELD: DISCLOSURE NUMBER!//
THEN PRINT FIELD: TOTAL PAGES+//
THEN PRINT FIELD: TOTAL REPRODUCTION COST+//

NAME: BRN RPT CONGRESSIONAL
FIRST PRINT FIELD: NUMDATE(DATE REQUEST INITIATED);"DATE"//
THEN PRINT FIELD: REQUESTING PARTY;L12//
THEN PRINT FIELD: STAFF ASSIGNMENT;L12//
THEN PRINT FIELD: TYPE;L12//
THEN PRINT FIELD: REQUEST STATUS;L7//
THEN PRINT FIELD: RECEIVING PARTY//
THEN PRINT RECEIVING PARTY SUB-FIELD: NUMBER OF DAYS OLD//
THEN PRINT RECEIVING PARTY SUB-FIELD: //
THEN PRINT FIELD: //

NAME: BRN RPT DISCLOSURE
FIRST PRINT FIELD: DISCLOSURE NUMBER;L6//
THEN PRINT FIELD: REQUESTING PARTY;L13//
THEN PRINT FIELD: USER INITIATED;L10//
THEN PRINT FIELD: USER COMPLETED;L10//
THEN PRINT FIELD: RECEIVING PARTY//
THEN PRINT RECEIVING PARTY SUB-FIELD: RECEIVING PARTY;L13//

THEN PRINT RECEIVING PARTY SUB-FIELD: NUMDATE(DISCLOSURE DATE);"DISC DT"//

THEN PRINT RECEIVING PARTY SUB-FIELD: //

THEN PRINT FIELD: REQUEST STATUS;"";L1//

NAME: BRN RPT SUSPEND

FIRST PRINT FIELD: DISCLOSURE NUMBER;L6;S1;"DIS #"//

THEN PRINT FIELD: REQUESTING PARTY;L13//

THEN PRINT FIELD: USER INITIATED;L10//

THEN PRINT FIELD: USER COMPLETED;L10//

THEN PRINT FIELD: RECEIVING PARTY//

THEN PRINT RECEIVING PARTY SUB-FIELD: RECEIVING PARTY;L13//

THEN PRINT RECEIVING PARTY SUB-FIELD: NUMDATE(DISCLOSURE DATE);"DISC DT"//

THEN PRINT RECEIVING PARTY SUB-FIELD: //

THEN PRINT FIELD: REQUEST STATUS;"";L1//

THEN PRINT FIELD: "SUSPEND START/STOP DATES: ";Y2;C1//

THEN PRINT FIELD: NUMDATE(SUSPEND START DT);"//

THEN PRINT FIELD: NUMDATE(SUSPEND STOP DT);"//

NAME: BRN TONI DISCLOSURE

FIRST PRINT FIELD: NUMDATE(DATE REQUEST INITIATED);"DATE RECEIVED";L8;S1//

THEN PRINT FIELD: RECEIVING PARTY//

THEN PRINT RECEIVING PARTY SUB-FIELD: RECEIVING PARTY;"RELEASED TO";L10;L10//

THEN PRINT RECEIVING PARTY SUB-FIELD: //

THEN PRINT FIELD: PURPOSE;L10//

THEN PRINT FIELD: SPECIFIC RECORD INFORMATION;"INFO FURNISHED";L10//

THEN PRINT FIELD: NUMDATE(DATE DISCLOSURE CLOSED);"DATE RELEASED";L8//

NAME: BRN TONI MASTER

FIRST PRINT FIELD: NUMDATE(DATE REQUEST INITIATED);Y1;C1;"DT REC'D";S1//

THEN PRINT FIELD: SPECIFIC RECORD INFORMATION;W20//

THEN PRINT ROI OLD REQ REC PARTY FIELD: REQUESTING PARTY://

THEN PRINT ROI OLD REQ REC PARTY FIELD: NAME;Y1;C33;L20;"REQ PTY/ADDRESS"//

THEN PRINT ROI OLD REQ REC PARTY FIELD: //

THEN PRINT FIELD: PATIENT;C61;L15;"PATIENT REC NO"//

THEN PRINT FIELD: PURPOSE;L2;"//

THEN PRINT ROI OLD REQ REC PARTY FIELD: REQUESTING PARTY://

THEN PRINT ROI OLD REQ REC PARTY FIELD: STREET/PO BOX;Y2;C33;L17//

THEN PRINT ROI OLD REQ REC PARTY FIELD: //

```
THEN PRINT FIELD: "HR# " _AFUN CHART(PATIENT);Y2;C61;"//  
  THEN PRINT ROI OLD REQ REC PARTY FIELD: REQUESTING PARTY://  
  THEN PRINT ROI OLD REQ REC PARTY FIELD: CITY_", "_STATE_"  
  "_ZIP;Y3;C33;"//  
  THEN PRINT ROI OLD REQ REC PARTY FIELD: //  
THEN PRINT FIELD: //  
  
  NAME: BRN USER  
  FIRST PRINT FIELD: DATE REQUEST INITIATED//  
  THEN PRINT FIELD: DISCLOSURE NUMBER//  
  THEN PRINT FIELD: TYPE//  
  THEN PRINT FIELD: USER INITIATED//  
  THEN PRINT FIELD: USER COMPLETED//
```

10.3 Sort Templates

```
  NAME: BRN ADDITIONAL REQUESTS  
  SORT BY: 2ND REQUEST DATE'="" ;L1// (2ND REQUEST DATE'="" )
```

```
  NAME: BRN CONGRESSIONAL SORT  
  SORT BY: CONGRESSIONAL// (CONGRESSIONAL equals Y (YES))  
  WITHIN CONGRESSIONAL, SORT BY: REQUEST STATUS;S1// (REQUEST  
  STATUS not null)  
  WITHIN REQUEST STATUS, SORT BY: @DATE REQUEST INITIATED//  
  (DATE REQUEST INITIATED not null)
```

```
  NAME: BRN CONGRESSIONAL SORT 2  
  SORT BY: CONGRESSIONAL// (CONGRESSIONAL equals Y (YES))  
  WITHIN CONGRESSIONAL, SORT BY: REQUEST STATUS;S1// (REQUEST  
  STATUS not null)  
  WITHIN REQUEST STATUS, SORT BY: DATE REQUEST INITIATED//  
  (DATE REQUEST INITIATED not null)
```

```
  NAME: BRN CONGRESSIONAL/STATUS  
  SORT BY: @CONGRESSIONAL// (User is asked range)  
  WITHIN CONGRESSIONAL, SORT BY: REQUEST STATUS;S1// (User is  
  asked range)
```

```
  NAME: BRN DISCLOSURE DATE  
  SORT BY: @REQUEST STATUS// (REQUEST STATUS equals C (CLOSED))  
  WITHIN REQUEST STATUS, SORT BY: @RECEIVING PARTY//  
  RECEIVING PARTY SUB-FIELD: DISCLOSURE DATE// (User is asked range)
```

```
  NAME: BRN GS ACCOUNTING SORT  
  SORT BY: @PATIENT// (User is asked range)
```

NAME: BRN GS AGING RPT
SORT BY: @REQUEST STATUS;S1// (User is asked range)
WITHIN REQUEST STATUS, SORT BY: @RECEIVING PARTY//
RECEIVING PARTY SUB-FIELD: NUMBER OF DAYS OLD// (User is asked range)

NAME: BRN GS MASTER LOG SORT
SORT BY:]@DATE REQUEST INITIATED// (User is asked range)

NAME: BRN JCK DISCLOSURE RECORD
SORT BY: @PATIENT// (User is asked range)
WITHIN PATIENT, SORT BY: @DATE REQUEST INITIATED// (DATE REQUEST INITIATED not null)

NAME: BRN JTP DISCLOSURE SORT
SORT BY: @PATIENT// (User is asked range)

NAME: BRN JTP LOG
SORT BY: @DATE REQUEST INITIATED// (DATE REQUEST INITIATED not null)

NAME: BRN JTP SORT 2
SORT BY: DATE REQUEST INITIATED// (User is asked range)

NAME: BRN OPEN STATUS
SORT BY:]REQUEST STATUS// (REQUEST STATUS equals O (OPEN))

NAME: BRN PURPOSE SUBTOTAL SORT
SORT BY: +PURPOSE;S1// (PURPOSE not null)
WITHIN PURPOSE, SORT BY: @REQUEST STATUS// (REQUEST STATUS equals C (CLOSED))
WITHIN REQUEST STATUS, SORT BY: @DATE REQUEST INITIATED// (User is asked range)

NAME: BRN RECEIVING PARTY PATIENT
SORT BY: REQUESTING PARTY// (REQUESTING PARTY equals PATIENT)
WITHIN REQUESTING PARTY, SORT BY: RECEIVING PARTY//
RECEIVING PARTY SUB-FIELD: RECEIVING PARTY// (RECEIVING PARTY equals PATIENT)

NAME: BRN SORT DT/USER INITIATED
SORT BY: @DATE REQUEST INITIATED// (User is asked range)
WITHIN DATE REQUEST INITIATED, SORT BY: USER INITIATED// (User is asked range)

NAME: BRN SORT REQ REC PARTY
SORT BY: @NAME// (NAME not null)
SORT BY: @NAME'="" ;L1// (NAME'="")

NAME: BRN SUSPEND SORT
SORT BY: SUSPEND START DT='";L1// (SUSPEND START DT='")
WITHIN SUSPEND START DT='";, SORT BY: SUSPEND STOP DT='";L1//
(SUSPEND STOP DT='")
WITHIN SUSPEND STOP DT='";, SORT BY: @DATE REQUEST
INITIATED// (DATE REQUEST INITIATED not null)

NAME: BRN TIME FRAME
SORT BY: REQUEST PRIORITY;S2// (REQUEST PRIORITY not null)
WITHIN REQUEST PRIORITY, SORT BY: REQUEST STATUS// (User is
asked range)
WITHIN REQUEST STATUS, SORT BY: @DATE REQUEST INITIATED//
(User is asked range)

11.0 SAC Requirements / Exemptions

There are no exemptions to the SAC standards for this version.

12.0 Menu Option List

Name: BRN DE Add New Record Menu Text: Add a New Disclosure Record

Type: run routine Creator: Adam,Adam

Routine: BRNADD

Uppercase Menu Text: Add a New Disclosure Record

Name: BRN DE Additional Request

Menu Text: Enter Additional Request Receipt Dates (2nd/3rd)

Type: edit Creator: Adam,Adam

DIC {DIC}: BRNREC(DIC(0): AEMQ

DIE: BRNREC(DR {DIE}: [BRN ADDITIONAL REQUEST INPUT]

Uppercase Menu Text: Enter Additional Request Recei

NAME: BRN DE DELETE RECORD

MENU TEXT: Delete Open Disclosure Records

TYPE: run routine CREATOR: ADAM,ADAM

LOCK: BRNZDELETE

DESCRIPTION: Primary Routine = BRNDEL - Secondary Routines = BRNRD1
BRNRDLT

ROUTINE: BRNDEL

UPPERCASE MENU TEXT: DELETE OPEN DISCLOSURE RECORDS

NAME: BRN DE DISCLOSURE

MENU TEXT: Enter Disclosure Documentation

TYPE: edit CREATOR: ADAM,ADAM

DIC {DIC}: BRNREC(DIC(0): AEMQ

DIE: BRNREC(DR {DIE}: [BRN DISCLOSURE INPUT]

UPPERCASE MENU TEXT: ENTER DISCLOSURE DOCUMENTATION

NAME: BRN DE EDIT DATE

MENU TEXT: Edit Disclosure Date Initiated Only

TYPE: edit CREATOR: ADAM,ADAM

DIC {DIC}: BRNREC(DIC(0): AEMQ

DIE: BRNREC(DR {DIE}: [BRN DATE EDIT]

UPPERCASE MENU TEXT: EDIT DISCLOSURE DATE INITIATED

NAME: BRN DE INPUT ALL DATA

MENU TEXT: Edit Existing Disclosure Record

TYPE: edit CREATOR: ADAM,ADAM

DIC {DIC}: BRNREC(DIC(0): AEMQ

DIE: BRNREC(DR {DIE}: [BRN GS INPUT DATA]

UPPERCASE MENU TEXT: EDIT EXISTING DISCLOSURE RECOR

NAME: BRN DE STATUS

MENU TEXT: Edit Request Status

TYPE: edit CREATOR: ADAM,ADAM

LOCK: BRNZMGR DIC {DIC}: BRNREC(

DIC(0): AEMQ DIE: BRNREC(
DR {DIE}: [BRN REQUEST STATUS] UPPERCASE MENU TEXT: EDIT
REQUEST STATUS

NAME: BRN ENTER SUSPEND DATE
MENU TEXT: Enter or Edit Beg/End SUSPEND Dates
TYPE: edit CREATOR: ADAM,ADAM
DIC {DIC}: BRNREC(DIC(0): AEMQ
DIE: BRNREC(DR {DIE}: [BRN SUSPEND INPUT]
UPPERCASE MENU TEXT: ENTER OR EDIT BEG/END SUSPEND

NAME: BRN FOIA REPORTING
MENU TEXT: Print Total Number First Party Requests
TYPE: run routine CREATOR: ADAM,ADAM
ROUTINE: BRNFOIA
UPPERCASE MENU TEXT: PRINT TOTAL NUMBER FIRST PARTY

NAME: BRN GS AGING RPT
MENU TEXT: Print AGING Report - By Request Status
TYPE: run routine CREATOR: ADAM,ADAM
ROUTINE: BRNAGE
UPPERCASE MENU TEXT: PRINT AGING REPORT - BY REQUES

NAME: BRN GS AGING1 RPT
MENU TEXT: Print AGING Report - By a Selected Age Range
TYPE: run routine CREATOR: ADAM,ADAM
ROUTINE: BRNAGE1
UPPERCASE MENU TEXT: PRINT AGING REPORT - BY A SELE

NAME: BRN GS MAST LOG
MENU TEXT: Print Master Log (By Date Range)
TYPE: run routine CREATOR: ADAM,ADAM
ROUTINE: BRNMLOG
UPPERCASE MENU TEXT: PRINT MASTER LOG (BY DATE RANG

NAME: BRN GS PATIENT
MENU TEXT: PATIENT Detail Disclosure Log (Cummulative)
TYPE: run routine CREATOR: ADAM,ADAM
HEADER PRESENT?: YES ROUTINE: BRNPNTN
HEADER: D LOGO^BRN
UPPERCASE MENU TEXT: PATIENT DETAIL DISCLOSURE LOG

NAME: BRN GS PATIENT ACCOUNTING
MENU TEXT: PATIENT Detail Disclosure Log (Cummulative)
TYPE: run routine CREATOR: ADAM,ADAM
HEADER PRESENT?: YES ROUTINE: BRNPNTN
HEADER: D LOGO^BRN

UPPERCASE MENU TEXT: PATIENT DETAIL DISCLOSURE LOG

NAME: BRN MENU DE MENU TEXT: ROI EDIT MENU
TYPE: menu CREATOR: ADAM,ADAM
LOCK: BRNZEDIT HEADER PRESENT?: YES
ITEM: BRN DE ADD NEW RECORD SYNONYM: ADD
DISPLAY ORDER: 1
ITEM: BRN DE INPUT ALL DATA SYNONYM: MOD
DISPLAY ORDER: 5
ITEM: BRN DE DISCLOSURE SYNONYM: DIS
DISPLAY ORDER: 10
ITEM: BRN DE DELETE RECORD SYNONYM: DEL
DISPLAY ORDER: 15
ITEM: BRN DE ADDITIONAL REQUEST SYNONYM: AREQ
DISPLAY ORDER: 20
ITEM: BRN GS PATIENT SYNONYM: DDL
DISPLAY ORDER: 25
ITEM: BRN RPT INQUIRY SYNONYM: DSP
DISPLAY ORDER: 30
ITEM: BRN PT CUMMULATIVE RECORD SYNONYM: PTC
DISPLAY ORDER: 35
ITEM: BRN DE STATUS SYNONYM: STAT
DISPLAY ORDER: 40
ITEM: BRN ENTER SUSPEND DATE SYNONYM: SUDT
HEADER: D LOGO^AZXA DIC {DIC}: BRNREC(
DIC(0): AEMQ DIC {DIP}: AZXAREC(
TIMESTAMP: 59186,32541 UPPERCASE MENU TEXT: ROI EDIT
MENU

NAME: BRN MENU MGT MENU TEXT: ROI MANAGEMENT
MENU
TYPE: menu CREATOR: ADAM,ADAM
LOCK: BRNZMGR HEADER PRESENT?: YES
ITEM: BRN MGT CHANGE REQ PARTY SYNONYM: CHG
DISPLAY ORDER: 1
ITEM: BRN DE EDIT DATE SYNONYM: EDT
ITEM: BRN MGT INPUT REQ/REC PARTY SYNONYM: PE
ITEM: BRN MGT INQUIRE SYNONYM: RR
ITEM: BRN SITE PARAMETER SYNONYM: SITE
ITEM: BRN MGT PRINT REQ/REC PARTY SYNONYM: PRT
HEADER: D LOGO^AZXA TIMESTAMP: 58968,56055
UPPERCASE MENU TEXT: ROI MANAGEMENT MENU

NAME: BRN MENU RPT MENU TEXT: ROI REPORTS MENU
TYPE: menu CREATOR: ADAM,ADAM
HEADER PRESENT?: YES
ITEM: BRN RPT INQUIRY SYNONYM: IQ

ITEM: BRN RPT OPEN STATUS SYNONYM: OP
ITEM: BRN RPT USER WORKLOAD SYNONYM: WK
ITEM: BRN RPT PRIORITY REQUEST SYNONYM: REQ
ITEM: BRN RPT DISCLOSURE RECORDS SYNONYM: DIS
ITEM: BRN GS PATIENT ACCOUNTING SYNONYM: DDL
ITEM: BRN GS AGING RPT SYNONYM: AGE
ITEM: BRN GS AGING1 RPT SYNONYM: AGER
ITEM: BRN RPT 2ND REQUEST SYNONYM: 2ND
ITEM: BRN PURPOSE SUBTOTAL SYNONYM: CNT
ITEM: BRN FOIA REPORTING SYNONYM: FOIA
ITEM: BRN GS MAST LOG SYNONYM: ML
ITEM: BRN RPT REQUESTING PARTY SYNONYM: RPW
ITEM: BRN RPT REPRODUCTION SYNONYM: PAGE
ITEM: BRN RPT SUSPEND SYNONYM: SUSP
HEADER: D LOGO^AZXA TIMESTAMP: 59172,38688
UPPERCASE MENU TEXT: ROI REPORTS MENU

NAME: BRN MGT CHANGE REQ PARTY

MENU TEXT: Change Spelling of Requesting Party

TYPE: edit CREATOR: ADAM,ADAM

E ACTION PRESENT: YES

ENTRY ACTION: W !,?20,"This Option Allows you to ONLY CHANGE the spelling of"

,!,?20,"Existing Records - You CANNOT DELETE Records!!",!!

DIC {DIC}: BRNTREQ(DIC(0): AEMQ

DIE: BRNTREQ(DR {DIE}: [BRN EDIT REQUESTING PARTY]

UPPERCASE MENU TEXT: CHANGE SPELLING OF REQUESTING

NAME: BRN MGT INPUT REQ/REC PARTY

MENU TEXT: Enter or Edit Requesting/Receiving Parties

TYPE: edit CREATOR: ADAM,ADAM

DIC {DIC}: BRNTREQ(DIC(0): AEMQL

DIE: BRNTREQ(DR {DIE}: [BRN REQ REC INPUT]

UPPERCASE MENU TEXT: ENTER OR EDIT REQUESTING/RECEI

NAME: BRN MGT INQUIRE

MENU TEXT: Inquire to a Specific Requesting Party

TYPE: inquire CREATOR: ADAM,ADAM

DIC {DIC}: BRNTREQ(DIC(0): AEMQ

FLDS: [CAPTIONED] DIC {DIQ}: BRNTREQ(

UPPERCASE MENU TEXT: INQUIRE TO A SPECIFIC REQUESTI

NAME: BRN MGT PRINT REQ/REC PARTY MENU TEXT: Print Listing of all Parties

TYPE: print CREATOR: ADAM,ADAM

DIC {DIC}: BRNTREQ(DIC(0): AEMQ

DIC {DIP}: BRNTREQ(FLDS: [CAPTIONED]
BY: [BRN SORT REQ REC PARTY]
UPPERCASE MENU TEXT: PRINT LISTING OF ALL PARTIES

NAME: BRN PT CUMMULATIVE RECORD
MENU TEXT: Brief Listing of Patient Cumulative Disclosures
TYPE: run routine CREATOR: ADAM,ADAM
ROUTINE: BRNPTR
UPPERCASE MENU TEXT: BRIEF LISTING OF PATIENT CUMUL

NAME: BRN PURPOSE SUBTOTAL
MENU TEXT: Count Closed Disclosures By Purpose/Date Range
TYPE: run routine CREATOR: ADAM,ADAM
ROUTINE: BRNPUR
UPPERCASE MENU TEXT: COUNT CLOSED DISCLOSURES BY PU

NAME: BRN RPT 2ND REQUEST
MENU TEXT: Print All Disclosures W/2nd and/or 3rd Requests
TYPE: run routine CREATOR: ADAM,ADAM
ROUTINE: BRN2ND
UPPERCASE MENU TEXT: PRINT ALL DISCLOSURES W/2ND AN

NAME: BRN RPT DISCLOSURE RECORDS
MENU TEXT: Print CLOSED Disclosure Records
TYPE: run routine CREATOR: ADAM,ADAM
ROUTINE: BRNCLOS
UPPERCASE MENU TEXT: PRINT CLOSED DISCLOSURE RECORD

NAME: BRN RPT INQUIRY
MENU TEXT: Inquire to a Specific ROI Disclosure Record
TYPE: inquire CREATOR: ADAM,ADAM
DIC {DIC}: BRNREC(DIC(0): AEMQ
FLDS: [CAPTIONED] DIC {DIQ}: BRNREC(
UPPERCASE MENU TEXT: INQUIRE TO A SPECIFIC ROI DISC

NAME: BRN RPT OPEN STATUS MENU TEXT: Print OPEN Disclosures
Only
TYPE: print CREATOR: ADAM,ADAM
DIC {DIC}: BRNREC(DIC(0): AEMQ
DIC {DIP}: BRNREC(FLDS: [CAPTIONED]
BY: [BRN OPEN STATUS]
UPPERCASE MENU TEXT: PRINT OPEN DISCLOSURES ONLY

NAME: BRN RPT PRIORITY REQUEST
MENU TEXT: Priority Request Report (By STATUS)
TYPE: run routine CREATOR: ADAM,ADAM
ROUTINE: BRNDTST

UPPERCASE MENU TEXT: PRIORITY REQUEST REPORT (BY ST

NAME: BRN RPT REPRODUCTION

MENU TEXT: Print Reproduction Page Costs (By Date Range)

TYPE: run routine CREATOR: ADAM,ADAM

ROUTINE: BRNPAGE

UPPERCASE MENU TEXT: PRINT REPRODUCTION PAGE COSTS

NAME: BRN RPT REQUESTING PARTY

MENU TEXT: Print Requesting Party Workload by Date Range

TYPE: run routine CREATOR: ADAM,ADAM

ROUTINE: BRNPTRQ

UPPERCASE MENU TEXT: PRINT REQUESTING PARTY WORKLOA

NAME: BRN RPT SUSPEND

MENU TEXT: Print SUSPEND Disclosures Only (For Date Range)

TYPE: run routine CREATOR: ADAM,ADAM

ROUTINE: BRNSUSPN

UPPERCASE MENU TEXT: PRINT SUSPEND DISCLOSURES ONLY

NAME: BRN RPT USER WORKLOAD

MENU TEXT: Print User Workload by Date Range

TYPE: run routine CREATOR: ADAM,ADAM

ROUTINE: BRNUSER

UPPERCASE MENU TEXT: PRINT USER WORKLOAD BY DATE RA

NAME: BRN SITE PARAMETER

MENU TEXT: Enter or Edit Site

Parameter

TYPE: edit CREATOR: ADAM,ADAM

LOCK: BRNZMGR DIC {DIC}: BRNPARM(

DIC(0): AEMQL DIE: BRNPARM(

DR {DIE}: [BRN SITE PARAMETER]

UPPERCASE MENU TEXT: ENTER OR EDIT SITE PARAMETER

NAME: BRNMENU
INFORMATION SYSTEM

MENU TEXT: RELEASE OF

TYPE: menu CREATOR: ADAM,ADAM

LOCK: BRNZMENU HEADER PRESENT?: YES

ITEM: BRN MENU DE SYNONYM: DE

DISPLAY ORDER: 1

ITEM: BRN MENU RPT SYNONYM: RPT

DISPLAY ORDER: 5

ITEM: BRN MENU MGT SYNONYM: MGT

HEADER: D LOGO^AZXA TIMESTAMP: 58967,49862

UPPERCASE MENU TEXT: RELEASE OF INFORMATION SYSTEM

13.0 Glossary

Archiving	The storing of historical or little-used data off-line (often on tape).
ASUFAC number	Area Service Unit Facility; A unique identifier for each facility within IHS. A six-digit number comprised of 2 digits for Area, 2 digits for Service Unit, and 2 digits for Facility.
Banner	A line of text with a user's name and domain.
Browser	An interactive application that displays ASCII text on a terminal that supports a scroll region. The text can be in the form of a word-processing field or sequential local or global array. The user is allowed to navigate freely within the document.
Callable Entry Points	Places in a routine that can be called from an application program.
Cross-reference	An indexing method whereby files can include pre-sorted lists of entries as part of the stored database. Cross-references (x-refs) facilitate look-up and reporting.
Default Facility	A user selects a facility identification to work with patients registered to that facility.
Entry Point	Entry point within a routine that is referenced by a "DO" or "GOTO" command from a routine internal to a package.
File	A set of related records or entries treated as a single unit.
FileMan	The database management system for RPMS.
Global	In MUMPS, global refers to a variable stored on disk (global variable) or the array to which the global variable may belong (global array).
Health Record Number (HRN)	Each facility assigns a unique number within that facility to each patient. Each HRN with its facility identification 'ASUFAC' make a unique identifier within all of IHS.
INDEX (%INDEX)	A Kernel utility used to verify routines and other MUMPS code associated with a package. Checking is done according to current ANSI MUMPS standards and RPMS programming standards. This tool can be invoked through an option or from direct mode (>D ^%INDEX).

Init	Initialization of an application package. The initialization step in the installation process builds files from a set of routines (the init routines). Init is a shortened form of initialization.
Internal Entry Number (IEN)	The number used to identify an entry within a file. Every record has a unique internal entry number.
IRM	Information Resource Management. The IHS personnel responsible for information systems management and security.
Kernel	The set of MUMPS software utilities that function as an intermediary between the host operating system and application packages, such as Laboratory and Pharmacy. The Kernel provides a standard and consistent user and programmer interface between application packages and the underlying MUMPS implementation. These utilities provide the foundation for RPMS.
Menu	A list of choices for computing activity. A menu is a type of option designed to identify a series of items (other options) for presentation to the user for selection. When displayed, menu-type options are preceded by the word "Select" and followed by the word "option" as in Select Menu Management option: (the menu's select prompt).
Namespace	A unique set of 2 to 4 alpha characters that are assigned by the database administrator to a software application.
Official Registering Facility	A facility so designated that when HRNs are added/modified, those changes are sent to the central database. A Service Unit may have several satellites for which it is registering patients.
Option	An entry in the Option file. As an item on a menu, an option provides an opportunity for users to select it, thereby invoking the associated computing activity. Options may also be scheduled to run in the background, non-interactively, by TaskMan.
Patient Care Component (PCC)	The central repository for data in the Resource and Patient Management System (RPMS).
Queuing	Requesting that a job be processed at a later time rather than within the current session.

Routine	A program or sequence of instructions called by a program that may have some general or frequent use. MUMPS routines are groups of program lines that are saved, loaded, and called as a single unit via a specific name.
UCI	User Class Identification: a computing area.
Up-Hat (^)	A circumflex, also know as a “hat” or “caret,” that is used as a piece delimiter in a global. The up-hat is denoted as “^” and is typed by pressing Shift+6 on the keyboard.
Utility	A callable routine line tag or function. A universal routine usable by anyone.
Variable	A character or group of characters that refers to a value. MUMPS recognizes 3 types of variables: local variables, global variables, and special variables. Local variables exist in a partition of the main memory and disappear at sign-off. A global variable is stored on disk, potentially available to any user. Global variables usually exist as parts of global arrays.

14.0 Contact Information

If you have any questions or comments regarding this distribution, please contact the ITSC Help Desk by:

Phone: (505) 248-4371 or
(888) 830-7280

Fax: (505) 248-4199

Web: <http://www.rpms.ihs.gov/TechSupp.asp>

Email: ITSCHelp@mail.ihs.gov