RESOURCE AND PATIENT MANAGEMENT SYSTEM

Clinical Reporting System

(BGP)

Technical Manual

Version 25.0
May 2025

Office of Information Technology
Division of Information Technology

Table of Contents

1.0 Introduction 1
1.1 Key Changes in v25.0 2
1.1.1 Logic Changes to National GPRA/GPRAMA Report Measures 2
1.1.2 Key Logic Changes to Non-GPRA Measures 3
1.1.3 Additional Key Enhancements and Revisions 3
2.0 Implementation and Maintenance 4
2.1 System Requirements 4
2.2 Security Keys 4
3.0 Routines 6
3.1 Routines with Description 6
4.0 Files and Tables 15
4.1 File List 15
4.2 File Access 15
4.3 Cross References 16
4.4 Table File 37
4.4.1 BGP CONTROL FILE 37
4.4.2 BGP SITE PARAMETERS 42
4.4.3 FILE: BGP SUMMARY CATEGORIES 42
4.4.4 FILE: BGP 25 MEASURES 43
4.4.5 FILE: BGP 25 INDIVIDUAL MEASURES 46
4.4.6 FILE: BGP 25 NATIONAL PATIENT LISTS 49
4.4.7 FILE: BGP 25 SNOMED SUBSETS 49
4.4.8 FILE: BGP 25 TAXONOMIES 50
4.4.9 FILE: BGP 25 MEASURE GROUPS 51
4.4.10 FILE: BGP 25 ICARE GROUPS 51
4.4.11 FILE: BGP 25 ICARE CATEGORIES 52
4.4.12 FILE: BGP 25 GUI OUTPUT 52
4.4.13 FILE: BGP 25 SNOMED LISTS 53
4.4.14 FILE: BGP 25 ELDER INDIVIDUAL MEASURES 53
4.4.15 FILE: BGP 25 ELDER MEASURES 54
5.0 External Relations 56
5.1 External Calls 56
5.2 Callable Routines 77
5.3 Published Entry Points 77
5.4 Exported Options 77
6.0 Internal Relations 80
7.0 Security Keys 81
8.0 Archiving and Purging 82

9.0 Documentation Resources 83
9.1 How to Generate Online Documentation 83
9.2 System Documentation 83
9.2.1 %INDEX 83
9.2.2 Inquire Option 84
9.2.3 Print Option File 84
9.2.4 List File Attributes 84
9.3 Online Help 85
10.0 SAC Requirements and Exemptions 86
Glossary 87
Acronym List 89
Contact Information 90

Revision History

Version	Date	Author	Section	Page Number	Summary of Change
1.0	August 2005	Lori Butcher	N/A	N/A	Initial version
8.0	August 2008	Lori Butcher	N/A	N/A	Updated to include changes to the logic descriptions and performance measures for FY 2008 and reformatted
9.0	June 2009	Lori Butcher	N/A	N/A	Updated for v9.0
10.0	May 2010	Lori Butcher	N/A	N/A	Updated for v10.0
11.0	January 2011	Lori Butcher	N/A	N/A	Updated for v11.0
11.1	May 2011	Lori Butcher	N/A	N/A	Updated for v11.1
12.0	December 2011	Lori Butcher	N/A	N/A	Updated for v12.0
12.1	April 2012	Lori Butcher	N/A	N/A	Updated for v12.1
13.0	November 2012	Lori Butcher	N/A	N/A	Updated for v13.0
14.0	November 2013	Lori Butcher	N/A	N/A	Updated for v14.0
14.1	May 2014	Lori Butcher	N/A	N/A	Updated for v14.1
15.0	November 2014	Lori Butcher	N/A	N/A	Updated for v15.0
15.1	May 2015	Lori Butcher	N/A	N/A	Updated for v15.1
16.0	November 2015	Lori Butcher	N/A	N/A	Updated for v16.0
16.1	February 2016	Lori Butcher	N/A	N/A	Updated for v16.1
17.0	September 2016	Lori Butcher	N/A	N/A	Updated for v17.0
17.1	March 2017	Lori Butcher	N/A	N/A	Updated for v17.1
18.0	October 2017	Lori Butcher	N/A	N/A	Updated for v18.0
18.1	June 2018	Lori Butcher	N/A	N/A	Updated for v18.1
19.0	December 2019	Lori Butcher	N/A	N/A	Updated for v19.0
19.1	May 2019	Lori Butcher	N/A	N/A	Updated for v19.1

Version	Date	Author	Section	Page Number	Summary of Change
20.0	March 2020	Lori Butcher	N/A	N/A	Updated for v20.0
20.1	May 2020	Lori Butcher	N/A	N/A	Updated for v20.1
21.0	November 2020	Lori Butcher	N/A	N/A	Updated for v21.0
21.1	May 2021	Lori Butcher	N/A	N/A	Updated for v21.1
22.0	November 2021	Lori Butcher	N/A	N/A	Updated for v22.0
22.1	May 2022	Lori Butcher	N/A	N/A	Updated for v22.1
23.0	November 2022	Lori Butcher	N/A	N/A	Updated for v23.0
23.1	July 2023	Lori Butcher	N/A	N/A	Updated for v23.1
24.0	November 2023	Lori Butcher	N/A	N/A	Updated for v24.0
24.1	July 2024	Lori Butcher	N/A	N/A	Updated for v24.1
25.0	February 2025	Lori Butcher/Ryan Delouche	N/A	N/A	Updated for v25.0

Preface

This manual contains the technical manual for the Clinical Reporting System (CRS) v25.0, which adds fiscal year (FY) 2025 clinical performance measures to existing FY 2002 through FY 2024 measures.

1.0 Introduction

This manual provides Indian Health Service (IHS) site managers with a technical description of the Clinical Reporting System (CRS) routines, files, menus, cross references, globals, and other necessary information required to effectively manage the system.

All routines, files, options, and keys have a namespace starting with the letters "BGP."

The file number range for this package is 90240, 90370–90565, 90530–90539, and 90558–90599.

The Government Performance and Results Act (GPRA) requires federal agencies to report annually on how the agency measured against the performance targets set in its annual plan. The IHS GPRA measures include clinical prevention and treatment, quality of care, infrastructure, and administrative efficiency functions.

The IHS CRS is a Resource and Patient Management System (RPMS) software application designed for national reporting, as well as Area Office and local monitoring of clinical GPRA and developmental measures. CRS was first released for FY 2002 performance measures (as GPRA+) and is based on a design by the Aberdeen Area Office (GPRA2000).

This manual provides technical information for the CRS v25.0. Version 25.0 adds FY 2025 clinical performance measures to existing FY 2002 through FY 2024 measures.

CRS is the reporting tool used by the IHS Office of Planning and Evaluation to collect and report clinical performance results annually to the Department of Health and Human Services (HHS) and to Congress.

Each year, an updated version of CRS software is released to reflect changes in the logic descriptions of the different denominators and numerators. Additional performance measures may also be added. Local facilities can run reports as often as they want and can also use CRS to transmit data to their Area Office. The Area Office can use CRS to produce an aggregated Area Office report for either annual GPRA or Area Office director performance reports.

CRS produces reports on demand from local RPMS databases for both GPRA and developmental clinical performance measures that are based on RPMS data, thus eliminating the need for manual chart audits for evaluating and reporting clinical measures.

To produce reports with comparable data across every facility, the GPRA measures definitions were translated into programming code with the assistance of clinical subject matter experts. CRS uses predefined taxonomies to find data items in the RPMS Patient Care Component to determine if a patient meets the performance measure criteria. Taxonomies contain groups of codes (e.g., diagnoses or procedures) or site-specific terms. Each performance measure topic has one or more defined denominators and numerators.

Administrative and clinical users can review individual or all measures at any time to:

- Identify potential data issues in their RPMS; for example, missing or incorrect data.
- Monitor their site's performance against past national performance and upcoming agency goals.
- Identify specific areas where the facility is not meeting the measure in order to initiate business process or other changes.
- Quickly measure impact of process changes on performance measures.
- Identify IHS Area Offices meeting or exceeding measures to provide lessons learned.

Users of the RPMS CRS include:

- Area Office and site quality improvement staff
- Compliance officers
- GPRA coordinators
- Clinical staff, such as physicians, nurses, nurse practitioners, and other providers
- Area Office directors
- Any staff involved with quality assurance initiatives
- Staff who run various CRS reports

1.1 Key Changes in v25.0

1.1.1 Logic Changes to National GPRA/GPRAMA Report Measures

- GPRA Developmental Measures:
  - Updated codes and/or logic in the following topics: Statin Therapy to Reduce Cardiovascular Disease Risk in Patients with Diabetes; Adult Immunizations.
- Statin Therapy to Reduce Cardiovascular Disease Risk in Patients with Diabetes:
  - Active diagnosis of ASCVD updated to any time prior to the end of the report period.

- Adult Immunizations:
  - Added PCV21 to Pneumococcal definition.
- Childhood Immunizations:
  - Added PCV21 to Pneumococcal definition.
  - Added LOINC codes 104170-6, 104132-6 to BGP HPV LOINC CODES.
  - Added LOINC code 104132-6 to BGP HPV PRIMARY LOINC CODES.
- Intimate Partner (Domestic) Violence Screening:
  - Updated code and/or logic to IPV/DV Related Diagnosis definition.
- Statin Therapy for the Prevention and Treatment of Cardiovascular Disease:
  - Active diagnosis of ASCVD updated to any time prior to the end of the report period.

1.1.2 Key Logic Changes to Non-GPRA Measures

For key logic changes to non-GPRA measures, please refer to the *CRS 2025 (Version 25.0) Selected Measures Report Performance Measure List and Definitions* document located on the CRS website:

https://www.ihs.gov/crs/software/fy25/

1.1.3 Additional Key Enhancements and Revisions

- Automated GPRA Report:
  - Removed Automated GPRA Report functionality.
- Test/Production Flag:
  - Added new flag to help ensure data from a test database is not uploaded to production

2.0 Implementation and Maintenance

The Clinical Reporting System occupies the BGP namespace. Options, security locks/keys, templates, routines, and globals have the namespace BGP.

> **Note**: This version of the CRS (v25.0) only contains the 2025 files, options, routines, templates, etc. This was done at the request of the verification staff due to the size of this package. v24.1 is a requirement to install v25.0. Please see the technical manual for previous versions for information about all previous versions.

2.1 System Requirements

- Kernel v8.0 p1018 (XU*8.0*1018) or later
- FileMan v22.0 p1018 (DI*22.0*1018) or later
- Taxonomy v5.1 p60 or later must be installed (atx_0510.60k, atx*5.1*60)
- IHS Clinical Reporting System v24.1 must be installed (bgp_2410.k)

2.2 Security Keys

Table 2-1 provides security key information.

Table 2-1: Security key names, descriptive names, and descriptions

Name	Descriptive Name	Description
BGPZAREA	BGP AREA REPORT	This key unlocks the area report options on the main BGPMENU. This key should only be assigned at the Area Office level.
BGPZMENU	BGP MAIN MENU–GPRA	This key unlocks the main CRS menu. It should be assigned to all users who need to run GPRA/CRS reports.
BGPZ PATIENT LISTS	BGP PATIENT LISTS	This key allows the holder to obtain patient lists. The patient lists contain sensitive patient/clinical information. This key should only be given to those users who have a need for such information.
BGPZ SITE PARAMETERS	BGP SITE PARAMETERS	This key should be given to those with authority to update the site parameters.

Name	Descriptive Name	Description
BGPZ TAXONOMY EDIT	BGP TAXONOMY EDIT	This key should be given only to users who need to update taxonomies.

3.0 Routines

This section includes Section 3.1 which lists BGP routines and their descriptions.

Please note that the only routines distributed in v25.0 are the BGPX* routines. Previous versions of CRS contain the other routines. This was done at the request of the verification staff and is due to the large size of the build.

3.1 Routines with Description

Routine	Description
BGPX1	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 10, 2024
BGPX1A	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 09, 2024
BGPX1B	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 09, 2024
BGPX1C	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 09, 2024
BGPX1D	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 09, 2024
BGPX1E	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 09, 2024
BGPX1F	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 10, 2024
BGPX1F2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 10, 2024
BGPX1G	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 10, 2024
BGPX1H	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 10, 2024
BGPX1I	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 10, 2024
BGPX1J	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 10, 2024
BGPX1J2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 10, 2024
BGPX1J3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 10, 2024
BGPX1K	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 10, 2024
BGPX1K2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 10, 2024
BGPX1L	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 10, 2024
BGPX1M	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 10, 2024
BGPX1N	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 10, 2024
BGPXALG	IHS/CMI/LAB - measure AHR.A
BGPXALG1	IHS/CMI/LAB - measure AHR.A
BGPXALG2	IHS/CMI/LAB - measure AHR.A
BGPXASL	IHS/CMI/LAB - DISPLAY IND LISTS
BGPXASL1	IHS/CMI/LAB - DISPLAY IND LISTS
BGPXBAN	IHS/CMI/LAB - BANNER FOR CRS
BGPXBLM	IHS/ADC/GTH - LIST MANAGER API'S
BGPXC11	IHS/CMI/LAB - calc CMS measures 02 Jul 2010 8:31 AM
BGPXC13	IHS/CMI/LAB - calc CMS measures 26 Sep 2004 11:28 AM
BGPXCON	IHS/CMI/LAB - measure AHR.A
BGPXCON1	IHS/CMI/LAB - measure logic
BGPXCTL	IHS/CMI/LAB - DISPLAY IND LISTS
BGPXCTS	IHS/CMI/LAB - display ind lists
BGPXCU	IHS/CMI/LAB - calc cms measures
BGPXCU1	IHS/CMI/LAB - calc CMS measures
BGPXD1	IHS/CMI/LAB - CALC MEASURES

BGPXD10	IHS/CMI/LAB - calc measures
BGPXD2	IHS/CMI/LAB - measure 1,2,3,4
BGPXD21	IHS/CMI/LAB - measure 6
BGPXD211	IHS/CMI/LAB - measure 6 19 Sep 2014 8:12 AM
BGPXD212	IHS/CMI/LAB - measure 6
BGPXD213	IHS/CMI/LAB - measure 6 13 Aug 2015 6:58 AM
BGPXD214	IHS/CMI/LAB - measure 6 19 Sep 2014 8:12 AM
BGPXD21A	IHS/CMI/LAB - measure 6
BGPXD22	IHS/CMI/LAB - measure I2
BGPXD24	IHS/CMI/LAB - sti measure
BGPXD24A	IHS/CMI/LAB - sti measure
BGPXD25	IHS/CMI/LAB - MEASURE
BGPXD27	IHS/CMI/LAB - measure I2
BGPXD28	IHS/CMI/LAB - measure I2
BGPXD3	IHS/CMI/LAB - MEASURE LOGIC
BGPXD31	IHS/CMI/LAB - MEASURE LOGIC
BGPXD32	IHS/CMI/LAB - MEASURE LOGIC
BGPXD33	IHS/CMI/LAB - measure C
BGPXD34	IHS/CMI/LAB - measure C
BGPXD341	IHS/CMI/LAB - measure C
BGPXD35	IHS/CMI/LAB - MEASURE LOGIC
BGPXD36	IHS/CMI/LAB - MEASURE IMM LOGIC
BGPXD37	IHS/CMI/LAB - IMMUNIZATIONS
BGPXD38	IHS/CMI/LAB - IMMUNIZATIONS
BGPXD39	IHS/CMI/LAB - measure C
BGPXD3A	IHS/CMI/LAB - MEASURE LOGIC
BGPXD3B	IHS/CMI/LAB - PNEUMO REMINDER
BGPXD3C	IHS/CMI/LAB - VARIOUS UTILS
BGPXD3D	IHS/CMI/LAB - VARIOUS UTILS
BGPXD4	IHS/CMI/LAB - MEASURE LOGIC 3
BGPXD41	IHS/CMI/LAB - measure 3
BGPXD5	IHS/CMI/LAB - measure calc
BGPXD51	IHS/CMI/LAB - measure I2 26 Mar 2015 10:09 AM
BGPXD52	IHS/CMI/LAB - measure 31
BGPXD53	IHS/CMI/LAB - measure calc
BGPXD54	IHS/CMI/LAB - measure calc 02 Jul 2010 8:08 AM
BGPXD55	IHS/CMI/LAB - measure calc
BGPXD5A	IHS/CMI/LAB - measure calc
BGPXD6	IHS/CMI/LAB - measure 31
BGPXD62	IHS/CMI/LAB - MEASURE 31
BGPXD7	IHS/CMI/LAB - measure 31 06 Nov 2014 2:31 PM
BGPXD71	IHS/CMI/LAB - measure C
BGPXD711	IHS/CMI/LAB - measure C 30 Jun 2010 12:14 PM
BGPXD712	IHS/CMI/LAB - TOBACCO HF
BGPXD713	IHS/CMI/LAB - measure 31
BGPXD714	IHS/CMI/LAB - measure 6
BGPXD715	IHS/CMI/LAB - measure 6

BGPXD72	IHS/CMI/LAB - measure 31
BGPXD721	IHS/CMI/LAB - measure AHR.A
BGPXD722	IHS/CMI/LAB - measure MEDS
BGPXD723	IHS/CMI/LAB - measure AHR.A
BGPXD724	IHS/CMI/LAB - CONTRA (CONT)
BGPXD729	IHS/CMI/LAB - measure AHR.A
BGPXD73	IHS/CMI/LAB - measure 31
BGPXD732	IHS/CMI/LAB - measure AHR.A
BGPXD74	IHS/CMI/LAB - MEASURE LOGIC
BGPXD75	IHS/CMI/LAB - measure 31
BGPXD76	IHS/CMI/LAB - MEASURE LOGIC
BGPXD8	IHS/CMI/LAB - measure C 11 Feb 2019 3:35 PM
BGPXD81	IHS/CMI/LAB - measure C
BGPXD811	IHS/CMI/LAB - PCR, MMR
BGPXD812	IHS/CMI/LAB - measure C
BGPXD81A	IHS/CMI/LAB - measure C 17 Oct 2014 8:51 AM
BGPXD82	IHS/CMI/LAB - measure C 14 Mar 2010 11:49 AM
BGPXD83	IHS/CMI/LAB - measure C 07 Jan 2019 11:45 AM
BGPXD84	IHS/CMI/LAB - measure C
BGPXD841	IHS/CMI/LAB - measure C
BGPXD85	IHS/CMI/LAB - measure C
BGPXD86	IHS/CMI/LAB - measure C 06 Nov 2009 2:26 PM
BGPXD862	IHS/CMI/LAB - measure C
BGPXD87	IHS/CMI/LAB - measure calc 01 Nov 2014 2:35 PM
BGPXD89	IHS/CMI/LAB - measure C 03 Jul 2010 7:05 AM
BGPXD9	IHS/CMI/LAB - measure J
BGPXD91	IHS/CMI/LAB - MEASURE LOGIC
BGPXDADB	IHS/CMI/LAB - MEASURE LOGIC
BGPXDAP	IHS/CMI/LAB - GPRA AREA DRIVER
BGPXDAR	IHS/CMI/LAB - GPRA AREA REPORT
BGPXDBPR	IHS/CMI/LAB - IHS gpra print 03 Jul 2010 6:26 AM
BGPXDCEI	IHS/CMI/LAB - calculate ELDER measures
BGPXDCI	IHS/CMI/LAB - AREA GPRA
BGPXDCL	IHS/CMI/LAB - national patient list 20 Dec 2004 9:24 AM
BGPXDCLD	IHS/CMI/LAB - IHS gpra print
BGPXDCLP	IHS/CMI/LAB - IHS gpra print
BGPXDEL	IHS/CMI/LAB - GPRA REPORT DRIVER
BGPXDELA	IHS/CMI/LAB - GPRA REPORT
BGPXDELP	IHS/CMI/LAB - IHS HEDIS print
BGPXDESI	IHS/CMI/LAB - DISPLAY IND LISTS
BGPXDESL	IHS/CMI/LAB - IHS 2025 DISPLAY IND LISTS
BGPXDGPA	IHS/CMI/LAB - IHS area GPRA 02 Sep 2004 1:11 PM
BGPXDGPU	IHS/CMI/LAB - IHS AREA CLIN 05 REPORT DRIVER
BGPXDH	IHS/CMI/LAB - HEADER
BGPXDH1	IHS/CMI/LAB - COVER PAGE
BGPXDH2	IHS/CMI/LAB - COVER PAGE
BGPXDICR	IHS/CMI/LAB - ICARE LIST

BGPXDL	IHS/CMI/LAB - LOCAL COM REPORT
BGPXDLT	IHS/CMI/LAB - national patient list 20 Dec 2004 9:24 AM
BGPXDMT	IHS/CMI/LAB - NATIONAL LIST
BGPXDNDB	IHS/CMI/LAB - NATIONAL EXPORT
BGPXDNG	IHS/CMI/LAB - NATL COM EXPORT
BGPXDNGP	IHS/CMI/LAB - NATL RPT PRT
BGPXDNGS	IHS/CMI/LAB - NATL COMP EXPORT 13 Nov 2006 12:31 PM
BGPXDP	IHS/CMI/LAB - IHS gpra print 03 Jul 2010 6:26 AM
BGPXDP1	IHS/CMI/LAB - print ind 1 21 Mar 2010 12:55 PM
BGPXDP11	IHS/CMI/LAB - print ind 1
BGPXDP12	IHS/CMI/LAB - print ind 19 AGE DIST
BGPXDP13	IHS/CMI/LAB - print ind 19 AGE DIST 02 Feb 2019 1:14 PM
BGPXDP14	IHS/CMI/LAB - print ind 19 AGE DIST
BGPXDP19	IHS/CMI/LAB - print ind 1 03 Jul 2010 7:40 AM
BGPXDP1A	IHS/CMI/LAB - print ind 19 AGE DIST 02 Feb 2019 1:14 PM
BGPXDP1C	IHS/CMI/LAB - print ind 1 21 Mar 2010 12:55 PM
BGPXDP1D	IHS/CMI/LAB - print ind
BGPXDP1E	IHS/CMI/LAB - PRINT IND
BGPXDP1F	IHS/CMI/LAB - PRINT IND
BGPXDP1G	IHS/CMI/LAB - print ind 1
BGPXDP1H	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPXDP1I	IHS/CMI/LAB - print ind 1
BGPXDP1J	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPXDP1K	IHS/CMI/LAB - print ind 1
BGPXDP1L	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPXDP1M	IHS/CMI/LAB - PRINT IND
BGPXDP1N	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPXDP1O	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPXDP1S	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPXDP1T	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPXDP2	IHS/CMI/LAB - print ind 10 02 Jul 2010 9:25 AM
BGPXDP3	IHS/CMI/LAB - print ind 1
BGPXDP4	IHS/CMI/LAB - print ind 31
BGPXDP5	IHS/CMI/LAB - print ind H
BGPXDP50	IHS/CMI/LAB - print ind H
BGPXDP51	IHS/CMI/LAB - print ind H
BGPXDP6	IHS/CMI/LAB - print ind H
BGPXDP60	IHS/CMI/LAB - print ind H 02 Feb 2019 1:59 PM
BGPXDP7	IHS/CMI/LAB - print ind 10
BGPXDP8	IHS/CMI/LAB - print ind H
BGPXDPA	IHS/CMI/LAB - FORECAST
BGPXDPA1	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGPXDPA2	IHS/CMI/LAB - FORECAST
BGPXDPA4	IHS/CMI/LAB - FORECAST
BGPXDPAP	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGPXDPAW	IHS/CMI/LAB - FORECAST PRINT
BGPXDPH	IHS/CMI/LAB - AREA REPORT HEADER 01 Jul 2010 7:54 PM

BGPXDPP	IHS/CMI/LAB - PP REPORT
BGPXDS	IHS/CMI/LAB - IHS gpra print
BGPXDSI	IHS/CMI/LAB - DISPLAY IND LISTS
BGPXDSL	IHS/CMI/LAB - IHS 2025 DISPLAY IND LISTS
BGPXDSP	IHS/CMI/LAB - SUM PAGE
BGPXDSPD	IHS/CMI/LAB - IHS summary page
BGPXDSPN	IHS/CMI/LAB - IHS summary page
BGPXDSTM	IHS/CMI/LAB - national patient list
BGPXDU	IHS/CMI/LAB - gpra utility calls
BGPXEL10	IHS/CMI/LAB - print ind 1
BGPXEL11	IHS/CMI/LAB - print ind 1 20 Jan 2019 4:41 PM
BGPXEL12	IHS/CMI/LAB - print ind
BGPXEL13	IHS/CMI/LAB - print ind 1
BGPXEL15	IHS/CMI/LAB - print ind 1
BGPXEL16	IHS/CMI/LAB - print ind 1
BGPXEL17	IHS/CMI/LAB - print ind 1
BGPXEL18	IHS/CMI/LAB - print ind 1
BGPXEL19	IHS/CMI/LAB - print ind 1
BGPXEL1A	IHS/CMI/LAB - print ind 1
BGPXEL1B	IHS/CMI/LAB - ELDER
BGPXEL1C	IHS/CMI/LAB - ELDER
BGPXEL1D	IHS/CMI/LAB - print ind 1
BGPXEL1E	IHS/CMI/LAB - print ind 1
BGPXEL1F	IHS/CMI/LAB - print ind 1
BGPXEL1G	IHS/CMI/LAB - ELDER CALC
BGPXEL1I	IHS/CMI/LAB - print ind 1
BGPXEL1J	IHS/CMI/LAB - print ind 1 05 Feb 2019 1:41 PM
BGPXEL1K	IHS/CMI/LAB - print ind 1
BGPXEL1L	IHS/CMI/LAB - print ind 1
BGPXEL1O	IHS/CMI/LAB - print ind 1
BGPXEL1P	IHS/CMI/LAB - print ind 01 Jul 2010 7:55 PM
BGPXEL1Q	IHS/CMI/LAB - print ind 05 Feb 2019 9:01 AM
BGPXEL1R	IHS/CMI/LAB - print ind
BGPXEL1S	IHS/CMI/LAB - print ind 1
BGPXEL1T	IHS/CMI/LAB - print ind 1
BGPXEL2	IHS/CMI/LAB - measure 1,2,3,
BGPXEL3	IHS/CMI/LAB - ELDER MEASURES
BGPXEL31	IHS/CMI/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM
BGPXEL4	IHS/CMI/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM
BGPXELH	IHS/CMI/LAB - cover page for ELDER 25 Jun 2010 10:20 AM
BGPXELHH	IHS/CMI/LAB - cover page for ELDER 25 Jun 2010 10:20 AM
BGPXELL	IHS/CMI/LAB - IHS gpra print 01 Jul 2010 7:56 PM
BGPXELL1	IHS/CMI/LAB - print ind 1 20 Jan 2017 4:52 PM
BGPXELL2	IHS/CMI/LAB - print ind 20 Jan 2017 4:41 PM
BGPXELL3	IHS/CMI/LAB - print ind
BGPXELL4	IHS/CMI/LAB - print ind 20 Jan 2017 4:36 PM
BGPXELL6	IHS/CMI/LAB - print ind

BGPXELL7	IHS/CMI/LAB - print ind 03 Feb 2017 4:55 PM
BGPXELL8	IHS/CMI/LAB - print ind
BGPXELL9	IHS/CMI/LAB - print ind
BGPXELLA	IHS/CMI/LAB - print ind 20 Jan 2017 4:46 PM
BGPXELLB	IHS/CMI/LAB - print ind 20 Jan 2017 4:48 PM
BGPXELLC	IHS/CMI/LAB - print ind
BGPXELLD	IHS/CMI/LAB - print ind
BGPXELLE	IHS/CMI/LAB - print ind 03 Feb 2017 10:05 AM
BGPXELLF	IHS/CMI/LAB - print ind
BGPXELLG	IHS/CMI/LAB - print ind
BGPXELLH	IHS/CMI/LAB - print ind 07 Jun 2017 4:19 PM
BGPXELLI	IHS/CMI/LAB - print ind 25 Mar 2017 6:57 PM
BGPXELLK	IHS/CMI/LAB - print ind
BGPXELLL	IHS/CMI/LAB - print ind 05 Feb 2017 9:00 AM
BGPXELLM	IHS/CMI/LAB - print ind
BGPXELLN	IHS/CMI/LAB - print ind 1
BGPXELLQ	IHS/CMI/LAB - print ind
BGPXELLR	IHS/CMI/LAB - print ind
BGPXELLS	IHS/CMI/LAB - print ind
BGPXELLT	IHS/CMI/LAB - print ind
BGPXELLU	IHS/CMI/LAB - print ind
BGPXELLW	IHS/CMI/LAB - print ind
BGPXELLX	IHS/CMI/LAB - print ind 30 Jun 2017 10:24 AM
BGPXELLY	IHS/CMI/LAB - print ind 03 Feb 2017 10:05 AM
BGPXELP1	IHS/CMI/LAB - print ind 1
BGPXELS	IHS/CMI/LAB - IHS gpra print
BGPXELSL	IHS/CMI/LAB - IHS gpra print
BGPXETL	IHS/CMI/LAB - DISPLAY IND LISTS
BGPXEUTL	IHS/CMI/LAB -
BGPXGADB	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPXGAEL	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPXGAG9	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPXGAGP	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPXGAGS	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPXGALL	IHS/CMI/LAB - GUI COM REPORT
BGPXGAPU	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPXGCMP	IHS/CMI/LAB - CRS
BGPXGCOM	IHS/CMI/LAB - GUI COM REPORT
BGPXGDSH	IHS/CMI/LAB - GPRA DASHBOARD GUI
BGPXGELD	IHS/CMI/LAB - GUI COM REPORT
BGPXGFO9	IHS/CMI/LAB - GUI Patient Forecast Report
BGPXGFOR	IHS/CMI/LAB - GUI Patient Forecast Report
BGPXGIPC	IHS/CMI/LAB - GUI COM REPORT
BGPXGLHW	IHS/CMI/LAB - CRS
BGPXGLST	IHS/CMI/LAB - GUI CMS REPORT
BGPXGLTX	IHS/CMI/LAB - CRS
BGPXGM	IHS/CMI/LAB - BGPG Visual CRS Reports

BGPXGMTX	IHS/CMI/LAB - CRS
BGPXGMUE	IHS/CMI/LAB - GUI MU EP REPORT
BGPXGMUH	IHS/CMI/LAB - GUI MU HOS REPORT
BGPXGNPL	IHS/CMI/LAB - CRS 26 Mar 2010 5:09 PM
BGPXGNST	IHS/CMI/LAB - CRS
BGPXGNT9	IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM
BGPXGNTL	IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM
BGPXGNTP	IHS/CMI/LAB - BGP 25 DESIGNATED PROVIDER REPORT
BGPXGNTS	IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM
BGPXGPP	IHS/CMI/LAB - GUI PP REPORT
BGPXGR	IHS/CMI/LAB - BGPG Visual CRS Reports
BGPXGR1	IHS/CMI/LAB - BGPG Visual CRS Reports 12/30/2004
BGPXGR2	IHS/CMI/LAB - BGPG Visual CRS Reports 12/30/2004
BGPXGRA	IHS/CMI/LAB - BGP Gui Area Reports 5/2/2005 8:38:59 PM
BGPXGRB	IHS/CMI/LAB - BGP Gui Area Reports 5/2/2005 8:38:59 PM
BGPXGT	IHS/CMI/LAB - BGPG Gui CRS Tables 2/2/2005 10:24:22 AM
BGPXGTA	IHS/CMI/LAB - BGPG Gui CRS Tables 2/2/2005 10:24:22 AM
BGPXGU	IHS/CMI/LAB - BGP Gui Utilities
BGPXGUA	IHS/CMI/LAB - BGP Gui Utilities 10/29/2004
BGPXGUPL	IHS/CMI/LAB - GUI Upload
BGPXLSTF	IHS/CMI/LAB - List 'BG08' files in pub
BGPXNPL	IHS/CMI/LAB - national patient list 20 Dec 2004
BGPXNPLP	IHS/CMI/LAB - IHS gpra print 30 Jun 2010 5:58 PM
BGPXPARP	IHS/CMI/LAB - IHS gpra print
BGPXPARQ	IHS/CMI/LAB - IHS gpra print
BGPXPC1	IHS/CMI/LAB - CALC MEASURES
BGPXPC10	IHS/CMI/LAB - measure I2
BGPXPC11	IHS/CMI/LAB - measure PC11
BGPXPC12	IHS/CMI/LAB - measure I2
BGPXPC13	IHS/CMI/LAB - measure I2
BGPXPC14	IHS/CMI/LAB - measure I2
BGPXPC15	IHS/CMI/LAB - measure I2
BGPXPC16	IHS/CMI/LAB - measure I2
BGPXPC17	IHS/CMI/LAB - measure I2
BGPXPC2	IHS/CMI/LAB - measure I2
BGPXPC3	IHS/CMI/LAB - measure I2
BGPXPC4	IHS/CMI/LAB - measure I2
BGPXPC5	IHS/CMI/LAB - measure I2
BGPXPC6	IHS/CMI/LAB - measure I2
BGPXPC61	IHS/CMI/LAB - measure I2
BGPXPC62	IHS/CMI/LAB - measure I2
BGPXPC63	IHS/CMI/LAB - measure I2
BGPXPC64	IHS/CMI/LAB - measure I2
BGPXPC65	IHS/CMI/LAB - measure I2
BGPXPC66	IHS/CMI/LAB - measure I2
BGPXPC67	IHS/CMI/LAB - measure I2
BGPXPC68	IHS/CMI/LAB - measure I2

BGPXPC69	IHS/CMI/LAB - measure I2
BGPXPC7	IHS/CMI/LAB - measure I2
BGPXPC8	IHS/CMI/LAB - measure I2
BGPXPC9	IHS/CMI/LAB - measure I2
BGPXPCCI	IHS/CMI/LAB - AREA GPRA
BGPXPCD	IHS/CMI/LAB - GPRA REPORT DRIVER
BGPXPCH	IHS/CMI/LAB - cover page for ELDER 25 Jun 2010 10:20 AM
BGPXPCSI	IHS/CMI/LAB - DISPLAY IND LISTS
BGPXPCSL	IHS/CMI/LAB - IHS 2025 DISPLAY IND LISTS
BGPXPCTL	IHS/CMI/LAB - DISPLAY IND LISTS
BGPXPCTX	IHS/CMI/LAB - TAXONOMY CHECK FOR IPC REPORT
BGPXPCUT	IHS/CMI/LAB -
BGPXPD19	IHS/CMI/LAB - print ind 03 Jul 2010 8:56 AM
BGPXPDH1	IHS/CMI/LAB - cover page for gpra del 0
BGPXPDL	IHS/CMI/LAB - IHS gpra print 01 Jul 2010 8:02 PM
BGPXPDL0	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:03 PM
BGPXPDL1	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:03 PM
BGPXPDL2	IHS/CMI/LAB - print ind 1
BGPXPDL3	IHS/CMI/LAB - print ind 1
BGPXPDL4	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:04 PM
BGPXPDL5	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:04 PM
BGPXPDL7	IHS/CMI/LAB - print ind 1
BGPXPDL8	IHS/CMI/LAB - print ind 1
BGPXPDL9	IHS/CMI/LAB - print ind
BGPXPDLA	IHS/CMI/LAB - print ind
BGPXPDLB	IHS/CMI/LAB - print ind
BGPXPDLE	IHS/CMI/LAB - print ind
BGPXPDLH	IHS/CMI/LAB - cover page
BGPXPDLL	IHS/CMI/LAB - print ind 1
BGPXPDLT	IHS/CMI/LAB - print ind 1 03 Jul 2010 7:40 AM
BGPXPDPA	IHS/CMI/LAB - print ind 03 Jul 2010 8:56 AM
BGPXPDPB	IHS/CMI/LAB - print ind 03 Jul 2010
BGPXPHEL	IHS/CMI/LAB - IHS gpra print
BGPXPOS	IHS/CMI/LAB - POST INIT
BGPXPOS1	IHS/CMI/LAB - NO DESCRIPTION PROVIDED
BGPXPOS2	IHS/CMI/LAB - NO DESCRIPTION PROVIDED
BGPXREF	IHS/CMI/LAB - measure AHR.A
BGPXREF1	IHS/CMI/LAB - measure AHR.A
BGPXSDP	IHS/CMI/LAB - IHS summary page 11 Dec 2006 1:24 PM
BGPXSDPD	IHS/CMI/LAB - IHS summary page
BGPXSDPN	IHS/CMI/LAB - IHS summary page
BGPXULF	IHS/CMI/LAB - UPLOAD AREA FILES
BGPXUTL	IHS/CMI/LAB - UTILITIES
BGPXUTL1	IHS/CMI/LAB - UTILITIES
BGPXUTL2	IHS/CMI/LAB - UTILITIES 06 Jan 2017 9:49 AM
BGPXUTLC	IHS/CMI/LAB - UTILITIES
BGPXXTCH	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT

BGPXXTCN	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT
BGPXXTEL	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT
BGPXXTL	IHS/CMI/LAB - DISPLAY IND LISTS
BGPXXTS	IHS/CMI/LAB - DISPLAY IND LISTS
BGPXXTV	IHS/CMI/LAB - DISPLAY IND LISTS 15 Dec 2010 9:42 AM
BGPXXTV1	IHS/CMI/LAB - DISPLAY IND LISTS

4.0 Files and Tables

4.1 File List

Table 4-1 provides information for files and tables. Please note that only files beginning with BGP 25 are distributed with v25.0; all previous versions of CRS must be installed prior to v25.0. If v24.1 is installed, then all previous versions have been installed.

Table 4-1: BGP file list

File (#)	Global	Filename
90241.01	^BGPCTRL(	BGP CONTROL FILE
90241.02	^BGPSITE(	BGP SITE PARAMETERS
90241.03	^BGPSCAT(	BGP SUMMARY CATEGORIES
90569.01	^BGPINDX(	BGP 25 MEASURES
90569.02	^BGPINDCX(	BGP 25 INDIVIDUAL MEASURES
90569.03	^BGPGPDCX(	BGP 25 DATA CURRENT
90569.04	^BGPGPDPX(	BGP 25 DATA PREVIOUS
90569.05	^BGPGPDBX(	BGP 25 DATA BASELINE
90569.06	^BGPNPLX(	BGP 25 NATIONAL PATIENT LISTS
90569.07	^BGPSNOSX(	BGP 25 SNOMED SUBSETS
90569.08	^BGPTAXX(	BGP 25 TAXONOMIES
90569.1	^BGPMGRPX(	BGP 25 MEASURE GROUPS
90569.17	^BGPICAGX(	BGP 25 ICARE GROUPS
90569.18	^BGPICACX(	BGP 25 ICARE CATEGORIES
90569.19	^BGPGUIX(	BGP 25 GUI OUTPUT
90569.21	^BGPSNOMX(	BGP 25 SNOMED LISTS
90569.22	^BGPELIIX(	BGP 25 ELDER INDIVIDUAL INDICATORS
90569.23	^BGPELDCX(	BGP 25 ELDER DATA CURRENT
90569.24	^BGPELDPX(	BGP 25 ELDER DATA PREVIOUS
90569.25	^BGPELDBX(	BGP 25 ELDER DATA BASELINE
90569.26	^BGPELIX(	BGP 25 ELDER INDICATORS

4.2 File Access

Table 4-2: BGP file list

File (#)	Global	RD	WR	LYG	DD	DEL
90241.01	^BGPCTRL	@	@	@	@	@

File (#)	Global	RD	WR	LYG	DD	DEL
90241.02	^BGPSITE	M	M	M	@	@
90241.03	^BGPSCAT(	@	@	@	@	@
90569.01	^BGPINDX(	@	@	@	@	@
90569.02	^BGPINDCX(	@	@	@	@	@
90569.03	^BGPGPDCX(	@	@	@	@	@
90569.04	^BGPGPDPX(	@	@	@	@	@
90569.05	^BGPGPDBX(	@	@	@	@	@
90569.06	^BGPNPLX(	@	@	@	@	@
90569.07	^BGPSNOSX(	@	@	@	@	@
90569.08	^BGPTAXX(	@	@	@	@	@
90569.1	^BGPMGRPX(	@	@	@	@	@
90569.17	^BGPICAGX(	@	@	@	@	@
90569.18	^BGPICACX(	@	@	@	@	@
90569.19	^BGPGUIX(	@	@	@	@	@
90569.21	^BGPSNOMX(	@	@	@	@	@
90569.22	^BGPELIIX(	@	@	@	@	@
90569.23	^BGPELDCX(	@	@	@	@	@
90569.24	^BGPELDPX(	@	@	@	@	@
90569.25	^BGPELDBX(	@	@	@	@	@
90569.26	^BGPELIX(	@	@	@	@	@

4.3 Cross References

```
INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01            02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90241.01

  Traditional Cross-References:

  B    REGULAR
          Field:  FY  (90241.01,.01)
                  1)= S ^BGPCTRL("B",$E(X,1,30),DA)=""
                  2)= K ^BGPCTRL("B",$E(X,1,30),DA)

  C    REGULAR
          Field:  GPRA YEAR  (90241.01,.14)
                  1)= S ^BGPCTRL("C",$E(X,1,30),DA)=""
                  2)= K ^BGPCTRL("C",$E(X,1,30),DA)

Subfile #90241.0111

  Traditional Cross-References:
```

```
  B    REGULAR
           Field:  CLINIC CODE  (90241.0111,.01)
                   1)= S ^BGPCTRL(DA(1),11,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),11,"B",$E(X,1,30),DA)

Subfile #90241.011101

  Traditional Cross-References:

  B    REGULAR
           Field:  CLINICS FOR IPC REPORT  (90241.011101,.01)
                   1)= S ^BGPCTRL(DA(1),1101,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),1101,"B",$E(X,1,30),DA)

Subfile #90241.0112

  Traditional Cross-References:

  B    REGULAR
           Field:  CLINIC CODES FOR 2ND VISIT  (90241.0112,.01)
                   1)= S ^BGPCTRL(DA(1),12,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),12,"B",$E(X,1,30),DA)

Subfile #90241.011301

  Traditional Cross-References:

  B    REGULAR
           Field:  BH CLINIC CODES  (90241.011301,.01)
                   1)= S ^BGPCTRL(DA(1),1301,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),1301,"B",$E(X,1,30),DA)

Subfile #90241.013

  Traditional Cross-References:

  B    REGULAR
           Field:  BH ALCOHOL PROBLEM CODES  (90241.013,.01)
                   1)= S ^BGPCTRL(DA(1),30,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),30,"B",$E(X,1,30),DA)

Subfile #90241.0145

  Traditional Cross-References:

  B    REGULAR
           Field:  CRSONMNT3 COLUMN HEADERS  (90241.0145,.01)
                   1)= S ^BGPCTRL(DA(1),45,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),45,"B",$E(X,1,30),DA)

Subfile #90241.015

  Traditional Cross-References:

  B    REGULAR
           Field:  DEP SCR BH CLINICS  (90241.015,.01)
                   1)= S ^BGPCTRL(DA(1),50,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),50,"B",$E(X,1,30),DA)

Subfile #90241.0168
```

```
  Traditional Cross-References:

  B    REGULAR
           Field:  EO NT  (90241.0168,.01)
                   1)= S ^BGPCTRL(DA(1),68,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),68,"B",$E(X,1,30),DA)

Subfile #90241.0195

  Traditional Cross-References:

  B    REGULAR
           Field:  CLINIC CODES FOR BH ACT CL  (90241.0195,.01)
                   1)= S ^BGPCTRL(DA(1),95,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),95,"B",$E(X,1,30),DA)

Subfile #90241.18501

  Traditional Cross-References:

  B    REGULAR
           Field:  DEVNT4 HEADERS  (90241.18501,.01)
                   1)= S ^BGPCTRL(DA(1),851,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),851,"B",$E(X,1,30),DA)

Subfile #90241.1972

  Traditional Cross-References:

  B    REGULAR
           Field:  GPRA NT5 LABELS  (90241.1972,.01)
                   1)= S ^BGPCTRL(DA(1),972,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),972,"B",$E(X,1,30),DA)

Subfile #90241.1973

  Traditional Cross-References:

  B    REGULAR
           Field:  DEVNT6 LABELS  (90241.1973,.01)
                   1)= S ^BGPCTRL(DA(1),973,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),973,"B",$E(X,1,30),DA)

Subfile #90241.36

  Traditional Cross-References:

  B    REGULAR
           Field:  PIECE  (90241.36,.01)
                   1)= S ^BGPCTRL(DA(1),36,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),36,"B",$E(X,1,30),DA)

Subfile #90241.37

  Traditional Cross-References:

  B    REGULAR
           Field:  PIECE  (90241.37,.01)
                   1)= S ^BGPCTRL(DA(1),37,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),37,"B",$E(X,1,30),DA)

Subfile #90241.38
```

```
  Traditional Cross-References:

  B    REGULAR
           Field:  PIECE  (90241.38,.01)
                   1)= S ^BGPCTRL(DA(1),38,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),38,"B",$E(X,1,30),DA)

Subfile #90241.4

  Traditional Cross-References:

  B    REGULAR
           Field:  PIECE  (90241.4,.01)
                   1)= S ^BGPCTRL(DA(1),40,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),40,"B",$E(X,1,30),DA)

Subfile #90241.41

  Traditional Cross-References:

  B    REGULAR
           Field:  MEASURE  (90241.41,.01)
                   1)= S ^BGPCTRL(DA(1),41,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),41,"B",$E(X,1,30),DA)

Subfile #90241.55

  Traditional Cross-References:

  B    REGULAR
           Field:  MEASURE  (90241.55,.01)
                   1)= S ^BGPCTRL(DA(1),55,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),55,"B",$E(X,1,30),DA)

Subfile #90241.551101

  Traditional Cross-References:

  B    REGULAR
           Field:  MEASURE ID  (90241.551101,.01)
                   1)= S ^BGPCTRL(DA(2),55,DA(1),11,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(2),55,DA(1),11,"B",$E(X,1,30),DA)

Subfile #90241.62

  Traditional Cross-References:

  B    REGULAR
           Field:  PATIENT ED TOPICS  (90241.62,.01)
                   1)= S ^BGPCTRL(DA(1),62,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),62,"B",$E(X,1,30),DA)

Subfile #90241.63

  Traditional Cross-References:

  B    REGULAR
           Field:  DISEASE STATE ABBRV  (90241.63,.01)
                   1)= S ^BGPCTRL(DA(1),63,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),63,"B",$E(X,1,30),DA)
```

```
Subfile #90241.6311

  Traditional Cross-References:

  B    REGULAR
           Field:  ICD MAPPING  (90241.6311,.01)
                   1)= S ^BGPCTRL(DA(2),63,DA(1),11,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(2),63,DA(1),11,"B",$E(X,1,30),DA)

Subfile #90241.79

  Traditional Cross-References:

  B    REGULAR
           Field:  DEVEL 1  (90241.79,.01)
                   1)= S ^BGPCTRL(DA(1),79,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),79,"B",$E(X,1,30),DA)

Subfile #90241.81

  Traditional Cross-References:

  B    REGULAR
           Field:  DEVEL 2  (90241.81,.01)
                   1)= S ^BGPCTRL(DA(1),81,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),81,"B",$E(X,1,30),DA)

Subfile #90241.85

  Traditional Cross-References:

  B    REGULAR
           Field:  DEVEL 3  (90241.85,.01)
                   1)= S ^BGPCTRL(DA(1),85,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),85,"B",$E(X,1,30),DA)

Subfile #90241.8502

  Traditional Cross-References:

  B    REGULAR
           Field:  HEADERS FOR DEV5  (90241.8502,.01)
                   1)= S ^BGPCTRL(DA(1),852,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),852,"B",$E(X,1,30),DA)

Subfile #90241.86

  Traditional Cross-References:

  B    REGULAR
           Field:  ONMT 4 HEADERS  (90241.86,.01)
                   1)= S ^BGPCTRL(DA(1),86,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),86,"B",$E(X,1,30),DA)

Subfile #90241.87

  Traditional Cross-References:

  B    REGULAR
           Field:  ONMT5 HEADERS  (90241.87,.01)
                   1)= S ^BGPCTRL(DA(1),87,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),87,"B",$E(X,1,30),DA)
```

```
Subfile #90241.97

  Traditional Cross-References:

  B    REGULAR
           Field:  GPRANT3  (90241.97,.01)
                   1)= S ^BGPCTRL(DA(1),97,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),97,"B",$E(X,1,30),DA)

Subfile #90241.971

  Traditional Cross-References:

  B    REGULAR
           Field:  GPRA NT4  (90241.971,.01)
                   1)= S ^BGPCTRL(DA(1),971,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),971,"B",$E(X,1,30),DA)

Subfile #90241.9801

  Traditional Cross-References:

  B    REGULAR
           Field:  PATCHES BULLETIN TEXT  (90241.9801,.01)
                   1)= S ^BGPCTRL(DA(1),98,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPCTRL(DA(1),98,"B",$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.02            02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90241.02

  Traditional Cross-References:

  B    REGULAR
           Field:  LOCATION  (90241.02,.01)
                   1)= S ^BGPSITE("B",$E(X,1,30),DA)=""
                   2)= K ^BGPSITE("B",$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.03            02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90241.03

  Traditional Cross-References:

  B    REGULAR
           Field:  CATEGORY  (90241.03,.01)
                   1)= S ^BGPSCAT("B",$E(X,1,30),DA)=""
                   2)= K ^BGPSCAT("B",$E(X,1,30),DA)

  C    REGULAR
           Field:  ORDER ON GPRA SUMMARY  (90241.03,.02)
                   1)= S ^BGPSCAT("C",$E(X,1,30),DA)=""
                   2)= K ^BGPSCAT("C",$E(X,1,30),DA)

  D    REGULAR
           Field:  ORDER NO NON-GPRA SUMMARY  (90241.03,.03)
                   1)= S ^BGPSCAT("D",$E(X,1,30),DA)=""
                   2)= K ^BGPSCAT("D",$E(X,1,30),DA)
```

```
  E    REGULAR
           Field:  ORDER ON EO REPORT  (90241.03,.04)
                   1)= S ^BGPSCAT("E",$E(X,1,30),DA)=""
                   2)= K ^BGPSCAT("E",$E(X,1,30),DA)


INDEX AND CROSS-REFERENCE LIST -- FILE #90569.01            02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90569.01

  Traditional Cross-References:

  ADEV    REGULAR
            Field:  DEVELOPMENTAL MEASURE?  (90569.01,.14)
                    1)= S ^BGPINDX("ADEV",$E(X,1,30),DA)=""
                    2)= K ^BGPINDX("ADEV",$E(X,1,30),DA)

  ADEVO    REGULAR
            Field:  ORDER ON DEVELOPMENTAL REPORT  (90569.01,1302)
                    1)= S ^BGPINDX("ADEVO",$E(X,1,30),DA)=""
                    2)= K ^BGPINDX("ADEVO",$E(X,1,30),DA)

  AIPC    REGULAR
            Field:  ORDER ON IPC REPORT  (90569.01,1208)
                    1)= S ^BGPINDX("AIPC",$E(X,1,30),DA)=""
                    2)= K ^BGPINDX("AIPC",$E(X,1,30),DA)

  AO    REGULAR
           Field:  ORDER ON SELECTION/REPORT  (90569.01,.02)
                   1)= S ^BGPINDX("AO",$E(X,1,30),DA)=""
                   2)= K ^BGPINDX("AO",$E(X,1,30),DA)

  AOI    REGULAR
            Field:  ORDER IND  (90569.01,1206)
                    1)= S ^BGPINDX("AOI",$E(X,1,30),DA)=""
                    2)= K ^BGPINDX("AOI",$E(X,1,30),DA)

  B    REGULAR
           Field:  MEASURE NUMBER  (90569.01,.01)
                   1)= S ^BGPINDX("B",$E(X,1,30),DA)=""
                   2)= K ^BGPINDX("B",$E(X,1,30),DA)

  C    REGULAR
           Field:  TITLE/SELECTION TITLE  (90569.01,.03)
                   1)= S ^BGPINDX("C",$E(X,1,30),DA)=""
                   2)= K ^BGPINDX("C",$E(X,1,30),DA)

  D    REGULAR
           Field:  ORDER IND  (90569.01,1206)
                   1)= S ^BGPINDX("D",$E(X,1,30),DA)=""
                   2)= K ^BGPINDX("D",$E(X,1,30),DA)

  GPRA    REGULAR
            Field:  NATIONAL REPORT  (90569.01,.07)
                    1)= S ^BGPINDX("GPRA",$E(X,1,30),DA)=""
                    2)= K ^BGPINDX("GPRA",$E(X,1,30),DA)

  PUID    REGULAR
            Field:  PUID FROM RM  (90569.01,1203)
INDEX AND CROSS-REFERENCE LIST -- FILE #90569.01            02/05/25    PAGE 2
------------------------------------------------------------------------------
```

```
                    1)= S ^BGPINDX("PUID",$E(X,1,30),DA)=""
                    2)= K ^BGPINDX("PUID",$E(X,1,30),DA)

  U    MUMPS
            Field:  TITLE/SELECTION TITLE  (90569.01,.03)
                    1)= S ^BGPINDX("U",$$UP^XLFSTR(X),DA)=""
                    2)= K ^BGPINDX("U",$$UP^XLFSTR(X),DA)

Subfile #90569.0161

  Traditional Cross-References:

  B    REGULAR
            Field:  DENOMINATOR DEFINITIONS  (90569.0161,.01)
                    1)= S ^BGPINDX(DA(1),61,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPINDX(DA(1),61,"B",$E(X,1,30),DA)

Subfile #90569.016112

  Traditional Cross-References:

  B    REGULAR
            Field:  REPORT SUB TYPES  (90569.016112,.01)
                    1)= S ^BGPINDX(DA(2),61,DA(1),12,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPINDX(DA(2),61,DA(1),12,"B",$E(X,1,30),DA)

Subfile #90569.0162

  Traditional Cross-References:

  B    REGULAR
            Field:  NUMERATOR DEFINITIONS  (90569.0162,.01)
                    1)= S ^BGPINDX(DA(1),62,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPINDX(DA(1),62,"B",$E(X,1,30),DA)

Subfile #90569.016212

  Traditional Cross-References:

  B    REGULAR
            Field:  REPORT SUB TYPE  (90569.016212,.01)
                    1)= S ^BGPINDX(DA(2),62,DA(1),12,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPINDX(DA(2),62,DA(1),12,"B",$E(X,1,30),DA)

Subfile #90569.0181

  Traditional Cross-References:

  B    REGULAR
            Field:  NATL GPRA DENOM DEFS  (90569.0181,.01)
                    1)= S ^BGPINDX(DA(1),81,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPINDX(DA(1),81,"B",$E(X,1,30),DA)
INDEX AND CROSS-REFERENCE LIST -- FILE #90569.01            02/05/25    PAGE 3
------------------------------------------------------------------------------

Subfile #90569.018112

  Traditional Cross-References:

  B    REGULAR
            Field:  REPORT SUBTYPES  (90569.018112,.01)
                    1)= S ^BGPINDX(DA(2),81,DA(1),12,"B",$E(X,1,30),DA)=""
```

```
                    2)= K ^BGPINDX(DA(2),81,DA(1),12,"B",$E(X,1,30),DA)

Subfile #90569.0182

  Traditional Cross-References:

  B    REGULAR
            Field:  NATL GPRA NUMERATOR DEFS  (90569.0182,.01)
                    1)= S ^BGPINDX(DA(1),82,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPINDX(DA(1),82,"B",$E(X,1,30),DA)

Subfile #90569.018212

  Traditional Cross-References:

  B    REGULAR
            Field:  REPORT SUBTYPES  (90569.018212,.01)
                    1)= S ^BGPINDX(DA(2),82,DA(1),12,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPINDX(DA(2),82,DA(1),12,"B",$E(X,1,30),DA)

Subfile #90569.0185

  Traditional Cross-References:

  B    REGULAR
            Field:  DEVELOPMENTAL MEAS DENOM DEFS  (90569.0185,.01)
                    1)= S ^BGPINDX(DA(1),85,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPINDX(DA(1),85,"B",$E(X,1,30),DA)

Subfile #90569.018512

  Traditional Cross-References:

  B    REGULAR
            Field:  REPORT SUBTYPE  (90569.018512,.01)
                    1)= S ^BGPINDX(DA(2),85,DA(1),12,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPINDX(DA(2),85,DA(1),12,"B",$E(X,1,30),DA)

Subfile #90569.0186

  Traditional Cross-References:

  B    REGULAR
            Field:  DEVELOPMENTAL MEAS NUMER DEFS  (90569.0186,.01)
INDEX AND CROSS-REFERENCE LIST -- FILE #90569.01            02/05/25    PAGE 4
-------------------------------------------------------------------------------
                    1)= S ^BGPINDX(DA(1),86,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPINDX(DA(1),86,"B",$E(X,1,30),DA)

Subfile #90569.018612

  Traditional Cross-References:

  B    REGULAR
            Field:  REPORT SUBTYPES  (90569.018612,.01)
                    1)= S ^BGPINDX(DA(2),86,DA(1),12,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPINDX(DA(2),86,DA(1),12,"B",$E(X,1,30),DA)

Subfile #90569.0187

  Traditional Cross-References:
```

```
  B    REGULAR
           Field:  DM DENOM DEFS  (90569.0187,.01)
                   1)= S ^BGPINDX(DA(1),87,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPINDX(DA(1),87,"B",$E(X,1,30),DA)

Subfile #90569.0188

  Traditional Cross-References:

  B    REGULAR
           Field:  DM NUMER DEFS  (90569.0188,.01)
                   1)= S ^BGPINDX(DA(1),88,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPINDX(DA(1),88,"B",$E(X,1,30),DA)

Subfile #90569.0189

  Traditional Cross-References:

  B    REGULAR
           Field:  CVD DENOM DEFS  (90569.0189,.01)
                   1)= S ^BGPINDX(DA(1),89,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPINDX(DA(1),89,"B",$E(X,1,30),DA)

Subfile #90569.0191

  Traditional Cross-References:

  B    REGULAR
           Field:  CVD NUM DEFS  (90569.0191,.01)
                   1)= S ^BGPINDX(DA(1),91,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPINDX(DA(1),91,"B",$E(X,1,30),DA)

Subfile #90569.0192

INDEX AND CROSS-REFERENCE LIST -- FILE #90569.01            02/05/25    PAGE 5
------------------------------------------------------------------------------
  Traditional Cross-References:

  B    REGULAR
           Field:  WH DEN DEFS  (90569.0192,.01)
                   1)= S ^BGPINDX(DA(1),92,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPINDX(DA(1),92,"B",$E(X,1,30),DA)

Subfile #90569.0193

  Traditional Cross-References:

  B    REGULAR
           Field:  WH NUM DEFS  (90569.0193,.01)
                   1)= S ^BGPINDX(DA(1),93,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPINDX(DA(1),93,"B",$E(X,1,30),DA)

Subfile #90569.0194

  Traditional Cross-References:

  B    REGULAR
           Field:  IPC DEN DEFS  (90569.0194,.01)
                   1)= S ^BGPINDX(DA(1),94,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPINDX(DA(1),94,"B",$E(X,1,30),DA)

Subfile #90569.0195
```

```
  Traditional Cross-References:

  B    REGULAR
           Field:  IPC NUM DEFS  (90569.0195,.01)
                   1)= S ^BGPINDX(DA(1),95,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPINDX(DA(1),95,"B",$E(X,1,30),DA)

Subfile #90569.0196

  Traditional Cross-References:

  B    REGULAR
           Field:  PQA DEM DEFS  (90569.0196,.01)
                   1)= S ^BGPINDX(DA(1),96,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPINDX(DA(1),96,"B",$E(X,1,30),DA)

Subfile #90569.0197

  Traditional Cross-References:

  B    REGULAR
           Field:  PQA NUM DEFS  (90569.0197,.01)
                   1)= S ^BGPINDX(DA(1),97,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPINDX(DA(1),97,"B",$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90569.02            02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90569.02

  Traditional Cross-References:

  AB    MUMPS
           Field:  ORDER  (90569.02,1204)
                   1)= S ^BGPINDCX("AB",$P(X,".",1,2),X,DA)=""
                   2)= K ^BGPINDCX("AB",$P(X,".",1,2),X,DA)

  ABC    MUMPS
           Field:  ORDER  (90569.02,1204)
                   1)= S ^BGPINDCX("ABC",$P(X,".",1,2),$TR(X,".",""),DA)=""
                   2)= K ^BGPINDCX("ABC",$P(X,".",1,2),$TR(X,".",""),DA)

  ACARD    REGULAR
           Field:  CARDIO INDICATOR?  (90569.02,.13)
                   1)= S ^BGPINDCX("ACARD",$E(X,1,30),DA)=""
                   2)= K ^BGPINDCX("ACARD",$E(X,1,30),DA)

  ADASH    REGULAR
           Field:  DASHBOARD ORDER  (90569.02,1417)
                   1)= S ^BGPINDCX("ADASH",$E(X,1,30),DA)=""
                   2)= K ^BGPINDCX("ADASH",$E(X,1,30),DA)

  ADM    REGULAR
           Field:  DM INDICATOR?  (90569.02,.12)
                   1)= S ^BGPINDCX("ADM",$E(X,1,30),DA)=""
                   2)= K ^BGPINDCX("ADM",$E(X,1,30),DA)

  AGPRA    REGULAR
           Field:  NATIONAL/PART  (90569.02,.05)
                   1)= S ^BGPINDCX("AGPRA",$E(X,1,30),DA)=""
                   2)= K ^BGPINDCX("AGPRA",$E(X,1,30),DA)
```

```
  AIPC    REGULAR
            Field:  IPC REPORT?  (90569.02,1101)
                    1)= S ^BGPINDCX("AIPC",$E(X,1,30),DA)=""
                    2)= K ^BGPINDCX("AIPC",$E(X,1,30),DA)

  APQA    REGULAR
            Field:  PQA  (90569.02,1102)
                    1)= S ^BGPINDCX("APQA",$E(X,1,30),DA)=""
                    2)= K ^BGPINDCX("APQA",$E(X,1,30),DA)

  AWH    REGULAR
            Field:  WOMEN'S HEALTH  (90569.02,1202)
                    1)= S ^BGPINDCX("AWH",$E(X,1,30),DA)=""
                    2)= K ^BGPINDCX("AWH",$E(X,1,30),DA)

  B    REGULAR
            Field:  INDICATOR  (90569.02,.01)
INDEX AND CROSS-REFERENCE LIST -- FILE #90569.02            02/05/25    PAGE 2
------------------------------------------------------------------------------
                    1)= S ^BGPINDCX("B",$E(X,1,30),DA)=""
                    2)= K ^BGPINDCX("B",$E(X,1,30),DA)

  C    REGULAR
            Field:  INDICATOR ID  (90569.02,.04)
                    1)= S ^BGPINDCX("C",$E(X,1,30),DA)=""
                    2)= K ^BGPINDCX("C",$E(X,1,30),DA)

  D    REGULAR
            Field:  TITLE FOR SCHEDULING OPTION  (90569.02,1209)
                    1)= S ^BGPINDCX("D",$E(X,1,30),DA)=""
                    2)= K ^BGPINDCX("D",$E(X,1,30),DA)

  OR    REGULAR
            Field:  ORDER  (90569.02,1204)
                    1)= S ^BGPINDCX("OR",$E(X,1,30),DA)=""
                    2)= K ^BGPINDCX("OR",$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90569.03            02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90569.03

  Traditional Cross-References:

  B    REGULAR
            Field:  BEGINNING DATE  (90569.03,.01)
                    1)= S ^BGPGPDCX("B",$E(X,1,30),DA)=""
                    2)= K ^BGPGPDCX("B",$E(X,1,30),DA)

Subfile #90569.031111

  Traditional Cross-References:

  B    REGULAR
            Field:  MFI LOCATIONS  (90569.031111,.01)
                    1)= S ^BGPGPDCX(DA(1),1111,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPGPDCX(DA(1),1111,"B",$E(X,1,30),DA)

Subfile #90569.0321

  Traditional Cross-References:
```

```
  AC    MUMPS
           Field:  NUMBER OF THIS TOPIC  (90569.0321,.02)
                   1)= S ^BGPGPDCX(DA(1),21,"AC",(99999999-X),DA)=X
                   2)= K ^BGPGPDCX(DA(1),21,"AC",(9999999-X),DA)

  B    REGULAR
           Field:  PATIENT ED RATE TOPICS  (90569.0321,.01)
                   1)= S ^BGPGPDCX(DA(1),21,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPGPDCX(DA(1),21,"B",$E(X,1,30),DA)

Subfile #90569.0322

  Traditional Cross-References:

  AC    MUMPS
           Field:  COUNT OF TOPICS  (90569.0322,.02)
                   1)= S ^BGPGPDCX(DA(1),22,"AC",(9999999-X),DA)=""
                   2)= K ^BGPGPDCX(DA(1),22,"AC",(9999999-X),DA)

  B    REGULAR
           Field:  PATIENT ED BY PROVIDER  (90569.0322,.01)
                   1)= S ^BGPGPDCX(DA(1),22,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPGPDCX(DA(1),22,"B",$E(X,1,30),DA)

Subfile #90569.12999

  Traditional Cross-References:

  B    REGULAR

           Field:  COMMUNITIES  (90569.12999,.01)
                   1)= S ^BGPGPDCX(DA(1),9999,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPGPDCX(DA(1),9999,"B",$E(X,1,30),DA)

Subfile #90569.129999

  Traditional Cross-References:

  B    REGULAR
           Field:  PATIENTS EISS  (90569.129999,.01)
                   1)= S ^BGPGPDCX(DA(1),99999,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPGPDCX(DA(1),99999,"B",$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90569.04           02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90569.04

  Traditional Cross-References:

  B    REGULAR
           Field:  BEGINNING DATE  (90569.04,.01)
                   1)= S ^BGPGPDPX("B",$E(X,1,30),DA)=""
                   2)= K ^BGPGPDPX("B",$E(X,1,30),DA)

Subfile #90569.041111

  Traditional Cross-References:

  B    REGULAR
           Field:  MFI LOCATIONS  (90569.041111,.01)
```

```
                    1)= S ^BGPGPDPX(DA(1),1111,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPGPDPX(DA(1),1111,"B",$E(X,1,30),DA)

Subfile #90569.0421

  Traditional Cross-References:

  AC    MUMPS
            Field:  NUMBER OF THIS TOPIC  (90569.0421,.02)
                    1)= S ^BGPGPDPX(DA(1),21,"AC",(99999999-X),DA)=X
                    2)= K ^BGPGPDPX(DA(1),21,"AC",(9999999-X),DA)

  B    REGULAR
            Field:  PATIENT ED RATE TOPICS  (90569.0421,.01)
                    1)= S ^BGPGPDPX(DA(1),21,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPGPDPX(DA(1),21,"B",$E(X,1,30),DA)

Subfile #90569.0422

  Traditional Cross-References:

  AC    MUMPS
            Field:  COUNT OF TOPICS  (90569.0422,.02)
                    1)= S ^BGPGPDPX(DA(1),22,"AC",(9999999-X),DA)=""
                    2)= K ^BGPGPDPX(DA(1),22,"AC",(9999999-X),DA)

  B    REGULAR
            Field:  PATIENT ED BY PROVIDER  (90569.0422,.01)
                    1)= S ^BGPGPDPX(DA(1),22,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPGPDPX(DA(1),22,"B",$E(X,1,30),DA)

Subfile #90569.13999

  Traditional Cross-References:

  B    REGULAR

INDEX AND CROSS-REFERENCE LIST -- FILE #90569.04           02/05/25    PAGE 2
------------------------------------------------------------------------------
            Field:  COMMUNITIES  (90569.13999,.01)
                    1)= S ^BGPGPDPX(DA(1),9999,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPGPDPX(DA(1),9999,"B",$E(X,1,30),DA)

Subfile #90569.139999

  Traditional Cross-References:

  B    REGULAR
            Field:  PATIENTS EISS  (90569.139999,.01)
                    1)= S ^BGPGPDPX(DA(1),99999,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPGPDPX(DA(1),99999,"B",$E(X,1,30),DA)I

NDEX AND CROSS-REFERENCE LIST -- FILE #90569.05           02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90569.05

  Traditional Cross-References:

  B    REGULAR
            Field:  BEGINNING DATE  (90569.05,.01)
                    1)= S ^BGPGPDBX("B",$E(X,1,30),DA)=""
```

```
                    2)= K ^BGPGPDBX("B",$E(X,1,30),DA)

Subfile #90569.051111

  Traditional Cross-References:

  B    REGULAR
            Field:  MFI LOCATIONS  (90569.051111,.01)
                    1)= S ^BGPGPDBX(DA(1),1111,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPGPDBX(DA(1),1111,"B",$E(X,1,30),DA)

Subfile #90569.0521

  Traditional Cross-References:

  AC    MUMPS
            Field:  NUMBER OF THIS TOPIC  (90569.0521,.02)
                    1)= S ^BGPGPDBX(DA(1),21,"AC",(99999999-X),DA)=X
                    2)= K ^BGPGPDBX(DA(1),21,"AC",(9999999-X),DA)

  B    REGULAR
            Field:  PATIENT ED RATE TOPICS  (90569.0521,.01)
                    1)= S ^BGPGPDBX(DA(1),21,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPGPDBX(DA(1),21,"B",$E(X,1,30),DA)

Subfile #90569.0522

  Traditional Cross-References:

  AC    MUMPS
            Field:  COUNT OF TOPICS  (90569.0522,.02)
                    1)= S ^BGPGPDBX(DA(1),22,"AC",(9999999-X),DA)=""
                    2)= K ^BGPGPDBX(DA(1),22,"AC",(9999999-X),DA)

  B    REGULAR
            Field:  PATIENT ED BY PROVIDER  (90569.0522,.01)
                    1)= S ^BGPGPDBX(DA(1),22,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPGPDBX(DA(1),22,"B",$E(X,1,30),DA)

Subfile #90569.14999

  Traditional Cross-References:

  B    REGULAR

INDEX AND CROSS-REFERENCE LIST -- FILE #90569.05           02/05/25    PAGE 2
------------------------------------------------------------------------------
            Field:  COMMUNITIES  (90569.14999,.01)
                    1)= S ^BGPGPDBX(DA(1),9999,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPGPDBX(DA(1),9999,"B",$E(X,1,30),DA)

Subfile #90569.149999

  Traditional Cross-References:

  B    REGULAR
            Field:  PATIENTS EISS  (90569.149999,.01)
                    1)= S ^BGPGPDBX(DA(1),99999,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPGPDBX(DA(1),99999,"B",$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90569.06           02/05/25    PAGE 1
------------------------------------------------------------------------------
```

```
File #90569.06

  Traditional Cross-References:

  AN    MUMPS
           Field:  ORDER ON NATIONAL  (90569.06,.05)
                   1)= S ^BGPNPLX("AN",+^BGPNPLX(DA,0),X,DA)=""
                   2)= K ^BGPNPLX("AN",+^BGPNPLX(DA,0),X,DA)

  AR    MUMPS
           Field:  NATIONAL?  (90569.06,.04)
                   1)= S ^BGPNPLX("AR",+^BGPNPLX(DA,0),X,DA)=""
                   2)= K ^BGPNPLX("AR",+^BGPNPLX(DA,0),X,DA)

  B    REGULAR
           Field:  POINTER  (90569.06,.01)
                   1)= S ^BGPNPLX("B",$E(X,1,30),DA)=""
                   2)= K ^BGPNPLX("B",$E(X,1,30),DA)

  C    REGULAR
           Field:  INDIVIDUAL INDICATOR ID  (90569.06,.02)
                   1)= S ^BGPNPLX("C",$E(X,1,30),DA)=""
                   2)= K ^BGPNPLX("C",$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90569.07            02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90569.07

  Traditional Cross-References:

  B    REGULAR
           Field:  SUBSET NAME  (90569.07,.01)
                   1)= S ^BGPSNOSX("B",$E(X,1,30),DA)=""
                   2)= K ^BGPSNOSX("B",$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90569.08            02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90569.08

  Traditional Cross-References:

  B    REGULAR
           Field:  TAXONOMY NAME  (90569.08,.01)
                   1)= S ^BGPTAXX("B",$E(X,1,30),DA)=""
                   2)= K ^BGPTAXX("B",$E(X,1,30),DA)

Subfile #90569.0812

  Traditional Cross-References:

  B    REGULAR
           Field:  REPORTS  (90569.0812,.01)
                   1)= S ^BGPTAXX(DA(1),12,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPTAXX(DA(1),12,"B",$E(X,1,30),DA)

Subfile #90569.0813

  Traditional Cross-References:
```

```
  B    REGULAR
           Field:  MEASURES USED WITH  (90569.0813,.01)
                   1)= S ^BGPTAXX(DA(1),13,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPTAXX(DA(1),13,"B",$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90569.1            02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90569.1

  Traditional Cross-References:

  B    REGULAR
           Field:  GROUP NAME  (90569.1,.01)
                   1)= S ^BGPMGRPX("B",$E(X,1,30),DA)=""
                   2)= K ^BGPMGRPX("B",$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90569.17           02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90569.17

  Traditional Cross-References:

  B    REGULAR
           Field:  GROUP  (90569.17,.01)
                   1)= S ^BGPICAGX("B",$E(X,1,30),DA)=""
                   2)= K ^BGPICAGX("B",$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90569.18           02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90569.18

  Traditional Cross-References:

  B    REGULAR
           Field:  CATEGORY  (90569.18,.01)
                   1)= S ^BGPICACX("B",$E(X,1,30),DA)=""
                   2)= K ^BGPICACX("B",$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90569.19           02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90569.19

  Traditional Cross-References:

  AC    REGULAR
           Field:  START TIME  (90569.19,.03)
                   1)= S ^BGPGUIX("AC",$E(X,1,30),DA)=""
                   2)= K ^BGPGUIX("AC",$E(X,1,30),DA)

  AFN    MUMPS
           Field:  NAME  (90569.19,.01)
                   1)= S ^BGPGUIX("AFN",X,DA)=""
                   2)= K ^BGPGUIX("AFN",X,DA)

  AUSR    MUMPS
           Field:  START TIME  (90569.19,.03)
                   1)= S ^BGPGUIX("AUSR",$S($P($G(^BGPGUIX(DA,0)),"^",2):$P(^B
                   GPGUIX(DA,0),"^",2),1:1),(9999999.9999-X),DA)=""
```

```
                    2)= K ^BGPGUIX("AUSR",$S($P($G(^BGPGUIX(DA,0)),"^",2):$P(^B
                    GPGUIX(DA,0),"^",2),1:1),(9999999.9999-X),DA)

  B    REGULAR
            Field:  NAME  (90569.19,.01)
                    1)= S ^BGPGUIX("B",$E(X,1,30),DA)=""
                    2)= K ^BGPGUIX("B",$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90569.21            02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90569.21

  Traditional Cross-References:

  B    REGULAR
            Field:  NAME OF LIST  (90569.21,.01)
                    1)= S ^BGPSNOMX("B",$E(X,1,30),DA)=""
                    2)= K ^BGPSNOMX("B",$E(X,1,30),DA)

Subfile #90569.2111

  Traditional Cross-References:
  B    REGULAR
            Field:  SNOMED/RXNORM CODE  (90569.2111,.01)
                    1)= S ^BGPSNOMX(DA(1),11,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPSNOMX(DA(1),11,"B",$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90569.22            02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90569.22

  Traditional Cross-References:

  AB    MUMPS
            Field:  ORDER  (90569.22,1204)
                    1)= S ^BGPELIIX("AB",$P(X,".",1,2),X,DA)=""
                    2)= K ^BGPELIIX("AB",$P(X,".",1,2),X,DA)

  ABC    MUMPS
            Field:  ORDER  (90569.22,1204)
                    1)= S ^BGPELIIX("ABC",$P(X,".",1,2),$TR(X,".",""),DA)=""
                    2)= K ^BGPELIIX("ABC",$P(X,".",1,2),$TR(X,".",""),DA)

  AE    MUMPS
            Field:  ORDER  (90569.22,1204)
                    1)= S ^BGPELIIX("AE",$P(X,"."),$P(X,".",2),$P(X,".",3),DA)=
                    ""
                    2)= Q

  AP    MUMPS
            Field:  ORDER  (90569.22,1204)
                    1)= S ^BGPELIIX("AP",$P(X,".",1,2),DA)=""
                    2)= K ^BGPELIIX("AP",$P(X,".",1,2),DA)

  B    REGULAR
            Field:  INDICATOR  (90569.22,.01)
                    1)= S ^BGPELIIX("B",$E(X,1,30),DA)=""
                    2)= K ^BGPELIIX("B",$E(X,1,30),DA)

  C    REGULAR
```

```
            Field:  INDICATOR ID  (90569.22,.04)
                    1)= S ^BGPELIIX("C",$E(X,1,30),DA)=""
                    2)= K ^BGPELIIX("C",$E(X,1,30),DA)

  OR    REGULAR
            Field:  ORDER  (90569.22,1204)
                    1)= S ^BGPELIIX("OR",$E(X,1,30),DA)=""
                    2)= K ^BGPELIIX("OR",$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90569.23           02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90569.23

  Traditional Cross-References:

  B    REGULAR
            Field:  BEGINNING DATE  (90569.23,.01)
                    1)= S ^BGPELDCX("B",$E(X,1,30),DA)=""
                    2)= K ^BGPELDCX("B",$E(X,1,30),DA)

Subfile #90569.231111

  Traditional Cross-References:

  B    REGULAR
            Field:  MFI LOCATIONS  (90569.231111,.01)
                    1)= S ^BGPELDCX(DA(1),1111,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPELDCX(DA(1),1111,"B",$E(X,1,30),DA)

Subfile #90569.32999

  Traditional Cross-References:

  B    REGULAR
            Field:  COMMUNITIES  (90569.32999,.01)
                    1)= S ^BGPELDCX(DA(1),9999,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPELDCX(DA(1),9999,"B",$E(X,1,30),DA)

Subfile #90569.329999

  Traditional Cross-References:

  B    REGULAR
            Field:  PATIENTS EISS  (90569.329999,.01)
                    1)= S ^BGPELDCX(DA(1),99999,"B",$E(X,1,30),DA)=""
                    2)= K ^BGPELDCX(DA(1),99999,"B",$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90569.24           02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90569.24

  Traditional Cross-References:

  B    REGULAR
            Field:  BEGINNING DATE  (90569.24,.01)
                    1)= S ^BGPELDPX("B",$E(X,1,30),DA)=""
                    2)= K ^BGPELDPX("B",$E(X,1,30),DA)

Subfile #90569.241111
```

```
  Traditional Cross-References:

  B    REGULAR
           Field:  MFI LOCATIONS  (90569.241111,.01)
                   1)= S ^BGPELDPX(DA(1),1111,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPELDPX(DA(1),1111,"B",$E(X,1,30),DA)

Subfile #90569.33999

  Traditional Cross-References:

  B    REGULAR
           Field:  COMMUNITIES  (90569.33999,.01)
                   1)= S ^BGPELDPX(DA(1),9999,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPELDPX(DA(1),9999,"B",$E(X,1,30),DA)

Subfile #90569.339999

  Traditional Cross-References:

  B    REGULAR
           Field:  PATIENTS EISS  (90569.339999,.01)
                   1)= S ^BGPELDPX(DA(1),99999,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPELDPX(DA(1),99999,"B",$E(X,1,30),DA)
INDEX AND CROSS-REFERENCE LIST -- FILE #90569.25            02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90569.25

  Traditional Cross-References:

  B    REGULAR
           Field:  BEGINNING DATE  (90569.25,.01)
                   1)= S ^BGPELDBX("B",$E(X,1,30),DA)=""
                   2)= K ^BGPELDBX("B",$E(X,1,30),DA)

Subfile #90569.251111

  Traditional Cross-References:

  B    REGULAR
           Field:  MFI LOCATIONS  (90569.251111,.01)
                   1)= S ^BGPELDBX(DA(1),1111,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPELDBX(DA(1),1111,"B",$E(X,1,30),DA)

Subfile #90569.34999

  Traditional Cross-References:

  B    REGULAR
           Field:  COMMUNITIES  (90569.34999,.01)
                   1)= S ^BGPELDBX(DA(1),9999,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPELDBX(DA(1),9999,"B",$E(X,1,30),DA)

Subfile #90569.349999

  Traditional Cross-References:

  B    REGULAR
           Field:  PATIENTS EISS  (90569.349999,.01)
                   1)= S ^BGPELDBX(DA(1),99999,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPELDBX(DA(1),99999,"B",$E(X,1,30),DA)
```

```
INDEX AND CROSS-REFERENCE LIST -- FILE #90569.26           02/05/25    PAGE 1
------------------------------------------------------------------------------

File #90569.26

  Traditional Cross-References:

  AO    REGULAR
           Field:  ORDER ON SELECTION/REPORT  (90569.26,.02)
                   1)= S ^BGPELIX("AO",$E(X,1,30),DA)=""
                   2)= K ^BGPELIX("AO",$E(X,1,30),DA)

  B    REGULAR
           Field:  INDICATOR NUMBER  (90569.26,.01)
                   1)= S ^BGPELIX("B",$E(X,1,30),DA)=""
                   2)= K ^BGPELIX("B",$E(X,1,30),DA)

  C    REGULAR
           Field:  TITLE  (90569.26,.03)
                   1)= S ^BGPELIX("C",$E(X,1,30),DA)=""
                   2)= K ^BGPELIX("C",$E(X,1,30),DA)

  D    MUMPS
           Field:  TITLE  (90569.26,.03)
                   1)= S ^BGPELIX("D",$$UP^XLFSTR(X),DA)=""
                   2)= K ^BGPELIX("D",$$UP^XLFSTR(X),DA)

  PUID    REGULAR
            Field:  PUID  (90569.26,1201)
                   1)= S ^BGPELIX("PUID",$E(X,1,30),DA)=""
                   2)= K ^BGPELIX("PUID",$E(X,1,30),DA)

Subfile #90569.2661

  Traditional Cross-References:

  B    REGULAR
           Field:  DENOMINATOR DEFINITIONS  (90569.2661,.01)
                   1)= S ^BGPELIX(DA(1),61,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPELIX(DA(1),61,"B",$E(X,1,30),DA)

Subfile #90569.2662

  Traditional Cross-References:

  B    REGULAR
           Field:  NUMERATOR DEFINITIONS  (90569.2662,.01)
                   1)= S ^BGPELIX(DA(1),62,"B",$E(X,1,30),DA)=""
                   2)= K ^BGPELIX(DA(1),62,"B",$E(X,1,30),DA
```

Figure 4-1: Index and cross reference list

4.4 Table File

The following six files have over 1,000 fields per file. These files are used to hold calculated data values for the GPRA reports. To conserve space in this document, the table files are not listed here. To generate a listing, use the ^XBFLD or FM data dictionary listing utility to list the data dictionary in detail.

FILE: 90569.03 BGP 25 DATA CURRENT

GLOBAL: ^BGPGPDCX(

FILE: 90569.04 BGP 25 DATA PREVIOUS

GLOBAL: ^BGPGPDPX(

FILE: 90569.05 BGP 25 DATA BASELINE

GLOBAL: ^BGPGPDBX(

FILE: 90569.23 BGP 25 ELDER DATA CURRENT

GLOBAL: ^BGPELDCX(

FILE: 90569.24 BGP 25 ELDER DATA PREVIOUS

GLOBAL: ^BGPELDPX(

FILE: 90569.25 BGP 25 ELDER DATA BASELINE

GLOBAL: ^BGPELDBX(

4.4.1 BGP CONTROL FILE

GLOBAL: ^BGPCTRL(

FILE #: 90241.01

```
CONDENSED DATA DICTIONARY---BGP CONTROL FILE FILE (#90241.01)UCI: CMBA,CMBA
VERSION: 25.0

STORED IN: ^BGPCTRL(                                        02/05/25    PAGE 1
-------------------------------------------------------------------------------

                                                 FILE SECURITY
                                  DD SECURITY    : @     DELETE SECURITY: @
                                  READ SECURITY  : @     LAYGO SECURITY : @
                                  WRITE SECURITY : @
CROSS REFERENCED BY:
      FY(B)  GPRA YEAR(C)


                                FILE STRUCTURE
```

```
FIELD     FIELD
NUMBER    NAME

.01       FY (RF), [0;1]
.02       ENDING COLUMN FOR ONM1 (NJ4,0), [0;2]
.03       ENDING COLUMN FOR ONM2 (NJ4,0), [0;3]
.04       GPRANT1 END COLUMN (NJ4,0), [0;4]
.05       PROGRAM FOR ICARE TO RUN (F), [0;5]
.06       FILE FOR MEASURES (P1'), [0;6]
.07       FILE # FOR INDIVIDUAL INDS (P1'), [0;7]
.08       BEGINNING DATE FOR GPRA YEAR (D), [0;8]
.09       ENDING DATE FOR GPRA YEAR (D), [0;9]
.1        BEG DATE FOR PREVIOUS YEAR (D), [0;10]
.11       ENDING DATE FOR PREVIOUS YEAR (D), [0;11]
.12       BEG DATE FOR BASELINE YEAR (D), [0;12]
.13       ENDING DATE FOR BASELINE YR (D), [0;13]
.14       GPRA YEAR (D), [0;14]
.15       VERSION (F), [0;15]
.16       GPRANT2 END COLUMN (NJ3,0), [0;16]
.17       CONTRAINDICATIONS ROUTINE (F), [0;17]
.18       ALLERGY ROUTINE (F), [0;18]
.19       REFUSAL API ROUTINE (F), [0;19]
.2        *ENDING COLUMN FOR EO (NJ4,0), [0;20]
.21       END COLUMN FOR CRSONMNT3 (NJ4,0), [0;21]
.22       DEVNT1 END COLUMN (NJ3,0), [0;22]
.23       DEVNT2 END COLUMN (NJ3,0), [0;23]
.24       DEVNT3 END COLUMN (NJ4,0), [0;24]
.25       ONMT 4 ENDING COLUMN (NJ4,0), [0;25]
.26       ONMT 5 (NJ4,0), [0;26]
.27       GPRANT3 END COLUMN (NJ3,0), [0;27]
.28       DEVNT4 END COLUMN (NJ3,0), [0;28]
.29       GPRANT4 END COLUMN (NJ3,0), [0;29]
.3        UNFOLDTX ROUTINE (F), [0;30]
.31       GPRANT5 END COLUMN (NJ3,0), [0;31]
.32       DEVNT6 END COLUMN (NJ3,0), [0;32]
.33       DEVNT5 END COLUMN (NJ3,0), [0;33]
1101      CLINICS FOR CLINICAL USER (Multiple-90241.0111), [11;0]
          .01  CLINIC CODE (MF), [0;1]
          .019 CLINIC NAME (CJ8), [ ; ]
1102      CLINICS FOR IPC REPORT (Multiple-90241.011101), [1101;0]
          .01  CLINICS FOR IPC REPORT (MF), [0;1]
1201      CLINIC CODES FOR 2ND VISIT (Multiple-90241.0112), [12;0]
          .01  CLINIC CODES FOR 2ND VISIT (MF), [0;1]
1300      LOCAL REPORT HEADER PAGE (Multiple-90241.13), [13;0]
          .01  LOCAL REPORT HEADER PAGE (W), [0;1]
1301      BH CLINIC CODES (Multiple-90241.011301), [1301;0]
          .01  BH CLINIC CODES (MF), [0;1]
1400      NATIONAL GPRA COVER PG NONCHS (Multiple-90241.14), [14;0]
          .01  GPRA REPORT HEADER PAGE (W), [0;1]
1500      AREA REPORT HEADER PAGE (Multiple-90241.15), [15;0]
          .01  AREA REPORT HEADER PAGE (W), [0;1]
1600      *HEDIS REPORT HEADER PAGE (Multiple-90241.16), [16;0]
          .01  HEDIS REPORT HEADER PAGE (W), [0;1]
1700      COM REPORT HEADER PAGE (Multiple-90241.17), [17;0]
          .01  COM REPORT HEADER PAGE (W), [0;1]
1800      PP REPORT HEADER PAGE (Multiple-90241.18), [18;0]
          .01  PP REPORT HEADER PAGE (W), [0;1]
1900      ALL REPORT HEADER PAGE (Multiple-90241.19), [19;0]
          .01  ALL REPORT HEADER PAGE (W), [0;1]
2100      *CMS REPORT COVER PAGE (Multiple-90241.0321), [21;0]
          .01  CMS REPORT COVER PAGE (W), [0;1]
2200      ELDER CARE COVER PAGE (Multiple-90241.22), [22;0]
```

```
          .01  ELDER CARE COVER PAGE (W), [0;1]
2300      *NATL GPRA COVER PAGE - CHS (Multiple-90241.23), [23;0]
          .01  CHS NATIONAL GPRA RPT HEADER (W), [0;1]
2400      *CHS COM REPORT HEADER (Multiple-90241.24), [24;0]
          .01  CHS COM REPORT HEADER (W), [0;1]
2500      *CHS ALL REPORT HEADER (Multiple-90241.25), [25;0]
          .01  CHS ALL REPORT HEADER (W), [0;1]
2600      *CHS ELDER REPORT HEADER (Multiple-90241.26), [26;0]
          .01  CHS ELDER REPORT HEADER (W), [0;1]
2700      *CHS HEDIS REPORT HEADER (Multiple-90241.27), [27;0]
          .01  CHS HEDIS REPORT HEADER (W), [0;1]
2800      COMP NATL PAT LIST 1ST PAGE (Multiple-90241.0328), [28;0]
          .01  1ST PAGE COMP LIST (W), [0;1]
2900      *AREA CHS NGR HEADER PAGE (Multiple-90241.29), [29;0]
          .01  AREA CHS NGR HEADER PAGE (W), [0;1]
3000      BH ALCOHOL PROBLEM CODES (Multiple-90241.013), [30;0]
          .01  BH ALCOHOL PROBLEM CODES (MF), [0;1]
3100      *AREA GPUA CHS HEADER (Multiple-90241.31), [31;0]
          .01  AREA CHS HEADER (W), [0;1]
3200      *AREA CHS HEDIS COVER PAGE (Multiple-90241.32), [32;0]
          .01  AREA HEDIS COVER PAGE (W), [0;1]
3300      *AREA ELDER CHS COVER PAGE (Multiple-90241.33), [33;0]
          .01  AREA ELDER CHS COVER PAGE (W), [0;1]
3400      PATIENT ED COVER PAGE (Multiple-90241.34), [34;0]
          .01  PATIENT ED COVER PAGE (W), [0;1]
3500      AREA PAT ED COVER PAG (Multiple-90241.35), [35;0]
          .01  AREA PAT ED COVER PAG (W), [0;1]
3600      ON 1 HEADERS (Multiple-90241.36), [36;0]
          .01  PIECE (MNJ5,0X), [0;1]
          .02  HEADER (F), [0;2]
3700      ON 2 HEADERS (Multiple-90241.37), [37;0]
          .01  PIECE (MNJ4,0X), [0;1]
          .02  HEADER (F), [0;2]
3800      GPRA NT1 (Multiple-90241.38), [38;0]
          .01  PIECE (MNJ4,0X), [0;1]
          .02  HEADER (F), [0;2]
3900      FORECAST DENOMINATOR DEFS PAGE (Multiple-90241.39), [39;0]
          .01  SCHEDULING OPTION COVER PAGE (W), [0;1]
4000      GPRA NT2 (Multiple-90241.4), [40;0]
          .01  PIECE (MNJ4,0), [0;1]
          .02  LABEL (F), [0;2]
4100      MEASURE (Multiple-90241.41), [41;0]
          .01  MEASURE (MRNJ3,0), [0;1]
          11   DENOM TEXT (Multiple-90241.4111), [11;0]
               .01  DENOM TEXT (W), [0;1]
4200      *CMS REPORT INTRODUCTION (Multiple-90241.42), [42;0]
          .01  CMS REPORT INTRODUCTION (W), [0;1]
4300      LAB TAXONOMY INTRO TEXT (Multiple-90241.43), [43;0]
          .01  LAB TAXONOMY INTRO TEXT (W), [0;1]
4400      MED TAX INTRO (Multiple-90241.44), [44;0]
          .01  MED TAX INTRO (W), [0;1]
4500      CRSONMNT3 COLUMN HEADERS (Multiple-90241.0145), [45;0]
          .01  CRSONMNT3 COLUMN HEADERS (MNJ4,0), [0;1]
          .02  HEADER TEXT (F), [0;2]
4600      *URBAN GP COVER PAGE (Multiple-90241.46), [46;0]
          .01  URBAN GP COVER PAGE (Wx), [0;1]
4700      *URBAN SUM ONLY GP (Multiple-90241.47), [47;0]
          .01  URBAN SUM ONLY GP (Wx), [0;1]
4800      *URBAN COM COVER PAGE (Multiple-90241.48), [48;0]
          .01  URBAN COM COVER PAGE (Wx), [0;1]
4900      *URBAN ALL COVER PAGE (Multiple-90241.49), [49;0]
          .01  URBAN ALL COVER PAGE (Wx), [0;1]
```

```
5000      DEP SCR BH CLINICS (Multiple-90241.015), [50;0]
          .01  DEP SCR BH CLINICS (MF), [0;1]
5100      *URBAN ONM COVER PAGE (Multiple-90241.51), [51;0]
          .01  URBAN ONM COVER PAGE (Wx), [0;1]
5200      *URBAN ELDER COVER PAGE (Multiple-90241.52), [52;0]
          .01  URBAN ELDER COVER PAGE (Wx), [0;1]
5300      XP 2008-2009 INFORMING (Multiple-90241.0153), [53;0]
          .01  XP 2008-2009 INFORMING (W), [0;1]
5400      XP REPORT INFORM (Multiple-90241.54), [54;0]
          .01  XP REPORT INFORM (W), [0;1]
5500      XP MEASURES (Multiple-90241.55), [55;0]
          .01  MEASURE (MP90530.01'), [0;1]
          1101 INDIVIDUAL MEASURES (Multiple-90241.551101), [11;0]
               .01  MEASURE ID (MNJ3,0), [0;1]
               .02  VALUE FOR EXPORT (K), [1;E1,245]
               .03  MEASURE LABEL (F), [0;3]
5600      ONM COVER PAGE (Multiple-90241.56), [56;0]
          .01  ONM COVER PAGE (W), [0;1]
5700      *ONM CHS COVER PAGE (Multiple-90241.57), [57;0]
          .01  ONM CHS COVER PAGE (W), [0;1]
5800      FORECAST REPORT INFORMING (Multiple-90241.58), [58;0]
          .01  FORECAST REPORT INFORMING (W), [0;1]
5900      *EO REPORT COVER PAGE (Multiple-90241.0159), [59;0]
          .01  EO REPORT COVER PAGE (W), [0;1]
6100      PAT ED INFORMING (Multiple-90241.61), [61;0]
          .01  PAT ED INFORMING (W), [0;1]
6200      PATIENT ED TOPICS (Multiple-90241.62), [62;0]
          .01  PATIENT ED TOPICS (F), [0;1]
          .02  DIAGNOSIS (F), [0;2]
          .03  TOPIC (F), [0;3]
6300      PAT ED ICD MAPPINGS (Multiple-90241.63), [63;0]
          .01  DISEASE STATE ABBRV (MF), [0;1]
          .02  DISEASE STATE NAME (F), [0;2]
          .03  TAXONOMY NAME (F), [0;3]
          1100 ICD MAPPING (Multiple-90241.6311), [11;0]
               .01  ICD MAPPING (MF), [0;1]
               .02  LENGTH TO CHECK (NJ1,0), [0;2]
               .03  EXACT LENGTH? (S), [0;3]
6400      *EO REPORT COVER PAGE CHS ONLY (Multiple-90241.0164), [64;0]
          .01  EO REPORT COVER PAGE CHS ONLY (W), [0;1]
6500      *EO REPORT INFORMING (Multiple-90241.0165), [65;0]
          .01  EO REPORT INFORMING (W), [0;1]
6600      *EO AREA REPORT COVER PAGE (Multiple-90241.0166), [66;0]
          .01  EO AREA REPORT COVER PAGE (W), [0;1]
6700      *EO AREA REPORT CHS COVER PAGE (Multiple-90241.0467), [67;0]
          .01  EO AREA REPORT CHS COVER PAGE (W), [0;1]
6800      *EO NT (Multiple-90241.0168), [68;0]
          .01  EO NT (MNJ4,0), [0;1]
          .02  TEXT (F), [0;2]
6900      FORECAST INFORMING FOR NEXT YR (Multiple-90241.69), [69;0]
          .01  FORECAST INFORMING FOR NEXT YR (W), [0;1]
7100      GPRA RPT SUM ONLY INFORMING (Multiple-90241.71), [71;0]
          .01  GPRA RPT SUM ONLY INFORMING (W), [0;1]
7200      NATL GPRA DES PROV INFORMING (Multiple-90241.72), [72;0]
          .01  NATL GPRA DES PROV INFORMING (W), [0;1]
7300      HW OPTION INFORMING (Multiple-90241.73), [73;0]
          .01  HW OPTION INFORMING (W), [0;1]
7400      PAT ED PP INFORMING (Multiple-90241.74), [74;0]
          .01  PAT ED PP INFORMING (W), [0;1]
7500      PED PP COVER PAGE (Multiple-90241.75), [75;0]
          .01  PED PP COVER PAGE (W), [0;1]
7600      GPRA SUM ONLY COVER PAGE (Multiple-90241.76), [76;0]
```

```
          .01  GPRA SUM ONLY COVER PAGE (W), [0;1]
7700      *NATL GPRA SUM CHS COVER (Multiple-90241.77), [77;0]
          .01  NATL GPRA SUM CHS COVER (W), [0;1]
7800      XP9 INFORMING (Multiple-90241.78), [78;0]
          .01  XP9 INFORMING (W), [0;1]
7900      DEVNT1 HEADERS (Multiple-90241.79), [79;0]
          .01  DEVEL 1 (MNJ3,0), [0;1]
          .02  TEXT (F), [0;2]
8100      DEVNT2 HEADERS (Multiple-90241.81), [81;0]
          .01  DEVEL 2 (MNJ3,0), [0;1]
          .02  TEXT (F), [0;2]
8200      XP 10 INFORMING (Multiple-90241.82), [82;0]
          .01  XP 10 INFORMING (W), [0;1]
8300      GPU W/PP COVER PAGE (Multiple-90241.83), [83;0]
          .01  GPU W/PP COVER PAGE (W), [0;1]
8400      XP INFORMING FOR 2011 (Multiple-90241.84), [84;0]
          .01  XP INFORMING FOR 2011 (Wx), [0;1]
8500      DEVNT3 HEADERS (Multiple-90241.85), [85;0]
          .01  DEVEL 3 (NJ4,0), [0;1]
          .02  TEXT (F), [0;2]
8501      DEVNT4 HEADERS (Multiple-90241.18501), [851;0]
          .01  DEVNT4 HEADERS (MNJ3,0), [0;1]
          .02  TEXT (F), [0;2]
8502      DEVNT5 HEADERS (Multiple-90241.8502), [852;0]
          .01  HEADERS FOR DEV5 (MNJ3,0), [0;1]
          .02  TEXT (F), [0;2]
8600      ONMT 4 HEADERS (Multiple-90241.86), [86;0]
          .01  ONMT 4 HEADERS (NJ3,0), [0;1]
          .02  TEXT (F), [0;2]
8700      ONMT5 HEADERS (Multiple-90241.87), [87;0]
          .01  ONMT5 HEADERS (NJ3,0), [0;1]
          .02  TEXT (F), [0;2]
8800      DASHBOARD INFORMING (Multiple-90241.88), [88;0]
          .01  DASHBOARD INFORMING (Wx), [0;1]
8900      *AREA ELDER TOP (Multiple-90241.89), [89;0]
          .01  AREA ELDER TOP (Wx), [0;1]
9100      DASHBOARD COVER PAGE (Multiple-90241.91), [91;0]
          .01  DASHBOARD COVER PAGE (Wx), [0;1]
9200      *DASHBOARD COVER PAGE CHS (Multiple-90241.92), [92;0]
          .01  DASHBOARD COVER PAGE CHS (Wx), [0;1]
9300      *DASHBOARD INFORMING URBAN (Multiple-90241.93), [93;0]
          .01  DASHBOARD INFORMING URBAN (Wx), [0;1]
9400      AREA DASHBOARD COVER (Multiple-90241.94), [94;0]
          .01  AREA DASHBOARD COVER (Wx), [0;1]
9500      CLINIC CODES FOR BH ACT CL (Multiple-90241.0195), [95;0]
          .01  CLINIC CODES FOR BH ACT CL (MF), [0;1]
9601      AUTO EXPORT UTILITY ROUTINE (F), [96;1]
9602      AUTO EXPORT RUN ROUTINE (F), [96;2]
9700      GPRA NT3 (Multiple-90241.97), [97;0]
          .01  GPRANT3 (MNJ4,0), [0;1]
          .02  HEADER (F), [0;2]
9701      GPRA NT4 (Multiple-90241.971), [971;0]
          .01  GPRA NT4 (NJ3,0), [0;1]
          .02  TEXT (F), [0;2]
9702      GPRA NT5 LABELS (Multiple-90241.1972), [972;0]
          .01  GPRA NT5 LABELS (MNJ3,0), [0;1]
          .02  LABEL (F), [0;2]
9703      DEVNT6 LABELS (Multiple-90241.1973), [973;0]
          .01  DEVNT6 LABELS (MNJ4,0), [0;1]
          .02  LABEL (F), [0;2]
9801      PATCHES BULLETIN TEXT (Multiple-90241.9801), [98;0]
          .01  PATCHES BULLETIN TEXT (MNJ2,0X), [0;1]
```

```
          11   BULLETIN TEXT (Multiple-90241.980111), [11;0]
               .01  BULLETIN TEXT (W), [0;1]
9802      IPC COVER PAGE (Multiple-90241.019802), [9802;0]
          .01  IPC COVER PAGE (Wx), [0;1]]
```

Figure 4-2: BGP CONTROL FILE

4.4.2 BGP SITE PARAMETERS

GLOBAL: ^BGPSITE(

FILE #: 90241.02

```
CONDENSED DATA DICTIONARY---BGP SITE PARAMETERS FILE (#90241.02)UCI: CMBA,CMBA
VERSION: 25.0

STORED IN: ^BGPSITE(                                        02/05/25    PAGE 1
--------------------------------------------------------------------------------

                                                 FILE SECURITY
                                    DD SECURITY    : @     DELETE SECURITY: @
                                    READ SECURITY  : M     LAYGO SECURITY : M
                                    WRITE SECURITY : M
CROSS REFERENCED BY:
      LOCATION(B)


                                  FILE STRUCTURE

FIELD     FIELD
NUMBER    NAME

.01       LOCATION (RP9999999.06'X), [0;1]
.02       HOME LOCATION (P9999999.06'), [0;2]
.03       AREA EXPORT? (S), [0;3]
.04       INCLUDE DATA IN WEB EISS? (S), [0;4]
.05       DEFAULT COMMUNITY TAXONOMY (*P9002226'), [0;5]
.06       CHS SITE ONLY (S), [0;6]
.08       *MFI SITE? (S), [0;8]
.09       *MFI LOCATION TAXONOMY (*P9002226'), [0;9]
.11       EXPORT HT/WT DATA (S), [0;11]
.12       DEMO PATIENT SEARCH TEMPLATE (P.401'), [0;12]
.13       URBAN PROGRAM? (S), [0;13]
.14       DIRECTORY FOR EXPORT FILES (FX), [0;14]
```

Figure 4-3: BGP SITE PARAMETERS

4.4.3 FILE: BGP SUMMARY CATEGORIES

GLOBAL: ^BGPSCAT(FILE #: 90241.03

```
CONDENSED DATA DICTIONARY---BGP SUMMARY CATEGORIES FILE (#90241.03)UCI: CMBA,CMBA
VERSION: 25.0

STORED IN: ^BGPSCAT(                                          02/05/25    PAGE 1
--------------------------------------------------------------------------------

                                                  FILE SECURITY
                                    DD SECURITY    : @     DELETE SECURITY: @
                                    READ SECURITY  : @     LAYGO SECURITY : @
                                    WRITE SECURITY : @
CROSS REFERENCED BY:
      CATEGORY(B)  ORDER ON GPRA SUMMARY(C)  ORDER NO NON-GPRA SUMMARY(D)
      ORDER ON EO REPORT(E)


                                  FILE STRUCTURE

FIELD     FIELD
NUMBER    NAME

.01       CATEGORY (RF), [0;1]
.02       ORDER ON GPRA SUMMARY (NJ2,0), [0;2]
.03       ORDER NO NON-GPRA SUMMARY (NJ2,0), [0;3]
.04       ORDER ON EO REPORT (NJ2,0), [0;4]
```

Figure 4-4: BGP SUMMARY CATEGORIES

4.4.4 FILE: BGP 25 MEASURES

GLOBAL: ^BGPINDX(FILE #: 90569.01

```
CONDENSED DATA DICTIONARY---BGP 25 MEASURES FILE (#90569.01)UCI: CMBA,CMBA
VERSION: 25.0

STORED IN: ^BGPINDX(                                          02/05/25    PAGE 1
--------------------------------------------------------------------------------

                                                  FILE SECURITY
                                    DD SECURITY    : @     DELETE SECURITY: @
                                    READ SECURITY  : @     LAYGO SECURITY : @
                                    WRITE SECURITY : @
CROSS REFERENCED BY:
      DEVELOPMENTAL MEASURE?(ADEV)  ORDER ON DEVELOPMENTAL REPORT(ADEVO)
      ORDER ON IPC REPORT(AIPC)  ORDER ON SELECTION/REPORT(AO)
      ORDER IND(AOI)  MEASURE NUMBER(B)  TITLE/SELECTION TITLE(C)
      ORDER IND(D)  NATIONAL REPORT(GPRA)  PUID FROM RM(PUID)
      TITLE/SELECTION TITLE(U)


                                  FILE STRUCTURE

FIELD     FIELD
NUMBER    NAME

.01       MEASURE NUMBER (RNJ3,0X), [0;1]
.02       ORDER ON SELECTION/REPORT (F), [0;2]
.03       TITLE/SELECTION TITLE (F), [0;3]
.05       LIST SELECTION TITLE (F), [0;5]
```

```
.06       ORDER TO DISPLAY (NJ4,0), [0;6]
.07       NATIONAL REPORT (S), [0;7]
.12       NO LIST (S), [0;12]
.13       # DENOMINATORS (NJ2,0), [0;13]
.14       DEVELOPMENTAL MEASURE? (S), [0;14]
1         M CODE TO EXECUTE (K), [1;E1,245]
2         SET LIST VALUE (K), [2;E1,245]
3         PRINT M CODE (K), [3;E1,245]
4         DELIMITED FILE PRINT (K), [4;E1,245]
1100      SELECTED REPORT FY LOGIC TEXT (Multiple-90569.0111), [11;0]
          .01  SELECTED REPORT FY LOGIC TEXT (W), [0;1]
1202      WEB SITE UNIQUE ID (F), [12;2]
1203      PUID FROM RM (NJ4,0), [12;3]
1204      GROUP (P90569.1'), [12;4]
1205      UPDATED THIS YEAR? (S), [12;5]
1206      ORDER IND (NJ4,0), [12;6]
1207      IPC REPORT ONLY? (S), [12;7]
1208      ORDER ON IPC REPORT (NJ4,0), [12;8]
1301      SKIP SELECTED REPORT? (S), [13;1]
1302      ORDER ON DEVELOPMENTAL REPORT (NJ3,0), [13;2]
1303      SKIP NGR PRINT/DEV ONLY (S), [13;3]
2100      IPC MEASURE LOGIC TEXT (Multiple-90569.0121), [21;0]
          .01  IPC MEASURE LOGIC TEXT (Wx), [0;1]
5100      PERFORMANCE MEASURE DESCRIP (Multiple-90569.0151), [51;0]
          .01  DESCRIPTION (W), [0;1]
5200      PAST PERFORMANCE (Multiple-90569.0152), [52;0]


CONDENSED DATA DICTIONARY---BGP 25 MEASURES FILE (#90569.01)UCI: CMBA,CMBA
VERSION: 25.0

STORED IN: ^BGPINDX(                                        02/05/25    PAGE 2
-------------------------------------------------------------------------------


                                FILE STRUCTURE

FIELD     FIELD
NUMBER    NAME

          .01  REPORT PRINT SECTION (W), [0;1]
5300      REPORT PRINT 2ND PAGE (Multiple-90569.0153), [53;0]
          .01  REPORT PRINT 2ND PAGE (W), [0;1]
5400      NATIONAL GPRA/GPRAMA LOGIC (Multiple-90569.54), [54;0]
          .01  NATIONAL GPRA/GPRAMA (W), [0;1]
5500      SOURCE (Multiple-90569.55), [55;0]
          .01  SOURCE (W), [0;1]
5800      DEVELOPMENTAL RPT LOGIC TEXT (Multiple-90569.58), [58;0]
          .01  DEVEOPMENTAL RPT LOGIC TEXT (W), [0;1]
6100      SELECTED MEASURES DENOM DEF (Multiple-90569.0161), [61;0]
          .01  DENOMINATOR DEFINITIONS (MNJ2,0), [0;1]
          1    DENOM DESCRIPTION (Multiple-90569.01611), [1;0]
               .01  DENOM DESCRIPTION (W), [0;1]
          1200 REPORT SUB TYPES (Multiple-90569.016112), [12;0]
               .01  REPORT SUB TYPES (MS), [0;1]
6200      SELECTED MEAS NUMERATOR DEFS (Multiple-90569.0162), [62;0]
          .01  NUMERATOR DEFINITIONS (MNJ2,0X), [0;1]
          1    NUMERATOR DESCRIPTION (Multiple-90569.01621), [1;0]
               .01  NUMERATOR DESCRIPTION (W), [0;1]
          1200 REPORT SUB TYPE (Multiple-90569.016212), [12;0]
               .01  REPORT SUB TYPE (MS), [0;1]
7100      REPORT LIST 1ST PAGE (Multiple-90569.0171), [71;0]
```

```
          .01  REPORT LIST 1ST PAGE (W), [0;1]
7200      LIST PRINT SECOND PAGE (Multiple-90569.0172), [72;0]
          .01  LIST PRINT SECOND PAGE (W), [0;1]
8100      NATL GPRA DENOM DEFS (Multiple-90569.0181), [81;0]
          .01  NATL GPRA DENOM DEFS (MNJ2,0), [0;1]
          1    TEXT (Multiple-90569.1811), [1;0]
               .01  TEXT (W), [0;1]
          1200 REPORT SUBTYPES (Multiple-90569.018112), [12;0]
               .01  REPORT SUBTYPES (MS), [0;1]
8200      NATL GPRA NUMERATOR DEFS (Multiple-90569.0182), [82;0]
          .01  NATL GPRA NUMERATOR DEFS (MNJ2,0), [0;1]
          1    TEXT (Multiple-90569.01821), [1;0]
               .01  TEXT (W), [0;1]
          1200 REPORT SUBTYPES (Multiple-90569.018212), [12;0]
               .01  REPORT SUBTYPES (MS), [0;1]
8500      DEVELOPMENTAL MEAS DENOM DEFS (Multiple-90569.0185), [85;0]
          .01  DEVELOPMENTAL MEAS DENOM DEFS (MNJ2,0), [0;1]
          1    TEXT (Multiple-90569.01851), [1;0]
               .01  TEXT (W), [0;1]


CONDENSED DATA DICTIONARY---BGP 25 MEASURES FILE (#90569.01)UCI: CMBA,CMBA
VERSION: 25.0

STORED IN: ^BGPINDX(                                        02/05/25    PAGE 3
-------------------------------------------------------------------------------


                                FILE STRUCTURE

FIELD     FIELD
NUMBER    NAME

          1200 REPORT SUBTYPE (Multiple-90569.018512), [12;0]
               .01  REPORT SUBTYPE (MS), [0;1]
8600      DEVELOPMENTAL MEAS NUMER DEFS (Multiple-90569.0186), [86;0]
          .01  DEVELOPMENTAL MEAS NUMER DEFS (MNJ2,0), [0;1]
          1    TEXT (Multiple-90569.01861), [1;0]
               .01  TEXT (W), [0;1]
          1200 REPORT SUBTYPES (Multiple-90569.018612), [12;0]
               .01  REPORT SUBTYPES (MS), [0;1]
8700      DM DENOM DEFS (Multiple-90569.0187), [87;0]
          .01  DM DENOM DEFS (MNJ2,0), [0;1]
          1    TEXT (Multiple-90569.01871), [1;0]
               .01  TEXT (Wx), [0;1]
8800      DM NUMER DEFS (Multiple-90569.0188), [88;0]
          .01  DM NUMER DEFS (MNJ2,0), [0;1]
          1    TEXT (Multiple-90569.01881), [1;0]
               .01  TEXT (Wx), [0;1]
8900      CVD DENOM DEFS (Multiple-90569.0189), [89;0]
          .01  CVD DENOM DEFS (MNJ2,0), [0;1]
          1    TEXT (Multiple-90569.01891), [1;0]
               .01  TEXT (Wx), [0;1]
9100      CVD NUM DEFS (Multiple-90569.0191), [91;0]
          .01  CVD NUM DEFS (MNJ2,0), [0;1]
          1    TEXT (Multiple-90569.01911), [1;0]
               .01  TEXT (Wx), [0;1]
9200      WH DEN DEFS (Multiple-90569.0192), [92;0]
          .01  WH DEN DEFS (MNJ2,0), [0;1]
          1    TEXT (Multiple-90569.01921), [1;0]
               .01  TEXT (Wx), [0;1]
9300      WH NUM DEFS (Multiple-90569.0193), [93;0]
```

```
          .01  WH NUM DEFS (MNJ2,0), [0;1]
          1    TEXT (Multiple-90569.01931), [1;0]
               .01  TEXT (Wx), [0;1]
9400      IPC DEN DEFS (Multiple-90569.0194), [94;0]
          .01  IPC DEN DEFS (MNJ2,0), [0;1]
          1    TEXT (Multiple-90569.01941), [1;0]
               .01  TEXT (Wx), [0;1]
9500      IPC NUM DEFS (Multiple-90569.0195), [95;0]
          .01  IPC NUM DEFS (MNJ3,0), [0;1]
          1    TEXT (Multiple-90569.01951), [1;0]
               .01  TEXT (Wx), [0;1]
9600      PQA DEM DEFS (Multiple-90569.0196), [96;0]


CONDENSED DATA DICTIONARY---BGP 25 MEASURES FILE (#90569.01)UCI: CMBA,CMBA
VERSION: 25.0

STORED IN: ^BGPINDX(                                      02/05/25    PAGE 4
-------------------------------------------------------------------------------


                                FILE STRUCTURE

FIELD     FIELD
NUMBER    NAME

          .01  PQA DEM DEFS (MNJ3,0), [0;1]
          1    TEXT (Multiple-90569.01961), [1;0]
               .01  TEXT (Wx), [0;1]
9700      PQA NUM DEFS (Multiple-90569.0197), [97;0]
          .01  PQA NUM DEFS (MNJ2,0), [0;1]
          1    TEXT (Multiple-90569.01971), [1;0]
               .01  TEXT (Wx), [0;1]
```

Figure 4-5: BGP 25 MEASURES

4.4.5 FILE: BGP 25 INDIVIDUAL MEASURES

GLOBAL: ^BGPINDCX(FILE #: 90569.02

```
CONDENSED DATA DICTIONARY---BGP 25 INDIVIDUAL MEASURES FILE (#90569.02)UCI:
CMBA,CMBA   VERSION: 25.0

STORED IN: ^BGPINDCX(                                     02/05/25    PAGE 1
-------------------------------------------------------------------------------

                                              FILE SECURITY
                                  DD SECURITY    : @     DELETE SECURITY: @
                                  READ SECURITY  : @     LAYGO SECURITY : @
                                  WRITE SECURITY : @
CROSS REFERENCED BY:
      ORDER(AB)  ORDER(ABC)  CARDIO INDICATOR?(ACARD)
      DASHBOARD ORDER(ADASH)  DM INDICATOR?(ADM)  NATIONAL/PART(AGPRA)
      IPC REPORT?(AIPC)  PQA(APQA)  WOMEN'S HEALTH(AWH)
      INDICATOR(B)  INDICATOR ID(C)  TITLE FOR SCHEDULING OPTION(D)
      ORDER(OR)


                                FILE STRUCTURE
```

```
FIELD     FIELD
NUMBER    NAME

.01       INDICATOR (RP90569.01'), [0;1]
.04       INDICATOR ID (F), [0;4]
.05       NATIONAL/PART (S), [0;5]
.08       DENOM FIELD NUMBER (NJ8,3), [0;8]
.09       NUMERATOR FIELD NUMBER (NJ8,3), [0;9]
.11       PAGE BREAK DENOM NGR (S), [0;11]
.12       DM INDICATOR? (S), [0;12]
.13       CARDIO INDICATOR? (S), [0;13]
.14       GPRANT1 PIECE (NJ5,0), [0;14]
.15       DEVNT5 (NJ3,0), [0;15]
.22       ADD BANG (S), [0;22]
.24       PAGE BREAK DENOM (S), [0;24]
1         M CODE NUMERATOR (K), [1;E1,245]
2         M CODE DENOMINATOR (K), [2;E1,245]
3         M CODE FOR COMP PL (K), [3;E1,245]
4         M CODE FOR SCHEDULING (K), [4;E1,245]
1101      IPC REPORT? (S), [11;1]
1102      PQA (S), [11;2]
1103      GPRANT3 (NJ4,0), [11;3]
1201      COLUMN TEXT FOR CMP PL (F), [12;1]
1202      WOMEN'S HEALTH (S), [12;2]
1204      ORDER (F), [12;4]
1208      PAGE BREAK NUMER COM (S), [12;8]
1209      TITLE FOR SCHEDULING OPTION (F), [12;9]
1211      ICARE TAB (S), [12;11]
1213      GPRANT2 PIECE (NJ3,0), [12;13]
1214      SKIP DENOM DISPLAY? (S), [12;14]
1215      PAGE BREAK DENOM ONM? (S), [12;15]
1216      TITLE 2 FOR SCHEDULING OPTION (F), [12;16]
1217      COUNT ONLY? (S), [12;17]
1401      NATL GPRA SUMMARY? (S), [14;1]
1402      NATL PREV YR (F), [14;2]
1403      NATL GPRA 2020 TARGET (F), [14;3]
1404      NATL SUM TITLE (F), [14;4]
1405      NATL SUM CATEGORY 1 (P90241.03'), [14;5]
1406      NATL SUM SHEET ORDER (NJ4,0), [14;6]
1407      NATL SUM TITLE 2 (F), [14;7]
1408      NATL GPRA TARGET (F), [14;8]
1409      NATL GPRA TARGET 2ND LINE (F), [14;9]
1410      NATL SUM PY LINE 2 (F), [14;10]
1411      SECOND LINE 2012 GOAL (F), [14;11]
1412      NATL SUM TITLE 3 (F), [14;12]
1413      NATL SUM TARGET (?) (F), [14;13]
1414      NATL SUM TITLE NY (F), [14;14]
1415      NATL SUM TITLE NY 2 (F), [14;15]
1416      NATL SUM TITLE NY 3 (F), [14;16]
1417      DASHBOARD ORDER (NJ2,0), [14;17]
1501      NON GPRA SUMMARY? (S), [15;1]
1502      NG NATIONAL CURRENT (F), [15;2]
1503      NG GOAL PY (F), [15;3]
1504      NG TITLE (F), [15;4]
1505      NG CATEGORY (P90241.03'), [15;5]
1506      NG ORDER ON SUMMARY SHEET (NJ4,0), [15;6]
1507      NG TITLE 2 (F), [15;7]
1508      NG GOAL (F), [15;8]
1509      NG SECOND LINE GOAL (F), [15;9]
1510      NG NATIONAL CURRENT 2 (F), [15;10]
1511      NG 2ND LINE 2012 GOAL (F), [15;11]
```

```
1512      NG TITLE 3 (F), [15;12]
1600      TEXT FOR SCHEDULING OPTION (Multiple-90569.16), [16;0]
          .01  TEXT FOR SCHEDULING OPTION (W), [0;1]
1601      TEXT FOR SCHEDULING NEXT YR (Multiple-90569.161), [1601;0]
          .01  TEXT FOR SCHEDULING NEXT YR (W), [0;1]
1701      ICARE GROUP (P90569.17'), [17;1]
1702      ICARE CATEGORY (P90569.18'), [17;2]
1703      ICARE MEASURE NAME (F), [17;3]
1704      ICARE EXCEPTION (S), [17;4]
1705      ICARE PERFORMANCE DIRECTION (F), [17;5]
1706      ICARE REPORT CODE (S), [17;6]
1707      ICARE IPC MEASURE? (S), [17;7]
1708      PREVOUS INDICATOR ID (F), [17;8]
1800      ICARE TOOLTIPS (Multiple-90569.0218), [18;0]
          .01  ICARE TOOLTIPS (W), [0;1]
1903      2020 TARGET (F), [19;3]
1913      %? (S), [19;13]
2102      SKIP SELECTED REPORT? (S), [21;2]
2103      DEVELF1 PIECE (NJ4,0), [21;3]
2104      DEVELF2 PIECE (NJ3,0), [21;4]
2105      PAGE BREAK NUMER NGR? (S), [21;5]
2106      DEVELOPMENTAL MEASURE? (S), [21;6]
2108      DEVELF3 (NJ4,0), [21;8]
2111      DEVELF4 (NJ3,0), [21;11]
2112      GPRANT4 (NJ3,0), [21;12]
2113      GPRANT5 (NJ4,0), [21;13]
2114      GPRANT6 (NJ3,0), [21;14]
2115      DEVNT 6 PIECE (NJ6,0), [21;15]
2201      DEV SUMMARY? (S), [22;1]
2202      DEV NATIONAL CURRENT (F), [22;2]
2203      DEV GOAL (F), [22;3]
2204      DEV TITLE (F), [22;4]
2205      CATEGORY (P90241.03'), [22;5]
2206      DEV ORDER ON SUMMARY SHEET (NJ3,0), [22;6]
2207      DEV TITLE 2 (F), [22;7]
2208      DEV GOAL NY (F), [22;8]
2209      DEV SECOND LINE GOAL (F), [22;9]
2210      DEV NATL CURRENT 2 (F), [22;10]
2211      DEV SECOND LINE GOAL (F), [22;11]
2212      DEV TITLE 3 (F), [22;12]
2213      PART MEASURE? (S), [22;13]
2214      PART 2012 (F), [22;14]
2215      ADD %LINE? (S), [22;15]
2301      ADD BANG ON DASHBOARD? (S), [23;1]
2302      DASHBOARD LABEL (F), [23;2]
2303      DASHBOARD # NOT % (S), [23;3]
2304      PERCENT INCREASE NO DENOM (NJ7,2), [23;4]
2305      NEG DASHBOARD (S), [23;5]
2306      DASHBOARD LABEL 2 (F), [23;6]
2307      USE PRE-SPLIT LABELS? (S), [23;7]
2401      DEN LABEL SELECTED (F), [24;1]
2402      NUM LABEL SELECTED (F), [24;2]
2501      DEN LABEL NGR (F), [25;1]
2502      NUM LABEL NGR (F), [25;2]
2601      DEN LABEL DEV (F), [26;1]
2602      NUM LABEL DEV (F), [26;2]
2801      DEN LABEL DM (F), [28;1]
2802      NUM LABEL DM (F), [28;2]
2901      DEN LABEL CVD (F), [29;1]
2902      NUM LABEL CVD (F), [29;2]
3101      DEN LABEL WH (F), [31;1]
3102      NUM LABEL WH (F), [31;2]
```

```
3201      DEN LABEL PQA (F), [32;1]
3202      NUM LABEL PQA (F), [32;2]
3301      DEN LABEL IPC (F), [33;1]
3302      NUM LABEL IPC (F), [33;2]
9999      LORI (S), [9999;1]
99991     LORI1 (S), [9999;2]
```

Figure 4-6: BGP 25 INDIVIDUAL MEASURES

4.4.6 FILE: BGP 25 NATIONAL PATIENT LISTS

GLOBAL: ^BGPNPLX(FILE #: 90569.06

```
CONDENSED DATA DICTIONARY---BGP 25 NATIONAL PATIENT LISTS FILE (#90569.06)UCI:
CMBA,CMBA   VERSION: 25.0

STORED IN: ^BGPNPLX(                                        02/05/25    PAGE 1
-------------------------------------------------------------------------------

                                                 FILE SECURITY
                                  DD SECURITY    : @     DELETE SECURITY: @
                                  READ SECURITY  : @     LAYGO SECURITY : @
                                  WRITE SECURITY : @
CROSS REFERENCED BY:
      ORDER ON NATIONAL(AN)  NATIONAL?(AR)  POINTER(B)
      INDIVIDUAL INDICATOR ID(C)


                                FILE STRUCTURE

FIELD     FIELD
NUMBER    NAME

.01       POINTER (RP90569.01'), [0;1]
.02       INDIVIDUAL INDICATOR ID (F), [0;2]
.03       LIST TITLE (F), [0;3]
.04       NATIONAL? (S), [0;4]
.05       ORDER ON NATIONAL (NJ3,0), [0;5]
.07       DEVELOPMENTAL OR NATIONAL (S), [0;7]
1101      LIST TITLE FOR REPORT (Multiple-90569.61101), [11;0]
          .01  LIST TITLE FOR REPORT (W), [0;1]
1201      SET LIST VALUE (K), [12;E1,245]
```

Figure 4-7: BGP 25 NATIONAL PATIENT LISTS

4.4.7 FILE: BGP 25 SNOMED SUBSETS

GLOBAL: ^BGPSNOSX(FILE #: 90569.07

```
CONDENSED DATA DICTIONARY---BGP 25 SNOMED SUBSETS FILE (#90569.07)UCI: CMBA,CMBA
VERSION: 25.0

STORED IN: ^BGPSNOSX(                                       02/05/25    PAGE 1
-------------------------------------------------------------------------------
```

```
                                                FILE SECURITY
                                  DD SECURITY    : @     DELETE SECURITY: @
                                  READ SECURITY  : @     LAYGO SECURITY : @
                                  WRITE SECURITY : @
CROSS REFERENCED BY:
      SUBSET NAME(B)


                                FILE STRUCTURE

FIELD     FIELD
NUMBER    NAME

.01       SUBSET NAME (RF), [0;1]
```

Figure 4-8: BGP 25 SNOMED SUBSETS

4.4.8 FILE: BGP 25 TAXONOMIES

GLOBAL: ^BGPTAXX(FILE #: 90569.08

```
CONDENSED DATA DICTIONARY---BGP 25 TAXONOMIES USED FILE (#90569.08)UCI: CMBA,CMBA
VERSION: 25.0

STORED IN: ^BGPTAXX(                                    02/05/25    PAGE 1
--------------------------------------------------------------------------------

                                                FILE SECURITY
                                  DD SECURITY    : @     DELETE SECURITY: @
                                  READ SECURITY  : @     LAYGO SECURITY : @
                                  WRITE SECURITY : @
CROSS REFERENCED BY:
      TAXONOMY NAME(B)


                                FILE STRUCTURE

FIELD     FIELD
NUMBER    NAME

.01       TAXONOMY NAME (RF), [0;1]
.02       TYPE (S), [0;2]
.03       LAST CHECKED/EXPORTED (D), [0;3]
.04       EDITABLE? (S), [0;4]
.05       EXPORT? (S), [0;6]
1100      DESCRIPTION (Multiple-90569.0811), [11;0]
          .01  DESCRIPTION (W), [0;1]
1200      REPORTS (Multiple-90569.0812), [12;0]
          .01  REPORTS (MS), [0;1]
1201      USED THIS YEAR (S), [0;5]
1300      MEASURES USED WITH (Multiple-90569.0813), [13;0]
          .01  MEASURES USED WITH (MP90569.01'), [0;1]
```

Figure 4-9: BGP 25 TAXONOMIES

4.4.9 FILE: BGP 25 MEASURE GROUPS

GLOBAL: ^BGPMGRPX(FILE #: 90569.1

```
CONDENSED DATA DICTIONARY---BGP 25 MEASURE GROUPS FILE (#90569.1)UCI: CMBA,CMBA
VERSION: 25.0

STORED IN: ^BGPMGRPX(                                        02/05/25    PAGE 1
--------------------------------------------------------------------------------

                                                 FILE SECURITY
                                    DD SECURITY    : @     DELETE SECURITY: @
                                    READ SECURITY  : @     LAYGO SECURITY : @
                                    WRITE SECURITY : @
CROSS REFERENCED BY:
      GROUP NAME(B)


                                  FILE STRUCTURE

FIELD     FIELD
NUMBER    NAME

.01       GROUP NAME (RF), [0;1]
```

Figure 4-10: BGP 25 MEASURE GROUPS

4.4.10 FILE: BGP 25 ICARE GROUPS

GLOBAL: ^BGPICAGX(FILE #: 90569.17

```
CONDENSED DATA DICTIONARY---BGP 25 ICARE GROUPS FILE (#90569.17)UCI: CMBA,CMBA
VERSION: 25.0

STORED IN: ^BGPICAGX(                                        02/05/25    PAGE 1
--------------------------------------------------------------------------------

                                                 FILE SECURITY
                                    DD SECURITY    : @     DELETE SECURITY: @
                                    READ SECURITY  : @     LAYGO SECURITY : @
                                    WRITE SECURITY : @
CROSS REFERENCED BY:
      GROUP(B)


                                  FILE STRUCTURE

FIELD     FIELD
NUMBER    NAME

.01       GROUP (RF), [0;1]
```

Figure 4-11: BGP 25 ICARE GROUPS

4.4.11 FILE: BGP 25 ICARE CATEGORIES

GLOBAL: ^BGPICACX(FILE #: 90569.18

```
CONDENSED DATA DICTIONARY---BGP 25 ICARE CATEGORIES FILE (#90569.18)UCI: CMBA,CMBA
VERSION: 25.0

STORED IN: ^BGPICACX(                                        02/05/25    PAGE 1
--------------------------------------------------------------------------------

                                                 FILE SECURITY
                                  DD SECURITY    : @     DELETE SECURITY: @
                                  READ SECURITY  : @     LAYGO SECURITY : @
                                  WRITE SECURITY : @
CROSS REFERENCED BY:
      CATEGORY(B)


                                FILE STRUCTURE

FIELD     FIELD
NUMBER    NAME

.01       CATEGORY (RF), [0;1]
```

Figure 4-12: BGP 25 ICARE CATEGORIES

4.4.12 FILE: BGP 25 GUI OUTPUT

GLOBAL: ^BGPGUIX(FILE #: 90569.19

```
CONDENSED DATA DICTIONARY---BGP 25 GUI REPORT OUTPUT FILE (#90569.19)UCI: CMBA,CMBA
VERSION: 25.0

STORED IN: ^BGPGUIX(                                        02/05/25    PAGE 1
--------------------------------------------------------------------------------

                                                 FILE SECURITY
                                  DD SECURITY    : @     DELETE SECURITY: @
                                  READ SECURITY  : @     LAYGO SECURITY : @
                                  WRITE SECURITY : @
CROSS REFERENCED BY:
      START TIME(AC)  START TIME(AUSR)  NAME(B)


                                FILE STRUCTURE

FIELD     FIELD
NUMBER    NAME

.01       NAME (RF), [0;1]
.02       USER WHO REQUESTED REPORT (P200'), [0;2]
.03       START TIME (D), [0;3]
.04       END TIME (D), [0;4]
.05       TYPE OF REPORT (F), [0;5]
.06       STATUS (S), [0;6]
```

```
.07       TYPE OF OUTPUT (S), [0;7]
.08       EXPORT FILENAME (F), [0;8]
.09       TASK NUMBER (NJ9,0), [0;9]
1         EXPORTED FILENAMES (F), [1;1]
1100      PRINT FORMATTED OUTPUT (Multiple-90569.1911), [11;0]
          .01  OUTPUT (W), [0;1]
1200      DELIMITED FORMATTED OUTPUT (Multiple-90569.1912), [12;0]
          .01  DELIMITED FORMATTED OUTPUT (W), [0;1]
```

Figure 4-13: BGP 25 GUI OUTPUT

4.4.13 FILE: BGP 25 SNOMED LISTS

GLOBAL: ^BGPSNOMX(FILE #: 90569.21

```
CONDENSED DATA DICTIONARY---BGP 25 SNOMED LISTS FILE (#90569.21)UCI: CMBA,CMBA
VERSION: 25.0

STORED IN: ^BGPSNOMX(                                    02/05/25    PAGE 1
--------------------------------------------------------------------------------

                                              FILE SECURITY
                                  DD SECURITY    : @     DELETE SECURITY: @
                                  READ SECURITY  : @     LAYGO SECURITY : @
                                  WRITE SECURITY : @
CROSS REFERENCED BY:
      NAME OF LIST(B)


                                FILE STRUCTURE

FIELD     FIELD
NUMBER    NAME

.01       NAME OF LIST (RF), [0;1]
1101      SNOMED/RXNORM CODE (Multiple-90569.2111), [11;0]
          .01  SNOMED/RXNORM CODE (MF), [0;1]
```

Figure 4-14: BGP 25 SNOMED LISTS

4.4.14 FILE: BGP 25 ELDER INDIVIDUAL MEASURES

GLOBAL: ^BGPELIIX(FILE #: 90569.22

```
CONDENSED DATA DICTIONARY---BGP 25 ELDER INDIVIDUAL MEASURES FILE (#90569.22)UCI:
CMBA,CMBA   VERSION: 25.0

STORED IN: ^BGPELIIX(                                    02/05/25    PAGE 1
--------------------------------------------------------------------------------

                                              FILE SECURITY
                                  DD SECURITY    : @     DELETE SECURITY: @
                                  READ SECURITY  : @     LAYGO SECURITY : @
                                  WRITE SECURITY : @
CROSS REFERENCED BY:
```

```
      ORDER(AB)  ORDER(ABC)  ORDER(AE)  ORDER(AP)  INDICATOR(B)
      INDICATOR ID(C)  ORDER(OR)


                                FILE STRUCTURE

FIELD     FIELD
NUMBER    NAME

.01       INDICATOR (RP90569.26'), [0;1]
.019      INDICATOR (CJ8), [ ; ]
.04       INDICATOR ID (F), [0;4]
.08       DENOM FIELD NUMBER (NJ10,3), [0;8]
.09       NUMERATOR FIELD NUMBER (NJ10,3), [0;9]
.22       ADD BANG (S), [0;22]
1         M CODE NUMERATOR (K), [1;E1,245]
2         M CODE DENOMINATOR (K), [2;E1,245]
1204      ORDER (F), [12;4]
2401      DEN LABEL (F), [24;1]
2402      NUM LABEL (F), [24;2]
```

Figure 4-15: BGP 25 ELDER INDIVIDUAL MEASURES

4.4.15 FILE: BGP 25 ELDER MEASURES

GLOBAL: ^BGPELIX(FILE #: 90569.26

```
CONDENSED DATA DICTIONARY---BGP 25 ELDER MEASURES FILE (#90569.26)UCI: CMBA,CMBA
VERSION: 25.0

STORED IN: ^BGPELIX(                                          02/05/25    PAGE 1
--------------------------------------------------------------------------------

                                                  FILE SECURITY
                                    DD SECURITY    : @     DELETE SECURITY: @
                                    READ SECURITY  : @     LAYGO SECURITY : @
                                    WRITE SECURITY : @
CROSS REFERENCED BY:
      ORDER ON SELECTION/REPORT(AO)  INDICATOR NUMBER(B)
      TITLE(C)  TITLE(D)  PUID(PUID)


                                FILE STRUCTURE

FIELD     FIELD
NUMBER    NAME

.01       INDICATOR NUMBER (RNJ3,0X), [0;1]
.02       ORDER ON SELECTION/REPORT (F), [0;2]
.03       TITLE (F), [0;3]
.04       SELECTION TITLE (F), [0;4]
.06       ORDER TO DISPLAY (NJ4,0), [0;6]
.12       NO LIST (S), [0;12]
1         M CODE TO EXECUTE (K), [1;E1,245]
2         SET LIST VALUE (K), [2;E1,245]
3         PRINT M CODE (K), [3;E1,245]
4         DELIMITED FILE PRINT (K), [4;E1,245]
1100      FY LOGIC (Multiple-90569.2611), [11;0]
```

```
          .01  LOGIC USED (W), [0;1]
1201      PUID (NJ3,0), [12;1]
1301      LIST SELECTION TITLE (F), [13;1]
5300      REPORT PRINT 2ND PAGE (Multiple-90569.2653), [53;0]
          .01  REPORT PRINT 2ND PAGE (W), [0;1]
6100      DENOMINATOR DEFINITIONS (Multiple-90569.2661), [61;0]
          .01  DENOMINATOR DEFINITIONS (MNJ2,0), [0;1]
          1    DENOM DESCRIPTION (Multiple-90569.26611), [1;0]
               .01  DENOM DESCRIPTION (W), [0;1]
6200      NUMERATOR DEFINITIONS (Multiple-90569.2662), [62;0]
          .01  NUMERATOR DEFINITIONS (MNJ2,0X), [0;1]
          .02  REPORTS (F), [0;2]
          .03  SEL (F), [0;3]
          1    NUMERATOR DESCRIPTION (Multiple-90569.26621), [1;0]
               .01  NUMERATOR DESCRIPTION (W), [0;1]
7100      REPORT LIST 1ST PAGE (Multiple-90569.2671), [71;0]
          .01  REPORT LIST 1ST PAGE (W), [0;1]
7200      LIST PRINT SECOND PAGE (Multiple-90569.2672), [72;0]
          .01  LIST PRINT SECOND PAGE (W), [0;1]
```

Figure 4-16: BGP 25 ELDER MEASURES

5.0 External Relations

5.1 External Calls

This package calls the following documented entry points:

```
Routine             is Invoked by:
   ^%DT                BGPXGUA,BGPXUTL1,|dd90241.01,|dd90569.03,|dd90569.04
                       |dd90569.05,|dd90569.08,|dd90569.19,|dd90569.23
                       |dd90569.24,|dd90569.25

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 148

Routine             is Invoked by:
   ^%DTC               BGPXD36
   C^%DTC              BGPXGMUE,BGPXGMUH,BGPXUTL3
   COMMA^%DTC          BGPXDBPR,BGPXDELP,BGPXDP,BGPXDP1,BGPXDP11,BGPXDP12
                       BGPXDP13,BGPXDP14,BGPXDP19,BGPXDP1A,BGPXDP1C,BGPXDP1H
                       BGPXDP1I,BGPXDP1J,BGPXDP1K,BGPXDP1L,BGPXDP1M,BGPXDP1N
                       BGPXDP1O,BGPXDP1S,BGPXDP1T,BGPXDP2,BGPXDP3,BGPXDP4
                       BGPXDP5,BGPXDP50,BGPXDP51
                       BGPXDP6,BGPXDP60,BGPXDP7,BGPXDP8,BGPXDPH,BGPXEL10
                       BGPXEL11,BGPXEL12,BGPXEL13,BGPXEL15,BGPXEL16,BGPXEL17
                       BGPXEL18,BGPXEL19,BGPXEL1A,BGPXEL1B,BGPXEL1C,BGPXEL1D
                       BGPXEL1E,BGPXEL1F,BGPXEL1G,BGPXEL1I,BGPXEL1J,BGPXEL1K
                       BGPXEL1L,BGPXEL1O,BGPXEL1P
                       BGPXEL1Q,BGPXEL1R,BGPXEL1S,BGPXEL1T,BGPXELL,BGPXELL1
                       BGPXELL2,BGPXELL3,BGPXELL4,BGPXELL6,BGPXELL7,BGPXELL8
                       BGPXELL9,BGPXELLA,BGPXELLB,BGPXELLC,BGPXELLD,BGPXELLE
                       BGPXELLF,BGPXELLG,BGPXELLH,BGPXELLI,BGPXELLK,BGPXELLL
                       BGPXELLM,BGPXELLN
                       BGPXELLQ,BGPXELLR,BGPXELLS,BGPXELLT,BGPXELLU,BGPXELLW
                       BGPXELLX,BGPXELLY,BGPXELP1,BGPXPD19,BGPXPDL,BGPXPDL0
                       BGPXPDL1,BGPXPDL2,BGPXPDL3,BGPXPDL4,BGPXPDL5,BGPXPDL7
                       BGPXPDL8,BGPXPDL9,BGPXPDLA,BGPXPDLB,BGPXPDLE,BGPXPDLL
                       BGPXPDLT,BGPXPDPA
                       BGPXPDPB
   NOW^%DTC            BGPXDPA,BGPXDPAP,BGPXGRB
   %XY^%RCR            BGPXBLM
   DEBUG^%Serenji      BGPXGR1,BGPXGRB,BGPXGU,BGPXGUA
   ^%ZIS               BGPXBLM,BGPXDADB,BGPXDAP,BGPXDAR,BGPXDCL,BGPXDEL
                       BGPXDELA,BGPXDGPA,BGPXDGPU,BGPXDICR,BGPXDL,BGPXDLT
                       BGPXDMT,BGPXDNDB,BGPXDNG,BGPXDNGP,BGPXDNGS,BGPXDPA
                       BGPXDPP,BGPXDSTM,BGPXNPL,BGPXPCD,BGPXXTCH
   HOME^%ZIS           BGPXBLM,BGPXDADB,BGPXDAR,BGPXDICR,BGPXDLT,BGPXDMT
                       BGPXLSTF,BGPXPCTX,BGPXULF,BGPXXTCH,BGPXXTCN,BGPXXTEL
   ^%ZISC              BGPXBLM,BGPXDADB,BGPXDAP,BGPXDAR,BGPXDBPR,BGPXDCL
                       BGPXDEL,BGPXDELA,BGPXDELP,BGPXDGPA,BGPXDGPU,BGPXDICR
                       BGPXDL,BGPXDLT,BGPXDMT,BGPXDNDB,BGPXDNG,BGPXDNGP
                       BGPXDNGS,BGPXDP,BGPXDPA,BGPXDPP,BGPXDSTM,BGPXGUPL
                       BGPXNPL,BGPXPARP,BGPXPARQ,BGPXPCD
                       BGPXPHEL,BGPXULF,BGPXUTL,BGPXUTLC,BGPXXTCH
   $$DEL^%ZISH         BGPXBLM
   $$LIST^%ZISH        BGPXBLM,BGPXGLST,BGPXGU,BGPXLSTF,BGPXUTL2
   $$OPEN^%ZISH        BGPXGUPL,BGPXULF,BGPXUTL,BGPXUTLC
   $$PWD^%ZISH         BGPXBLM
```

```
   $$STATUS^%ZISH      BGPXBLM,BGPXGUPL,BGPXULF
   DF^%ZISH            BGPXBLM
   JOBPAR^%ZOSV        BGPXGUA
   ^%ZTER              BGPXGU
   ^%ZTLOAD            BGPXDADB,BGPXDAP,BGPXDAR,BGPXDCL,BGPXDEL,BGPXDELA
                       BGPXDGPA,BGPXDGPU,BGPXDICR,BGPXDL,BGPXDLT,BGPXDMT
                       BGPXDNDB,BGPXDNG,BGPXDNGP,BGPXDNGS,BGPXDPA,BGPXDPAP
                       BGPXDPP,BGPXDSTM,BGPXGADB,BGPXGAEL,BGPXGAG9,BGPXGAGP
                       BGPXGAGS,BGPXGALL,BGPXGAPU

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 149

Routine             is Invoked by:
   ^%ZTLOAD            BGPXGCMP,BGPXGCOM,BGPXGDSH,BGPXGELD,BGPXGFO9,BGPXGFOR
                       BGPXGGPU,BGPXGIPC,BGPXGLHW,BGPXGLST,BGPXGLTX,BGPXGMTX
                       BGPXGMUE,BGPXGMUH,BGPXGNPL,BGPXGNST,BGPXGNT9,BGPXGNTL
                       BGPXGNTP,BGPXGNTS,BGPXGPP,BGPXGRB,BGPXNPL,BGPXPCD
                       BGPXXTCH
   ALLV^APCLAPIU       BGPXD1,BGPXD21,BGPXD211,BGPXD214,BGPXD24,BGPXD4,BGPXD53
                       BGPXD55,BGPXD714,BGPXD715,BGPXD73,BGPXD81,BGPXD81A
                       BGPXD82,BGPXEL2,BGPXPC1,BGPXPC10,BGPXPC12,BGPXPC13
                       BGPXPC14,BGPXPC15,BGPXPC16,BGPXPC2,BGPXPC4,BGPXPC6
                       BGPXPC8,BGPXPC9
   $$START1^APCLDF     BGPXALG1,BGPXALG2,BGPXC11,BGPXC13,BGPXCON1,BGPXCU
                       BGPXCU1,BGPXD1,BGPXD10,BGPXD2,BGPXD21,BGPXD211,BGPXD212
                       BGPXD213,BGPXD21A,BGPXD22,BGPXD24,BGPXD24A,BGPXD25
                       BGPXD27,BGPXD28,BGPXD31,BGPXD33,BGPXD34,BGPXD35,BGPXD37
                       BGPXD38,BGPXD3A,BGPXD3C
                       BGPXD3D,BGPXD4,BGPXD41,BGPXD5,BGPXD51,BGPXD52,BGPXD53
                       BGPXD54,BGPXD55,BGPXD5A,BGPXD6,BGPXD62,BGPXD7,BGPXD711
                       BGPXD714,BGPXD72,BGPXD722,BGPXD723,BGPXD724,BGPXD729
                       BGPXD732,BGPXD74,BGPXD75,BGPXD8,BGPXD811,BGPXD812
                       BGPXD81A,BGPXD83,BGPXD84
                       BGPXD841,BGPXD85,BGPXD86,BGPXD862,BGPXD87,BGPXD89,BGPXD9
                       BGPXD91,BGPXDCLP,BGPXDPA2,BGPXDPA4,BGPXDU,BGPXEL2
                       BGPXEL4,BGPXNPLP,BGPXPC1,BGPXPC10,BGPXPC11,BGPXPC12
                       BGPXPC13,BGPXPC4,BGPXPC9
   $$CLINIC^APCLV      BGPXD1,BGPXD2,BGPXD21,BGPXD211,BGPXD213,BGPXD21A,BGPXD22
                       BGPXD27,BGPXD31,BGPXD41,BGPXD51,BGPXD53,BGPXD7,BGPXD711
                       BGPXD714,BGPXD715,BGPXD83,BGPXD9,BGPXDPA4,BGPXDU,BGPXEL2
                       BGPXEL4,BGPXNPLP,BGPXPC1,BGPXPC14
   $$DSCHDATE^APCLV    BGPXD51
   $$PRIMPOV^APCLV     BGPXD21,BGPXD211,BGPXD22,BGPXD31,BGPXD51,BGPXD71
                       BGPXD711,BGPXPC13
   $$PRIMPROV^APCLV    BGPXD1,BGPXD21,BGPXD211,BGPXD213,BGPXD51,BGPXD53
                       BGPXD714,BGPXD715,BGPXD862,BGPXDCLP,BGPXDPA4
   $$VD^APCLV          BGPXD211,BGPXD214,BGPXD24,BGPXD27,BGPXD28,BGPXD37
                       BGPXD39,BGPXD3A,BGPXD3B,BGPXD3C,BGPXD3D,BGPXD4,BGPXD53
                       BGPXD55,BGPXD714,BGPXD715,BGPXD73,BGPXD81,BGPXD811
                       BGPXD812,BGPXD81A,BGPXD82,BGPXD841,BGPXD89,BGPXD9
                       BGPXD91,BGPXDPA2,BGPXDPA4
                       BGPXNPLP,BGPXPC10,BGPXPC12,BGPXPC14,BGPXPC15,BGPXPC16
                       BGPXPC17,BGPXPC2,BGPXPC4,BGPXPC6,BGPXPC61,BGPXPC62
                       BGPXPC63,BGPXPC64,BGPXPC65,BGPXPC66,BGPXPC67,BGPXPC68
                       BGPXPC69,BGPXPC7,BGPXPC8,BGPXPC9,BGPXUTL1
   $$VDTM^APCLV        BGPXD2,BGPXD4,BGPXD81,BGPXD81A,BGPXD82,BGPXD841,BGPXPC12
                       BGPXPC2
   $$ICD^ATXAPI        BGPXD21,BGPXD36,BGPXD4,BGPXEL2,BGPXPC10,BGPXPC12
                       BGPXPC13,BGPXPC14,BGPXPC15,BGPXPC16,BGPXPC2,BGPXPC4
                       BGPXPC6,BGPXPC8,BGPXPC9
   BLDTAX^ATXAPI       BGPXDU,BGPXUTL2
```

```
*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 150

Routine             is Invoked by:
   $$ICD^ATXCHK        BGPXD212,BGPXUTL2
   BULL^ATXSTX2        BGPX1A,BGPX1B,BGPX1C,BGPX1D,BGPX1E,BGPX1F,BGPX1G,BGPX1H
                       BGPX1I,BGPX1J,BGPX1K,BGPX1L,BGPX1M,BGPX1N
   KILL^ATXSTX2        BGPX1A,BGPX1B,BGPX1C,BGPX1D,BGPX1E,BGPX1F,BGPX1G,BGPX1H
                       BGPX1I,BGPX1J,BGPX1K,BGPX1L,BGPX1M,BGPX1N
   TAX^ATXSTX2         BGPX1A,BGPX1B,BGPX1C,BGPX1D,BGPX1E,BGPX1F,BGPX1G,BGPX1H
                       BGPX1I,BGPX1J,BGPX1K,BGPX1L,BGPX1M,BGPX1N
   $$AGE^AUPNPAT       BGPXD1,BGPXD10,BGPXD21,BGPXD3,BGPXD6,BGPXD7,BGPXD76
                       BGPXD83,BGPXD85,BGPXD87,BGPXDPA1,BGPXDPA2,BGPXEL4
                       BGPXGUA,BGPXPC1,BGPXPC13,BGPXPC14,BGPXPC16,BGPXPC17
   $$BEN^AUPNPAT       BGPXD1,BGPXPC1
   $$COMMRES^AUPNPAT   BGPXDPAP,BGPXDPAW
   $$DOB^AUPNPAT       BGPXALG1,BGPXALG2,BGPXC11,BGPXC13,BGPXCON1,BGPXCU1
                       BGPXD1,BGPXD10,BGPXD2,BGPXD21,BGPXD211,BGPXD212,BGPXD213
                       BGPXD214,BGPXD21A,BGPXD22,BGPXD24A,BGPXD27,BGPXD28
                       BGPXD3,BGPXD31,BGPXD32,BGPXD33,BGPXD34,BGPXD35,BGPXD36
                       BGPXD37,BGPXD38,BGPXD3A
                       BGPXD3B,BGPXD3C,BGPXD3D,BGPXD4,BGPXD62,BGPXD72,BGPXD721
                       BGPXD724,BGPXD729,BGPXD73,BGPXD732,BGPXD75,BGPXD76
                       BGPXD8,BGPXD811,BGPXD841,BGPXD86,BGPXD91,BGPXDPA1
                       BGPXDPA2,BGPXDPA4,BGPXDPAW,BGPXDS,BGPXDU,BGPXEL2,BGPXEL3
                       BGPXELS,BGPXELSL
                       BGPXNPLP,BGPXPC1,BGPXPC10,BGPXPC12,BGPXPC13,BGPXPC14
                       BGPXPC16,BGPXPC4,BGPXPC5,BGPXPC6,BGPXPC61,BGPXPC62
                       BGPXPC63,BGPXPC64,BGPXPC65,BGPXPC66,BGPXPC67,BGPXPC68
                       BGPXPC69,BGPXPC7,BGPXPC8,BGPXPC9,BGPXUTL1,BGPXUTL2
   $$DOD^AUPNPAT       BGPXD1,BGPXPC1,BGPXPC13
   $$HRN^AUPNPAT       BGPXDCLD,BGPXDCLP,BGPXDPAP,BGPXDPAW,BGPXDS,BGPXELS
                       BGPXELSL,BGPXGUA,BGPXNPLP
   $$SEX^AUPNPAT       BGPXD81,BGPXD82,BGPXDPAW
   $$SSN^AUPNPAT       BGPXD1,BGPXPC1
   KILL^AUPNPAT        BGPXDADB,BGPXDAP,BGPXDAR,BGPXDCL,BGPXDEL,BGPXDELA
                       BGPXDGPA,BGPXDGPU,BGPXDL,BGPXDNDB,BGPXDNG,BGPXDNGP
                       BGPXDNGS,BGPXDPP,BGPXDSTM,BGPXGADB,BGPXGAEL,BGPXGAG9
                       BGPXGAGP,BGPXGAGS,BGPXGALL,BGPXGAPU,BGPXGCMP,BGPXGCOM
                       BGPXGDSH,BGPXGELD,BGPXGFO9
                       BGPXGFOR,BGPXGGPU,BGPXGIPC,BGPXGLHW,BGPXGLST,BGPXGLTX
                       BGPXGMTX,BGPXGMUE,BGPXGMUH,BGPXGNPL,BGPXGNST,BGPXGNT9
                       BGPXGNTL,BGPXGNTP,BGPXGNTS,BGPXGPP,BGPXNPL,BGPXPCD
   $$GETPREF^AUPNSOGI  BGPXDPAP,BGPXDPAW
   $$STATUS^BDGSPT2    BGPXGUA
   ALLDP^BDPAPI        BGPXD1
   GETIMMS^BGP7D32     BGPXD3C
   $$DATE^BGP7UTL      BGPXD76
   ^BGPDCTS            |opt
   ^BGPDDADB           |opt
   ^BGPDDAP            |opt
   ^BGPDDAR            |opt

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 151

Routine             is Invoked by:
   SUMONLY^BGPDDAR     |opt
   ^BGPDDCL            |opt
   ^BGPDDEL            |opt
   ^BGPDDGPA           |opt
   ^BGPDDGPU           |opt
   ^BGPDDICR           |opt
   ^BGPDDL             |opt
```

```
   CRS^BGPDDLT          |opt
   ELDER^BGPDDLT        |opt
   GPRA^BGPDDLT         |opt
   IPC^BGPDDLT          |opt
   CRS^BGPDDMT          |opt
   ELDER^BGPDDMT        |opt
   GPRA^BGPDDMT         |opt
   IPC^BGPDDMT          |opt
   ^BGPDDNDB            |opt
   ^BGPDDNG             |opt
   ^BGPDDNGP            |opt
   ^BGPDDNGS            |opt
   ^BGPDDPA             |opt
   COVPAGE^BGPDDPA      |opt
   ^BGPDDPP             |opt
   ^BGPDDSTM            |opt
   ^BGPDLSTF            |opt
   ^BGPDNPL             |opt
   ^BGPDPCD             |opt
   ^BGPDPCTX            |opt
   ^BGPDULF             |opt
   ^BGPDXTCH            |opt
   ^BGPDXTCN            |opt
   ^BGPDXTEL            |opt
   ^BGPDXTV             |opt
   CATSTR^BGPGR         BGPXGRA,BGPXGRB
   $$DATE^BGPLUTL       BGPXD7
   $$ICD^BGPLUTL2       BGPXPC7
   INIT^BGPMUDSI        BGPXGTA
   INITH^BGPMUDSI       BGPXGTA
   INITM^BGPMUDSI       BGPXGTA
   INIT^BGPMUDSL        BGPXGTA
   ^BGPMUEHD            BGPXGMUH
   ^BGPMUEPD            BGPXGMUE
   DIRCHK^BGPUUTL2      |dd90241.02
   ^BGPX1               BGPXPOS
   ^BGPX1A              BGPX1
   ^BGPX1B              BGPX1
   ^BGPX1C              BGPX1
   ^BGPX1D              BGPX1
   ^BGPX1E              BGPX1

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 152

Routine              is Invoked by:
   ^BGPX1F              BGPX1
   ^BGPX1F2             BGPX1F
   ^BGPX1G              BGPX1
   ^BGPX1H              BGPX1
   ^BGPX1I              BGPX1
   ^BGPX1J              BGPX1
   ^BGPX1J2             BGPX1J
   ^BGPX1J3             BGPX1J
   ^BGPX1K              BGPX1
   ^BGPX1K2             BGPX1K
   ^BGPX1L              BGPX1
   ^BGPX1M              BGPX1
   ^BGPX1N              BGPX1
   ACEI^BGPXALG1        BGPXALG
   ARB^BGPXALG1         BGPXALG
   ASA^BGPXALG1         BGPXALG
   BETA^BGPXALG1        BGPXALG
```

```
   STATIN^BGPXALG2      BGPXALG
   EN^BGPXASL           BGPXDADB,BGPXDAR,BGPXDELA,BGPXDGPA
   GET^BGPXASL          BGPXGU
   ELD^BGPXASL1         BGPXASL
   NGR^BGPXASL1         BGPXASL
   ^BGPXBAN             |opt
   $$FV^BGPXBAN         BGPXDGPU,BGPXDH,BGPXDNG,BGPXGELD,BGPXGGPU,BGPXGNT9
                        BGPXGNTL,BGPXGNTS,BGPXPDL,BGPXPDLH,BGPXUTL
   $$GY^BGPXBAN         BGPXDL,BGPXDNG
   $$RPTVER^BGPXBAN     BGPXDCL,BGPXDCLD,BGPXDCLP,BGPXDGPU,BGPXDH,BGPXDH1
                        BGPXDICR,BGPXDLT,BGPXDMT,BGPXDPAW,BGPXDSTM,BGPXELH
                        BGPXELHH,BGPXNPL,BGPXNPLP,BGPXPCH,BGPXPDLH
   $$UFV^BGPXBAN        BGPXGLST,BGPXGU,BGPXLSTF,BGPXULF
   $$VER^BGPXBAN        BGPXASL,BGPXASL1,BGPXGUPL,BGPXULF,BGPXUTL
   EN^BGPXBLM           BGPXBLM
   FILE^BGPXBLM         BGPXBLM
   GUIR^BGPXBLM         BGPXGADB,BGPXGAEL,BGPXGAG9,BGPXGAGP,BGPXGAGS,BGPXGALL
                        BGPXGAPU,BGPXGCMP,BGPXGCOM,BGPXGDSH,BGPXGELD,BGPXGFO9
                        BGPXGFOR,BGPXGGPU,BGPXGIPC,BGPXGLHW,BGPXGLTX,BGPXGMTX
                        BGPXGMUE,BGPXGMUH,BGPXGNPL,BGPXGNST,BGPXGNT9,BGPXGNTL
                        BGPXGNTP,BGPXGNTS
                        BGPXGPP,BGPXGU
   VIEWD^BGPXBLM        BGPXBLM
   VIEWR^BGPXBLM        BGPXBLM
   ACEIALG1^BGPXC11     BGPXD722,BGPXD723,BGPXD732
   ARBALG1^BGPXC13      BGPXC11
   ACEI^BGPXCON1        BGPXCON
   ASA^BGPXCON1         BGPXCON
   STATIN^BGPXCON1      BGPXCON
   EP^BGPXCTL           BGPXCTS
   ^BGPXCTS             |opt

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 153

Routine              is Invoked by:
   INIT^BGPXCTS         BGPXGU
   GETMEDS^BGPXCU       BGPXC13
   $$ASAALLEG^BGPXCU1   BGPXD721
   ^BGPXD1              BGPXDAP,BGPXDCL,BGPXDEL,BGPXDGPU,BGPXDL,BGPXDNDB,BGPXDNG
                        BGPXDNGP,BGPXDNGS,BGPXDSTM,BGPXGALL,BGPXGCMP,BGPXGCOM
                        BGPXGDSH,BGPXGELD,BGPXGGPU,BGPXGLHW,BGPXGNPL,BGPXGNST
                        BGPXGNT9,BGPXGNTL,BGPXGNTP,BGPXGNTS,BGPXNPL
   $$DP^BGPXD1          BGPXD10
   $$FIRSTDM^BGPXD1     BGPXD10
   $$LOINC^BGPXD1       BGPXD10
   $$V1DM^BGPXD1        BGPXD10
   $$V2^BGPXD1          BGPXD10,BGPXD729
   $$V2DM^BGPXD1        BGPXD10,BGPXD211
   PROCCY^BGPXD1        BGPXDPA,BGPXDPAP
   V1DM^BGPXD1          BGPXD10
   V2^BGPXD1            BGPXD10
   V2DM^BGPXD1          BGPXD10
   ^BGPXD10             BGPXDGPU,BGPXDPP,BGPXGGPU,BGPXGPP
   $$GDEV^BGPXD2        BGPXD21A,BGPXD22,BGPXD41,BGPXD9,BGPXEL2
   $$HGBA1C^BGPXD2      BGPXD22,BGPXDPA1,BGPXPC1
   $$LOINC^BGPXD2       BGPXALG2,BGPXD722,BGPXD723,BGPXD841
   $$MEANBP^BGPXD2      BGPXD22,BGPXDPA1,BGPXEL2
   DMGC^BGPXD2          BGPXEL2
   $$BF^BGPXD21         BGPXCON1,BGPXD212,BGPXD213,BGPXD722,BGPXD723,BGPXD75
   $$DENTEXAM^BGPXD21   BGPXD85,BGPXPC3
   $$DNKA^BGPXD21       BGPXD213,BGPXDPA4
   $$EYE^BGPXD21        BGPXD22,BGPXPC1
```

```
   $$LOINC^BGPXD21     BGPXD212,BGPXD8,BGPXD811,BGPXD812,BGPXD83,BGPXD841
   $$TC^BGPXD21        BGPXPC3
   DMEYE^BGPXD21       BGPXEL2
   DMNA^BGPXD21        BGPXEL2
   I61^BGPXD21         BGPXDPA1
   $$DENTSRVD^BGPXD211 BGPXD21,BGPXD3,BGPXDPA2,BGPXEL2
   $$DMPVPL^BGPXD211   BGPXD1,BGPXD10
   $$DVADA^BGPXD211    BGPXDPA4
   $$ESRD^BGPXD211     BGPXD21,BGPXD212,BGPXD213,BGPXD22,BGPXD39,BGPXD9
                       BGPXDPA2,BGPXPC1
   $$GFR^BGPXD211      BGPXD21,BGPXD22,BGPXPC1
   $$QUANTUP^BGPXD211  BGPXD21,BGPXD22,BGPXPC1
   JVN^BGPXD211        BGPXD21
   $$ASCVDLDL^BGPXD212 BGPXD213
   $$PALL^BGPXD212     BGPXD213
   $$RHAB^BGPXD212     BGPXD213
   $$STATNMI^BGPXD212  BGPXD213
   STRC^BGPXD212       BGPXDPA4
   $$ALD^BGPXD213      BGPXD212
   $$EMP^BGPXD213      BGPXD28,BGPXD39
   $$FOOT^BGPXD213     BGPXD22,BGPXPC1

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 154

Routine             is Invoked by:
   $$STATALG^BGPXD213  BGPXD212
   CVD^BGPXD213        BGPXDPA4
   OPTOM^BGPXD213      BGPXD3B
   $$HOSPIND^BGPXD214  BGPXD212,BGPXD213,BGPXD39,BGPXD53,BGPXD74
   $$MRNDSTAT^BGPXD214 BGPXD212,BGPXD213
   $$STATIN^BGPXD214   BGPXD212,BGPXD213
   $$BLINDPL^BGPXD21A  BGPXD21,BGPXD22,BGPXEL2,BGPXPC1
   $$BPCPTD^BGPXD21A   BGPXD2
   $$EYEENUC^BGPXD21A  BGPXD21,BGPXD22,BGPXEL2,BGPXPC1
   $$HEPA^BGPXD21A     BGPXD212,BGPXD213
   $$HEPB^BGPXD21A     BGPXD212,BGPXD213
   $$ASSEV^BGPXD22     BGPXD28,BGPXD31,BGPXPC17
   $$BPCPT^BGPXD22     BGPXD2,BGPXD41,BGPXDPA1
   $$COPD^BGPXD22      BGPXD28,BGPXD39
   $$PERASTH^BGPXD22   BGPXD28
   $$PCV^BGPXD24       BGPXEL4
   $$TXPTED^BGPXD24    BGPXD73
   BNI^BGPXD24         BGPXD73,BGPXDPA4
   $$HIVDX^BGPXD24A    BGPXD33,BGPXD35,BGPXD38
   $$KEYSTI^BGPXD24A   BGPXD24
   $$DEP^BGPXD25       BGPXDPA2,BGPXDPA4
   $$DEPEDU^BGPXD25    BGPXDPA2,BGPXDPA4
   $$DEPSCR^BGPXD25    BGPXDPA2,BGPXDPA4
   DEPEP^BGPXD25       BGPXEL3
   $$AMP^BGPXD27       BGPXD22,BGPXPC1
   $$DEPSCRBH^BGPXD27  BGPXD25
   $$DEN7^BGPXD3       BGPXDPA1
   $$FLU^BGPXD3        BGPXD3B,BGPXDPA1,BGPXDPA4,BGPXEL3
   $$HPVPRIM^BGPXD3    BGPXDPA1
   $$LOINC^BGPXD3      BGPXD82
   $$PAP^BGPXD3        BGPXDPA1
   $$PAPHPVWH^BGPXD3   BGPXD31,BGPXPC8
   $$ANCONT^BGPXD31    BGPXD33,BGPXD34,BGPXD35,BGPXD36,BGPXD37,BGPXD38,BGPXD3A
                       BGPXD3B,BGPXD3D,BGPXD86,BGPXPC6,BGPXPC7
   $$ANEGCONT^BGPXD31  BGPXD38
   $$ANIMCONT^BGPXD31  BGPXD37,BGPXD3C
   $$ANNECONT^BGPXD31  BGPXD33
```

```
   $$HOSP^BGPXD31      BGPXEL31
   $$MMRCONT^BGPXD31   BGPXD33,BGPXD35,BGPXD811
   $$PAPHPV^BGPXD31    BGPXD3,BGPXDPA1
   $$SEV^BGPXD31       BGPXD28
   $$V2ASTH^BGPXD31    BGPXEL31
   $$IMMREF^BGPXD32    BGPXD35
   GETIMMS^BGPXD32     BGPXD33,BGPXD34,BGPXD35,BGPXD36,BGPXD37,BGPXD38,BGPXD811
                       BGPXD86
   I14^BGPXD32         BGPXDPA1
   $$MMR^BGPXD33       BGPXD32
   $$OPV^BGPXD33       BGPXD32

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 155

Routine             is Invoked by:
   $$DTAP^BGPXD34      BGPXD32
   RESET^BGPXD34       BGPXD341
   TEST^BGPXD341       BGPXD34
   $$HEP^BGPXD35       BGPXD32
   $$PNEUMO^BGPXD35    BGPXD32
   $$VAR^BGPXD35       BGPXD32
   $$AGE^BGPXD36       BGPXD3,BGPXDPA4
   $$ENCEPH^BGPXD36    BGPXD34
   $$HADWARF^BGPXD36   BGPXD39
   $$HPV^BGPXD36       BGPXD85
   $$IMMUNO^BGPXD36    BGPXD33,BGPXD35,BGPXD38
   $$INTUSS^BGPXD36    BGPXD37
   $$LYMPHO^BGPXD36    BGPXD33,BGPXD35,BGPXD38
   $$MEN^BGPXD36       BGPXD85
   $$SCID^BGPXD36      BGPXD37
   $$HEPA^BGPXD37      BGPXD32
   $$ROTA2^BGPXD37     BGPXD32
   $$ROTA3^BGPXD37     BGPXD32
   FLU^BGPXD37         BGPXD3
   $$HIB3^BGPXD38      BGPXD32
   $$HIB4^BGPXD38      BGPXD32
   $$INFLU^BGPXD38     BGPXD32
   $$DTAP^BGPXD3A      BGPXD3B,BGPXPC5
   $$DTAPTD^BGPXD3A    BGPXD3B,BGPXPC5
   $$GA^BGPXD3A        BGPXD21
   $$HIGHR^BGPXD3A     BGPXD3
   $$HIGHRP^BGPXD3A    BGPXD3B
   $$SEALDEV^BGPXD3A   BGPXD3
   $$TF^BGPXD3A        BGPXD3
   SEAL^BGPXD3A        BGPXD3
   SEALR^BGPXD3A       BGPXD3
   I13^BGPXD3B         BGPXD3,BGPXDPA4
   $$FIRSTPDX^BGPXD3C  BGPXD3B
   $$LASTVD^BGPXD3C    BGPXD3B
   $$PCV20^BGPXD3C     BGPXD3D
   $$PCV21^BGPXD3C     BGPXD3D
   $$PPSV23^BGPXD3C    BGPXD3D
   $$SHINGRIX^BGPXD3C  BGPXD3B,BGPXPC5
   $$UTDHRPN^BGPXD3D   BGPXD3B
   $$UTDPN^BGPXD3D     BGPXD3B,BGPXEL3,BGPXPC5
   $$MAM^BGPXD4        BGPXDPA1,BGPXEL3
   $$MAS^BGPXD4        BGPXDPA1,BGPXEL3
   BPCV^BGPXD41        BGPXEL3
   $$ALPED^BGPXD5      BGPXD55,BGPXDPA2
   $$DVDX^BGPXD5       BGPXDPA2
   $$DVEX^BGPXD5       BGPXDPA2
   $$DVPED^BGPXD5      BGPXDPA2
```

```
   DV^BGPXD5           BGPXEL3

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 156

Routine             is Invoked by:
   ICRSAMM^BGPXD51     BGPXDPA4
   $$EAPT^BGPXD52      BGPXD51
   DVDX^BGPXD54        BGPXD5
   $$ALDX^BGPXD55      BGPXDPA2
   ALSCRN^BGPXD55      BGPXD24,BGPXDPA2,BGPXDPA4
   $$BMI^BGPXD6        BGPXD52,BGPXD71,BGPXEL3
   $$BMIOR^BGPXD6      BGPXDPA2
   $$OB^BGPXD6         BGPXD71,BGPXDPA2,BGPXEL3
   $$OW^BGPXD6         BGPXD71,BGPXDPA2,BGPXEL3
   $$REF^BGPXD6        BGPXEL3
   $$COLO^BGPXD62      BGPXDPA2
   $$CRC^BGPXD62       BGPXDPA2,BGPXEL3
   $$CT^BGPXD62        BGPXDPA2
   $$FIT^BGPXD62       BGPXDPA2
   $$FOB^BGPXD62       BGPXDPA2
   $$SIG^BGPXD62       BGPXDPA2
   CRCP^BGPXD62        BGPXEL3
   $$CPTSM^BGPXD7      BGPXD713
   $$DENT^BGPXD7       BGPXD713
   $$DX^BGPXD7         BGPXD713
   $$DXS^BGPXD7        BGPXD713
   $$DXSL^BGPXD7       BGPXD713
   $$DXU^BGPXD7        BGPXD713
   $$LASTHF^BGPXD7     BGPXD712,BGPXD76
   $$PED^BGPXD7        BGPXD713
   $$PREG^BGPXD7       BGPXD21,BGPXD3B,BGPXD8,BGPXD841,BGPXDPA2
   TA^BGPXD7           BGPXEL3
   $$MEDNUTRD^BGPXD711 BGPXD71
   $$OTHREL^BGPXD711   BGPXD71
   $$PED^BGPXD711      BGPXD76,BGPXDPA2
   $$SPECEX^BGPXD711   BGPXD71
   $$SPECNUTR^BGPXD711 BGPXD71
   $$TOBHF^BGPXD712    BGPXD7,BGPXD713
   PREGSCRN^BGPXD713   BGPXD7
   PREG^BGPXD714       BGPXD7
   $$PREG^BGPXD715     BGPXCON1,BGPXD52,BGPXD53,BGPXD722,BGPXD723,BGPXD73
                       BGPXD75,BGPXD9
   $$AMA^BGPXD72       BGPXD87
   $$BETAALG1^BGPXD72  BGPXD75
   $$EXPIRED^BGPXD72   BGPXD87
   $$TRANS^BGPXD72     BGPXD87
   $$ASAALLEG^BGPXD721 BGPXD75
   $$BETACONT^BGPXD721 BGPXD75
   $$ACEALG^BGPXD722   BGPXD75
   $$STATALG^BGPXD722  BGPXD75
   $$STATCON^BGPXD722  BGPXD75
   BETACONT^BGPXD724   BGPXCON,BGPXD721
   $$CHD^BGPXD729      BGPXD25,BGPXD41

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 157

Routine             is Invoked by:
   ALLHF^BGPXD76       BGPXD3A,BGPXD712
   TOBFOR^BGPXD76      BGPXDPA2
   $$HIVDX1^BGPXD8     BGPXD812
   $$HIVTEST^BGPXD8    BGPXD24A
   IE2^BGPXD8          BGPXDPA2
```

```
   $$VAPI^BGPXD81       BGPXD721,BGPXD75,BGPXD91
   $$ART^BGPXD811       BGPXD8
   $$PCR^BGPXD811       BGPXD8
   $$CD4^BGPXD812       BGPXD8
   $$HIVTEST1^BGPXD812 BGPXD8
   $$ALCSCRN^BGPXD81A  BGPXD81
   $$ALCTAPS^BGPXD81A  BGPXD81
   $$ALDX^BGPXD81A      BGPXD81
   $$DAYS^BGPXD82       BGPXD214,BGPXD52,BGPXD721,BGPXD722,BGPXD723,BGPXD732
   $$SUBTAPS^BGPXD82   BGPXD81
   $$CD4RES^BGPXD841   BGPXD8
   $$TDAP^BGPXD86       BGPXD85
   $$LASTBP^BGPXD9      BGPXDPA2
   $$MHHTN^BGPXD9       BGPXDPA2
   ^BGPXDADB            |opt
   ^BGPXDAP             |opt
   ^BGPXDAR             |opt
   SUMONLY^BGPXDAR      |opt
   ^BGPXDBPR            BGPXDP
   AREA^BGPXDBPR        BGPXPARP
   PRINTN^BGPXDBPR      BGPXDP
   CALCIND^BGPXDCEI     BGPXD1
   CALCIND^BGPXDCI      BGPXD1,BGPXD10
   ^BGPXDCL             |opt
   $$LAST^BGPXDCLP      BGPXDCLD
   CPPL1^BGPXDCLP       BGPXDP
   ^BGPXDEL             |opt
   ^BGPXDELP            BGPXDEL
   PRINT1^BGPXDELP      BGPXPHEL
   EN^BGPXDESI          BGPXDEL
   EN^BGPXDESL          BGPXDEL
   PT^BGPXDESL          BGPXDEL,BGPXDELA
   RT^BGPXDESL          BGPXDEL
   ^BGPXDGPA            |opt
   ^BGPXDGPU            |opt
   ENDDATE^BGPXDGPU     BGPXDADB,BGPXDAP,BGPXDAR,BGPXDL,BGPXDNDB,BGPXDPP
                        BGPXUTL3
   ^BGPXDH              BGPXDBPR,BGPXDP
   $$CTR^BGPXDH         BGPXDH1,BGPXELHH
   $$USR^BGPXDH         BGPXDH1
   AREACP^BGPXDH        BGPXDBPR,BGPXPARP,BGPXPARQ
   ENDTIME^BGPXDH       BGPXDH1
   EOP^BGPXDH           BGPXLSTF,BGPXULF

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 158

Routine             is Invoked by:
   HDR^BGPXDH           BGPXDH1,BGPXDH2
   MD^BGPXDH            BGPXDH1
   PD^BGPXDH            BGPXDH1
   SENS^BGPXDH          BGPXDH1,BGPXDPAP,BGPXDPAW,BGPXELH
   AHDR^BGPXDH1         BGPXDH,BGPXDH2
   ALLHDR^BGPXDH1       BGPXDH
   AREACP^BGPXDH1       BGPXDBPR,BGPXDH
   COMHDR^BGPXDH1       BGPXDH
   GPRAHDRS^BGPXDH1     BGPXDH
   GPUPPHDR^BGPXDH1     BGPXDH
   PPHDR^BGPXDH1        BGPXDH
   DASH^BGPXDH2         BGPXDH
   DASHHDRA^BGPXDH2     BGPXDH1
   GPRAHDRA^BGPXDH2     BGPXDH1
   ^BGPXDICR            |opt
```

```
   ^BGPXDL              |opt
   CHKY^BGPXDL          BGPXUTL3
   PI^BGPXDL            BGPXGALL,BGPXGCOM,BGPXGPP
   CRS^BGPXDLT          |opt
   ELDER^BGPXDLT        |opt
   GPRA^BGPXDLT         |opt
   IPC^BGPXDLT          |opt
   CRS^BGPXDMT          |opt
   ELDER^BGPXDMT        |opt
   GPRA^BGPXDMT         |opt
   IPC^BGPXDMT          |opt
   ^BGPXDNDB            |opt
   ^BGPXDNG             |opt
   ^BGPXDNGP            |opt
   ^BGPXDNGS            |opt
   ^BGPXDP              BGPXDAP,BGPXDCL,BGPXDGPU,BGPXDL,BGPXDNDB,BGPXDNG
                        BGPXDNGP,BGPXDNGS,BGPXDPP,BGPXDSTM,BGPXNPL,BGPXPCD
   PRINT1^BGPXDP        BGPXPARP,BGPXPARQ
   SETEXCEL^BGPXDP      BGPXPARP,BGPXPARQ
   W^BGPXDP             BGPXDBPR,BGPXDCLP,BGPXDH,BGPXDH1,BGPXDH2,BGPXDP,BGPXDP1C
                        BGPXDP1H,BGPXDP1I,BGPXDP1J,BGPXDP1K,BGPXDP1L,BGPXDP1M
                        BGPXDP1N,BGPXDP1O,BGPXDP1S,BGPXDP1T,BGPXDPH,BGPXDS
                        BGPXDSP,BGPXDSPD,BGPXDSPN,BGPXDSTM,BGPXELH,BGPXELHH
                        BGPXNPLP,BGPXPARP
                        BGPXPCH,BGPXSDP,BGPXSDPD,BGPXSDPN
   WTITLE^BGPXDP        BGPXDS,BGPXNPLP
   PI^BGPXDP1           BGPXDP2
   I1AGE^BGPXDP11       BGPXDP1C
   I1AGE^BGPXDP12       BGPXDP1
   I1AGE^BGPXDP13       BGPXDP1
   I1AGE^BGPXDP14       BGPXDP1
   I1AGE^BGPXDP1A       BGPXDP1
   $$SB^BGPXDP1C        BGPXDP1E

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 159

Routine              is Invoked by:
   $$V^BGPXDP1C         BGPXDBPR,BGPXDP11,BGPXDP12,BGPXDP13,BGPXDP14,BGPXDP19
                        BGPXDP1A,BGPXDP1C,BGPXDP1H,BGPXDP1L,BGPXDP1M,BGPXDP1N
                        BGPXDP1O,BGPXDP1S,BGPXDP1T,BGPXDP2,BGPXDP3,BGPXDP4
                        BGPXDP5,BGPXDP50,BGPXDP51,BGPXDP6,BGPXDP60,BGPXDP7
                        BGPXDP8,BGPXPD19,BGPXPDL0
                        BGPXPDL1,BGPXPDL2,BGPXPDL3,BGPXPDL4,BGPXPDL5,BGPXPDL7
                        BGPXPDL8,BGPXPDL9,BGPXPDLA,BGPXPDLB,BGPXPDLE,BGPXPDLL
                        BGPXPDLT,BGPXPDPA,BGPXPDPB
   GPRANT1^BGPXDP1C     BGPXDP19,BGPXPD19
   I1AGE^BGPXDP1C       BGPXDP1
   PI^BGPXDP1C          BGPXDP1,BGPXDP1O,BGPXDP3,BGPXDP4,BGPXDP5,BGPXDP6
   PI1^BGPXDP1C         BGPXDP4,BGPXDP5
   SETEXA^BGPXDP1C      BGPXDP19,BGPXDP1H,BGPXDP1T,BGPXDP2,BGPXDP3,BGPXDP7
                        BGPXPD19,BGPXPDL1,BGPXPDL2,BGPXPDL3
   SETN^BGPXDP1C        BGPXDP2,BGPXDP3,BGPXDP7,BGPXPDL1,BGPXPDL2,BGPXPDL3
   SETN1^BGPXDP1C       BGPXDP1H,BGPXDP1T
   GPRANT3^BGPXDP1D     BGPXDP1C
   $$CHECK^BGPXDP1E     BGPXDP1C,BGPXDP2,BGPXDP3,BGPXPDL1,BGPXPDL2,BGPXPDL3
   SETDEV^BGPXDP1E      BGPXDP1C
   DEVEL3^BGPXDP1G      BGPXDP1D
   AH^BGPXDP1H          BGPXDP1I,BGPXDP1K
   BL^BGPXDP1I          BGPXDP1J
   PR^BGPXDP1I          BGPXDP1J
   SNDPG^BGPXDP1I       BGPXDP1H
   I1AGEP^BGPXDP1J      BGPXDP1H
```

```
   BL^BGPXDP1K          BGPXDP1I
   ^BGPXDP1L            BGPXDP1,BGPXPDL1
   ^BGPXDP1O            BGPXDP1,BGPXPDL1
   ^BGPXDP1S            BGPXDP1,BGPXPDL1
   ^BGPXDP1T            BGPXDP1S
   PI^BGPXDP2           BGPXDP1
   PI1^BGPXDP2          BGPXDP1C
   SETSUM^BGPXDP2       BGPXPDL2
   I1AGEP^BGPXDP50      BGPXDP5,BGPXDP51
   I1AGEP^BGPXDP60      BGPXDP6
   ^BGPXDPA             |opt
   COVPAGE^BGPXDPA      |opt
   PROC^BGPXDPA         BGPXDPA,BGPXGFOR
   $$TITLE^BGPXDPA1     BGPXDPA4
   $$TITLE2^BGPXDPA1    BGPXDPA1
   ISS^BGPXDPA1         BGPXD1
   $$TITLE^BGPXDPA2     BGPXDPA4
   $$DENTSRVD^BGPXDPA4 BGPXDPA1
   $$EYE^BGPXDPA4       BGPXDPA1
   PRINT^BGPXDPAW       BGPXDPA
   H1^BGPXDPH           BGPXDP1,BGPXDP1C,BGPXDP1O,BGPXDP2,BGPXDP4,BGPXDP5
                        BGPXDP6,BGPXELP1
   H10^BGPXDPH          BGPXDP14

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 160

Routine              is Invoked by:
   H2^BGPXDPH           BGPXDP1C,BGPXELP1
   H3^BGPXDPH           BGPXDP11
   H4^BGPXDPH           BGPXDP12,BGPXDP13,BGPXDP1A
   H9^BGPXDPH           BGPXDP19
   HEADER^BGPXDPH       BGPXDBPR,BGPXDELP,BGPXDP,BGPXDP1,BGPXDP11,BGPXDP12
                        BGPXDP13,BGPXDP14,BGPXDP19,BGPXDP1A,BGPXDP1C,BGPXDP1H
                        BGPXDP1I,BGPXDP1J,BGPXDP1K,BGPXDP1L,BGPXDP1M,BGPXDP1N
                        BGPXDP1O,BGPXDP1S,BGPXDP1T,BGPXDP2,BGPXDP3,BGPXDP4
                        BGPXDP5,BGPXDP50,BGPXDP51
                        BGPXDP6,BGPXDP60,BGPXDP8,BGPXDS,BGPXDSP,BGPXDSPD
                        BGPXDSPN,BGPXDSTM,BGPXEL10,BGPXEL11,BGPXEL12,BGPXEL13
                        BGPXEL15,BGPXEL16,BGPXEL17,BGPXEL18,BGPXEL19,BGPXEL1A
                        BGPXEL1B,BGPXEL1C,BGPXEL1D,BGPXEL1E,BGPXEL1F,BGPXEL1G
                        BGPXEL1I,BGPXEL1J,BGPXEL1K
                        BGPXEL1L,BGPXEL1O,BGPXEL1P,BGPXEL1Q,BGPXEL1R,BGPXEL1S
                        BGPXEL1T,BGPXELP1,BGPXELS,BGPXPDLT,BGPXSDP,BGPXSDPD
                        BGPXSDPN
   HPA^BGPXDPH          BGPXPDLT
   ^BGPXDPP             |opt
   ^BGPXDS              BGPXDP
   EN^BGPXDSI           BGPXDAP,BGPXDL,BGPXDPP,BGPXDSTM,BGPXNPL
   EN^BGPXDSL           BGPXDAP,BGPXDL,BGPXDPP
   PT^BGPXDSL           BGPXDADB,BGPXDAP,BGPXDAR,BGPXDCL,BGPXDGPA,BGPXDGPU
                        BGPXDL,BGPXDNDB,BGPXDNG,BGPXDNGP,BGPXDNGS,BGPXDPP
                        BGPXDSTM,BGPXNPL,BGPXPCD
   RT^BGPXDSL           BGPXDAP,BGPXDCL,BGPXDL,BGPXDPP,BGPXDSTM,BGPXNPL
   TEXT^BGPXDSL         BGPXDAP,BGPXDAR,BGPXDCL,BGPXDEL,BGPXDELA,BGPXDGPA
                        BGPXDGPU,BGPXDL,BGPXDNG,BGPXDNGP,BGPXDPP,BGPXNPL,BGPXPCD
   ^BGPXDSP             BGPXDP
   ^BGPXDSPD            BGPXDP
   ^BGPXDSPN            BGPXDP
   ^BGPXDSTM            |opt
   CT^BGPXDSTM          BGPXDP
   $$CPT^BGPXDU         BGPXD21,BGPXD211,BGPXD212,BGPXD213,BGPXD214,BGPXD22
                        BGPXD25,BGPXD27,BGPXD3,BGPXD37,BGPXD3A,BGPXD3C,BGPXD3D
```

```
                        BGPXD4,BGPXD52,BGPXD53,BGPXD62,BGPXD7,BGPXD711,BGPXD714
                        BGPXD74,BGPXD812,BGPXD82,BGPXD83,BGPXD841,BGPXD85
                        BGPXD87,BGPXD9,BGPXDPA4
                        BGPXPC1,BGPXPC10,BGPXPC11,BGPXPC14,BGPXPC16,BGPXPC4
                        BGPXPC8,BGPXPC9
   $$CPTI^BGPXDU        BGPXC13,BGPXCON1,BGPXD2,BGPXD211,BGPXD214,BGPXD3A
                        BGPXD3B,BGPXD711,BGPXD724,BGPXD732,BGPXD811,BGPXDPA4
   $$IPLSNOID^BGPXDU    BGPXD212,BGPXD54,BGPXD55,BGPXD7,BGPXD81A
   $$IPLSNOND^BGPXDU    BGPXCON1,BGPXD2,BGPXD211,BGPXD213,BGPXD21A,BGPXD22
                        BGPXD27,BGPXD3,BGPXD33,BGPXD35,BGPXD36,BGPXD37,BGPXD4
                        BGPXD62,BGPXD722,BGPXD724,BGPXD75,BGPXD811,BGPXEL2
                        BGPXPC10,BGPXPC12,BGPXPC13,BGPXPC16,BGPXPC2,BGPXPC6
                        BGPXPC62,BGPXPC64,BGPXPC65

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 161

Routine             is Invoked by:
   $$IPLSNOND^BGPXDU    BGPXPC67,BGPXPC68,BGPXPC69,BGPXPC8
   $$LASTITEM^BGPXDU    BGPXD25,BGPXD3A,BGPXD4,BGPXPC1,BGPXPC11,BGPXPC14
                        BGPXPC15,BGPXUTL2
   $$PL^BGPXDU          BGPXD212,BGPXD213,BGPXD9
   $$PLSNONDR^BGPXDU    BGPXD1,BGPXD2,BGPXD212,BGPXD214,BGPXD841,BGPXEL2
   $$PLTAXID^BGPXDU     BGPXD212,BGPXD54,BGPXD55,BGPXD81A
   $$PLTAXND^BGPXDU     BGPXCON1,BGPXD2,BGPXD211,BGPXD213,BGPXD21A,BGPXD22
                        BGPXD27,BGPXD3,BGPXD33,BGPXD35,BGPXD36,BGPXD37,BGPXD4
                        BGPXD62,BGPXD722,BGPXD724,BGPXD73,BGPXD75,BGPXD811
                        BGPXEL2,BGPXPC10,BGPXPC12,BGPXPC13,BGPXPC16,BGPXPC2
                        BGPXPC6,BGPXPC62,BGPXPC64
                        BGPXPC65,BGPXPC67,BGPXPC68,BGPXPC69,BGPXPC8
   $$PLTAXNDR^BGPXDU    BGPXD1,BGPXD2,BGPXD212,BGPXD841,BGPXEL2
   $$RAD^BGPXDU         BGPXD53
   $$TRAN^BGPXDU        BGPXD21,BGPXD211,BGPXD22,BGPXD3,BGPXD37,BGPXD3C,BGPXD3D
                        BGPXD4,BGPXD53,BGPXD62,BGPXD714,BGPXD812,BGPXD82,BGPXD83
                        BGPXD841,BGPXDPA4,BGPXPC10,BGPXPC14,BGPXPC4,BGPXPC8
                        BGPXPC9
   $$TRANI^BGPXDU       BGPXC13,BGPXCON1,BGPXD2,BGPXD211,BGPXD711,BGPXD724
                        BGPXD732,BGPXD811
   $$WH^BGPXDU          BGPXD3,BGPXD4,BGPXPC8
   ALLCPT^BGPXDU        BGPXD24,BGPXD31,BGPXPC8
   PAUSE^BGPXDU         BGPXDAP,BGPXDCL,BGPXDEL,BGPXDGPU,BGPXDL,BGPXDNDB,BGPXDNG
                        BGPXDNGP,BGPXDNGS,BGPXDPA,BGPXDPP,BGPXDSI,BGPXDSTM
                        BGPXNPL,BGPXPCD
   I1AGE^BGPXEL10       BGPXELP1
   I1AGE^BGPXEL11       BGPXELP1
   H3^BGPXEL12          BGPXEL13
   I1AGE^BGPXEL12       BGPXELP1
   I1AGE^BGPXEL13       BGPXELP1
   I1AGE^BGPXEL15       BGPXELP1
   I1AGE^BGPXEL16       BGPXELP1
   I1AGE^BGPXEL17       BGPXELP1
   I1AGE^BGPXEL18       BGPXELP1
   I1AGE^BGPXEL19       BGPXELP1
   I1AGE^BGPXEL1A       BGPXELP1
   I1AGE^BGPXEL1B       BGPXELP1
   I1AGE^BGPXEL1C       BGPXELP1
   I1AGE^BGPXEL1D       BGPXELP1
   I1AGE^BGPXEL1E       BGPXELP1
   I1AGE^BGPXEL1F       BGPXELP1
   I1AGE^BGPXEL1G       BGPXELP1
   I1AGE^BGPXEL1I       BGPXELP1
   I1AGE^BGPXEL1J       BGPXELP1
   I1AGE^BGPXEL1K       BGPXELP1
```

```
   IELDPHA^BGPXEL1L    BGPXELP1
   I1AGE^BGPXEL1O      BGPXELP1
   H3^BGPXEL1P         BGPXEL1Q,BGPXEL1R

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 162

Routine             is Invoked by:
   I1AGE^BGPXEL1P      BGPXELP1
   ^BGPXEL1Q           BGPXEL1P
   ^BGPXEL1R           BGPXEL1Q
   ^BGPXEL1T           BGPXELP1
   IELDASA^BGPXEL31    BGPXEL3
   IELDFSA^BGPXEL31    BGPXEL3
   IELDPHA^BGPXEL31    BGPXEL3
   $$FUNCTION^BGPXEL4  BGPXEL31
   $$PHNV^BGPXEL4      BGPXEL31
   ^BGPXELH            BGPXDELP
   AREACP^BGPXELH      BGPXPHEL
   ^BGPXELHH           BGPXELL
   ^BGPXELL            BGPXDELP,BGPXPHEL
   SETN^BGPXELL1       BGPXELLN
   $$SB^BGPXELL2       BGPXELL1,BGPXELL4,BGPXELL6,BGPXELL7,BGPXELL8,BGPXELL9
                       BGPXELLA,BGPXELLB,BGPXELLC,BGPXELLD,BGPXELLE,BGPXELLF
                       BGPXELLG,BGPXELLH,BGPXELLI,BGPXELLK,BGPXELLL,BGPXELLM
                       BGPXELLN,BGPXELLQ,BGPXELLR,BGPXELLS,BGPXELLT,BGPXELLU
                       BGPXELLW,BGPXELLX
                       BGPXELLY
   H2^BGPXELL2         BGPXELL1
   H3^BGPXELL2         BGPXELL3,BGPXELL4,BGPXELL6,BGPXELL7,BGPXELL8,BGPXELL9
                       BGPXELLA,BGPXELLB,BGPXELLC,BGPXELLD,BGPXELLE,BGPXELLF
                       BGPXELLG,BGPXELLI,BGPXELLK,BGPXELLL,BGPXELLM,BGPXELLW
   I1AGE^BGPXELL2      BGPXELL1
   I1AGE^BGPXELL3      BGPXELL1
   I1AGE^BGPXELL4      BGPXELL1
   I1AGE^BGPXELL6      BGPXELL1
   I1AGE^BGPXELL7      BGPXELL1
   I1AGE^BGPXELL8      BGPXELL1
   I1AGE^BGPXELL9      BGPXELL1
   I1AGE^BGPXELLA      BGPXELL1
   I1AGE^BGPXELLB      BGPXELL1
   I1AGE^BGPXELLC      BGPXELL1
   I1AGE^BGPXELLD      BGPXELL1
   I1AGE^BGPXELLE      BGPXELL1
   I1AGE^BGPXELLF      BGPXELL1
   I1AGE^BGPXELLG      BGPXELL1
   I1AGE^BGPXELLH      BGPXELL1
   I1AGE^BGPXELLI      BGPXELL1
   I1AGE^BGPXELLK      BGPXELL1
   I1AGE^BGPXELLL      BGPXELL1
   I1AGE^BGPXELLM      BGPXELL1
   IELDPHA^BGPXELLN    BGPXELL1
   I1AGEP^BGPXELLQ     BGPXELL3
   I1AGE^BGPXELLR      BGPXELL1
   I1AGE^BGPXELLS      BGPXELL1
   I1AGEP^BGPXELLT     BGPXELLS

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 163

Routine             is Invoked by:
   ^BGPXELLU           BGPXELLT
   I1AGE^BGPXELLX      BGPXELL1
   I1AGEP^BGPXELLY     BGPXELLE
```

```
   SETN^BGPXELP1        BGPXEL1L
   ^BGPXELS             BGPXDELP
   ^BGPXELSL            BGPXELL
   GETIEN^BGPXEUTL      BGPXGUPL
   REPORT^BGPXEUTL      BGPXDEL,BGPXGELD
   STMP^BGPXEUTL        BGPXDCEI
   EP^BGPXGADB          BGPXGRB
   EP^BGPXGAG9          BGPXGRA
   EP^BGPXGAGP          BGPXGRA
   EP^BGPXGAGS          BGPXGRA
   EP^BGPXGALL          BGPXGR
   EP^BGPXGAPU          BGPXGRA
   EP^BGPXGCMP          BGPXGR2
   EP^BGPXGCOM          BGPXGR
   EP^BGPXGDSH          BGPXGR2
   EP^BGPXGELD          BGPXGR1
   EP^BGPXGFO9          BGPXGRB
   EP^BGPXGFOR          BGPXGRB
   EP^BGPXGGPU          BGPXGR
   EP^BGPXGLST          BGPXGU
   EP^BGPXGLTX          BGPXGU
   EP^BGPXGMTX          BGPXGU
   EP^BGPXGMUE          BGPXGM
   EP^BGPXGMUH          BGPXGM
   EP^BGPXGNPL          BGPXGR,BGPXGRA
   EP^BGPXGNST          BGPXGR
   EP^BGPXGNT9          BGPXGR1
   EP^BGPXGNTL          BGPXGR
   EP^BGPXGNTP          BGPXGR1
   EPSUM^BGPXGNTS       BGPXGR1
   EP^BGPXGPP           BGPXGR
   CATSTR^BGPXGR        BGPXGIPC,BGPXGR1,BGPXGRA
   ELD^BGPXGR1          BGPXGR
   CATSTR^BGPXGU        BGPXGRB
   $$CHKFQT^BGPXGUA     BGPXGU
   UPLOG^BGPXGUA        BGPXGADB,BGPXGAEL,BGPXGAG9,BGPXGAGP,BGPXGAGS,BGPXGALL
                        BGPXGAPU,BGPXGCMP,BGPXGCOM,BGPXGDSH,BGPXGELD,BGPXGFO9
                        BGPXGFOR,BGPXGGPU,BGPXGIPC,BGPXGLHW,BGPXGLST,BGPXGLTX
                        BGPXGMTX,BGPXGMUE,BGPXGMUH,BGPXGNPL,BGPXGNST,BGPXGNT9
                        BGPXGNTL,BGPXGNTP
                        BGPXGNTS,BGPXGPP
   EP^BGPXGUPL          BGPXGU
   ^BGPXLSTF            |opt
   ^BGPXNPL             |opt
   NPL1^BGPXNPLP        BGPXDP

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 164

Routine             is Invoked by:
   PRINT^BGPXPARP       BGPXDADB,BGPXDAR,BGPXDGPA
   ^BGPXPC1             BGPXGIPC,BGPXPCD
   $$PALLCARE^BGPXPC13 BGPXPC14
   $$PREG^BGPXPC16      BGPXPC15
   $$FRAILTY^BGPXPC2    BGPXPC10,BGPXPC16,BGPXPC9
   $$FRAILTY2^BGPXPC2   BGPXPC10,BGPXPC16,BGPXPC9
   $$FTOF^BGPXPC2       BGPXPC15
   $$HOSPIND^BGPXPC2    BGPXPC10,BGPXPC15,BGPXPC16,BGPXPC6,BGPXPC8,BGPXPC9
   $$LONGTERM^BGPXPC2   BGPXPC10,BGPXPC16,BGPXPC9
   $$IPV^BGPXPC61       BGPXPC6
   $$MMR^BGPXPC62       BGPXPC6
   $$HIB^BGPXPC63       BGPXPC6
   $$HEPB^BGPXPC64      BGPXPC6
```

```
   $$DIS^BGPXPC65       BGPXPC62
   $$HIV^BGPXPC65       BGPXPC62
   $$MNLHT^BGPXPC65     BGPXPC62
   $$VZV^BGPXPC65       BGPXPC6
   $$PNEUMO^BGPXPC66    BGPXPC6
   $$HEPA^BGPXPC67      BGPXPC6
   $$ROTA^BGPXPC68      BGPXPC6
   $$FLU^BGPXPC69       BGPXPC6
   CALCIND^BGPXPCCI     BGPXPC1
   ^BGPXPCD             |opt
   EN^BGPXPCSI          BGPXPCD
   EN^BGPXPCSL          BGPXPCD
   RT^BGPXPCSL          BGPXPCD
   ^BGPXPCTX            |opt
   TAXCHK^BGPXPCTX      BGPXPCD
   JRNL^BGPXPCUT        BGPXPC1
   I1AGE^BGPXPD19       BGPXPDL1
   ALLHDR^BGPXPDH1      BGPXPDLH
   COMHDR^BGPXPDH1      BGPXPDLH
   DENOMHDR^BGPXPDH1    BGPXPDLH
   GPRAHDRS^BGPXPDH1    BGPXPDLH
   PPHDR^BGPXPDH1       BGPXPDLH
   SAVEDEL^BGPXPDL      BGPXDBPR,BGPXDP,BGPXPARP,BGPXPARQ
   $$SB^BGPXPDL1        BGPXD6,BGPXEL3
   H1^BGPXPDL1          BGPXDP1O,BGPXPDL0,BGPXPDL2,BGPXPDL3,BGPXPDL4,BGPXPDL7
   PI^BGPXPDL1          BGPXDP1O,BGPXPDL0,BGPXPDL2,BGPXPDL3,BGPXPDL4,BGPXPDL7
   PI1^BGPXPDL1         BGPXPDL4,BGPXPDL7
   SETN^BGPXPDL1        BGPXPDL0
   PI^BGPXPDL2          BGPXPDL1
   PI1^BGPXPDL2         BGPXPDL1
   PTED2^BGPXPDL2       BGPXPDL1
   PTED3^BGPXPDL2       BGPXPDL1
   I1AGEP^BGPXPDL5      BGPXPDL0
   I1AGEP^BGPXPDL8      BGPXPDL7
   I1AGE^BGPXPDL9       BGPXPDL1

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 165

Routine             is Invoked by:
   I1AGE^BGPXPDLA       BGPXPDL1
   I1AGE^BGPXPDLB       BGPXPDL1
   I1AGE^BGPXPDLE       BGPXPDL1
   I1AGE^BGPXPDLT       BGPXDP1
   I1AGE^BGPXPDPA       BGPXPDL1
   I1AGE^BGPXPDPB       BGPXPDL1
   PRINT^BGPXPHEL       BGPXDELA
   DRUGS^BGPXPOS1       BGPXPOS
   LAB^BGPXPOS1         BGPXPOS
   PRE^BGPXPOS2         BGPXPOS
   ACEI^BGPXREF1        BGPXREF
   ARB^BGPXREF1         BGPXREF
   ASA^BGPXREF1         BGPXREF
   BETA^BGPXREF1        BGPXREF
   STATIN^BGPXREF1      BGPXREF
   ^BGPXSDP             BGPXDP
   ^BGPXSDPD            BGPXDP
   ^BGPXSDPN            BGPXDP
   ^BGPXULF             |opt
   $$D^BGPXUTL          BGPXDAR,BGPXGAG9,BGPXGAGP,BGPXGLHW
   $$DATE^BGPXUTL       BGPXALG1,BGPXALG2,BGPXASL,BGPXASL1,BGPXC11,BGPXC13
                        BGPXCON1,BGPXCU,BGPXCU1,BGPXD2,BGPXD21,BGPXD211,BGPXD212
                        BGPXD213,BGPXD214,BGPXD22,BGPXD24,BGPXD24A,BGPXD25
```

```
                        BGPXD27,BGPXD28,BGPXD3,BGPXD31,BGPXD39,BGPXD3A,BGPXD3B
                        BGPXD3D,BGPXD4,BGPXD5
                        BGPXD51,BGPXD52,BGPXD53,BGPXD54,BGPXD55,BGPXD5A,BGPXD6
                        BGPXD62,BGPXD7,BGPXD71,BGPXD712,BGPXD713,BGPXD714
                        BGPXD715,BGPXD72,BGPXD721,BGPXD722,BGPXD723,BGPXD724
                        BGPXD73,BGPXD732,BGPXD74,BGPXD75,BGPXD76,BGPXD8,BGPXD81
                        BGPXD811,BGPXD812
                        BGPXD81A,BGPXD82,BGPXD83,BGPXD84,BGPXD841,BGPXD85
                        BGPXD862,BGPXD87,BGPXD89,BGPXD9,BGPXD91,BGPXDCLP,BGPXDP
                        BGPXDPA1,BGPXDPA2,BGPXDPA4,BGPXDPAP,BGPXDPAW,BGPXDS
                        BGPXEL2,BGPXEL3,BGPXEL31,BGPXEL4,BGPXELS,BGPXNPLP
                        BGPXPC1,BGPXPC10,BGPXPC11
                        BGPXPC12,BGPXPC13,BGPXPC14,BGPXPC15,BGPXPC16,BGPXPC17
                        BGPXPC2,BGPXPC3,BGPXPC4,BGPXPC6,BGPXPC8,BGPXPC9,BGPXREF1
                        BGPXUTL2
   $$EDT^BGPXUTL        BGPXDS,BGPXELSL,BGPXNPLP
   $$LZERO^BGPXUTL      BGPXDAR,BGPXGAG9,BGPXGAGP
   $$MD^BGPXUTL         BGPXD3,BGPXD3B,BGPXD4,BGPXD62,BGPXD9,BGPXDPA1
   $$RZERO^BGPXUTL      BGPXD2,BGPXDAR,BGPXGAG9,BGPXGAGP,BGPXGLHW,BGPXPC2
   GETIEN^BGPXUTL       BGPXGUPL,BGPXULF
   GNT1^BGPXUTL         BGPXDAR,BGPXGAG9,BGPXGAGP,BGPXGAGS
   GS^BGPXUTL           BGPXDGPU,BGPXDNG,BGPXGGPU,BGPXGNT9,BGPXGNTL
   JRNL^BGPXUTL         BGPXD1,BGPXD10,BGPXDPA,BGPXDPAP
   REPORT^BGPXUTL       BGPXDAP,BGPXDCL,BGPXDGPU,BGPXDL,BGPXDNDB,BGPXDNG
                        BGPXDNGP,BGPXDNGS,BGPXDPP,BGPXDSTM,BGPXGALL,BGPXGCMP
                        BGPXGCOM,BGPXGDSH,BGPXGGPU,BGPXGIPC,BGPXGLHW,BGPXGNPL
                        BGPXGNST,BGPXGNT9,BGPXGNTL,BGPXGNTP,BGPXGNTS,BGPXGPP
                        BGPXNPL,BGPXPCD

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 166

Routine             is Invoked by:
   STMP^BGPXUTL         BGPXDCI,BGPXPCCI
   XTMP^BGPXUTL         BGPXD1,BGPXPC1
   $$CPTREFT^BGPXUTL1   BGPXD24A,BGPXD3,BGPXD34,BGPXD35,BGPXD37,BGPXD38,BGPXD3C
                        BGPXD3D,BGPXD4,BGPXD53,BGPXD62
   $$FIRSTCPT^BGPXUTL1 BGPXD3C,BGPXD841
   $$LABEL^BGPXUTL1     BGPXDP1C,BGPXDP2,BGPXDP3,BGPXDP7,BGPXPDL1,BGPXPDL2
                        BGPXPDL3
   $$LABELE^BGPXUTL1    BGPXEL1L,BGPXELL1,BGPXELLN,BGPXELP1
   $$LASTDX^BGPXUTL1    BGPXALG1,BGPXCON1,BGPXCU1,BGPXD1,BGPXD10,BGPXD21
                        BGPXD211,BGPXD212,BGPXD213,BGPXD22,BGPXD3,BGPXD36
                        BGPXD39,BGPXD3B,BGPXD4,BGPXD52,BGPXD53,BGPXD7,BGPXD721
                        BGPXD724,BGPXD73,BGPXD74,BGPXD75,BGPXD81,BGPXD85
                        BGPXDPA2,BGPXDPA4,BGPXEL2,BGPXPC1
                        BGPXPC12,BGPXPC13,BGPXPC14,BGPXPC16,BGPXPC2,BGPXPC6
                        BGPXPC62,BGPXPC64,BGPXPC65,BGPXPC67,BGPXPC68,BGPXPC69
                        BGPXPC8,BGPXPC9
   $$LASTDXI^BGPXUTL1   BGPXD711,BGPXD81,BGPXD81A
   $$LASTPRC^BGPXUTL1   BGPXD211,BGPXD21A,BGPXD27,BGPXD3,BGPXD4,BGPXD5,BGPXD53
                        BGPXD62,BGPXD714,BGPXD81,BGPXD83,BGPXD87,BGPXDPA4
                        BGPXPC10,BGPXPC16,BGPXPC8,BGPXPC9
   $$NMIREF^BGPXUTL1    BGPXD37,BGPXD3A,BGPXD3B,BGPXD3C,BGPXD3D
   $$PRCREFT^BGPXUTL1   BGPXD62
   $$RADREF^BGPXUTL1    BGPXD4,BGPXD62
   $$REFUSAL^BGPXUTL1   BGPXD213,BGPXD24A,BGPXD25,BGPXD3,BGPXD5,BGPXD53,BGPXD6
                        BGPXD62,BGPXD74,BGPXDPA4
   $$CHKDST^BGPXUTL2    BGPXGUA
   $$CODEN^BGPXUTL2     BGPXD51,BGPXPC11,BGPXPC12,BGPXPC13,BGPXUTL1
   $$DEMOCHK^BGPXUTL2   BGPXDAP,BGPXDCL,BGPXDEL,BGPXDGPU,BGPXDL,BGPXDNDB,BGPXDNG
                        BGPXDNGP,BGPXDNGS,BGPXDPA,BGPXDPP,BGPXDSTM,BGPXNPL
                        BGPXPCD
```

```
   $$EDD^BGPXUTL2       BGPXD3B
   $$GETDEDIR^BGPXUTL2 BGPXDH,BGPXDH1,BGPXDSL,BGPXELH,BGPXELHH,BGPXPCH,BGPXPDLH
   $$GETDIR^BGPXUTL2   BGPXDADB,BGPXDAR,BGPXDEL,BGPXDGPU,BGPXDL,BGPXDNDB
                       BGPXDNG,BGPXGAGP,BGPXGAGS,BGPXGELD,BGPXGFO9,BGPXGFOR
                       BGPXGLHW,BGPXGNT9,BGPXGNTL,BGPXGNTP,BGPXGNTS,BGPXNPL
   $$ICD^BGPXUTL2      BGPXALG1,BGPXALG2,BGPXC11,BGPXC13,BGPXCU1,BGPXD1
                       BGPXD213,BGPXD21A,BGPXD22,BGPXD24,BGPXD24A,BGPXD25
                       BGPXD27,BGPXD31,BGPXD35,BGPXD37,BGPXD38,BGPXD3A,BGPXD3C
                       BGPXD4,BGPXD5,BGPXD51,BGPXD52,BGPXD53,BGPXD55,BGPXD5A
                       BGPXD6,BGPXD7,BGPXD711
                       BGPXD713,BGPXD714,BGPXD715,BGPXD72,BGPXD722,BGPXD723
                       BGPXD729,BGPXD73,BGPXD732,BGPXD74,BGPXD75,BGPXD8
                       BGPXD812,BGPXD81A,BGPXD83,BGPXD84,BGPXD87,BGPXD91
                       BGPXDPA2,BGPXDU,BGPXEL2,BGPXPC11,BGPXPC12,BGPXPC13
                       BGPXPC14,BGPXPC15,BGPXPC16,BGPXPC4
                       BGPXPC6,BGPXPC61,BGPXPC62,BGPXPC63,BGPXPC64,BGPXPC65
                       BGPXPC66,BGPXPC67,BGPXPC68,BGPXPC69,BGPXPC7,BGPXPC9
                       BGPXUTL1,BGPXUTL2

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 167

Routine             is Invoked by:
   $$ICDDX^BGPXUTL2    BGPXALG1,BGPXALG2,BGPXC11,BGPXC13,BGPXCU1,BGPXD213
                       BGPXD25,BGPXD5,BGPXD52,BGPXD5A,BGPXD6,BGPXD7,BGPXD711
                       BGPXD72,BGPXD722,BGPXD723,BGPXD732,BGPXD74,BGPXD83
                       BGPXD84,BGPXDPA2,BGPXPC12,BGPXUTL1,BGPXUTL2
   $$ICDOP^BGPXUTL2    BGPXUTL1
   $$LASTDXSN^BGPXUTL2 BGPXD729,BGPXDU
   $$RCIS^BGPXUTL2     BGPXD87
   GETMEDS^BGPXUTL2    BGPXCON1,BGPXD214,BGPXD22,BGPXD36,BGPXD39,BGPXD53
                       BGPXD711,BGPXD721,BGPXD722,BGPXD723,BGPXD732,BGPXD74
                       BGPXD75,BGPXD811,BGPXD83,BGPXD89,BGPXDPA4,BGPXPC12
                       BGPXPC14,BGPXPC17,BGPXPC2
   UNFOLDTX^BGPXUTL2   BGPXD1,BGPXD10,BGPXDPA,BGPXPC1
   AGEDATE^BGPXUTL3    BGPXD32
   TESTDR^BGPXUTL3     BGPXDNG,BGPXDNGP,BGPXDNGS
   GNT3^BGPXUTLC       BGPXUTL
   ^BGPXXTCH           |opt
   TAXCHK^BGPXXTCH     BGPXDAP,BGPXDL,BGPXDPP,BGPXXTCH
   ^BGPXXTCN           |opt
   TAXCHK^BGPXXTCN     BGPXDCL,BGPXDGPU,BGPXDNDB,BGPXDNG,BGPXDNGP,BGPXDNGS
                       BGPXDPA,BGPXDSTM,BGPXNPL
   ^BGPXXTEL           |opt
   TAXCHK^BGPXXTEL     BGPXDEL
   EP^BGPXXTL          BGPXXTS
   ^BGPXXTV            |opt
   INIT^BGPXXTV        BGPXGU
   EP^BGPXXTV1         BGPXCTS,BGPXXTV
   GUIEP^BMXPO         BGPXPOS
   LIST^BSDAPI2        BGPXDPA
   $$SUBLST^BSTSAPI    BGPXUTL2
   SUBLST^BSTSAPI      BGPXUTL2
   EN^DDIOL            BGPXUTL2
   NOTICE^DGSEC4       BGPXGUA
   OWNREC^DGSEC4       BGPXGUA
   SENS^DGSEC4         BGPXGUA
   ^DIC                BGPXCTL,BGPXDAP,BGPXDCL,BGPXDEL,BGPXDGPU,BGPXDL,BGPXDNDB
                       BGPXDNG,BGPXDNGP,BGPXDNGS,BGPXDPA,BGPXDPAP,BGPXDPP
                       BGPXDSTM,BGPXETL,BGPXEUTL,BGPXNPL,BGPXPCD,BGPXPCTL
                       BGPXPOS,BGPXPOS1,BGPXUTL,BGPXXTL,|dd90241.0111
                       |dd90241.02
   IX^DIC              BGPXPOS
```

```
   WAIT^DICD           BGPXBLM
   FILE^DICN           BGPXCTL,BGPXDPA,BGPXDPAP,BGPXETL,BGPXGADB,BGPXGAEL
                       BGPXGAG9,BGPXGAGP,BGPXGAGS,BGPXGALL,BGPXGAPU,BGPXGCMP
                       BGPXGCOM,BGPXGDSH,BGPXGELD,BGPXGFO9,BGPXGFOR,BGPXGGPU
                       BGPXGIPC,BGPXGLHW,BGPXGLST,BGPXGLTX,BGPXGMTX,BGPXGMUE
                       BGPXGMUH,BGPXGNPL
                       BGPXGNST,BGPXGNT9,BGPXGNTL,BGPXGNTP,BGPXGNTS,BGPXGPP
                       BGPXGRB,BGPXGUPL,BGPXPCTL,BGPXULF,BGPXXTL

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 168

Routine             is Invoked by:
   DT^DICRW            BGPXBLM
   ^DIE                BGPXCTL,BGPXDPA,BGPXDPAP,BGPXDSTM,BGPXETL,BGPXGADB
                       BGPXGAEL,BGPXGAG9,BGPXGAGP,BGPXGAGS,BGPXGALL,BGPXGAPU
                       BGPXGCMP,BGPXGCOM,BGPXGDSH,BGPXGELD,BGPXGFO9,BGPXGFOR
                       BGPXGGPU,BGPXGIPC,BGPXGLHW,BGPXGLST,BGPXGLTX,BGPXGMTX
                       BGPXGMUE,BGPXGMUH
                       BGPXGNPL,BGPXGNST,BGPXGNT9,BGPXGNTL,BGPXGNTP,BGPXGNTS
                       BGPXGPP,BGPXGUA,BGPXPCTL,BGPXPOS,BGPXPOS1,BGPXXTL
   FILE^DIE            BGPXGU
   UPDATE^DIE          BGPXGU
   ^DIK                BGPXDAP,BGPXDCL,BGPXDEL,BGPXDGPU,BGPXDL,BGPXDNDB,BGPXDNG
                       BGPXDNGP,BGPXDNGS,BGPXDPA,BGPXDPP,BGPXDSTM,BGPXGU
                       BGPXGUA,BGPXGUPL,BGPXNPL,BGPXPCD,BGPXPOS,BGPXPOS1
                       BGPXPOS2,BGPXULF
   IX1^DIK             BGPXD1,BGPXD10,BGPXDPA,BGPXDPAP,BGPXDSTM,BGPXGUPL
                       BGPXPOS,BGPXPOS1,BGPXULF
   ^DIM                |dd90241.551101,|dd90569.01,|dd90569.02,|dd90569.06
                       |dd90569.22,|dd90569.26
   $$GET1^DIQ          BGPXD81,BGPXGU,BGPXGUA,BGPXPOS1,BGPXUTL2
   ^DIR                BGPXASL,BGPXBLM,BGPXCTL,BGPXCTS,BGPXCU,BGPXDADB,BGPXDAP
                       BGPXDAR,BGPXDBPR,BGPXDCL,BGPXDCLP,BGPXDEL,BGPXDELA
                       BGPXDELP,BGPXDESI,BGPXDESL,BGPXDGPA,BGPXDGPU,BGPXDH
                       BGPXDH1,BGPXDICR,BGPXDL,BGPXDLT,BGPXDMT,BGPXDNDB,BGPXDNG
                       BGPXDNGP,BGPXDNGS
                       BGPXDP,BGPXDPA,BGPXDPAP,BGPXDPAW,BGPXDPH,BGPXDPP,BGPXDS
                       BGPXDSI,BGPXDSL,BGPXDSTM,BGPXDU,BGPXELH,BGPXELHH,BGPXELS
                       BGPXELSL,BGPXETL,BGPXLSTF,BGPXNPL,BGPXNPLP,BGPXPCD
                       BGPXPCH,BGPXPCSI,BGPXPCSL,BGPXPCTL,BGPXPCTX,BGPXULF
                       BGPXUTL2,BGPXUTL3
                       BGPXXTCH,BGPXXTCN,BGPXXTEL,BGPXXTL,BGPXXTS,BGPXXTV
   ^DIWP               BGPXDBPR,BGPXDELP,BGPXDP,BGPXDPAW,BGPXDS,BGPXELL,BGPXELS
                       BGPXUTL1
   $$CODEN^ICDCODE     BGPXUTL2
   $$ICDD^ICDCODE      BGPXUTL2
   $$ICDDX^ICDCODE     BGPXUTL2
   $$ICDOP^ICDCODE     BGPXUTL2
   $$VSTD^ICDCODE      BGPXUTL2
   $$VSTP^ICDCODE      BGPXUTL2
   $$CODEN^ICDEX       BGPXD55,BGPXD81A,BGPXUTL2
   $$ICDD^ICDEX        BGPXUTL2
   $$ICDDX^ICDEX       BGPXUTL2
   $$ICDOP^ICDEX       BGPXUTL2
   $$VSTD^ICDEX        BGPXUTL2
   $$VSTP^ICDEX        BGPXUTL2
   $$CODEN^ICPTCOD     BGPXC13,BGPXCON1,BGPXD2,BGPXD211,BGPXD214,BGPXD24
                       BGPXD33,BGPXD34,BGPXD35,BGPXD36,BGPXD37,BGPXD3A,BGPXD3B
                       BGPXD711,BGPXD724,BGPXD732,BGPXD811,BGPXD86,BGPXDPA4
   $$CPT^ICPTCOD       BGPXD21A,BGPXD22,BGPXD33,BGPXD34,BGPXD35,BGPXD36,BGPXD37
                       BGPXD38,BGPXD3A,BGPXD4,BGPXD5,BGPXD52,BGPXD811,BGPXD86
                       BGPXDPA2,BGPXDU,BGPXEL2,BGPXPC10,BGPXPC15,BGPXPC16
```

```
                        BGPXPC2,BGPXPC4,BGPXPC6,BGPXPC8,BGPXPC9

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 169

Routine             is Invoked by:
   EN^VALM              BGPXASL,BGPXBLM,BGPXCTL,BGPXCTS,BGPXDESI,BGPXDESL
                        BGPXDSI,BGPXDSL,BGPXETL,BGPXPCSI,BGPXPCSL,BGPXPCTL
                        BGPXXTL,BGPXXTS,BGPXXTV,BGPXXTV1
   TERM^VALM0           BGPXASL,BGPXCTL,BGPXCTS,BGPXDESI,BGPXDESL,BGPXDNGP
                        BGPXDNGS,BGPXDPA,BGPXDSI,BGPXDSL,BGPXETL,BGPXNPL
                        BGPXPCSI,BGPXPCSL,BGPXPCTL,BGPXXTL,BGPXXTS,BGPXXTV
                        BGPXXTV1
   CLEAR^VALM1          BGPXASL,BGPXBLM,BGPXCTL,BGPXCTS,BGPXDESI,BGPXDESL
                        BGPXDSI,BGPXDSL,BGPXETL,BGPXPCSI,BGPXPCSL,BGPXPCTL
                        BGPXXTL,BGPXXTS,BGPXXTV,BGPXXTV1
   FULL^VALM1           BGPXASL,BGPXCTL,BGPXCTS,BGPXDESI,BGPXDESL,BGPXDSI
                        BGPXDSL,BGPXETL,BGPXPCSI,BGPXPCSL,BGPXPCTL,BGPXXTL
                        BGPXXTS,BGPXXTV,BGPXXTV1
   CNTRL^VALM10         BGPXBLM
   ^XBCLS               BGPXBLM
   ^XBDBQUE             BGPXDADB,BGPXDAP,BGPXDAR,BGPXDCL,BGPXDEL,BGPXDELA
                        BGPXDGPA,BGPXDGPU,BGPXDL,BGPXDNDB,BGPXDNG,BGPXDNGP
                        BGPXDNGS,BGPXDPAP,BGPXDPP,BGPXDSTM,BGPXNPL,BGPXPCD
                        BGPXPCTX,BGPXXTCN,BGPXXTEL
   $$DIC^XBDIQ1         BGPXBLM
   $$VAL^XBDIQ1         BGPXALG1,BGPXALG2,BGPXC11,BGPXC13,BGPXCON1,BGPXCTL
                        BGPXCTS,BGPXCU1,BGPXD21,BGPXD211,BGPXD212,BGPXD213
                        BGPXD214,BGPXD21A,BGPXD22,BGPXD24,BGPXD24A,BGPXD3
                        BGPXD31,BGPXD36,BGPXD39,BGPXD3A,BGPXD4,BGPXD54,BGPXD55
                        BGPXD7,BGPXD711,BGPXD72
                        BGPXD721,BGPXD722,BGPXD723,BGPXD729,BGPXD73,BGPXD732
                        BGPXD75,BGPXD8,BGPXD81,BGPXD811,BGPXD812,BGPXD81A
                        BGPXD82,BGPXD84,BGPXD841,BGPXD85,BGPXD862,BGPXD89
                        BGPXDH1,BGPXDICR,BGPXDNG,BGPXDP1,BGPXDPA2,BGPXDPA4
                        BGPXDU,BGPXEL2,BGPXELH,BGPXELHH
                        BGPXETL,BGPXPC12,BGPXPC13,BGPXPC14,BGPXPC15,BGPXPC16
                        BGPXPC17,BGPXPC2,BGPXPC4,BGPXPC6,BGPXPC61,BGPXPC62
                        BGPXPC63,BGPXPC64,BGPXPC65,BGPXPC66,BGPXPC67,BGPXPC68
                        BGPXPC69,BGPXPC8,BGPXPC9,BGPXPCTL,BGPXPDL2,BGPXPDLH
                        BGPXPOS,BGPXUTL1,BGPXUTL2
                        BGPXXTV,BGPXXTV1
   $$VALI^XBDIQ1        BGPXD21,BGPXD214,BGPXD3C,BGPXD3D,BGPXD4,BGPXD55,BGPXD7
                        BGPXD711,BGPXD73,BGPXD81,BGPXD81A,BGPXD82,BGPXD862
                        BGPXD87,BGPXDICR,BGPXDU,BGPXEL2,BGPXEL4,BGPXPC10
                        BGPXPC12,BGPXPC13,BGPXPC14,BGPXPC15,BGPXPC16,BGPXPC2
                        BGPXPC4,BGPXPC6,BGPXPC8
                        BGPXPC9,BGPXUTL1
   PARSE^XBDIQ1         BGPXBLM
   $$DIR^XBDIR          BGPXBLM
   ^XBFMK               BGPXCTL,BGPXDADB,BGPXDAP,BGPXDAR,BGPXDCL,BGPXDEL
                        BGPXDELA,BGPXDGPA,BGPXDGPU,BGPXDICR,BGPXDL,BGPXDLT
                        BGPXDMT,BGPXDNDB,BGPXDNG,BGPXDNGP,BGPXDNGS,BGPXDPA
                        BGPXDPAP,BGPXDPP,BGPXDSTM,BGPXETL,BGPXEUTL,BGPXGADB
                        BGPXGAEL,BGPXGAG9,BGPXGAGP,BGPXGAGS

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 170

Routine             is Invoked by:
   ^XBFMK               BGPXGALL,BGPXGAPU,BGPXGCMP,BGPXGCOM,BGPXGDSH,BGPXGELD
                        BGPXGFO9,BGPXGFOR,BGPXGGPU,BGPXGIPC,BGPXGLHW,BGPXGLST
                        BGPXGLTX,BGPXGMTX,BGPXGMUE,BGPXGMUH,BGPXGNPL,BGPXGNST
                        BGPXGNT9,BGPXGNTL,BGPXGNTP,BGPXGNTS,BGPXGPP,BGPXGRB
```

```
                        BGPXGUPL,BGPXNPL
                        BGPXPCD,BGPXPCTL,BGPXPOS1,BGPXULF,BGPXUTL,BGPXXTL
   $$EXTSET^XBFUNC      BGPXD74
   ^XBGSAVE             BGPXELL,BGPXPDL,BGPXUTL
   ^XBKVAR              BGPXGADB,BGPXGAEL,BGPXGAG9,BGPXGAGP,BGPXGAGS,BGPXGALL
                        BGPXGAPU,BGPXGCMP,BGPXGCOM,BGPXGDSH,BGPXGELD,BGPXGFO9
                        BGPXGFOR,BGPXGGPU,BGPXGIPC,BGPXGLHW,BGPXGLST,BGPXGLTX
                        BGPXGMTX,BGPXGMUE,BGPXGMUH,BGPXGNPL,BGPXGNST,BGPXGNT9
                        BGPXGNTL,BGPXGNTP
                        BGPXGNTS,BGPXGPP,BGPXGUPL
   EN^XBLM              BGPXBLM
   GUIR^XBLM            BGPXDPA,BGPXDPAP
   ^XBLMSET             BGPXBLM
   EN^XBVK              BGPXCTL,BGPXCTS,BGPXDADB,BGPXDAP,BGPXDAR,BGPXDCL,BGPXDEL
                        BGPXDELA,BGPXDGPA,BGPXDGPU,BGPXDICR,BGPXDL,BGPXDLT
                        BGPXDMT,BGPXDNDB,BGPXDNG,BGPXDNGP,BGPXDNGS,BGPXDPA
                        BGPXDPAP,BGPXDPP,BGPXDSTM,BGPXETL,BGPXGADB,BGPXGAEL
                        BGPXGAG9,BGPXGAGP,BGPXGAGS
                        BGPXGALL,BGPXGAPU,BGPXGCMP,BGPXGCOM,BGPXGDSH,BGPXGELD
                        BGPXGGPU,BGPXGIPC,BGPXGLHW,BGPXGLST,BGPXGM,BGPXGMUE
                        BGPXGMUH,BGPXGNPL,BGPXGNST,BGPXGNT9,BGPXGNTL,BGPXGNTP
                        BGPXGNTS,BGPXGPP,BGPXGR,BGPXGR1,BGPXGR2,BGPXGRA,BGPXGRB
                        BGPXGU,BGPXLSTF
                        BGPXNPL,BGPXPCD,BGPXPCTL,BGPXXTL,BGPXXTS,BGPXXTV
                        BGPXXTV1
   $$DT^XLFDT           BGPXD36,BGPXGADB,BGPXGAEL,BGPXGAG9,BGPXGAGP,BGPXGAGS
                        BGPXGALL,BGPXGAPU,BGPXGCMP,BGPXGCOM,BGPXGDSH,BGPXGELD
                        BGPXGFO9,BGPXGFOR,BGPXGGPU,BGPXGIPC,BGPXGLHW,BGPXGLST
                        BGPXGLTX,BGPXGMTX,BGPXGMUE,BGPXGMUH,BGPXGNPL,BGPXGNST
                        BGPXGNT9,BGPXGNTL
                        BGPXGNTP,BGPXGNTS,BGPXGPP,BGPXGUPL
   $$FMADD^XLFDT        BGPXALG2,BGPXASL,BGPXBAN,BGPXC11,BGPXC13,BGPXCON1,BGPXCU
                        BGPXD1,BGPXD10,BGPXD21,BGPXD211,BGPXD214,BGPXD24
                        BGPXD24A,BGPXD25,BGPXD28,BGPXD3,BGPXD31,BGPXD34,BGPXD37
                        BGPXD39,BGPXD3A,BGPXD3B,BGPXD3D,BGPXD5,BGPXD51,BGPXD52
                        BGPXD53,BGPXD6
                        BGPXD62,BGPXD7,BGPXD714,BGPXD715,BGPXD721,BGPXD722
                        BGPXD723,BGPXD729,BGPXD73,BGPXD732,BGPXD74,BGPXD75
                        BGPXD76,BGPXD8,BGPXD82,BGPXD83,BGPXD841,BGPXD87,BGPXD89
                        BGPXDADB,BGPXDAP,BGPXDAR,BGPXDCL,BGPXDCLP,BGPXDEL
                        BGPXDELA,BGPXDGPA,BGPXDGPU
                        BGPXDL,BGPXDNDB,BGPXDPA,BGPXDPA1,BGPXDPA2,BGPXDPA4
                        BGPXDPAP,BGPXDPP,BGPXDSTM,BGPXDU,BGPXGAEL,BGPXGALL
                        BGPXGAPU,BGPXGCMP,BGPXGCOM,BGPXGELD,BGPXGGPU,BGPXGIPC
                        BGPXGMUE,BGPXGMUH,BGPXGNPL,BGPXGNST,BGPXGPP,BGPXNPL
                        BGPXNPLP,BGPXPC1,BGPXPC10

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 171

Routine             is Invoked by:
   $$FMADD^XLFDT        BGPXPC12,BGPXPC13,BGPXPC14,BGPXPC16,BGPXPC2,BGPXPC4
                        BGPXPC5,BGPXPC6,BGPXPC61,BGPXPC63,BGPXPC66,BGPXPC68
                        BGPXPC69,BGPXPC8,BGPXPC9,BGPXPCD,BGPXREF1,BGPXUTL
                        BGPXUTL1,BGPXUTL2,BGPXUTL3
   $$FMDIFF^XLFDT       BGPXD214,BGPXD21A,BGPXD22,BGPXD24,BGPXD33,BGPXD34
                        BGPXD341,BGPXD35,BGPXD36,BGPXD37,BGPXD38,BGPXD39,BGPXD3C
                        BGPXD3D,BGPXD52,BGPXD7,BGPXD721,BGPXD722,BGPXD723
                        BGPXD732,BGPXD74,BGPXD75,BGPXD811,BGPXD82,BGPXD83
                        BGPXD841,BGPXDBPR,BGPXDPA
                        BGPXDPA1,BGPXDPA2,BGPXGU,BGPXPC6,BGPXPC61,BGPXPC62
                        BGPXPC63,BGPXPC64,BGPXPC65,BGPXPC66,BGPXPC67,BGPXPC68
                        BGPXPC69,BGPXPC7
```

```
   $$FMTE^XLFDT         BGPXALG1,BGPXALG2,BGPXC11,BGPXC13,BGPXCON1,BGPXCU
                        BGPXCU1,BGPXD1,BGPXD10,BGPXD2,BGPXD21,BGPXD211,BGPXD212
                        BGPXD213,BGPXD21A,BGPXD22,BGPXD24,BGPXD24A,BGPXD25
                        BGPXD27,BGPXD28,BGPXD3,BGPXD31,BGPXD37,BGPXD3A,BGPXD3C
                        BGPXD4,BGPXD41,BGPXD5
                        BGPXD51,BGPXD52,BGPXD53,BGPXD54,BGPXD55,BGPXD5A,BGPXD6
                        BGPXD62,BGPXD7,BGPXD711,BGPXD714,BGPXD72,BGPXD722
                        BGPXD723,BGPXD724,BGPXD729,BGPXD732,BGPXD74,BGPXD75
                        BGPXD8,BGPXD811,BGPXD812,BGPXD81A,BGPXD84,BGPXD85
                        BGPXD862,BGPXD87,BGPXD9
                        BGPXD91,BGPXDADB,BGPXDAP,BGPXDAR,BGPXDBPR,BGPXDCL
                        BGPXDCLD,BGPXDCLP,BGPXDEL,BGPXDELA,BGPXDGPA,BGPXDGPU
                        BGPXDH,BGPXDH1,BGPXDICR,BGPXDL,BGPXDLT,BGPXDMT,BGPXDNDB
                        BGPXDNG,BGPXDNGP,BGPXDNGS,BGPXDPA,BGPXDPA2,BGPXDPA4
                        BGPXDPAP,BGPXDPAW,BGPXDPH
                        BGPXDPP,BGPXDS,BGPXDSTM,BGPXDU,BGPXEL2,BGPXEL4,BGPXELH
                        BGPXELHH,BGPXELL,BGPXELS,BGPXELSL,BGPXGU,BGPXGUA,BGPXNPL
                        BGPXNPLP,BGPXPC10,BGPXPC11,BGPXPC12,BGPXPC13,BGPXPCD
                        BGPXPCH,BGPXPDL,BGPXPDLH,BGPXUTL3
   $$NOW^XLFDT          BGPXDAR,BGPXDPA,BGPXDPAP,BGPXGADB,BGPXGAEL,BGPXGAG9
                        BGPXGAGP,BGPXGAGS,BGPXGALL,BGPXGAPU,BGPXGCMP,BGPXGCOM
                        BGPXGDSH,BGPXGELD,BGPXGFO9,BGPXGFOR,BGPXGGPU,BGPXGIPC
                        BGPXGLHW,BGPXGLST,BGPXGLTX,BGPXGMTX,BGPXGMUE,BGPXGMUH
                        BGPXGNPL,BGPXGNST
                        BGPXGNT9,BGPXGNTL,BGPXGNTP,BGPXGNTS,BGPXGPP,BGPXGRB
                        BGPXGU
   $$ABS^XLFMTH         BGPXD74
   $$CJ^XLFSTR          BGPXDBPR,BGPXDP,BGPXPOS
   $$REPEAT^XLFSTR      BGPXDICR,BGPXDLT,BGPXDMT
   $$STRIP^XLFSTR       BGPXD39,BGPXD722,BGPXDBPR,BGPXDP1C,BGPXDP1D,BGPXDP1F
                        BGPXDP1G,BGPXELL1,BGPXELLN,BGPXELP1,BGPXPDL3
   $$UP^XLFSTR          BGPXALG1,BGPXALG2,BGPXC11,BGPXC13,BGPXCU1,BGPXD2
                        BGPXD213,BGPXD214,BGPXD21A,BGPXD22,BGPXD3,BGPXD31
                        BGPXD36,BGPXD39,BGPXD51,BGPXD711,BGPXD72,BGPXD721
                        BGPXD722,BGPXD723,BGPXD732,BGPXD74,BGPXD75,BGPXD811
                        BGPXD812,BGPXD83,BGPXD841,BGPXD89

*****   Cross Reference of all Routines   *****   Feb 05, 2025@11:39:54 page 172

Routine             is Invoked by:
   $$UP^XLFSTR          BGPXD91,BGPXDPA4,BGPXDU,BGPXPC12,BGPXPC14,BGPXPC17
                        BGPXPC2,BGPXPC8,BGPXPC9,BGPXPOS1,BGPXULF,|dd90569.01
                        |dd90569.26
   $$VERSION^XPDUTL     BGPXPOS
   MES^XPDUTL           BGPXPOS
   DISP^XQORM1          BGPXASL,BGPXBLM,BGPXCTL,BGPXCTS,BGPXDESI,BGPXDESL
                        BGPXDSI,BGPXDSL,BGPXETL,BGPXPCSI,BGPXPCSL,BGPXPCTL
                        BGPXXTL,BGPXXTS,BGPXXTV,BGPXXTV1
   $$PROD^XUPROD        BGPXBAN
   $$NOJOURN^ZIBGCHAR   BGPXEUTL,BGPXPCUT,BGPXUTL

*****   END   *****


--- END ---
```

Figure 5-1: External Calls

5.2 Callable Routines

Published entry points for use by iCARE:

Routine: BGPXD10

BQI(DFN,BQIGREF) ;PEP–iCare EP

- Description:
  - Entry point called by the iCare module, returns GPRA data by global reference:
    - DFN = Patient internal entry number:
      - BQIGREF = Global reference to store data.

5.3 Published Entry Points

Note: There are no published entry points for this application.

5.4 Exported Options

Table 5-1: Exported BGP options

Option Name	Description	KEY
BGP 25 AREA DSH	National GPRA Dashboard	N/A
BGP 25 AREA GP SUM ONLY	AREA National GPRA/GPRAMA Report Perf Summaries	N/A
BGP 25 AREA GPRA	AREA National GPRA/GPRAMA Report-Includes GPRA Dev	N/A
BGP 25 AREA GPU	AREA GPRA/GPRAMA Performance Report	N/A
BGP 25 AREA MENU	Area Options	BGPZAREA
BGP 25 COMPREHENSIVE PAT LIST	Comprehensive National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 25 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	N/A
BGP 25 DISPLAY ICARE TEXT	Display iCare Data Items	N/A
BGP 25 ELDER REPORT	Elder Care Report	N/A
BGP 25 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	N/A

Option Name	Description	KEY
BGP 25 GPU GPRA PERFORMANCE	GPRA/GPRAMA Performance Report	N/A
BGP 25 IPC LAB TAX REPORT	Lab Taxonomies-IPC/PCMH Report	N/A
BGP 25 IPC MED TAX RPT	Med Taxonomies-IPC/PCMH Report	N/A
BGP 25 IPC REPORT	IPC/PCMH Measures Report	N/A
BGP 25 IPC TAXONOMY CHECK	Taxonomy Check-IPC/PCMH Report	N/A
BGP 25 IPC TAXONOMY SETUP	Taxonomy Setup-IPC/PCMH Report	N/A
BGP 25 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	N/A
BGP 25 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	N/A
BGP 25 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	N/A
BGP 25 LAB TAX REPORT MENU	Lab Taxonomy Report	N/A
BGP 25 LIST FILES	List files in a directory	N/A
BGP 25 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	N/A
BGP 25 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	N/A
BGP 25 MAIN MENU	CRS 2025	N/A
BGP 25 MEASURES FORECAST CP	GPRA/GPRAMA Forecast Denominator Definitions	N/A
BGP 25 MED TAX CRS	Med Taxonomies-Selected Measures Reports	N/A
BGP 25 MED TAX ELDER	Med Taxonomies-Elder Care Report	N/A
BGP 25 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	N/A
BGP 25 MED TAX REPORT MENU	Medication Taxonomy Report	N/A
BGP 25 MENU NATIONAL	National GPRA/GPRAMA Reports	N/A
BGP 25 NATIONAL DASHBOARD	National GPRA Dashboard	N/A
BGP 25 NATIONAL GPRA REPORT	National GPRA/GPRAMA Report	N/A
BGP 25 NATIONAL GPRA SUM ONLY	National GPRA/GPRAMA Clinical Perf Summaries	N/A
BGP 25 NATIONAL PAT LISTS	National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 25 NATL GPRA DESG PROV	National GPRA/GPRAMA Report by Designated Provider	N/A

Option Name	Description	KEY
BGP 25 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	N/A
BGP 25 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	N/A
BGP 25 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 25 OTHER NTL RPTS MENU	Other National Reports	N/A
BGP 25 PTS W SCHED APPT	GPRA/GPRAMA Forecast Patient List	BGPZ PATIENT LISTS
BGP 25 REPORTS MENU	Reports	N/A
BGP 25 SEL ALL PATS	Selected Measures w/All Communities	N/A
BGP 25 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	N/A
BGP 25 SELECTED IND REPORT	Selected Measures w/Community Specified	N/A
BGP 25 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 25 SYSTEM SETUP	System Setup	N/A
BGP 25 TAXONOMY CHECK	Taxonomy Check	N/A
BGP 25 TAXONOMY REPORTS	Taxonomy Reports	N/A
BGP 25 TAXONOMY SETUP	Taxonomy Setup	N/A
BGP 25 UPLOAD FILES	Upload Report Files from Site	N/A
BGP 25 VIEW ANY TAXONOMY	View All CRS Taxonomies	N/A
BGPGRPC	BGPG Application Context	N/A
BGPMENU	IHS Clinical Reporting System (CRS) Main Menu	BGPZMENU

6.0 Internal Relations

All users should be given access to the appropriate options and keys, as needed. All options in this system stand alone.

7.0 Security Keys

Table 2-1 provides the BGP security keys and their descriptions.

8.0 Archiving and Purging

There is no archiving and purging in this package.

9.0 Documentation Resources

This section describes a few methods to generate online technical documentation.

9.1 How to Generate Online Documentation

The file number range for this package is 90240, 90370, 90530–90539, and 90558-90599. The namespace is BGP. All templates, routines, screen forms, etc., begin with BGP.

This section describes some methods by which users can generate IHS RPMS CRS technical documentation. Online technical documentation pertaining to the IHS RPMS clinical reporting software can be generated through the use of several kernel options. This access is in addition to that which is located in the help prompts, and on the help screens throughout the IHS RPMS Clinical Reporting package. These include, but are not limited to, the sections that follow.

9.2 System Documentation

Online Volume Performance Standard (VPS) system documentation can be generated through the use of several kernel options, including:

- %INDEX
- Menu Management
- Inquire Option
- Print Option File
- VA FileMan
- Data Dictionary Utilities
- List File Attributes

For more option listings and further information about other utilities that supply online technical information, see the *Decentralized Hospital Computer Program (DHCP) Kernel Reference* manual.

9.2.1 %INDEX

The %INDEX option analyzes the structure of a routine to determine in part, if the routine adheres to RPMS programming standards. The output can include the following components:

- Compiled list of errors and warnings
- Routine listings
- Local variables

- Global variables
- Naked globals
- Label references
- External references

Running %INDEX for a specified set of routines allows users to discover any existing deviations from RPMS programming standards and to see how routines interact with one another (i.e., which routines call, or are called by, other routines).

To run %INDEX for the IHS RPMS Clinical Reporting package, specify the **BGP** namespace at the "Routine(s)" prompt.

9.2.2 Inquire Option

The Inquire menu management option provides the following information about a specified option:

- Option name
- Menu text
- Option description
- Type of option
- Lock (if any)

In addition, all items on the menu are listed for each menu option. To secure information about IHS RPMS Clinical Reporting options, the BGP namespace must be specified.

9.2.3 Print Option File

Note: The Print Option File utility generates a listing of options from the Option file (#19). It can print all entries, a single option, or range of options. For a list of IHS RPMS Clinical Reporting options, see Section 9.1.

There are no published entry points for this application.

9.2.4 List File Attributes

This VA FileMan option allows users to generate documentation pertaining to files and file structure. The standard format of this option provides the following data dictionary information for a specified file:

- File name and description
- Identifiers

- Cross-references
- Files pointed to by the specified file
- Files that point to the specified file
- Input, print, and sort templates

In addition, the following applicable data is supplied for each field in the file:

- Field name, number, title, and description
- Global location
- Help prompt
- Cross-references
- Input transform
- Date last edited
- Notes

Using the Global Map format of this option generates an output that lists the following information:

- All cross-references for the selected file
- Global location of each field in the file
- Input, print, and sort templates

For a comprehensive listing of files, see Table 4-1 in Section 4.1.

9.3 Online Help

In addition to system documentation, RPMS includes special help displays for most menu options and data entry prompts. Typing a question mark (?) at the "Select Option" prompt displays information related to the current option. Table 9-1 displays the available options.

Table 9-1: Online help options

Typing	Displays
A single question mark (**?**)	A list of all options accessible from the current option
Two question marks (**??**)	A list of all accessible options and their formal names
Three question marks (**???**)	A brief description for each option in a menu
A single question mark (?) followed by an option name (**?OPTION**)	Extended help, if available, for that option

10.0 SAC Requirements and Exemptions

This program uses a standard global for exporting data to the Area Office. The global is called ^BGPDATA (and is killed at the root level in various routines).

The kill of these unsubscripted globals has been approved by the Standards and Conventions committee.

Glossary

Archiving

The storage of historical or little-used data off-line (often on tape.)

Cross-Reference

An indexing method whereby files can include presorted lists of entries as part of the stored database. Cross-references (x-refs) facilitate look-up and reporting.

Entry Point

A point within a routine that is referenced by a “DO” or “GOTO” command from a routine internal to a package.

File

A set of related records or entries treated as a single unit.

FileMan

The database management system for RPMS.

Global

In MUMPS, global refers to a variable stored on disk (global variable) or the array to which the global variable may belong (global array).

INDEX (%INDEX)

A kernel utility used to verify routines and other MUMPS code associated with a package. Checking is done according to current ANSI MUMPS standards and RPMS programming standards. This tool can be invoked through an option or from direct mode (>D ^%INDEX).

Kernel

The set of MUMPS software utilities that function as an intermediary between the host operating system and application packages, such as Laboratory and Pharmacy. The kernel provides a standard and consistent user and programmer interface between application packages and the underlying MUMPS implementation. These utilities provide the foundation for RPMS.

Menu

A list of choices for computing activity. A menu is a type of option designed to identify a series of items (other options) for presentation to the user for selection. When displayed, menu-type options are preceded by the word “Select” and followed by the word “option,” as in “Select Menu Management option:” (the menu’s Select prompt).

Namespace

A unique set of two to four alpha characters that are assigned to a software application by the database administrator.

Option

An entry in the Option file. As an item in a menu, an option provides an opportunity for users to select it, thereby invoking the associated computing activity. Options may also be scheduled to run in the background, non-interactively, by TaskMan.

Routine

A program or sequence of instructions called by a program that may have some general or frequent use. MUMPS routines are groups of program lines that are saved, loaded, and called as a single unit via a specific name.

Utility

A callable routine line tag or function. A universal routine usable by anyone.

Variable

A character or group of characters that refers to a value. MUMPS recognizes three types of variables: local variables, global variables, and special variables. Local variables exist in a partition of the main memory and disappear at signoff. A global variable is stored on disk, potentially available to any user. Global variables usually exist as parts of global arrays.

Acronym List

Acronym	Term Meaning
ADA	American Dental Association
CRS	Clinical Reporting System
DHCP	Decentralized Hospital Computer Program
ENDS	Electronic Nicotine Delivery System
FY	Fiscal Year
GPRA	Government Performance and Results Act
GPRAMA	GPRA Modernization Act
HHS	(Department of) Health and Human Services
ICD	International Classification of Diseases
IHS	Indian Health Service
MUMPS	Massachusetts General Hospital (M) Utility Multi Programming System
OIT	Office of Information Technology
PPN	Patient Preferred Name
RPMS	Resource and Patient Management System
SAC	Standards and Conventions
SBIRT	Screening, Brief Intervention and Referral to Treatment
SUD	Substance Use Disorder
VA	Department of Veterans Affairs
VPS	Volume Performance Standard

Contact Information

If you have any questions or comments regarding this distribution, please contact the IHS IT Service Desk.

Phone: (888) 830-7280 (toll free)

Web: https://www.ihs.gov/itsupport/

Email: itsupport@ihs.gov