



RESOURCE AND PATIENT MANAGEMENT SYSTEM

Laboratory Reference

(LR)

Addendum to User Manual

Version 5.2 Patch 1052
May 2023

Office of Information Technology
Division of Information Resource Management

Table of Contents

1.0	Introduction.....	4
2.0	LOINC Updates	5
2.1	VA VistA LOINC Version 2.72 Update	5
2.1.1	VA VistA LOINC Patch LR*5.2*556	5
2.2	Monkeypox LOINC	5
3.0	Estimated Glomerular Filtration Rate	7
3.1	CKD-EPI eGFR.....	7
3.1.1	Delta Check Routine.....	7
3.1.2	Delta Check Creation Option.....	7
3.2	2021 CKD-EPI eGFR Set Up.....	7
3.2.1	Review & Update the 2021 CKD-EPI Laboratory Test.	8
3.2.2	Create a new CREATININE Laboratory Test for 2021 CKD-EPI eGFR.....	10
3.2.3	Create a new Delta Check for 2021 CKD-EPI eGFR.....	13
3.2.4	Add the DELTA CHECK to the Creatinine Laboratory Test.....	16
3.2.5	Test the CREATININE 2021 and 2021 CKD-EPI eGFR.....	18
3.3	"Bedside Schwartz" eGFR For Children < 18 Years Old	20
3.3.1	Height Measurement	20
3.3.2	Delta Check Routine.....	21
3.3.3	Delta Check Creation Option.....	21
3.4	BEDSIDE SCHWARTZ eGFR Set Up	21
3.4.1	Review & Update the Bedside Schwartz Laboratory Test.	21
3.4.2	Create a new CREATININE Laboratory Test Bedside Schwartz eGFR.....	24
3.4.3	Create a new Delta Check for Bedside Schwartz	27
3.4.4	Add the DELTA CHECK to the Creatinine Laboratory Test.....	29
3.4.5	Test the Creatinine Schwartz and Bedside Schwartz eGFR.	32
4.0	IHS Count Accessioned Tests.....	35
4.1	CACC Menu OPTION.....	35
4.2	IHS Count Accessioned Tests MENU.....	36
4.3	CHEMISTRY TEST Counts Report	36
4.3.1	Enter Date Range for Report.....	37
4.3.2	Compile Report for Print	37
4.3.3	CHEMISTRY TEST Counts Report Example	37
4.4	CHEMISTRY LOCATION Counts Report	38
4.4.1	Enter Date Range for Report.....	38
4.4.2	Compile Report for Print	39
4.4.3	CHEMISTRY LOCATION Counts Report Example.	39
4.5	MICROBIOLOGY TESTS Counts Report.....	40
4.5.1	Enter Date Range for Report.....	41

4.5.2	Compile Report for Print.....	41
4.5.3	MICROBIOLOGY TESTS Counts Report Example.....	41
4.6	MICROBIOLOGY LOCATION Counts Report.....	42
4.6.1	Enter Date Range for Report.....	42
4.6.2	Compile Report for Print.....	42
4.6.3	MICROBIOLOGY LOCATION Counts Report Example.....	42
4.7	TEST COUNTS BY TYPE REPORTS.....	43
4.8	CHEMISTRY TESTS – OUTPUT TYPE Report.....	44
4.8.1	Select the Chemistry Tests Counts Option.....	44
4.8.2	Chemistry Tests Counts – OUTPUT Type.....	45
4.8.3	Enter Date Range for Report.....	45
4.8.4	Compile Report for Print.....	45
4.8.5	Chemistry Tests – OUTPUT TYPE Report Example.....	45
4.9	CHEMISTRY TESTS – BOTH TYPE Report.....	47
4.9.1	Select the Chemistry Tests Counts option.....	47
4.9.2	Chemistry Tests Counts – BOTH Type.....	48
4.9.3	Enter Date Range for Report.....	48
4.9.4	Compile Report for Print.....	48
4.9.5	Chemistry Tests – BOTH TYPE Report Example.....	48
4.10	CHEMISTRY TESTS – ALL TYPES Report.....	50
4.10.1	Select the Chemistry Tests Counts Option.....	50
4.10.2	Chemistry Tests Counts – ALL Types.....	50
4.10.3	Enter Date Range for Report.....	51
4.10.4	Compile Report for Print.....	51
4.10.5	Chemistry Tests – ALL TYPES Report Example.....	51
4.11	MICROBIOLOGY TESTS – BOTH TYPE Report.....	54
4.11.1	Select the Microbiology Tests Counts Option.....	54
4.11.2	Microbiology Tests Counts – BOTH Type.....	54
4.11.3	Enter Date Range for Report.....	55
4.11.4	Compile Report for Print.....	55
4.11.5	Microbiology Tests – BOTH TYPE Report Example.....	55
4.12	MICROBIOLOGY TESTS – ALL TYPES Report.....	56
4.12.1	Select the Microbiology Tests Counts Option.....	56
4.12.2	Microbiology Tests Counts – ALL Types.....	56
4.12.3	Enter Date Range for Report.....	57
4.12.4	Compile Report for Print.....	57
4.12.5	Microbiology Tests – ALL TYPES Report Example.....	57
5.0	ARE YOU SURE Delta Check: Safeguard When Resulting.....	59
5.1	How to use the Are You Sure Delta Check.....	59
5.1.1	Test the Are You Sure Delta Check.....	61
6.0	Add Specimen Number To Lookup Accession.....	63
7.0	Collected By User Update.....	64
8.0	Lab Label UID Routines.....	65

8.1	BLRIPLUI Routine	65
8.2	BLRIPLUP Routine	65
9.0	Remediate V LAB Collection Date/Time Issue from LR*5.2*1039	66
10.0	Microbiology Data To Populate On CCDA.....	67
11.0	Components of LR*5.2*1052.....	68
11.1	Routines	68
11.1.1	BLREXEBS.....	68
11.1.2	BLREXEC5.....	68
11.1.3	BLRIPLUI	68
11.1.4	BLRIPLUP	68
11.1.5	BLRLINK3.....	68
11.1.6	BLRLNKU2.....	68
11.1.7	BLRLRX	68
11.1.8	BLRMIALL	68
11.1.9	BLRP52P2.....	68
11.1.10	BLRP52P3.....	69
11.1.11	BLRPCVC.....	69
11.1.12	BLRPRE52	69
11.1.13	BLRUTILB	69
11.1.14	BLRUTILC	69
11.1.15	LRWRKLS1	69
11.2	Files	69
11.2.1	Blood Inventory (#65)	69
11.2.2	Referral Patient (#67)	69
11.3	Options	69
11.3.1	BLR Bedside Schwartz eGFR Make.....	69
11.3.2	BLR CKD-EPI (2021) Create.....	70
11.3.3	BLR COUNT ACC TESTS.....	70
11.4	VA Lab Patch 556.....	70
11.4.1	Routine	70
11.4.2	Files That Are Updated.....	70
	Glossary.....	72
	Acronym List	74
	Contact Information	75

1.0 Introduction

This document lists various additions/changes to the RPMS Lab package that were brought about by IHS Lab Patch LR*5.2*1052.

This guide provides IHS Laboratorians with descriptions of the changes and/or enhancements and other information

2.0 LOINC Updates

2.1 VA VistA LOINC Version 2.72 Update

IHS RPMS Lab Patch LR*5.2*1052 brings in one (1) VA VistA Lab Patch that will update the LOINC files to LOINC Version 2.72.

2.1.1 VA VistA LOINC Patch LR*5.2*556

Laboratory Logical Observation Identifiers Names and Codes (LOINC) are intended to incorporate efficiencies in the Department of Veterans to the LOINC in use. The LAB LOINC file (#95.3) currently contains LOINC version 2.69 which was released in 2021. The goal of this patch is to update the LAB LOINC file (#95.3) and related files to version 2.72. Please note that this patch cumulates version 2.71 and version 2.72

Files Updated in this patch:

95.3	LAB LOINC
95.31	LAB LOINC COMPONENT
64	WKLD CODE
64.061	LAB ELECTRONIC CODES
64.2	WKLD SUFFIX CODES

2.2 Monkeypox LOINC

The Monkeypox LOINC are not incorporated in VA VistA LOINC patch LR*5.2*556, nor in LOINC 2.72, but are included in LOINC Version 2.73. Those LOINC were extracted from the LOINC Version 2.73 file and will be incorporated into RPMS during the post-install phase of the LR*5.2*1052 RPMS Lab Patch.

The Monkeypox LOINC are:

Table 2-1: Monkeypox LOINC

LOINC	Component	Shortname
100383-9	Monkeypox virus DNA	MVPX DNA Spec QI NAA+probe
100888-7	West African monkeypox virus DNA	WA MVPX DNA Spec QI NAA+probe
100889-5	Congo Basin monkeypox virus DNA	CB MVPX DNA Spec QI NAA+probe
100890-3	Poxvirus DNA panel	Poxvirus DNA panel Patient

The files updated to include the Monkeypox LOINC are:

95.3	LAB LOINC
95.31	LAB LOINC COMPONENT
64	WKLD CODE
64.061	LAB ELECTRONIC CODES
64.2	WKLD SUFFIX CODES

3.0 Estimated Glomerular Filtration Rate

3.1 CKD-EPI eGFR

The National Kidney Foundation's latest recommended eGFR is the CKD-EPI eGFR.

The algorithm no longer incorporates race as a parameter. It is described as:

$$eGFR_{cr} = 142 \times \min(Scr/\kappa, 1)^\alpha \times \max(Scr/\kappa, 1)^{-1.200} \times 0.9938^{Age} \times 1.012$$

[if female] where

Scr = standardized serum creatinine in mg/dL

κ = 0.7 (females) or 0.9 (males)

α = -0.241 (female) or -0.302 (male)

$\min(Scr/\kappa, 1)$ is the minimum of Scr/ κ or 1.0

$\max(Scr/\kappa, 1)$ is the maximum of Scr/ κ or 1.0

Age (years)

Figure 3-1: CKD-EPI eGFR equation

3.1.1 Delta Check Routine

The BLREXEC5 routine is called by the new delta check and it actually performs the CKD-EPI eGFR calculation.

3.1.2 Delta Check Creation Option

The new BLR CKD-EPI (2021) Create option allows the user with the LRSUPER Security Key the ability to create the CKD-EPI Creatinine Equation (2021) Delta Check. The new option with the GFRC synonym will be added to the BLRMENU during the post-install phase of the patch.

3.2 2021 CKD-EPI eGFR Set Up

The **2021 CKD-EPI** Laboratory Test was included in this LR*5.2*1052 RPMS Lab Patch.

This section provides instructions for setting up the 2021 CKD-EPI eGFR.

Items to set up the 2021 CKD-EPI eGFR:

- Review & update lab test **2021 CKD-EPI**.

- Create a new lab test **CREATININE**.
- Create a new **Delta Check**.
- Add the new **Delta Check** to the new **CREATININE** lab test.
- Test the new 2021 CKD-EPI eGFR.

3.2.1 Review & Update the 2021 CKD-EPI Laboratory Test.

The first task is to review the Laboratory Test that was included in this LR*5.2*1052 RPMS Lab Patch, and add the Institution & Accession Area, Collection Sample, and Site Notes.

Review and update the 2021 CKD-EPI Laboratory Test:

1. Go to VA FileMan.
2. Use Enter or Edit File Entries.
3. Enter 60 for the lab test named: **2021 CKD-EPI**
4. **Review** the Laboratory Test.
5. **Add INSTITUTION** and **ACCESSION**
6. Review the SERUM Site/Specimen, and the reference low, units & LOINC code 98979-8 that were included.

Note: It is optional to add Plasma or/and Blood & add reference low, units, LOINC 98979-8.

7. **Add** the **COLLECTION SAMPLE(S)** to match Serum, Plasma, and/or Blood site/specimens.
8. Add SITE/NOTES with your updates.
9. See the example below:

```
VA FileMan Version 22.0

Enter or Edit File Entries
Print File Entries
Search File Entries
Modify File Attributes
Inquire to File Entries
Utility Functions ...
Data Dictionary Utilities ...
Transfer Entries
Other Options ...

Select VA FileMan Option: ENter or Edit File Entries
```

```
INPUT TO WHAT FILE: AUTO INSTRUMENT// 60 LABORATORY TEST
EDIT WHICH FIELD: ALL//
```

```
Select LABORATORY TEST NAME: 2021 CKD-EPI
NAME: 2021 CKD-EPI//
TEST COST:
Select SYNONYM:
TYPE: BOTH//
SUBSCRIPT: CHEM, HEM, TOX, SER, RIA, ETC.//
LOCATION (DATA NAME): CH;2907675;1// (No Editing)
Select INSTITUTION: DEMO HOSPITAL
ACCESSION AREA: CHEMISTRY
UNIQUE ACCESSION #: YES//
UNIQUE COLLECTION SAMPLE:
LAB COLLECTION SAMPLE:
REQUIRED TEST: YES//
PROCEDURE (SNOMED):
*QUICK INDEX:
EXTRA LABELS:
HIGHEST URGENCY ALLOWED: ROUTINE//
FORCED URGENCY:
PRINT NAME: 2021 CKD-EPI//
Reserved:
PRINT CODE:
PRETTY PRINT ENTRY:
PRETTY PRINT ROUTINE:
PRINT ORDER:
NATIONAL VA LAB CODE:
RESULT NLT CODE:
CATALOG ITEM:
EDIT CODE:
*BATCH DATA CODE:
EXECUTE ON DATA REVIEW:
Select SITE/SPECIMEN: SERUM//
SITE/SPECIMEN: SERUM//
REFERENCE LOW: 60//
REFERENCE HIGH:
CRITICAL LOW:
CRITICAL HIGH:
INTERPRETATION:
  No existing text
  Edit? NO//
UNITS: mL/min//
TYPE OF DELTA CHECK:
DELTA VALUE:
DEFAULT VALUE:
THERAPEUTIC LOW:
THERAPEUTIC HIGH:
Select *AMIS/RCS 14-4:
USE FOR REFERENCE TESTING:
CPT CODE:
PANEL (CPT):
Select FOREIGN COMPUTER SYSTEM:
LOINC CODE: 98979-8//
Select SPECIMEN CPT:
Select QUALITATIVE VALUES:
Select SITE/SPECIMEN:
GENERAL PROCESSING INST.:
  No existing text
  Edit? NO//
Select LAB TEST:
```

```

Select COLLECTION SAMPLE: SERUM (SST)
GENERAL WARD INSTRUCTIONS:
  No existing text
  Edit? NO//
REQUIRED COMMENT:
DATA NAME: 2021 CKD-EPI//
CULTURE ID PREFIX:
Select VERIFY WKLD CODE:
Select ACCESSION WKLD CODE:
*ASK AMIS/CAP CODES:
COMBINE TEST DURING ORDER:
CIS TEST CODE:
Select SITE NOTES DATE: FEB 16,2023//
  SITE NOTES DATE: FEB 16,2023//
  TEXT:
Created by LR*5.2*1052 Post-Install.
  Edit? NO//
DEFAULT SITE/SPECIMEN CPT:
HCPCS CODE:
AMA COMPLIANT/BILLABLE PANEL:
IHS PCC DISPLAY FLAG:
IHS LOINC: 98979//
IHS SEX RESTRICTION:

```

Figure 3-2: 2021 CKD-EPI Laboratory Test file

3.2.2 Create a new CREATININE Laboratory Test for 2021 CKD-EPI eGFR

We are recommending creating a new Creatinine Laboratory Test and creating a new Delta Check for the new 2021 CKD-EPI eGFR. It is not recommended to add the new Delta Check to the current Creatinine Laboratory Test.

Steps to create a new Creatinine Laboratory Test:

Create a new DATA NAME.

Create a new lab test for Creatinine.

Create a new DATA NAME:

1. Access the Laboratory Menu.
2. Access the Supervisor Menu.
3. Access the Lab Liaison Menu.
4. Select the ADD A NEW DATA NAME option.
5. Create the Data Name: **CREATININE 2021**.
6. See the example below:

```

ANT    Add a new internal name for an antibiotic
BCF    Lab Bar Code Label Formatter
BCZ    Lab Zebra Label Utility
DATA Add a new data name

```

```

HDR    Recover/Transmit Lab HDR Result Messages
MOD    Modify an existing data name
SMGR   Lab Shipping Management Menu ...
       Add a new WKLD code to file
       AP Microfiche Archive
       Archiving Menu ...
       Check files for inconsistencies
       Check patient and lab data cross pointers
       Download Format for Intermec Printer
       Edit atomic tests
       Edit cosmic tests
       File list for lab
       LAB ROUTINE INTEGRITY MENU ...
       Lab Tests and CPT Report
       LIM workload menu ...
       Manually compile WKLD and workload counts
       OE/RR interface parameters ...
       Outline for one or more files

Select Lab liaison menu Option: ADD
  1    Add a new data name
  2    Add a new internal name for an antibiotic
  3    Add a new WKLD code to file
CHOOSE 1-3: 1  Add a new data name

This option will add a new data name to the lab package.

DATA NAME: CREATININE 2021
ARE YOU ADDING CREATININE 2021 (SUBFIELD # 2907679)
AS A NEW DATA NAME? No// Y (Yes)
Enter data type for test: (N)umeric, (S)et of Codes, or (F)ree text? N
Minimum value: : 0
Maximum value: : 1// 75
Decimal value: : 1// 1

You must now add a new test in the LABORATORY TEST file and use
CREATININE 2021 as the entry for the DATA NAME field.

```

Figure 3-3: Data Name Created

Create a new Laboratory Test for Creatinine 2021:

1. Go to VA FileMan.
2. Use Enter or Edit File Entries.
3. Enter 60 for the LABORATORY TEST file.
4. Create a new lab test: **CREATININE 2021**.
5. Add CH for Subscript; add Highest Urgency, add Print Name;
6. Add Data Name: **CREATININE 2021**.
7. Add INSTITUTION and ACCESSION
8. Add SITE/SPECIMEN(S) – reference ranges, units & **LOINC: 2160-0**.

9. Add COLLECTION SAMPLE(S) to match the Site/Specimen(s).
10. Add SITE/NOTES with your updates.
11. See the example below:

```

VA FileMan Version 22.0

Enter or Edit File Entries
Print File Entries
Search File Entries
Modify File Attributes
Inquire to File Entries
Utility Functions ...
Data Dictionary Utilities ...
Transfer Entries
Other Options ...

Select VA FileMan Option: ENter or Edit File Entries

INPUT TO WHAT FILE: V LAB// 60 LABORATORY TEST
EDIT WHICH FIELD: ALL//

Select LABORATORY TEST NAME: CREATININE 2021
Are you adding 'CREATININE 2021' as a new LABORATORY TEST (the 3526TH)? No// Y
(Yes)
LABORATORY TEST LABTEST IEN: 2001634//
LABORATORY TEST SUBSCRIPT: CH CHEM, HEM, TOX, SER, RIA, ETC.
LABORATORY TEST HIGHEST URGENCY ALLOWED: ASAP
LABORATORY TEST PRINT NAME: CREAT 2021
LABORATORY TEST DATA NAME: CREATININE 2021
TEST COST:
Select SYNONYM:
TYPE: BOTH
SUBSCRIPT: CHEM, HEM, TOX, SER, RIA, ETC.//
LOCATION (DATA NAME): CH;2907675;1// (No Editing)
Select INSTITUTION: DEMO HOSPITAL
ACCESSION AREA: CHEMISTRY
UNIQUE ACCESSION #: YES//
UNIQUE COLLECTION SAMPLE:
LAB COLLECTION SAMPLE:
REQUIRED TEST: YES
PROCEDURE (SNOMED):
*QUICK INDEX:
EXTRA LABELS:
HIGHEST URGENCY ALLOWED: ASAP
FORCED URGENCY:
PRINT NAME: CREAT 2021
Reserved:
PRINT CODE:
PRETTY PRINT ENTRY:
PRETTY PRINT ROUTINE:
PRINT ORDER:
NATIONAL VA LAB CODE:
RESULT NLT CODE:
CATALOG ITEM:
EDIT CODE:
*BATCH DATA CODE:
EXECUTE ON DATA REVIEW:

```

```

Select SITE/SPECIMEN: SERUM          119364003
Are you adding 'SERUM' as a new SITE/SPECIMEN (the 1ST for this LABORATORY
TEST)?No// Y (Yes)
REFERENCE LOW: 0.6
REFERENCE HIGH: 10
CRITICAL LOW:
CRITICAL HIGH:
INTERPRETATION:
  No existing text
  Edit? NO//
UNITS: mg/dL
TYPE OF DELTA CHECK:
DELTA VALUE:
DEFAULT VALUE:
THERAPEUTIC LOW:
THERAPEUTIC HIGH:
Select *AMIS/RCS 14-4:
USE FOR REFERENCE TESTING:
CPT CODE:
PANEL (CPT):
Select FOREIGN COMPUTER SYSTEM:
LOINC CODE: 2061
Select SPECIMEN CPT:
Select QUALITATIVE VALUES:
Select SITE/SPECIMEN:
GENERAL PROCESSING INST.:
  No existing text
  Edit? NO//
Select LAB TEST:
Select COLLECTION SAMPLE: SERUM (SST)
GENERAL WARD INSTRUCTIONS:
  No existing text
  Edit? NO//
REQUIRED COMMENT:
DATA NAME: CREATININE 2021//
CULTURE ID PREFIX:
Select VERIFY WKLD CODE:
Select ACCESSION WKLD CODE:
*ASK AMIS/CAP CODES:
COMBINE TEST DURING ORDER:
CIS TEST CODE:
Select SITE NOTES DATE:
DEFAULT SITE/SPECIMEN CPT:
HCPCS CODE:
AMA COMPLIANT/BILLABLE PANEL:
IHS PCC DISPLAY FLAG:
IHS LOINC: 2160
IHS SEX RESTRICTION:

```

Figure 3-4: Creatinine 2021 Laboratory Test Created

3.2.3 Create a new Delta Check for 2021 CKD-EPI eGFR

The new BLR CKD-EPI (2021) Create option allows the user with the LRSUPER Security Key the ability to create the CKD-EPI Creatinine Equation (2021) Delta Check. The new option with the GFRC synonym will be added to the BLRMENU during the post-install phase of the patch.

Note: If using multiple Sites/Specimens for the 2021 CKD-EPI and CREATININE 2021 Laboratory Tests, create the Delta Check Individually per Site/Specimen. Name the new Delta Checks to include the Site/Specimen; for example, CKD-EPI 2021 SERUM, CKD-EPI 2021 PLASMA, and CKD-EPI 2021 BLOOD.

Steps to create a new Delta Check for 2021 CKD-EPI eGFR:

1. Access the Laboratory Menu.
2. Access the **BLR IHS Lab Main Support Menu**.
3. Select the **Create 2021 CKD-EPI eGFR Delta Check Option**.
4. See the example below:

```
BLR  IHS Lab Main Support Menu

LS      Link Transaction Processor Status
INQ     Inquire into the IHS LAB Transaction Log
PC41    Will restart the label routine if turned off.
FLD     Search Transactions for PCC LINK DISABLE Error
RSN     Requeue by Sequence Number
RST     Requeue Transaction by Sort Template
CPT     Enter/edit IHS Lab CPT File
FAL     Find ALL PCC Link Errors from Lab
STP     Stop/restart Lab to PCC Transaction Processor
EAPE    Edit BLR EMERGENCY ALERT Parameter
EDCC    BLR CC DATA Parameter Edit
EMGP    Edit LAB HIGH URGENCY NOTIFICATION Mail Group
ERRT    Error Trap Reporting
ETP     LA7 Message Queue Error Messages to Purgeable
GFRC   Create 2021 CKD-EPI eGFR Delta Check
GFRT    Test CKD-EPI Equation Logic
IHSM    RPMS Lab Microbiology Report
ILUM    IHS LOINC/UCUM MENU ...
LABT    Determine if Required RPMS Lab Options Tasked
LOI     IHS Lab Package LOINC Percentage Report
LRAS    Accession IHS Lab Microbiology Report
LROS    Order/test status by Order Number

Select IHS Lab Main Support Menu <TEST ACCOUNT> Option: CREATE
  1     Create 2021 CKD-EPI eGFR Delta Check
  2     Create Bedside Schwartz eGFR Delta Check
  3     Create Creatinine Clearance Delta Check
CHOOSE 1-3: 1  Create 2021 CKD-EPI eGFR Delta Check
```

Figure 3-5: Shorten BLR Menu – Select GFRC Option

Steps to create a new Delta Check for 2021 CKD-EPI eGFR continued:

5. Add the lab test named: **2021 CKD-EPI**

6. See the example below:

Date:05/09/23	DEMO HOSPITAL	Time:8:09 AM
NEWDELTA	IHS LAB	BLREXEC5
	2021 CKD-EPI Delta Check Creation	

Test to hold 2021 CKD-EPI Results: 2021 CKD-EPI		

Figure 3-6: Add the 2021 CKD-EPI Laboratory Test

7. Add the site/specimen for 2021 CKD-EPI lab test: **SERUM**

Note: This Option allows only one site/specimen entry.

8. See the example below:

Date:05/09/23	DEMO HOSPITAL	Time:8:26 AM
NEWDELTA	IHS LAB	BLREXEC5
	2021 CKD-EPI Delta Check Creation	

SITE/SPECIMEN of 2021 CKD-EPI Test to use for Ref Ranges: SERUM		

Figure 3-7: Add the SITE/SPECIMEN of 2021 CKD-EPI Laboratory Test

9. Add the lab test named: **CREATININE 2021**

10. See the example below:

Date:05/09/23	DEMO HOSPITAL	Time:8:32 AM
NEWDELTA	IHS LAB	BLREXEC5
	2021 CKD-EPI Delta Check Creation	

Creatinine Test to use for 2021 CKD-EPI calculation: CREATININE 2021		

Figure 3-8: Add the Creatinine 2021 Laboratory Test

11. **Create a name** for the new Delta Check for the 2021 CKD-EPI eGFR.

12. See the example below:

Date:05/09/23	DEMO HOSPITAL	Time:8:35 AM
NEWDELTA	IHS LAB	BLREXEC5
	2021 CKD-EPI Delta Check Creation	

Create a name for the Delta Check: CKD-EPI 2021 SERUM		

Figure 3-9: Create a name for the new Delta Check

3.2.4 Add the DELTA CHECK to the Creatinine Laboratory Test

Steps to add the new CKD-EPI 2021 Delta Check Name to the new Creatinine lab test.

1. Go to VA FileMan.
2. Use Enter or Edit File Entries.
3. Enter 60 for the LABORATORY TEST file.
4. Access the **CREATININE 2021** Laboratory Test.
5. Return to the **SITE/SPECIMEN** field.
6. Return to the **TYPE OF DELTA CHECK** subfield.
 - Add “CKD-EPI 2021 SERUM”
7. See the example below:

```
Select VA FileMan Option: ENter or Edit File Entries
```

```
INPUT TO WHAT FILE: V LAB// 60 LABORATORY TEST
EDIT WHICH FIELD: ALL//
```

```
Select LABORATORY TEST NAME: CREATININE 2021
NAME: CREATININE 2021//
TEST COST:
Select SYNONYM:
TYPE: BOTH//
SUBSCRIPT: CHEM, HEM, TOX, SER, RIA, ETC.//
LOCATION (DATA NAME): CH;2907675;1// (No Editing)
Select INSTITUTION: DEMO HOSPITAL
ACCESSION AREA: CHEMISTRY
UNIQUE ACCESSION #: YES//
UNIQUE COLLECTION SAMPLE:
LAB COLLECTION SAMPLE:
REQUIRED TEST: YES//
PROCEDURE (SNOMED):
*QUICK INDEX:
EXTRA LABELS:
HIGHEST URGENCY ALLOWED: ROUTINE//
FORCED URGENCY:
PRINT NAME: CREAT 2021//
Reserved:
PRINT CODE:
PRETTY PRINT ENTRY:
PRETTY PRINT ROUTINE:
PRINT ORDER:
NATIONAL VA LAB CODE:
RESULT NLT CODE:
CATALOG ITEM:
EDIT CODE:
*BATCH DATA CODE:
EXECUTE ON DATA REVIEW:
Select SITE/SPECIMEN: SERUM//
SITE/SPECIMEN: SERUM//
```

```

REFERENCE LOW: 0.6
REFERENCE HIGH: 10
CRITICAL LOW:
CRITICAL HIGH:
INTERPRETATION:
  No existing text
  Edit? NO//
UNITS: mg/dL
TYPE OF DELTA CHECK: CKD-EPI 2021 SERUM
DELTA VALUE:
DEFAULT VALUE:
THERAPEUTIC LOW:
THERAPEUTIC HIGH:
Select *AMIS/RCS 14-4:
USE FOR REFERENCE TESTING:
CPT CODE:
PANEL (CPT):
Select FOREIGN COMPUTER SYSTEM:
LOINC CODE: 2160
Select SPECIMEN CPT:
Select QUALITATIVE VALUES:
Select SITE/SPECIMEN: ^

```

Figure 3-10: Add the Delta Check to the Laboratory Test

8. When using multiple Site/Specimens;
9. Add the new Delta Check Name to its respective Site/Specimen.
10. See the CREATININE 2021 & CKD-EPI 2021 Laboratory Tests with multiple site/specimens & collection samples example below:

```

LABTEST IEN: 2001619                NAME: CREATININE 2021
TYPE: BOTH
SUBSCRIPT: CHEM, HEM, TOX, SER, RIA, ETC.
LOCATION (DATA NAME): CH;2907750;1   FIELD: DD(63.04,2907750,
HIGHEST URGENCY ALLOWED: ASAP       REQUIRED TEST: YES
PRINT NAME: CREAT 2021              PRINT ORDER: 20
DATA NAME: CREATININE 2021
SITE/SPECIMEN: BLOOD
  REFERENCE LOW: 0.6
  REFERENCE HIGH: 10                 UNITS: mg/dL
  TYPE OF DELTA CHECK: CKD-EPI 2021 BLOOD
  LOINC CODE: 2160-0
SITE/SPECIMEN: SERUM
  REFERENCE LOW: 0.6
  REFERENCE HIGH: 10                 UNITS: mg/dL
  TYPE OF DELTA CHECK: CKD-EPI 2021 SERUM
  LOINC CODE: 2160-0
SITE/SPECIMEN: PLASMA              REFERENCE LOW: 0.6
  REFERENCE HIGH: 10                 UNITS: mg/dL
  TYPE OF DELTA CHECK: CKD-EPI 2021 PLASMA
  LOINC CODE: 2160-0
COLLECTION SAMPLE: SERUM (SST)
  CONTAINER (c): SST(GEL)
COLLECTION SAMPLE: PLASMA (PST)
  CONTAINER (c): PST/GRN GEL
COLLECTION SAMPLE: BLOOD (SST)

```

```

CONTAINER (c) : SST
INSTITUTION: DEMO HOSPITAL                ACCESSION AREA: CHEMISTRY
SITE NOTES DATE: MAY 8, 2023
NOTE:   CREATED NEW LAB TEST TO TEST LR1052.
INPUT TRANSFORM (c) : S Q9="0,50,1" D ^LRNUM
DATA TYPE (c) : NUMERIC

LABTEST IEN: 2001633                      NAME: 2021 CKD-EPI
TYPE: BOTH
SUBSCRIPT: CHEM, HEM, TOX, SER, RIA, ETC.
LOCATION (DATA NAME): CH;2907756;1        FIELD: DD(63.04,2907756,
HIGHEST URGENCY ALLOWED: ASAP            REQUIRED TEST: YES
PRINT NAME: 2021 CKD-EPI                 DATA NAME: 2021 CKD-EPI
SITE/SPECIMEN: BLOOD                     REFERENCE LOW: 60
UNITS: mL/min                            LOINC CODE: 98979-8
SITE/SPECIMEN: SERUM                     REFERENCE LOW: 60
UNITS: mL/min                            LOINC CODE: 98979-8
SITE/SPECIMEN: PLASMA                   REFERENCE LOW: 60
UNITS: mL/min                            LOINC CODE: 98979-8
COLLECTION SAMPLE: SERUM (SST)
CONTAINER (c) : SST(GEL)
COLLECTION SAMPLE: PLASMA (PST)
CONTAINER (c) : PST/GRN GEL
COLLECTION SAMPLE: BLOOD (SST)
CONTAINER (c) : SST
INSTITUTION: DEMO HOSPITAL                ACCESSION AREA: CHEMISTRY
SITE NOTES DATE: FEB 08, 2023
NOTE:   Created by LR*5.2*1052 Post-Install.
IHS LOINC: 98979
INPUT TRANSFORM (c) : K:$L(X)>20!($L(X)<1) X
DATA TYPE (c) : FREE TEXT
    
```

Figure 3-11: Creatinine 2021 & 2021 CKD-EPI Laboratory Tests

3.2.5 Test the CREATININE 2021 and 2021 CKD-EPI eGFR.

Order and result the CREATININE 2021 Laboratory Test with the 2021 CKD-EPI eGFR.

1. OPTIONAL, create a Panel/Cosmic Test that includes both Laboratory Tests.
2. Order and result the Cosmic Test or the CREATININE 2021 Atomic Test.
3. See the results on the Interim Report below:

```

DR SMITH LABORATORY DIRECTOR
801 THOMPSON AVE, ROCKVILLE MD 20852

DEMO,PATIENT                               Date/Time Printed: 05/09/23@17:33
HRCN:114649   SEX:F   DOB:Feb 25, 2000   LOC:LAB
Accession [UID]: CH 23 43 [1023000043]
Provider: RADON,NICHOLAS M JR             Lab Arrival Date/Time:05/09/23@17:32
Specimen:SERUM                            Spec Collect Date/Time:05/09/23@17:32

Res
Test name      Result Flg units      Ref.  range      Site  Result Dt/Time
2021 CKD-EPI   5.12  L  mL/min      Ref: >60      [2906] 05/09/23@17:33
CREATININE 2021 10.0  mg/dL      0.6 - 10      [2906] 05/09/23@17:33
    
```

```

=====
KEY: A=Abnormal   L=Abnormal Low   H=Abnormal High   *=Critical   TR=Therapeutic
[2906] DEMO HOSPITAL   90001 1ST AVE   WASHINGTON, NM 87000

DEMO, PATIENT                               HRCN:114649           5/9/2023

```

Figure 3-12: Interim Report Example

1. Reivew the CPT, LOINC, RESULTS, UNITS, and FLAGS by:
2. Access the BLR menu.
3. Select the IHS LAB TRANSATION LOG SEQUENCE NUMBER option.
4. Type the full accession number, for this example: **CH 23 43**.
5. Select each Transaction to review the data per Laboratory Test.
6. See the example below:

```

Select IHS Lab Main Support Menu Option: INQ   Inquire into the IHS LAB Transaction
Log

Select IHS LAB TRANSACTION LOG SEQUENCE NUMBER: CH 23 43
  1  CH 23 43  2016
  2  CH 23 43  2017
  3  CH 23 43  2018
CHOOSE 1-3:

IHS LAB TRANSACTION LOG LIST                               MAY  9,2023  17:44   PAGE 1
-----
SEQUENCE NUMBER: 2016                                LRFILE: 2
  PATIENT POINTER VALUE: 5920
  PANEL/TEST POINTER: CREATININE/EGFR (2021) PANEL
  LAB MODULE: GENERAL                                  DUZ(2): 2906
  I/O CATEGORY: OUT PATIENT                           STATUS FLAG: RESULTED
  ENTRY DATE/TIME: MAY 09, 2023@17:32:51
  ASSOCIATED V FILE: V LAB                            IEN OF V FILE ENTRY: 4295726
  CLINIC STOP CODE POINTER: LABORATORY SERVICES
  CPT LAB CODE POINTER: CREATININE/EGFR 2021
  BILLING CPT STRING: 82565||||| CLINICAL INDICATOR: 202356017
  ORDER DATE: MAY 09, 2023@17:32:48   ORDER SEQUENCE NUMBER: 3
  ORDER NUMBER: 1336
  ORDERING PROVIDER POINTER: DEMO, DOCTOR
  ORDERING LOCATION POINTER: LAB HOSPITAL
  COLLECTION DATE/TIME: MAY 09, 2023@17:32:48
  ACCESSION NUMBER: CH 23 43           COLLECTION SAMPLE POINTER: SERUM (SST)
  COMPLETE DATE: MAY 09, 2023@17:33:03   LOINC CODE: 45066
  PROVIDER NARRATIVE: Chart evaluation by healthcare professional
  SNOMED: 202356017                               ICD: Z02.9

SEQUENCE NUMBER: 2017                                LRFILE: 2
  PATIENT POINTER VALUE: 5920
  PANEL/TEST POINTER: CREATININE 2021
  LAB MODULE: GENERAL                                  DUZ(2): 2906
  I/O CATEGORY: OUT PATIENT                           PARENT POINTER: 2016

```

```

STATUS FLAG: RESULTED                ENTRY DATE/TIME: MAY 09, 2023@17:32:51
ASSOCIATED V FILE: V LAB                IEN OF V FILE ENTRY: 4295727
CLINIC STOP CODE POINTER: LABORATORY SERVICES
ORDER DATE: MAY 09, 2023@17:32:48      ORDER SEQUENCE NUMBER: 3
ORDER NUMBER: 1336
ORDERING PROVIDER POINTER: DEMO, DOCTOR
ORDERING LOCATION POINTER: LAB HOSPITAL
COLLECTION DATE/TIME: MAY 09, 2023@17:32:48
ACCESSION NUMBER: CH 23 43           COLLECTION SAMPLE POINTER: SERUM (SST)
COMPLETE DATE: MAY 09, 2023@17:33:03  LOINC CODE: 2160
RESULT: 10                            UNITS: mg/dL
SITE/SPECIMEN POINTER: SERUM         VERIFIER POINTER: DEMO, LAB TECH
REFERENCE LOW: .6                       REFERENCE HIGH: 10

SEQUENCE NUMBER: 2018                   LRFILE: 2
PATIENT POINTER VALUE: 5920             PANEL/TEST POINTER: 2021 CKD-EPI
LAB MODULE: GENERAL                     DUZ(2): 2906
I/O CATEGORY: OUT PATIENT                PARENT POINTER: 2016
STATUS FLAG: RESULTED                 ENTRY DATE/TIME: MAY 09, 2023@17:32:51
ASSOCIATED V FILE: V LAB                IEN OF V FILE ENTRY: 4295728
CLINIC STOP CODE POINTER: LABORATORY SERVICES
ORDER DATE: MAY 09, 2023@17:32:48      ORDER SEQUENCE NUMBER: 3
ORDER NUMBER: 1336
ORDERING PROVIDER POINTER: DEMO, DOCTOR
ORDERING LOCATION POINTER: LAB HOSPITAL
COLLECTION DATE/TIME: MAY 09, 2023@17:32:48
ACCESSION NUMBER: CH 23 43           COLLECTION SAMPLE POINTER: SERUM (SST)
COMPLETE DATE: MAY 09, 2023@17:33:03  LOINC CODE: 98979
RESULT: 5.12                            RESULT N/A FLAG: L
UNITS: mL/min                          SITE/SPECIMEN POINTER: SERUM
VERIFIER POINTER: DEMO, LAB TECH        REFERENCE LOW: 60
SITE/SPECIMEN POINTER: SERUM

Select IHS LAB TRANSACTION LOG SEQUENCE NUMBER:

```

Figure 3-13: IHS LAB TRANSACTION LOG Example

3.3 "Bedside Schwartz" eGFR For Children < 18 Years Old

The National Kidney Foundation states that the "Bedside Schwartz" eGFR is currently the best method for estimating GFR in children.

It is described as:

```

eGFR = 0.413 x (height/Scr) (height expressed in centimeters)
where
Scr = standardized serum creatinine in mg/dL

```

Figure 3-14: CKD-EPI eGFR Equation

3.3.1 Height Measurement

The height measurement will be retrieved from the V MEASUREMENT (#9000010.01) file.

3.3.1.1 Height Measurement Date

If the latest height measurement for the patient was conducted more than 90 days in the past, it will be regarded as invalid due to the rapidity (approximately 0.54 centimeters a month) with which children grow.

3.3.2 Delta Check Routine

The BLREXEBS routine is called by the new delta check and it actually performs the Bedside Schwartz eGFR calculation.

3.3.3 Delta Check Creation Option

The new BLR Bedside Schwartz eGFR Make option allows the user with the LRSUPER Security Key the ability to create the Bedside Schwartz Delta Check. The new option with the BGFR synonym will be added to the BLRMENU during the post-install phase of the patch.

3.4 BEDSIDE SCHWARTZ eGFR Set Up

The BEDSIDE SCHWARTZ Laboratory Test was included in this LR*5.2*1052 RPMS Lab Patch. This section provides instructions for setting up the Bedside Schwartz eGFR.

Items to set up the Bedside Schwartz eGFR:

- Review & update lab test **BEDSIDE SCHWARTZ**.
- Create a new lab test **CREATININE**.
- Create a new **Delta Check**.
- Add the new **Delta Check** to the new **CREATININE** lab test.
- Test the new Bedside Schwartz eGFR.

3.4.1 Review & Update the Bedside Schwartz Laboratory Test.

The first task is to review the Laboratory Test that was included in this LR*5.2*1052 RPMS Lab Patch, add the Institution & Accession Area, Collection Sample, and Site Notes.

Review and update the Bedside Schwartz Laboratory Test:

1. Go to VA FileMan.
2. Use Enter or Edit File Entries.
3. Enter 60 for the LABORATORY TEST file.

4. **Review** the lab test named: **BEDSIDE SCHWARTZ**
5. **Add INSTITUTION and ACCESSION.**
6. **Review** the **SERUM** Site/Specimen, the reference low, units & LOINC code 50384-7 that were included.
7. **Note:** it is optional to add Plasma, or/and Blood & add reference low, units, LOINC 50384-7.
8. **Add** the **COLLECTION SAMPLE(S)** to match Serum, Plasma, and/or Blood site/specimens.
9. Add SITE/NOTES with your updates.
10. See the example below:

```

VA FileMan Version 22.0

Enter or Edit File Entries
Print File Entries
Search File Entries
Modify File Attributes
Inquire to File Entries
Utility Functions ...
Data Dictionary Utilities ...
Transfer Entries
Other Options ...

Select VA FileMan Option: ENter or Edit File Entries

INPUT TO WHAT FILE: AUTO INSTRUMENT// 60 LABORATORY TEST
EDIT WHICH FIELD: ALL//

Select LABORATORY TEST NAME: BEDSIDE SCHWARTZ
NAME: BEDSIDE SCHWARTZ//
TEST COST:
Select SYNONYM:
TYPE: BOTH//
SUBSCRIPT: CHEM, HEM, TOX, SER, RIA, ETC.//
LOCATION (DATA NAME): CH;2907675;1// (No Editing)
Select INSTITUTION: DEMO HOSPITAL
ACCESSION AREA: CHEMISTRY
UNIQUE ACCESSION #: YES//
UNIQUE COLLECTION SAMPLE:
LAB COLLECTION SAMPLE:
REQUIRED TEST: YES//
PROCEDURE (SNOMED):
*QUICK INDEX:
EXTRA LABELS:
HIGHEST URGENCY ALLOWED: ROUTINE//
FORCED URGENCY:
PRINT NAME: BEDSIDE SCHWARTZ//
Reserved:
PRINT CODE:
PRETTY PRINT ENTRY:
PRETTY PRINT ROUTINE:

```

```
PRINT ORDER:
NATIONAL VA LAB CODE:
RESULT NLT CODE:
CATALOG ITEM:
EDIT CODE:
*BATCH DATA CODE:
EXECUTE ON DATA REVIEW:
Select SITE/SPECIMEN: SERUM//
  SITE/SPECIMEN: SERUM//
  REFERENCE LOW: 60//
  REFERENCE HIGH:
  CRITICAL LOW:
  CRITICAL HIGH:
  INTERPRETATION:
    No existing text
    Edit? NO//
  UNITS: mL/min//
  TYPE OF DELTA CHECK:
  DELTA VALUE:
  DEFAULT VALUE:
  THERAPEUTIC LOW:
  THERAPEUTIC HIGH:
  Select *AMIS/RCS 14-4:
  USE FOR REFERENCE TESTING:
  CPT CODE:
  PANEL (CPT):
  Select FOREIGN COMPUTER SYSTEM:
  LOINC CODE: 50384-7//
  Select SPECIMEN CPT:
  Select QUALITATIVE VALUES:
Select SITE/SPECIMEN:
GENERAL PROCESSING INST.:
  No existing text
  Edit? NO//
Select LAB TEST:
Select COLLECTION SAMPLE:
GENERAL WARD INSTRUCTIONS:
  No existing text
  Edit? NO//
REQUIRED COMMENT:
DATA NAME: BEDSIDE SCHWARTZ//
CULTURE ID PREFIX:
Select VERIFY WKLD CODE:
Select ACCESSION WKLD CODE:
*ASK AMIS/CAP CODES:
COMBINE TEST DURING ORDER:
CIS TEST CODE:
Select SITE NOTES DATE: FEB 16,2023//
  SITE NOTES DATE: FEB 16,2023//
  TEXT:
Created by LR*5.2*1052 Post-Install.

  Edit? NO//
DEFAULT SITE/SPECIMEN CPT:
HCPCS CODE:
AMA COMPLIANT/BILLABLE PANEL:
IHS PCC DISPLAY FLAG:
IHS LOINC: 50384//
IHS SEX RESTRICTION:
```

Figure 3-15: Bedside Schwartz Laboratory Test File

3.4.2 Create a new CREATININE Laboratory Test Bedside Schwartz eGFR

We are recommending creating a new Creatinine Laboratory Test and creating a new Delta Check for the new BEDSIDE SCHWARTZ eGFR. It is not recommended to add the new Delta Check to the current Creatinine Laboratory Test.

Steps to create a new Creatinine Laboratory Test:

Create a new DATA NAME.

Create a new lab test for Creatinine.

Create a new DATA NAME:

1. Access the Laboratory Menu.
2. Access the Supervisor Menu.
3. Access the Lab Liaison Menu.
4. Select the ADD A NEW DATA NAME option.
5. Create the Data Name: **CREATININE SCHWARTZ**
6. See the example below:

```

ANT      Add a new internal name for an antibiotic
BCF      Lab Bar Code Label Formatter
BCZ      Lab Zebra Label Utility
DATA   Add a new data name
HDR      Recover/Transmit Lab HDR Result Messages
MOD      Modify an existing data name
SMGR     Lab Shipping Management Menu ...
         Add a new WKLD code to file
         AP Microfiche Archive
         Archiving Menu ...
         Check files for inconsistencies
         Check patient and lab data cross pointers
         Download Format for Intermec Printer
         Edit atomic tests
         Edit cosmic tests
         File list for lab
         LAB ROUTINE INTEGRITY MENU ...
         Lab Tests and CPT Report
         LIM workload menu ...
         Manually compile WKLD and workload counts
         OE/RR interface parameters ...
         Outline for one or more files

Select Lab liaison menu Option: ADD
  1      Add a new data name
  2      Add a new internal name for an antibiotic
  3      Add a new WKLD code to file
CHOOSE 1-3: 1 Add a new data name

This option will add a new data name to the lab package.
```

```

DATA NAME: CREATININE SCHWARTZ
ARE YOU ADDING CREATININE SCHWARTZ (SUBFIELD # 2907679)
  AS A NEW DATA NAME? No// Y (Yes)
Enter data type for test: (N)umeric, (S)et of Codes, or (F)ree text? N
Minimum value: : 0
Maximum value: : 1// 75
Decimal value: : 1// 1

You must now add a new test in the LABORATORY TEST file and use
CREATININE SCHWARTZ the entry for the DATA NAME field.

```

Figure 3-16: Data Name Created

Create a new Laboratory Test for Creatinine Schwartz:

1. Go to VA FileMan.
2. Use Enter or Edit File Entries.
3. Enter 60 for the LABORATORY TEST file.
4. Create a new lab test: **CREATININE SCHWARTZ**.
5. Add CH for Subscript, add Highest Urgency, add Print Name.
6. Add Data Name: **CREATININE SCHWARTZ**.
7. Add INSTITUTION and ACCESSION.
8. Add SITE/SPECIMEN(S) – reference ranges, units & **LOINC: 2160-0**.
9. Add COLLECTION SAMPLE(S) to match the Site/Specimens.
10. Add SITE/NOTES with your updates.
11. See the example below:

```

VA FileMan Version 22.0

Enter or Edit File Entries
Print File Entries
Search File Entries
Modify File Attributes
Inquire to File Entries
Utility Functions ...
Data Dictionary Utilities ...
Transfer Entries
Other Options ...

Select VA FileMan Option: ENTer or Edit File Entries

INPUT TO WHAT FILE: V LAB// 60 LABORATORY TEST
EDIT WHICH FIELD: ALL//

Select LABORATORY TEST NAME: CREATININE SCHWARTZ

```

Are you adding 'CREATININE SCHWARTZ' as a new LABORATORY TEST (the 3526TH)?
No//**Y**(Yes)

LABORATORY TEST LABTEST IEN: 2001635//
LABORATORY TEST SUBSCRIPT: **CH** CHEM, HEM, TOX, SER, RIA, ETC.
LABORATORY TEST HIGHEST URGENCY ALLOWED: **ASAP**
LABORATORY TEST PRINT NAME: **CREAT SCHWARTZ**
LABORATORY TEST DATA NAME: **CREATININE SCHWARTZ**

TEST COST:

Select SYNONYM:

TYPE: BOTH

SUBSCRIPT: CHEM, HEM, TOX, SER, RIA, ETC.//

LOCATION (DATA NAME): CH;2907675;1// (No Editing)

Select **INSTITUTION**: DEMO HOSPITAL

ACCESSION AREA: CHEMISTRY

UNIQUE ACCESSION #: YES//

UNIQUE COLLECTION SAMPLE:

LAB COLLECTION SAMPLE:

REQUIRED TEST: YES//

PROCEDURE (SNOMED):

*QUICK INDEX:

EXTRA LABELS:

HIGHEST URGENCY ALLOWED: ROUTINE//

FORCED URGENCY:

PRINT NAME: CREAT SCHWARTZ//

Reserved:

PRINT CODE:

PRETTY PRINT ENTRY:

PRETTY PRINT ROUTINE:

PRINT ORDER:

NATIONAL VA LAB CODE:

RESULT NLT CODE:

CATALOG ITEM:

EDIT CODE:

*BATCH DATA CODE:

EXECUTE ON DATA REVIEW:

Select **SITE/SPECIMEN**: **SERUM**//

SITE/SPECIMEN: SERUM//

REFERENCE LOW:

REFERENCE HIGH:

CRITICAL LOW:

CRITICAL HIGH:

INTERPRETATION:

No existing text

Edit? NO//

UNITS:

TYPE OF DELTA CHECK:

DELTA VALUE:

DEFAULT VALUE:

THERAPEUTIC LOW:

THERAPEUTIC HIGH:

Select *AMIS/RCS 14-4:

USE FOR REFERENCE TESTING:

CPT CODE:

PANEL (CPT):

Select FOREIGN COMPUTER SYSTEM:

LOINC CODE: **2061**

Select SPECIMEN CPT:

Select QUALITATIVE VALUES:

Select SITE/SPECIMEN:

GENERAL PROCESSING INST.:

No existing text

```

Edit? NO//
Select LAB TEST:
Select COLLECTION SAMPLE:
GENERAL WARD INSTRUCTIONS:
  No existing text
  Edit? NO//
REQUIRED COMMENT:
DATA NAME: CREATININE SCHWARTZ//
CULTURE ID PREFIX:
Select VERIFY WKLD CODE:
Select ACCESSION WKLD CODE:
*ASK AMIS/CAP CODES:
COMBINE TEST DURING ORDER:
CIS TEST CODE:
Select SITE NOTES DATE:
DEFAULT SITE/SPECIMEN CPT:
HCPCS CODE:
AMA COMPLIANT/BILLABLE PANEL:
IHS PCC DISPLAY FLAG:
IHS LOINC: 2160
IHS SEX RESTRICTION:

```

Figure 3-17: Creatinine Schwartz Laboratory Test Created

3.4.3 Create a new Delta Check for Bedside Schwartz

The new BLR Bedside Schwartz eGFR Make option allows the user with the LRSUPER Security Key the ability to create the Bedside Schwartz Delta Check. The new option with the BGFR synonym will be added to the BLRMENU during the post-install phase of the patch.

Note: If using multiple Site/Specimens for BEDSIDE SCHWARTZ and CREATININE SCHWARTZ Laboratory Tests, create the Delta Check individually per Site/Specimen. Name the new Delta Checks to include the Site/Specimen; for example. BEDSIDE SCHWARTZ SERUM, BEDSIDE SCHWARTZ PLASMA, and BEDSIDE SCHWARTZ BLOOD.

Steps to create a new Delta Check for Bedside Schwartz eGFR:

1. Access the Laboratory Menu.
2. Access the **BLR IHS Lab Main Support Menu**.
3. Select the **Create Bedside Schwartz eGFR Delta Check Option**.
4. See the example below:

```

BLR  IHS Lab Main Support Menu

LS   Link Transaction Processor Status
INQ  Inquire into the IHS LAB Transaction Log

```

```

PC41 Will restart the label routine if turned off.
FLD Search Transactions for PCC LINK DISABLE Error
CPT Enter/edit IHS Lab CPT File
FAL Find ALL PCC Link Errors from Lab
STP Stop/restart Lab to PCC Transaction Processor
BGFR Create Bedside Schwartz eGFR Delta Check
BZY RPMS Taskman Busy Device Rpt
CACC IHS Count accessioned tests
CCCD Create Creatinine Clearance Delta Check
CDVC Edit BLR COLL DT PCC VISIT CREATION Parameter
CLR Clear BLR errors from error log
CUM IHS CUMULATIVE MENU ...
DADD Add Completed Date to Accession Tests
DCL DISPLAY BUILDING COLLECTION LIST
IHSM RPMS Lab Microbiology Report
ILUM IHS LOINC/UCUM MENU ...
LABT Determine if Required RPMS Lab Options Tasked
LOI IHS Lab Package LOINC Percentage Report
LRAS Accession IHS Lab Microbiology Report
LROS Order/test status by Order Number

Select IHS Lab Main Support Menu <TEST ACCOUNT> Option: CREATE
1 Create 2021 CKD-EPI eGFR Delta Check
2 Create Bedside Schwartz eGFR Delta Check
3 Create Creatinine Clearance Delta Check
CHOOSE 1-3: 2 Create Bedside Schwartz eGFR Delta Check
    
```

Figure 3-18: Shorten BLR Menu – Select BGFR Option

Steps to create a new Delta Check for Bedside Schwartz eGFR continued:

5. Add the lab test named: **BEDSIDE SCHWARTZ**
6. See the example below:

```

                                DEMO HOSPITAL
Date:05/09/23                    IHS LAB                    Time:6:33 PM
NEWDELTA                        Bedside Schwartz Delta Check Creation    BLREXEBS
-----
Test to hold Bedside Schwartz Results: BEDSIDE SCHWARTZ
    
```

Figure 3-19: Add the BEDSIDE SCHARTZ Laboratory Text

7. Add the site/specimen for Bedside Schwartz lab test: **SERUM**

Note: This Option allows only one site/specimen entry.

8. See the example below:

```

                                DEMO HOSPITAL
Date:05/09/23                    IHS LAB                    Time:6:36 PM
NEWDELTA                        Bedside Schwartz Delta Check Creation    BLREXEBS
-----
    
```

```
SITE/SPECIMEN of BEDSIDE SCHWARTZ Test to use for Ref Ranges: SERUM
```

Figure 3-20: Add the SITE/SPECIMEN of Bedside Schwartz Laboratory Test

9. Add the lab test named: **CREATININE SCHWARTZ**
10. See the example below:

```

                                DEMO HOSPITAL
Date:05/09/23                    IHS LAB                    Time:6:39 PM
NEWDELTA                        Bedside Schwartz Delta Check Creation    BLREXEBS
-----
Creatinine Test to use for Bedside Schwartz calculation: CREATININE SCHWARTZ

```

Figure 3-21: Add the Creatinine Schwartz Laboratory Test

11. **Create a name** for the new Delta Check for the Bedside Schwartz eGFR.
12. See the example below:

```

                                DEMO HOSPITAL
Date:05/09/23                    IHS LAB                    Time:6:41 PM
NEWDELTA                        Bedside Schwartz Delta Check Creation    BLREXEBS
-----
Create a name for the Delta Check: BEDSIDE SCHWARTZ SERUM

```

Figure 3-22: Create a Name for the new Delta Check

3.4.4 Add the DELTA CHECK to the Creatinine Laboratory Test

Steps to add the new BEDSIDE SCHWARTZ Delta Check Name to the new Creatinine lab test.

1. Go to VA FileMan.
2. Use Enter or Edit File Entries.
3. Enter 60 for the LABORATORY TEST file.
4. Access the **CREATININE SCHWARTZ** Laboratory Test.
5. Return to the **SITE/SPECIMEN** field.
6. Return to the **TYPE OF DELTA CHECK** subfield.
 - Add “BEDSIDE SCHWARTZ SERUM”
7. See the example below:

Select VA FileMan Option: ENter or Edit File Entries

INPUT TO WHAT FILE: V LAB// 60 LABORATORY TEST
EDIT WHICH FIELD: ALL//

Select LABORATORY TEST NAME: **CREATININE SCHWARTZ**
NAME: CREATININE SCHWARTZ//
TEST COST:
Select SYNONYM:
TYPE: BOTH//
SUBSCRIPT: CHEM, HEM, TOX, SER, RIA, ETC.//
LOCATION (DATA NAME): CH;2907675;1// (No Editing)
Select INSTITUTION: DEMO HOSPITAL
ACCESSION AREA: CHEMISTRY
UNIQUE ACCESSION #: YES//
UNIQUE COLLECTION SAMPLE:
LAB COLLECTION SAMPLE:
REQUIRED TEST: YES//
PROCEDURE (SNOMED):
*QUICK INDEX:
EXTRA LABELS:
HIGHEST URGENCY ALLOWED: ROUTINE//
FORCED URGENCY:
PRINT NAME: CREAT SCHWARTZ//
Reserved:
PRINT CODE:
PRETTY PRINT ENTRY:
PRETTY PRINT ROUTINE:
PRINT ORDER:
NATIONAL VA LAB CODE:
RESULT NLT CODE:
CATALOG ITEM:
EDIT CODE:
*BATCH DATA CODE:
EXECUTE ON DATA REVIEW:
Select SITE/SPECIMEN: SERUM//
SITE/SPECIMEN: SERUM//
REFERENCE LOW: 0.6
REFERENCE HIGH: 10
CRITICAL LOW:
CRITICAL HIGH:
INTERPRETATION:
No existing text
Edit? NO//
UNITS: mg/dL
TYPE OF DELTA CHECK: BEDSIDE SCHWARTZ SERUM
DELTA VALUE:
DEFAULT VALUE:
THERAPEUTIC LOW:
THERAPEUTIC HIGH:
Select *AMIS/RCS 14-4:
USE FOR REFERENCE TESTING:
CPT CODE:
PANEL (CPT):
Select FOREIGN COMPUTER SYSTEM:
LOINC CODE: 2160
Select SPECIMEN CPT:
Select QUALITATIVE VALUES:
Select SITE/SPECIMEN: ^

Figure 3-23: Add the Delta Check to the Laboratory Test

8. When using multiple Site/Specimens;
9. Add the new Delta Check name to its respective Site/Specimen.
10. See the CREATININE SCWARTZ & BEDSIDE SCHWARTZ Laboratory Tests with multiple site/specimens & collection samples example below:

```

LABTEST IEN: 2001619                NAME: CREATININE SCHWARTZ
TYPE: BOTH
SUBSCRIPT: CHEM, HEM, TOX, SER, RIA, ETC.
LOCATION (DATA NAME): CH;2907750;1   FIELD: DD(63.04,2907750,
HIGHEST URGENCY ALLOWED: ASAP       REQUIRED TEST: YES
PRINT NAME: CREAT SCHWARTZ          PRINT ORDER: 20
DATA NAME: CREATININE SCHWARTZ

SITE/SPECIMEN: BLOOD
REFERENCE LOW: 0.6
REFERENCE HIGH: 10                  UNITS: mg/dL
TYPE OF DELTA CHECK: BEDSIDE SCHWARTZ BLOOD
LOINC CODE: 2160-0

SITE/SPECIMEN: SERUM
REFERENCE LOW: 0.6
REFERENCE HIGH: 10                  UNITS: mg/dL
TYPE OF DELTA CHECK: BEDSIDE SCHWARTZ SERUM
LOINC CODE: 2160-0

SITE/SPECIMEN: PLASMA           REFERENCE LOW: 0.6
REFERENCE HIGH: 10                  UNITS: mg/dL
TYPE OF DELTA CHECK: BEDSIDE SCHWARTZ PLASMA
LOINC CODE: 2160-0

COLLECTION SAMPLE: SERUM (SST)
CONTAINER (c): SST(GEL)
COLLECTION SAMPLE: PLASMA (PST)
CONTAINER (c): PST/GRN GEL
COLLECTION SAMPLE: BLOOD (SST)
CONTAINER (c): SST
INSTITUTION: DEMO HOSPITAL          ACCESSION AREA: CHEMISTRY
SITE NOTES DATE: MAY 8, 2023
NOTE:   CREATED NEW LAB TEST TO TEST LR1052.
INPUT TRANSFORM (c): S Q9="0,50,1" D ^LRNUM
DATA TYPE (c): NUMERIC

LABTEST IEN: 2001633                NAME: BEDSIDE SCHWARTZ
TYPE: BOTH
SUBSCRIPT: CHEM, HEM, TOX, SER, RIA, ETC.
LOCATION (DATA NAME): CH;2907757;1   FIELD: DD(63.04,2907756,
HIGHEST URGENCY ALLOWED: ASAP       REQUIRED TEST: YES
PRINT NAME: BEDSIDE SCHWARTZ        DATA NAME: BEDSIDE SCHWARTZ
SITE/SPECIMEN: BLOOD           REFERENCE LOW: 60
UNITS: mL/min                       LOINC CODE: 50384-7
SITE/SPECIMEN: SERUM           REFERENCE LOW: 60
UNITS: mL/min                       LOINC CODE: 50384-7
SITE/SPECIMEN: PLASMA        REFERENCE LOW: 60
UNITS: mL/min                       LOINC CODE: 50384-7
COLLECTION SAMPLE: SERUM (SST)
CONTAINER (c): SST(GEL)

```



```

COLLECTION SAMPLE: PLASMA (PST)
CONTAINER (c): PST/GRN GEL
COLLECTION SAMPLE: BLOOD (SST)
CONTAINER (c): SST
INSTITUTION: DEMO HOSPITAL                ACCESSION AREA: CHEMISTRY
SITE NOTES DATE: FEB 08, 2023
NOTE: Created by LR*5.2*1052 Post-Install.
IHS LOINC: 50384-7
INPUT TRANSFORM (c): K:$L(X)>20!($L(X)<1) X
DATA TYPE (c): FREE TEXT

```

Figure 3-24: Creatinine Schwartz & Bedside Schwartz Laboratory Tests

3.4.5 Test the Creatinine Schwartz and Bedside Schwartz eGFR

Order and result the CREATININE SCHWARTZ Laboratory Test with the Bedside Schwartz eGFR.

1. OPTIONAL, create a Panel/Cosmic Test that includes both Laboratory Tests.
2. Order and result of the Cosmic Test or the CREATININE SCHWARTZ Atomic Test.
3. The Bedside Schwartz eGFR will be calculated if and only if the height & weight was captured during the visit.
4. In the example below, the height & weight was not available for the calculation, therefore, the eGFR result will not display.
5. See the Interim Report below without the Bedside Schwartz result not displaying:

```

                                DR SMITH LABORATORY DIRECTOR
                                801 THOMPSON AVE, ROCKVILLE MD 20852
DEMO,CDSCHILD                    Date/Time Printed: 05/09/23@19:09
HRCN:999997    SEX:F  DOB:May 22, 2015                LOC:LAB
Accession [UID]: CH 23 44 [1023000044]
Provider: RADON,NICHOLAS M JR    Lab Arrival Date/Time:05/09/23@19:08
Specimen:SERUM                  Spec Collect Date/Time:05/09/23@19:08

                                Res
Test name      Result Flg units      Ref.  range      Site  Result Dt/Time
BEDSIDE SCHWARTZ  Ht.Zero  mL/min      Ref: >60      [2906] 05/09/23@19:08
CREAT SCHWARTZ   10.0  H  mg/dL      0.4 - 1.4     [2906] 05/09/23@19:08
=====
KEY: A=Abnormal  L=Abnormal Low  H=Abnormal High  *=Critical  TR=Therapeutic

[2906] DEMO HOSPITAL      90001 1ST AVE  WASHINGTON, NM 87000
DEMO,CDSCHILD           HRCN:999997                5/9/2023

```

Figure 3-25: Interim Report without Bedside Schwartz result

6. When the height & weight is available for the calculation, the eGFR result will display, see Interim Report example below:

```

DR SMITH LABORATORY DIRECTOR
801 THOMPSON AVE, ROCKVILLE MD 20852
DEMO,CDSCHILD                               Date/Time Printed: 05/09/23@19:09
HRCN:999997   SEX:F   DOB:May 22, 2015     LOC:LAB
Accession [UID]: CH 23 44 [1023000044]
Provider: RADON,NICHOLAS M JR               Lab Arrival Date/Time:05/09/23@19:08
Specimen:SERUM                             Spec Collect Date/Time:05/09/23@19:08

Res
Test name      Result Flg units      Ref.  range      Site  Result Dt/Time
BEDSIDE SCHWARTZ  92.26      mL/min      Ref: >60      [2906] 05/09/23@19:08
CREAT SCHWARTZ   1.0        H   mg/dL        0.4 - 1.4    [2906] 05/09/23@19:08
=====
KEY: A=Abnormal  L=Abnormal Low  H=Abnormal High  *=Critical  TR=Therapeutic

[2906] DEMO HOSPITAL      90001 1ST AVE  WASHINGTON, NM 87000
DEMO,CDSCHILD           HRCN:999997      5/9/2023

```

Figure 3-26: Interim Report with Bedside Schwartz results

7. Review the CPT, LOINC, RESULTS, UNITS, and FLAGS by:
8. Access the BLR menu.
9. Select the IHS LAB TRANSATION LOG SEQUENCE NUMBER option.
10. Type the full accession number, for this example: CH 23 44.
11. Select each Transaction to review the data per Laboratory Test.
12. See the example below:

```

Select IHS Lab Main Support Menu Option: INQ   Inquire into the IHS LAB Transaction
Log

Select IHS LAB TRANSACTION LOG SEQUENCE NUMBER: CH 23 44
  1  CH 23 44  2019
  2  CH 23 44  2020
  3  CH 23 44  2021
CHOOSE 1-3:

IHS LAB TRANSACTION LOG LIST                      MAY 10,2023  13:27  PAGE 1
-----

SEQUENCE NUMBER: 2019                          LRFILE: 2
PATIENT POINTER VALUE: 26460
PANEL/TEST POINTER: CREATININE/EGFR (SCHWARTZ) PANEL
LAB MODULE: GENERAL                            DUZ(2): 2906
I/O CATEGORY: OUT PATIENT                      STATUS FLAG: RESULTED
ENTRY DATE/TIME: MAY 09, 2023@19:08:10
ASSOCIATED V FILE: V LAB                       IEN OF V FILE ENTRY: 4295729
CLINIC STOP CODE POINTER: LABORATORY SERVICES
CPT LAB CODE POINTER: CREATININE/EGFR (SCHWARTZ)
BILLING CPT STRING: 82565|||||             CLINICAL INDICATOR: 210604017
ORDER DATE: MAY 09, 2023@19:08:07            ORDER SEQUENCE NUMBER: 4
ORDER NUMBER: 1337
ORDERING PROVIDER POINTER: DEMO, DOCTOR

```

```

ORDERING LOCATION POINTER: LAB HOSPITAL
COLLECTION DATE/TIME: MAY 09, 2023@19:08:07
ACCESSION NUMBER: CH 23 44           COLLECTION SAMPLE POINTER: SERUM (SST)
COMPLETE DATE: MAY 09, 2023@19:08:17
PROVIDER NARRATIVE: Health seeking behavior
SNOMED: 210604017                       ICD: Z76.89
SITE/SPECIMEN POINTER: SERUM

SEQUENCE NUMBER: 2020                     LRFILE: 2
PATIENT POINTER VALUE: 26460
PANEL/TEST POINTER: CREATININE SCHWARTZ
LAB MODULE: GENERAL                       DUZ (2): 2906
I/O CATEGORY: OUT PATIENT                 PARENT POINTER: 2019
STATUS FLAG: RESULTED                   ENTRY DATE/TIME: MAY 09, 2023@19:08:10
ASSOCIATED V FILE: V LAB                 IEN OF V FILE ENTRY: 4295730
CLINIC STOP CODE POINTER: LABORATORY SERVICES
ORDER DATE: MAY 09, 2023@19:08:07       ORDER SEQUENCE NUMBER: 4
ORDER NUMBER: 1337
ORDERING PROVIDER POINTER: DEMO, DOCTOR
ORDERING LOCATION POINTER: LAB HOSPITAL
COLLECTION DATE/TIME: MAY 09, 2023@19:08:07
ACCESSION NUMBER: CH 23 44           COLLECTION SAMPLE POINTER: SERUM (SST)
COMPLETE DATE: MAY 09, 2023@19:08:17   LOINC CODE: 2160
RESULT: 10                               RESULT N/A FLAG: H
UNITS: mg/dL                             SITE/SPECIMEN POINTER: SERUM
VERIFIER POINTER: DEMO, LAB TECH         REFERENCE LOW: .4
REFERENCE HIGH: 1.4

SEQUENCE NUMBER: 2021                     LRFILE: 2
PATIENT POINTER VALUE: 26460
LAB MODULE: GENERAL                       DUZ (2): 2906
I/O CATEGORY: OUT PATIENT                 PARENT POINTER: 2019
STATUS FLAG: RESULTED                   ENTRY DATE/TIME: MAY 09, 2023@19:08:10
ASSOCIATED V FILE: V LAB                 IEN OF V FILE ENTRY: 4295731
CLINIC STOP CODE POINTER: LABORATORY SERVICES
ORDER DATE: MAY 09, 2023@19:08:07       ORDER SEQUENCE NUMBER: 4
ORDER NUMBER: 1337
ORDERING PROVIDER POINTER: DEMO, DOCTOR
ORDERING LOCATION POINTER: LAB HOSPITAL
COLLECTION DATE/TIME: MAY 09, 2023@19:08:07
ACCESSION NUMBER: CH 23 44           COLLECTION SAMPLE POINTER: SERUM (SST)
COMPLETE DATE: MAY 09, 2023@19:08:17   LOINC CODE: 50384
RESULT: 92.26                             UNITS: mL/min
SITE/SPECIMEN POINTER: SERUM           VERIFIER POINTER: DEMO, LAB TECH
REFERENCE LOW: 60

Select IHS LAB TRANSACTION LOG SEQUENCE NUMBER:

```

Figure 3-27: IHS LAB TRANSACTION LOG Example

4.0 IHS Count Accessioned Tests

There are 5 new reports that are included in the LR*5.2*1052 RPMS Lab Patch. They emulate the Count Accessioned Tests option of the Supervisor's Reports option of the Supervisor option of the LRMENU.

The reports utilize the Lab Data file and, as such, are not limited in their date range inputs.

4.1 CACC Menu OPTION

The main option for the report is the CACC option of the IHS Lab Main Support menu (the BLRMENU).

```

LS      Link Transaction Processor Status
INQ     Inquire into the IHS LAB Transaction Log
PC41    Will restart the label routine if turned off.
FLD     Search Transactions for PCC LINK DISABLE Error
RSN     Requeue by Sequence Number
RST     Requeue Transaction by Sort Template
CPT     Enter/edit IHS Lab CPT File
FAL     Find ALL PCC Link Errors from Lab
STP     Stop/restart Lab to PCC Transaction Processor
MSTR    Enter/edit BLR MASTER CONTROL FILE
POV     Purpose of Visit Compliance Report
6249    Display File 62.49 HL7 Segments
BB      Blood bank ...
BGFR    Create Bedside Schwartz eGFR Delta Check
BZY     IHS Taskman Busy Device Rpt
CACC  IHS Count accessioned tests
CCCD    Create Creatinine Clearance Delta Check
CDVC    Edit BLR COLL DT PCC VISIT CREATION Parameter
CGFR    Create CKD-EPI Equation Delta Check
CLR     Clear BLR errors from error log
CUM     IHS CUMULATIVE MENU ...
DADD    Add Completed Date to Accession Tests
        Press 'RETURN' to continue, '^' to stop:
EAPE    Edit BLR EMERGENCY ALERT Parameter
EDCC    BLR CC DATA Parameter Edit
EMGP    Edit LAB HIGH URGENCY NOTIFICATION Mail Group
ERRT    Error Trap Reporting
ETP     LA7 Message Queue Error Messages to Purgeable
GFRC    Create 2021 CKD-EPI eGFR Delta Check
IHSM    IHS Lab Microbiology Report
ILUM    IHS LOINC/UCUM MENU ...
LABT    Determine if Required RPMS Lab Options Tasked
LOI     IHS Lab Package LOINC Percentage Report
LRAS    Accession IHS Lab Microbiology Report
LROS    Order/test status by Order Number
LTRR    Laboratory Test (#60) File's Reference Ranges
LVP     IHS Lab Version & Patch Report
MACC    Mark Multiple Accessions as Not Performed
MILO    Micro Interim Report by Location
MMR     Lab Description Abbreviation Report
NLO     Lab Tests Without LOINC Entries Report
ORDO    'Open Lab Orders' Reports ...
ORPH    Remove Orphans from # 68

```

```

ORPR  BROWSER REPORT ON ORPHANS FROM # 68
PAMG  Edit IHS Lab Parameters and/or Mail Groups ...

          Press 'RETURN' to continue, '^' to stop:
PDOC  Patient Reminder Document
POCA  Edit BLR AGE DETAIL Parameter
PURA  Purge VA Alerts
RBE   Clear ALL BLR Errors from Error Log
REFL  Reference Lab Main Menu ...
REPL  Replace Lab Order/Test Status ...
SF60  IHS Search File 60
SHDR  State Health Dept Report
TCCR  Test Creatinine Clearance Logic
TGFR  Test CKD-EPI Equation Logic
      Count Accessioned Tests Using Lab Data File ...
      IHS Lab Ask-At-Order ...

Select IHS Lab Main Support Menu Option:

```

Figure 4-1: IHS Lab Main Support Menu

4.2 IHS Count Accessioned Tests MENU

The main menu for the IHS Count Accessioned Tests

```

                                DEMO HOSPITAL
Date:04/28/23                    Count Tests                    Time:12:03 PM
                                Locations/Tests
BLRUTILB
-----
 1  Test Counts By Type ...
 2  Chemistry Test Counts
 3  Chemistry Location Counts
 4  Microbiology Tests Counts
 5  Microbiology Location Counts

Select: (1-5):

```

Figure 4-2: IHS Count Accessioned Tests Menu

4.3 CHEMISTRY TEST Counts Report

When selected (#2), the user will be prompted for a date range.

```

                                DEMO HOSPITAL
Date:04/28/23                    Count Tests                    Time:12:42 PM
                                Locations/Tests
BLRUTILB
-----
 1  Test Counts By Type ...
 2  Chemistry Test Counts
 3  Chemistry Location Counts
 4  Microbiology Tests Counts
 5  Microbiology Location Counts

```

```
Select: (1-5): 2
```

Figure 4-3: Select Chemistry Test Counts Option

4.3.1 Enter Date Range for Report

```

                                DEMO HOSPITAL
Date:04/28/23                    Test Counts                    Time:12:03 PM
-----
Start with Date: TODAY// Apr 28, 2023
Go back to   Date TODAY// 0101 (JAN 01, 2023)
    
```

Figure 4-4: Enter Start and End Dates

4.3.2 Compile Report for Print

Once the date range is entered, the compilation of data will commence, and the option to print the report.

```

                                DEMO HOSPITAL
Date:04/28/23                    Test Counts                    Time:12:42 PM
                                Date Range: Jan 01, 2023 thru Apr 28, 2023
                                BLRUTILB
-----
Compiling.. Compilation Complete.

Press RETURN Key:
DEVICE: HOME//
    
```

Figure 4-5: Compilation completed and Device prompted

4.3.3 CHEMISTRY TEST Counts Report Example

```

                                DEMO HOSPITAL
Date:04/28/23                    Test Counts                    Page 1
Time:1:15 PM                    Date Range: Jan 01, 2023 thru Apr 28, 2023
                                BLRUTILB

===== LABORATORY TEST (#60) FILE =====
 IEN      Description                                TEST COUNT
-----
  1        LEUKOCYTES                                1
  4        HEMATOCRIT (OIT)                          1
 129      _SQL FTA-Abs                                1
 137      _REAGIN AB Titer                            1
 175      GLUCOSE, PLASMA -OIT                        5
 952      RSV SCREEN (POCT)                          1
2001394   GLUCOSE, CAPILLARY (POCT)                  1
2001424   TSH (R)                                    1
2001458   _COVID-19(Abbott ID NOW)                   1
2001459   _PROCEDURAL CONTROL                        1
2001463   _HGB(c)                                    1
2001465   _WBC(c)                                    1
2001466   _PLT(C)                                    1
2001467   _EVEROLIMUS (C)                           1
    
```

2001470	Color of Urine (C)	1
2001471	Appearance of Urine (C)	1
2001472	Specific Gravity Urine by Strip (C)	1
2001473	pH of Urine by Test strip (C)	1
2001474	Glucose (M/V) Urine by Strip (C)	1
2001475	Ketones (M/V) Urine by Strip (C)	1
2001476	Protein (M/V) Urine by Strip (C)	1
2001497	GLUCOSE, SERUM -OIT	2
2001514	ZZEST GFR 2021	11
2001518	ZZESTIMATED GFR (SCHWARTZ) V3	1
2001519	ZZEST GFR 2021 V2	1
2001520	CREATININE [2021]	10
2001522	CREATININE [SCHWARTZ]	2
2001524	BEDSIDE SCHWARTZ	1
2001525	2021 CKD-EPI	2
2001530	CREATININE-2021	2
9999114	ABO blood grouping (OIT)	3
9999115	RH Factor (OIT)	3
9999266	_RPR TITER	1
9999549	SQL CHOLESTEROL 1017	1
9999758	GLUCOSE, PLASMA (R)	2
All Tests Total		67

Total # of Patients analyzed: 16

Figure 4-6: Chemistry Test Counts Report Example

4.4 CHEMISTRY LOCATION Counts Report

When selected (#3), the user will be prompted for a date range:

Date:05/01/23	DEMO HOSPITAL	Time:1:24 PM
	Count Tests	
	Locations/Tests	
BLRUTILB		

1	Test Counts By Type ...	
2	Chemistry Test Counts	
3	Chemistry Location Counts	
4	Microbiology Tests Counts	
5	Microbiology Location Counts	
Select:	(1-5): 3	

Figure 4-7: Chemistry Location Counts Menu Option

4.4.1 Enter Date Range for Report

Date:05/01/23	DEMO HOSPITAL	Time:1:24 PM
	Location Tests Counts	

Start with Date: TODAY// May 01, 2023		

Go back to Date TODAY// 0101 (JAN 01, 2023)

Figure 4-8: Enter Start and End Dates

4.4.2 Compile Report for Print

Once the date range is entered, the compilation of data will commence, and the option to print the report.

```

                                DEMO HOSPITAL
Date:05/01/23                Location Tests Counts                Time:1:24 PM
                                Date Range: Jan 01, 2023 thru May 01, 2023                BLRUTILB
-----
Compiling.. Compilation Complete.

Press RETURN Key:
DEVICE: HOME// Virtual
    
```

Figure 4-9: Compilation Completed and Device prompted

4.4.3 CHEMISTRY LOCATION Counts Report Example.

```

                                DEMO HOSPITAL
Date:05/01/23                Location Tests Counts                Page 1
Time:1:24 PM                Date Range: Jan 01, 2023 thru May 01, 2023                BLRUTILB
===== HOSP LOC (#44) FILE ===== == LABORATORY TEST (#60) FILE ==
Description                    IEN      Description                    Loc Count
-----
INPATIENT ICU                    1        LEUKOCYTES                    1
                                Location Total                    1
EMERGENCY DEPARTMENT            2001394  GLUCOSE, CAPILLARY (PO        1
                                Location Total                    1
PEDIATRICS                       952     RSV SCREEN (POCT)            1
                                Location Total                    1
DEMO CLINIC                      2001514  ZZEST GFR 2021                1
DEMO CLINIC                      2001530  CREATININE-2021              1
DEMO CLINIC                      9999114  ABO blood grouping (OI        1
DEMO CLINIC                      9999115  RH Factor (OIT)              1
                                Location Total                    4
LAB HOSPITAL (LOC)               129     _SQL FTA-Abs                  1
LAB HOSPITAL (LOC)               137     _REAGIN AB Titer              1
LAB HOSPITAL (LOC)               175     GLUCOSE, PLASMA -OIT          5
LAB HOSPITAL (LOC)               2001458  _COVID-19(Abbott ID NO       1
LAB HOSPITAL (LOC)               2001459  _PROCEDURAL CONTROL          1
LAB HOSPITAL (LOC)               2001497  GLUCOSE, SERUM -OIT          2
LAB HOSPITAL (LOC)               2001514  ZZEST GFR 2021                9
LAB HOSPITAL (LOC)               2001518  ZZESTIMATED GFR (SCHWA       1
    
```


LAB HOSPITAL (LOC)	2001519	ZZEST GFR 2021 V2	1
LAB HOSPITAL (LOC)	2001520	CREATININE [2021]	10
LAB HOSPITAL (LOC)	2001522	CREATININE [SCHWARTZ]	2
LAB HOSPITAL (LOC)	2001524	BEDSIDE SCHWARTZ	1
LAB HOSPITAL (LOC)	2001525	2021 CKD-EPI	2
LAB HOSPITAL (LOC)	9999114	ABO blood grouping (OI	2
LAB HOSPITAL (LOC)	9999115	RH Factor (OIT)	2
LAB HOSPITAL (LOC)	9999266	_RPR TITER	1
LAB HOSPITAL (LOC)	9999758	GLUCOSE, PLASMA (R)	2

Location Total			44
DEMO HOSPITAL			
Date:05/01/23	Location Tests Counts		Page 2
Time:1:24 PM	Date Range: Jan 01, 2023 thru May 01, 2023		BLRUTILB
===== HOSP LOC (#44) FILE ===== == LABORATORY TEST (#60) FILE ==			
Description	IEN	Description	Loc Count

BLUE CLINIC	4	HEMATOCRIT (OIT)	1

Location Total			1
GENERAL MEDICINE	2001463	_HGB(c)	1
GENERAL MEDICINE	2001465	_WBC(c)	1
GENERAL MEDICINE	2001466	_PLT(C)	1
GENERAL MEDICINE	2001467	_EVEROLIMUS(C)	1
GENERAL MEDICINE	2001470	Color of Urine (C)	1
GENERAL MEDICINE	2001471	Appearance of Urine (C	1
GENERAL MEDICINE	2001472	Specific Gravity Urine	1
GENERAL MEDICINE	2001473	pH of Urine by Test st	1
GENERAL MEDICINE	2001474	Glucose (M/V) Urine by	1
GENERAL MEDICINE	2001475	Ketones (M/V) Urine by	1
GENERAL MEDICINE	2001476	Protein (M/V) Urine by	1
GENERAL MEDICINE	9999549	SQL CHOLESTEROL 1017	1

Location Total			12

All Locations Total			67
Total # of Patients analyzed:16			

Figure 4-10: Chemistry Location Tests Count Report

4.5 MICROBIOLOGY TESTS Counts Report

When selected (#4), the user will be prompted for a date range:

Date:04/28/23	DEMO HOSPITAL	Time:2:06 PM
	Count Tests	
	Locations/Tests	
BLRUTILB		

1	Test Counts By Type ...	
2	Chemistry Test Counts	
3	Chemistry Location Counts	
4	Microbiology Tests Counts	

```

5      Microbiology Location Counts
Select: (1-5): 4
    
```

Figure 4-11: Microbiology Tests Counts Option

4.5.1 Enter Date Range for Report.

```

                                DEMO HOSPITAL
Date:04/28/23                Microbiology Test Counts                Time:2:06 PM
-----
Start with Date: TODAY// Apr 28, 2023
Go back to   Date TODAY// 0101 (JAN 01, 2023)
    
```

Figure 4-12: Enter Start and End Dates

4.5.2 Compile Report for Print.

Once the date range is entered, the compilation of data will commence, and the option to print the report.

```

                                DEMO HOSPITAL
Date:04/28/23                Microbiology Test Counts                Time:2:06 PM
                                Date Range: Jan 01, 2023 thru Apr 28, 2023                BLRUTILB
-----
Compiling Compilation Complete.

Press RETURN Key:
DEVICE: HOME//   Virtual
    
```

Figure 4-13: Compilation completed and Device prompted

4.5.3 MICROBIOLOGY TESTS Counts Report Example.

```

                                DEMO HOSPITAL
Date:04/28/23                Microbiology Test Counts                Page 1
Time:2:06 PM                Date Range: Jan 01, 2023 thru Apr 28, 2023                BLRUTILB

===== LABORATORY TEST (#60) FILE =====
IEN      Description                TEST COUNT
-----
548      AEROBIC CULTURE (MI)                3
1142     BLOOD CULTURE (MI)                5
2000176  SPUTUM CULTURE (MI)                2
2001458  ID/SENS FOR MICRO (MI)            5
2001584  URINE CULTURE (MI)                3
                                           -----
                                           All Tests Total                18

Total # of Patients analyzed:11
    
```

Figure 4-14: Microbiology Tests Counts Report

4.6 MICROBIOLOGY LOCATION Counts Report

When selected (#5), the user will be prompted for a date range:

```

                                DEMO HOSPITAL
Date:04/28/23                    Count Tests                    Time:3:47 PM
                                Locations/Tests                BLRUTILB
-----
1  Test Counts By Type ...
2  Chemistry Test Counts
3  Chemistry Location Counts
4  Microbiology Test Counts
5  Microbiology Location Counts

Select: (1-5): 5

```

Figure 4-15: Select Microbiology Location Counts Option

4.6.1 Enter Date Range for Report.

```

                                DEMO HOSPITAL
Date:04/28/23                    Microbiology Locations Tests Counts    Time:3:47 PM
-----
Start with Date: TODAY// Apr 28, 2023
Go back to   Date TODAY// 0101 (JAN 01, 2023)

```

Figure 4-16: Enter Start and End dates

4.6.2 Compile Report for Print.

Once the date range is entered, the compilation of data will commence, and the option to print the report.

```

                                DEMO HOSPITAL
Date:04/28/23                    Microbiology Locations Tests Counts    Time:3:47 PM
                                Date Range: Jan 01, 2023 thru Apr 28, 2023    BLRUTILB
-----
Compiling Compilation Complete.

Press RETURN Key:
DEVICE: HOME//

```

Figure 4-17: Compilation completed and Device prompted

4.6.3 MICROBIOLOGY LOCATION Counts Report Example.

```

                                DEMO HOSPITAL

```

Date:04/28/23		Microbiology Locations Tests Counts		Page 1
Time:3:50 PM		Date Range: Jan 01, 2023 thru Apr 28, 2023		BLRUTILB
===== HOSP LOC (#44) FILE =====		== LABORATORY TEST (#60) FILE ==		
Description	IEN	Description	TEST COUNT	
LAB HOSPITAL (LOC)	548	AEROBIC CULTURE (MI)	3	
LAB HOSPITAL (LOC)	1142	BLOOD CULTURE (MI)	5	
LAB HOSPITAL (LOC)	2000176	SPUTUM CULTURE (MI)	2	
LAB HOSPITAL (LOC)	2001458	ID/SENS FOR MICRO (MI)	5	
LAB HOSPITAL (LOC)	2001584	URINE CULTURE (MI)	3	
		Location Total	18	
Total # of Patients analyzed:11				

Figure 4-18: Microbiology Location Counts Report

4.7 TEST COUNTS BY TYPE REPORTS

The Test Counts by Type Reports can be captured by the TYPE entry within the Laboratory Test file configuration. The TYPE entry allows a selection of how each test is orderable and displayable by the system.

Type **INPUT** indicates that the test can be ordered, but the answer or result will not be displayed. An example of this type is a request for a Basic Metabolic Panel.

Type **OUTPUT** indicates that the test and results can be displayed, but not ordered by itself. An example of this type would be any of the individual tests which make up a Urinalysis or CBC panel.

Tests that are both orderable and displayable are designated as type **BOTH**. Type BOTH tests will make up the majority of the tests you will be using.

The fourth type of **NEITHER** indicates that the test cannot be ordered or displayed. The most common use for this type is to deactivate or lockout tests that would not be available for ordering or displaying.

For example, if there are test names in the file that were exported with the lab package and not used in your lab, you can ignore the tests by changing the Type field entries to NEITHER. If you change the type to NEITHER, users will not be able to lookup results.

An example of the Type entry in a Laboratory Test file is below:

```
Select VA FileMan Option: Enter or Edit File Entries

INPUT TO WHAT FILE: VA PATIENT// 60  LABORATORY TEST
EDIT WHICH FIELD: ALL//

Select LABORATORY TEST NAME:  CBC W/Auto Diff
```

```

NAME: CBC W/Auto Diff
TEST COST:
Select SYNONYM: CBC//
TYPE: BOTH// ??
    I == (Input) test can be ordered but not displayed by the computer.
    O == (Output) test can be displayed but never ordered by itself.
    B == (Both) test can be ordered and displayed.
    N == (Neither) test is internal to lab only.

Choose from:
    I      INPUT (CAN BE ORDERED)
    O      OUTPUT (CAN BE DISPLAYED)
    B      BOTH
    N      NEITHER
TYPE: BOTH//

```

Figure 4-19: Laboratory Test displaying the different TYPE options

4.8 CHEMISTRY TESTS – OUTPUT TYPE Report

When selected (#1), the user will be prompted to review the chemistry or microbiology test counts using the TYPE.

```

Date:05/01/23          DEMO HOSPITAL          Time:8:45 AM
                      Count Tests            BLRUTILB
                      Locations/Tests
-----
1  Test Counts By Type ...
2  Chemistry Test Counts
3  Chemistry Location Counts
4  Microbiology Test Counts
5  Microbiology Location Counts

Select: (1-5): 1

```

Figure 4-20: Test Counts by a Type menu option

4.8.1 Select the Chemistry Tests Counts Option.

When selected (#1), the user will be prompted for the TYPE:

```

Date:05/01/23          DEMO HOSPITAL          Time:10:41 AM
                      Count Tests            BLRUTILC
                      Chemistry/Microbiology
-----
1  Chemistry Tests ...
2  Microbiology Tests ...

Select: (1-2): 1

```

Figure 4-21: Chemistry Tests menu option

4.8.2 Chemistry Tests Counts – OUTPUT Type.

When selected (#2), the user will be prompted for the OUTPUT Type Tests.

```

                                DEMO HOSPITAL
Date:05/01/23           Chemistry Count Tests           Time:10:42 AM
                                TYPE Selection           BLRUTILC
-----
1   INPUT Type
2   OUTPUT Type
3   BOTH Type
4   NEITHER Type
5   All Types

Select:  (1-5): 2
    
```

Figure 4-22: OUTPUT Type menu option

4.8.3 Enter Date Range for Report.

```

                                DEMO HOSPITAL
Date:05/01/23           OUTPUT Type Counts           Time:10:49 AM
-----

Start with Date: TODAY// May 01, 2023
Go back to   Date TODAY// 0101 (JAN 01, 2023)
    
```

Figure 4-23: Enter Start and End dates

4.8.4 Compile Report for Print.

```

                                DEMO HOSPITAL
Date:05/01/23           OUTPUT Type Counts           Time:10:49 AM
                                Date Range: Jan 01, 2023 thru May 01, 2023           BLRUTILC
-----

Compiling.. Compilation Complete.

Press RETURN Key:
DEVICE: HOME//
    
```

Figure 4-24: Compilation completed and Device prompted

4.8.5 Chemistry Tests – OUTPUT TYPE Report Example

```

                                DEMO HOSPITAL
Date:05/01/23           OUTPUT Type Counts           Page 1
Time:10:57 AM           Date Range: Jan 01, 2023 thru May 01, 2023           BLRUTILC

===== HOSP LOC (#44) FILE =====
IEN      Description           Description           TEST COUNT
-----
    
```


			Test Total	-----	1
9999114	ABO blood grouping (OI	DEMO CLINIC			1
9999114	ABO blood grouping (OI	LAB HOSPITAL (LOC)			2
			Test Total	-----	3
9999115	RH Factor (OIT)	DEMO CLINIC			1
9999115	RH Factor (OIT)	LAB HOSPITAL (LOC)			2
			Test Total	-----	3
9999266	_RPR TITER	LAB HOSPITAL (LOC)			1
			Test Total	-----	1
			All Tests Total	-----	21
Total # of Patients analyzed: 16					

Figure 4-25: Type OUTPUT Chemistry Counts Report Example

4.9 CHEMISTRY TESTS – BOTH TYPE Report

When selected (#1), the user will be prompted to review the chemistry or microbiology test counts using the TYPE.

Date:05/01/23	DEMO HOSPITAL Count Tests Locations/Tests	Time:8:45 AM BLRUTILB

1	Test Counts By Type ...	
2	Chemistry Test Counts	
3	Chemistry Location Counts	
4	Microbiology Test Counts	
5	Microbiology Location Counts	
Select:	(1-5): 1	

Figure 4-26: Test Counts by a Type menu option

4.9.1 Select the Chemistry Tests Counts option.

Date:05/01/23	DEMO HOSPITAL Count Tests Chemistry/Microbiology	Time:10:41 AM BLRUTILC

1	Chemistry Tests ...	
2	Microbiology Tests ...	
Select:	(1-2): 1	

Figure 4-27: Chemistry Tests menu option

4.9.2 Chemistry Tests Counts – BOTH Type.

When selected (#3), the user will be prompted for the BOTH Chemistry Tests reports:

```

                                DEMO HOSPITAL
Date:05/01/23          Chemistry Count Tests          Time:10:42 AM
                                TYPE Selection          BLRUTILC
-----
1   INPUT Type
2   OUTPUT Type
3   BOTH Type
4   NEITHER Type
5   All Types

Select:  (1-5): 2
    
```

Figure 4-28: BOTH Type Menu Option

4.9.3 Enter Date Range for Report.

```

                                DEMO HOSPITAL
Date:05/01/23          BOTH Type Counts          Time:10:49 AM
-----
Start with Date: TODAY// May 01, 2023
Go back to   Date TODAY// 0101 (JAN 01, 2023)
    
```

Figure 4-29: Enter Start and End Dates

4.9.4 Compile Report for Print.

```

                                DEMO HOSPITAL
Date:05/01/23          BOTH Type Counts          Time:10:49 AM
                                Date Range: Jan 01, 2023 thru May 01, 2023          BLRUTILC
-----
Compiling.. Compilation Complete.

Press RETURN Key:
DEVICE: HOME//
    
```

Figure 4-30: Compilation completed and Device prompted

4.9.5 Chemistry Tests – BOTH TYPE Report Example.

```

                                DEMO HOSPITAL
Date:05/01/23          BOTH Type Counts          Page 1
Time:10:49 AM          Date Range: Jan 01, 2023 thru May 01, 2023          BLRUTILC
-----
===== HOSP LOC (#44) FILE =====
IEN      Description          Description          TEST COUNT
-----
    
```

1	LEUKOCYTES	INPATIENT ICU	1
		Test Total	1
4	HEMATOCRIT (OIT)	BLUE CLINIC	1
		Test Total	1
175	GLUCOSE, PLASMA -OIT	LAB HOSPITAL (LOC)	5
		Test Total	5
952	RSV SCREEN (POCT)	PEDIATRICS	1
		Test Total	1
2001394	GLUCOSE, CAPILLARY (PO	EMERGENCY DEPARTMENT	1
		Test Total	1
2001424	TSH (R)	DEMO CLINIC 2	1
		Test Total	1
2001467	_EVEROLIMUS (C)	GENERAL MEDICINE	1
		Test Total	1
2001497	GLUCOSE, SERUM -OIT	LAB HOSPITAL (LOC)	2
		Test Total	2
2001520	CREATININE [2021]	LAB HOSPITAL (LOC)	10
		Test Total	10
2001522	CREATININE [SCHWARTZ]	LAB HOSPITAL (LOC)	2
		Test Total	2
2001524	BEDSIDE SCHWARTZ	LAB HOSPITAL (LOC)	1
		Test Total	1
DEMO HOSPITAL			
Date:05/01/23	BOTH Type Counts		Page 2
Time:10:49 AM	Date Range: Jan 01, 2023 thru May 01, 2023		BLRUTILC
===== HOSP LOC (#44) FILE =====			
IEN	Description	Description	TEST COUNT
2001525	2021 CKD-EPI	LAB HOSPITAL (LOC)	2
		Test Total	2
2001530	CREATININE-2021	DEMO CLINIC	1
2001530	CREATININE-2021	CLINIC DEMO-2	1
		Test Total	2
9999549	SQL CHOLESTEROL 1017	GENERAL MEDICINE	1

		Test Total	-----	1
9999758	GLUCOSE, PLASMA (R)	LAB HOSPITAL (LOC)		2
		Test Total	-----	2
		All Tests Total	-----	33
Total # of Patients analyzed: 16				
		Test Total		10

Figure 4-31: Type BOTH Chemistry Counts Report Example

4.10 CHEMISTRY TESTS – ALL TYPES Report

When selected (#1), the user will be prompted to review the chemistry or microbiology test counts using the TYPE.

Date:05/01/23	DEMO HOSPITAL Count Tests Locations/Tests	Time:8:45 AM BLRUTILB

1	Test Counts By Type ...	
2	Chemistry Test Counts	
3	Chemistry Location Counts	
4	Microbiology Test Counts	
5	Microbiology Location Counts	
Select: (1-5): 1		

Figure 4-32: Test Counts by a Type menu option

4.10.1 Select the Chemistry Tests Counts Option.

Date:05/01/23	DEMO HOSPITAL Count Tests Chemistry/Microbiology	Time:10:41 AM BLRUTILC

1	Chemistry Tests ...	
2	Microbiology Tests ...	
Select: (1-2): 1		

Figure 4-33: Chemistry Tests menu option

4.10.2 Chemistry Tests Counts – ALL Types.

When selected (#5), the user will be prompted for the OUTPUT Chemistry Tests reports:

```

                DEMO HOSPITAL
Date:05/01/23      Chemistry Count Tests      Time:10:42 AM
                   TYPE Selection              BLRUTILC
-----
1   INPUT Type
2   OUTPUT Type
3   BOTH Type
4   NEITHER Type
5   All Types

Select:  (1-5): 5
    
```

Figure 4-34: ALL Types menu option

4.10.3 Enter Date Range for Report.

```

                DEMO HOSPITAL
Date:05/01/23      ALL Type Counts          Time:10:49 AM
-----
Start with Date: TODAY// May 01, 2023
Go back to   Date TODAY// 0101 (JAN 01, 2023)
    
```

Figure 4-35: Enter Start and End Dates

4.10.4 Compile Report for Print.

```

                DEMO HOSPITAL
Date:05/01/23      ALL Types Counts          Time:10:49 AM
                   Date Range: Jan 01, 2023 thru May 01, 2023
                   BLRUTILC
-----
Compiling.. Compilation Complete.

Press RETURN Key:
DEVICE: HOME//
    
```

Figure 4-36: Compilation completed and Device prompted

4.10.5 Chemistry Tests – ALL TYPES Report Example.

```

                DEMO HOSPITAL
Date:05/01/23      ALL Type Counts          Page 1
Time:10:49 PM      Date Range: Jan 01, 2023 thru May 01, 2023
                   BLRUTILC
-----
==== HOSP LOC FILE ====
IEN      Description              TYPE      Description              TEST COUNT
-----
3        HGB.                    OUTPUT    LAB HOSPITAL (LOC)      1
                                           Test Total              1
165      Urine Am Urate Crystal    OUTPUT    LAB HOSPITAL (LOC)      2
    
```

				Test Total	2
166	Urine Am Phos Crystals	OUTPUT	LAB HOSPITAL (LOC)		2
				Test Total	2
167	_CRSU Urine Triple Pho	OUTPUT	LAB HOSPITAL (LOC)		2
				Test Total	2
168	_CRSU Urine Ca Ox Crys	OUTPUT	LAB HOSPITAL (LOC)		2
				Test Total	2
169	_CRSU Urine Uric Acid	OUTPUT	LAB HOSPITAL (LOC)		2
				Test Total	2
173	CREATININE (MDRD)	BOTH	LAB HOSPITAL (LOC)		1
				Test Total	1
2000966	ESTIMATED AVERAGE GLUC	OUTPUT	LAB HOSPITAL (LOC)		8
				Test Total	8
2001394	GLUCOSE POCT	BOTH	LAB HOSPITAL (LOC)		2
				Test Total	2
2001448	_HEMOGLOBIN A1C	OUTPUT	LAB HOSPITAL (LOC)		8
				Test Total	8
2001449	_eAG (mg/dL)	OUTPUT	LAB HOSPITAL (LOC)		1
				Test Total	1
DEMO HOSPITAL					
Date:05/01/23	ALL Type Counts			Page 2	
Time:10:49 PM	Date Range: Jan 01, 2023 thru May 01, 2023			BLRUTILC	
==== HOSP LOC FILE ====					
IEN	Description	TYPE	Description	TEST COUNT	
2001456	EST GFR	OUTPUT	LAB HOSPITAL (LOC)		1
				Test Total	1
2001583	TSH (BC)	BOTH	LAB HOSPITAL (LOC)		1
				Test Total	1
2001598	CREATININE (SCHWARTZ)	BOTH	LAB HOSPITAL (LOC)		3
				Test Total	3
2001617	EST GFR 2021 V7	BOTH	LAB HOSPITAL (LOC)		2
				Test Total	2

2001619	CREATININE 2021 (1.18.	BOTH	LAB HOSPITAL (LOC)	6
			Test Total	6
2001621	ESTIMATED GFR (SCHWART	OUTPUT	LAB HOSPITAL (LOC)	2
			Test Total	2
2001622	EST GFR 2021 V8	BOTH	LAB HOSPITAL (LOC)	9
			Test Total	9
2001624	CREATININE LAB PROG TE	BOTH	LAB HOSPITAL (LOC)	9
			Test Total	9
9999114	ABO Grouping (CH)	BOTH	LAB HOSPITAL (LOC)	1
			Test Total	1
9999115	Rh TYPE (CH)	OUTPUT	LAB HOSPITAL (LOC)	1
			Test Total	1
9999524	GLUCOSE, SERUM (R)	BOTH	LAB HOSPITAL (LOC)	19
			Test Total	19
DEMO HOSPITAL				
Date:05/01/23	ALL Type Counts			Page 3
Time:10:49 PM	Date Range: Jan 01, 2023 thru May 01, 2023			BLRUTILC
==== HOSP LOC FILE ====				
IEN	Description	TYPE	Description	TEST COUNT
9999761	PAH SODIUM	BOTH	LAB HOSPITAL (LOC)	4
			Test Total	4
9999762	PAH POTASSIUM	BOTH	LAB HOSPITAL (LOC)	2
			Test Total	2
9999763	PAH CHLORIDE	BOTH	LAB HOSPITAL (LOC)	2
			Test Total	2
9999764	PAH CARBON DIOXIDE	BOTH	LAB HOSPITAL (LOC)	2
			Test Total	2
9999765	PAH Anion Gap	OUTPUT	LAB HOSPITAL (LOC)	2
			Test Total	2
9999782	_HGB A1C	OUTPUT	LAB HOSPITAL (LOC)	1
			Test Total	1

All Tests Total	98
Total # of Patients analyzed: 20	

Figure 4-37: ALL Types Chemistry Counts Report Example

4.11 MICROBIOLOGY TESTS – BOTH TYPE Report

When selected (#1), the user will be prompted to review the chemistry or microbiology test counts using the TYPE.

Date:05/02/23	DEMO HOSPITAL Count Tests Locations/Tests	Time:1:55 PM BLRUTILB

1	Test Counts By Type ...	
2	Chemistry Test Counts	
3	Chemistry Location Counts	
4	Microbiology Test Counts	
5	Microbiology Location Counts	
Select: (1-5): 1		

Figure 4-38: Test Counts by a Type menu option

4.11.1 Select the Microbiology Tests Counts Option.

Date:05/02/23	DEMO HOSPITAL Count Tests Chemistry/Microbiology	Time:1:56 PM BLRUTILC

1	Chemistry Tests ...	
2	Microbiology Tests ...	
Select: (1-2): 2		

Figure 4-39: Microbiology Tests menu option

4.11.2 Microbiology Tests Counts – BOTH Type.

When selected (#3), the user will be prompted for the BOTH Type Tests.

Date:05/02/23	DEMO HOSPITAL Microbiology Count Tests TYPE Selection	Time:1:56 PM BLRUTILC

1	INPUT Type	
2	OUTPUT Type	
3	BOTH Type	
4	NEITHER Type	
5	All Types	

```
Select: (1-5): 3
```

Figure 4-40: BOTH Types menu option

4.11.3 Enter Date Range for Report.

```

                                DEMO HOSPITAL
Date:05/02/23      BOTH Type Microbiology Test Locations Counts      Time:1:56 PM
-----
Start with Date: TODAY// May 02, 2023
Go back to   Date TODAY// 0101 (JAN 01, 2023)
    
```

Figure 4-41: Enter Start and End Dates

4.11.4 Compile Report for Print.

```

                                DEMO HOSPITAL
Date:05/02/23      BOTH Type Microbiology Test Locations Counts      Time:1:56 PM
                                Date Range: Jan 01, 2023 thru May 02, 2023      BLRUTILC
-----
        Compiling Compilation Complete.

        Press RETURN Key:
DEVICE: HOME//
    
```

Figure 4-42: Compilation completed and Device prompted

4.11.5 Microbiology Tests – BOTH TYPE Report Example.

```

                                DEMO HOSPITAL
Date:05/02/23      BOTH Type Microbiology Test Locations Counts      Page 1
Time:1:57 PM      Date Range: Jan 01, 2023 thru May 02, 2023      BLRUTILC
-----
===== HOSP LOC (#44) FILE =====
IEN      Description                                Description                                TEST COUNT
-----
548      AEROBIC CULTURE (MI)      LAB HOSPITAL (LOC)                                3
                                                Test Total                                3
1142     BLOOD CULTURE (MI)       LAB HOSPITAL (LOC)                                5
                                                Test Total                                5
2000176  SPUTUM CULTURE (MI)     LAB HOSPITAL (LOC)                                2
                                                Test Total                                2
2001458  ID/SENS FOR MICRO (MI)  LAB HOSPITAL (LOC)                                5
                                                Test Total                                5
    
```


2001584	URINE CULTURE (MI)	LAB HOSPITAL (LOC)	3
		Test Total	3
		All Tests Total	18
Total # of Patients analyzed: 11			

Figure 4.11.5: BOTH TYPES Microbiology Tests Counts Report Example

4.12 MICROBIOLOGY TESTS – ALL TYPES Report

When selected (#1), the user will be prompted to review the chemistry or microbiology test counts using the TYPE.

Date:05/02/23	DEMO HOSPITAL Count Tests Locations/Tests	Time:1:55 PM BLRUTILB

1	Test Counts By Type ...	
2	Chemistry Test Counts	
3	Chemistry Location Counts	
4	Microbiology Test Counts	
5	Microbiology Location Counts	
Select:	(1-5): 1	

Figure 4-43: Test Counts by a Type menu option

4.12.1 Select the Microbiology Tests Counts Option.

Date:05/02/23	DEMO HOSPITAL Count Tests Chemistry/Microbiology	Time:1:56 PM BLRUTILC

1	Chemistry Tests ...	
2	Microbiology Tests ...	
Select:	(1-2): 2	

Figure 4-44: Microbiology Tests menu option

4.12.2 Microbiology Tests Counts – ALL Types.

When selected (#5), the user will be prompted for the ALL Types Tests.

Date:05/02/23	DEMO HOSPITAL Microbiology Count Tests	Time:1:56 PM
---------------	---	--------------

```

                                TYPE Selection                                BLRUTILC
-----
1   INPUT Type
2   OUTPUT Type
3   BOTH Type
4   NEITHER Type
5   All Types

Select:  (1-5): 5
    
```

Figure 4-45: ALL Types menu option

4.12.3 Enter Date Range for Report.

```

                                DEMO HOSPITAL
Date:05/02/23   ALL Type Microbiology Test Locations Counts   Time:1:56 PM
-----
Start with Date: TODAY// May 02, 2023
Go back to Date TODAY// 0101 (JAN 01, 2023)
    
```

Figure 4-46: Enter Start and End dates

4.12.4 Compile Report for Print.

```

                                DEMO HOSPITAL
Date:05/02/23   ALL Type Microbiology Test Locations Counts   Time:1:56 PM
                                Date Range: Jan 01, 2023 thru May 02, 2023   BLRUTILC
-----
Compiling Compilation Complete.

Press RETURN Key:
DEVICE: HOME//
    
```

Figure 4-47: Compilation completed and Device prompted

4.12.5 Microbiology Tests – ALL TYPES Report Example.

```

                                DEMO HOSPITAL
Date:05/02/23   ALL Type Microbiology Test Locations Counts   Page 1
Time:1:58 PM    Date Range: Jan 01, 2023 thru May 02, 2023   BLRUTILC
-----
                                = HOSP LOC FILE ==
IEN      Description          TYPE          TEST COUNT
-----
548      AEROBIC CULTURE (MI)  BOTH          LAB HOSPITAL (LOC)          3
                                           Test Total                    3
1142     BLOOD CULTURE (MI)      BOTH          LAB HOSPITAL (LOC)          5
                                           Test Total                    5
    
```

2000176	SPUTUM CULTURE (MI)	BOTH	LAB HOSPITAL (LOC)	2
			Test Total	2
2001458	ID/SENS FOR MICRO (MI)	BOTH	LAB HOSPITAL (LOC)	5
			Test Total	5
2001584	URINE CULTURE (MI)	BOTH	LAB HOSPITAL (LOC)	3
			Test Total	3
			All Tests Total	18
Total # of Patients analyzed: 11				

Figure 4-48: ALL TYPES Microbiology Tests Counts Report Example

5.0 ARE YOU SURE Delta Check: Safeguard When Resulting

A new delta check, ARE YOU SURE, will be added to the Delta Check (#62.1) dictionary.

The ARE YOU SURE delta check only takes effect when resulting.

When entering results, the user is presented with the ARE YOU SURE? prompt. If the user enters N or NO, then the user is dropped to the SELECT ('E' to Edit, 'C' for Comments, 'W' Workload) prompt, allowing the user, if they want, to edit the results.

Once the ARE YOU SURE? prompt is answered Y or YES the user can continue processing as normal.

Nothing regarding this prompt is recorded, i.e., it will not be possible to know if a user answered YES or NO to the prompt.

5.1 How to use the Are You Sure Delta Check

The first task is to review a Laboratory Test to use the Are You Sure Delta Check.

Items to set up the Are You Sure Delta Check:

- Select a lab test.
- Add the delta check to the lab test.
- Test the delta check.

For example, review and update the **ABO Grouping** Laboratory Test:

1. Go to VA FileMan.
2. Use Enter or Edit File Entries.
3. Enter 60 for the lab test named: **ABO Grouping**
4. Review the lab test.
5. Return to the **SITE/SPECIMEN** field.
6. Return to the **TYPE OF DELTA CHECK** subfield.
 - Add “ARE YOU SURE”
7. See the example below:

```
VA FileMan Version 22.0
```

```
Enter or Edit File Entries
Print File Entries
```

```
Search File Entries
Modify File Attributes
Inquire to File Entries
Utility Functions ...
Data Dictionary Utilities ...
Transfer Entries
Other Options ...
```

Select VA FileMan Option: ENter or Edit File Entries

```
INPUT TO WHAT FILE: AUTO INSTRUMENT// 60 LABORATORY TEST
EDIT WHICH FIELD: ALL//
```

```
Select LABORATORY TEST NAME: ABO GROUPING
NAME: ABO GROUPING//
TEST COST:
Select SYNONYM: ABO//
TYPE: BOTH//
SUBSCRIPT: CHEM, HEM, TOX, SER, RIA, ETC.//
LOCATION (DATA NAME): CH;2906087;1// (No Editing)
Select INSTITUTION: DEMO HOSPITAL//
  INSTITUTION: DEMO HOSPITAL//
  ACCESSION AREA: TRANSFUSION (CH)//
UNIQUE ACCESSION #:
UNIQUE COLLECTION SAMPLE:
LAB COLLECTION SAMPLE:
REQUIRED TEST: NO//
PROCEDURE (SNOMED):
*QUICK INDEX:
EXTRA LABELS:
HIGHEST URGENCY ALLOWED: ROUTINE//
FORCED URGENCY:
PRINT NAME: ABO Grouping//
Reserved:
PRINT CODE:
PRETTY PRINT ENTRY:
PRETTY PRINT ROUTINE:
PRINT ORDER: 10//
INACTIVATION DATE:
NATIONAL VA LAB CODE:
RESULT NLT CODE:
CATALOG ITEM:
EDIT CODE:
*BATCH DATA CODE:
EXECUTE ON DATA REVIEW:
Select SITE/SPECIMEN: BLOOD//
  SITE/SPECIMEN: BLOOD//
  REFERENCE LOW:
  REFERENCE HIGH:
  CRITICAL LOW:
  CRITICAL HIGH:
  INTERPRETATION:
    No existing text
    Edit? NO//
UNITS:
TYPE OF DELTA CHECK: ARE YOU SURE
DELTA VALUE:
DEFAULT VALUE:
THERAPEUTIC LOW:
```

```

THERAPEUTIC HIGH:
Select *AMIS/RCS 14-4:
USE FOR REFERENCE TESTING:
CPT CODE:
PANEL (CPT):
Select FOREIGN COMPUTER SYSTEM:
LOINC CODE: 883-9//
Select SPECIMEN CPT:
Select QUALITATIVE VALUES:
Select SITE/SPECIMEN:

```

Figure 5-1: Add Delta Check to Laboratory Test

5.1.1 Test the Are You Sure Delta Check

Order and result the lab test that the Are You Sure Delta Check was added.

1. Order lab test, for example, ABO GROUPING lab test.
2. Result the lab test.
3. Notice the prompt for ARE YOU SURE?
4. See the example below:

```

Select Process data in lab menu <TEST ACCOUNT> Option:
EM   Enter/verify/modify data (manual)

Do you want to review the data before and after you edit? YES//
Do you wish to see all previously verified results? NO//

Select one of the following:

1      Accession Number
2      Unique Identifier (UID)

Verify by: 1//   Accession Number
Select Accession: BCH 2
TRANSFUSION (CH) (MAY 10, 2023) 2
Select Referring Laboratory: DEMO HOSPITAL//

DEMO, PATIENT                456123   LOC:LAB
Sample: BLOOD (EDTA)
Specimen: BLOOD
1   ABO Grouping (CH)

DEMO, PATIENT      HRCN: 456123      LOC: LAB
Pat Info:          Sex: FEMALE   Age: 63yr as of May 10, 2023
Provider: DEMO, PROVIDER      Voice pager:
Phone:                  Digital pager:

ACCESSION:                BCH 23 2
                          05/10 1509d

ABO Grouping (CH) //?
??
Enter * to report "canc" for canceled.
Enter # to report "comment".

```

```

Choose from:
A      A
B      B
O      O
AB     AB
ABO Grouping (CH) //A  A
ARE YOU SURE? ?

Enter either 'Y' or 'N'.

ARE YOU SURE? Y

Select COMMENT:

DEMO, PATIENT      HRCN: 456123      LOC: LAB
Pat Info:          Sex: FEMALE   Age: 63yr as of May 10, 2023
Provider: DEMO, PROVIDER      Voice pager:
    Phone:                    Digital pager:

ACCESSION:          BCH 23 2
                    05/10 1509d
ABO Grouping (CH)      A
SELECT ('E' to Edit, 'C' for Comments, 'W' Workload):
Approve for release by entering your initials: **
LAST IN WORK LIST
    
```

Figure 5-2: Resulting the lab test with ARE YOU SURE Delta check

1. Reivew the results on Interim Report below:
2. Notice the ARE YOU SURE delta check does not display.

```

                                DR SMITH LABORATORY DIRECTOR
                                801 THOMPSON AVE, ROCKVILLE MD 20852

DEMO, PATIENT                      Date/Time Printed: 05/10/23@15:19
HRCN: 456123      SEX:F  DOB:Jan 01, 1960      LOC:LAB
Accession [UID]: BCH 23 2 [5523000002]
Provider: DEMO, PROVIDER      Lab Arrival Date/Time:05/10/23@15:09
Specimen: BLOOD      Spec Collect Date/Time:05/10/23@15:09

Test name      Result Flg units      Ref.  range      Site  Result Dt/Time
ABO Grouping      A                                [2906] 05/10/23@15:13
=====
KEY: A=Abnormal  L=Abnormal Low  H=Abnormal High  *=Critical  TR=Therapeutic

[2906] DEMO HOSPITAL      90001 1ST AVE  WASHINGTON, NM 87000

DEMO, PATIENT                      HRCN:456123  5/10/2023
    
```

Figure 5-3: Interim Report Example

6.0 Add Specimen Number To Lookup Accession

The Specimen Number from the Lab Order Entry (#69) file has been added to the Lookup Accession display if and only if the order is still in file 69.

Prior to the change, a Lookup Accession would look like

```

ACCESSION: CH 1003 1                PATIENT: DEMO, BEAUTIFUL DAUGHTER
ORDER #: 1214                       HRCN: 999991
UID: 1022760011                    DOB: 12/02/2018
LOCATION: LAB                         ORDERED: 10/03/2022@12:19
PROVIDER: RADON, NICHOLAS M JR      COLLECTED: 10/03/2022@12:19
ACCESSION PERSON: ROMANCITO, KAREN  LAB ARRIVAL: 10/03/2022@12:19

SAMPLE: SERUM SERUM (SST)
TEST: CREATININE/EGFR (SCHWARTZ)    ROUTINE
COMPLETED: 10/03/2022@12:21
ALL COMPLETED

```

Figure 6-1: Lookup Accession

After the change to the LRWKRLS2 routine, the Lookup Accession will look like (the new field is highlighted below):

```

ACCESSION: CH 1003 11              PATIENT: DEMO, BEAUTIFUL DAUGHTER
UID: 1022760011                   DOB: 12/02/2018
LOCATION: LAB                         HRCN: 999991
ORDER #: 1214                       SPECIMEN #: 1
ORDERED: 10/03/2022@12:19          COLLECTED: 10/03/2022@12:19
PROVIDER: RADON, NICHOLAS M JR      LAB ARRIVAL: 10/03/2022@12:19
ACCESSION PERSON: ROMANCITO, KAREN

SAMPLE: SERUM SERUM (SST)
TEST: CREATININE/EGFR (SCHWARTZ)    ROUTINE          TECH: ROMANCITO, KAREN
COMPLETED: 10/03/2022@12:21
ALL COMPLETED

```

Figure 6-2: Updated Lookup Accession

7.0 Collected By User Update

The BLRPCCVC routine has been modified to remediate a sporadic issue regarding the "Collected By" User not being correct.

```
File Edit View Options Tools Help
PCC VISIT DISPLAY Feb 24, 2023 16:27:12 Page: 1 of
Patient Name: DEMO, FRANKLIN
Chart #: T76918
Date of Birth: SEP 25, 1991
Sex: M
Visit IEN: 2126564

===== VISIT FILE =====
VISIT/ADMIT DATE&TIME: FEB 23, 2023@09:46
DATE VISIT CREATED: FEB 23, 2023
TYPE: IHS
THIRD PARTY BILLED: VISIT IN REVIEW STATUS
PATIENT NAME: DEMO, FRANKLIN
LOC. OF ENCOUNTER: 2021 DEMO HOSPITAL (INST)
SERVICE CATEGORY: AMBULATORY
CLINIC: LABORATORY SERVICES
DEPENDENT ENTRY COUNT: 3
DATE LAST MODIFIED: FEB 23, 2023
HOSPITAL LOCATION: LAB HOSPITAL (LOC)
CREATED BY USER: ██████████

Select Action: +//

Ready Telnet 23, 20 24 Rows, 78 Cols VT100 CAP NUM
```

Figure 7-1: PCC Visit Display showing "CREATED BY USER"

8.0 Lab Label UID Routines

The BLRIPLUI and BLRIPLUP routines are incorporated in IHS Lab Patch LR*5.2*1052.

The routines are designed to be used with any Intermec Printer Language (IPL) capable label printers. The routines do not incorporate any special characters and use standard ASCII (American Standard Code for Information Interchange) coding.

The routines are the typical RPMS "pair" of label routines: one initializes the printer and the other prints the labels.

8.1 BLRIPLUI Routine

The BLRIPLUI routine is the initialization routine: it sets up the printer so that the printer can interpret the commands and format the data sent to the printer via the printing routine.

It is advised that the BLRIPLUI be run each time after the printer is turned on.

The routine is normally entered as FMT^BLRIPLUI in the ROUTINE field of the BLR STARTUP FOR INTERMEC PC option.

8.2 BLRIPLUP Routine

The BLRIPLUP routine is the printing routine: it takes in the Lab variables and sends them with coding to the printer that then interprets the codes to print the label.

9.0 Remediate V LAB Collection Date/Time Issue from LR*5.2*1039

An issue regarding Collection Date/Time was inadvertently introduced via LR*5.2*1039. The issue has been addressed by changes to the BLRLINK3 and BLRLNKU2 routines.

10.0 Microbiology Data To Populate On CCDA

A new API has been created that will allow CCDA to extract Microbiology data from the Lab Data file. It is strictly for use by CCDA only and is mentioned here for completeness.

11.0 Components of LR*5.2*1052

11.1 Routines

There are numerous routines included in LR*5.2*1052.

11.1.1 BLREXEBS

"Bedside Schwartz" eGFR for children (AGE < 18).

11.1.2 BLREXEC5

CKD-EPI eGFR.

11.1.3 BLRIPLUI

Intermec IPL UID barcoded Initialization Routine

11.1.4 BLRIPLUP

Intermec IPL UID barcoded Print Routine.

11.1.5 BLRLINK3

Routine was modified so that the V LAB Date/Time issue from LR*5.2*1039 was remediated.

11.1.6 BLRLNKU2

Routine was modified so that the V LAB Date/Time issue from LR*5.2*1039 was remediated.

11.1.7 BLRLRX

Code added to support the ARE YOU SURE Delta Check.

11.1.8 BLRMIALL

An API that allows the exportation of Microbiology data. CCDA only.

11.1.9 BLRP52P2

Routine that will run during the post-install process to install the Monkeypox LOINC's into RPMS.

11.1.10 BLRP52P3

Routine that will run during the post-install process to create CKD-EPI EGFR and BEDSIDE SCHWARTZ EGFR tests in the Laboratory Test (#60) file.

11.1.11 BLRPCCVC

Routine to standardize data being passed to PCC from the Lab Module.

11.1.12 BLRPRE52

LR*5.2*1052 Pre/Post Routine.

11.1.13 BLRUTILB

Lab utilities.

11.1.14 BLRUTILC

Lab utilities.

11.1.15 LRWRKLS1

Modification will allow the LOOKUP ACCESSION code to print the Specimen number.

11.2 Files

11.2.1 Blood Inventory (#65)

In order to facilitate historical extraction of data, a new cross-reference was added to the file.

11.2.2 Referral Patient (#67)

In order to facilitate historical extraction of data, a new cross-reference was added to the file.

11.3 Options

There are 3 new options included in the patch.

11.3.1 BLR Bedside Schwartz eGFR Make

Option that creates the Bedside Schwartz eGFR delta check. It is added to the BLRMENU with the BGFR label during the post-install phase of the patch.

11.3.2 BLR CKD-EPI (2021) Create

Option that creates the CKD-EPI (2021) eGFR delta check. It is added to the BLRMENU with the GFRC label during the post-install phase of the patch.

11.3.3 BLR COUNT ACC TESTS

Option that allows access to 4 new reports that Count Accessioned tests using the Lab Data file. It is added to the BLRMENU with the CACC label during the post-install phase of the patch.

11.4 VA Lab Patch 556

The VA Lab Patch LR*5.2*556 that updates the LOINC files to LOINC version 2.72 is included in RPMS Lab Patch LR*5.2*1052.

11.4.1 Routine

There is one routine in LR*5.2*556.

11.4.1.1 LR556

Includes environment checking as well as various post install processing subroutines.

11.4.2 Files That Are Updated

There are numerous files that must be updated to LOINC Version 2.72

11.4.2.1 WKLD CODE (#64) File

This file contains the list of WKLD Codes, which are used to compile Laboratory workload statistics.

11.4.2.2 LAB ELECTRONIC CODES (#64.061) File

This file contains a collection of codes used in electronic messaging.

11.4.2.3 WKLD SUFFIX CODES (#64.2) File

This file contains a listing of National approved Workload Suffix codes.

11.4.2.4 LAB NLT/CPT CODES (#64.81) File

This file is used primarily as a National Laboratory Test (NLT) database upgrade source file.

11.4.2.5 LAB LOINC (#95.3) File

The LAB LOINC file contains an extraction of the LOINC database.

11.4.2.6 LAB LOINC COMPONENT (#95.31) File

This file contains the name of the component or analyte measured for the LAB LOINC file (#95.3).

Glossary

Accession Area

A functional area or department in the laboratory where specific tests are performed.

Accession Number

A unique alpha-numeric (combination of letters and numbers) assigned to an individual patient specimen when it is received in the laboratory.

File

A set of related records or entries treated as a single unit.

FileMan

The database management system for the VA's VistA system and IHS' RPMS system.

HL7

Health Level Seven. An ANSI approved American National Standard for electronic data exchange in health care.

ICD

International Classification of Diseases. It is formally known as the International Statistical Classification of Diseases and Related Health Problems, a medical classification list by the World Health Organization (WHO).

IEN

Internal Entry Number. A unique number used to identify an entry within a file.

IHS

Indian Health Service. An Operating Division (OPDIV) within the U.S. Department of Health and Human Services (HHS).

Menu

A list of choices for computing activity. A menu is a type of option designed to identify a series of items (other options) for presentation to the user for selection.

MUMPS

MUMPS (Massachusetts General Hospital Utility Multi-Programming System) or alternatively M, is a general-purpose computer programming language that provides ACID (Atomic, Consistent, Isolated, and Durable) transaction processing.

Parameter

A name in a function or subroutine definition that is replaced by, or bound to, the corresponding actual argument when the function or subroutine is called.

RPC

Remote Procedure Call. A client/server system within Department of Veterans Affairs (VA) Veterans Health Information Systems and Technology Architecture (VistA) environment. It establishes a common and consistent foundation for client/server applications to communicate and exchange data with M Servers.

RPMS

Resource and Patient Management System. A suite of software applications used at IHS facilities to support administrative, clerical, and clinical functions.

SNOMED

Systematized Nomenclature of Medicine. A systematic, computer-processable collection of medical terms, in human and veterinary medicine, to provide codes, terms, synonyms and definitions which cover anatomy, diseases, findings, procedures, microorganisms, substances, etc.

TaskMan

A Kernel sub module that allows tasks (e.g., VA FileMan prints and sorts) to run in the background.

VA

Veteran's Administration. United States Department of Veterans Affairs

VistA

The Veterans Health Information Systems and Technology Architecture. An enterprise-wide information system built around an Electronic Health Record (EHR), used throughout the VA medical system.

Acronym List

Acronym	Term Meaning
CPT	Current Procedural Terminology
EHR	Electronic Health Record
IHS	Indian Health Service
PCC	Patient Care Component
POC	Point Of Care
RPMS	Resource and Patient Management System

Contact Information

If you have any questions or comments regarding this distribution, please contact the IHS IT Service Desk.

Phone: (888) 830-7280 (toll free)

Web: <https://www.ihs.gov/itsupport/>

Email: itsupport@ihs.gov