

Install BCMA Broker and BCMA Client Software

1. Log on to the workstation as administrator.
2. Unzip Broker_BCMA_42.zip and locate Install.cmd within the unzipped folder.




Figure 1: Windows Explorer window showing the contents of the unzipped folder

3. Right click **Install.cmd** and select **Run as administrator** (This is necessary even though you logged in as Administrator). The **Welcome** dialog (Figure 2) displays. The Broker (XWB1_1P29PG.EXE) will be installed first.



Figure 2: Installation Wizard, **Welcome** dialog

4. Click **Next**. The **Read Me File** dialog (Figure 3) displays.

BCMA GUI Guide




Figure 3: Installation Wizard, **Read Me File** dialog

5. Click **Next**. The **Choose Destination Location** dialog (Figure 4) displays.




Figure 4: Installation Wizard, **Choose Destination Location** dialog

6. Click **Next**, accepting the default **Destination Folder** without change; do not click **Browse**. The **Start Installation** dialog (Figure 5) displays.

BCMA GUI Guide




Figure 5: Installation Wizard, **Start Installation** dialog

7. Click **Next**. The **Installation Complete** dialog (Figure 6) displays.




Figure 6: Installation Wizard, **Installation Complete** dialog

8. Click **Finish**.
9. Wait for the following to install; these are silent background installs:
 - RPMS/VistA RPC Shared Broker Session Manager Update.
 - BCMA GUI PSB*3*42.
10. When finished (command screen closes), locate the **BCMA Client** shortcut (Figure 7) on the desktop.



Figure 7: **BCMA Client** shortcut

11. Right click the **BCMA Client** shortcut to display the right click menu (Figure 8).




Figure 8: BCMA Client shortcut right click menu

12. Select **Properties**. The **BCMA Client Properties** dialog (Figure 9) displays.

BCMA GUI Guide




Figure 9: **BCMA Client Properties** dialog, **Shortcut** tab

13. Leaving the existing path statement in the **Target** field unmodified, append the Server DNS Name or IP address, the RPMS RPC Broker Port number, and /NOCCOW at the end. It should look something like this:

```
"C:\Program Files (x86)\Vista\BCMA\BCMA.exe" S= 161.223.34.1 p=9522 /NOCCOW
```

where:

S = the site's fully qualified DNS name or the site's IP address.

P = the RPC Broker port number as defined in the PORT field of the RPMS RPC BROKER SITE PARAMETERS file.

14. Click **Apply**, then click **OK**.

Install the BCMA Parameters Shortcut

The BCMA Parameters shortcut is typically installed only on the BCMA Coordinator or Pharmacy Manager's workstation. To create a shortcut to BCMApar.exe, start at the **BCMA Client Properties** dialog, **Shortcut** tab (Figure 9):

1. Click **Open File Location**. The Windows Explorer window (Figure 10) displays.

BCMA GUI Guide




Figure 10: Windows Explorer right click menu

2. Right click **BCMApar.exe** and select **Create shortcut**.




Figure 11: **Shortcut** warning dialog

3. If the **Shortcut** warning dialog (Figure 11) displays, click **Yes**. Otherwise, find the shortcut in the currently-opened folder and move it to the desktop.
4. When finished, locate the shortcut on the desktop; its name should be **Shortcut to BCMApar.exe** or **BCMApar.exe-shortcut**.
5. Right click the BCMA Local Parameters shortcut to display the right click menu (Figure 12).

BCMA GUI Guide




Figure 12: Shortcut right click menu

6. Select **Properties**. The **BCMA Local Parameters Properties** dialog (Figure 13) displays.




Figure 13: **BCMA Local Parameters Properties** dialog, **Shortcut Properties** tab

BCMA GUI Guide

7. In the **Target** field, append the Server DNS Name or IP address, and the RPMS RPC Broker Port number to the existing path statement. It should look something like this:

“C:\Program Files (x86)\Vista\BCMA\BCMA.exe” S= 161.223.34.1 p=9522

where:

S = the site’s fully qualified DNS name or the site’s IP address.

P = the RPC Broker port number as defined in the PORT field of the RPMS RPC BROKER SITE PARAMETERS file.

8. Select the **General** tab.




Figure 14: **BCMA Local Parameters Properties** dialog, **General** tab

9. Type **BCMA Parameters** in the name field at the top of the tab.
10. Click **OK**.