



RESOURCE AND PATIENT MANAGEMENT SYSTEM

Clinical Reporting System

(BGP)

User Manual

Version 10.0
July 2010

Office of Information Technology (OIT)
Division of Information Resource Management
Albuquerque, New Mexico

Preface

The Government Performance and Results Act (GPRA) requires federal agencies to report annually on how the agency measured against the performance targets set in its annual plan. The Indian Health Service (IHS) GPRA measures include clinical prevention and treatment, quality of care, infrastructure, and administrative efficiency functions.

The IHS Clinical Reporting System (CRS) is a Resource and Patient Management System (RPMS) software application designed for national reporting, as well as Area Office and local monitoring of clinical GPRA and developmental measures. CRS was first released for FY 2002 performance measures (as GPRA+) and is based on a design by the Aberdeen Area Office (GPRA2000).

This manual provides instructions on using the CRS. Version 10.0 adds fiscal year (FY) 2010 clinical performance measures to existing FY 2002 through FY 2009 measures.

CRS is the reporting tool used by the IHS Office of Planning and Evaluation to collect and report clinical performance results annually to the Department of Health and Human Services and to Congress.

Each year, an updated version of CRS software is released to reflect changes in the logic descriptions of the different denominators and numerators. Additional performance measures may also be added. Local facilities can run reports as often as they want and can also use CRS to transmit data to their Area Office. The Area Office can use CRS to produce an aggregated Area Office report for either annual GPRA or Area Office director performance reports.

CRS produces reports on demand from local RPMS databases for both GPRA and developmental clinical performance measures that are based on RPMS data, thus eliminating the need for manual chart audits for evaluating and reporting clinical measures.

To produce reports with comparable data across every facility, the GPRA measures definitions were “translated” into programming code with the assistance of clinical subject matter experts. CRS uses predefined taxonomies to find data items in the RPMS Patient Care Component to determine if a patient meets the performance measure criteria. Taxonomies contain groups of codes (e.g., diagnoses or procedures) or site-specific terms. Each performance measure topic has one or more defined denominators and numerators.

Administrative and clinical users can review individual or all measures at any time to

- Identify potential data issues in their RPMS; for example, missing or incorrect data.
- Monitor their site's performance against past national performance and upcoming agency goals
- Identify specific areas where the facility is not meeting the measure in order to initiate business process or other changes
- Quickly measure impact of process changes on performance measures
- Identify IHS Area Offices meeting or exceeding measures to provide lessons learned

Users of the RPMS CRS include

- Area Office and site quality improvement staff
- Compliance officers
- GPRA coordinators
- Clinical staff, such as physicians, nurses, nurse practitioners, and other providers
- Area Office directors
- Any staff involved with quality assurance initiatives
- Staff who run the various CRS reports

Table of Contents

1.0	About This Manual	9
1.1	Key Changes in Version 10.0	9
1.1.1	Changes to National GPRA Reports	9
1.1.2	Logic Changes to National GPRA & PART Report Measures.....	10
1.1.3	New Non-GPRA Performance Topics Added to Selected Measures (Local) Report	12
1.1.4	Key Logic Changes to Non-GPRA Measures.....	12
1.1.5	Additional Key Enhancements and Revisions	12
2.0	Orientation	13
3.0	Introduction.....	19
3.1	Clinical Performance Assessment and GPRA	19
3.1.1	What Is GPRA?	19
3.1.2	Clinical Performance Measures.....	21
3.1.3	Comparing Ourselves to National Guidelines	23
3.2	CRS Overview	24
3.2.1	How Does CRS Work?	24
3.2.2	CRS Security Keys	25
3.2.3	CRS Key Denominator Definitions.....	26
3.2.4	Performance Measure Logic Example.....	30
3.2.5	CRS Report Time Periods	32
3.3	FY10 Clinical Measures Included in CRS	33
4.0	Getting Started: System Setup.....	34
4.1	Community Taxonomy	34
4.2	Site Parameters (SP).....	36
4.3	Taxonomies	40
4.3.1	What Is a Taxonomy?.....	41
4.3.2	Site-Populated Clinical Taxonomies Used by CRS	42
4.3.3	Site-Populated Lab Taxonomies.....	42
4.3.4	Site-Populated Drug Taxonomies.....	50
4.4	Taxonomy Check (TC).....	91
4.5	Taxonomy Setup (TS).....	94
4.6	Using Q-Man to Populate a Taxonomy.....	100
4.7	Update the Demo/Test Patient Search Template (DP)	100
5.0	Reports and Patient Lists	103
5.1	Report and Patient List Overview	103
5.2	National GPRA & PART Report (GP)	106
5.2.1	Overview	106
5.2.2	Running the National GPRA & PART Report	107

5.2.3	National GPRA & PART Report Content	114
5.3	National GPRA & PART Patient List (LST)	119
5.3.1	Overview	119
5.3.2	Running the National GPRA & PART Patient List	119
5.3.3	Patient List Content	125
5.4	National GPRA & PART Clinical Performance Summaries Report (SUM)	135
5.4.1	Overview	135
5.5	National GPRA & PART Report by Designated Provider (DPRV)	137
5.5.1	Overview	137
5.6	National GPRA & PART Height and Weight Local Data File	140
5.6.1	Overview	140
5.7	Search Template for National Patient List (NST)	144
5.7.1	Overview	144
5.7.2	Creating a Search Template for a National Patient List	144
5.7.3	Search Template Content	151
5.8	GPRA & PART Forecast Patient List (FOR)	151
5.8.1	Overview	151
5.8.2	Running the GPRA & PART Forecast Patient List	152
5.9	GPRA & PART Forecast Denominator Definitions (FORD)	158
5.9.1	Overview	158
5.9.2	Running the GPRA & PART Forecast Denominator Definitions	158
5.10	Comprehensive National GPRA & PART Patient List (CMP)	159
5.10.1	Overview	159
5.10.2	Running the Comprehensive National GPRA & PART Patient List	159
5.10.3	Patient List Content	164
5.11	Selected Measures Reports for Local Facility Use (LOC)	165
5.11.1	Overview	165
5.11.2	Running the Selected Measures Reports with Patient Lists	166
5.11.3	Reports Content	187
5.11.4	Selected Measures Reports Patient Lists	191
5.11.5	Patient Lists Content	191
5.12	CMS Performance Report (CMS)	195
5.12.1	Overview	196
5.12.2	Running the CMS Performance Report	197
5.12.3	Report and Patient List Content	201
5.13	GPRA & PART Performance Report (GPU)	204

5.13.1	Overview	204
5.13.2	Running the GPRA & PART Performance Report	205
5.13.3	Report Content	209
5.14	Other National Measures Report (ONM)	209
5.14.1	Overview	209
5.14.2	Running the Other National Measures Report.....	209
5.14.3	Report Content	217
5.15	Other National Measures Report Patient List (OST).....	220
5.15.1	Overview	220
5.15.2	Running the Other National Measures Report Patient List.....	220
5.15.3	Patient List Content	226
5.16	Executive Order Quality Transparency Measures Report (EO)	232
5.16.1	Overview	232
5.16.2	Running the Executive Order Quality Transparency Measures Report (EO)	232
5.16.3	Report Content	243
5.17	Elder Care Report (ELD)	245
5.17.1	Overview	245
5.17.2	Running the Elder Care Report with Patient Lists.....	246
5.17.3	Report Content	252
5.17.4	Elder Care Patient List.....	257
5.18	HEDIS Performance Report (HED).....	259
5.18.1	Overview	259
5.18.2	Running the HEDIS Performance Report	260
5.18.3	HEDIS Performance Report Patient List.....	269
5.19	Patient Education with Community Specified Report (PCM)	271
5.19.1	Overview	271
5.19.2	Running the PCM Patient Education with Community Specified Report.....	271
5.19.3	Report Content	278
5.19.4	PCM Patient Education with Community Specified Report Patient Lists	280
5.20	Patient Education with Patient Panel Population Report (P3)	281
5.20.1	Overview	281
5.20.2	Running the Patient Education with Patient Panel Population Report (P3)	281
5.21	Lab Taxonomy Report (TXL)	287
5.21.1	Overview	287
5.21.2	Running the Lab Taxonomy Reports	287
5.21.3	Report Content	289
5.22	Medication Taxonomy Report (TXM)	292

5.22.1	Overview	292
5.22.2	Running the Medication Taxonomy Report.....	292
5.22.3	Report Content	294
5.23	Report Formats.....	297
5.23.1	Report Cover Page Format	297
5.23.2	Report Format	301
5.23.3	Clinical Performance Summaries	303
5.23.4	Patient List Formats.....	313
6.0	Area-Office-Specific Menu Options	321
6.1	Upload Report Files from Site (UPL)	324
6.2	Run AREA Aggregate Reports	326
6.2.1	Area National GPRA & PART Report (AGP)	327
6.2.2	AREA National GPRA & PART Report Performance Summaries (ASUM).....	342
6.2.3	Area GPRA & PART Performance Report (GPUA)	346
6.2.4	Area Other National Measures Report (AONM)	349
6.2.5	Area EO Quality Transparency Measures Report (AEO).....	361
6.2.6	Area Elder Care Report (AELD)	375
6.2.7	Area HEDIS Report (AHED).....	378
6.2.8	AREA Patient Education Report with Community Specified (APCM)	381
6.2.9	Area Height and Weight File (AHW)	385
6.3	List Files in a Directory (LSTF)	389
7.0	RPMS Rules of Behavior.....	391
7.1	All RPMS Users	391
7.1.1	Access.....	391
7.1.2	Information Accessibility	392
7.1.3	Accountability	392
7.1.4	Confidentiality	393
7.1.5	Integrity.....	393
7.1.6	System Logon.....	394
7.1.7	Passwords.....	394
7.1.8	Backups.....	395
7.1.9	Reporting.....	395
7.1.10	Session Timeouts	395
7.1.11	Hardware	395
7.1.12	Awareness.....	396
7.1.13	Remote Access	396
7.2	RPMS Developers	397
7.3	Privileged Users.....	398
8.0	Glossary	400
9.0	Appendix A: FY09 – FY11 GPRA Measures.....	410

9.1	FY 2009, 2010, 2011 GPRA MEASURES (revised 04/02/10).....	410
9.1.1	Treatment Measures	410
9.1.2	Prevention Measures.....	414
9.1.3	Capital Programming/Infrastructure Measures	418
10.0	Appendix B: Working with Delimited Files.....	419
10.1	Producing a Delimited File	419
10.2	Opening Text Files in Microsoft Excel.....	421
10.3	Sorting Patient Lists in Excel	425
11.0	Appendix C: Creating a Patient Panel with Q-Man	430
12.0	Appendix D: AI/AN Clinical Information on Measures	434
13.0	Appendix E: Height and Weight Data File Letter	435
14.0	Contact Information	440

1.0 About This Manual

This manual provides user instructions for the CRS version 10.0 (FY 2010 Clinical Performance Measures).

The chapters included in this manual cover the main components of this system:

- Setting up the CRS application, including taxonomies and site parameters
- Using the report option to produce different reports: National Government Performance and Results Act (GPRA) and Program Assessment Rating Tool (PART), Selected Measures, Centers for Medicare and Medicaid Services (CMS), GPRA & PART Performance, Other National Measures, Executive Order Quality Transparency Measures, Healthcare Effectiveness Data and Information Set (HEDIS®) Performance, Elder Care, Patient Education, and Laboratory and Medication Taxonomies
- Exporting and aggregating Area Office-level data for National GPRA & PART, GPRA & PART Performance, Other National Measures, Executive Order Quality Transparency Measures, HEDIS Performance, Elder Care, and Patient Education reports

Refer to the Clinical Performance Measure Logic Manual for information on the logic used and sample output for each individual performance measure.

1.1 Key Changes in Version 10.0

1.1.1 Changes to National GPRA Reports

- National GPRA & PART report is broken down into two sections: GPRA Developmental and official GPRA & PART
- For the GPRA Forecast Patient List: (1) Put a time frame on the amount of data that can be printed (e.g. 7 days), to prevent sites from running an entire year's worth of data which currently causes the buffer to be exceeded. This date limit will only apply when a user selects a division's clinic(s). (2) Fixed a problem with Depression Screening where the incorrect date was being used to determine if a screen was due. (3) Fixed a problem with Alcohol Screening where the CAGE screen was overlooked in certain circumstances.

1.1.2 Logic Changes to National GPRA & PART Report Measures

- **GPRA Developmental Measures:** Added the following new GPRA Developmental measures: Dental Sealants (revised to report a rate instead of a count); Topical Fluoride (revised to report a rate instead of a count); H1N1 Immunization Status; Childhood Immunizations (3 doses of Pneumococcal); Colorectal Cancer Screening (two new logic definitions-HEDIS and USPSTF); Comprehensive Cancer Screening (new topic); Alcohol Screening (new denominator for Active Clinical patients ages 12 to 75); IPV/DV Screening (removed patient education from numerator definition); Depression Screening (removed patient education from numerator definition); Comprehensive CVD-Related Assessment (new denominator and numerator definitions). Added the following existing measures: Childhood Immunizations 4:3:1:3:3:1:4 (includes 4 doses of Pneumococcal); Cancer Screening: Mammogram Rates (female Active Clinical ages 42 and older); Tobacco Cessation (moved from the ONM Report); HIV Screening (moved from the ONM Report); Use of High-Risk Medications in the Elderly (renamed from “Drugs to be Avoided in the Elderly”).
- **All GPRA Measures that previously included refusals:** Removed refusal definitions from GPRA logic. The official GPRA measures that included refusals have been removed and replaced with the GPRA Developmental measures that do not include refusals. This is the case for the following topics: Diabetic Retinopathy; Access to Dental Service; Dental Sealants; Topical Fluoride; Adult Immunizations, Influenza; Adult Immunizations, Pneumovax; Childhood Immunizations 4:3:1:3:3; Pap Smear Rates; Mammogram Rates; Colorectal Cancer Screening; Tobacco Cessation; Alcohol Screening (Fetal Alcohol Syndrome [FAS] Prevention); Intimate Partner Violence/Domestic Violence (IPV/DV) Screening; Depression Screening; Comprehensive Cardiovascular Disease- (CVD-) Related Assessment; and Prenatal Human Immunodeficiency Virus (HIV) Screening.

Note: The immunization topics still include Not Medically Indicated (NMI) refusals.

- **Diabetes: LDL Assessment:** In the Logical Observation Identifiers Names and Codes (LOINC) taxonomy for LDL assessment (BGP LDL LOINC CODES), added Code 55440-2 and removed Code 24331-1.
- **Diabetes: Nephropathy Assessment:** In the End-Stage Renal Disease (ESRD) definition, added Code 50044-7 to LOINC taxonomy for Estimated GFR (BGP ESTIMATED GFR LOINC).
- **Access to Dental Service:** Added CPT Codes D000 and D0190 to documented dental visit definition.
- **Dental Sealants:** Added CPT Code D1351 to dental sealant definition.

- **Topical Fluoride:** (1) Added ADA Code 5986 to Topical Fluoride definition. (2) Added CPT Codes D1203, D1204, D1206 and D5986 to Topical Fluoride definition.
- **Adult Immunizations – Influenza:** (1) Added CVX/HL7 Code 135 to influenza immunization definition. (2) For influenza definition, required POV Codes V04.81 and V06.6 NOT to be coded with CPT Codes 90663, 90664, 90666-90668, 90470, G9141 or G9142, as that would represent an H1N1 immunization and not the seasonal influenza immunization.
- **Adult Immunizations – Pneumovax:** (1) Added CVX/HL7 Code 133 to pneumococcal immunization definition. (2) Added CPT Code 90670 to pneumococcal immunization definition.
- **Childhood Immunizations:** (1) GPRA measure changed to 4:3:1:3:3:1 measure, which adds one dose of Varicella to the required vaccines. (2) Added CVX/HL7 Code 133 to pneumococcal immunization definition. (3) Added CPT Code 90670 to pneumococcal immunization definition. (4) Added CVX/HL7 Code 133 to pneumococcal immunization NMI refusal definition. (5) Added CVX/HL7 Code 130 to IPV immunization NMI refusal definition.
- **Pap Smear Rates:** Added POV Codes V88.01 and V88.03 to hysterectomy definition.
- **Mammogram Rates:** Added logic for Women's Health mammograms to ensure the mammogram result does not have a value of "ERROR/DISREGARD".
- **Colorectal Cancer Screening:** (1) Removed Code 50196-5 from LOINC taxonomy for FOBT (BGP FOBT LOINC CODES).
- **Tobacco Use and Exposure Assessment:** (1) Added CPT Code D1320 to tobacco screening definition. (2) Added HCPCS Codes 1000F, G8455, G8456, G8457, G8402 and G8453 to tobacco screening definition. (3) Added HCPCS Codes G8455, G8456, G8402 and G8453 to tobacco user definition. (4) Added HCPCS Codes G8455, G8402 and G8453 to smoker definition. (5) Added HCPCS Code G8456 to smokeless definition.
- **Tobacco Cessation:** (1) Added HCPCS Codes G8455, G8456, G8402 and G8453 to tobacco user definition. (2) Added HCPCS Codes G8402 and G8453 to tobacco cessation counseling definition. (3) Added CPT Code D1320 to tobacco cessation counseling definition.
- **Alcohol Screening (FAS Prevention):** Added HCPCS Code H0050 to alcohol screening definition.

- **Comprehensive CVD-Related Assessment:** (1) Added Code 55440-2 to and removed Code 24331-1 from LOINC taxonomy for LDL assessment (BGP LDL LOINC CODES). (2) Added CPT Code D1320 to tobacco screening definition. (3) Added HCPCS Codes 1000F, G8455, G8456, G8457, G8402 and G8453 to tobacco screening definition. (4) Changed "Medical Nutrition Counseling" to "Medical Nutrition Therapy".
- **Prenatal HIV Screening:** Added Codes 49483-1, 49965-7, 51780-5, 51786-2, 51866-2, 53601-1, 56888-1, 57976-3, 57977-1 and 57978-9 to LOINC taxonomy for HIV Screening definition (BGP HIV TEST LOINC CODES).

1.1.3 New Non-GPRA Performance Topics Added to Selected Measures (Local) Report

- H1N1 Immunization Status (also included in the GPRA Developmental section of the GPRA & PART Report)
- Comprehensive Cancer Screening (also included in the GPRA Developmental section of the GPRA & PART Report)

1.1.4 Key Logic Changes to Non-GPRA Measures

- For key logic changes to non-GPRA measures, please refer to the CRS 2010 (version 10.0) Selected Measures Report Performance Measure List and Definitions document located on the CRS Web site at <http://www.ihs.gov/cio/crs/documents/SelectedMeasuresV10.pdf>.

1.1.5 Additional Key Enhancements and Revisions

- Added a feature to the Patient Education Report to allow the user to select a Start Date and an End Date for the User Defined date range.
- Updated CRS 2007 version 7.0 (not CRS 2010 Version 10.0), National GPRA Reports menu by adding menu option "XP10" to be used to create a comprehensive GPRA export for GPRA year 2010. This data will be based on performance measure logic contained in CRS 2007 version 7.0.

2.0 Orientation

The following terms and abbreviations are used throughout this manual.

Active Clinical CHS Patients

The basic denominator definition used by CRS when the CHS-Only Site Parameter is set to Yes. The Active Clinical Contract Health Services (CHS) definition was developed specifically for facilities that provide only CHS to their patients and where the majority of their patients do not meet the Active Clinical denominator definition. For a detailed description of the denominator, see Section 3.2.3.2.

Active Clinical Patients

The basic denominator definition used by CRS. The Active Clinical definition was developed specifically for clinical performance measures because it was felt to be more representative of the active clinical population than the standard GPRA User Population definition. For a detailed description of the denominator, see Section 3.2.3.1.

AI/AN

American Indian/Alaska Native.

ASUFAC Code

The six-digit code representing the Area, Service Unit, and Facility location for any individual direct, tribal or urban healthcare location. The ASUFAC is used by CRS to identify the site creating the reports.

Baseline Year

CRS calculates and reports results for and comparisons between three time periods for each measure: the current year (defined by the user); the previous year; and the baseline year (defined by the user). For the National GPRA & PART report, baseline information will be determined by the Office of Planning and Evaluation and provided to sites prior to report deadlines.

BGP

The technical name, or namespace, for the CRS component of the RPMS software suite. A namespace is a unique two- to four-alpha-character code assigned by the database administrator to an RPMS software application.

CPT Codes

One of several code sets used by the healthcare industry to standardize data, allowing for comparison and analysis. CPT was developed and is updated annually by the American Medical Association and is widely used in producing bills for services rendered to patients. CPTs include codes for diagnostic and therapeutic procedures, and specify information that differentiates the codes based on cost. CPT codes are the most widely accepted nomenclature in the United States for reporting physician procedures and services for federal and private insurance third-party reimbursement. CRS searches for CPT and other codes as specified in the logic definition to determine if a patient meets a denominator or numerator definition.

CRS

Clinical Reporting System component of the RPMS software suite. CRS provides sites with the ability to report on GPRA and developmental clinical measures from local RPMS databases.

Denominator

The denominator for a performance measure is the total patient population being reviewed to determine how many (what percentage) of the total meet the definition of the measure. Different measures have different denominators; for example, all patients, or all adult diabetic patients, or all female patients between certain ages.

Developmental Measures

For IHS, these are clinical performance measures that are being tested for possible inclusion as formal GPRA measures. The purpose of developmental measures is to test over two to three years whether accurate data can be reported and measured.

FY

Fiscal year. The fiscal year for the federal government is October 1 through September 30.

GPRA

Government Performance and Results Act. A federal law requiring federal agencies to annually document their goals and progress towards their goals. For a detailed description, see Section 3.1.1.

GPRA Measure

Performance measures specifically identified in the IHS Annual Performance Plan to Congress. Each measure has one denominator and one numerator. For FY 2010, the IHS has 33 GPRA measures in three main categories: Treatment (16 measures), Prevention (14 measures), and Capital Programming/Infrastructure (3 measures). These measures address the most significant health problems facing the AI/AN population.

GPRA Report to Congress

IHS, as well as all other federal agencies, provides an annual report to Congress in conjunction with the next year's budget request to document how well and cost-effectively the agency meets its defined mission. The report has three parts: (1) reporting how many of the previous FY measures were met and explanations for those measures unmet; (2) providing final definitions of performance measures for the current FY; and (3) providing any proposed additions, deletions, and definition changes to measures for the following FY. Aggregated data from the CRS version 10.0 (FY10) will be used to report most clinical measures in the FY 2010 Performance Report.

GUI

Graphical user interface. The Windows-based version of the CRS application. Visual CRS is available in addition to the character-based ("roll and scroll") user interface (CHUI).

Healthy People 2010 (HP 2010)

HP 2010 presents a comprehensive, nationwide health promotion and disease prevention agenda under the direction of the U.S. Department of Health and Human Services (HHS). HP 2010 performance indicator definitions and related targets are used by many healthcare organizations, including IHS, as the basis for its own clinical performance measures.

HEDIS

Healthcare Effectiveness Data and Information Set (HEDIS). Developed by the National Committee for Quality Assurance, HEDIS is a tool used by more than 90% of American's health plans to measure performance on important dimensions of care and service.

I/T/U

Indian, Tribal, and Urban facilities. Using the abbreviation I/T/U generally means that all components of the Indian healthcare system are referred to, not just IHS direct sites.

ICD Codes

One of several code sets used by the healthcare industry to standardize data. The International Classification of Disease (ICD) is an international diagnostic coding scheme. In addition to diseases, ICD also includes several families of terms for medical-specialty diagnoses, health statuses, disablements, procedures, and reasons for contact with healthcare providers. IHS currently uses ICD-9 for coding. CRS searches for ICD and other codes as specified in the logic definition to determine if a patient meets a denominator or numerator definition.

Logic

The detailed definition, including specific RPMS fields and codes, of how the CRS software defines a denominator or numerator.

LOINC

Logical Observation Identifiers Names and Codes (LOINC®). A standard coding system originally initiated for laboratory values, the system is being extended to include nonlaboratory observations (electrocardiograms [EKGs], vital signs, etc.). Standard code sets are used to define individual tests and mitigate variations in local terminologies for lab and other healthcare procedures; for example, Glucose or Glucose Test. IHS began integrating LOINC values into RPMS at several pilot sites in 2002.

National GPRA & PART Report

In CRS, the National GPRA & PART Report is a report that includes the specific denominator and numerator from each of the clinical performance measure topics included in the IHS GPRA performance plan and other key developmental (i.e., non-GPRA) measures. The National GPRA & PART Report can be run and printed locally for site use or simultaneously printed at the site and exported to the Area Office for use in an Area Office aggregate report.

Numerator

The numerator is the number of patients from the denominator, i.e., the total population surveyed who meet the logic criteria for a performance measure.

Patient List

For each measure, CRS produces a list of patients related to the specific measure. Most patient lists include patients from the denominator with any visit dates and/or codes that identify them as meeting the measure. Patient lists are a good way to identify patients who need a procedure or test; for example, patients age 50 and older who have not received Influenza vaccinations.

Performance Measure

The combination of one defined denominator and numerator. Performance measures are definitions of specific measurable objectives that can demonstrate progress toward the goals stated in an organization's strategic and/or performance plans.

Performance Measure Topic

An overarching clinical topic, for example, Diabetes: Blood Pressure Control. Each topic may have multiple denominators and numerators related to the topic. For example, the Diabetes: Blood Pressure topic has three numerators: (1) how many diabetic patients had a minimum of two blood pressure values in the past year; (2) how many patients had controlled blood pressure (BP), defined as mean BP value less than 130/80; and (3) how many patients had uncontrolled BP. Out of these three numerators, the GPRA measure is Controlled Blood Pressure.

PIT

Performance Improvement Team. Facilities will have different names for their PITs, including GPRA Improvement, Quality Improvement, or other similar phrases. A PIT should represent members from all areas of the clinic staff, including providers (physicians, nurses, physician assistants, pharmacists, etc), medical records staff, data entry staff, quality assurance staff, site managers, or other information technology staff.

QI

Abbreviation for quality improvement.

Report Period

CRS reports analyze and report on a minimum of one year's data for all performance measures. In all reports except the National GPRA & PART Report, users define the report period by selecting one of the predefined date ranges and entering the calendar year of the end of the reporting period. For example, selecting July 1 – June 30 and calendar year 2010 defines July 1, 2009 – June 30, 2010 as the report period. All CRS reports also display the previous and baseline periods for comparison.

Selected Measures Report (CRS)

This type of report displays results for all denominators and numerators related to one or more performance measure topics selected by the user. CRS documents the number of patients in the denominators and numerators, as well as the percentage of patients meeting the definition. The report compares performance for three time periods: current year (user defined), previous year, and baseline year (user defined). Selected Measures reports can also produce patient lists at user request.

Taxonomy

Taxonomies are groupings of functionally related data elements, such as specific codes, code ranges, or terms used by various RPMS applications, to find data items in PCC and determine if a patient meets a certain criteria. To ensure comparable data within the agency as well as to external organizations, as much CRS measure logic as possible is based on standard national codes, such as CPTs or ICD-9. For terminology that is not standardized across each facility, such as lab tests or medications, CRS uses taxonomies that can be populated by each individual facility with its own codes.

User Population

The standard User Population definition was developed by IHS to define its core population for statistical reporting to Congress. CRS uses a slightly different definition, which is any AI/AN patient who is alive during the entire report period and residing in the defined community with at least one visit to any clinic in the three years prior to the end of the report period. Most measures included on the National GPRA & PART Report use the Active Clinical Population definition. For a detailed description of the User Population denominator, see Sections 3.2.3.3 (User Population for National GPRA & PART Reporting) and 3.2.3.6 (User Population for Local Reports).

3.0 Introduction

The CRS is an RPMS software application designed for local and Area Office monitoring of clinical performance measures in a timely manner.

Because definitions of clinical performance measures can change every year, CRS will be updated and released annually. The current version BGP 10.0 adds FY 2010 clinical performance measures to existing FY 2009 through FY 2002 measures.

3.1 Clinical Performance Assessment and GPRA

Performance assessment measures what an organization does and how well it does it. For a healthcare organization, such as the IHS, this means measuring how well we deliver healthcare services to our population with documentable improvement in various standard health measures. Standardized clinical performance measures provide a systematic approach to health improvement for our organization. Results from performance assessment are used internally within the IHS, at national and local levels, to support and guide performance improvement in those clinical areas that need it. Performance results are also needed externally to demonstrate accountability to an organization's stakeholders; for IHS, this means Congress and the current administration. Since clinical care is provided in the field, understanding and reporting on clinical performance measures can no longer be solely the concern of IHS Headquarters (HQ) staff.

3.1.1 What Is GPRA?

Since 1955, the IHS has demonstrated the ability to utilize limited resources to improve the health status of AI/AN people by focusing on preventive and primary care services. The IHS, like all federal agencies, is under increasing pressure to demonstrate progress in a measurable way towards its mission and goals. Our clinical GPRA measures are and continue to be the mainstay in performance reporting for the IHS. The current administration is actively working towards the goal of building a transparent, high-performance government with health reform as one of its highest national priorities.

The GPRA requires federal agencies to demonstrate that they are using their funds effectively toward meeting their missions. The law requires agencies to have both a five-year Strategic Plan in place and to submit annual performance plans specifically describing what the agency intends to accomplish toward those goals with their annual budget. Every year, the agency reports on how the agency measured against the performance targets set in the plan.

Appropriately for a healthcare organization, most IHS GPRA measures describe clinical treatment and prevention measures. The performance measures address the most significant health problems facing the AI/AN population as identified by representatives of the local I/T/U programs, as well as management areas of the President's Management Agenda. For FY 2010, the IHS has 33 GPRA measures in three main categories: Treatment (16 measures), Prevention (14 measures), and Capital Programming/Infrastructure (3 measures).

Performance measures are further characterized by type, where

- **Outcome measures** directly relate to reducing mortality or morbidity relative to a disease or condition that program(s) addresses. All clinical GPRA measures are outcome measures. Examples include reducing prevalence of obesity, diabetic complications, and unintentional injury.
- **Output measures** describe the level of activity that will be provided over a period of time – the internal activities of a program (i.e., the products and services delivered); for example, maintaining accreditation rate for Youth Regional Treatment Centers, conducting at least three community injury prevention projects in each area.
- **Efficiency measures** track the ratio of total outputs or outcomes to total inputs (federal plus nonfederal). Examples include average project duration from project Memorandum of Agreement (MOA) execution to construction completion and percent of replacement health centers completed on time.

All GPRA measures are determined annually by the GPRA Coordinating Committee, with input from specific subject matter experts in various subject areas. Teleconferences and meetings are held regularly to review, discuss, and edit or add performance measures. The Office of Management and Budget (OMB) has requested that IHS reduce process measures and increase outcome measures. Potential (developmental) measures for emerging areas of clinical concern to IHS, such as HIV, are proposed, discussed, and refined over several months and may change definition several times before being included as a formal GPRA measure. One of the criteria for adding new measures is that they are measurable; for clinical measures, this means that performance data can be gathered by using RPMS data.

For a complete list of FY 2010 GPRA measures, see Appendix A: FY09 – FY11 GPRA Measures. Further information about GPRA performance reporting, including results for FY 2004 through FY 2009, can be found at the following Web site:

http://www.ihs.gov/cio/crs/index.cfm?module=crs_gpra_reporting

3.1.2 Clinical Performance Measures

Most of the 33 IHS GPRA measures are clinical. The majority of the GPRA performance measures have a denominator and a numerator defined. The denominator is the total population being reviewed; the numerator is the number of patients from the denominator who meet the definition of the measure. Some, however, only have a numerator and are just a count, such as Sealants and Topical Fluoride.

The Treatment category includes measures covering diabetes, cancer, behavioral health, oral health, accreditation, and medications. An example of a treatment measure is Diabetes: Blood Pressure Control. The FY 2010 goal for this measure is to maintain the proportion of patients with diagnosed diabetes that have achieved blood pressure control at a rate of 40%. Blood pressure control is defined as the mean of at least 2 non-Emergency Room (ER) blood pressure values less than 130/80. The IHS FY 2009 national rate was 37%; the Healthy People 2010 goal is 50% (see Section 3.2.4).

The Prevention category includes measures covering public health nursing, immunization, injury prevention, behavioral health, cardiovascular disease, obesity, tobacco use, and HIV. An example of a prevention measure is Adult Immunizations: Influenza. The FY 2010 goal for this measure is to maintain the rate of 60% for the influenza vaccination levels among noninstitutionalized adult patients aged 65 years and older. The IHS FY 2009 rate was 59%; the Healthy People 2010 goal is 90%.

3.1.2.1 Measure Example

GPRA Measure Cancer Screening: Pap Smear Rates: During FY 2010, achieve the tentative target rate of 60% for the proportion of female patients ages 21 through 64 without a documented history of hysterectomy who have had a Pap screen within the previous three years.

The denominator is the total population that is being reviewed for a specific measure. For the Pap smear measure, the denominator is all female patients at least age 21 at the beginning of the report period and less than 65 at the end of the report period. The numerator is the number of patients in the denominator who meet specific criteria. For Pap smear, the numerator is the number of patients in the denominator who had a Pap smear, defined by certain codes and documented in RPMS any time in the three years prior to the end of the report period. For a detailed description of performance measure logic, see Section 3.2.4, “Performance Measure Logic Example.”

In addition to the formal denominator and numerator for a GPRA measure, there may be other denominators and numerators clinically related to the topic. For the Treatment measure cited above, Diabetes: Blood Pressure Control, three separate denominators (patient populations) are examined. The GPRA denominator is Active Diabetic patients. The other two denominators reviewed for any Diabetes measure are User Population and Active Adult Diabetic patients. For detailed logic definitions of the denominators, see the *CRS Clinical Performance Measure Logic Manual*, Section 2.0, Performance Measure Logic.” In addition to the GPRA numerator, for patients with controlled BP, two related numerators are tracked: (1) patients with documented BP in past year (mean of either two or three non-ER visit blood pressure values), and (2) patients with BP that is not controlled. Reviewing all the denominators and numerators for the Diabetes Blood Pressure Control measure topic gives a site’s clinical staff a more comprehensive picture of the status of BP control among diabetic patients.

Because the number of formal GPRA measures for the IHS is limited by direction from the OMB, not all healthcare issues relevant to the AI/AN patient population are defined. Developmental measures that address emerging healthcare issues within the IHS have been defined for the agency. Some of these developmental measures may become formal GPRA measures in future years.

Required performance reporting provides the agency with a rationale and time line to establish and maintain an ongoing process to identify, measure, and evaluate performance measure results. By establishing a feedback loop of results evaluation and performance measure refinement or redefinition based on evidence-based criteria, we can ensure that IHS clinical measures mirror key areas of concern for the AI/AN population and contribute to improving health of individuals, as well as populations.

3.1.3 Comparing Ourselves to National Guidelines

Appropriately for a healthcare organization, most IHS GPRA measures describe clinical treatment and prevention measures. In order to improve health status, the I/T/U system must be able to make comparisons both within the I/T/U system and the larger medical community. The adoption of comparable health outcome measures that are used by others, such as HEDIS or Healthy People 2010, will help in this endeavor.

- **Healthy People 2010.** Healthy People 2010 presents a comprehensive, nationwide health promotion and disease prevention agenda under the direction of the HHS. Through 467 objectives in 28 focus areas, Healthy People 2010 represents the ideas and expertise of individuals and organizations concerned about the nation's health. Each objective, or measure, was developed with a target to be achieved by the year 2010.

Healthy People 2010 objectives have certain attributes, including: important and understandable, prevention oriented, useful and relevant, measurable, and supported by sound scientific evidence. For additional information about Healthy People 2010, go to this web site: <http://www.healthypeople.gov/>.

- **HEDIS** is a set of standardized performance measures, originally designed to ensure that purchasers and consumers have the information they need to reliably compare the performance of managed health care plans. HEDIS did not start out being about prevention per se, but it has evolved into a de facto tool for measuring the quality of prevention services provided by a healthcare organization.

The performance measures in HEDIS are related to many significant public health issues such as cancer, heart disease, smoking, asthma, and diabetes. HEDIS also includes a standardized survey of consumers' experiences that evaluates plan performance in areas such as customer service, access to care, and claims processing. HEDIS is sponsored, supported, and maintained by the National Committee for Quality Assurance (NCQA), a not-for-profit organization dedicated to improving healthcare quality everywhere. For additional information about NCQA and HEDIS, go to this web site: <http://www.ncqa.org/tabid/59/Default.aspx>.

IHS uses both Healthy People 2010 and HEDIS, in addition to other clinical guidelines, to define clinical performance measures and set levels for performance. CRS provides HP 2010 target information on the report for as many of the measures included in CRS as are available. CRS 2010 (BGP v10.0) includes a specific HEDIS Report option.

3.2 CRS Overview

Collecting and reporting comparable data across all I/T/Us, as well as to the larger healthcare community, is essential to the process of measuring and communicating health status and performance improvement. Improved data collection and quality provide consistent data across all I/T/Us and are critical to providing better patient care, as well as timely and accurate performance measures.

The CRS is a software tool that provides reports for local site and Area Office use specifically on clinical performance measures that are based on data from the IHS RPMS. For FY10, CRS includes 23 performance measure topics included in the National GPRA & PART Report and 39 developmental/other clinical measure topics included in the Selected Measures (Local) Report and other reports.

Each measure topic has one or more denominator and numerator defined. The denominator is the total population being reviewed; the numerator is the number of patients from the denominator who meet the logic criteria. Detailed logic for each performance measure is described in the *CRS Clinical Performance Measure Logic Manual*, Section 2.0, Performance Measure Logic.

3.2.1 How Does CRS Work?

Upon demand from local RPMS databases, CRS produces a printed or electronic report for any or all of over 300 GPRA and developmental clinical performance measures, representing 63 clinical topics based on RPMS data. Reports display the total numbers (count) in both the denominator (total patient population evaluated) and numerator (patients who meet the measure criteria), as well as the percentage of total patients in the numerator.

Reports also compare the site's performance numbers in the current report period (user defined) to the previous period and to a user-defined baseline period. The purpose of having three time periods for comparison is always to compare exactly the same logic across time periods. Since the details of performance measure logic may change somewhat each year, it is not accurate to compare a performance measure from CRS FY09 to the same measure from CRS FY10. The three time periods allow truly comparable data.

The National GPRA & PART Report provides a summary of the local GPRA measure results compared to national performance and agency goals. The report contains a section of GPRA Developmental measures as well. Users can request patient lists for each of the measures, displaying patients who do or do not meet the measure criteria. In addition, a comprehensive report is available that lists all of the measures each patient did not meet.

A facility also can produce a data file for the National GPRA & PART Report for transmission to the Area Office where an area-wide aggregate report can be generated. For detailed descriptions of the different report types, see Section 5.0, Reports and Patient Lists.

Because GPRA measures can change annually, CRS is updated and released annually to reflect any changes. The current version 10.0 adds FY 2010 performance measures to the existing FY 2009 through FY 2002 clinical performance measures.

The CRS is intended to eliminate the need for manual chart audits to evaluate and report the IHS clinical GPRA and developmental measures based on RPMS data. To produce reports with comparable data across every facility using CRS, the GPRA measure definition must be translated into programming code. This means an English text expression must be defined specifically in terms of which RPMS fields to look at and which values to look for to fit the definition.

The logic provided to the CRS application programmer was developed in conjunction with various clinical subject matter experts for the different types of measures; i.e., the Diabetes Program reviewed and approved the logic for diabetes measures.

CRS has been described as a scavenger hunt for data that looks at as many RPMS applications and as many fields as may be applicable to meet the measure. To ensure comparable data within the agency, as well as to external organizations, as much performance measure logic as possible is based on standard national codes. These codes include ICD-9, CPT, LOINC, and national IHS standard code sets (e.g., health factors, patient education codes, etc.).

For terminology that is not standardized across each facility, such as lab tests or medications, CRS uses taxonomies that can be populated by each individual facility with its own codes. For detailed information about taxonomies, see Section 4.3, Taxonomies.

Note: Facilities that develop and use their own codes for IHS-specific functions, such as health factors and patient education, will find that these entries do not count toward meeting the measure.

3.2.2 CRS Security Keys

In order for a user to have access to the CRS application, s/he must be assigned the BGPZMENU security key in RPMS. Other security keys that a user may need are as follows:

- **BGPZ PATIENT LISTS**, which enables a user to run lists of patients that contain patient identifiers and medical information

- **BGPZ SITE PARAMETERS**, which enables a user to edit the site parameters
- **BGPZ TAXONOMY EDIT**, which enables a user to edit the site-populated lab and medication taxonomies
- **BGPZAREA**, which provides user access to the Area Office menu, where Area Aggregate reports may be run

3.2.3 CRS Key Denominator Definitions

Each performance measure topic has one or more defined denominators and numerators. The denominator is the total population being reviewed for a specific measure.

The Active Clinical population is the denominator definition used for most GPRA measures. This denominator was developed in FY 2003 specifically for clinical measures because it is more representative of the active clinical population.

Note: Because facilities, who offer no direct care and whose patients receive only CHS, do not meet the requirements of the Active Clinical population. A new site parameter, Contract Health Site Only, was added for FY2006.

Prior to FY 2003, the User Population denominator definition was used. The User Population definition is similar to the agency IHS User Population definition, but not identical to the definition used by IHS HQ for annual user population statistics. GPRA “visits” are not required to be workload reportable, as defined by IHS HQ. The GPRA User Population is used as a secondary denominator in the local reports, as it represents a broader public health definition of a site’s population.

For national GPRA reporting, only one denominator for each topic is reported. For Selected Measures reports for local facility use (Section 5.11), multiple denominators may be reported to provide a complete picture of clinical performance. Users also have additional options available to further refine denominator definitions.

3.2.3.1 Active Clinical Population for National GPRA & PART Reporting

- Patient records with the name of “DEMO,PATIENT” or who are included in the Demo/Test Patient Search Template for CRS will be automatically excluded from the denominator.
- Patient must have *two* visits to *medical* clinics in the past three years. At least one visit must be to one of the following core medical clinics:

01	General	24	Well Child
06	Diabetic	28	Family Practice
10	GYN	57	EPSDT
12	Immunization	70	Women’s Health
13	Internal Medicine	80	Urgent Care
20	Pediatrics	89	Evening

The second visit can be *either* to one of the core medical clinics in the previous list *or* to one of the following additional medical clinics:

02	Cardiac	37	Neurology
03	Chest And TB	38	Rheumatology
05	Dermatology	49	Nephrology
07	ENT	50	Chronic Disease
08	Family Planning	69	Endocrinology
16	Obstetrics	75	Urology
19	Orthopedic	81	Men's Health Screening
23	Surgical	85	Teen Clinic
25	Other	88	Sports Medicine
26	High Risk	B8	Gastroenterology – Hepatology
27	General Preventive	B9	Oncology – Hematology
31	Hypertension	C3	Colposcopy
32	Postpartum		

- Patient must be alive on the last day of the report period.
- Patient must be AI/AN (defined as Beneficiary 01). This data item is entered and updated during the patient registration process.
- Patient must reside in a community included in the site’s “official” GPRA community taxonomy, defined as all communities of residence in the CHS catchment area specified in the community taxonomy that is specified by the user.

3.2.3.2 Active Clinical CHS Population for National GPRA & PART Reporting

- Patient records with the name of “DEMO,PATIENT” or who are included in the Demo/Test Patient Search Template for CRS will be automatically excluded from the denominator.
- Patient must have two CHS visits in the three years prior to the end of the report period.
- Patient must be alive on the last day of the report period.
- Patient must be AI/AN (defined as Beneficiary 01). This data item is entered and updated during the patient registration process.
- Patient must reside in a community included in the site’s official GPRA community taxonomy, defined as all communities of residence in the CHS catchment area specified in the community taxonomy that is specified by the user.

3.2.3.3 User Population for National GPRA & PART Reporting

- Patient records with the name of “DEMO,PATIENT” or who are included in the Demo/Test Patient Search Template for CRS will be automatically excluded from the denominator.
- Patient must have been seen at least once in the three years prior to the end of the time period, regardless of the clinic type.
- Patient must be alive on the last day of the report period.
- Patient must AI/AN (defined as Beneficiary 01). This data item is entered and updated during the patient registration process.
- Patient must reside in a community included in the site’s official GPRA community taxonomy, defined as all communities of residence in the CHS catchment area specified in the community taxonomy that is specified by the user.

3.2.3.4 Active Clinical Population for Local Reports

- Patient records with name “DEMO,PATIENT” or who are included in the Demo/Test Patient Search Template for CRS will be automatically excluded from the denominator.
- Patient must have *two* visits to *medical* clinics in the past three years. At least one visit must be to one of the following core medical clinics:

01	General	24	Well Child
06	Diabetic	28	Family Practice
10	GYN	57	EPSDT
12	Immunization	70	Women’s Health
13	Internal Medicine	80	Urgent Care
20	Pediatrics	89	Evening

The second visit can be *either* to one of the core medical clinics in the previous list *or* to one of the following additional medical clinics:

02	Cardiac	37	Neurology
03	Chest And TB	38	Rheumatology
05	Dermatology	49	Nephrology
07	ENT	50	Chronic Disease
08	Family Planning	69	Endocrinology
16	Obstetrics	75	Urology
19	Orthopedic	81	Men's Health Screening
23	Surgical	85	Teen Clinic
25	Other	88	Sports Medicine
26	High Risk	B8	Gastroenterology - Hepatology
27	General Preventive	B9	Oncology - Hematology
31	Hypertension	C3	Colposcopy
32	Postpartum		

- Patient must be alive on the last day of the report period.
- User defines population type: AI/AN patients only, non-AI/AN, or both. This data item is typed and updated during the patient registration process.
- User defines general population: single community; group of multiple communities (community taxonomy); user-defined list of patients (patient panel); or all patients, regardless of community of residence.

3.2.3.5 Active Clinical CHS Population for Local Reports

- Patient records with the name of “DEMO,PATIENT” or who are included in the Demo/Test Patient Search Template for CRS will be automatically excluded from the denominator.
- Patient must have two CHS visits in the three years prior to the end of the report period.
- Patient must be alive on the last day of the report period.
- User defines population type: AI/AN patients only, non-AI/AN, or both.
- User defines general population: single community; group of multiple communities (community taxonomy); user-defined list of patient (patient panel); or all patients, regardless of community of residence.

3.2.3.6 User Population for Local Reports

- Patient records with the name of “DEMO,PATIENT” or who are included in the Demo/Test Patient Search Template for CRS will be automatically excluded from the denominator.
- Patient must have been seen at least once in the three years prior to the end of the time period, regardless of the clinic type.
- Patient must be alive on the last day of the report period.
- User defines population type: AI/AN patients only, non-AI/AN, or both.
- User defines general population: single community; group of multiple communities (community taxonomy); user-defined list of patient (patient panel); or all patients, regardless of community of residence.

3.2.4 Performance Measure Logic Example

The GPRA measure example used in Section 3.1.2 was Cancer Screening: Pap Smear Rates: During FY 2010, achieve the tentative target rate of 60% for the proportion of female patients ages 21 through 64 without a documented history of hysterectomy who have had a Pap screen within the previous three years.

For CRS, the GPRA measure definition is:

- Denominator (total number of patients evaluated): Active Clinical female patients ages 21 through 64, excluding those with documented history of hysterectomy. (The clinical owner of the measure has determined based on current medical guidelines that “eligible” women are defined as ages 21–64.)
- Numerator (those from the denominator who meet the criteria for the measure): patients with documented Pap smear in past three years.

For the programmer, the Pap smear measure is described in terms of the following logic:

1. Begin with the Active Clinical population definition (see Section 3.2.3.1).
 - a. Exclude any patient records with the name of “DEMO,PATIENT.”
 - b. Exclude any patient records that are included in the Demo/Test Patient Search Template for CRS.
 - c. Exclude any patient records with a date of death in the Patient Registration file.
 - d. Exclude any patient records that do *not* have value 01 (AI/AN) in the Beneficiary field of the Patient Registration file.
 - e. Exclude any patient records whose Community of Residence is not included in the site’s defined GPRA Community Taxonomy for this report.
 - f. For the remaining patients, search Visit files for the three years prior to the selected report end date; exclude any patient records whose visits do not meet the “two medical clinics” definition; *or*, for facilities with the CHS-Only site parameter set to Yes, exclude any patient records that do not have two CHS visits in the past three years.
2. From these patients, identify the subset that are female and at least age 21 on the first day of the current report period and less than age 65 on the last day of the report period.
3. Exclude patients with documented hysterectomy by searching the V Procedure file for procedure codes 68.4-68.8 or V CPT for CPT codes 51925, 56308 (old code), 58150, 58152, 58200-58294, 58548, 58550-58554, 58570-58573, 58951, 58953-58954, 58956, 59135 or V POV 618.5, V88.01, V88.03 or Women's Health procedure called Hysterectomy any time before the end of the report period.
4. For these patients (the denominator), check for a Pap smear in the past three years in the following order:
 - a. Check V Lab for a lab test called Pap Smear and for any site-populated Pap smear lab test documented in the BGP PAP SMEAR TAX taxonomy; or

- b. Check V Lab for any LOINC code listed in the predefined BGP PAP LOINC CODES taxonomy (see the *CRS Technical Manual* for specific codes); or
- c. Check the Purpose of Visit file (V POV) for: a diagnosis of: V67.01 Follow-up Vaginal Pap Smear, V76.2-Screen Mal Neop-Cervix, V72.31 Routine Gynecological Examination, V72.32 Encounter for Pap Cervical Smear to Confirm Findings of Recent Normal Smear Following Initial Abnormal Smear, V72.3 Gynecological Examination, Pap Cervical Smear as Part of General Gynecological Exam, Pelvic Exam (annual) (periodic) (old code, to be counted for visits prior to 10/1/04 only), V76.47 Vaginal Pap Smear for Post-Hysterectomy Patients, 795.0*, 795.10-16, or 795.19; or
- d. Check V Procedures for a procedure of 91.46; or
- e. Check V CPT for the following CPT codes: 88141-88167, 88174-88175, G0123, G0124, G0141, G0143-G0145, G0147, G0148, P3000, P3001, or Q0091; or
- f. Check the Women's Health Tracking package for documentation of a procedure called Pap smear; or
- g. Check the Refusals file for Lab Test Pap Smear in the past year.

If a visit with any of the specified codes is found, the patient is considered to have met the measure, and the program checks the next patient.

For a detailed description of the logic for each performance measure included in CRS, see the *CRS Clinical Performance Manual*, Section 2.0, "Performance Measure Logic."

3.2.5 CRS Report Time Periods

For each measure, the following three time periods are displayed:

- **Current or Report Period:** A time period entered by the user. For a typical National GPRA & PART Report, the time period would be July 1 through June 30, which has been defined by the Office of Planning and Evaluation as the "performance year."
- **Previous Year Period:** Same time period as report period for the previous year.
- **Baseline Period:** Same time period as report period for any year specified by the user. For a typical National GPRA & PART Report, the baseline year is July 1, 1999 through June 30, 2000.

The data for the report period is compared to the data for the previous year and the baseline periods. The percentage of change between current and previous year and current and baseline periods is calculated.

The purpose of having three time periods for comparison is to compare exactly the same logic across time periods. Since the details of measure logic may change somewhat each year, it is not accurate to compare a performance from CRS FY09 to the same measure from CRS FY10. The three time periods allow truly comparable data.

3.3 FY10 Clinical Measures Included in CRS

The clinical measures reported by CRS include formal IHS GPRA measures the agency is currently reporting to Congress, other GPRA-related measure topics, and developmental measure topics being evaluated as possible future GPRA measures.

Note: CRS only includes clinical performance measures that can be derived from RPMS data.

For detailed descriptions of the measure logic, including specific codes and taxonomies used, and formats for each topic and patient list, see the *CRS Clinical Performance Manual*, Section 2.0, “Performance Measure Logic.”

For the performance measurement logic included in the National GPRA & PART/GPRA & PART Performance, Selected Measures, CMS, Other National Measures, Elder Care, HEDIS, and Patient Education reports, see the specific Performance Measure Definitions and Logic documents on the CRS Web site, CRS 2010 page: http://www.ihs.gov/cio/crs/index.cfm?module=crs_fy10.

4.0 Getting Started: System Setup

Before a site can use the CRS for FY2010 to run reports, the site's system parameters and taxonomies must be set up.

System Setup Task Summary

Step	Action	For details, see Section
1	Create the official community taxonomy for national GPRA reporting using Q-Man.	4.1
2	Set up the CRS system parameters for the site.	4.2
3	Run the taxonomy check for all reports.	4.4
4	Set up the lab and medication taxonomies used by CRS.	4.5

4.1 Community Taxonomy

The community taxonomy is used to define the range of community names where your facility's patients reside, and is included in your reports. Most likely, your facility has one or more community taxonomies already set up for use with other RPMS applications.

For the National GPRA & PART Report, a community taxonomy should be used that includes all communities served by the facility.

Note: The GPRA Area Coordinators decided in January 2004 at their national meeting that all Area Offices would use their defined CHS catchments as their default community taxonomies for the yearly GPRA report, with the exception of the Oklahoma City Area (all of OK is in the Contract Health Service Delivery Area [CHSDA]).

Individuals may want to run local reports of selected measures for a specific subset of the population, which may use a different community taxonomy than the community taxonomy used to run the National GPRA & PART Report.

Use Q-Man to set up the community taxonomy. If you do not have access to Q-Man, see your RPMS site manager.

Note: If the Q-Man menu option is not listed in your main menu, contact your site manager to receive the Q-Man access keys.

To define the Community taxonomy, follow these steps:

1. At the Main Menu prompt, choose the QMAN menu option and press the Enter key to display the Q-Man menu.
2. At the “Enter Return to continue or ^ to Exit” prompt, press the Enter key.
3. At the “Your Choice” prompt, type **1** (Search PCC Database) and press the Enter key.
4. At the “What is the subject of your search?” prompt, type **LIVING PATIENTS** (all uppercase) and press the Enter key.
5. At the “Attribute of Living Patients” prompt, type **Community** and press the Enter key.
6. At the “Enter Community” and “Enter Another Community” prompts, type the name(s) of the community or communities of interest.
7. When finished, press the Enter key at a blank “Enter Another Community” prompt.
8. At the “Want to save this community group for future use?” prompt, type **Y** and press the Enter key.
9. At the “Group Name” prompt, type a name for the taxonomy and press the Enter key.
10. At the “Are you adding [*group name*]’ as a new Taxonomy (the #TH)?” prompt, verify your group name and type **Y** to save it or **N** to cancel the save and press the Enter key.
11. (Optional) At the “Taxonomy Brief Description” prompt, type a short description of the taxonomy and press the Enter key.
12. (Optional) At the “1>” prompt, type enter the information for the extended description for the taxonomy; otherwise press the Enter key.
13. At the “Attribute of Living Patients” prompt, type **^** (shift + 6) and press the Enter key.
14. At the “What is the subject of your search?” prompt, type **^** (shift + 6) and press the Enter key to return to the Q-Man main menu.
15. To exit the Q-Man main menu, type **0** (zero) at the prompt and press the Enter key.

```

What is the subject of your search? LIVING PATIENTS // <Enter> LIVING PATIENTS

  Subject of search: PATIENTS
    ALIVE TODAY

Attribute of LIVING PATIENTS: COMMUNITY <Enter>

Enter COMMUNITY: ANADARKO <Enter>          CADDO      OKLAHOMA    140      4008140
Enter ANOTHER COMMUNITY: CARNEGIE <Enter>  CADDO      OKLAHOMA    144      4008144
Enter ANOTHER COMMUNITY: WALTERS <Enter>  COTTON     OKLAHOMA    263      4017263
Enter ANOTHER COMMUNITY: <Enter>

The following have been selected =>

  ANADARKO
  CARNEGIE
  WALTERS

Want to save this COMMUNITY group for future use? No// Y <Enter> (Yes)
Group name: SWOK GPRA REPORT COMMUNITIES <Enter>
  Are you adding 'SWOK GPRA REPORT COMMUNITIES' as
  a new TAXONOMY (the 890TH)? No// Y <Enter> (Yes)

  TAXONOMY BRIEF DESCRIPTION: <Enter>
EXTENDED DESCRIPTION:
  No existing text
  Edit? NO// NO <Enter>
Computing Search Efficiency Rating

  Subject of search: PATIENTS
    ALIVE TODAY
    CURRENT COMMUNITY (ANADARKO/CARNEGIE...)

```

Figure 4-1: Example of setting up a community taxonomy in Q-Man

4.2 Site Parameters (SP)

CI10 > SET > SP

Note: Users must have the BGPZ SITE PARAMETERS security key to display the Site Parameters menu option and set up the CRS site parameters.

Setting site parameters eliminates the need to set those values that are often used throughout the CRS system. These are the CRS site parameters:

- **BGP Site Parameters Location** (i.e., facility location), which defines your facility location.
- **Default Community taxonomy**, which defines the community taxonomy name your site is most likely to use when identifying the population for reports.

Note: If your RPMS server has multiple databases representing multiple facilities, you may not want to set a default Community taxonomy to ensure users will define a specific Community taxonomy each time a report is run.

- **Definition of Home**, which is used by Public Health Nursing (PHN) measure to identify PHN visits in a home location, in addition to Clinic Code 11. Generally, but not always, a site's home location is called Home.
- **Export Height/Weight Data to Area/National Programs**, which may be set to *N* only by Tribal facilities that do not want to export their height/weight data associated with the National GPRA & PART Report to their Area Office and IHS Division of Epidemiology. The default is set to *Y*.

When a reporting facility chooses to export its GPRA data to the Area Office, if the Export Height/Weight Data site parameter is set to *Y*, the Area Office export file that is created (file beginning with "BG10") will include visit data containing height and/or weight measurements taken during the period July 1, 2009 through June 30, 2010 for all active clinical patients 0-65 years of age included in the National GPRA & PART Report.

The Area Office creates a combined file containing unduplicated data from all facilities. The file is sent to the National GPRA Support Team for transmission to the Division of Epidemiology, which uses the data to construct frequency curves. Only the unique registration record ID of each patient is sent; individual names and chart numbers are not sent.

A copy of a letter addressed to Tribal Clinic Directors that discusses this data file in detail and explains how the information will be used is included in Appendix E: Height and Weight Data File Letter.

- **Contract Health Site Only**, which is for facilities that offer *only CHS* to its patients. If a facility offers *any* direct services to its patients, this site parameter should be set to *No*. Setting this parameter to *Yes* redefines the Active Clinical denominator to Active Clinical CHS, requiring a patient to have two CHS visits in the past three years versus meeting the criteria of the Active Clinical denominator definition for having two visits to defined medical clinics in the past three years.
- **Demo Patient Search Template**, which is used to exclude from all CRS reports demo/test patients included in the specified demo/test patients search template. To support this site parameter functionality, a menu option (DP) is provided for creating and editing a search template of demo/test patients.

To edit the Site Parameters, follow these steps:

```

*****
**      IHS/RPMS CLINICAL REPORTING SYSTEM (CRS)      **
*****
                          Version 10.0

                          DEMO INDIAN HOSPITAL

CI10   CRS 2010 ...
CI09   CRS 2009 ...
CI08   CRS 2008 ...
CI07   CRS 2007 ...
CI06   CRS 2006 ...
CI05   CRS 2005 ...
GP04   GPRA+ FY04 ...
GP03   GPRA+ FY03 ...
GP02   GPRA+ FY02 ...

Select IHS Clinical Reporting System (CRS) Main Menu Option: CI10 <Enter> CRS 2010

```

Figure 4-2: Accessing the System Setup menu (Step 1)

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key.

```

*****
**      IHS/RPMS CRS 2010      **
**      Clinical Reporting System      **
*****
                          Version 10.0

                          DEMO INDIAN HOSPITAL

RPT    Reports ...
SET    System Setup ...
AO     Area Options ...

Select CRS 2010 Option: SET <Enter> System Setup

```

Figure 4-3: Accessing the System Setup menu (Step 2)

2. At the “Select CRS 2010 Option” prompt, type **SET** and press the Enter key.

Note: The SP Site Parameters menu option is displayed only for users with security access to this function.

The Setup menu is displayed, as in the following example:

```

*****
**   IHS/RPMS CRS 2010   **
**       Setup Menu       **
*****
                Version 10.0

                DEMO INDIAN HOSPITAL

SP   Site Parameters
TC   Taxonomy Check ...
TS   Taxonomy Setup ...
DP   Update the Demo/Test Patient Search Template

Select System Setup Option:  SP <Enter> Site Parameters

```

Figure 4-4: Accessing the System Setup menu (Step 3)

3. At the “Select System Setup Option” prompt, type **SP** and press the Enter key.
4. At the “Select BGP Site Parameters Location” prompt, type the name of your site location.
5. At the “Please enter your site’s Default Community Taxonomy” prompt, type the name of the community taxonomy your site is most likely to use for performance reporting.

Note: The Community taxonomy default can be overridden at the time an individual report is run. Setting a default taxonomy ensures that any user running a report is using the same population definition.

6. At the “Enter Your Site’s Home location” prompt, type the name of your home location, or press the Enter key to accept the default response.

Type **HOME** at this prompt to display a list of all home locations. Follow the prompts to select the appropriate location.

Remember: The home location is for reporting PHN home visits only and should not be confused with your facility/site location.

7. At the “Do you want to export Height/Weight data to the Area/National Programs?” prompt, type **Y** if your site wants to export its height and weight data.

If your site is a Tribal site and does not want to export its data, type **N**.

Note: All federal and urban facilities must type **Y** at this prompt.

8. At the “Contract Health Site Only?” prompt, type **N** if your facility offers direct care to its patients.

If your facility provides *CHS only* to its patients, type **Y**.

9. At the “Enter the name of your ‘DEMO’ patient search template” prompt, type the appropriate search template name.
10. When the “Select BGP Site Parameters Location” prompt is displayed, press the Enter key to return to the System Setup menu.

The steps for System Setup are displayed as follows:

```
Select System Setup Option: SP Site Parameters

Select BGP SITE PARAMETERS LOCATION: DEMO INDIAN HOSPITAL <Enter> OKLAHOMA
TAHLEQUAH 01 OK 2582
...OK? Yes// <Enter> (Yes)

Please enter your site's DEFAULT COMMUNITY taxonomy: DEMO GPRA COMMUNITIES//
<Enter>

Please enter your site's HOME location: HOME// HOME <Enter>
 1 HOME OKLAHOMA TAHLEQUAH 89 OK
 2 HOME CALIFORNIA TRIBE/638 UIHS-TSURAI 89
 3 HOME MONTANA URB ROCKY BOY'S 95
 4 HOME CALIFORNIA URBAN AMERICAN IND FREE CLINIC 89
 5 HOME CALIFORNIA URBAN SAN DIEGO A.I.H.C. 89

Press <RETURN> to see more, '^' to exit this list, OR
CHOOSE 1-5: 1 <Enter> HOME OKLAHOMA TAHLEQUAH 89 OK

Tribal Sites Only:
Do you want to export Height/Weight data to the Area/National Programs?: YES// Y
<Enter> YES
Only answer the next question with a Yes if this site provides
no direct services but only provides contract health services
to their patients.
CONTRACT HEALTH SITE ONLY?: NO// N <Enter> NO
Enter the name of your 'Demo' patient search template: CRS DEMO PATIENTS <Enter>

Select BGP SITE PARAMETERS LOCATION:
```

Figure 4-5: Setting up site parameters (Steps 4 – 10, above)

4.3 Taxonomies

Taxonomies are used to find data items in PCC and determine if a patient or visit meets the criteria for which the software is looking.

To ensure comparable data within the agency as well as to external organizations, as much performance measure logic as possible is based on standard national codes. These codes include ICD-9, CPT, LOINC, and national IHS standard code sets (e.g., health factors, patient education codes, etc.).

For terminology that is not standardized across each facility, such as lab tests or medications, CRS uses taxonomies that can be populated by each individual facility with its own codes.

4.3.1 What Is a Taxonomy?

Taxonomies are groupings of functionally related data elements, such as specific codes, code ranges, or terms, that are used by various RPMS applications to find data items in PCC and determine if a patient meets certain criteria. Two types of taxonomies are distributed with the CRS:

- Software-defined (“hard-coded”)
- Site-populated

Codes and terms contained in a taxonomy are referred to as “members” of the taxonomy.

For data elements like diagnoses, procedures, or lab tests identified by LOINC codes, the taxonomy simply identifies the standard codes a software program should look for. These codes are hard-coded by the programmer into several *software-defined taxonomies* distributed with the CRS software. These taxonomies can be updated *only* by the CRS programmer. For a complete list of software-defined taxonomies, see the *Clinical Reporting System (BGP) Technical Manual*.

Site-populated taxonomies are used to mitigate the variations in terminology for data elements that vary from one facility to another, including medications and lab tests. This means that one site’s Pap smear data can be compared to another site’s data, even though the same term is not used for the Pap smear lab test. Or, one site’s beta blocker data can be compared to another site’s data, even though the same names are not used for beta blocker drugs.

For example, one site’s Lab table might contain the term “Glucose Test,” while another site’s table may contain the term “Glucose” for the same test. PCC programs have no means for dealing with variations in spelling, spacing, and punctuation. Rather than attempting to find all potential spellings of a particular lab test, the application would look for a predefined taxonomy name installed at every facility. The contents of the taxonomy are determined by the facility. In this example, the application would use DM AUDIT GLUCOSE TESTS TAX, and the individual facility would enter all varieties of spelling and punctuation for glucose tests used at that facility.

4.3.2 Site-Populated Clinical Taxonomies Used by CRS

During the initial installation of CRS, the site's CRS Implementation Team will need to review the taxonomies that must be populated by the site to make sure that all appropriate entries exist or are entered. After that, the GPRA Coordinator and/or person(s) responsible for maintaining the lab and drug taxonomies should review the taxonomies at least each quarter before running the quarterly reports to ensure the taxonomies are up to date.

The CRS site-populated taxonomies include both lab tests and drugs. The tables in Sections 4.3.3 and 4.3.4 can be used as a checklist.

CRS also uses hard-coded, predefined taxonomies for CPT, ICD (diagnosis and procedure), LOINC, American Dental Association (ADA), National Drug Code (NDC), and Veterans Administration (VA) Drug Class codes, as identified in the performance measure logic. *These taxonomies cannot be altered by the site.*

To view a list of all predefined taxonomies, select the View Taxonomy (VT) option in the Taxonomy Setup menu. The *Clinical Reporting System (BGP) Technical Manual* also includes a list of all predefined taxonomies.

Detailed instructions on how to check and set up these taxonomies are included in Sections 4.4, Taxonomy Check, and 4.5, Taxonomy Setup (TS).

Reports can be run for the lab tests and medications, including the site-populated taxonomies. For information on running these reports, see Section 5.21, "Lab Taxonomy Report (TXL)" and Section 5.22, "Medication Taxonomy Report (TXM)," respectively.

4.3.3 Site-Populated Lab Taxonomies

The following site-defined lab taxonomies are used by CRS. No new lab taxonomies were added and none were deleted for this version.

Note: To provide accurate counts, you must include *all* test names that were used by your facility at least since 1995, even if these codes are currently inactive. Some measures search for tests as far back as 10 years. Many sites designate inactive lab tests by adding one of the following characters at the beginning of the test name: "z," "Z," "xx," "X," or "*." Search for these characters in your lab file and include these tests in your site-populated taxonomies because these tests may have been in use at the time.

In the following table, one asterisk (*) precedes the taxonomies that had changes to the topics using the taxonomy, and the text is bolded. Report additions are bolded, and deletions are noted.

Table 4-1: Site-Populated Lab Taxonomies

Taxonomy Name	Description	Examples of Members	Topics Used In	Reports Used In
BGP CBC TESTS	All Complete Blood Count (CBC) lab tests	CBC; CBC/AUTO DIFF; CBC W/DIFF; CBC+DIFF; CBC W/DIFF+ PLT; CBC & MORPHOLOGY (WITH DIFF); CBC & MORPHOLOGY (NO DIFF); CBC (PRENATAL PROFILE); HEMOGRAM; HEMO PANEL	Rheumatoid Arthritis Medication Monitoring Osteoarthritis Medication Monitoring	Selected Measures Elder Care
BGP CD4 TAX	All CD4 lab tests used to evaluate immune system status (also known as: T4 count, T-helper cells)	CD4	HIV Quality of Care	Selected Measures
BGP TESTS TAX	All chlamydia trachomatis lab tests	CHLAMYDIA CULTURE; CHLAMYDIA IGG; CHLAMYDIA IGM; CHLAMYDIA SCREEN; CHLAMYDIA; DNA PROBE; CHL/GC COMBO	Chlamydia Testing Sexually Transmitted Infection (STI) Screening	Other National Measures Selected Measures HEDIS
BGP CMS ABG TESTS	All Arterial Blood Gas (ABG) or pulse oximetry lab tests	ARTERIAL BLOOD GAS; PULSE OXIMETRY	Pneumonia Community-Acquired Pneumonia (CAP): Assessment of Oxygen Saturation	CMS EO Quality Transparency Measures Selected Measures
BGP CMS BLOOD CULTURE	All Blood Culture Lab Tests	BLOOD CULTURE; CULTURE, BLOOD	Pneumonia	CMS

Taxonomy Name	Description	Examples of Members	Topics Used In	Reports Used In
BGP CREATINE KINASE TAX	All creatine kinase lab tests (excluding CK isoenzymes)	CK; CPK; CREATINE KINASE; CREATINE PHOSPHOKINASE	Appropriate Medication Therapy after a Heart Attack Persistence of Appropriate Medication Therapy after a Heart Attack Appropriate Medication Therapy in High Risk Patients	Other National Measures Selected Measures
BGP GPRA ESTIMATED GFR TAX	All estimated GFR lab tests	ESTIMATED GFR; EST GFR	Diabetes: Nephropathy Assessment Diabetes Comprehensive Care Chronic Kidney Disease Assessment	National GPRA & PART/ GPRA & PART Performance Other National Measures Selected Measures Elder Care
*BGP GPRA FOB TESTS	All fecal occult blood lab tests	OCCULT BLOOD; FECAL OCCULT BLOOD; FOBT	Colorectal Cancer Screening Comprehensive Cancer Screening	National GPRA & PART/ GPRA & PART Performance Selected Measures HEDIS Elder Care
BGP GROUP A STREP TESTS	All Group A strep lab tests	THROAT CULTURE; RAPID STREP; STREP A AG	Appropriate Testing for Children with Pharyngitis	Selected Measures HEDIS
BGP HIV TEST TAX	All HIV lab tests	HIV TESTS HIV SCREEN	HIV Screening Sexually Transmitted Infection (STI) Screening	National GPRA & PART/ GPRA & PART Performance Other National Measures Selected Measures
BGP HIV VIRAL LOAD TAX	All HIV viral load lab tests (as measured by PCR or comparable test)	HIV VIRAL LOAD	HIV Quality of Care	Selected Measures
BGP LIVER FUNCTION TESTS	All liver function lab tests	LIVER FUNCTION; HEPATIC FUNCTION; LFT	Rheumatoid Arthritis Medication Monitoring Osteoarthritis Medication Monitoring	Selected Measures Elder Care

Taxonomy Name	Description	Examples of Members	Topics Used In	Reports Used In
*BGP PAP SMEAR TAX	All Pap smear lab tests	PAP SMEAR; THIN PREP PAP	Cancer Screening: Pap Smear Cervical Cancer Screening (Pap Smear) (HEDIS) Comprehensive Cancer Screening	National GPRA & PART/ GPRA & PART Performance Selected Measures HEDIS
BGP POTASSIUM TESTS	All potassium lab tests	POTASSIUM; K; Also include panels including potassium, such as: ELECTROLYTES (LYTES); BASIC METABOLIC PANEL (BMP); COMPREHENSIVE METABOLIC PANEL (CMP); RENAL FUNCTION PANEL	Rheumatoid Arthritis Medication Monitoring	Selected Measures
BGP QUANT URINE PROTEIN	All quantitative urine protein lab tests	ACR; A/C RATIO; ALBUMIN/ CREATININE; ALBUMIN/CREATININE RATIO; MICROALBUMIN/ CREATININE RATIO; MICROALBUMIN; MICROALBUMIN, RANDOM; MICROALBUMIN, TIMED; PROTEIN/CREATININE RATIO; 24 HR URINE PROTEIN; TIMED URINE PROTEIN; URINE PROTEIN/24 HRS; PROTEIN/CREATININE	Diabetes: Nephropathy Assessment Diabetes Comprehensive Care Prediabetes/Metabolic Syndrome	National GPRA & PART/ GPRA & PART Performance Other National Measures Selected Measures Elder Care
BKM FTA-ABS TESTS TAX	All fluorescent treponemal antibody absorption lab tests to confirm syphilis	FTA-ABS; FTA-AB; TP-PA ANTIBODIES	Sexually Transmitted Infection (STI Screening)	Other National Measures Selected Measures

Taxonomy Name	Description	Examples of Members	Topics Used In	Reports Used In
BKM GONORRHEA TEST TAX	All gonorrhea (neisseria gonorrhoeae) lab tests	GONOCOCCUS; GC NUCLEIC ACID AMP; NEISSERIA GONORRHOEAE DNA PROBE; NEISSERIA GONORRHOEAE PROBE; NEISSERIA GONORRHOEAE DNA PCR; N. GONORRHOEAE DNA; N GONORRHOEAE SDA, OTV; GC DNA PROBE; GONORRHEA, DNA PROBE; CHLAMYDIA & GONORRHEA PROBE; GC CULTURE; GC-PCA	Sexually Transmitted Infection (STI Screening)	Other National Measures Selected Measures
BKM RPR TESTS TAX	All syphilis (Rapid Plasma Reagin (RPR) lab tests	RPR; RPR QUANT; VDRL; RPR, RFLX; RPR-MONITOR; RPR DIAGNOSTIC	Sexually Transmitted Infection (STI Screening)	Other National Measures Selected Measures
DM AUDIT A/C RATIO	All albumin and creatinine lab tests	A/C RATIO; AC RATIO; ACR	Comprehensive Diabetes Care (HEDIS)	HEDIS
DM AUDIT ALT TAX	All Alanine Transaminase (ALT) lab tests	ALT; SGPT; ALT (SGPT)	Appropriate Medication Therapy after a Heart Attack Persistence of Appropriate Medication Therapy after a Heart Attack Appropriate Medication Therapy in High Risk Patients Rheumatoid Arthritis Medication Monitoring Osteoarthritis Medication Monitoring	Other National Measures Selected Measures Elder Care

Taxonomy Name	Description	Examples of Members	Topics Used In	Reports Used In
DM AUDIT AST TAX	All Aspartate Aminotransferase (AST) lab tests	AST; SGOT; AST (SGOT)	Appropriate Medication Therapy after a Heart Attack Persistence of Appropriate Medication Therapy after a Heart Attack Appropriate Medication Therapy in High Risk Patients Rheumatoid Arthritis Medication Monitoring Osteoarthritis Medication Monitoring	Other National Measures Selected Measures Elder Care
DM AUDIT CHOLESTEROL TAX	All total cholesterol lab tests	CHOLESTEROL; TOTAL CHOLESTEROL	CVD and Cholesterol Screening	Other National Measures Elder Care
DM AUDIT CREATININE TAX	All creatinine lab tests – NOTE: do <i>not</i> include names of panels that creatinine test may be part of, e.g., basic metabolic panel	CREATININE	All Diabetes Measures for Active Adult Diabetic denominator Rheumatoid Arthritis Medication Monitoring Osteoarthritis Medication Monitoring Chronic Kidney Disease Assessment	Selected Measures Elder Care
DM AUDIT FASTING GLUCOSE TESTS	All fasting glucose lab tests	GLUCOSE (FASTING); F GLUCOSE; GLUCOSE, FASTING; FASTING GLUCOSE; FBS; FASTING BLOOD SUGAR; FASTING GTT; GTT, FASTING	Prediabetes/Metabolic Syndrome	Other National Measures Selected Measures

Taxonomy Name	Description	Examples of Members	Topics Used In	Reports Used In
DM AUDIT GLUCOSE TESTS TAX	All glucose lab tests, including fasting and tolerance tests	GLUCOSE; RANDOM GLUCOSE; FASTING GLUCOSE; WHOLE BLOOD GLUCOSE; ACCUCHECK; HEMOCUE GLUCOSE; FINGERSTICK GLUCOSE; WHOLE BLOOD GLUCOSE; GTT 1HR/100GM; GTT 2HR/100GM; GTT 3HR/100GM; GTT 2HR; GTT 3HR; GLUCOSE TOLERANCE 1HR; GLUCOSE TOLERANCE 2HR; GLUCOSE TOLERANCE 3HR; GLUCOSE 1HR/100GM; GLUCOSE 1HR/50GM; GLUCOSE 2HR/100GM; GLUCOSE 2HR/75GM; GLUCOSE 3HR/100GM; GLUCOSE GTT FASTING	Rheumatoid Arthritis Medication Monitoring	Selected Measures
DM AUDIT HDL TAX	All high-density lipoprotein (HDL) cholesterol lab tests – NOTE: Do <i>not</i> include lipid panels in this taxonomy	HDL	Prediabetes/Metabolic Syndrome	Other National Measures Selected Measures Elder Care

Taxonomy Name	Description	Examples of Members	Topics Used In	Reports Used In
DM AUDIT HGB A1C TAX	All HGB A1C lab tests	HGBA1C; A1C; HBA1C; HEMOGLOBIN A1C; GLYCOSYLATED HEMOGLOBIN; GLYCOHEMOGLOBIN A1C	Diabetes: Glycemic Control Diabetes Comprehensive care Comprehensive Diabetes Care (HEDIS) Diabetes: Poor Glycemic Control	National GPRA & PART/ GPRA & PART Performance Other National Measures Selected Measures HEDIS Elder Care EO Quality Transparency Measures
DM AUDIT LDL CHOLESTEROL TAX	All LDL cholesterol lab tests – NOTE: Do <i>not</i> include lipid panels	LDL; LDL-C	Diabetes Comprehensive Care Diabetes: Lipids Assessment CVD and Cholesterol Screening Comprehensive CVD-Related Assessment Cholesterol Management for Patients with Cardiovascular Conditions (also in HEDIS) Prediabetes/Metabolic Syndrome Comprehensive Diabetes Care (HEDIS) Diabetes: LDL Control	National GPRA & PART/ GPRA & PART Performance Other National Measures Selected Measures HEDIS Elder Care EO Quality Transparency Measures
DM AUDIT MICROALBUMIN-URIA TAX	All microalbuminuria lab tests	MICROALBUMINURIA MICRAL; MICROALBUMINURIA, URINE; MICROALBUMIN/ CREATININE RATIO; MICROALBUMIN RANDOM	Comprehensive Diabetes Care (HEDIS)	HEDIS
DM AUDIT TRIGLYCERIDE TAX	All triglyceride lab tests – NOTE: Do not include lipid panels	TRIGLYCERIDE	Prediabetes/Metabolic Syndrome	Other National Measures Selected Measures

Taxonomy Name	Description	Examples of Members	Topics Used In	Reports Used In
DM AUDIT URINE PROTEIN TAX	All urine protein lab tests	URINE PROTEIN; URINE PROTEIN SCREEN	Rheumatoid Arthritis Medication Monitoring Comprehensive Diabetes Care (HEDIS)	Selected Measures HEDIS

4.3.4 Site-Populated Drug Taxonomies

All of the taxonomies in Table 4-1 that begin with “BGP” will be prepopulated by the CRS software, as indicated in the Drugs column. However, you should compare the indicated list of drugs with the drugs CRS actually found in your site’s drug file and prepopulated, since there may be drugs that CRS could not locate that should be included in your site-populated taxonomy. You can add those drugs that should be included by editing your site-populated drug taxonomy.

Note: The actual members are too numerous to list and are included in spreadsheet *CRS 2010 Medication Taxonomies v10.0*. The National Drug Codes and/or VA Drug Classes used to prepopulate many of the taxonomies are included in this spreadsheet for each medication.

There are no new medication taxonomies for CRS version 10.0. However, there were changes to the topics and reports that use the taxonomies, as shown below.

In the following table, a single asterisk (*) precedes any taxonomy where drugs were added and/or removed. The drugs that were added are italicized and the drugs that were deleted are noted.

Table 4-2: Site-Populated Drug Taxonomies

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
BGP ANTI-PLATELET DRUGS	All antiplatelet medications used in CRS CMS measures	Prepopulated by VA Drug Class BL700 Aspirin & Dipyridamole (Aggrenox), Cilostazol (Pletal), Clopidogrel (Plavix), Dipyridamole (Persantine), Heparin, Ticlopidine (Ticlid), (Warfarin is included in BL100)	Appropriate Medication Therapy after a Heart Attack Persistence of Appropriate Medication Therapy After a Heart Attack Appropriate Medication Therapy in High Risk Patients Heart Attack (AMI) Treatment (CMS) Stroke and Stroke Rehabilitation: Anticoagulant Therapy Prescribed for Atrial Fibrillation at Discharge	Other National Measures Selected Measures CMS EO Quality Transparency Measures
BGP ASTHMA INHALED STEROIDS	All asthma inhaled steroid medications used in CRS	Prepopulated by NDC Becloment, Qvar, Vancenase, Vanceril, Vanceril DS, Bitolerol (Tornalate), Pulmicort, Pulmicort Respules, Pulmicort Turbohaler, Salmeterol/fluticasone (Advair), Triamcinolone (Azmecort), Fluticasone (Flovent)	Asthma and Inhaled Steroid Use	Selected Measures
BGP CMS ACEI MEDS	All angiotensin converting enzyme (ACE) inhibitor medications used in CRS CMS measures	Prepopulated by VA Drug Class code CV800.	Heart Attack (AMI) Treatment Heart Failure	CMS

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
BGP CMS ANTIBIOTIC MEDS	All antibiotic medications used in CRS CMS measures	Prepopulated by VA Drug Class codes: - AM050 - AM054 - AM100 - AM104 - AM111 – AM112 - AM130 - AM150 - AM200 - AM250 - AM300 - AM350 - AM500 - AM650 - AM900	Pneumonia Surgical Infection Prevention	CMS
BGP CMS ARB MEDS	All angiotensin receptor blocker (ARB) medications used in CRS CMS measures	Prepopulated by VA Drug Class code CV805.	Heart Attack (AMI) Treatment Heart Failure	CMS
BGP CMS BETA BLOCKER MEDS	All beta blocker medications used in CRS CMS measures	Prepopulated by VA Drug Class CV100 and NDC.	Heart Attack (AMI) Treatment (CMS)	CMS
BGP CMS IMMUNO-SUPPRESSIVE MEDS	All immuno-suppressant medications used in CRS measures	Prepopulated by VA Drug Classes IM600, MS190 and MS109 except for drugs with the name containing “Hyaluronate.” IM600: Azathioprine, Basiliximab, Cyclosporine (Eon), Cyclosporine (Gengraf), Cyclosporine (Neoral), Cyclosporine (Sandimmune), Cyclosporine (Sidmak),	Pneumonia (CMS)	CMS

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
BGP CMS IMMUNO-SUPPRESSIVE MEDS, <i>continued</i>	All immuno-suppressant medications used in CRS measures, <i>continued</i>	<p>Cyclosporine, Cyclosporine Microemulsion, Cyclosporine Modified, Cyclosporine Non-Modified, Daclizumab, Infliximab, Muromonab-Cd3, Mycophenolate Mofetil, Hydrochloride, Mycophenolate Na, Mycophenolic Acid, Omalizumab, Sirolimus, Tacrolimus</p> <p>MS190: Abatacept, Adalimumab, Anakinra, Etanercept, Flavocoxid, Hyaluronate Na, Leflunomide</p> <p>MS109: Adalimumab, Anakinra, Etanercept, Leflunomide. NOTE: This excludes drugs with the name containing "Hyaluronate."</p>	Pneumonia (CMS), <i>continued</i>	CMS, <i>continued</i>
BGP CMS SMOKING CESSATION MEDS	All smoking cessation medications used in CRS measures	Prepopulated by NDC and with all drug names containing: "Nicotine Patch," "Nicotine Polacrilex," "Nicotine Inhaler," or "Nicotine Nasal Spray."	Tobacco Cessation Medical Assistance with Smoking Cessation (HEDIS) Heart Attack (AMI) Treatment (CMS) Heart Failure (CMS) Pneumonia (CMS)	National GPRA & PART/GPRA & PART Performance Other National Measures Selected Measures HEDIS CMS

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
BGP CMS THROMBO-LYTIC MEDS	All thrombolytic agent medications used in CRS CMS measures	Prepopulated by VA Drug Class BL600. Abbokinase, Activase, Alteplase, Anistreplase, Anisoylated Plasminogen-Streptokinase Activator Complex, APSAC, Eminase, Kabikinase, Retavase, Reteplase, rPA (RPA), Streptase, Streptokinase, Tenecteplase, Tissue plasminogen activator, TNKase, tPA (TPA), UK, Urokinase	Heart Attack (AMI) Treatment (CMS)	CMS
BGP CMS WARFARIN MEDS	All Warfarin (blood thinner) medications used in CRS CMS measures	Prepopulated with all drug names containing "Warfarin". Barr Warfarin Sodium, Coumadin, Dicumarol, Jantoven, Panwarfin, Warfarin	Appropriate Medication Therapy after a Heart Attack Persistence of Appropriate Medication Therapy After a Heart Attack Appropriate Medication Therapy in High Risk Patients Heart Attack (AMI) Treatment (CMS) Stroke and Stroke Rehabilitation: Anticoagulant Therapy Prescribed for Atrial Fibrillation at Discharge	Other National Measures Selected Measures CMS EO Quality Transparency Measures

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
*BGP HEDIS ACEI MEDS	All ACE inhibitor medications developed by HEDIS	<p>Prepopulated by NDC; developed by HEDIS.</p> <p>Angiotensin Converting Enzyme Inhibitors: Benazepril, Captopril, Enalapril, Fosinopril, Lisinopril, Moexipril, Perindopril, Quinapril, Ramipril, Trandolopril</p> <p>Antihypertensive Combinations: Amlodipine-benazepril, Benazepril-hydrochlorothiazide, Captopril-hydrochlorothiazide, Enalapril-hydrochlorothiazide, Fosinopril-hydrochlorothiazide, Hydrochlorothiazide-lisinopril, Hydrochlorothiazide-moexipril, Hydrochlorothiazide-quinapril, <i>Trandolapril-verapamil</i></p> <p>Deleted in CRS 10.0: Hydrochlorothiazide-verapamil</p>	<p>Appropriate Medication Therapy after a Heart Attack</p> <p>Persistence of Appropriate Medication Therapy after a Heart Attack</p> <p>Appropriate Medication Therapy in High Risk Patients</p> <p>Comprehensive Diabetes Care (HEDIS)</p>	<p>Other National Measures</p> <p>Selected Measures HEDIS</p>

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
*BGP HEDIS AMPHETA-MINE MEDS	All amphetamine medications developed by HEDIS	<p>Prepopulated by NDC; developed by HEDIS.</p> <p><i>Amphetamine-destroamphetamine, Benzphetamine, Dextroamphetamine, Dexmethylphenidate, Diethylpropion, Methamphetamine, Methylphenidate, Phendimetrazine, Phenteramine</i></p> <p>Deleted in CRS 10.0: Amphetamine Mixtures</p>	Use of High-Risk Medication in the Elderly	Selected Measures HEDIS Elder Care
*BGP HEDIS ANALGESIC MEDS	All analgesic medications developed by HEDIS	<p>Prepopulated by NDC; developed by HEDIS.</p> <p><i>(Includes combination drugs) Acetaminophen-diphenhydramine, diphenhydramine-magnesium salicylate, Ketorolac</i></p>	Use of High-Risk Medication in the Elderly	Selected Measures HEDIS Elder Care
*BGP HEDIS ANTIANXIETY MEDS	All antianxiety medications developed by HEDIS	<p>Prepopulated by NDC; developed by HEDIS.</p> <p><i>(Includes combination drugs) Aspirin-Meprobamate, Meprobamate</i></p>	Use of High-Risk Medication in the Elderly	Selected Measures HEDIS Elder Care

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
BGP HEDIS ANTIBIOTIC MEDS	All antibiotics for children developed by HEDIS	<p>Prepopulated by NDC; developed by HEDIS.</p> <p>Amoxicillin, Amox/Clavulanate, Ampicillin, Azithromycin, Cefaclor, Cefadroxil hydrate, Cefazolin, Cefdinir, Cefixime, Cefditoren, Ceftributen, Cefpodoxime proxetil, Cefprozil, Ceftriaxone, Cefuroxime, Cephalexin, Cephadrine, Ciprofloxacin, Clindamycin, Dicloxacillin, Doxycycline, Erythromycin, Ery E-Succ/Sulfisoxazole, Gatifloxacin, Levofloxacin, Lomefloxacin, Loracarbef, Minocycline, Ofloxacin, Penicillin VK, Penicillin G, Sparfloxacin, Sulfisoxazole, Tetracycline, Trimethoprim, Trimethoprim-Sulfamethoxazol</p>	<p>Appropriate Treatment for Children with Upper Respiratory Infection</p> <p>Appropriate Testing for Children with Pharyngitis</p>	Selected Measures HEDIS

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
BGP HEDIS ANTI-DEPRESSANT MEDS	All antidepressant medications developed by HEDIS	<p>Prepopulated by NDC; developed by HEDIS.</p> <p>Tricyclic antidepressants (TCA) and other cyclic antidepressants, Selective serotonin reuptake inhibitors (SSRI), Monoamine oxidase inhibitors (MAOI), Serotonin-norepinephrine reuptake inhibitors (SNRI), and other antidepressants.)</p>	Antidepressant Medication Management	Selected Measures HEDIS
*BGP HEDIS ANTIEMETIC MEDS	All antiemetic medications developed by HEDIS	<p>Prepopulated by NDC; developed by HEDIS.</p> <p><i>Scopolamine, Trimethobenzamide</i></p>	Use of High-Risk Medication in the Elderly	Selected Measures HEDIS Elder Care
*BGP HEDIS ANTIHISTAMINE MEDS	All antihistamine medications developed by HEDIS	<p>Prepopulated by NDC; developed by HEDIS.</p> <p><i>(Includes combination drugs) APAP/dextromethorphan/diphenhydramine , APAP/diphenhydramine/phenylephrine, APAP/diphenhydramine/pseudoephedrine, Acetaminophen-diphenhydramine, Atropine/CPM/hyoscyamine/PE/PPA/scopolamine, Carbetapentane/diphenhydramine/phenylephrine, Codeine/phenylephrine/promethazine, Codeine-promethazine,</i></p>	Use of High-Risk Medication in the Elderly	Selected Measures HEDIS Elder Care

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
*BGP HEDIS ANTIHISTAMINE MEDS, <i>continued</i>	All antihistamine medications developed by HEDIS, <i>continued</i>	Cyproheptadine, Dexchlorpheniramine , <i>Dexchlorpheniramine /dextromethorphan/P SE,</i> <i>Dexchlorpheniramine /guaifenesin/PSE,</i> <i>Dexchlorpheniramine /hydrocodone/phenylephrine,</i> <i>Dexchlorpheniramine /methscopolamine/P SE,</i> <i>Dexchlorpheniramine -pseudoephedrine,</i> <i>Dextromethorphan-promethazine,</i> Diphenhydramine, <i>Diphenhydramine/hydrocodone/phenylephrine,</i> <i>Diphenhydramine-magnesium salicylate,</i> <i>Diphenhydramine-phenylephrine,</i> <i>Diphenhydramine-pseudoephedrine,</i> Hydroxyzine hydrochloride, Hydroxyzine pamoate, Phenylephrine-promethazine, Promethazine, Tripeleennamine Deleted in CRS 10.0: Ephedrine, Theophylline	Use of High-Risk Medication in the Elderly, <i>continued</i>	Selected Measures HEDIS Elder Care, <i>continued</i>
*BGP HEDIS ANTI-PSYCHOTIC MEDS	All antipsychotic medications developed by HEDIS	Pre-populated by NDC; developed by HEDIS. Thioridazine, Mesoridazine	Use of High-Risk Medication in the Elderly	Selected Measures HEDIS Elder Care

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
*BGP HEDIS ARB MEDS	All angiotensin receptor blocker (ARB) medications developed by HEDIS	<p>Prepopulated by NDC; developed by HEDIS.</p> <p>Angiotensin II Inhibitors: Candesartan, Eprosartan, Irbesartan, Losartan, Olmesartan, Telmisartan, Valsartan</p> <p>Antihypertensive Combinations: <i>Aliskiren-valsartan, Amlodipine-hydrochlorothiazide-valsartan, Amlodipine-olmesartan, Candesartan-hydrochlorothiazide, Eprosartan-hydrochlorothiazide, Hydrochlorothiazide-Irbesartan, Hydrochlorothiazide-Losartan, Hydrochlorothiazide-olmesartan, Hydrochlorothiazide-Telmisartan, Hydrochlorothiazide-Valsartan)</i></p>	Appropriate Medication Therapy after a Heart Attack Persistence of Appropriate Medication Therapy after a Heart Attack Appropriate Medication Therapy in High Risk Patients Comprehensive Diabetes Care (HEDIS)	Other National Measures Selected Measures
BGP HEDIS ASTHMA INHALED MEDS	All inhaled asthma medications developed by HEDIS for the denominator in the CRS HEDIS-based asthma measures	<p>Prepopulated by NDC; developed by HEDIS</p> <p>Inhaled Steroid Combinations: Budesonide-formoterol, Fluticasone-salmeterol</p>	Asthma Quality of Care Use of Appropriate Medications for People with Asthma	EO Quality Transparency Measures Selected Measures HEDIS

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
BGP HEDIS ASTHMA INHALED MEDS, <i>continued</i>	All inhaled asthma medications developed by HEDIS for the denominator in the CRS HEDIS-based asthma measures, <i>continued</i>	<p>Inhaled Corticosteroids: Beclomethasone, Budesonide, Flunisolide, Fluticasone CFC free, Mometasone, Triamcinolone</p> <p>Long-acting, inhaled beta-2 agonists: Aformoterol, Formoterol, Salmeterol</p> <p>Mast cell stabilizers: Cromolyn, Nedocromil</p> <p>Short-acting, inhaled beta-2 agonists: Albuterol, Levalbuterol, Metaproterenol, Pirbuterol</p>	Asthma Quality of Care Use of Appropriate Medications for People with Asthma, <i>continued</i>	EO Quality Transparency Measures Selected Measures HEDIS, <i>continued</i>
BGP HEDIS ASTHMA LEUK MEDS	All asthma leukotriene modifier medications for the denominator in the CRS HEDIS-based asthma measures	<p>Prepopulated by NDC</p> <p>Montelukast, Zafirlukast, Zileuton</p>	Asthma Quality of Care Use of Appropriate Medications for People with Asthma	EO Quality Transparency Measures Selected Measures HEDIS

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
BGP HEDIS ASTHMA MEDS	All asthma medications developed by HEDIS that are not inhalers, leukotriene modifiers or nedocromil for the denominator in the CRS HEDIS-based asthma measures. Inhalers and nedocromil are included in BGP HEDIS ASTHMA INHALED MEDS and leukotriene modifiers are included in BGP HEDIS ASTHMA LEUK MEDS.	<p>Prepopulated by NDC; developed by HEDIS.</p> <p>Antiasthmatic combinations: Dyphylline-guaifenesin, Guaifenesin-theophylline, Potassium iodide-theophylline</p> <p>Antibody inhibitor: Omalizumab</p> <p>Methylxanthines: Aminophylline, Dyphylline, Oxtriphyllyne, Theophylline</p>	Asthma Quality of Care Use of Appropriate Medications for People with Asthma	EO Quality Transparency Measures Selected Measures HEDIS
*BGP HEDIS BARBITURATE MEDS	All barbiturate medications used in CRS HEDIS-based measures	<p>Prepopulated by NDC; developed by HEDIS.</p> <p><i>Amobarbital, Butabarbital, Mephobarbital, Pentobarbital, Phenobarbital, Secobarbital</i></p> <p>Deleted in CRS 10.0: <i>Amobarbital/Secobarbital, Amytal, Aprobarbital,</i></p>	Use of High-Risk Medication in the Elderly	Selected Measures HEDIS Elder Care

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
<p>*BGP HEDIS BELLADONNA ALKA MEDS</p>	<p>All belladonna alkaloids (including combination drugs) medications used in CRS HEDIS-based measures</p>	<p>Prepopulated by NDC; developed by HEDIS.</p> <p><i>(Includes combination drugs)</i> <i>Atropine, Atropine/CPM/hyoscyamine/PE/scopolamine, Atropine/hyoscyamine/PB/scopolamine, Atropine-difenoxin, Atropine-diphenoxylate, Atropine-edrophonium, Belladonna, Belladonna/caffeine/ergotamine/pentobarbital, Belladonna/ergotamine/phenobarbital, Butabarbital/hyoscyamine/phenazopyridine, Digestive enzymes/hyoscyamine/phenyltoloxamine, Hyoscyamine, Hyoscyamine/methamphetamine/m-blue/phenylsalicyl, Hyoscyamine-phenobarbital</i></p> <p>Deleted in CRS 10.0: Atropine sulfate, Scopolamine</p>	<p>Use of High-Risk Medication in the Elderly</p>	<p>Selected Measures HEDIS Elder Care</p>

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
*BGP HEDIS BENZO-DIAZEPINE MEDS	All long-acting benzodiazepine medications used in CRS HEDIS-based measures	<p>Prepopulated by NDC; developed by HEDIS.</p> <p><i>(Includes combination drugs)</i> Chlordiazepoxide, Amitriptyline-Chlordiazepoxide, <i>Chlordiazepoxide-clidinium</i>, Diazepam, Flurazepam</p>	Use of High-Risk Medication in the Elderly	Selected Measures HEDIS Elder Care
*BGP HEDIS BETA BLOCKER MEDS	All beta-blocker medications for the CRS HEDIS-based Beta Blocker measures	<p>Pre-populated by NDC; developed by HEDIS</p> <p>Noncardioselective Beta Blockers: Carteolol, Carvedilol, Labetalol, Nadolol, Penbutolol, Pindolol, Propranolol, Timolol, Sotalol</p> <p>Cardioselective Beta Blockers: Acebutolol, Atenolol, Betaxolol, Bisoprolol, Metoprolol, Nebivolol</p> <p>Antihypertensive Combinations: Atenolol-chlorthalidone, Bendroflumethiazidenadolol, Bisoprololhydrochlorothiazide, Hydrochlorothiazide-metoprolol, Hydrochlorothiazide-propranolol</p> <p>Deleted in CRS 10.0: Hydrochlorothiazide-timolol</p>	Appropriate Medication Therapy after a Heart Attack Persistence of Appropriate Medication Therapy after a Heart Attack Appropriate Medication Therapy in High-Risk Patients Beta Blocker Treatment After a Heart Attack Persistence of Beta Blocker Treatment After a Heart Attack	Other National Measures EO Quality Transparency Measures Selected Measures HEDIS

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
BGP HEDIS CALCIUM CHANNEL MEDS	All short-acting calcium channel blocker medications used in CRS HEDIS-based measures	Prepopulated by NDC; developed by HEDIS. Nifedipine—short acting only	Use of High-Risk Medication in the Elderly	Selected Measures HEDIS Elder Care
BGP HEDIS GASTRO ANTISPASM MED	All gastrointestinal antispasmodics medications used in CRS HEDIS-based measures	Prepopulated by NDC; developed by HEDIS. Dicyclomine, Propantheline	Use of High-Risk Medication in the Elderly	Selected Measures HEDIS Elder Care
*BGP HEDIS NARCOTIC MEDS	All narcotic medications used in CRS HEDIS-based measures	Prepopulated by NDC; developed by HEDIS. <i>(Includes combination drugs)</i> ASA/caffeine/propoxyphene, Acetaminophen-pentazocine, Acetaminophen-propoxyphene, Belladonna-opium, Meperidine, Meperidine-promethazine, Naloxone-pentazocine, Pentazocine, Propoxyphene hydrochloride, Propoxyphene napsylate	Use of High-Risk Medication in the Elderly	Selected Measures HEDIS Elder Care

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
*BGP HEDIS ORAL ESTROGEN MEDS	All gastrointestinal antispasmodics medications used in CRS HEDIS-based measures	<p>Pre-populated by NDC; developed by HEDIS.</p> <p>(Includes combination drugs) Conjugated estrogen, Conjugated estrogen-medroxyprogesterone, Esterified estrogen, Esterified estrogen-methyltestosterone, Estropipate</p> <p>Deleted in CRS 10.0: Oral estrogen</p>	Use of High-Risk Medication in the Elderly	Selected Measures HEDIS Elder Care
BGP HEDIS ORAL HYPOGLYCEMIC RX	All oral hypoglycemic medications used in CRS HEDIS-based measures	<p>Prepopulated by NDC; developed by HEDIS.</p> <p>Chlorpropamide</p>	Use of High-Risk Medication in the Elderly	Selected Measures HEDIS Elder Care
BGP HEDIS OSTEOPOROSIS DRUGS	All osteoporosis medications used in CRS	<p>Prepopulated by NDC; developed by HEDIS.</p> <p>Alendronate, Alendronate-Cholecalciferol, Calcitonin, Estrogen, Ibandronate, Injectable Estrogens, Raloxifene, Risedronate, Teriparatide</p>	Osteoporosis Management	Selected Measures HEDIS
*BGP HEDIS OTHER BENZODIAZEPINE		This taxonomy has been deleted.		

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
*BGP HEDIS OTHER MEDS AVOID ELD	All other medications to be avoided in the elderly (used in CRS HEDIS-based measures)	<p>Prepopulated by NDC; developed by HEDIS.</p> <p><i>(Includes androgens and anabolic steroids, thyroid drugs, and urinary anti-infectives)</i></p> <p>Methyltestosterone, Nitrofurantoin, Nitrofurantoin macrocrystals, Nitrofurantoin macrocrystals-monohydrate, Thyroid desiccated</p> <p>Deleted in CRS 10.0:</p> <p>Atropine Injectable, Cyclandelate, Desiccated thyroid, Diazepam Injectable, Dicyclomine Injectable, Diphenhydramine Injectable, Dipyridamole Injectable, Hydroxyzine Injectable, Ketorolac Injectable, Meperidine Injectable, Mesoridazine, Methocarbamol Injectable, Orphenadrine Injectable, Pemoline, Pentazocine, Pentobarbital, Promethazine, Premarin Injectable, Rectal Diastat, Scopolamine Injectable, Patches, Trimethobenzamide</p>	Use of High-Risk Medication in the Elderly	Selected Measures HEDIS Elder Care

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
BGP HEDIS PRIMARY ASTHMA MEDS	All <i>primary therapy</i> asthma medications for the numerator for the CRS HEDIS-based asthma measures	<p>Prepopulated by NDC; developed by HEDIS.</p> <p>Antiasthmatic Combinations: Dyphylline-Guaifenesin, Guaifenesin-Theophylline, Potassium Iodide-Theophylline</p> <p>Antibody inhibitor: Omalizumab</p> <p>Inhaled Steroid Combinations: Budesonide-Formoterol, Fluticasone-Salmeterol</p> <p>Inhaled Corticosteroids: Belclomethasone, Budesonide, Flunisolide, Fluticasone CFC Free, Mometasone, Triamcinolone</p> <p>Lekotriene Modifiers: Montelukast, Zafirlukast, Zileuton</p> <p>Mast Cell Stabilizers: Cromolyn, Nedocromil</p> <p>Methylxanthines: Aminophylline, Dyphylline, Oxtriphylline, Theophylline</p>	Asthma Quality of Care Use of Appropriate Medications for People with Asthma	Selected Measures HEDIS EO Quality Transparency Measures

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
*BGP HEDIS SKL MUSCLE RELAX MED	All skeletal muscle relaxant medications used in CRS HEDIS-based measures	<p>Pre-populated by NDC; developed by HEDIS.</p> <p><i>(Includes combination drugs)</i> ASA/caffeine/orphenadrine, ASA/carisoprodol/codeine, Aspirin-carisoprodol, Aspirin-meproamate, Aspirin-methocarbamol, Carisoprodol, Chlorzoxazone, Cyclobenzaprine, Metaxalone, Methocarbamol, Orphenadrine</p>	Use of High-Risk Medication in the Elderly	Selected Measures HEDIS Elder Care
BGP HEDIS STATIN MEDS	All statin (HMG CoA reductase inhibitors) medications developed by HEDIS	<p>Pre-populated by NDC; developed by HEDIS.</p> <p>Statins (HMG CoA reductase inhibitors): Atorvastatin (Lipitor), Fluvastatin (Lescol), Lovastatin (Altacor), Mevacor, Pravastatin (Pravachol), Simvastatin (Zocor), Rosuvastatin (Crestor)</p> <p>Statin Combination Products: Advicor, Caduet, PraviGard Pac, Vytorin</p>	Appropriate Medication Therapy after a Heart Attack Persistence of Appropriate Medication Therapy after a Heart Attack Appropriate Medication Therapy in High Risk Patients Appropriate Medication Therapy after a Heart Attack Persistence of Appropriate Medication Therapy after a Heart Attack Appropriate Medication Therapy in High Risk Patients, <i>continued</i>	Other National Measures Selected Measures
*BGP HEDIS VASODILATOR MEDS	All vasodilator medications used in CRS HEDIS-based measures	<p>Pre-populated by NDC; developed by HEDIS.</p> <p><i>Cyclandelate, Dipyridamole short acting only, Ergot mesyloids, Isoxsuprine</i></p>	Use of High-Risk Medication in the Elderly	Selected Measures HEDIS Elder Care

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
BGP RA AZATHIO-PRINE MEDS	All azathioprine medications used in CRS.	Prepopulated by NDC Azathioprine	Rheumatoid Arthritis Medication Monitoring	Selected Measures
BGP RA CYCLO-SPORINE MEDS	All cyclosporine medications used in CRS	Prepopulated by NDC Cyclosporine	Rheumatoid Arthritis Medication Monitoring	Selected Measures
BGP RA GLUCO-CORTICOIDS MEDS	All glucocorticoids medications used in CRS	Prepopulated by VA Drug Class HS051. Dexamethasone, Methylprednisolone, Prednisone, Hydrocortisone, Betamethasone, Prednisonolone, Triamcinolone	Rheumatoid Arthritis Medication Monitoring	Selected Measures Elder Care
BGP RA IM GOLD MEDS	All intramuscular gold medications used in CRS	Prepopulated by NDC Gold Sodium Thiomolate, IM (Intramuscular)	Rheumatoid Arthritis Medication Monitoring	Selected Measures
BGP RA LEFLUNOMIDE MEDS	All leflunomide medications used in CRS	Prepopulated by NDC Leflunomide	Rheumatoid Arthritis Medication Monitoring	Selected Measures
BGP RA METHOTREXATE MEDS	All methotrexate medications used in CRS	Prepopulated by NDC Methotrexate	Rheumatoid Arthritis Medication Monitoring	Selected Measures
BGP RA MYCOPHENOLATE MEDS	All mycophenolate medications used in CRS	Prepopulated by NDC Mycophenolate	Rheumatoid Arthritis Medication Monitoring	Selected Measures

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
BGP RA OA NSAID MEDS	All nonsteroidal antiinflammatory drugs (NSAID) osteoarthritis medications used in CRS	Prepopulated by NDC Diclofenac, Etodolac, Indomethacin, Ketorolac, Sulindac, Tolmetin, Meclofenamate, Mefanamic Acid, Nabumetone, Meloxicam, Piroxicam, Fenoprofen, Flurbiprofen, Ibuprofen, Ketoprofen, Naproxen, Oxaprozin, Choline Magnesium Trisalicylate, Diflunisil, Magnesium Salicylate, Celocoxib	Rheumatoid Arthritis Medication Monitoring Osteoarthritis Medication Monitoring	Selected Measures Elder Care
BGP RA ORAL GOLD MEDS	All oral gold medications used in CRS	Not able to prepopulate by NDC Oral Gold	Rheumatoid Arthritis Medication Monitoring	Selected Measures
BGP RA PENICILLAMINE MEDS	All penicillamine medications used in CRS	Prepopulated by NDC Penicillamine	Rheumatoid Arthritis Medication Monitoring	Selected Measures
BGP RA SULFASALAZINE MEDS	All sulfasalazine medications used in CRS	Prepopulated by NDC Sulfasalazine	Rheumatoid Arthritis Medication Monitoring	Selected Measures

Taxonomy Name	Description	Drugs	Measures Used In	Reports Used In
BGP SYSTEMIC CHEMO MEDS	All systemic chemotherapy medications used in CRS measures	Prepopulated by VA Drug Classes beginning with "AN." AN000 Antineoplastics AN100 Antineoplastics, Alkylating Agents AN200 Antineoplastic Antibiotics AN300 Antineoplastics, Antimetabolites AN400 Antineoplastic Adjuvants AN500 Antineoplastic Hormones AN600 Antineoplastic Radiopharmaceuticals AN900 Antineoplastic, Other	Pneumonia (CMS)	CMS
DM AUDIT ASPIRIN DRUGS	All aspirin medications	Any aspirin/ acetylsalicylic acid (ASA) product used for antiplatelet therapy, aspirin & dipyridamone (aggrenox)	Appropriate Medication Therapy after a Heart Attack Persistence of Appropriate Medication Therapy After a Heart Attack Appropriate Medication Therapy in High Risk Patients Osteoarthritis Medication Monitoring Heart Attack (AMI) Treatment (CMS) Stroke and Stroke Rehabilitation: Anticoagulant Therapy Prescribed for Atrial Fibrillation at Discharge	Other National Measures Selected Measures Elder Care CMS EO Quality Transparency Measures

4.3.4.1 BGP CMS ACEI Medications**Table 4-3: BGP CMS ACEI Medications**

BGP CMS ACEI Medications	
Accupril	Mavik
Accuretic	Moexipril
Aceon	Moexipril Hydrochloride
Altace	Moexipril Hydrochloride/ hydrochlorothiazide
Benazepril	Moexipril/hydrochlorothiazide
Benazepril/amlodipine	Monopril
Benazepril/hydrochloride	Monopril HCT
Benazepril/hydrochlorothiazide	Monopril HCT 10/12.5
Capoten	Perindopril
Capozide	Perindopril erbumine
Capozide 25/15	Prinivil
Capozide 25/25	Prinzide
Capozide 50/15	Quinapril
Capozide 50/25	Quinapril HC1
Captopril	Quinapril HC1/HCT
Captopril HCT	Quinapril Hydrochloride/ hydrochlorothiazide
Captopril/hydrochlorothiazide	Quinapril/hydrochlorothiazide
Enalapril	Quinaretic
Enalapril/diltiazem	Ramipril
Enalapril/felodipine	Tarka
Enalapril/hydrochlorothiazide	Teczem
Enalapril Maleate/diltiazem	Trandolapril
Enalapril Maleate/hydrochlorothiazide	Trandolapril/verapamil
Enalaprilat	Trandolapril/verapamil hydrochloride
Fosinopril	Uniretic
Fosinopril Sodium/ hydrochlorothiazide	Univasc
Lexxel	Vaseretic
Lisinopril	Vasotec
Lisinopril/hydrochlorothiazide	Zestoretic
Lotensin	Zestril
Lotensin HCT	
Lotrel	

4.3.4.2 BGP CMS ARB Medications

Table 4-4: BGP CMS ARB Medications

BGP CMS ARB Medications	
Atacand	Losartan
Atacand HCT	Losartan/hydrochlorothiazide
Avalide	Micardis
Avapro	Micardis HCT
Benicar	Olmesartan
Benicar HCT	Olmesartan/hydrochlorothiazide
Candesartan	Tasosartan
Candesartan/hydrochlorothiazide	Telmisartan
Cozaar	Telmisartan/hydrochlorothiazide
Diovan	Teveten
Diovan HCT Diovan HCT	Teveten HCT
Eprosartan	Valsartan
Eprosartan/hydrochlorothiazide	Valsartan/hydrochlorothiazide
Hyzaar	Verdia
Irbesartan	
Irbesartan/hydrochlorothiazide	

4.3.4.3 BGP CMS Antibiotic Medications

Table 4-5: BGP CMS Antibiotic Medications

BGP CMS ANTIBIOTIC MEDS	
Drug	Generic Name Crosswalk
Achromycin	Tetracycline
Achromycin V	Tetracycline
Adoxa	Doxycycline
Alatrofloxacin	Alatrofloxacin
Alatrofloxacin Mesylate	Alatrofloxacin
Amficot	Ampicillin
Amikacin	Amikacin
Amikacin Sulfate	Amikacin
Amikin	Amikacin
Amoxicillin	Amoxicillin
Amoxicillin/Clavulanate Potassium	Amoxicillin/Clavulanate Potassium
Amoxicillin Trihydrate	Amoxicillin
Amoxil	Amoxicillin
Ampicillin	Ampicillin
Ampicillin (Anhydrous)	Ampicillin

BGP CMS ANTIBIOTIC MEDS	
Drug	Generic Name Crosswalk
Ampicillin-Probenecid	Ampicillin
Ampicillin Sodium	Ampicillin
Ampicillin-Sulbactam	Ampicillin-Sulbactam
Ampicillin Trihydrate	Ampicillin
Ampicin	Ampicillin
Ancef	Cefazolin
Anspor	Cephadrine
Antibiotic Not Otherwise Specified (NOS)	None
Apo-Ampi	Ampicillin
Apo-Sulfatrim	Sulfamethoxazole Trimethoprim
Atovaquone	Atovaquone
Augmentin	Amoxicillin/Clavulanate Potassium
Augmentin XR	Amoxicillin/Clavulanate Potassium
Avelox	Moxifloxacin
Azactam	Aztreonam
Azithromycin	Azithromycin
Aztreonam	Aztreonam
Bacampicillin	Bacampicillin
Bacampicillin Hydrochloride	Bacampicillin
Bacitracin	Bacitracin
Baci-IM	Bacitracin
Bactocill	Oxacillin
Bactrim	Sulfamethoxazole Trimethoprim
Bactrim DS	Sulfamethoxazole Trimethoprim
Beepen-VK	Penicillin V Potassium
Benzylpenicillin	Benzylpenicillin
Biaxin	Clarithromycin
Biaxin XL	Clarithromycin
Bicillin-C-R	Penicillin G Benzathine/Penicillin G Procaine
Bicillin L-A	Penicillin G Benzathine
Biocef	Cephalexin
Biomox	Amoxicillin
C-Lexin	Cephalexin
Carbenicillin	Carbenicillin
Carbenicillin Indanyl Sodium	Carbenicillin
Ceclor	Cefaclor
Ceclor CD	Cefaclor
Ceclor Pulvules	Cefaclor

BGP CMS ANTIBIOTIC MEDS	
Drug	Generic Name Crosswalk
Cedax	Ceftibuten
Cefaclor	Cefaclor
Cefaclor ER	Cefaclor
Cefadroxil	Cefadroxil
Cefadroxil Monohydrate	Cefadroxil
Cefadyl	Cephapirin
Cefamandole Nafate	Cefamandole
Cefanex	Cephalexin
Cefazolin	Cefazolin
Cefazolin Sodium	Cefazolin
Cefdinir	Cefdinir
Cefditoren	Cefditoren
Cefditoren Pivoxil	Cefditoren
Cefepime	Cefepime
Cefepime Hydrochloride	Cefepime
Cefixime	Cefixime
Cefizox	Ceftizoxime
Cefmetazole	Cefmetazole
Cefmetazole Sodium	Cefmetazole
Cefobid	Cefoperazone
Cefonicid	Cefonicid
Cefonicid Sodium	Cefonicid
Cefoperazone	Cefoperazone
Cefoperazone Sodium	Cefoperazone
Cefotan	Cefotetan
Cefotaxime	Cefotaxime
Cefotaxime Sodium	Cefotaxime
Cefotetan	Cefotetan
Cefotetan Disodium	Cefotetan
Cefoxitin	Cefoxitin
Cefoxitin Sodium	Cefoxitin
Cefpodoxime	Cefpodoxime
Cefpodoxime Proxetil	Cefpodoxime
Cefprozil	Cefprozil
Ceftazidime	Ceftazidime
Ceftazidime Sodium	Ceftazidime
Ceftibuten	Ceftibuten
Ceftin	Cefuroxime

BGP CMS ANTIBIOTIC MEDS	
Drug	Generic Name Crosswalk
Ceftizoxime	Ceftizoxime
Ceftizoxime Sodium	Ceftizoxime
Ceftriaxone	Ceftriaxone
Ceftriaxone Sodium	Ceftriaxone
Cefuroxime	Cefuroxime
Cefuroxime Axetil	Cefuroxime
Cefuroxime Sodium	Cefuroxime
Cefzil	Cefprozil
Cephalexin	Cephalexin
Cephalexin Hydrochloride	Cephalexin
Cephalexin Monohydrate	Cephalexin
Cephalothin	Cephalothin
Cephalothin Sodium	Cephalothin
Cephapirin	Cephapirin
Cephapirin Sodium	Cephapirin
Cephradine	Cephradine
Cephradine Sodium	Cephradine
Ceptaz	Ceftazidime
Ciloxan	Ciprofloxacin
Cinobac	Cinoxacin
Cinoxacin	Cinoxacin
Cipro	Ciprofloxacin
Ciprofloxacin	Ciprofloxacin
Ciprofloxacin Hydrochloride	Ciprofloxacin
Claforan	Cefotaxime
Clarithromycin	Clarithromycin
Cleocin	Clindamycin
Cleocin HCL	Clindamycin
Cleocin Phosphate	Clindamycin
Clindamycin	Clindamycin
Clindamycin Hydrochloride	Clindamycin
Clindamycin Phosphate	Clindamycin
Cloxacillin	Cloxacillin
Cloxacillin Sodium	Cloxacillin
Cloxapen	Cloxacillin
Colistimethate	Colistimethate
Coly-Mycin M	Colistimethate
Co-Trimoxazole	Sulfamethoxazole Trimethoprim

BGP CMS ANTIBIOTIC MEDS	
Drug	Generic Name Crosswalk
Cotrim	Sulfamethoxazole Trimethoprim
Cotrim DS	Sulfamethoxazole Trimethoprim
Crystapen	Penicillin G Sodium
Cubicin	Daptomycin
Daptomycin	Daptomycin
Declomycin	Demeclocycline
Demeclocycline	Demeclocycline
Dicloxacillin	Dicloxacillin
Dicloxacillin Sodium	Dicloxacillin
Dirithromycin	Dirithromycin
Doryx	Doxycycline
DoxyCaps	Doxycycline
Doxycycline	Doxycycline
Doxycycline Calcium	Doxycycline
Doxycycline Hyclate	Doxycycline
Doxycycline Hydrochloride	Doxycycline
Doxycycline Monohydrate	Doxycycline
Duricef	Cefadroxil
Dycill	Penicillin
Dynabac	Dirithromycin
Dynacin	Minocycline
Dynapen	Dicloxacillin
E-Mycin	Erythromycin
Ed A-Ceph	Cephalexin
EES	Erythromycin
E.E.S.	Erythromycin
Efavirenz	Efavirenz
Ertapenem	Ertapenem
Ertapenem Sodium	Ertapenem
ERYC	Erythromycin
EryPed	Erythromycin
Erytab	Erythromycin
Erythrocin	Erythromycin
Erythromycin	Erythromycin
Erythromycin Base	Erythromycin
Erythromycin Estolate	Erythromycin
Erythromycin Ethylsuccinate	Erythromycin
Erythromycin Lactobionate	Erythromycin

BGP CMS ANTIBIOTIC MEDS	
Drug	Generic Name Crosswalk
Erythromycin Stearate	Erythromycin
Erythromycin/Sulfisoxazole	Erythromycin
Factive	Gemifloxacin
Flagyl	Metronidazole
Floxin	Ofloxacin
Fortaz	Ceftazidime
Fosfomycin Tromethamine	Fosfomycin Tromethamine
Furadantin	Nitrofurantoin
Furalan	Nitrofurantoin
Furatoin	Nitrofurantoin
G-Mycin	Gentamicin
Gantanol	Sulfamethoxazole
Gantrisin	Sulfisoxazole
Garamycin	Gentamicin
Gatifloxacin	Gatifloxacin
Gemifloxacin	Gemifloxacin
Gentamicin	Gentamicin
Gentamicin Sulfate	Gentamicin
Gentamicin Sulfate Sodium Chloride	Gentamicin
Genticin	Gentamicin
Geocillin	Carbenicillin Indanyl Sodium
Grepafloxacin	Grepafloxacin
Ilosone	Erythromycin
Ilotycin	Erythromycin
Imipenem	Imipenem-Cilastatin
Imipenem-Cilastatin	Imipenem-Cilastatin
Invanz	Ertapenem
Kanamycin	Kanamycin
Kantrex	Kanamycin
Keflet	Cephalexin
Keflex	Cephalexin Monohydrate
Keflin	Cephalexin
Keftab	Cephalexin Hydrochloride
Kefurox	Cefuroxime
Kefzol	Cefazolin
Ketek	Telithromycin
Ledercillin VK	Penicillin
Levaquin	Levofloxacin

BGP CMS ANTIBIOTIC MEDS	
Drug	Generic Name Crosswalk
Levofloxacin	Levofloxacin
Lincocin	Lincomycin
Lincomycin	Lincomycin
Lincorex	Lincomycin
Linezolid	Linezolid
Lomefloxacin	Lomefloxacin
Lomefloxacin Hydrochloride	Lomefloxacin
Lorabid	Loracarbef
Lorabid Pulvules	Loracarbef
Loracarbef	Loracarbef
Lyphocin	Vancomycin
Macrobid	Nitrofurantoin
Macrodantin	Nitrofurantoin
Mandol	Cefamandole
Marcillin	Ampicillin
Maxaquin	Lomefloxacin
Maxipime	Cefepime
Mefoxin	Cefoxitin
Meropenem	Meropenem
Mepron	Atovaquone
Merrem	Meropenem
Methicillin	Methicillin
Methicillin Sodium	Methicillin
Metizol	Metronidazole
Metronidazole	Metronidazole
Mezlin	Mezlocillin
Mezlocillin	Mezlocillin
Mezlocillin Sodium	Mezlocillin
Minocin	Minocycline
Minocycline	Minocycline
Minocycline HCL	Minocycline
Monocid	Cefonocid
Monodox	Doxycycline
Monurol	Fosfomycin Tromethamine
Moxifloxacin	Moxifloxacin
Moxifloxacin Hydrochloride	Moxifloxacin
Mycifradin	Neomycin
Nafcil	Nafcillin

BGP CMS ANTIBIOTIC MEDS	
Drug	Generic Name Crosswalk
Nafcillin	Nafcillin
Nafcillin Sodium	Nafcillin
Nalidixic Acid	Nalidixic Acid
Nallpen	Nafcillin
Nebcin	Tobramycin
Neggram	Nalidixic Acid
Neo-fradin	Neomycin
Neomycin	Neomycin
Neomycin Sulfate	Neomycin
Neo-Tabs	Neomycin
Nitrofurantoin	Nitrofurantoin
Norfloxacin	Norfloxacin
Noroxin	Norfloxacin
Novo Ampicillin	Ampicillin
Novodoxylin	Doxycycline
Nu-Ampi	Ampicillin
Ofloxacin	Ofloxacin
Omnicef	Cefdinir
Omnipen	Ampicillin
Omnipen-N	Ampicillin
Oxacillin	Oxacillin
Oxacillin Sodium	Oxacillin
Oxytetracycline	Oxytetracycline
Panmycin	Tetracycline
Pathocil	Dicloxacillin
PC Pen VK	Penicillin
PCE	Erythromycin
Pediamycin	Erythromycin
Pediazole	Erythromycin
Pefloxacin	Pefloxacin
Pen Vee K	Penicillin
Pen-V	Penicillin
Penbritin	Ampicillin
Penicillin	Penicillin
Penicillin G	Penicillin
Penicillin G Benzathine	Penicillin
Penicillin G Benzathine/Penicillin G Procaine	Penicillin G Benzathine/Penicillin G Procaine
Penicillin G Potassium	Penicillin

BGP CMS ANTIBIOTIC MEDS	
Drug	Generic Name Crosswalk
Penicillin G Procaine	Penicillin
Penicillin G Sodium	Penicillin
Penicillin V	Penicillin
Penicillin V Potassium	Penicillin
Periostat	Doxycycline
Permapen	Penicillin
Pfizerpen	Penicillin
Piperacillin	Piperacillin
Piperacillin Sodium	Piperacillin
Piperacillin-Tazobactam	Piperacillin-Tazobactam
Pipracil	Piperacillin
Polycillin	Ampicillin
Polycillin-PRB	Ampicillin/Probenicid
Polymox	Amoxicillin
Polymyxin	Polymyxin
Polymyxin B	Polymyxin
Primaxin	Imipenem-Cilastatin
Principen	Ampicillin
Proloprim	Trimethoprim
Prostaphlin	Oxacillin
Protostat	Metronidazole
Quinupristin/Dalfopristin	Quinupristin/Dalfopristin
Raxar	Grepafloxacin
Rifadin	Rifampin
Rifampin	Rifampin
Rimactane	Rifampin
Robicillin VK	Penicillin
Robimycin	Erythromycin
Rocephin	Ceftriaxone
Septra	Sulfamethoxazole Trimethoprim
Septra DS	Sulfamethoxazole Trimethoprim
SMZ-TMP	Sulfamethoxazole Trimethoprim
Sparfloxacin	Sparfloxacin
Spectrobid	Bacampicillin
Spectracef	Cefditoren
Staphcillin	Methicillin
Streptograminis	Streptograminis
Streptomycin	Streptomycin

BGP CMS ANTIBIOTIC MEDS	
Drug	Generic Name Crosswalk
Streptomycin Sulfate	Streptomycin
Sulfamethoxazole	Sulfamethoxazole
Sulfamethoxazole Trimethoprim	Sulfamethoxazole Trimethoprim
Sulfatrim	Sulfamethoxazole Trimethoprim
Sulfisoxazole	Sulfisoxazole
Sulfisoxazole/Erythromycin Ethylsuccinate	Erythromycin
Sumycin	Tetracycline
Suprax	Cefixime
Sustiva	Efavirenz
Synercid	Quinupristin/Dalfopristin
TAO	Troleandomycin
Tazicef	Ceftazidime
Tazidime	Ceftazidime
TCN	Tetracycline
TEC-PAQ	Gatifloxacin
Tegopen	Cloxacillin
Telithromycin	Telithromycin
Tequin	Gatifloxacin
Terramycin	Oxytetracycline
Tetracycline	Tetracycline
Tetracycline Hydrochloride	Tetracycline
Ticar	Ticarcillin
Ticarcillin	Ticarcillin
Ticarcillin-Clavulanate	Ticarcillin-Clavulanate
Ticarcillin Disodium	Ticarcillin
Tigecycline	Tigecycline
Timentin	Ticarcillin-Clavulanate
Tobi	Tobramycin
Tobra	Tobramycin
Tobramycin	Tobramycin
Tobramycin Sulfate	Tobramycin
Totacillin	Ampicillin
Totacillin-N	Ampicillin
Trimethoprim	Trimethoprim
Trimox	Amoxicillin
Trimpex	Trimethoprim
Troleandomycin	Troleandomycin
Trovafloxacin	Trovafloxacin

BGP CMS ANTIBIOTIC MEDS	
Drug	Generic Name Crosswalk
Trovafloxacin/Alatrofloxacin	Trovafloxacin
Trovafloxacin Mesylate	Trovafloxacin
Trovan	Trovafloxacin
Tygacil	Tigecycline
Ultracef	Cefadroxil
Unasyn	Ampicillin-Sulbactam
Unipen	Nafcillin
Uroplus DS	Sulfamethoxazole Trimethoprim
Uroplus SS	Sulfamethoxazole Trimethoprim
V-Cillin K	Penicillin
Valacyclovir Hydrochloride	Valacyclovir Hydrochloride
Valtrex	Valacyclovir Hydrochloride
Vancocin	Vancomycin
Vancocin HCL	Vancomycin
Vancoled	Vancomycin
Vancomycin	Vancomycin
Vancomycin Hydrochloride	Vancomycin
Vantin	Cefpodoxime
Vectrin	Minocycline
Veetids	Penicillin
Velosef	Cephadrine
Vibramycin	Doxycycline
Vibra-Tabs	Doxycycline
Wycillin	Penicillin
Wymox	Amoxicillin
Z-pak	Azithromycin
Zagam	Sparfloxacin
Zefazone	Cefmetazole
Zinacef	Cefuroxime
Zithromax	Azithromycin
Zithromax TRI-PAK	Azithromycin
Zolicef	Cefazolin
Zosyn	Piperacillin-Tazobactam
Zosyn Add-Vantage	Piperacillin-Tazobactam
Zyvox	Linezolid

4.3.4.4 BGP CMS Beta Blocker Medications**Table 4-6: BGP CMS Beta Blocker Medications**

BGP CMS Beta Blocker Medications	
Acebutolol	Kerlone
Atenolol	Labetolol
Atenolol/chlorthalidone	Levatol
Betapace	Lopressor
Betapace AF	Lopressor HCT
Betaxolol	Lopressor/hydrochlorothiazide
Bisoprolol	Metoprolol
Bisoprolol/fumarate	Metoprolol/hydrochlorothiazide
Bisopropol/hydrochlorothiazide	Metoprolol Tartrate/ hydrochlorothiazide
Blocadren	Nadolol
Brevibloc	Nadolol/bendroflumethiazide
Carteolol	Normodyne
Cartrol	Penbutolol
Carvedilol	Pindolol
Coreg	Propranolol
Corgard	Propranolol HC1
Corzide 40/5	Propranolol Hydrochloride
Corzide 80/5	Propranolol/hydrochlorothiazide
Esmolol	Sectral
Inderal	Sorine
Inderal LA	Sotalol
Inderide	
Inderide LA	

4.3.4.5 BGP CMS Immunosuppressive Medications**Table 4-7: BGP CMS Immunosuppressive Medications**

BGP CMS IMMUNOSUPPRESSIVE MEDS			
141W94	1592U89	3TC	5 + 2
5-FU	7 +3	Abacavir	ABC
Abraxane	ABT-378	ABV	AC
Ace	Acetocot	Acthrel	Actummune
Actinomycin D	Abacavir/Lamivudine	Adalimumab	Adbeon
Adefovir	ADF	Adlone-40	Adlone-80
Adrenocot	Adrenocot L.A.	Adriamycin PFS	Adriamycin RDF
Adriamycin RDF/PFS	Adrucil	AF1549	Agenerase

BGP CMS IMMUNOSUPPRESSIVE MEDS			
A-Hydrocort	Aldesleukin	Alferon N	Alimta
Alkeran	Alkeran I.V.	Altretamine	Amcort
Amdoxovir	A-Methapred	Amethopterin	Amifostine
Amprenavir	Anastrozole AP	Antithymocyte Globulin	APV
Arabinasyl Cytosine	Ara-C	Arava	Arimidex
Aristocort	Aristocort for Injection	Aristocort Forte	Aristopak
Aristopan Injection	Aromasin	Arsenic Trioxide	Asparaginase
Atazanavir	ATG	Atrgam	ATV
Avonex	Azacitidine	Azasan	Azathioprine
Azathioprine sodium	AZT	Basiliximab	BCG
BCNU	BCVPP	BEP	Betaferon
Betamethasone	Betamethasone Acetate	Betamethasone Dipropionate	Betamethasone Dipropionate Powder
Betamethasone Sodium Phosphate	Beta-Phos/AC	Betaseron	Bexarotene
Bexxar	Bicalutamide	BiCNU	BIP
Bis-Pom PMEA	Blenoxane	Bleomycin	Bleomycin Sulfate
BOMP	Bortezomib	Budesonide	Busulfan
CAE	CAF	CAL-G	CAM
Camptosar	CAP	Capecitabine	Capravirine
Carboplatin	Carimune	Carmustine	CAV
CAVE	CBV	CC	CCNU
CDDP/VP	CeeNu	Celestone	Celestone Phosphate
Celestone Soluspan	Cellcept	Cerubidine	CEV
CF	CFM	CHAP	ChIVPP
ChIVPP/EVA	Chlorambucil	CHOP	CHOP-BLEO
Chromic phosphate P32	CISCA	CISCA/VB	Cisplatin
Cisplatinum	Citrorum Factor	Cladribine	CMF
CMFP	CMFVP	Combivir	COMLA
COMP	COP	COPE	COPP
Cortef	Corticorelin	Corticorelin Ovine (as trifluoroacetate)	Cortisone
Cortisone Acetate	Cort-K	Cortone Acetate	Cortrosyn
Cosmegan	Cosmegan	Cosyntropin	Cotolone

BGP CMS IMMUNOSUPPRESSIVE MEDS			
Coviracil	CP	Crixivan	CT
Curretab	CVD	CVI	CVP
CVPP	Cyclophosphamide	Cyclophosphamide Lyophilized	Cyclosporine
Cyclosporine A	Cycriin	Cytosine Arabinoside	Cytarabine
Cytosar-U	Cytosan	Cytosan Lyophilized	D4T
DA	Dacarbazine	Daclizumab	Dactinomycin
DAL	Dalalone	Dalalone D.P.	Dalalone L.A.
DAPD	Darcarbazine	DAT	Daunomycin
Daunorubicin	Daunorubicin Citrate Liposome	Daunorubicin Hydrochloride	Daunorubicin Liposomal
DaunoXome	DAV	DCT	DDC
DDI	Decadron	Decadron Phosphate, Injectable	Decadron with Xylocaine
Decadron-LA	Deca-Durabolin	Decaject	Decaject L.A.
Delatest	Delatestryl	Delavirdine	Deltasone
Dep Medalone 80	Depandro 100	Depmedalone	Depoject-80
Depo-Medrol	Depopred	Depo-Predate	De-Sone LA
Dexacen-4	Dexacorten	Dexamethasone	Dexamethasone Acetate
Dexamethasone Intensol	Dexamethasone Sodium Phosphate	Dexamethasone Lidocaine	Dexasone
Dexasone LA	Dexone	Dexone LA	Dexrazoxane
DHAP	DI	Didanosine	DLV
DMP-266	Docetaxel	Dororubicin	Doxil
Doxorubicin	Doxorubicin HCl	Doxorubicin Hydrochloride	Doxorubicin Hydrochlorideliposome
Doxorubicin Liposomal	Droxia	DTIC-Dome	Durabolin
Durabolin-50	Duralone	Duratest	Durathate 200
DVP	EAP	EC	Efavirenz
EFP	EFV	ELF	Eligard
Elspar	EMA 86	Emcyt	Emtricitabine/Tenofovir
Enbrel	Endoxan	EP	Epirubicin
Epivir	Ergamisol	Erlotinib	ESHAP

BGP CMS IMMUNOSUPPRESSIVE MEDS			
Estramustine	Estramustine Phosphate Sodium	Etanercept	Ethoyl
Etopophos	Etoposide	Etoposide (as Phosphate)	Eulexin
EVA	Everone	Exemestane	FAC
FAM	FAMe	FAMTX	FAP
Fareston	F-CL	FED	Femara
Filgrastim	FK-506	FL	Fle
Florinef Acetate	Floxuridine	Fludara	Fludarabine
Fludarabine Phosphate	Fludrocortisone	Fludrocortisone Acetate	Fluorouracil
Fluorouracil, Systemic	Flutamide	FOAM	Folex
Folex PFS	Folinic Acid	Fortase	FTC
FTV	FUDR	FZ	Gefitinib
Gemcitabine	Gemcitabine HCl	Gemtuzumab	Gemzar
Gleevec	Gliadel	Glivec	Goserelin
Goserelin Acetate	Halotestin	HDMTX	Herceptin
Hexadrol	Hexadrol Phosphate	Hexalen	Hexamethylmelamine
HIVID	HN2	Humira	Hybolin Decanoate
Hybolin-Improved	Hycamtin	Hydeltrasol	Hydeltra-T.B.A.
Hydrea	Hydrocort SS	Hydrocortisone	Hydrocortisone Acetate
Hydrocortisone Cypionate	Hydrocortisone Sodium Phosphate	Hydrocortisone Sodium Succinate	Hydrocortone
Hydrocortone Acetate	Hydrocortone Phosphate	Hydroxychloroquine Sulfate	Hydroxyurea
Ibritumomab	Idamycin	Idarubicin	Idarubicin HCl
Idarubicin Hydrochloride	IDV	IE	Ifex
Ifosfamide	IfoVP	Imatinib Mesylate	Imuran
Indinavir	Interferon Beta-1a	Interferon Alfa-2a	Interferon Alfa-2b
Interferon Alfa-n3	Interferon Beta-1b	Interferon Gamma-1b	Intron A
Intron A HAS Free	Invirase	Iodine I 131	Iodine I 131 Tositumomab
Iodotope	Iressa	Irinotecan	Kaletra
Kenaject-40	Kenalog-10	Kenalog-40	Key-Pred
Key-Pred SP	KLT	Lamivudine	Leflunomide

BGP CMS IMMUNOSUPPRESSIVE MEDS			
Leflunomine	Letrozole	Leukeran	Leukine
Leukovoren	Leuprolide	Leuprolide Acetate	Leustatin
Levamisole	Levamisole HC1	Levamisole Hydrochloride	Liquid Pred
Lomustine	Lopinavir/Ritonavir	LPV/RTV	Lysodren
M-2	MAID	Matulane	m-BACOD
MBC	MC	Mechlorethamine	Mechlorethamine HC1
Mechlorethamine Hydrochloride	Medicort	Medidex	Medidex LA
Medipred	Meditest	Medralone	Medralone 40
Medralone 80	Medrol	Megace	Megestrol
Megestrol Acetate	Melphalan	Mercaptopurine	Mesnex
Metastron	Methotrexate	Methotrexate LPF	Methotrexate LPF Sodium
Methotrexate Sodium	Methylcotol	Methylone 40	Methylone 80
Methylprednisolone	Methylprednisolone Acetate	Methylprednisol/One Sodium Succinate	Meticorten
MF	MINE-ESHAP	Mini-BEAM	Mithracin
Mithramycin	Mitomycin	Mitotane	Mitoxantrone
Mitoxantrone HCl	Mitoxantrone Hydrochloride	MIV	MK-639
MOPP	MOPP/ABV	MP	M-Prednisolone
MTXCP-PDAdr	Muromonab-CD3	Mustargen	Mustargen HC
Mutamycin	MV	M-VAC	MVP
MVPP	Mycophenolate Mofetil	Mycophenolate Mofetil Hydrochloride	Myleran
Navelbine	Nelfinavir	Neoral	Neosar
Neulasta	Neumega	Neupogen	Nevirapine
NFL	NFV	Nipent	Nitrogen Mustard
Nolvadex	Norvir	Novantrone	NOVP
NVP	Oncaspar	Oncovin	OPA
OPPA	Oprelvekin	Orasone	Orthoclone Okt 3
Oxandrin	Oxandrolone	Oxymetholone	PAC
Paclitaxel	Paclitaxel Protein-bound	Paraplatin	PC
PCV	Pediapred	Pegaspargase	Pegasys

BGP CMS IMMUNOSUPPRESSIVE MEDS			
Pegfilgrastim	Peginterferon	PEG-Intron	Pemetrexed
Pentostatin	PFL	Phenylalanine Mustard	Phosphocol P32
Photofrin	Pipobroman	Plaquenil	Platinol
Platinol-AQ	Platinol-Q	Plicamycin	PNU-14069
POC	Porfimer	Porfimer sodium	Predacort 50
Predacorten	Predaject-50	Predalone 50	Predate-50
Predcor	Prednisolone	Prednisolone Sodium	Prednisone
Prelone	Preveon	Pri-Cortin 50	Primethasone
Procarbazine	Procarbazine HCl	Procarbazine Hydrochloride	Prograf
Proleukin	ProMACE	ProMACE/cytaBOM	Purinethol
PVB	PVDA	PVP-16	Rapamune
Rapamycin	Rescriptor	Retrovir	Rheumatrex
Rheumatrex Dose Pack	Ritonavir	Rituxan	Rituximab
Roferon-A	Rubex	RTV	Samarium SM 153
Sandimmune	Saquinavir	Sargostim	Selestoject
Semustine	Simulect	Sirolimus	Sodcium Iodide I 131
Sodium Phosphate P32	Solu-Cortef	Solu-Medrol	Solurex
Solurex LA	SQV	Stanford V	Stanozolol
Stavudine	Sterapred	Sterapred DS	Stilphostrol
Streptozocin	Strontium-89 Chloride	Sustiva	TAC 3
Tacrolimus	Tamoxifen	Tamoxifen Citrate	Tarabine PFS
Tarceva	Taxol	Taxotere	Taz
Temozolomide	Teniposide	Teslac	Thalidomid
Thalidomide	TheraCys	Theracys 3	TheraCys Intravesical
Thioguanine	Thioplex	Thiotepa	Thymoglobulin
TICE BCG	Tice BCG Vaccine	Tipranavir	Toposar
Topotecan	Topotecan Hydrochloride	Toremifene	Toremifene Citrate
Tositumomab	TPV	Tramacort-D	Trastuzumab
Tretinoin	Triam-A	Triamcinolone	Triamcinolone Diacetate
Triamcinolone Hexacetonide	Triamcort	Triam-Forte	Triamcinolone Acetonide

BGP CMS IMMUNOSUPPRESSIVE MEDS			
Triamonde 40	Tri-Kort	Trilog	Trilone
Tri-Med	Tristoject	Trizivir	TZV
Uracil Mustard	U-Tri-Lone	VAC	VACAdr-IfoVP
VAD	VadrC	Valrubicin	Valtoran
VATH	VBAP	VC	VCAP
VCR	VDA	VDP	Velban
Velcade	VePesid	Vercyte	Vesanoid
Vidaza	Videx	Vinblastine	Vinblastine Sulfate
Vincristine	Vincristine Sulfate	Vinorelbine	Vinorelbine Tartrate
VIP	VIP-1/2	Viracept	Viramune
VM	VP16	V-TAD	Vumon
VX-478	Xeloda	Zalcitabine	Zanosar
ZDV	Zenapex	Zerit	Zevalin
Ziagen	Zidovudine	Zoladex	

4.4 Taxonomy Check (TC)

CI10 > SET > TC

Use the Taxonomy Check (TC) Setup Menu option to scan for missing taxonomies or those taxonomies with no entries. The first time you use CRS 2010 version 10.0, you should expect to see a list of those taxonomies that are new to the 2010 software, because they will have no members. Taxonomies that previously existed will retain the members previously associated to them and will not be overwritten with blank taxonomies.

Taxonomies can be checked for each of the following reports:

- National GPRA & PART/GPRA & PART Performance Reports
- Other National Measures Report
- Selected Measures Reports
- CMS Report
- Executive Order Quality Transparency Measures Report
- Elder Care Report
- HEDIS Report

You should run the taxonomy check for each report that your facility will run. If there are reports your facility will not run, you do not need to run the taxonomy check for that report. For example, if your facility does not run the CMS or HEDIS reports, you could skip those taxonomy checks.

The steps for running the taxonomy check are the same for all of the reports.

Note: When you have completed the taxonomy setup for your site, rerun the Taxonomy Check option to ensure that all taxonomies have entries.

To check the site taxonomies, follow these steps:

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 main menu.
2. At the “Select CRS 2010 Option” prompt, type **SET** and press the Enter key to display the Setup Menu.
3. At the “Select System Setup Option” prompt, type **TC** and press the Enter key to display the Taxonomy Check Menu, as in the following example:

```

*****
**   IHS/ RPMS CRS 2010   **
**   Taxonomy Check Menu   **
*****
                        Version 10.0

                        DEMO INDIAN HOSPITAL

NGTC  Taxonomy Check-National GPRA/GPRA Performance Rpts
OTC   Taxonomy Check-Other National Measures Report
EOTC  Taxonomy Check-EO Quality Transparency Measures
LRTC  Taxonomy Check-Selected Measures Reports
CMTC  Taxonomy Check-CMS Report
ELTC  Taxonomy Check-Elder Care Report
HETC  Taxonomy Check-HEDIS Report

Select Taxonomy Check Option: NGTC <Enter>

```

Figure 4-6: Taxonomy Check Menu: selecting taxonomy to check (Step 4)

4. At the “Select Taxonomy Check Option” prompt, type the menu option of the taxonomy check you want to run; for example, **NGTC**.

A message is displayed that gives the name of the report for which the taxonomies are being checked.

```
Checking for Taxonomies to support the National GPRA/GPRA Performance Reports.  
Please enter the device for printing.  
  
DEVICE: HOME//    VIRTUAL TERMINAL    Right Margin: 80//  
  
Checking for Taxonomies to support the National GPRA/GPRA Performance Reports...  
  
All taxonomies are present.  
  
End of taxonomy check. PRESS ENTER: <Enter>
```

Figure 4-7: Checking taxonomies (Step 4)

5. Press the Enter key to continue. At the “Device” and “Right Margin” prompts, press the Enter key to display the information to the screen.

The system checks to see if all taxonomies used in the report are present (Figure 4-7). The name of any taxonomy that is either missing or that has no members is displayed.

6. Review the list of taxonomies that need to be set up or populated. For instructions on setting up these taxonomies, see Section 4.5.

If your taxonomies have all been set up and populated, the message “All taxonomies are present” is displayed.

Note: All taxonomies should be reviewed for completeness, even though many of the taxonomies used by CRS have already been established and populated by other RPMS applications (e.g., Diabetes Management) or by CRS 2009 version 9.0.

7. To return to the Taxonomy Check menu, press the Enter key at the “End of taxonomy check. PRESS ENTER” prompt.

4.5 Taxonomy Setup (TS)

CI10 > SET > TS

Note: Users must have the BGPZ TAXONOMY EDIT security key to edit lab and medication taxonomies used by CRS.

Use the Taxonomy Setup (TS) option on the Setup Menu to add to or edit members in the required taxonomies used in CRS, or to view the taxonomies. All taxonomies should be present after CRS 2010 is loaded, even taxonomies with no members yet.

Users without access can view a list of site-populated taxonomies and view tests and drugs contained within taxonomies; however, they cannot edit the taxonomies.

Note: *All* taxonomies should be reviewed for completeness before running the first CRS report.
Add new test names, but do not delete the old test names.

The Taxonomy Setup Menu options are by report:

- National GPRA & PART/GPRA & PART Performance Reports
- Other National Measures Report
- Executive Order Quality Transparency Measures Report
- CMS Report
- All CRS Reports
- All CRS Taxonomies (including site-populated and software-defined (i.e., hard-coded))

You should set up the taxonomies for each report that your facility will run. If there are reports your facility will not run, you do not need to set up taxonomies for that report. For example, if your facility does not run the CMS Report, you could skip that taxonomy setup.

To set up the taxonomies for a site, follow these steps:

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, Type **CI10** and press the Enter key to display the CRS 2010 main menu.
2. At the “Select CRS 2010 Option” prompt, type **SET** and press the Enter key to display the Setup menu.
3. At the “Select System Setup Option” prompt, type **TS** and press the Enter key to display the Taxonomy Setup Menu, as in the following example:

```

*****
**   IHS/RPMS CRS 2010   **
**   Taxonomy Setup Menu **
*****
Version 10.0

DEMO INDIAN HOSPITAL

NGTS  Taxonomy Setup-National GPRA/GPRA Performance Rpts
OTS   Taxonomy Setup-Other National Measures Report
EOTS  Taxonomy Setup-EO Quality Transparency Measures
CMTS  Taxonomy Setup-CMS Report
CRTS  Taxonomy Setup-All CRS Reports
VT    View All CRS Taxonomies

Select Taxonomy Setup Option:
    
```

Figure 4-8: Taxonomy Setup Menu (Step 4)

4. At the “Select Taxonomy Setup Option” prompt, type the menu option of the taxonomy setup option you want to run; for example, **CRTS** or **NGTS**.

A list of the site-populated taxonomies for the selected report is displayed.

For example, selecting the CRTS option displays the list of lab and drug taxonomies included for all CRS reports (Figure 4-9).

```

2010 CRS TAXONOMY UPDATE      Jun 05, 2010 16:03      Page: 1 of 5
TAXONOMIES TO SUPPORT 2010 ALL CRS REPORTS REPORTING

1)  BGP ANTI-PLATELET DRUGS      DRUGS      Anti-Platelet Drugs.
2)  BGP ASTHMA INHALED STEROIDS  DRUGS      Inhaled Corticosteroids Drugs
3)  BGP CBC TESTS                LAB        CBC Lab tests
4)  BGP CD4 TAX                  LAB        CD4 Tests for HIV Quality of Ca
5)  BGP CHLAMYDIA TESTS TAX      LAB        Chlamydia Lab Tests.
6)  BGP CMS ABG TESTS           LAB        ABG Lab tests
7)  BGP CMS ACEI MEDS           DRUGS      Ace Inhibitor Drugs
8)  BGP CMS ANTIBIOTIC MEDS     DRUGS      Antibiotic Drugs
9)  BGP CMS ARB MEDS            DRUGS      Contains ARB drugs.
10) BGP CMS BETA BLOCKER MEDS   DRUGS      Contains all Beta Blocker Drugs
11) BGP CMS BLOOD CULTURE       LAB        Blood Culture tests.
12) BGP CMS SMOKING CESSATION MEDS DRUGS
    
```

```

13) BGP CMS THROMBOLYTIC MEDS      DRUGS      CMS
14) BGP CMS WARFARIN MEDS          DRUGS      Contains Warfarin Drugs.
15) BGP CREATINE KINASE TAX        LAB
16) BGP GPRA ESTIMATED GFR TAX     LAB        Estimated GFR Lab Tests
+      Enter ?? for more actions      >>>
S      Select Taxonomy to Edit        Q      Quit
D      Display a Taxonomy
Select Action:+//

```

Figure 4-9: Example list of site-populated taxonomies for all CRS reports (Step 4)

Selecting the NGTS option displays the list of lab and drug taxonomies included for the National GPRA & PART Report (Figure 4-10).

```

2010 CRS TAXONOMY UPDATE      Jun 05, 2010 16:12:58      Page: 1 of 1
TAXONOMIES TO SUPPORT 2010 NATIONAL GPRA REPORT REPORTING

1) BGP CMS SMOKING CESSATION MEDS  DRUGS
2) BGP GPRA ESTIMATED GFR TAX      LAB        Estimated GFR Lab Tests
3) BGP GPRA FOB TESTS              LAB        Fecal Occult Blood Lab Tests
4) BGP HEDIS ANALGESIC MEDS        DRUGS
5) BGP HEDIS ANTIANXIETY MEDS      DRUGS      Anti Anxiety Drugs
6) BGP HEDIS ANTIEMETIC MEDS       DRUGS      Antiemetic Drugs
7) BGP HEDIS ANTIHISTAMINE MEDS    DRUGS
8) BGP HEDIS ANTIPSYCHOTIC MEDS    DRUGS

      Enter ?? for more actions      >>>
S      Select Taxonomy to Edit        Q      Quit
D      Display a Taxonomy
Select Action:+//

```

Figure 4-10: Example list of site-populated taxonomies for the National GPRA & PART Report (Step 4)

5. To view the members of a taxonomy in the selected CRS report, follow these steps:

- a. At the “Select Action” prompt, type **D** and press the Enter key.
- b. At the “Which Taxonomy” prompt, type the number of the taxonomy you want to view and press the Enter key.

For example, using the list displayed for the National GPRA & PART Report (Figure 4-10), typing **6** displays the BGP QUANT URINE PROTEIN taxonomy and its associated members (Figure 4-11).

```

TAXONOMY VIEW                Jun 05, 2010 16:15:08                Page: 1 of 1
Display of the BGP QUANT URINE PROTEIN taxonomy
* View Taxonomies

1) QUANT URINE PROTEIN
2) MICROALBUMIN

                Select the Appropriate Action    Q to Quit
Q    Quit
Select Action: +//

```

Figure 4-11: Example of displaying taxonomy members (Step 5)

- c. To return to the taxonomy list, type **Q** and press the Enter key at the “Select Action” prompt.
6. To edit the members of a taxonomy in the selected CRS report, follow these steps:

- a. At the “Select Action” prompt, type **S** and press the Enter key.
- b. At the “Which Taxonomy” prompt, type the number of the taxonomy you want to edit and press the Enter key.

For example, using the list displayed for the National GPRA & PART Report (Figure 4-10), typing **6** displays the BGP QUANT URINE PROTEIN taxonomy and its associated members, which include two lab tests, QUANT URINE PROTEIN and MICROALBUMIN. The action bar is displayed below the taxonomy members, as in the following example:

```

CRS TAXONOMY UPDATE                Jun 05, 2010 16:19                Page: 1 of 1
Updating the BGP QUANT URINE PROTEIN taxonomy

1) QUANT URINE PROTEIN
2) MICROALBUMIN

                Enter ?? for more actions
A    Add Taxonomy Item    R    Remove an Item    Q    Quit
Select Action:+// A    Add Taxonomy Item

Which LAB Test: MICRO
1    MICRO MICROBIOLOGY TEST LIST
2    MICRO TOTAL PROTEIN
3    MICROALBUMIN
4    MICROALBUMIN PANEL
5    MICROALBUMIN/CREATININE RATIO
Press <RETURN> to see more, '^' to exit this list, OR
CHOOSE 1-5: 4 <Enter> MICROALBUMIN PANEL

```

Figure 4-12: Example of adding items to a lab taxonomy (Step 7)

7. To add an item to the selected taxonomy, follow these steps:
 - a. At the “Select Action” prompt, type **A** and press the Enter key.

- b. At the “Which LAB Test” prompt, type the first few characters of the test you want to add and press the Enter key to see a list of tests beginning with those characters.
- c. At the “CHOOSE 1 – <number>” prompt, press the Enter key to see more tests, or type the number of the test you want to add to the taxonomy and press the Enter key.

The test you added is now displayed as part of the taxonomy (Figure 4-13).

- d. To add more items to a taxonomy, repeat Steps 7 a through 7 c.

Note 1: Your taxonomies must include *all* test names that have been used by your facility since at least 1995, even if these codes are currently inactive. Some measures search for tests as far back as 10 years. Many sites designate inactive lab tests by adding one of the following characters at the beginning of the test name: “z,” “Z,” “xx,” “X,” or “*.” Search for these characters in your lab file.

Note 2: Your taxonomies must also include all lab tests that are sent out and performed by another lab/reference lab. The names of these lab tests are often prefixed with the reference lab name, such as “TRICORE A1c.”

```
CRS TAXONOMY UPDATE           Jun 05, 2010 16:57:29           Page: 1 of 1
Updating the BGP QUANT URINE PROTEIN taxonomy

1) QUANT URINE PROTEIN
2) MICROALBUMIN
3) MICROALBUMIN PANEL

      Enter ?? for more actions
A   Add Taxonomy Item      R   Remove an Item          Q   Quit
Select Action:+//
```

Figure 4-13: Example of lab taxonomy with added test (Step 7)

8. To remove an item from the selected taxonomy, follow these steps:
 - a. At the “Select Action” prompt, type **R** and press the Enter key.
 - b. At the “Remove Which Item” prompt, type the number of the test you want to remove and press the Enter key.

- c. At the “Are you sure you want to remove the <NAME> lab test” prompt, type **Y** and press Enter to continue removing the test, or press Enter to accept the default **N** (No) and retain the test in the taxonomy.
The test you removed is no longer displayed as part of the taxonomy.
- d. To remove more items from a taxonomy, repeat Steps 8 a through 8 c.
9. When you have finished adding and removing your site’s tests in the selected taxonomy, review the displayed list of taxonomy members.
If the list is complete and correct, type **Q** and press the Enter key at the “Select Action” prompt to save changes to the selected taxonomy and return to the list of taxonomies for the selected report.
10. To edit more taxonomies in the selected report, repeat Steps 6 through 9.
11. When you have finished editing taxonomies in the selected report, type **Q** and press the Enter key at the “Select Action” prompt to return to the Taxonomy Setup Menu.
12. To edit taxonomies in other reports, repeat Steps 4 through 9.
13. When you have finished editing taxonomies for all reports that your facility uses, type a caret (^) at the “Select Taxonomy Setup Option” prompt to return to the Setup Menu.
14. At the “Select System Setup Option” prompt, type TC to select the Taxonomy Check option (see Section 4.4) to perform a final check of taxonomies needed for CRS in this report.

Note: You must include *all* test names that have been used by your facility since at least 1995, even if these codes are currently inactive. Some measures search for tests as far back as 10 years.
Many sites designate inactive lab tests by adding one of the following characters at the beginning of the test name: “z,” “Z,” “xx,” “X,” or “*.” Search for these characters in your lab file.

4.6 Using Q-Man to Populate a Taxonomy

Q-Man is the RPMS query utility. Q-Man builds queries through a series of elements. The *Q-Man User Manual* provides detailed and easy-to-follow instructions for constructing queries. You can download a PDF version of the manual from the following RPMS web site:

<http://www.ihs.gov/Cio/RPMS/index.cfm?module=home&option=documents>

4.7 Update the Demo/Test Patient Search Template (DP)

CI10 > SET > DP

```

*****
**   IHS/RPMS CRS 2010   **
**       Setup Menu     **
*****
                        Version 10.0

                        DEMO INDIAN HOSPITAL

SP      Site Parameters
TC      Taxonomy Check ...
TS      Taxonomy Setup ...
DP      Update the Demo/Test Patient Search Template

Select System Setup Option: DP <Enter> Update the Demo/Test Patient Search Template

```

Figure 4-14: Updating the Demo/Test Patient Search Template (Step 1)

1. At the “Select System Setup Option” prompt, type **DP** and press the Enter key to display the following information about the Update the Demo/Test Patient Search Template option:

```

CREATE/UPDATE "DEMO" PATIENT SEARCH TEMPLATE

This option is used to create or update a patient search template that
contains the names of all of the "demo" or "test" patients in your
database. This template will be used to exclude these patients from
all CRS reports. Once the template is created you must remember to
enter the name of the template into your site's CRS Site Parameter file
using the Update Site Parameters option.

Do you wish to continue? Y// YES <Enter>

```

Figure 4-15: Updating the Demo/Test Patient Search Template (Step 2)

2. At the “Do you wish to continue?” prompt, press the Enter key to accept the default option (YES) and display the “Enter DEMO PATIENT Search Template” prompt.

```
Enter DEMO PATIENT Search Template: CRS DEMO PATIENTS
```

Figure 4-16: Updating the Demo/Test Patient Search Template (Step 3)

- At the “Enter DEMO PATIENT Search Template” prompt, do one of the following:

- To create a new search template, type the template name and press the Enter key.

At the “Are you adding ‘<name>’ as a new SORT TEMPLATE” prompt, type **Y** and press the Enter key to create the template, or press the Enter key to accept the default “No.”

- If you know the name of an existing search template to edit, type the template name and press the Enter key.
- If you don’t know the name of the existing template you want to edit, type two question marks (??) and press the Enter key to see a list of available search templates.

At the “^ TO STOP” prompt, press the Enter key to see more templates in the list, or type a caret (^) to stop displaying the list.

When you see the name of the template you want to edit, type the template name and press the Enter key.

- A list of patients included in the search template is displayed with the action bar at the bottom of the screen, as in the following example:

```
CRS DEMO PAT TEMPLATE           Jun 04, 2010 16:39:24           Page: 1 of 29
DEMO/TEST PATIENTS TO EXCLUE FROM CRS REPORTS
* Patients currently included in the CRS DEMO PATIENTS search template
  Patient Name                   HRN
1) DEMO,PATIENTA                 1XXXXX
2) DEMO,PATIENTB                 2XXXXX
3) DEMO,PATIENTC                 3XXXXX
4) DEMO,PATIENTD                 4XXXXX
5) DEMO,PATIENTE                 5XXXXX
6) DEMO,PATIENTF                 6XXXXX
7) DEMO,PATIENTG                 7XXXXX
8) DEMO,PATIENTH                 8XXXXX
9) DEMO,PATIENTI                 9XXXXX
10) DEMO,PATIENTJ                10XXXX
11) DEMO,PATIENTK                11XXXX
12) DEMO,PATIENTL                12XXXX
13) DEMO,PATIENTM                13XXXX
14) DEMO,PATIENTN                14XXXX
15) DEMO,PATIENTO                15XXXX
+      Enter ?? for more actions
AP  Add Patient to Template       Q <Enter>   Quit
RP  Remove Patient from Template
Select Action:+//
```

Figure 4-17: Updating the Demo/Test Patient Search Template (Step 4)

5. To add a patient to the selected search template, follow these steps:
 - a. At the “Select Action” prompt, type **AP** and press the Enter key.
 - b. At the “Select PATIENT NAME” prompt, type the first few letters in the name of the patient you want to add and press the Enter key to see a list of patients beginning with those letters.
 - c. At the “CHOOSE 1 – <number>” prompt, press the Enter key to see more patients, or type the number of the patient you want to add to the search template and press the Enter key.
 - d. At the “Select PATIENT NAME” prompt, repeat Steps 5 b and 5 c to add additional patients.
 - e. When you have finished adding patients to the template, press the Enter key at a blank prompt to display the list of patients in the template. Any patients you have added are now displayed as part of the template
6. To remove a patient from the selected search template, follow these steps:
 - a. At the “Select Action” prompt, type **RP** and press the Enter key.
 - b. At the “Remove which Patient” prompt, type the number of the patient you want to remove and press the Enter key to display a message that the patient has been removed from the template.
 - c. Press the Enter key to display the search template. The patient you removed is no longer included in the template.
 - d. To remove more patients from a search template, repeat Steps 6 a through 6 c.
7. When you have finished adding and removing patients in the selected search template, review the displayed list of patients.

If the list is complete and correct, type **Q** and press the Enter key at the “Select Action” prompt to save changes to the selected search template and return to the Setup Menu.

5.0 Reports and Patient Lists

The CRS is a reporting tool that provides local facilities and Area Offices with a straightforward way to monitor their progress toward clinical performance goals. This chapter describes the different types and formats of reports and patient lists.

CRS accommodates both national (GPRA & PART) reporting and local, customized performance tracking.

All reports review and calculate data for a minimum one-year time period, i.e., searching patient records for data matching the numerator criteria for the entire year prior to the report end date selected by the user. A few measures review data for more than one year, such as Cancer Screening: Pap Smear Rates, which looks for a Pap smear in past three years.

The National GPRA & PART, GPRA & PART Performance, Other National Measures, Executive Order Quality Transparency Measures, Elder Care, HEDIS Performance, and Patient Education report data files can be exported to the Area Office and aggregated for an Area Office report.

5.1 Report and Patient List Overview

Several output options are included in CRS 2010. In addition to the predefined National GPRA & PART Report, users have many choices for “customizing” reports for local facility use by selecting different populations and/or specific measure topics.

Report options include:

- **National GPRA & PART Reports**
 - National GPRA & PART Report (GP) (without patient lists)
 - National GPRA & PART Patient List (LST)
 - National GPRA & PART Clinical Performance Summaries (SUM)
 - National GPRA & PART Report by Designated Provider (DPRV)
 - National GPRA Height and Weight Local Data File (HW)
 - Create Search Template for National Patient List (NST)
 - GPRA & PART Forecast Patient List (FOR)
 - GPRA & PART Forecast Denominator Definitions (FORD)
 - Comprehensive National GPRA Patient List (CMP)

- **Reports for Local Use**
 - Selected Measures w/Community Specified (COM)
 - Selected Measures w/Patient Panel Population (PP)
 - Selected Measures with All Communities (ALL)
 - CMS Performance Report (CMS)
- **Other National Reports**
 - GPRA & PART Performance Report (GPU) (National GPRA & PART Report with user-defined report parameters)
 - Other National Measures Report (ONM) (without patient list)
 - Other National Measures Report Patient List (OST)
 - Executive Order Quality Transparency Measures Report (EO)
 - Elder Care Report (ELD)
 - HEDIS Performance Report (HED)
 - Patient Education Reports:
 - Patient Education w/Community Specified (PCM)
 - Patient Education w/Patient Panel Population (P3)
- **Taxonomy Reports**
 - Lab Taxonomy Report (TXL)
 - Medication Taxonomy Report (TXM)

Table 5-1 shows the population options available with each report type. Note that the two taxonomy reports are not included in the table because they report on site-populated taxonomies only and not patients. The GPRA & PART Forecast Denominator Definitions report is also not listed because it simply defines the denominators used in the GPRA & PART Forecast Patient List.

Table 5-1: Population Options with National GPRA & PART Reports, Local Reports, and Other National Reports

Population Options	National GPRA Reports									Local Reports			Other National Reports							
	GP	LST	SUM	DPRV	HW	NST	FOR	CMP	COM	PP	ALL	CMS	FPU	ONM	OST	EO	WLS	HED	PCM	PC
GPRA Community Taxonomy	X	X	X	X	X	X		X	X				X	X	X	X	X	X	X	
Other Site-Populated Community Taxonomy	X[1]	X	X[1]	X[1]	X[1]	X		X	X				X	X	X	X	X	X	X	
AI/AN Patients only	X	X	X	X	X	X		X	X		X		X	X	X	X	X	X	X	
Non-AI/AN Patients		X				X		X	X		X		X	X	X	X	X	X	X	
Both AI/AN and Non-AI/AN Patients		X				X	X	X	X		X		X	X	X	X	X	X	X	
All RPMS patients (any community of residence)							X				X	X								
Patient panel/Search Template (user specified list of patients)						X	X													X
Patient List		X					X	X	X		X	X			X	X	X	X	X	X

[1] Although users may change the community taxonomy to a non-GPRA taxonomy, the GPRA taxonomy must be used for submitting the quarterly reports to the Area Office.

5.2 National GPRA & PART Report (GP)

CI10 > RPT > NTL > GP

5.2.1 Overview

Sites will run the National GPRA & PART Report when they are ready to submit their annual GPRA and PART data to their respective Area Offices for 2010 GPRA and PART reporting. This is also the report option used for quarterly GPRA and PART reporting.

National reporting for clinical performance measures is accomplished with the National GPRA & PART Report. The National GPRA & PART Report includes measures (specific denominators and numerators) described in the current IHS Performance Plan to Congress; for example, diabetic patients with controlled BP (see Section 5.2.3, “Content” for specific content), as well as PART measures and other measures representing potential new GPRA measures and/or other strategic agency clinical focus (for example, Comprehensive CVD-Related Assessment).

The population for the National GPRA & PART Report should include only patients with a community of residence that is listed in the site’s official GPRA Community taxonomy. The Area Office GPRA Coordinators have defined the existing CHS catchment areasⁱ as the GPRA Communityⁱⁱ. The default community taxonomy is selected in the Site Parameters setup (see Section 4.2).

The National GPRA & PART Report is predefined to include only the AI/AN patient-type population, defined as Beneficiary 01 in the Patient Registration file.

The National GPRA & PART Report is required to be run at least quarterly, to review progress toward meeting critical agency goals.

The National GPRA & PART Report can be exported to the Area Office by the site for aggregation into an Area-Office-wide report. Patient lists for this report can be created by running the National GPRA & PART Patient List (menu option LST).

ⁱ A catchment area includes patients who are registered within a particular service unit *and* who reside in one of the communities assigned to the service unit.

ⁱⁱ The exception to this definition is Oklahoma City Area Office, which will inform its sites directly as to which communities to include.

5.2.2 Running the National GPRA & PART Report

Note: Before running the National GPRA & PART Report for national (GPRA reporting) use, you should know the name of the community taxonomy to be used, if it's different from the default.

To run the National GPRA & PART Report, follow these steps:

1. Navigate to the CLINICAL REPORTING SYSTEM (CRS) menu.

```

*****
**      IHS/RPMS CLINICAL REPORTING SYSTEM (CRS)      **
*****
                          Version 10.0

                          DEMO INDIAN HOSPITAL

CI10  CRS 2010 ...
CI09  CRS 2009 ...
CI08  CRS 2008 ...
CI07  CRS 2007 ...
CI06  CRS 2006 ...
CI05  CRS 2005 ...
GP04  GPRA+ FY04 ...
GP03  GPRA+ FY03 ...
GP02  GPRA+ FY02 ...

Select IHS Clinical Reporting System (CRS) Main Menu Option: CI10 <Enter> CRS 2010

```

Figure 5-1: CRS main menu options (Step 2)

2. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 Clinical Reporting System menu.

```

*****
**      IHS/RPMS CRS 2010      **
**      Clinical Reporting System  **
*****
                          Version 10.0

                          DEMO INDIAN HOSPITAL

RPT   Reports ...
SET   System Setup ...
AO    Area Options ...

Select CRS 2010 Option: RPT <Enter> Reports

```

Figure 5-2: CRS 2010 Clinical Reporting System menu: selecting Reports option (Step 3)

- At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS 2010 Reports Menu.

```

*****
**   IHS/RPMS CRS 2010   **
**   Reports Menu       **
*****
Version 10.0

DEMO INDIAN HOSPITAL

NTL   National GPRA & PART Reports ...
LOC   Reports for Local Use: IHS Clinical Measures ...
OTH   Other National Reports ...
TAX   Taxonomy Reports ...

Select Reports Option: NTL <Enter> National GPRA & PART Reports ...

```

Figure 5-3: CRS 2010 Reports Menu: selecting National GPRA & PART Reports option (NTL) (Step 4)

- At the “Select Reports Option” prompt, type **NTL** and press the Enter key to display the National GPRA Reports menu.

```

*****
**   IHS/RPMS CRS 2010   **
**   National GPRA Reports **
*****
Version 10.0

DEMO INDIAN HOSPITAL

GP    National GPRA & PART Report
LST   National GPRA & PART Patient List
SUM   National GPRA & PART Clinical Perf Summaries
DPRV  National GPRA & PART Report by Designated Provider
HW    National GPRA Height and Weight Local Data File
NST   Create Search Template for National Patient List
FOR   GPRA & PART Forecast Patient List
FORD  GPRA & PART Forecast Denominator Definitions
CMP   Comprehensive National GPRA & PART Patient List

Select National GPRA & PART Reports Option: GP <Enter> National GPRA & PART Report

```

Figure 5-4: National GPRA Reports menu: selecting the National GPRA & PART Report option (GP) (Step 5)

- At the “Select National GPRA & PART Reports Option” prompt, type **GP** and press the Enter key to display the following information about the National GPRA & PART report:

```

IHS 2010 National GPRA & PART Report

This will produce a National GPRA & PART report.
You will be asked to provide the community taxonomy to determine which patients
will be included. This report will be run for the Report Period July 1, 2009
through June 30, 2010 with a Baseline Year of July 1, 1999 through
June 30, 2000. This report will include beneficiary population of
American Indian/Alaska Native only.

You can choose to export this data to the Area office. If you
answer yes at the export prompt, a report will be produced in export format
for the Area Office to use in Area aggregated data. Depending on site specific
configuration, the export file will either be automatically transmitted
directly to the Area or the site will have to send the file manually.

Press enter to continue: <Enter>

```

Figure 5-5: Running the National GPRA & PART Report: report description (Step 5)

6. At the prompt to continue, press the Enter key.
7. The system checks the site-populated taxonomies.
 - If the following message is displayed, press the Enter key.

```

Checking for Taxonomies to support the National GPRA & PART Report...

All taxonomies are present.

End of taxonomy check. PRESS ENTER: <Enter>

```

- If the following message is displayed, your report results for the measure that uses the taxonomy specified are likely to be inaccurate.

```

The taxonomies are missing or have no entries

```

To exit from the report and edit your taxonomies, type a caret (^) at each prompt until you return to the main menu.

```

Specify the community taxonomy to determine which patients will be
included in the report. You should have created this taxonomy using QMAN.

Enter the Name of the Community Taxonomy: DEMO GPRA COMMUNITIES//
Do you wish to export this data to Area? Y <Enter> YES

```

Figure 5-6: Running the National GPRA & PART Report: selecting the community taxonomy and exporting area data (Steps 8 and 9)

8. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:
 - Press the Enter key to accept the default taxonomy if it is your official GPRA community taxonomy. (The default community taxonomy can be set in Site Parameters.)
 - Type the name of your official GPRA community taxonomy and press the Enter key.
 - Type the first few letters of the taxonomy name and press the Enter key to see a list of taxonomies beginning with those letters, or type two question marks (??) and press the Enter key to see the entire list. Then type the number of the taxonomy you want to use and press the Enter key.

Note: Use your site’s official GPRA community taxonomy if you are running the National GPRA & PART Report for national (GPRA reporting) use.

9. At the “Do you wish to export this data to Area?” prompt, type **Y** (Yes) and press the Enter key *only* if you are ready to send the final data to your Area Office.

If you are not ready to send the final data to your Area Office, type **N** (No) and press the Enter key.

10. If you choose to export the data to the Area Office, the software checks the site parameter for exporting height and weight data to the Area Office. If it is set to N, the following warning message is displayed:

```
Enter the Name of the Community Taxonomy: DEMO GPRA COMMUNITIES//
Do you wish to export this data to Area? YES

***WARNING*** Because your site parameter for exporting height and weight data to
the Area Office is set to "No," your Area Office export file (file beginning with
"BG10") will not contain height and weight data. This data is sent to the IHS
Division of Epidemiology to track and analyze BMI data over time. All IHS and Urban
facilities should have the site parameter set to "Yes" and only Tribal facilities
have the option of setting it to "No." If you want to include the height and weight
data in your Area Office export file, please change the site parameter export option
to "Yes" in Setup and then run your National GPRA & PART Report.
```

Figure 5-7: Running the National GPRA & PART report: warning message about height and weight data (Step 10)

If the Height and Weight site parameter is set to Y and you choose to export the National GPRA data to the Area Office, the height and weight data will automatically be included in the BG10 file for the Area Office.

11. A summary of the report is displayed, as shown in Figure 5-8. If any information is incorrect, type a caret (^) at the prompt to return to the previous menu.

```

SUMMARY OF NATIONAL GPRA & PART REPORT TO BE GENERATED

The date ranges for this report are:
Report Period:      Jul 01, 2009 to Jun 30, 2010
Previous Year Period:  Jul 01, 2008 to Jun 30, 2009
Baseline Period:    Jul 01, 1999 to Jun 30, 2000

The COMMUNITY Taxonomy to be used is: DEMO GPRA COMMUNITIES

```

Figure 5-8: Summary of National GPRA & PART Report to be generated (Step 11)

```

Please choose an output type. For an explanation of the delimited
file please see the user manual.

Select one of the following:

P      Print Report on Printer or Screen
D      Create Delimited output file (for use in Excel)
B      Both a Printed Report and Delimited File

Select an Output Option: P//

```

Figure 5-9: Running the National GPRA & PART report: choosing an output type (Step 12)

12. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key.

Detailed instructions for the Print Option and the Delimited Output option are found below within this step.

- **P** (Print) sends the report file to your printer, your screen, or an electronic file.
- **D** (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulation. For detailed instructions, see Section 10.0, “Appendix B: Working with Delimited Files”.
- **B** (Both) produces both a printed report and a delimited file.

Note: If you want to print to a file or you do not know your printer name, check with your site manager.

After you select your report options, you will be given the opportunity to queue your report to run at a later time.

Note: You should generally plan to queue your report to run during off hours, when the network is not as busy. At most sites, you can queue your report to print by typing **Q** at the prompt and pressing the Enter key.

Check with your site manager if you need further information about how to specify these options.

Print Option (P)

- a. At the “Select an Output Option” prompt, type **P** and press the Enter key.
- b. At the “DEVICE: HOME” prompt (which may vary at different sites), do one of the following:

- To print the report on a printer, type the name of the printer at the “Home” prompt and press the Enter key.

If you don’t know your printer name, check with your site manager.

- To print the report to your screen, press the Enter key at the default “Home” prompt.

Depending on the software you are using to access RPMS, you may need to turn on your logging or screen capture program *before* printing to the screen.

At most sites, to print a report to your screen without multiple “Enter Return to continue” prompts, type **0;P-OTHER80** at the “Home” prompt and press the Enter key, as in the following example:

```
Select an Output Option: P// <Enter> Print Report on Printer or Screen
DEVICE: HOME// 0;P-OTHER80 VT Right Margin: 80//
```

- To print the report to a file, type **Host** or **HFS** at the “Home” prompt, then specify the file location and name at the “HOST FILE NAME” prompt as in the following example:

```
Select an Output Option: P// <Enter> Print Report on Printer or Screen
DEVICE: HOME// HFS <Enter> HFS
HOST FILE NAME: C:\TMP\TMP.HFS// C:\lb_test.doc <Enter> ADDRESS/PARAMETERS: "WNS"//
```

- c. At the “Won’t you queue this?” prompt, type **Y** to queue your report to run at another time or **N** to run the report now, and press the Enter key.

If you choose to queue the report, type the time you want it to run at the “Requested Start Time” prompt. Type the time in HH:MM:SS format using 24-hour time.

Delimited Output Option (D)

- a. At the “Select an Output Option” prompt, type **D** and press the Enter key.

```
b. Select an Output Option: P// D <Enter> Create Delimited output file (for use in
Excel)

You have selected to create a delimited output file. You can have this
output file created as a text file in the pub directory,
OR you can have the delimited output display on your screen so that
you can do a file capture. Keep in mind that if you choose to
do a screen capture you CANNOT Queue your report to run in the background!!

Select one of the following:

      S          SCREEN - delimited output will display on screen for capture
      F          FILE - delimited output will be written to a file in pub

Select output type: S// F <Enter> FILE - delimited output will be written to a file
in pub
Enter a filename for the delimited output (no more than 40 characters): mytestfile
<Enter>

When the report is finished your delimited output will be found in the
q:\ directory. The filename will be mytestfile.txt

Won't you queue this ? Y// <Enter> YES
Requested Start Time: NOW// 20:00:00 <Enter> (APR 27, 2010@20:00:00)
```

Figure 5-10: Selecting the Delimited Output option (Step a)

- b. At the “Select output type” prompt, do one of the following:
- To display the delimited output on your screen, type **S** (SCREEN) and press the Enter key.
 - To print the delimited output to a text file, type **F** (FILE) and press the Enter key.

At the “Enter a filename for the delimited output” prompt, type the name of the file.

File names cannot exceed 40 characters and are given the extension “.txt” automatically. Most sites are set up to print the file to your network’s Public directory, so you may need to use file transfer protocol (FTP) to move the delimited file from the Public directory to your computer. Ask your site manager for additional information about retrieving files from your local network

If the report will take several hours to run, it is recommended that you print to a file.

- c. At the “Won’t you queue this?” prompt, type **Y** to queue your report to run at another time or **N** to run the report now, and press the Enter key.

If you choose to queue the report, type the time you want it to run at the “Requested Start Time” prompt. Type the time in HH:MM:SS format using 24-hour time.

5.2.3 National GPRA & PART Report Content

The contents of both the National GPRA & PART and GPRA & PART Performance reports are exactly the same and are defined in Table 5-2. Performance measures included in the current GPRA Performance Plan to Congress (e.g., GPRA measures) are in **bold** font. Developmental GPRA measures are shown in *italics*. The PART measure is shown in underlined font.

Table 5-2: Content of the National GPRA & PART and GPRA & PART Performance Reports

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Diabetes Prevalence	User Population, broken down by gender and age groups	1) Diabetes diagnosis ever 2) Diabetes diagnosis during prior year
Diabetes (DM): Glycemic Control	Active Diabetic patients	1) With Hemoglobin A1c, any value 2) With Poor control 3) With Ideal control
DM: Blood Pressure Control	Active Diabetic patients	1) With BP assessed 2) With Controlled BP
DM: LDL Assessment	Active Diabetic patients	1) With LDL done 2) With LDL <= 100.
DM: Nephropathy Assessment	Active Diabetic patients	With estimated GFR AND a quantitative urinary protein or with ESRD
DM: Retinopathy	Active Diabetic patients	With qualified retinal evaluation (no refusals)
Access to Dental Services	User Population, broken down by age groups	With documented dental exam (no refusals)
Dental Sealants	1) No denominator. This measure is a total count only, not a percentage. <i>2) User Population patients ages 6-15</i>	1) Total number of dental sealants provided (no refusals) <i>2) With intact dental sealants</i>
Topical Fluoride	1) No denominator. This measure is a total count only, not a percentage. <i>2) User Population patients ages 2-15</i>	1) Total number of patients with at least one topical fluoride application (no refusals) <i>2) With topical fluoride application</i>

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Adult IZ: Influenza	Active Clinical patients 65 and older	1) With influenza vaccination in past year or contraindication ever (no refusals) A) With contraindication or a documented NMI refusal
Adult IZ: Pneumovax	Active Clinical patients 65 and older	1) With pneumovax or contraindication ever (no refusals) A) With contraindication or a documented not medically indicated (NMI) refusal
H1N1 Status	1) <i>Active Clinical patients broken down by age groups</i> 2) <i>Pregnant Active Clinical patients</i> 3) <i>High-Risk Active Clinical Patients ages 25 - 64</i>	1) 1 dose of H1N1 vaccine during the Report Period (no refusals) 2) 2 doses of H1N1 vaccine during the Report Period (no refusals)
Childhood IZ	1) Active Clinical patients 19 – 35 months 2) Active Immunization Package patients 19 – 35 months	1) With 4:3:1:3:3 combo (i.e. 4 DTaP, 3 Polio, 1 MMR, 3 HiB, 3 Hepatitis B), including NMI refusals, contraindications and evidence of disease 2) With 4:3:1:3:3:1 combo (4:3:1:3:3 with 1 Varicella), including NMI refusals, contraindications and evidence of disease 3) <i>With 4:3:1:3:3:1:4 combo (4:3:1:3:3 with 1 Varicella and 4 Pneumococcal), including NMI refusals, contraindications and evidence of disease</i> 4) With 4 doses of Diphtheria, Tetanus, And Pertussis (DTaP) 5) With 3 doses of Polio 6) With 1 doses of Measles, Mumps. And Rubella (MMR) 7) With 3 doses of Haemophilus influenzae type b (HiB) 8) With 3 doses of Hepatitis B 9) With 1 dose of Varicella 10) With 4 doses of Pneumococcal 11) <i>With 3 doses of Pneumococcal</i>
Cancer Screening: Pap Smear Rates	Female Active Clinical patients ages 21 through 64	With documented Pap smear in past 3 years (no refusals)

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Cancer Screening: Mammogram Rates	Female Active Clinical patients ages 50 through 64 <i>2) Female Active Clinical patients ages 42 and older</i>	With documented mammogram in past 2 years (no refusals)
Colorectal Cancer Screening	Active Clinical patients 51-80 <i>2) Active Clinical patients 50-75, broken down by gender</i>	1) With CRC screening (time period dependent upon type of CRC screening) (no refusals) <i>2) With fecal occult blood test (FOBT) in past year</i>
Comprehensive Cancer Screening	<i>Active Clinical patients 21 - 75</i> <i>A) Active Clinical female patients ages 21 – 75</i> <i>B) Active Clinical male patients ages 50 - 75</i>	<i>1) With comprehensive cancer screening (no refusals)</i> <i>A) Female with all screens</i> <i>B) Male with CRC screen</i>
Tobacco Use and Exposure Assessment	Active Clinical patients ages 5 and older	1) Screened for tobacco use 2) Tobacco users <i>A) Smokers</i> <i>B) Smokeless</i> 3) Exposed to environmental tobacco smoke (ETS)
Tobacco Cessation	Active Clinical patients identified as current tobacco users prior to the report period, broken down by age and gender groups	1) With tobacco cessation counseling or received a prescription for cessation medication (no refusals) 2) Quit tobacco use <i>A) In cessation who quit</i> 3) With tobacco cessation counseling or received a prescription for a smoking cessation aid, or who quit their tobacco use (no refusals)
Alcohol Screening	1) Female Active Clinical patients ages 15 through 44 <i>2) Active Clinical patients ages 12 through 75, broken down by age groups</i>	1) With documented alcohol screening (no refusals) <i>2) With alcohol screening, alcohol-related diagnosis or procedure (no refusals or patient education)</i> <i>3) With alcohol-related patient education</i> <i>4) With positive alcohol screen</i>

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
IPV/DV Screening	Female Active Clinical patients ages 15 through 40	1) With documented IPV/DV screen (no refusals) 2) <i>With documented IPV/DV screen, IPV/DV-related diagnosis, procedure, or counseling (no refusals or patient education)</i> 3) <i>With IPV/DV patient education</i>
Depression Screening	Active Clinical patients ages 18+, broken down by gender	1) With depression screening or diagnosed with mood disorder (no refusals) A) With depression screening B) With mood disorder diagnosis 2) <i>With depression screening or diagnosed with mood disorder or suicide ideation (no refusals)</i>
Obesity Assessment (BMI)	Active Clinical patients ages 2 through 74, broken down by age and gender groups	1) With BMI calculated or refusal A) With BMI and assessed as overweight B) With BMI and assessed as obese C) Total of overweight and obese D) With refusal
Childhood Weight Control	Active Clinical patients ages 2–5 with BMI, broken down by age and gender groups	1) With BMI in the 85th-94th percentile 2) With a BMI at or above the 95th percentile 3) With BMI at or above the 95th percentile
Comprehensive CVD-Related Assessment	1) Active ischemic heart disease (IHD) patients ages 22 and older 2) <i>Active coronary heart disease (CHD) patients 22 and older</i> A) <i>Active coronary heart disease (CHD) patients 22 and older who are not Active Diabetic</i> B) <i>Active coronary heart disease (CHD) patients 22 and older who are Active Diabetic</i>	1) With BP documented in past 2 years 2) With LDL done in 5 years 3) With tobacco screening 4) With BMI calculated (no refusals) 5) With lifestyle education 6) With all above assessments 7) With depression screening 8) <i>With LDL done during the Report Period</i> 9) <i>With depression screening or diagnosed with mood disorder or suicide ideation</i>

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
HIV Screening	<p>1) Pregnant female patients with no documented miscarriage, abortion, or HIV diagnosis</p> <p>2) <i>User Population patients ages 13 through 64 with no recorded diagnosis of HIV ever</i></p> <p>3) <i>No denominator. This measure is a total count only, not a percentage.</i></p>	<p>1) With HIV test in past 20 months (no refusals)</p> <p>2) <i>With HIV test during the Report Period (no refusals)</i></p> <p>3) <i>With HIV screening refusal</i></p> <p>4) <i>Total number of HIV screens for User Population patients with no prior HIV diagnosis</i></p>
<u>Breastfeeding Rates</u>	<p>1) Active Clinical patients who are 45–394 days old</p> <p>2) <u>Active Clinical patients who are 45–394 days old who were screened for infant feeding choice at the age of two months (45–89 days).</u></p> <p>3) Active Clinical patients who are 45–394 days old who were screened for infant feeding choice at the age of six months (165–209 days).</p> <p>4) Active Clinical patients who are 45–394 days old who were screened for infant feeding choice at the age of nine months (255–299 days).</p> <p>5) Active Clinical patients who are 45–394 days old who were screened for infant feeding choice at the age of 1 year (350–394 days).</p>	<p>1) With infant feeding choice (IFC) screening at least once</p> <p>2) With IFC screen at 2months</p> <p>3) With IFC screen at 6 months</p> <p>4) With IFC screen at 9 months</p> <p>5) With IFC screen at 1 yr</p> <p>6) <u>With IFC screen at 2 months and exclusively/mostly breastfed</u></p> <p>7) With IFC screen at 6 months and exclusively/mostly breastfed</p> <p>8) With IFC screen at 9 months and exclusively/mostly breastfed</p> <p>9) With IFC screen at 1 year and exclusively/mostly breastfed</p>
<u>Use of High-Risk Medications in the Elderly</u>	<i>Active Clinical patients ages 65 and older, broken down by gender</i>	<p>1) <i>With at least one high-risk medication for the elderly</i></p> <p>2) <i>With at least two different high-risk medications for the elderly</i></p>

5.3 National GPRA & PART Patient List (LST)

CI10 > RPT > NTL > LST

5.3.1 Overview

Patient Lists are available for performance measures included in the National GPRA & PART Report and the GPRA & PART Performance Report. You may choose whether to display those patients meeting or not meeting a measure; for example, a list of patients with or without mammograms.

For some measures, more options are available. For example, the Diabetes: Glycemic Control topic includes the following patient list performance measure options:

- List of diabetic patients with a documented A1c
- List of diabetic patients without a documented A1c
- List of diabetic patients with poor glycemic control (A1c > 9.5)
- List of diabetic patients with ideal glycemic control (A1c < 7)

The following patient list options are available:

- Random list (10% of the total list)
- List by designated primary care provider
- Entire patient list

5.3.2 Running the National GPRA & PART Patient List

To run the National GPRA & PART Patient List, follow these steps:

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 Main Menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports menu.
3. At the “Select Reports Option” prompt, type **NTL** and press the Enter key to display the National GPRA Reports Menu.
4. At the “Select National GPRA & PART Reports Option” prompt, type **LST** and press the Enter key to display the following information about the National GPRA & PART Patient List:

IHS GPRA & PART Performance Report Patient List
CRS 2010, Version 10.0

This will produce a list of patients who either met or did not meet a National GPRA & PART Report performance measure or a list of both those patients who met and those who did not meet a National GPRA & PART Report performance measure. You will be asked to select one or more performance measure topics and then choose which performance measure numerators you would like to report on.

You will also be asked to provide the community taxonomy to determine which patients will be included, the beneficiary population of the patients, and the Report Period and Baseline Year.
Press enter to continue: <Enter>

Figure 5-11: Running the National GPRA & PART Patient List: patient list description (Step 4)

5. At the prompt to continue, press the Enter key.
6. The system checks the site-populated taxonomies.
 - If the following message is displayed, press the Enter key.

Checking for Taxonomies to support the National GPRA & PART Report...

All taxonomies are present.

End of taxonomy check. PRESS ENTER: <Enter>

- If the following message is displayed, your report results for the measure that uses the taxonomy specified are likely to be inaccurate.

The taxonomies are missing or have no entries

To exit from the report and edit your taxonomies, type a caret (^) at any prompt until you return to the Main menu.

7. The Performance Measure Selection list of available topics is displayed, as in the following example:

PERFORMANCE MEASURE SELECTION Jun 08, 2010 15:27:17 Page: 1 of 2
IHS GPRA & PART Clinical Performance Measures
* indicates the performance measure has been selected

- 1) Diabetes Prevalence
- 2) Diabetes: Glycemic Control
- 3) Diabetes: Blood Pressure Control
- 4) Diabetes: LDL Assessment
- 5) Diabetes: Nephropathy Assessment
- 6) Diabetic Retinopathy
- 7) Access to Dental Service
- 8) Dental Sealants
- 9) Topical Fluoride
- 10) Adult Immunizations: Influenza
- 11) Adult Immunizations: Pneumovax

```

12) H1N1 Immunization Status
13) Childhood Immunizations
14) Cancer Screening: Pap Smear Rates
15) Cancer Screening: Mammogram Rates
16) Colorectal Cancer Screening
+      Enter ?? for more actions
S      Select Measure      D      De Select Measure      Q      Quit
Select Action:+//

```

Figure 5-12: Running the National GPRA & PART Patient Lists: Performance Measure Selection screen (Steps 7 and 8)

8. The action bar appears at the bottom of the screen. At the “Select Action” prompt, do one of the following:

- To view multiple pages:
 - Type a plus sign (+) and press the Enter key to view the next page.
 - Type a minus sign/hyphen (-) and press the Enter key to return to the previous page.
- To select measure topics:
 - a. Type **S** and press the Enter key.
 - b. At the “Which Measure Topic?” prompt, type the number(s) preceding the measure(s) you want and press the Enter key.

To select multiple topics, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of ranges and numbers (e.g., 1–4, 8, 12).

After pressing the Enter key, each measure you selected is marked with an asterisk (*) before its number (Figure 5-13).

- To deselect measure topics:
 - a. At the “Select Action” prompt, type **D** and press the Enter key.
 - b. At the “Which item(s)” prompt, type the number(s) preceding the measure(s) you want to remove.

After pressing the Enter key, each measure you deselected is no longer marked with an asterisk (*) before its number.

- To save your selected topics, type **Q** (Quit) and press the Enter key.

```

PERFORMANCE MEASURE SELECTION Jun 08, 2010 15:31:38          Page: 1 of 2
IHS GPRA & PART Clinical Performance Measures
* indicates the performance measure has been selected

*1) Diabetes Prevalence
2) Diabetes: Glycemic Control
*3) Diabetes: Blood Pressure Control
4) Diabetes: LDL Assessment
5) Diabetes: Nephropathy Assessment
6) Diabetic Retinopathy
7) Access to Dental Services
8) Dental Sealants
9) Topical Fluoride
10) Adult Immunizations: Influenza
11) Adult Immunizations: Pneumovax
12) H1N1 Immunization Status
13) Childhood Immunizations
14) Cancer Screening: Pap Smear Rates
15) Cancer Screening: Mammogram Rates
16) Colorectal Cancer Screening
+      Enter ?? for more actions
S      Select Measure      D      De Select Measure      Q      Quit
Select Action:+//

```

Figure 5-13: Running the National GPRA & PART Patient Lists: selected performance measure topics (Step 8)

9. For each performance measure you selected, the patient lists available for that topic are displayed, as in the following example:

```

Please select one or more of these report choices within the
Diabetes Prevalence performance measure topic.

1) Diabetes DX Ever
Which item(s): (1-1): 1 <Enter>

Please select one or more of these report choices within the
Diabetes: Blood Pressure Control performance measure topic.

1) BP Assessed
2) BP Not Assessed
3) Controlled BP
4) Uncontrolled BP
Which item(s): (1-4): 1,3 <Enter>

```

Figure 5-14: Running the National GPRA & PART Patient Lists: selecting patient lists for each topic (Step 10)

10. At the “Which item(s)” prompt, type the number of the item(s) on which you want to report.

```

Select List Type.
NOTE: If you select All Patients, your list may be
hundreds of pages and take hours to print.

Select one of the following:

R          Random Patient List
P          Patient List by Provider
A          All Patients

Choose report type for the Lists: R// P <Enter> List by Provider
Enter Designated Provider Name: PROVIDER1,FIRST <Enter>

```

Figure 5-15: Running the National GPRA & PART Patient Lists: selecting Patient List by Provider report type (Step 11)

11. At the “Choose report type for the Lists” prompt, type the letter corresponding to the report type you want and press the Enter key, where:

- **R** (Random Patient List) produces a list containing 10% of the entire patient list.
- **P** (By List by Provider) produces a list of patients with a user-specified designated care provider.
- **A** (All Patients) produces a list of all patients.

If you select P (Patient List by Provider), type the name of a provider at the “Enter Designated Provider Name” prompt and press the Enter key.

Note: Printed patient lists are likely to require a great deal of paper, even when you are producing a random list. Ensure that your selected printer has enough paper, particularly if you are running the report overnight.

Print patient lists only when you need them, or print to an electronic file.

12. At the “Enter the date range for your report” prompt, do one of the following:

- To select a predefined date range, type **1**, **2**, **3**, or **4** and press the Enter key.
At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.
- To define a custom report period, type **5** and press the Enter key.
At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.

13. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.
14. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:
 - Press the Enter key to accept the default community taxonomy. (The default community taxonomy can be set in Site Parameters.)
 - Type the name of a community taxonomy and press the Enter key.
 - Type the first few letters of the taxonomy name and press the Enter key to see a list of taxonomies beginning with those letters, or type two question marks (??) and press the Enter key to see the entire list. Then type the number of the taxonomy you want to use and press the Enter key.

```

Select one of the following:

      1      Indian/Alaskan Native (Classification 01)
      2      Not Indian Alaskan/Native (Not Classification 01)
      3      All (both Indian/Alaskan Natives and Non 01)

Select Beneficiary Population to include in this report: 1// <Enter> Indian/Alaskan
Native (Classification 01)

```

Figure 5-16: Running the National GPRA & PART Patient Lists: selecting beneficiary population (Step 15)

15. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include and press the Enter key, where:
 - **1** (Indian/Alaskan Native) reports only on AI/AN patients.
 - **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
 - **3** (All) reports on your entire patient population.
16. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
 - **P** (Print) sends the report file to your printer, your screen, or an electronic file.
 - **D** (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
 - **B** (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2 (Page 111).

Note: Depending on a variety of factors – the number of performance measures selected, the size of your database, your server configuration (RAM, processor speed, etc.) – the report may take 6–8 hours to run. *Always test your first report at night or on the weekend.*

5.3.3 Patient List Content

Table 5-3 lists the following information for the National GPRA & PART and GPRA & PART Performance Reports:

- Performance measure topics
- Associated met/not met measures
- Content of the patient lists

A search template may be created for any of the measures listed in the table using the NST menu option of the National GPRA Reports menu.

Note: Not every performance measure topic will have a Met and Not Met patient list option. For example, for patients assessed as obese, only a patient list containing patients meeting the measure is available. Developmental GPRA measures are shown in *italics*.

Table 5-3: Content of the National GPRA & PART Patient List Report by Performance Measure Topic and Performance Measure

Performance Measure Topic	Performance Measure	Patient List (Time frame for meeting the measure is during the report period, unless defined otherwise.)
Diabetes Prevalence	Diabetes DX Ever	List of patients ever diagnosed with diabetes.
Diabetes: Glycemic Control	Documented A1c	List of diabetic patients with a documented A1c.
	No Documented A1c	List of diabetic patients <i>without</i> a documented A1c.
	Poor Glycemic Control	List of diabetic patients with poor Glycemic control (A1c greater than (>) 9.5).
	Ideal Glycemic Control	List of diabetic patients with ideal Glycemic control (A1c less than (<) 7).
Diabetes: Blood Pressure Control	BP Assessed	List of diabetic patients who had their BP assessed.

Performance Measure Topic	Performance Measure	Patient List (Time frame for meeting the measure is during the report period, unless defined otherwise.)
Diabetes: Blood Pressure Control, <i>continued</i>	BP Not Assessed	List of diabetic patients who <i>did not</i> have their BP assessed.
	Controlled BP	List of diabetic patients with controlled BP, defined as <130/80.
	Uncontrolled BP	List of diabetic patients with uncontrolled BP, defined as >130/80.
Diabetes: LDL Assessment	LDL Assessed	List of diabetic patients with LDL completed, regardless of result.
	LDL Not Assessed	List of diabetic patients <i>without</i> LDL completed.
Diabetes: Nephropathy Assessment	Nephropathy Assessed	List of diabetic patients with nephropathy assessment.
	Nephropathy Not Assessed	List of diabetic patients <i>without</i> nephropathy assessment.
Diabetic Retinopathy	Retinopathy Assessed	List of diabetic patients who received any retinal screening.
	Retinopathy Not Assessed	List of diabetic patients who did not receive any retinal screening.
Access to Dental Services	Documented Dental Visit	List of patients with documented dental visit.
	No Documented Dental Visit	List of patients <i>without</i> documented dental visit.
Dental Sealants	With Dental Sealants	List of patients who received dental sealants during Report period.
	<i>With Intact Dental Sealants</i>	<i>List of User Pop patients 6-15 with intact dental sealant.</i>
	<i>No Intact Dental Sealants</i>	<i>List of User Pop patients 6-15 without intact dental sealant.</i>
Topical Fluoride	With Topical Fluoride Application	List of patients who received at least one topical fluoride application during Report period.
	<i>With Topical Fluoride Application</i>	<i>List of User Pop patients 2-15 with topical fluoride application.</i>
	<i>No Topical Fluoride Application</i>	<i>List of User Pop patients 2-15 without topical fluoride application.</i>
Adult Immunizations: Influenza	Documented Influenza Immunization	List of patients ≥ 65 yrs with influenza vaccination, contraindication, or NMI refusal.
	No Documented Influenza Immunization	List of patients ≥ 65 yrs <i>without</i> influenza vaccination, contraindication, or NMI refusal.

Performance Measure Topic	Performance Measure	Patient List (Time frame for meeting the measure is during the report period, unless defined otherwise.)
Adult Immunizations: Pneumovax	Documented Pneumovax Ever	List of patients =>65 yrs with pneumovax immunization or contraindication.
	No Documented Pneumovax Ever	List of patients =>65 yrs <i>without</i> pneumovax immunization or contraindication.
H1N1 Immunization Status	<i>With at least one dose of H1N1.</i>	<i>List of Active Clinical patients ages 6-59 months with at least one dose of the H1N1 immunization</i>
	<i>Without at least one dose of H1N1</i>	<i>List of Active Clinical patients ages 6-59 months without at least one dose of the H1N1 immunization.</i>
	<i>With at least two doses of H1N1.</i>	<i>List of Active Clinical patients ages 6-59 months with at least two doses of the H1N1 immunization.</i>
	<i>Without at least two doses of H1N1</i>	<i>List of Active Clinical patients ages 6-59 months without at least two doses of the H1N1 immunization.</i>
	<i>With at least one dose of H1N1.</i>	<i>List of Active Clinical patients ages 5-9 years with at least one dose of the H1N1 immunization.</i>
	<i>Without at least one dose of H1N1</i>	<i>List of Active Clinical patients ages 5-9 years without at least one dose of the H1N1 immunization.</i>
	<i>With at least two doses of H1N1.</i>	<i>List of Active Clinical patients ages 5-9 years with at least two doses of the H1N1 immunization.</i>
	<i>Without at least two doses of H1N1</i>	<i>List of Active Clinical patients ages 5-9 years without at least two doses of the H1N1 immunization.</i>
	<i>With at least one dose of H1N1.</i>	<i>List of Active Clinical patients ages 10-18 years with at least one dose of the H1N1 immunization.</i>
	<i>Without at least one dose of H1N1</i>	<i>List of Active Clinical patients ages 10-18 years without at least one dose of the H1N1 immunization.</i>
	<i>With at least one dose of H1N1.</i>	<i>List of Active Clinical patients ages 19-24 years with at least one dose of the H1N1 immunization.</i>
	<i>Without at least one dose of H1N1</i>	<i>List of Active Clinical patients ages 19-24 years without at least one dose of the H1N1 immunization.</i>
<i>With at least one dose of H1N1.</i>	<i>List of Active Clinical patients ages 25-64 years with at least one dose of the H1N1 immunization.</i>	

Performance Measure Topic	Performance Measure	Patient List (Time frame for meeting the measure is during the report period, unless defined otherwise.)
H1N1 Immunization Status, <i>continued</i>	<i>Without at least one dose of H1N1</i>	<i>List of Active Clinical patients ages 25-64 years without at least one dose of the H1N1 immunization.</i>
	<i>With at least one dose of H1N1.</i>	<i>List of Active Clinical patients ages 65+ years with at least one dose of the H1N1 immunization.</i>
	<i>Without at least one dose of H1N1</i>	<i>List of Active Clinical patients ages 65+ years without at least one dose of the H1N1 immunization.</i>
	<i>With at least one dose of H1N1.</i>	<i>List of Active Clinical pregnant patients with no documented miscarriage or abortion with at least one dose of the H1N1 immunization</i>
	<i>Without at least one dose of H1N1</i>	<i>List of Active Clinical pregnant patients with no documented miscarriage or abortion without at least one dose of the H1N1 immunization</i>
	<i>With at least one dose of H1N1.</i>	<i>List of Active Clinical patients ages 25-64 who have a high-risk condition for flu with at least one dose of the H1N1 immunization</i>
	<i>Without at least one dose of H1N1</i>	<i>List of Active Clinical Clinical patients ages 25-64 who have a high-risk condition for flu without at least one dose of the H1N1 immunization</i>
Childhood Immunizations	Active Clinical Patients With 4:3:1:3:3	List of Active Clinical patients 19-35 months who received the 4:3:1:3:3 combination (4 DTaP, 3 OPV/IPV, 1 MMR, 3 HiB, 3 Hep B). NOTE: Because age is calculated at the beginning of the Report Period, the patient's age on the list will be between 7-23 months.
	Active Clinical Patients Without 4:3:1:3:3	List of Active Clinical patients 19-35 months who <i>have not</i> received the 4:3:1:3:3 combination (4 DTaP, 3 OPV/IPV, 1 MMR, 3 HiB, 3 Hep B). If a patient did not have all doses in a multiple dose vaccine, the IZ will not be listed. For example, if a patient only had 2 DTaP, no IZ will be listed for DTaP. NOTE: Because age is calculated

Performance Measure Topic	Performance Measure	Patient List (Time frame for meeting the measure is during the report period, unless defined otherwise.)
Childhood Immunizations, <i>continued</i>		at the beginning of the Report Period, the patient's age on the list will be between 7–23 months.
	Active Immunization Package Patients With 4:3:1:3:3	List of Active Immunization Package patients 19–35 months who received the 4:3:1:3:3 combination (4 DTaP, 3 Polio, 1 MMR, 3 HiB, 3 Hep B). NOTE: Because age is calculated at the beginning of the Report Period, the patient's age on the list will be between 7–23 months.
	Active Immunization Package Patients Without 4:3:1:3:3	List of patients Active Immunization Package patients 19–35 months who <i>have not</i> received the 4:3:1:3:3 combination (4 DTaP, 3 Polio, 1 MMR, 3 HiB, 3 Hep B). If a patient did not have all doses in a multiple dose vaccine, the IZ will not be listed. For example, if a patient only had 2 DTaP, no IZ will be listed for DTaP. NOTE: Because age is calculated at the beginning of the Report Period, the patient's age on the list will be between 7-23 months.
	Active Immunization Package Patients with 4:3:1:3:3:1	List of Active Immunization Package patients 19–35 months who received the 4:3:1:3:3:1 combination (4 DTaP, 3 Polio, 1 MMR, 3 HiB, 3 Hep B, and 1 Varicella). NOTE: Because age is calculated at the beginning of the Report Period, the patient's age on the list will be between 7–23 months.
	Active Immunization Package Patients without 4:3:1:3:3:1	List of patients Active Immunization Package patients 19–35 months who <i>have not</i> received the 4:3:1:3:3:1 combination (4 DTaP, 3 Polio, 1 MMR, 3 HiB, 3 Hep B, and 1 Varicella). If a patient did not have all doses in a multiple dose vaccine, the IZ will not be listed. For example, if a patient only had 2

Performance Measure Topic	Performance Measure	Patient List (Time frame for meeting the measure is during the report period, unless defined otherwise.)
Childhood Immunizations, <i>continued</i>	Active Immunization Package Patients without 4:3:1:3:3:1, <i>continued</i>	DTaP, no IZ will be listed for DTaP. NOTE: Because age is calculated at the beginning of the Report Period, the patient's age on the list will be between 7–23 months.
	<i>Active Immunization Package Patients with 4:3:1:3:3:1:4</i>	<i>List of Active Immunization Package patients 19–35 months who received the 4:3:1:3:3:1:4 combination (4 DTaP, 3 Polio, 1 MMR, 3 HiB, 3 Hep B, 1 Varicella, and 4 Pneumococcal).</i> <i>NOTE: Because age is calculated at the beginning of the Report Period, the patient's age on the list will be between 7–23 months.</i>
	<i>Active Immunization Package Patients without 4:3:1:3:3:1:4</i>	<i>List of patients Active Immunization Package patients 19–35 months who have not received the 4:3:1:3:3:1:4 combination (4 DTaP, 3 Polio, 1 MMR, 3 HiB, 3 Hep B, 1 Varicella and 4 Pneumococcal). If a patient did not have all doses in a multiple dose vaccine, the IZ will not be listed. For example, if a patient only had 2 DTaP, no IZ will be listed for DTaP.</i> <i>NOTE: Because age is calculated at the beginning of the Report Period, the patient's age on the list will be between 7–23 months.</i>
	Patients in Active Clinical denominator who are not in Active Immunization Package Patients denominator	List of patients 19–35 months who are in Active Clinical denominator but who are not in Active Immunization Package Patients denominator, with IZ, if any.
Cancer Screening: Pap Smear Rates	Documented Pap Smear	List of female patients with a Pap smear documented in the past 3 years.
	No Documented Pap Smear	List of female patients <i>without</i> a Pap smear documented in the past three years.
Cancer Screening: Mammogram Rates	Documented Mammogram	List of female patients with a Mammogram documented in the past two.

Performance Measure Topic	Performance Measure	Patient List (Time frame for meeting the measure is during the report period, unless defined otherwise.)
Cancer Screening: Mammogram Rates, <i>continued</i>	No Documented Mammogram	List of female patients <i>without</i> a Mammogram documented in the past two years.
	<i>Documented Mammogram</i>	List of female patients 42 and older with a Mammogram documented in the past 2 years.
	<i>No Documented Mammogram</i>	List of female patients 42 and older without a Mammogram documented in the past 2 years.
Colorectal Cancer Screening	Documented CRC Screening	List of patients 51–80 with CRC screening.
	No Documented CRC Screening	List of patients 51–80 <i>without</i> CRC screening.
Colorectal Cancer Screening (Revised Logic #1-HEDIS)	<i>CRC Screening (HEDIS)</i>	List of patients 50-75 with CRC screening (HEDIS definition).
	<i>No CRC Screening (HEDIS)</i>	List of patients 50-75 without CRC screening (HEDIS definition).
Colorectal Cancer Screening (Revised Logic #2-USPSTF)	<i>CRC Screening (USPSTF)</i>	List of patients 50-75 with CRC screening (USPSTF definition).
	<i>No CRC Screening (USPSTF)</i>	List of patients 50-75 without CRC screening (USPSTF definition).
Comprehensive Cancer Screening	<i>With Comprehensive Cancer Screening</i>	List of patients 21-75 with comprehensive cancer screening.
	<i>Without Comprehensive Cancer Screening</i>	List of patients 21-75 without comprehensive cancer screening.
Tobacco Use and Exposure Assessment	Documented Tobacco Screening	List of patients with documented tobacco screening.
	No Documented Tobacco Screening	List of patients <i>without</i> documented tobacco screening.
	Documented Tobacco Screening and Assessed as Tobacco User	List of patients identified as current tobacco users, both smokers and smokeless users.
Tobacco Cessation	Tobacco Users w/cessation intervention	List of tobacco users with documented tobacco cessation intervention.
	Tobacco Users w/o documented cessation intervention	List of tobacco users <i>without</i> documented tobacco cessation intervention.
	Tobacco Users who quit tobacco use	List of tobacco users who quit tobacco use.
	Tobacco Users w/cessation intervention or quit tobacco use	List of tobacco users with documented tobacco cessation intervention or who quit tobacco use.

Performance Measure Topic	Performance Measure	Patient List (Time frame for meeting the measure is during the report period, unless defined otherwise.)
Tobacco Cessation, <i>continued</i>	Tobacco Users without cessation intervention and did not quit tobacco use	List of tobacco users <i>without</i> documented tobacco cessation intervention and did not quit tobacco use.
Tobacco Cessation (Developmental Logic)	<i>Tobacco Users w/cessation intervention</i>	<i>List of tobacco users with documented tobacco cessation intervention.</i>
	<i>Tobacco Users w/o documented cessation intervention</i>	<i>List of tobacco users without documented tobacco cessation intervention.</i>
	<i>Tobacco Users who quit tobacco use</i>	<i>List of tobacco users who quit tobacco use.</i>
	<i>Tobacco Users who did not quit tobacco use</i>	<i>List of tobacco users who did not quit tobacco use.</i>
	<i>Tobacco Users w/cessation intervention or quit tobacco use</i>	<i>List of tobacco users with documented tobacco cessation intervention or who quit their tobacco use.</i>
	<i>Tobacco Users without cessation intervention and did not quit tobacco use</i>	<i>List of tobacco users without documented tobacco cessation intervention and did not quit their tobacco use.</i>
Alcohol Screening (FAS Prevention)	Documented Alcohol Screening	List of female Active Clinical patients 15-44 with documented screening.
	No Documented Alcohol Screening	List of female Active Clinical patients 15-44 <i>without</i> documented screening.
Alcohol Screening	<i>Documented Alcohol Screening (FAS Prevention)</i>	<i>List of female Active Clinical patients 15-44 with documented screening.</i>
	<i>Without Documented Alcohol Screening (FAS Prevention)</i>	<i>List of female Active Clinical patients 15-44 without documented screening.</i>
	<i>With Positive Alcohol Screen (FAS Prevention)</i>	<i>List of female Active Clinical patients 15-44 with a positive alcohol screen.</i>
	<i>With Negative Alcohol Screen (FAS Prevention)</i>	<i>List of female Active Clinical patients 15-44 with a negative alcohol screen.</i>
	<i>Documented Alcohol Screening</i>	<i>List of Active Clinical patients 12-75 with documented alcohol screening.</i>
	<i>Without Documented Alcohol Screening</i>	<i>List of Active Clinical patients 12-75 without documented alcohol screening.</i>

Performance Measure Topic	Performance Measure	Patient List (Time frame for meeting the measure is during the report period, unless defined otherwise.)
Alcohol Screening, continued	<i>With Positive Alcohol Screen</i>	<i>List of Active Clinical patients 12-75 with a positive alcohol screen.</i>
	<i>With Negative Alcohol Screen</i>	<i>List of Active Clinical patients 12-75 with a negative alcohol screen.</i>
Intimate Partner (Domestic) Violence Screening	Documented IPV/DV Screening	List of female patients 15-40 with documented IPV/DV screening.
	No Documented IPV/DV Screening	List of female patients 15-40 without documented IPV/DV screening.
	<i>Documented IPV/DV Screening</i>	<i>List of female patients 15-40 with documented IPV/DV screening.</i>
	<i>No Documented IPV/DV Screening</i>	<i>List of female patients 15-40 without documented IPV/DV screening.</i>
Depression Screening	Documented Depression Screening (=>18 AC)	List of Active Clinical patients =>18 screened for depression /diagnosed with mood disorder.
	No Documented Depression Screening (=>18 AC)	List of Active Clinical patients =>18 not screened for depression/diagnosed with mood disorder.
	<i>With Documented Depression Screen (=>18)</i>	<i>List of Active Clinical patients =>18 screened for depression/diagnosed with mood disorder or suicide ideation.</i>
	<i>Without Documented Depression Screen (=>18)</i>	<i>List of Active Clinical patients =>18 not screened for depression/diagnosed with mood disorder or suicide ideation.</i>
	<i>With Documented Depression Screen 12-18)</i>	<i>List of Active Clinical patients 12-18 screened for depression/diagnosed with mood disorder or suicide ideation.</i>
	<i>Without Documented Depression Screen 12-18)</i>	<i>List of Active Clinical patients 12-18 not screened for depression/diagnosed with mood disorder or suicide ideation.</i>
Obesity Assessment	Documented Obesity Screening	List of patients with calculated BMI.
	No Documented Obesity Screening	List of patients for whom BMI could not be calculated.
	Assessed as Obese	List of patients assessed as obese using BMI and standard tables.
Childhood Weight Control	List of patients ages 2-5 with BMI =>95%	List of patients ages 2-5 with BMI at or above the 95th percentile.

Performance Measure Topic	Performance Measure	Patient List (Time frame for meeting the measure is during the report period, unless defined otherwise.)
Comprehensive CVD-Related Assessment	Active IHD Pts 22+ With Comprehensive CVD Assessment	List of Active IHD patients 22+ with a comprehensive CVD assessment.
	Active IHD Pts 22+ Without Comprehensive CVD Assessments	List of Active IHD patients 22+ <i>without</i> a comprehensive CVD assessment.
	<i>Active CHD Pts 22+ With Comprehensive CVD Assessment</i>	<i>List of Active CHD patients 22+ with a comprehensive CVD assessment.</i>
	<i>Active CHD Pts 22+ Without Comprehensive CVD Assessments</i>	<i>List of Active CHD patients 22+ without a comprehensive CVD assessment.</i>
HIV Screening	Documented HIV Test for Pregnant Patients	List of pregnant patients with documented HIV test in past 20 months.
	No Documented HIV Test for Pregnant Patients	List of pregnant patients <i>without</i> documented HIV test in past 20 months.
	<i>With HIV Screening (13-64)</i>	<i>List of User Population patients 13-64 with documented HIV test.</i>
	<i>Without HIV Screening (13-64)</i>	<i>List of User Population patients 13-64 without documented HIV test.</i>
	<i>With HIV Test for User Population</i>	<i>List of User Population patients with documented HIV test.</i>
Breastfeeding Rates	Patients 45–394 Days with Infant Feeding Choice Screening	List of Active Clinical patients 45–394 days who were screened for Infant Feeding Choice at least once.
	Patients 45–394 Days without Infant Feeding Choice Screening	List of Active Clinical patients 45–394 days who were <i>not</i> screened for Infant Feeding Choice at least once.
	At 2 Months of Age, Were Exclusively or Mostly Breastfed	List of Active Clinical patients screened at the age of two months (45–89 days) and were either exclusively or mostly breastfed.
	At 2 Months of Age, Were Not Exclusively or Mostly Breastfed	List of Active Clinical patients screened at the age of two months (45–89 days) old and were <i>not</i> exclusively or mostly breastfed.
Use of High-Risk Medications in the Elderly	<i>With At Least One High-Risk Medication</i>	<i>List of Active Clinical patients 65 and older with at least one high-risk medication for the elderly.</i>
	<i>Without At Least One High-Risk Medication</i>	<i>List of Active Clinical patients 65 and older without at least one high-risk medication for the elderly.</i>

5.4 National GPRA & PART Clinical Performance Summaries Report (SUM)

CI10 > RPT > NTL >SUM

5.4.1 Overview

The Clinical Performance Summary is split into three sections: (1) Selected Non-GPRA Measures, (2) GPRA Developmental and PART Measures, and (3) Official GPRA Measures.

Note: You will not be able to export this data to the Area Office. Use the GP menu option to export your data to the Area Office.

To run the National GPRA & PART Clinical Performance Summaries Report, follow these steps:

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 Main Menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **NTL** and press the Enter key to display the National GPRA Reports menu.
4. At the “Select National GPRA & PART Reports Option” prompt, type **SUM** and press the Enter key to display the following information about the National GPRA & PART Clinical Performance Summaries Report.

IHS 2010 National GPRA & PART Report Clinical Performance Summaries

This will produce ONLY the clinical performance summaries for the National GPRA & PART Report for the 2010 GPRA year. If you want the detailed information included in the report, including performance measure definitions and number of patients in each denominator and numerator you need to run the GP menu option.

You will be asked to provide the community taxonomy to determine which patients will be included. This report will be run for the Report Period July 1, 2009 through June 30, 2010 with a Baseline Year of July 1, 1999 through June 30, 2000. This report will include beneficiary population of American Indian/Alaska Native only.

You will NOT be able to export this data to the Area Office; use the GP menu option to export your data to the Area Office.

Press enter to continue: <Enter>

Figure 5-17: Running the National GPRA & PART Clinical Performance Summaries Report: report description (Step 4)

5. Press the Enter key to continue.
6. The system checks to see if all taxonomies required for this report are present and have members associated to them. At the prompt, press the Enter key to continue.

```
Checking for Taxonomies to support the National GPRA & PART Report...
All taxonomies are present.
End of taxonomy check. PRESS ENTER: <Enter>
```

Figure 5-18: Running the National GPRA & PART Clinical Performance Summaries Report: checking taxonomies (Step 6)

7. The date ranges for this report are hard-coded. The system displays the dates, as in the following example:

```
The date ranges for this report are:
Report Period:      Jul 01, 2009 to Jun 30, 2010
Previous Year Period: Jul 01, 2008 to Jun 30, 2009
Baseline Period:   Jul 01, 1999 to Jun 30, 2000
```

Figure 5-19: Running the National GPRA & PART Clinical Performance Summaries Report: displaying date ranges (Step 7)

8. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:
 - Press the Enter key to accept the default community taxonomy. (The default community taxonomy can be set in Site Parameters.)
 - Type the name of a community taxonomy and press the Enter key.
 - Type the first few letters of the taxonomy name and press the Enter key to see a selection of taxonomies beginning with those letters, or type two question marks (??) and press the Enter key to see the entire list. Then type the number of the taxonomy you want to include and press the Enter key.
9. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
 - **P** (Print) sends the report file to your printer, your screen, or an electronic file.
 - **D** (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
 - **B** (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2 (Page 111).

The National GPRA & PART Clinical Performance Summaries Report includes all of the clinical performance summaries contained in the GP National GPRA & PART Report.

NOTE: The BG10 file will *not* be created when a user runs this report.

5.5 National GPRA & PART Report by Designated Provider (DPRV)

CI10 > RPT > NTL > DPRV

5.5.1 Overview

This report will produce a National GPRA & PART Report for a selected designated primary care provider. This report will only include patients assigned to the selected provider but the patients must still meet the definitions of the denominators used in the report.

Note: You will not be able to export this data to the Area Office; use the GP menu option to export your data to the Area Office.

To run the National GPRA & PART Report by Designated Provider, follow these steps:

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 Main Menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **NTL** and press the Enter key to display the National GPRA Reports menu.
4. At the “Select National GPRA Reports Option” prompt, type **DPRV** and press the Enter key to display the following information about the National GPRA & PART Report by Designated Provider.

```

IHS 2010 National GPRA & PART Report by Designated Provider

This will produce a National GPRA & PART Report for a selected designated
primary care provider. Your facility must be using the designated
primary care provider functionality that assigns a panel of patients to a
primary care provider; otherwise, you will not be able to run this
report. The report will include only the patients assigned to the
selected provider but the patients must still meet the definitions of the
denominators used in the report.

This report will be run for the Report Period of July 1, 2009 through
June 30, 2010 with a Baseline Year of July 1, 1999 through June 30,
2000.

You will NOT be able to export this data to the Area Office; use the GP
menu option to export your data to the Area Office.

Press enter to continue: <Enter>

```

Figure 5-20: Running the National GPRA & PART Report by Designated Provider: report description (Step 4)

5. Press the Enter key to continue.
6. The system checks to see if all taxonomies required for this report are present and have members associated to them.

```

Checking for Taxonomies to support the National GPRA & PART Report...

All taxonomies are present.

End of taxonomy check. PRESS ENTER: <Enter>

Which Designated Provider: PROVIDER, DEMO <Enter>

```

Figure 5-21: Running the National GPRA & PART Clinical Performance Summaries Report: checking taxonomies (Step 6)

7. At the “End of taxonomy check” prompt, press the Enter key to continue.
8. At the “Which Designated Provider” prompt, do one of the following:
 - Type the name of the designated primary care provider you want to report on and press the Enter key.
 - Type the first few letters of a provider’s name and press the Enter key to see a selection of available providers beginning with those letters, or type two question marks (??) and press the Enter key to see the entire list. Then type the number of the provider you want to report on and press the Enter key.

The hard-coded date ranges for this report are displayed, as in the following example:

The date ranges for this report are:	
Report Period:	Jul 01, 2009 to Jun 30, 2010
Previous Year Period:	Jul 01, 2008 to Jun 30, 2009
Baseline Period:	Jul 01, 1999 to Jun 30, 2000

Figure 5-22: Running the National GPRA & PART Clinical Performance Summaries Report: displaying date ranges (Step 8)

9. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:
 - Press the Enter key to accept the default community taxonomy. (The default community taxonomy can be set in Site Parameters.)
 - Type the name of a community taxonomy and press the Enter key.
 - Type the first few letters of the taxonomy name and press the Enter key to see a selection of taxonomies beginning with those letters, or type two question marks (??) and press the Enter key to see the entire list. Then type the number of the taxonomy you want to include and press the Enter key.
10. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
 - **P** (Print) sends the report file to your printer, your screen, or an electronic file.
 - **D** (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
 - **B** (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2 (Page 111).

The National GPRA & PART Report by Designated Provider includes the same content as the National GPRA & PART Report content except that the rates are based on the designated primary care provider only.

<p>NOTE: The BG10 file will <i>not</i> be created when a user runs this report.</p>
--

5.6 National GPRA & PART Height and Weight Local Data File

CI10 > RPT > NTL > HW

5.6.1 Overview

This will produce a file for your local facility's use containing all active clinical patients 0–65 years of age who are included in the National GPRA & PART Report. The file includes visit data containing height and/or weight measurements taken during the period from July 1, 2009 through June 30, 2010.

To run the National GPRA & PART Height and Weight Local Data File, follow these steps:

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 Main Menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS 2010 Reports Menu.
3. At the “Select Reports Option” prompt, type **NTL** and press the Enter key to display the National GPRA Reports menu.
4. At the “Select National GPRA Reports Option” prompt, type **HW** and press the Enter key to display the following information about the National GPRA & PART Height and Weight Local Data File:

```

IHS 2010 National GPRA & PART Height and Weight Local Data File

This will produce a file for your local facility's use for all active
clinical patients 0-65 years of age who are included in the National GPRA
& PART Report that includes visit data containing height and/or weight
measurements taken during the period July 1, 2009 through June 30, 2010.
This file can be very large as it contains 1 record for each height and
weight taken for the patients in the active clinical population.
If you do not plan on using this data for a study some kind, do not run
this report.

You will be asked to provide the community taxonomy to determine which
patients will be included. This file will be run for the Report Period
July 1, 2009 through June 30, 2010 with a Baseline Year of July 1, 1999
through June 30, 2000. This file will include a beneficiary population of
American Indian/Alaska Native only.

You will also choose whether to create one or multiple files for the
data. If you are planning to review this data using Microsoft Excel
please keep in mind that Excel can only handle 65,536 records per file.
Enter RETURN to continue or '^' to exit: <Enter>

If you expect that your site has more than 65,536 records you will need to
create multiple files in order to use this data in Excel.

You will NOT be able to export this data to the Area Office. Rather, the
height and weight data is exported automatically when you run the
National GPRA Report and choose to export it to your Area Office IF the
CRS site parameter for exporting this data to the Area Office is set to
"yes."

Press enter to continue: <Enter>

```

Figure 5-23: Running the National GPRA & PART Height and Weight Local Data File: report information (Step 4)

5. At the prompt, press the Enter key to continue. The system checks to see if all taxonomies required for this report are present and have members associated to them.

```

Checking for Taxonomies to support the National GPRA & PART Report...

All taxonomies are present.

End of taxonomy check. PRESS ENTER: <Enter>

```

Figure 5-24: Running the National GPRA & PART Height and Weight Local Data File: checking taxonomies (Step 5)

6. At the “End of taxonomy check” prompt, press the Enter key to display the hard-coded date ranges and population included in this report, as in the following example:

```
The date ranges for this report are:
  Report Period:      Jul 01, 2009 to Jun 30, 2010
  Previous Year Period: Jul 01, 2008 to Jun 30, 2009
  Baseline Period:   Jul 01, 1999 to Jun 30, 2000
```

```
The beneficiary population for this report is AI/AN only.
```

Figure 5-25: Running the National GPRA & PART Height and Weight Local Data File: displaying date ranges (Step 6)

```
Enter the Name of the Community Taxonomy: DEMO GPRA COMMUNITIES// <Enter> DEMO GPRA
COMMUNITIES
```

Figure 5-26: Running the National GPRA & PART Height and Weight Local Data File: selecting community taxonomy (Step 7)

7. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:
 - Press the Enter key to accept the default community taxonomy. (The default community taxonomy can be set in Site Parameters.)
 - Type the name of a community taxonomy and press the Enter key.
 - Type the first few letters of the taxonomy name and press the Enter key to see a selection of taxonomies beginning with those letters, or type two question marks (??) and press the Enter key to see the entire list. Then type the number of the taxonomy you want to include and press the Enter key.

```
A Height/Weight Export file will be created. You can choose
to create one file of data or multiple files of data. If you are
planning to review this data using Microsoft Excel please keep in
mind that Excel can only handle 65,536 records per file. If you
expect that your site has more than 65,536 records you will need
to create multiple files in order to use this data in Excel. If
you choose to create one file it will be called:
```

```
CRSHW505901200907012010063020100528171108_001_of_001.TXT
and will reside in the Q:\ directory.
```

```
If you have multiple files generated they will all have the
same name with the last 10 characters of the filename being
the number of files (e.g. 001_of_003).
```

```
Select one of the following:
```

```
  O          ONE File of data
  M          MULTIPLE Files of data
```

```
Do you want to create one file or multiple files: M// MULTIPLE <Enter>
```

Figure 5-27: Running the National GPRA & PART Height and Weight Local Data File: selecting single or multiple files (Step 8)

8. At the “Do you want to create one file or multiple files” prompt, type **O** (to create a single data file) or **M** (to create multiple data files) and press the Enter key.

If you select **M** and the number of records is less than or equal to 65,536, all records will be written to a single file. Otherwise, the appropriate number of files will be created so that each file contains a maximum of 65,536 records, including the file header.

9. A summary of the National GPRA & PART Height and Weight Local Data File is displayed, as in the following example:

SUMMARY OF NATIONAL GPRA & PART HEIGHT AND WEIGHT
LOCAL DATA FILE TO BE GENERATED

The date ranges for this report are:

Report Period:	Jul 01, 2009 to Jun 30, 2010
Previous Year Period:	Jul 01, 2008 to Jun 30, 2009
Baseline Period:	Jul 01, 1999 to Jun 30, 2000

The COMMUNITY Taxonomy to be used is: DEMO GPRA COMMUNITIES

The height and weight data file will be named:
CRSHW505901200907012010063020100608172258_001_of_001.TXT
and will reside in the Q:\ directory.
Since you opted to create multiple files, if additional files are generated they will all have the same name as the one listed above with the last 10 characters of the filename being the number of files (e.g. 001_of_003).

Figure 5-28: Summary of National GPRA & PART Height and Weight Local Data File (Step 9)

10. Select the output device and type the name of the file that will be created as a cover page for the data file. The cover page shows the parameters used to create the data file(s) and the name(s) of the file(s) created.

The National GPRA & PART Height and Weight Local Data Files (e.g. file names beginning with CRSHW) include data for all active clinical patients ages 0–18 who have both a height and weight value documented on a visit and for all active clinical patients ages 19–65 who have a height and/or a weight value documented on a visit. Visits must occur on or after the File Begin Date and on or before the File End Date. Therefore, if a patient has five visits at which a BMI was taken during this time period, all five visits will be included in this file. Age is calculated as of the visit date.

NOTE: The BG10 file will *not* be created when a user creates this data file.

5.7 Search Template for National Patient List (NST)

CI10 > RPT > NTL > NST

5.7.1 Overview

A search template may be created from a National GPRA & PART Patient List for patients meeting or not meeting a performance measure included in the National GPRA & PART Report. You can select the performance measure, such as Pap smear in the past three years, and then choose the list you want; for example, patients without a Pap smear. You select the community taxonomy to determine which patients will be included and choose the report period.

The following patient list options are available:

- A random list (10% of the total list)
- A list by designated primary care provider
- The entire patient list

When the Search Template for National Patient List option is run, the National GPRA & PART Report for the selected performance measure is included, but the patient list is not.

5.7.2 Creating a Search Template for a National Patient List

To create a search template for a national patient list, follow these steps:

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 main menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS 2010 Reports Menu.
3. At the “Select Reports Option” prompt, type **NTL** and press the Enter key to display the National GPRA Reports menu.
4. At the “Select National GPRA & PART Reports Option” prompt, type **NST** and press the Enter key to display the following information about the search template:

```

IHS GPRA & PART Performance Patient Search Template Creation
CRS 2010, Version 10.0

This will produce a search template of patients who either met or did not meet
a National GPRA & PART Report performance measure. You will be asked to select
one performance measure topic and then to choose which performance
measure numerators you would like to create a search template for.
For example, you can create a search template of all patients who
did not meet the measure for having a Pap Smear in the past 3 years.

You will also be asked to provide the community taxonomy to determine
which patients will be included, the beneficiary population of the
patients, and the Report Period and Baseline Year.

Press enter to continue: <Enter>

```

Figure 5-29: Creating a Search Template for a National Patient List: report description (Step 4)

5. At the prompt to continue, press the Enter key.
6. The system checks the site-populated taxonomies.
 - If the following message is displayed, press the Enter key.

```

Checking for Taxonomies to support the National GPRA & PART Report...
All taxonomies are present.
End of taxonomy check. PRESS ENTER: <Enter>

```

Figure 5-30: Creating a Search Template for a National Patient List: checking taxonomies (Step 6)

- If the following message is displayed, your report results for the measure that uses the specified taxonomy are likely to be inaccurate.

```

The taxonomies are missing or have no entries

```

Figure 5-31: Creating a Search Template for a National Patient List: checking taxonomies (Step 6)

To exit from the report and edit your taxonomies, type a caret (^) at any prompt until you return to the main menu.

7. The Performance Measure Selection list of available topics is displayed, as in the following example:

```

PERFORMANCE MEASURE SELECTION Jun 09, 2010 09:33:40      Page: 1 of 2
IHS GPRA & PART Clinical Performance Measures
* indicates the performance measure has been selected

1) Diabetes Prevalence
2) Diabetes: Glycemic Control
3) Diabetes: Blood Pressure Control
4) Diabetes: LDL Assessment
5) Diabetes: Nephropathy Assessment
6) Diabetic Retinopathy
7) Access to Dental Services
8) Dental Sealants
9) Topical Fluoride
10) Adult Immunizations: Influenza
11) Adult Immunizations: Pneumovax
12) H1N1 Immunization Status
13) Childhood Immunizations
14) Cancer Screening: Pap Smear Rates
15) Cancer Screening: Mammogram Rates
16) Colorectal Cancer Screening
+      Enter ?? for more actions
S      Select Measure      D      De Select Measure      Q      Quit
Select Action:+//

```

Figure 5-32: Creating a Search Template for a National Patient List: Performance Measure Selection screen (Steps 7 and 8)

8. The action bar is displayed at the bottom of the screen. At the “Select Action” prompt, do one of the following:
- To view multiple pages:
 - Type a plus sign (+) and press the Enter key to view the next page.
 - Type a minus sign/hyphen (-) and press the Enter key to return to the previous page.
 - To select a specific performance measure topic:
 - a. Type **S** and press the Enter key.
 - b. At the “Select Only One Measure” prompt, type the number corresponding to the performance measure topic you want and press the Enter key.

Note: Only one topic may be selected when creating a search template.

The measure you selected is marked with an asterisk (*) before its number, as in the following example:

```

PERFORMANCE MEASURE SELECTION Jun 09, 2010 09:35:41      Page: 1 of 2
IHS GPRA & PART Clinical Performance Measures
* indicates the performance measure has been selected

1) Diabetes Prevalence
2) Diabetes: Glycemic Control
*3) Diabetes: Blood Pressure Control
4) Diabetes: LDL Assessment
5) Diabetes: Nephropathy Assessment
6) Diabetic Retinopathy
7) Access to Dental Services
8) Dental Sealants
9) Topical Fluoride
10) Adult Immunizations: Influenza
11) Adult Immunizations: Pneumovax
12) H1N1 Immunization Status
13) Childhood Immunizations
14) Cancer Screening: Pap Smear Rates
15) Cancer Screening: Mammogram Rates
16) Colorectal Cancer Screening
+      Enter ?? for more actions
S      Select Measure      D      De Select Measure      Q      Quit
Select Action:+//

```

Figure 5-33: Creating a Search Template for a National Patient List: selected performance measure topic (Step 8)

9. To save your selected topic, type **Q** and press the Enter key.

The patient lists available for the performance measure topic you selected are displayed, as in the following example:

```

Please select one or more of these report choices within the
Diabetes: Blood Pressure Control performance measure topic.

1) BP Assessed
2) BP Not Assessed
3) Controlled BP
4) Uncontrolled BP
Which item(s): (1-4): 3 <Enter>

```

Figure 5-34: Creating a Search Template for a National Patient List: selecting patient lists (Step 10)

10. At the “Which item(s)” prompt; type the number(s) of the item(s) on which you want to report.
11. At the “Patient Search Template” prompt, do one of the following:
 - Type the name of the search template to which you want to save the patient list and press the Enter key.

- Type the first few letters of a search template name and press the Enter key to see a list of templates beginning with those letters, or type two question marks (??) and press the Enter key to see the entire list. Then type the name of the template you want to use and press the Enter key.

If a search template with the name you type does not currently exist, you are asked to confirm that you want to add it as a new search template. Type **Y** to add the new template, or type **N** to return to the “Patient Search Template” prompt to type another template name.

If a search template with the name you typed already exists, you are asked if you want to overwrite an existing search template (Figure 5-35). Type **Y** to overwrite the existing template, or type **N** to return to the “Patient Search Template” prompt to type another template name.

```

Enter a search template name for the following list of patients:
List of diabetic patients with controlled BP, defined as <130/80.
Patient Search Template: DEMO_DM_CONTROLLED_BP
Are you adding 'DEMO_DM_CONTROLLED_BP' as
a new SORT TEMPLATE? No// Y (Yes)
An unduplicated PATIENT list resulting from this report
will be stored in theDEMO_DM_CONTROLLED_BP Search Template.

```

Figure 5-35: Creating a Search Template for a National Patient List: specifying patient search template name (Steps 11 and 12)

12. Repeat Step 11 to provide a search template name for each selected patient list.

```

Select List Type.

Select one of the following:

R      Random Patient List
P      Patient List by Provider
A      All Patients

Choose report type for the Lists: R// <Enter> Random Patient List

```

Figure 5-36: Creating a Search Template for a National Patient List: selecting the list report type (Step 13)

13. At the “Choose report type for the Lists” prompt, type the letter corresponding to the report type you want and press the Enter key, where:

- **R** (Random Patient List) produces a list containing 10% of the entire patient list.
- **P** (Patient List by Provider) produces a list of patients with a user-specified designated care provider.
- **A** (All Patients) produces a list of all patients.

If you select P (Patient List by Provider), type the name of a provider at the “Enter Designated Provider Name” prompt and press the Enter key.

Note: Printed patient lists are likely to require a great deal of paper, even when you are producing a Random list. Ensure that your selected printer has enough paper, particularly if you are running the report overnight.

Print patient lists only when you need them, or print to an electronic file.

```
Select one of the following:

1      January 1 - December 31
2      April 1 - March 31
3      July 1 - June 30
4      October 1 - September 30
5      User-Defined Report Period

Enter the date range for your report:
```

Figure 5-37 Creating a Search Template for a National Patient List: selecting report date range (Step 14)

14. At the “Enter the date range for your report” prompt, do one of the following:

- To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.
At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.
- To define a custom report period, type **5** and press the Enter key.
At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.

15. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.

16. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:

- Press the Enter key to accept the default community taxonomy. (The default community taxonomy can be set in Site Parameters.)
- Type the name of a community taxonomy and press the Enter key.

- Type the first few letters of the taxonomy name and press the Enter key to see a selection of taxonomies beginning with those letters, or type two question marks (??) and press the Enter key to see the entire list. Then type the number of the taxonomy and press the Enter key.

```
Select one of the following:

1      Indian/Alaskan Native (Classification 01)
2      Not Indian Alaskan/Native (Not Classification 01)
3      All (both Indian/Alaskan Natives and Non 01)

Select Beneficiary Population to include in this report: 1// <Enter> Indian/Alaskan
Native (Classification 01)
```

Figure 5-38: Creating a Search Template for a National Patient List: selecting beneficiary population (Step 17)

17. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include and press the Enter key, where:
 - **1** (Indian/Alaskan Native) reports only on AI/AN patients.
 - **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
 - **3** (All) reports on your entire patient population.
18. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
 - **P** (Print) sends the report file to your printer, your screen, or an electronic file.
 - **D** (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
 - **B** (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2 (Page 111).

Note: The output contains only the National GPRA & PART Report for the selected performance measure topic and will not include the list(s) of patients. The list(s) of patients will be stored in the search template(s) you created.

5.7.3 Search Template Content

The content of the National Search Template is the same as the content for the National GPRA & PART Patient List, except that it is saved to a search template.

5.8 GPRA & PART Forecast Patient List (FOR)

CI10 > RPT > NTL > FOR

5.8.1 Overview

The GPRA & PART Forecast Patient List is linked to the Scheduling package and produces a list of patients with or without scheduled appointments that identifies all of the GPRA and PART measures each patient has not yet met.

The list may be run using several different options:

- By specified clinic and appointment date range
- For a selected patient and appointment date range
- All appointments for an entire facility or division to all clinics or specified clinics
- Any selected set of patients regardless of appointment status

This can be used to create a list of all GPRA and PART screenings and/or tests that a patient is due for at his or her next visit.

The denominator logic for this list is different than the denominator logic used in the National GPRA & PART Report. The definitions are different because, although a patient may not meet the GPRA or PART definition of “Active Clinical” or “Active Diabetic” at a particular appointment, the patient may meet one of those definitions later in the GPRA year. Thus, it was necessary to develop a separate set of denominator definitions for this patient list. The numerator logic, however, is the same. You can use the GPRA & PART Forecast Denominator Definitions (FORD) menu option to print these definitions.

This report is based on the CRS clinical logic and, consequently, may produce different results from the current clinical reminders available in the EHR package.

5.8.2 Running the GPRA & PART Forecast Patient List

To run the GPRA & PART Forecast Patient List, follow these steps:

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 main menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS 2010 Reports Menu.
3. At the “Select Reports Option” prompt, type **NTL** and press the Enter key to display the National GPRA Reports menu.
4. At the “Select National GPRA & PART Reports Option” prompt, type **FOR** and press the Enter key to display the following information about the GPRA & PART Forecast Patient List:

This patient list is linked to the Scheduling Menu and enables users to run a list of patients that are scheduled for appointments during a user-defined time period to list of clinics at the facility defined by the user and shows the GPRA & PART measures the patient will not meet as of the date of the appointment. The list uses revised CRS logic for the GPRA & PART measures, which is defined in the report, and also includes information for the provider on how to fulfill the GPRA & PART measures.
PRESS ENTER: **<Enter>**

Figure 5-39: Running the GPRA & PART Forecast Patient List: patient list description (Step 4)

5. At the prompt, press the Enter key.

Select one of the following:

C	By CLINIC NAME for a specified appointment date range
P	Selected Patients w/Appointments
D	One Facility's or Divisions Appointments
A	Any selected set of patients regardless of appt status

Create List/Sort by: C// **C <Enter>**

Figure 5-40: Running the GPRA & PART Forecast Patient List: selecting report criteria (Step 6)

6. At the “Create List/Sort by” prompt, type the letter corresponding to the report selection criterion want to use and press the Enter key, where:
- **C** (By clinic name) creates a list for all clinics or for one or more selected clinics at a facility sorted by a specified appointment date range (default).
 - **P** (Selected patients) creates a list for one selected patient’s appointments.
 - **D** (One facility’s or division’s appointments) creates a list for all of a facility's or division’s appointments.
 - **A** (Any selected set of patients) creates a list for any selected set of patients, regardless of whether they had a scheduled appointment status. This option should be used for walk-in patients.

Detailed instructions for each of the report selection criteria are found below.

C (By Clinic Name)

- a. At the “Create List/Sort by” prompt, type **C** and press the Enter key, as shown in the following example:

```

Create List/Sort by: C// C By CLINIC NAME for a specified appointment date range

Select one of the following:

    A          ANY Clinic
    S          One or more selected Clinics

Include patients with Appointments to: A// S <Enter> One or more selected Clinics

Select CLINIC: 01 GENERAL <Enter>

Select CLINIC: <Enter>

Enter Beginning Appointment Date: 5/1/10 <Enter> (MAY 01, 2010)
Enter Ending Appointment Date: 5/2/10 <Enter> (MAY 02, 2010)

```

Figure 5-41: Running the GPRA & PART Forecast Patient List: patient list by clinic (Steps a through d)

- b. At the “Include patients with Appointments to” prompt, do one of the following:
- To include patients with appointments to all clinics, type **A** and press the Enter key.
 - To include patients with appointments to one or more selected clinics, type **S** and press the Enter key, and then follow these steps:
 - i. At the “Select CLINIC” prompt, do one of the following:
 - Type the name of a clinic and press the Enter key for each clinic you want to include.

- Type the first few letters of a clinic name and press the Enter key to see a selection of clinics beginning with those letters, or type two question marks (??) and press the Enter key to see the entire list. Then type the number of the clinic and press the Enter key.
- ii. When you've selected all the clinics you want to include, press the Enter key without typing a clinic name.
 - c. At the "Enter Beginning Appointment Date" prompt, type the beginning date of the period you want to create the list for and press the Enter key.
 - d. At the "Enter Ending Appointment Date" prompt, type the ending date of the period you want to create the list for and press the Enter key.

Note: You should only enter an appointment date range for a short duration, such as a day but no more than a week. For larger facilities, an appointment date range of one day should be used, since there could be thousands of appointments scheduled during the week and the report would be very large.

- e. Instructions for the "Device" prompt are found in Step 7 below.

P (Selected Patients)

- a. At the "Create List/Sort by" prompt, type **P** and press the Enter key.

```

Create List/Sort by: C// P Selected Patients w/Appointments
Select PATIENT NAME: PATIENT <Enter>
  1  PATIENT,CRJF                M 05-14-1980                WW 900259
  2  PATIENT,CRS                 F 01-01-1985 XXX-XX-4444    WW 23456
  3  PATIENT,CRSA                F 06-01-1970                WW 900000
  4  PATIENT,CRSAA               F 02-01-1956                WW 900027
  5  PATIENT,CRSAB               M 03-01-1957                WW 900028
ENTER '^' TO STOP, OR
CHOOSE 1-5: 1 <Enter>
  PATIENT,CRJF                M 05-14-1980                WW 900259

Enter Beginning Appointment Date: 5/1/10 <Enter> (MAY 01, 2010)
Enter Ending Appointment Date: 5/2/10 <Enter> (MAY 2, 2010)

```

Figure 5-42: Running the GPRA & PART Forecast Patient List: patient list by patient (Steps a through d)

- b. At the "Select PATIENT NAME" prompt, do one of the following:
 - Type the name of a patient and press the Enter key.
 - Type the first few letters of a patient name and press the Enter key to see a selection of patients beginning with those letters, or type two question marks (??) and press the Enter key to see the entire list. Then type the number of the patient and press the Enter key.

- c. At the “Enter Beginning Appointment Date” prompt, type the beginning date of the period you want to create the list for and press the Enter key.
- d. At the “Enter Ending Appointment Date” prompt, type the ending date of the period you want to create the list for and press the Enter key.
- e. Instructions for the “Device” prompt are found in Step 7 below.

D (One Facility’s or Division’s Appointments)

- a. At the “Create List/Sort by” prompt, type **D** and press the Enter key.

```

Create List/Sort by: C// D One Facility's or Divisions Appointments
Select MEDICAL CENTER DIVISION NAME: DEMO INDIAN HOSPITAL      2582

    Select one of the following:

        A          ANY Clinic
        S          One or more selected Clinics

Include patients with Appointments to: A// S <Enter> One or more selected Clinics

Select CLINIC: 01 GENERAL <Enter>

Select CLINIC: <Enter>

Enter Beginning Appointment Date: 5/1/10 <Enter> (MAY 01, 2010)
Enter Ending Appointment Date: 5/2/10 <Enter> (MAY 02, 2010)

```

Figure 5-43: Running the GPRA & PART Forecast Patient List by facility or division (Steps a through e)

- b. At the “Select MEDICAL CENTER DIVISION NAME” prompt, do one of the following:
 - Type the name of a facility or division and press the Enter key.
 - Type the first few letters of a facility or division name and press the Enter key to see a selection beginning with those letters, or type two question marks (??) and press the Enter key to see the entire list. Then type the number of the facility or division and press the Enter key.
- c. At the “Include patients with Appointments to” prompt, do one of the following:
 - To include patients with appointments to all clinics, type **A** and press the Enter key.
 - To include patients with appointments to one or more selected clinics, follow these steps:
 - i. Type **S** and press the Enter key.
 - ii. At the “Select CLINIC” prompt, do one of the following:
 - Type the name of a clinic and press the Enter key for each clinic that you want to include.

- Type the first few letters of a clinic name and press the Enter key to see a selection of clinics beginning with those letters, or type two question marks (??) and press the Enter key to see the entire list. Then type the number of the clinic and press the Enter key.
- iii. When you have selected all the clinics that you want to include, press the Enter key without typing a clinic name.
 - d. At the “Enter Beginning Appointment Date” prompt, type the beginning date of the period you want to create the list for and press the Enter key.
 - e. At the “Enter Ending Appointment Date” prompt, type the ending date of the period you want to create the list for and press the Enter key.

Note: You should only enter an appointment date range for a short duration, such as a day but no more than a week. For larger facilities, an appointment date range of one day should be used, since there could be thousands of appointments scheduled during the week and the report would be very large.

- f. Instructions for the “Device” prompt are found in Step 7 below.

A (Any Selected Set of Patients)

- a. At the “Create List/Sort by” prompt, type **A** and press the Enter key.

```
Create List/Sort by: C// A <Enter> Any selected set of patients regardless of appt
status
Select patient(s): PATIENT <Enter>
 1 PATIENT,CRJF M 05-14-1980 WW 900259
 2 PATIENT,CRS F 01-01-1985 XXX-XX-4444 WW 23456
 3 PATIENT,CRSA F 06-01-1970 WW 900000
 4 PATIENT,CRSAA F 02-01-1956 WW 900027
 5 PATIENT,CRSAB M 03-01-1957 WW 900028
ENTER '^' TO STOP, OR
CHOOSE 1-5: 1 <Enter>
PATIENT,CRJF M 05-14-1980 WW 900259
Select patient(s): <Enter>
```

Figure 5-44: Running the GPRA & PART Forecast Patient List by patient name (Steps a and b)

- b. At the “Select patient(s)” prompt, do one of the following:
 - To select individual patients, do one of the following:
 - Type the name of each patient and press the Enter key for each patient.
 - Type the first few letters of a patient name and press the Enter key to see a selection of patients beginning with those letters. Then type the number of a patient and press the Enter key.

When you have selected all the patients you want to include, press the Enter key without typing a patient name or number.

- To run the list for patients included in a search template, do one of the following:
 - Type a left bracket ([) followed by the name of the search template and press the Enter key.
 - Type a left bracket ([) followed by one or more letters in the search template name and press the Enter key to see a list of search templates beginning with those letters. Then type the number of a search template and press the Enter key.

In Figure 5-45, all search templates containing “D” in the name are displayed and the third template named DEMO_VISITS_MALE_21-55 was selected. It contains 32 patients; therefore, the patient list will be run only for those 32 patients included in the search template.

c. Instructions for the “Device” prompt are found in Step 7 below.

```

Create List/Sort by: C// Any selected set of patients regardless of appt status
Select patient(s): [D
  1  DEMO_2003VISITS_MALE_21-55
      (Jun 01, 2010)      User #6213 File #9000001
  2  DEMO_MALE_VISITS_21-55
      (Jun 09, 2010)      User #6213 File #9000001
  3  DEMO_VISITS_MALE_21-55
      (May 22, 2010)      User #6213 File #9000001  INQ
  4  DM_Alc_Test060110    (Jun 01, 2010)      User #6213 File #9000001
CHOOSE 1-4: 3 DEMO_VISITS_MALE_21-55
      (May 22, 2010)      User #6213 File #9000001  INQ

32 entries added.
Select patient(s):

```

Figure 5-45: Running the GPRA & PART Forecast Patient List by search template (Step b)

7. At the “Device” prompt, type a printer name or a file name.

Note: This report is *only* available in the printed format.

- To print to the screen, press the Enter key to accept the default prompt, “Home” (which may vary at different sites)

To print a report to the screen without multiple “Enter Return to continue” prompts, type **0;P-OTHER80** at the “Home” prompt, as shown below.

Depending on the software you are using to access RPMS, turn on your logging or screen capture program *before* printing to the screen.

```

Select an Output Option: P// <Enter> Print Report on Printer or Screen
DEVICE: HOME// 0;P-OTHER80 <Enter> VT Right Margin: 80// <Enter>

```

- To print to a file, type **Host** or **HFS** at the “Home” prompt, then specify the file location and name at the “Host File Name” prompt, as in the following example:

```
Select an Output Option: P// <Enter> Print Report on Printer or Screen
DEVICE: HOME// HFS <Enter> HFS
HOST FILE NAME: C:\TMP\TMP.HFS// C:\lb_test.doc <Enter>
```

5.9 GPRA & PART Forecast Denominator Definitions (FORD)

```
CI10 > RPT > NTL > FORD
```

5.9.1 Overview

This option is used to print the denominator definitions used in the GPRA & PART Forecast Patient List (FOR).

5.9.2 Running the GPRA & PART Forecast Denominator Definitions

To print the GPRA & PART Forecast Denominator Definitions, follow these steps:

- At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 Main Menu.
- At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS 2010 Reports Menu.
- At the “Select Reports Option” prompt, type **NTL** and press the Enter key to display the National GPRA Reports menu.
- At the “Select National GPRA & PART Reports Option” prompt, type **FORD** and press the Enter key.
- At the “Device” prompt, type a printer name or a file name.

Note: This report is *only* available in printed format.

- To print to the screen, press the Enter key to accept the default prompt, “Home” (which may vary at different sites)

To print a report to your screen without multiple “Enter Return to continue” prompts, type **0;P-OTHER80** at the “Home” prompt, as shown below.

Depending on the software you are using to access RPMS, turn on your logging or screen capture program *before* printing to the screen.

```
Select an Output Option: P// <Enter> Print Report on Printer or Screen
DEVICE: HOME// 0;P-OTHER80 VT Right Margin: 80//
```

- To print to a file, type **Host** or **HFS** at the “Home” prompt, then specify the file location and name at the “Host File Name” prompt, as in the following example:

```
Select an Output Option: P// <Enter> Print Report on Printer or Screen
DEVICE: HOME// HFS <Enter> HFS
HOST FILE NAME: C:\TMP\TMP.HFS// C:\lb_test.doc <Enter>
```

5.10 Comprehensive National GPRA & PART Patient List (CMP)

```
CI10 > RPT > NTL > CMP
```

5.10.1 Overview

This option produces a patient list that displays all of the patients included in the National GPRA & PART Report and all of the performance measures reported to Congress and OMB that each patient did not meet. This report option also displays the name and discipline of the provider the patient last saw and the date of the visit with the provider. For a list of the performance measures included in this report, see Section 5.10.3, “Patient List Content.”

The following Patient List options are available:

- A random list (10% of the total list)
- A list by designated primary care provider
- The entire patient list of patients and the measure(s) they did not meet

5.10.2 Running the Comprehensive National GPRA & PART Patient List

To print the Comprehensive National GPRA & PART Patient List, follow these steps:

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 Main Menu.

2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS 2010 Reports Menu.
3. At the “Select Reports Option” prompt, type **NTL** and press the Enter key to display the National GPRA Reports menu.
4. At the “Select National GPRA & PART Reports Option” prompt, type **CMP** and press the Enter key to display the following information about the Comprehensive National GPRA & PART Patient List:

```

Comprehensive National GPRA & PART Patient List
CRS 2010, Version 10.0
This report will enable users to run a patient list that shows all of the
National GPRA & PART Report performance measures in which
a patient was included but did not meet. Performance measures
not relevant to a patient will not be listed. For example, if a male
patient who is 30 years old, he would not be listed as having not met
the Child Immunizations or Pap Smear measures.

The list will include the National GPRA & PART Report logic and performance
measure rates for Report Period, Previous Year, and Baseline Year for all
the measures, followed by a list of patients that shows which
measures each patient did not meet.

You will be asked to provide the community taxonomy to determine
which patients will be included, the beneficiary population of the patients,
and the Report Period and Baseline Year.

Press ENTER to Continue: <Enter>

```

Figure 5-46: Running the Comprehensive National GPRA & PART Patient List: report information display (Step 4)

5. At the prompt, press the Enter key.

A message is displayed warning about the number of pages the report could potentially include and recommending that you select the delimited output option.
6. Type **Y** and press the Enter key to continue, or type a caret (^) to return to the previous menu.
7. The system checks the site-populated taxonomies.
 - If the following message is displayed, press the Enter key.

```

Checking for Taxonomies to support the National GPRA & PART Report...
All taxonomies are present.
End of taxonomy check. PRESS ENTER: <Enter>

```

Figure 5-47: Running the Comprehensive National GPRA & PART Patient List: checking taxonomies (Step 7)

- If the following message is displayed, your report results for the measure that uses the specified taxonomy are likely to be inaccurate.

```
The taxonomies are missing or have no entries
```

Figure 5-48: Running the Comprehensive National GPRA & PART Patient List: checking taxonomies (Step 7)

To exit from the report and edit your taxonomies, type a caret (^) at any prompt until you return to the main menu.

```
Select List Type.
NOTE: If you select All Patients, your list may be
hundreds of pages and take hours to print.

Select one of the following:

R      Random Patient List
P      Patient List by Provider
A      All Patients

Choose report type for the Lists: R// A <Enter> All Patients
```

Figure 5-49: Running the Comprehensive National GPRA & PART Patient List: selecting list for all patients (Step 8)

- At the “Choose report type for the Lists” prompt, type the letter corresponding to the report type you want and press the Enter key, where:
 - **R** (Random Patient List) produces a list containing 10% of the entire patient list.
 - **P** (Patient List by Provider) produces a list of patients with a user-specified designated care provider.
 - **A** (All Patients) produces a list of all patients.

If you select P (Patient List by Provider), type the name of a provider at the “Enter Designated Provider Name” prompt and press the Enter key.

Note: Printed patient lists are likely to require a great deal of paper, even when you are producing a random list. Ensure that your selected printer has enough paper, particularly if you are running the report overnight.

Print patient lists only when you need them, or print to an electronic file.

9. The system displays the date range options for the patient list, as in the following example:

```
Select one of the following:

1      January 1 - December 31
2      April 1 - March 31
3      July 1 - June 30
4      October 1 - September 30
5      User-Defined Report Period

Enter the date range for your report: 1 <Enter> January 1 - December 31
```

Figure 5-50: Running the Comprehensive National GPRA & PART Patient List: selecting report date range (Step 10)

10. At the “Enter the date range for your report” prompt, do one of the following:
- To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.
At the “Enter Year” prompt, type the four-digit calendar year of the report end date (for example, 2010) and press the Enter key.
 - To define a custom report period, type **5** and press the Enter key.
At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.
11. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.
12. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:
- Press the Enter key to accept the default community taxonomy. (The default community taxonomy can be set in Site Parameters.)
 - Type the name of a community taxonomy and press the Enter key.
Type the first few letters of the taxonomy name and press the Enter key to see a selection of taxonomies beginning with those letters, or type two question marks (??) to see the entire list. Type the number of a taxonomy and press the Enter key.

```

Select one of the following:

    1      Indian/Alaskan Native (Classification 01)
    2      Not Indian Alaskan/Native (Not Classification 01)
    3      All (both Indian/Alaskan Natives and Non 01)

Select Beneficiary Population to include in this report: 1// <Enter>
Indian/Alaska Native (Classification 01)

```

Figure 5-51: Running the Comprehensive National GPRA & PART Patient List: selecting beneficiary population (Step 13)

13. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include and press the Enter key, where:
 - **1** (Indian/Alaskan Native) reports only on AI/AN patients.
 - **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
 - **3** (All) reports on your entire patient population.
14. A summary of the Comprehensive National GPRA & PART Patient List Report is displayed.
15. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
 - **P** (Print) sends the report file to your printer, your screen, or an electronic file.
 - **D** (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
 - **B** (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2 (Page 111).

Note: Depending on a variety of factors—the number of performance measures selected, the size of your database, your server configuration (RAM, processor speed, etc.)—the report may take 6–8 hours to run. *Always test your first report at night or on the weekend.*

5.10.3 Patient List Content

The following table shows the National GPRA & PART Report performance measures that are included in the GPRA Performance Plan to Congress (e.g., GPRA measures) that are applicable to each patient and will be included in this report.

Performance measures that are counts and not rates, such as Dental Sealants, are not included in this report. In addition, measures that report on patients with documented health issues, such as Poor Glycemic Control, are also not included in this report.

Table 5-4: Content of the Comprehensive National GPRA & PART Patient List Report by Performance Measure Topic

Performance Measure Topic	Performance Measure	Abbreviation for Patient List, “Measures Not Met” Column
Diabetes (DM): Glycemic Control	Ideal Glycemic Control	DM Ideal Control
DM: Blood Pressure Control	Controlled BP	DM Contr BP
DM: LDL Assessment	LDL Assessed	DM LDL Doc
DM: Nephropathy Assessment	Nephropathy Assessed	DM Nephropathy
DM: Retinopathy	Retinopathy Assessed	DM Retinopathy
Access to Dental Services	Documented Dental Visit	Dental Visit
Adult Immunizations: Influenza	Documented Influenza Immunization	AC 65+ Influenza IZ
Adult Immunizations: Pneumovax	Documented Pneumovax Ever	AC 65+ Pneumovax IZ
Childhood Immunizations	Active Immunization Package Patients With All Documented Childhood Immunizations IMM Pkg w/4:3:1:3:3 IMM Pkg w/4:3:1:3:3:1	IMM Pkg Child IZ
Cancer Screening: Pap Smear Rates	Documented Pap Smear	AC Pap Smear
Cancer Screening: Mammogram Rates	Documented Mammogram	AC Mammogram
Colorectal Cancer Screening	Documented CRC Screening	AC CRC Scrn
Tobacco Cessation	Documented Tobacco Cessation Intervention	AC Tobacco Cess
Alcohol Screening (FAS Prevention)	Documented Alcohol Screening	AC Alcohol Scrn
Intimate Partner (Domestic) Violence Screening	Documented IPV/DV Screening	AC IPV/DV Scrn

Performance Measure Topic	Performance Measure	Abbreviation for Patient List, “Measures Not Met” Column
Depression Screening	Documented Depression Screening	AC Depr Scrn
Comprehensive CVD-Related Assessment	Comprehensive CVD-Related Assessment	Active IHD Comp CVD
Prenatal HIV Testing	Documented HIV Test	AC Prenatal HIV Test
Breastfeeding Rates	Documented Infant Feeding Choice Screening	AC Feed Choice Scrn

5.11 Selected Measures Reports for Local Facility Use (LOC)

CI10 > RPT > LOC

5.11.1 Overview

The following reports are intended for local use by a facility for specific public health and/or performance improvement initiatives. Each report allows the user to select one or more performance measure topics and different populations. All Selected Measures reports include the option to run patient lists.

- Selected Measures with Community Specified (COM)** includes *all* denominators and numerators for performance measure topic(s) selected by the user. The report displays *both* Active Clinical and GPRA User Population denominators, in addition to any other measure-specific denominators; for example, Active Adult Diabetic patients. For any selected topic, this report displays *all* numerators, including any breakdowns by gender and age where defined.

This report uses a community taxonomy to define the population. If this report is used to review and improve local data for national GPRA reporting, the site’s “official” GPRA Community taxonomy should be used. Other community taxonomies can also be specified for other local uses, such as comparing one community to another.

This report also provides an option for selecting different patient-type populations: AI/AN, non-AI/AN, or both. For comparison to national reporting, only the AI/AN population can be selected.

- Selected Measures with Patient Panel Population (PP)** includes *all* numerators, including any breakdowns by gender and age where defined, for performance measure topic(s) selected by the user. The report displays *only* one denominator, the number of patients in the user-defined patient panel.

The population for this report is defined by a user-specified list (panel) of patients and includes only those communities of which the patients are residents. For detailed instructions see Section 11.0, “Appendix C: Creating a Patient Panel with Q-Man.”

Selected Measures with All Communities (ALL) includes *all* denominators and numerators for performance measure topic(s) selected by the user. The report displays both Active Clinical and GPRA User Population denominators, in addition to any other measure-specific denominators; for example, Active Adult Diabetic patients. For any selected topic, this report displays *all* numerators, including any breakdowns by gender and age where defined.

The population for this report is *any* patient in the database, regardless of the community of residence. This report also provides an option for selecting different patient-type populations: AI/AN, non-AI/AN, or both.

5.11.2 Running the Selected Measures Reports with Patient Lists

To run the Selected Measures Reports with Patient Lists, follow these steps:

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 main menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **LOC** and press the Enter key to display the Reports for Local Use, IHS Clinical Measures menu, as in the following example:

```

*****
**                IHS/RPMS CRS 2010                **
**  Reports for Local Use: IHS Clinical Measures  **
*****
                        Version 10.0

                        DEMO INDIAN HOSPITAL

COM   Selected Measures w/Community Specified
PP    Selected Measures w/Patient Panel Population
ALL   Selected Measures w/All Communities
CMS   CMS Performance Report

Select Reports for Local Use: IHS Clinical Measures Option:

```

Figure 5-52: CRS Reports for Local Use: IHS Clinical Measures menu options

The following reports are the CRS reports for local use:

- **COM—Selected Measures w/Community Specified** reports only on patients residing in a community of residence that is included in the Community Taxonomy selected by the user.
- **PP—Selected Measures w/Patient Panel Population** reports only on patients included in a patient panel selected by the user. For detailed instructions see Section 11.0, “Appendix C: Creating a Patient Panel with Q-Man.”
- **ALL—Selected Measures w/All Communities** reports on all patients in the site’s RPMS database, regardless of community of residence.
- **CMS—CMS Performance Report** is used by IHS hospitals for reporting on CMS hospital quality measures. The report includes all patients in the local RPMS database who meet the criteria for the report.

Note: To stop at any time during the report setup, type a caret (^) at any prompt until you return to your desired location.

5.11.2.1 Running the Selected Measures Community Specified Report (COM)

CI10 > RPT > LOC > COM

To run the Selected Measures Community Specified Report, follow these steps:

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 main menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **LOC** and press the Enter key to display the Reports for Local Use, IHS Clinical Measures menu, as in the following example:

```

*****
**                               IHS/RPMS CRS 2010                               **
**   Reports for Local Use: IHS Clinical Measures   **
*****
                               Version 10.0

                               DEMO INDIAN HOSPITAL

COM   Selected Measures w/Community Specified
PP    Selected Measures w/Patient Panel Population
ALL   Selected Measures w/All Communities
CMS   CMS Performance Report

Select Reports for Local Use: IHS Clinical Measures Option: COM <Enter>
Selected Measures with Community Specified

```

Figure 5-53: CRS Reports for Local Use menu: selecting the Selected Measures with Community Specified option (COM) (Step 4)

4. At the “Select Reports for Local Use: IHS Clinical Measures Option” prompt, type **COM** and press the Enter key to display information about the report option and a list of the available report types.

```
IHS 2010 CRS - Clinical Performance Measure Report (Selected Measures)
This will produce a Performance Measure Report for one or more measures for a
year period you specify. You will be asked to provide: 1) the
reporting period, 2) the baseline period to compare data to, and 3) the
Community taxonomy to determine which patients will be included.

Select one of the following:

DM          Diabetes-Related Measures
CVD         Cardiovascular Disease Prevention for At-Risk Patients
WH          Women's Health-Related Measures
SEL         Selected Performance Measures (User Defined)

Which set of Performance measures should be included in this report: SEL <Enter>
Selected Performance Measures (User Defined)
```

Figure 5-54: Running the Selected Measures with Community Specified: report: report information display (Step 4)

You can select from three predefined reports that contain topics specific to diabetes (DM), cardiovascular disease (CVD), or women’s health (WH), or you may choose your own topics (SEL) for the report.

5. At the “Which set of Performance measures should be included in this report” prompt, do one of the following:
 - To run one of the predefined reports, type **DM**, **CVD**, or **WH** and press the Enter key, then go to Step 5 for the taxonomy check.
 - To include user-defined performance measures in this report, type **SEL** and press the Enter key, then continue with Step 3.
6. The Performance Measure Selection screens are displayed, as in the following examples:

```
PERFORMANCE MEASURE SELECTION Jun 10, 2010 11:01:09          Page: 1 of 4
IHS Clinical Performance Measures
* indicates the performance measure has been selected

1) Diabetes Prevalence
2) Diabetes Comprehensive Care
3) Diabetes: Glycemic Control
4) Diabetes: Blood Pressure Control
5) Diabetes: LDL Assessment
6) Diabetes: Nephropathy Assessment
7) Diabetic Retinopathy
```

```

8) Diabetes: Access to Dental Services
9) Access to Dental Service
10) Dental Sealants
11) Topical Fluoride
12) Adult Immunizations: Influenza
13) Adult Immunizations: Pneumovax
14) H1N1 Immunization Status
15) Childhood Immunizations
16) Adolescent Immunizations
+      Enter ?? for more actions
S      Select Measure      D      De Select Measure      Q      Quit
Select Action:+//

```

Figure 5-55: Running the Selected Measures Reports: Performance Measure Selection screen, Page 1 of 4 (Step 6)

```

PERFORMANCE MEASURE SELECTION Jun 10, 2010 11:03:23      Page: 2 of 4
IHS Clinical Performance Measures
* indicates the performance measure has been selected
+
17) Appropriate Treatment for Children with Upper Respiratory Infection
18) Appropriate Testing for Children with Pharyngitis
19) Cancer Screening: Pap Smear Rates
20) Cancer Screening: Mammogram Rates
21) Colorectal Cancer Screening
22) Comprehensive Cancer Screening
23) Tobacco Use and Exposure Assessment
24) Tobacco Cessation
25) Alcohol Screening (FAS Prevention)
26) Alcohol Screening and Brief Intervention (ASBI) in the ER
27) Intimate Partner (Domestic) Violence Screening
28) Depression Screening
29) Antidepressant Medication Management
30) Obesity Assessment
31) Childhood Weight Control
32) Nutrition and Exercise Education for At Risk Patients
+      Enter ?? for more actions
S      Select Measure      D      De Select Measure      Q      Quit
Select Action:+//

```

Figure 5-56: Running the Selected Measures Reports: Performance Measure Selection screen, Page 2 of 4 (Step 6)

```

PERFORMANCE MEASURE SELECTION Jun 10, 2010 11:04:32      Page: 3 of 4
IHS Clinical Performance Measures
* indicates the performance measure has been selected
+
33) Cardiovascular Disease and Cholesterol Screening
34) Cardiovascular Disease and Blood Pressure Control
35) Controlling High Blood Pressure
36) Comprehensive CVD-Related Assessment
37) Appropriate Medication Therapy after a Heart Attack
38) Persistence of Appropriate Medication Therapy after a Heart Attack
39) Appropriate Medication Therapy in High Risk Patients
40) Stroke and Stroke Rehabilitation: Anticoagulant Therapy Prescribed for Atria
41) Cholesterol Management for Patients with Cardiovascular Conditions
42) Heart Failure and Evaluation of LVS Function
43) HIV Screening
44) HIV Quality of Care
45) Chlamydia Testing
46) Sexually Transmitted Infection (STI) Screening

```

```

47) Osteoporosis Management
48) Osteoporosis Screening in Women
+      Enter ?? for more actions
S      Select Measure      D      De Select Measure      Q      Quit
Select Action:+//

```

Figure 5-57: Running the Selected Measures Reports: Performance Measure Selection screen, Page 3 of 4 (Step 6)

```

PERFORMANCE MEASURE SELECTION Jun 10, 2010 11:05:33      Page:  4 of  4
IHS Clinical Performance Measures
* indicates the performance measure has been selected
+
49) Rheumatoid Arthritis Medication Monitoring
50) Osteoarthritis Medication Monitoring
51) Asthma
52) Asthma Quality of Care
53) Asthma and Inhaled Steroid Use
54) Community-Acquired Pneumonia (CAP): Assessment of Oxygen Saturation
55) Chronic Kidney Disease Assessment
56) Prediabetes/Metabolic Syndrome
57) Medications Education
58) Public Health Nursing
59) Breastfeeding Rates
60) Use of High-Risk Medications in the Elderly
61) Functional Status Assessment in Elders
62) Fall Risk Assessment in Elders
63) Palliative Care
      Enter ?? for more actions
S      Select Measure      D      De Select Measure      Q      Quit
Select Action:+//

```

Figure 5-58: Running the Selected Measures Reports: Performance Measure Selection screen, Page 4 of 4 (Step 6)

7. The action bar is displayed at the bottom of the screen. At the “Select Action” prompt, do one of the following:

- To view multiple pages:
 - Type a plus sign (+) and press the Enter key to view the next page.
 - Type a minus sign/hyphen (-) and press the Enter key to return to the previous page.
- To select performance measure topics:
 - a. Type **S** and press the Enter key.
 - b. At the “Which item(s)” prompt, type the number(s) preceding the measure(s) you want.

To select multiple measures, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of numbers and ranges (e.g., 1–4, 8, 12).

After pressing the Enter key, each selected performance measure is marked with an asterisk (*) before its number (Figure 5-59).

- To save your selected topics, type **Q** (Quit) and press the Enter key.

```

PERFORMANCE MEASURE SELECTION Jun 10, 2010 11:08:01           Page: 1 of 4
IHS Clinical Performance Measures
* indicates the performance measure has been selected

1) Diabetes Prevalence
*2) Diabetes Comprehensive Care
3) Diabetes: Glycemic Control
4) Diabetes: Blood Pressure Control
5) Diabetes: LDL Assessment
*6) Diabetes: Nephropathy Assessment
7) Diabetic Retinopathy
8) Diabetes: Access to Dental Services
9) Access to Dental Service
10) Dental Sealants
11) Topical Fluoride
12) Adult Immunizations: Influenza
13) Adult Immunizations: Pneumovax
14) H1N1 Immunization Status
*15) Childhood Immunizations
16) Adolescent Immunizations
+      Enter ?? for more actions
S      Select Measure      D      De Select Measure      Q      Quit
Select Action:+//  Q <Enter> Quit

```

Figure 5-59: Running the Selected Measures Reports: showing selected performance measure topics (Step 7)

- The system checks the taxonomies required to run the report. At the prompt, press the Enter key to continue.

```

Select one of the following:

1      January 1 - December 31
2      April 1 - March 31
3      July 1 - June 30
4      October 1 - September 30
5      User-Defined Report Period

Enter the date range for your report: 3 July 1 - June 30

Enter the Calendar Year for the report END date. Use a 4 digit
year, e.g. 2010
Enter Year: 2010 <Enter> 2010

```

Figure 5-60: Running the Selected Measures Reports: selecting report date range (Step 9)

- At the “Enter the date range for your report” prompt, do one of the following:
 - To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.

At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.

- To define a custom report period, type **5** and press the Enter key.

At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.

All reports review and calculate data for at least a one-year time period by searching patient records for data matching the numerator criteria for the entire current report period selected.

If you pick a report period end date that is later than the date you are running the report, a warning message is displayed. At the “Do you want to change your Current Report Dates?” prompt, do one of the following:

- To continue with the report, press the Enter key to accept the default answer “No.”
 - To change your report date range, type **Y** and press the Enter key.
10. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.

The date ranges you selected for the report, including Report Period, Previous Year Period, and Baseline Period are displayed, as in the following example,

```
The date ranges for this report are:
Report Period:      Jul 01, 2009 to Jun 30, 2010
Previous Year Period: Jul 01, 2008 to Jun 30, 2009
Baseline Period:   Jul 01, 1999 to Jun 30, 2000
```

Figure 5-61: Running the Selected Measure Reports: display of selected report date ranges (Step 10)

11. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:
- Press the Enter key to accept the default taxonomy. (The default community taxonomy can be set in Site Parameters.)
 - Type the name of a community taxonomy and press the Enter key.
 - Type the first few letters of the taxonomy name and press the Enter key to see a selection of taxonomies, or type two question marks (??) to see the entire list. Type the number of the taxonomy you want to include and press the Enter key.
12. Your HOME location (as defined in Section 4.2) is displayed.

13. At the “Do you want patient lists for any of the measures?” prompt, do one of the following:

Note: You must have security access to run any patient list. This prompt will not be displayed if you do not have security access.

- To include patient lists in addition to the report, type **Y** (Yes) and press the Enter key to display the Measure List Selection screen. Only patient lists for the topics you have selected for your report are listed (Figure 5-62).
Continue with Step 14 to select the lists.
- To run the report without including patient lists, press the Enter key to accept the default, “No.” Go to Step 13 to select the beneficiary (patient) population for the report.

```
Do you want patient lists for any the measures? N// Y <Enter> Yes
MEASURE LIST SELECTION      Jun 10, 2010 12:16:49      Page:  1 of  1
IHS 2010 Clinical Performance Measure Lists of Patients
* indicates the list has been selected

1)  DM Comprehensive Care: List of diabetic pts w/documentated tests, if any
2)  DM Nephropathy: List of diabetic patients w/nephropathy assessment, if any
3)  Childhood Imm: List of Pts 19-35 months with IZ, if any

      Enter ?? for more actions
S   Select List              D   De Select List
A   All Lists                Q   Quit
Select Action:+// Q <Enter> Quit
```

Figure 5-62: Running the Selected Measures Report: choosing patient lists (Step 14)

14. To select patient lists, follow these steps:

- a. At the “Select Action” prompt, type **S** and press the Enter key.
- b. At the “Which item(s)” prompt, type the number(s) preceding the list(s) you want to include.

After pressing the Enter key, each selected measure is marked with an asterisk (*) before its number.

- c. To save your selected lists, type **Q** (Quit) and press the Enter key.

```

Select List Type.
NOTE: If you select All Patients, your list may be
hundreds of pages and take hours to print.

    Select one of the following:

        R          Random Patient List
        P          Patient List by Provider
        A          All Patients

Choose report type for the Lists: R// A <Enter> All Patients

```

Figure 5-63: Running the Selected Measures Report: selecting patient list type (Step 15)

15. At the “Choose report type for the Lists” prompt, type the letter corresponding to the report type you want and press the Enter key, where:

- **R** (Random Patient List) produces a list containing 10% of the entire patient list.
- **P** (Patient List by Provider) produces a list of patients with a user-specified designated care provider.
- **A** (All Patients) produces a list of all patients.

If you select P (Patient List by Provider), type the name of a provider at the “Enter Designated Provider name” prompt and press the Enter key.

```

    Select one of the following:

        1          Indian/Alaskan Native (Classification 01)
        2          Not Indian Alaskan/Native (Not Classification 01)
        3          All (both Indian/Alaskan Natives and Non 01)

Select Beneficiary Population to include in this report: 1// <Enter> Indian/Alaskan
Native (Classification 01)

```

Figure 5-64: Running the Selected Measures Report: selecting beneficiary population (Step 16)

16. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include and press the Enter key, where:

- **1** (Indian/Alaskan Native) reports only on AI/AN patients.
- **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
- **3** (All) reports on your entire patient population.

A summary of the Selected Measures report is displayed, as in the following example:

```

SUMMARY OF 2010 CLINICAL MEASURE PERFORMANCE REPORT TO BE GENERATED

The date ranges for this report are:
  Report Period:      Jul 01, 2009 to Jun 30, 2010
  Previous Year Period:  Jul 01, 2008 to Jun 30, 2009
  Baseline Period:    Jul 01, 1999 to Jun 30, 2000

The COMMUNITY Taxonomy to be used is: DEMO GPRA COMMUNITIES
The HOME location is: HOME 505989

These performance measures will be calculated: Diabetes Comprehensive Care ;
Diabetes: Nephropathy Assessment ; Childhood Immunizations ;

Lists will be produced for these measures: Diabetes Comprehensive Care ; Diabetes:
Nephropathy Assessment ; Childhood Immunizations ;

```

Figure 5-65: Summary Screen for Selected Measures Report (Step 16)

```

Please choose an output type. For an explanation of the delimited
file please see the user manual.

  Select one of the following:

      P          Print Report on Printer or Screen
      D          Create Delimited output file (for use in Excel)
      B          Both a Printed Report and Delimited File

Select an Output Option: P// B <Enter> Both a Printed Report and Delimited File

You have selected to create a delimited output file. You can have this
output file created as a text file in the pub directory,
OR you can have the delimited output display on your screen so that
you can do a file capture. Keep in mind that if you choose to
do a screen capture you CANNOT Queue your report to run in the background!!

  Select one of the following:

      S          SCREEN - delimited output will display on screen for capture
      F          FILE - delimited output will be written to a file in pub

Select output type: S// F <Enter> FILE - delimited output will be written to a file
in pub
Enter a filename for the delimited output (no more than 40 characters): STST3-6
<Enter>

When the report is finished your delimited output will be found in the
Q:\ directory. The filename will be STST3-6.txt

DEVICE: HOME//

```

Figure 5-66: Running the Selected Measures Report: selecting output options (Step 17)

17. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:

- **P** (Print) sends the report file to your printer, your screen, or an electronic file.

- **D** (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
- **B** (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2 (Page 111).

Note: This is the last point at which you can exit before starting the report process. *If you have included patient lists, the report may take 6–10 hours to run.* Always test your first report at night or on the weekend.
To exit, type a caret (^) at the “Device” prompt.

5.11.2.2 Running the Selected Measures with Patient Panel Report (PP)

CI10 > RPT > LOC > PP

To run the Selected Measures with Patient Panel Report, follow these steps:

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 main menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **LOC** and press the Enter key to display the Reports for Local Use, IHS Clinical Measures menu, as in the following example:

```

*****
**                               IHS/ RPMS CRS 2010                               **
** Reports for Local Use: IHS Clinical Measures                               **
*****
                               Version 10.0
                               DEMO INDIAN HOSPITAL

COM Selected Measures w/Community Specified
PP  Selected Measures w/Patient Panel Population
ALL Selected Measures w/All Communities
CMS CMS Performance Report

Select Reports for Local Use: IHS Clinical Measures Option: PP <Enter> Selected
Measures w/ Patient Panel Population

```

Figure 5-67: CRS Reports for Local Use menu: selecting the Selected Measures with Patient Panel Population option (PP) (Step 4)

4. At the “Select Reports for Local Use: IHS Clinical Measures Option” prompt, type **PP** and press the Enter key to display information about the Selected Measures report (Figure 5-68). Press the Enter key to continue.

The system checks the taxonomies required for this report, as in the following example:

```
2010 Clinical Performance Measure Report (Selected Measures)
Report on all Patients in a User Defined Search Template

This will produce a Performance Measure Report for one or more measures for a
year period you specify. You will be asked to provide: 1) the
reporting period and 2) the baseline period to compare data.

NOTE: With this option all patients in a user defined search template
will be included in the report. The user population and active clinical user
logic will NOT be applied.
You can create a search template using Q-MAN, PGEN, VGEN or other
RPMS options.

Checking for Taxonomies to support the Selected Measures Report

All taxonomies are present.

End of taxonomy check. PRESS ENTER: <Enter>
```

Figure 5-68: Running the Selected Measures Patient Panel Report: display of report information and taxonomy check (Step 4)

5. At the “End of taxonomy check” prompt, press the Enter key.
6. At the “Enter Search Template name” prompt, do one of the following:
 - Type the name of the search template (i.e., the patient panel) you want to use and press the Enter key
For instructions on creating search templates, see Section 11.0, “Appendix C: Creating a Patient Panel with Q-Man.”
 - Type the first few letters of the search template name and press the Enter key to see a selection of search templates beginning with those letters, or type two question marks (??) to see the entire list. Then type the number of a search template and press the Enter key.

Note: This field is *case-sensitive*. Therefore, if the Caps Lock key is on and you enter the first few letters of the search template name, you will only see a list of search templates that are named in all capital letters; search templates with names in lower case letters will not be displayed.

7. At the “Which set of Measures should be included in this report” prompt, do one of the following:
 - To run a one of the predefined reports, type **DM**, **CVD**, or **WH** and press the Enter key, then follow these steps:
 - a. Select a date range and baseline year (see Steps 10 and 11 in this section).
 - b. Select patient lists to include if desired (see Step 8 in this section), and a report type for the lists (see Step 9 in this section).
 - d. Select an output type (see Step 12 in this section).For a list of the topics contained in the predefined topic reports, see Section 5.11.3.
 - To include user-defined performance measures in this report, type **SEL** and press the Enter key, then continue with Step 6.
8. The Performance Measure Selection screen is displayed with the action bar at the bottom of the screen. At the “Select Action” prompt, do one of the following:
 - To view multiple pages of available topics:
 - a. Type a plus sign (+) and press the Enter key to view the next page.
 - b. Type a minus sign/hyphen (-) and press the Enter key to return to the previous page.
 - To select performance measure topics:
 - a. Type **S** and press the Enter key.
 - b. At the “Which item(s)” prompt, type the number(s) preceding the performance measure(s) you want.

To select multiple measures, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of numbers and ranges (e.g., 1–4, 8, 12).

After pressing the Enter key, each selected performance measure is marked with an asterisk (*) before its corresponding number.
 - To save your selected measures, type **Q** (Quit) and press the Enter key.
9. At the “Do you want patient lists for any of the measures?” prompt, do one of the following:

<p>Note: You must have security access to run any patient list. This prompt will not be displayed if you do not have security access.</p>
--

- To include patient lists in addition to the report, type **Y** (Yes) and press the Enter key to display the Measure List Selection screen. Only patient lists for the topics you have selected for your report are displayed.
Continue with Step 10 to select the lists.
 - To run the report without including patient lists, press the Enter key to accept the default, “No.” Go to Step 12 to select the date range for the report.
10. To select patient lists, follow these steps:
- a. At the “Select Action” prompt, type **S** and press the Enter key.
 - b. At the “Which item(s)” prompt, type the number(s) preceding the list(s) you want to include.
After pressing the Enter key, each selected measure is marked with an asterisk (*) before its number.
 - c. To save your selected lists, type **Q** (Quit) and press the Enter key.
11. At the “Choose report type for the Lists” prompt, type the letter corresponding to the report type you want and press the Enter key, where:
- **R** (Random Patient List) produces a list containing 10% of the entire patient list.
 - **P** (Patient List by Provider) produces a list of patients with a user-specified designated care provider.
 - **A** (All Patients) produces a list of all patients.
- If you select P (Patient List by Provider), type the name of a provider at the “Enter Designated Provider Name” prompt and press the Enter key.
12. At the “Enter the date range for your report” prompt, do one of the following:
- To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.
At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.
 - To define a custom report period, type **5** and press the Enter key.
At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.
- All reports review and calculate data for at least a one-year time period by searching patient records for data matching the numerator criteria for the entire current report period selected.

If you pick a report period end date that is later than the date you are running the report, a warning message is displayed. At the “Do you want to change your Current Report Dates?” prompt, do one of the following:

- To continue with the report, press the Enter key to accept the default answer “No.”
 - To change your report date range, type **Y** and press the Enter key.
13. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.

A summary of the Selected Measures report is displayed, as in the following example:

```

SUMMARY OF 2010 CLINICAL MEASURE PERFORMANCE REPORT TO BE GENERATED

The date ranges for this report are:
  Report Period:      Jan 01, 2009 to Dec 31, 2009
  Previous Year Period: Jan 01, 2008 to Dec 31, 2008
  Baseline Period:   Jan 01, 2000 to Dec 31, 2000

The following search template of patients will be included in
this report: DEMO_MALE_VISITS_21-55
The HOME location is: HOME 505989

These measures will be calculated: Diabetes Prevalence ; Diabetes Comprehensive Care
;

Lists will be produced for these measures: Diabetes Prevalence ; Diabetes
Comprehensive Care ;

```

Figure 5-69: Running the Selected Measures Patient Panel Report: summary of report to be run (Step 13)

14. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
- P (Print) sends the report file to your printer, your screen, or an electronic file.
 - D (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
 - B (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2 (Page 111).

Note: This is the last point from which you can exit before starting the report process. *The report may take 6–10 hours to run.* Always test your first report at night or on the weekend.
To exit, type a caret (^) at the “Device” prompt.

5.11.2.3 Running the Selected Measures with All Communities Report (ALL)

CI10 > RPT > LOC > ALL

To run the Selected Measures with All Communities Report, follow these steps:

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 main menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **LOC** and press the Enter key to display the Reports for Local Use, IHS Clinical Measures menu.

```

*****
**                IHS/RPMS CRS 2010                **
**  Reports for Local Use: IHS Clinical Measures  **
*****
                        Version 10.0

                        DEMO INDIAN HOSPITAL

COM   Selected Measures w/Community Specified
PP    Selected Measures w/Patient Panel Population
ALL   Selected Measures w/All Communities
CMS   CMS Performance Report

Select Reports for Local Use: IHS Clinical Measures Option: ALL <Enter> Selected
Measures w/All Communities

```

Figure 5-70: CRS Reports for Local Use menu: selecting the Selected Measures w/All Communities (ALL) (Step 4)

4. At the “Select Reports for Local Use: IHS Clinical Measures Option” prompt, type **ALL** and press the Enter key to display information about the Selected Measures report, followed by the prompt to select a set of measures to include in the report, as in the following example:

IHS 2010 Clinical Performance Measure Report (Selected Measures)
Report on all Patients regardless of Community of Residence

This will produce a Performance Measure Report for one or more measures for a year period you specify. You will be asked to provide: 1) the reporting period and, 2) the baseline period to compare data to.

NOTE: With this option all patients in your database will be reviewed regardless of what community they live in. You will NOT be asked to enter a community taxonomy name.

Select one of the following:

DM	Diabetes-Related Measures
CVD	Cardiovascular Disease Prevention for At-Risk Patients
WH	Women's Health-Related Measures
SEL	Selected Measures (User Defined)

Which set of Measures should be included in this report:

Figure 5-71: Running the Selected Measures All Communities Report: display of report information and prompt to select measures (Steps 4 and 5)

5. At the “Which set of measures should be included in this report” prompt, do one of the following:

- To run one of the predefined reports, type **DM**, **CVD**, or **WH** and press the Enter key. Press the Enter key after the taxonomy check then follow these steps:
 - a. Select a date range and baseline year (see Steps 9 and 10 in this section).
 - b. Select patient lists to include if desired, and select a report type for the lists (see Steps 5, 6, and 7 in this section).
 - c. Select a beneficiary population (see Step 11 in this section).
 - d. Select an output type (see Step 12 in this section).

For a list of the topics contained in the predefined topic reports, see Section 5.11.3, “Reports Content.”

- To include user-defined performance measures in this report, type **SEL** and press the Enter key, then continue with Step 3.
6. The Performance Measure Selection screen is displayed with the action bar at the bottom of the screen. At the “Select Action” prompt, do one of the following:
- To view multiple pages of available topics:
 - a. Type a plus sign (+) to view the next page.
 - b. Type a minus sign/hyphen (-) to return to the previous page.
 - To select performance measure topics:
 - a. Type **S** and press the Enter key.

- b. At the “Which item(s)” prompt, type the number(s) preceding the performance measure(s) you want.

To select multiple measures, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of numbers and ranges (e.g., 1–4, 8, 12).

After pressing the Enter key, each selected performance measure you selected is marked with an asterisk (*) before its number.
 - c. To save your selected performance measures, type **Q** (Quit) and press the Enter key.
7. At the “Do you want patient lists for any of the measures?” prompt, type **Y** or **N** and press the Enter key.

<p>Note: You must have security access to run any patient list. This prompt will not be displayed if you do not have security access.</p>
--

- To include patient lists in addition to the report, type **Y** (Yes) and press the Enter key to display the Measure List Selection screen. Only patient lists for the topics you have selected for your report are listed.

Continue with Step 6 to select the lists.
 - To run the report without including patient lists, press the Enter key to accept the default, “No.” Go to Step 8 to continue the report selection process.
8. To select patient lists, follow these steps:
 - a. At the “Select Action” prompt, type **S** and press the Enter key.
 - b. At the “Which item(s)” prompt, type the number(s) preceding the list(s) you want to include.

After pressing the Enter key, each selected measure is marked with an asterisk (*) before its number.
 - c. To save your selected lists, type **Q** (Quit) and press the Enter key.
 9. At the “Choose report type for the Lists” prompt, type the letter corresponding to the report type you want, where:
 - **R** (Random Patient List) produces a list containing 10% of the entire patient list.
 - **P** (Patient List by Provider) produces a list of patients with a user-specified designated care provider.

- **A** (All Patients) produces a list of all patients.

If you select **P** (Patient List by Provider), type the name of a provider at the “Enter Designated Provider Name” prompt and press the Enter key.

10. The taxonomies required to run the report are checked. Press the Enter key to continue.

11. At the “Enter the date range for your report” prompt, do one of the following:

- To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.

At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.

- To define a custom report period, type **5** and press the Enter key.

At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.

All reports review and calculate data for at least a one-year time period by searching patient records for data matching the numerator criteria for the entire current report period selected.

If you pick a report period end date that is later than the date you are running the report, a warning message is displayed. At the “Do you want to change your Current Report Dates?” prompt, do one of the following:

- To continue with the report, press the Enter key to accept the default answer “No.”
- To change your report date range, type **Y** and press the Enter key.

12. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.

The date ranges you selected for the report, including Report Period, Previous Year Period, and Baseline Period, as well as your HOME location (as defined in Site Parameters; see Section 4.2) are displayed.

13. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include and press the Enter key, where:

- **1** (Indian/Alaskan Native) reports only on AI/AN patients.
- **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
- **3** (All) reports on your entire patient population.

14. A summary of the Selected Measures report is displayed, as in the following example:

```

SUMMARY OF 2010 CLINICAL MEASURE PERFORMANCE REPORT TO BE GENERATED

The date ranges for this report are:
Report Period:      Jan 01, 2009 to Dec 31, 2009
Previous Year Period: Jan 01, 2008 to Dec 31, 2008
Baseline Period:   Jan 01, 2000 to Dec 31, 2000

ALL Communities included.
The HOME location is: HOME 505989

These measures will be calculated: Diabetes Prevalence ; Diabetes Comprehensive Care
; Diabetes: Glycemic Control ; Diabetes: Blood Pressure Control ; Diabetes: LDL
Assessment ;

Lists will be produced for these measures: Diabetes Prevalence ; Diabetes
Comprehensive Care ; Diabetes: Glycemic Control ; Diabetes: Blood Pressure Control ;
Diabetes: LDL Assessment ;

Please choose an output type. For an explanation of the delimited
file please see the user manual.

```

Figure 5-72: Running the Selected Measures All Communities Report: summary of report to be run (Step 14)

15. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:

- P (Print) sends the report file to your printer, your screen, or an electronic file.
- D (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
- B (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2 (Page 111).

Note: This is the last point from which you can exit before starting the report process. *The report may take up to 24 hours or longer to run if you have included patient lists.* Always test your first report at night or on the weekend. To exit, type a caret (^) at the “Device” prompt.

5.11.3 Reports Content

Table 5-5: Selected Measures Report: Diabetes-Related

Performance Measure	Denominator	Numerator(s) (Documented in Past Year, unless Defined Otherwise)
Diabetes Prevalence	All denominators	All numerators
Diabetes Comprehensive Care	Active Diabetic Patients	1) Patients with A1c, regardless of result 2) Patients with BP documented in past two years 3) Patients with controlled BP 4) Patients with LDL, regardless of result 5) Patients with nephropathy assessment, defined as an estimated GFR AND a quantitative urinary protein assessment, or with ESRD Dx. 6) Patients receiving any retinal screening (no refusals) 7) Patients with diabetic foot exam 8) Patients with A1c AND Blood Pressure AND LDL AND Nephropathy Assessment AND Retinal exam AND Diabetic Foot Exam
Diabetes (DM): Glycemic Control	All denominators	All numerators
DM: Blood Pressure Control	All denominators	All numerators
DM: LDL Assessment	All denominators	All numerators
DM: Nephropathy Assessment	All denominators	Patients with nephropathy assessment, defined as an estimated GFR AND a quantitative urinary protein assessment, or with ESRD Dx.
DM: Retinopathy	All denominators	All numerators
Diabetic Access to Dental Services	Active Diabetic patients	All numerators
Adult Immunizations: Influenza	Active Diabetic patients	All numerators
Adult Immunizations: Pneumovax	Active Diabetic patients	All numerators
Depression Screening	Active Diabetic patients, broken down by gender	All numerators
Nutrition and Exercise Education for At Risk Patients	Active Diabetic patients, broken down by gender	All numerators

Performance Measure	Denominator	Numerator(s) (Documented in Past Year, unless Defined Otherwise)
Comprehensive CVD-Related Assessment	Active Diabetic IHD patients ages 22 and older	All numerators
Prediabetes/Metabolic Syndrome	Active Clinical patients ages 18 and older diagnosed with prediabetes/metabolic syndrome without a documented history of diabetes	All numerators

Table 5-6: Selected Measures Report: CVD Prevention for At-Risk Patients

Performance Measure	Denominator	Numerator(s) (Documented in Past Year, unless Defined Otherwise)
Tobacco Use and Exposure Assessment	Active Clinical patients ages 45 and older, broken down by gender	1) Patients who have been screened for tobacco use 2) Patients identified as current tobacco users A) Patients identified as current smokers
Depression Screening	Active IHD patients, broken down by gender	All numerators
Obesity Assessment	Active Clinical patients ages 20–74, broken down by gender	For those with a BMI calculated, patients considered obese using BMI and standard tables
Cardiovascular Disease and Cholesterol Screening	All denominators	All numerators
Cardiovascular Disease and Blood Pressure Control	All denominators	All numerators
Controlling High Blood Pressure	Active Clinical patients ages 18–85 diagnosed with hypertension, broken down by age and gender.	All numerators
Comprehensive CVD-Related Assessment	All denominators	All numerators
Appropriate Medication Therapy after a Heart Attack	All denominators	All numerators
Persistence of Appropriate Medication Therapy after a Heart Attack	All denominators	All numerators

Performance Measure	Denominator	Numerator(s) (Documented in Past Year, unless Defined Otherwise)
Appropriate Medication Therapy in High Risk Patients	All denominators	All numerators
Cholesterol Management for Patients with Cardiovascular Conditions	All denominators	All numerators
Stroke and Stroke Rehabilitation: Anticoagulant Therapy Prescribed for Atrial Fibrillation at Discharge	All denominators	All numerators
Heart Failure and Evaluation of LVS Function	All denominators	All numerators

Table 5-7: Selected Measures Report: Women's Health Related

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Cancer Screening: Pap Smear Rates	All denominators	All numerators
Cancer Screening: Mammogram Rates	All denominators	All numerators
Colorectal Cancer Screening	Female Active Clinical patients ages 51-80 without a documented history of colorectal cancer	All numerators
Tobacco Use and Exposure Assessment	1) Female Active Clinical patients ages 5 and older, broken down by age 2) Pregnant female User Population patients 3) Female User Population patients ages 5 and older	All numerators
Alcohol Screening (FAS Prevention)	All denominators	All numerators
Intimate Partner/Domestic Violence Screening	All denominators	All numerators

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Depression Screening	1) Female Active Clinical =>18 2) Female Active Clinical =>65 3) Female User Population =>18 4) Female User Population =>65 5) Female Active Diabetic 6) Female Active IHD	All numerators
Obesity Assessment	1) Female Active Clinical patients ages 2–74, broken down by age groups 2) Female User Population patients ages 2–74, broken down by age groups	All numerators
Cardiovascular Disease and Cholesterol Screening	Female Active Clinical patients ages 23+	All numerators
Controlling High Blood Pressure	1) Female Active Clinical patients ages 18 through 85 diagnosed with hypertension, broken down by age groups.	All Numerators
Prenatal HIV Testing	All denominators	All numerators
Chlamydia Testing	All denominators, broken out by age groups.	All numerators
Sexually Transmitted Infection (STI) Screening	Screenings needed for incidents of key STIs for female Active Clinical patients that occurred during the defined period (for numerator #3 and 3A only)	1) No denominator. Count of female Active Clinical patients diagnosed with one or more key STIs during the defined period 2) No denominator. Count of key separate STI incidents for female Active Clinical patients during the defined period 3) Total number of screenings performed or refused from one month prior to the date of relevant STI incident through two months after A) Number of documented refusals
Osteoporosis Management	All denominators	All numerators
Osteoporosis Screening in Women	All denominators	All numerators

5.11.4 Selected Measures Reports Patient Lists

Patient lists for individual performance measures are available with any Selected Measures report (COM, PP, or ALL menu options) and display patients who meet the numerator(s), denominator(s), or both, depending on the measure.

The following Patient List options are available:

- A random list (10% of the total list)
- A list by designated primary care provider
- The entire list of patients

After selecting the measures to report, users select those measures for which they want to run patient lists.

5.11.5 Patient Lists Content

Table 5-8: Content of the Selected Measures Patient List Report by Performance Measure Topic

Performance Measure Topic	Patient List
Diabetes Prevalence	List of diabetic patients with most recent diagnosis.
Diabetes Comprehensive Care	List of diabetic patients with documented tests, if any.
Diabetes: Glycemic Control	List of diabetic patients with most recent A1c value, if any.
Diabetes: Blood Pressure Control	List of diabetic patients with BP value, if any.
Diabetes: Lipids Assessment	List of diabetic patients with documented LDL cholesterol test, if any.
Diabetes: Nephropathy Assessment	List of diabetic patients with nephropathy assessment, if any.
Diabetic Retinopathy	List of diabetic patients with qualified retinal evaluation or refusal, if any.
Diabetes: Access to Dental Services	List of diabetic patients and documented dental visit or refusal, if any.
Access to Dental Services	List of patients with documented dental visit or refusal and date.
Dental Sealants	List of patients who received or refused dental sealants during Report period.
Topical Fluoride	List of patients who received or refused at least one topical fluoride application during Report period.
Adult Immunizations: Influenza	List of patients \geq 50 yrs or DM DX with influenza code or refusal, if any.

Performance Measure Topic	Patient List
Adult Immunizations: Pneumovax	List of patients =>65 yrs or DM DX with pneumovax, contraindication, or refusal, if any.
H1N1 Immunization Status	List of Active Clinical patients ages 6 months and older with H1N1 immunization, if any.
Childhood Immunizations	List of patients 19–35 months with IZ, if any. If a patient did not have all doses in a multiple dose vaccine, the IZ will not be listed. For example, if a patient only had 2 DTaP, no IZ will be listed for DTaP. Note: Because age is calculated at the beginning of the Report Period, the patient's age on the list will be between 7–23 months.
Adolescent Immunizations	List of patients 13–17 with IZ, if any. If a patient did not have all doses in a multiple dose vaccine, the IZ will not be listed. For example, if a patient only had 2 Hep B, no IZ will be listed for Hep B.
Appropriate Treatment for Children with Upper Respiratory Infection	List of patients 3 months to 18 years with upper respiratory infection, with antibiotic prescription, if any.
Appropriate Testing for Children with Pharyngitis	List of patients 2–18 years with pharyngitis and a Group A Strep test, if any.
Cancer Screening: Pap Smear Rates	List of women 21–64 with documented Pap smear or refusal, if any.
Cancer Screening: Mammogram Rates	List of women 42+ with mammogram/refusal, if any.
Colorectal Cancer Screening	List of patients 51–80 with CRC screening or refusal, if any.
Comprehensive Cancer Screening	List of patients 21-75 with comprehensive cancer screening, if any.
Tobacco Use and Exposure Assessment	List of patients 5 and older with no documented tobacco screening.
Tobacco Cessation	List of tobacco users with tobacco cessation intervention, if any, or who have quit tobacco use.
Alcohol Screening (FAS Prevention)	List of female patients with no documented alcohol screening or refusal.
Alcohol Screening and Brief Intervention (ASBI) in the ER	List of patients seen in the ER for an injury who were screened for hazardous alcohol use, with results of screen and BNI, if any.
Intimate Partner (Domestic) Violence Screening	List of female patients 13 and older not screened for IPV/DV.
Depression Screening	List of patients not screened for depression/diagnosed with mood disorder.
Antidepressant Medication Management	List of patients with new depression DX and optimal practitioner contact (OPC), acute phase treatment (APT) and continuation phase treatment (CONPT), if any.
Obesity Assessment	List of patients for whom BMI could <i>not</i> be calculated.
Childhood Weight Control	List of patients ages 2–5, with current BMI.

Performance Measure Topic	Patient List
Nutrition and Exercise Education for at Risk Patients	List of at risk patients, with education if any.
Cardiovascular Disease Prevention: Cholesterol Screening	List of patients screened with cholesterol or LDL value, if any.
Cardiovascular Disease Prevention: Blood Pressure Control	List of Patients => 20 or with IHD with BP value, if any.
Controlling High Blood Pressure	List of patients with hypertension and BP value, if any.
Comprehensive CVD-Related Assessment	List of patients with assessments received, if any.
Appropriate Medication Therapy after a Heart Attack	List of patients with AMI, with appropriate medication therapy, if any.
Persistence of Appropriate Medication Therapy after a Heart Attack	List of patients with AMI, with persistent medication therapy, if any.
Appropriate Medication Therapy in High Risk Patients	List of IHD patients 22+ with 180-day medication therapy during the Report Period, if any.
Stroke and Stroke Rehabilitation: Anticoagulant Therapy Prescribed for Atrial Fibrillation at Discharge	List of patients with stroke/TIA and atrial fibrillation with anticoagulant therapy, if any.
Cholesterol Management for Patients with Cardiovascular Conditions	List of patients with AMI, CABG, PTCA, or IVD w/LDL value, if any.
Heart Failure and Evaluation of LVS Function	List of Active Clinical heart failure patients 18+ who received evaluation of LVS function, if any.
Prenatal HIV Testing	List of pregnant or User Population patients 13-64 without documented HIV test or refusal.
HIV Quality of Care	List of patients 13 and older diagnosed with HIV, with CD4 test, if any.
Chlamydia Testing	List of patients with documented Chlamydia screening, if any.
Sexually Transmitted Infection (STI) Screening	List of patients diagnosed with one or more STIs during the defined time period with related screenings.
Osteoporosis Management	List of female patients with new fracture who have had osteoporosis treatment or testing, if any.
Osteoporosis Screening in Women	List of female patients ages 65 and older with osteoporosis screening, if any.

Performance Measure Topic	Patient List
Rheumatoid Arthritis Medication Monitoring	List of RA patients 16 and older prescribed maintenance therapy medication with monitoring lab tests, if any. The numerator values for patients who meet the measure are prefixed with "YES:" and patients who did not meet the measure are prefixed with "NO:" The chronic medications and all lab tests the patient <i>did</i> have are displayed.
Osteoarthritis Medication Monitoring	List of OA patients 40 and older prescribed maintenance therapy medication with monitoring lab tests, if any. The numerator values for patients who meet the measure are prefixed with "YES:" and patients who did not meet the measure are prefixed with "NO:" All lab tests the patient <i>did</i> have are displayed.
Asthma	List of patients diagnosed with asthma and any asthma-related hospitalizations.
Asthma Quality of Care	List of asthmatic patients with preferred asthma therapy medications, if any.
Asthma and Inhaled Steroid Use	List of patients with asthma with inhaled corticosteroid prescription, if any.
Community-Acquired Pneumonia (CAP): Assessment of Oxygen Saturation	List of patients with community-acquired bacterial pneumonia, with oxygen saturation assessment or documented reason for no assessment, if any.
Chronic Kidney Disease Assessment	List of patients with Creatinine test, with GFR and value, if any.
Prediabetes/Metabolic Syndrome	List of patients 18 and older with Prediabetes/Metabolic Syndrome with assessments received, if any.
Medications Education	List of patients receiving medications with med education, if any.
Public Health Nursing	List of patients with PHN visits documented. Numerator codes in patient list: All PHN = Number of PHN visits in any setting; Home = Number of PHN visits in home setting; Driver All = Number of PHN driver/interpreter visits in any setting; Driver Home = Number of PHN driver/interpreter visits in home setting.
Breastfeeding Rates	List of patients 45-394 days old, with infant feeding choice value, if any.
Drugs to be Avoided in the Elderly	List of patients 65 and older with at least one prescription for a potentially harmful drug.

Performance Measure Topic	Patient List
Functional Status Assessment in Elders	List of patients =>55 with functional status codes, if any. The following are the abbreviations used in the Numerator column: TLT - Toileting BATH - Bathing DRES - Dressing XFER - Transfers FEED - Feeding CONT - Continence FIN - Finances COOK - Cooking SHOP - Shopping HSWK - Housework/Chores MEDS - Medications TRNS - Transportation
Fall Risk Assessment in Elders	List of patients 65 years or older with fall risk assessment, if any.
Palliative Care	List of patients with a palliative care visit.

5.12 CMS Performance Report (CMS)

CI10 > RPT > LOC > CMS

Note the warning message below regarding the status of the CMS Performance Report updates. This message is included in the report’s introductory page.

```

IHS 2010 CRS - RPMS PATIENT DATA FOR ANNUAL CMS HOSPITAL REPORTING
*****
***** W A R N I N G *****
*****

```

This report was last updated in April 2008 through the CMS Specifications Manual for discharges effective 4/1/2008, and the CRS CMS Report was included in CRS Version 8.0.

It is recommended this report NOT be used until it is updated. OIT anticipates this report will be updated with CRS Version 11.0.

If you decide to use the information included in this report, because the information may be inaccurate you will need to validate the information reported against the current CMS Specifications Manual. The URL for the current manual is listed below.

<http://www.qualitynet.org/dcs/ContentServer?c=Page&pagename=QnetPublic%2FPage%2FQnetTier2&cid=1141662756099>

Figure 5-73: Warning Message for CMS Performance Report

5.12.1 Overview

The CMS Performance Report provides IHS hospitals with lists of patients and related RPMS data as a basis for chart review and further data abstraction, and to report CMS hospital quality data for 21 required performance measures.

In January 2004, CMS began requiring hospitals to provide clinical performance data on ten quality measures related to three serious medical conditions that result in hospitalization:

- Heart attack (acute myocardial infarction)
- Heart failure
- Pneumonia

Section 501(b) of the Medicare Drug Prescription and Modernization Act of 2003 (MMA) stipulates that eligible hospitals that do not submit their data to CMS using the 10-measure “starter” set will be subject to reduction in their FY2005 payment by 0.4%.

Section 5001(a) of the Deficit Reduction Act of 2005, Pub. L. 109-171, (DRA) superseded the MMA of 2003 and set new requirements for the RHQDAPU program. The act requires Injury Prevention Projects (IPPS) hospitals to submit the additional quality measures for FY 2007 and each subsequent fiscal year.

Hospitals that meet the requirements specified in the final regulation MCS-1488-F will receive their full annual payment update. *Those hospitals that do not submit data for all required quality measures to the QIO Clinical Data Warehouse WILL RECEIVE A REDUCTION OF 2.0 PERCENT IN THEIR MEDICARE ANNUAL PAYMENT UPDATE for the applicable fiscal year.*

The set of measures was expanded to 36 measures in 2007, which includes nine patient satisfaction (i.e., HCAHPS) measures. For additional information on the CMS measures, visit:

<http://www.cms.hhs.gov/HospitalQualityInits/>

The CMS Performance Report is unlike any other report in CRS, in that it does not include denominators and numerators and performance measure rates. It does contain lists of patients and all of the relevant information available in RPMS; however, it still requires the user to do the following:

1. Review patient charts to search for information that may be available only from the chart and is not documented in RPMS.
2. Compile the information for CMS reporting.
3. Transmit the report data to CMS utilizing the CMS online outcomes reporting tool. CRS does not provide an option for transmitting the data to CMS.

The CMS Performance Report includes all patients who meet the measure criteria and does not provide the option to run the report for AI/AN patients only, nor does it provide the option to export the data to the Area Office.

5.12.2 Running the CMS Performance Report

To run the CMS Performance Report, follow these steps:

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 main menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **LOC** and press the Enter key to display the Reports for Local Use, IHS Clinical Measures menu, as in the following example:

```

*****
**                IHS/ RPMS CRS 2010                **
**  Reports for Local Use: IHS Clinical Measures  **
*****
                          Version 10.0

                          DEMO INDIAN HOSPITAL

COM   Selected Measures w/Community Specified
PP    Selected Measures w/Patient Panel Population
ALL   Selected Measures w/All Communities
CMS   CMS Performance Report

Select Reports for Local Use: IHS Clinical Measures Option: CMS <Enter> CMS
Performance Report

```

Figure 5-74: CRS Reports for Local Use menu: selecting the CMS Performance Report (CMS) (Step 4)

4. At the “Select Reports for Local Use: IHS Clinical Measures Option” prompt, type **CMS** and press the Enter key to display a warning that the report has not been updated since April 2007 (Figure 5-73). If you want to continue with the report, press the Enter key at the prompt to display information about the report, as in the following example:

The CMS (Centers for Medicare & Medicaid Services) Performance Report provides IHS hospitals with lists of patients and related RPMS data as a basis for chart review and further data abstraction to report CMS Hospital Quality Data for 21 required hospital performance measures in four different topics.

The CMS Performance Report is unlike any other report in CRS in that it does not include denominators and numerators and performance measure rates. It does contain lists of patients and all of the relevant information available in RPMS; however, it still requires the users to:

(1) review the patients' charts to search for information that may be available only from the chart and which is not documented in RPMS, (2) to compile the information for CMS reporting, and (3) to transmit the report data to CMS. CRS does not provide an option for transmitting the data to CMS.

The CMS Performance report includes all patients who meet the measure criteria and does not provide the option to export the data to the Area Office. You will be asked to provide: 1) the name of the reporting hospital, 2) the CMS measure topic, 3) the CMS patient list, 4) the reporting period and 5) the patient population.

Press Enter to Continue: <Enter>

Figure 5-75: Descriptions of the CMS (Centers for Medicare & Medicaid Services) Performance Report (Steps 4 and 5)

5. At the prompt to continue, press the Enter key.
6. At the “Enter the name of your Hospital” prompt, do one of the following:
 - Press the Enter key to accept the default facility name (as defined in Site Parameters).
 - Type the name of a different hospital and press the Enter key.

The CMS Topic Selection screen containing the list of available performance topics is displayed with the action bar at the bottom of the screen.

```

CMS TOPIC SELECTION          Jun 17, 2010 10:10:42      Page:  1 of  1
CMS Clinical Performance Topics
* indicates the performance topic has been selected

*1) Acute Myocardial Infarction (AMI)
2) Heart Failure
*3) Pneumonia Treatment
4) Surgical Care Improvement Project (SCIP)

      Enter ?? for more actions
S   Select Topic           D   De Select Topic       Q   Quit
Select Action:+//

```

Figure 5-76: Running the CMS Performance Report: selecting topics (Step 7)

7. To select the topics to include in the report, follow these steps:
 - a. At the “Select Action” prompt, type **S** and press the Enter key.
 - b. At the “Which Topic” prompt, type the number(s) preceding the topic(s) you want.

To select multiple topics, type a range (e.g., 1–2), a series of numbers (e.g., 1, 3), or a combination of ranges and numbers (e.g., 1–2, 4, 7, 10).

After pressing the Enter key, each selected topic is marked with an asterisk (*) before its number, as in the following example:

- c. To save your selected topics, type **Q** (Quit) and press the Enter key.
8. You will be prompted to select patient lists to print for each CMS topic you selected. Press the Enter key to continue.

```

CMS PATIENT LIST SELECTION   Jun 17, 2010 10:12:59   Page:   1 of   1
CMS Clinical Performance Topics
* indicates the performance topic has been selected

1) All Patients 18 and Older Discharged with AMI
*2) AMI-1 Aspirin at Arrival: w/Exclusion Logic Applied
*3) AMI-1 Aspirin at Arrival: w/o Exclusion Logic Applied
4) AMI-2 Aspirin at Discharge: w/ Exclusion Logic Applied
5) AMI-2 Aspirin at Discharge: w/o Exclusion Logic Applied
6) AMI-3 ACEI or ARB for LVSD w/ Exclusion Logic Applied
7) AMI-3 ACEI or ARB for LVSD: w/o Exclusion Logic Applied
*8) AMI-4 Adult Smoking Cessation: w/ Exclusion Logic Applied
*9) AMI-4 Adult Smoking Cessation: w/o Exclusion Logic Applied
10) AMI-5 Beta Blocker at Discharge: w/ Exclusion Logic Applied
11) AMI-5 Beta Blocker at Discharge: w/o Exclusion Logic Applied
12) AMI-6 Beta Blocker at Arrival: w/ Exclusion Logic Applied
13) AMI-6 Beta Blocker at Arrival w/o Exclusion Logic Applied
14) AMI-7a Fibrinolytic Therapy: w/o Exclusion Logic Applied
15) AMI-8a Primary PCI: w/o Exclusion Logic Applied

Enter ?? for more actions
S   Select List           D   De Select List           Q   Quit
Select Action:+//

```

Figure 5-77: Running the CMS Performance Report: selecting patient lists (Step 9)

9. To select patient lists:
 - a. At the “Select Action” prompt, type **S** and press the Enter key.
 - b. At the “Which Patient List” prompt, type the number(s) preceding the patient list(s) you want.

To select multiple patient lists, type a range (e.g., 1–2), a series of numbers (e.g., 1, 3), or a combination of ranges and numbers (e.g., 1–2, 4, 7, 10).

After pressing the Enter key, each selected list is marked with an asterisk (*) before its number, as in the following example:
 - c. To save your selected patient lists, type **Q** (Quit) and press the Enter key.
 - d. Repeat Steps 6 a, through 6 c to select patient lists for each CMS topic you selected.

10. The taxonomies required to run the report are checked. Press the Enter key to continue.

```

Select one of the following:

1      1st Quarter January 1 - March 31
2      2nd Quarter April 1 - June 30
3      3rd Quarter July 1 - September 30
4      4th Quarter October 1 - December 31
5      User-Defined Report Period (enter beginning and ending date)

Enter the date range for your report:

```

Figure 5-78: Running the CMS Performance Report: selecting report date range (Step 11)

11. At the “Enter the date range for your report” prompt, do one of the following:

- To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.

At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.

- To define a custom report period, type **5** and press the Enter key.

At the “Enter Beginning Date” prompt, type the beginning date for the report and press the Enter key.

At the “Enter End Date for the Report” prompt, type the end date and press the Enter key.

Note: For this report, the report period does not have to be one year in length. It can be for any length of time.

```

Select one of the following:

1      Indian/Alaskan Native (Classification 01)
2      Not Indian Alaskan/Native (Not Classification 01)
3      All (both Indian/Alaskan Natives and Non 01)

Select Beneficiary Population to include in this report: 1// <Enter> Indian/Alaskan
Native (Classification 01)

```

Figure 5-79: Running the CMS Performance Report: selecting the beneficiary population (Step 12)

12. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include and press the Enter key, where:

- 1** (Indian/Alaskan Native) reports only on AI/AN patients.

- **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
- **3** (All) reports on your entire patient population.

Note: While the report includes an option to run the report for AI/AN or non-AI/AN patients only, the report that is run for submission to CMS should include all patients (i.e. both AI/AN and non-AI/AN) since CMS does not require IHS to submit data only for AI/AN patients.

13. To include all of the report narrative (i.e., cover page, CMS text, and RPMS logic), press the Enter key at the “Do you want to have the explanatory/logic text printed with your report” prompt. Otherwise, type **N** and press the Enter key to include only the patient lists.

14. At the “Device” prompt, type a printer name or a file name.

- To print to the screen, press the Enter key to accept the default prompt, “Home” (which may vary at different sites).

To print a report to your screen without multiple “Enter Return to continue” prompts, type **0;P-OTHER80** at the “Home” prompt.

Depending on the software you are using to access RPMS, turn on your logging or screen capture program *before* printing to the screen.

- To print to a file, or if you do not know your printer name, check with your site manager. At most sites, to print to a file, type **Host** or **HFS**, then type the file location and name at the “HOST FILE NAME” prompt.

Note: This is the last point from which you can exit before starting the report process. *The report may take several hours or longer to run, since it includes patient lists.* Always test your first report at night or on the weekend. To exit, type a caret (^) at the “Device” prompt

5.12.3 Report and Patient List Content

The CMS Performance Report is unlike any other report in CRS in that it does not include denominators and numerators and measure rates. It does contain patient lists; however, they are formatted differently than all other CRS patient lists.

The CMS Performance Report automatically provides lists of patients and RPMS data as it relates to each particular measure as a basis for chart review and further data abstraction, and to report to CMS for 21 CMS quality measures. Because of the nature of this report, these patient lists are formatted differently than the other CRS patient lists and users are not given the option to run a random list or list by designated provider.

The following table shows the content of this report and the patient lists.

Table 5-9: Content of the CMS Performance Report Patient List by Performance Measure Topic

CMS Quality Measure	Patient List
Heart Attack (AMI)	List of all patients 18 and older discharged with Acute Myocardial Infarction (AMI)
	AMI-1 Aspirin at Arrival: List of AMI patients 18+ who were not excluded based on RPMS exclusion logic
	AMI-1 Aspirin at Arrival: List of AMI patients 18+, without RPMS exclusion logic applied
	AMI-2 Aspirin at Discharge: List of AMI patients 18+ who were not excluded based on RPMS exclusion logic
	AMI-2 Aspirin at Discharge: List of AMI patients 18+, without RPMS exclusion logic applied
	AMI-3 ACEI or ARB for LVSD: List of AMI patients 18+ with LVSD or ejection fraction who were not excluded based on RPMS exclusion logic
	AMI-3 ACEI or ARB for LVSD: List of AMI patients 18+ with LVSD or ejection fraction, without RPMS exclusion logic applied
	AMI-4 Adult Smoking Cessation: List of AMI patients 18+ with a history of smoking who were not excluded based on RPMS exclusion logic
	AMI-4 Adult Smoking Cessation: List of AMI patients 18+ with a history of smoking, without RPMS exclusion logic applied
	AMI-5 Beta Blocker at Discharge: List of AMI patients 18+ who were not excluded based on RPMS exclusion logic
	AMI-5 Beta Blocker at Discharge: List of AMI patients 18+, without RPMS exclusion logic applied
	AMI-6 Beta Blocker at Arrival: List of AMI patients 18+ who were not excluded based on RPMS exclusion logic
	AMI-6 Beta Blocker at Arrival: List of AMI patients 18+, without RPMS exclusion logic applied
	AMI-7a Fibrinolytic Therapy: List of AMI patients 18+ with ST-segment elevation or LBBB on ECG, without RPMS exclusion logic applied
AMI-8a Primary PCI: List of AMI patients 18+ with ST-segment elevation or LBBB on ECG, without RPMS exclusion logic applied	

CMS Quality Measure	Patient List
Heart Failure (HF)	List of all patients 18 and older discharged with heart failure
	HF-1 Discharge Instructions: List of heart failure patients 18+ discharged to home who were not excluded based on RPMS exclusion logic
	HF-1 Discharge Instructions: List of heart failure patients 18+ discharged to home, without RPMS exclusion logic applied
	HF-2 Evaluation of LVSF: List of heart failure patients 18+ who were not excluded based on RPMS exclusion logic
	HF-2 Evaluation of LVSF: List of heart failure patients 18+, without RPMS exclusion logic applied
	HF-3 ACEI or ARB for LVSD: List of heart failure patients 18+ with LVSD or ejection fraction who were not excluded based on RPMS exclusion logic
	HF-3 ACEI or ARB for LVSD: List of heart failure patients 18+ with LVSD or ejection fraction, without RPMS exclusion logic applied
	HF-4 Adult Smoking Cessation: List of heart failure patients 18+ with a history of smoking who were not excluded based on RPMS exclusion logic
	HF-4 Adult Smoking Cessation: List of heart failure patients 18+ with a history of smoking, without RPMS exclusion logic applied
	Pneumonia (PN)
PN-1 Oxygenation Assessment: List of pneumonia patients 18+ who were not excluded based on RPMS exclusion logic	
PN-1 Oxygenation Assessment: List of pneumonia patients 18+, without RPMS exclusion logic applied	
PN-2 Pneumococcal Vaccination: List of pneumonia patients 65+ who were not excluded based on RPMS exclusion logic	
PN-2 Pneumococcal Vaccination: List of pneumonia patients 65+, without RPMS exclusion logic applied	
PN-3b Blood Culture in ER: List of pneumonia patients 18+ with initial ER blood culture and on antibiotics who were not excluded based on RPMS exclusion logic	
PN-3b Blood Culture in ER: List of pneumonia patients 18+ with initial ER blood culture and on antibiotics, without RPMS exclusion logic applied	
PN-4 Adult Smoking Cessation: List of pneumonia patients 18+ with a history of smoking who were not excluded based on RPMS exclusion logic	
PN-4 Adult Smoking Cessation: List of pneumonia patients 18+ with a history of smoking, without RPMS exclusion logic applied	
PN-5b Antibiotic Within 4 Hours: List of pneumonia patients 18+ who were not excluded based on RPMS exclusion logic	
PN-5b Antibiotic Within 4 Hours: List of pneumonia patients 18+, without RPMS exclusion logic applied	
PN-6 Antibiotic Selection for CAP: List of pneumonia patients 18+ who were not excluded based on RPMS exclusion logic	

CMS Quality Measure	Patient List
Pneumonia (PN), <i>continued</i>	PN-6 Antibiotic Selection for CAP: List of pneumonia patients 18+, without RPMS exclusion logic applied
	PN-7 Influenza Status: List of patients 50+ discharged with pneumonia during October – February who were not excluded based on RPMS exclusion logic
	PN-7 Influenza Status: List of patients 50+ discharged with pneumonia during October – February, without RPMS exclusion logic applied
Surgical Care Improvement Project (SCIP)	List of all patients 18 and older discharged with a SCIP procedure
	SCIP-Inf-1 Antibiotic 1 Hour Before Incision: List of all patients 18+ discharged with a SCIP procedure who were not excluded based on RPMS exclusion logic
	SCIP-Inf-1 Antibiotic 1 Hour Before Incision: List of all patients 18+ discharged with a SCIP procedure, without RPMS exclusion logic applied
	SCIP-Inf-3 Antibiotics D/C 24 Hours Post Surgery: List of all patients 18+ discharged with a SCIP procedure who were not excluded based on RPMS exclusion logic
	SCIP-Inf-3 Antibiotics D/C 24 Hours Post Surgery: List of all patients 18+ discharged with a SCIP procedure, without RPMS exclusion logic applied

5.13 GPRA & PART Performance Report (GPU)

CI10 > RPT > OTH > GPU

5.13.1 Overview

The GPRA & PART Performance Report (GPU) includes the same performance measures included in the National GPRA & PART Report (see Section 5.2.3). However, unlike the National GPRA & PART Report, users select *all* report parameters (i.e., report end date, report year, baseline year, patient population, and community taxonomy) for this report. For the report end date, users may select from predefined quarters, such as September 30 or December 31, or users may enter any end date, such as November 14.

The GPRA & PART Performance Report can be exported to the Area Office by the site for aggregation into an area-wide report.

Patient lists for this report are run in the same way as the National GPRA & PART Report, as described in Section 5.3.2.

5.13.2 Running the GPRA & PART Performance Report

To run the GPRA & PART Performance Report, follow these steps:

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 Main Menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **OTH** and press the Enter key to display the Other National Reports menu, as in the following example:

```

*****
**      IHS/RPMS CRS 2010      **
**      Other National Reports  **
*****
                          Version 10.0

                          DEMO INDIAN HOSPITAL

GPU   GPRA & PART Performance Report
ONM   Other National Measures Report
OST   Other National Measures Report Patient List
EO    Executive Order Quality Transparency Measures Rpt
ELD   Elder Care Report
HED   HEDIS Performance Report
PED   Patient Education Reports ...

Select Other National Reports Option: GPU <Enter> GPRA & PART Performance Report

```

Figure 5-80: Other National Reports Menu: selecting the GPRA & PART Performance report (GPU) (Step 4)

4. At the “Select Other National Reports Option” prompt, type **GPU** and press the Enter key to display information about the GPRA & PART Performance Report, as shown below. Press the Enter key to continue.

```

IHS GPRA & PART Performance Report for a User Selected Date Range

This will produce a National GPRA & PART report for a year period you specify.

You will be asked to provide: 1) the reporting period, 2) the baseline
period to compare data to, 3) the Community taxonomy and 4) the patient
population (i.e. AI/AN only, non AI/AN, or both) to determine which
patients will be included.

You can choose to export this data to the Area office. If you
answer yes at the export prompt, a report will be produced in export format
for the Area Office to use in Area aggregated data. Depending on site specific
configuration, the export file will either be automatically transmitted
directly to the Area or the site will have to send the file manually.

Press enter to continue: <Enter>
Checking for Taxonomies to support the GPRA Performance Report...

All taxonomies are present.

End of taxonomy check. PRESS ENTER: <Enter>

```

Figure 5-81: Running the GPRA & PART Performance Report: report description display and taxonomy check (Step 5)

5. The site-populated taxonomies needed to run the report are checked. Press the Enter key to continue.

```

Select one of the following:

1      January 1 - December 31
2      April 1 - March 31
3      July 1 - June 30
4      October 1 - September 30
5      User-Defined Report Period

Enter the date range for your report: 1 <Enter> January 1 - December 31

```

Figure 5-82: Running the GPRA & PART Performance Report: selecting report date range (Step 6)

6. At the “Enter the date range for your report” prompt, do one of the following:
 - To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.
At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.
 - To define a custom report period, type **5** and press the Enter key.
At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.
7. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.

The date ranges you have selected for the report, including the Report Period, the Previous Year Period, and the Baseline Period are displayed, as in the following example:

```

Enter the Calendar Year for the report END date. Use a 4 digit
year, e.g. 2010
Enter Year: 2010 (2010)

Enter the Baseline Year to compare data to.
Use a 4 digit year, e.g. 1999, 2000
Enter Year (e.g. 2000): 2000 (2000)

The date ranges for this report are:
Report Period:      Jan 01, 2010 to Dec 31, 2010
Previous Year Period: Jan 01, 2009 to Dec 31, 2009
Baseline Period:    Jan 01, 2000 to Dec 31, 2000

Specify the community taxonomy to determine which patients will be
included in the report. You should have created this taxonomy using QMAN.

Enter the Name of the Community Taxonomy: DEMO GPRA COMMUNITIES//

```

Figure 5-83: Running the GPRA & PART Performance Report: selecting dates and community taxonomy (Steps 7 and 8)

8. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:
 - Press the Enter key to accept the default community taxonomy. (The default community taxonomy can be set in Site Parameters.)
 - Type the name of a community taxonomy and press the Enter key.
 - Type the first few letters of the taxonomy name and press the Enter key to see a selection of taxonomies, or type two question marks (??) to see the entire list. Type the number of the taxonomy you want to include and press the Enter key.

```

Select one of the following:

1      Indian/Alaskan Native (Classification 01)
2      Not Indian Alaskan/Native (Not Classification 01)
3      All (both Indian/Alaskan Natives and Non 01)

Select Beneficiary Population to include in this report: 1// 1 <Enter>
Indian/Alaskan Native (Classification 01)

```

Figure 5-84: Running the GPRA & PART Performance Report: selecting beneficiary population (Step 9)

9. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:
 - Press the Enter key to accept the default community taxonomy. (The default community taxonomy can be set in Site Parameters.)
 - Type the name of a community taxonomy and press the Enter key.
 - Type the first few letters of the taxonomy name and press the Enter key to see a selection of taxonomies, or type two question marks (??) to see the entire list. Type the number of the taxonomy you want to include and press the Enter key.
10. Your HOME location, as defined in the Site Parameters (Section 4.2), is displayed.
11. At the “Do you wish to export this data to Area?” prompt, type **Y** or **N**. You should only choose this option when you are ready to send final data to your Area Office.

A summary of the GPRA & PART Performance Report is displayed, as in the following example:

```

SUMMARY OF IHS GPRA & PART PERFORMANCE REPORT TO BE GENERATED
CRS 2010, Version 10.0

The date ranges for this report are:
Report Period:      Jan 01, 2010 to Dec 31, 2010
Previous Year Period:  Jan 01, 2009 to Dec 31, 2009
Baseline Period:    Jan 01, 2000 to Dec 31, 2000

The COMMUNITY Taxonomy to be used is: DEMO GPRA COMMUNITIES
The Beneficiary Population is: Indian/Alaskan Native (Classification 01)
The HOME location is: HOME 505989

Please choose an output type. For an explanation of the delimited
file please see the user manual.

Select one of the following:

P          Print Report on Printer or Screen
D          Create Delimited output file (for use in Excel)
B          Both a Printed Report and Delimited File

Select an Output Option: P//

```

Figure 5-85: Summary Screen for GPRA & PART Performance Report (Step 11)

12. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
 - P (Print) sends the report file to your printer, your screen, or an electronic file.

- D (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
- B (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2.

5.13.3 Report Content

The topics included in the GPRA & PART Performance Report are the same as those included on the National GPRA & PART Report (for details, see Section 5.2.3). The GPRA & PART Performance Report Patient List contains the same content as the National GPRA & PART Patient List (for details, see Section 5.3.3).

5.14 Other National Measures Report (ONM)

CI10 > RPT > OTH > ONM

5.14.1 Overview

The Other National Measures (ONM) Report primarily reports non-GPRA measures for which national data is needed and includes some GPRA measures to provide context to the non-GPRA measures. Patient lists for the ONM Report may be run using the OST menu option.

The ONM Report provides an option for selecting different patient-type populations: AI/AN, non-AI/AN, or both, and can be exported to the Area Office by the site for aggregation into an area-wide ONM Report.

5.14.2 Running the Other National Measures Report

The Other National Measures Report provides users with two options for running the report: (1) using the same hard-coded report parameters (Report Period, Previous Year Period, and Baseline Year) as the National GPRA & PART Report, or (2) using custom, user-defined report parameters. These options are shown below.

```
IHS 2010 Other National Measures Report

Please select the type of report would you like to run:

H Hard-coded Report: Report with all parameters set to the
  same as the National GPRA and Part Report (report period of
  July 1, 2009 - June 30, 2010, baseline period of July 1, 1999
  - June 30, 2000, and AI/AN patients only)

U User-defined Report: You select the report and baseline
  periods and beneficiary population

Select a Report Option: H//
```

Figure 5-86: Running the Other National Measures Report: report options

The hard-coded report is run for all performance measures. The report period is set to the current GPRA report period; the previous year period is set to one year prior to the report period; and the baseline year is set to July 1, 1999 – June 30, 2000. The patient population is set to AI/AN only.

The user-defined report can be run for all performance measures or only for selected measures, and the date ranges and patient population are set by the user.

- To run the report using the hard-coded report parameters, go to Section 5.14.2.1.
- To run the report using user-defined parameters, go to Section 5.14.2.2.

5.14.2.1 Other National Measures Report (ONM), Hard-Coded Report Option

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 Main Menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **OTH** and press the Enter key to display the Other National Reports menu, as in the following example:

```

*****
**      IHS/RPMS CRS 2010      **
**      Other National Reports  **
*****
                          Version 10.0

                          DEMO INDIAN HOSPITAL

GPU   GPRA & PART Performance Report
ONM   Other National Measures Report
OST   Other National Measures Report Patient List
EO    Executive Order Quality Transparency Measures Rpt
ELD   Elder Care Report
HED   HEDIS Performance Report
PED   Patient Education Reports ...

Select Other National Reports Option: ONM <Enter> Other National Measures Report

```

Figure 5-87: Other National Reports menu: selecting the Other National Measures Report (ONM) (Step 4)

- At the “Select Other National Reports Option” prompt, type **ONM** and press the Enter key.

```

                          IHS 2010 Other National Measures Report

Please select the type of report would you like to run:

H   Hard-coded Report: Report with all parameters set to the
    same as the National GPRA and Part Report (report period of
    July 1, 2009 - June 30, 2010, baseline period of July 1, 1999
    - June 30, 2000, and AI/AN patients only)

U   User-defined Report: You select the report and baseline
    periods and beneficiary population

Select a Report Option: H// <Enter> Hard-coded Report

```

Figure 5-88: Running the Other National Measures Report: selecting Hard-coded Report (Step 5)

- At the “Select a Report Option” prompt, press the Enter key to accept the default option, “H,” and display the following information about the report:

```

IHS 2010 Other National Measures Report

This will produce an Other National Measures report. You will be asked to provide
the community taxonomy to determine which patients will be included. This report
will be run for the Report Period July 1, 2009 through June 30, 2010 with a Baseline
Year of July 1, 1999 through June 30, 2000. This report will include beneficiary
population of American Indian/Alaska Native only.

You can choose to export this data to the Area office. If you answer yes at the
export prompt, a report will be produced in export format for the Area Office to
use in Area aggregated data. Depending on site specific configuration, the export
file will either be automatically transmitted directly to the Area or the site will
have to send the file manually.

Press Enter to Continue: <Enter>

```

Figure 5-89: Running the Other National Measures Report: information displayed for the Hard-coded Report option (Steps 5 and 6)

6. Press the Enter key to continue.

```

Checking for Taxonomies to support the Other National Measures Report...

All taxonomies are present.

End of taxonomy check. PRESS ENTER: <Enter>

```

Figure 5-90: Running the Other National Measures Report, Hard-coded Report option: checking taxonomies (Step 7)

7. The system checks to see if all taxonomies required for this report are present and have members associated to them. At the prompt, press the Enter key to continue.
8. The hard-coded date ranges for this report, the HOME location, and the beneficiary population included in the report are displayed, as in the following example:

```

The date ranges for this report are:
  Report Period:      Jul 01, 2009 to Jun 30, 2010
  Previous Year Period: Jul 01, 2008 to Jun 30, 2009
  Baseline Period:   Jul 01, 1999 to Jun 30, 2000

Your HOME location is defined as: HOME asufac: 505989

Beneficiary Population is set to American Indian/Alaskan Native Only.

Specify the community taxonomy to determine which patients will be
included in the report. You should have created this taxonomy using QMAN.

Enter the Name of the Community Taxonomy: DEMO GPRA COMMUNITIES// <Enter>

```

Figure 5-91: Running the Other National Measures Reports, Hard-coded Report option: displaying report parameters (Step 9)

9. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:
 - Press the Enter key to accept the default taxonomy. (The default community taxonomy can be set in Site Parameters.)
 - Type the name of a community taxonomy and press the Enter key.
 - Type the first few letters of the taxonomy name and press the Enter key to see a selection of taxonomies that begin with those letters, or type two question marks (??) and press the Enter key to see the entire list. Type the number of the taxonomy you want to use and press the Enter key.
10. At the “Do you wish to export this data to Area?” prompt, type **Y** or **N** and press the Enter key.
11. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
 - **P** (Print) sends the report file to your printer, your screen, or an electronic file.
 - **D** (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
 - **B** (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2 (Page 111).

5.14.2.2 Other National Measures Report (ONM), User-Defined Report Option

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 Main Menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **OTH** and press the Enter key to display the Other National Reports menu, as in the following example:

```

*****
**      IHS/RPMS CRS 2010      **
**      Other National Reports  **
*****
                          Version 10.0

                          DEMO INDIAN HOSPITAL

GPU   GPRA & PART Performance Report
ONM   Other National Measures Report
OST   Other National Measures Report Patient List
EO    Executive Order Quality Transparency Measures Rpt
ELD   Elder Care Report
HED   HEDIS Performance Report
PED   Patient Education Reports ...

Select Other National Reports Option: ONM <Enter> Other National Measures Report

```

Figure 5-92: Other National Reports menu: selecting the Other National Measures Report (ONM) (Step 4)

4. At the “Select Other National Reports Option” prompt, type **ONM** and press the Enter key.

```

Please select the type of report would you like to run:

H   Hard-coded Report: Report with all parameters set to the
    same as the National GPRA and Part Report (report period of
    July 1, 2009 - June 30, 2010, baseline period of July 1, 1999
    - June 30, 2000, and AI/AN patients only)

U   User-defined Report: You select the report and baseline
    periods and beneficiary population

Select a Report Option: H// U <Enter> User-defined Report

```

Figure 5-93: Running the Other National Measures Report: selecting User-defined Report option (Step 5)

5. At the “Select a Report Option” prompt, type **U** and press the Enter key to display the following information about the report:

```

IHS 2010 Other National Measures Report

This will produce the Other National Measures (ONM) Report for all
ONM performance measures for a year period you specify. You will be
asked to provide: 1) the reporting period, 2) the baseline period to
compare data to, 3) the community taxonomy to determine which patients will be
included, and the 4) beneficiary population.

You will be given the opportunity to export this data to the Area office. If you
answer yes, this option will produce a report in export format for the Area Office
to use in Area aggregated data. Depending on site specific configuration, the export
file will either be automatically transmitted directly to the Area or the site will
have to send the file manually.

Press Enter to Continue: <Enter>

```

Figure 5-94: Running the Other National Measures Report: displaying information for the User-defined Report option (Steps 5 and 6)

6. Press the Enter key to continue.

```

Checking for Taxonomies to support the Other National Measures Report...

All taxonomies are present.

End of taxonomy check. PRESS ENTER: <Enter>

```

Figure 5-95: Running the Other National Measures Report, User-Defined Report option: checking taxonomies (Step 7)

7. The system checks to see if all taxonomies required for this report are present and have members associated with them. At the prompt, press the Enter key to continue.

```

Select one of the following:

1      January 1 - December 31
2      April 1 - March 31
3      July 1 - June 30
4      October 1 - September 30
5      User-Defined Report Period

Enter the date range for your report:

```

Figure 5-96: Running the Other National Measures Report, User-Defined Report option: selecting report date range (Step 8)

8. At the “Enter the date range for your report” prompt, do one of the following:
 - To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.

At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.

- To define a custom report period, type **5** and press the Enter key.
At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.
9. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.
- The date ranges you have selected for the report are displayed, including the Report Period (current), the Previous Year Period, and the Baseline Period.
10. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:
- Press the Enter key to accept the default community taxonomy. (The default community taxonomy can be set in Site Parameters.)
 - Type the name of a community taxonomy and press the Enter key.
 - Type the first few letters of the taxonomy name and press the Enter key to see a selection of taxonomies, or type two question marks (??) to see the entire list. Type the number of the taxonomy you want to include and press the Enter key.
11. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include and press the Enter key, where:
- **1** (Indian/Alaskan Native) reports only on AI/AN patients.
 - **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
 - **3** (All) reports on your entire patient population.
12. The HOME location is displayed. At the “Do you wish to export this data to Area?” prompt, type **Y** or **N** and press the Enter key.
- If you type **Y** to export the ONM data to the Area Office, a file will automatically be created for use by the Area Office to create the Area Aggregate Other National Measures Report.
13. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
- **P** (Print) sends the report file to your printer, your screen, or an electronic file.
 - **D** (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
 - **B** (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2 (Page 111).

5.14.3 Report Content

The following measures are included in the Other National Measures Report. Measures also included in the National GPRA & PART Report/GPRA & PART Performance Report are shown in bold font in the following table.

Table 5-10: Content of the Other National Measures Report by Performance Measure Topic

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Diabetes Comprehensive Care	Active Diabetic Patients	1) With A1c documented 2) With BP documented 3) With controlled BP (<130/80) 4) With LDL done 5) With nephropathy assessment 6) With retinal evaluation 7) With diabetic foot exam 8) With comprehensive diabetes care (documented A1c AND Blood Pressure AND LDL AND Nephropathy Assessment AND Retinal exam AND diabetic foot exam)
Topical Fluoride	No denominator. This measure is a total count only, not a percentage.	1) Total number of topical fluoride applications (no refusals) 2) With documented refusal
Adult IZ: Influenza	Active Diabetic patients	1) With influenza vaccination, contraindication, or NMI refusal A) With contraindication/ NMI refusal 2) With refusal in past year
Adult IZ: Pneumovax	Active Diabetic patients	1) With pneumovax or contraindication ever or NMI refusal A) With contraindication/ NMI refusal 2) With refusal in past year
Adolescent Immunizations	1) Active Clinical patients ages 13–17 2) Female Active Clinical patients ages 13–17	1) With 1:3:2:1 combo 2) With 1 dose of Tdap 3) With 1 dose of meningococcal 4) With 3 doses of HPV (females only)

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Alcohol Screening and Brief Intervention (ASBI) in the ER	1) Active Clinical patients age 15–34 seen in the ER for injury 2) Active Clinical patients age 15–34 seen in the ER for injury and screened positive for hazardous alcohol use during the Report Period 3) User Population patients age 15–34 seen in the ER for injury 4) User Population patients age 15–34 seen in the ER for injury and screened positive for hazardous alcohol use during the Report Period	1) Screened in the ER for hazardous alcohol use A) With a positive screen 2) With a brief negotiated interview (BNI) at or within 7 days of the ER visit A) Provided a BNI at the ER visit B) Provided a BNI not at the ER visit but within 7 days of the ER visit
Intimate Partner (Domestic) Violence Screening	Female Active Clinical patients ages 15-40	1) With IPV/DV screening (no refusals) A) With IPV/DV exam B) With IPV/DV-related diagnosis C) With IPV/DV education 2) With IPV/DV refusal
Depression Screening	Active Diabetic patients, broken down by gender.	1) With depression screening or diagnosed with mood disorder (no refusals) A) With depression screening B) With mood disorder diagnosis 2) With refusal 3) With depression-related education or refusal of education in past year.
Cardiovascular Disease and Cholesterol Screening	Active Clinical patients ages 23+	1) With documented total cholesterol screening in past 5 years
Cardiovascular Disease and Blood Pressure Control	1) Active Clinical patients ages 20+ 2) Active Clinical Pts w/ischemic disease DX	All numerators

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Appropriate Medication Therapy after a Heart Attack	Active Clinical patients 35 and older discharged for an AMI	1) With beta-blocker Rx/refusal/contraindication 2) With ASA Rx/refusal/contraindication 3) With ACEI/ARB Rx/refusal/contraindication 4) With statin Rx/refusal/contraindication 5) With all above meds
Persistence of Appropriate Medication Therapy after a Heart Attack	Active Clinical patients 35 and older diagnosed with an AMI	1) With 135-day beta-blocker Rx/refusal/contraindication 2) With 135-day ASA Rx/refusal/contraindication 3) With 135-day ACEI/ARB Rx/refusal/contraindication 4) With 135-day statin Rx/refusal/contraindication 5) With all above meds
Appropriate Medication Therapy in High Risk Patients	Active IHD patients ages 22 and older	1) With 180-day beta-blocker Rx/refusal/contraindication 2) With 180-day ASA Rx/refusal/contraindication 3) With 180-day ACEI/ARB Rx/refusal/contraindication 4) With 180-day statin Rx/refusal/contraindication 5) With all above meds
Cholesterol Management for Patients with Cardiovascular Conditions	Active Clinical patients ages 18 to 75 diagnosed with AMI, CABG, PTCA, or IVD	All numerators
Heart Failure and Evaluation of LVS Function	Active Clinical ages 18 or older discharged with heart failure during the Report Period	1) With LVS function evaluated before arrival, during hospitalization, or is planned for after discharge
Sexually Transmitted Infection (STI) Screening	No denominator for numerators #1 and 2. These measures are total counts only; not percentages. 1) Screenings needed for incidents of key STIs for Active Clinical patients	1) Total count of Active Clinical patients who were diagnosed with one or more key STIs 2) Total count of separate key STI incidents for Active Clinical patients 3) Total number of screenings performed or refused

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Prediabetes/Metabolic Syndrome	Active Clinical patients ages 18 and older diagnosed with prediabetes/metabolic syndrome without a documented history of diabetes	All numerators
Public Health Nursing	No denominator. These measures are total counts only; not percentages.	1) Number of visits by PHNs in any setting A) Ages 0–28 days B) Ages 29 days to 12 months C) Ages 1–64 years D) Ages 65+ E) PHN driver/interpreter 2) Number of visits by PHNs in Home setting A) Ages 0–28 days B) Ages 29 days to 12 months C) Ages 1–64 years D) Ages 65+ E) PHN driver/interpreter

5.15 Other National Measures Report Patient List (OST)

CI10 > RPT > OTH > OST

5.15.1 Overview

The Other National Measures Report Patient List (OST) option prints one or more patient lists including patients who *do* or *do not* meet a measure, or both, for one or more performance measure topics included in the Other National Measures Report.

5.15.2 Running the Other National Measures Report Patient List

To run the Other National Measures Report Patient List, follow these steps:

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 Main Menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.

- At the “Select Reports Option” prompt, type **OTH** and press the Enter key to display the Other National Reports menu, as in the following example:

```

*****
**      IHS/RPMS CRS 2010      **
**      Other National Reports  **
*****
                          Version 10.0

                          DEMO INDIAN HOSPITAL

GPU   GPRA & PART Performance Report
ONM   Other National Measures Report
OST   Other National Measures Report Patient List
EO    Executive Order Quality Transparency Measures Rpt
ELD   Elder Care Report
HED   HEDIS Performance Report
PED   Patient Education Reports ...

Select Other National Reports Option: OST <Enter> Other National Measures Report
Patient List

```

Figure 5-97: Other National Reports Menu: selecting the Other National Measures Report Patient List (OST) (Step 4)

- At the “Select Other National Reports Option” prompt, type **OST** and press the Enter key to display information about the patient list, as in the following example. Press the Enter key to continue.

```

IHS Other National Measures Performance Report Patient List
CRS 2010, Version 10.0

This will produce a list of patients who either met or did not meet
an Other National Measures Report performance measure or a list of
both those patients who met and those who did not meet an Other National
Measures Report performance measure. You will be asked to select one or
more performance measure topics and then choose which performance
measure numerators you would like to report on.

You will also be asked to provide the community taxonomy to determine
which patients will be included, the beneficiary population of the
patients, and the Report Period and Baseline Year.
Press enter to continue: <Enter>
Checking for Taxonomies to support the Other National Measures Report...

All taxonomies are present.

End of taxonomy check. PRESS ENTER: <Enter>

```

Figure 5-98: Running the Other National Measures Report Patient List: report information and taxonomy check (Steps 4 and 5)

- At the “End of taxonomy check” prompt, press the Enter key to display the Performance Measure Selection screen, as shown in the following example:

```

PERFORMANCE MEASURE SELECTION Jun 10, 2010 16:24:49      Page:  1 of  2
IHS Clinical Performance Measures
* indicates the performance measure has been selected

1)  Diabetes Comprehensive Care
2)  Topical Fluoride
3)  Adult Immunizations: Influenza
4)  Adult Immunizations: Pneumovax
5)  Adolescent Immunizations
6)  Alcohol Screening and Brief Intervention (ASBI) in the ER
7)  Intimate Partner (Domestic) Violence Screening
8)  Depression Screening
9)  Cardiovascular Disease and Cholesterol Screening
10) Cardiovascular Disease and Blood Pressure Control
11) Appropriate Medication Therapy after a Heart Attack
12) Persistence of Appropriate Medication Therapy after a Heart Attack
13) Appropriate Medication Therapy in High Risk Patients
14) Cholesterol Management for Patients with Cardiovascular Conditions
15) Heart Failure and Evaluation of LVS Function
16) Sexually Transmitted Infection (STI) Screening
+   Enter ?? for more actions
S   Select Measure      D   De Select Measure      Q   Quit
Select Action:+//

```

Figure 5-99: Running the Other National Measures Report Patient List: selecting performance measure topics (Step 6)

6. The action bar appears at the bottom of the screen. At the “Select Action” prompt, do one of the following to view available topics:

- Type a plus sign (+) and press the Enter key to view the next page.
- Type a hyphen (-) and press the Enter key to return to the previous page.

7. To select performance measures to include in the report, follow these steps:

- a. At the “Select Action” prompt, type **S** and press the Enter key.
- b. At the “Which item(s)” prompt, type the number(s) of the measure(s) you want to include and press the Enter key.

To select multiple measures, type a range (e.g., 1–2), a series of numbers (e.g., 1, 3), or a combination of ranges and numbers (e.g., 1–2, 4, 6, 10).

After pressing the Enter key, each selected measure is marked with an asterisk (*) to the left of its number (Figure 5-100).

For a list of the available performance measure topics, see the first column in Table 5-11.

- c. To save your selected performance measures, type **Q** at the “Select Action” prompt and press the Enter key.

```

PERFORMANCE MEASURE SELECTION Jun 17, 2010 10:26:16      Page:   1 of   2
IHS Clinical Performance Measures
* indicates the performance measure has been selected

1)  Diabetes Comprehensive Care
2)  Topical Fluoride
3)  Adult Immunizations: Influenza
4)  Adult Immunizations: Pneumovax
5)  Adolescent Immunizations
6)  Alcohol Screening and Brief Intervention (ASBI) in the ER
7)  Intimate Partner (Domestic) Violence Screening
*8) Depression Screening
9)  Cardiovascular Disease and Cholesterol Screening
10) Cardiovascular Disease and Blood Pressure Control
11) Appropriate Medication Therapy after a Heart Attack
12) Persistence of Appropriate Medication Therapy after a Heart Attack
13) Appropriate Medication Therapy in High Risk Patients
14) Cholesterol Management for Patients with Cardiovascular Conditions
15) Heart Failure and Evaluation of LVS Function
16) Sexually Transmitted Infection (STI) Screening
+      Enter ?? for more actions
S      Select Measure      D      De Select Measure      Q      Quit
Select Action:+// Q <Enter> Quit

```

Figure 5-100: Running the Other National Measures Report Patient List: showing selected topics (Step 7)

```

Please select one or more of these report choices within the
Depression Screening performance measure topic.

      1) Active Diabetic Patients with Depression Screening
      2) Active Diabetic Patients without Depression Screening
Which item(s): (1-2): 1

Select List Type.
NOTE: If you select All Patients, your list may be
hundreds of pages and take hours to print.

      Select one of the following:

      R      Random Patient List
      P      Patient List by Provider
      A      All Patients

Choose report type for the Lists: R// Patient List by Provider
Enter Designated Provider Name: Provider, Tom <Enter>

```

Figure 5-101: Running the Other National Measures Report Patient List: selecting patient lists for each topic and selecting list type (Steps 8 and 9)

8. Patient lists available for the first performance measure you selected are displayed (Figure 5-101). At the “Which item(s)” prompt, type the number of the list you would like to print and press the Enter key.

If you selected more than one performance measure, the patient lists available for the next measure is displayed. For a list of available patient lists, see the second and third columns in Table 5-11.

9. At the “Choose report type for the Lists” prompt, type the letter corresponding to the type of patient list you want and press the Enter key, where:

- **R** (Random Patient List) produces a list containing 10% of the entire patient list.
- **P** (Patient List by Provider) produces a list of patients with a user-specified designated care provider.
- **A** (All Patients) produces a list of all patients.

If you select P (Patient List by Provider), type the name of a designated provider and press the Enter key.

Note: Printed patient lists are likely to require a great deal of paper, even when you are producing a random list. Ensure that your selected printer has enough paper, particularly if you are running the report overnight.

Print patient lists only when you need them, or print to an electronic file.

```

Select one of the following:

1      January 1 - December 31
2      April 1 - March 31
3      July 1 - June 30
4      October 1 - September 30
5      User-Defined Report Period

Enter the date range for your report: 1 <Enter> January 1 - December 31

```

Figure 5-102: Running the Other National Measures Report Patient List: selecting report date range (Step 10)

10. At the “Enter the date range for your report” prompt, do one of the following:

- To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.

At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.

- To define a custom report period, type **5** and press the Enter key.

At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.

11. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.

The date ranges you have selected are displayed, including the Report Period (current), the Previous Year Period, and the Baseline Period as in the following example:

```
Enter the Calendar Year for the report END date. Use a 4 digit
year, e.g. 2010
Enter Year: 2010 (2010)

Enter the Baseline Year to compare data to.
Use a 4 digit year, e.g. 1999, 2000
Enter Year (e.g. 2000): 2000 (2000)

The date ranges for this report are:
Report Period:      Jan 01, 2010 to Dec 31, 2010
Previous Year Period: Jan 01, 2009 to Dec 31, 2009
Baseline Period:    Jan 01, 2000 to Dec 31, 2000

Specify the community taxonomy to determine which patients will be
included in the report. You should have created this taxonomy using QMAN.

Enter the Name of the Community Taxonomy: DEMO GPRA COMMUNITIES//
```

Figure 5-103: Running the Other National Measures Report Patient List: displaying report date ranges and selecting community taxonomy (Steps 11 and 12)

12. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:
 - Press the Enter key to accept the default taxonomy. (The default community taxonomy can be set in Site Parameters.)
 - Type the name of a community taxonomy and press the Enter key.
 - Type the first few letters of the taxonomy name and press the Enter key to see a selection of taxonomies beginning with those letters, or type two question marks (??) and press the Enter key to see the entire list. Then type the number of the taxonomy you want to use and press the Enter key.
13. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include and press the Enter key, where:
 - **1** (Indian/Alaskan Native) reports only on AI/AN patients.
 - **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
 - **3** (All) reports on your entire patient population.
14. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:

- **P (Print)** sends the report file to your printer, your screen, or an electronic file.
- **D (Delimited Output)** produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
- **B (Both)** produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2 (Page 111).

5.15.3 Patient List Content

The content of the patient list report is determined by the performance measure topic and performance measure you select. The following table shows the performance measure topics, their associated met/not met measures, and content of the patient lists.

Note: Not every measure will have a Met and Not Met patient list option. For example, for topical fluoride (number of applications), users may only print a patient list containing patients meeting the measure, because this measure is a count, not a percentage.

In addition to the patient lists being printed, the Other National Measures Report for the selected performance measure topic(s) will also be printed.

Table 5-11: Content of the Other National Measures Patient List Report by Performance Measure Topic and Performance Measure

Performance Measure Topic	Performance Measure	Patient List (Time frame for meeting the measure is during the Report period, unless defined otherwise.)
Diabetes Comprehensive Care	A1c documented	List of diabetic patients who did have their A1c assessed.
	No A1c documented	List of diabetic patients who did <i>not</i> have their A1c assessed.
	BP documented	List of diabetic patients who did have their BP assessed.
	No BP documented	List of diabetic patients who did <i>not</i> have their BP assessed.
	Controlled BP	List of diabetic patients with controlled BP, defined as <130/80.
	Uncontrolled BP	List of diabetic patients with uncontrolled BP, defined as >130/80.
	LDL documented	List of diabetic patients with LDL completed.

Performance Measure Topic	Performance Measure	Patient List (Time frame for meeting the measure is during the Report period, unless defined otherwise.)
Diabetes Comprehensive Care, <i>continued</i>	LDL not assessed	List of diabetic patients <i>without</i> LDL completed.
	Nephropathy assessed	List of diabetic patients with nephropathy assessment.
	No nephropathy assessment	List of diabetic patients <i>without</i> nephropathy assessment.
	Retinal evaluation	List of diabetic patients with retinal evaluation.
	No retinal evaluation	List of diabetic patients <i>without</i> retinal evaluation.
	Documented Diabetic Foot Exam	List of diabetic patients with a diabetic foot exam.
	No Documented Diabetic Foot Exam	List of diabetic patients <i>without</i> a diabetic foot exam.
	With Comprehensive Diabetes Care	List of diabetic patients with comprehensive diabetes care.
	Without Comprehensive Diabetes Care	List of diabetic patients <i>without</i> comprehensive diabetes care.
Topical Fluoride	With Topical Fluoride Application	List of patients who received at least one topical fluoride application during Report period.
Adult Immunizations: Influenza	Diabetic Patients with Influenza Immunization	List of diabetic patients with influenza vaccination, contraindication, or NMI refusal.
	Diabetic Patients without Influenza Immunization	List of diabetic patients <i>without</i> influenza vaccination, contraindication, or NMI refusal.
Adult Immunizations: Pneumovax	Diabetic Patients with Pneumovax Ever	List of diabetic patients with pneumovax vaccination, contraindication, or NMI refusal.
	Diabetic Patients without Pneumovax Ever	List of diabetic patients <i>without</i> pneumovax vaccination, contraindication, or NMI refusal.
Adolescent Immunizations	Active Clinical 13–17 with 1:3:2:1	List of Active Clinical patients 13–17 with 1:3:2:1 combination (i.e. 1 Td/Tdap, 3 Hepatitis B, 2 MMR, 1 Varicella).
	Active Clinical 13–17 without 1:3:2:1	List of Active Clinical patients 13–17 <i>without</i> 1:3:2:1 combination (i.e. 1 Td/Tdap, 3 Hepatitis B, 2 MMR, 1 Varicella). If a patient did not have all doses in a multiple dose vaccine, the IZ will not be listed. For example, if a patient only had 2 Hep B, no IZ will be listed for Hep B.

Performance Measure Topic	Performance Measure	Patient List (Time frame for meeting the measure is during the Report period, unless defined otherwise.)
Adolescent Immunizations, <i>continued</i>	Active Clinical 13–17 with 1 Tdap	List of Active Clinical patients 13–17 with 1 Tdap ever.
	Active Clinical 13–17 without 1 Tdap	List of Active Clinical patients 13–17 <i>without</i> 1 Tdap ever.
	Active Clinical 13–17 with 1 Meningococcal	List of Active Clinical patients 13–17 with 1 Meningococcal ever.
	Active Clinical 13–17 without 1 Meningococcal	List of Active Clinical patients 13–17 <i>without</i> 1 Meningococcal ever.
	Female Active Clinical 13–17 with 3 HPV	List of female Active Clinical patients 13–17 with 3 doses of HPV ever.
	Female Active Clinical 13–17 without 3 HPV	List of female Active Clinical patients 13–17 <i>without</i> 3 doses of HPV ever. If a patient did not have all doses, the IZ will not be listed.
Alcohol Screening and Brief Intervention (ASBI) in the ER	Patients 15–34 with ER Injury Screened for Alcohol Use	Patients 15–34 seen in the ER for injury who were screened for hazardous alcohol use.
	Patients 15–34 with ER Injury Not Screened for Alcohol Use	Patients 15–34 seen in the ER for injury who were <i>not</i> screened for hazardous alcohol use.
	Patients 15–34 with ER Injury and Positive Alcohol Screen with BNI	Patients 15–34 seen in the ER for injury with positive alcohol screen who received a BNI.
	Patients 15–34 with ER Injury and Positive Alcohol Screen without BNI	Patients 15–34 seen in the ER for injury with positive alcohol screen who did <i>not</i> receive a BNI.
Intimate Partner (Domestic) Violence Screening	Female Patients 15-40 with IPV/DV Screening	List of female patients 15-40 with documented IPV/DV screening.
	Female Patients 15-40 without IPV/DV Screening	List of female patients 15-40 <i>without</i> documented IPV/DV screening.
Depression Screening	Active Diabetic Patients with Depression Screening	List of Active Diabetic patients screened for depression/diagnosed with mood disorder.
	Active Diabetic Patients without Depression Screening	List of Active Diabetic patients <i>not</i> screened for depression/diagnosed with mood disorder.
Cardiovascular Disease and Cholesterol Screening	Active Clinical 23+ with Total Cholesterol Screening	List of Active Clinical patients 23+ screened for total cholesterol in past 5 years.
	Active Clinical 23+ without Total Cholesterol Screening	List of Active Clinical patients 23+ <i>not</i> screened for total cholesterol in past 5 years.

Performance Measure Topic	Performance Measure	Patient List (Time frame for meeting the measure is during the Report period, unless defined otherwise.)
Cardiovascular Disease and Blood Pressure Control	Active Clinical 20+ or with IHD with BP Assessed	List of Active Clinical patients =>20 or who have IHD who had their BP assessed twice in past two years.
	Active Clinical 20+ or with IHD w/o BP Assessment	List of Active Clinical patients =>20 or who have IHD who have not had their BP assessed twice in past two years.
	Active Clinical 20+ or with IHD w/Normal BP (<120/80)	List of Active Clinical patients =>20 or who have IHD who have normal BP (<120/80).
	Active Clinical 20+ or with IHD w/Uncontrolled BP (>=120/80)	List of Active Clinical patients =>20 or who have IHD who have uncontrolled BP (=>120/80).
Appropriate Medication Therapy after a Heart Attack	Active Clinical 35+ with Beta-Blocker Therapy	List of Active Clinical patients =>35 discharged for AMI with beta-blocker therapy.
	Active Clinical 35+ without Beta-Blocker Therapy	List of Active Clinical patients =>35 discharged for AMI <i>without</i> beta-blocker therapy.
	Active Clinical 35+ with ASA Therapy	List of Active Clinical patients =>35 discharged for AMI with ASA therapy.
	Active Clinical 35+ without ASA Therapy	List of Active Clinical patients =>35 discharged for AMI <i>without</i> ASA therapy.
	Active Clinical 35+ with ACEI/ARB Therapy	List of Active Clinical patients =>35 discharged for AMI with ACEI/ARB therapy.
	Active Clinical 35+ without ACEI/ARB Therapy	List of Active Clinical patients =>35 discharged for AMI <i>without</i> ACEI/ARB therapy.
	Active Clinical 35+ with Statin Therapy	List of Active Clinical patients =>35 discharged for AMI with statin therapy.
	Active Clinical 35+ without Statin Therapy	List of Active Clinical patients =>35 discharged for AMI <i>without</i> statin therapy.
	Active Clinical 35+ with All Meds	List of Active Clinical patients =>35 discharged for AMI with all appropriate medications.
	Active Clinical 35+ without All Meds	List of Active Clinical patients =>35 discharged for AMI <i>without</i> all appropriate medications.

Performance Measure Topic	Performance Measure	Patient List (Time frame for meeting the measure is during the Report period, unless defined otherwise.)
Persistence of Appropriate Medication Therapy after a Heart Attack	Active Clinical 35+ with 135-day Beta-Blocker Therapy	List of Active Clinical patients =>35 with AMI Dx with 135-day beta-blocker therapy.
	Active Clinical 35+ without 135-day Beta-Blocker Therapy	List of Active Clinical patients =>35 with AMI Dx <i>without</i> 135-day beta-blocker therapy.
	Active Clinical 35+ with 135-day ASA Therapy	List of Active Clinical patients =>35 with AMI Dx with 135-day ASA therapy.
	Active Clinical 35+ without 135-day ASA Therapy	List of Active Clinical patients =>35 with AMI Dx <i>without</i> ASA therapy.
	Active Clinical 35+ with 135-day ACEI/ARB Therapy	List of Active Clinical patients =>35 with AMI Dx with 135-day ACEI/ARB therapy.
	Active Clinical 35+ without 135-day ACEI/ARB Therapy	List of Active Clinical patients =>35 with AMI Dx <i>without</i> 135-day ACEI/ARB therapy.
	Active Clinical 35+ with 135-day Statin Therapy	List of Active Clinical patients =>35 with AMI Dx with 135-day statin therapy.
	Active Clinical 35+ without 135-day Statin Therapy	List of Active Clinical v =>35 with AMI Dx <i>without</i> 135-day statin therapy.
	Active Clinical 35+ with 135-day Treatment of All Meds	List of Active Clinical patients =>35 with AMI Dx with 135-day therapy for all appropriate meds.
	Active Clinical 35+ without 135-day Treatment of All Meds	List of Active Clinical patients =>35 with AMI Dx <i>without</i> 135-day therapy for all appropriate meds.
Appropriate Medication Therapy in High Risk Patients	Active IHD 22+ with 180-day Beta-Blocker Therapy	List of Active IHD patients 22+ with 180-day beta-blocker therapy.
	Active IHD 22+ without 180-day Beta-Blocker Therapy	List of Active IHD patients 22+ <i>without</i> 180-day beta-blocker therapy.
	Active IHD 22+ with 180-day ASA Therapy	List of Active IHD patients 22+ with 180-day ASA therapy.
	Active IHD 22+ without 180-day ASA Therapy	List of Active IHD patients 22+ <i>without</i> 180-day ASA therapy.
	Active IHD 22+ with 180-day ACEI/ARB Therapy	List of Active IHD patients 22+ with 180-day ACEI/ARB therapy.
	Active IHD 22+ without 180-day ACEI/ARB Therapy	List of Active IHD patients 22+ <i>without</i> 180-day ACEI/ARB therapy.
	Active IHD 22+ with 180-day Statin Therapy	List of Active IHD patients 22+ with 180-day statin therapy.

Performance Measure Topic	Performance Measure	Patient List (Time frame for meeting the measure is during the Report period, unless defined otherwise.)
Appropriate Medication Therapy in High Risk Patients, <i>continued</i>	Active IHD 22+ without 180-day Statin Therapy	List of Active IHD patients 22+ <i>without</i> 180-day statin therapy.
	Active IHD 22+ with 180-day Treatment of All Meds	List of Active IHD patients 22+ with 180-day therapy for all appropriate meds.
	Active IHD 22+ without 180-day Treatment of All Meds	List of Active IHD patients 22+ <i>without</i> 180-day therapy for all appropriate meds.
Cholesterol Management for Patients with Cardiovascular Conditions	Active Clinical 18–75 with CVD with LDL Assessed	List of Active Clinical patients 18–75 with DX of AMI, CABG, PTCA, or IVD with LDL completed, regardless of result.
	Active Clinical 18–75 with CVD without LDL Assessed	List of Active Clinical patients 18–75 with DX of AMI, CABG, PTCA, or IVD <i>without</i> LDL completed.
	Active Clinical 18–75 with CVD with LDL <=100	List of Active Clinical patients 18–75 with DX of AMI, CABG, PTCA, or IVD with LDL <=100.
	Active Clinical 18–75 with CVD with LDL 101-130	List of Active Clinical patients 18–75 with DX of AMI, CABG, PTCA, or IVD with LDL 101-130.
	Active Clinical 18–75 with CVD with LDL >130	List of Active Clinical patients 18–75 with DX of AMI, CABG, PTCA, or IVD with LDL >130.
Heart Failure and Evaluation of LVS Function	Active Clinical 18+ with Evaluation of LVS Function	List of Active Clinical heart failure patients 18+ who received evaluation of LVS function.
	Active Clinical 18+ <i>without</i> Evaluation of LVS Function	List of Active Clinical heart failure patients 18+ who did not receive evaluation of LVS function.
Sexually Transmitted Infection (STI) Screening	Active Clinical with STI who were Screened for Other Key STIs	List of Active Clinical patients diagnosed with an STI who were screened for other key STIs.
	Active Clinical with STI who were not Screened for Other Key STIs	List of Active Clinical patients diagnosed with an STI who were <i>not</i> screened for other key STIs.
Prediabetes/ Metabolic Syndrome	Active Clinical 18+ with All Assessments	List of Active Clinical patients =>18 with Prediabetes/Metabolic Syndrome with all assessments.
	Active Clinical 18+ without All Assessments	List of Active Clinical patients =>18 with Prediabetes/Metabolic Syndrome without all assessments.
Public Health Nursing	Documented PHN Visit(s) in Any Setting, including Home	List of patients with a PHN visit(s) in any setting, including Home.
	Documented PHN Visit(s) in Home Setting	List of patients with a PHN visit(s) in Home setting.

5.16 Executive Order Quality Transparency Measures Report (EO)

CI10 > RPT > OTH > EO

5.16.1 Overview

The Executive Order (EO) Quality Transparency Measures Report contains performance measures in support of EO 13410 for quality transparency reporting. All federal facilities/sites are required to run this report and will report their data annually. The information is available on the IHS Quality of Care Web site: <http://www.ihs.gov/NonMedicalPrograms/quality/>

You will have the option of running the report using the same hard-coded report parameters as the National GPRA & PART Report, or selecting your own report parameters, as shown below.

5.16.2 Running the Executive Order Quality Transparency Measures Report (EO)

The Executive Order Quality Transparency Measures Report provides two options for running the report: (1) using the same hard-coded report parameters as the National GPRA & PART report (Report Period, Previous Year Period, Baseline Year, and Beneficiary (patient) Population), and (2) using custom, user-defined report parameters. These options are shown below.

```
IHS Executive Order Quality Transparency Measures Report
Please select the type of report would you like to run:

H  Hard-coded Report: Report with all parameters set to the same as the
   National GPRA Report (report period of July 1, 2009 - June 30, 2010,
   baseline period of July 1, 1999 - June 30, 2000, and AI/AN patients only)

U  User-defined Report: You select the report and baseline periods and
   beneficiary population

Select a Report Option: H://
```

Figure 5-104: Report options for the Executive Order Quality Transparency Measures Report (EO)

The hard-coded report is run for all performance measures. The report period is set to the current GPRA report period; the previous year period is set to one year prior to the report period, and the baseline year is set to July 1, 1999 – June 30, 2000. The patient population is set to AI/AN only.

The user-defined report can be run for all performance measures or only for selected measures, and the date ranges and patient population are set by the user.

- To run the report using the Hard-coded Report option, go to Section 5.16.2.1.
- To run the report using the User-defined Report option, go to Section 5.16.2.2.

5.16.2.1 Executive Order Quality Transparency Measures Report (EO), Hard-Coded Report Option

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 main menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **OTH** and press the Enter key to display the Other National Reports menu, as in the following example:

```

*****
**      IHS/RPMS CRS 2010      **
**      Other National Reports  **
*****
Version 10.0

DEMO INDIAN HOSPITAL

GPU  GPRA & PART Performance Report
ONM  Other National Measures Report
OST  Other National Measures Report Patient List
EO   Executive Order Quality Transparency Measures Rpt
ELD  Elder Care Report
HED  HEDIS Performance Report
PED  Patient Education Reports ...

Select Other National Reports Option: EO <Enter> Other National Measures Report

```

Figure 5-105: Other National Reports menu: selecting the Executive Order Quality Transparency Measures Report (EO) (Step 4)

4. At the “Select Other National Reports Option” prompt, type **EO** and press the Enter key to select the Executive Order Quality Transparency Measures Report.

```
IHS Executive Order Quality Transparency Measures Report

Please select the type of report would you like to run:

  H Hard-coded Report: Report with all parameters set to the same as the
    National GPRA Report (report period of July 1, 2009 - June 30, 2010,
    baseline period of July 1, 1999 - June 30, 2000, and AI/AN patients only)

  U User-defined Report: You select the report and baseline periods and
    beneficiary population

Select a Report Option: H:// <Enter> Hard-coded Report
```

Figure 5-106: Running the Executive Order Quality Transparency Measures Report (EO): selecting Hard-coded Report option (Step 5)

5. At the “Select a Report Option” prompt, press the Enter key to accept the default option, “H,” and display the following information about the report:

```
This will produce an Executive Order Quality Transparency Measures report for all
performance measures. You will be asked to provide the
community taxonomy to determine which patients will be included.
This report will be run for the Report Period July 1, 2009 through
June 30, 2010 with a Baseline Year of July 1, 1999 through June 30, 2000. This
report will include beneficiary population of American Indian/Alaska
Native only.

You can choose to export this data to the Area office. If you answer yes at the
export prompt, a report will be produced in export format for the Area Office to use
in Area aggregated data. Depending on site specific configuration, the export file
will either be automatically transmitted directly to the Area or the site will have
to send the file manually.

Press Enter to Continue: <Enter>
```

Figure 5-107: Running the EO report: information displayed for the Hard-coded Report option (Step 5)

6. Press the Enter key to display the hard-coded date ranges and beneficiary population for this report. The system checks to see if all taxonomies required for this report are present and have members associated to them. (Figure 5-108)

```
The date ranges for this report are:
  Report Period:      Jul 01, 2009 to Jun 30, 2010
  Previous Year Period: Jul 01, 2008 to Jun 30, 2009
  Baseline Period:   Jul 01, 1999 to Jun 30, 2000

Beneficiary Population is set to American Indian/Alaskan Native Only.
Checking for Taxonomies to support the Executive Order Report...

All taxonomies are present.

End of taxonomy check. PRESS ENTER:

Specify the community taxonomy to determine which patients will be
included in the report. You should have created this taxonomy using QMAN.

Enter the Name of the Community Taxonomy: DEMO GPRA COMMUNITIES// <Enter>
```

Figure 5-108: Running the EO Report, Hard-coded Report option: displaying date ranges, checking report taxonomies, and selecting community taxonomy (Steps 6 through 8)

7. At the “End of taxonomy check” prompt, press the Enter key to continue.
8. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:
 - Press the Enter key to accept the default community taxonomy. (The default community taxonomy can be set in Site Parameters.)
 - Type the name of a community taxonomy and press the Enter key.
 - Type the first few letters of the taxonomy name and press the Enter key to see a selection of taxonomies beginning with those letters, or type two question marks (??) to see the entire list. Then type the number of the taxonomy you want to include and press the Enter key.
9. At the “Do you want patient lists for any of the measures?” prompt, do one of the following:
 - To include patient lists in addition to the report, type **Y** (Yes) and press the Enter key to display the EO Measure List Selection screen (Figure 5-109). Only patient lists for the topics you have selected for your report are listed. Continue with Step 10 to select the lists.
 - To run the report without including patient lists, press the Enter key to accept the default, “No.”
Go to Step 12 to continue the report selection process.

```

EO MEASURE LIST SELECTION      Jun 11, 2010 13:17:30      Page:  1 of  1
IHS FY 10 EO Performance Measure Lists of Patients
* indicates the list has been selected

1) Diabetes: Poor Alc Control-Diabetic Pts w/ most recent Alc value, if any.
2) Diabetes: BP Control - Diabetic patients with mean BP, if any.
3) Diabetes: LDL Control - Diabetic patients with LDL cholesterol, if any.
4) Adult Imm: Influenza - Patients 50+ with influenza code & date, if any.
5) Adult Imm: Pneumovax - Patients 65+ with pneumovax, code & date, if any
6) Asthma Meds - Asthma patients 5-56 with primary asthma meds, if any.
7) O2 Assmt for CAP- Pneumonia patients 18+ with O2 assessment, if any.
8) BB After AMI - AMI patients 18+ with 135-day beta blocker therapy, if any
9) HTN BP Control - Hypertension patients with BP value, if any
10) Anticoag for Atrial Fib - Atrial Fib patients 18+ with anticoag meds, if any
11) CVD LDL Cholesterol - CVD patients 18-75 with LDL cholesterol value, if any

      Enter ?? for more actions
S   Select List                D   De Select List
A   All Lists                  Q   Quit
Select Action:+//

```

Figure 5-109: Running the EO report, Hard-coded Report option: EO Measure List Selection screen (Step 11)

10. To select patient lists, follow these steps:

- a. At the “Select Action” prompt, type **S** and press the Enter key.
- b. At the “Which item(s)” prompt, type the number(s) preceding the list(s) you want to include and press the Enter key.

To select multiple measures, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of numbers and ranges (e.g., 1–4, 8, 11)

After pressing the Enter key, each selected measure is marked with an asterisk (*) before its number (Figure 5-110).

- c. To save your selected lists, type **Q** (Quit) and press the Enter key.

```

EO MEASURE LIST SELECTION      Jun 11, 2010 13:24:46      Page:  1 of  1
IHS FY 10 EO Performance Measure Lists of Patients
* indicates the list has been selected

*1) Diabetes: Poor Alc Control-Diabetic Pts w/ most recent Alc value, if any.
2) Diabetes: BP Control - Diabetic patients with mean BP, if any.
3) Diabetes: LDL Control - Diabetic patients with LDL cholesterol, if any.
*4) Adult Imm: Influenza - Patients 50+ with influenza code & date, if any.
5) Adult Imm: Pneumovax - Patients 65+ with pneumovax, code & date, if any
6) Asthma Meds - Asthma patients 5-56 with primary asthma meds, if any.
7) O2 Assmt for CAP- Pneumonia patients 18+ with O2 assessment, if any.
8) BB After AMI - AMI patients 18+ with 135-day beta blocker therapy, if any
9) HTN BP Control - Hypertension patients with BP value, if any
10) Anticoag for Atrial Fib - Atrial Fib patients 18+ with anticoag meds, if any
11) CVD LDL Cholesterol - CVD patients 18-75 with LDL cholesterol value, if any

      Enter ?? for more actions
S   Select List                D   De Select List
A   All Lists                  Q   Quit
Select Action:+// Q <Enter> Quit

```

Figure 5-110: Running the EO Report: Hard-coded Report option: selected patient lists (Step 11)

```
Select List Type.
NOTE: If you select All Patients, your list may be
hundreds of pages and take hours to print.

Select one of the following:

R      Random Patient List
P      Patient List by Provider
A      All Patients

Choose report type for the Lists: R// A <Enter> All Patients
```

Figure 5-111: Running the EO report: Hard-coded Report option: selecting patient list type (Step 12)

11. At the “Choose report type for the Lists” prompt, type the letter corresponding to the report type you want and press the Enter key, where:

- **R** (Random Patient List) produces a list containing 10% of the entire patient list.
- **P** (Patient List by Provider) produces a list of patients with a user-specified designated care provider.
- **A** (All Patients) produces a list of all patients.

Note the displayed message: “If you select All Patients, your list may be hundreds of pages and take hours to print.”

If you select P (Patient List by Provider), type the name of a provider at the “Enter Designated Provider Name” prompt and press the Enter key.

12. At the “Do you wish to export this data to Area?” prompt, type **Y** or **N** and press the Enter key.

Note: This option is only available if you are running the report for all EO Quality Transparency measures.

13. A summary of the EO report is displayed, as in the following example:

```
SUMMARY OF CRS 10 EXECUTIVE ORDER REPORT TO BE GENERATED

The date ranges for this report are:
  Report Period:      Jul 01, 2009 to Jun 30, 2010
  Previous Year Period: Jul 01, 2008 to Jun 30, 2009
  Baseline Period:   Jul 01, 1999 to Jun 30, 2000

The COMMUNITY Taxonomy to be used is: DEMO GPRA COMMUNITIES <Enter>
```

Figure 5-112: Running the EO report: Hard-coded Report option: summary of report to be generated (Step 13)

14. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:

- **P** (Print) sends the report file to your printer, your screen, or an electronic file.
- **D** (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
- **B** (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2.

5.16.2.2 Executive Order Quality Transparency Measures Report (EO), User-Defined Report Option

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 main menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **OTH** and press the Enter key to display the Other National Reports menu, as in the following example:

```

*****
**      IHS/RPMS CRS 2010      **
**      Other National Reports  **
*****
Version 10.0

DEMO INDIAN HOSPITAL

GPU  GPRA & PART Performance Report
ONM  Other National Measures Report
OST  Other National Measures Report Patient List
EO   Executive Order Quality Transparency Measures Rpt
ELD  Elder Care Report
HED  HEDIS Performance Report
PED  Patient Education Reports ...

Select Other National Reports Option: EO <Enter> Other National Measures Report

```

Figure 5-113: Other National Reports menu: selecting the Executive Order Quality Transparency Measures Report (EO) (Step 4)

- At the “Select Other National Reports Option” prompt, type **EO** and press the Enter key to select the Executive Order Quality Transparency Measures Report.

```

IHS Executive Order Quality Transparency Measures Report

Please select the type of report would you like to run:

H  Hard-coded Report: Report with all parameters set to the
   same as the National GPRA Report (report period of
   July 1, 2009 - June 30, 2010, baseline period of July 1, 1999
   - June 30, 2000, and AI/AN patients only)

U  User-defined Report: You select the report and baseline
   periods and beneficiary population

Select a Report Option: H// U <Enter> User-defined Report

```

Figure 5-114: Running the Executive Order Quality Transparency Measures Report (EO): selecting User-defined Report option (Step 5)

- At the “Select a Report Option” prompt, type **U** and press the Enter key to display the following information about the report:

```

The Executive Order Quality Transparency Measures Report contains
performance measures that are in support of Executive Order 13410 for
quality transparency reporting. Federal facilities are required to run this report.

This will produce an Executive Order Quality Transparency Measures Report for all
performance measures for a year period you specify. You will be asked to provide: 1)
the measures for the report, 2) the reporting period, 3) the baseline period to
compare data to, 3) the community taxonomy to determine which patients will be
included, and the 4) the patient population (i.e. AI/AN only, non AI/AN, or both) to
determine which patients will be included.

If you choose to run the report for all measures, you will be given the opportunity
to export this data to the Area office. If you answer yes, this option will produce
a report in export format for the Area Office to use in Area aggregated data.
Depending on site specific configuration, the export file will either be
automatically transmitted directly to the

Enter RETURN to continue or '^' to exit: <Enter>

Area or the site will have to send the file manually.

There are 11 measures in the Executive Order Quality Transparency Measures Report.

Press Enter to Continue: <Enter>

```

Figure 5-115: Running the EO report, User-defined Report option: report information display (Step 5)

6. Press the Enter key at both prompts to continue.
7. At the “Run the report on” prompt, do one of the following:
 - To include *all measures* in the EO report, type **A** and press the Enter key.
 - To include only *selected measures* in the EO report, follow these steps:
 - a. Type **S** and press the Enter key to display the Performance Measure Selection screen.
 - b. At the “Select Action” prompt, type **S** and press the Enter key.
 - c. At the “Which Items?” prompt, type the number(s) of the measure(s) you want.

To select multiple topics, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of numbers and ranges (e.g., 1–4, 8, 11)

After pressing the Enter key, each selected measure is marked with an asterisk (*) before its number, as in the following example:

```

PERFORMANCE MEASURE SELECTION Jun 11, 2010 13:58:15 Page: 1 of 1
IHS EO Clinical Performance Measures
* indicates the performance measure has been selected

*1) Diabetes: Poor Glycemic Control
2) Diabetes: Blood Pressure Control
3) Diabetes: LDL Control
*4) Adult Immunizations: Influenza
5) Adult Immunizations: Pneumovax
6) Use of Appropriate Medications for People with Asthma
7) Community-Acquired Pneumonia (CAP): Assessment of Oxygen Saturation
8) Persistence of Beta-Blocker Treatment After a Heart Attack
9) Controlling High Blood Pressure
10) Stroke and Stroke Rehabilitation: Anticoagulant Therapy Prescribed for Atri
11) Cholesterol Management for Patients with Cardiovascular Conditions

Enter ?? for more actions
S Select Measure D De Select Measure Q Quit
Select Action:+// Q <Enter> Quit

```

Figure 5-116: Running the EO report, User-defined Report option: Performance Measure Selection screen (Step 7 b)

- d. To save your selected topics, type **Q** (Quit) at the “Select Action” prompt and press the Enter key.
8. The system checks to see if all taxonomies required for the EO report are present. At the prompt, press the Enter key to continue.

```

Select one of the following:

1 January 1 - December 31
2 April 1 - March 31
3 July 1 - June 30
4 October 1 - September 30
5 User defined date range

Enter the date range for your report: 1 January 1 - December 31

Enter the Calendar Year for the report END date. Use a 4 digit
year, e.g. 2010
Enter Year: 2010 (2010)

Enter the Baseline Year to compare data to.
Use a 4 digit year, e.g. 1999, 2000
Enter Year (e.g. 2000): 2000

The date ranges for this report are:
Report Period: Jan 01, 2010 to Dec 31, 2010
Previous Year Period: Jan 01, 2009 to Dec 31, 2009
Baseline Period: Jan 01, 2000 to Dec 31, 2000

```

Figure 5-117: Running the EO report: User-defined Report option: selecting report date range (Steps 9 and 10)

9. At the “Enter the date range for your report” prompt, do one of the following:

- To select a predefined period, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.
At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.
 - To define a custom report period, type **5** and press the Enter key.
At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.
10. At the “Enter Year prompt, type the four-digit baseline year and press the Enter key.
- The date ranges you have selected for the report are displayed, including the Report Period (current), the Previous Year Period, and the Baseline Period.
11. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:
- Press the Enter key to accept the default community taxonomy. (The default community taxonomy can be set in Site Parameters).
 - Type the name of a community taxonomy and press the Enter key.
 - Type the first few letters of the taxonomy name and press the Enter key to see a selection of taxonomies beginning with those letters, or type two question marks (??) to see the entire list. Then type the name of the taxonomy you want to include and press the Enter key.
12. At the “Do you want patient lists for any of the measures?” prompt, do one of the following:
- To include patient lists in addition to the report, type **Y** (Yes) and press the Enter key to display the Measure List Selection screen (Figure 5-109). Only patient lists for the topics you have selected for your report are listed.
Continue with Step 13 to select the patient lists.
 - To run the report without including patient lists, press the Enter key to accept the default, “No.” Go to Step 15 to continue the report selection process.
13. To select patient lists, follow these steps:
- a. At the “Select Action” prompt, type **S** and press the Enter key.
 - b. At the “Which item(s)” prompt, type the number(s) preceding the list(s) you want to include and press the Enter key.
To select multiple measures, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of numbers and ranges (e.g., 1–4, 8, 11)

After pressing the Enter key, each selected measure is marked with an asterisk (*) before its number (Figure 5-110).

- c. To save your selected lists, type **Q** (Quit) and press the Enter key.
14. At the “Choose report type for the Lists” prompt, type the letter corresponding to the report type you want and press the Enter key, where:
- **R** (Random Patient List) produces a list containing 10% of the entire patient list.
 - **P** (Patient List by Provider) produces a list of patients with a user-specified designated care provider.
 - **A** (All Patients) produces a list of all patients.

Note the displayed message: “If you select All Patients, your list may be hundreds of pages and take hours to print.”

If you select **P** (Patient List by Provider), type the name of a provider at the “Enter Designated Provider Name” prompt and press the Enter key.

15. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include and press the Enter key, where:
- **1** (Indian/Alaskan Native) reports only on AI/AN patients.
 - **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
 - **3** (All) reports on your entire patient population.
16. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
- **P** (Print) sends the report file to your printer, your screen, or an electronic file.
 - **D** (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
 - **B** (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2.

5.16.3 Report Content

The content of the EO Quality Transparency Measures Report is defined in the following table.

Table 5-12: Content of the EO Quality Transparency Measures Report by Performance Measure Topic

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Diabetes (DM): Poor Glycemic Control	Active diabetic patients	With Poor control (>9.0 or no A1c test or A1c test with no result)
DM: Blood Pressure Control	Active diabetic patients	With Controlled BP (<140/90)
DM: LDL Control	Active diabetic patients	With LDL <100
Adult Immunizations: Influenza	1) Active clinical patients ages 50–64 2) Active Clinical patients ages 65 and older	1) With influenza vaccination or contraindication ever A) With contraindication or NMI refusal 2) With refusal in past year
Adult Immunizations: Pneumovax	Active clinical patients ages 65 and older	1) With Pneumococcal vaccination or contraindication ever A) With contraindication or NMI refusal 2) With refusal in past year
Use of Appropriate Medications for People with Asthma	Active clinical patients 5–56 w/persistent asthma, broken down by age groups	With at least one dispensed prescription for primary asthma therapy medication
Assessment of Oxygen Saturation for Community-Acquired Bacterial Pneumonia	Number of visits for user population patients ages 18 and older diagnosed with community-acquired bacterial pneumonia at an outpatient visit during the report period	1) Number of visits where patients had oxygen saturation documented and reviewed 2) Number of visits where patients refused oxygen saturation assessment 3) Number of visits where patients did not have their oxygen saturation documented and reviewed
Persistence of Beta-Blocker Treatment After a Heart Attack	Active clinical patients 18 and older diagnosed with an AMI six months prior to the Report period through the first six months of the report period and do not have a contraindication/previous adverse reaction to beta-blocker therapy. Broken down by gender group.	Patients with a 135-day course of treatment with beta blockers following first discharge date or visit date, including previous active prescriptions.

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Controlling High Blood Pressure	All active clinical patients ages 18 through 85 diagnosed with hypertension and no documented history of ESRD.	1) Number of patients with BP value documented during the Report period. 2) Patients with adequately controlled blood pressure, defined as <140/90, i.e. the mean systolic value is less than 140 <i>and</i> the mean diastolic value is less than 90.
Stroke and Stroke Rehabilitation: Anticoagulant Therapy Prescribed for Atrial Fibrillation at Discharge	Number of visits for user population patients ages 18 and older who were discharged with ischemic stroke or transient ischemic attack (TIA) with documented permanent, persistent, or paroxysmal atrial fibrillation.	1) Number of visits where patients received a prescription for anticoagulant at discharge. 2) Number of visits where patients refused anticoagulant therapy. 3) Number of visits where patients did not receive anticoagulation therapy.
Cholesterol Management for Patients with Cardiovascular Conditions	Active clinical patients ages 18 to 75 who, during the first 10 months of the year prior to the beginning of the Report Period, were diagnosed with acute myocardial infarction (AMI), coronary artery bypass graft (CABG), or percutaneous transluminal coronary angioplasty (PTCA) OR who were diagnosed with ischemic vascular disease (IVD) during the Report Period and the year prior to the report period.	1) Patients with LDL completed during the Report Period, regardless of result. 2) Patients with LDL <100 during the Report Period.

5.17 Elder Care Report (ELD)

CI10 > RPT > OTH > ELD

5.17.1 Overview

The Elder Care Report contains quality of care measures for patients 55 and older, including those related to diabetes prevalence and management, dental access, cancer screening, tobacco use, immunizations, cardiovascular disease, intimate partner violence, depression, and osteoporosis. The measure “rate of functional status assessment” is unique to this report. Performance measures are also reported by age

ranges 55–64, 65–74, 75–84, and 85 and older to facilitate detailed analysis and comparisons. The intent of this report is to provide a tool with which to focus on the quality of care provided to older patients.

The Elder Care Report provides an option for selecting different patient-type populations: (AI/AN, non-AI/AN, or both; and the report can be exported to the Area Office by the site for aggregation into an Area-Office-wide Elder Care Report.

Patient Lists may be run for this report.

5.17.2 Running the Elder Care Report with Patient Lists

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 Main Menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **OTH** and press the Enter key to display the Other National Reports menu, as in the following example:

```

*****
**      IHS/RPMS CRS 2010      **
**      Other National Reports  **
*****
                          Version 10.0

                          DEMO INDIAN HOSPITAL

GPU   GPRA & PART Performance Report
ONM   Other National Measures Report
OST   Other National Measures Report Patient List
EO    Executive Order Quality Transparency Measures Rpt
ELD   Elder Care Report
HED   HEDIS Performance Report
PED   Patient Education Reports ...

Select Other National Reports Option:

```

Figure 5-118: Other National Reports Menu: selecting Elder Care Report (ELD) (Step 4)

4. At the “Select Other National Reports Option” prompt, type **ELD** and press the Enter key to display information about the Elder Care report, as in the following example:

```
2010 Elder Care Clinical Performance Measure Report

This will produce an Elder Care Performance Measure Report for all
ELDER performance measures for a year period you specify. You will
be asked to provide: 1) the reporting period, 2) the baseline period
to compare data to, 3) the community taxonomy to determine which
patients will be included, and 4) the patient population (i.e. AI/AN only,
non AI/AN, or both) to determine which patients will be included.

If you choose to run the report for all Elder Care measures, you
will be given the opportunity to export this data to the Area office.
If you answer yes, this option will produce a report in export format for the
Area Office to use in Area aggregated data. Depending on site specific
configuration, the export file will either be automatically transmitted
directly to the Area or the site will have to send the file manually.

There are 27 measures in the Elder Care Performance Measure Report.
Press enter to continue:

    Select one of the following:

        S          Selected set of Measures
        A          All Measures

Run the report on: S// S <Enter> Selected set of Measures
```

Figure 5-119: Running the Elder Care Report: report description display and measure selection (Steps 4 through 6)

5. Press Enter to continue.
6. At the “Run the report on” prompt, do one of the following:
 - To include only *selected measures* in the Elder Care report, type **S** and press the Enter key to display the Performance Measure Selection screen. Continue with Step 7 to select performance measures.
 - To include *all measures* in the Elder Care report, type **A** (All Measures) and press the Enter key. Go to Step 8 to continue selecting report options.

```

PERFORMANCE MEASURE SELECTION Jun 03, 2010 07:29:52          Page:   1 of   2
IHS Elder Clinical Performance Measures
* indicates the performance measure has been selected

1)  Diabetes Prevalence
2)  Diabetes Glycemic Control
3)  Diabetes: Blood Pressure Control
4)  Diabetes: LDL Assessment
5)  Diabetes: Nephropathy Assessment
6)  Diabetic Retinopathy
7)  Diabetes: Access to Dental Services
8)  Access to Dental Services
9)  Adult Immunizations: Influenza
10) Adult Immunizations: Pneumovax
11) Cancer Screening: Mammogram Rates
12) Colorectal Cancer Screening
13) Tobacco Use and Exposure Assessment
14) Intimate Partner (Domestic) Violence Screening
15) Depression Screening
16) Obesity Assessment

+      Enter ?? for more actions
S      Select Measure          D      De Select Measure
Select Action:+//          S <Enter>  Select Measure

```

Figure 5-120: Running the Elder Care Report: selecting performance measure topics (Step 7)

7. The action bar appears at the bottom of the screen. At the “Select Action” prompt, do one of the following:

- To view multiple pages,
 - Type a plus sign (+) and press the Enter key to view the next page.
 - Type a hyphen (-) and press the Enter key to return to the previous page.
- To select specific measure topics, follow these steps:
 - a. Type **S** and press the Enter key.
 - b. At the “Which item(s)” prompt, type the number(s) preceding the measure topic(s) you want.

To select multiple topics, type a range (e.g., 1–2), a series of numbers (e.g., 1, 3), or a combination of numbers and ranges (e.g., 1–4, 5, 7, 12).

After pressing the Enter key, each selected topic is marked with an asterisk (*) before its number.

- c. To save your selected topics, type **Q** (Quit) and press the Enter key.

For a list of the available performance measure topics, see the first table column in Section 5.15.3.

8. The system checks to see if all taxonomies required for the Elder Care report are present. At the prompt, press the Enter key to continue.

```
Select one of the following:

1      January 1 - December 31
2      April 1 - March 31
3      July 1 - June 30
4      October 1 - September 30
5      User-Defined Report Period

Enter the date range for your report:
```

Figure 5-121: Running the Elder Care Report: selecting report date range (Step 9)

9. At the “Enter the date range for your report” prompt, do one of the following:

- To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.

At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.

- To define a custom report period, type **5** and press the Enter key.

At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.

10. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.

The date ranges selected for the report are displayed, including the Report Period (current), the Previous Year Period, and the Baseline Period.

11. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:

- Press the Enter key to select the default community taxonomy. (The default community taxonomy can be set in Site Parameters.)
- Type the name of a community taxonomy and press the Enter key.
- Type the first few letters of the taxonomy name and press the Enter key to see a selection of taxonomies beginning with those letters, or type two question marks (??) to see the entire list. Then type the number of the taxonomy you want to include and press the Enter key.

The screen displays your Home location, as defined in the Site Parameters.

12. At the “Do you want patient lists for any of the measures?” prompt, do one of the following:

- To include patient lists in addition to the report, type **Y** (Yes) and press the Enter key to display the Elder Measure List Selection screen. Only the patient lists for the topics you have selected for your report are listed.

Continue with Step 13 to select the lists.

- To run the report without including patient lists, press the Enter key to accept the default, “No.”

Go to Step 15 to continue the report selection process.

Note: You must have security access to run any Patient List. This prompt will not be displayed if you do not have security access.

```

ELDER MEASURE LIST SELECTION Jun 05, 2010 10:53:52      Page: 1 of 1
IHS FY 10 ELDER Performance Measure Lists of Patients
* indicates the list has been selected
*1) Mammogram: List of female patients =>55 with mammogram/refusal, if any.
*2) Colorectal Cancer: List of pts =>55 w/CRC screening,refusal&date, if any

      Enter ?? for more actions
S   Select List          D   De Select List
A   All Lists           Q   Quit
Select Action:+// Q <Enter> Quit

```

Figure 5-122: Running the Elder Care Report: choosing patient lists (Step 13)

13. To select patient lists, follow these steps:

- At the “Select Action” prompt, type **S** and press the Enter key.
- At the “Which item(s)” prompt, type the number(s) preceding the list(s) you want to include and press the Enter key.

To select multiple lists, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of numbers and ranges (e.g., 1-4, 6, 8, 12).

After pressing the Enter key, each selected measure is marked with an asterisk (*) before its number.

- To save your selected lists, Type **Q** (Quit) and press the Enter key.

```

Select List Type.
NOTE: If you select All Patients, your list may be
hundreds of pages and take hours to print.

    Select one of the following:

        R          Random Patient List
        P          Patient List by Provider
        A          All Patients

Choose report type for the Lists: R// P <Enter> Patient List by Provider
Enter Designated Provider Name: Acord,Arlis <Enter> AA

```

Figure 5-123: Running the Elder Care Report: selecting patient list type (Step 14)

14. At the “Choose report type for the Lists” prompt, type the letter corresponding to the report type you want and press the Enter key, where:

- **R** (Random Patient List) produces a list containing 10% of the entire patient list.
- **P** (Patient List by Provider) produces a list of patients with a user-specified designated care provider.
- **A** (All Patients) produces a list of all patients.

If you select P (Patient List by Provider), type the name of a Designated Provider at the “Enter Designated Provider Name” prompt and press the Enter key.

```

Select one of the following:

    1          Indian/Alaskan Native (Classification 01)
    2          Not Indian Alaskan/Native (Not Classification 01)
    3          All (both Indian/Alaskan Natives and Non 01)

Select Beneficiary Population to include in this report: 1// 1 Indian/Alaskan
Native (Classification 01)

```

Figure 5-124: Running the Elder Care Report: selecting beneficiary population (Step 15)

15. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include in the report and press the Enter key, where:

- **1** (Indian/Alaskan Native) reports only on AI/AN patients.
- **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
- **3** (All) reports on your entire patient population.

16. If you are running the Elder Care report for *all* measures, you can choose whether to send this data to your Area Office.

- If you are ready to send the final data to your Area Office, type **Y** and press the Enter key at the “Do you wish to export this data to Area” prompt.

- If you are not ready to send final data to your Area Office, type **N** and press the Enter key.

Note: You should only choose this option when you are ready to send final data to your Area Office.

A summary of the Elder Care Report is displayed, as in the following example:

```

SUMMARY OF FY 10 ELDER REPORT TO BE GENERATED

The date ranges for this report are:
  Report Period:      Jan 01, 2010 to Dec 31, 2010
  Previous Year Period: Jan 01, 2009 to Dec 31, 2009
  Baseline Period:   Jan 01, 2000 to Dec 31, 2000

The COMMUNITY Taxonomy to be used is: DEMO GPRA COMMUNITIES

Please choose an output type. For an explanation of the delimited
file please see the user manual.

  Select one of the following:

  P          Print Report on Printer or Screen
  D          Create Delimited output file (for use in Excel)
  B          Both a Printed Report and Delimited File

Select an Output Option: P//
    
```

Figure 5-125: Summary Screen for Elder Care Report (Steps 16 and 17)

17. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:

- P (Print) sends the report file to your printer, your screen, or an electronic file.
- D (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
- B (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2.

5.17.3 Report Content

Table 5-13: Content of the Elder Care Report

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Diabetes Prevalence	User population 55+, broken down by gender and age groups	1) Diabetes diagnosis ever 2) Diabetes diagnosis during prior year

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Diabetes (DM): Glycemic Control	Active diabetic patients 55+, broken down by age groups	1) With Hemoglobin A1c, any value 2) With GPRA-defined Poor control (>9.5) 3) With Very Poor control (>=12) 4) With Poor control (>9.5 and <12) 5) With Fair control (=>8 and =>9.5) 6) With Good control (=>7 and <8) 7) With GPRA-defined Ideal control (<7) 8) With Hemoglobin A1c without result
DM: Blood Pressure Control	Active diabetic patients 55+, broken down by age groups	1) With BP assessed 2) With Controlled BP 3) With Uncontrolled BP
DM: LDL Assessment	Active diabetic patients 55+, broken down by age groups	1) With LDL, any value 2) With LDL <130 3) With LDL <=100 4) With LDL 101-129
DM: Nephropathy Assessment	Active diabetic patients 55+, broken down by age groups	With estimated GFR AND a quantitative urinary protein or with ESRD
DM: Retinopathy	Active diabetic patients 55+, broken down by age groups	1) With any retinal screening (no refusals) A) With diabetic retinal exam B) With other eye exam 2) With refusal of diabetic retinal exam
Diabetic Access to Dental Services	Active diabetic patients 55+, broken down by age groups	1) With documented dental exam (no refusals) 2) With refusal in past year
Access to Dental Services	User population 55+, broken down by age groups	1) With documented dental exam (no refusals) 2) With refusal in past year
Adult IZ: Influenza	Active clinical patients 55+, broken down by age groups	1) With influenza vaccination in past year or contraindication ever A) With contraindication or NMI refusal 2) With refusal in past year
Adult IZ: Pneumovax	Active clinical patients 55+, broken down by age groups	1) With pneumovax or contraindication ever A) With contraindication or NMI refusal 2) With refusal in past year

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Cancer Screening: Mammogram Rates	Female active clinical patients 55+, broken down by age groups	1) With documented mammogram in past 2 years (no refusals) 2) With refusal in past year
Colorectal Cancer Screening	Active clinical patients 55+, broken down by gender and age groups	1) With CRC screening (time period dependent upon type of CRC screening) (no refusals) 2) With refusal in past year 3) With FOBT in past year 4) With flex sig or DCBE in past 5 years or colonoscopy in past 10 years 5) With flex sig in past 5 years or colonoscopy in past 10 years 6) With flex sig and DCBE in past 5 years or colonoscopy in past 10 years
Tobacco Use Assessment	Active clinical patients 55+, broken down by gender and age groups	1) Screened for tobacco use 2) Tobacco users A) Smokers B) Smokeless 3) Exposed to environmental tobacco smoke (ETS)
IPV/DV Screening	Female active clinical patients 55+, broken down by age groups	1) With documented IPV/DV screen (no refusals) A) With IPV/DV exam B) With IPV/DV diagnosis C) With IPV/DV education or counseling 2) With refusal in past year
Depression Screening	Active clinical patients 55+, broken down by gender and age groups	1) With depression screening or diagnosed with mood disorder (no refusals) A) With depression screening B) With mood disorder diagnosis 2) With refusal 3) With depression-related patient education or refusal
Obesity Assessment (BMI)	Active clinical patients 55+, broken down by age and gender groups	1) With BMI calculated A) With BMI and assessed as overweight B) With BMI and assessed as obese C) Total of overweight and obese D) With refusal

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Cardiovascular Disease and Blood Pressure Control	Active clinical patients 55+, broken down by age and gender groups	1) With BP documented in past 2 years 2) With Normal BP 3) With Pre-hypertension I BP 4) With Pre-hypertension II BP 5) With Stage 1 BP 6) With Stage 2 BP 7) With Systolic HTN
Cardiovascular Disease and Cholesterol Screening	Active clinical patients 55+, broken down by age and gender groups	1) With blood cholesterol screening in past 5 years 2) With cholesterol ≥ 240 3) With LDL in past 5 years, regardless of result 4) With LDL ≤ 100 5) With LDL 101-130 6) With LDL 131-160 7) With LDL > 160
Osteoporosis Management	Female active clinical patients 55+ with fracture, broken down by age groups	Treated or tested for osteoporosis
Osteoporosis Screening in Women	Female active clinical patients ages 55+ without a documented history of osteoporosis, broken down by age groups.	1) Screened for osteoporosis in past 2 years or refusal in past year A) With refusal
Osteoarthritis Medication Monitoring	Active clinical patients ages 55+ diagnosed with osteoarthritis, broken down by age groups	Patients who received appropriate monitoring of medication during the Report Period.
Functional Status	Active clinical patients 55+, broken down by age and gender groups	With functional status screening
Asthma	1) Active clinical patients 55+, broken down by age groups 2) From numerator 1	1) With two asthma-related visits or categorized in ARS as persistent 2) Hospitalized for asthma
Public Health Nursing	No denominator; counts only	1) Number of visits by PHNs in any setting, patients ages 55+ A) Ages 55-64 B) Ages 65-74 C) Ages 75-84 D) Ages 85+ E) PHN driver/interpreter 2) Number of visits by PHNs in Home setting A) Ages 55-64

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Public Health Nursing, <i>continued</i>		B) Ages 65-74 C) Ages 75-84 D) Ages 85+ E) PHN driver/interpreter
Fall Risk Assessment in Elders	Active clinical patients 65+, broken down by age and gender groups	1) Screened for fall risk or with fall-related diagnosis A) Screened for fall risk B) History of fall C) Fall-related diagnosis, D) Abnormality of gait/balance E) Refusal of fall risk screen
Use of High-Risk Medications in the Elderly	Active clinical patients 65+, broken down by age and gender groups	1) With at least one high-risk medication 2) With at least two high-risk medications Included in both numerators above are the following subnumerators: A) Antianxiety meds B) Antiemetic meds C) Analgesic meds D) Antihistamine meds E) Antipsychotic meds F) Amphetamine meds G) Barbiturate meds H) Long-acting benzodiazepine meds I) Benzodiazepine meds J) Calcium channel blocker meds K) Gastrointestinal antispasmodic meds L) Belladonna alkaloid meds M) Skeletal muscle relaxant meds N) Oral estrogen meds O) Oral hypoglycemic meds P) Narcotic meds Q) Vasodilator meds R) Other HEDIS-defined drugs

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Palliative Care	No denominator. This measure is a total count only, not a percentage.	1) The total number of active clinical patients 55 and older with at least one palliative care visit during the Report Period. Broken down by gender and age groups. 2) The total number of palliative care visits for active clinical patients 55 and older during the report period. Broken down by gender and age groups.

5.17.4 Elder Care Patient List

Patient Lists are available for individual measures included in the Elder Care Report and display patients who meet the numerator(s), denominator(s), or both, depending on the measure.

The following Patient List options are available:

- A random list (10% of the total list)
- A list by designated primary care provider
- The entire patient list

Select which measures you want to run Patient Lists for after you have selected the measures for the report.

Table 5-14: Elder Care Patient List by Performance Measure Topic

Performance Measure Topic	Patient List
Diabetes Prevalence	Diabetic patients =>55 with most recent diagnosis
Diabetes: Glycemic Control	Diabetic patients =>55 with most recent A1c value, if any.
Diabetes: Blood Pressure Control	Diabetic patients =>55 with BP value, if any.
Diabetes: LDL Assessment	Diabetic patients =>55 with LDL cholesterol test, if any.
Diabetes: Nephropathy Assessment	List of patients =>55 with nephropathy assessment, if any.
Diabetic Retinopathy	List of diabetic patients =>55 with qualified retinal evaluation, if any.
Diabetes: Access to Dental Services	List of diabetic patients =>55 and documented dental visit, if any.

Performance Measure Topic	Patient List
Access to Dental	List of patients =>55 with documented dental visit and date.
Adult Immunizations: Influenza	List of patients =>55 with influenza immunization/contraindication/NMI refusal and date, if any.
Adult Immunizations: Pneumovax	List of patients =>55 with pneumovax immunization/contraindication/NMI refusal and date, if any.
Cancer Screening: Mammogram Rates	List of female patients =>55 with mammogram, if any.
Colorectal Cancer Screening	List of patients =>55 with CRC screening, if any.
Tobacco Use and Exposure Assessment	List of patients =>55 with no documented tobacco screening.
Intimate Partner Violence/Domestic Violence	List of female patients =>55 not screened for domestic violence.
Depression Screening	List of patients =>55 not screened for depression/diagnosed with mood disorder.
Obesity Assessment	List of patients 55-74 for whom BMI could <i>not</i> be calculated.
Cardiovascular Disease and Blood Pressure Control	List of patients =>55 with mean BP, if any.
Cardiovascular Disease and Cholesterol Screening	List of patients =>55 with cholesterol or LDL value if any.
Osteoporosis Management	List of female patients =>55 with new fracture who had osteoporosis treatment or testing, if any.
Osteoporosis Screening in Women	List of female patients =>55 with osteoporosis screening, if any.
Osteoarthritis Med Monitoring	List of OA patients 55 and older prescribed maintenance therapy medication with monitoring lab tests, if any. The numerator values for patients who meet the measure are prefixed with "YES:" and patients who did not meet the measure are prefixed with "NO:". All lab tests the patient <i>did</i> have are displayed.
Functional Status	List of patients =>55 with functional status codes, if any. The following are the abbreviations used in the Numerator column: TLT - Toileting BATH - Bathing DRES - Dressing XFER - Transfers FEED - Feeding CONT - Continence FIN - Finances COOK - Cooking SHOP - Shopping HSWK - Housework/Chores

Performance Measure Topic	Patient List
Functional Status, <i>continued</i>	MEDS - Medications TRNS - Transportation
Asthma	List of patients =>55 diagnosed with asthma and any asthma-related hospitalizations.
PHN	List of patients =>55 with PHN visits documented Numerator codes in patient list: All PHN = Number of PHN visits in any setting; Home = Number of PHN visits in home setting; Driver All = Number of PHN driver/interpreter visits in any setting; Driver Home = Number of PHN driver/interpreter visits in home setting.
Fall Risk Assessment	List of patients 65 years or older with fall risk assessment, if any.
Use of High-Risk Medications in the Elderly	List of patients 65 and older with at least one prescription for a potentially harmful drug.
Palliative Care	List of patients =>55 with at least one palliative care visit during the Report Period.

5.18 HEDIS Performance Report (HED)

CI10 > RPT > OTH > HED

5.18.1 Overview

The HEDIS Performance Report is designed for use by any tribe or site interested in NCQA certification. Sites are not required to run the HEDIS Performance Report.

5.18.2 Running the HEDIS Performance Report

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 main menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **OTH** and press the Enter key to display the Other National Reports menu, as in the following example:

```

*****
**      IHS/RPMS CRS 2010      **
**      Other National Reports  **
*****
                          Version 10.0

                          DEMO INDIAN HOSPITAL

GPU      GPRA & PART Performance Report
ONM      Other National Measures Report
OST      Other National Measures Report Patient List
EO       Executive Order Quality Transparency Measures Rpt
ELD      Elder Care Report
HED      HEDIS Performance Report
PED      Patient Education Reports ...

Select Other National Reports Option: HED <Enter> HEDIS Performance Report

```

Figure 5-126: Other National Reports menu: selecting the HEDIS Performance Report (Step 4)

4. At the “Select Other National Reports Option” prompt, type **HED** and press the Enter key to display information about the HEDIS Performance Report. Press the Enter key to continue.

```

2010 HEDIS Clinical Performance Measure Report

This will produce a HEDIS Performance Measure Report for all HEDIS measures
for a year period you specify. You will be asked to provide: 1) the
reporting period, 2) the baseline period to compare data to, 3) the
community taxonomy to determine which patients will be included, and
4) the patient population (i.e. AI/AN only, non AI/AN, or both) to
determine which patients will be included.

You will be given the opportunity to export this data to the Area office.
If you answer yes, this option will produce a report in export format for the
Area Office to use in Area aggregated data. Depending on site specific
configuration, the export file will either be automatically transmitted
directly to the Area or the site will have to send the file manually.

Press enter to continue:
Checking for Taxonomies to support the HEDIS Report...

All taxonomies are present.

End of taxonomy check. PRESS ENTER:

```

Figure 5-127: Running the HEDIS Report: report description display and taxonomy check (Steps 4 and 5)

5. The system checks the taxonomies required to support the HEDIS report. At the end of the taxonomy check, press the Enter key to continue.

```

Select one of the following:

1      January 1 - December 31
2      April 1 - March 31
3      July 1 - June 30
4      October 1 - September 30
5      User-Defined Report Period

Enter the date range for your report:

```

Figure 5-128: Running the HEDIS report: selecting report date range (Step 6)

6. At the “Enter the date range for your report” prompt, do one of the following:
 - To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key
At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.
 - To define a custom report period, type **5** and press the Enter key
At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.
7. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.

The date ranges selected for the report are displayed, including Report Period, Previous Year Period, and Baseline Period.

```

Enter the Calendar Year for the report END date. Use a 4 digit
year, e.g. 2010
Enter Year: 2010 <Enter> (2010)

Enter the Baseline Year to compare data to.
Use a 4 digit year, e.g. 1999, 2000
Enter Year (e.g. 2000): 2000 <Enter> (2000)

The date ranges for this report are:
Report Period:      Jan 01, 2010 to Dec 31, 2010
Previous Year Period: Jan 01, 2009 to Dec 31, 2009
Baseline Period:    Jan 01, 2000 to Dec 31, 2000

Specify the community taxonomy to determine which patients will be
included in the report. You should have created this taxonomy using QMAN.

Enter the Name of the Community Taxonomy: DEMO GPRA COMMUNITIES//

```

Figure 5-129: Running the HEDIS Report: selecting report dates and community taxonomy (Steps 6 through 8)

8. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:
 - Press the Enter key to accept the default taxonomy if it is your official GPRA community taxonomy. (The default community taxonomy can be set in Site Parameters.)
 - Type the name of your official GPRA community taxonomy and press the Enter key.
 - Type the first few letters of the taxonomy name and press the Enter key to see a selection of taxonomies beginning with those letters, or type two question marks (??) and press the Enter key to see the entire list. Then type the number of the taxonomy you want to use and press the Enter key.
9. At the “Do you want patient lists for any of the measures?” prompt, do one of the following.
 - To include patient lists in addition to the report, type **Y** (Yes) and press the Enter key to display the HEDIS Measure List Selection screen (Figure 5-130). All HEDIS topics and their associated patient lists are listed. Continue with Step 140 to select the patient lists.
 - To run the report without including patient lists, press the Enter key to accept the default, “No.” Go to Step 12 to continue with the report selection process.

Note: You must have security access to run any patient list. This prompt will not be displayed if you do not have security access.

```

HEDIS MEASURE LIST SELECTION Jun 05, 2010 11:04:44 Page: 1 of 2
IHS FY 10 HEDIS Performance Measure Lists of Patients
* indicates the list has been selected

1) Childhood Imm: List of patients without ALL childhood immunizations
2) Adolescent Imm: List of pts w/o ALL adolescent immunizations
3) URI: List of pts 3 mths-18yrs w/URI, with antibiotic, if any
4) App. Testing Child w/Pharyngitis: List pts 2-18 w/pharyngitis&Strep Test, i
5) Colorectal Cancer Screen: Pts 51-80 and CRC screening, if any
6) Breast Cancer Screen: Women 42-69 and Mammogram/refusal, if any
7) Cervical Cancer Screen: Women 24-64 and Pap Smear/refusal, if any
8) Chlamydia Screen: Women 16-25 w/no documented test
9) Osteoporosis Management: List of female pts w/new fracture w/tx, if any
10) BP Control: List of patients with hypertension and BP value, if any.
11) Beta-Blocker Tx After Heart Attack: List of pts w/AMI w/tx, if any
12) Beta-Blocker Tx: List of pts w/AMI, w/all beta-blocker meds, if any
13) Chol Mgt for Pts w/Card Cond: List pts w/AMI, CABG w/LDL, if any
14) DM Care: List of diabetic patients w/documented tests, if any.
15) Asthma: List of asthmatic Pts w/preferred asthma medications, if any
16) Antidepressant Med Mgt - List of pts w/new depression w/OPC,APT,CONPT
+ Enter ?? for more actions
S Select List D De Select List
A All Lists Q Quit
Select Action:+//

```

Figure 5-130: Running the HEDIS Report: HEDIS Measure List Selection screen (Step 10))

10. To select patient lists, follow these steps:

- a. At the “Select Action” prompt, type **S** and press the Enter key.
- b. At the “Which item(s)” prompt, type the number(s) preceding the list(s) you want to include and press the Enter key.

To select multiple lists, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of numbers and ranges (e.g., 1–4, 5, 8, 10).

After pressing the Enter key, each selected measure is marked with an asterisk (*) before its number.

- c. To save your selected lists, Type **Q** (Quit) and press the Enter key.

```

Select List Type.
NOTE: If you select All Patients, your list may be
Hundreds of pages and take hours to print.

Select one of the following:

R      Random Patient List
P      Patient List by Provider
A      All Patients

Choose report type for the Lists: R// P <Enter> Patient List by Provider
Enter Designated Provider Name: Provider, Arlis <Enter> AP

```

Figure 5-131: Running the HEDIS Report: selecting patient list type (Step 11)

11. At the “Choose report type for the Lists” prompt, type the letter corresponding to the report type you want and press the Enter key, where:

- **R** (Random Patient List) produces a list containing 10% of the entire patient list.
- **P** (Patient List by Provider) produces a list of patients with a user-specified designated care provider.
- **A** (All Patients) produces a list of all patients.

If you select P (Patient List by Provider), type the name of a provider at the “Enter Designated Provider Name” prompt and press the Enter key.

Note: Printed patient lists are likely to require a great deal of paper, even when you are producing a random list. Ensure that your selected printer has enough paper, particularly if you are running the report overnight.

Print patient lists only when you need them, or print to an electronic file.

```
Select one of the following:

1      Indian/Alaskan Native (Classification 01)
2      Not Indian Alaskan/Native (Not Classification 01)
3      All (both Indian/Alaskan Natives and Non 01)

Select Beneficiary Population to include in this report: 1// 1 <Enter>
Indian/Alaskan Native (Classification 01)
```

Figure 5-132: Running the HEDIS Report: selecting beneficiary population (Step 12)

12. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include and press the Enter key, where:

- **1** (Indian/Alaskan Native) reports only on AI/AN patients.
- **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
- **3** (All) reports on your entire patient population.

13. At the “Do you wish to export this data to Area?” prompt, do one of the following:

- If you are ready to send the final data to your Area Office, type **Y** and press the Enter key at the “Do you wish to export this data to Area” prompt.
- If you are not ready to send final data to your Area Office, type **N** and press the Enter key.

Note: You should *only* choose this option when you are ready to send final data to your Area Office.

14. A summary of the HEDIS Report is displayed, as in the following example:

```
SUMMARY OF FY 10 HEDIS REPORT TO BE GENERATED

The date ranges for this report are:
  Report Period:      Jan 01, 2010 to Dec 31, 2010
  Previous Year Period: Jan 01, 2009 to Dec 31, 2009
  Baseline Period:   Jan 01, 1999 to Dec 31, 1999

The COMMUNITY Taxonomy to be used is: DEMO GPRA COMMUNITIES

All HEDIS measures will be calculated.

Please choose an output type. For an explanation of the delimited
file please see the user manual.

  Select one of the following:

      P      Print Report on Printer or Screen
      D      Create Delimited output file (for use in Excel)
      B      Both a Printed Report and Delimited File

Select an Output Option: P//
```

Figure 5-133: Summary Screen for HEDIS report and output options (Step 15)

15. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:

- **P** (Print) sends the report file to your printer, your screen, or an electronic file.
- **D** (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
- **B** (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2.

Table 5-15: Contents of the HEDIS Performance Report

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Childhood Immunizations	Active clinical patients ages 19–35 months	1) With 4 DTaP 2) With 3 Polio 3) With 1 MMR 4) With 3 HiB 5) With 3 Hep B 6) With 1 Varicella 7) With 4 Pneumococcal conjugate 8) With 4:3:1:3:3:1 combo 9) With 4:3:1:3:3:1:4 combo
Adolescent Immunization Status	Active clinical patients age 13	1) With 2 MMR 2) With 3 Hep B 3) With 1 Varicella 4) With 2:3:1 combo
Appropriate Treatment for Children with Upper Respiratory Infection	Active clinical patients ages 3 months through 18 years diagnosed with an upper respiratory infection	Patients <i>not</i> prescribed an antibiotic on or within three days after diagnosis
Appropriate Testing for Children with Pharyngitis	Active clinical patients ages 2–18 years diagnosed with pharyngitis and prescribed an antibiotic	Patients who received a Group A strep test.
Colorectal Cancer Screening	Active clinical patients ages 51–80 without a documented history of colorectal cancer	Patients who have had <i>any</i> CRC screening (time period dependent upon type of CRC screening) (no refusals)
Breast Cancer Screening	Female active clinical patients ages 42 through 69 without a documented history of bilateral mastectomy or two separate unilateral mastectomies	Patients with a mammogram documented in the past 2 years, including documented refusals in past year. Broken out by age groups.
Cervical Cancer Screening	Female active clinical patients ages 24 through 64 without a documented history of hysterectomy	Patients with a Pap smear documented in the past 3 years, including refusals in past year.
Chlamydia Screening in Women	Female active clinical patients ages 16 through 25, broken down by age groups	Patients with documented Chlamydia test in past year
Osteoporosis Management in Women Who Had a Fracture	Female active clinical patients ages 67 and older who had a new fracture	Patients treated or tested for osteoporosis after the fracture.

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Controlling High Blood Pressure	Active clinical patients ages 18 through 85 diagnosed with hypertension	1) With BP value 2) With controlled blood pressure, defined as < 140/90 (Numerators 2 + 3 + 4)
Beta-Blocker Treatment After a Heart Attack	Active clinical patients 35 and older discharged for an AMI, broken out by gender	Patients with active prescription for beta blockers
Persistence of Beta-Blocker Treatment After a Heart Attack	Active clinical patients 18 and older diagnosed with an AMI	Patients with a 135-day course of treatment with beta-blockers
Cholesterol Management for Patients with Cardiovascular Conditions	Active clinical patients ages 18 to 75 who, during the first 10 months of the year prior to the beginning of the Report period, were diagnosed with AMI, CABG, PTCA, or who were diagnosed with ischemic vascular disease (IVD) during the report period and the year prior to the report period. Broken down by gender.	1) With LDL regardless of value 2) With LDL < 100
Comprehensive Diabetes Care	Active diabetic patients	1) Hemoglobin A1c, any value 2) A1c > 9.0 (defined as poor control) 3) A1c < 7.0 (defined as good control) 4) Retinal eye exam 5) LDL, any value 6) LDL <100 7) Medical attention for nephropathy 8) BP <130/80 9) BP <140/90
Use of Appropriate Medications for People with Asthma	Active clinical patients ages 5–56 with persistent asthma, broken down by age groups	With Rx for preferred asthma therapy medication

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Antidepressant Medication Management	Active clinical patients 18 years and older who were diagnosed with a new episode of depression and treated with antidepressant medication in the past year.	1) With at least 3 mental health visits within 12 weeks after diagnosis 2) With separate prescriptions/refills of antidepressant medication for continuous treatment of at least 84 days 3) With separate prescriptions/refills of antidepressant medication treatment to provide continuous treatment for at least 180 days
Use of High-Risk Medications in the Elderly	Active clinical patients ages 65 and older, broken down by gender and age groups.	1) With at least one high-risk medication 2) With at least two high-risk medications Included in both numerators above are the following sub-numerators: avoided <ul style="list-style-type: none"> A) Antianxiety meds B) Antiemetic meds C) Analgesic meds D) Antihistamine meds E) Antipsychotic meds F) Amphetamine meds G) Barbiturate meds H) Long-acting benzodiazepine meds I) Benzodiazepine meds J) Calcium channel blocker meds K) Gastrointestinal antispasmodic meds L) Belladonna alkaloid meds M) Skeletal muscle relaxant meds N) Oral estrogen meds O) Oral hypoglycemic meds P) Narcotic meds Q) Vasodilator meds R) Other HEDIS-defined drugs
Medical Assistance with Smoking Cessation	Active clinical patients identified as tobacco users	1) Advised to quit smoking or refusal in past year 2) Received information on smoking cessation medications or refusal in past year

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Flu Shots for Adults Ages 50–64	Active clinical patients ages 50 through 64	1) With documented influenza vaccine in past year or contraindication ever
Flu Shots for Older Adults	Active clinical patients ages 65 and older	1) With documented influenza vaccine in past year or contraindication ever
Pneumonia Vaccination Status for Older Adults	Active clinical patients ages 65 and older	1) With documented pneumovax or contraindication ever
Annual Dental Visit	1) User population patients ages 3 through 21, broken down by age group 2) Active diabetic patients	1) With documented dental visit in past year

5.18.3 HEDIS Performance Report Patient List

Patient Lists are available for individual measures included in the HEDIS Performance Report and display patients who meet the numerator(s), denominator(s), or both, depending on the measure.

The following Patient List options are available:

- A random list (10% of the total list)
- A list by designated primary care provider
- The entire patient list

Select which measures you want to run patient lists for after you have selected the measures for the report.

Table 5-16: HEDIS Performance Report Patient List by Performance Measure Topic

Performance Measure Topic	Patient List
Childhood Immunization	List of patients without <i>all</i> childhood immunizations, indicating which immunizations not received. NOTE: Because age is calculated at the beginning of the Report Period, the patient's age on the list will be between 7-23 months.
Adolescent Immunization Status	List of patients without <i>all</i> adolescent immunizations, indicating which immunizations not received.
Appropriate Treatment for Children with Upper Respiratory Infection	List of patients 3 months to 18 years with upper respiratory infection, with antibiotic prescription, if any.
Appropriate Testing for Children with Pharyngitis	List of patients 2–18 years with pharyngitis and a Group A Strep test, if any.

Performance Measure Topic	Patient List
Colorectal Cancer Screening	List of patients 51–80 and CRC screening test/date, if any.
Breast Cancer Screening (Mammogram)	List of women 42–69 with mammogram/refusal, if any.
Cervical Cancer Screening (Pap Smear)	List of women 24–64 with documented test/refusal, if any.
Chlamydia Screening in Women	List of women patients 16–25 with no documented screening.
Osteoporosis Management in Women Who Had a Fracture	List of female patients with osteoporosis treatment or testing, if any.
Controlling High Blood Pressure	List of patients with hypertension and BP value, if any.
Beta-Blocker Treatment After a Heart Attack	List of patients with AMI, with beta blocker prescription, if any.
Persistence of Beta-Blocker Treatment After a Heart Attack	List of patients with AMI, with all beta blocker prescriptions during the 180–day time frame, if any.
Cholesterol Management for Patients with Cardiovascular Conditions	List of patients with AMI, CABG, PTCA, or IVD with LDL value, if any
Comprehensive Diabetes Care	List of diabetic patients with documented tests, if any.
Use of Appropriate Medications for People with Asthma	List of asthmatic patients with primary asthma therapy medications, if any.
Antidepressant Medication Management	List of patients with new depression DX and optimal practitioner contact (OPC), acute phase treatment (APT) and continuation phase treatment (CONPT), if any.
Drugs to be Avoided in the Elderly	List of patients 65 and older with at least one prescription for a potentially harmful drug.
Medical Assistance with Smoking Cessation	List of tobacco users with tobacco cessation intervention, if any.
Flu Shots for Adults Ages 50–64	List of patients ages 50–64 with IZ code/date, if any.
Flu Shots for Older Adults	List of patients =>65 yrs with IZ code/date, if any.
Pneumonia Vaccination Status for Older Adults	List of patients =>65 yrs with IZ code/date, if any.
Annual Dental Visit	List of patients with documented dental visit only.

5.19 Patient Education with Community Specified Report (PCM)

CI10 > RPT > OTH > PED > PCM

5.19.1 Overview

The Patient Education with Community Specified Report contains performance measures specific to user population patients who have received patient education. Sites are not required to run the Patient Education report.

Patient Lists may be run for this report.

5.19.2 Running the PCM Patient Education with Community Specified Report.

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 main menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **OTH** and press the Enter key to display the Other National Reports menu.

```

*****
**      IHS/RPMS CRS 2010      **
**      Other National Reports  **
*****
                          Version 10.0

                          DEMO INDIAN HOSPITAL

GPU      GPRA & PART Performance Report
ONM      Other National Measures Report
OST      Other National Measures Report Patient List
EO       Executive Order Quality Transparency Measures Rpt
ELD      Elder Care Report
HED      HEDIS Performance Report
PED      Patient Education Reports ...

Select Other National Reports Option: PED <Enter> Patient Education Reports

```

Figure 5-134: Other National Reports menu: selecting the Patient Education Report (PED) (Step 4)

4. At the “Select Other National Reports Option” prompt, type **PED** and press the Enter key to display the Patient Education Reports Menu.

```

*****
**          IHS/ RPMS CRS 2010          **
** Patient Education Reports Menu **
*****
                          Version 10.0

                          DEMO INDIAN HOSPITAL

PCM   Patient Education w/Community Specified
P3    Patient Education w/Patient Panel Population

Select Patient Education Reports Option: PCM <Enter> Patient Education w/Community
Specified

```

Figure 5-135: Patient Education Reports Menu: selecting the Patient Education with Community Specified Report (PCM) (Step 5)

- At the “Select Patient Education Reports Option” prompt, type **PCM** and press the Enter key to display information about the report, as in the following example:

```

Patient Education w/Community Specified Report

This will produce a report for all patients in the User Population for
Patient Education performance measures you specify for a given period.
You will be asked to: 1) select the measures, and provide 2) the
reporting period, 3) the baseline period to compare data to, 4) the
community taxonomy to determine which patients will be included, and
5) the patient population (i.e. AI/AN only, non AI/AN, or both) to
determine which patients will be included.

You will be given the opportunity to export this data to the Area
Office. If you answer yes, this option will produce a report in export
format for the Area Office to use in Area aggregated data. Depending on
site specific configuration, the export file will either be automatically
transmitted directly to the Area or the site will have to send the file
manually.
PRESS ENTER:

Select one of the following:

S          Selected set of Measures
A          All Measures

Run the report on: S//

```

Figure 5-136: Running the Patient Education with Community Specified Report (PCM): report description display and selecting measures to include (Steps 5 and 6)

- At the “Run the report on” prompt, do one of the following:
 - To include only *selected measures* in the PCM report, type **S** and press the Enter key to display the Patient Ed Measure Selection screen. Continue with Step 7 to select performance measures.
 - To include *all measures* in the PCM report, type **A** (All Measures) and press the Enter key. Go to Step 8 to continue selecting report options.

```

PATIENT ED MEASURE SELECTION Jun 05, 2010 07:51:14 Page: 1 of 1
IHS Patient Education Measures
* indicates the performance measure has been selected

1) Rate of User Population Patients Receiving Patient Education
2) Rate of Time by Provider Discipline
3) Rate for Top 25 Patient Education Topics
4) Rate for Top 25 Education Subtopics
5) Rate for Top 15 Provider Disciplines Who Educated
6) Rate of Patient Understanding of Education
7) Goal Setting

Enter ?? for more actions
S Select Measure D De Select Measure
Select Action:+// Q <Enter> Quit

```

Figure 5-137: Running Patient Education with Community Specified Report (PCM): selecting performance measure topics (Step 7)

7. The action bar appears at the bottom of the screen. At the “Select Action” prompt, do one of the following:

- To view multiple pages,
 - Type a plus sign (+) and press the Enter key to view the next page.
 - Type a hyphen (-) and press the Enter key to return to the previous page.
- To select specific measure topics, follow these steps:
 - a. At the “Select Action” prompt, type **S** and press the Enter key.
 - b. At the “Which item(s)” prompt, type the number(s) preceding the topic(s) you want.

To select multiple topics, type a range (e.g., 1–2), a series of numbers (e.g., 1, 3), or a combination of numbers and ranges (e.g., 1–2, 4, 6, 10).

After pressing the Enter key, each selected topic is marked with an asterisk (*) before its number, as in the following example:

- c. To save your selected topics, type **Q** (Quit) and press the Enter key.

```

Select one of the following:

1      January 1 - December 31
2      April 1 - March 31
3      July 1 - June 30
4      October 1 - September 30
5      User-Defined Report Period

Enter the date range for your report: 1 <Enter> January 1 - December 31

```

Figure 5-138: Running the Patient Education with Community Specified Report (PCM): selecting report date range (Step 8)

8. At the “Enter the date range for your report” prompt, do one of the following:
 - To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.
At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.
 - To define a custom report period, type **5** and press the Enter key.
At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.
9. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.

The date ranges selected for the report are displayed, including Report Period, Previous Year Period, and Baseline Period, as in the following example:

```

Enter the Calendar Year for the report END date. Use a 4 digit
year, e.g. 2010
Enter Year: 2010 <Enter> (2010)

Enter the Baseline Year to compare data to.
Use a 4 digit year, e.g. 1999, 2000
Enter Year (e.g. 2000): 2000 <Enter> (2000)

The date ranges for this report are:
Report Period:      Jan 01, 2010 to Dec 31, 2010
Previous Year Period: Jan 01, 2009 to Dec 31, 2009
Baseline Period:    Jan 01, 2000 to Dec 31, 2000

Specify the community taxonomy to determine which patients will be
included in the report. You should have created this taxonomy using QMAN.

Enter the Name of the Community Taxonomy: DEMO GPRA COMMUNITIES//

```

Figure 5-139: Running the Patient Education with Community Specified Report (PCM): selecting report date ranges and community taxonomy (Step 10)

10. At the “Enter the Name of the Community Taxonomy” prompt, do one of the following:
 - Press the Enter key to select the default community taxonomy. (The default community taxonomy can be set in Site Parameters.)
 - Type the name of a community taxonomy and press the Enter key.
 - Type the first few letters of the taxonomy name and press the Enter key to see a selection of taxonomies beginning with those letters, or type two question marks (??) and press the Enter key to see the entire list. Then type the number of the taxonomy you want to include and press the Enter key.

11. At the “Do you want patient lists for any of the measures?” prompt, do one of the following:

- To include patient lists in addition to the report, type **Y** (Yes) and press the Enter key to display the Patient Ed List Selection screen. Only the patient lists for the topics you have selected for your report are listed.

Continue with Step 12 to select the lists.

- To run the report without including patient lists, press the Enter key to accept the default, “No.”

Go to Step 14 to continue the report selection process.

Note: You must have security access to run any Patient List. This prompt will not be displayed if you do not have security access.

```

PATIENT ED LIST SELECTION      Jun 05, 2010 07:56:45      Page: 1 of 1
IHS FY 10 Patient Education Performance Measure Lists of Patients
* indicates the list has been selected

*1) List of User Pop Pts who received Pt Ed during Report Period
2) List User Pop Pts w/pat ed during report period, w/summed time by provider
*3) List of User Pop Pts who received pt ed during report period, w/count of ea
4) List of User Pop Pts who received pt ed during the Report Period w/topic, i
5) List of User Pop Pts who received pt ed during report period, w/prov disc
6) List of User Pop Pts w/ pt ed w/ level of understanding, if any
7) List of User Pop Pts w/Pat Ed w/Goal Setting information

      Enter ?? for more actions
S   Select List                      D   De Select List
A   All Lists
Select Action:+//

```

Figure 5-140: Running the Patient Education with Community Specified Report (PCM): selecting patient lists (Step 12)

12. To select patient lists, follow these steps:

- At the “Select Action” prompt, type **S** and press the Enter key.
- At the “Which item(s)” prompt, type the number(s) preceding the list(s) you want to include and press the Enter key.

To select multiple lists, type a range (e.g., 1–4), a series of numbers (e.g., 3, 6, 8, 9), or a combination of ranges and numbers (e.g., 1–4, 5, 7, 10).

After pressing the Enter key, each selected topic is marked with an asterisk (*) before its number (Figure 5-140).

- To save your selected lists, type **Q** (Quit) and press the Enter key.

```
Select List Type.
NOTE: If you select All Patients, your list may be
hundreds of pages and take hours to print.

Select one of the following:

R      Random Patient List
P      Patient List by Provider
A      All Patients

Choose report type for the Lists: R// P <Enter> Patient List by Provider
Enter Designated Provider Name: PROVIDER,Arlis <Enter>
```

Figure 5-141: Running the Patient Education with Community Specified Report (PCM): selecting report type (Step 13)

13. At the “Choose report type for the Lists” prompt, type the letter corresponding to the report type you want and press the Enter key, where:

- **R** (Random Patient List) produces a list containing 10% of the entire patient list.
- **P** (Patient List by Provider) produces a list of patients with a user-specified designated care provider.
- **A** (All Patients) produces a list of all patients.

If you select P (Patient List by Provider), type the name of a provider at the “Enter Designated Provider Name” prompt and press the Enter key.

Note: Printed patient lists are likely to require a great deal of paper, even when you are producing a Random list. Ensure that your selected printer has enough paper, particularly if you are running the report overnight.

Print patient lists only when you need them, or print to an electronic file.

```
Select one of the following:

1      Indian/Alaskan Native (Classification 01)
2      Not Indian Alaskan/Native (Not Classification 01)
3      All (both Indian/Alaskan Natives and Non 01)

Select Beneficiary Population to include in this report: 1// 1 <Enter>
Indian/Alaskan Native (Classification 01)
```

Figure 5-142: Running the Patient Education with Community Specified Report (PCM): selecting beneficiary population (Step 14)

14. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include and press the Enter key, where:

- **1** (Indian/Alaskan Native) reports only on AI/AN patients.
- **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
- **3** (All) reports on your entire patient population.

15. If you are running the PCM report for all measures, you can choose whether to send this data to your Area Office.

- If you are ready to send the final data to your Area Office, type **Y** and press the Enter key at the “Do you wish to export this data to Area” prompt.
- If you are not ready to send final data to your Area Office, type **N** and press the Enter key.

Note: You should only choose this option when you are ready to send final data to your Area Office.

A summary of the Patient Education Report is displayed, as in the following example:

```

SUMMARY OF FY 10 PATIENT EDUCATION REPORT TO BE GENERATED

The date ranges for this report are:
  Report Period:      Jan 01, 2010 to Dec 31, 2010
  Previous Year Period: Jan 01, 2009 to Dec 31, 2009
  Baseline Period:    Jan 01, 2000 to Dec 31, 2000

The COMMUNITY Taxonomy to be used is: DEMO GPRA COMMUNITIES

Please choose an output type. For an explanation of the delimited
file please see the user manual.

  Select one of the following:

    P      Print Report on Printer or Screen
    D      Create Delimited output file (for use in Excel)
    B      Both a Printed Report and Delimited File

Select an Output Option: P//

```

Figure 5-143: Running the Patient Education with Community Specified Report: summary screen and selecting output (Steps 15 and 16)

16. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:

- **P** (Print) sends the report file to your printer, your screen, or an electronic file.
- **D** (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
- **B** (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2.

5.19.3 Report Content

Table 5-17: Contents of the PCM Patient Education with Community Specified Report

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Rate of User Population Patients Receiving Patient Education	1) User population patients	1) Number of patients receiving patient education during the report period
Rate of Time by Provider Discipline	1) The total time spent providing education to user population patients during the report period 1) The total time spent providing education to user population patients during the report period, <i>continued</i>	1) Total time spent, in minutes, providing education by provider discipline Also included are the following statistics: 2) For all providers, the total number of patient education codes with provider and minutes recorded. 3) Average time spent, in minutes, providing education to each patient 4) Minimum time spent, in minutes, providing education to a patient 5) Maximum time spent, in minutes, providing education to a patient
Rate for Top 25 Patient Education Topics	The total number of patient education codes documented for user population patients for all providers during the report period	1--25): The 25 most common topics of the patient education documented during the report period.
Rate for Top 25 Patient Education Subtopics	The total number of patient education codes documented for user population patients for all providers during the report period	1--25): The 25 most common subtopics of the patient education documented during the report period.
Rate for Top 15 Provider Disciplines Who Educated	The total number of patient education codes documented for user population patients for all providers during the report period	1--15): The 15 most common provider discipline codes that provided education during the report period.

Performance Measure	Denominator	Numerator(s) (documented in past year, unless defined otherwise)
Rate of Patient Understanding of Education	The total number of patient education codes documented for user population patients for all providers during the report period	1) Number of patient education codes with good understanding. 2) Number of patient education codes with fair understanding. 3) Number of patient education codes with poor understanding. 4) Number of patient education codes where patient refused the education. 5) Number of patient education codes where understanding of education was left blank.
Goal Setting	User population patients who received patient education during the report period.	1) Number of patients who set at least one goal during the report period. 2) Number of patients who did not set at least one goal during the report period. 3) Number of patients who met at least one goal during the report period. 4) Number of patients who did not meet at least one goal during the report period.

5.19.4 PCM Patient Education with Community Specified Report Patient Lists

Patient Lists are available for individual measures included in the Patient Education report and display patients who meet the numerator(s), denominator(s), or both, depending on the measure.

The Patient List options include

- A random list (10% of the total list)
- A list by designated primary care provide
- The entire patient list of patients

Select which measures you want to run patient lists for after you have selected the measures for the report.

Table 5-18: Patient Education with Community Specified Report Patient Lists

Performance Measure Topic	Patient List
Rate of User Population Patients Receiving Patient Education	List of user population patients who received patient education during the Report Period.
Rate of Time by Provider Discipline	List of user population patients who received patient education during the Report Period with the summed time in minutes spent by provider.
Rate for Top 25 Patient Education Topics	List of user population patients who received patient education during the Report Period with the count of each topic for which education was received.
Rate for Top 25 Patient Education Subtopics	List of user population patients who received patient education during the Report Period with the count of each subtopic received.
Rate for Top 15 Provider Disciplines Who Educated	List of user population patients who received patient education during the Report Period with the count of provider discipline codes that provided the education.
Rate of Patient Understanding of Education	List of user population patients who received patient education during the Report Period with the count for each level of understanding.
Goal Setting	List of user population patients who received patient education during the Report Period with goal setting information.

5.20 Patient Education with Patient Panel Population Report (P3)

CI10 > RPT > OTH > PED > P3

5.20.1 Overview

The content of this report is the same as the Patient Education with Community Specified Report.

Patient lists may be run for this report.

5.20.2 Running the Patient Education with Patient Panel Population Report (P3)

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 Main Menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **OTH** and press the Enter key to display the Other National Reports menu.

```

*****
**      IHS/RPMS CRS 2010      **
**      Other National Reports  **
*****
Version 10.0

DEMO INDIAN HOSPITAL

GPU  GPRA & PART Performance Report
ONM  Other National Measures Report
OST  Other National Measures Report Patient List
EO   Executive Order Quality Transparency Measures Rpt
ELD  Elder Care Report
HED  HEDIS Performance Report
PED  Patient Education Reports ...

Select Other National Reports Option: PED <Enter> Patient Education Reports

```

Figure 5-144: Other National Reports menu: selecting the Patient Education Report (PED) (Step 4)

4. At the “Select Other National Reports Option” prompt, type **PED** and press the Enter key to display the Patient Education Reports Menu, as in the following example:

```

*****
**           IHS/RPMS CRS 2010           **
** Patient Education Reports Menu **
*****
                        Version 10.0

                        DEMO INDIAN HOSPITAL

PCM   Patient Education w/Community Specified
P3    Patient Education w/Patient Panel Population

Select Patient Education Reports Option: P3 <Enter> Patient Education w/Patient
Panel Population

```

Figure 5-145: Patient Education Reports Menu: selecting the Patient Education with Patient Panel Population Report (P3) (Step 5)

- At the “Select Patient Education Reports Option” prompt, type **P3** and press the Enter key to display the following information about the report. Press the Enter key to continue.

```

                        2010 Patient Education Report
                        Report on all Patients in a User Defined Search Template

This will produce a Patient Education Report for one or more measures for
a year period you specify. You will be asked to provide: 1) the reporting
period and 2) the baseline period to compare data to.

NOTE: With this option all patients in a user defined search template
will be included in the report. The user population user logic will NOT
be applied. You can create a search template using Q-MAN, PGEN, VGEN or
other RPMS options.
PRESS ENTER:

Please enter the search template name. The template will contain a
panel of patients defined by the user.

Enter SEARCH TEMPLATE name: DEMO_2003VISITS_MALE_21-55 <Enter>

```

Figure 5-146: Running the Patient Education with Patient Panel Population Report (P3): report description display and selecting search template (Steps 5 and 6)

- At the “Enter SEARCH TEMPLATE name” prompt, do one of the following:
 - Type the name of a search template and press the Enter key.
 - Type the first few letters or numbers of a search template name and press the Enter key to see a selection of search templates beginning with those characters, or type two question marks (??) and press the Enter key to see the entire list. Then type the number of the search template you want to include and press the Enter key.
- At the “Run the report on” prompt, do one of the following:

- To include only *selected measures* in the report, type **S** and press the Enter key to display the Patient Ed Measure Selection screen.

Continue with Step 8 to select performance measures.

- To include *all measures* in the report, type **A** and press the Enter key.

Go to Step 9 to continue selecting report options.

```

PATIENT ED MEASURE SELECTION Jun 05, 2010 07:51:14 Page: 1 of 1
IHS Patient Education Measures
* indicates the performance measure has been selected

1) Rate of User Population Patients Receiving Patient Education
2) Rate of Time by Provider Discipline
3) Rate for Top 25 Patient Education Topics
4) Rate for Top 25 Education Subtopics
5) Rate for Top 15 Provider Disciplines Who Educated
6) Rate of Patient Understanding of Education
*7) Goal Setting

Enter ?? for more actions
S Select Measure D De Select Measure
Select Action:+// Q <Enter> Quit

```

Figure 5-147: Running Patient Education with Patient Panel Population Report (P3): selecting performance measure topics (Step 8)

8. At the “Select Action” prompt, do one of the following:

- To view multiple pages,
 - Type a plus sign (+) and press the Enter key to view the next page of the list of measures.
 - Type a minus sign/hyphen (-) and press the Enter key to return to the previous page.
- To select specific measure topics, follow these steps:
 - Type **S** and press the Enter key.
 - At the “Which item(s)” prompt, type the number(s) preceding the topic(s) you want.

To select multiple topics, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of ranges and numbers (e.g., 1–4, 8, 12).

After pressing the Enter key, each selected topic is marked with an asterisk (*) before its number.

- To save your selected topics, type **Q** (Quit) and press the Enter key.

```

Select one of the following:

1      January 1 - December 31
2      April 1 - March 31
3      July 1 - June 30
4      October 1 - September 30
5      User-Defined Report Period

Enter the date range for your report: 1 <Enter> January 1 - December 31

```

Figure 5-148: Running the Patient Education with Patient Panel Population Report (P3): selecting report date range (Step 9)

9. At the “Enter the date range for your report” prompt, do one of the following:

- To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.

At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.

- To define a custom report period, type **5** and press the Enter key.

At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.

10. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.

The date ranges selected for the report are displayed, including the Report Period, the Previous Year Period, and the Baseline Period.

```

Enter the Calendar Year for the report END date. Use a 4 digit
year, e.g. 2010
Enter Year: 2010 <Enter> (2010)

Enter the Baseline Year to compare data to.
Use a 4 digit year, e.g. 1999, 2000
Enter Year (e.g. 2000): 2000 <Enter> (2000)

The date ranges for this report are:
Report Period:      Jan 01, 2010 to Dec 31, 2010
Previous Year Period: Jan 01, 2009 to Dec 31, 2009
Baseline Period:   Jan 01, 2000 to Dec 31, 2000

Do you want patient lists for any of the measures? Y// <Enter> Yes

```

Figure 5-149: Running the Patient Education with Patient Panel Population Report (P3): selecting report dates and patient list option (Steps 10 and 11)

11. At the “Do you want patient lists for any of the measures?” prompt, do one of the following:

- To include patient lists in addition to the report, type Y (Yes) and press the Enter key to display the Patient Ed List Selection screen (Figure 5-150). Only patient lists available for the topics selected for your report are listed.

Continue with Step 12 to select the lists.

- To run the report without including patient lists, press the Enter key to accept the default, “No.”

Go to Step 14 to select an output option.

Note: You must have security access to run any Patient List. This prompt will not be displayed if you do not have security access.

```

PATIENT ED LIST SELECTION      Jun 05, 2010 07:56:45      Page: 1 of 1
IHS FY 10 Patient Education Performance Measure Lists of Patients
* indicates the list has been selected

*1) List of User Pop Pts who received Pt Ed during Report Period
2) List User Pop Pts w/pat ed during report period, w/summed time by provider
*3) List of User Pop Pts who received pt ed during report period, w/count of eac
4) List of User Pop Pts who received pt ed during the Report Period w/topic, if
5) List of User Pop Pts who received pt ed during report period, w/prov disc
6) List of User Pop Pts w/ pt ed w/ level of understanding, if any
7) List of User Pop Pts w/Pat Ed w/Goal Setting information

      Enter ?? for more actions
S   Select List                D   De Select List
A   All Lists
Select Action:+// Q <Enter> Quit

```

Figure 5-150: Running the Patient Education with Patient Panel Population Report (P3): selecting patient lists (Step 14)

12. To select patient lists, follow these steps:

- At the “Select Action” prompt, type **S** and press the Enter key.
- At the “Which item(s)” prompt type the number(s) preceding the list(s) you want to include.

To select multiple lists, type a range (e.g., 1–6), a series of numbers (e.g., 1, 3, 8), or a combination of ranges and numbers (e.g., 1–3, 5, 7).

After pressing the Enter key, each list you selected is marked with an asterisk (*) before its number (Figure 5-150).

- To save your selected topics, type **Q** (Quit) and press the Enter key.

13. At the “Choose report type for the Lists” prompt, type the letter corresponding to the report type you want and press the Enter key, where:

- **R** (Random Patient List) produces a list containing 10% of the entire patient list.
- **P** (Patient List by Provider) produces a list of patients with a user-specified designated care provider.
- **A** (All Patients) produces a list of all patients.

If you select P (Patient List by Provider), type the name of a provider at the “Enter Designated Provider Name” prompt and press the Enter key.

Note: Printed patient lists are likely to require a great deal of paper, even when you are producing a Random list. Ensure that your selected printer has enough paper, particularly if you are running the report overnight.

Print patient lists only when you need them, or print to an electronic file.

A summary of the report is displayed, as in the following example:

```

SUMMARY OF FY 10 PATIENT EDUCATION REPORT TO BE GENERATED

The date ranges for this report are:
  Report Period:      Jan 01, 2010 to Dec 31, 2010
  Previous Year Period: Jan 01, 2009 to Dec 31, 2009
  Baseline Period:   Jan 01, 2000 to Dec 31, 2000

The Patient Panel Population: DEMO_2003VISITS_MALE_21-55

```

Figure 5-151: Summary of the Patient Education with Patient Panel Population Report (P3) (Step 13)

14. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:

- **P** (Print) sends the report file to your printer, your screen, or an electronic file.
- **D** (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
- **B** (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2.

5.21 Lab Taxonomy Report (TXL)

CI10 > RPT > TAX > TXL

5.21.1 Overview

Unlike all of the reports described previously, the Lab Taxonomy Reports contain information on site-populated lab taxonomies and do not report on any patients. Each report lists the lab taxonomies included in the National GPRA Report, Other National Measures Report, Selected Measures reports, Elder Care Report, HEDIS Report, and the CMS Report, respectively. Within each taxonomy, all the lab tests assigned to the taxonomy by the facility are listed. Only a printed version of this report is available.

5.21.2 Running the Lab Taxonomy Reports

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 Main Menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **TAX** and press the Enter key to display the Taxonomy Reports Menu.

```

*****
**   IHS/RPMS CRS 2010   **
** Taxonomy Reports Menu **
*****
Version 10.0

DEMO INDIAN HOSPITAL

TXL   Lab Taxonomy Report ...
TXM   Medication Taxonomy Report ...

Select Taxonomy Reports Option: TXL <Enter> Lab Taxonomy Report

```

Figure 5-152: Taxonomy Reports Menu: selecting the Lab Taxonomy Report option (TXL) (Step 4)

- At the “Select Taxonomy Reports Option” prompt, type **TXL** and press the Enter key to display the Lab Taxonomy Reports Menu.

```

*****
**      IHS/RPMS CRS 2010      **
** Lab Taxonomy Reports Menu **
*****
                          Version 10.0

                          DEMO INDIAN HOSPITAL

LGP   Lab Taxonomies-National GPRA/GPRA Perf Report
LONM  Lab Taxonomies-Other National Measures Report
LEO   Lab Taxonomies-EO Quality Transparency Measures
LSEL  Lab Taxonomies-Selected Measures Reports
LELD  Lab Taxonomies-Elder Care Report
LHED  Lab Taxonomies-HEDIS Report
LCMS  Lab Taxonomies-CMS Report

Select Lab Taxonomy Report Option:

```

Figure 5-153: Lab Taxonomy Report Menu: selecting a lab taxonomy report (Step 5)

- At the “Select Lab Taxonomy Report Option” prompt, type the mnemonic corresponding to the report you want to print and press the Enter key to display information about the selected report.
- A message stating that you may only run a printed version of the report is displayed. Press the Enter key to continue, or type **N** and press the Enter key to exit the report.

```

                          Lab Taxonomy Report
                          CRS 2010, Version 10.0

Site populated Lab Taxonomy Report for the:
  HEDIS Report

This will produce a report of all site-populated lab taxonomies for CRS
2010 in the specified report. Each lab taxonomy is listed with the lab
tests that have been assigned by your facility for inclusion in the
taxonomy.

You are only able to produce a printed version of this report.
Do you wish to continue? Y// <Enter> YES
DEVICE: HOME//

```

Figure 5-154: Running the Lab Taxonomy Report: displaying report information and selecting the device (Steps 6 and 7)

- At the “Device” prompt, type a printer name or a file name.
 - To print to the screen, press the Enter key to accept the default prompt “Home” (which may vary at different sites).

To print a report to your screen without receiving multiple “Enter Return to continue” prompts, type **0;P-OTHER80** at the “Home” prompt.

Depending on the software you are using to access RPMS, turn on your logging or screen capture program *before* printing to the screen.

- To print to a file, or if you do not know your printer name, check with your site manager. At most sites, to print to a file type **Host** or **HFS**, then type the file location and name at the “HOST FILE NAME” prompt.

5.21.3 Report Content

Table 5-19: Content of Laboratory Taxonomy Report

Report(s) Taxonomies Included In	Site-Populated Laboratory Taxonomy Name
NATIONAL GPRA & PART/GPRA & PART PERFORMANCE REPORTS	BGP GPRA ESTIMATED GFR TAX
	BGP GPRA FOB TESTS
	BGP HIV TEST TAX
	BGP PAP SMEAR TAX
	BGP QUANT URINE PROTEIN
	DM AUDIT HGB A1C TAX
	DM AUDIT LDL CHOLESTEROL TAX
OTHER NATIONAL MEASURES REPORT	BGP CHLAMYDIA TESTS TAX
	BGP CREATINE KINASE TAX
	BGP GPRA ESTIMATED GFR TAX
	BGP HIV TEST TAX
	BGP QUANT URINE PROTEIN
	BKM FTA-ABS TESTS TAX
	BKM GONORRHEA TEST TAX
	BKM RPR TESTS TAX
	DM AUDIT ALT TAX
	DM AUDIT AST TAX
	DM AUDIT CHOLESTEROL
	DM AUDIT FASTING GLUCOSE TESTS
	DM AUDIT HDL TAX
	DM AUDIT HGB A1C TAX
	DM AUDIT LDL CHOLESTEROL TAX
DM AUDIT TRIGLYCERIDE TAX	
EO QUALITY TRANSPARENCY MEASURES REPORT	BGP CMS ABG TESTS
	DM AUDIT HGB A1C TAX
	DM AUDIT LDL CHOLESTEROL TAX
SELECTED MEASURES (LOCAL) REPORTS	BGP CBC TESTS
	BGP CD4 TAX
	BGP CHLAMYDIA TESTS TAX

Report(s) Taxonomies Included In	Site-Populated Laboratory Taxonomy Name
SELECTED MEASURES (LOCAL) REPORTS, <i>continued</i>	BGP CMS ABG TESTS
	BGP CREATINE KINASE TAX
	BGP GPRA ESTIMATED GFR TAX
	BGP GPRA FOB TESTS
	BGP GROUP A STREP TESTS
	BGP HIV TEST TAX
	BGP HIV VIRAL LOAD TAX
	BGP LIVER FUNCTION TESTS
	BGP PAP SMEAR TAX
	BGP POTASSIUM TESTS
	BGP QUANT URINE PROTEIN
	BKM FTA-ABS TESTS TAX
	BKM GONORRHEA TEST TAX
	BKM RPR TESTS TAX
	DM AUDIT ALT TAX
	DM AUDIT AST TAX
	DM AUDIT CHOLESTEROL TAX
	DM AUDIT CREATININE TAX
	DM AUDIT FASTING GLUCOSE TESTS
	DM AUDIT GLUCOSE TESTS TAX
	DM AUDIT HDL TAX
	DM AUDIT HGB A1C TAX
	DM AUDIT LDL CHOLESTEROL TAX
DM AUDIT TRIGLYCERIDE TAX	
DM AUDIT URINE PROTEIN TAX	
ELDER CARE REPORT	BGP CBC TESTS
	BGP GPRA ESTIMATED GFR TAX
	BGP GPRA FOB TESTS
	BGP LIVER FUNCTION TESTS
	BGP QUANT URINE PROTEIN
	DM AUDIT ALT TAX
	DM AUDIT AST TAX
	DM AUDIT CHOLESTEROL TAX
	DM AUDIT CREATININE TAX
	DM AUDIT HGB A1C TAX
	DM AUDIT LDL CHOLESTEROL TAX
HEDIS REPORT	BGP CHLAMYDIA TESTS TAX
	BGP GPRA FOB TESTS
	BGP GROUP A STREP TESTS
	BGP PAP SMEAR TAX
	DM AUDIT A/C RATIO
	DM AUDIT HGB A1C TAX
	DM AUDIT LDL CHOLESTEROL TAX

Report(s) Taxonomies Included In	Site-Populated Laboratory Taxonomy Name
HEDIS REPORT, <i>continued</i>	DM AUDIT MICROALBUMINURIA TAX
	DM AUDIT URINE PROTEIN TAX
CMS REPORT	BGP CMS ABG TESTS
	BGP CMS BLOOD CULTURE

5.22 Medication Taxonomy Report (TXM)

CI10 > RPT > TAX > TXM

5.22.1 Overview

As with the Lab Taxonomy Report, these reports contain information on site-populated medication taxonomies and do not report on any patients. They list all of the medication taxonomies included in the National GPRA Report, Other National Measures Report, Selected Measures reports, Elder Care Report, HEDIS Report, and the CMS Report, respectively. Within each taxonomy, all medications assigned to the taxonomy by the facility are listed. Only a printed version of this report is available.

5.22.2 Running the Medication Taxonomy Report

1. At the “Select IHS Clinical Reporting System (CRS) Main Menu Option” prompt, type **CI10** and press the Enter key to display the CRS 2010 Main Menu.
2. At the “Select CRS 2010 Option” prompt, type **RPT** and press the Enter key to display the CRS Reports Menu.
3. At the “Select Reports Option” prompt, type **TAX** and press the Enter key to display the Taxonomy Reports Menu.

```

*****
**   IHS/RPMS CRS 2010   **
** Taxonomy Reports Menu **
*****
          Version 10.0

          DEMO INDIAN HOSPITAL

TXL   Lab Taxonomy Report ...
TXM   Medication Taxonomy Report ...

Select Taxonomy Reports Option:

```

Figure 5-155: Taxonomy Reports Menu: selecting Medication Taxonomy Report option(TXM) (Step 4)

- At the “Select Taxonomy Reports Option” prompt, type **TXM** and press the Enter key to display the Medication Taxonomy Reports Menu.

```

*****
**           IHS/RPMS CRS 2010           **
** Medication Taxonomy Reports Menu **
*****
Version 10.0

DEMO INDIAN HOSPITAL

MGP   Med Taxonomies-National GPRA/GPRA Perf Report
MONM  Med Taxonomies-Other National Measures Report
MEO   Med Taxonomies-EO Quality Transparency Measures
MSEL  Med Taxonomies-Selected Measures Reports
MELD  Med Taxonomies-Elder Care Report
MHED  Med Taxonomies-HEDIS Report
MCMS  Med Taxonomies-CMS Report

Select Medication Taxonomy Report Option:

```

Figure 5-156: Medication Taxonomy Reports Menu: selecting a medication taxonomy report (Step 5)

- At the “Select Medication Taxonomy Report Option” prompt, type the mnemonic corresponding to the report you want to print and press the Enter key to display information about the selected report.
- A message stating that you may only run a printed version of the report is displayed. Press the Enter key to continue, or type **N** and press the Enter key to exit the report.

```

Medication Taxonomy Report
CRS 2010, Version 10.0

Site populated Medication Taxonomy Report for the:
HEDIS Report

This will produce a report of all site-populated medication taxonomies
for CRS 2010 in the specified report. Each medication taxonomy is listed
with the medications that have been assigned by your facility for
inclusion in the taxonomy and/or pre-populated by CRS.

You are only able to produce a printed version of this report.
Do you wish to continue? Y// <Enter> YES
DEVICE: HOME//

```

Figure 5-157: Running the Medication Taxonomy Report: report information display and selecting an output device (Steps 6 and 7)

- At the “Device” prompt, type a printer or file name.

- To print to the screen, press the Enter key to accept the default prompt “Home” (which may vary at different sites).

To print a report to your screen without receiving multiple “Enter Return to continue” prompts, type **0;P-OTHER80** at the “Home” prompt.

Depending on the software you are using to access RPMS, turn on your logging or screen capture program *before* printing to screen.

- To print to a file, or if you do not know your printer name, check with your Site Manager. At most sites, to print to a file type **Host** or **HFS**, then type the file location and name at the “HOST FILE NAME” prompt.

5.22.3 Report Content

Table 5-20: Content of the Medication Taxonomy Report

Report(s) Taxonomies Included In	Site-Populated Medication Taxonomy Name
NATIONAL GPRA & PART /GPRA PERFORMANCE REPORTS	BGP CMS SMOKING CESSATION MEDS
	BGP HEDIS ANALGESIC MEDS
	BGP HEDIS ANTIANXIETY MEDS
	BGP HEDIS ANTIEMETIC MEDS
	BGP HEDIS ANTIHISTAMINE MEDS
	BGP HEDIS ANTIPSYCHOTIC MEDS
	BGP HEDIS BARBITURATE MEDS
	BGP HEDIS BELLADONNA ALKA MEDS
	BGP HEDIS BENZODIAZEPINE MEDS
	BGP HEDIS CALCIUM CHANNEL MEDS
	BGP HEDIS GASTRO ANTISPASM MED
	BGP HEDIS NARCOTIC MEDS
	BGP HEDIS ORAL ESTROGEN MEDS
	BGP HEDIS ORAL HYPOGLYCEMIC RX
	BGP HEDIS OTHER MEDS AVOID ELD
	BGP HEDIS SKL MUSCLE RELAX MED
	OTHER NATIONAL MEASURES REPORT
BGP CMS SMOKING CESSATION MEDS	
BGP CMS WARFARIN MEDS	
BGP HEDIS ACEI MEDS	
BGP HEDIS ARB MEDS	
BGP HEDIS BETA BLOCKER MEDS	
BGP HEDIS STATIN MEDS	
DM AUDIT ASPIRIN DRUGS	

Report(s) Taxonomies Included In	Site-Populated Medication Taxonomy Name
EO QUALITY TRANSPARENCY MEASURES REPORT	BGP ANTI-PLATELET DRUGS
	BGP CMS WARFARIN MEDS
	BGP HEDIS ASTHMA MEDS
	BGP HEDIS ASTHMA LEUK MEDS
	BGP HEDIS ASTHMA INHALED MEDS
	BGP HEDIS BETA BLOCKER MEDS
	BGP HEDIS PRIMARY ASTHMA MEDS
	DM AUDIT ASPIRIN DRUGS
SELECTED MEASURES (LOCAL) REPORTS	BGP ANTI-PLATELET DRUGS
	BGP ASTHMA INHALED STEROIDS
	BGP CMS SMOKING CESSATION MEDS
	BGP CMS WARFARIN MEDS
	BGP HEDIS ACEI MEDS
	BGP HEDIS AMPHETAMINE MEDS
	BGP HEDIS ANALGESIC MEDS
	BGP HEDIS ANTIANXIETY MEDS
	BGP HEDIS ANTIBIOTICS MEDS
	BGP HEDIS ANTIDEPRESSANT MEDS
	BGP HEDIS ANTIEMETIC MEDS
	BGP HEDIS ANTIHISTAMINE MEDS
	BGP HEDIS ANTIPSYCHOTIC MEDS
	BGP HEDIS ARB MEDS
	BGP HEDIS ASTHMA INHALED MEDS
	BGP HEDIS ASTHMA LEUK MEDS
	BGP HEDIS ASTHMA MEDS
	BGP HEDIS BARBITURATE MEDS
	BGP HEDIS BELLADONNA ALKA MEDS
	BGP HEDIS BENZODIAZEPINE MEDS
	BGP HEDIS BETA BLOCKER MEDS
	BGP HEDIS CALCIUM CHANNEL MEDS
	BGP HEDIS GASTRO ANTISPASM MED
	BGP HEDIS NARCOTIC MEDS
	BGP HEDIS ORAL ESTROGEN MEDS
	BGP HEDIS ORAL HYPOGLYCEMIC RX
	BGP HEDIS OSTEOPOROSIS DRUGS
	BGP HEDIS OTHER MEDS AVOID ELD
	BGP HEDIS PRIMARY ASTHMA MEDS
	BGP HEDIS SKL MUSCLE RELAX MED
	BGP HEDIS STATIN MEDS
	BGP HEDIS VASODILATOR MEDS
BGP RA AZATHIOPRINE MEDS	
BGP RA CYCLOSPORINE MEDS	
BGP RA GLUCOCORTICOID MEDS	

Report(s) Taxonomies Included In	Site-Populated Medication Taxonomy Name
SELECTED MEASURES (LOCAL) REPORTS, <i>continued</i>	BGP RA IM GOLD MEDS
	BGP RA LEFLUNOMIDE MEDS
	BGP RA METHOTREXATE MEDS
	BGP RA MYCOPHENOLATE MEDS
	BGP RA OA NSAID MEDS
	BGP RA ORAL GOLD MEDS
	BGP RA PENICILLAMINE MEDS
	BGP RA SULFASALAZINE MEDS
	DM AUDIT ASPIRIN DRUGS
ELDER CARE REPORT	BGP HEDIS AMPHETAMINE MEDS
	BGP HEDIS ANALGESIC MEDS
	BGP HEDIS ANTIANXIETY MEDS
	BGP HEDIS ANTIEMETIC MEDS
	BGP HEDIS ANTIHISTAMINE MEDS
	BGP HEDIS ANTIPSYCHOTIC MEDS
	BGP HEDIS BARBITURATE MEDS
	BGP HEDIS BELLADONNA ALKA MEDS
	BGP HEDIS BENZODIAZEPINE MEDS
	BGP HEDIS CALCIUM CHANNEL MEDS
	BGP HEDIS GASTRO ANTISPASM MED
	BGP HEDIS NARCOTIC MEDS
	BGP HEDIS ORAL ESTROGEN MEDS
	BGP HEDIS ORAL HYPOGLYCEMIC RX
	BGP HEDIS OSTEOPOROSIS DRUGS.
	BGP HEDIS OTHER MEDS AVOID ELD
	BGP HEDIS SKL MUSCLE RELAX MED
	BGP HEDIS VASODILATOR MEDS
	BGP RA OA NSAID MEDS
	DM AUDIT ASPIRIN DRUGS
HEDIS REPORT	BGP CMS SMOKING CESSATION MEDS
	BGP HEDIS ACEI MEDS
	BGP HEDIS AMPHETAMINE MEDS
	BGP HEDIS ANALGESIC MEDS
	BGP HEDIS ANTIANXIETY MEDS
	BGP HEDIS ANTIBIOTIC MEDS
	BGP HEDIS ANTIDEPRESSANT MED
	BGP HEDIS ANTIEMETIC MEDS
	BGP HEDIS ANTIHISTAMINE MEDS
	BGP HEDIS ANTIPSYCHOTIC MEDS
	BGP HEDIS ARB MEDS
	BGP HEDIS ASTHMA INHALED MEDS
	BGP HEDIS ASTHMA LEUK MEDS
	BGP HEDIS ASTHMA MEDS

Report(s) Taxonomies Included In	Site-Populated Medication Taxonomy Name
HEDIS REPORT, <i>continued</i>	BGP HEDIS BARBITURATE MEDS
	BGP HEDIS BELLADONNA ALKA MEDS
	BGP HEDIS BENZODIAZEPINE MEDS
	BGP HEDIS BETA BLOCKER MEDS
	BGP HEDIS CALCIUM CHANNEL MEDS
	BGP HEDIS GASTRO ANTISPASM MED
	BGP HEDIS NARCOTIC MEDS
	BGP HEDIS ORAL ESTROGEN MEDS
	BGP HEDIS ORAL HYPOGLYCEMIC RX
	BGP HEDIS OSTEOPOROSIS DRUGS.
	BGP HEDIS OTHER MEDS AVOID ELD
	BGP HEDIS PRIMARY ASTHMA MEDS
	BGP HEDIS SKL MUSCLE RELAX MED
	BGP HEDIS VASODILATOR MEDS
CMS REPORT	BGP ANTI-PLATELET DRUGS
	BGP CMS ACEI MEDS
	BGP CMS ANTIBIOTIC MEDS
	BGP CMS ARB MEDS
	BGP CMS BETA BLOCKER MEDS
	BGP CMS SMOKING CESSATION MEDS
	BGP CMS IMMUNOSUPPRESSIVE MEDS
	BGP CMS SYSTEMIC CHEMO MEDS
	BGP CMS THROMBOLYTIC MEDS
	BGP CMS WARFARIN MEDS
	DM AUDIT ASPIRIN DRUGS

5.23 Report Formats

5.23.1 Report Cover Page Format

The cover page for each report uses the following basic format (see corresponding number callouts in Figure 5-158):

1. **Report Type:** The top line of the cover page describes the report type; for example, "IHS 2010 Selected Measures with Community Specified Report."
2. **Report Time Periods:** Describes the dates included in the current report time period, as well as the previous and baseline periods. All report periods encompass one year.
3. **Measures:** Describes the measures included in the report.

4. **Population:** Describes the patient-type population specified by the user for this Report: AI/AN, non-AI/AN, or both.
5. **Run Time:** Displays how long this report took to run, in hours, minutes, and seconds. Run time depends on many factors, including RPMS server type and size, number of patients in your RPMS database, and the number of performance measures you are running.
6. **Denominator Definitions:** Describes the definition of the key denominators for the specific report. Definitions are provided on each cover page, so that any user who runs the report will understand the logic.

<p>Note: The definition of the Active Clinical denominator varies for each of the reports.</p>

7. **Output File information:** If you have designated that a delimited file or an Area Office export file be created, the file name appears here.
8. **Community Taxonomy Name:** Displays the name of the specific Community Taxonomy you specify, and provides the list of all communities and facilities included in the Community taxonomy selected for this report (for discussion about how Community taxonomies are used, see Section 4.1).

Cover Page 1

1)

*** IHS 2010 Selected Measures with Community Specified Report ***
CRS 2010, Version 10.0

Date Report Run: May 28, 2010

Site where Run: DEMO INDIAN HOSPITAL

Report Generated by: Last, First

Report Period: Jan 01, 2010 to Dec 31, 2010

2)

Previous Year Period: Jan 01, 2009 to Dec 31, 2009

Baseline Period: Jan 01, 2000 to Dec 31, 2000

Measures: Selected Measures (User Defined) 3)

Population: AI/AN Only (Classification 01) 4)

RUN TIME (H.M.S): 0.40.19 5)

This report includes clinical performance measures reported for the Government Performance and Results Act (GPRA); measures reported for the Office of Management and Budget (OMB) Program Assessment Rating Tool (PART); measures that have the potential to become GPRA measures in the future (i.e. GPRA Developmental measures), and non-GPRA measures.

In the denominator and numerator sections of the report for each topic:

- GPRA Developmental measures are a combination of a denominator prefixed with "GPRA Denominator" or "GPRA Developmental Denominator" and a numerator prefixed with "GPRA Developmental Numerator."
- GPRA measures are a combination of a denominator prefixed with "GPRA Denominator" and a numerator prefixed with "GPRA Numerator."
- PART measures are a combination of a denominator prefixed with "PART Denominator" and a numerator prefixed with "PART Numerator."

An example of a GPRA Developmental measure is shown below.

GPRA Denominator: Active Clinical patients ages 18 and older.

GPRA Developmental Denominator: Active Clinical patients ages 12-18.

GPRA Developmental Numerator: Patients screened for depression or diagnosed with a mood disorder or suicide ideation at any time during the Report Period. NOTE: This numerator does NOT include refusals.

In the tabular sections of the report for each topic:

- GPRA Developmental measures are a combination of a denominator with a suffix of "(GPRA)" or "(GPRA Dev)" and a numerator with a suffix of "(GPRA Dev.)".
- GPRA measures are a combination of a denominator and numerator both with a suffix of "(GPRA)".
- PART measures are a combination of a denominator and numerator both with a suffix of "(PART)".

An example of a GPRA Developmental measure in the tabular section is shown below.

Cover Page 2

*** IHS 2010 Selected Measures with Community Specified Report ***
 CRS 2010, Version 10.0
 Date Report Run: May 28, 2010
 Site where Run: DEMO INDIAN HOSPITAL
 Report Generated by: Last, First
 Report Period: Jan 01, 2010 to Dec 31, 2010
 Previous Year Period: Jan 01, 2009 to Dec 31, 2009
 Baseline Period: Jan 01, 2000 to Dec 31, 2000

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
# Active Clinical Pts => 18 (GPRA)	7		10			654		
# w/depression Screening or Mood disorder or suicide ideation DX- No Refusals (GPRA Dev.)	0	0	0	0	0	16	2.4	-2.4
# Active Clinical Pts 12-18 (GPRA Dev)	6		9			418		
# w/depression Screening or Mood disorder or suicide ideation DX- No Refusals (GPRA Dev.)	0	0	0	0	0	15	3.6	-3.6

Denominator Definitions used in this Report: **6**)

ACTIVE CLINICAL POPULATION:

1. Must reside in a community specified in the community taxonomy used for this report.
2. Must be alive on the last day of the Report period.
3. User defines population: a) Indian/Alaska Natives Only - based on Classification of 01; b) Non AI/AN (not 01); or c) Both.
4. Must have 2 visits to medical clinics in the 3 years prior to the end of the Report period. At least one visit must include: 01 General, 06 Diabetic, 10 GYN, 12 Immunization, 13 Internal Med, 20 Pediatrics, 24 Well Child, 28 Family Practice, 57 EPSDT, 70 Women's Health, 80 Urgent, 89 Evening. See User Manual for complete description of medical clinics.




Figure 5-158: Sample of Report Cover Pages 1 - 3

5.23.2 Report Format

Except for the CMS Report, the CRS reports display the following information for each of the three time periods:

- Count of the number of patients in the denominator
- Count of the number of patients within that denominator who meet the numerator definition
- Percentage of the total patients in the denominator who meet the numerator; that is, $[\text{Numerator Count}] / [\text{Denominator Count}] * 100$
- Change from the current report period from either of the past time periods, calculated as an absolute value

Figure 5-159 is an example of a report page from a Selected Measures Report that shows the key elements below:

1. **Report Date:** Displays the date that the report was run.
2. **Report Type:** The top line of the cover page describes the report type.
3. **Report Time Periods:** Describes the current report time period, as well as the previous and baseline periods.
4. **Performance Measure Topic Title:** Displays the name of the performance measure topic.

5. **Denominator Definition(s):** Detailed definitions for each denominator for the performance measure topic. The National GPRA report generally has only one denominator. The Selected Measures report may display two or three denominators.
6. **Numerator Definition(s):** Detailed definition of each numerator for the measure topic.
7. **Performance Measure Logic:** Displays detailed definition of how the logic is defined, including RPMS fields and codes that meet the denominator or numerator definitions.
8. **Performance Measure Description:** The general definition for the performance measure topic. GPRA measure definitions are excerpted directly from the FY10 GPRA measure definitions.
9. **Performance Measure Target:** Details IHS past performance, if any (for GPRA measures), generally displayed as percent (%). Also displays any performance targets established by IHS for FY 2010 or the HP 2010 target (see Section 3.1.3, “Comparing Ourselves to National Guidelines”).
10. **Current Report Period Change from Past Years:** Calculates the change in the percent (%) from either the previous year or the baseline year to the current report period. CRS 2010 uses the absolute difference between the first percentage and the second percentage; for example, [Report Period %] minus [Base Period %] = Change

The direction of the change is indicated by a “+” (plus) or “-” (minus). The “+” indicates that the Current Report percent is larger than the past period.




Figure 5-159: Sample of report format

5.23.3 Clinical Performance Summaries

Clinical Performance Summaries for (1) selected non-GPRA measures, (2) official GPRA measures, and (3) PART measures are included at the end of the National GPRA & PART/GPRA & PART Performance Reports. The Clinical Performance Summary for GPRA developmental measures is included at the end of the section for GPRA developmental measures.

A Clinical Performance Summary for selected measures is included at the end of the Other National Measures (ONM) Report and the EO Quality Transparency Measures Report.

The summaries display the site's current, previous, and baseline performance results together with the national performance for the previous year and the 2010 target, either HP 2010 or IHS 2010. Sites can quickly see which measures they most need to improve. Also included in the GPRA & PART summary is a "GPRA10 Target" column so users know what performance IHS has to achieve nationally in order to meet the GPRA measures.

5.23.3.1 National GPRA & PART/GPRA & PART Performance Reports Clinical Performance Summaries

MP	May 27, 2010			Page 1
*** IHS 2010 National GPRA & PART Report ***				
DEMO INDIAN HOSPITAL				
Report Period: Jul 01, 2009 to Jun 30, 2010				
Previous Year Period: Jul 01, 2008 to Jun 30, 2009				
Baseline Period: Jul 01, 2000 to Jun 30, 2000				

GPRA DEVELOPMENTAL CLINICAL PERFORMANCE SUMMARY				
	Site	Site	Site	
	Current	Previous	Baseline	

GPRA DEVELOPMENTAL MEASURES				

DENTAL				
Intact Sealants	3.1%	2.2%	3.0%	
Top Fluoride	3.3%	0.8%	0.3%	
IMMUNIZATIONS				
H1N1 one dose 6-59mos	1.3%	0.0%	0.0%	
H1N1 two or more doses 6-59mos	0.7%	0.0%	0.0%	
H1N1 one dose 5-9yrs	2.0%	0.0%	0.0%	
H1N1 two or more doses 5-9yrs	1.0%	0.0%	0.0%	
H1N1 one dose 10-18yrs	0.6%	0.0%	0.0%	
H1N1 one dose 19-24yrs	1.3%	0.0%	0.0%	
H1N1 one dose 25-64yrs	0.7%	0.0%	0.0%	
H1N1 one dose 65+yrs	2.7%	0.0%	0.0%	
H1N1 one dose Pregnant	5.2%	0.0%	0.0%	
H1N1 one dose High-Risk 25-64yrs	1.1%	0.0%	0.0%	
Active IMM 4313314 19-35mos	7.9%	0.0%	0.0%	
Active IMM 3 Doses Pneumococcal 19-35mos	39.5%	0.0%	0.0%	

(continued on next page)

CANCER			
Mammogram 42+	19.1%	33.5%	33.1%
Colo Cancer 50-75			
(#1 HEDIS)	19.7%	21.7%	12.1%
Male 50-75	17.7%	20.9%	12.5%
Female 50-75	21.6%	22.4%	11.8%
Colo Cancer 50-75			
(#2 USPSTF)	19.5%	21.8%	12.0%
Male 50-75	17.4%	20.7%	12.3%
Female 50-75	21.4%	22.8%	11.8%
Comp Cancer Screen			
21-75yrs	31.9%	39.0%	33.8%
Female 21-75yrs	35.6%	42.9%	38.1%
Male 50-75yrs	17.7%	20.9%	12.5%

Figure 5-160: Sample GPRA Developmental Measures Clinical Performance Summary from National GPRA & PART Report, Page 1

MP	May 27, 2010			Page 2
*** IHS 2010 National GPRA & PART Report ***				
DEMO INDIAN HOSPITAL				
Report Period: Jul 01, 2009 to Jun 30, 2010				
Previous Year Period: Jul 01, 2008 to Jun 30, 2009				
Baseline Period: Jul 01, 2000 to Jun 30, 2000				

GPRA DEVELOPMENTAL CLINICAL PERFORMANCE SUMMARY				
	Site	Site	Site	
	Current	Previous	Baseline	

Tobacco Cessation	30.6%	32.5%	37.1%	
Tobacco Users Quit	2.8%	0.0%	0.0%	
Tobacco Cess and Quit	1.7%	0.0%	0.0%	
Tobacco Cess or Quit	33.1%	32.5%	37.1%	
BEHAVIORAL HEALTH				
Alcohol Screening				
Female 15-44yrs	8.4%	0.6%	0.3%	
w/ Alcohol-Related Ed	1.2%	0.0%	0.0%	
w/ Positive Alcohol Screen	54.3%	0.0%	0.0%	
Active Clinical 12-75yrs	6.9%	1.5%	0.4%	
w/ Alcohol-Related Ed	0.6%	0.1%	0.0%	
w/ Positive Alcohol Screen	46.2%	0.0%	0.0%	
IPV/DV Screen 15-40yrs	1.4%	0.0%	0.0%	
w/IPV/DV Related Ed	0.8%	0.3%	0.0%	
Depression Scrn				
18yrs and older	5.9%	5.4%	2.6%	
12-18yrs	2.4%	0.0%	0.0%	
CARDIOVASCULAR DISEASE				
Comp CDV Assess 22+				
CHD: BP Assessed	89.1%	100.0%	100.0%	
Not Diabetic	77.8%	100.0%	100.0%	
Active Diabetic	100.0%	100.0%	100.0%	

(continued on next page)

CHD: LDL Assessed	69.1%	63.2%	45.2%
Not Diabetic	51.9%	70.6%	61.5%
Active Diabetic	85.7%	57.1%	33.3%
CHD: Tobacco Assessed	78.2%	84.2%	74.2%
Not Diabetic	70.4%	76.5%	76.9%
Active Diabetic	85.7%	90.5%	72.2%
CHD: BMI Assessed	85.5%	97.4%	100.0%
Not Diabetic	77.8%	100.0%	100.0%
Active Diabetic	92.9%	95.2%	100.0%
CHD: Lifesytle Counsel	50.9%	55.3%	64.5%
Not Diabetic	48.1%	41.2%	38.5%
Active Diabetic	53.6%	66.7%	83.3%
CHD: BP, LDL, Tob, BMI, LStyle	29.1%	39.5%	19.4%
Not Diabetic	25.9%	35.3%	15.4%
Active Diabetic	32.1%	42.9%	22.2%
CHD: Depression Screen	23.6%	10.5%	16.1%
Not Diabetic	25.9%	11.8%	7.7%
Active Diabetic	21.4%	9.5%	22.2%

Figure 5-161: Sample GPRA Developmental Measures Performance Summary from National GPRA & PART Report, Page 2

MP	May 27, 2010			Page 3
*** IHS 2010 National GPRA & PART Report ***				
DEMO INDIAN HOSPITAL				
Report Period: Jul 01, 2009 to Jun 30, 2010				
Previous Year Period: Jul 01, 2008 to Jun 30, 2009				
Baseline Period: Jul 01, 2000 to Jun 30, 2000				

GPRA DEVELOPMENTAL CLINICAL PERFORMANCE SUMMARY				
	Site	Site	Site	
	Current	Previous	Baseline	

OTHER CLINICAL				
HIV Scrn No Prev				
Diag 13-64yrs	2.0%	1.1%	0.0%	
# w/ HIV Screen Refusal*	0.2%	0.0%	0.0%	
# HIV Screens	47	20	0	
Use of High-Risk Meds 65+				
One High-Risk Med	19.1%	18.8%	29.2%	
Male One High-Risk Med	17.3%	14.3%	25.9%	
Female On High-Risk Med	20.7%	22.2%	31.6%	
Two or More High-Risk Med	8.2%	3.1%	12.3%	
Male Two High-Risk Med	5.8%	3.6%	7.4%	
Female Two High-Risk Med	10.3%	2.8%	15.8%	
* Not GPRA Developmental measure but included to show percentage of refusals with respect to GPRA Developmental measure.				

Figure 5-162: Sample GPRA Developmental Measures Performance Summary from National GPRA & PART Report, Page 3

MP	May 27, 2010				Page 1
*** IHS 2010 National GPRA & PART Report ***					
DEMO INDIAN HOSPITAL					
Report Period: Jul 01, 2009 to Jun 30, 2010					
Previous Year Period: Jul 01, 2008 to Jun 30, 2009					
Baseline Period: Jul 01, 2000 to Jun 30, 2000					

SELECTED NON-GPRA MEASURES CLINICAL PERFORMANCE SUMMARY					
	Site	Site	Site	Nat'l	2010
	Current	Previous	Baseline	2009	Target

DIABETES					
Diabetes DX Ever*	8.3%	9.2%	8.4%	12%	N/A
Documented Alc*	75.2%	73.7%	59.8%	80%	50.0%
BP Assessed	92.6%	82.1%	85.1%	88%	95%
IMMUNIZATIONS					
Active Clinical					
4:3:1:3:3:1	16.7%	7.7%	9.1%	78%	N/A
CANCER					
Tobacco Assessment 5+	45.4%	42.5%	36.2%	57%	N/A
Tobacco Use Prevalence	46.2%	38.0%	39.4%	26%	12.4%
Tobacco Cessation Counsel or Quit	20.3%	19.7%	26.8%	N/A	N/A
CARDIOVASCULAR DISEASE					
BMI Measured 2-74	65.2%	77.6%	72.5%	75%	N/A
Assessed as Obese	41.7%	41.0%	37.5%	47%	N/A
Children 2-5 w/BMI =>95%	11.4%	23.1%	12.5%	25%	22%
IHD: Comp CVD Assessment					
IHD: BP Assessed	100.0%	100.0%	100.0%	97%	95.0%
IHD: LDL Assessed	86.0%	86.4%	83.3%	91%	85.0%
IHD: Tobacco Assessed	87.7%	86.4%	75.0%	83%	50.0%
IHD: BMI Assessed	96.5%	97.7%	97.2%	N/A	N/A
IHD: Lifestyle Counsel	56.1%	50.0%	61.1%	39%	75.0%
IHD: Depression Screen	17.5%	9.1%	5.6%	62%	20.0%
*Non-GPRA measure included in the IHS GPRA report submitted to OMB to provide context to other GPRA measures.					

Figure 5-163: Sample Selected Non-GPRA Measures Clinical Performance Summary from National GPRA & PART Report

OFFICIAL GPRA & PART MEASURES CLINICAL PERFORMANCE SUMMARY						
	Site Current	Site Previous	Site Baseline	GPRA Target	Nat'l 2009	2010 Target
DIABETES						
Poor Glycemic Control >9.5	14.9%	4.2%	12.6%	16%	18%	10.0%
Ideal Glycemic Control <7	28.9%	31.6%	25.3%	33%	31%	40.0%
Controlled BP <130/80	23.1%	21.1%	14.9%	40%	37%	50.0%
LDL Assessed	62.8%	48.4%	26.4%	69%	65%	70.0%
Nephropathy Assessed*	41.3%	6.3%	5.7%	54%	50%	70.0%
Retinopathy	44.6%	41.1%	50.6%	55%	51%	75.0%
DENTAL						
Dental Access General	8.6%	8.4%	8.8%	27%	25%	40.0%
# Sealants	50	61	81	257,920	257,067	N/A
Topical Fluoride-# Pts	45	26	15	136,978	136,794	N/A
IMMUNIZATIONS						
Influenza 65+	30.0%	37.5%	23.1%	60%	59%	90.0%
Pneumovax Ever 65+	44.5%	68.8%	56.9%	83%	82%	90.0%
Active IMM 431331	23.7%	0.0%	0.0%	80%	79%	N/A
CANCER						
Pap Smear Rates 21-64	41.0%	49.7%	45.9%	60%	59%	90.0%
Mammogram Rates 52-64	26.9%	37.9%	46.8%	47%	45%	70.0%
Colorectal Cancer 51-80	21.4%	26.3%	18.4%	36%	33%	33.0%
Tobacco Cessation Counsel	17.6%	19.3%	26.2%	27%	24%	N/A
BEHAVIORAL HEALTH						
FAS Prevention 15-44	9.9%	0.6%	0.3%	55%	52%	25.0%
IPV/DV Screen 15-40	1.9%	0.3%	0.0%	53%	48%	40.0%
Depression Screen 18+	5.4%	5.4%	2.6%	53%	44%	N/A
CARDIOVASCULAR DISEASE						
IHD: Comp CVD Assessment	42.1%	43.2%	38.9%	33%	32%	N/A
OTHER CLINICAL						
Prenatal HIV Testing	43.8%	16.7%	0.0%	77%	76%	N/A
* Measure definition changed in 2007.						
+ Site Previous and Site Baseline values are not applicable for this measure.						

Figure 5-164: Sample Official GPRA & PART Measures Performance Summary page from National GPRA & PART Report, Page 1

MP	May 27, 2010					Page 2
*** IHS 2010 National GPRA & PART Report ***						
DEMO INDIAN HOSPITAL						
Report Period: Jul 01, 2009 to Jun 30, 2010						
Previous Year Period: Jul 01, 2008 to Jun 30, 2009						
Baseline Period: Jul 01, 2000 to Jun 30, 2000						

GPRA & PART MEASURES CLINICAL PERFORMANCE SUMMARY						
	Site	Site	Site	PART	Nat'l	2010
	Current	Previous	Baseline	Target	2009	Target

PART MEASURE						

Breastfeed Rates @ 2 Mos*	100.0%	0.0%	100.0%	28%	28%	33%
* Federally Administered Activities measure. National 2009 rate is for federal sites only.						

Figure 5-165: Sample Official GPRA & PART Measures Performance Summary page from National GPRA & PART Report, Page 2

5.23.3.2 Other National Measures Report Clinical Performance Summary

MP					
May 28, 2010 Page 1					
IHS 2010 Other National Measures Report ***					
DEMO INDIAN HOSPITAL					
Report Period: Jan 01, 2010 to Dec 31, 2010					
Previous Year Period: Jan 01, 2009 to Dec 31, 2009					
Baseline Period: Jan 01, 2000 to Dec 31, 2000					

SELECTED OTHER NATIONAL MEASURES CLINICAL PERFORMANCE SUMMARY					
	Site	Site	Site	Nat'l	2010
	Current	Previous	Baseline	2009	Target

DIABETES					
Comprehensive Care	7.4%	0.0%	0.0%	18%	N/A
DENTAL					
Top Fluoride-# Apps	50	26	15	173,839	N/A
IMMUNIZATIONS					
DM: Influenza	40.5%	46.3%	26.4%	63%	N/A
DM: Pneumovax Ever	46.3%	53.7%	58.6%	82%	N/A
Adolescent (13-17 Years)					
AC: 1:3:2:1	1.1%	0.0%	0.0%	65%	N/A
AC: 1 Tdap	2.2%	0.0%	0.0%	51%	N/A
AC: 1 Meningococcal	4.3%	0.0%	0.0%	59%	N/A
AC Female: 3 HPV	10.9%	0.0%	0.0%	29%	N/A
BEHAVIORAL HEALTH					
AC ER Injury w/Alchl Scrn	53.1%	0.0%	0.0%	8%	N/A
AC ER Injury w/BNI	35.7%	0.0%	0.0%	0%	N/A
AC IPV/DV Screen					
15-40	1.9%	0.3%	0.0%	48%	N/A
AC IPV/DV 15-40					
w/Exam	0.8%	0.0%	0.0%	N/A%	N/A
AC IPV/DV 15-40					
w/Related DX	0.8%	0.0%	0.0%	N/A%	N/A
AC IPV/DV 15-40					
w/Education	0.8%	0.3%	0.0%	N/A%	N/A
AC IPV/DV 15-40					
w/Refusal	0.6%	0.0%	0.0%	N/A%	N/A
DM: Depression Screen	14.0%	12.6%	5.7%	68%	N/A
CARDIOVASCULAR DISEASE					
Cholesterol Screen 23+	26.6%	34.0%	35.3%	55%	80.0%
BP Assessed 20+	61.1%	77.3%	74.7%	84%	N/A
Normal BP	20.8%	24.3%	25.3%	30%	N/A
Pre-HTN I BP	16.4%	20.1%	17.4%	20%	N/A
Pre-HTN II BP	24.1%	21.2%	22.0%	30%	N/A
Stage 1 HTN BP	27.2%	27.2%	27.2%	18%	N/A
Stage 2 HTN BP	6.0%	7.1%	8.2%	3%	N/A
BP Assessed in IHD Pts	100.0%	100.0%	100.0%	98%	N/A
Normal BP	14.0%	13.6%	13.9%	23%	N/A

Figure 5-166: Sample Performance Summary page from ONM Report, Page 1

MP		May 28, 2010			Page 2	
IHS 2010 Other National Measures Report *** DEMO INDIAN HOSPITAL Report Period: Jan 01, 2010 to Dec 31, 2010 Previous Year Period: Jan 01, 2009 to Dec 31, 2009 Baseline Period: Jan 01, 2000 to Dec 31, 2000						

SELECTED OTHER NATIONAL MEASURES CLINICAL PERFORMANCE SUMMARY						
	Site	Site	Site	Nat'l	2010	
	Current	Previous	Baseline	2009	Target	

Pre-HTN I BP	7.0%	25.0%	19.4%	22%	N/A	
Pre-HTN II BP	35.1%	22.7%	30.6%	27%	N/A	
Stage 1 HTN BP	26.3%	29.5%	16.7%	23%	N/A	
Stage 2 HTN BP	5.3%	9.1%	19.4%	5%	N/A	
Med Therapy Post AMI						
Beta-Blocker Treatment	35.8%	0.0%	0.0%	83%	N/A	
ASA Treatment	16.4%	0.0%	0.0%	87%	N/A	
ACEI/ARB Treatment	22.4%	0.0%	0.0%	61%	N/A	
Statin Treatment	16.4%	0.0%	0.0%	57%	N/A	
With all Above Meds	6.0%	0.0%	0.0%	39%	N/A	
Persistence of Med Therapy Post AMI						
Beta-Blocker Treatment	40.0%	66.7%	75.0%	73%	N/A	
ASA Treatment	12.0%	0.0%	50.0%	54%	N/A	
ACEI/ARB Treatment	22.0%	33.3%	25.0%	50%	N/A	
Statin Treatment	14.0%	66.7%	50.0%	36%	N/A	
With All Above Meds	6.0%	0.0%	25.0%	17%	N/A	
Med Therapy in High Risk Patients						
Beta-Blocker Treatment	68.4%	61.4%	50.0%	70%	N/A	
ASA Treatment	50.9%	52.3%	75.0%	56%	N/A	
ACEI/ARB Treatment	64.9%	47.7%	55.6%	57%	N/A	
Statin Treatment	61.4%	52.3%	44.4%	35%	N/A	
With All Above Meds	35.1%	22.7%	16.7%	16%	N/A	
LDL Assessed in Cardiovascular						
Conditions 18-75	93.5%	76.9%	50.0%	73%	N/A	
LDL <=100	37.9%	55.0%	33.3%	69%	N/A	
LDL 101-130	17.2%	15.0%	22.2%	18%	N/A	
LDL >130	17.2%	20.0%	44.4%	10%	N/A	
HF and LVS Function	30.2%	0.0%	0.0%	16%	N/A	
OTHER CLINICAL						
# STI Patients	31	10	10	7,427	N/A	
# STI Incidents	35	12	15	9,323	N/A	
STI Pts w/STI Screens	22.0%	16.7%	17.8%	40%	N/A	
PreDM/Met Synd All Screen	0.0%	0.0%	0.0%	3%	N/A	
# PHN Visits-Any Setting	18	16	19	367,587	N/A	

Figure 5-167: Sample Performance Summary page from ONM Report, Page 2

5.23.3.3 EO Quality Transparency Measures Report Clinical Performance Summary

MP	May 28, 2010			Page 1	
*** IHS 2010 Executive Order Quality Transparency Measures Report ***					
CRS 2010, Version 10.0					
DEMO INDIAN HOSPITAL					
Report Period: Jan 01, 2010 to Dec 31, 2010					
Previous Year Period: Jan 01, 2009 to Dec 31, 2009					
Baseline Period: Jan 01, 2000 to Dec 31, 2000					

EO QUALITY TRANSPARENCY MEASURES CLINICAL PERFORMANCE SUMMARY					
	Site	Site	Site	Nat'l	HEDIS or
	Current	Previous	Baseline	2009*	JCAHO**

DIABETES					
Poor Alc Control (>9.0)	49.6%	35.8%	57.5%	44.2%	47.9% HMCD
BP Control (<140/90)	54.5%	41.1%	37.9%	65.3%	55.5% HMCD
LDL Control (<100)	28.9%	31.6%	9.2%	38.6%	31.3% HMCD
IMMUNIZATIONS					
Influenza 50-64 w/ IZ/ Contraindication/NMI Refusal	22.3%	25.2%	12.2%	53.9%	48.6% HCOM
A. Contraindication /NMI Refusal	5.9%	0.0%	0.0%	N/A	N/A
Influenza 65+ w/ IZ// Contraindication/ NMI Refusal	30.0%	37.5%	23.1%	67.0%	68.6% HMCR
A. Contraindication NMI Refusal	3.0%	0.0%	0.0%	N/A	N/A
Pneumovax 65+ w/ IZ/ Contraindication/ NMI Refusal	44.5%	68.8%	56.9%	88.7%	N/A
A. Contraindication /NMI Refusal	8.2%	4.5%	0.0%	N/A	N/A
RESPIRATORY					
Asthma w/ Preferred Meds	40.0%	50.0%	60.0%	79.9%	86.9% HMCD
CAP w/O2 Assmt	44.2%	8.3%	25.0%	78.4%	99.7% JCO
CAP w/Refusal O2 Assmt	7.7%	0.0%	0.0%	N/A	N/A
CAP w/o O2 Assmt	48.1%	91.7%	75.0%	N/A	N/A
CARDIOVASCULAR DISEASE					
Persistent BB after AMI	7.3%	50.0%	50.0%	61.8%	62.0% HMCD
Male Persistence of BB	15.8%	100.0%	0.0%	N/A	N/A
Female Persistence of BB	0.0%	0.0%	50.0%	N/A	N/A
HTN w/BP Assessed	95.9%	92.0%	93.4%	N/A	N/A
HTN w/BP <140/90	35.7%	36.0%	33.0%	59.8%	53.4% HMCD
Atr Fib w/ Anticoag	29.4%	0.0%	0.0%	75.0%	N/A
Atr Fib w/Refusal Anticoag	5.9%	0.0%	0.0%	N/A	N/A

(continued on next page)

Atr Fib w/o Anticoag	64.7%	0.0%	0.0%	N/A	N/A	
CVD w/LDL Assessment	93.5%	76.9%	50.0%	N/A	76.3%	HMCD
CVD w/LDL <100	35.5%	42.3%	16.7%	50.1%	38.3%	HMCD

* Represents national rates as of March 17, 2010 for all federal, one Navajo tribal facility, six Oklahoma tribal facilities, and four Portland tribal facilities.

**The rates shown in the "HEDIS or JCAHO" column represent the most recent rate available, which may be different from the CRS report period. The abbreviations after the rate represent: HMCD-HEDIS Medicaid, HCOM-HEDIS Commercial, HMCR-HEDIS Medicare, and JCO-JCAHO.

Figure 5-168: Sample Performance Summary page from EO Quality Transparency Measures Report

5.23.4 Patient List Formats

You may run Patient Lists for the following reports:

- National GPRA & PART/GPRA & PART Performance reports (LST menu option)
- Selected Measures report (COM, PP, or ALL menu options)
- Other National Measures (OST menu option)
- Executive Order Quality Transparency Measures Report (EO menu option)
- Elder Care (ELD menu option)
- HEDIS (HED menu option)
- Patient Education (PED menu options PCM and P3)

You may also run the Comprehensive National GPRA & PART Patient List (CMP) and the GPRA & PART Forecast Patient List (FOR). The CMS Performance Report automatically includes Patient Lists.

Except for the CMS Performance Report, the lists display patients who meet the numerator(s), denominator(s), or both, depending on the type of report run and the performance measure. Patient List options include a random list (10% of the total list), a list by primary care provider, and the entire patient list.

The CMS Performance Report provides lists of patients, but does not determine if patients met the denominator or numerator. Rather, it provides all of the relevant information found in RPMS that the user should review, along with chart data, to determine if a patient should be included in the denominator and numerator.

For the National GPRA & PART /GPRA & PART Performance and the Other National Measures reports, Patient Lists can be created for one or more performance measure topics at a time. The Patient Lists for these reports allow users to include only patients meeting the measure, only patients not meeting the measure, or both for most performance measures.

The GPRA & PART Forecast Patient List identifies all GPRA & PART measures a patient is due for during the current GPRA year as of the report run date and provides information for the provider on how the measures can be met. This list is linked to the Scheduling menu and may be run for the following options:

1. A selected patient with a scheduled appointment
2. All patients with scheduled appointments to a selected clinic(s) or all clinics at a facility
3. All patients with scheduled appointments to an entire facility or division
4. A selected patient or patients even if they do not a scheduled appointment

The Comprehensive National GPRA & PART Patient List shows all patients included in the National GPRA & PART Report who did not meet at least one GPRA & PART measure, and identifies which GPRA & PART measure(s) the patients did not meet. The list also identifies the name of the provider that the patient last had a visit with and the date of the visit.

For the Selected Measures (COM, PP, ALL), Executive Order Quality Transparency Measures, Elder Care, HEDIS, and Patient Education reports, you select the performance measure topic(s) for which you want to run Patient Lists but you do not have the option of choosing to include only patients meeting or not meeting the performance measure.

For instructions on producing each of these patient lists, see the following sections.

- For the National GPRA & PART/GPRA & PART Performance Patient List, see Section 5.3.2.
- For the GPRA & PART Forecast Patient List, see Section 5.8.2.
- For the Comprehensive National GPRA & PART Patient List, see Section 5.10.2.
- For Selected Measures Reports (COM, PP, ALL) Patient Lists, see Section 5.11.2.
- For the Other National Measures Report Patient List, see Section 5.15.2.
- For the Executive Order Quality Transparency Measures Report, see Section 5.17.2
- For the Elder Care Report, Section 5.18.2.

- For the HEDIS Report, see Section 5.19.2.
- For the Patient Education Reports, see Sections 5.20.2 and 5.21.2 (PCM and P3, respectively).

Patient Lists are organized by

- Community
- Gender
- Age
- Last name

Key elements of the Patient List format, shown in Figure 5-169 and Figure 5-170, are the following:

1. **Report Type:** Indicates “Patient List” as the report type.
2. **Patient List Type:** Displays whether the Patient List is a “Random Patient List,” “Patient List by Provider,” or “All Patients,” depending on which option you selected.
3. **List Description:** Describes which patients will be included on the list.
4. **List columns:** All Patient Lists contain the following columns of information:
 - **Patient Name** displayed as Last, First
 - **Health Record Number (HRN)** of the patient
 - **Community** name
 - **Sex** (M or F) of the patient;
 - **Age** of the patient (*as of the first day of the report period*)

Patient Lists are organized by (1) Community, (2) gender, (3) age, and (4) last name.
5. **Denominator** column: For most patient lists, displays the denominator of which the patient is a member (e.g., “AC” for Active Clinical). For measures that provide only a count for the numerator and use no denominator, such as the Dental Sealants measure, the denominator values will be blank.
6. **Numerator Value** column: Displays different information about the numerator, such as the date a test was given and the test code, whether a Health Factor or patient education code was recorded. In the example on the next page (Figure 5-169), the value column identifies the date a Pap smear was documented and the test code. If no date and code information is displayed, this patient is counted in the denominator only.

Note: This column is not included in the Comprehensive National GPRA & PART Patient List report. Instead, it has the Measure Not Met (#7) and Lst Prvdr (#8) columns. In addition, the performance measures are not listed separately; each patient is listed only once with all the measures s/he did not meet and indicated in the Measure Not Met column.

7. **Measure Not Met** column: displayed only for the Comprehensive National GPRA & PART Patient List. Displays all of the applicable National GPRA & PART Report measures a patient did not meet. If there are more measures than can be listed within this column, the measures will be wrapped to the next line, starting in the Patient Name column.
8. **Lst Prvdr** column: displayed only for the Comprehensive National GPRA & PART Patient List. Displays the name, abbreviated discipline of the provider the patient saw at his/her last visit, and the date of the patient's last visit.

***** CONFIDENTIAL PATIENT INFORMATION, COVERED BY THE PRIVACY ACT *****
 MP May 28, 2010 Page 1
 1) *** IHS 2010 Clinical Performance Measure Patient List ***
 DEMO INDIAN HOSPITAL
 Report Period: Jan 01, 2010 to Dec 31, 2010
 2) Entire Patient List

Cancer Screening: Pap Smear Rates

Denominator(s):
 GPRA Denominator: Female Active Clinical patients ages 21 through 64 without documented history of Hysterectomy.
 Female User Population patients ages 21 through 64 without a documented history of Hysterectomy.

Numerator(s):
 GPRA Numerator: Patients with a Pap Smear documented in the past 3 years.
 NOTE: This numerator does NOT include refusals.
 Patients with documented Pap smear refusal in past year.

Logic:
 Age of the patient is calculated at the beginning of the Report Period.
 Patients must be at least 21 years of age at the beginning of the Report Period and less than 65 years of age as of the end of the Report Period.
 Hysterectomy defined as any of the following ever: 1) V Procedure: 68.4-68.8; 2) CPT 51925, 56308 (old code), 58150, 58152, 58200-58294, 58548, 58550-58554, 58570-58573, 58951, 58953-58954, 58956, 59135; or 3) V POV 618.5, V88.01, V88.03; or 4) Women's Health procedure called Hysterectomy.

Pap Smear definitions: 1) V Lab: Pap Smear; 2) POV: V67.01 Follow-up Vaginal Pap Smear, V76.2 Screen Mal Neop-Cervix, V72.31 Routine Gynecological Examination, V72.32 Encounter for Pap Cervical Smear to Confirm Findings of Recent Normal Smear Following Initial Abnormal Smear, V72.3 Gynecological Examination, Pap Cervical Smear as Part of General Gynecological Exam, Pelvic Exam (annual) (periodic) (old code, to be counted for visits prior to 10/1/04 only), V76.47 Vaginal Pap Smear for Post-Hysterectomy Patients, 795.0*, 795.10-16, 795.19; 3) V Procedure: 91.46; 4) V CPT: 88141-88167, 88174-88175, G0123, G0124, G0141, G0143-G0145, G0147, G0148, P3000, P3001, Q0091; 5) Women's Health: procedure called Pap Smear; 6) LOINC taxonomy; 7) site-populated taxonomy BGP PAP SMEAR TAX.

Refusal: Refusal in past year of Lab Test Pap Smear.

Performance Measure Description:
 During FY 2010, achieve the tentative target rate of 60% for the proportion of female patients ages 21 through 64 without a documented history of hysterectomy who have had a Pap screen within the previous three years.

Past Performance and/or Target:
 IHS Performance - FY 2009 - 59%, FY 2008 - 59%, FY 2007 - 59%, FY 2006 - 59%, FY 2005 - 60%, FY 2004 - 58%, FY 2003 - 61%; IHS 2010 Goal: 90%

Figure 5-169: Sample Patient List, Page 1

*** IHS 2010 Clinical Performance Measure Patient List ***
 DEMO INDIAN HOSPITAL
 Report Period: Jan 01, 2010 to Dec 31, 2010
 Entire Patient List

 Source:
 HP 2010 3-4
 UP=User Pop; AC=Active Clinical; AD=Active Diabetic; AAD=Active Adult Diabetic
 PREG=Pregnant Female; IMM=Active IMM Pkg Pt; IHD=Active Ischemic Heart Disease

3) Cancer Screening: Pap Smear Rates: List of women 21-64 with documented Pap smear or refusal, if any.

4) PATIENT NAME	HRN	COMMUNITY	SEX	AGE	5) DENOMINATOR	6) NUMERATOR
PATIENT,CRSAA	106885	BRAGGS	F	21	UP,AC	05/05/02 795.0
PATIENT,CRSBB	116282	BRAGGS	F	21	UP	
PATIENT,CRSBJL	900265	BRAGGS	F	21	UP,AC	
PATIENT,CRSOA	900384	BRAGGS	F	21	UP	
PATIENT,CRSCC	109555	BROKEN ARROW	F	22	UP,AC	10/31/01 Lab
PATIENT,CRSDD	107131	BROKEN ARROW	F	22	UP,AC	07/25/03 Lab
PATIENT,CRSEE	122087	CHECOTAH	F	22	UP,AC	09/10/03 Lab
PATIENT,CRSFF	128663	CHECOTAH	F	22	UP,AC	
PATIENT,CRSGG	171055	CHECOTAH	F	22	UP,AC	06/26/03 Lab
PATIENT,CRSHH	172754	KANSAS	F	22	UP,AC	10/31/02 Lab
PATIENT,CRSOZ	900409	KANSAS	F	22	UP,AC	
PATIENT,CRSPJ	900419	KANSAS	F	22	UP,AC	
PATIENT,CRSQP	900446	KANSAS	F	22	UP	
PATIENT,CRSJJ	100809	KANSAS	F	23	UP	
PATIENT,CRSKK	171053	MARBLE CITY	F	23	UP,AC	09/06/02 Lab
PATIENT,CRSJV	900275	MARBLE CITY	F	24	UP,AC	
PATIENT,CRSPR	900427	SAND SPRINGS	F	24	UP,AC	
PATIENT,CRSLL	110076	SAND SPRINGS	F	25	UP,AC	01/24/02 Lab
PATIENT,CRSMM	116602	SAND SPRINGS	F	25	UP,AC	07/22/03 Lab

Total # of Patients on list: 19

Figure 5-170: Sample Patient List, Page 2

***** CONFIDENTIAL PATIENT INFORMATION, COVERED BY THE PRIVACY ACT *****
 MP May 10, 2010 Page 2
 *** IHS 2010 Comprehensive National GPRA & PART Patient List ***
 *** List of Patients Not Meeting a National GPRA or PART measure ***
 CRS 2010, Version 10.0
 DEMO INDIAN HOSPITAL
 Report Period: Jan 01, 2010 to Dec 31, 2010
 All Patients

 UP=User Pop; AC=Active Clinical; AD=Active Diabetic; AAD=Active Adult Diabetic
 PREG=Pregnant Female; IMM=Active IMM Pkg Pt; IHD=Active Ischemic Heart Disease

4)	PATIENT NAME	HRN	COMMUNITY	SEX	AGE	5) DENOMINATOR	7) NOT MET/LST	8) PRVDR
	PATIENT,CRSAA Visit/DEMO,DOCTOR,MD,12/12/03	202575	BRAGGS	F	0	UP	Dental	
	PATIENT,CRSAB Visit/LITTLE,DOCTOR,MD,12/31/03	205080	BRAGGS	F	0	UP	Dental	
	PATIENT,CRSAC LITTLE,DOCTOR,MD,03/03/03	207050	BRAGGS	F	0	UP	Dental Visit/	
	PATIENT,CRSAD WHO,DOCTOR,DO,08/21/03	209048	BRAGGS	F	0	UP	Dental Visit/	
	PATIENT,CRSAE DEMO,DOCTOR,MD,10/10/03	209956	BRAGGS	F	0	UP	Dental Visit/	
	PATIENT,CRSAF Pkg Child IZ/WHO,DOCTOR,DO,11/30/03	199359	BRAGGS	F	1	UP,AC,IMM	Dental Visit, Imm	

Figure 5-171: Sample Comprehensive National GPRA & PART Patient List

Appt Time	Patient Name	HRN	Sex	DOB	Community
10:00am	PATIENT,CRSBG	115640	F	09/29/74	KANSAS
<p>Dental Visit (All Patients) Last Dental Exam: 06/15/09 Overdue as of: 06/15/10 GPRC counts visits with ADA 0000 or 0190, CPT codes D0000 or D0190, PCC Exam 30, POV V72.2 or any CHS visit with any ADA code during 7/1/09-6/30/10</p>					
<p>AC Pap Smear Last Pap: 08/19/06 Overdue as of: 08/18/09 GPRC counts Pap past 3 years from 6/30/10.</p>					
<p>AC Tobacco Cess Last Intervention: Never Overdue as of: 07/01/09 GPRC counts tobacco patient education, visit to Tobacco Cessation Clinic, ADA code 1320, CPT D1320, 99406, 99407, G0375, G0376, 4000F, G8402 or G8453, or Rx for tobacco cessation aid during 7/1/09-6/30/10</p>					
<p>AC Alcohol Scrn Last Alcohol Screen: 03/20/09 Alcohol Screening Overdue as of: 03/20/10 GPRC counts PCC Exam 35, CPT 99408, 99409, G0396, or G0397, V Measurement in PCC or BH of AUDT, AUDC, or CRFT, any alcohol health factor, alcohol screening diagnosis, alcohol diagnosis or procedure, or alcohol or chemical dependency patient education during 7/1/09-6/30/10</p>					
<p>AC IPV/DV Scrn Last DV Screen: Never Overdue as of: 07/01/09 GPRC counts PCC Exam 34, BHS IPV/DV Exam, IPV/DV Dx, or IPV/DV patient education during 7/1/09-6/30/10</p>					

Figure 5-172: Sample GPRC & PART Forecast Patient List, Selected Patient with Appointment Option

6.0 Area-Office-Specific Menu Options

Area Offices can produce summary reports with data aggregated from all sites for national reporting for the National GPRA & PART, National GPRA & PART Report Performance Summaries, GPRA & PART Performance, Other National Measures, Executive Order Quality Transparency Measures, Elder Care, HEDIS Performance, and Patient Education with Community Specified reports. These summary, or aggregate, reports are generated from individual site export report files that were sent to the Area Office when a site chose to export its data.

Note: It is strongly recommended that each Area Office establish a quarterly review process for the National GPRA & PART Performance reporting data, which includes all GPRA & PART measures and some additional key clinical performance measures.

In addition, Area Offices may aggregate height and weight data received from all sites within the area into one or multiple delimited files for exporting to the National GPRA Support Team, which will then transmit the file to the IHS Division of Epidemiology.

Service units with multiple facilities can also use this option to produce aggregated reports.

Note: Access to the Area Options (AO) is restricted to those users with the BGPZAREA security key.

To access the Area Options, follow these steps

```

*****
**      IHS/RPMS CRS 2010      **
**  Clinical Reporting System  **
*****
                          Version 10.0

                          DEMO INDIAN HOSPITAL

RPT  Reports ...
SET  System Setup ...
AO   Area Options ...

Select CRS 2010 Option: AO <Enter> Area Options

```

Figure 6-1: Clinical Reporting System menu: selecting the Area Options option (Step 1)

1. At the “Select CRS 2010 Option” prompt, type **AO** and press the Enter key to display the Area Office Options menu, as in the following example:

```

*****
**   IHS/RPMS CRS 2010   **
**   Area Office Options **
*****
Version 10.0

DEMO INDIAN HOSPITAL

UPL   Upload Report Files from Site
AGP   AREA National GPRA & PART Report
ASUM  AREA National GPRA & PART Report Perf Summaries
GPIA  AREA GPRA & PART Performance Report
AONM  AREA Other National Measures Report
AEO   AREA EO Quality Transparency Measures Report
AELD  AREA Elder Care Report
AHED  Area HEDIS Report
APCM  AREA Patient Education Rpt w/Community Specified
AHW   AREA Height and Weight Data File
LSTF  List files in a directory

Select Area Options Option:

```

Figure 6-2: Area Office Options menu options

The following options are available on the Area Office Options menu:

- UPL – Upload Report Files from Site, which uploads the facilities’ exported data files located on the Area Office drive into the Area Office’s CRS.
- AGP – AREA National GPRA & PART Report
- ASUM – AREA National GPRA & PART Report Perf Summaries
- GPIA – AREA GPRA & PART Performance Report
- AONM – AREA Other National Measures Report
- AEO – AREA EO Quality Transparency Measures Report
- AELD – AREA Elder Care Report
- AHED – Area HEDIS Report
- APCM – AREA Patient Education Report with Community Specified
- AHW – AREA Height and Weight Data File
- LSTF – List files in a directory, which enables you to view a list of the facility data files at the designated location on your Area Office server.

To produce an Area Office report, the Area Office must first upload the FileMan data files from all facilities into the Area Office's Clinical Reporting system. Facilities can create export data files when running the following reports:

- National GPRA & PART: Provides data for the Area Aggregate (1) National GPRA & PART Report, (2) National GPRA & PART Report Performance Summaries, and (3) Height and Weight Data File
- GPRA & PART Performance
- Other National Measures
- EO Quality Transparency Measures
- Elder Care
- HEDIS Performance
- Patient Education Report with Community Specified

The facility must send these export data files to a designated location on the Area Office server manually or automatically.

Note: The National GPRA & PART Report Performance Summaries and height and weight data are uploaded from the National GPRA & PART Report facility files. There are no separate files to upload.

For the National GPRA & PART Report, Area Offices must inform sites which community taxonomy should be used for official GPRA & PART reporting *before* the site exports its National GPRA & PART report data. The designated IHS report coordinator for the annual National GPRA & PART Report should convey this information to the Area Office GPRA coordinators.

- For the GPRA & PART Performance, Other National Measures, EO Quality Transparency Measures, Elder Care, HEDIS, and Patient Education with Community Specified reports, Area Offices must provide sites with the following information before the site runs their export reports:
 - Date range (e.g., January 1 – December 31; July 1 – June 30)
 - Calendar year for the report end date
 - Baseline year
 - Population (e.g., AI/AN only [Beneficiary 01])

To aggregate data export files from a specific site, all export files must have matching date range, ending calendar year, baseline year, and population data.

For all Area Aggregate reports:

- After the report is run, sites must provide the name of the Area Office export file(s), which begin(s) with "BG10," to their Area Office contact.

- Sites may be requested to use File Transfer Protocol (FTP) to transmit the export file to the Area Office server if the files are not transmitted automatically.

6.1 Upload Report Files from Site (UPL)

CI10 > AO > UPL

This option is used by Area Offices to upload data files into CRS that have been sent manually via FTP or transmitted automatically by service units.

Note: Each Area Office should establish a process with the GPRA or QA Coordinators at each site to record and transmit export data filenames at the time the facility reports are run.

Once these files have been received and uploaded into CRS, they can be used in an area aggregate report. The Area Office must execute this option each time a service unit sends a data file.

Before you begin, you need the following information:

- Path of the directory that holds the data files exported from the sites.
For the directory location of these files, see your Area Office information systems personnel.
- File name of each data file you want to upload to the Area Office CRS.

To upload site export data files into CRS, follow these steps:

```

                                DEMO INDIAN HOSPITAL

UPL   Upload Report Files from Site
AGP   AREA National GPRA & PART Report
ASUM  AREA National GPRA & PART Report Perf Summaries
GPUA  AREA GPRA & PART Performance Report
AONM  AREA Other National Measures Report
AEO   AREA EO Quality Transparency Measures Report
AELD  AREA Elder Care Report
AHED  Area HEDIS Report
APCM  AREA Patient Education Rpt w/Community Specified
AHW   AREA Height and Weight Data File
LSTF  List files in a directory

Select Area Options Option: UPL <Enter> Upload Report Files from Site

```

Figure 6-3: Area Office Options menu: selecting the Upload Report Files from Site option (UPL) (Step 1)

1. At the “Select Area Options Option” prompt, Type **UPL** and press the Enter key.

```

This option is used to upload a SU's 2010 CRS data.
You must specify the directory in which the CRS 2010 data file resides
and then enter the filename of the data.

Enter directory path: pathname <Enter>

Enter filename w /ext: BG10505901.300 <Enter>
Directory=Q:\ File=BG10505901.300

All done reading file

Processing

Data uploaded.
Enter RETURN to continue or '^' to exit: <Enter>

Enter filename w /ext: ^
Enter directory path: ^

Directory not entered!! Bye.

```

Figure 6-4: Running the Upload Report Files from Site option (Steps 2-6)

2. At the “Enter directory path” prompt, type the directory path and press the Enter key.

The directory path is the Area Office network directory to which the facility’s data files were sent via FTP when the facility ran the requested performance reports; for example:

- Windows: Q:\usr\spool\uucppublic
- UNIX: /usr/spool/uucppublic

3. At the “Enter Filename w /ext” prompt; type the name of the file you want to upload and press the Enter key; for example, BG10505901.300.

Note: Files for the current version of the CRS begin with **BG10**.

When the facility runs the National GPRA & PART, GPRA & PART Performance, Other National Measures, EO Quality Transparency Measures, Elder Care, HEDIS Performance, or Patient Education with Community Specified report, the facility’s CRS assigns a file name to the data file. Each file name begins with “BG10”. The National GPRA & PART/GPRA & PART Performance files use only a numerical file name extension, such as “BG10505901.300”. However, the other reports also include letters in the extension, such as “BG10505901.HE12”. The file name extensions used to identify the reports are shown below.

- .HE – HEDIS Performance Reports

- .ONM – Other National Measures Reports
- .EO – EO Quality Transparency Measures Reports
- .EL – Elder Care Reports
- .PED – Patient Education with Community Specified Reports

The system displays the following progress messages:

- All done reading file
- Processing
- Data uploaded

If you do not see these messages, the file was not uploaded.

If you typed the file name incorrectly or CRS cannot locate the file, the following message is displayed:

```
CANNOT OPEN (OR ACCESS) FILE '/[directory name]/[filename]'
```

4. At the “Enter Return to continue or '^' to exit” prompt, press the Enter key.
5. At the “Enter Filename w /ext” prompt, do one of the following:
 - To upload another file from the same directory, type the name of the file to be uploaded and press the Enter key.
 - To exit or change directories, type a caret (^) and press the Enter key.
6. At the “Enter directory path” prompt, do one of the following:
 - To upload a file from a different directory, type a directory path and press the Enter key.
 - To return to the Area Office Options menu, type a caret (^) and press the Enter key.

6.2 Run AREA Aggregate Reports

There are 11 menu options for running Area Office reports used by the Area Office to produce aggregated performance reports. The Area Office reports summarize the performance of all facilities/service units to produce Area-Office-wide statistics.

The data uploaded from the facilities must have the following matching elements:

- Report type (i.e. National GPRA & PART, GPRA & PART Performance, Other National Measures, EO Quality Transparency Measures, Elder Care, HEDIS Performance, Patient Education with Community Specified)

- Date ranges (e.g., July 1 through June 30)
- Calendar year end dates (e.g., 2010)
- Baseline year (e.g., 2000)
- Population type (e.g., AI/AN only)

This information is predefined in the National GPRA & PART Report. However, you will need to specify these elements for the GPRA & PART Performance, Other National Measures, EO Quality Transparency Measures, Elder Care, HEDIS Performance, and Patient Education with Community Specified reports.

6.2.1 Area National GPRA & PART Report (AGP)

CI10 > AO > AGP

Use the Area National GPRA & PART Report (AGP) option to produce an Area Aggregate National GPRA & PART Report. This report contains clinical measures (specific denominators and numerators) defined in the IHS GPRA Performance Plan and aggregates all data files received to date from the service units.

The Area Aggregate National GPRA & PART report outputs the following four files: CRSGPRANT1 and CRSGPRANT2 (for National GPRA measures) and CRSGPRADEVNT1 and CRSGPRADEVNT2 (for GPRA Developmental measures). All of these files must be sent to the National GPRA Support Team for National GPRA & PART reporting.

The National GPRA Support Team uses these files to create IHS national rates for all GPRA & PART performance measures reported to Congress in the Annual GPRA Performance Report.

Additionally, these files may be imported into Excel to create graphs and other summary reports. For instructions, see Appendix B: Working with Delimited Files.

To run the Area National GPRA & PART report, follow these steps:

```

*****
**   IHS/RPMS CRS 2010   **
**   Area Office Options **
*****
                        Version 10.0

                        DEMO INDIAN HOSPITAL

UPL   Upload Report Files from Site
AGP   AREA National GPRA & PART Report
ASUM  AREA National GPRA & PART Report Perf Summaries
GPIA  AREA GPRA & PART Performance Report
AONM  AREA Other National Measures Report
AEO   AREA EO Quality Transparency Measures Report
AELD  AREA Elder Care Report
AHED  Area HEDIS Report
APCM  AREA Patient Education Rpt w/Community Specified
AHW   AREA Height and Weight Data File
LSTF  List files in a directory

Select Area Options Option: AGP <Enter> AREA National GPRA & PART Report

```

Figure 6-5: Area Office Options menu: selecting the Run Area Nation GPRA & PART Report (AGP) (Step 1)

1. At the “Select Area Options Option” prompt, type **AGP** and press the Enter key.

The predefined date ranges are displayed, including the Report Period (current), the Previous Year Period, and the Baseline Period.

```

[AREA OFFICE] Area Aggregate National GPRA & PART Report

The date ranges for this report are:
Report Period:      Jul 01, 2009 to Jun 30, 2010
Previous Year Period: Jul 01, 2008 to Jun 30, 2009
Baseline Period:    Jul 01, 1999 to Jun 30, 2000

Select one of the following:

      A      AREA Aggregate
      F      One Facility

Run Report for: A// <Enter> AREA Aggregate

```

Figure 6-6: Running the Area Aggregate National GPRA & PART report: selecting facility option (Step 2)

2. At the “Run Report for” prompt, do one of the following:
 - To combine data for all sites, press the Enter key to accept the default “A” (Area Aggregate).
 - To run a report similar to the facility’s National GPRA & PART report, type **F** (One Facility) and press the Enter key.

```
You will now be able to select which sites to use in the
area aggregate/facility report.
```

```
Press Enter to Continue :<Enter>
```

Figure 6-7: Running the Area Aggregate National GPRA & PART Report (Step 3)

3. Press the Enter key at the prompt to display the Area Aggregate Site Selection screen.

All facilities that have uploaded their data files for the selected time period are displayed. Any CHS-only facility is marked with a plus sign (+) after its name.

4. At the “Select Action” prompt, do one of the following:
 - To view multiple pages:
 - Type a plus sign (+) and press the Enter key to view the next page.
 - Type a minus sign/hyphen (-) and press the Enter key to return to the previous page.
 - To select facilities to include in the report:
 - To select all facilities, type **A** and press the Enter key.
 - To select specific facilities, type **S** and press the Enter key. At the “Which Facility” prompt, type the number(s) of the facility or facilities you want to select and press the Enter key.

To select multiple facilities, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 16), or a combination of ranges and numbers (e.g., 1–5, 7, 33).

After pressing the Enter key, each selected facility is marked with an asterisk (*) before its number.

- To remove (unselect) a facility, type **R** and press the Enter key. At the “Which Facility(s)” prompt, type the number of the facility and press the Enter key.

All selected facilities are marked with an asterisk (*) before their corresponding numbers.

```

AREA AGGREGATE SITE SELECTION Jun 01, 2010 12:59          Page: 1 of 1
Area Aggregate Site Selection
* indicates the site has been selected
+ after the facility name denotes a CHS Only Site
#      SU          FACILITY          BEG DATE  END DATE  BASE BEG  BASE END  DATE RUN
*1) DEMO SU A    FACILITY A      07/01/09  06/30/10  07/01/99  06/30/00  07/08/10
*2) DEMO SU B    FACILITY B      07/01/09  06/30/10  07/01/99  06/30/00  07/08/10
*3) DEMO SU C    FACILITY C      07/01/09  06/30/10  07/01/99  06/30/00  07/08/10
*4) DEMO SU D    FACILITY D      07/01/09  06/30/10  07/01/99  06/30/00  07/08/10

          Enter ?? for more actions
A   Area Aggregate  All Facilities      R   Remove (unselect) Facility
S   Select Facility                               Q   Quit
Select Action:+// Q <Enter> Quit

```

Figure 6-8: Running the Area Aggregate National GPRA & PART report: saving selected facilities (Step 5)

- To save your selected facilities, type **Q** (Quit) at the “Select Action” prompt and press the Enter key.

In this example, four facilities have been selected. The names of four delimited text files and the network directory to which they will be saved are displayed.

```

A total of 4 facilities have been selected.

A file will be created called
CRSGPRANT1505901201006300000000020100619105325_000002.TXT
and will reside in the Q:\ directory. This file can be used in Excel.

A file will be created called
CRSGPRANT2505901201006300000000020100619105325_000002.TXT
and will reside in the Q:\ directory. This file can be used in Excel.

```

Figure 6-9: Running the Area Aggregate National GPRA & PART report: example of output file names and locations

The system then prompts you to choose an output type.

```

Please choose an output type. For an explanation of the delimited
file please see the user manual.

Select one of the following:

P          Print Report on Printer or Screen
D          Create Delimited output file (for use in Excel)
B          Both a Printed Report and Delimited File

Select an Output Option: P//

```

Figure 6-10: Running the Area Aggregate National GPRA & PART report: selecting report output (Step 6)

6. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
 - **P** (Print) sends the report file to your printer, your screen, or an electronic file.
 - **D** (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
 - **B** (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2.

6.2.1.1 Report Content

The Area Aggregate National GPRA & PART Clinical Performance Report contains the following sections:

- Cover page
- GPRA Developmental measure topics included in the report
- GPRA Developmental Measures Clinical Performance Summary
- GPRA Developmental Measures Clinical Performance Detail
- Official GPRA & PART and Non-GPRA measure topics included in the report
- Selected Non-GPRA Measures Clinical Performance Summary
- Official GPRA & PART Measures Clinical Performance Summary
- Selected Non-GPRA Measures Clinical Performance Detail
- Official GPRA & PART Measures Clinical Performance Detail

Examples of the cover page, clinical performance summaries, and clinical performance detail sections of the report follow.

6.2.1.2 Cover Page

Both the printed and delimited reports include a cover page displaying a list of all facilities and the communities of each facility that are included in the report data. The report data is aggregated for each measure.

Cover Page

*** IHS 2010 National GPRA & PART Clinical Performance Report ***
 CRS 2010, Version 10.0
 AREA AGGREGATE
 Date Report Run: Jun 1, 2010
 Site where Run: [AREA]
 Report Generated by: USER, DEMO
 Report Period: Jul 01, 2009 to Jun 30, 2010
 Previous Year Period: Jul 01, 2008 to Jun 30, 2009
 Baseline Period: Jul 01, 1999 to Jun 30, 2000

Report includes data from the following facilities:

1. FACILITY A
2. FACILITY B
3. FACILITY C
4. FACILITY D

The following communities are included in this report:

1. FACILITY A
 Community Taxonomy Name: Facility A's GPRA Communities

COMMUNITY 1	COMMUNITY 2	COMMUNITY 3
COMMUNITY 4	COMMUNITY 5	COMMUNITY 6
COMMUNITY 7	COMMUNITY 8	COMMUNITY 9
2. FACILITY B
 Community Taxonomy Name: Facility B's GPRA Communities

COMMUNITY 1	COMMUNITY 2	COMMUNITY 3
COMMUNITY 4	COMMUNITY 5	COMMUNITY 6
COMMUNITY 7	COMMUNITY 8	COMMUNITY 9
COMMUNITY 10	COMMUNITY 11	COMMUNITY 12
COMMUNITY 13	COMMUNITY 14	COMMUNITY 15
3. FACILITY C
 Community Taxonomy Name: Facility C's GPRA Communities

COMMUNITY 1	COMMUNITY 2	COMMUNITY 3
COMMUNITY 4	COMMUNITY 5	COMMUNITY 6
COMMUNITY 7	COMMUNITY 8	COMMUNITY 9
COMMUNITY 10	COMMUNITY 11	COMMUNITY 12
COMMUNITY 13	COMMUNITY 14	COMMUNITY 15
COMMUNITY 16	COMMUNITY 17	COMMUNITY 18
COMMUNITY 19	COMMUNITY 20	
4. FACILITY D
 Community Taxonomy Name: Facility D's GPRA Communities

COMMUNITY 1	COMMUNITY 2	COMMUNITY 3
COMMUNITY 4	COMMUNITY 5	COMMUNITY 6
COMMUNITY 7	COMMUNITY 8	COMMUNITY 9
COMMUNITY 10	COMMUNITY 11	COMMUNITY 12
COMMUNITY 13	COMMUNITY 14	COMMUNITY 15
COMMUNITY 16		

Figure 6-11: Example of the cover page for an Area Aggregate National GPRA & PART Report

At the end of the report are the Selected Non-GPRA Measures Clinical Performance Summary; GPRA Developmental & PART Measures Clinical Performance Summary; Official GPRA Measures Clinical Performance Summary; Selected Non-GPRA Measures Clinical Performance Detail; GPRA Developmental & PART Measures Clinical Performance Detail; and the Official GPRA Measures Clinical Performance Detail sections, as described in the following sections.

6.2.1.3 GPRA Developmental Measures Clinical Performance Summary

The GPRA Developmental Measures Clinical Performance Summary section lists the Area Office aggregate performance measure rates for the current, previous, and baseline periods.

MP				May 27, 2010				Page 1			
*** IHS 2010 National GPRA & PART Report ***											
AREA AGGREGATE											
Report Period: Jul 01, 2009 to Jun 30, 2010											
Previous Year Period: Jul 01, 2008 to Jun 30, 2009											
Baseline Period: Jul 01, 1999 to Jun 30, 2000											

GPRA DEVELOPMENTAL CLINICAL PERFORMANCE SUMMARY											
Area Area Area											
Current Previous Baseline											

GPRA DEVELOPMENTAL MEASURES											

DENTAL											
Intact Sealants			3.1%	2.2%	3.0%						
Top Fluoride			3.3%	0.8%	0.3%						
IMMUNIZATIONS											
H1N1 one dose 6-59mos			1.3%	0.0%	0.0%						
H1N1 two or more doses 6-59mos			0.7%	0.0%	0.0%						
H1N1 one dose 5-9yrs			2.0%	0.0%	0.0%						
H1N1 two or more doses 5-9yrs			1.0%	0.0%	0.0%						
H1N1 one dose 10-18yrs			0.6%	0.0%	0.0%						
H1N1 one dose 19-24yrs			1.3%	0.0%	0.0%						
H1N1 one dose 25-64yrs			0.7%	0.0%	0.0%						
H1N1 one dose 65+yrs			2.7%	0.0%	0.0%						
H1N1 one dose Pregnant			5.2%	0.0%	0.0%						
H1N1 one dose High-Risk 25-64yrs			1.1%	0.0%	0.0%						
Active IMM 4313314 19-35mos			7.9%	0.0%	0.0%						
Active IMM 3 Doses Pneumococcal 19-35mos			39.5%	0.0%	0.0%						

(continued on next page)

CANCER			
Mammogram 42+	19.1%	33.5%	33.1%
Colo Cancer 50-75			
(#1 HEDIS)	19.7%	21.7%	12.1%
Male 50-75	17.7%	20.9%	12.5%
Female 50-75	21.6%	22.4%	11.8%
Colo Cancer 50-75			
(#2 USPSTF)	19.5%	21.8%	12.0%
Male 50-75	17.4%	20.7%	12.3%
Female 50-75	21.4%	22.8%	11.8%
Comp Cancer Screen			
21-75yrs	31.9%	39.0%	33.8%
Female 21-75yrs	35.6%	42.9%	38.1%
Male 50-75yrs	17.7%	20.9%	12.5%

Figure 6-12: Example of the GPRA Developmental Measures Clinical Performance Summary for an Area Aggregate National GPRA & PART Report, Page 1

MP	May 27, 2010			Page 2
*** IHS 2010 National GPRA & PART Report ***				
AREA AGGREGATE				
Report Period: Jul 01, 2009 to Jun 30, 2010				
Previous Year Period: Jul 01, 2008 to Jun 30, 2009				
Baseline Period: Jul 01, 1999 to Jun 30, 2000				

GPRA DEVELOPMENTAL CLINICAL PERFORMANCE SUMMARY				
	Area	Area	Area	
	Current	Previous	Baseline	

Tobacco Cessation	30.6%	32.5%	37.1%	
Tobacco Users Quit	2.8%	0.0%	0.0%	
Tobacco Cess and Quit	1.7%	0.0%	0.0%	
Tobacco Cess or Quit	33.1%	32.5%	37.1%	
BEHAVIORAL HEALTH				
Alcohol Screening				
Female 15-44yrs	8.4%	0.6%	0.3%	
w/ Alcohol-Related Ed	1.2%	0.0%	0.0%	
w/ Positive Alcohol Screen	54.3%	0.0%	0.0%	
Active Clinical 12-75yrs	6.9%	1.5%	0.4%	
w/ Alcohol-Related Ed	0.6%	0.1%	0.0%	
w/ Positive Alcohol Screen	46.2%	0.0%	0.0%	
IPV/DV Screen 15-40yrs	1.4%	0.0%	0.0%	
w/IPV/DV Related Ed	0.8%	0.3%	0.0%	
Depression Scrn				
18yrs and older	5.9%	5.4%	2.6%	
12-18yrs	2.4%	0.0%	0.0%	
CARDIOVASCULAR DISEASE				
Comp CDV Assess 22+				
CHD: BP Assessed	89.1%	100.0%	100.0%	
Not Diabetic	77.8%	100.0%	100.0%	
Active Diabetic	100.0%	100.0%	100.0%	
CHD: LDL Assessed	69.1%	63.2%	45.2%	
Not Diabetic	51.9%	70.6%	61.5%	
Active Diabetic	85.7%	57.1%	33.3%	
CHD: Tobacco Assessed	78.2%	84.2%	74.2%	
Not Diabetic	70.4%	76.5%	76.9%	
Active Diabetic	85.7%	90.5%	72.2%	
CHD: BMI Assessed	85.5%	97.4%	100.0%	
Not Diabetic	77.8%	100.0%	100.0%	
Active Diabetic	92.9%	95.2%	100.0%	
CHD: Lifeslytle Counsel	50.9%	55.3%	64.5%	
Not Diabetic	48.1%	41.2%	38.5%	
Active Diabetic	53.6%	66.7%	83.3%	
CHD: BP, LDL, Tob,				
BMI, LStyle	29.1%	39.5%	19.4%	
Not Diabetic	25.9%	35.3%	15.4%	
Active Diabetic	32.1%	42.9%	22.2%	
CHD: Depression Screen	23.6%	10.5%	16.1%	
Not Diabetic	25.9%	11.8%	7.7%	
Active Diabetic	21.4%	9.5%	22.2%	

Figure 6-13: Example of the GPRA Developmental Measures Clinical Performance Summary for an Area Aggregate National GPRA & PART Report, Page 2

MP	May 27, 2010			Page 3
*** IHS 2010 National GPRA & PART Report ***				
AREA AGGREGATE				
Report Period: Jul 01, 2009 to Jun 30, 2010				
Previous Year Period: Jul 01, 2008 to Jun 30, 2009				
Baseline Period: Jul 01, 1999 to Jun 30, 2000				

GPRA DEVELOPMENTAL CLINICAL PERFORMANCE SUMMARY				
	Area	Area	Area	
	Current	Previous	Baseline	

OTHER CLINICAL				
HIV Scrn No Prev				
Diag 13-64yrs	2.0%	1.1%	0.0%	
# w/ HIV Screen Refusal*	0.2%	0.0%	0.0%	
# HIV Screens	94	40	0	
Use of High-Risk Meds 65+				
One High-Risk Med	19.1%	18.8%	29.2%	
Male One High-Risk Med	17.3%	14.3%	25.9%	
Female On High-Risk Med	20.7%	22.2%	31.6%	
Two or More High-Risk				
Med	8.2%	3.1%	12.3%	
Male Two High-Risk Med	5.8%	3.6%	7.4%	
Female Two High-Risk Med	10.3%	2.8%	15.8%	
* Not GPRA Developmental measure but included to show percentage of refusals with respect to GPRA Developmental measure.				

Figure 6-14: Example of the GPRA Developmental Measures Clinical Performance Summary for an Area Aggregate National GPRA & PART Report, Page 3

6.2.1.4 Selected Non-GPRA Measures Clinical Performance Summary

The Selected Non-GPRA Measures Clinical Performance Summary section lists the Area Office aggregate performance measure rates for the current, previous, and baseline periods, as well as the National 2009 performance and 2010 target for each non-GPRA measure in the report.

Report Period: Jul 01, 2009 to Jun 30, 2010					
Previous Year Period: Jul 01, 2008 to Jun 30, 2009					
Baseline Period: Jul 01, 1999 to Jun 30, 2000					

SELECTED NON-GPRA MEASURES CLINICAL PERFORMANCE SUMMARY					
	Area	Area	Area	Nat 'l	2010
	Current	Previous	Baseline	2009	Target

DIABETES					
Diabetes DX Ever*	8.3%	9.2%	8.4%	12%	N/A
Documented Alc*	75.2%	73.7%	59.8%	80%	50.0%
BP Assessed	92.6%	82.1%	85.1%	88%	95%

(continued on next page)

IMMUNIZATIONS						
Active Clinical						
4:3:1:3:3:1	16.7%	7.7%	9.1%	78%	N/A	
CANCER						
Tobacco Assessment 5+	45.4%	42.5%	36.2%	57%	N/A	
Tobacco Use Prevalence	46.2%	38.0%	39.4%	26%	12.4%	
Tobacco Cessation Counsel or Quit	20.3%	19.7%	26.8%	N/A	N/A	
CARDIOVASCULAR DISEASE						
BMI Measured 2-74	65.2%	77.6%	72.5%	75%	N/A	
Assessed as Obese	41.7%	41.0%	37.5%	47%	N/A	
Children 2-5 w/BMI =>95%	11.4%	23.1%	12.5%	25%	22%	
IHD: Comp CVD Assessment						
IHD: BP Assessed	100.0%	100.0%	100.0%	97%	95.0%	
IHD: LDL Assessed	86.0%	86.4%	83.3%	91%	85.0%	
IHD: Tobacco Assessed	87.7%	86.4%	75.0%	83%	50.0%	
IHD: BMI Assessed	96.5%	97.7%	97.2%	N/A	N/A	
IHD: Lifestyle Counsel	56.1%	50.0%	61.1%	39%	75.0%	
IHD: Depression Screen	17.5%	9.1%	5.6%	62%	20.0%	
*Non-GPRA measure included in the IHS GPRA report submitted to OMB to provide context to other GPRA measures.						

Figure 6-15: Example of the Selected Non-GPRA Measures Summary for an Area Aggregate National GPRA & PART Report

6.2.1.5 Official GPRA & PART Measures Clinical Performance Summary

The Official GPRA & PART Measures Clinical Performance Summary section lists the Area Office aggregate performance measure rates for the current, previous, and baseline periods, as well as the GPRA Target, National 2009 performance, and 2010 target for each GPRA measure in the report.

MP	May 27, 2010					Page 1
*** IHS 2010 National GPRA & PART Report ***						
AREA AGGREGATE						
Report Period: Jul 01, 2009 to Jun 30, 2010						
Previous Year Period: Jul 01, 2008 to Jun 30, 2009						
Baseline Period: Jul 01, 1999 to Jun 30, 2000						

OFFICIAL GPRA & PART MEASURES CLINICAL PERFORMANCE SUMMARY						
	Area	Area	Area	GPRA	Nat'l	2010
	Current	Previous	Baseline	Target	2009	Target

DIABETES						
Poor Glycemic Control >9.5	14.9%	4.2%	12.6%	16%	18%	10.0%
Ideal Glycemic Control <7	28.9%	31.6%	25.3%	33%	31%	40.0%
Controlled BP <130/80	23.1%	21.1%	14.9%	40%	37%	50.0%
LDL Assessed	62.8%	48.4%	26.4%	69%	65%	70.0%
Nephropathy Assessed*	41.3%	6.3%	5.7%	54%	50%	70.0%
Retinopathy	44.6%	41.1%	50.6%	55%	51%	75.0%

(continued on next page)

DENTAL						
Dental Access General	8.6%	8.4%	8.8%	27%	25%	40.0%
# Sealants	100	122	162	257,920	257,067	N/A
Topical Fluoride-# Pts	90.0%	52.0%	30.0%	136,978	136,794	N/A
IMMUNIZATIONS						
Influenza 65+	30.0%	37.5%	23.1%	60%	59%	90.0%
Pneumovax Ever 65+	44.5%	68.8%	56.9%	83%	82%	90.0%
Active IMM 431331	23.7%	0.0%	0.0%	80%	79%	N/A
CANCER						
Pap Smear Rates 21-64	41.0%	49.7%	45.9%	60%	59%	90.0%
Mammogram Rates 52-64	26.9%	37.9%	46.8%	47%	45%	70.0%
Colorectal Cancer 51-80	21.4%	26.3%	18.4%	36%	33%	33.0%
Tobacco Cessation Counsel	17.6%	19.3%	26.2%	27%	24%	N/A
BEHAVIORAL HEALTH						
FAS Prevention 15-44	9.9%	0.6%	0.3%	55%	52%	25.0%
IPV/DV Screen 15-40	1.9%	0.3%	0.0%	53%	48%	40.0%
Depression Screen 18+	5.4%	5.4%	2.6%	53%	44%	N/A
CARDIOVASCULAR DISEASE						
IHD: Comp CVD Assessment	42.1%	43.2%	38.9%	33%	32%	N/A
OTHER CLINICAL						
Prenatal HIV Testing	43.8%	16.7%	0.0%	77%	76%	N/A
* Measure definition changed in 2007.						
+ Site Previous and Site Baseline values are not applicable for this measure.						

Figure 6-16: Example of the Official GPRA & PART Measures Summary for an Area
Aggregate National GPRA & PART Report, Page 1

MP	May 27, 2010				Page 2	
*** IHS 2010 National GPRA & PART Report ***						
AREA AGGREGATE						
Report Period: Jul 01, 2009 to Jun 30, 2010						
Previous Year Period: Jul 01, 2008 to Jun 30, 2009						
Baseline Period: Jul 01, 1999 to Jun 30, 2000						

GPRA & PART MEASURES CLINICAL PERFORMANCE SUMMARY						
	Area	Area	Area	PART10	Nat'l	2010
	Current	Previous	Baseline	Target	2009	Target

PART MEASURE						

Breastfeed Rates @ 2 Mos*	100.0%	0.0%	100.0%	28%	28%	33%
* Federally Administered Activities measure. National 2009 rate is for federal sites only.						

Figure 6-17: Example of the Official GPRA & PART Measures Summary for an Area Aggregate National GPRA & PART Report, Page 2

6.2.1.6 GPRA Developmental Measures Clinical Performance Detail

The GPRA Developmental Measures Clinical Performance Detail section shows the GPRA performance measure rates by each facility within the area.

MP	May 27, 2010				Page 1	
*** IHS 2010 National GPRA & PART Report ***						
AREA AGGREGATE						
Report Period: Jul 01, 2009 to Jun 30, 2010						
Previous Year Period: Jul 01, 2008 to Jun 30, 2009						
Baseline Period: Jul 01, 1999 to Jun 30, 2000						

GPRA DEVELOPMENTAL & PART MEASURES CLINICAL PERFORMANCE DETAIL						
	Site	Site	Site	Area	Nat'l	
	Current	Prev	Base	Current	2009	

GPRA DEVELOPMENTAL MEASURES						

DENTAL						
Intact Sealants						
					XX.X%	
999999	FACILITY A	XX.X%	X.X%	XX.X%		
999999	FACILITY B	XX.X%	X.X%	XX.X%		
999999	FACILITY C	XX.X%	X.X%	XX.X%		
999999	FACILITY D	XX.X%	X.X%	XX.X%		
Top Fluoride						
					XX.X%	
999999	FACILITY A	XX.X%	X.X%	XX.X%		
999999	FACILITY B	XX.X%	X.X%	XX.X%		
999999	FACILITY C	XX.X%	X.X%	XX.X%		
999999	FACILITY D	XX.X%	X.X%	XX.X%		

(continued on next page)

IMMUNIZATIONS					
H1N1 one dose 6-59mos					XX.X%
999999	FACILITY A	XX.X%	X.X%	XX.X%	
999999	FACILITY B	XX.X%	X.X%	XX.X%	
999999	FACILITY C	XX.X%	X.X%	XX.X%	
999999	FACILITY D	XX.X%	X.X%	XX.X%	
H1N1 two or more doses 6-59mos					XX.X%
999999	FACILITY A	XX.X%	X.X%	XX.X%	
999999	FACILITY B	XX.X%	X.X%	XX.X%	
999999	FACILITY C	XX.X%	X.X%	XX.X%	
999999	FACILITY D	XX.X%	X.X%	XX.X%	

Figure 6-18: Example of the GPRA Developmental & PART Measures Clinical Performance Detail section for an Area Aggregate National GPRA & PART Report

6.2.1.7 Selected Non-GPRA Measures Clinical Performance Detail

The Non-GPRA Measures Clinical Performance Detail section shows the non-GPRA performance measure rates by each facility within the area.

MP	May 27, 2010					Page 1
*** IHS 2010 National GPRA & PART Report ***						
AREA AGGREGATE						
Report Period: Jul 01, 2009 to Jun 30, 2010						
Previous Year Period: Jul 01, 2008 to Jun 30, 2009						
Baseline Period: Jul 01, 1999 to Jun 30, 2000						

SELECTED NON-GPRA MEASURES CLINICAL PERFORMANCE DETAIL						
	Site	Site	Site	Area	Nat'l	2010
	Current	Prev	Base	Current	2009	Target

DIABETES						
Diabetes DX Ever*				XX.X%	12%	N/A
999999	FACILITY A	XX.X%	X.X%	XX.X%		
999999	FACILITY B	XX.X%	X.X%	XX.X%		
999999	FACILITY C	XX.X%	X.X%	XX.X%		
999999	FACILITY D	XX.X%	X.X%	XX.X%		
Documented Alc*				XX.X%	80%	50.0%
999999	FACILITY A	XX.X%	X.X%	XX.X%		
999999	FACILITY B	XX.X%	X.X%	XX.X%		
999999	FACILITY C	XX.X%	X.X%	XX.X%		
999999	FACILITY D	XX.X%	X.X%	XX.X%		
BP Assessed				XX.X%	88%	95%
999999	FACILITY A	XX.X%	X.X%	XX.X%		
999999	FACILITY B	XX.X%	X.X%	XX.X%		
999999	FACILITY C	XX.X%	X.X%	XX.X%		
999999	FACILITY D	XX.X%	X.X%	XX.X%		

(continued on next page)

IMMUNIZATIONS						
Active Clinical						
4:3:1:3:3:1				XX.X%	78%	N/A
999999 FACILITY A	XX.X%	X.X%	XX.X%			
999999 FACILITY B	XX.X%	X.X%	XX.X%			
999999 FACILITY C	XX.X%	X.X%	XX.X%			
999999 FACILITY D	XX.X%	X.X%	XX.X%			
CANCER						
Tobacco Assessment 5+						
				XX.X%	57%	N/A
999999 FACILITY A	XX.X%	X.X%	XX.X%			
999999 FACILITY B	XX.X%	X.X%	XX.X%			
999999 FACILITY C	XX.X%	X.X%	XX.X%			
999999 FACILITY D	XX.X%	X.X%	XX.X%			
Tobacco Use Prevalence						
				XX.X%	26%	12.4%
999999 FACILITY A	XX.X%	X.X%	XX.X%			
999999 FACILITY B	XX.X%	X.X%	XX.X%			
999999 FACILITY C	XX.X%	X.X%	XX.X%			
999999 FACILITY D	XX.X%	X.X%	XX.X%			

Figure 6-19: Example of the Non-GPRA Measures Clinical Performance Detail section for an Area Aggregate National GPRA & PART Report

6.2.1.8 Official GPRA & PART Measures Clinical Performance Detail

The Official GPRA & PART Measures Clinical Performance Detail section shows the GPRA performance measure rates by each facility within the area.

MP	May 27, 2010					Page 1	
*** IHS 2010 National GPRA & PART Report ***							
AREA AGGREGATE							
Report Period: Jul 01, 2009 to Jun 30, 2010							
Previous Year Period: Jul 01, 2008 to Jun 30, 2009							
Baseline Period: Jul 01, 1999 to Jun 30, 2000							
OFFICIAL GPRA MEASURES CLINICAL PERFORMANCE DETAIL							
	Site	Site	Site	Area	GPRA10	Nat'l	2010
	Current	Prev	Base	Current	Target*	2009	Target
DIABETES							
Poor Glycemic Control >9.5							
				XX.X%	16%	18%	10.0%
999999 FACILITY A	XX.X%	X.X%	XX.X%				
999999 FACILITY B	XX.X%	X.X%	XX.X%				
999999 FACILITY C	XX.X%	X.X%	XX.X%				
999999 FACILITY D	XX.X%	X.X%	XX.X%				
Ideal Glycemic Control <7							
				XX.X%	33%	31%	40.0%
999999 FACILITY A	XX.X%	X.X%	XX.X%				
999999 FACILITY B	XX.X%	X.X%	XX.X%				
999999 FACILITY C	XX.X%	X.X%	XX.X%				
999999 FACILITY D	XX.X%	X.X%	XX.X%				

(continued on next page)

Controlled BP <130/80				XX.X%	40%	37%	50.0%
999999 FACILITY A	XX.X%	X.X%	XX.X%				
999999 FACILITY B	XX.X%	X.X%	XX.X%				
999999 FACILITY C	XX.X%	X.X%	XX.X%				
999999 FACILITY D	XX.X%	X.X%	XX.X%				
LDL Assessed				XX.X%	69%	65%	70.0%
999999 FACILITY A	XX.X%	X.X%	XX.X%				
999999 FACILITY B	XX.X%	X.X%	XX.X%				
999999 FACILITY C	XX.X%	X.X%	XX.X%				
999999 FACILITY D	XX.X%	X.X%	XX.X%				
Nephropathy Assessed*				XX.X%	54%	50%	70.0%
999999 FACILITY A	XX.X%	X.X%	XX.X%				
999999 FACILITY B	XX.X%	X.X%	XX.X%				
999999 FACILITY C	XX.X%	X.X%	XX.X%				
999999 FACILITY D	XX.X%	X.X%	XX.X%				
Retinopathy				XX.X%	55%	51%	75.0%
999999 FACILITY A	XX.X%	X.X%	XX.X%				
999999 FACILITY B	XX.X%	X.X%	XX.X%				
999999 FACILITY C	XX.X%	X.X%	XX.X%				
999999 FACILITY D	XX.X%	X.X%	XX.X%				

Figure 6-20: Example of the Official GPRA & PART Measures Clinical Performance Detail section for an Area Aggregate National GPRA & PART Report

6.2.2 AREA National GPRA & PART Report Performance Summaries (ASUM)

CI10 > AO > ASUM

To run the Area National GPRA & PART Report Performance Summaries, follow these steps:

The steps for running this report are the same as for running the AGP Area National GPRA & PART Report, except the National GPRA & PART Report export files (i.e. files with names beginning with “CRSGPRANT”) will not be created.

```

*****
**   IHS/RPMS CRS 2010   **
** Area Office Options **
*****
Version 10.0

DEMO INDIAN HOSPITAL

UPL  Upload Report Files from Site
AGP  AREA National GPRA & PART Report
ASUM AREA National GPRA & PART Report Perf Summaries
GPIA AREA GPRA & PART Performance Report
AONM AREA Other National Measures Report
AEO  AREA EO Quality Transparency Measures Report
AELD AREA Elder Care Report
AHED Area HEDIS Report
APCM AREA Patient Education Rpt w/Community Specified
AHW  AREA Height and Weight Data File
LSTF List files in a directory

Select Area Options Option: ASUM <Enter>

```

Figure 6-21: Area Office Options menu: selecting the Area National GPRA & PART Report Performance Summaries (ASUM) (Step 1)

1. At the “Select Area Options Option” prompt, type **ASUM** and press the Enter key to display the following information about the report:

```

IHS 2010 Area National GPRA & PART Report Clinical Performance Summaries

This will produce ONLY the clinical performance summaries for the Area
National GPRA & PART Report for the 2010 GPRA year. If you want the detailed
information included in the report, including performance measure
definitions and number of patients in each denominator and numerator
you need to run the AGP menu option.

The CRSGPRANT export files will not be created; use the AGP menu option
to run the report that will create these files.

PRESS ENTER: <Enter>

```

Figure 6-22: Information displayed about the Area National GPRA & PART Report Performance Summaries (Step 1)

2. Press Enter at the prompt to display the predefined date ranges for the report, including the Report Period (current), the Previous Year Period, and the Baseline Period, as in the following example:

```

The date ranges for this report are:
Report Period:      Jul 01, 2009 to Jun 30, 2010
Previous Year Period:  Jul 01, 2008 to Jun 30, 2009
Baseline Period:    Jul 01, 1999 to Jun 30, 2000

Select one of the following:

    A      AREA Aggregate
    F      One Facility

Run Report for: A// <Enter> AREA Aggregate

```

Figure 6-23: Running the Area Aggregate National GPRA & PART Report Performance Summaries: date range display (Steps 2 and 3)

3. At the “Run Report for” prompt, do one of the following:
 - To run a report combining the data for all sites, press the Enter key to accept the default “A” (Area Aggregate).
 - To run a report similar to the facility’s National GPRA & PART Report Performance Summaries, type **F** (One Facility) and press the Enter key.

```

You will now be able to select which sites to use in the
area aggregate/facility report.

Press Enter to Continue :<Enter>

```

Figure 6-24: Running the Area Aggregate National GPRA & PART Report Performance Summaries (Step 4)

4. Press the Enter key at the prompt to display the Area Aggregate Site Selection screen.

All facilities that have uploaded their data files for the selected time period are displayed. Any CHS-only facility is marked with a plus sign (+) after its name.

5. At the “Select Action” prompt, do one of the following:
 - To view multiple pages:
 - Type a plus sign (+) and press the Enter key to view the next page.
 - Type a minus sign/hyphen (-) and press the Enter key to return to the previous page.
 - To select facilities to include in the report:
 - To select all facilities, type **A** and press the Enter key.
 - To select specific facilities, type **S** and press the Enter key. At the “Which Facility” prompt, type the number(s) of the facility or facilities you want to select and press the Enter key.

To select multiple facilities, type a range (e.g., 1–4), a series of numbers (e.g., 3, 6, 9), or a combination of ranges and numbers (e.g., 1–3, 5, 7, 25).

After pressing the Enter key, each selected facility is marked with an asterisk (*) before its number.

- To remove (unselect) a facility, type **R** and press the Enter key. At the “Which Facility(s)” prompt, type the number of the facility and press the Enter key.

All selected facilities are marked with an asterisk (*) before their corresponding number.

```

AREA AGGREGATE SITE SELECTION Jun 08, 2010 12:59          Page: 1 of 1
Area Aggregate Site Selection
* indicates the site has been selected
+ after the facility name denotes a CHS Only Site
#   SU          FACILITY          BEG DATE  END DATE  BASE BEG  BASE END  DATE RUN
*1) DEMO SU A   FACILITY A          07/01/09  06/30/10  07/01/99  06/30/00  07/08/10
*2) DEMO SU B   FACILITY B          07/01/09  06/30/10  07/01/99  06/30/00  07/08/10
*3) DEMO SU C   FACILITY C          07/01/09  06/30/10  07/01/99  06/30/00  07/08/10
*4) DEMO SU D   FACILITY D          07/01/09  06/30/10  07/01/99  06/30/00  07/08/10

          Enter ?? for more actions
A   Area Aggregate All Facilities   R   Remove (unselect) Facility
S   Select Facility                Q   Quit
Select Action:+// Q <Enter> Quit

```

Figure 6-25: Running the Area Aggregate National GPRA & PART Report Performance Summaries: selecting facilities (Steps 5 and 6)

- To save your selected topics, type **Q** (Quit) at the “Select Action” prompt and press the Enter key.

```

Please choose an output type. For an explanation of the delimited
file please see the user manual.

Select one of the following:

P          Print Report on Printer or Screen
D          Create Delimited output file (for use in Excel)
B          Both a Printed Report and Delimited File

Select an Output Option: P//

```

Figure 6-26: Running the Area Aggregate National GPRA & PART Report Performance Summaries: selecting the output type (Step 7)

- At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
 - P (Print) sends the report file to your printer, your screen, or an electronic file.

- D (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
- B (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2.

6.2.3 Area GPRA & PART Performance Report (GPUA)

CI10 > AO > GPUA

Use the Area GPRA & PART Performance Report (GPUA) option to produce an Area-wide GPRA & PART Performance report. This report aggregates all data files received to date from facilities, and reports the total Area-Office-wide numbers.

The measures included in this report are exactly the same as those in the National GPRA & PART Report. However, the GPRA & PART Performance Report is different from the National GPRA & PART Report, as it can be run for different types of user populations:

- AI/AN only
- Non-AI/AN
- Both (i.e., the entire population)

It can also be run for different date ranges, whereas the National GPRA & PART Report uses only predefined date ranges. Patient lists are *not* included in the Area Aggregate report.

Note: To run the Area Aggregate GPRA & PART Performance Report, the data uploaded from the facilities must have the same report period, baseline period, and patient population.

To run the Area GPRA & PART Performance report, follow these steps:

```

*****
**   IHS/RPMS CRS 2010   **
** Area Office Options **
*****
Version 10.0

DEMO INDIAN HOSPITAL

UPL  Upload Report Files from Site
AGP  AREA National GPRA & PART Report
ASUM AREA National GPRA & PART Report Perf Summaries
GPUA AREA GPRA & PART Performance Report
AONM AREA Other National Measures Report
AEO  AREA EO Quality Transparency Measures Report
AELD AREA Elder Care Report
AHED Area HEDIS Report
APCM AREA Patient Education Rpt w/Community Specified
AHW  AREA Height and Weight Data File
LSTF List files in a directory

Select Area Options Option: GPUA <Enter> Run AREA GPRA Performance Report

```

Figure 6-27: Area Office Options menu: selecting the Run Area GPRA & PART Performance Report (GPUA) (Step 1)

1. At the “Select Area Options Option” prompt, type **GPUA** and press the Enter key.

```

[AREA] Aggregate GPRA & PART Performance Report with user defined date range

Select one of the following:

1      January 1 - December 31
2      April 1 - March 31
3      July 1 - June 30
4      October 1 - September 30
5      User-Defined Report Period

Enter the date range for your report: 1 <Enter> January 1 - December 31

Enter the Calendar Year for the report END date. Use a 4 digit
year, e.g. 2010
Enter Year: 2010 <Enter> (2010)

Enter the Baseline Year to compare data to.
Use a 4 digit year, e.g. 1999, 2000
Enter Year (e.g. 2000): 2000 <Enter> (2000)

The date ranges for this report are:
Report Period:      Jan 01, 2010 to Dec 31, 2010
Previous Year Period: Jan 01, 2009 to Dec 31, 2009
Baseline Period:    Jan 01, 2000 to Dec 31, 2000

```

Figure 6-28: Running the Area GPRA & PART Performance Report: selecting a date range (Steps 2 and 3)

2. At the “Enter the date range for your report” prompt, do one of the following:
 - To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.
At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.
 - To define a custom report period, type **5** and press the Enter key.
At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.
3. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.

The selected date ranges are displayed, as in the following example:

```
Select one of the following:

1      Indian/Alaskan Native (Classification 01)
2      Not Indian Alaskan/Native (Not Classification 01)
3      All (both Indian/Alaskan Natives and Non 01)

Select Beneficiary Population to include in this report: 1// <Enter> Indian/Alaskan
Native (Classification 01)
```

Figure 6-29: Running the Area GPRA & PART Performance Report: selecting the beneficiary population type (Step 4)

4. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include and press the Enter key, where:
 - **1** (Indian/Alaskan Native) reports only on AI/AN patients.
 - **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
 - **3** (All) reports on your entire patient population.

```
Please choose an output type. For an explanation of the delimited
file please see the user manual.

Select one of the following:

P      Print Report on Printer or Screen
D      Create Delimited output file (for use in Excel)
B      Both a Printed Report and Delimited File

Select an Output Option: P//
```

Figure 6-30: Running the Area GPRA & PART Performance Report: selecting the output type (Step 5)

5. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
 - **P** (Print) sends the report file to your printer, your screen, or an electronic file.
 - **D** (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
 - **B** (Both) produces both a printed report and a delimited file.Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2.

6.2.4 Area Other National Measures Report (AONM)

CI10 > AO > AONM

Use the Area Other National Measures (AONM) option to produce an Area-Office-wide Other National Measures Report. This report aggregates all data files received to date from facilities and reports the total Area-Office-wide numbers.

The Area Other National Measures Report is different from the National GPRA & PART Report, as it can be run for different types of user populations:

- AI/AN only
- Non-AI/AN
- Both (i.e., the entire population)

It can also be run for different date ranges, whereas the National GPRA & PART Report uses only predefined date ranges. Patient lists are *not* included in the Area Aggregate Report.

Note: To run the Area Aggregate Other National Measures Report, the data uploaded from the facilities must have the same report period, baseline period, and patient population.

The Area Aggregate Other National Measures Report outputs two delimited files: the first file name begins with “CRSONMNT1” and the second file name begins with “CRSONMNT2”. Both of these files must be sent to the National GPRA Support Team.

The National GPRA Support Team uses these files to create IHS national rates for all performance measures reported nationally but *not* reported to Congress in the Annual GPRA Performance Report.

Additionally, these files may be imported into Excel to create graphs and other summary reports. For instructions, see Appendix B: Working with Delimited Files.

The Area Other National Measures Report provides users with two options for running the report: (1) using the same hard-coded report parameters (Report Period, Previous Year Period, and Baseline Year) as the National GPRA & PART Report, or (2) using custom, user-defined report parameters. These options are shown below.

```
[Area] Area Aggregate Other National Measures Report

Please select the type of report would you like to run:

H Hard-coded Report: Report with all parameters set to the
  same as the National GPRA Report (report period of
  July 1, 2009 - June 30, 2010, baseline period of July 1, 1999
  - June 30, 2000, and AI/AN patients only)

U User-defined Report: You select the report and baseline
  periods and beneficiary population

Select a Report Option: H// U <ENTER>
```

Figure 6-31: Running the Area Other National Measures Report (AONM): hard-coded vs. user-defined reports

The hard-coded report period is set to the current GPRA report period; the previous year period is set to one year prior to the report period; and the baseline year is set to July 1, 1999 – June 30, 2000. The patient population is set to AI/AN only.

The date ranges and patient population for the user-defined report are set by the user.

- To run the report using the hard-coded report parameters, go to Section 6.2.4.1.
- To run the report using user-defined parameters, go to Section 6.2.4.2.

6.2.4.1 Area Other National Measures Report, Hard-Coded Report Option

```

*****
**   IHS/RPMS CRS 2010   **
**   Area Office Options **
*****
                        Version 10.0

                        DEMO INDIAN HOSPITAL

UPL   Upload Report Files from Site
AGP   AREA National GPRA & PART Report
ASUM  AREA National GPRA & PART Report Perf Summaries
GPUA  AREA GPRA & PART Performance Report
AONM  AREA Other National Measures Report
AEO   AREA EO Quality Transparency Measures Report
AELD  AREA Elder Care Report
AHED  Area HEDIS Report
APCM  AREA Patient Education Rpt w/Community Specified
AHW   AREA Height and Weight Data File
LSTF  List files in a directory

Select Area Options Option: AONM <Enter>

```

Figure 6-32: Area Office Options menu: selecting the Area Other National Measures Report option (AONM) (Step 1)

1. At the “Select Area Options Option” prompt, type **AONM** and press the Enter key.

```

[Area] Area Aggregate Other National Measures Report

Please select the type of report would you like to run:

H   Hard-coded Report: Report with all parameters set to the
    same as the National GPRA Report (report period of
    July 1, 2009 - June 30, 2010, baseline period of July 1, 1999
    - June 30, 2000, and AI/AN patients only)

U   User-defined Report: You select the report and baseline
    periods and beneficiary population

Select a Report Option: H// <ENTER>

```

Figure 6-33: Running the Area Other National Measures Report: selecting the Hard-coded Report option (Step 2)

2. At the “Select a Report Option” prompt, press the Enter key to accept the default option, “H,” and display the report date ranges.
3. At the “Run Report for” prompt, do one of the following:
 - To combine data for all sites, press the Enter key to accept the default “A” (Area Aggregate).

- To run a report similar to a facility's Other National Measures report, type **F** (One Facility) and press the Enter key.
4. Press the Enter key at the prompt to display the Area Aggregate Site Selection screen (Figure 6-34).

All facilities that have uploaded their data files for the selected time period are displayed. Any CHS-only facility is marked with a plus sign (+) after its name.

```

AREA AGGREGATE SITE SELECTION Jun 08, 2010 12:59          Page: 1 of 1
Area Aggregate Site Selection
* indicates the site has been selected
+ after the facility name denotes a CHS Only Site
#   SU          FACILITY          BEG DATE  END DATE  BASE BEG  BASE END  DATE RUN
*1) DEMO SU A   FACILITY A      07/01/09  06/30/10  07/01/99  06/30/00  07/08/10
*2) DEMO SU B   FACILITY B      07/01/09  06/30/10  07/01/99  06/30/00  07/08/10
*3) DEMO SU C   FACILITY C      07/01/09  06/30/10  07/01/99  06/30/00  07/08/10
*4) DEMO SU D   FACILITY D      07/01/09  06/30/10  07/01/99  06/30/00  07/08/10

Enter ?? for more actions
A   Area Aggregate All Facilities      R   Remove (unselect) Facility
S   Select Facility                    Q   Quit
Select Action:+// Q <Enter> Quit

```

Figure 6-34: Running the Area Other National Measures Report: selecting facilities (Steps 4, 5, and 6)

5. At the “Select Action” prompt, do one of the following:
- To view multiple pages:
 - Type a plus sign (+) and press the Enter key to view the next page.
 - Type a minus sign/hyphen (-) and press the Enter key to return to the previous page.
 - To select facilities to include in your report:
 - To select all facilities, type **A** and press the Enter key.
 - To select specific facilities, type **S** and press the Enter key. At the “Which Facility” prompt, type the number(s) of the facility or facilities you want to select and press the Enter key.

To select multiple facilities, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of ranges and numbers (e.g., 1–4, 8, 12).

After pressing the Enter key, each selected facility is marked with an asterisk (*) before its number.

- To remove (unselect) a facility, type **R** and press the Enter key. At the “Which Facility(s)” prompt, type the number of the facility and press the Enter key.

All selected facilities are marked with an asterisk before their corresponding numbers.

6. To save your selected facilities, type **Q** (Quit) at the “Select Action” prompt and press the Enter key.

The names of the three files and their location are displayed, as in the following example:

```
A file will be created called CRSONMNT1505901201006300000000020100622093828_0000
01.TXT
and will reside in the Q:\ directory. This file can be used in Excel.

A file will be created called CRSONMNT2505901201006300000000020100622093828_0000
01.TXT
and will reside in the Q:\ directory. This file can be used in Excel.
```

Figure 6-35: Running the Area Other National Measures Report: example of output file names and locations (Step 6)

7. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
 - P (Print) sends the report file to your printer, your screen, or an electronic file.
 - D (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
 - B (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2 (Page 111).

Both the printed and delimited reports include a cover page displaying a list of all facilities and communities included in the report data (see Figure 6-11 for an example). The report data is aggregated for each measure.

The following sections appear at the end of the report:

- Selected Other National Measures Clinical Performance Summary (see Section 6.2.4.3)
- Selected Other National Measures Clinical Performance Detail (see Section 6.2.4.4)

6.2.4.2 Area Other National Measures Report, User-Defined Report Option

```

*****
**   IHS/RPMS CRS 2010   **
**   Area Office Options **
*****
                        Version 10.0

                        DEMO INDIAN HOSPITAL

UPL   Upload Report Files from Site
AGP   AREA National GPRA & PART Report
ASUM  AREA National GPRA & PART Report Perf Summaries
GPUA  AREA GPRA & PART Performance Report
AONM  AREA Other National Measures Report
AEO   AREA EO Quality Transparency Measures Report
AELD  AREA Elder Care Report
AHED  Area HEDIS Report
APCM  AREA Patient Education Rpt w/Community Specified
AHW   AREA Height and Weight Data File
LSTF  List files in a directory

Select Area Options Option: AONM <Enter>

```

Figure 6-36: Area Office Options menu: selecting the Area Other National Measures Report option (AONM) (Step 1)

1. At the “Select Area Options Option” prompt, type **AONM** and press the Enter key.

```

[Area] Area Aggregate Other National Measures Report

Please select the type of report would you like to run:

H   Hard-coded Report: Report with all parameters set to the
    same as the National GPRA Report (report period of
    July 1, 2009 - June 30, 2010, baseline period of July 1, 1999
    - June 30, 2000, and AI/AN patients only)

U   User-defined Report: You select the report and baseline
    periods and beneficiary population

Select a Report Option: H// U <ENTER>

```

Figure 6-37: Running the Area Other National Measures Report: selecting the User-defined Report option (Step 2)

2. At the “Select a Report Option” prompt, type **U** and press the Enter key to display the following information about the report:

```

This will produce an Other National Measures Report for a year period
you specify. You will be asked to provide: 1) the reporting period,
2) the baseline period to compare data to, and 3) the beneficiary/
classification of the patients.

```

```

Select one of the following:

```

- ```

1 January 1 - December 31
2 April 1 - March 31
3 July 1 - June 30
4 October 1 - September 30
5 User-Defined Report Period

```

```

Enter the date range for your report:

```

Figure 6-38: Running the Area Other National Measures Report: selecting a date range (Step 3)

3. At the “Enter the date range for your report” prompt, do one of the following:

- To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.

At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.

- To define a custom report period, type **5** and press the Enter key.

At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.

4. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.

The date ranges you have selected for the report are displayed, including the Report Period (current), the Previous Year Period, and the Baseline Period.

```

Select one of the following:

```

- ```

1      Indian/Alaskan Native (Classification 01)
2      Not Indian Alaskan/Native (Not Classification 01)
3      All (both Indian/Alaskan Natives and Non 01)

```

```

Select Beneficiary Population to include in this report: 1// <Enter> Indian/Alaskan
Native (Classification 01)

```

Figure 6-39: Running the Area Other National Measures Report: selecting the beneficiary population (Step 5)

5. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include and press the Enter key, where:

- **1** (Indian/Alaskan Native) reports only on AI/AN patients.
- **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
- **3** (All) reports on your entire patient population.

```

The date ranges for this report are:
  Report Period:      Jul 01, 2009 to Jun 30, 2010
  Previous Year Period: Jul 01, 2008 to Jun 30, 2009
  Baseline Period:   Jul 01, 1999 to Jun 30, 2000

Beneficiary Population is set to American Indian/Alaskan Native Only.

  Select one of the following:

      A      AREA Aggregate
      F      One Facility

Run Report for: A//
    
```

Figure 6-40: Running the Area Other National Measures Report: selecting report facilities (Step 6)

- At the “Run Report for” prompt, do one of the following:
 - To combine data for all sites, press the Enter key to accept the default “A” (Area Aggregate).
 - To run a report similar to a facility’s Other National Measures report, type **F** (One Facility) and press the Enter key.
- Press the Enter key at the prompt to display the Area Aggregate Site Selection screen (Figure 6-34).

All facilities that have uploaded their data files for the selected time period are displayed. Any CHS-only facility is marked with a plus sign (+) after its name.

```

AREA AGGREGATE SITE SELECTION Jun 08, 2010 12:59          Page: 1 of 1
Area Aggregate Site Selection
* indicates the site has been selected
+ after the facility name denotes a CHS Only Site
#   SU      FACILITY      BEG DATE  END DATE  BASE BEG  BASE END  DATE RUN
*1) DEMO SU A  FACILITY A    07/01/09  06/30/10  07/01/99  06/30/00  07/08/10
*2) DEMO SU B  FACILITY B    07/01/09  06/30/10  07/01/99  06/30/00  07/08/10
*3) DEMO SU C  FACILITY C    07/01/09  06/30/10  07/01/99  06/30/00  07/08/10
*4) DEMO SU D  FACILITY D    07/01/09  06/30/10  07/01/99  06/30/00  07/08/10

      Enter ?? for more actions
A   Area Aggregate  All Facilities      R   Remove (unselect) Facility
S   Select Facility                               Q   Quit
Select Action:+// Q <Enter> Quit
    
```

Figure 6-41: Running the Area Other National Measures Report: selecting facilities (Steps 4, 5, and 6)

8. At the “Select Action” prompt, do one of the following:

- To view multiple pages:
 - Type a plus sign (+) and press the Enter key to view the next page.
 - Type a minus sign/hyphen (-) and press the Enter key to return to the previous page.
- To select facilities to include in your report:
 - To select all facilities, type **A** and press the Enter key.
 - To select specific facilities, type **S** and press the Enter key. At the “Which Facility” prompt, type the number(s) of the facility or facilities you want to select and press the Enter key.

To select multiple facilities, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of ranges and numbers (e.g., 1–4, 8, 12).

After pressing the Enter key, each selected facility is marked with an asterisk (*) before its number.

- To remove (unselect) a facility, type **R** and press the Enter key. At the “Which Facility(s)” prompt, type the number of the facility and press the Enter key.

All selected facilities are marked with an asterisk before their corresponding numbers.

9. To save your selected facilities, type **Q** (Quit) at the “Select Action” prompt and press the Enter key.

The names of the three files and their location are displayed, as in the following example:

```
A file will be created called CRSONMNT1505901201006300000000020100622093828_0000
01.TXT
and will reside in the Q:\ directory. This file can be used in Excel.

A file will be created called CRSONMNT2505901201006300000000020100622093828_0000
01.TXT
and will reside in the Q:\ directory. This file can be used in Excel.
```

Figure 6-42: Running the Area Other National Measures Report: example of output file names and locations (Step 6)

10. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:

- **P** (Print) sends the report file to your printer, your screen, or an electronic file.

- D (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
- B (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2 (Page 111).

Both the printed and delimited reports include a cover page displaying a list of all facilities and communities included in the report data (see Figure 6-11 for an example). The report data is aggregated for each measure.

The following sections appear at the end of the report:

- Selected Other National Measures Clinical Performance Summary (see Section 6.2.4.3)
- Selected Other National Measures Clinical Performance Detail (see Section 6.2.4.4)

6.2.4.3 Selected Other National Measures Clinical Performance Summary

The Performance Summary lists the Area Office aggregate performance measure rates for current, previous, and baseline periods, as well as the National 2009 performance and 2010 target for each of the selected measures included in the Summary. For example:

MP		May 27, 2010			Page 1	
IHS 2010 Other National Measures Report ***						
AREA AGGREGATE						
Report Period: Jul 01, 2009 to Jun 30, 2010						
Previous Year Period: Jul 01, 2008 to Jun 30, 2009						
Baseline Period: Jul 01, 1999 to Jun 30, 2000						

SELECTED OTHER NATIONAL MEASURES CLINICAL PERFORMANCE SUMMARY						
	Area	Area	Area	Nat'l	2010	
	Current	Previous	Baseline	2009	Target	

DIABETES						
Comprehensive Care	7.4%	0.0%	0.0%	18%	N/A	
DENTAL						
Top Fluoride-# Apps	100	52	30	173,839	N/A	

(continued on next page)

IMMUNIZATIONS						
DM: Influenza	40.5%	46.3%	26.4%	63%	N/A	
DM: Pneumovax Ever	46.3%	53.7%	58.6%	82%	N/A	
Adolescent (13-17 Years)						
AC: 1:3:2:1	1.1%	0.0%	0.0%	65%	N/A	
AC: 1 Tdap	2.2%	0.0%	0.0%	51%	N/A	
AC: 1 Meningococcal	4.3%	0.0%	0.0%	59%	N/A	
AC Female: 3 HPV	10.9%	0.0%	0.0%	29%	N/A	
BEHAVIORAL HEALTH						
AC ER Injury w/Alchl Scrn	53.1%	0.0%	0.0%	8%	N/A	
AC ER Injury w/BNI	35.7%	0.0%	0.0%	0%	N/A	
AC IPV/DV Screen						
15-40	1.9%	0.3%	0.0%	48%	N/A	
AC IPV/DV 15-40						
w/Exam	0.8%	0.0%	0.0%	N/A%	N/A	
AC IPV/DV 15-40						
w/Related DX	0.8%	0.0%	0.0%	N/A%	N/A	
AC IPV/DV 15-40						
w/Education	0.8%	0.3%	0.0%	N/A%	N/A	
AC IPV/DV 15-40						
w/Refusal	0.6%	0.0%	0.0%	N/A%	N/A	
DM: Depression Screen	14.0%	12.6%	5.7%	68%	N/A	
CARDIOVASCULAR DISEASE						
Cholesterol Screen 23+	26.6%	34.0%	35.3%	55%	80.0%	
BP Assessed 20+	61.1%	77.3%	74.7%	84%	N/A	
Normal BP						
	20.8%	24.3%	25.3%	30%	N/A	
Pre-HTN I BP	16.4%	20.1%	17.4%	20%	N/A	
Pre-HTN II BP	24.1%	21.2%	22.0%	30%	N/A	
Stage 1 HTN BP	27.2%	27.2%	27.2%	18%	N/A	
Stage 2 HTN BP	6.0%	7.1%	8.2%	3%	N/A	

Figure 6-43: Example of the Area ONM Report, Selected Other National Measures Clinical Performance Summary, Page 1

MP	May 27, 2010				Page 2
IHS 2010 Other National Measures Report ***					
AREA AGGREGATE					
Report Period: Jul 01, 2009 to Jun 30, 2010					
Previous Year Period: Jul 01, 2008 to Jun 30, 2009					
Baseline Period: Jul 01, 1999 to Jun 30, 2000					

SELECTED OTHER NATIONAL MEASURES CLINICAL PERFORMANCE SUMMARY					
	Area	Area	Area	Nat'l	2010
	Current	Previous	Baseline	2009	Target

BP Assessed in IHD Pts	100.0%	100.0%	100.0%	98%	N/A
Normal BP	14.0%	13.6%	13.9%	23%	N/A
Pre-HTN I BP	7.0%	25.0%	19.4%	22%	N/A
Pre-HTN II BP	35.1%	22.7%	30.6%	27%	N/A
Stage 1 HTN BP	26.3%	29.5%	16.7%	23%	N/A
Stage 2 HTN BP	5.3%	9.1%	19.4%	5%	N/A
Med Therapy Post AMI					
Beta-Blocker Treatment	35.8%	0.0%	0.0%	83%	N/A
ASA Treatment	16.4%	0.0%	0.0%	87%	N/A

(continued on next page)

ACEI/ARB Treatment	22.4%	0.0%	0.0%	61%	N/A
Statin Treatment	16.4%	0.0%	0.0%	57%	N/A
With all Above Meds	6.0%	0.0%	0.0%	39%	N/A
Persistence of Med Therapy Post AMI					
Beta-Blocker Treatment	40.0%	66.7%	75.0%	73%	N/A
ASA Treatment	12.0%	0.0%	50.0%	54%	N/A
ACEI/ARB Treatment	22.0%	33.3%	25.0%	50%	N/A
Statin Treatment	14.0%	66.7%	50.0%	36%	N/A
With All Above Meds	6.0%	0.0%	25.0%	17%	N/A
Med Therapy in High Risk Patients					
Beta-Blocker Treatment	68.4%	61.4%	50.0%	70%	N/A
ASA Treatment	50.9%	52.3%	75.0%	56%	N/A
ACEI/ARB Treatment	64.9%	47.7%	55.6%	57%	N/A
Statin Treatment	61.4%	52.3%	44.4%	35%	N/A
With All Above Meds	35.1%	22.7%	16.7%	16%	N/A
LDL Assessed in Cardiovascular					
Conditions 18-75	93.5%	76.9%	50.0%	73%	N/A
LDL <=100	37.9%	55.0%	33.3%	69%	N/A
LDL 101-130	17.2%	15.0%	22.2%	18%	N/A
LDL >130	17.2%	20.0%	44.4%	10%	N/A
HF and LVS Function	30.2%	0.0%	0.0%	16%	N/A
OTHER CLINICAL					
# STI Patients	62	20	20	7,427	N/A
# STI Incidents	70	24	30	9,323	N/A
STI Pts w/STI Screens	22.0%	16.7%	17.8%	40%	N/A
PreDM/Met Synd All Screen	0.0%	0.0%	0.0%	3%	N/A
# PHN Visits-Any Setting	36	32	38	367,587	N/A

Figure 6-44: Example of Area ONM Report, Selected Other National Measures Clinical Performance Summary, Page 2

6.2.4.4 Selected Other National Measures Clinical Performance Detail

The Selected Other National Measures Clinical Performance Detail section shows the selected performance measure rates by each facility within the area. For example:

MP	May 27, 2010				Page 1	
*** IHS 2010 Other National Measures Report ***						
AREA AGGREGATE						
Report Period: Jul 01, 2009 to Jun 30, 2010						
Previous Year Period: Jul 01, 2008 to Jun 30, 2009						
Baseline Period: Jul 01, 1999 to Jun 30, 2000						

SELECTED OTHER NATIONAL MEASURES CLINICAL PERFORMANCE DETAIL						
	Site	Site	Site	Area	Nat'l	2010
	Current	Prev	Base	Current	2009	Target
DIABETES						
Comprehensive Care				X.X%	18%	N/A
999999 FACILITY A	XX.X%	X.X%	XX.X%			
999999 FACILITY B	XX.X%	X.X%	XX.X%			
999999 FACILITY C	XX.X%	X.X%	XX.X%			
999999 FACILITY D	XX.X%	X.X%	XX.X%			

(continued on next page)

DENTAL						
Top Fluoride-# Apps				XXXX	173,839	N/A
999999 FACILITY A	XXXX	XXXX	XXXX			
999999 FACILITY B	XXXX	XXXX	XXXX			
999999 FACILITY C	XXXX	XXXX	XXXX			
999999 FACILITY D	XXXX	XXXX	XXXX			
IMMUNIZATIONS						
DM: Influenza				X.X%	63%	N/A
999999 FACILITY A	XX.X%	X.X%	XX.X%			
999999 FACILITY B	XX.X%	X.X%	XX.X%			
999999 FACILITY C	XX.X%	X.X%	XX.X%			
999999 FACILITY D	XX.X%	X.X%	XX.X%			
DM: Pneumovax Ever				X.X%	82%	N/A
999999 FACILITY A	XX.X%	X.X%	XX.X%			
999999 FACILITY B	XX.X%	X.X%	XX.X%			
999999 FACILITY C	XX.X%	X.X%	XX.X%			
999999 FACILITY D	XX.X%	X.X%	XX.X%			
Adolescent (13-17 Years)						
AC: 1:3:2:1				X.X%	65%	N/A
999999 FACILITY A	XX.X%	X.X%	XX.X%			
999999 FACILITY B	XX.X%	X.X%	XX.X%			
999999 FACILITY C	XX.X%	X.X%	XX.X%			
999999 FACILITY D	XX.X%	X.X%	XX.X%			
AC: 1 Tdap				X.X%	51%	N/A
999999 FACILITY A	XX.X%	X.X%	XX.X%			
999999 FACILITY B	XX.X%	X.X%	XX.X%			
999999 FACILITY C	XX.X%	X.X%	XX.X%			
999999 FACILITY D	XX.X%	X.X%	XX.X%			
AC: 1 Meningococcal				X.X%	59%	N/A
999999 FACILITY A	XX.X%	X.X%	XX.X%			
999999 FACILITY B	XX.X%	X.X%	XX.X%			
999999 FACILITY C	XX.X%	X.X%	XX.X%			
999999 FACILITY D	XX.X%	X.X%	XX.X%			
AC Female: 3 HPV				X.X%	29%	N/A
999999 FACILITY A	XX.X%	X.X%	XX.X%			
999999 FACILITY B	XX.X%	X.X%	XX.X%			
999999 FACILITY C	XX.X%	X.X%	XX.X%			
999999 FACILITY D	XX.X%	X.X%	XX.X%			

Figure 6-45: Example of Area ONM Report, Selected Other National Measures Clinical Performance Detail

6.2.5 Area EO Quality Transparency Measures Report (AEO)

Use the Area EO Quality Transparency Measures Report (AEO) option to produce an Area-Office-wide EO Quality Transparency Measures Report. This report may only be aggregated from report files for which *all* EO Quality Transparency Measures Report measures were included. This report aggregates all data files received to date from facilities and reports the total Area-Office-wide numbers.

The Area EO Quality Transparency Measures Report is different from the National GPRA & PART Report, as it can be run for different types of user populations:

- AI/AN only
- Non-AI/AN
- Both (i.e., the entire population)

It can also be run for different date ranges, whereas the National GPRA & PART Report uses only predefined date ranges. Patient lists are *not* included in the Area Office Aggregate report.

Note: To run the Area Aggregate EO Quality Transparency Measures Report, the data uploaded from the facilities must have the same report period, baseline period, and patient population, and must include all EO measures.

The Area Aggregate EO Quality Transparency Measures Report outputs one delimited file that has a file name beginning with “CRSEONT1.” This file must be sent to the National GPRA Support Team.

The files are used to report the measures on the IHS Quality of Care Web site (www.ihs.gov/NonMedicalPrograms/quality).

Additionally, the file may be imported into Excel to create graphs and other summary reports. For instructions, see Appendix B: Working with Delimited Files.

The Area EO Quality Transparency Measures Report provides users with two options for running the report: (1) using the same hard-coded report parameters (Report Period, Previous Year Period, and Baseline Year) as the National GPRA & PART Report, or (2) using custom, user-defined report parameters. These options are shown below.

```
[Area Office] Executive Order Quality Transparency Measures Report

Please select the type of report would you like to run:

H  Hard-coded Report: Report with all parameters set to the
   same as the National GPRA Report (report period of
   July 1, 2009 - June 30, 2010, baseline period of July 1, 1999
   - June 30, 2000, and AI/AN patients only)

U  User-defined Report: You select the report and baseline
   periods and beneficiary population

Select a Report Option: H// H <Enter> Hard-coded Report
```

Figure 6-46: Running the Area EO Quality Transparency Measures Report: hard-coded vs. user-defined reports

The hard-coded report period is set to the current GPRA report period; the previous year period is set to one year prior to the report period; and the baseline year is set to July 1, 1999 – June 30, 2000. The patient population is set to AI/AN only.

The date ranges and patient population for the user-defined report are set by the user.

- To run the report using the hard-coded report parameters, go to Section 6.2.5.1.
- To run the report using user-defined parameters, go to Section 6.2.5.2.

6.2.5.1 Area EO Quality Transparency Measures Report, Hard-Coded Report Option

```

*****
**   IHS/RPMS CRS 2010   **
**   Area Office Options **
*****
                        Version 10.0

                        DEMO INDIAN HOSPITAL

UPL   Upload Report Files from Site
AGP   AREA National GPRA & PART Report
ASUM  AREA National GPRA & PART Report Perf Summaries
GPIA  AREA GPRA & PART Performance Report
AONM  AREA Other National Measures Report
AEO   AREA EO Quality Transparency Measures Report
AELD  AREA Elder Care Report
AHED  Area HEDIS Report
APCM  AREA Patient Education Rpt w/Community Specified
AHW   AREA Height and Weight Data File
LSTF  List files in a directory

Select Area Options Option: AEO <Enter>

```

Figure 6-47: Area Office Options menu: selecting the Area EO Quality Transparency Measures Report (AEO) (Step 1)

1. At the “Select Area Options Option” prompt, type **AEO** and press the Enter key.

```
[Area Office] Executive Order Quality Transparency Measures Report

Please select the type of report would you like to run:

  H Hard-coded Report: Report with all parameters set to the
    same as the National GPRA Report (report period of
    July 1, 2009 - June 30, 2010, baseline period of July 1, 1999
    - June 30, 2000, and AI/AN patients only)

  U User-defined Report: You select the report and baseline
    periods and beneficiary population

Select a Report Option: H// H <Enter> Hard-coded Report
```

Figure 6-48: Running the Area EO Quality Transparency Measures Report: selecting the Hard-coded Report option (Step 2)

2. At the “Select a Report Option” prompt, press the Enter key to accept the default option, “H,” and display the report date ranges.
3. At the “Run Report for” prompt, do one of the following:
 - To combine data for all sites, press the Enter key to accept the default “A” (Area Aggregate).
 - To run a report similar to a facility’s Other National Measures report, type **F** (One Facility) and press the Enter key.
4. Press the Enter key at the prompt to display the Area Aggregate Site Selection screen (Figure 6-34).

All facilities that have uploaded their data files for the selected time period are displayed. Any CHS-only facility is marked with a plus sign (+) after its name.

```
AREA AGGREGATE SITE SELECTION Jun 01, 2010 12:59          Page: 1 of 1
Area Aggregate Site Selection
* indicates the site has been selected
+ after the facility name denotes a CHS Only Site
#   SU      FACILITY      BEG DATE  END DATE  BASE BEG  BASE END  DATE RUN
*1) DEMO SU A  FACILITY A    07/01/09 06/30/10 07/01/99 06/30/00 07/08/10
*2) DEMO SU B  FACILITY B    07/01/09 06/30/10 07/01/99 06/30/00 07/08/10
*3) DEMO SU C  FACILITY C    07/01/09 06/30/10 07/01/99 06/30/00 07/08/10
*4) DEMO SU D  FACILITY D    07/01/09 06/30/10 07/01/99 06/30/00 07/08/10

Enter ?? for more actions
A Area Aggregate All Facilities      R Remove (unselect) Facility
S Select Facility                    Q Quit
Select Action:+// Q <Enter> Quit
```

Figure 6-49: Running the Area EO Quality Transparency Measures Report: selecting facilities (Steps 4, 5, and 6)

5. At the “Select Action” prompt, do one of the following:

- To view multiple pages:
 - Type a plus sign (+) and press the Enter key to view the next page.
 - Type a minus sign/hyphen (-) and press the Enter key to return to the previous page.
- To select facilities to include in your report:
 - To select all facilities, type **A** and press the Enter key.
 - To select specific facilities, type **S** and press the Enter key. At the “Which Facility” prompt, type the number(s) of the facility or facilities you want to select and press the Enter key.

To select multiple facilities, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of ranges and numbers (e.g., 1–4, 8, 12).

After pressing the Enter key, each selected facility is marked with an asterisk (*) before its number.
 - To remove (unselect) a facility, type **R** and press the Enter key. At the “Which Facility(s)” prompt, type the number of the facility and press the Enter key.

All selected facilities are marked with an asterisk before their corresponding numbers.
- 6. To save your selected facilities, type **Q** (Quit) at the “Select Action” prompt and press the Enter key.
- 7. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
 - P (Print) sends the report file to your printer, your screen, or an electronic file.
 - D (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
 - B (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2 (Page 111).

6.2.5.2 Area EO Quality Transparency Measures Report, User-Defined Report Option

```

*****
**   IHS/RPMS CRS 2010   **
**   Area Office Options **
*****
                        Version 10.0

                        DEMO INDIAN HOSPITAL

UPL   Upload Report Files from Site
AGP   AREA National GPRA & PART Report
ASUM  AREA National GPRA & PART Report Perf Summaries
GPUA  AREA GPRA & PART Performance Report
AONM  AREA Other National Measures Report
AEO   AREA EO Quality Transparency Measures Report
AELD  AREA Elder Care Report
AHED  Area HEDIS Report
APCM  AREA Patient Education Rpt w/Community Specified
AHW   AREA Height and Weight Data File
LSTF  List files in a directory

Select Area Options Option: AEO <Enter>

```

Figure 6-50: Area Office Options menu: selecting the Area EO Quality Transparency Measures Report (AEO) (Step 1)

1. At the “Select Area Options Option” prompt, type **AEO** and press the Enter key.

```

[Area Office] Executive Order Quality Transparency Measures Report

Please select the type of report would you like to run:

  H  Hard-coded Report: Report with all parameters set to the
     same as the National GPRA Report (report period of
     July 1, 2009 - June 30, 2010, baseline period of July 1, 1999
     - June 30, 2000, and AI/AN patients only)

  U  User-defined Report: You select the report and baseline
     periods and beneficiary population

Select a Report Option: H// U <Enter>

```

Figure 6-51: Running the Area EO Quality Transparency Measures Report: selecting the User-defined Report option (Step 2)

2. At the “Select a Report Option” prompt, type **U** and press the Enter key to display the following information about the report:

```

This will produce an Executive Order Quality Transparency Measures
Report for a year period you specify. You will be asked to
provide: 1) the reporting period, 2) the baseline period to compare
data to, and 3) the beneficiary/classification of the patients.

Select one of the following:

1      January 1 - December 31
2      April 1 - March 31
3      July 1 - June 30
4      October 1 - September 30
5      User defined date range

Enter the date range for your report:

```

Figure 6-52: Running the Area EO Quality Transparency Measures Report: selecting a date range (Steps 3 and 4)

3. At the “Enter the date range for your report” prompt, do one of the following:
 - To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.
At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.
 - To define a custom report period, type **5** and press the Enter key.
At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.
4. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.

The date ranges you have selected for the report are displayed, including the Report Period (current), the Previous Year Period, and the Baseline Period.

```

The date ranges for this report are:
Report Period:      Jan 02, 2009 to 2010
Previous Year Period:  Jan 02, 2008 to 2009
Baseline Period:    Jan 02, 1999 to 2000

Select one of the following:

1      Indian/Alaskan Native (Classification 01)
2      Not Indian Alaskan/Native (Not Classification 01)
3      All (both Indian/Alaskan Natives and Non 01)

Select Beneficiary Population to include in this report: 1// <Enter> Indian/Alaskan
Native (Classification 01)

```

Figure 6-53: Running the Area EO Quality Transparency Measures Report: selecting the beneficiary population (Step 5)

5. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include and press the Enter key, where:
 - **1** (Indian/Alaskan Native) reports only on AI/AN patients.
 - **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
 - **3** (All) reports on your entire patient population.

```
The date ranges for this report are:
Report Period:      Jul 01, 2009 to Jun 30, 2010
Previous Year Period:  Jul 01, 2008 to Jun 30, 2009
Baseline Period:    Jul 01, 1999 to Jun 30, 2000

Beneficiary Population is set to American Indian/Alaskan Native Only.

Select one of the following:

    A          AREA Aggregate
    F          One Facility

Run Report for: A// A <Enter> AREA Aggregate
```

Figure 6-54: Running the Area EO Quality Transparency Measures Report: selecting report facilities (Step 6)

6. At the “Run Report for” prompt, do one of the following:
 - To combine data for all sites, press the Enter key to accept the default “**A**” (Area Aggregate).
 - To run a report for a single facility, type **F** and press the Enter key.

```
You will now be able to select which sites to use in the
area aggregate/facility report.

Press Enter to Continue :<Enter>
```

Figure 6-55: Running the Area EO Quality Transparency Measures Report (Step 7)

7. Press the enter key at the prompt to display the Area Aggregate Site Selection screen, as in the following example.

```

AREA AGGREGATE SITE SELECTION Jun 01, 2010 12:59          Page: 1 of 1
Area Aggregate Site Selection
* indicates the site has been selected
+ after the facility name denotes a CHS Only Site
#      SU          FACILITY          BEG DATE  END DATE  BASE BEG  BASE END  DATE RUN
*1) DEMO SU A    FACILITY A      07/01/09  06/30/10  07/01/99  06/30/00  07/08/10
*2) DEMO SU B    FACILITY B      07/01/09  06/30/10  07/01/99  06/30/00  07/08/10
*3) DEMO SU C    FACILITY C      07/01/09  06/30/10  07/01/99  06/30/00  07/08/10
*4) DEMO SU D    FACILITY D      07/01/09  06/30/10  07/01/99  06/30/00  07/08/10

          Enter ?? for more actions
A      Area Aggregate  All Facilities      R      Remove (unselect) Facility
S      Select Facility                               Q      Quit
Select Action: +// Q <Enter> Quit

```

Figure 6-56: Running the Area EO Quality Transparency Measures Report: selecting facilities (Step 8)

8. At the “Select Action” prompt, do one of the following:

- To view multiple pages:
 - Type a plus sign (+) and press the Enter key to view the next page.
 - Type a minus sign/hyphen (-) and press the Enter key to return to the previous page.
- To select facilities to include in your report:
 - To select all facilities, type **A** and press the Enter key.
 - To select specific facilities, type **S** and press the Enter key. At the “Which Facility” prompt, type the number(s) of the facility or facilities you want to select and press the Enter key.

To select multiple facilities, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of ranges and numbers (e.g., 1–4, 8, 12).

After pressing the Enter key, each selected facility is marked with an asterisk (*) before its number.

- To remove (unselect) a facility, type **R** and press the Enter key. At the “Which Facility(s)” prompt, type the number of the facility and press the Enter key.

All selected facilities are marked with an asterisk (*) before their corresponding numbers.

8. To save your selected facilities, type **Q** (Quit) at the “Select Action” prompt and press the Enter key.

9. The system displays the name of an export file and its location, as in the following example:

```
A file will be created called CRSEONT1505901200906300000000020100619092914_00000
2.TXT
and will reside in the Q:\ directory. This file can be used in Excel.
```

Figure 6-57: Running the Area EO Quality Transparency Measures Report: export file name and location display (Step 9)

```
Select one of the following:

      P      Print Report on Printer or Screen
      D      Create Delimited output file (for use in Excel)
      B      Both a Printed Report and Delimited File

Select an Output Option: P// P <Enter> Print Report on Printer or Screen
```

Figure 6-58: Running the Area EO Quality Transparency Measures Report: selecting output option (Step 10)

10. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:

- P (Print) sends the report file to your printer, your screen, or an electronic file.
- D (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
- B (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2 (Page 111).

6.2.5.3 Report Content

The Area Aggregate EO Quality Transparency Measures Report contains the following sections:

- Cover page
- EO Quality Transparency Measure Topics
- EO Quality Transparency Measures Clinical Performance Summary
- EO Quality Transparency Measures Clinical Performance Detail

An example of the cover page, clinical performance summary, and clinical performance detail sections of the report follows.

6.2.5.4 Cover Page

Both the printed and delimited reports include a cover page displaying a list of all facilities and the communities of each facility that are included in the report data. The report data is aggregated for each measure.




Figure 6-59: Example of the cover page for the Area Aggregate Executive Order Quality Measures Report

At the end of the report are the EO Quality Transparency Measures Clinical Performance Summary and EO Quality Transparency Measures Clinical Performance Detail sections, as described below.

6.2.5.5 EO Quality Transparency Measures Clinical Performance Summary

The EO Quality Transparency Measures Clinical Performance Summary section lists the Area Office aggregate performance measure rates for the Report Period, Previous Year Period, and Baseline Period, as well as the National 2008 performance and the HEDIS or JCAHO rates.

MP		May 27, 2010			Page 1	
*** IHS 2010 Executive Order Quality Transparency Measures Report ***						
CRS 2010, Version 10.0						
AREA AGGREGATE						
Report Period: Jul 01, 2009 to Jun 30, 2010						
Previous Year Period: Jul 01, 2008 to Jun 30, 2009						
Baseline Period: Jul 01, 1999 to Jun 30, 2000						

EO QUALITY TRANSPARENCY MEASURES CLINICAL PERFORMANCE SUMMARY						
	Area	Area	Area	Nat'l	HEDIS or	
	Current	Previous	Baseline	2009*	JCAHO**	

DIABETES						
Poor Alc Control (>9.0)	51.2%	35.8%	58.5%	46.4%	47.9%	HMCD
BP Control (<140/90)	55.6%	41.1%	37.9%	65.1%	55.5%	HMCD
LDL Control (<100)	27.7%	32.6%	9.2%	36.2%	31.3%	HMCD
IMMUNIZATIONS						
Influenza 50-64 w/ IZ/ Contraindication/NMI Refusal	22.3%	25.2%	12.2%	53.9%	48.6%	HCOM
A. Contraindication /NMI Refusal	5.9%	0.0%	0.0%	N/A	N/A	
Influenza 65+ w/ IZ// Contraindication/ NMI Refusal	30.0%	37.5%	23.1%	67.0%	68.6%	HMCR
A. Contraindication NMI Refusal	3.0%	0.0%	0.0%	N/A	N/A	
Pneumovax 65+ w/ IZ/ Contraindication/ NMI Refusal	44.5%	68.8%	56.9%	88.7%	N/A	
A. Contrainidcation /NMI Refusal	8.2%	4.5%	0.0%	N/A	N/A	
RESPIRATORY						
Asthma w/ Preferred Meds	88.9%	71.4%	75.0%	81.8%	86.9%	HMCD
CAP w/O2 Assmt	44.2%	8.3%	25.0%	73.6%	99.7%	JCO
CAP w/Refusal O2 Assmt	7.7%	0.0%	0.0%	0.0%	N/A	
CAP w/o O2 Assmt	48.1%	91.7%	75.0%	26.4%	N/A	

(continued on next page)

CARDIOVASCULAR DISEASE					
Persistent BB after AMI	7.7%	50.0%	50.0%	N/A	62.0% HMCD
Male Persistence of BB	16.7%	100.0%	0.0%	N/A	N/A
Female Persistent of BB	0.0%	0.0%	50.0%	N/A	N/A
HTN w/BP Assessed	99.0%	92.0%	93.4%	N/A	N/A
HTN w/BP <140/90	37.0%	36.0%	33.0%	N/A	53.4% HMCD
Atr Fib w/ Anticoag	29.4%	0.0%	0.0%	83.3%	N/A
Atr Fib w/Refusal Anticoag	5.9%	0.0%	0.0%	0.0%	N/A

Figure 6-60: Example of the Area Aggregate EO Quality Transparency Measures Report, Clinical Performance Summary Section, Page 1

MP	May 27, 2010			Page 2	
*** IHS 2010 Executive Order Quality Transparency Measures Report ***					
CRS 2010, Version 10.0					
AREA AGGREGATE					
Report Period: Jul 01, 2009 to Jun 30, 2010					
Previous Year Period: Jul 01, 2008 to Jun 30, 2009					
Baseline Period: Jul 01, 1999 to Jun 30, 2000					

EO QUALITY TRANSPARENCY MEASURES CLINICAL PERFORMANCE SUMMARY					
	Area	Area	Area	Nat'l	HEDIS or
	Current	Previous	Baseline	2009*	JCAHO**

Atr Fib w/o Anticoag	64.7%	0.0%	0.0%	16.7%	N/A
CVD w/LDL Assessment	96.7%	80.0%	50.0%	N/A	76.3% HMCD
CVD w/LDL <100	36.7%	44.0%	16.7%	N/A	38.3% HMCD
* Represents national rates as of March 17, 2010 for all federal, one Navajo tribal facility, six Oklahoma tribal facilities, and four Portland tribal facilities.					
**The rates shown in the "HEDIS or JCAHO" column represent the most recent rate available, which may be different from the CRS report period. The abbreviations after the rate represent: HMCD-HEDIS Medicaid, HCOM-HEDIS Commercial, HMCR-HEDIS Medicare, and JCO-JCAHO.					

Figure 6-61: Example of the Area Aggregate EO Quality Transparency Measures Report, Clinical Performance Summary Section, Page 2

6.2.5.6 EO Quality Transparency Measures Clinical Performance Detail

The EO Quality Transparency Measures Clinical Performance Detail section shows the performance measure rates by each facility within the area.

MP	May 27, 2010			Page 1		
*** IHS 2010 Executive Order Quality Transparency Measures Report ***						
CRS 2010, Version 10.0						
AREA AGGREGATE						
Report Period: Jul 01, 2009 to Jun 30, 2010						
Previous Year Period: Jul 01, 2008 to Jun 30, 2009						
Baseline Period: Jul 01, 1999 to Jun 30, 2000						

EO QUALITY TRANSPARENCY MEASURES CLINICAL PERFORMANCE DETAIL						
	Site	Site	Site	Nat'l	HEDIS or	
	Current	Previous	Baseline	2009*	JCAHO**	

DIABETES						
Poor Alc Control (>9.0)				51.2%	46.4%	47.9% HMCD
999999	FACILITY A	XX.X%	X.X%	XX.X%		
999999	FACILITY B	XX.X%	X.X%	XX.X%		
999999	FACILITY C	XX.X%	X.X%	XX.X%		
999999	FACILITY D	XX.X%	X.X%	XX.X%		
BP Control (<140/90)				55.6%	65.1%	55.5% HMCD
999999	FACILITY A	XX.X%	X.X%	XX.X%		
999999	FACILITY B	XX.X%	X.X%	XX.X%		
999999	FACILITY C	XX.X%	X.X%	XX.X%		
999999	FACILITY D	XX.X%	X.X%	XX.X%		
LDL Control (<100)				27.7%	36.2%	31.3% HMCD
999999	FACILITY A	XX.X%	X.X%	XX.X%		
999999	FACILITY B	XX.X%	X.X%	XX.X%		
999999	FACILITY C	XX.X%	X.X%	XX.X%		
999999	FACILITY D	XX.X%	X.X%	XX.X%		
IMMUNIZATIONS						
Influenza 50-64 w/ IZ/ Contraindication/NMI Refusal				22.6%	51.5%	48.6% HCOM
999999	FACILITY A	XX.X%	X.X%	XX.X%		
999999	FACILITY B	XX.X%	X.X%	XX.X%		
999999	FACILITY C	XX.X%	X.X%	XX.X%		
999999	FACILITY D	XX.X%	X.X%	XX.X%		
A. Contraindication /NMI Refusal				3.9%	8.5%	N/A
999999	FACILITY A	XX.X%	X.X%	XX.X%		
999999	FACILITY B	XX.X%	X.X%	XX.X%		
999999	FACILITY C	XX.X%	X.X%	XX.X%		
999999	FACILITY D	XX.X%	X.X%	XX.X%		

Figure 6-62: Example of the Area Aggregate EO Quality Transparency Measures Report, Clinical Performance Detail section

6.2.6 Area Elder Care Report (AELD)

CI10 > AO > AELD

Use the Area Elder Care Report (AELD) option to produce an Area-Office-wide Elder Care Report. This report may be aggregated only from report files for which *all* Elder Care measures were included. This report aggregates all data files received to date from facilities, and reports the total Area-Office-wide numbers.

The Area Elder Care report is different from the National GPRA & PART Report, as it can be run for different types of user populations:

- AI/AN only
- Non-AI/AN
- Both (i.e., the entire population)

This report can also be run for different date ranges, whereas the National GPRA & PART Report uses only predefined date ranges. Patient lists are *not* included in the Area Aggregate report.

Note: To run the Area Aggregate Elder Care Report, the data uploaded from the facilities must have the same report period, baseline period, and patient population.

To run the Area Elder Care report, follow these steps:

```

*****
**   IHS/ RPMS CRS 2010   **
**   Area Office Options  **
*****
                          Version 10.0

                          DEMO INDIAN HOSPITAL

UPL   Upload Report Files from Site
AGP   AREA National GPRA & PART Report
ASUM  AREA National GPRA & PART Report Perf Summaries
GPUA  AREA GPRA & PART Performance Report
AONM  AREA Other National Measures Report
AEO   AREA EO Quality Transparency Measures Report
AELD  AREA Elder Care Report
AHED  Area HEDIS Report
APCM  AREA Patient Education Rpt w/Community Specified
AHW   AREA Height and Weight Data File
LSTF  List files in a directory

Select Area Options Option: AELD <Enter> Run AREA Elder Care Report

```

Figure 6-63: Area Office Options menu: selecting the Area Elder Care Report (AELD) (Step 1)

1. At the “Select Area Options Option” prompt type AELD and press the Enter key

```

2010 Area Aggregate Elder Care Clinical Performance Measure Report

This will produce an Elder Care Performance Measure Report for all ELDER
measures for a year period you specify. You will be asked to provide:
1) the reporting period, 2) the baseline period to compare data to, and
3) the beneficiary/classification of the patients.

There are 27 topics in the Elder Care Measure Report.

Select one of the following:

1          January 1 - December 31
2          April 1 - March 31
3          July 1 - June 30
4          October 1 - September 30
5          User defined date range

Enter the date range for your report: 1 <Enter> January 1 - December 31

Enter the Calendar Year for the report END date. Use a 4 digit
year, e.g. 2010
Enter Year: 2010 <Enter> (2010)

Enter the Baseline Year to compare data to.
Use a 4 digit year, e.g. 1999, 2000
Enter Year (e.g. 2000): 2000 <Enter> (2000)

The date ranges for this report are:
Report Period:      Jan 01, 2010 to Dec 31, 2010
Previous Year Period: Jan 01, 2009 to Dec 31, 2009
Baseline Period:    Jan 01, 2000 to Dec 31, 2000

```

Figure 6-64: Running the Area Elder Care Report: selecting date ranges (Steps 2 and 3)

2. At the “Enter the date range for your report” prompt, do one of the following:
 - To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.
At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.
 - To define a custom report period, type **5** and press the Enter key.
At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.
3. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.

```

Select one of the following:

    1      Indian/Alaskan Native (Classification 01)
    2      Not Indian Alaskan/Native (Not Classification 01)
    3      All (both Indian/Alaskan Natives and Non 01)

Select Beneficiary Population to include in this report: 1// <Enter> Indian/Alaskan
Native (Classification 01)

```

Figure 6-65: Running the Area Elder Care Report: selecting beneficiary population (Step 4)

4. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include and press the Enter key, where:
 - **1** (Indian/Alaskan Native) reports only on AI/AN patients.
 - **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
 - **3** (All) reports on your entire patient population.
5. Press the enter key at the prompt to display the Area Aggregate Site Selection screen.
6. At the “Select Action” prompt, do one of the following:
 - To view multiple pages:
 - Type a plus sign (+) and press the Enter key to view the next page.
 - Type a minus sign/hyphen (-) and press the Enter key to return to the previous page.
 - To select facilities to include in your report:
 - To select all facilities, type **A** and press the Enter key.
 - To select specific facilities, type **S** and press the Enter key. At the “Which Facility” prompt, type the number(s) of the facility or facilities you want to select and press the Enter key.

To select multiple facilities, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of ranges and numbers (e.g., 1–4, 8, 12).

After pressing the Enter key, each selected facility is marked with an asterisk (*) before its number.
 - To remove (unselect) a facility, type **R** and press the Enter key. At the “Which Facility(s)” prompt, type the number of the facility and press the Enter key.

All selected facilities are marked with an asterisk (*) before their corresponding numbers.

7. To save your selected facilities, type **Q** (Quit) at the “Select Action” prompt and press the Enter key.
8. The system displays the name of an export file and its location, as in the following example:
9. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
 - P (Print) sends the report file to your printer, your screen, or an electronic file.
 - D (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
 - B (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2.

6.2.7 Area HEDIS Report (AHED)

CI10 > AO > AHED

Use the Area HEDIS Performance Report (AHED) option to produce an area-wide HEDIS Performance Report. This report aggregates all data files received to date from facilities, and reports the total area-wide numbers.

The Area HEDIS Performance report is different from the National GPRA Report, as it can be run for different types of user populations:

- AI/AN only
- Non-AI/AN
- Both (i.e., the entire population)

It can also be run for different date ranges, whereas the National GPRA Report uses only predefined date ranges. Patient lists are *not* included in the Area Aggregate report.

Note: To run the Area Aggregate HEDIS Report, the data uploaded from the facilities must have the same report period, baseline period, and patient population.

To run the Area HEDIS Report, follow these steps:

```

*****
**   IHS/RPMS CRS 2010   **
** Area Office Options **
*****
Version 10.0

DEMO INDIAN HOSPITAL

UPL  Upload Report Files from Site
AGP  AREA National GPRA & PART Report
ASUM AREA National GPRA & PART Report Perf Summaries
GPIA AREA GPRA & PART Performance Report
AONM AREA Other National Measures Report
AEO  AREA EO Quality Transparency Measures Report
AELD AREA Elder Care Report
AHED Area HEDIS Report
APCM AREA Patient Education Rpt w/Community Specified
AHW  AREA Height and Weight Data File
LSTF List files in a directory

Select Area Options Option: AHED <Enter> Run AREA Elder Care Report

```

Figure 6-66: Area Office Options menu: selecting the Area HEDIS Report option (AHED) (Step 1)

1. At the “Select Area Options Option” prompt, type **AHED** and press the Enter key.

```

[AREA] IHS 2010 Area Aggregate HEDIS Performance Report

Select one of the following:

1      January 1 - December 31
2      April 1 - March 31
3      July 1 - June 30
4      October 1 - September 30
5      User defined date range

Enter the date range for your report: 1 <Enter> January 1 - December 31

Enter the Calendar Year for the report END date. Use a 4 digit
year, e.g. 2010
Enter Year: 2010 <Enter> (2010)

Enter the Baseline Year to compare data to.
Use a 4 digit year, e.g. 1999, 2000
Enter Year (e.g. 2000): 2000 <Enter> (2000)

The date ranges for this report are:
Reporting Period:      Jan 01, 2010 to Dec 31, 2010
Previous Year Period:  Jan 01, 2009 to Dec 31, 2009
Baseline Period:      Jan 01, 2000 to Dec 31, 2000

```

Figure 6-67: Running the Area HEDIS Report: selecting date ranges (Step 2)

2. At the “Enter the date range for your report” prompt, do one of the following:
 - To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.
At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.
 - To define a custom report period, type **5** and press the Enter key.
At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.
3. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key.

```

Select one of the following:

1      Indian/Alaskan Native (Classification 01)
2      Not Indian Alaskan/Native (Not Classification 01)
3      All (both Indian/Alaskan Natives and Non 01)

Select Beneficiary Population to include in this report: 1// <Enter> Indian/Alaskan
Native (Classification 01)
```

Figure 6-68: Running the Area HEDIS Report: selecting beneficiary population (Step 4)

4. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include and press the Enter key, where:
 - **1** (Indian/Alaskan Native) reports only on AI/AN patients.
 - **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
 - **3** (All) reports on your entire patient population.
5. Press the enter key at the prompt to display the Area Aggregate Site Selection screen.
6. At the “Select Action” prompt, do one of the following:
 - To view multiple pages:
 - Type a plus sign (+) and press the Enter key to view the next page.
 - Type a minus sign/hyphen (-) and press the Enter key to return to the previous page.
 - To select facilities to include in your report:
 - To select all facilities, type **A** and press the Enter key.

- To select specific facilities, type **S** and press the Enter key. At the “Which Facility” prompt, type the number(s) of the facility or facilities you want to select and press the Enter key.

To select multiple facilities, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of ranges and numbers (e.g., 1–4, 8, 12).

After pressing the Enter key, each selected facility is marked with an asterisk (*) before its number.

- To remove (unselect) a facility, type **R** and press the Enter key. At the “Which Facility(s)” prompt, type the number of the facility and press the Enter key.

All selected facilities are marked with an asterisk (*) before their corresponding numbers.

7. To save your selected facilities, type **Q** (Quit) at the “Select Action” prompt and press the Enter key.
8. The system displays the name of an export file and its location, as in the following example:
9. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
 - P (Print) sends the report file to your printer, your screen, or an electronic file.
 - D (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
 - B (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2.

6.2.8 AREA Patient Education Report with Community Specified (APCM)

CI10 > AO > APCM

Use the Area Patient Education Report with Community Specified (APCM) option to produce an Area-wide Patient Education with Community Specified Report. This report may only be aggregated from report files for which *all* patient education measures were included. This report aggregates all data files received to date from facilities, and reports the total Area-wide numbers.

The Area Patient Education with Community Specified Report is different from the National GPRA & PART Report, as it can be run for different types of user populations:

- AI/AN only,
- Non-AI/AN
- Both (i.e., the entire population)

It can also be run for different date ranges, whereas the National GPRA & PART Report uses only predefined date ranges. Patient lists are *not* included in the Area Aggregate report.

Note: To run the Area Aggregate Patient Education with Community Specified Report, the data uploaded from the facilities must have the same report period, baseline period, and patient population.

To run the Area Patient Education with Community Specified Report, follow these steps:

```

*****
**   IHS/RPMS CRS 2010   **
** Area Office Options  **
*****
Version 10.0

DEMO INDIAN HOSPITAL

UPL  Upload Report Files from Site
AGP  AREA National GPRA & PART Report
ASUM AREA National GPRA & PART Report Perf Summaries
GPUA AREA GPRA & PART Performance Report
AONM AREA Other National Measures Report
AEO  AREA EO Quality Transparency Measures Report
AELD AREA Elder Care Report
AHED Area HEDIS Report
APCM AREA Patient Education Rpt w/Community Specified
AHW  AREA Height and Weight Data File
LSTF List files in a directory

Select Area Options Option: APCM <Enter> Run AREA Patient Education Report

```

Figure 6-69: Area Office Options menu: selecting the Area Patient Education with Community Specified Report (APCM) (Step 1)

1. At the “Select Area Options Option” prompt, type **APCM** and press the Enter key.

```

IHS 2010 Area Aggregate Patient Education Report

This will produce an area aggregate report for all Patient Education
measures for a year period you specify. You will be asked to provide:
1) the reporting period, 2) the baseline period to compare data to, and
3) the beneficiary/classification of the patients.

There are 7 topics in the Patient Education Measures Report.

Select one of the following:

1      January 1 - December 31
2      April 1 - March 31
3      July 1 - June 30
4      October 1 - September 30
5      User defined date range

Enter the date range for your report: 1 January 1 - December 31

Enter the Calendar Year for the report END date. Use a 4 digit
year, e.g. 2010
Enter Year: 2010 <ENTER>

You have selected Current Report period Jan 01, 2010 through Dec 31, 2010.
The end date of this report is in the future; your data will not be
complete.

Do you want to change your Current Report Dates? N//N <ENTER>

Enter the Baseline Year to compare data to.
Use a 4 digit year, e.g. 1999, 2000
Enter Year (e.g. 2000): 2000 <ENTER>

The date ranges for this report are:
Report Period:      Jan 01, 2010 to Dec 31, 2010
Previous Year Period: Jan 01, 2009 to Dec 31, 2009
Baseline Period:    Jan 01, 2000 to Dec 31, 2000

```

Figure 6-70: Running the Area Patient Education Report with Community Specified report: selecting date ranges (Step 2)

2. At the “Enter the date range for your report” prompt, do one of the following:
 - To select a predefined date range, type the number corresponding to the date range you want (**1**, **2**, **3**, or **4**) and press the Enter key.
At the “Enter Year” prompt, type the calendar year of the report end date (for example, 2010) and press the Enter key.
 - To define a custom report period, type **5** and press the Enter key.
At the “Enter End Date for the Report” prompt, type the end date in MM/DD/CCYY format (for example, 11/30/2010) and press the Enter key.

3. At the “Enter Year” prompt, type the four-digit baseline year and press the Enter key

```

Select one of the following:

1      Indian/Alaskan Native (Classification 01)
2      Not Indian Alaskan/Native (Not Classification 01)
3      All (both Indian/Alaskan Natives and Non 01)

Select Beneficiary Population to include in this report: 1// <Enter> Indian/Alaskan
Native (Classification 01)

```

Figure 6-71: Running the Area Patient Education Report with Community Specified report: selecting beneficiary population (Step 4)

4. At the “Select Beneficiary Population to include in this report” prompt, type the number corresponding to the beneficiary (patient) population you want to include and press the Enter key, where:
 - **1** (Indian/Alaskan Native) reports only on AI/AN patients.
 - **2** (Not Indian Alaskan/Native) reports only on patients who are not AI/AN.
 - **3** (All) reports on your entire patient population.
5. Press the enter key at the prompt to display the Area Aggregate Site Selection screen.
6. At the “Select Action” prompt, do one of the following:
 - To view multiple pages:
 - Type a plus sign (+) and press the Enter key to view the next page.
 - Type a minus sign/hyphen (-) and press the Enter key to return to the previous page.
 - To select facilities to include in your report:
 - To select all facilities, type **A** and press the Enter key.
 - To select specific facilities, type **S** and press the Enter key. At the “Which Facility” prompt, type the number(s) of the facility or facilities you want to select and press the Enter key.

To select multiple facilities, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of ranges and numbers (e.g., 1–4, 8, 12).

After pressing the Enter key, each selected facility is marked with an asterisk (*) before its number.

- To remove (unselect) a facility, type **R** and press the Enter key. At the “Which Facility(s)” prompt, type the number of the facility and press the Enter key.

All selected facilities are marked with an asterisk (*) before their corresponding numbers.

7. To save your selected facilities, type **Q** (Quit) at the “Select Action” prompt and press the Enter key.
8. The system displays the name of an export file and its location, as in the following example:
9. At the “Select an Output Option” prompt, type the letter corresponding to the type of output you want and press the Enter key, where:
 - P (Print) sends the report file to your printer, your screen, or an electronic file.
 - D (Delimited Output) produces an electronic delimited text file that can be imported into Excel or Word for additional formatting and data manipulations.
 - B (Both) produces both a printed report and a delimited file.

Detailed instructions for the Print and Delimited Output options are found in Step 12, Section 5.2.2.

6.2.9 Area Height and Weight File (AHW)

CI10 > AO > AHW

Use the Area Height and Weight File (AHW) option to produce an Area-wide delimited file containing unduplicated height and weight data for all active clinical patients through 65 years of age that are included in a National GPRA & PART Report.

This option combines all data files received to date from facilities and combines them into a single or multiple delimited files that should be exported to the National GPRA Support Team upon request by the Division of Epidemiology.

To run the Area Height and Weight Data File, follow these steps:

```

*****
**   IHS/RPMS CRS 2010   **
**   Area Office Options **
*****
                        Version 10.0

                        DEMO INDIAN HOSPITAL

UPL   Upload Report Files from Site
AGP   AREA National GPRA & PART Report
ASUM  AREA National GPRA & PART Report Perf Summaries
GPUA  AREA GPRA & PART Performance Report
AONM  AREA Other National Measures Report
AEO   AREA EO Quality Transparency Measures Report
AELD  AREA Elder Care Report
AHED  Area HEDIS Report
APCM  AREA Patient Education Rpt w/Community Specified
AHW   AREA Height and Weight Data File
LSTF  List files in a directory

Select Area Options Option: AHW <Enter>  Run AREA Height and Weight Data File

```

Figure 6-72: Area Office Options menu: selecting the Area Height and Weight Data File option (AHW) (Step 1)

1. At the “Select Area Options Option” prompt, type **AHW** and press the Enter key.

The screen displays information about the file and date range that has been predefined for the report displayed. The date range uses the beginning date of the current report period through the end date of the current report period for the National GPRA & PART Report.

```

[AREA] Area Aggregate Height and Weight Data Export

This option is used to produce an area aggregate Height and
Weight Export file. This is a single delimited file that will be comprised
of height and weight data. This file will be used by the Division
of Epidemiology, where it will construct frequency curves of BMI as
a GPRA developmental performance measure.

This file will contain height and weight data for the time period
Jul 01, 2009 through Jun 30, 2010 for all Active Clinical
patients 0-18 who have both a height and weight value documented
on a visit and for all Active Clinical patients age 19-65 who
have a height and/or weight value documented on visits during this time
period.

You will now be able to select which sites to use in the export.

Press Enter to Continue:

```

Figure 6-73: Running the Area Height and Weight Data File: displaying information about the file (Step 1)

2. Press the enter key at the prompt to display the Area Aggregate Site Selection screen.
3. At the “Select Action” prompt, do one of the following:
 - To view multiple pages:
 - Type a plus sign (+) and press the Enter key to view the next page.
 - Type a minus sign/hyphen (-) and press the Enter key to return to the previous page.
 - To select facilities to include in your report:
 - To select all facilities, type **A** and press the Enter key.
 - To select specific facilities, type **S** and press the Enter key. At the “Which Facility” prompt, type the number(s) of the facility or facilities you want to select and press the Enter key.

To select multiple facilities, type a range (e.g., 1–4), a series of numbers (e.g., 1, 4, 5, 10), or a combination of ranges and numbers (e.g., 1–4, 8, 12).

After pressing the Enter key, each selected facility is marked with an asterisk (*) before its number.
 - To remove (unselect) a facility, type **R** and press the Enter key. At the “Which Facility(s)” prompt, type the number of the facility and press the Enter key.

All selected facilities are marked with an asterisk (*) before their corresponding numbers.
4. To save your selected facilities, type **Q** (Quit) at the “Select Action” prompt and press the Enter key.

A message is displayed with the number of facilities whose data will be included in the file.

```

A total of 2 facilities have been selected.

Do you wish to continue? Y// <Enter>  YES

An Area wide Height/Weight Export file will be created. You can choose
to create one file of data or multiple files of data. If you are
planning to review this data using Microsoft Excel please keep in
mind that Excel can only handle 65,536 records per file. If you
are using this data for your own use and will be using Microsoft
Excel to review the data you must choose to create multiple files.
If you are creating this file to send to the Division of Epidemiology
then you should select to create one file. If you want to both review
and export your data you will need to run this option twice.
If you choose to create one file it will be called:
    CRSHW505901200907012009063020100611094104_001_of_001.TXT

    and will reside in the Q:\ directory.
If you have multiple files generated they will all have the
same name with the last 10 characters of the filename being a
of the number of files (e.g. _001_of_003).

```

Figure 6-74: Running the Area Height and Weight Data File: export file message (Steps 4 and 5)

- At the “Do you wish to continue” prompt, press the Enter key, or type **N** and press the Enter key to cancel.

A message is displayed informing you that you can create a single file containing all of the facilities’ height and weight data, or create multiple files in the event the number of records exceeds 65,536. The message also displays the name of the data file(s).

```

Select one of the following:

    O          ONE File of data
    M          MULTIPLE Files of data

Do you want to create one file or multiple files: M// O <Enter>  ONE File of data
Writing out Ht/Wt file....

```

Figure 6-75: Running the Area Height and Weight Data File: selecting single or multiple files (Step 6)

- At the “Do you want to create one file or multiple files” prompt, type **O** (to create a single data file) or **M** (to create multiple data files) and press the Enter key.

If the number of records is less than or equal to 65,536, all records will be written to a single file. Otherwise, the appropriate number of files will be created so that each file contains a maximum of 65,536 records, including the file header.

After the files are created, send them to the National GPRA Support Team for forwarding to the IHS Division of Epidemiology.

These files may also be used locally and can be opened in Excel.

Note: There is no print output option for this data file.

6.3 List Files in a Directory (LSTF)

CI10 > AO > LSTF

The List Files in a Directory (LSTF) option enables Area Office technical staff to view a list of FileMan files transmitted by facilities to the Area Office for aggregation. This list does not indicate whether the file has been uploaded into CRS.

Only FileMan data files created by CRS 2010 (BGP v10.0) are listed. File names begin with “BG10,” followed by the six-digit ASUFAC code for the facility that created and transmitted the file.

Files with the following extensions are listed:

- .EL — Elder Care Reports
- .EO — Executive Order Reports
- .HE — HEDIS Performance Reports
- .ONM — Other National Measures Reports
- .PED — Patient Education Reports

GPRA Performance Reports are treated the same as National GPRA Reports and will be displayed with them if they have a report period of July 1, 2009 – June 30, 2010, a baseline year of 2000, and a population of AI/AN. These reports only have numbers in the file name extension.

To view the list of files transmitted for aggregation, follow these steps:

1. At the “Select Area Office Options Option” prompt, type **LSTF** and press the Enter key.
2. At the “Enter directory path” prompt, type the appropriate directory name and press the Enter key.

The directory name is the Area Office network directory to which the facility’s data files were sent via FTP when the facility ran the requested national performance report.

2. A list of files is displayed. For example, the first seven files shown in Figure 6-76 are all National GPRA & PART/GPRA & PART Performance Report files.

```
This option is used to list all CRS 2010 files that are in a directory. These files
begin with BG10. You must specify the directory in which the CRS 2010 data files
reside.
```

```
Enter directory path (i.e. /usr/spool/uucppublic/): q:\
```

```
The following CRS 2010 files reside in the q:\ directory.
```

```
BG10355901.50
BG10355901.52
BG10355901.54
BG10355901.57
BG10355901.59
BG10355901.60
BG10355901.63
BG10355901.EL85
BG10355901.EL86
BG10355901.EL87
BG10355901.EO28
BG10355901.EO29
BG10355901.HE56
BG10355901.HE57
BG10355901.HE58
BG10355901.ONM56
BG10355901.ONM58
BG10355901.ONM64
BG10355901.PED36
BG10355901.PED37
```

```
Enter RETURN to continue or '^' to exit:
```

Figure 6-76: Running the List Files in a Directory option (LSTF): displaying CRS data files

3. At the “Enter RETURN to continue or ‘^’ to exit” prompt, press the Enter key to return to the Area Office Options menu.

7.0 RPMS Rules of Behavior

The RPMS is a United States Department of Health and Human Services (HHS), IHS information system that is *for official use only*. The RPMS system is subject to monitoring; therefore, no expectation of privacy shall be assumed. Individuals found performing unauthorized activities are subject to disciplinary action including criminal prosecution.

All users (contractors and IHS employees) of RPMS will be provided a copy of the Rules of Behavior (RoB) and must acknowledge that they have received and read them prior to being granted access to a RPMS system, in accordance with IHS policy.

- For a listing of general RoB for all users, see the most recent edition of *IHS General User Security Handbook* (SOP 06-11a).
- For a listing of system administrators/managers rules, see the most recent edition of the *IHS Technical and Managerial Handbook* (SOP 06-11b).

Both documents are available at this IHS Web site: <http://security.ihs.gov/>

The RoB listed in the following sections are specific to RPMS.

7.1 All RPMS Users

In addition to these rules, each application may include additional RoBs that may be defined within the documentation of that application (e.g., PCC, Dental, Pharmacy).

7.1.1 Access

RPMS users shall:

- Only use data for which they have been granted authorization
- Only give information to personnel who have access authority and a need to know.
- Always verify a caller's identification and job purpose their your supervisor or the entity provided as employer before providing any type of information system access, sensitive information, or nonpublic agency information
- Be aware that personal use of information resources is authorized on a limited basis within the provisions *Indian Health Manual* Part 8, "Information Resources Management," Chapter 6, "Limited Personal Use of Information Technology Resources"

RPMS users shall not:

- Retrieve information for someone who does not have authority to access the information
- Access, research, or change any user account, file, directory, table, or record not required to perform their *official* duties
- Store sensitive files on a PC hard drive, or portable devices or media, if access to the PC or files cannot be physically or technically limited
- Exceed their authorized access limits in RPMS by changing information or searching databases beyond the responsibilities of their job or by divulging information to anyone not authorized to know that information

7.1.2 Information Accessibility

RPMS shall restrict access to information based on the type and identity of the user. However, regardless of the type of user, access shall be restricted to the minimum level necessary to perform the job.

RPMS users shall:

- Access only those documents they created and those other documents to which they have a valid need-to-know and to which they have been specifically granted access through an RPMS application based on their menus (job roles), keys, and FileMan access codes. Some users may be afforded additional privileges based on the function they perform, such as system administrator or application administrator.
- Acquire a written preauthorization in accordance with IHS policies and procedures prior to interconnection to or transferring data from RPMS.

7.1.3 Accountability

RPMS users shall

- Behave in an ethical, technically proficient, informed, and trustworthy manner
- Log out of the system whenever they leave the vicinity of their PC
- Be alert to threats and vulnerabilities in the security of the system
- Report all security incidents to their local Information System Security Officer (ISSO)
- Differentiate tasks and functions to ensure that no one person has sole access to or control over important resources
- Protect all sensitive data entrusted to them as part of their government employment

- Abide by all Department and Agency policies and procedures and guidelines related to ethics, conduct, behavior, and IT information processes

7.1.4 Confidentiality

RPMS users shall:

- Be aware of the sensitivity of electronic and hardcopy information, and protect it accordingly
- Store hard copy reports/storage media containing confidential information in a locked room or cabinet
- Erase sensitive data on storage media prior to reusing or disposing of the media
- Protect all RPMS terminals from public viewing at all times
- Abide by all Health Insurance Portability and Accountability Act (HIPAA) regulations to ensure patient confidentiality

RPMS users shall not:

- Allow confidential information to remain on the PC screen when someone who is not authorized to that data is in the vicinity
- Store sensitive files on a portable device or media without encrypting

7.1.5 Integrity

RPMS users shall:

- Protect their system against viruses and similar malicious programs
- Observe all software license agreements
- Follow industry standard procedures for maintaining and managing RPMS hardware, operating system software, application software, and/or database software and database tables
- Comply with all copyright regulations and license agreements associated with RPMS software

RPMS users shall not:

- Violate Federal copyright laws
- Install or use unauthorized software within the system libraries or folders
- Use freeware, shareware, or public domain software on/with the system without their manager's written permission and without scanning it for viruses first

7.1.6 System Logon

RPMS users shall:

- Have a unique User Identification/Account name and password
- Be granted access based on authenticating the account name and password entered
- Be locked out of an account after five successive failed login attempts within a specified time period (e.g., one hour)

7.1.7 Passwords

RPMS users shall:

- Change passwords a minimum of every 90 days.
- Create passwords with a minimum of eight characters.
- If the system allows, use a combination of alphanumeric characters for passwords, with at least one uppercase letter, one lowercase letter, and one number. It is recommended, if possible, that a special character also be used in the password.
- Change vendor-supplied passwords immediately.
- Protect passwords by committing them to memory or store them in a safe place (do not store passwords in login scripts, or batch files.
- Change password immediately if password has been seen, guessed, or otherwise compromised, and report the compromise or suspected compromise to their ISSO.
- Keep user identifications (ID) and passwords confidential.

RPMS users shall not:

- Use common words found in any dictionary as a password.
- Use obvious readable passwords or passwords that incorporate personal data elements (e.g., user's name, date of birth, address, telephone number, or social security number; names of children or spouses; favorite band, sports team, or automobile; or other personal attributes).
- Share passwords/IDs with anyone or accept the use of another's password/ID, even if offered.
- Reuse passwords. A new password must contain no more than five characters per eight characters from the previous password.
- Post passwords.
- Keep a password list in an obvious place, such as under keyboards, in desk drawers, or in any other location where it might be disclosed.

- Give a password out over the phone.

7.1.8 Backups

RPMS users shall:

- Plan for contingencies such as physical disasters, loss of processing, and disclosure of information by preparing alternate work strategies and system recovery mechanisms
- Make backups of systems and files on a regular, defined basis
- If possible, store backups away from the system in a secure environment

7.1.9 Reporting

RPMS users shall:

- Contact and inform their ISSO that they have identified an IT security incident and begin the reporting process by providing an IT Incident Reporting Form regarding this incident
- Report security incidents as detailed in the *IHS Incident Handling Guide* (SOP 05-03)

RPMS users shall not:

- Assume that someone else has already reported an incident. The risk of an incident going unreported far outweighs the possibility that an incident gets reported more than once

7.1.10 Session Timeouts

RPMS system implements system-based timeouts that back users out of a prompt after no more than five minutes of inactivity.

RPMS users shall:

- Utilize a screen saver with password protection set to suspend operations at no greater than 10 minutes of inactivity. This will prevent inappropriate access and viewing of any material displayed on their screen after some period of inactivity.

7.1.11 Hardware

RPMS users shall:

- Avoid placing system equipment near obvious environmental hazards (e.g., water pipes)
- Keep an inventory of all system equipment
- Keep records of maintenance/repairs performed on system equipment

RPMS users shall not:

- Eat or drink near system equipment

7.1.12 Awareness

RPMS users shall:

- Participate in organization-wide security training as required
- Read and adhere to security information pertaining to system hardware and software
- Take the annual information security awareness
- Read all applicable RPMS manuals for the applications used in their jobs

7.1.13 Remote Access

Each subscriber organization establishes its own policies for determining which employees may work at home or in other remote workplace locations. Any remote work arrangement should include policies that

- Are in writing
- Provide authentication of the remote user through the use of ID and password or other acceptable technical means
- Outline the work requirements and the security safeguards and procedures the employee is expected to follow
- Ensure adequate storage of files, removal, and nonrecovery of temporary files created in processing sensitive data, virus protection, intrusion detection, and provide physical security for government equipment and sensitive data
- Establish mechanisms to back up data created and/or stored at alternate work locations

Remote RPMS users shall:

- Remotely access RPMS through a virtual private network (VPN) whenever possible. Use of direct dial-in access must be justified and approved in writing and its use secured in accordance with industry best practices or government procedures.

Remote RPMS users shall not:

- Disable any encryption established for network, internet, and web browser communications

7.2 RPMS Developers

RPMS developers shall:

- Always be mindful of protecting the confidentiality, availability, and integrity of RPMS when writing or revising code.
- Always follow the IHS RPMS Programming Standards and Conventions (SAC) when developing for RPMS.
- Only access information or code within the namespaces for which they have been assigned as part of their duties.
- Remember that all RPMS code is the property of the U.S. Government, not the developer.
- Not access live production systems without obtaining appropriate written access, and only retain that access for the shortest period possible to accomplish the task that requires the access.
- Observe separation of duties policies and procedures to the fullest extent possible
- Document or comment all changes to any RPMS software at the time the change or update is made. Documentation shall include the programmer's initials, date of change and reason for the change.
- Use checksums or other integrity mechanism when releasing their certified applications to assure the integrity of the routines within their RPMS applications.
- Follow industry best standards for systems they are assigned to develop or maintain; abide by all Department and Agency policies and procedures.
- Document and implement security processes whenever available.

RPMS developers shall not

- Write any code that adversely impacts RPMS, such as backdoor access, "Easter eggs," time bombs, or any other malicious code or make inappropriate comments within the code, manuals, or help frames
- Grant any user or system administrator access to RPMS unless proper documentation is provided
- Release any sensitive agency or patient information

7.3 Privileged Users

Personnel who have significant access to processes and data in RPMS, such as system security administrators, systems administrators, and database administrators, have added responsibilities to ensure the secure operation of RPMS.

Privileged RPMS users shall:

- Verify that any user requesting access to any RPMS system has completed the appropriate access request forms.
- Ensure that government personnel and contractor personnel understand and comply with license requirements. End users, supervisors, and functional managers are ultimately responsible for this compliance.
- Advise the system owner on matters concerning information technology security.
- Assist the system owner in developing security plans, risk assessments, and supporting documentation for the certification and accreditation process.
- Ensure that any changes to RPMS that affect contingency and disaster recovery plans are conveyed to the person responsible for maintaining continuity of operations plans.
- Ensure that adequate physical and administrative safeguards are operational within their areas of responsibility and that access to information and data is restricted to authorized personnel on a need-to-know basis.
- Verify that users have received appropriate security training before allowing access to RPMS.
- Implement applicable security access procedures and mechanisms, incorporate appropriate levels of system auditing, and review audit logs.
- Document and investigate known or suspected security incidents or violations and report them to the ISSO, CISO, and systems owner.
- Protect the supervisor, superuser, or system administrator passwords.
- Avoid instances where the same individual has responsibility for several functions (i.e., transaction entry and transaction approval).
- Watch for unscheduled, unusual, and unauthorized programs.
- Help train system users on the appropriate use and security of the system.
- Establish protective controls to ensure the accountability, integrity, confidentiality, and availability of the system.
- Replace passwords when a compromise is suspected. Delete user accounts as quickly as possible from the time that the user is no longer authorized system. Passwords forgotten by their owner should be replaced, not reissued.

- Terminate user accounts when a user transfers or has been terminated. If the user has authority to grant authorizations to others, review these other authorizations. Retrieve any devices used to gain access to the system or equipment. Cancel logon IDs and passwords, and delete or reassign related active and back up files.
- Use a suspend program to prevent an unauthorized user from logging on with the current user's ID if the system is left on and unattended.
- Verify the identity of the user when resetting passwords. This can be done either in person or by having the user answer a question that can be compared to one in the administrator's database.
- Follow industry best standards for systems they are assigned to; abide by all Department and Agency policies and procedures.

Privileged RPMS users shall not:

- Access any files, records, systems, etc., that are not explicitly needed to perform their duties
- Grant any user or system administrator access to RPMS unless proper documentation is provided.
- Release any sensitive agency or patient information.

8.0 Glossary

Active Clinical CHS Patients

Used when the CHS-Only site parameter is set to Y. Setting this site parameter to Y changes the definition of the Active Clinical population (see below) to an Active Clinical CHS population because facilities whose patients only receive CHS do not meet the requirements of the Active Clinical population. For a detailed description of the denominator, see Section 3.2.3.2.

Active Clinical Patients

One of two basic denominator definitions used by CRS. The Active Clinical definition was developed specifically for clinical performance measures because it is more representative of the active clinical population than the standard User Population definition. For a detailed description of the denominator, see Section 3.2.3.1.

ADA

Abbreviation for the American Dental Association, a professional organization for dentists. The ADA maintains a hard copy dental claim form and the associated claim submission specifications, and also maintains the Current Dental Terminology (CDT) medical code set. The ADA and the Dental Content Committee (DeCC), which it hosts, have formal consultative roles under HIPAA.

AI/AN

American Indian and Alaska Natives.

ASUFAC number

Area Service Unit Facility; A unique identifier for each facility within IHS. A six-digit number comprised of two digits for Area, two digits for Service Unit, and two digits for Facility.

Banner

A line of text with a user's name and domain.

Baseline Year

CRS calculates and reports on results for and comparisons between three time periods for each measure: the current year (defined by the user); the previous year; and the baseline year. Baseline is defined by the user at the time s/he runs the report. The Area GPRA coordinator should ensure that for GPRA and Area Performance reports, each facility uses the same baseline year; otherwise the area's aggregate report will not calculate properly.

CHSDA

Abbreviation for CHS Delivery Area.

CPT Codes

One of several code sets used by the healthcare industry to standardize data allowing for comparison and analysis. Current Procedural Terminology was developed and is updated annually by the American Medical Association and is widely used in producing bills for services rendered to patients. CPTs include codes for diagnostic and therapeutic procedures, and specify information that differentiates the codes based on cost. CPT codes are the most widely accepted nomenclature in the United States for reporting physician procedures and services for federal and private insurance third-party reimbursement. CRS searches for CPT and other codes as specified in the logic definition to determine if a patient meets a denominator or numerator definition.

CRS

The Clinical Reporting System is a component of the RPMS (Resource and Patient Management System) software suite. CRS provides sites with the ability to report on GPRA and developmental clinical measures from local RPMS databases.

Denominator

The denominator for a measure is the total population being reviewed to determine how many (what percentage) of the total meet the definition of the measure. Different measures have different denominators, e.g., all patients or all adult diabetic patients or all female patients between certain ages.

Developmental Measures

For IHS, these are performance measures tested for possible inclusion as formal GPRA measures. The purpose of developmental measures is to test over two to three years whether accurate data can be reported and measured.

Device

A device that either displays or prints information.

Enter Key

Used interchangeably with the Return key. Press the Enter key to show the end of an entry, such as a number or a word. Press the Enter key each time you respond to a computer prompt. If you want to return to the previous screen, simply press the Enter key without entering a response. This will take you back to the previous menu screen. The Enter key on some keyboards is shown as the Return Key. Whenever you see [ENT] or the Enter key, press the Enter or Return Key.

Entry Point

Entry point within a routine that is referenced by a “DO” or “GOTO” command from a routine internal to a package.

File

A set of related records or entries treated as a single unit.

FileMan

The database management system for RPMS.

FY

Abbreviation for Fiscal Year. The fiscal year for the federal government is October 1 through September 30.

Global

In MUMPS, global refers to a variable stored on disk (global variable) or the array to which the global variable may belong (global array).

GPRA

Abbreviation for Government Performance and Results Act, a Federal law requiring Federal agencies to document annually their goals and progress towards their goals. See Section 3.1.1 for detailed description.

GPRA Measure

Performance measures specifically identified in the IHS Annual Performance Plan to Congress. Each measure has one denominator and one numerator. For FY 2010, the IHS has 33 GPRA measures in 3 main categories: Treatment (16 measures), Prevention (14 measures), and Capital Programming/Infrastructure (3 measures). These measures address the most significant health problems facing the AI/AN population.

GPRA Report to Congress

IHS, as well as all other federal agencies, provides an annual report to Congress in conjunction with its next year budget request to document how well and cost effectively the agency meets its defined mission. The report has three parts: (1) reporting on how many of the previous fiscal year measures were met and explanations for those measures not met; (2) providing final definitions for performance measures for the current fiscal year; and (3) providing any proposed additions, deletions, and definition changes to measures for the following fiscal year.

Health Record Number (HRN)

Each facility assigns a unique number within that facility to each patient. Each HRN with its facility identification 'ASUFAC' makes a unique identifier within all of IHS.

Healthy People 2010 (HP 2010)

HP 2010 presents a comprehensive, nationwide health promotion and disease prevention agenda under the direction of the U.S. Department of Health and Human Services. HP 2010 performance measure definitions and related targets are used by many healthcare organizations, including IHS, as the basis for its own clinical performance measures.

HEDIS

Health Plan Employer Data and Information Set (HEDIS). HEDIS is a set of standardized performance measures originally designed to ensure that purchasers and consumers have the information they need to reliably compare the performance of managed healthcare plans. HEDIS has evolved into focusing on healthcare prevention standards.

ICD Codes

One of several code sets used by the healthcare industry to standardize data. The International Classification of Disease is an international diagnostic coding scheme. In addition to diseases, ICD also includes several families of terms for medical-specialty diagnoses, health status, disablements, procedure and reasons for contact with healthcare providers. IHS currently uses ICD-9 for coding. CRS searches for ICD and other codes as specified in the logic definition to determine if a patient meets a denominator or numerator definition.

INDEX (%INDEX)

A Kernel utility used to verify routines and other MUMPS code associated with a package. Checking is done according to current ANSI MUMPS standards and RPMS programming standards. This tool can be invoked through an option or from direct mode (>D ^%INDEX).

Init

Initialization of an application package. The initialization step in the installation process builds files from a set of routines (the init routines). Init is a shortened form of initialization.

I/T/U

Abbreviation referring to all IHS direct, tribal, and urban facilities. Using the abbreviation I/T/U generally means that all components of the Indian healthcare system are being referred to.

Kernel

The set of MUMPS software utilities that function as an intermediary between the host operating system and application packages, such as Laboratory and Pharmacy. The Kernel provides a standard and consistent user and programmer interface between application packages and the underlying MUMPS implementation. These utilities provide the foundation for RPMS.

Local Report (CRS)

CRS produces reports for each measure (GPRA and developmental) that document the number of patients in the denominator and the numerator as well as the percentage of patients meeting the measure. The report compares performance for three time periods: current year (user defined), previous year, and baseline year (user defined). Local reports can also produce patient lists at user request.

Logic

The detailed definition, including specific RPMS fields and codes, of how the software defines a denominator or numerator.

LOINC

Logical Observations, Identifiers, Names, and Codes. A standard coding system originally initiated for laboratory values, the system is being extended to include nonlaboratory observations (vital signs, electrocardiograms, etc.). Standard code sets are used to mitigate variations in local terminologies for lab and other healthcare procedures, e.g., Glucose or Glucose Test. IHS began integrating LOINC values into RPMS in several pilot sites in 2002.

Mandatory

Required. A mandatory field is a field that must be completed before the system will allow you to continue.

Menu

A list of choices for computing activity. A menu is a type of option designed to identify a series of items (other options) for presentation to the user for selection. When displayed, menu-type options are preceded by the word "Select" and followed by the word "option," as in Select Menu Management option: (the menu's select prompt).

Mnemonic

A short cut designated to access a particular party, name, or facility.

Namespace

A unique set of 2 to 4 alpha characters that are assigned by the database administrator to a software application. For example, the namespace assigned to the CRS is BGP.

NDC

Abbreviation for National Drug Code, a medical code set maintained by the Food and Drug Administration, which contains codes for drugs that are FDA-approved. The Secretary of HHS adopted this code set as the standard for reporting drugs and biologics on standard transactions.

National GPRA Report

For the CRS, the National GPRA Report includes the specific denominator and numerator from each of the clinical measure topics included in the IHS GPRA performance plan, and other key developmental (i.e., non-GPRA) measures. The National GPRA Report can be run and printed locally for site use or can be simultaneously printed at the site and exported to the Area Office for use in an area aggregate report.

Numerator

The numerator is the number of patients from the denominator, i.e., the total population surveyed, who meet the logic criteria for a performance measure.

Option

An entry in the Option file. As an item on a menu, an option provides an opportunity for users to select it, thereby invoking the associated computing activity. Options may also be scheduled to run in the background, noninteractively, by TaskMan.

Patient List

CRS will produce a list of patients related to a specific measure. Most patient lists include patients from the denominator with any visit dates and/or codes that identifies them as meeting the measure. Patient lists are a good way to identify patients who need a procedure or test, e.g., patients ages 50 and older who have not received influenza vaccinations.

Performance Measure

A specific performance measure with a defined denominator and numerator. Performance measures are definitions of specific measurable objectives that can demonstrate progress toward the goals stated in an organization's strategic and/or performance plans.

Performance Measure Topic

An overarching clinical topic, e.g., Diabetes and Blood Pressure Control. Each performance measure topic may have multiple denominators and numerators that are related to the topic. For example, the Diabetes and Blood Pressure topic has three numerators: (1) how many diabetic patients had a minimum of two blood pressure values in the past year; (2) how many patients had controlled BP, defined as mean BP value less than 130/80; and (3) how many patients had uncontrolled BP. Out of these three, the GPRA measure is Controlled Blood Pressure.

PIT (Performance Improvement Team)

Facilities will have different names for their PITs, including GPRA Improvement, Quality Improvement, or other similar phrases. A PIT should represent members from all areas of the clinic staff, including providers (physicians, nurses, physician assistants, pharmacists, etc), medical records staff, data entry staff, quality assurance staff, site managers or other information technology staff, etc.

QI

Abbreviation for quality improvement.

Quarter Ending (for CRS reports)

Because all CRS reports are based on a minimum of one year's data, CRS provides users with options for only the ending dates of the report. Ending dates are predefined based on standard fiscal year quarterly periods. The Quarter Ending date options correspond to the last day of a standard quarter. Users can select from Quarter Ending 1 (December 31), QE 2 (March 31), QE 3 (June 30), or Fiscal Year End (September 30).

Queuing

Requesting that a job be processed at a later time, rather than within the current session.

Receipt dates

The date that the party received the information

Receiving Party

The person or organization that is receiving the information.

Report Period

CRS reports analyze and report on a minimum of one year's data for all performance measures. In all reports except the National GPRA & PART Report, users define the report period by selecting one of the predefined date ranges and entering the calendar year of the end of the reporting period. For example, selecting July 1 – June 30 and calendar year 2010 defines July 1, 2009 – June 30, 2010 as the report period. All CRS reports also display the Previous Year Period and Baseline Period for comparison.

Routine

A program or sequence of instructions called by a program that may have some general or frequent use. MUMPS routines are groups of program lines that are saved, loaded, and called as a single unit via a specific name.

Sequential

Arranged in a particular order

Site Specific

Particular to a specific site

STAT

Immediately

Tagged

Marked with a specific identifier

Taxonomy

Taxonomies are groupings of functionally related data elements, such as specific codes, code ranges, or terms, that are used by various RPMS applications to find data items in PCC to determine if a patient meets a certain criteria. To ensure comparable data within the agency as well as to external organizations, as much CRS performance measure logic as possible is based on standard national codes, such as CPTs or ICD-9. For terminology that is not standardized across each facility, such as lab tests or medications, CRS uses taxonomies that can be populated by each individual facility with its own codes.

UCI

User Class Identification: a computing area.

Up-Hat (^)

A circumflex or caret, which is used as a delimiter in a global. The up-hat is denoted as “^” and is typed by pressing Shift+6 on the keyboard.

User Population

The CRS uses two main denominators for its reports: User Population and Active Clinical patients. The standard User Population definition was developed by IHS to define its core population for statistical reporting to Congress. For CRS, User Population is defined as any AI/AN patient who is alive on the last day of the report period and residing in the defined community with at least one visit to any clinic in the three years prior to the end of the report period. See Section 3.2.3 for detailed description of the two denominators.

Utility

A callable routine line tag or function. A universal routine usable by anyone.

VA Drug Class

A five-character, alphanumeric code that specifies a broad classification and a specific type of product used by the Veterans Health Administration. The first two characters are letters and form the mnemonic for the major classification (e.g., AM for antimicrobials). Characters 3 through 5 are numbers and form the basis for subclassification. The VA Drug Classification system classifies drug products, not generic ingredients.

Variable

A character or group of characters that refers to a value. MUMPS recognizes three types of variables: local variables, global variables, and special variables. Local variables exist in a partition of the main memory and disappear at sign-off. A global variable is stored on disk, potentially available to any user. Global variables usually exist as parts of global arrays.

9.0 Appendix A: FY09 – FY11 GPRA Measures

The tables displayed in the following pages provide definitions, Headquarters leads or “owners,” data sources for performance measure reporting, and performance targets for each GPRA performance measure.

Note: Measures 15 (Diabetic Dental), 22 (Customer Satisfaction), 37 (Consultation Process), 38 (CHS Procurement Improvement), 39 (Public Health Infrastructure) 40 (Compliance Plans), and 41 (Tribal SD Process) were completed prior to 2006 and have been removed from the matrix. 19 (Urban) removed 1/2006 due to elimination of program funding.

9.1 FY 2009, 2010, 2011 GPRA MEASURES (revised 04/02/10)

9.1.1 Treatment Measures

TREATMENT MEASURES				
Performance Measure	FY 2009 Target	FY 2010 Target	FY 2011 Target	Measure Lead
Diabetes Group				
1. Diabetes: Poor Glycemic Control: Proportion of patients with diagnosed diabetes with poor glycemic control (A1c > 9.5). [outcome]	Achieve target rate of 18% (19% audit) Result: 18% (19% audit) Met	Achieve target rate of 16% (Audit target 19%)	Achieve target rate of 16.0% (Audit target 19%)	Kelly Acton OCPS/DDTP, 505-248-4182
2. Diabetes: Ideal Glycemic Control: Proportion of patients with diagnosed diabetes with ideal glycemic control (A1c < 7.0). [outcome]	Achieve target rate of 30% (39% audit) Result: 31% (36% audit) Met	Achieve target rate of 33% (Audit target 36%)	Achieve target rate of 33.8% (Audit target 36%)	Kelly Acton OCPS/DDTP, 505-248-4182

TREATMENT MEASURES				
Performance Measure	FY 2009 Target	FY 2010 Target	FY 2011 Target	Measure Lead
3. Diabetes: Blood Pressure Control: Proportion of patients with diagnosed diabetes that have achieved blood pressure control (<130/80). [outcome]	Achieve target rate of 36% (36% audit) Result: 37% (36% audit) Met	Achieve target rate of 40% (Audit target 36%)	Achieve target rate of 41.0% (Audit target 36%)	Kelly Acton OCPS/DDTP, 505-248-4182
4. Diabetes: LDL Assessment: Proportion of patients with diagnosed diabetes assessed for dyslipidemia (LDL cholesterol). [outcome]	Achieve target rate of 60% (75% audit) Result: 65% (74% audit) Met	Achieve target rate of 69% (Audit target 74%)	Achieve target rate of 70.7% (Audit target 74%)	Kelly Acton OCPS/DDTP, 505-248-4182
5. Diabetes: Nephropathy Assessment: Proportion of patients with diagnosed diabetes assessed for nephropathy. [outcome]	Achieve target rate of 47% (audit: no result for 2009) Result: 50% Met	Achieve target rate of 54% (Audit target TBD)	Achieve target rate of 55.4% (Audit target TBD)	Kelly Acton OCPS/DDTP, 505-248-4182
6. Diabetic Retinopathy: Proportion of patients with diagnosed diabetes who receive an annual retinal examination. [outcome]	Achieve target rate of 47% Result: 51% Met	Achieve target rate of 55%	Achieve target rate of 56.4%	Mark Horton, PIMC 602-263-1200, ext 2217 602-820-7654 (c)

TREATMENT MEASURES				
Performance Measure	FY 2009 Target	FY 2010 Target	FY 2011 Target	Measure Lead
Cancer Screening Group				
7. Cancer Screening: Pap Smear Rates: Proportion of eligible women who have had a Pap screen within the previous three years. [outcome]	Achieve target rate of 59% Result: 59% Met	Achieve target rate of 60%	Achieve target rate of 61.5%	Carolyn Aoyama, DNS/OCPS, 301-443-1840
8. Cancer Screening: Mammogram Rates: Proportion of eligible women who have had mammography screening within the previous two years. [outcome]	Achieve target rate of 45% Result: 45% Met	Achieve target rate of 47%	Achieve target rate of 49.9%	Carolyn Aoyama, DNS/OCPS, 301-443-1840
9. Cancer Screening: Colorectal Rates: Proportion of eligible patients who have had appropriate colorectal cancer screening. [outcome]	Achieve target rate of 29% Result: 33% Met	Achieve target rate of 36%	Achieve target rate of 38.8%	Nat Cobb, OPHS/Epi, 505-248-4132
Oral Health Group				
12. Topical Fluorides: Number of AI/AN patients receiving one or more topical fluoride. [outcome]	Achieve target count of 114,716 patients receiving topical fluoride Result: 136,794 patients Met	Achieve target count of 136,978 patients receiving topical fluoride	Achieve target count of 139,033 patients receiving topical fluoride	Patrick Blahut, OCPS/DOH, 301-443-1106
13. Dental Access: Percent of patients who receive dental services. [outcome]	Achieve target rate of 24% Result: 25% Met	Achieve target rate of 27%	Achieve target rate of 27.0%	Patrick Blahut, OCPS/DOH, 301-443-1106
14. Dental Sealants: Number of sealants placed per year in AI/AN patients. [outcome]	Achieve target count of 229,147 Result: 257,067 sealants Met	Achieve target count of 257,920	Achieve target count of 261,789	Patrick Blahut, OCPS/DOH, 301-443-1106

TREATMENT MEASURES				
Performance Measure	FY 2009 Target	FY 2010 Target	FY 2011 Target	Measure Lead
Quality of Care Group				
10. RTC Improvement/ Accreditation: Accreditation rate for Youth Regional Treatment Centers (in operation 18 months or more). [output]	Achieve target rate of 100% accreditation Result: 91% Not Met	Achieve a 100% accreditation rate	Achieve a 100% accreditation rate	Danny Ukestine, OCPS/DBH, 301-443-4754
20. Accreditation: Percent of hospitals and outpatient clinics accredited (excluding tribal and urban facilities). [output]	Maintain 100% accreditation rate Result: 100% Met	Maintain 100% accreditation rate	Maintain 100% accreditation rate	Balerna Burgess, ORAP/BOE, 301-443-1016
21. Patient Safety: Development and deployment of patient safety measurement system [efficiency] <i>In FY 2010 changes to: Percent of patient falls in an IHS-funded facility in persons age 65 and older as a result of taking high risk medication.</i>	Deploy system to 10 additional sites (84 sites) Result: 132 sites Met	Baseline	TBD	Sheila Warren, OCPS 301-443-9058
42. Scholarships: Proportion of Health Profession Scholarship recipients placed in Indian health settings within 90 days of graduation. [outcome]	Achieve the target rate of 69% Result: 67% Not Met	Increase the rate to 75% (6% over the FY 2009 target rate of 69%)	Increase the rate to 78% (3% over the FY 2010 target rate of 75%)	Carmen Clelland, OPHS, 301-443-2361

9.1.2 Prevention Measures

PREVENTION MEASURES				
Performance Measure	FY 2009 Target	FY 2010 Target	FY 2011 Target	Measure Lead
Public Health Nursing Measure				
23. Public Health Nursing: Total number of public health activities captured by the PHN data system; emphasis on primary, secondary and tertiary prevention activities to individuals, families and community groups. [outcome]	Achieve target of 427,700 Result: 428,207 Met	Achieve target of 430,000	Achieve target of 436,450	Cheryl Peterson, OCPS 301-443-1870
Immunization Group				
24. Childhood Immunizations: Combined (4:3:1:3:3) immunization rates for AI/AN patients aged 19-35 months. [outcome] Changes to Combined (4:3:1:3:3:1) series as of FY 2010 and to Combined (4:3:1:3:3:1:3) series as of FY 2011.	Achieve target rate of 78% Result: 79% Met	Achieve target rate of 80%	Achieve target rate of 82.0%.	Amy Groom/ Jim Cheek, OPHS/Epi, 505-248-4226 Cheryl Peterson, OCPS 301-443-1870
25. Adult Immunizations: Influenza: Influenza vaccination rates among adult patients age 65 years and older. [outcome]	Achieve target rate of 62% Result: 59% Met	Achieve target rate of 60%	Achieve target rate of 61.5%	Amy Groom/ Jim Cheek, OPHS/Epi, 505-248-4226 Cheryl Peterson, OCPS 301-443-1870

PREVENTION MEASURES				
Performance Measure	FY 2009 Target	FY 2010 Target	FY 2011 Target	Measure Lead
26. Adult Immunizations: Pneumovax: Pneumococcal vaccination rates among adult patients age 65 years and older. [outcome]	Achieve target rate of 82% Result: 82% Met	Achieve target rate of 83%	Achieve target rate of 85.1%	Amy Groom/ Jim Cheek, OPHS/Epi, 505-248-4226 Cheryl Peterson, OCPS 301-443-1870
Injury Prevention Group				
27. Injury Intervention (Motor Vehicle Injuries): Occupant protection restraint use. [outcome] <i>This measure will be discontinued as of FY 2011.</i>	1 pilot site (implementing a comprehensive intervention designed to increase restraint use) per Area Result: Pending 1 pilot per Area Met	New Surveys based on FY 2009 Intervention	Discontinued	Nancy Bill, OEHE/DEHS, 301-443-0105
28. Unintentional Injury Rates: Unintentional injury mortality rate in AI/AN people (three-year rates centered on mid-year). [outcome]	Eliminated as annual measure - changes to long term NA	N/A (Long-term measure)	N/A (Long-term measure)	Nancy Bill, OEHE/DEHS, 301-443-0105
Suicide Prevention Measure				
29. Suicide Surveillance: Increase the incidence of suicidal behavior reporting by health care (or mental health) professionals [output]	Increase the number of suicidal behavior report forms completed and submitted to 1,678 Result: 1687 Met	Increase the number of suicidal behavior report forms completed and submitted to 1,700	Increase the number of suicidal behavior report forms completed and submitted to 1,726	Rose Weahkee, OCPS/DBH, 301-443-2038

PREVENTION MEASURES				
Performance Measure	FY 2009 Target	FY 2010 Target	FY 2011 Target	Measure Lead
Prevention and Treatment Group				
11. Alcohol Screening (FAS Prevention): Alcohol use screening (to prevent Fetal Alcohol Syndrome) among appropriate female patients. [outcome]	Achieve target rate of 47% Result: 52% Met	Achieve target rate of 55%	Achieve target rate of 56.1%	Danny Ukestine, OCPS/DBH, 301-443-4754
16. Domestic (Intimate Partner) Violence Screening: Proportion of women who are screened for domestic violence at health care facilities. [outcome]	Achieve target rate of 42% Result: 48% Met	Achieve target rate of 53%	Achieve target rate of 57.3%	Denise Grenier, ITSC, Tucson, 520-670-4865
18. Depression Screening: Proportion of adults ages 18 and over who are screened for depression. [outcome]	Achieve target rate of 35% Result: 44% Met	Achieve target rate of 53%	Achieve target rate of 57.3%	Bryan Wooden, OCPS/DBH, 301-443-2038
30. CVD Prevention: Comprehensive Assessment: Proportion of active IHD patients who have a comprehensive assessment for all CVD-related risk factors. [outcome]	Maintain at the FY 2008 target rate of 30% Result: 32% Met	Achieve target rate of 33%	Achieve target rate of 33.8%	Mark Veazie, IHS/PHX, 928-214-3920
31. Childhood Weight Control: Proportion of children ages 2-5 years with a BMI at the 95 th percentile or higher. [outcome]	Long-term measure as of FY 2009	Long Term target - 24% Reports in FY 2010	Long-term measure, not reported in FY 2011.	Tammy Brown OCPS/DDTP, 505-248-4182
32. Tobacco Cessation Intervention: Proportion of tobacco-using patients that receive tobacco cessation intervention [outcome]	Achieve the target rate of 21% Result: 24% Met	Achieve target rate of 27%	Achieve target rate of 27.7%	Nat Cobb, OPHS/Epi, 505-248-4132

PREVENTION MEASURES				
Performance Measure	FY 2009 Target	FY 2010 Target	FY 2011 Target	Measure Lead
HIV/AIDS Measure				
33. HIV Screening: Proportion of pregnant women screened for HIV. [outcome]	Achieve target rate of 75% Result: 76% Met	Achieve target rate of 77%	Achieve target rate of 78.9%	Scott Giberson, OCPS, 301-443-4644
Environmental Surveillance Measure				
34. Environmental Surveillance: Identification and control of environmental health risk factors. [output] <i>This measure will be discontinued as of FY 2011.</i>	3 interventions (to address one risk factor identified in 2008) per Area Result: 3 Interventions/Area Met	New surveys based on FY 2009 Interventions	Discontinued	Kelly Taylor, OEHE/DEHS, 301-443-1593

9.1.3 Capital Programming/Infrastructure Measures

CAPITAL PROGRAMMING/INFRASTRUCTURE MEASURES				
Performance Measure	FY 2009 Target	FY 2010 Target	FY 2011 Target	Measure Lead
35. Sanitation Improvement: Number of new or like-new AI/AN homes and existing homes provided with sanitation facilities. [outcome]	Provide sanitation facilities to 37,500 homes Result: 45,325 Met	Provide sanitation facilities to 21,811 homes	Provide sanitation facilities to 21,500 homes	Ronald Ferguson, OEHE/DSFC, 301-443-1046
35A. Sanitation Improvement: Percentage of existing homes served by the program at Deficiency Level 4 or above as defined by 25 USC 1632. [outcome]	Achieve the proportion of homes at Deficiency Level 4 or above that are provided sanitation facilities at the target rate of 43% Result: 32% Not Met	Achieve the proportion of homes at Deficiency Level 4 or above that are provided sanitation facilities at the target rate of 37%	Achieve the proportion of homes at Deficiency Level 4 or above that are provided sanitation facilities at the target rate of 37%	Ronald Ferguson, OEHE/DFSC, 301-443-1046
36. Health Care Facility Construction: Number of Health Care Facilities Construction projects completed. [efficiency]	1 project Result: 1 projects Met	1 project	1 project	Jose Cuzme, OEHE/DFPC, 301-443-8616

10.0 Appendix B: Working with Delimited Files

For more reporting flexibility, such as rearranging report data in a different format or performing other types of calculations on report numbers, select the “Create delimited output file” report output option.

Note: This option is particularly useful for manipulating pages of patient lists, enabling users to sort the lists by any column they want.

For detailed instructions on running a specific report, see Section 5.0, “Reports and Patient Lists.”

10.1 Producing a Delimited File

After you have set the parameters of the report you want to create, CRS displays a summary of those parameters. The following figure uses the National GPRA & PART report as an example.

```

SUMMARY OF NATIONAL GPRA & PART REPORT TO BE GENERATED

The date ranges for this report are:

Reporting Period:      Jul 01, 2009 to Jun 30, 2010
Previous Year Period:  Jul 01, 2008 to Jun 30, 2009
Baseline Period:      Jul 01, 1999 to Jun 30, 2000

The COMMUNITY Taxonomy to be used is: DEMO GPRA COMMUNITIES

Please choose an output type. For an explanation of the delimited
file please see the user manual.

Select one of the following:

P          Print Report on Printer or Screen
D          Create Delimited output file (for use in Excel)
B          Both a Printed Report and Delimited File

Select an Output Option: P// D <Enter> Create Delimited output file

```

Figure 10-1: Creating a delimited output file version of a report (Step 1)

1. After the Summary of the report you are creating is displayed, type **D** at the “Select an Output Option” prompt and press the Enter key.

When you select D to create a delimited file, you are prompted to print the delimited output to the screen, where you can capture the output or print the output to a file.

```

Select an Output Option: P// D <Enter> Create Delimited output file (for use in
Excel)

You have selected to create a delimited output file. You can have this
output file created as a text file in the pub directory,
OR you can have the delimited output display on your screen so that
you can do a file capture. Keep in mind that if you choose to
do a screen capture you CANNOT Queue your report to run in the background!!

Select one of the following:

S          SCREEN - delimited output will display on screen for capture
F          FILE - delimited output will be written to a file in pub

Select output type: S// F <Enter> FILE - delimited output will be written to a file
in pub
Enter a filename for the delimited output (no more than 40 characters): mytestfile
<Enter>

When the report is finished your delimited output will be found in the
q:\ directory. The filename will be [mytestfile]

Won't you queue this ? Y// <Enter> YES
Requested Start Time: NOW//20:00:00 <Enter> (APR 27, 2010@20:00:00)

```

Figure 10-2: Example of specifying the file name and queuing the delimited report run (Steps 2 through 4)

2. At the “Select output type” prompt, complete the following steps:
 - a. Press the Enter key to accept the default, S, which prints the file to the screen where you can capture the output.
 - b. Type **F** and press the Enter key to print the output to a file.
 - c. At the “Enter a filename for the delimited output” prompt, type the name of the delimited file you want to create. and press the Enter key.

Note: The filename cannot exceed 40 characters and the .txt extension is appended to the name automatically. Most sites are set up to print the file to your network’s Pub directory.

To access the file, you may need to use FTP to transfer the delimited file from Pub to your computer. Ask your site manager for additional information about retrieving files from your local network.

3. At the “Won’t you queue this?” prompt, press the Enter key to queue the report.
4. Specify a start time, either now or a later time, and press the Enter key.

10.2 Opening Text Files in Microsoft Excel

To import the delimited file into Excel, perform the following steps:

1. Open Excel.
2. Select File, then Open from the menu bar.
3. Browse to the appropriate folder on your computer system where the delimited file is located. You may need to check with your site manager.




Figure 10-3: Importing the delimited file into Excel (Step 4)

4. In the Open dialog box, do the following:
 - Ensure that the files of type are either Text Files or All Files.
 - Select the name of the text file you want to open.
 - Click Open.

The Text Import Wizard should appear automatically.




Figure 10-4: Importing the delimited file into Excel (Step 5)

5. In the Text Import Wizard – Step 1 of 3 dialog box, check to make sure that the Original Data Type is Delimited.

Click **Next** to proceed.




Figure 10-5: Importing the delimited file into Excel (Step 6)

6. In the Text Import Wizard – Step 2 of 3 dialog box, do the following:
 - For Delimiters, select **Other** and type a caret (^) in the box.

This tells Excel that the file you are importing separates (delimits) the fields with a “^” character.

- If any other delimiter is selected, deselect it.

Click **Next** to continue.




Figure 10-6: Importing the delimited file into Excel (Step 7)

7. On the Text Import Wizard – Step 3 of 3 dialog box,

- Highlight all the columns by scrolling down until you see multiple columns in the Data Preview display, holding the Shift key down, and clicking on the last column. All columns should now be highlighted.
- Change the Column data format to Text.

If you leave the format set to “General,” Excel will reformat some of the cells; for example, change age ranges to dates and could treat text beginning with a dash (-) as a formula (i.e. – GPRA Developmental)

Click **Finish**.

The data in the selected file appears in the Excel worksheet. Each column that you view on the printed report now appears in a separate Excel column that can be resized and used to perform arithmetical calculations.




Figure 10-7: Example of a delimited file imported into Excel

Figure 10-8 shows a formatted spreadsheet in Excel.

*** IHS GPRA Performance Report ***
CRS 2007, Version 7.0

Date Report Run: Dec 11, 2006
Site where Run: DEMO INDIAN HOSPITAL
Report Generated by: KLEPACKI,STEPHANIE
Report Period: Jan 01, 2006 to Dec 31, 2006
Previous Year Period: Jan 01, 2005 to Dec 31, 2005
Baseline Period: Jan 01, 2000 to Dec 31, 2000

Diabetes Prevalence

Denominator(s):
All User Population users. Breakdown by gender and by age groups: <15, 15-19, 20-24, 25-34, 35-44, 45-54, 55-64, >64.

Numerator(s):
Anyone diagnosed with Diabetes at any time before the end of the Report Period.
Anyone diagnosed with Diabetes during the Report Period.

During FY 2007, continue tracking (i.e., data collection and analyses)
Area age-specific diabetes prevalence rates to identify trends in the age-specific prevalence of diabetes (as a surrogate marker for diabetes incidence) for the AI/AN population.

	REPORT PERIOD	%	PREV YR PERIOD	%	CHG from PREV YR %	BASE PERIOD	%	CHG from BASE %
# User Pop	1194		1880			2332		
# w/ any DM DX	149	12.5	204	10.9	+1.6	196	8.4	+4.1
# w/ DM DX w/in past year	1	0.1	0	0.0	+0.1	99	4.2	-4.2
# Male User Pop	509		843			1103		
# w/ any DM DX	66	13.0	87	10.3	+2.6	71	6.4	+6.5
# w/DM DX w/in past year	0	0.0	0	0.0	+0.0	47	4.3	-4.3

Preview: Page 1 of 66

Figure 10-8: Example of a formatted performance report in Excel

10.3 Sorting Patient Lists in Excel

Patient lists can be more easily sorted and formatted in Excel. First, run any of the reports containing patient lists (e.g., Selected Measures COM, PP, or ALL reports). Then select Delimited as your report output option.

The following example demonstrates how to identify at risk patients who need to receive influenza immunizations.

1. Follow the steps in Section 10.2 to open your delimited report in Excel.
2. In Excel, scroll down to the patient list you want to sort.

- Format the spreadsheet to see the data more clearly. For example, change the width of some columns.




Figure 10-9: Example of a formatted patient list in Excel

- Highlight all of the rows containing patient names and information, as shown in Figure 10-10.

Microsoft Excel - Sample of Patient List for Excel.xls

File Edit View Insert Format Tools Data Window Help Adobe PDF

Courier New 10 B I U \$ % .00 .00

A45 PATIENT,DEBORAH

	A	B	C	D	E	F	G
28	In FY 2007, maintain FY 2005 rate of 59% for influenza vaccination levels						
29	among non-institutionalized adults aged 65 years and older.						
30							
31	>65 Vaccine Rate: IHS Performance: FY 2006 - 58.0%, FY 2005 - 59.0%, FY						
32	2004 - 54.0%, FY 2003 - 51%; HP 2010 Goal: 90%						
33							
34	Entire Patient List						
35							
36	UP=User Pop; AC=Active Clinical; AD=Active Diabetic;						
37	AAD=Active Adult Diabetic; PREG=Pregnant Female;						
38	IMM=Active IMM Pkg Pt; IHD=Active Ischemic Heart Disease						
39							
40	Adult Immunizations: Influenza: List of patients >= 50 yrs or DM DX with						
41	influenza code or refusal and date, if any.						
42							
43	PATIENT NAME	HRN	COMMUNITY	SEX	AGE	DENOMINATOR	NUMERATOR
44	-----						
45	PATIENT, DEBORAH	990001	COMMUNITY #1	F	45	AD	10/28/03 Imm 88
46	PATIENT, KRISTAL	990002	COMMUNITY #1	F	50	UP, AC	
47	PATIENT, YVETTE	990003	COMMUNITY #1	F	50	UP, AC	
48	PATIENT, DANIELLE	990004	COMMUNITY #1	F	51	UP	
49	PATIENT, MARIE	990005	COMMUNITY #1	F	51	UP, AC, AD	10/21/03 Imm 88
50	PATIENT, MARY ANN	990006	COMMUNITY #1	F	52	UP, AC	
51	PATIENT, BOBBIE	990007	COMMUNITY #1	F	52	UP, AC, AD	10/17/03 Imm 88
52	PATIENT, FRANCES	990008	COMMUNITY #1	F	53	UP, AC	
53	PATIENT, DARLENE	990009	COMMUNITY #1	F	54	UP, AC	10/16/03 Imm 88
54	PATIENT, CAROLYN	990010	COMMUNITY #1	F	54	UP	
55	PATIENT, JOYCE	990011	COMMUNITY #1	F	57	UP, AC	
56	PATIENT, NADINE	990012	COMMUNITY #1	F	61	UP, AC, AD	
57	PATIENT, LOUISE	990013	COMMUNITY #1	F	62	UP	
58	PATIENT, CHARLOTTE	990014	COMMUNITY #1	F	64	UP, AC	10/29/03 Imm 88

Sheet1/ Ready

Figure 10-10: Example of highlighted rows

5. On the Data menu, click the Sort option to display the Sort dialog box, as shown in Figure 10-11.



Figure 10-11: Sort Dialog box

6. In the Sort dialog box, do the following:
 - Select the columns that you want to sort by and choose whether to sort in ascending or descending order.
 - Select No header row.Click OK.

Microsoft Excel - Sample of Patient List for Excel.xls

File Edit View Insert Format Tools Data Window Help Adobe PDF

Courier New 10 B I U \$ % 100%

A45 PATIENT,DARLENE

28 In FY 2007, maintain FY 2005 rate of 59% for influenza vaccination levels
 29 among non-institutionalized adults aged 65 years and older.
 30
 31 >65 Vaccine Rate: IHS Performance: FY 2006 - 58.0%, FY 2005 - 59.0%, FY
 32 2004 - 54.0%, FY 2003 - 51%; HP 2010 Goal: 90%
 33
 34 Entire Patient List
 35
 36 UP=User Pop; AC=Active Clinical; AD=Active Diabetic;
 37 A&D=Active Adult Diabetic; PREG=Pregnant Female;
 38 IMM=Active IMM Pkg Pt; IHD=Active Ischemic Heart Disease
 39
 40 Adult Immunizations: Influenza: List of patients >= 50 yrs or DM DX with
 41 influenza code or refusal and date, if any.
 42
 43 PATIENT NAME HRN COMMUNITY SEX AGE DENOMINATOR NUMERATOR
 44 -----
 45 PATIENT,DARLENE 990009 COMMUNITY #1 F 54 UP,AC 10/16/03 Imm 88
 46 PATIENT,BOBBIE 990007 COMMUNITY #1 F 52 UP,AC,AD 10/17/03 Imm 88
 47 PATIENT,MARIE 990005 COMMUNITY #1 F 51 UP,AC,AD 10/21/03 Imm 88
 48 PATIENT,DEBORAH 990001 COMMUNITY #1 F 45 AD 10/28/03 Imm 88
 49 PATIENT,CHARLOTTE 990014 COMMUNITY #1 F 64 UP,AC 10/29/03 Imm 88
 50 PATIENT,KRYSTAL 990002 COMMUNITY #1 F 50 UP,AC
 51 PATIENT,YVETTE 990003 COMMUNITY #1 F 50 UP,AC
 52 PATIENT,DANIELLE 990004 COMMUNITY #1 F 51 UP
 53 PATIENT,MARY ANN 990006 COMMUNITY #1 F 52 UP,AC
 54 PATIENT,FRANCES 990008 COMMUNITY #1 F 53 UP,AC
 55 PATIENT,CAROLYN 990010 COMMUNITY #1 F 54 UP
 56 PATIENT,JOYCE 990011 COMMUNITY #1 F 57 UP,AC
 57 PATIENT,NADINE 990012 COMMUNITY #1 F 61 UP,AC,AD
 58 PATIENT,LOUISE 990013 COMMUNITY #1 F 62 UP

Sheet1/ Ready

Figure 10-12: Example of a sorted patient list in Excel

In this example, the sort is based on the data in the last column (G) in ascending order. The resulting list will display patients with an immunization, followed by patients with no immunization.

11.0 Appendix C: Creating a Patient Panel with Q-Man

Patient panels can be defined by users and used as the population for clinical performance reporting with the PP Selected Measures with Patient Panel Population report (see Section 5.11.2.2 for a detailed description).

Note: Patient panels must be created as FileMan search templates.

The following example demonstrates how to use Q-Man to create a list, or panel, of patients. In this example, the list created is for all female patients seen in the past year by a specified provider (PROVIDER1,TEST), who was designated as the primary provider for a visit.

```

***** Q-MAN OPTIONS *****

Select one of the following:

1          SEARCH PCC Database (dialogue interface)
2          FAST Facts (natural language interface)
3          RUN Search Logic
4          VIEW/DELETE Taxonomies and Search Templates
5          FILEMAN Print
9          HELP
0          EXIT

Your choice: SEARCH// <Enter> PCC Database (dialogue interface)

***** SEARCH CRITERIA *****

What is the subject of your search? LIVING PATIENTS // <Enter> LIVING PATIENTS

Subject of search: PATIENTS
ALIVE TODAY

Attribute of LIVING PATIENTS: SEX
CHOOSE FROM:
M          MALE
F          FEMALE
Value: F <Enter> FEMALE
Computing Search Efficiency
Rating.....

Subject of search: PATIENTS
ALIVE TODAY
SEX: FEMALE

Attribute of LIVING PATIENTS: VISIT <Enter>

SUBQUERY: Analysis of multiple VISITS

First condition of "VISIT": BETWEEN,DATES (inclusive)
Exact starting date: T-365 <Enter> (DEC 11, 2005)
Exact ending date: T <Enter> (DEC 11, 2006)

Next condition of "VISIT": PROVIDER <Enter>
***** PROVIDER-RELATED CRITERIA *****

You can either specify one or more providers by NAME, or.....
You can specify one or more PROVIDER ATTRIBUTES (affiliation, specialty, etc)
to be used as selection criteria.

Select one of the following:

1          NAME(S) of providers
2          ATTRIBUTE(S) of providers

Your choice: NAME(S)// <Enter> of providers

Enter PROVIDER: PROVIDER1,TEST <Enter>
Enter ANOTHER PROVIDER: <Enter>

The following have been selected =>

```

(continued on next page)

```

PROVIDER1,TEST
When I check the providers from each encounter, you can limit my analysis
to the PRIMARY provider only, SECONDARY providers, or ALL providers.

Select one of the following:

    1          PRIMARY provider only
    2          SECONDARY providers only
    3          ALL providers
Your choice: ALL// 1 <Enter> PRIMARY provider only

Subject of subquery: VISIT
BETWEEN BETWEEN DEC 11,2006 and DEC 11,2007@23:59:59
PRIMARY PROVIDERS (PROVIDER1)

Next condition of "VISIT": <Enter>

Computing Search Efficiency Rating...

Subject of search: PATIENTS
ALIVE TODAY
SEX: FEMALE
Subject of subquery: VISIT
BETWEEN BETWEEN DEC 11,2006 and DEC 11,2007@23:59:59
PRIMARY PROVIDERS (PROVIDER)

Attribute of LIVING PATIENTS: <Enter>
***** Q-MAN OUTPUT OPTIONS *****

Select one of the following:

    1          DISPLAY results on the screen
    2          PRINT results on paper
    3          COUNT 'hits'
    4          STORE results of a search in a FM search template
    5          SAVE search logic for future use
    6          R-MAN special report generator
    9          HELP
    0          EXIT

Your choice: DISPLAY// 4 <Enter> STORE results of a search in a FM search
template

Fileman users please note =>
This template will be attached to IHS' PATIENT file (#9000001)

Enter the name of the SEARCH TEMPLATE: LAB SEEN BY FPROVIDER1 IN PAST YR <Enter>
Are you adding 'LAB SEEN BY FPROVIDER1 IN PAST YR' as
a new SORT TEMPLATE? No// Y <Enter> (Yes)
DESCRIPTION:
No existing text
Edit? NO// <Enter>

Want to run this task in background? No// <Enter> (No)

...SORRY, JUST A MOMENT PLEASE...

```

(continued on next page)

PATIENTS (Alive)	SANTA NUMBER	SEX	VISIT

LASTNAME,AMY LY	123456	FEMALE	+
ROBIN,BLUE	234567	FEMALE	+
DUCK,DONALD	345678	FEMALE	+
MOUSE,MINNIE	456789	FEMALE	+
UPDOWN,FIRST	654321	FEMALE	+

Search template completed...

This query generates 5 "hits"
Time required to create search template: 10 SECONDS

Figure 11-1: Creating a list of all female patients

12.0 Appendix D: AI/AN Clinical Information on Measures

For AI/AN Clinical Information on Measures, please see the [CRS Performance Improvement Toolbox website](#):

http://www.ihs.gov/CIO/CRS/index.cfm?module=crs_performance_improvement_toolbox.

13.0 Appendix E: Height and Weight Data File Letter



DEPARTMENT OF HEALTH & HUMAN SERVICES

Indian Health Service
Division of Epidemiology and
Disease Prevention
5300 Homestead Road, NE
Albuquerque, NM 87110

May 2, 2006

To: Area Director
Chief Medical Officer
Clinical Director
GPRA Coordinator
Indian Health Service

From: Chief of Chronic Disease
Medical Epidemiologist
GPRA Field Lead
Indian Health Service

Subject: AI/AN Pediatric Height-Weight Surveillance System

This letter contains important information regarding the American Indian and Alaska Native (AI/AN) Pediatric Height-Weight Surveillance System, a new public health surveillance activity that will help address the problem of obesity among American Indian and Alaska Native children. This letter describes the new activity and its primary data source: height and weight data collected through the Clinical Reporting System (CRS). Because this information is being collected at the site level, we want you to be fully informed about the parameters of this activity, and to understand how this information will be used.

As you know, the prevalence of obesity in American Indian and Alaska Native (AI/AN) populations has increased dramatically over the past 30 years. Among American Indian preschool and school-age children, obesity rates are up to three times higher than those of other US populations. An estimated 40 percent of AI children are overweight. Obesity is a risk factor for diabetes, which now affects over one quarter of the adult AI population, as well as cardiovascular disease, and some cancers. IHS is committed to reducing childhood obesity through SDPI-funded projects, nutrition education and other community and clinical interventions, and partnerships with Tribes.

Obesity is very difficult to treat. Comprehensive obesity prevention programs beginning early in childhood are necessary if the epidemics of obesity and diabetes among AI/AN populations are to be reversed. Evidence-based school and community interventions that are culturally oriented and family centered are needed to encourage lifelong healthy eating and regular physical activity. However, we do not have a consistent source of accurate data on obesity rates among AI/AN populations, and consequently we cannot track or evaluate efforts to prevent and treat obesity in AI/AN communities.

In 2001, IHS reported to Congress on the problem of obesity within the AI/AN community, along with suggestions on how to address the problem. We were greatly hampered in writing this report by the lack of current data. One major recommendation of this report was to “Support clinical behavioral research and evaluation of public health approaches conducted in partnership with tribes by NIH, CDC, and IHS to prevent and treat obesity in AI/AN populations.”* We anticipate being asked to do a follow-up report, and will need better baseline and trend information.

Even prior to this report, IHS began tracking Body Mass Index (BMI) measurement for GPRA reporting in FY 2000. From 2000-2005 this GPRA measure tracked the proportion of active users, ages 2-74, who had height and weight measured and BMI calculated. As of FY 2006, this GPRA measure has begun to focus specifically on reducing obesity among 2-5 year old children, by tracking the rate of children with a BMI above the 95th percentile. While summarized Area reports can provide a useful overview, GPRA data is not detailed enough for purposes of this surveillance activity. For example, the more complete data file would allow tracking of BMI by one-year groups, or comparing trends among children at age 2 with those in the 2-5 year old age group. Different clinical approaches may be required depending upon which of these groups is experiencing an increase in BMI. It will also be possible to calculate other measures such as weight-for-height, which are not programmed into the GPRA report.

The American Indian and Alaska Native (AI/AN) Pediatric Height-Weight Surveillance System is part of the effort to combat childhood obesity. The purpose of this activity is to collect information on the current height and weight status of AI/AN children and use the information to:

- establish a national baseline prevalence of childhood overweight and underweight by defined geographic regions;
- increase awareness of the high prevalence of childhood overweight;
- track changes over time, using consistent measures;
- target resources for healthy growth and development for prevention of diabetes and other chronic diseases; and

* Indian Health Service. *IHS Report to Congress: Obesity Prevention and Control for American Indians and Alaska Natives*. April 2001

- justify additional resources for early intervention in local, regional, and national IHS/Tribal/Urban Indian health programs and communities to decrease the health disparities in AI/AN.

The IHS Division of Epidemiology has worked with the CRS technology staff to develop a method for obtaining the data necessary from reporting GPRA sites. For CRS Version 6.0 (the current released version of the software), when a facility runs the National GPRA report and exports its data to its Area Office, a file is created for children ages 0-18 from 1999-2006, containing the following data elements:

1. Site Name
2. ASUFAC
3. Unique Registration ID (from Registration)
4. Date of Birth in MM/DD/CCYY format (from Registration)
5. Ethnicity (from Registration)
6. Gender (from Registration)
7. State of Residence (from Registration)
8. Unique Visit ID (Visit file)
9. Visit/Admit Date&Time (Visit file)
10. Height (converted from inches to centimeters)
11. Weight (converted from pounds to kilograms)

Note both a height and weight must be recorded for each visit. If only a height or a weight was recorded, it will not be sent in this file.

This file is created automatically, although it does not display during the run. The data for this file is included in the National GPRA file (i.e. files beginning with “BG06”) that goes to the Area for aggregation. The Area Office may then run an option to combine all of the facilities’ height and weight data into a single data file to be sent to Elaine Brinn at the CAO. The files will then be collected and forwarded to Drs. Marty Kileen and Nat Cobb at the Division of Epidemiology. No unduplication of data occurs during the aggregation process, and the files are not sent automatically to Epidemiology. A site may obtain a data file relating to its population from the Area coordinator.

In CRS Version 6.1, to be released in late June 2006, two changes are going to occur:

1. The content of this file is going to be expanded to include height and weight data for ALL Active Clinical patients, regardless of age. For children ages 0-18, both a height and weight must be recorded on a visit; for all other ages, either a height and/or a weight must be recorded on each visit. The purpose of this change is to allow us to do analyses and trending for adults similar to those described for children.
2. Functionality is going to be added to prompt the use when s/he chooses to export the National GPRA report data to the Area Office if s/he would to create the Height and Weight file locally on their server as a delimited text file. If the user chooses to create the file, it may be opened in an application such as SAS, MS Access or MS Excel. Note that Excel imposes a maximum of 65,535 records per file and if the file contains more than that number of records, the file will be truncated and there will be no way to retrieve the remaining records. Thus, it is recommended that SAS or Access be used to open these files. It is also strongly cautioned that, unless this data is going to be actively used and reviewed, this file should not be created each time the National GPRA report data is exported to the Area Office because the file can be very large, depending on the number of patients in the facility's database.

In order for this data to be complete, statistically meaningful, and comparable to other data sources, it needs to be collected at a local level. Additionally, the site-specific data will allow an individual Service Unit or Tribal program to develop interventions or approaches to weight control that take into account specific factors unique to a population. Local-level data also allows us to compare with data from other sources, for internal validation purposes. For example, height and weight data has been collected at several sites for children in schools and Head Start facilities by the Tribal Epicenters. By comparing this data with that collected through CRS, we can find out how well the BMIs currently measured in our clinics represent the BMIs of the entire population of children. It is possible, for instance, that heavier children are more likely to be weighed and measured in our clinics, skewing our statistics.

There are three points we want to emphasize about this surveillance system and the data file. **First, this file does not collect any site-specific performance-related data.** It is a file designed to capture height and weight data for the purposes of statistical data collection only. **No** performance-related measure information is captured and no GPRA measure information is collected, including the proportion of patients who have a BMI calculated at a specific site.

Second, **no site-specific statistical data will be published.** Our intent is to use this statistical data to create age-specific trend data (summarized at the area or state level) to help guide decision making about the childhood weight GPRA measure and associated interventions. We will also use this data to compare with population-based estimates generated from other data collection. Weight and height data will be collected in future years as well.

Third, as is true of any of our patient information, **collection and storage of data will be governed by applicable HIPAA regulations**, and any proposal or request to perform research using this database will be subject to the standard process of IRB review and approval.

We hope that you will appreciate the value of such information, both to the overall effort to combat obesity, and as a potential resource for your site. However, if you have objections to including data from your site in this surveillance system, or would like further information, please contact your Area GPRA coordinator.



Nathaniel Cobb, MD
Chief of Chronic Disease Section
IHS Division of Epidemiology &
Disease Prevention



Martin Kileen, MD, MPH
Medical Epidemiologist
IHS Division of Epidemiology &
Disease Prevention

Theresa Cullen, MD
GPRA Field Lead

14.0 Contact Information

If you have any questions or comments regarding this distribution, please contact the OIT Help Desk (IHS).

Phone: (505) 248-4371 or (888) 830-7280 (toll free)

Fax: (505) 248-4363

Web: <http://www.ihs.gov/GeneralWeb/HelpCenter/Helpdesk/index.cfm>

Email: support@ihs.gov