



RESOURCE AND PATIENT MANAGEMENT SYSTEM

# **Clinical Reporting System**

## **(BGP)**

### **Technical Manual**

Version 11.0  
January 2011

Office of Information Technology (OIT)  
Division of Information Resource Management  
Albuquerque, New Mexico

## Preface

This manual contains the technical manual for the Clinical Reporting System (CRS) Version 11.0, which adds fiscal year (FY) 2011 clinical performance measures to existing FY 2002 through FY 2010 measures.

## Document Version History

Version	Date	Notes
1.0	August 2005	Initial version
8.0	August 2008	Updated to include changes to the logic descriptions and performance measures for FY 2008 and reformatted
9.0	June 2009	Updated for version 9.0
10.0	May 2010	Updated for version 10.0
11.0	January 2011	Updated for version 11.0

# Table of Contents

<b>Document Version History .....</b>	<b>iii</b>
<b>1.0 Introduction.....</b>	<b>1</b>
<b>2.0 Implementation and Maintenance.....</b>	<b>3</b>
2.1 System Requirements .....	3
2.2 Security Keys.....	3
<b>3.0 Routines .....</b>	<b>4</b>
3.1 Routines and Descriptions.....	4
<b>4.0 Files and Tables .....</b>	<b>15</b>
4.1 File List .....	15
4.2 File Access .....	16
4.3 Cross References.....	16
4.4 Table File.....	40
4.4.1 BGP Control File.....	41
4.4.2 BGP SITE PARAMETERS .....	44
4.4.3 FILE: BGP SUMMARY CATEGORIES.....	45
4.4.4 FILE: BGP 11 MEASURES .....	45
4.4.5 FILE: BGP 11 INDIVIDUAL MEASURES .....	47
4.4.6 FILE: BGP 11 NATIONAL PATIENT LISTS .....	50
4.4.7 FILE: BGP 11 TAXONOMIES .....	50
4.4.8 FILE: BGP 11 TAXONOMY TEMP.....	51
4.4.9 FILE: BGP 11 MEASURE GROUPS .....	52
4.4.10 FILE: BGP 11 XP OUTPUT.....	52
4.4.11 FILE: BGP 11 PATIENT ED DATA CURRENT .....	53
4.4.12 FILE: BGP 11 PATIENT ED DATA PREVIOUS .....	54
4.4.13 FILE: BGP 11 PATIENT ED DATA BASELINE .....	55
4.4.14 FILE: BGP 11 PAT ED MEASURES .....	56
4.4.15 FILE: BGP 11 ICARE GROUPS.....	57
4.4.16 FILE: BGP 11 ICARE CATEGORIES.....	58
4.4.17 FILE: BGP 11 GUI REPORT OUTPUT .....	58
4.4.18 FILE: BGP 11 ELDER INDIVIDUAL MEASURES .....	59
4.4.19 FILE: BGP 11 ELDER MEASURES .....	59
4.4.20 FILE: BGP 11 EO MEASURES .....	60
4.4.21 FILE: BGP 11 EO INDIVIDUAL MEASURES.....	61
<b>5.0 Internal Relations .....</b>	<b>63</b>
<b>6.0 External Relations .....</b>	<b>64</b>
6.1 External Calls .....	64
6.2 Callable Routines .....	89
6.3 Published Entry Points .....	90

---

6.4	Exported Options .....	90
<b>7.0</b>	<b>Security Keys .....</b>	<b>104</b>
<b>8.0</b>	<b>Archiving and Purging .....</b>	<b>105</b>
<b>9.0</b>	<b>Documentation Resources .....</b>	<b>106</b>
9.1	How to Generate Online Documentation .....	106
9.2	System Documentation .....	106
9.2.1	%INDEX .....	107
9.2.2	Inquire Option .....	107
9.2.3	Print Option File .....	108
9.2.4	List File Attributes .....	108
9.3	Online Help .....	109
<b>10.0</b>	<b>SAC Requirements .....</b>	<b>110</b>
	<b>Glossary .....</b>	<b>111</b>
	<b>Contact Information .....</b>	<b>114</b>

## 1.0 Introduction

This manual provides Indian Health Service (IHS) site managers with a technical description of the Clinical Reporting System routines, files, menus, cross references, globals, and other necessary information required to effectively manage the system.

All routines, files, options, and keys have a namespace starting with the letters “bgb.”

The file number range for this package is 90240, 90370–90547, 90530–90539, 90545–90599.

The Government Performance and Results Act (GPRA) requires federal agencies to report annually on how the agency measured against the performance targets set in its annual plan. The IHS GPRA measures include clinical prevention and treatment, quality of care, infrastructure, and administrative efficiency functions.

The IHS Clinical Reporting System (CRS) is a Resource and Patient Management System (RPMS) software application designed for national reporting, as well as Area Office and local monitoring of clinical GPRA and developmental measures. CRS was first released for FY 2002 performance measures (as GPRA+) and is based on a design by the Aberdeen Area Office (GPRA2000).

This manual provides technical information for the CRS Version 11.0. version 11.0 adds fiscal year (FY) 2011 clinical performance measures to existing FY 2002 through FY 2010 measures.

CRS is the reporting tool used by the IHS Office of Planning and Evaluation to collect and report clinical performance results annually to the Department of Health and Human Services (HHS) and to Congress.

Each year, an updated version of CRS software is released to reflect changes in the logic descriptions of the different denominators and numerators. Additional performance measures may also be added. Local facilities can run reports as often as they want and can also use CRS to transmit data to their Area Office. The Area Office can use CRS to produce an aggregated Area Office report for either annual GPRA or Area Office director performance reports.

CRS produces reports on demand from local RPMS databases for both GPRA and developmental clinical performance measures that are based on RPMS data, thus eliminating the need for manual chart audits for evaluating and reporting clinical measures.

To produce reports with comparable data across every facility, the GPRA measures definitions were “translated” into programming code with the assistance of clinical subject matter experts. CRS uses predefined taxonomies to find data items in the RPMS Patient Care Component to determine if a patient meets the performance measure criteria. Taxonomies contain groups of codes (e.g., diagnoses or procedures) or site-specific terms. Each performance measure topic has one or more defined denominators and numerators.

Administrative and clinical users can review individual or all measures at any time to:

- Identify potential data issues in their RPMS; for example, missing or incorrect data.
- Monitor their site’s performance against past national performance and upcoming agency goals
- Identify specific areas where the facility is not meeting the measure in order to initiate business process or other changes
- Quickly measure impact of process changes on performance measures
- Identify IHS Area Offices meeting or exceeding measures to provide lessons learned

Users of the RPMS CRS include:

- Area Office and site quality improvement staff
- Compliance officers
- GPRA coordinators
- Clinical staff, such as physicians, nurses, nurse practitioners, and other providers
- Area Office directors
- Any staff involved with quality assurance initiatives
- Staff who run the various CRS reports

## 2.0 Implementation and Maintenance

The Clinical Reporting System occupies the BGP namespace. Options, security locks/keys, templates, routines, and globals have the namespace BGP.

**Note:** This version of the CRS (v.11.0) only contains the 2011 files, options, routines, templates, etc. Previous versions were distributed with version 8.0, through patch 1. This was done at the request of the verification staff due to the size of this package. Version 10.0 is a requirement to install version 11.0. Please see the version 8.0 technical manual for information about all previous versions.

### 2.1 System Requirements

- IHS CRS version 10.0 through patch 1 (bgp\*10.0\*1)

### 2.2 Security Keys

Table 2-1 provides security key information.

**Table 2-1. BGP Security Keys**

Name	Descriptive Name	Description
BGPZAREA	BGP AREA REPORT	This key unlocks the area report options on the main BGPMENU. This key should only be assigned at the Area Office level.
BGPZMENU	BGP MAIN MENU–CRS	This key unlocks the main CRS menu. It should be assigned to all users who need to run GPRA/CRS reports.
BGPZ PATIENT LISTS	BGP PATIENT LISTS	This key allows the holder to obtain patient lists. The patient lists contain sensitive patient/clinical information. This key should only be given to those users who have a need for such information.
BGPZ SITE PARAMETERS	BGP SITE PARAMETERS	This key should be given to those with authority to update the site parameters.
BGPZ TAXONOMY EDIT	BGP TAXONOMY EDIT	This key should be given only to users who need to update taxonomies.



## 3.0 Routines

This section includes a table that lists BGP routines and their descriptions.

Please note that the only routines distributed in version 11.0 are the BGP1\* routines. Previous versions of CRS contain the other routines. This was done at the request of the verification staff and is due to the large size of the build.

### 3.1 Routines and Descriptions

Table 3-1 provides a list of routines with comprehensive descriptions of the function.

**Table 3-1: BGP Routines**

Routine	Description
BGP 11	IHS/CM/ILAB-CREATED BY ^ATXSTX ON NOV 17, 2010
BGP 11A	IHS/CM/ILAB-CREATED BY ^ATXSTX ON NOV 04, 2010
BGP 11B	IHS/CM/ILAB-CREATED BY ^ATXSTX ON NOV 04, 2010
BGP 11C	IHS/CM/ILAB-CREATED BY ^ATXSTX ON NOV 04, 2010
BGP 11D	IHS/CM/ILAB-CREATED BY ^ATXSTX ON NOV 10, 2010
BGP 11D2	IHS/CM/ILAB-CREATED BY ^ATXSTX ON NOV 10, 2010
BGP 11D3	IHS/CM/ILAB-CREATED BY ^ATXSTX ON NOV 10, 2010
BGP 11D4	IHS/CM/ILAB-CREATED BY ^ATXSTX ON NOV 10, 2010
BGP 11D5	IHS/CM/ILAB-CREATED BY ^ATXSTX ON NOV 10, 2010
BGP 11D6	IHS/CM/ILAB-CREATED BY ^ATXSTX ON NOV 10, 2010
BGP 11E	IHS/CM/ILAB-CREATED BY ^ATXSTX ON NOV 11, 2010
BGP 11F	IHS/CM/ILAB-CREATED BY ^ATXSTX ON NOV 17, 2010
BGP 11FB	IHS/CM/ILAB-CREATED BY ^ATXSTX ON NOV 17, 2010
BGP 11FC	IHS/CM/ILAB-CREATED BY ^ATXSTX ON NOV 17, 2010
BGP 11FD	IHS/CM/ILAB-CREATED BY ^ATXSTX ON NOV 17, 2010
BGP 11FE	IHS/CM/ILAB-CREATED BY ^ATXSTX ON NOV 17, 2010
BGP 11FF	IHS/CM/ILAB-CREATED BY ^ATXSTX ON NOV 17, 2010
BGP1ALG	IHS/CM/ILAB-measure AHR.A
BGP1ALG1	IHS/CM/ILAB-measure AHR.A
BGP1ASL	IHS/CM/ILAB-DISPLAY IND LISTS 28 Apr 2006 2:10 PM
BGP1ASL1	IHS/CM/ILAB-DISPLAY IND LISTS 28 Apr 2006 2:10 PM
BGP1BAN	IHS/CM/ILAB-BANNER FOR CRS 09 13 Aug 2010 11:31 AM
BGP1C1	IHS/CM/ILAB-calc CMS measures 26 Sep 2004 11:28
BGP1C11	IHS/CM/ILAB-calc CMS measures 02 Jul 2010 8:31 AM
BGP1C12	IHS/CM/ILAB-calc CMS measures 26 Sep 2004 11:28 AM
BGP1C13	IHS/CM/ILAB-calc CMS measures 26 Sep 2004 11:28 AM
BGP1C2	IHS/CM/ILAB-calc CMS measures 26 Sep 2004 11:28 AM
BGP1C2X	IHS/CM/ILAB-calc CMS measures 26 Sep 2004 11:28 AM
BGP1C3	IHS/CM/ILAB-calc CMS measures 26 Sep 2004 11:28

<b>Routine</b>	<b>Description</b>
BGP1C31	IHS/CMI/LAB–calc CMS measures 26 Sep 2004 11:28 AM
BGP1C3X	IHS/CMI/LAB–calc CMS
BGP1C4	IHS/CMI/LAB–calc CMS measures
BGP1CON	IHS/CMI/LAB–measure AHR.A
BGP1CON1	IHS/CMI/LAB–measure AHR.A 30 May 2010 9:32 AM
BGP1CP	IHS/CMI/LAB–IHS gpra print 02 Jul 2010 9:06 AM
BGP1CP1	IHS/CMI/LAB–IHS gpra print
BGP1CP11	IHS/CMI/LAB–IHS gpra print
BGP1CP2	IHS/CMI/LAB–IHS gpra print 02 Nov 2009 10:40 AM
BGP1CP3	IHS/CMI/LAB–IHS gpra print 02 Jul 2010 9:07 AM
BGP1CP4	IHS/CMI/LAB–IHS gpra print 01 Nov 2009 4:08 PM
BGP1CP5	IHS/CMI/LAB–IHS gpra print
BGP1CP6	IHS/CMI/LAB–IHS gpra print
BGP1CPU	IHS/CMI/LAB–calc CMS measures
BGP1CPU2	IHS/CMI/LAB–calc CMS measures 02 Jul 2010 9:24 AM
BGP1CPU3	IHS/CMI/LAB–calc CMS measures
BGP1CPU4	IHS/CMI/LAB–calc CMS measures
BGP1CSI	IHS/CMI/LAB–DISPLAY IND LISTS
BGP1CSII	IHS/CMI/LAB–DISPLAY IND LISTS
BGP1CTL	IHS/CMI/LAB–DISPLAY IND LISTS
BGP1CTS	IHS/CMI/LAB–DISPLAY IND LISTS
BGP1CTXC	IHS/CMI/LAB–TAXONOMY CHECK FOR FY04 CRS REPORT
BGP1CU	IHS/CMI/LAB–calc CMS measures
BGP1CU1	IHS/CMI/LAB–calc CMS measures
BGP1CU2	IHS/CMI/LAB–calc CMS measures
BGP1CU3	IHS/CMI/LAB–calc CMS measures 26 Sep 2004 11:28 AM
BGP1CU4	IHS/CMI/LAB–calc CMS measures 26 Sep 2004 11:28 AM
BGP1CU5	IHS/CMI/LAB–calc CMS measures 26 Sep 2004 11:28 AM
BGP1CU6	IHS/CMI/LAB–calc CMS measures 26 Sep 2004 11:28
BGP1D1	IHS/CMI/LAB–calc measures
BGP1D10	IHS/CMI/LAB–calc measures
BGP1D2	IHS/CMI/LAB–measure 1,2,3,4
BGP1D21	IHS/CMI/LAB–measure 6
BGP1D211	IHS/CMI/LAB–measure 6
BGP1D21A	IHS/CMI/LAB–measure 6
BGP1D22	IHS/CMI/LAB–measure I2
BGP1D23	IHS/CMI/LAB–measure I2 23 Jun 2010 10:08 AM
BGP1D24	IHS/CMI/LAB–STI MEASURE 18 Oct 2009 8:37 AM
BGP1D25	IHS/CMI/LAB–measure 6 03 Jun 2011 3:16 PM
BGP1D26	IHS/CMI/LAB–measure 6 03 Jun 2011 3:16 PM
BGP1D3	IHS/CMI/LAB–measure 11 17 Oct 2009 12:40 PM
BGP1D31	IHS/CMI/LAB–measure C 01 Jun 2011 12:51 PM
BGP1D32	IHS/CMI/LAB–measure C
BGP1D33	IHS/CMI/LAB–measure C

<b>Routine</b>	<b>Description</b>
BGP1D34	IHS/CMI/LAB–measure C
BGP1D35	IHS/CMI/LAB–measure C
BGP1D36	IHS/CMI/LAB–measure C
BGP1D37	IHS/CMI/LAB–New routine created in Serenji at 10/25/2010 9:17:43 AM
BGP1D3A	IHS/CMI/LAB–measure 11 17 Oct 2009 12:40 PM
BGP1D4	IHS/CMI/LAB–measure 3 11 Dec 2009 5:58
BGP1D41	IHS/CMI/LAB–measure 3
BGP1D42	IHS/CMI/LAB–measure 11
BGP1D5	IHS/CMI/LAB–measure calc
BGP1D51	IHS/CMI/LAB–measure l2
BGP1D52	IHS/CMI/LAB–measure 31
BGP1D53	IHS/CMI/LAB–measure calc
BGP1D54	IHS/CMI/LAB–measure calc 02 Jul 2010 8:08 AM
BGP1D55	IHS/CMI/LAB–measure calc
BGP1D5A	IHS/CMI/LAB–measure calc
BGP1D6	IHS/CMI/LAB–measure 31
BGP1D61	IHS/CMI/LAB–measure 31 01 Jul 2010 7:47 PM
BGP1D62	IHS/CMI/LAB–measure 31 01 Jul 2010 7:47 PM
BGP1D63	IHS/CMI/LAB–measure 31 01 Jul 2010 7:47 PM
BGP1D64	IHS/CMI/LAB–measure 31 01 Jul 2010 7:47 PM
BGP1D7	IHS/CMI/LAB–measure 31
BGP1D71	IHS/CMI/LAB–measure C
BGP1D711	IHS/CMI/LAB–measure C 30 Jun 2010 12:14 PM
BGP1D72	IHS/CMI/LAB–measure 31
BGP1D721	IHS/CMI/LAB–measure AHR.A
BGP1D722	IHS/CMI/LAB–measure AHR.A
BGP1D729	IHS/CMI/LAB–measure AHR.A
BGP1D73	IHS/CMI/LAB–measure 31
BGP1D731	IHS/CMI/LAB–measure AHR.A
BGP1D732	IHS/CMI/LAB–measure AHR.A
BGP1D74	IHS/CMI/LAB–measure 1,2,3,4 05 Apr 2010 1:44 PM
BGP1D75	IHS/CMI/LAB–measure 31
BGP1D8	IHS/CMI/LAB–measure C 03 Jul 2010 7:05 AM
BGP1D81	IHS/CMI/LAB–measure C
BGP1D82	IHS/CMI/LAB–measure C 14 Mar 2010 11:49 AM
BGP1D83	IHS/CMI/LAB–measure C
BGP1D84	IHS/CMI/LAB–measure C
BGP1D85	IHS/CMI/LAB–measure C 09 Jun 2011 5:18 PM
BGP1D86	IHS/CMI/LAB–measure C 06 Nov 2009 2:26 PM
BGP1D861	IHS/CMI/LAB–measure C
BGP1D862	IHS/CMI/LAB–measure C
BGP1D863	IHS/CMI/LAB–measure C
BGP1D864	IHS/CMI/LAB–measure C
BGP1D87	IHS/CMI/LAB–measure calc

<b>Routine</b>	<b>Description</b>
BGP1D88	IHS/CMI/LAB–measure C 03 Jul 2010 7:05 AM
BGP1D89	IHS/CMI/LAB–measure C 03 Jul 2010 7:05 AM
BGP1D9	IHS/CMI/LAB–measure J
BGP1DAP	IHS/CMI/LAB–IHS GPRA 04 SELECTED REPORT DRIVER ALL PATIENTS
BGP1DAR	IHS/CMI/LAB–ihs area GPRA 02 Sep 2004 1:11 PM 09 Apr 2011 10:03 AM
BGP1DAR9	IHS/CMI/LAB–ihs area GPRA 02 Sep 2004 1:11 PM 09 Apr 2011 10:03 AM
BGP1DARO	IHS/CMI/LAB–ihs area GPRA 02 Sep 2004 1:11 PM 01 Jul 2010 11:43 AM
BGP1DCEI	IHS/CMI/LAB–calculate HEDIS measures
BGP1DCHA	IHS/CMI/LAB–ihs area GPRA 02 Sep 2004 1:11 PM 02 Jul 2010 2:14 PM
BGP1DCHI	IHS/CMI/LAB–calculate HEDIS measures
BGP1DCHW	IHS/CMI/LAB–calc measures 29 Apr 2010 7:38 PM
BGP1DCI	IHS/CMI/LAB–IHS area GPRA 10 Dec 2006 9:12 AM
BGP1DCL	IHS/CMI/LAB–national patient list 20 Dec 2004 9:24 AM
BGP1DCLD	IHS/CMI/LAB–IHS gpra print
BGP1DCLP	IHS/CMI/LAB–IHS gpra print
BGP1DEL	IHS/CMI/LAB–IHS GPRA 10 REPORT DRIVER 26 Jun 2010 3:41 PM
BGP1DELA	IHS/CMI/LAB–IHS GPRA 10 REPORT DRIVER
BGP1DELP	IHS/CMI/LAB–IHS HEDIS print
BGP1DEMO	IHS/CMI/LAB–demo patient search template
BGP1DESI	IHS/CMI/LAB–DISPLAY IND LISTS
BGP1DESL	IHS/CMI/LAB–FY 10 DISPLAY IND LISTS
BGP1DGPA	IHS/CMI/LAB–ihs area GPRA 02 Sep 2004 1:11 PM
BGP1DGPU	IHS/CMI/LAB–IHS AREA CLIN 05 REPORT DRIVER
BGP1DH	IHS/CMI/LAB–cover page for gpra 28 Apr 2010 11:30 AM 02 Jul 2010 9:25 AM
BGP1DH1	IHS/CMI/LAB–cover page for gpra 28 Apr 2010 11:30 AM 02 Jul 2010 8:28 AM
BGP1DHE	IHS/CMI/LAB–IHS GPRA 10 REPORT DRIVER
BGP1DHE1	IHS/CMI/LAB–measure HEDIS
BGP1DHE2	IHS/CMI/LAB–measure HEDIS
BGP1DHEA	IHS/CMI/LAB–ihs area AA
BGP1DHEP	IHS/CMI/LAB–IHS HEDIS print
BGP1DHSL	IHS/CMI/LAB–FY 10 DISPLAY IND LISTS
BGP1DHW	IHS/CMI/LAB–NATL COMP EXPORT 13 Nov 2006 12:31 PM
BGP1DICR	IHS/CMI/LAB–ICARE LIST
BGP1DL	IHS/CMI/LAB–IHS GPRA 10 SELECTED REPORT DRIVER 21 May 2010 12:10 PM
BGP1DLT	IHS/CMI/LAB–national patient list 20 Dec 2004 9:24 AM
BGP1DMT	IHS/CMI/LAB–national patient list 20 Dec 2004 9:24 AM
BGP1DNE	IHS/CMI/LAB–NATL COMP EXPORT 05 Dec 2006 7:09 PM 07 Mar 2010 2:29 PM
BGP1DNG	IHS/CMI/LAB–NATL COMP EXPORT 13 Nov 2006 12:31 PM

<b>Routine</b>	<b>Description</b>
BGP1DNG9	IHS/CMI/LAB-NATL COMP EXPORT 13 Nov 2006 12:31 PM 31 Jul 2011 11:21 AM 13 Aug 2011 5:44 PM
BGP1DNBP	IHS/CMI/LAB-NATL COMP EXPORT 13 Nov 2006 12:31 PM
BGP1DNBS	IHS/CMI/LAB-NATL COMP EXPORT 13 Nov 2006 12:31 PM
BGP1DON	IHS/CMI/LAB-NATL COMP EXPORT 13 Nov 2006 12:31 PM
BGP1DP	IHS/CMI/LAB-IHS gpra print 03 Jul 2010 6:26 AM
BGP1DP1	IHS/CMI/LAB-print ind 1 21 Mar 2010 12:55 PM
BGP1DP11	IHS/CMI/LAB-print ind 1
BGP1DP12	IHS/CMI/LAB-print ind 19 AGE DIST
BGP1DP13	IHS/CMI/LAB-print ind 19 AGE DIST
BGP1DP19	IHS/CMI/LAB-print ind 1 03 Jul 2010 7:40 AM
BGP1DP1C	IHS/CMI/LAB-print ind 1 21 Mar 2010 12:55 PM
BGP1DP1D	IHS/CMI/LAB-print ind 1 21 Mar 2010 12:55 PM 01 Jul 2010 11:40 AM
BGP1DP1E	IHS/CMI/LAB-print ind 1 21 Mar 2010 12:55 PM 01 Jul 2010 11:40 AM
BGP1DP1H	IHS/CMI/LAB-print ind 1 12 Nov 2010 7:38 AM
BGP1DP1I	IHS/CMI/LAB-print ind 1
BGP1DP1J	IHS/CMI/LAB-print ind 1 12 Nov 2010 7:38 AM
BGP1DP1K	IHS/CMI/LAB-print ind 1
BGP1DP2	IHS/CMI/LAB-print ind 10 02 Jul 2010 9:25 AM
BGP1DP3	IHS/CMI/LAB-print ind 1
BGP1DP4	IHS/CMI/LAB-print ind 31
BGP1DP5	IHS/CMI/LAB-print ind H
BGP1DP50	IHS/CMI/LAB-print ind H
BGP1DP51	IHS/CMI/LAB-print ind H
BGP1DP6	IHS/CMI/LAB-print ind H
BGP1DP60	IHS/CMI/LAB-print ind H
BGP1DP7	IHS/CMI/LAB-print ind 10
BGP1DP8	IHS/CMI/LAB-print ind H
BGP1DPA	IHS/CMI/LAB-COMP NATIONAL GPRA FOR PTS W/APPT 03 Jun 2011 2:54 PM
BGP1DPA1	IHS/CMI/LAB-COMP NATIONAL GPRA FOR PTS W/APPT
BGP1DPA2	IHS/CMI/LAB-COMP NATIONAL GPRA FOR PTS W/APPT 09 Jan 2010 3:36 PM 26 Jun 2010 3:40 PM 03 Jun 2011 8:04 AM
BGP1DPA4	IHS/CMI/LAB-COMP NATIONAL GPRA FOR PTS W/APPT 01 Oct 2009 2:53 PM
BGP1DPA9	IHS/CMI/LAB-COMP NATIONAL GPRA FOR PTS W/APPT
BGP1DPAP	IHS/CMI/LAB-COMP NATIONAL GPRA FOR PTS W/APPT
BGP1DPAW	IHS/CMI/LAB-COMP NATIONAL GPRA FOR PTS W/APPT 01 Oct 2009 1:20 PM 13 Aug 2010 11:32 AM
BGP1DPE	IHS/CMI/LAB-IHS GPRA 10 REPORT DRIVER
BGP1DPE1	IHS/CMI/LAB-calc measures 29 Apr 2009 7:38 PM 14 Nov 2006 5:02 PM 17 Jun 2011 9:39 AM
BGP1DPE2	IHS/CMI/LAB-calc measures 29 Apr 2010 7:38 PM 14 Nov 2006 5:02 PM 09 Jun 2011 5:18 PM
BGP1DPEA	IHS/CMI/LAB-IHS GPRA 10 REPORT DRIVER 23 Oct 2009 2:04 PM

<b>Routine</b>	<b>Description</b>
BGP1DPED	IHS/CM/ILAB-IHS gpra print
BGP1DPEE	IHS/CM/ILAB-IHS gpra print
BGP1DPEF	IHS/CM/ILAB-IHS gpra print
BGP1DPEL	IHS/CM/ILAB-IHS gpra print
BGP1DPEP	IHS/CM/ILAB-IHS gpra print 01 Jul 2010 7:54 PM
BGP1DPEQ	IHS/CM/ILAB-IHS gpra print
BGP1DPH	IHS/CM/ILAB-AREA REPORT HEADER 01 Jul 2010 7:54 PM
BGP1DPP	IHS/CM/ILAB-IHS GPRA 10 SELECTED REPORT DRIVER ALL PATIENTS 29 Apr 2011 8:36 PM
BGP1DPSI	IHS/CM/ILAB-DISPLAY IND LISTS
BGP1DS	IHS/CM/ILAB-IHS gpra print
BGP1DSI	IHS/CM/ILAB-DISPLAY IND LISTS
BGP1DSL	IHS/CM/ILAB-FY 10 DISPLAY IND LISTS
BGP1DSP	IHS/CM/ILAB-IHS summary page 16 Nov 2010 7:12 AM
BGP1DSPD	IHS/CM/ILAB-IHS summary page
BGP1DSPN	IHS/CM/ILAB-IHS summary page
BGP1DSPO	IHS/CM/ILAB-IHS summary page
BGP1DSTM	IHS/CM/ILAB-national patient list 20 Dec 2004 9:24 AM 07 Mar 2010 2:31 PM
BGP1DU	IHS/CM/ILAB-gpra utility calls
BGP1EL10	IHS/CM/ILAB-print ind 1
BGP1EL11	IHS/CM/ILAB-print ind 1
BGP1EL12	IHS/CM/ILAB-print ind 1
BGP1EL13	IHS/CM/ILAB-print ind 1
BGP1EL14	IHS/CM/ILAB-print ind 1
BGP1EL15	IHS/CM/ILAB-print ind 1
BGP1EL16	IHS/CM/ILAB-print ind 1
BGP1EL17	IHS/CM/ILAB-print ind 1
BGP1EL18	IHS/CM/ILAB-print ind 1
BGP1EL19	IHS/CM/ILAB-print ind 1
BGP1EL1A	IHS/CM/ILAB-print ind 1
BGP1EL1B	IHS/CM/ILAB-print ind 1
BGP1EL1C	IHS/CM/ILAB-print ind 1
BGP1EL1D	IHS/CM/ILAB-print ind 1
BGP1EL1E	IHS/CM/ILAB-print ind 1
BGP1EL1F	IHS/CM/ILAB-print ind 1
BGP1EL1G	IHS/CM/ILAB-print ind 1
BGP1EL1H	IHS/CM/ILAB-print ind 1
BGP1EL1I	IHS/CM/ILAB-print ind 1
BGP1EL1J	IHS/CM/ILAB-print ind 1
BGP1EL1K	IHS/CM/ILAB-print ind 1
BGP1EL1L	IHS/CM/ILAB-print ind 1
BGP1EL1M	IHS/CM/ILAB-print ind 1
BGP1EL1N	IHS/CM/ILAB-print ind 1

<b>Routine</b>	<b>Description</b>
BGP1EL1O	IHS/CMI/LAB–print ind 1
BGP1EL1P	IHS/CMI/LAB–print ind 01 Jul 2010 7:55 PM
BGP1EL1Q	IHS/CMI/LAB–print ind
BGP1EL1R	IHS/CMI/LAB–print ind
BGP1EL2	IHS/CMI/LAB–measure 1,2,3,4 17 Jan 2010 6:49 AM
BGP1EL3	IHS/CMI/LAB–measure 1,2,3,4 05 Apr 2010 1:44 PM
BGP1EL31	IHS/CMI/LAB–measure 1,2,3,4 05 Apr 2010 1:44 PM
BGP1EL4	IHS/CMI/LAB–measure 1,2,3,4 05 Apr 2010 1:44 PM
BGP1ELH	IHS/CMI/LAB–cover page for ELDER 25 Jun 2010 10:20 AM
BGP1ELHH	IHS/CMI/LAB–cover page for ELDER 25 Jun 2010 10:20 AM
BGP1ELL	IHS/CMI/LAB–IHS gpra print 01 Jul 2010 7:56 PM
BGP1ELL1	IHS/CMI/LAB–print ind 1
BGP1ELL2	IHS/CMI/LAB–print ind
BGP1ELL3	IHS/CMI/LAB–print ind
BGP1ELL4	IHS/CMI/LAB–print ind
BGP1ELL5	IHS/CMI/LAB–print ind
BGP1ELL6	IHS/CMI/LAB–print ind
BGP1ELL7	IHS/CMI/LAB–print ind
BGP1ELL8	IHS/CMI/LAB–print ind
BGP1ELL9	IHS/CMI/LAB–print ind
BGP1ELLA	IHS/CMI/LAB–print ind
BGP1ELLB	IHS/CMI/LAB–print ind
BGP1ELLC	IHS/CMI/LAB–print ind
BGP1ELLD	IHS/CMI/LAB–print ind
BGP1ELLE	IHS/CMI/LAB–print ind
BGP1ELLF	IHS/CMI/LAB–print ind
BGP1ELLG	IHS/CMI/LAB–print ind
BGP1ELLH	IHS/CMI/LAB–print ind 07 Jun 2011 4:19 PM
BGP1ELLI	IHS/CMI/LAB–print ind
BGP1ELLJ	IHS/CMI/LAB–print ind
BGP1ELLK	IHS/CMI/LAB–print ind
BGP1ELLL	IHS/CMI/LAB–print ind
BGP1ELLM	IHS/CMI/LAB–print ind
BGP1ELLN	IHS/CMI/LAB–print ind 1
BGP1ELLO	IHS/CMI/LAB–print ind
BGP1ELLP	IHS/CMI/LAB–print ind
BGP1ELLQ	IHS/CMI/LAB–print ind
BGP1ELLR	IHS/CMI/LAB–print ind
BGP1ELLS	IHS/CMI/LAB–print ind 01 Jul 2010 7:56 PM 20 May 2011 4:45 PM
BGP1ELLT	IHS/CMI/LAB–print ind
BGP1ELLU	IHS/CMI/LAB–print ind
BGP1ELLV	IHS/CMI/LAB–print ind
BGP1ELP1	IHS/CMI/LAB–print ind 1
BGP1ELS	IHS/CMI/LAB–IHS gpra print

<b>Routine</b>	<b>Description</b>
BGP1ELSL	IHS/CM/ILAB-IHS gpra print
BGP1EO1	IHS/CM/ILAB-calc measures 29 Apr 2010 7:38 PM 14 Nov 2006 5:02 PM 12 Nov 2009 11:03 AM 07 Apr 2010 7:00 AM
BGP1EO11	IHS/CM/ILAB-calc measures 29 Apr 2010 7:38 PM 14 Nov 2006 5:02 PM 12 Nov 2009 11:03 AM 02 Jul 2010 9:26 AM
BGP1EOA	IHS/CM/ILAB-IHS GPRA 10 REPORT DRIVER
BGP1EOCI	IHS/CM/ILAB-calculate HEDIS measures
BGP1EOD	IHS/CM/ILAB-IHS GPRA 10 REPORT DRIVER
BGP1EOH	IHS/CM/ILAB-cover page for ELDER 02 Jul 2010 9:27 AM
BGP1EOL	IHS/CM/ILAB-IHS gpra print 02 Jul 2010 8:53 AM
BGP1EOP	IHS/CM/ILAB-IHS EO REPORT print 05 Jul 2010 9:20 AM
BGP1EOP1	IHS/CM/ILAB-EO report print
BGP1EOS	IHS/CM/ILAB-IHS gpra print
BGP1EOSI	IHS/CM/ILAB-DISPLAY IND LISTS
BGP1EOSL	IHS/CM/ILAB-FY 10 DISPLAY IND LISTS
BGP1EOUT	IHS/CM/ILAB-02 Jul 2010 9:35 AM
BGP1EOY	IHS/CM/ILAB-IHS summary page 17 Jun 2010 11:57 AM 04 Jun 2011 2:01 PM
BGP1ETL	IHS/CM/ILAB-DISPLAY IND LISTS
BGP1EUTL	IHS/CM/ILAB-
BGP1GACW	IHS/CM/ILAB-AREA NATIONAL GPRA REPORT 01 Jul 2010 7:57 PM
BGP1GAEL	IHS/CM/ILAB-AREA NATIONAL GPRA REPORT
BGP1GAEO	IHS/CM/ILAB-AREA NATIONAL GPRA REPORT 01 Jul 2010 7:58 PM
BGP1GAG9	IHS/CM/ILAB-AREA NATIONAL GPRA REPORT
BGP1GAGP	IHS/CM/ILAB-AREA NATIONAL GPRA REPORT
BGP1GAGS	IHS/CM/ILAB-AREA NATIONAL GPRA REPORT
BGP1GAHE	IHS/CM/ILAB-AREA NATIONAL GPRA REPORT
BGP1GALL	IHS/CM/ILAB-GUI COM REPORT
BGP1GAON	IHS/CM/ILAB-AREA OTHER NATIONAL MEASURES GPRA REPORT 01 Jul 2010 1:10 PM
BGP1GAPE	IHS/CM/ILAB-AREA NATIONAL GPRA REPORT
BGP1GAPU	IHS/CM/ILAB-AREA NATIONAL GPRA REPORT
BGP1GCMP	IHS/CM/ILAB-IHS Diabetes Audit 2003
BGP1GCMS	IHS/CM/ILAB-GUI CMS REPORT 27 Apr 2010 10:30 PM
BGP1GCOM	IHS/CM/ILAB-GUI COM REPORT
BGP1GDON	IHS/CM/ILAB-GUI Other National Measurer Report
BGP1GELD	IHS/CM/ILAB-GUI COM REPORT
BGP1GEO	IHS/CM/ILAB-GUI EO REPORT
BGP1GFO9	IHS/CM/ILAB-GUI Patient Forecast Report
BGP1GFOR	IHS/CM/ILAB-GUI Patient Forecast Report
BGP1GGPU	IHS/CM/ILAB-IHS Diabetes Audit 2003
BGP1GHED	IHS/CM/ILAB-IHS Diabetes Audit 2003
BGP1GLHW	IHS/CM/ILAB-IHS Diabetes Audit 2003 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM 05 Oct 2011 9:58 AM
BGP1GLST	IHS/CM/ILAB-GUI CMS REPORT



<b>Routine</b>	<b>Description</b>
BGP1GLTX	IHS/CMI/LAB–IHS Diabetes Audit 2003
BGP1GMTX	IHS/CMI/LAB–IHS Diabetes Audit 2003
BGP1GNPL	IHS/CMI/LAB–IHS Diabetes Audit 2003 26 Mar 2010 5:09 PM
BGP1GNST	IHS/CMI/LAB–IHS Diabetes Audit 2003
BGP1GNT9	IHS/CMI/LAB–IHS Diabetes Audit 2003 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM
BGP1GNTL	IHS/CMI/LAB–IHS Diabetes Audit 2003 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM
BGP1GNTP	IHS/CMI/LAB–IHS Diabetes Audit 2003 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM
BGP1GNTS	IHS/CMI/LAB–IHS Diabetes Audit 2003 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM
BGP1GNXP	IHS/CMI/LAB–IHS Diabetes Audit 2003 27 Apr 2010 10:56 PM
BGP1GPED	IHS/CMI/LAB–GUI COM REPORT
BGP1GPP	IHS/CMI/LAB–GUI PP REPORT
BGP1GR	IHS/CMI/LAB–BGPG Visual CRS Reports
BGP1GR1	IHS/CMI/LAB–BGPG Visual CRS Reports 12/30/2004 12:29:35 PM
BGP1GR2	IHS/CMI/LAB–BGPG Visual CRS Reports 12/30/2004 12:29:35 PM 27 Apr 2010 10:30 PM
BGP1GRA	IHS/CMI/LAB–BGP Gui Area Reports 5/2/2005 8:38:59 PM
BGP1GRB	IHS/CMI/LAB–BGP Gui Area Reports 5/2/2005 8:38:59 PM
BGP1GT	IHS/CMI/LAB–BGPG Gui CRS Tables 2/2/2005 10:24:22 AM
BGP1GTA	IHS/CMI/LAB–BGPG Gui CRS Tables 2/2/2005 10:24:22 AM
BGP1GU	IHS/CMI/LAB–BGP Gui Utilities 10/29/2004 3:28:39 PM 19 Sep 2005 5:28 PM 27 Apr 2010 10:28 PM
BGP1GUA	IHS/CMI/LAB–BGP Gui Utilities 10/29/2004 3:28:39 PM 19 Sep 2005 5:28 PM 27 Apr 2010 10:28 PM
BGP1GUP1	IHS/CMI/LAB–GUI Upload Continued
BGP1GUPL	IHS/CMI/LAB–GUI Upload
BGP1HEH	IHS/CMI/LAB–cover page for HEDIS
BGP1HEHH	IHS/CMI/LAB–cover page for HEDIS
BGP1HEL	IHS/CMI/LAB–IHS gpra print 01 Jul 2010 8:00 PM
BGP1HEL1	IHS/CMI/LAB–print ind 1 01 Jul 2010 8:00 PM
BGP1HEP1	IHS/CMI/LAB–print ind 1
BGP1HES	IHS/CMI/LAB–IHS gpra print 01 May 2010 4:31 PM
BGP1HESL	IHS/CMI/LAB–IHS gpra print 28 Apr 2010 3:42 PM
BGP1HUTL	IHS/CMI/LAB–
BGP1LHW	IHS/CMI/LAB–IHS Diabetes Audit 2003 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM
BGP1LSTF	IHS/CMI/LAB–List 'BG08' files in pub
BGP1NPL	IHS/CMI/LAB–national patient list 20 Dec 2004 9:24 AM 30 Jun 2010 5:21 PM
BGP1NPLD	IHS/CMI/LAB–IHS gpra print 30 Jun 2010 5:59 PM
BGP1NPLP	IHS/CMI/LAB–IHS gpra print 30 Jun 2010 5:58 PM
BGP1P3	IHS/CMI/LAB–NO DESCRIPTION PROVIDED 28 Jan 2005 1:34 PM 25 Nov 2009 7:41 PM 01 Jul 2010 8:01 PM

<b>Routine</b>	<b>Description</b>
BGP1PARP	IHS/CMI/LAB-IHS gpra print
BGP1PARQ	IHS/CMI/LAB-IHS gpra print
BGP1PD19	IHS/CMI/LAB-print ind 03 Jul 2010 8:56 AM
BGP1PDH1	IHS/CMI/LAB-cover page for gpra del 0
BGP1PDL	IHS/CMI/LAB-IHS gpra print 01 Jul 2010 8:02 PM
BGP1PDL0	IHS/CMI/LAB-print ind 1 01 Jul 2010 8:03 PM
BGP1PDL1	IHS/CMI/LAB-print ind 1 01 Jul 2010 8:03 PM
BGP1PDL2	IHS/CMI/LAB-print ind 1
BGP1PDL3	IHS/CMI/LAB-print ind 1
BGP1PDL4	IHS/CMI/LAB-print ind 1 01 Jul 2010 8:04 PM
BGP1PDL5	IHS/CMI/LAB-print ind 1 01 Jul 2010 8:04 PM
BGP1PDL7	IHS/CMI/LAB-print ind 1
BGP1PDL8	IHS/CMI/LAB-print ind 1
BGP1PDL9	IHS/CMI/LAB-print ind
BGP1PDLA	IHS/CMI/LAB-print ind
BGP1PDLB	IHS/CMI/LAB-print ind 03 Jul 2010 12:41 PM
BGP1PDL D	IHS/CMI/LAB-IHS gpra print
BGP1PDLH	IHS/CMI/LAB-cover page for del
BGP1PDLL	IHS/CMI/LAB-print ind 1
BGP1PDLN	IHS/CMI/LAB-IHS gpra print
BGP1PDLO	IHS/CMI/LAB-IHS gpra print
BGP1PDLS	IHS/CMI/LAB-IHS gpra print
BGP1PDLT	IHS/CMI/LAB-print ind 1 03 Jul 2010 7:40 AM
BGP1PDPA	IHS/CMI/LAB-print ind 03 Jul 2010 8:56 AM
BGP1PESI	IHS/CMI/LAB-DISPLAY IND LISTS
BGP1PESL	IHS/CMI/LAB-FY 06 DISPLAY IND LISTS
BGP1PHEL	IHS/CMI/LAB-IHS gpra print
BGP1PHEP	IHS/CMI/LAB-IHS gpra print
BGP1POS	IHS/CMI/LAB-NO DESCRIPTION PROVIDED
BGP1POS1	IHS/CMI/LAB-NO DESCRIPTION PROVIDED 28 Jan 2005 1:34 PM
BGP1POS2	IHS/CMI/LAB-NO DESCRIPTION PROVIDED 28 Jan 2005 1:34 PM
BGP1PEEL	IHS/CMI/LAB-IHS gpra print
BGP1PUTL	IHS/CMI/LAB-
BGP1REF	IHS/CMI/LAB-measure AHR.A
BGP1REF1	IHS/CMI/LAB-measure AHR.A
BGP1SDP	IHS/CMI/LAB-IHS summary page 11 Dec 2006 1:24 PM
BGP1SDPD	IHS/CMI/LAB-IHS summary page
BGP1SDPN	IHS/CMI/LAB-IHS summary page
BGP1SDPO	IHS/CMI/LAB-IHS summary page
BGP1ULF	IHS/CMI/LAB-NO DESCRIPTION PROVIDED 27 May 2011 4:26 PM
BGP1ULF1	IHS/CMI/LAB-NO DESCRIPTION PROVIDED 02 Jul 2010 9:38 AM
BGP1UTL	IHS/CMI/LAB-27 Apr 2009 11:01 PM 30 Aug 2009 10:16 AM 30 Jun 2010 4:58 PM 05 Aug 2011 11:40 AM
BGP1UTL1	IHS/CMI/LAB-NO DESCRIPTION PROVIDED 02 Jul 2010 2:07 PM

<b>Routine</b>	<b>Description</b>
BGP1UTL2	IHS/CM/ILAB-NO DESCRIPTION PROVIDED 30 Jun 2011 9:01 AM
BGP1UTLC	IHS/CM/ILAB-27 Apr 2009 11:01 PM 30 Aug 2009 10:16 AM 30 Jun 2010 4:58 PM
BGP1XTCH	IHS/CM/ILAB-TAXONOMY CHECK FOR FY04 CRS REPORT 16 Jan 2009 4:02 PM
BGP1XTCN	IHS/CM/ILAB-TAXONOMY CHECK FOR FY04 CRS REPORT
BGP1XTCO	IHS/CM/ILAB-TAXONOMY CHECK FOR FY04 CRS REPORT
BGP1XTEL	IHS/CM/ILAB-TAXONOMY CHECK FOR FY04 CRS REPORT
BGP1XTEO	IHS/CM/ILAB-TAXONOMY CHECK FOR FY04 CRS REPORT
BGP1XTHE	IHS/CM/ILAB-TAXONOMY CHECK FOR FY07 HEDIS REPORT
BGP1XTL	IHS/CM/ILAB-DISPLAY IND LISTS
BGP1XTS	IHS/CM/ILAB-DISPLAY IND LISTS
BGP1XTV	IHS/CM/ILAB-DISPLAY IND LISTS
BGP1XTV1	IHS/CM/ILAB-DISPLAY IND LISTS

## 4.0 Files and Tables

### 4.1 File List

Table 4-1 provides information for files and tables. Please note that only files beginning with BGP 11 are distributed with version 11.0; all others were distributed in version 8.0, which is a requirement for installation of version 9.0 and thus all subsequent versions.

**Table 4-1: BGP File List**

File	Global	Filename
90241.01	^BGPCTRL(	BGP CONTROL FILE
90241.02	^BGPSITE(	BGP SITE PARAMETERS
90241.03	^BGPSCAT(	BGP SUMMARY CATEGORIES
90545.01	^BGPINDB(	BGP 11 MEASURES
90545.02	^BGPINDTC(	BGP 11 INDIVIDUAL MEASURES
90545.03	^BGPDPDCB(	BGP 11 DATA CURRENT
90545.04	^BGPDPDPB(	BGP 11 DATA PREVIOUS
90545.05	^BGPDPDBB(	BGP 11 DATA BASELINE
90545.06	^BGNPLB(	BGP 11 NATIONAL PATIENT LISTS
90545.08	^BGPTAXB(	BGP 11 TAXONOMIES
90545.09	^BGPTAXB(	BGP 11 TAXONOMY TEMP
90545.11	^BGPXPB(	BGP 11 XP OUTPUT
90545.12	^BGPPEDCB(	BGP 11 PATIENT ED DATA CURRENT
90545.13	^BGPPEDPB(	BGP 11 PATIENT ED DATA PREVIOUS
90545.14	^BGPPEDBB(	BGP 11 PATIENT ED DATA BASELINE
90545.15	^BGPPEIB(	BGP 11 PAT ED MEASURES
90545.17	^BGPICAGB(	BGP 11 ICARE GROUPS
90545.18	^BGPICACB(	BGP 11 ICARE CATEGORIES
90546.08	^BGPGUIB(	BGP 11 GUI REPORT OUTPUT
90547.02	^BGPELIIB(	BGP 11 ELDER INDIVIDUAL INDICATORS
90547.03	^BGPELDCB(	BGP 11 ELDER DATA CURRENT
90547.04	^BGPELDPB(	BGP 11 ELDER DATA PREVIOUS
90547.05	^BGPELDBB(	BGP 11 ELDER DATA BASELINE
90547.06	^BGPELIB(	BGP 11 ELDER INDICATORS
90547.08	^BGPEOMB(	BGP 11 EO MEASURES
90547.09	^BGPEOMIB(	BGP 11 EO INDIVIDUAL MEASURES
90547.1	^BGPEOCB(	BGP 11 EO DATA CURRENT
90547.11	^BGPEOPB(	BGP 11 EO DATA PREVIOUS
90547.12	^BGPEOBB(	BGP 11 EO DATA BASELINE

## 4.2 File Access

Table 4-2. BGP File List

File (#)	Global	RD	WR	LYG	DD	DEL
90241.01	^BGPCTRL	@	@	@	@	@
90241.02	^BGPSITE	M	M	M	@	@
90241.03	^BGPSCAT(	@	@	@	@	@
90545.01	^BGPINDB(	@	@	@	@	@
90545.02	^BGPINDTC(	@	@	@	@	@
90545.03	^BGPDPDCB(	@	@	@	@	@
90545.04	^BGPDPDPB(	@	@	@	@	@
90545.05	^BGPDPDBB(	@	@	@	@	@
90545.06	^BGNPLB(	@	@	@	@	@
90545.08	^BGPTAXB(	@	@	@	@	@
90545.09	^BGPTAXTB(	@	@	@	@	@
90545.11	^BGPXPB(	@	@	@	@	@
90545.12	^BGPPEDCB(	@	@	@	@	@
90545.13	^BGPPEDPB(	@	@	@	@	@
90545.14	^BGPPEDBB(	@	@	@	@	@
90545.15	^BGPPEIB(	@	@	@	@	@
90545.17	^BGPICAGB(	@	@	@	@	@
90545.18	^BGPICACN	@	@	@	@	@
90546.01	^BGPHEIB(	@	@	@	@	@
90546.02	^BGPHEIIB(	@	@	@	@	@
90546.08	^BGPGUIB(	@	@	@	@	@
90547.01	^BGPCNSIB(	@	@	@	@	@
90547.02	^BGPELIIB(	@	@	@	@	@
90547.03	^BGPELDCB(	@	@	@	@	@
90547.04	^BGPELDPB(	@	@	@	@	@
90547.05	^BGPELDBB(	@	@	@	@	@
90547.06	^BGPELIB(	@	@	@	@	@
90547.08	^BGPEOMB(	@	@	@	@	@
90547.09	^BGPEOMIB(	@	@	@	@	@
90547.1	^BGPEOCB(	@	@	@	@	@
90547.11	^BGPEOPB(	@	@	@	@	@
90547.12	^BGPEOBB(	@	@	@	@	@

## 4.3 Cross References

```

File #90241.01
Traditional Cross-References:
B  REGULAR
   Field: FY (90241.01,.01)
     1)= S ^BGPCTRL("B",$(X,1,30),DA)="
     2)= K ^BGPCTRL("B",$(X,1,30),DA)
C  REGULAR
   Field: GPRA YEAR (90241.01,.14)

```

```

1)= S ^BGPCTRL("C", $E(X,1,30),DA)=" "
2)= K ^BGPCTRL("C", $E(X,1,30),DA)
Subfile #90241.0111
Traditional Cross-References:
B REGULAR
Field: CLINIC CODE (90241.0111,.01)
1)= S ^BGPCTRL(DA(1),11,"B", $E(X,1,30),DA)=" "
2)= K ^BGPCTRL(DA(1),11,"B", $E(X,1,30),DA)
Subfile #90241.0112
Traditional Cross-References:
B REGULAR
Field: CLINIC CODES FOR 2ND VISIT (90241.0112,.01)
1)= S ^BGPCTRL(DA(1),12,"B", $E(X,1,30),DA)=" "
2)= K ^BGPCTRL(DA(1),12,"B", $E(X,1,30),DA)
Subfile #90241.36
Traditional Cross-References:
B REGULAR
Field: PIECE (90241.36,.01)
1)= S ^BGPCTRL(DA(1),36,"B", $E(X,1,30),DA)=" "
2)= K ^BGPCTRL(DA(1),36,"B", $E(X,1,30),DA)
Subfile #90241.37
Traditional Cross-References:
B REGULAR
Field: PIECE (90241.37,.01)
1)= S ^BGPCTRL(DA(1),37,"B", $E(X,1,30),DA)=" "
2)= K ^BGPCTRL(DA(1),37,"B", $E(X,1,30),DA)
Subfile #90241.38
Traditional Cross-References:
B REGULAR
Field: PIECE (90241.38,.01)
1)= S ^BGPCTRL(DA(1),38,"B", $E(X,1,30),DA)=" "
2)= K ^BGPCTRL(DA(1),38,"B", $E(X,1,30),DA)
Subfile #90241.4
Traditional Cross-References:
B REGULAR
Field: PIECE (90241.4,.01)
1)= S ^BGPCTRL(DA(1),40,"B", $E(X,1,30),DA)=" "
2)= K ^BGPCTRL(DA(1),40,"B", $E(X,1,30),DA)
Subfile #90241.41
Traditional Cross-References:
B REGULAR
Field: MEASURE (90241.41,.01)
1)= S ^BGPCTRL(DA(1),41,"B", $E(X,1,30),DA)=" "
2)= K ^BGPCTRL(DA(1),41,"B", $E(X,1,30),DA)
Subfile #90241.55
Traditional Cross-References:
B REGULAR
Field: MEASURE (90241.55,.01)
1)= S ^BGPCTRL(DA(1),55,"B", $E(X,1,30),DA)=" "
2)= K ^BGPCTRL(DA(1),55,"B", $E(X,1,30),DA)
Subfile #90241.551101
Traditional Cross-References:
B REGULAR
Field: MEASURE ID (90241.551101,.01)
1)= S ^BGPCTRL(DA(2),55,DA(1),11,"B", $E(X,1,30),DA)=" "
2)= K ^BGPCTRL(DA(2),55,DA(1),11,"B", $E(X,1,30),DA)
Subfile #90241.62
Traditional Cross-References:
B REGULAR
Field: PATIENT ED TOPICS (90241.62,.01)
1)= S ^BGPCTRL(DA(1),62,"B", $E(X,1,30),DA)=" "
2)= K ^BGPCTRL(DA(1),62,"B", $E(X,1,30),DA)
Subfile #90241.63
Traditional Cross-References:
B REGULAR

```

```

Field: DISEASE STATE ABBRV (90241.63,.01)
  1)= S ^BGPCTRL(DA(1),63,"B",$(X,1,30),DA)=" "
  2)= K ^BGPCTRL(DA(1),63,"B",$(X,1,30),DA)
Subfile #90241.6311
Traditional Cross-References:
B REGULAR
  Field: ICD MAPPING (90241.6311,.01)
  1)= S ^BGPCTRL(DA(2),63,DA(1),11,"B",$(X,1,30),DA)=" "
  2)= K ^BGPCTRL(DA(2),63,DA(1),11,"B",$(X,1,30),DA)
Subfile #90241.9801
Traditional Cross-References:
B REGULAR
  Field: PATCHES BULLETIN TEXT (90241.9801,.01)
  1)= S ^BGPCTRL(DA(1),98,"B",$(X,1,30),DA)=" "
  2)= K ^BGPCTRL(DA(1),98,"B",$(X,1,30),DA)
File #90241.02
Traditional Cross-References:
B REGULAR
  Field: LOCATION (90241.02,.01)
  1)= S ^BGPSITE("B",$(X,1,30),DA)=" "
  2)= K ^BGPSITE("B",$(X,1,30),DA)
File #90241.03
Traditional Cross-References:
B REGULAR
  Field: CATEGORY (90241.03,.01)
  1)= S ^BGPSCAT("B",$(X,1,30),DA)=" "
  2)= K ^BGPSCAT("B",$(X,1,30),DA)
C REGULAR
  Field: ORDER ON GPRA SUMMARY (90241.03,.02)
  1)= S ^BGPSCAT("C",$(X,1,30),DA)=" "
  2)= K ^BGPSCAT("C",$(X,1,30),DA)
D REGULAR
  Field: ORDER NO NON-GPRA SUMMARY (90241.03,.03)
  1)= S ^BGPSCAT("D",$(X,1,30),DA)=" "
  2)= K ^BGPSCAT("D",$(X,1,30),DA)

File #90545.01

Traditional Cross-References:

ADEV REGULAR
  Field: DEVELOPMENTAL MEASURE? (90545.01,.14)
  1)= S ^BGPINDB("ADEV",$(X,1,30),DA)=" "
  2)= K ^BGPINDB("ADEV",$(X,1,30),DA)

ADEVO REGULAR
  Field: ORDER ON DEVELOPMENTAL REPORT (90545.01,1302)
  1)= S ^BGPINDB("ADEVO",$(X,1,30),DA)=" "
  2)= K ^BGPINDB("ADEVO",$(X,1,30),DA)

AO REGULAR
  Field: ORDER ON SELECTION/REPORT (90545.01,.02)
  1)= S ^BGPINDB("AO",$(X,1,30),DA)=" "
  2)= K ^BGPINDB("AO",$(X,1,30),DA)

AOI REGULAR
  Field: ORDER IND (90545.01,1206)
  1)= S ^BGPINDB("AOI",$(X,1,30),DA)=" "
  2)= K ^BGPINDB("AOI",$(X,1,30),DA)

B REGULAR
  Field: MEASURE NUMBER (90545.01,.01)
  1)= S ^BGPINDB("B",$(X,1,30),DA)=" "
  2)= K ^BGPINDB("B",$(X,1,30),DA)

```

```

C    REGULAR
      Field:  TITLE/SELECTION TITLE  (90545.01,.03)
            1)= S ^BGPINDB("C", $E(X,1,30),DA)=" "
            2)= K ^BGPINDB("C", $E(X,1,30),DA)

D    REGULAR
      Field:  ORDER IND  (90545.01,1206)
            1)= S ^BGPINDB("D", $E(X,1,30),DA)=" "
            2)= K ^BGPINDB("D", $E(X,1,30),DA)

GPRA  REGULAR
      Field:  NATIONAL REPORT  (90545.01,.07)
            1)= S ^BGPINDB("GPRA", $E(X,1,30),DA)=" "
            2)= K ^BGPINDB("GPRA", $E(X,1,30),DA)

ON    REGULAR
      Field:  OTHER NATIONAL MEASURES RPT?  (90545.01,1201)
            1)= S ^BGPINDB("ON", $E(X,1,30),DA)=" "
            2)= K ^BGPINDB("ON", $E(X,1,30),DA)

PUID  REGULAR
      Field:  PUID FROM RM  (90545.01,1203)
            1)= S ^BGPINDB("PUID", $E(X,1,30),DA)=" "
            2)= K ^BGPINDB("PUID", $E(X,1,30),DA)

U    MUMPS
      Field:  TITLE/SELECTION TITLE  (90545.01,.03)
            1)= S ^BGPINDB("U", $$SUP^XLFSTR(X),DA)=" "
            2)= K ^BGPINDB("U", $$SUP^XLFSTR(X),DA)

```

Subfile #90545.0161

Traditional Cross-References:

```

B    REGULAR
      Field:  DENOMINATOR DEFINITIONS  (90545.0161,.01)
            1)= S ^BGPINDB(DA(1),61,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPINDB(DA(1),61,"B", $E(X,1,30),DA)

```

Subfile #90545.016112

Traditional Cross-References:

```

B    REGULAR
      Field:  REPORT SUB TYPES  (90545.016112,.01)
            1)= S ^BGPINDB(DA(2),61,DA(1),12,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPINDB(DA(2),61,DA(1),12,"B", $E(X,1,30),DA)

```

Subfile #90545.0162

Traditional Cross-References:

```

B    REGULAR
      Field:  NUMERATOR DEFINITIONS  (90545.0162,.01)
            1)= S ^BGPINDB(DA(1),62,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPINDB(DA(1),62,"B", $E(X,1,30),DA)

```

Subfile #90545.016212

Traditional Cross-References:

```

B    REGULAR
      Field:  REPORT SUB TYPE  (90545.016212,.01)
            1)= S ^BGPINDB(DA(2),62,DA(1),12,"B", $E(X,1,30),DA)=" "

```



```

                2)= K ^BGPINDB(DA(2),62,DA(1),12,"B", $E(X,1,30),DA)
Subfile #90545.0181
  Traditional Cross-References:
    B    REGULAR
          Field:  NATL GPRA DENOM DEFS  (90545.0181,.01)
                1)= S ^BGPINDB(DA(1),81,"B", $E(X,1,30),DA)=" "
                2)= K ^BGPINDB(DA(1),81,"B", $E(X,1,30),DA)
Subfile #90545.018112
  Traditional Cross-References:
    B    REGULAR
          Field:  REPORT SUBTYPES  (90545.018112,.01)
                1)= S ^BGPINDB(DA(2),81,DA(1),12,"B", $E(X,1,30),DA)=" "
                2)= K ^BGPINDB(DA(2),81,DA(1),12,"B", $E(X,1,30),DA)
Subfile #90545.0182
  Traditional Cross-References:
    B    REGULAR
          Field:  NATL GPRA NUMERATOR DEFS  (90545.0182,.01)
                1)= S ^BGPINDB(DA(1),82,"B", $E(X,1,30),DA)=" "
                2)= K ^BGPINDB(DA(1),82,"B", $E(X,1,30),DA)
Subfile #90545.018212
  Traditional Cross-References:
    B    REGULAR
          Field:  REPORT SUBTYPES  (90545.018212,.01)
                1)= S ^BGPINDB(DA(2),82,DA(1),12,"B", $E(X,1,30),DA)=" "
                2)= K ^BGPINDB(DA(2),82,DA(1),12,"B", $E(X,1,30),DA)
Subfile #90545.0183
  Traditional Cross-References:
    B    REGULAR
          Field:  OTHER NATL MEAS DENOM DEFS  (90545.0183,.01)
                1)= S ^BGPINDB(DA(1),83,"B", $E(X,1,30),DA)=" "
                2)= K ^BGPINDB(DA(1),83,"B", $E(X,1,30),DA)
Subfile #90545.018312
  Traditional Cross-References:
    B    REGULAR
          Field:  REPORT SUBTYPES  (90545.018312,.01)
                1)= S ^BGPINDB(DA(2),83,DA(1),12,"B", $E(X,1,30),DA)=" "
                2)= K ^BGPINDB(DA(2),83,DA(1),12,"B", $E(X,1,30),DA)
Subfile #90545.0184
  Traditional Cross-References:
    B    REGULAR
          Field:  OTHER NATL MEAS NUMER DEFS  (90545.0184,.01)
                1)= S ^BGPINDB(DA(1),84,"B", $E(X,1,30),DA)=" "
                2)= K ^BGPINDB(DA(1),84,"B", $E(X,1,30),DA)
Subfile #90545.018412

```

## Traditional Cross-References:

```

B    REGULAR
      Field:  REPORT SUBTYPES  (90545.018412,.01)
            1)= S ^BGPINDB(DA(2),84,DA(1),12,"B",SE(X,1,30),DA)=" "
            2)= K ^BGPINDB(DA(2),84,DA(1),12,"B",SE(X,1,30),DA)

```

Subfile #90545.0185

## Traditional Cross-References:

```

B    REGULAR
      Field:  DEVELMENTAL MEAS DENOM DEFS  (90545.0185,.01)
            1)= S ^BGPINDB(DA(1),85,"B",SE(X,1,30),DA)=" "
            2)= K ^BGPINDB(DA(1),85,"B",SE(X,1,30),DA)

```

Subfile #90545.018512

## Traditional Cross-References:

```

B    REGULAR
      Field:  REPORT SUBTYPE  (90545.018512,.01)
            1)= S ^BGPINDB(DA(2),85,DA(1),12,"B",SE(X,1,30),DA)=" "
            2)= K ^BGPINDB(DA(2),85,DA(1),12,"B",SE(X,1,30),DA)

```

Subfile #90545.0186

## Traditional Cross-References:

```

B    REGULAR
      Field:  DEVELOPMENTAL MEAS NUMER DEFS  (90545.0186,.01)
            1)= S ^BGPINDB(DA(1),86,"B",SE(X,1,30),DA)=" "
            2)= K ^BGPINDB(DA(1),86,"B",SE(X,1,30),DA)

```

Subfile #90545.018612

## Traditional Cross-References:

```

B    REGULAR
      Field:  REPORT SUBTYPES  (90545.018612,.01)
            1)= S ^BGPINDB(DA(2),86,DA(1),12,"B",SE(X,1,30),DA)=" "
            2)= K ^BGPINDB(DA(2),86,DA(1),12,"B",SE(X,1,30),DA)

```

Subfile #90545.0187

## Traditional Cross-References:

```

B    REGULAR
      Field:  DM DENOM DEFS  (90545.0187,.01)
            1)= S ^BGPINDB(DA(1),87,"B",SE(X,1,30),DA)=" "
            2)= K ^BGPINDB(DA(1),87,"B",SE(X,1,30),DA)

```

Subfile #90545.0188

## Traditional Cross-References:

```

B    REGULAR
      Field:  DM NUMER DEFS  (90545.0188,.01)
            1)= S ^BGPINDB(DA(1),88,"B",SE(X,1,30),DA)=" "
            2)= K ^BGPINDB(DA(1),88,"B",SE(X,1,30),DA)

```

Subfile #90545.0189

## Traditional Cross-References:

B	REGULAR	Field: CVD DENOM DEFS (90545.0189,.01)
		1)= S ^BGPINDB(DA(1),89,"B",\$(X,1,30),DA)=" "
		2)= K ^BGPINDB(DA(1),89,"B",\$(X,1,30),DA)
Subfile #90545.0191		
Traditional Cross-References:		
B	REGULAR	Field: CVD NUM DEFS (90545.0191,.01)
		1)= S ^BGPINDB(DA(1),91,"B",\$(X,1,30),DA)=" "
		2)= K ^BGPINDB(DA(1),91,"B",\$(X,1,30),DA)
Subfile #90545.0192		
Traditional Cross-References:		
B	REGULAR	Field: WH DEN DEFS (90545.0192,.01)
		1)= S ^BGPINDB(DA(1),92,"B",\$(X,1,30),DA)=" "
		2)= K ^BGPINDB(DA(1),92,"B",\$(X,1,30),DA)
Subfile #90545.0193		
Traditional Cross-References:		
B	REGULAR	Field: WH NUM DEFS (90545.0193,.01)
		1)= S ^BGPINDB(DA(1),93,"B",\$(X,1,30),DA)=" "
		2)= K ^BGPINDB(DA(1),93,"B",\$(X,1,30),DA)
File #90545.02		
Traditional Cross-References:		
AB	MUMPS	Field: ORDER (90545.02,1204)
		1)= S ^BGPINDBC("AB",\$(X,".",1,2),X,DA)=" "
		2)= K ^BGPINDBC("AB",\$(X,".",1,2),X,DA)
ABC	MUMPS	Field: ORDER (90545.02,1204)
		1)= S ^BGPINDBC("ABC",\$(X,".",1,2),\$(X,".",1,2),DA)=" "
		2)= K ^BGPINDBC("ABC",\$(X,".",1,2),\$(X,".",1,2),DA)
ACARD	REGULAR	Field: CARDIO INDICATOR? (90545.02,.13)
		1)= S ^BGPINDBC("ACARD",\$(X,1,30),DA)=" "
		2)= K ^BGPINDBC("ACARD",\$(X,1,30),DA)
ADM	REGULAR	Field: DM INDICATOR? (90545.02,.12)
		1)= S ^BGPINDBC("ADM",\$(X,1,30),DA)=" "
		2)= K ^BGPINDBC("ADM",\$(X,1,30),DA)
AEL	REGULAR	Field: ELDER RELATED (90545.02,1203)
		1)= S ^BGPINDBC("AEL",\$(X,1,30),DA)=" "
		2)= K ^BGPINDBC("AEL",\$(X,1,30),DA)
AGPRA	REGULAR	Field: NATIONAL/PART (90545.02,.05)
		1)= S ^BGPINDBC("AGPRA",\$(X,1,30),DA)=" "
		2)= K ^BGPINDBC("AGPRA",\$(X,1,30),DA)

```

AWH      REGULAR
          Field:  WOMEN'S HEALTH (90545.02,1202)
                1)= S ^BGPINDBC("AWH", $E(X,1,30),DA)=" "
                2)= K ^BGPINDBC("AWH", $E(X,1,30),DA)

```

```

B        REGULAR
          Field:  INDICATOR (90545.02,.01)
                1)= S ^BGPINDBC("B", $E(X,1,30),DA)=" "
                2)= K ^BGPINDBC("B", $E(X,1,30),DA)

```

```

C        REGULAR
          Field:  INDICATOR ID (90545.02,.04)
                1)= S ^BGPINDBC("C", $E(X,1,30),DA)=" "
                2)= K ^BGPINDBC("C", $E(X,1,30),DA)

```

```

D        REGULAR
          Field:  TITLE FOR SCHEDULING OPTION (90545.02,1209)
                1)= S ^BGPINDBC("D", $E(X,1,30),DA)=" "
                2)= K ^BGPINDBC("D", $E(X,1,30),DA)

```

```

OR       REGULAR
          Field:  ORDER (90545.02,1204)
                1)= S ^BGPINDBC("OR", $E(X,1,30),DA)=" "
                2)= K ^BGPINDBC("OR", $E(X,1,30),DA)

```

File #90545.03

Traditional Cross-References:

```

B        REGULAR
          Field:  BEGINNING DATE (90545.03,.01)
                1)= S ^BGPDPDCB("B", $E(X,1,30),DA)=" "
                2)= K ^BGPDPDCB("B", $E(X,1,30),DA)

```

Subfile #90545.031111

Traditional Cross-References:

```

B        REGULAR
          Field:  MFI LOCATIONS (90545.031111,.01)
                1)= S ^BGPDPDCB(DA(1),1111,"B", $E(X,1,30),DA)=" "
                2)= K ^BGPDPDCB(DA(1),1111,"B", $E(X,1,30),DA)

```

Subfile #90545.0388888

Traditional Cross-References:

```

B        REGULAR
          Field:  SITE NAME (90545.0388888,.01)
                1)= S ^BGPDPDCB(DA(1),88888888,"B", $E(X,1,30),DA)=" "
                2)= K ^BGPDPDCB(DA(1),88888888,"B", $E(X,1,30),DA)

```

Subfile #90545.12999

Traditional Cross-References:

```

B        REGULAR
          Field:  COMMUNITIES (90545.12999,.01)
                1)= S ^BGPDPDCB(DA(1),9999,"B", $E(X,1,30),DA)=" "
                2)= K ^BGPDPDCB(DA(1),9999,"B", $E(X,1,30),DA)

```

Subfile #90545.129999

## Traditional Cross-References:

```

B    REGULAR
      Field:  PATIENTS EISS  (90545.129999,.01)
            1)= S ^BGPDPDCB(DA(1),99999,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPDPDCB(DA(1),99999,"B", $E(X,1,30),DA)

```

File #90545.04

## Traditional Cross-References:

```

B    REGULAR
      Field:  BEGINNING DATE  (90545.04,.01)
            1)= S ^BGPDPDPB("B", $E(X,1,30),DA)=" "
            2)= K ^BGPDPDPB("B", $E(X,1,30),DA)

```

Subfile #90545.041111

## Traditional Cross-References:

```

B    REGULAR
      Field:  MFI LOCATIONS  (90545.041111,.01)
            1)= S ^BGPDPDPB(DA(1),1111,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPDPDPB(DA(1),1111,"B", $E(X,1,30),DA)

```

Subfile #90545.048888

## Traditional Cross-References:

```

B    REGULAR
      Field:  SITE NAME  (90545.04888888,.01)
            1)= S ^BGPDPDPB(DA(1),88888888,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPDPDPB(DA(1),88888888,"B", $E(X,1,30),DA)

```

Subfile #90545.13999

## Traditional Cross-References:

```

B    REGULAR
      Field:  COMMUNITIES  (90545.13999,.01)
            1)= S ^BGPDPDPB(DA(1),9999,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPDPDPB(DA(1),9999,"B", $E(X,1,30),DA)

```

Subfile #90545.139999

## Traditional Cross-References:

```

B    REGULAR
      Field:  PATIENTS EISS  (90545.139999,.01)
            1)= S ^BGPDPDPB(DA(1),99999,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPDPDPB(DA(1),99999,"B", $E(X,1,30),DA)

```

File #90545.05

## Traditional Cross-References:

```

B    REGULAR
      Field:  BEGINNING DATE  (90545.05,.01)
            1)= S ^BGPDPDBB("B", $E(X,1,30),DA)=" "
            2)= K ^BGPDPDBB("B", $E(X,1,30),DA)

```

Subfile #90545.051111

## Traditional Cross-References:

```

B    REGULAR
      Field:  MFI LOCATIONS  (90545.051111,.01)
              1)= S ^BGPDPDBB(DA(1),1111,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPDPDBB(DA(1),1111,"B", $E(X,1,30),DA)

```

Subfile #90545.0588888

## Traditional Cross-References:

```

B    REGULAR
      Field:  SITE NAME  (90545.0588888,.01)
              1)= S ^BGPDPDBB(DA(1),88888888,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPDPDBB(DA(1),88888888,"B", $E(X,1,30),DA)

```

Subfile #90545.14999

## Traditional Cross-References:

```

B    REGULAR
      Field:  COMMUNITIES  (90545.14999,.01)
              1)= S ^BGPDPDBB(DA(1),9999,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPDPDBB(DA(1),9999,"B", $E(X,1,30),DA)

```

Subfile #90545.149999

## Traditional Cross-References:

```

B    REGULAR
      Field:  PATIENTS EISS  (90545.149999,.01)
              1)= S ^BGPDPDBB(DA(1),99999,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPDPDBB(DA(1),99999,"B", $E(X,1,30),DA)

```

File #90545.06

## Traditional Cross-References:

```

AN    MUMPS
      Field:  ORDER ON NATIONAL  (90545.06,.05)
              1)= S ^BGNPLB("AN",+^BGNPLB(DA,0),X,DA)=" "
              2)= K ^BGNPLB("AN",+^BGNPLB(DA,0),X,DA)

AON   MUMPS
      Field:  ORDER ON OTHER NATIONAL  (90545.06,.06)
              1)= S ^BGNPLB("AON",+^BGNPLB(DA,0),X,DA)=" "
              2)= K ^BGNPLB("AON",+^BGNPLB(DA,0),X,DA)

AR    MUMPS
      Field:  NATIONAL/OTHER NATIONAL  (90545.06,.04)
              1)= S ^BGNPLB("AR",+^BGNPLB(DA,0),X,DA)=" "
              2)= K ^BGNPLB("AR",+^BGNPLB(DA,0),X,DA)

B    REGULAR
      Field:  POINTER  (90545.06,.01)
              1)= S ^BGNPLB("B", $E(X,1,30),DA)=" "
              2)= K ^BGNPLB("B", $E(X,1,30),DA)

C    REGULAR
      Field:  INDIVIDUAL INDICATOR ID  (90545.06,.02)
              1)= S ^BGNPLB("C", $E(X,1,30),DA)=" "
              2)= K ^BGNPLB("C", $E(X,1,30),DA)

```

File #90545.08

## Traditional Cross-References:

```

B      REGULAR
      Field:  TAXONOMY NAME  (90545.08,.01)
             1)= S ^BGPTAXB("B", $E(X,1,30),DA)=" "
             2)= K ^BGPTAXB("B", $E(X,1,30),DA)

```

Subfile #90545.0812

## Traditional Cross-References:

```

B      REGULAR
      Field:  REPORTS  (90545.0812,.01)
             1)= S ^BGPTAXB(DA(1),12,"B", $E(X,1,30),DA)=" "
             2)= K ^BGPTAXB(DA(1),12,"B", $E(X,1,30),DA)

```

File #90545.09

## Traditional Cross-References:

```

AC     REGULAR
      Field:  QMAN LINK  (90545.09,.12)
             1)= S ^BGPTAXBB("AC", $E(X,1,30),DA)=" "
             2)= K ^BGPTAXBB("AC", $E(X,1,30),DA)

B      REGULAR
      Field:  NAME  (90545.09,.01)
             1)= S ^BGPTAXBB("B", $E(X,1,30),DA)=" "
             2)= K ^BGPTAXBB("B", $E(X,1,30),DA)

```

Subfile #90545.11101

## Traditional Cross-References:

```

AA     MUMPS      WHOLE FILE (#90545.09)
      Field:  HIGH VALUE  (90545.11101,.02)
             1)= N % A S A=$S($E(X,$L(X))=" " : "", $P(^BGPTAXBB(DA(1),0),U,13):" ",1:" " ), %= $P(^BGPTAXBB(DA(1),21,DA,0),U)_A, ^BGPTAXBB(DA(1),21,"AA",%, (X_A))=" "
             2)= N % S %= $P(^BGPTAXBB(DA(1),21,DA,0),U) S:($E(%, $L(%))'=" ") & ($P(^BGPTAXBB(DA(1),0),U,13)) %= %_ " " K ^BGPTAXBB(DA(1),21,"AA",%)

AA2    MUMPS
      Field:  LOW VALUE  (90545.11101,.01)
             1)= I $P(^BGPTAXBB(DA(1),21,DA,0),U,2)]" " N % A S A=$S($E(X,$L(X))=" " : "", $P(^BGPTAXBB(DA(1),0),U,13):" ",1:" " ), %= $P(^BGPTAXBB(DA(1),21,DA,0),U,2)_A, ^BGPTAXBB(DA(1),21,"AA", (X_A),%)=" "
             2)= I $P(^BGPTAXBB(DA(1),21,DA,0),U,2)]" " N % S %= X S:($E(%, $L(%))'=" ") & ($P(^BGPTAXBB(DA(1),0),U,13)) %= %_ " " K ^BGPTAXBB(DA(1),21,"AA",%)

B      REGULAR
      Field:  LOW VALUE  (90545.11101,.01)
             1)= S ^BGPTAXBB(DA(1),21,"B", $E(X,1,30),DA)=" "
             2)= K ^BGPTAXBB(DA(1),21,"B", $E(X,1,30),DA)

```

Subfile #90545.13101

## Traditional Cross-References:

```

APKG   REGULAR      WHOLE FILE (#90545.09)

```

```

        Field:  PACKAGE (90545.13101,.01)
              1)= S ^BGPTAXB("APKG",$(X,1,30),DA(1),DA)=" "
              2)= K ^BGPTAXB("APKG",$(X,1,30),DA(1),DA)
B      REGULAR
        Field:  PACKAGE (90545.13101,.01)
              1)= S ^BGPTAXB(DA(1),41,"B",$(X,1,30),DA)=" "
              2)= K ^BGPTAXB(DA(1),41,"B",$(X,1,30),DA)
File #90545.1

Traditional Cross-References:

B      REGULAR
        Field:  GROUP NAME (90545.1,.01)
              1)= S ^BGPMGRPB("B",$(X,1,30),DA)=" "
              2)= K ^BGPMGRPB("B",$(X,1,30),DA)

File #90545.11

Traditional Cross-References:

B      REGULAR
        Field:  USER_DATE/TIME RUN (90545.11,.01)
              1)= S ^BGPXPB("B",$(X,1,30),DA)=" "
              2)= K ^BGPXPB("B",$(X,1,30),DA)

Subfile #90545.111101

Traditional Cross-References:

B      REGULAR
        Field:  DATA RECORDS (90545.111101,.01)
              1)= S ^BGPXPB(DA(1),11,"B",$(X,1,30),DA)=" "
              2)= K ^BGPXPB(DA(1),11,"B",$(X,1,30),DA)

Subfile #90545.111201

Traditional Cross-References:

B      REGULAR
        Field:  EXPORT FILE NAMES (90545.111201,.01)
              1)= S ^BGPXPB(DA(1),12,"B",$(X,1,30),DA)=" "
              2)= K ^BGPXPB(DA(1),12,"B",$(X,1,30),DA)

Subfile #90545.111301

Traditional Cross-References:

B      REGULAR
        Field:  COMMUNITIES (90545.111301,.01)
              1)= S ^BGPXPB(DA(1),13,"B",$(X,1,30),DA)=" "
              2)= K ^BGPXPB(DA(1),13,"B",$(X,1,30),DA)

Subfile #90545.111401

Traditional Cross-References:

B      REGULAR
        Field:  MFI LOCATIONS (90545.111401,.01)
              1)= S ^BGPXPB(DA(1),14,"B",$(X,1,30),DA)=" "
              2)= K ^BGPXPB(DA(1),14,"B",$(X,1,30),DA)
File #90545.12

Traditional Cross-References:

```



```

B    REGULAR
      Field:  BEGINNING DATE  (90545.12,.01)
              1)= S ^BGPPEDCB("B", $E(X,1,30),DA)=" "
              2)= K ^BGPPEDCB("B", $E(X,1,30),DA)

Subfile #90545.12111

Traditional Cross-References:

B    REGULAR
      Field:  MFI COMMUNITIES  (90545.12111,.01)
              1)= S ^BGPPEDCB(DA(1),1111,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPPEDCB(DA(1),1111,"B", $E(X,1,30),DA)

Subfile #90545.1212

Traditional Cross-References:

B    REGULAR
      Field:  2.1 RATE  (90545.1212,.01)
              1)= S ^BGPPEDCB(DA(1),12,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPPEDCB(DA(1),12,"B", $E(X,1,30),DA)

Subfile #90545.1213

Traditional Cross-References:

B    REGULAR
      Field:  TOP 25 DXS  (90545.1213,.01)
              1)= S ^BGPPEDCB(DA(1),13,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPPEDCB(DA(1),13,"B", $E(X,1,30),DA)

Subfile #90545.1214

Traditional Cross-References:

B    REGULAR
      Field:  4.1.1  (90545.1214,.01)
              1)= S ^BGPPEDCB(DA(1),14,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPPEDCB(DA(1),14,"B", $E(X,1,30),DA)

Subfile #90545.1215

Traditional Cross-References:

B    REGULAR
      Field:  5.1.1  (90545.1215,.01)
              1)= S ^BGPPEDCB(DA(1),15,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPPEDCB(DA(1),15,"B", $E(X,1,30),DA)

Subfile #90545.129

Traditional Cross-References:

B    REGULAR
      Field:  COMMUNITIES  (90545.129,.01)
              1)= S ^BGPPEDCB(DA(1),9999,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPPEDCB(DA(1),9999,"B", $E(X,1,30),DA)

File #90545.13

Traditional Cross-References:

B    REGULAR
      Field:  BEGINNING DATE  (90545.13,.01)

```

```

1)= S ^BGPPEDPB("B", $E(X,1,30),DA)=" "
2)= K ^BGPPEDPB("B", $E(X,1,30),DA)

Subfile #90545.13111

Traditional Cross-References:

B    REGULAR
      Field:  MFI COMMUNITIES (90545.13111,.01)
1)= S ^BGPPEDPB(DA(1),1111,"B", $E(X,1,30),DA)=" "
2)= K ^BGPPEDPB(DA(1),1111,"B", $E(X,1,30),DA)

Subfile #90545.1312

Traditional Cross-References:

B    REGULAR
      Field:  2.1 RATE (90545.1312,.01)
1)= S ^BGPPEDPB(DA(1),12,"B", $E(X,1,30),DA)=" "
2)= K ^BGPPEDPB(DA(1),12,"B", $E(X,1,30),DA)

Subfile #90545.1313

Traditional Cross-References:

B    REGULAR
      Field:  TOP 25 DXS (90545.1313,.01)
1)= S ^BGPPEDPB(DA(1),13,"B", $E(X,1,30),DA)=" "
2)= K ^BGPPEDPB(DA(1),13,"B", $E(X,1,30),DA)

Subfile #90545.1314

Traditional Cross-References:

B    REGULAR
      Field:  4.1.1 (90545.1314,.01)
1)= S ^BGPPEDPB(DA(1),14,"B", $E(X,1,30),DA)=" "
2)= K ^BGPPEDPB(DA(1),14,"B", $E(X,1,30),DA)

Subfile #90545.1315

Traditional Cross-References:

B    REGULAR
      Field:  5.1.1 (90545.1315,.01)
1)= S ^BGPPEDPB(DA(1),15,"B", $E(X,1,30),DA)=" "
2)= K ^BGPPEDPB(DA(1),15,"B", $E(X,1,30),DA)

Subfile #90545.139

Traditional Cross-References:

B    REGULAR
      Field:  COMMUNITIES (90545.139,.01)
1)= S ^BGPPEDPB(DA(1),9999,"B", $E(X,1,30),DA)=" "
2)= K ^BGPPEDPB(DA(1),9999,"B", $E(X,1,30),DA)

File #90545.14

Traditional Cross-References:

B    REGULAR
      Field:  BEGINNING DATE (90545.14,.01)
1)= S ^BGPPEDBB("B", $E(X,1,30),DA)=" "

```

```

                2)= K ^BGPPEDBB("B", $E(X,1,30),DA)

Subfile #90545.14111

Traditional Cross-References:

B    REGULAR
      Field:  MFI COMMUNITIES (90545.14111,.01)
            1)= S ^BGPPEDBB(DA(1),1111,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPPEDBB(DA(1),1111,"B", $E(X,1,30),DA)

Subfile #90545.1412

Traditional Cross-References:

B    REGULAR
      Field:  2.1 RATE (90545.1412,.01)
            1)= S ^BGPPEDBB(DA(1),12,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPPEDBB(DA(1),12,"B", $E(X,1,30),DA)

Subfile #90545.1413

Traditional Cross-References:

B    REGULAR
      Field:  TOP 25 DXS (90545.1413,.01)
            1)= S ^BGPPEDBB(DA(1),13,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPPEDBB(DA(1),13,"B", $E(X,1,30),DA)

Subfile #90545.1414

Traditional Cross-References:

B    REGULAR
      Field:  4.1.1 (90545.1414,.01)
            1)= S ^BGPPEDBB(DA(1),14,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPPEDBB(DA(1),14,"B", $E(X,1,30),DA)

Subfile #90545.1415

Traditional Cross-References:

B    REGULAR
      Field:  5.1.1 (90545.1415,.01)
            1)= S ^BGPPEDBB(DA(1),15,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPPEDBB(DA(1),15,"B", $E(X,1,30),DA)

Subfile #90545.149

Traditional Cross-References:

B    REGULAR
      Field:  COMMUNITIES (90545.149,.01)
            1)= S ^BGPPEDBB(DA(1),9999,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPPEDBB(DA(1),9999,"B", $E(X,1,30),DA)

File #90545.15

Traditional Cross-References:

AO   REGULAR
      Field:  ORDER TO DISPLAY (90545.15,.03)
            1)= S ^BGPPEIB("AO", $E(X,1,30),DA)=" "
            2)= K ^BGPPEIB("AO", $E(X,1,30),DA)

B    REGULAR

```

```

        Field: MEASURE NUMBER (90545.15,.01)
              1)= S ^BGPPEIB("B", $E(X,1,30),DA)=" "
              2)= K ^BGPPEIB("B", $E(X,1,30),DA)

Subfile #90545.1561

Traditional Cross-References:

B    REGULAR
      Field: DENOMINATOR DEFINITIONS (90545.1561,.01)
            1)= S ^BGPPEIB(DA(1),61,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPPEIB(DA(1),61,"B", $E(X,1,30),DA)

Subfile #90545.1562

Traditional Cross-References:

B    REGULAR
      Field: NUMERATOR (90545.1562,.01)
            1)= S ^BGPPEIB(DA(1),62,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPPEIB(DA(1),62,"B", $E(X,1,30),DA)

File #90545.17

Traditional Cross-References:

B    REGULAR
      Field: GROUP (90545.17,.01)
            1)= S ^BGPICAGB("B", $E(X,1,30),DA)=" "
            2)= K ^BGPICAGB("B", $E(X,1,30),DA)

File #90545.18

Traditional Cross-References:

B    REGULAR
      Field: CATEGORY (90545.18,.01)
            1)= S ^BGPICACB("B", $E(X,1,30),DA)=" "
            2)= K ^BGPICACB("B", $E(X,1,30),DA)

File #90546.01

Traditional Cross-References:

AO   REGULAR
      Field: ORDER ON SELECTION/REPORT (90546.01,.02)
            1)= S ^BGPHEIB("AO", $E(X,1,30),DA)=" "
            2)= K ^BGPHEIB("AO", $E(X,1,30),DA)

B    REGULAR
      Field: INDICATOR NUMBER (90546.01,.01)
            1)= S ^BGPHEIB("B", $E(X,1,30),DA)=" "
            2)= K ^BGPHEIB("B", $E(X,1,30),DA)

C    REGULAR
      Field: TITLE (90546.01,.03)
            1)= S ^BGPHEIB("C", $E(X,1,30),DA)=" "
            2)= K ^BGPHEIB("C", $E(X,1,30),DA)

HEDIS REGULAR
      Field: HEDIS INDICATOR (90546.01,.09)
            1)= S ^BGPHEIB("HEDIS", $E(X,1,30),DA)=" "
            2)= K ^BGPHEIB("HEDIS", $E(X,1,30),DA)

Subfile #90546.0161

Traditional Cross-References:

```

```

B      REGULAR
      Field:  DENOMINATOR DEFINITIONS  (90546.0161,.01)
              1)= S ^BGPHEIB(DA(1),61,"B",$(X,1,30),DA)=" "
              2)= K ^BGPHEIB(DA(1),61,"B",$(X,1,30),DA)

```

Subfile #90546.0162

Traditional Cross-References:

```

B      REGULAR
      Field:  NUMERATOR DEFINITIONS  (90546.0162,.01)
              1)= S ^BGPHEIB(DA(1),62,"B",$(X,1,30),DA)=" "
              2)= K ^BGPHEIB(DA(1),62,"B",$(X,1,30),DA)

```

File #90546.02

Traditional Cross-References:

```

AA     MUMPS
      Field:  INDICATOR ID  (90546.02,.04)
              1)= S ^BGPHEIIB("AA",$(X,".",1,2),DA)=" "
              2)= K ^BGPHEIIB("AA",$(X,".",1,2),DA)

```

```

AB     MUMPS
      Field:  ORDER  (90546.02,1204)
              1)= S ^BGPHEIIB("AB",$(X,".",1),X,DA)=" "
              2)= K ^BGPHEIIB("AB",$(X,".",1),X,DA)

```

```

ABC    MUMPS
      Field:  ORDER  (90546.02,1204)
              1)= S ^BGPHEIIB("ABC",$(X,".",1),$(TR(X,".",""),DA)=" "
              2)= K ^BGPHEIIB("ABC",$(X,".",1),$(TR(X,".",""),DA)

```

```

AC     MUMPS
      Field:  ORDER  (90546.02,1204)
              1)= S ^BGPHEIIB("AC",$(X,"."),$(X,".",1,2),$(X,".",3),DA)
              )=" "
              2)= K ^BGPHEIIB("AC",$(X,"."),$(X,".",1,2),$(X,".",3),DA)
              )

```

```

ADF    REGULAR
      Field:  DENOM FIELD NUMBER  (90546.02,.08)
              1)= S ^BGPHEIIB("ADF",$(X,1,30),DA)=" "
              2)= K ^BGPHEIIB("ADF",$(X,1,30),DA)

```

```

ANF    REGULAR
      Field:  NUMERATOR FIELD NUMBER  (90546.02,.09)
              1)= S ^BGPHEIIB("ANF",$(X,1,30),DA)=" "
              2)= K ^BGPHEIIB("ANF",$(X,1,30),DA)

```

```

B      REGULAR
      Field:  INDICATOR  (90546.02,.01)
              1)= S ^BGPHEIIB("B",$(X,1,30),DA)=" "
              2)= K ^BGPHEIIB("B",$(X,1,30),DA)

```

```

C      REGULAR
      Field:  INDICATOR ID  (90546.02,.04)
              1)= S ^BGPHEIIB("C",$(X,1,30),DA)=" "
              2)= K ^BGPHEIIB("C",$(X,1,30),DA)

```

```

OR     REGULAR
      Field:  ORDER  (90546.02,1204)
              1)= S ^BGPHEIIB("OR",$(X,1,30),DA)=" "

```

```
2)= K ^BGPHEIIB("OR", $E(X,1,30),DA)
```

File #90546.03

Traditional Cross-References:

```
B    REGULAR
      Field:  BEGINNING DATE  (90546.03,.01)
            1)= S ^BGPHEDCB("B", $E(X,1,30),DA)=" "
            2)= K ^BGPHEDCB("B", $E(X,1,30),DA)
```

Subfile #90546.031111

Traditional Cross-References:

```
B    REGULAR
      Field:  MFI LOCATIONS  (90546.031111,.01)
            1)= S ^BGPHEDCB(DA(1),1111,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPHEDCB(DA(1),1111,"B", $E(X,1,30),DA)
```

Subfile #90546.12999

Traditional Cross-References:

```
B    REGULAR
      Field:  COMMUNITIES  (90546.12999,.01)
            1)= S ^BGPHEDCB(DA(1),9999,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPHEDCB(DA(1),9999,"B", $E(X,1,30),DA)
```

Subfile #90546.129999

Traditional Cross-References:

```
B    REGULAR
      Field:  PATIENTS EISS  (90546.129999,.01)
            1)= S ^BGPHEDCB(DA(1),99999,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPHEDCB(DA(1),99999,"B", $E(X,1,30),DA)
```

File #90546.04

Traditional Cross-References:

```
B    REGULAR
      Field:  BEGINNING DATE  (90546.04,.01)
            1)= S ^BGPHEDPB("B", $E(X,1,30),DA)=" "
            2)= K ^BGPHEDPB("B", $E(X,1,30),DA)
```

Subfile #90546.041111

Traditional Cross-References:

```
B    REGULAR
      Field:  MFI LOCATIONS  (90546.041111,.01)
            1)= S ^BGPHEDPB(DA(1),1111,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPHEDPB(DA(1),1111,"B", $E(X,1,30),DA)
```

Subfile #90546.13999

Traditional Cross-References:

```
B    REGULAR
      Field:  COMMUNITIES  (90546.13999,.01)
            1)= S ^BGPHEDPB(DA(1),9999,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPHEDPB(DA(1),9999,"B", $E(X,1,30),DA)
```

Subfile #90546.139999

Traditional Cross-References:

B     REGULAR  
       Field:   PATIENTS EISS   (90546.139999,.01)  
               1)= S ^BGPHEDPB(DA(1),99999,"B",\$(X,1,30),DA)=" "  
               2)= K ^BGPHEDPB(DA(1),99999,"B",\$(X,1,30),DA)

File #90546.05

Traditional Cross-References:

B     REGULAR  
       Field:   BEGINNING DATE   (90546.05,.01)  
               1)= S ^BGPHEDBB("B",\$(X,1,30),DA)=" "  
               2)= K ^BGPHEDBB("B",\$(X,1,30),DA)

Subfile #90546.051111

Traditional Cross-References:

B     REGULAR  
       Field:   MFI LOCATIONS   (90546.051111,.01)  
               1)= S ^BGPHEDBB(DA(1),1111,"B",\$(X,1,30),DA)=" "  
               2)= K ^BGPHEDBB(DA(1),1111,"B",\$(X,1,30),DA)

Subfile #90546.14999

Traditional Cross-References:

B     REGULAR  
       Field:   COMMUNITIES   (90546.14999,.01)  
               1)= S ^BGPHEDBB(DA(1),9999,"B",\$(X,1,30),DA)=" "  
               2)= K ^BGPHEDBB(DA(1),9999,"B",\$(X,1,30),DA)

Subfile #90546.149999

Traditional Cross-References:

B     REGULAR  
       Field:   PATIENTS EISS   (90546.149999,.01)  
               1)= S ^BGPHEDBB(DA(1),99999,"B",\$(X,1,30),DA)=" "  
               2)= K ^BGPHEDBB(DA(1),99999,"B",\$(X,1,30),DA)

File #90546.08

Traditional Cross-References:

AC     REGULAR  
       Field:   START TIME   (90546.08,.03)  
               1)= S ^BGPGUIB("AC",\$(X,1,30),DA)=" "  
               2)= K ^BGPGUIB("AC",\$(X,1,30),DA)

AUSR   MUMPS  
       Field:   START TIME   (90546.08,.03)  
               1)= S ^BGPGUIB("AUSR",\$\$(\$P(\$G(^BGPGUIB(DA,0)),"^",2):\$P(^B  
               GPGUIB(DA,0),"^",2),1:1),(9999999.9999-X),DA)=" "  
               2)= K ^BGPGUIB("AUSR",\$\$(\$P(\$G(^BGPGUIB(DA,0)),"^",2):\$P(^B  
               GPGUIB(DA,0),"^",2),1:1),(9999999.9999-X),DA)

B     REGULAR  
       Field:   NAME   (90546.08,.01)

```

1)= S ^BGPGUIB("B", $E(X,1,30),DA)=" "
2)= K ^BGPGUIB("B", $E(X,1,30),DA)
File #90547.01

Traditional Cross-References:

AO    REGULAR
      Field:  ORDER ON SELECTION/REPORT (90547.01,.02)
1)= S ^BGPCMSIB("AO", $E(X,1,30),DA)=" "
2)= K ^BGPCMSIB("AO", $E(X,1,30),DA)

B     REGULAR
      Field:  INDICATOR NUMBER (90547.01,.01)
1)= S ^BGPCMSIB("B", $E(X,1,30),DA)=" "
2)= K ^BGPCMSIB("B", $E(X,1,30),DA)

C     REGULAR
      Field:  TITLE (90547.01,.03)
1)= S ^BGPCMSIB("C", $E(X,1,30),DA)=" "
2)= K ^BGPCMSIB("C", $E(X,1,30),DA)
File #90547.02

Traditional Cross-References:

AB    MUMPS
      Field:  ORDER (90547.02,1204)
1)= S ^BGPELIIB("AB", $P(X,".",1,2),X,DA)=" "
2)= K ^BGPELIIB("AB", $P(X,".",1,2),X,DA)

ABC   MUMPS
      Field:  ORDER (90547.02,1204)
1)= S ^BGPELIIB("ABC", $P(X,".",1,2), $TR(X,".", ""), DA)=" "
2)= K ^BGPELIIB("ABC", $P(X,".",1,2), $TR(X,".", ""), DA)

AE    MUMPS
      Field:  ORDER (90547.02,1204)
1)= S ^BGPELIIB("AE", $P(X,"."), $P(X,".",2), $P(X,".",3), DA)=
" "
2)= Q

AP    MUMPS
      Field:  ORDER (90547.02,1204)
1)= S ^BGPELIIB("AP", $P(X,".",1,2), DA)=" "
2)= K ^BGPELIIB("AP", $P(X,".",1,2), DA)

B     REGULAR
      Field:  INDICATOR (90547.02,.01)
1)= S ^BGPELIIB("B", $E(X,1,30),DA)=" "
2)= K ^BGPELIIB("B", $E(X,1,30),DA)

C     REGULAR
      Field:  INDICATOR ID (90547.02,.04)
1)= S ^BGPELIIB("C", $E(X,1,30),DA)=" "
2)= K ^BGPELIIB("C", $E(X,1,30),DA)

OR    REGULAR
      Field:  ORDER (90547.02,1204)
1)= S ^BGPELIIB("OR", $E(X,1,30),DA)=" "
2)= K ^BGPELIIB("OR", $E(X,1,30),DA)
File #90547.03

Traditional Cross-References:

B     REGULAR
      Field:  BEGINNING DATE (90547.03,.01)

```



```

1)= S ^BGPELDCB("B", $E(X,1,30),DA)=" "
2)= K ^BGPELDCB("B", $E(X,1,30),DA)

Subfile #90547.031111

Traditional Cross-References:

B    REGULAR
      Field:  MFI LOCATIONS  (90547.031111,.01)
1)= S ^BGPELDCB(DA(1),1111,"B", $E(X,1,30),DA)=" "
2)= K ^BGPELDCB(DA(1),1111,"B", $E(X,1,30),DA)

Subfile #90547.12999

Traditional Cross-References:

B    REGULAR
      Field:  COMMUNITIES  (90547.12999,.01)
1)= S ^BGPELDCB(DA(1),9999,"B", $E(X,1,30),DA)=" "
2)= K ^BGPELDCB(DA(1),9999,"B", $E(X,1,30),DA)

Subfile #90547.129999

Traditional Cross-References:

B    REGULAR
      Field:  PATIENTS EISS  (90547.129999,.01)
1)= S ^BGPELDCB(DA(1),99999,"B", $E(X,1,30),DA)=" "
2)= K ^BGPELDCB(DA(1),99999,"B", $E(X,1,30),DA)

File #90547.04

Traditional Cross-References:

B    REGULAR
      Field:  BEGINNING DATE  (90547.04,.01)
1)= S ^BGPELDPB("B", $E(X,1,30),DA)=" "
2)= K ^BGPELDPB("B", $E(X,1,30),DA)

Subfile #90547.041111

Traditional Cross-References:

B    REGULAR
      Field:  MFI LOCATIONS  (90547.041111,.01)
1)= S ^BGPELDPB(DA(1),1111,"B", $E(X,1,30),DA)=" "
2)= K ^BGPELDPB(DA(1),1111,"B", $E(X,1,30),DA)

Subfile #90547.13999

Traditional Cross-References:

B    REGULAR
      Field:  COMMUNITIES  (90547.13999,.01)
1)= S ^BGPELDPB(DA(1),9999,"B", $E(X,1,30),DA)=" "
2)= K ^BGPELDPB(DA(1),9999,"B", $E(X,1,30),DA)

Subfile #90547.139999

Traditional Cross-References:

B    REGULAR
      Field:  PATIENTS EISS  (90547.139999,.01)
1)= S ^BGPELDPB(DA(1),99999,"B", $E(X,1,30),DA)=" "
2)= K ^BGPELDPB(DA(1),99999,"B", $E(X,1,30),DA)

```

File #90547.05

Traditional Cross-References:

B REGULAR  
 Field: BEGINNING DATE (90547.05,.01)  
 1)= S ^BGPELDBB("B", \$E(X,1,30),DA)=" "  
 2)= K ^BGPELDBB("B", \$E(X,1,30),DA)

Subfile #90547.051111

Traditional Cross-References:

B REGULAR  
 Field: MFI LOCATIONS (90547.051111,.01)  
 1)= S ^BGPELDBB(DA(1),1111,"B", \$E(X,1,30),DA)=" "  
 2)= K ^BGPELDBB(DA(1),1111,"B", \$E(X,1,30),DA)

Subfile #90547.14999

Traditional Cross-References:

B REGULAR  
 Field: COMMUNITIES (90547.14999,.01)  
 1)= S ^BGPELDBB(DA(1),9999,"B", \$E(X,1,30),DA)=" "  
 2)= K ^BGPELDBB(DA(1),9999,"B", \$E(X,1,30),DA)

Subfile #90547.149999

Traditional Cross-References:

B REGULAR  
 Field: PATIENTS EISS (90547.149999,.01)  
 1)= S ^BGPELDBB(DA(1),99999,"B", \$E(X,1,30),DA)=" "  
 2)= K ^BGPELDBB(DA(1),99999,"B", \$E(X,1,30),DA)

File #90547.06

Traditional Cross-References:

AO REGULAR  
 Field: ORDER ON SELECTION/REPORT (90547.06,.02)  
 1)= S ^BGPELIB("AO", \$E(X,1,30),DA)=" "  
 2)= K ^BGPELIB("AO", \$E(X,1,30),DA)

B REGULAR  
 Field: INDICATOR NUMBER (90547.06,.01)  
 1)= S ^BGPELIB("B", \$E(X,1,30),DA)=" "  
 2)= K ^BGPELIB("B", \$E(X,1,30),DA)

C REGULAR  
 Field: TITLE (90547.06,.03)  
 1)= S ^BGPELIB("C", \$E(X,1,30),DA)=" "  
 2)= K ^BGPELIB("C", \$E(X,1,30),DA)

D MUMPS  
 Field: TITLE (90547.06,.03)  
 1)= S ^BGPELIB("D", \$\$SUP^XLFSTR(X),DA)=" "  
 2)= K ^BGPELIB("D", \$\$SUP^XLFSTR(X),DA)

PUID REGULAR  
 Field: PUID (90547.06,1201)  
 1)= S ^BGPELIB("PUID", \$E(X,1,30),DA)=" "

```

                2)= K ^BGPELIB("PUID", $E(X,1,30),DA)

Subfile #90547.0661

Traditional Cross-References:

B      REGULAR
      Field:  DENOMINATOR DEFINITIONS (90547.0661,.01)
            1)= S ^BGPELIB(DA(1),61,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPELIB(DA(1),61,"B", $E(X,1,30),DA)

Subfile #90547.0662

Traditional Cross-References:

B      REGULAR
      Field:  NUMERATOR DEFINITIONS (90547.0662,.01)
            1)= S ^BGPELIB(DA(1),62,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPELIB(DA(1),62,"B", $E(X,1,30),DA)

File #90547.08

Traditional Cross-References:

AO     REGULAR
      Field:  ORDER ON SELECTION MENU (90547.08,.03)
            1)= S ^BGPEOMB("AO", $E(X,1,30),DA)=" "
            2)= K ^BGPEOMB("AO", $E(X,1,30),DA)

B      REGULAR
      Field:  MEASURE # (90547.08,.01)
            1)= S ^BGPEOMB("B", $E(X,1,30),DA)=" "
            2)= K ^BGPEOMB("B", $E(X,1,30),DA)

C      REGULAR
      Field:  MEASURE NAME (90547.08,.02)
            1)= S ^BGPEOMB("C", $E(X,1,30),DA)=" "
            2)= K ^BGPEOMB("C", $E(X,1,30),DA)

Subfile #90547.0861

Traditional Cross-References:

B      REGULAR
      Field:  DENOMINATORS (90547.0861,.01)
            1)= S ^BGPEOMB(DA(1),61,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPEOMB(DA(1),61,"B", $E(X,1,30),DA)

Subfile #90547.0862

Traditional Cross-References:

B      REGULAR
      Field:  NUMERATORS (90547.0862,.01)
            1)= S ^BGPEOMB(DA(1),62,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPEOMB(DA(1),62,"B", $E(X,1,30),DA)

File #90547.09

Traditional Cross-References:

AO     MUMPS
      Field:  ORDER NUMBER (90547.09,.03)
            1)= S ^BGPEOMB("AO", $P(X,".",1,2), $$STRIP^XLFSTR(X,"."),DA)
            2)= " "

```

```

                2)= K ^BGPEOMIB("AO", $P(X, ".", 1, 2), $$STRIP^XLFSTR(X, "."), DA
                )
B    REGULAR
    Field:  MEASURE   (90547.09, .01)
           1)= S ^BGPEOMIB("B", $E(X, 1, 30), DA)=" "
           2)= K ^BGPEOMIB("B", $E(X, 1, 30), DA)

C    REGULAR
    Field:  MEASURE ID (90547.09, .02)
           1)= S ^BGPEOMIB("C", $E(X, 1, 30), DA)=" "
           2)= K ^BGPEOMIB("C", $E(X, 1, 30), DA)

O    REGULAR
    Field:  ORDER NUMBER (90547.09, .03)
           1)= S ^BGPEOMIB("O", $E(X, 1, 30), DA)=" "
           2)= K ^BGPEOMIB("O", $E(X, 1, 30), DA)

File #90547.1

    Traditional Cross-References:

B    REGULAR
    Field:  BEGINNING DATE (90547.1, .01)
           1)= S ^BGPEOCB("B", $E(X, 1, 30), DA)=" "
           2)= K ^BGPEOCB("B", $E(X, 1, 30), DA)

Subfile #90547.11111

    Traditional Cross-References:

B    REGULAR
    Field:  MFI LOCATIONS (90547.11111, .01)
           1)= S ^BGPEOCB(DA(1), 11, "B", $E(X, 1, 30), DA)=" "
           2)= K ^BGPEOCB(DA(1), 11, "B", $E(X, 1, 30), DA)

Subfile #90547.19999

    Traditional Cross-References:

B    REGULAR
    Field:  COMMUNITIES (90547.19999, .01)
           1)= S ^BGPEOCB(DA(1), 9999, "B", $E(X, 1, 30), DA)=" "
           2)= K ^BGPEOCB(DA(1), 9999, "B", $E(X, 1, 30), DA)

File #90547.11

    Traditional Cross-References:

B    REGULAR
    Field:  BEGINNING DATE (90547.11, .01)
           1)= S ^BGPEOPB("B", $E(X, 1, 30), DA)=" "
           2)= K ^BGPEOPB("B", $E(X, 1, 30), DA)

Subfile #90547.12111

    Traditional Cross-References:

B    REGULAR    WHOLE FILE (#90547.121111)
    Field:  MFI LOCATIONS (90547.12111, .01)
           1)= S ^BGPEOPB(DA(1), 11, "B", $E(X, 1, 30), DA)=" "
           2)= K ^BGPEOPB(DA(1), 11, "B", $E(X, 1, 30), DA)

Subfile #90547.20999

    Traditional Cross-References:

```

```

B   REGULAR      WHOLE FILE (#90547.119999)
      Field:  COMMUNITIES  (90547.20999,.01)
              1)= S ^BGPEOPB(DA(1),9999,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPEOPB(DA(1),9999,"B", $E(X,1,30),DA)

File #90547.12

Traditional Cross-References:

B   REGULAR      WHOLE FILE (#90547.121111)
      Field:  BEGINNING DATE  (90547.12,.01)
              1)= S ^BGPEOBB("B", $E(X,1,30),DA)=" "
              2)= K ^BGPEOBB("B", $E(X,1,30),DA)

Subfile #90547.13111

Traditional Cross-References:

B   REGULAR      WHOLE FILE (#90547.121111)
      Field:  MFI LOCATIONS  (90547.13111,.01)
              1)= S ^BGPEOBB(DA(1),11,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPEOBB(DA(1),11,"B", $E(X,1,30),DA)

Subfile #90547.21999

Traditional Cross-References:

B   REGULAR      WHOLE FILE (#90547.129999)
      Field:  COMMUNITIES  (90547.21999,.01)
              1)= S ^BGPEOBB(DA(1),9999,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPEOBB(DA(1),9999,"B", $E(X,1,30),DA)

```

## 4.4 Table File

The following 12 files have over 1,000 fields per file. These files are used to hold calculated data values for the GPRA reports. To conserve space in this document, the table files are not listed here. To generate a listing, use the ^XBFLD or FM data dictionary listing utility to list the data dictionary in detail.

**FILE: 90545.03 BGP 11 DATA CURRENT**

**GLOBAL: ^BGPDPDCB(**

**FILE: 90545.04 BGP 11 DATA PREVIOUS**

**GLOBAL: ^BGPDPDPB(**

**FILE: 90545.05 BGP 11 DATA BASELINE**

**GLOBAL: ^BGPHEDEBB(**

**FILE: 90546.03 BGP 11 HEDIS DATA CURRENT**

**GLOBAL: ^BGPHEDCB(**

**FILE: 90546.04 BGP 11 HEDIS DATA PREVIOUS**

**GLOBAL: ^BGPHEDPB(**

**FILE: 90546.05 BGP 11 HEDIS DATA BASELINE**

**GLOBAL: ^BGPHEDBB(**

**FILE: 90547.03 BGP 11 ELDER DATA CURRENT**

**GLOBAL: ^BGPELDCB(**

**FILE: 90547.04 BGP 11 ELDER DATA PREVIOUS**

**GLOBAL: ^BGPELDPB(**

**FILE: 90547.05 BGP 11 ELDER DATA BASELINE**

**GLOBAL: ^BGPELDBB(**

**FILE: 90547.1 BGP 11 EO DATA CURRENT**

**GLOBAL: ^BGPEOCB(**

**FILE: 90547.11 BGP 11 EO DATA PREVIOUS**

**GLOBAL: ^BGPEOPB(**

**FILE: 90547.12 BGP 11 EO DATA BASELINE**

**GLOBAL: ^BGPEOBB(**

#### 4.4.1 BGP Control File

**GLOBAL: ^BGPCTRL(**

**FILE #: 90241.01**

```

VERSION: 11.0
STORED IN: ^BGPCTRL(                                12/08/10    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY   : @      LAYGO SECURITY  : @
                                WRITE SECURITY  : @
CROSS REFERENCED BY:
  FY(B)  GPRA YEAR(C)

                                FILE STRUCTURE

FIELD    FIELD
NUMBER   NAME
.01      FY (RF), [0;1]
.02      ENDING COLUMN FOR ONM 1 (NJ4,0), [0;2]
.03      ENDING COLUMN FOR ONM2 (NJ4,0), [0;3]
.04      ENDING COLUMN FOR GNT1 (NJ4,0), [0;4]
.05      PROGRAM FOR ICARE TO RUN (F), [0;5]
.06      FILE FOR MEASURES (P1'), [0;6]
.07      FILE # FOR INDIVIDUAL INDS (P1'), [0;7]
.08      BEGINNING DATE FOR GPRA YEAR (D), [0;8]
.09      ENDING DATE FOR GPRA YEAR (D), [0;9]
.1       BEG DATE FOR PREVIOUS YEAR (D), [0;10]
.11      ENDING DATE FOR PREVIOUS YEAR (D), [0;11]
.12      BEG DATE FOR BASELINE YEAR (D), [0;12]
.13      ENDING DATE FOR BASELINE YR (D), [0;13]
    
```

.14	GPRA YEAR (D), [0;14]
.15	VERSION (F), [0;15]
.16	ENDING COLUMN FOR GNT2 (NJ3,0), [0;16]
.17	CONTRAINDICATIONS ROUTINE (F), [0;17]
.18	ALLERGY ROUTINE (F), [0;18]
.19	REFUSAL API ROUTINE (F), [0;19]
.2	ENDING COLUMN FOR EO NT1 (NJ4,0), [0;20]
.21	END COLUMN FOR CRSONMNT3 (NJ4,0), [0;21]
.22	ENDING COLUMN FOR DEVEL1 (NJ3,0), [0;22]
.23	ENDING COLUMN FOR DEVEL2 (NJ3,0), [0;23]
1101	CLINICS FOR CLINICAL USER (Multiple-90241.0111), [11;0]
	.01 CLINIC CODE (MF), [0;1]
	.019 CLINIC NAME (CJ8), [ ; ]
1201	CLINIC CODES FOR 2ND VISIT (Multiple-90241.0112), [12;0]
	.01 CLINIC CODES FOR 2ND VISIT (MF), [0;1]
1300	LOCAL REPORT HEADER PAGE (Multiple-90241.13), [13;0]
	.01 LOCAL REPORT HEADER PAGE (W), [0;1]
1400	NATIONAL GPRA COVER PG NONCHS (Multiple-90241.14), [14;0]
	.01 GPRA REPORT HEADER PAGE (W), [0;1]
1500	AREA REPORT HEADER PAGE (Multiple-90241.15), [15;0]
	.01 AREA REPORT HEADER PAGE (W), [0;1]
1600	HEDIS REPORT HEADER PAGE (Multiple-90241.16), [16;0]
	.01 HEDIS REPORT HEADER PAGE (W), [0;1]
1700	COM REPORT HEADER PAGE (Multiple-90241.17), [17;0]
	.01 COM REPORT HEADER PAGE (W), [0;1]
1800	PP REPORT HEADER PAGE (Multiple-90241.18), [18;0]
	.01 PP REPORT HEADER PAGE (W), [0;1]
1900	ALL REPORT HEADER PAGE (Multiple-90241.19), [19;0]
	.01 ALL REPORT HEADER PAGE (W), [0;1]
2100	CMS REPORT COVER PAGE (Multiple-90241.0321), [21;0]
	.01 CMS REPORT COVER PAGE (W), [0;1]
2200	ELDER CARE COVER PAGE (Multiple-90241.22), [22;0]
	.01 ELDER CARE COVER PAGE (W), [0;1]
2300	NATIONAL GPRA COVER PAGE-CHS (Multiple-90241.23), [23;0]
	.01 CHS NATIONAL GPRA RPT HEADER (W), [0;1]
2400	CHS COM REPORT HEADER (Multiple-90241.24), [24;0]
	.01 CHS COM REPORT HEADER (W), [0;1]
2500	CHS ALL REPORT HEADER (Multiple-90241.25), [25;0]
	.01 CHS ALL REPORT HEADER (W), [0;1]
2600	CHS ELDER REPORT HEADER (Multiple-90241.26), [26;0]
	.01 CHS ELDER REPORT HEADER (W), [0;1]
2700	CHS HEDIS REPORT HEADER (Multiple-90241.27), [27;0]
	.01 CHS HEDIS REPORT HEADER (W), [0;1]
2800	COMP NATL PAT LIST 1ST PAGE (Multiple-90241.0328), [28;0]
	.01 1ST PAGE COMP LIST (W), [0;1]
2900	AREA CHS NGR HEADER PAGE (Multiple-90241.29), [29;0]
	.01 AREA CHS NGR HEADER PAGE (W), [0;1]
3100	AREA GPU A CHS HEADER (Multiple-90241.31), [31;0]
	.01 AREA CHS HEADER (W), [0;1]
3200	AREA CHS HEDIS COVER PAGE (Multiple-90241.32), [32;0]
	.01 AREA HEDIS COVER PAGE (W), [0;1]
3300	AREA ELDER CHS COVER PAGE (Multiple-90241.33), [33;0]
	.01 AREA ELDER CHS COVER PAGE (W), [0;1]
3400	PATIENT ED COVER PAGE (Multiple-90241.34), [34;0]
	.01 PATIENT ED COVER PAGE (W), [0;1]
3500	AREA PAT ED COVER PAG (Multiple-90241.35), [35;0]
	.01 AREA PAT ED COVER PAG (W), [0;1]
3600	ON 1 HEADERS (Multiple-90241.36), [36;0]
	.01 PIECE (MNJ5,0X), [0;1]
	.02 HEADER (F), [0;2]
3700	ON 2 HEADERS (Multiple-90241.37), [37;0]
	.01 PIECE (MNJ4,0X), [0;1]
	.02 HEADER (F), [0;2]
3800	GPRA NT1 (Multiple-90241.38), [38;0]
	.01 PIECE (MNJ4,0X), [0;1]

	.02	HEADER (F), [0;2]
3900		FORECAST DENOMINATOR DEFS PAGE (Multiple-90241.39), [39;0]
	.01	SCHEDULING OPTION COVER PAGE (W), [0;1]
4000		GPRA NT2 (Multiple-90241.4), [40;0]
	.01	PIECE (MNJ4,0), [0;1]
	.02	LABEL (F), [0;2]
4100		MEASURE (Multiple-90241.41), [41;0]
	.01	MEASURE (MRNJ3,0), [0;1]
	11	DENOM TEXT (Multiple-90241.4111), [11;0]
	.01	DENOM TEXT (W), [0;1]
4200		CMS REPORT INTRODUCTION (Multiple-90241.42), [42;0]
	.01	CMS REPORT INTRODUCTION (W), [0;1]
4300		LAB TAXONOMY INTRO TEXT (Multiple-90241.43), [43;0]
	.01	LAB TAXONOMY INTRO TEXT (W), [0;1]
4400		MED TAX INTRO (Multiple-90241.44), [44;0]
	.01	MED TAX INTRO (W), [0;1]
4500		CRSONMNT3 COLUMN HEADERS (Multiple-90241.0145), [45;0]
	.01	CRSONMNT3 COLUMN HEADERS (MNJ4,0), [0;1]
	.02	HEADER TEXT (F), [0;2]
5300		XP 2008-2009 INFORMING (Multiple-90241.0153), [53;0]
	.01	XP 2008-2009 INFORMING (W), [0;1]
5400		XP REPORT INFORM (Multiple-90241.54), [54;0]
	.01	XP REPORT INFORM (W), [0;1]
5500		XP MEASURES (Multiple-90241.55), [55;0]
	.01	MEASURE (MP90530.01'), [0;1]
	1101	INDIVIDUAL MEASURES (Multiple-90241.551101), [11;0]
	.01	MEASURE ID (MNJ3,0), [0;1]
	.02	VALUE FOR EXPORT (K), [1;E1,245]
	.03	MEASURE LABEL (F), [0;3]
5600		ONM COVER PAGE (Multiple-90241.56), [56;0]
	.01	ONM COVER PAGE (W), [0;1]
5700		ONM CHS COVER PAGE (Multiple-90241.57), [57;0]
	.01	ONM CHS COVER PAGE (W), [0;1]
5800		FORECAST REPORT INFORMING (Multiple-90241.58), [58;0]
	.01	FORECAST REPORT INFORMING (W), [0;1]
5900		EO REPORT COVER PAGE (Multiple-90241.0159), [59;0]
	.01	EO REPORT COVER PAGE (W), [0;1]
6100		PAT ED INFORMING (Multiple-90241.61), [61;0]
	.01	PAT ED INFORMING (W), [0;1]
6200		PATIENT ED TOPICS (Multiple-90241.62), [62;0]
	.01	PATIENT ED TOPICS (F), [0;1]
	.02	DIAGNOSIS (F), [0;2]
	.03	TOPIC (F), [0;3]
6300		PAT ED ICD MAPPINGS (Multiple-90241.63), [63;0]
	.01	DISEASE STATE ABBRV (MF), [0;1]
	.02	DISEASE STATE NAME (F), [0;2]
	1100	ICD MAPPING (Multiple-90241.6311), [11;0]
	.01	ICD MAPPING (MF), [0;1]
	.02	LENGTH TO CHECK (NJ1,0), [0;2]
	.03	EXACT LENGTH? (S), [0;3]
6400		EO REPORT COVER PAGE CHS ONLY (Multiple-90241.0164), [64;0]
	.01	EO REPORT COVER PAGE CHS ONLY (W), [0;1]
6500		EO REPORT INFORMING (Multiple-90241.0165), [65;0]
	.01	EO REPORT INFORMING (W), [0;1]
6600		EO AREA REPORT COVER PAGE (Multiple-90241.0166), [66;0]
	.01	EO AREA REPORT COVER PAGE (W), [0;1]
6700		EO AREA REPORT CHS COVER PAGE (Multiple-90241.0467), [67;0]
	.01	EO AREA REPORT CHS COVER PAGE (W), [0;1]
6800		EO NT1 LABELS (Multiple-90241.0168), [68;0]
	.01	EO NT1 LABELS (MNJ4,0), [0;1]
	.02	TEXT (F), [0;2]
6900		FORECAST INFORMING FOR NEXT YR (Multiple-90241.69), [69;0]
	.01	FORECAST INFORMING FOR NEXT YR (W), [0;1]
7100		GPRA RPT SUM ONLY INFORMING (Multiple-90241.71), [71;0]
	.01	GPRA RPT SUM ONLY INFORMING (W), [0;1]



7200	NATL GPRA DES PROV INFORMING (Multiple-90241.72), [72;0]
	.01 NATL GPRA DES PROV INFORMING (W), [0;1]
7300	HW OPTION INFORMING (Multiple-90241.73), [73;0]
	.01 HW OPTION INFORMING (W), [0;1]
7400	PAT ED PP INFORMING (Multiple-90241.74), [74;0]
	.01 PAT ED PP INFORMING (W), [0;1]
7500	PED PP COVER PAGE (Multiple-90241.75), [75;0]
	.01 PED PP COVER PAGE (W), [0;1]
7600	GPRA SUM ONLY COVER PAGE (Multiple-90241.76), [76;0]
	.01 GPRA SUM ONLY COVER PAGE (W), [0;1]
7700	NATL GPRA SUM CHS COVER (Multiple-90241.77), [77;0]
	.01 NATL GPRA SUM CHS COVER (W), [0;1]
7800	XP9 INFORMING (Multiple-90241.78), [78;0]
	.01 XP9 INFORMING (W), [0;1]
7900	DEVEL 1 (Multiple-90241.79), [79;0]
	.01 GPRA NT3 (MNJ3,0), [0;1]
	.02 TEXT (F), [0;2]
8100	DEVEL 2 (Multiple-90241.81), [81;0]
	.01 GPRA NT4 (MNJ3,0), [0;1]
	.02 TEXT (F), [0;2]
8200	XP 10 INFORMING (Multiple-90241.82), [82;0]
	.01 XP 10 INFORMING (W), [0;1]
8300	GPU W/PP COVER PAGE (Multiple-90241.83), [83;0]
	.01 GPU W/PP COVER PAGE (W), [0;1]
8400	XP INFORMING FOR 2011 (Multiple-90241.84), [84;0]
	.01 XP INFORMING FOR 2011 (Wx), [0;1]
9801	PATCHES BULLETIN TEXT (Multiple-90241.9801), [98;0]
	.01 PATCHES BULLETIN TEXT (MNJ2,0X), [0;1]
	11 BULLETIN TEXT (Multiple-90241.980111), [11;0]
	.01 BULLETIN TEXT (W), [0;1]

## 4.4.2 BGP SITE PARAMETERS

**GLOBAL: ^BGPSITE(**

**FILE #: 90241.02**

STORED IN: ^BGPSITE(		12/08/10	PAGE 1
-----			
		FILE SECURITY	
	DD SECURITY	: @	DELETE SECURITY: @
	READ SECURITY	: M	LAYGO SECURITY : M
	WRITE SECURITY	: M	
CROSS REFERENCED BY:			
LOCATION(B)			
FILE STRUCTURE			
FIELD NUMBER	FIELD NAME		
.01	LOCATION (RP9999999.06'X), [0;1]		
.02	HOME LOCATION (P9999999.06'), [0;2]		
.03	AREA EXPORT? (S), [0;3]		
.04	INCLUDE DATA IN WEB EISS? (S), [0;4]		
.05	DEFAULT COMMUNITY TAXONOMY (*P9002226'), [0;5]		
.06	CHS SITE ONLY (S), [0;6]		
.08	MFI SITE? (S), [0;8]		
.09	MFI LOCATION TAXONOMY (*P9002226'), [0;9]		

```
.11 EXPORT HT/WT DATA (S), [0;11]
.12 DEMO PATIENT SEARCH TEMPLATE (P.401'), [0;12]
```

#### 4.4.3 FILE: BGP SUMMARY CATEGORIES

**GLOBAL: ^BGPSCAT( FILE #: 90241.03**

```
VERSION: 11.0
STORED IN: ^BGPSCAT(                               12/08/10   PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY     : @      LAYGO SECURITY  : @
                                WRITE SECURITY    : @
CROSS REFERENCED BY:
CATEGORY(B) ORDER ON GPRA SUMMARY(C) ORDER NO NON-GPRA SUMMARY(D)
ORDER ON EO REPORT(E)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME
.01        CATEGORY (RF), [0;1]
.02        ORDER ON GPRA SUMMARY (NJ2,0), [0;2]
.03        ORDER NO NON-GPRA SUMMARY (NJ2,0), [0;3]
.04        ORDER ON EO REPORT (NJ2,0), [0;4]
```

#### 4.4.4 FILE: BGP 11 MEASURES

**GLOBAL: ^BGPINDB( FILE #: 90545.01**

```
VERSION: 11.0
STORED IN: ^BGPINDB(                               12/08/10   PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY     : @      LAYGO SECURITY  : @
                                WRITE SECURITY    : @
CROSS REFERENCED BY:
DEVELOPMENTAL MEASURE?(ADEV) ORDER ON DEVELOPMENTAL REPORT(ADEVO)
ORDER ON SELECTION/REPORT(AO) ORDER IND(AOI)
MEASURE NUMBER(B) TITLE/SELECTION TITLE(C) ORDER IND(D)
NATIONAL REPORT(GPRA) OTHER NATIONAL MEASURES RPT?(ON)
PUID FROM RM(PUID) TITLE/SELECTION TITLE(U)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME
.01        MEASURE NUMBER (RNJ3,0X), [0;1]
```

.02	ORDER ON SELECTION/REPORT (F), [0;2]
.03	TITLE/SELECTION TITLE (F), [0;3]
.05	LIST SELECTION TITLE (F), [0;5]
.06	ORDER TO DISPLAY (NJ4,0), [0;6]
.07	NATIONAL REPORT (S), [0;7]
.12	NO LIST (S), [0;12]
.13	# DENOMINATORS (NJ2,0), [0;13]
.14	DEVELOPMENTAL MEASURE? (S), [0;14]
1	M CODE TO EXECUTE (K), [1;E1,245]
2	SET LIST VALUE (K), [2;E1,245]
3	PRINT M CODE (K), [3;E1,245]
4	DELIMITED FILE PRINT (K), [4;E1,245]
1100	SELECTED REPORT FY LOGIC TEXT (Multiple-90545.0111), [11;0]
	.01 LOGIC USED (W), [0;1]
1201	OTHER NATIONAL MEASURES RPT? (S), [12;1]
1202	WEB SITE UNIQUE ID (F), [12;2]
1203	PUID FROM RM (NJ4,0), [12;3]
1204	GROUP (P90545.1'), [12;4]
1205	UPDATED THIS YEAR? (S), [12;5]
1206	ORDER IND (NJ4,0), [12;6]
1301	SKIP SELECTED REPORT? (S), [13;1]
1302	ORDER ON DEVELOPMENTAL REPORT (NJ3,0), [13;2]
1303	SKIP NGR PRINT/DEV ONLY (S), [13;3]
5100	INDICATOR DESCRIPTION (Multiple-90545.0151), [51;0]
	.01 DESCRIPTION (W), [0;1]
5200	PAST PERFORMANCE (Multiple-90545.0152), [52;0]
	.01 REPORT PRINT SECTION (W), [0;1]
5300	REPORT PRINT 2ND PAGE (Multiple-90545.0153), [53;0]
	.01 REPORT PRINT 2ND PAGE (W), [0;1]
5400	NATIONAL GPRA/PART LOGIC TEXT (Multiple-90545.54), [54;0]
	.01 NATIONAL/PART (W), [0;1]
5500	SOURCE (Multiple-90545.55), [55;0]
	.01 SOURCE (W), [0;1]
5600	OTHER NATIONAL GPRA LOGIC TEXT (Multiple-90545.56), [56;0]
	.01 OTHER NATIONAL GPRA LOGIC TEXT (W), [0;1]
5700	INDICATOR DESCRIPTION FOR 10 (Multiple-90545.57), [57;0]
	.01 INDICATOR DESCRIPTION FOR 10 (W), [0;1]
5800	DEVELOPMENTAL RPT LOGIC TEXT (Multiple-90545.58), [58;0]
	.01 DEVELOPMENTAL RPT LOGIC TEXT (W), [0;1]
6100	SELECTED MEASURES DENOM DEF (Multiple-90545.0161), [61;0]
	.01 DENOMINATOR DEFINITIONS (MNJ2,0), [0;1]
	1 DENOM DESCRIPTION (Multiple-90545.01611), [1;0]
	.01 DENOM DESCRIPTION (W), [0;1]
	1200 REPORT SUB TYPES (Multiple-90545.016112), [12;0]
	.01 REPORT SUB TYPES (MS), [0;1]
6200	SELECTED MEAS NUMERATOR DEFS (Multiple-90545.0162), [62;0]
	.01 NUMERATOR DEFINITIONS (MNJ2,0X), [0;1]
	1 NUMERATOR DESCRIPTION (Multiple-90545.01621), [1;0]
	.01 NUMERATOR DESCRIPTION (W), [0;1]
	1200 REPORT SUB TYPE (Multiple-90545.016212), [12;0]
	.01 REPORT SUB TYPE (MS), [0;1]
7100	REPORT LIST 1ST PAGE (Multiple-90545.0171), [71;0]
	.01 REPORT LIST 1ST PAGE (W), [0;1]
7200	LIST PRINT SECOND PAGE (Multiple-90545.0172), [72;0]
	.01 LIST PRINT SECOND PAGE (W), [0;1]
8100	NATL GPRA DENOM DEFS (Multiple-90545.0181), [81;0]
	.01 NATL GPRA DENOM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90545.1811), [1;0]
	.01 TEXT (W), [0;1]
	1200 REPORT SUBTYPES (Multiple-90545.018112), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8200	NATL GPRA NUMERATOR DEFS (Multiple-90545.0182), [82;0]
	.01 NATL GPRA NUMERATOR DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90545.01821), [1;0]
	.01 TEXT (W), [0;1]

	1200 REPORT SUBTYPES (Multiple-90545.018212), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8300	OTHER NATL MEAS DENOM DEFS (Multiple-90545.0183), [83;0]
	.01 OTHER NATL MEAS DENOM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90545.01831), [1;0]
	.01 TEXT (W), [0;1]
	1200 REPORT SUBTYPES (Multiple-90545.018312), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8400	OTHER NATL MEAS NUMER DEFS (Multiple-90545.0184), [84;0]
	.01 OTHER NATL MEAS NUMER DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90545.01841), [1;0]
	.01 TEXT (W), [0;1]
	1200 REPORT SUBTYPES (Multiple-90545.018412), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8500	DEVELOPMENTAL MEAS DENOM DEFS (Multiple-90545.0185), [85;0]
	.01 DEVELOPMENTAL MEAS DENOM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90545.01851), [1;0]
	.01 TEXT (W), [0;1]
	1200 REPORT SUBTYPE (Multiple-90545.018512), [12;0]
	.01 REPORT SUBTYPE (MS), [0;1]
8600	DEVELOPMENTAL MEAS NUMER DEFS (Multiple-90545.0186), [86;0]
	.01 DEVELOPMENTAL MEAS NUMER DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90545.01861), [1;0]
	.01 TEXT (W), [0;1]
	1200 REPORT SUBTYPES (Multiple-90545.018612), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8700	DM DENOM DEFS (Multiple-90545.0187), [87;0]
	.01 DM DENOM DEFS (NJ2,0), [0;1]
	1 TEXT (Multiple-90545.01871), [1;0]
	.01 TEXT (Wx), [0;1]
8800	DM NUMER DEFS (Multiple-90545.0188), [88;0]
	.01 DM NUMER DEFS (NJ2,0), [0;1]
	1 TEXT (Multiple-90545.01881), [1;0]
	.01 TEXT (Wx), [0;1]
8900	CVD DENOM DEFS (Multiple-90545.0189), [89;0]
	.01 CVD DENOM DEFS (NJ2,0), [0;1]
	1 TEXT (Multiple-90545.01891), [1;0]
	.01 TEXT (Wx), [0;1]
9100	CVD NUM DEFS (Multiple-90545.0191), [91;0]
	.01 CVD NUM DEFS (NJ2,0), [0;1]
	1 TEXT (Multiple-90545.01911), [1;0]
	.01 TEXT (Wx), [0;1]
9200	WH DEN DEFS (Multiple-90545.0192), [92;0]
	.01 WH DEN DEFS (NJ2,0), [0;1]
	1 TEXT (Multiple-90545.01921), [1;0]
	.01 TEXT (Wx), [0;1]
9300	WH NUM DEFS (Multiple-90545.0193), [93;0]
	.01 WH NUM DEFS (NJ2,0), [0;1]
	1 TEXT (Multiple-90545.01931), [1;0]
	.01 TEXT (Wx), [0;1]

#### 4.4.5 FILE: BGP 11 INDIVIDUAL MEASURES

**GLOBAL: ^BGPINDBC( FILE #: 90545.02**

VERSION: 11.0		
STORED IN: ^BGPINDBC(	12/08/10	PAGE 1
-----		
FILE SECURITY		

```

DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY   : @      LAYGO SECURITY  : @
WRITE SECURITY  : @

```

## CROSS REFERENCED BY:

```

ORDER(AB) ORDER(ABC)  CARDIO INDICATOR?(ACARD)
DM INDICATOR?(ADM) ELDER RELATED(AEL) NATIONAL/PART(AGPRA)
WOMEN'S HEALTH(AWH) INDICATOR(B) INDICATOR ID(C)
TITLE FOR SCHEDULING OPTION(D) ORDER(OR)

```

## FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	INDICATOR (RP90545.01'), [0;1]
.04	INDICATOR ID (F), [0;4]
.05	NATIONAL/PART (S), [0;5]
.06	ONMNT1 (NJ3,0), [0;6]
.07	ONMNT2 (NJ3,0), [0;7]
.08	DENOM FIELD NUMBER (NJ7,3), [0;8]
.09	NUMERATOR FIELD NUMBER (NJ7,3), [0;9]
.11	PAGE BREAK DENOM NGR (S), [0;11]
.12	DM INDICATOR? (S), [0;12]
.13	CARDIO INDICATOR? (S), [0;13]
.14	GPRANT1 PIECE (NJ5,0), [0;14]
.15	LINE TITLE 1 (F), [0;15]
.16	LINE TITLE 2 (F), [0;16]
.17	LOCAL DENOM TITLE 1 (F), [0;17]
.18	LOCAL DENOM TITLE 2 (F), [0;18]
.19	LINE TITLE 3 (F), [0;19]
.21	LOCAL DENOM TITLE 3 (F), [0;21]
.22	ADD BANG (S), [0;22]
.24	PAGE BREAK DENOM (S), [0;24]
1	M CODE NUMERATOR (K), [1;E1,245]
2	M CODE DENOMINATOR (K), [2;E1,245]
3	M CODE FOR COMP PL (K), [3;E1,245]
4	M CODE FOR SCHEDULING (K), [4;E1,245]
1201	COLUMN TEXT FOR CMP PL (F), [12;1]
1202	WOMEN'S HEALTH (S), [12;2]
1203	ELDER RELATED (S), [12;3]
1204	ORDER (F), [12;4]
1205	ADD GPRA TO 1ST LINE (S), [12;5]
1206	ADD GPRA TO SECOND LINE (S), [12;6]
1207	ADD GPRA TO 3RD LINE (S), [12;7]
1208	PAGE BREAK NUMER COM (S), [12;8]
1209	TITLE FOR SCHEDULING OPTION (F), [12;9]
1211	ICARE TAB (S), [12;11]
1212	OTHER NATIONAL (S), [12;12]
1213	GPRANT2 PIECE (NJ3,0), [12;13]
1214	SKIP DENOM DISPLAY? (S), [12;14]
1215	PAGE BREAK DENOM ONM? (S), [12;15]
1216	TITLE 2 FOR SCHEDULING OPTION (F), [12;16]
1217	COUNT ONLY? (S), [12;17]
1401	SUMMARY? (S), [14;1]
1402	NATL 2010 (F), [14;2]
1403	NOT USED IN 2011 (F), [14;3]
1404	TITLE (F), [14;4]
1405	CATEGORY (P90241.03'), [14;5]
1406	SUMMARY SHEET ORDER (NJ4,0), [14;6]
1407	TITLE 2 (F), [14;7]
1408	GPRA10 TARGET (F), [14;8]
1409	SECOND LINE GOAL (F), [14;9]
1410	NATIONAL CURRENT 2 (F), [14;10]
1411	SECOND LINE 2012 GOAL (F), [14;11]

```

1412     TITLE 3 (F), [14;12]
1413     GPRA11 TARGET (F), [14;13]
1414     TITLE 10 (F), [14;14]
1415     TITLE 2 10 (F), [14;15]
1416     TITLE 3 10 (F), [14;16]
1501     NON GPRA SUMMARY? (S), [15;1]
1502     NG NATIONAL CURRENT (F), [15;2]
1503     NG GOAL 2012 (F), [15;3]
1504     NG TITLE (F), [15;4]
1505     NG CATEGORY (P90241.03'), [15;5]
1506     NG ORDER ON SUMMARY SHEET (NJ4,0), [15;6]
1507     NG TITLE 2 (F), [15;7]
1508     NG GOAL 08 (F), [15;8]
1509     NG SECOND LINE GOAL (F), [15;9]
1510     NG NATIONAL CURRENT 2 (F), [15;10]
1511     NG 2ND LINE 2012 GOAL (F), [15;11]
1512     NG TITLE 3 (F), [15;12]
1600     TEXT FOR SCHEDULING OPTION (Multiple-90545.16), [16;0]
        .01 TEXT FOR SCHEDULING OPTION (W), [0;1]
1601     TEXT FOR SCHEDULING NEXT YR (Multiple-90545.161), [1601;0]
        .01 TEXT FOR SCHEDULING NEXT YR (W), [0;1]
1701     ICARE GROUP (P90545.17'), [17;1]
1702     ICARE CATEGORY (P90545.18'), [17;2]
1703     ICARE MEASURE NAME (F), [17;3]
1704     ICARE EXCEPTION (S), [17;4]
1705     ICARE PERFORMANCE DIRECTION (F), [17;5]
1706     ICARE REPORT CODE (S), [17;6]
1800     ICARE TOOLTIPS (Multiple-90545.0218), [18;0]
        .01 ICARE TOOLTIPS (W), [0;1]
1901     ON SUMMARY? (S), [19;1]
1902     ON NATIONAL CURRENT (F), [19;2]
1903     ON 2012 GOAL (F), [19;3]
1904     ON TITLE (F), [19;4]
1905     ON CATEGORY (P90241.03'), [19;5]
1906     ON ORDER (NJ3,0), [19;6]
1907     ON TITLE 2 (F), [19;7]
1908     ON GOAL 08 (F), [19;8]
1909     ON SECOND LINE GOAL (F), [19;9]
1910     ON NATIONAL CURRENT 2 (F), [19;10]
1911     ON SECOND LINE 2012 GOAL (F), [19;11]
1912     ON TITLE 3 (F), [19;12]
1913     %? (S), [19;13]
2001     NATL LINE LABEL 1 (F), [20;1]
2002     NATL LINE LABEL 2 (F), [20;2]
2003     NATL LINE LABEL 3 (F), [20;3]
2004     NATL DENOM 1 (F), [20;4]
2005     NATL DENOM 2 (F), [20;5]
2006     NATL DENOM 3 (F), [20;6]
2102     SKIP SELECTED REPORT? (S), [21;2]
2103     DEVELF1 PIECE (NJ4,0), [21;3]
2104     DEVELF2 PIECE (NJ3,0), [21;4]
2105     PAGE BREAK NUMER NGR? (S), [21;5]
2106     DEVELOPMENTAL MEASURE? (S), [21;6]
2107     ONMT3 (NJ3,0), [21;7]
2201     GRPA/PART DEVEL SUMMARY? (S), [22;1]
2202     DEV NATIONAL CURRENT (F), [22;2]
2203     DEV 2012 GOAL (F), [22;3]
2204     DEV TITLE (F), [22;4]
2205     CATEGORY (P90241.03'), [22;5]
2206     DEV ORDER ON SUMMARY SHEET (NJ3,0), [22;6]
2207     DEV TITLE 2 (F), [22;7]
2208     DEV GOAL 09 (F), [22;8]
2209     DEV SECOND LINE GOAL (F), [22;9]
2210     DEV NATL CURRENT 2 (F), [22;10]
2211     DEV SECOND LINE 2012 GOAL (F), [22;11]

```

```

2212   DEV TITLE 3 (F), [22;12]
2213   PART MEASURE? (S), [22;13]
2214   PART 2012 (F), [22;14]
2215   ADD %LINE? (S), [22;15]
9999   LORI (S), [9999;1]

```

#### 4.4.6 FILE: BGP 11 NATIONAL PATIENT LISTS

**GLOBAL: ^BGNPLB( FILE #: 90545.06**

```

VERSION: 11.0
STORED IN: ^BGNPLB(                               12/08/10    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY    : @      LAYGO SECURITY  : @
                                WRITE SECURITY   : @
CROSS REFERENCED BY:
ORDER ON NATIONAL(AN)  ORDER ON OTHER NATIONAL(AON)
NATIONAL/OTHER NATIONAL(AR)  POINTER(B)  INDIVIDUAL INDICATOR ID(C)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        POINTER (RP90545.01'), [0;1]
.02        INDIVIDUAL INDICATOR ID (F), [0;2]
.03        LIST TITLE (F), [0;3]
.04        NATIONAL/OTHER NATIONAL (S), [0;4]
.05        ORDER ON NATIONAL (NJ3,0), [0;5]
.06        ORDER ON OTHER NATIONAL (NJ3,0), [0;6]
.07        DEVELOPMENTAL OR NATIONAL (S), [0;7]
1101       LIST TITLE FOR REPORT (Multiple-90545.61101), [11;0]
           .01 LIST TITLE FOR REPORT (W), [0;1]
1201       SET LIST VALUE (K), [12;E1,245]

```

#### 4.4.7 FILE: BGP 11 TAXONOMIES

**GLOBAL: ^BGPTAXB( FILE #: 90545.08**

```

VERSION: 11.0
STORED IN: ^BGPTAXB(                               12/08/10    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY    : @      LAYGO SECURITY  : @
                                WRITE SECURITY   : @
CROSS REFERENCED BY:
TAXONOMY NAME(B)

                                FILE STRUCTURE

```

FIELD NUMBER	FIELD NAME
.01	TAXONOMY NAME (RF), [0;1]
.02	TYPE (S), [0;2]
.03	LAST CHECKED/EXPORTED (D), [0;3]
.04	EDITABLE? (S), [0;4]
.05	EXPORT? (S), [0;6]
1100	DESCRIPTION (Multiple-90545.0811), [11;0]
	.01 DESCRIPTION (W), [0;1]
1200	REPORTS (Multiple-90545.0812), [12;0]
	.01 REPORTS (MS), [0;1]
1201	USED THIS YEAR (S), [0;5]

#### 4.4.8 FILE: BGP 11 TAXONOMY TEMP

**GLOBAL: ^BGPTAXTB( FILE #: 90545.09**

VERSION: 11.0	
STORED IN: ^BGPTAXBB(	12/08/10 PAGE 1
-----	
	FILE SECURITY
	DD SECURITY : @ DELETE SECURITY: @
	READ SECURITY : @ LAYGO SECURITY : @
	WRITE SECURITY : @
CROSS REFERENCED BY:	
HIGH VALUE(AA) QMAN LINK(AC) PACKAGE(APKG)	
NAME(B)	
FILE STRUCTURE	
FIELD NUMBER	FIELD NAME
.01	NAME (RFX), [0;1]
.02	BRIEF DESCRIPTION (F), [0;2]
.03	LOCATION (P9999999.06'), [0;3]
.04	NODELETE (S), [0;4]
.05	CREATOR (P200'), [0;5]
.06	STARTING DATE FOR PATIENT LIST (DX), [0;6]
.07	BULLETIN (P3.6'), [0;7]
.08	CREATED BY TAXONOMY SYSTEM (S), [0;8]
.09	DATE CREATED (D), [0;9]
.11	BULLETIN SERVICE CATEGORY (S), [0;11]
.12	QMAN LINK (P9009071'), [0;12]
.13	NON-CANONIC (S), [0;13]
.14	X-REF (F), [0;14]
.15	FILE (P1'), [0;15]
.16	RANGE (S), [0;16]
.17	SEND BULLETIN IF RECENTLY SENT (S), [0;17]
.18	LOCATION OF ENCOUNTER (P9999999.06'), [0;18]
.19	SEND BULLETIN-1ST VISIT ONLY (S), [0;19]
.21	VISIT TYPE (F), [0;21]
.22	READ ONLY (S), [0;22]
1101	EXTENDED DESCRIPTION (Multiple-90545.10101), [11;0]
	.01 DEFINITION (W), [0;1]
2101	VALUE (Multiple-90545.11101), [21;0]



```

        .01  LOW VALUE (MF), [0;1]
        .02  HIGH VALUE (F), [0;2]
3101    PRE BULLETIN CODE (K), [31;E1,245]
4101    PACKAGE (Multiple-90545.13101), [41;0]
        .01  PACKAGE (MP9.4'), [0;1]
    
```

#### 4.4.9 FILE: BGP 11 MEASURE GROUPS

**GLOBAL: ^BGPMGRPB( FILE #: 90545.1**

```

VERSION: 11.0
STORED IN: ^BGPMGRPB(                               12/08/10    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @    DELETE SECURITY: @
                                READ SECURITY    : @    LAYGO SECURITY  : @
                                WRITE SECURITY   : @
CROSS REFERENCED BY:
GROUP NAME(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        GROUP NAME (RF), [0;1]
    
```

#### 4.4.10 FILE: BGP 11 XP OUTPUT

**GLOBAL: ^BGPXPB( FILE #: 90545.11**

```

VERSION 11.0
STORED IN: ^BGPXPB(                               12/08/10    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @    DELETE SECURITY: @
                                READ SECURITY    : @    LAYGO SECURITY  : @
                                WRITE SECURITY   : @
CROSS REFERENCED BY:
USER_DATE/TIME RUN(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        USER_DATE/TIME RUN (RF), [0;1]
.02        BEGIN DATE (D), [0;2]
.03        END DATE (D), [0;3]
.04        COMMUNITY TAXONOMY (F), [0;4]
.05        MFI TAXONOMY (F), [0;5]
1101       DATA RECORDS (Multiple-90545.111101), [11;0]
    
```

```

.01 DATA RECORDS (F), [0;1]
1201 EXPORT FILE NAMES (Multiple-90545.111201), [12;0]
.01 EXPORT FILE NAMES (F), [0;1]
1301 COMMUNITIES (Multiple-90545.111301), [13;0]
.01 COMMUNITIES (F), [0;1]
1401 MFI LOCATIONS (Multiple-90545.111401), [14;0]
.01 MFI LOCATIONS (F), [0;1]

```

#### 4.4.11 FILE: BGP 11 PATIENT ED DATA CURRENT

**GLOBAL: ^BGPPEDCB( FILE #: 90545.12**

VERSION: 11.0

CONDENSED DATA DICTIONARY---BGP 11 PATIENT ED DATA CURRENT FILE (#90545.12)UCI:  
TEHR,TEHR VERSION: 11.0

STORED IN: ^BGPPEDCB( 12/08/10 PAGE 1

```

                                FILE SECURITY
DD SECURITY      : @   DELETE SECURITY: @
READ SECURITY    : M   LAYGO SECURITY : M
WRITE SECURITY   : M

```

CROSS REFERENCED BY:  
BEGINNING DATE(B)

##### FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	BEGINNING DATE (RD), [0;1]
.02	ENDING DATE (RD), [0;2]
.03	PREVIOUS YR BEG DATE (RD), [0;3]
.04	PREVIOUS YR END DATE (RD), [0;4]
.05	BASELINE YEAR BEG DATE (RD), [0;5]
.06	BASELINE YR END DATE (RD), [0;6]
.07	FY (D), [0;7]
.08	QUARTER (S), [0;8]
.09	FACILITY ASUFAC (F), [0;9]
.1	SU CODE (F), [0;10]
.11	POPULATION (S), [0;11]
.12	DB ID (F), [0;12]
.13	DATE REPORT RUN (D), [0;13]
.14	TEMPLATE? (S), [0;14]
1101	USER POP (NJ6,0), [11;1]
1102	NUMBER W/EDUCATION 1.1.1 (NJ6,0), [11;2]
1103	AVG TIME SPENT 2.1.2A (NJ8,0), [11;3]
1104	MINIMUM TIME SPENT (NJ6,0), [11;4]
1105	MAXIMUM TIME SPENT (NJ6,0), [11;5]
1106	# TOPICS W/MINS & PROVIDER (NJ9,0), [11;6]
1107	TOTAL # OF MINS 2.1.1 (NJ8,0), [11;7]
1108	TOTAL # OF CODES 3.1.1 (NJ5,0), [11;8]
1109	TOTAL # TOPICS 4.1.1 (NJ5,0), [11;9]
1110	TOTAL 5.1.1 (NJ7,0), [11;10]
1111	MFI COMMUNITIES (Multiple-90545.12111), [1111;0]
	.01 MFI COMMUNITIES (F), [0;1]
1112	TOTAL 6.1.1 (NJ6,0), [11;12]
1113	GOOD (NJ6,0), [11;13]

```

1114 FAIR (NJ6,0), [11;14]
1115 POOR (NJ6,0), [11;15]
1116 REFUSED (NJ6,0), [11;16]
1117 GROUP NO ASSESS (NJ6,0), [11;17]
1118 BLANK (NJ5,0), [11;18]
1119 7 DENOM (NJ5,0), [11;19]
1120 7.1.1 NUMER GS (NJ5,0), [11;20]
1121 7.1.2 NUMER GNS (NJ5,0), [11;21]
1122 7.1.3 NUMER GM (NJ5,0), [11;22]
1123 7.1.4 (NJ5,0), [11;23]
1200 2.1 RATE (Multiple-90545.1212), [12;0]
      .01 2.1 RATE (F), [0;1]
      .02 LONG NAME (F), [0;2]
      .03 # MINS (NJ6,0), [0;3]
1300 TOP 25 DXS (Multiple-90545.1213), [13;0]
      .01 TOP 25 DXS (F), [0;1]
      .02 LONG NAME (F), [0;2]
      .03 # OF CODES (NJ6,0), [0;3]
1400 4.1.1 (Multiple-90545.1214), [14;0]
      .01 4.1.1 (F), [0;1]
      .02 LONG NAME (F), [0;2]
      .03 # TOPICS (NJ6,0), [0;3]
1500 5.1.1 (Multiple-90545.1215), [15;0]
      .01 5.1.1 (F), [0;1]
      .02 LONG NAME (F), [0;2]
      .03 # TOPICS (NJ7,0), [0;3]
9999 COMMUNITIES (Multiple-90545.129), [9999;0]
      .01 COMMUNITIES (F), [0;1]

```

#### 4.4.12 FILE: BGP 11 PATIENT ED DATA PREVIOUS

GLOBAL: ^BGPPEDPB( FILE #: 90545.13

VERSION: 11.0

STORED IN: ^BGPPEDPB(

12/08/10 PAGE 1

FILE SECURITY

DD SECURITY : @ DELETE SECURITY: M  
 READ SECURITY : M LAYGO SECURITY : M  
 WRITE SECURITY : M

CROSS REFERENCED BY:

BEGINNING DATE(B)

FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	BEGINNING DATE (RD), [0;1]
.02	ENDING DATE (RD), [0;2]
.03	PREVIOUS YR BEG DATE (RD), [0;3]
.04	PREVIOUS YR END DATE (RD), [0;4]
.05	BASELINE YEAR BEG DATE (RD), [0;5]
.06	BASELINE YR END DATE (RD), [0;6]
.07	FY (D), [0;7]
.08	QUARTER (S), [0;8]
.09	FACILITY ASUFAC (F), [0;9]
.1	SU CODE (F), [0;10]

```

.11      POPULATION (S), [0;11]
.12      DB ID (F), [0;12]
.13      DATE REPORT RUN (D), [0;13]
1101     USER POP (NJ6,0), [11;1]
1102     NUMBER W/EDUCATION 1.1.1 (NJ6,0), [11;2]
1103     AVG TIME SPENT 2.1.2A (NJ8,0), [11;3]
1104     MINIMUM TIME SPENT (NJ6,0), [11;4]
1105     MAXIMUM TIME SPENT (NJ6,0), [11;5]
1106     # TOPICS W/MINS & PROVIDER (NJ9,0), [11;6]
1107     TOTAL # OF MINS 2.1.1 (NJ8,0), [11;7]
1108     TOTAL # OF CODES 3.1.1 (NJ5,0), [11;8]
1109     TOTAL # TOPICS 4.1.1 (NJ5,0), [11;9]
1110     TOTAL 5.1.1 (NJ7,0), [11;10]
1111     MFI COMMUNITIES (Multiple-90545.13111), [1111;0]
        .01 MFI COMMUNITIES (F), [0;1]
1112     TOTAL 6.1.1 (NJ6,0), [11;12]
1113     GOOD (NJ6,0), [11;13]
1114     FAIR (NJ6,0), [11;14]
1115     POOR (NJ6,0), [11;15]
1116     REFUSED (NJ6,0), [11;16]
1117     GROUP NO ASSESS (NJ6,0), [11;17]
1118     BLANK (NJ5,0), [11;18]
1200     2.1 RATE (Multiple-90545.1312), [12;0]
        .01 2.1 RATE (F), [0;1]
        .02 LONG NAME (F), [0;2]
        .03 # MINS (NJ6,0), [0;3]
1300     TOP 25 DXS (Multiple-90545.1313), [13;0]
        .01 TOP 25 DXS (F), [0;1]
        .02 LONG NAME (F), [0;2]
        .03 # OF CODES (NJ6,0), [0;3]
1400     4.1.1 (Multiple-90545.1314), [14;0]
        .01 4.1.1 (F), [0;1]
        .02 LONG NAME (F), [0;2]
        .03 # TOPICS (NJ6,0), [0;3]
1500     5.1.1 (Multiple-90545.1315), [15;0]
        .01 5.1.1 (F), [0;1]
        .02 LONG NAME (F), [0;2]
        .03 # TOPICS (NJ7,0), [0;3]
9999     COMMUNITIES (Multiple-90545.139), [9999;0]
        .01 COMMUNITIES (F), [0;1]
    
```

### 4.4.13 FILE: BGP 11 PATIENT ED DATA BASELINE

**GLOBAL: ^BGPPEDBB( FILE #: 90545.14**

```

VERSION: 11.0
STORED IN: ^BGPPEDBB(                               12/08/10    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @    DELETE SECURITY: M
                                READ SECURITY  : M    LAYGO SECURITY  : M
                                WRITE SECURITY : M

CROSS REFERENCED BY:
  BEGINNING DATE(B)

                                FILE STRUCTURE

FIELD      FIELD
    
```

NUMBER	NAME
.01	BEGINNING DATE (RD), [0;1]
.02	ENDING DATE (RD), [0;2]
.03	PREVIOUS YR BEG DATE (RD), [0;3]
.04	PREVIOUS YR END DATE (RD), [0;4]
.05	BASELINE YEAR BEG DATE (RD), [0;5]
.06	BASELINE YR END DATE (RD), [0;6]
.07	FY (D), [0;7]
.08	QUARTER (S), [0;8]
.09	FACILITY ASUFAC (F), [0;9]
.1	SU CODE (F), [0;10]
.11	POPULATION (S), [0;11]
.12	DB ID (F), [0;12]
.13	DATE REPORT RUN (D), [0;13]
1101	USER POP (NJ6,0), [11;1]
1102	NUMBER W/EDUCATION 1.1.1 (NJ6,0), [11;2]
1103	AVG TIME SPENT 2.1.2A (NJ8,0), [11;3]
1104	MINIMUM TIME SPENT (NJ6,0), [11;4]
1105	MAXIMUM TIME SPENT (NJ6,0), [11;5]
1106	# TOPICS W/MINS & PROVIDER (NJ9,0), [11;6]
1107	TOTAL # OF MINS 2.1.1 (NJ8,0), [11;7]
1108	TOTAL # OF CODES 3.1.1 (NJ5,0), [11;8]
1109	TOTAL # TOPICS 4.1.1 (NJ5,0), [11;9]
1110	TOTAL 5.1.1 (NJ7,0), [11;10]
1111	MFI COMMUNITIES (Multiple-90545.14111), [1111;0]
	.01 MFI COMMUNITIES (F), [0;1]
1112	TOTAL 6.1.1 (NJ6,0), [11;12]
1113	GOOD (NJ6,0), [11;13]
1114	FAIR (NJ6,0), [11;14]
1115	POOR (NJ6,0), [11;15]
1116	REFUSED (NJ6,0), [11;16]
1117	GROUP NO ASSESS (NJ6,0), [11;17]
1118	BLANK (NJ5,0), [11;18]
1200	2.1 RATE (Multiple-90545.1412), [12;0]
	.01 2.1 RATE (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # MINS (NJ6,0), [0;3]
1300	TOP 25 DXS (Multiple-90545.1413), [13;0]
	.01 TOP 25 DXS (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # OF CODES (NJ6,0), [0;3]
1400	4.1.1 (Multiple-90545.1414), [14;0]
	.01 4.1.1 (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # TOPICS (NJ6,0), [0;3]
1500	5.1.1 (Multiple-90545.1415), [15;0]
	.01 5.1.1 (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # TOPICS (NJ7,0), [0;3]
9999	COMMUNITIES (Multiple-90545.149), [9999;0]
	.01 COMMUNITIES (F), [0;1]

#### 4.4.14 FILE: BGP 11 PAT ED MEASURES

GLOBAL: ^BGPPEIB( FILE #: 90545.15

VERSION: 11.0		
STORED IN: ^BGPPEIB(	12/08/10	PAGE 1
-----		

```

                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  ORDER TO DISPLAY(AO)  MEASURE NUMBER(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        MEASURE NUMBER (RNJ2,0), [0;1]
.02        TITLE (F), [0;2]
.03        ORDER TO DISPLAY (NJ2,0), [0;3]
.04        LIST SELECTION TITLE (F), [0;4]
1101       FY LOGIC (Multiple-90545.151101), [11;0]
           .01 FY LOGIC (W), [0;1]
6100       DENOMINATOR DEFINITIONS (Multiple-90545.1561), [61;0]
           .01 DENOMINATOR DEFINITIONS (NJ2,0), [0;1]
           11 TEXT (Multiple-90545.156111), [11;0]
              .01 TEXT (W), [0;1]
6200       NUMERATOR (Multiple-90545.1562), [62;0]
           .01 NUMERATOR (MNJ2,0), [0;1]
           11 TEXT (Multiple-90545.156211), [11;0]
              .01 TEXT (W), [0;1]
7100       LIST PRINT 1ST PAGE (Multiple-90545.1571), [71;0]
           .01 LIST PRINT 1ST PAGE (W), [0;1]
7200       LIST PRINT SECOND PAGE (Multiple-90545.1572), [72;0]
           .01 LIST PRINT SECOND PAGE (W), [0;1]
    
```

### 4.4.15 FILE: BGP 11 ICARE GROUPS

**GLOBAL: ^BGPICAGB( FILE #: 90545.17**

```

VERSION: 11.0

STORED IN: ^BGPICACB(                                     12/08/10   PAGE 1
-----

                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  CATEGORY(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]
    
```

**4.4.16 FILE: BGP 11 ICARE CATEGORIES****GLOBAL: ^BGPICACB( FILE #: 90545.18**

VERSION: 11.0	
STORED IN: ^BGPICACB(	12/08/10 PAGE 1
-----	
	FILE SECURITY
	DD SECURITY : @ DELETE SECURITY: @
	READ SECURITY : @ LAYGO SECURITY : @
	WRITE SECURITY : @
CROSS REFERENCED BY:	
CATEGORY(B)	
FILE STRUCTURE	
FIELD NUMBER	FIELD NAME
.01	CATEGORY (RF), [0;1]

**4.4.17 FILE: BGP 11 GUI REPORT OUTPUT****GLOBAL: ^BPGGUIB( FILE #: 90546.08**

VERSION: 11.0	
STORED IN: ^BPGGUIB(	12/08/10 PAGE 1
-----	
	FILE SECURITY
	DD SECURITY : @ DELETE SECURITY: @
	READ SECURITY : @ LAYGO SECURITY : @
	WRITE SECURITY : @
CROSS REFERENCED BY:	
START TIME(AC) START TIME(AUSR) NAME(B)	
FILE STRUCTURE	
FIELD NUMBER	FIELD NAME
.01	NAME (RF), [0;1]
.02	USER WHO REQUESTED REPORT (P200'), [0;2]
.03	START TIME (D), [0;3]
.04	END TIME (D), [0;4]
.05	TYPE OF REPORT (F), [0;5]
.06	STATUS (S), [0;6]
.07	TYPE OF OUTPUT (S), [0;7]
.08	EXPORT FILENAME (F), [0;8]
1	EXPORTED FILENAMES (F), [1;1]
1100	PRINT FORMATTED OUTPUT (Multiple-90546.0811), [11;0]
	.01 OUTPUT (W), [0;1]
1200	DELIMITED FORMATTED OUTPUT (Multiple-90546.0812), [12;0]
	.01 DELIMITED FORMATTED OUTPUT (W), [0;1]

### 4.4.18 FILE: BGP 11 ELDER INDIVIDUAL MEASURES

GLOBAL: ^BGPELIIB( FILE #: 90547.02

```

VERSION: 11.0
STORED IN: ^BGPELIIB(                               12/08/10    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @    DELETE SECURITY: @
                                READ SECURITY  : @    LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
ORDER(AB) ORDER(ABC) ORDER(AE) ORDER(AP) INDICATOR(B)
INDICATOR ID(C) ORDER(OR)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        INDICATOR (RP90547.06'), [0;1]
.019       INDICATOR (CJ8), [ ; ]
.04        INDICATOR ID (F), [0;4]
.08        DENOM FIELD NUMBER (NJ10,3), [0;8]
.09        NUMERATOR FIELD NUMBER (NJ10,3), [0;9]
.15        LINE TITLE 1 (F), [0;15]
.16        LINE TITLE 2 (F), [0;16]
.17        LOCAL DENOM TITLE 1 (F), [0;17]
.18        LOCAL DENOM TITLE 2 (F), [0;18]
.19        LINE TITLE 3 (F), [0;19]
.21        LOCAL DENOM TITLE 3 (F), [0;21]
.22        ADD BANG (S), [0;22]
1          M CODE NUMERATOR (K), [1;E1,245]
2          M CODE DENOMINATOR (K), [2;E1,245]
1204      ORDER (F), [12;4]
    
```

### 4.4.19 FILE: BGP 11 ELDER MEASURES

GLOBAL: ^BGPELIB( FILE #: 90547.06

```

VERSION: 11.0
STORED IN: ^BGPELIB(                               12/08/10    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @    DELETE SECURITY: @
                                READ SECURITY  : @    LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
ORDER ON SELECTION/REPORT(AO) INDICATOR NUMBER(B)
TITLE(C) TITLE(D) PUID(PUID)

                                FILE STRUCTURE

FIELD      FIELD
    
```



NUMBER	NAME
.01	INDICATOR NUMBER (RNJ3,0X), [0;1]
.02	ORDER ON SELECTION/REPORT (F), [0;2]
.03	TITLE (F), [0;3]
.04	SELECTION TITLE (F), [0;4]
.05	LIST SELECTION TITLE (F), [0;5]
.06	ORDER TO DISPLAY (NJ4,0), [0;6]
.12	NO LIST (S), [0;12]
1	M CODE TO EXECUTE (K), [1;E1,245]
2	SET LIST VALUE (K), [2;E1,245]
3	PRINT M CODE (K), [3;E1,245]
4	DELIMITED FILE PRINT (K), [4;E1,245]
1100	FY LOGIC (Multiple-90547.0611), [11;0]
	.01 LOGIC USED (W), [0;1]
1201	PUID (NJ3,0), [12;1]
5300	REPORT PRINT 2ND PAGE (Multiple-90547.0653), [53;0]
	.01 REPORT PRINT 2ND PAGE (W), [0;1]
6100	DENOMINATOR DEFINITIONS (Multiple-90547.0661), [61;0]
	.01 DENOMINATOR DEFINITIONS (MNJ2,0), [0;1]
	1 DENOM DESCRIPTION (Multiple-90547.0661), [1;0]
	.01 DENOM DESCRIPTION (W), [0;1]
6200	NUMERATOR DEFINITIONS (Multiple-90547.0662), [62;0]
	.01 NUMERATOR DEFINITIONS (MNJ2,0X), [0;1]
	.02 REPORTS (F), [0;2]
	.03 SEL (F), [0;3]
	1 NUMERATOR DESCRIPTION (Multiple-90547.0662), [1;0]
	.01 NUMERATOR DESCRIPTION (W), [0;1]
7100	REPORT LIST 1ST PAGE (Multiple-90547.0671), [71;0]
	.01 REPORT LIST 1ST PAGE (W), [0;1]
7200	LIST PRINT SECOND PAGE (Multiple-90547.0672), [72;0]
	.01 LIST PRINT SECOND PAGE (W), [0;1]

### 4.4.20 FILE: BGP 11 EO MEASURES

GLOBAL: ^BGPEOMB( FILE #: 90547.08

VERSION: 11.0	
STORED IN: ^BGPEOMB(	12/08/10 PAGE 1
-----	
	FILE SECURITY
	DD SECURITY : @ DELETE SECURITY: @
	READ SECURITY : @ LAYGO SECURITY : @
	WRITE SECURITY : @
CROSS REFERENCED BY:	
ORDER ON SELECTION MENU(AO)	MEASURE #(B) MEASURE NAME(C)
FILE STRUCTURE	
FIELD NUMBER	FIELD NAME
.01	MEASURE # (RNJ2,0), [0;1]
.02	MEASURE NAME (F), [0;2]
.03	ORDER ON SELECTION MENU (NJ2,0), [0;3]
.04	# DENOMINATORS (NJ2,0), [0;4]
.05	LIST SELECTION TITLE (F), [0;5]
.06	ORDER ON REPORT (NJ2,0), [0;6]

```

1      M CODE TO EXECUTE (K), [1;E1,245]
2      SET LIST VALUE (K), [2;E1,245]
3      PRINT M CODE (K), [3;E1,245]
1100   LOGIC (Multiple-90547.0811), [11;0]
      .01 LOGIC (W), [0;1]
5300   REPORT MEASURE HEADER (Multiple-90547.0853), [53;0]
      .01 REPORT MEASURE HEADER (W), [0;1]
6100   DENOMINATORS (Multiple-90547.0861), [61;0]
      .01 DENOMINATORS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90547.08611), [1;0]
      .01 TEXT (W), [0;1]
6200   NUMERATORS (Multiple-90547.0862), [62;0]
      .01 NUMERATORS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90547.08621), [1;0]
      .01 TEXT (W), [0;1]
7100   LIST HEADER PAGE 1 (Multiple-90547.0871), [71;0]
      .01 LIST HEADER PAGE 1 (W), [0;1]
7200   LIST HEADER PAGE 2 (Multiple-90547.0872), [72;0]
      .01 LIST HEADER PAGE 2 (W), [0;1]
    
```

### 4.4.21 FILE: BGP 11 EO INDIVIDUAL MEASURES

GLOBAL: ^BGPEOMIB( FILE #: 90547.09

```

VERSION: 11.0
STORED IN: ^BGPEOMIB(                               12/08/10    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @    DELETE SECURITY: @
                                READ SECURITY  : @    LAYGO SECURITY  : @
                                WRITE SECURITY: @
CROSS REFERENCED BY:
  ORDER NUMBER(AO)  MEASURE(B)  MEASURE ID(C)  ORDER NUMBER(O)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME
.01        MEASURE (RP90547.08'), [0;1]
.02        MEASURE ID (F), [0;2]
.03        ORDER NUMBER (F), [0;3]
.04        DENOM FIELD # (F), [0;4]
.05        NUMER FIELD # (F), [0;5]
.06        LINE 1 (F), [0;6]
.07        LINE 2 (F), [0;7]
.08        LINE 3 (F), [0;8]
.09        DENOM 1 (F), [0;9]
.1         DENOM 2 (F), [0;10]
.11        DENOM 3 (F), [0;11]
.12        CRSEONT1 FILE PIECE (NJ4,0), [0;12]
1         M CODE NUMERATOR (K), [1;E1,245]
2         M CODE DENOMINATOR (K), [2;E1,245]
1401       SUMMARY? (S), [14;1]
1402       NATIONAL 08 COLUMN (F), [14;2]
1404       TITLE (F), [14;4]
1405       CATEGORY (P90241.03'), [14;5]
1406       ORDER ON SUMMARY SHEET (NJ4,0), [14;6]
    
```

1407	TITLE 2 (F), [14;7]
1408	HEDIS OR JCAHO (F), [14;8]
1409	SECOND LINE GOAL (F), [14;9]
1410	NATIONAL CURRENT 2 (F), [14;10]
1411	SECOND LINE 2012 GOAL (F), [14;11]
1412	TITLE 3 (F), [14;12]

## 5.0 Internal Relations

All users should be given the access to the appropriate options and keys, as needed.  
All options in this system stand alone.

## 6.0 External Relations

### 6.1 External Calls

This package calls the following documented entry points:

Routine	is Invoked by:
^%DT	BGP1DPA2, BGP1GUA, BGP1UTL1,  dd90241.01,  dd90545.03  dd90545.04,  dd90545.05,  dd90545.08,  dd90545.09  dd90545.11,  dd90545.12,  dd90545.13,  dd90545.14  dd90546.08,  dd90547.03,  dd90547.04,  dd90547.05  dd90547.1,  dd90547.11,  dd90547.12
DD^%DT	BGP1DPE
^%DTC	BGP1D36
COMMA^%DTC	BGP1CP, BGP1DELP, BGP1DHEP, BGP1DP, BGP1DP11, BGP1DP12 BGP1DP13, BGP1DP19, BGP1DP1C, BGP1DP1H, BGP1DP1I, BGP1DP2 BGP1DP3, BGP1DP4, BGP1DP5, BGP1DP50, BGP1DP51, BGP1DP6 BGP1DP60, BGP1DP7, BGP1DP8, BGP1DPED, BGP1DPEP, BGP1DPH BGP1EL10, BGP1EL11, BGP1EL12 BGP1EL13, BGP1EL14, BGP1EL15, BGP1EL16, BGP1EL17, BGP1EL18 BGP1EL19, BGP1EL1A, BGP1EL1B, BGP1EL1C, BGP1EL1D, BGP1EL1E BGP1EL1F, BGP1EL1G, BGP1EL1H, BGP1EL1I, BGP1EL1J, BGP1EL1K BGP1EL1L, BGP1EL1M, BGP1EL1N, BGP1EL1O, BGP1EL1P, BGP1EL1Q BGP1EL1R, BGP1ELL BGP1ELL1, BGP1ELL2, BGP1ELL3, BGP1ELL4, BGP1ELL5, BGP1ELL6 BGP1ELL7, BGP1ELL8, BGP1ELL9, BGP1ELLA, BGP1ELLB, BGP1ELLC BGP1ELLD, BGP1ELLE, BGP1ELLF, BGP1ELLG, BGP1EL LH, BGP1ELLI BGP1ELLJ, BGP1ELLK, BGP1ELLL, BGP1ELLM, BGP1ELLN, BGP1ELLO BGP1ELLP, BGP1ELLQ BGP1ELLR, BGP1ELLS, BGP1ELLT, BGP1ELLU, BGP1ELLV, BGP1ELP1 BGP1EOL, BGP1EOP, BGP1EOP1, BGP1HEL, BGP1HEL1, BGP1HEP1 BGP1PD19, BGP1PDL, BGP1PDL0, BGP1PDL1, BGP1PDL2, BGP1PDL3 BGP1PDL4, BGP1PDL5, BGP1PDL7, BGP1PDL8, BGP1PDL9, BGP1PDLA BGP1PDLB, BGP1PDL D, BGP1PDL L
COMMA^%DTC	BGP1PDLN, BGP1PDLO, BGP1PDLT, BGP1PDPA
NOW^%DTC	BGP1DPA, BGP1DPA9, BGP1DPAP, BGP1GRB
DEBUG^%Serenji	BGP1GR1, BGP1GRA, BGP1GRB, BGP1GU, BGP1GUA, BGP7GR2
^%ZIS	BGP1CL, BGP1DAP, BGP1DAR, BGP1DAR9, BGP1DARO, BGP1DCL, BGP1DEL BGP1DELA, BGP1DGPA, BGP1DGPU, BGP1DHE, BGP1DHEA, BGP1DHW BGP1DICR, BGP1DL, BGP1DLT, BGP1DMT, BGP1DNE, BGP1DNG, BGP1DNG9 BGP1DNGP, BGP1DNGS, BGP1DON, BGP1DPA, BGP1DPA9, BGP1DPE BGP1DPEA, BGP1DPP BGP1DSTM, BGP1EOA, BGP1EOD, BGP1NPL, BGP1XTCH, BGP7DNE1
HOME^%ZIS	BGP1CTXC, BGP1DAR, BGP1DAR9, BGP1DARO, BGP1DICR, BGP1DLT BGP1DMT, BGP1LSTF, BGP1ULF, BGP1XTCH, BGP1XTCN, BGP1XTCO BGP1XTEL, BGP1XTEO, BGP1XTHE
^%ZISC	BGP1CL, BGP1DAP, BGP1DAR, BGP1DAR9, BGP1DARO, BGP1DCHA BGP1DCL, BGP1DEL, BGP1DELA, BGP1DELP, BGP1DGPA, BGP1DGPU BGP1DHE, BGP1DHEA, BGP1DHEP, BGP1DHW, BGP1DICR, BGP1DL BGP1DLT, BGP1DMT, BGP1DNE, BGP1DNG, BGP1DNG9, BGP1DNGP BGP1DNGS, BGP1DON, BGP1DP, BGP1DPA BGP1DPA9, BGP1DPE, BGP1DPEA, BGP1DPEP, BGP1DPP, BGP1DSTM BGP1EOA, BGP1EOD, BGP1EOP, BGP1EOUT, BGP1GUPL, BGP1NPL BGP1PARP, BGP1PARQ, BGP1PHEL, BGP1PHEP, BGP1PPEL, BGP1ULF BGP1UTL, BGP1UTLC, BGP1XTCH, BGP7DNE1
\$\$LIST^%ZISH	BGP1GLST, BGP1GU, BGP1LSTF
\$\$OPEN^%ZISH	BGP1DCHA, BGP1DHW, BGP1DNE, BGP1DNG, BGP1DNG9, BGP1EOUT BGP1GUPL, BGP1ULF, BGP1UTL, BGP1UTLC, BGP7DNE1
\$\$STATUS^%ZISH	BGP1GUPL, BGP1ULF

^%ZTER	BGP1GU
^%ZTLOAD	BGP1CL, BGP1DAP, BGP1DAR, BGP1DAR9, BGP1DARO, BGP1DCL, BGP1DEL BGP1DELA, BGP1DGPA, BGP1DGPU, BGP1DHE, BGP1DHEA, BGP1DHW BGP1DICR, BGP1DL, BGP1DLT, BGP1DMT, BGP1DNE, BGP1DNG, BGP1DNG9 BGP1DNGP, BGP1DNXS, BGP1DON, BGP1DPA, BGP1DPA9, BGP1DPAP BGP1DPE, BGP1DPEA BGP1DPP, BGP1DSTM, BGP1EOA, BGP1EOD, BGP1GAEL, BGP1GAEO BGP1GAG9, BGP1GAGP, BGP1GAGS, BGP1GAHE, BGP1GALL, BGP1GAON BGP1GAPE, BGP1GAPU, BGP1GCM, BGP1GCM, BGP1GCOM, BGP1GDON BGP1GELD, BGP1GEO, BGP1GFO9, BGP1GFOR, BGP1GGPU, BGP1GHED BGP1GLHW, BGP1GLST, BGP1GLTX BGP1GMTX, BGP1GNPL, BGP1GNST, BGP1GNT9, BGP1GNTL, BGP1GNTP BGP1GNTS, BGP1GNXP, BGP1GPED, BGP1GPP, BGP1GRB, BGP1LHW BGP1NPL, BGP1XTCH, BGP7DNE1
^APCDCHKJ	BGP1C1
\$\$LASTCPTT^APCLAPIU	BGP1D36
ALLV^APCLAPIU	BGP1D26, BGP1D36, BGP1D55
\$\$START1^APCLDF	BGP1ALG1, BGP1C11, BGP1C12, BGP1C13, BGP1C2X, BGP1C31, BGP1C3X BGP1CON1, BGP1CPU4, BGP1CU, BGP1CU1, BGP1CU2, BGP1CU3, BGP1CU4 BGP1CU6, BGP1D1, BGP1D10, BGP1D2, BGP1D21, BGP1D211, BGP1D21A BGP1D22, BGP1D23, BGP1D24, BGP1D25, BGP1D3, BGP1D31, BGP1D33 BGP1D34 BGP1D35, BGP1D36, BGP1D37, BGP1D3A, BGP1D4, BGP1D41, BGP1D5 BGP1D51, BGP1D52, BGP1D53, BGP1D54, BGP1D55, BGP1D5A, BGP1D6 BGP1D61, BGP1D62, BGP1D63, BGP1D64, BGP1D7, BGP1D71, BGP1D711 BGP1D72, BGP1D721, BGP1D722, BGP1D729, BGP1D731, BGP1D732 BGP1D74, BGP1D75
\$\$START1^APCLDF	BGP1D8, BGP1D81, BGP1D82, BGP1D83, BGP1D84, BGP1D85, BGP1D86 BGP1D862, BGP1D87, BGP1D88, BGP1D89, BGP1D9, BGP1DCHW BGP1DCLP, BGP1DHE1, BGP1DHE2, BGP1DPA2, BGP1DPA4, BGP1DPE1 BGP1DPE2, BGP1DU, BGP1EL2, BGP1EL3, BGP1EL4, BGP1EO1, BGP1EO11 BGP1NPLP
^APCLTAX0	opt
\$\$CLINIC^APCLV	BGP1C12, BGP1C2X, BGP1C3X, BGP1CU, BGP1CU2, BGP1CU3, BGP1CU4 BGP1D1, BGP1D10, BGP1D2, BGP1D21, BGP1D22, BGP1D23, BGP1D24 BGP1D41, BGP1D51, BGP1D7, BGP1D711, BGP1D83, BGP1D84, BGP1D88 BGP1D89, BGP1DHE1, BGP1DHE2, BGP1DPA4, BGP1DU, BGP1EL2 BGP1EL4, BGP1EO1 BGP1NPLP
\$\$DSCHDATE^APCLV	BGP1D22, BGP1D51, BGP1EL3, BGP1EO1
\$\$LOS^APCLV	BGP1CU4
\$\$PRIMPOV^APCLV	BGP1C2X, BGP1C3X, BGP1CPU, BGP1CPU2, BGP1CPU3, BGP1CPU4 BGP1CU, BGP1CU5, BGP1D21, BGP1D211, BGP1D22, BGP1D31, BGP1D51 BGP1D71, BGP1D711, BGP1DHE1
\$\$PRIMPROV^APCLV	BGP1D1, BGP1D10, BGP1D21, BGP1D22, BGP1D51, BGP1D7, BGP1DCLP BGP1DHE1, BGP1DHE2, BGP1DPA4, BGP1DPE2
\$\$VD^APCLV	BGP1CP2, BGP1CP4, BGP1CPU3, BGP1CPU4, BGP1CU4, BGP1D26 BGP1D36, BGP1D3A, BGP1D55, BGP1D89, BGP1DPA2, BGP1NPLP
\$\$ICD^ATXCHK	BGP1ALG1, BGP1C11, BGP1C13, BGP1C2X, BGP1C31, BGP1C3X, BGP1CU BGP1CU1, BGP1CU2, BGP1CU3, BGP1CU4, BGP1CU5, BGP1D1, BGP1D10 BGP1D22, BGP1D24, BGP1D26, BGP1D31, BGP1D35, BGP1D36, BGP1D37 BGP1D3A, BGP1D4, BGP1D5, BGP1D51, BGP1D54, BGP1D55, BGP1D5A BGP1D61, BGP1D7 BGP1D71, BGP1D72, BGP1D721, BGP1D722, BGP1D729, BGP1D731 BGP1D732, BGP1D74, BGP1D75, BGP1D8, BGP1D81, BGP1D82, BGP1D83 BGP1D84, BGP1D862, BGP1D87, BGP1D88, BGP1D89, BGP1D9, BGP1DHE1 BGP1DHE2, BGP1DPA2, BGP1DU, BGP1EL3, BGP1EO1, BGP1UTL1
BULL^ATXSTX2	BGP10A, BGP10B, BGP10C, BGP10D, BGP10E, BGP10F
KILL^ATXSTX2	BGP10A, BGP10B, BGP10C, BGP10D, BGP10E, BGP10F
TAX^ATXSTX2	BGP10A, BGP10B, BGP10C, BGP10D, BGP10E, BGP10F
\$\$AGE^AUPNPAT	BGP1C1, BGP1C2, BGP1C2X, BGP1C3, BGP1C3X, BGP1C4, BGP1CP BGP1D1, BGP1D10, BGP1D21, BGP1D23, BGP1D26, BGP1D6, BGP1D7 BGP1D83, BGP1D84, BGP1D85, BGP1D87, BGP1DCHW, BGP1DPA1 BGP1DPA2, BGP1DPE1, BGP1GUA
\$\$BEN^AUPNPAT	BGP1C1, BGP1D1, BGP1DPE1

\$\$COMMRES^AUPNPAT	BGP1DCHW, BGP1DNE, BGP1DPAP, BGP1DPAW, BGP7DNE1
\$\$DOB^AUPNPAT	BGP1ALG1, BGP1C1, BGP1C11, BGP1C13, BGP1C2, BGP1C2X, BGP1C3 BGP1CON1, BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP4, BGP1CP5 BGP1CU1, BGP1CU2, BGP1CU3, BGP1CU4, BGP1D1, BGP1D10, BGP1D2 BGP1D21, BGP1D211, BGP1D21A, BGP1D22, BGP1D3, BGP1D31, BGP1D32 BGP1D33, BGP1D34 BGP1D35, BGP1D36, BGP1D37, BGP1D4, BGP1D61, BGP1D62, BGP1D63 BGP1D71, BGP1D72, BGP1D721, BGP1D729, BGP1D731, BGP1D732 BGP1D75, BGP1D82, BGP1D85, BGP1D86, BGP1D862, BGP1D89, BGP1D9 BGP1DPA1, BGP1DPA2, BGP1DPAW, BGP1DU, BGP1EL2, BGP1UTL2 BGP1CPU, BGP1CPU2, BGP1CPU3, BGP1CPU4, BGP1D1, BGP1DPE1 BGP1C2X, BGP1C3X, BGP1CP, BGP1DCLD, BGP1DCLP, BGP1DEMO BGP1DPAP, BGP1DPAW, BGP1DPEE, BGP1DPEL, BGP1DS, BGP1ELS BGP1ELSL, BGP1EOS, BGP1GUA, BGP1HES, BGP1HESL, BGP1NPLD BGP1NPLP, BGP1PDLS
\$\$DOD^AUPNPAT	BGP1DPAW
\$\$HRN^AUPNPAT	BGP1DCHW
\$\$SEX^AUPNPAT	BGP1DCHW
\$\$TRIBE^AUPNPAT	BGP1DCHW
KILL^AUPNPAT	BGP1CL, BGP1DAP, BGP1DAR, BGP1DAR9, BGP1DARO, BGP1DCHA BGP1DCL, BGP1DEL, BGP1DELA, BGP1DGPA, BGP1DGPU, BGP1DHE BGP1DHEA, BGP1DHW, BGP1DL, BGP1DNE, BGP1DNG, BGP1DNG9 BGP1DNGP, BGP1DNHS, BGP1DON, BGP1DPE, BGP1DPEA, BGP1DPP BGP1DSTM, BGP1EOA, BGP1EOD, BGP1GACW BGP1GAEL, BGP1GAE0, BGP1GAG9, BGP1GAGP, BGP1GAGS, BGP1GAHE BGP1GALL, BGP1GAON, BGP1GAPE, BGP1GAPU, BGP1GCMP, BGP1GCMS BGP1GCOM, BGP1GDON, BGP1GELD, BGP1GEO, BGP1GFO9, BGP1GFOR BGP1GGPU, BGP1GHED, BGP1GLHW, BGP1GLST, BGP1GLTX, BGP1GMTX BGP1GNPL, BGP1GNST BGP1GNT9, BGP1GNTL, BGP1GNTP, BGP1GNTS, BGP1GNXP, BGP1GPED BGP1GPP, BGP1LHW, BGP1NPL, BGP7DNE1
ALLDP^BDPAPI	BGP1D1
^BGP0BAN	opt
^BGP0CL	opt
^BGP0CTS	opt
^BGP0CTXC	opt
^BGP0DAP	opt
^BGP0DAR	opt
SUMONLY^BGP0DAR	opt
^BGP0DAR9	opt
^BGP0DARO	opt
^BGP0DCHA	opt
^BGP0DCL	opt
^BGP0DEL	opt
^BGP0DELA	opt
^BGP0DEMO	opt
^BGP0DGPA	opt
^BGP0DGPU	opt
^BGP0DHE	opt
^BGP0DHEA	opt
^BGP0DHW	opt
^BGP0DICR	opt
^BGP0DL	opt
CMS^BGP0DLT	opt
CRS^BGP0DLT	opt
ELDER^BGP0DLT	opt
EO^BGP0DLT	opt
GPRA^BGP0DLT	opt
HEDIS^BGP0DLT	opt
ONM^BGP0DLT	opt
CMS^BGP0DMT	opt
CRS^BGP0DMT	opt
ELDER^BGP0DMT	opt
EO^BGP0DMT	opt
GPRA^BGP0DMT	opt
HEDIS^BGP0DMT	opt
ONM^BGP0DMT	opt

^BGP0DNE	opt
^BGP0DNG	opt
^BGP0DNG9	opt
^BGP0DNGP	opt
^BGP0DNCS	opt
^BGP0DON	opt
W^BGP0DP	BGP1NPLP
^BGP0DPA	opt
COVPAGE^BGP0DPA	opt
^BGP0DPA9	opt
^BGP0DPAP	opt
^BGP0DPE	opt
PP^BGP0DPE	opt
^BGP0DPEA	opt
^BGP0DPP	opt
^BGP0DSTM	opt
^BGP0EOA	opt
^BGP0EOD	opt
^BGP0LSTF	opt
^BGP0NPL	opt
NONNPL^BGP0NPL	opt
^BGP0ULF	opt
\$\$GETDIR^BGP0UTL2	BGP7DNE1
^BGP0XTCH	opt
^BGP0XTCN	opt
^BGP0XTCO	opt
^BGP0XTEL	opt
^BGP0XTEO	opt
^BGP0XTHE	opt
^BGP0XTV	opt
^BGP10	BGP1POS
^BGP10A	BGP10
^BGP10B	BGP10
^BGP10C	BGP10
^BGP10D	BGP10
^BGP10D2	BGP10D
^BGP10D3	BGP10D
^BGP10D4	BGP10D
^BGP10D5	BGP10D
^BGP10D6	BGP10D
^BGP10E	BGP10
^BGP10F	BGP10
^BGP10FB	BGP10F
^BGP10FC	BGP10F
^BGP10FD	BGP10F
^BGP10FE	BGP10F
^BGP10FF	BGP10F
ACEI^BGP1ALG1	BGP1ALG
ARB^BGP1ALG1	BGP1ALG
ASA^BGP1ALG1	BGP1ALG
BETA^BGP1ALG1	BGP1ALG
STATIN^BGP1ALG1	BGP1ALG
EN^BGP1ASL	BGP1DAR, BGP1DAR9, BGP1DARO, BGP1DCHA, BGP1DELA, BGP1DGPA BGP1DHEA, BGP1DPEA, BGP1EOA
GET^BGP1ASL	BGP1GU
ELD^BGP1ASL1	BGP1ASL
EO^BGP1ASL1	BGP1ASL
HED^BGP1ASL1	BGP1ASL
NGR^BGP1ASL1	BGP1ASL
ONM^BGP1ASL1	BGP1ASL
PED^BGP1ASL1	BGP1ASL
^BGP1BAN	opt
\$\$RPTVER^BGP1BAN	BGP1CP, BGP1DCL, BGP1DCLD, BGP1DCLP, BGP1DGPU, BGP1DH, BGP1DH1 BGP1DHW, BGP1DICR, BGP1DLT, BGP1DMT, BGP1DNE, BGP1DPAW BGP1DSTM, BGP1ELH, BGP1ELHH, BGP1EOH, BGP1EOP, BGP1HEH



	BGP1HEHH, BGP1NPL, BGP1NPLD, BGP1NPLP, BGP1PDLH
^BGP1C1	BGP1CL, BGP1GCMS
ACEIALG1^BGP1C11	BGP1C2X, BGP1D722, BGP1D732
ACEIRX1^BGP1C11	BGP1C2X
^BGP1C12	BGP1C11
CESS1^BGP1C12	BGP1C2X, BGP1C3X
EN^BGP1C12	BGP1C2X, BGP1C3X
SMOKER1^BGP1C12	BGP1C2X, BGP1C3X
ACEICON1^BGP1C13	BGP1C11, BGP1C2X
ARBALG1^BGP1C13	BGP1C11
ARBRX1^BGP1C13	BGP1C11
ABGPO1^BGP1C31	BGP1C3X
^BGP1CL	opt
PAUSE^BGP1CL	BGP1DAP, BGP1DCL, BGP1DEL, BGP1DGPU, BGP1DHE, BGP1DHW, BGP1DL BGP1DNE, BGP1DNG, BGP1DNGP, BGP1DNGS, BGP1DON, BGP1DPA BGP1DPE, BGP1DPP, BGP1DSTM, BGP1EOD, BGP1NPL
ACEI^BGP1CON1	BGP1CON
ASA^BGP1CON1	BGP1CON
BETA^BGP1CON1	BGP1CON
STATIN^BGP1CON1	BGP1CON
^BGP1CP	BGP1CL
HDR^BGP1CP	BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP3, BGP1CP4, BGP1CP5, BGP1CP6 BGP1CPU, BGP1CPU2, BGP1CPU3, BGP1CPU4
L1H^BGP1CP	BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP3, BGP1CP4, BGP1CP5, BGP1CP6 BGP1CPU, BGP1CPU2, BGP1CPU3, BGP1CPU4
AMI3W^BGP1CP11	BGP1CP1
TRANSN^BGP1CP2	BGP1CP1, BGP1CP11
TRANSIN^BGP1CP3	BGP1CP1
OTHDPVOS^BGP1CPU	BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP3, BGP1CP4, BGP1CP5, BGP1CP6
WACEALEG^BGP1CPU	BGP1CP1, BGP1CP11, BGP1CP4
WADM^BGP1CPU	BGP1CP1, BGP1CP4, BGP1CP5, BGP1CP6
WADM92^BGP1CPU	BGP1CP1, BGP1CP4, BGP1CP5, BGP1CP6
WADMS92^BGP1CPU	BGP1CP1, BGP1CP4, BGP1CP5, BGP1CP6
WALLALG^BGP1CPU	BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP3, BGP1CP4, BGP1CP5, BGP1CP6
WALLALGT^BGP1CPU	BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP3, BGP1CP4, BGP1CP5, BGP1CP6
WAORTIC^BGP1CPU	BGP1CP11, BGP1CP4
WASAALEG^BGP1CPU	BGP1CP1
WASPCPT^BGP1CPU	BGP1CP1
WBETAAL^BGP1CPU	BGP1CP2
WCESS^BGP1CPU	BGP1CP3, BGP1CP4, BGP1CP5
WCESSMED^BGP1CPU	BGP1CP3, BGP1CP4, BGP1CP5
WCOMFORT^BGP1CPU	BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP3
WDOB^BGP1CPU	BGP1CP1, BGP1CP4, BGP1CP5, BGP1CP6
WDOD^BGP1CPU	BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP3
WDSGS92^BGP1CPU	BGP1CP1, BGP1CP4, BGP1CP5, BGP1CP6
WDT^BGP1CPU	BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP3, BGP1CP4, BGP1CP5, BGP1CP6
WDXS^BGP1CPU	BGP1CP1, BGP1CP11, BGP1CP4
WINS^BGP1CPU	BGP1CP1, BGP1CP4, BGP1CP5, BGP1CP6
WIVUD^BGP1CPU	BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP3, BGP1CP4, BGP1CP5, BGP1CP6
WLASTACE^BGP1CPU	BGP1CP1, BGP1CP11, BGP1CP4
WLASTAP^BGP1CPU	BGP1CP1
WLASTASP^BGP1CPU	BGP1CP1
WLASTBB^BGP1CPU	BGP1CP2
WLVSDB^BGP1CPU	BGP1CP1, BGP1CP11, BGP1CP4
WNMIACE^BGP1CPU	BGP1CP1, BGP1CP11
WNMIASP^BGP1CPU	BGP1CP1
WNMIBETA^BGP1CPU	BGP1CP2
WPPDOV^BGP1CPU	BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP3, BGP1CP4, BGP1CP6
WRACE^BGP1CPU	BGP1CP1, BGP1CP4, BGP1CP5, BGP1CP6
WSMOKER^BGP1CPU	BGP1CP3, BGP1CP4, BGP1CP5
WTT^BGP1CPU	BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP3, BGP1CP4, BGP1CP5, BGP1CP6
WWARRX^BGP1CPU	BGP1CP1
WZIP^BGP1CPU	BGP1CP1, BGP1CP4, BGP1CP5, BGP1CP6
OTHDPVOS^BGP1CPU2	BGP1CP4
W23RD^BGP1CPU2	BGP1CP2

WBRADY5^BGP1CPU2	BGP1CP2
WBRADY6^BGP1CPU2	BGP1CP2
WCOMFORT^BGP1CPU2	BGP1CP4
WCS^BGP1CPU2	BGP1CP2
WDSCHINT^BGP1CPU2	BGP1CP4
WDT^BGP1CPU2	BGP1CP4
WFIB^BGP1CPU2	BGP1CP2 ,BGP1CP3
WHF^BGP1CPU2	BGP1CP2
WLBBB^BGP1CPU2	BGP1CP2 ,BGP1CP3
WLVD^BGP1CPU2	BGP1CP4
WLVS^BGP1CPU2	BGP1CP4
WNMIACE^BGP1CPU2	BGP1CP4
WOTHPROS^BGP1CPU2	BGP1CP1 ,BGP1CP4 ,BGP1CP5 ,BGP1CP6
WPCI^BGP1CPU2	BGP1CP3
WPPDOV^BGP1CPU2	BGP1CP4
WPRINPRO^BGP1CPU2	BGP1CP1 ,BGP1CP4 ,BGP1CP5
WST^BGP1CPU2	BGP1CP2 ,BGP1CP3
WTT^BGP1CPU2	BGP1CP4
EXCL487^BGP1CPU3	BGP1CP5
OTHDPOVS^BGP1CPU3	BGP1CP5
WABGPO^BGP1CPU3	BGP1CP5
WADMDX^BGP1CPU3	BGP1CP5
WANTIRX^BGP1CPU3	BGP1CP5 ,BGP1CP6
WCHEST^BGP1CPU3	BGP1CP5
WCOMFORT^BGP1CPU3	BGP1CP5
WCYSTIC^BGP1CPU3	BGP1CP5
WDOD^BGP1CPU3	BGP1CP5
WDT^BGP1CPU3	BGP1CP5
WDT9^BGP1CPU3	BGP1CP5
WERBC^BGP1CPU3	BGP1CP5
WERPNEU^BGP1CPU3	BGP1CP5
WEXCL1^BGP1CPU3	BGP1CP5
WFLU^BGP1CPU3	BGP1CP5
WNURSHOM^BGP1CPU3	BGP1CP5
WOTHINF^BGP1CPU3	BGP1CP5
WPNEUMO^BGP1CPU3	BGP1CP5
WPNEUPOV^BGP1CPU3	BGP1CP5
WPPDOV^BGP1CPU3	BGP1CP5
WPRIORHO^BGP1CPU3	BGP1CP5
WPSEUDO^BGP1CPU3	BGP1CP5
WTT^BGP1CPU3	BGP1CP5
WWOUND^BGP1CPU3	BGP1CP5
GETTXT^BGP1CPU4	BGP1CPU ,BGP1CPU2
INF^BGP1CPU4	BGP1CP6
OTHDPOVS^BGP1CPU4	BGP1CP6
OTHSURG^BGP1CPU4	BGP1CP6
PERI^BGP1CPU4	BGP1CP6
WDT^BGP1CPU4	BGP1CP6
WOTHPROC^BGP1CPU4	BGP1CP6
WPOSTINF^BGP1CPU4	BGP1CP6
WPP^BGP1CPU4	BGP1CP6
WPP1^BGP1CPU4	BGP1CP6
WPPDOV^BGP1CPU4	BGP1CP6
EP^BGP1CSI	BGP1CL
EN^BGP1CSII	BGP1CL
EP^BGP1CTL	BGP1CTS
^BGP1CTS	opt
INIT^BGP1CTS	BGP1GU
^BGP1CTXC	opt
TAXCHK^BGP1CTXC	BGP1CL
\$\$ADMDX^BGP1CU	BGP1C3 ,BGP1CP5
\$\$AMIDX^BGP1CU	BGP1C1
\$\$COMFORT^BGP1CU	BGP1CP1 ,BGP1CP11 ,BGP1CP2 ,BGP1CP3 ,BGP1CP4 ,BGP1CP5
\$\$DDA^BGP1CU	BGP1C1 ,BGP1C3
\$\$DEATHAMA^BGP1CU	BGP1C1 ,BGP1C2 ,BGP1C3

\$\$DODA^BGP1CU	BGP1C1, BGP1C3, BGP1CP1, BGP1CP5
\$\$DSCH^BGP1CU	BGP1C1, BGP1C2, BGP1C3, BGP1C4, BGP1CP, BGP1CP1, BGP1CP11 BGP1CP2, BGP1CP3, BGP1CP4, BGP1CP5, BGP1CP6, BGP1CPU2 BGP1CPU3, BGP1CPU4
\$\$DSCHINST^BGP1CU	BGP1CP4
\$\$ERPNEU^BGP1CU	BGP1C3, BGP1CP5
\$\$HFDX^BGP1CU	BGP1C2
\$\$LVADEX^BGP1CU	BGP1C2, BGP1CP4
\$\$PNEUMODX^BGP1CU	BGP1C3, BGP1CPU3
\$\$REGDSCH^BGP1CU	BGP1C2
\$\$TRANS^BGP1CU	BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP3, BGP1CP4, BGP1CP5, BGP1CP6 BGP1CU4
\$\$TRANSIN^BGP1CU	BGP1CP1, BGP1CP2, BGP1CP3, BGP1CP5
ABGPO^BGP1CU	BGP1CP5
CHESTXRY^BGP1CU	BGP1CP5
CTSCAN^BGP1CU	BGP1CP5
GETMEDS^BGP1CU	BGP1C11, BGP1C12, BGP1C13, BGP1C3, BGP1C3X, BGP1CU1, BGP1CU2 BGP1CU3
\$\$ACEALLEG^BGP1CU1	BGP1C1, BGP1C2, BGP1CP1, BGP1CP11, BGP1CP4
\$\$ARBALLEG^BGP1CU1	BGP1C1, BGP1C2, BGP1CP1, BGP1CP11, BGP1CP4
\$\$ASAALLEG^BGP1CU1	BGP1C1, BGP1CP1, BGP1D721
\$\$LASTASPC^BGP1CU1	BGP1CP1
\$\$LASTMED^BGP1CU1	BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP4
\$\$SAORSTEN^BGP1CU1	BGP1C1, BGP1C2
ALLALG1^BGP1CU1	BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP3, BGP1CP4, BGP1CP5, BGP1CP6
ALLALGA1^BGP1CU1	BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP3, BGP1CP4, BGP1CP5, BGP1CP6
EJECFRAC^BGP1CU1	BGP1C1, BGP1C2, BGP1CP1, BGP1CP11, BGP1CP4
IVUD^BGP1CU1	BGP1C1, BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP3, BGP1CP4, BGP1CP5 BGP1CP6, BGP1CU3
LVSD^BGP1CU1	BGP1C1, BGP1C2, BGP1CP1, BGP1CP11, BGP1CP4
NMIDRUG^BGP1CU1	BGP1CP1, BGP1CP11, BGP1CP2, BGP1CP4
WARRX^BGP1CU1	BGP1C1, BGP1CP1
\$\$BETAALLEG^BGP1CU2	BGP1C1, BGP1CP2
\$\$LBBBDX^BGP1CU2	BGP1C1, BGP1CP2, BGP1CP3
\$\$PACE^BGP1CU2	BGP1CP2
ALLDXS^BGP1CU2	BGP1CP11, BGP1CP2, BGP1CP4
BETARX^BGP1CU2	BGP1CP2
CESS^BGP1CU2	BGP1CP3, BGP1CP4, BGP1CP5
CESSMEDS^BGP1CU2	BGP1CP3, BGP1CP4, BGP1CP5
LBBBPROC^BGP1CU2	BGP1C1, BGP1CP2, BGP1CP3
PNEUVAX^BGP1CU2	BGP1CP5
SMOKER^BGP1CU2	BGP1C1, BGP1C2, BGP1C3, BGP1CP3, BGP1CP4, BGP1CP5
TARX^BGP1CU2	BGP1C1, BGP1CP2, BGP1CP3
ANTIRX^BGP1CU3	BGP1C3, BGP1C4, BGP1CP5, BGP1CP6
ERBC^BGP1CU3	BGP1C3
ERBCP^BGP1CU3	BGP1CP5
LVS^BGP1CU3	BGP1CP4
\$\$CHRDIAL^BGP1CU4	BGP1C3
\$\$COPD^BGP1CU4	BGP1CP5
\$\$HIV^BGP1CU4	BGP1C3
\$\$HOS2DAYS^BGP1CU4	BGP1C3, BGP1CP5
\$\$LEUKEMIA^BGP1CU4	BGP1C3
\$\$LYMPHOMA^BGP1CU4	BGP1C3
\$\$NURSHOME^BGP1CU4	BGP1C3, BGP1CP5
\$\$PRIORHOS^BGP1CU4	BGP1C3, BGP1CP5
\$\$PSEUDO^BGP1CU4	BGP1CP5
\$\$RADTHER^BGP1CU4	BGP1C3
\$\$SYSCEMO^BGP1CU4	BGP1C3
\$\$SYSIMMUN^BGP1CU4	BGP1C3
\$\$WOUNDCAR^BGP1CU4	BGP1C3, BGP1CP5
EXCLCOMP^BGP1CU4	BGP1CP5
FLUVAX^BGP1CU4	BGP1CP5
\$\$ADMPRIM^BGP1CU5	BGP1C4, BGP1CPU4
\$\$POSTINF^BGP1CU5	BGP1CP6
SCIP^BGP1CU5	BGP1C4, BGP1CP6

SCIP1^BGP1CU5	BGP1C4, BGP1CP6
ANGIOED^BGP1CU6	BGP1CP1, BGP1CP11, BGP1CP4
HYPERKAL^BGP1CU6	BGP1CP1, BGP1CP11, BGP1CP4
HYPOTEN^BGP1CU6	BGP1CP1, BGP1CP11, BGP1CP4
RENAL^BGP1CU6	BGP1CP1, BGP1CP11, BGP1CP4
RENART^BGP1CU6	BGP1CP1, BGP1CP11, BGP1CP4
^BGP1D1	BGP1DAP, BGP1DCL, BGP1DEL, BGP1DGPU, BGP1DHE, BGP1DHW, BGP1DL BGP1DNG, BGP1DNG9, BGP1DNGP, BGP1DNCS, BGP1DON, BGP1DSTM BGP1EOD, BGP1GALL, BGP1GCM, BGP1GCOM, BGP1GDON, BGP1GELD BGP1GEO, BGP1GGPU, BGP1GHED, BGP1GLHW, BGP1GNPL, BGP1GNST BGP1GNT9, BGP1GNTL BGP1GNT, BGP1GNTS, BGP1LHW, BGP1NPL
\$\$ACTUP^BGP1D1	BGP1DNE
\$\$V2^BGP1D1	BGP1D721, BGP1D729
PROCCY^BGP1D1	BGP1DNE, BGP1DPA, BGP1DPA9, BGP1DPAP
^BGP1D10	BGP1DGPU, BGP1DPP, BGP1GPP
\$\$HGBA1C^BGP1D2	BGP1D22, BGP1DPA1
\$\$LDL^BGP1D2	BGP1D22, BGP1D23, BGP1D41, BGP1D72, BGP1D73, BGP1DHE1 BGP1DPA1, BGP1E01
\$\$LOINC^BGP1D2	BGP1ALG1, BGP1D722, BGP1DHE1, BGP1E01
\$\$MEANBP^BGP1D2	BGP1D22, BGP1DHE1, BGP1DPA1, BGP1E01
DMBP^BGP1D2	BGP1EL2
DMGC^BGP1D2	BGP1EL2
DMLDL^BGP1D2	BGP1EL2
\$\$DENTSrv^BGP1D21	BGP1DHE1, BGP1DPA1, BGP1EL2
\$\$DNKA^BGP1D21	BGP1D22, BGP1DHE2, BGP1DPA4
\$\$EYE^BGP1D21	BGP1D22
\$\$LOINC^BGP1D21	BGP1C31, BGP1C3X, BGP1CU, BGP1CU3, BGP1D8, BGP1D82, BGP1D83 BGP1D84, BGP1D861, BGP1D862, BGP1D864, BGP1D88, BGP1E01
DMEYE^BGP1D21	BGP1EL2
DMNA^BGP1D21	BGP1EL2
I61^BGP1D21	BGP1DPA1
\$\$ESRD^BGP1D211	BGP1D21, BGP1D22, BGP1D23, BGP1D9
\$\$GFR^BGP1D211	BGP1D21, BGP1D22, BGP1D23
\$\$QUANTUP^BGP1D211	BGP1D21, BGP1D22, BGP1D23
\$\$BPCPT^BGP1D22	BGP1D2, BGP1D23, BGP1D26, BGP1D41, BGP1D9, BGP1DPA1
\$\$CREAT^BGP1D22	BGP1D82, BGP1D86
\$\$PCV^BGP1D24	BGP1EL4
\$\$DEP^BGP1D25	BGP1D23, BGP1D26, BGP1D41, BGP1DPA2
\$\$DEPEDU^BGP1D25	BGP1DPA2
\$\$DEPPREF^BGP1D25	BGP1D23
\$\$DEPSCR^BGP1D25	BGP1D23, BGP1D26, BGP1D41, BGP1DPA2
\$\$DEPSUIC^BGP1D25	BGP1D41
DEPEP^BGP1D25	BGP1EL3
\$\$DEN7^BGP1D3	BGP1D64, BGP1DPA1
\$\$FLU^BGP1D3	BGP1DPA1, BGP1EL3
\$\$PAP^BGP1D3	BGP1D64, BGP1DPA1
PN^BGP1D3	BGP1EL3
\$\$ANCONT^BGP1D31	BGP1CU2, BGP1D33, BGP1D34, BGP1D35, BGP1D36, BGP1D86
\$\$ANNECONT^BGP1D31	BGP1D33
\$\$HOSP^BGP1D31	BGP1EL31
\$\$LAST^BGP1D31	BGP1EL31
\$\$MMRCONT^BGP1D31	BGP1D33, BGP1D35, BGP1D85
\$\$PNEU^BGP1D31	BGP1D3, BGP1DPA1
\$\$V2ASTH^BGP1D31	BGP1EL31
\$\$IMMREF^BGP1D32	BGP1D33, BGP1D34, BGP1D35, BGP1D36, BGP1D85, BGP1D86
GETIMMS^BGP1D32	BGP1D33, BGP1D34, BGP1D35, BGP1D36, BGP1D85, BGP1D86
I14^BGP1D32	BGP1DPA1
\$\$MMR^BGP1D33	BGP1D32
\$\$OPV^BGP1D33	BGP1D32
\$\$DTAP^BGP1D34	BGP1D32
\$\$HEP^BGP1D35	BGP1D32, BGP1D85
\$\$HIB^BGP1D35	BGP1D32
\$\$PNEUMO^BGP1D35	BGP1D32
\$\$VAR^BGP1D35	BGP1D32, BGP1D85

\$\$HPV^BGP1D36	BGP1D85
\$\$MEN^BGP1D36	BGP1D85
\$\$FLCONT^BGP1D37	BGP1CU4
FLU^BGP1D37	BGP1D3
\$\$SEALDEV^BGP1D3A	BGP1D3
\$\$TF^BGP1D3A	BGP1D3
SEAL^BGP1D3A	BGP1D3
\$\$DEN8^BGP1D4	BGP1D64, BGP1DPA1
\$\$MAM^BGP1D4	BGP1D64, BGP1DPA1, BGP1EL3
\$\$MAS^BGP1D4	BGP1EL3
\$\$LIFED^BGP1D41	BGP1D23
\$\$MEANBP^BGP1D41	BGP1D26, BGP1D9
BPCV^BGP1D41	BGP1EL3
I0302ASC^BGP1D41	BGP1DPA2
\$\$OSTEOSCR^BGP1D42	BGP1EL3
\$\$ALHF^BGP1D5	BGP1DPA2
\$\$ALPED^BGP1D5	BGP1D55, BGP1DPA2
\$\$ALPRC^BGP1D5	BGP1D26
\$\$DV61^BGP1D5	BGP1D26
\$\$DVDX^BGP1D5	BGP1D26, BGP1DPA2
\$\$DVEX^BGP1D5	BGP1D26, BGP1DPA2
\$\$DVPED^BGP1D5	BGP1D26, BGP1DPA2
DV^BGP1D5	BGP1EL3
\$\$EAPT^BGP1D52	BGP1D51
\$\$CHL^BGP1D53	BGP1D53, BGP1DHE1
DVDX^BGP1D54	BGP1D5
\$\$ALDX^BGP1D55	BGP1D26
\$\$ALDX^BGP1D5A	BGP1D5, BGP1DPA2
\$\$BMI^BGP1D6	BGP1D23, BGP1D26, BGP1D41, BGP1D71, BGP1EL3
\$\$BMIOR^BGP1D6	BGP1DPA2
\$\$OB^BGP1D6	BGP1D71, BGP1DPA2, BGP1EL3
\$\$OW^BGP1D6	BGP1D71, BGP1DPA2, BGP1EL3
\$\$REF^BGP1D6	BGP1D23, BGP1D41, BGP1EL3
\$\$BE^BGP1D61	BGP1D64, BGP1DPA2
\$\$COLO^BGP1D61	BGP1D64, BGP1DPA2
\$\$CRC^BGP1D61	BGP1D64, BGP1DHE1, BGP1DPA2, BGP1EL3
\$\$FOB^BGP1D61	BGP1D64, BGP1DPA2
\$\$SIG^BGP1D61	BGP1D64, BGP1DPA2
CRCP^BGP1D61	BGP1EL3
\$\$COLO^BGP1D62	BGP1DHE1
\$\$FOB^BGP1D62	BGP1DHE1
\$\$SIG^BGP1D62	BGP1DHE1
\$\$CPTSM^BGP1D7	BGP1CU2, BGP1D23, BGP1D26, BGP1D41, BGP1D71, BGP1D89, BGP1DPA2
\$\$DENT^BGP1D7	BGP1C12, BGP1C2X, BGP1CU2, BGP1D23, BGP1D26, BGP1D41
\$\$DX^BGP1D7	BGP1C12, BGP1C2X, BGP1CU2, BGP1D23, BGP1D26, BGP1D71, BGP1D89 BGP1DPA2
\$\$LASTHF^BGP1D7	BGP1D71
\$\$PED^BGP1D7	BGP1D23, BGP1D26, BGP1D41
\$\$PREG^BGP1D7	BGP1CON1, BGP1D722, BGP1D732, BGP1D75, BGP1D8, BGP1D88
\$\$TOBACCO^BGP1D7	BGP1C12, BGP1C2X, BGP1CU2, BGP1D23, BGP1D26, BGP1D41, BGP1D71 BGP1D89, BGP1DPA2
TA^BGP1D7	BGP1EL3
\$\$MEDNUTR^BGP1D711	BGP1D41
\$\$MEDNUTRD^BGP1D711	BGP1D41, BGP1D71
\$\$OTHREL^BGP1D711	BGP1D41, BGP1D71
\$\$PED^BGP1D711	BGP1D71, BGP1DPA2
\$\$SPEC EX^BGP1D711	BGP1D41, BGP1D71
\$\$SPECNUTR^BGP1D711	BGP1D41, BGP1D71
\$\$AMA^BGP1D72	BGP1D731, BGP1D87
\$\$BETAALG1^BGP1D72	BGP1D721, BGP1D731, BGP1D75
\$\$EXPIRED^BGP1D72	BGP1D731, BGP1D87
\$\$TRANS^BGP1D72	BGP1D731, BGP1D87
\$\$ASA^BGP1D721	BGP1D731
\$\$ASAALLEG^BGP1D721	BGP1D731, BGP1D75
\$\$ASAREF^BGP1D721	BGP1D731, BGP1D75

\$\$BETA^BGP1D721	BGP1D731
\$\$BETACONT^BGP1D721	BGP1D731 ,BGP1D75
\$\$BETAREF^BGP1D721	BGP1D731 ,BGP1D75
\$\$FIRSTIHD^BGP1D721	BGP1DPA2
\$\$IHD^BGP1D721	BGP1D25 ,BGP1D41 ,BGP1D73
\$\$V2IHD^BGP1D721	BGP1DPA2
\$\$ACEALG^BGP1D722	BGP1D721 ,BGP1D731 ,BGP1D75
\$\$ACECONT^BGP1D722	BGP1D721 ,BGP1D731
\$\$ACEREF^BGP1D722	BGP1D721 ,BGP1D731 ,BGP1D75
\$\$ACERX^BGP1D722	BGP1D721 ,BGP1D731
\$\$STATALG^BGP1D722	BGP1D721 ,BGP1D731 ,BGP1D75
\$\$STATCON^BGP1D722	BGP1D721 ,BGP1D731 ,BGP1D75
\$\$STATREF^BGP1D722	BGP1D721 ,BGP1D731 ,BGP1D75
\$\$STATRX^BGP1D722	BGP1D721 ,BGP1D731
\$\$CHD^BGP1D729	BGP1D41
CHEL^BGP1D73	BGP1EL4
\$\$FIRSTHF^BGP1D8	BGP1D26
\$\$HIVDX^BGP1D8	BGP1D88
IE2^BGP1D8	BGP1DPA2
\$\$DAYS^BGP1D82	BGP1D52 ,BGP1D721 ,BGP1D722 ,BGP1D732 ,BGP1D863
IRAA^BGP1D82	BGP1EL3
\$\$TDAP^BGP1D86	BGP1D85
\$\$CBC^BGP1D861	BGP1D86
\$\$CBC4^BGP1D861	BGP1D86
\$\$CBC6^BGP1D861	BGP1D86
\$\$GLUCOSE^BGP1D861	BGP1D86
\$\$LFT^BGP1D861	BGP1D86
\$\$LFT6^BGP1D861	BGP1D86
\$\$POT^BGP1D861	BGP1D86
\$\$SERUM12^BGP1D861	BGP1D86
\$\$SERUM6^BGP1D861	BGP1D86
\$\$UP4^BGP1D861	BGP1D86
\$\$RHEUAR^BGP1D862	BGP1D86
\$\$MEDSPRE^BGP1D863	BGP1D86
\$\$GOLDLAB^BGP1D864	BGP1D86
\$\$FIRSTIHD^BGP1D9	BGP1DHE1
\$\$V2IHD^BGP1D9	BGP1DHE1
^BGP1DAP	opt
^BGP1DAR	opt
SUMONLY^BGP1DAR	opt
^BGP1DAR9	opt
^BGP1DARO	opt
CALCIND^BGP1DCEI	BGP1D1
^BGP1DCHA	opt
\$\$D^BGP1DCHA	BGP1GACW
GS^BGP1DCHA	BGP1GACW
CALCIND^BGP1DCHI	BGP1D1
\$\$STATE^BGP1DCHW	BGP1DNE
\$\$UID^BGP1DCHW	BGP1DNE
GEN^BGP1DCHW	BGP1D1
CALCIND^BGP1DCI	BGP1D1 ,BGP1D10
^BGP1DCL	opt
CPPL1^BGP1DCLD	BGP1PDL
\$\$LAST^BGP1DCLP	BGP1DCLD
CPPL1^BGP1DCLP	BGP1DP
^BGP1DEL	opt
^BGP1DELA	opt
^BGP1DELP	BGP1DEL
PRINT1^BGP1DELP	BGP1PHEL
^BGP1DEMO	opt
EN^BGP1DESI	BGP1DEL
EN^BGP1DESL	BGP1DEL
PT^BGP1DESL	BGP1DEL ,BGP1DELA
RT^BGP1DESL	BGP1DEL
^BGP1DGPA	opt

^BGP1DGPU	opt
ENDDATE^BGP1DGPU	BGP1DAP, BGP1DL, BGP1DPP
^BGP1DH	BGP1DP, BGP1DPEP
\$\$USR^BGP1DH	BGP1DH1
AREACP^BGP1DH	BGP1PARP, BGP1PARQ, BGP1PPEL
ENDTIME^BGP1DH	BGP1DH1
EOP^BGP1DH	BGP1LSTF, BGP1ULF
GPRAHDRA^BGP1DH	BGP1DH1
HDR^BGP1DH	BGP1DH1
MD^BGP1DH	BGP1DH1
ONMHDR^BGP1DH	BGP1DH1
PD^BGP1DH	BGP1DH1
PEDCP^BGP1DH	BGP1DH1
AHDR^BGP1DH1	BGP1DH
ALLHDR^BGP1DH1	BGP1DH
AREACP^BGP1DH1	BGP1DH
COMHDR^BGP1DH1	BGP1DH
GPRAHDRS^BGP1DH1	BGP1DH
GPUPPHDR^BGP1DH1	BGP1DH
ONMHDR^BGP1DH1	BGP1DH
PEHDR^BGP1DH1	BGP1DH
PPHDR^BGP1DH1	BGP1DH
^BGP1DHE	opt
\$\$MEDNEPH^BGP1DHE2	BGP1DHE1
^BGP1DHEA	opt
^BGP1DHEP	BGP1DHE
PRINT1^BGP1DHEP	BGP1PHEP
EN^BGP1DHSL	BGP1DHE
PT^BGP1DHSL	BGP1DHE, BGP1DHEA
RT^BGP1DHSL	BGP1DHE
^BGP1DHW	opt
HWSF^BGP1DHW	BGP1GLHW, BGP1LHW
KITM^BGP1DHW	BGP1GLHW
PRINT^BGP1DHW	BGP1DHW
^BGP1DICR	opt
^BGP1DL	opt
CMS^BGP1DLT	opt
CRS^BGP1DLT	opt
ELDER^BGP1DLT	opt
EO^BGP1DLT	opt
GPRA^BGP1DLT	opt
HEDIS^BGP1DLT	opt
ONM^BGP1DLT	opt
CMS^BGP1DMT	opt
CRS^BGP1DMT	opt
ELDER^BGP1DMT	opt
EO^BGP1DMT	opt
GPRA^BGP1DMT	opt
HEDIS^BGP1DMT	opt
ONM^BGP1DMT	opt
^BGP1DNE	opt
PRINT^BGP1DNE	BGP1DNE
PROC^BGP1DNE	BGP1DNE, BGP1GNXP
^BGP1DNG	opt
HWSF^BGP1DNG	BGP1GNTL
^BGP1DNG9	opt
^BGP1DNGP	opt
^BGP1DNBS	opt
^BGP1DON	opt
^BGP1DP	BGP1DAP, BGP1DCL, BGP1DGPU, BGP1DL, BGP1DNG, BGP1DNG9 BGP1DNGP, BGP1DNBS, BGP1DON, BGP1DPP, BGP1DSTM, BGP1NPL
PRINT1^BGP1DP	BGP1PARP, BGP1PARQ
SETEXCEL^BGP1DP	BGP1PARP, BGP1PARQ
W^BGP1DP	BGP1DCLP, BGP1DH, BGP1DH1, BGP1DP, BGP1DP1C, BGP1DP1H BGP1DP1I, BGP1DPH, BGP1DS, BGP1DSP, BGP1DSPD, BGP1DSPN

	BGP1DSPO, BGP1DSTM, BGP1NPLP, BGP1SDP, BGP1SDPD, BGP1SDPN
	BGP1SDPO
WTITLE^BGP1DP	BGP1DS, BGP1NPLP
PI^BGP1DP1	BGP1DP2
I1AGE^BGP1DP11	BGP1DP1C
I1AGE^BGP1DP12	BGP1DP1
I1AGE^BGP1DP13	BGP1DP1
I1AGE^BGP1DP19	BGP1DP1
\$\$CHECK^BGP1DP1C	BGP1DP2, BGP1DP3, BGP1PDL1, BGP1PDL2, BGP1PDL3
\$\$SB^BGP1DP1C	BGP1DP1E
\$\$V^BGP1DP1C	BGP1DP11, BGP1DP12, BGP1DP13, BGP1DP19, BGP1DP1C, BGP1DP1H
	BGP1DP2, BGP1DP3, BGP1DP4, BGP1DP5, BGP1DP50, BGP1DP51
	BGP1DP6, BGP1DP60, BGP1DP7, BGP1DP8, BGP1PD19, BGP1PDL0
	BGP1PDL1, BGP1PDL2, BGP1PDL3, BGP1PDL4, BGP1PDL5, BGP1PDL7
	BGP1PDL8, BGP1PDL9, BGP1PDLA
	BGP1PDLB, BGP1PDL L, BGP1PDLT, BGP1PDPA
I1AGE^BGP1DP1C	BGP1DP1
PI^BGP1DP1C	BGP1DP1, BGP1DP2, BGP1DP3, BGP1DP4, BGP1DP5, BGP1DP6
PI1^BGP1DP1C	BGP1DP4, BGP1DP5
SETEXA^BGP1DP1C	BGP1DP1H, BGP1DP2, BGP1DP3, BGP1DP7, BGP1PDL1, BGP1PDL2
	BGP1PDL3
SETN^BGP1DP1C	BGP1DP2, BGP1DP3, BGP1DP7, BGP1PDL1, BGP1PDL2, BGP1PDL3
SETN1^BGP1DP1C	BGP1DP1H
DEVEL1^BGP1DP1D	BGP1DP1C
ONM1^BGP1DP1D	BGP1DP1C
SETDEV^BGP1DP1E	BGP1DP1C
^BGP1DP1H	BGP1PDL1
AH^BGP1DP1H	BGP1DP1I
I1AGE^BGP1DP1H	BGP1DP1
BL^BGP1DP1I	BGP1DP1H
PR^BGP1DP1I	BGP1DP1H
SNDPG^BGP1DP1I	BGP1DP1H
PI1^BGP1DP2	BGP1DP1C
SETSUM^BGP1DP2	BGP1PDL2
I1AGEP^BGP1DP50	BGP1DP5, BGP1DP51
I1AGEP^BGP1DP60	BGP1DP6
I1AGE^BGP1DP8	BGP1DP1
^BGP1DPA	opt
COVPAGE^BGP1DPA	opt
PROC^BGP1DPA	BGP1DPA, BGP1GFOR
\$\$TITLE2^BGP1DPA1	BGP1DPA1
ISS^BGP1DPA1	BGP1D1
\$\$EYE^BGP1DPA4	BGP1DPA1
^BGP1DPA9	opt
PROC^BGP1DPA9	BGP1DPA9, BGP1GFO9
^BGP1DPAP	opt
PRINT^BGP1DPAW	BGP1DPA, BGP1DPA9
^BGP1DPE	opt
GETDATES^BGP1DPE	BGP1DPEA
PP^BGP1DPE	opt
^BGP1DPE1	BGP1DPE, BGP1GPEd
\$\$EDUALLOW^BGP1DPE1	BGP1DPE2
5^BGP1DPE2	BGP1DPE1
6^BGP1DPE2	BGP1DPE1
7^BGP1DPE2	BGP1DPE1
^BGP1DPEA	opt
^BGP1DPED	BGP1PPEL
\$\$V^BGP1DPED	BGP1DPEF
DEL^BGP1DPED	BGP1DPEP
S^BGP1DPED	BGP1DPEF
SETN^BGP1DPED	BGP1DPEF
^BGP1DPEE	BGP1DPED
7^BGP1DPEF	BGP1DPED
^BGP1DPEL	BGP1DPEP
^BGP1DPEP	BGP1DPE



\$\$C^BGP1DPEP	BGP1DPEQ
\$\$V^BGP1DPEP	BGP1DPEQ
HEADER^BGP1DPEP	BGP1DPEQ
PRINT1^BGP1DPEP	BGP1PPEL
SETN^BGP1DPEP	BGP1DPEQ
7^BGP1DPEQ	BGP1DPEP
H1^BGP1DPH	BGP1DP1, BGP1DP1C, BGP1DP4, BGP1DP5, BGP1DP6, BGP1DPEP BGP1DPEQ, BGP1ELP1, BGP1HEP1
H2^BGP1DPH	BGP1DP1C, BGP1DPEP, BGP1DPEQ, BGP1ELP1, BGP1HEP1
H3^BGP1DPH	BGP1DP11
H4^BGP1DPH	BGP1DP12, BGP1DP13
H9^BGP1DPH	BGP1DP19
HEADER^BGP1DPH	BGP1DELP, BGP1DHEP, BGP1DP, BGP1DP1, BGP1DP11, BGP1DP12 BGP1DP13, BGP1DP19, BGP1DP1C, BGP1DP1H, BGP1DP1I, BGP1DP2 BGP1DP3, BGP1DP4, BGP1DP5, BGP1DP50, BGP1DP51, BGP1DP6 BGP1DP60, BGP1DP8, BGP1DPEL, BGP1DPEP, BGP1DS, BGP1DSP BGP1DSPD, BGP1DSPN, BGP1DSPO BGP1DSTM, BGP1EL10, BGP1EL11, BGP1EL12, BGP1EL13, BGP1EL14 BGP1EL15, BGP1EL16, BGP1EL17, BGP1EL18, BGP1EL19, BGP1EL1A BGP1EL1B, BGP1EL1C, BGP1EL1D, BGP1EL1E, BGP1EL1F, BGP1EL1G BGP1EL1H, BGP1EL1I, BGP1EL1J, BGP1EL1K, BGP1EL1L, BGP1EL1M BGP1EL1N, BGP1EL1O BGP1EL1P, BGP1EL1Q, BGP1EL1R, BGP1ELP1, BGP1ELS, BGP1HEP1 BGP1HES, BGP1PDLT, BGP1SDP, BGP1SDPD, BGP1SDPN, BGP1SDPO BGP1PDLT
HPA^BGP1DPH	BGP1PDLT
^BGP1DPP	opt
^BGP1DS	BGP1DP
EN^BGP1DSI	BGP1DAP, BGP1DL, BGP1DPP, BGP1DSTM, BGP1NPL
EN^BGP1DSL	BGP1DAP, BGP1DL, BGP1DPP
PT^BGP1DSL	BGP1DAP, BGP1DAR, BGP1DAR9, BGP1DARO, BGP1DCL, BGP1DGPA BGP1DGPU, BGP1DL, BGP1DNG, BGP1DNG9, BGP1DNGP, BGP1DNGS BGP1DON, BGP1DPP, BGP1DSTM, BGP1NPL
RT^BGP1DSL	BGP1DAP, BGP1DCL, BGP1DL, BGP1DPP, BGP1DSTM, BGP1NPL
^BGP1DSP	BGP1DP
^BGP1DSPD	BGP1DP
^BGP1DSPN	BGP1DP
^BGP1DSPO	BGP1DP
^BGP1DSTM	opt
CT^BGP1DSTM	BGP1DP, BGP1PDL
\$\$CPT^BGP1DU	BGP1C12, BGP1CU2, BGP1CU4, BGP1D2, BGP1D21, BGP1D211, BGP1D21A BGP1D22, BGP1D24, BGP1D3, BGP1D31, BGP1D37, BGP1D4, BGP1D42 BGP1D5, BGP1D53, BGP1D61, BGP1D62, BGP1D63, BGP1D64, BGP1D7 BGP1D71, BGP1D72, BGP1D83, BGP1D84, BGP1D861, BGP1D87, BGP1D88 BGP1DHE1 BGP1DHE2, BGP1DPA4, BGP1EL4, BGP1EO1
\$\$CPTI^BGP1DU	BGP1C11, BGP1C12, BGP1C13, BGP1C3X, BGP1CON1, BGP1CP2, BGP1CP4 BGP1CU1, BGP1CU2, BGP1CU3, BGP1D2, BGP1D211, BGP1D21A, BGP1D22 BGP1D3A, BGP1D71, BGP1D711, BGP1D72, BGP1D721, BGP1D73 BGP1D731, BGP1D732, BGP1D75, BGP1D8, BGP1D82, BGP1D861 BGP1D864, BGP1D9, BGP1DHE2 BGP1EL2
\$\$LASTITEM^BGP1DU	BGP1D25, BGP1D5
\$\$PLTAX^BGP1DU	BGP1D33, BGP1D35, BGP1D85
\$\$RAD^BGP1DU	BGP1D42, BGP1D61, BGP1EL4
\$\$TRAN^BGP1DU	BGP1C12, BGP1CU2, BGP1D2, BGP1D21, BGP1D211, BGP1D21A, BGP1D22 BGP1D3, BGP1D31, BGP1D37, BGP1D4, BGP1D42, BGP1D53, BGP1D61 BGP1D62, BGP1D63, BGP1D64, BGP1D7, BGP1D72, BGP1D83, BGP1D84 BGP1D861, BGP1D88, BGP1DHE1, BGP1DHE2, BGP1DPA4, BGP1EL4
\$\$TRANI^BGP1DU	BGP1C11, BGP1C12, BGP1C13, BGP1C3X, BGP1CON1, BGP1CU1, BGP1CU2 BGP1CU3, BGP1D2, BGP1D211, BGP1D21A, BGP1D711, BGP1D72 BGP1D721, BGP1D73, BGP1D731, BGP1D732, BGP1D75, BGP1D8 BGP1D82, BGP1D861, BGP1D864, BGP1D9, BGP1DHE2, BGP1EL2
\$\$WH^BGP1DU	BGP1D3, BGP1D4
I1AGE^BGP1EL10	BGP1ELP1
I1AGE^BGP1EL11	BGP1ELP1

H3^BGP1EL12	BGP1EL13
I1AGE^BGP1EL12	BGP1ELP1
I1AGE^BGP1EL13	BGP1ELP1
I1AGE^BGP1EL14	BGP1ELP1
I1AGE^BGP1EL15	BGP1ELP1
I1AGE^BGP1EL16	BGP1ELP1
I1AGE^BGP1EL17	BGP1ELP1
I1AGE^BGP1EL18	BGP1ELP1
I1AGE^BGP1EL19	BGP1ELP1
I1AGE^BGP1EL1A	BGP1ELP1
I1AGE^BGP1EL1B	BGP1ELP1
I1AGE^BGP1EL1C	BGP1ELP1
I1AGE^BGP1EL1D	BGP1ELP1
I1AGE^BGP1EL1E	BGP1ELP1
I1AGE^BGP1EL1F	BGP1ELP1
I1AGE^BGP1EL1G	BGP1ELP1
I1AGE^BGP1EL1H	BGP1ELP1
I1AGE^BGP1EL1I	BGP1ELP1
I1AGE^BGP1EL1J	BGP1ELP1
I1AGE^BGP1EL1K	BGP1ELP1
I1ELDPHA^BGP1EL1L	BGP1ELP1
I1AGE^BGP1EL1M	BGP1ELP1
I1AGE^BGP1EL1N	BGP1ELP1
I1AGE^BGP1EL1O	BGP1ELP1
H3^BGP1EL1P	BGP1EL1Q, BGP1EL1R
I1AGE^BGP1EL1P	BGP1ELP1
^BGP1EL1Q	BGP1EL1P
^BGP1EL1R	BGP1EL1Q
\$\$FRACTURE^BGP1EL3	BGP1D22
I1ELDASA^BGP1EL31	BGP1EL3
I1ELDFSA^BGP1EL31	BGP1EL3
I1ELDPHA^BGP1EL31	BGP1EL3
\$\$FUNCTION^BGP1EL4	BGP1EL31
\$\$PHNV^BGP1EL4	BGP1EL31
\$\$TXBMD^BGP1EL4	BGP1D22, BGP1EL3
^BGP1ELH	BGP1DELP
AREACP^BGP1ELH	BGP1PHEL
^BGP1ELHH	BGP1ELL
^BGP1ELL	BGP1DELP, BGP1PHEL
SETN^BGP1ELL1	BGP1ELLN
\$\$SB^BGP1ELL2	BGP1ELL1, BGP1ELL4, BGP1ELL5, BGP1ELL6, BGP1ELL7, BGP1ELL8 BGP1ELL9, BGP1ELLA, BGP1ELLB, BGP1ELLC, BGP1ELLD, BGP1ELLE BGP1ELLF, BGP1ELLG, BGP1EL LH, BGP1ELLI, BGP1ELLJ, BGP1ELLK BGP1ELLL, BGP1ELLM, BGP1ELLN, BGP1ELLO, BGP1ELLP, BGP1ELLQ BGP1ELLR, BGP1ELLS BGP1ELLT, BGP1ELLU, BGP1ELLV
H2^BGP1ELL2	BGP1ELL1
H3^BGP1ELL2	BGP1ELL3, BGP1ELL4, BGP1ELL5, BGP1ELL6, BGP1ELL7, BGP1ELL8 BGP1ELL9, BGP1ELLA, BGP1ELLB, BGP1ELLC, BGP1ELLD, BGP1ELLE BGP1ELLF, BGP1ELLG, BGP1ELLI, BGP1ELLJ, BGP1ELLK, BGP1ELLL BGP1ELLM, BGP1ELLO, BGP1ELLP
I1AGE^BGP1ELL2	BGP1ELL1
I1AGE^BGP1ELL3	BGP1ELL1
I1AGE^BGP1ELL4	BGP1ELL1
I1AGE^BGP1ELL5	BGP1ELL1
I1AGE^BGP1ELL6	BGP1ELL1
I1AGE^BGP1ELL7	BGP1ELL1
I1AGE^BGP1ELL8	BGP1ELL1
I1AGE^BGP1ELL9	BGP1ELL1
I1AGE^BGP1ELLA	BGP1ELL1
I1AGE^BGP1ELLB	BGP1ELL1
I1AGE^BGP1ELLC	BGP1ELL1
I1AGE^BGP1ELLD	BGP1ELL1
I1AGE^BGP1ELLE	BGP1ELL1
I1AGE^BGP1ELLF	BGP1ELL1

I1AGE^BGP1ELLG	BGP1ELL1
I1AGE^BGP1ELLH	BGP1ELL1
I1AGE^BGP1ELLI	BGP1ELL1
I1AGE^BGP1ELLJ	BGP1ELL1
I1AGE^BGP1ELLK	BGP1ELL1
I1AGE^BGP1ELLL	BGP1ELL1
I1AGE^BGP1ELLM	BGP1ELL1
IELDPHA^BGP1ELLN	BGP1ELL1
I1AGE^BGP1ELLO	BGP1ELL1
I1AGE^BGP1ELLP	BGP1ELL1
I1AGEP^BGP1ELLQ	BGP1ELL3
I1AGE^BGP1ELLR	BGP1ELL1
I1AGE^BGP1ELLS	BGP1ELL1
I1AGEP^BGP1ELLT	BGP1ELLS
^BGP1ELLU	BGP1ELLT
BL^BGP1ELLV	BGP1ELLJ
SETN^BGP1ELP1	BGP1EL1L
^BGP1ELS	BGP1DELP
^BGP1ELSL	BGP1ELL
\$\$STV^BGP1EO1	BGP1DHE1
\$\$ANTICOAG^BGP1EO11	BGP1EO1
^BGP1EOA	opt
CALCIND^BGP1EOCI	BGP1D1
^BGP1EOD	opt
^BGP1EOH	BGP1EOL, BGP1EOP
W^BGP1EOH	BGP1DCLP, BGP1DH, BGP1DH1, BGP1DPH, BGP1DS, BGP1EOP, BGP1EOP1
	BGP1EOS, BGP1EOY
^BGP1EOP	BGP1EOD
H1^BGP1EOP	BGP1EOP1
H2^BGP1EOP	BGP1EOP1
HEADER^BGP1EOP	BGP1EOP1, BGP1EOY
PRINT^BGP1EOP	BGP1EOA
^BGP1EOS	BGP1EOP
EN^BGP1EOSI	BGP1EOD
^BGP1EOSL	BGP1EOL
EN^BGP1EOSL	BGP1EOD
PT^BGP1EOSL	BGP1EOA, BGP1EOD
RT^BGP1EOSL	BGP1EOD
EONT1^BGP1EOUT	BGP1EOA, BGP1GAE0
GETIEN^BGP1EOUT	BGP1GUP1, BGP1ULF1
GS^BGP1EOUT	BGP1EOD, BGP1GEO
REPORT^BGP1EOUT	BGP1EOD, BGP1GEO
STMP^BGP1EOUT	BGP1EOCI
^BGP1EOY	BGP1EOP
GETIEN^BGP1EUTL	BGP1GUPL, BGP1ULF
GS^BGP1EUTL	BGP1DEL, BGP1GELD
REPORT^BGP1EUTL	BGP1DEL, BGP1GELD
STMP^BGP1EUTL	BGP1DCEI
EP^BGP1GACW	BGP1GRA
EP^BGP1GAEL	BGP1GRA
EP^BGP1GAEO	BGP1GRB
EP^BGP1GAG9	BGP1GRA
EP^BGP1GAGP	BGP1GRA
EP^BGP1GAGS	BGP1GRA
EP^BGP1GAHE	BGP1GRA
EP^BGP1GALL	BGP1GR
EP^BGP1GAON	BGP1GRA
EP^BGP1GAPE	BGP1GRA
EP^BGP1GAPU	BGP1GRA
EP^BGP1GCMP	BGP1GR
EP^BGP1GCMS	BGP1GR
EP^BGP1GCOM	BGP1GR
EP^BGP1GDON	BGP1GRA
EP^BGP1GELD	BGP1GR1
EP^BGP1GEO	BGP1GR1

EP^BGP1GFO9	BGP1GRB
EP^BGP1GFOR	BGP1GRB
EP^BGP1GGPU	BGP1GR
EP^BGP1GHED	BGP1GR
EP^BGP1GLHW	BGP1GR2
EP^BGP1GLST	BGP1GU
EP^BGP1GLTX	BGP1GU
EP^BGP1GMTX	BGP1GU
EP^BGP1GNPL	BGP1GR , BGP1GRA
EP^BGP1GNST	BGP1GR
EP^BGP1GNT9	BGP1GR1
EP^BGP1GNTL	BGP1GR
EP^BGP1GNTP	BGP1GR1
EPSUM^BGP1GNTS	BGP1GR1
EP^BGP1GNXP	BGP1GR2
EP^BGP1GPED	BGP1GR2
EP^BGP1GPP	BGP1GR
CATSTR^BGP1GR	BGP1GR1 , BGP1GRA
ELD^BGP1GR1	BGP1GR
CATSTR^BGP1GU	BGP1GRB
PROCEO^BGP1GUP1	BGP1GUP1
EOJ^BGP1GUP1	BGP1GUP1
EP^BGP1GUP1	BGP1GU
^BGP1HEH	BGP1DHEP
AREACP^BGP1HEH	BGP1PHEP
^BGP1HEHH	BGP1HEL
^BGP1HEL	BGP1DHEP , BGP1PHEP
^BGP1HES	BGP1DHEP
^BGP1HESL	BGP1HEL
GETIEN^BGP1HUTL	BGP1GUP1 , BGP1ULF
GS^BGP1HUTL	BGP1DHE , BGP1GHED
REPORT^BGP1HUTL	BGP1DHE , BGP1GHED
STMP^BGP1HUTL	BGP1DCHI
^BGP1LSTF	opt
^BGP1NPL	opt
NONNPL^BGP1NPL	opt
NPL1^BGP1NPLP	BGP1DP , BGP1PDL
PRINT^BGP1PARP	BGP1DAR , BGP1DAR9 , BGP1DGPA
PRINT^BGP1PARQ	BGP1DARO
^BGP1PD19	BGP1PDL1
ILAGE^BGP1PD19	BGP1PDL1
ALLHDR^BGP1PDH1	BGP1PDLH
COMHDR^BGP1PDH1	BGP1PDLH
DENOMHDR^BGP1PDH1	BGP1PDLH
GPRAHDRS^BGP1PDH1	BGP1PDLH
PEDCP^BGP1PDH1	BGP1PDLH
PEHDR^BGP1PDH1	BGP1PDLH
PPHDR^BGP1PDH1	BGP1PDLH
HEADER^BGP1PDL	BGP1PDL0 , BGP1PDLN , BGP1PDLO
SAVEDEL^BGP1PDL	BGP1DP , BGP1PARP , BGP1PARQ
\$\$\$SB^BGP1PDL1	BGP1D23 , BGP1D26 , BGP1D6 , BGP1EL3
H1^BGP1PDL1	BGP1DPED , BGP1DPEF , BGP1PDL0 , BGP1PDL3 , BGP1PDL4 , BGP1PDL7
H2^BGP1PDL1	BGP1DPED , BGP1DPEF
PI^BGP1PDL1	BGP1PDL0 , BGP1PDL2 , BGP1PDL3 , BGP1PDL4 , BGP1PDL7
PI1^BGP1PDL1	BGP1PDL4 , BGP1PDL7
SETN^BGP1PDL1	BGP1PDL0
PI1^BGP1PDL2	BGP1PDL1
ILAGEP^BGP1PDL5	BGP1PDL0
ILAGEP^BGP1PDL8	BGP1PDL7
ILAGE^BGP1PDL9	BGP1PDL1
ILAGE^BGP1PDLA	BGP1PDL1
ILAGE^BGP1PDLB	BGP1PDL1
DEVSUM^BGP1PDL0	BGP1PDL
SDP^BGP1PDL0	BGP1PDL
^BGP1PDLH	BGP1DPED , BGP1PDL

^BGP1PDL	BGP1PDL1
NONSUM^BGP1PDLN	BGP1PDL
SDP^BGP1PDLN	BGP1PDL
OTHSUM^BGP1PDLO	BGP1PDL
^BGP1PDL	BGP1PDL
ILAGE^BGP1PDLT	BGP1DP1
ILAGE^BGP1PDPA	BGP1PDL1
EN^BGP1PESI	BGP1DPE
EN^BGP1PESL	BGP1DPE
PT^BGP1PESL	BGP1DPE, BGP1DPEA
RT^BGP1PESL	BGP1DPE
PRINT^BGP1PHEL	BGP1DELA
PRINT^BGP1PHEP	BGP1DHEA
PRE^BGP1POS2	BGP1POS
^BGP1PPEL	BGP1DPEA
GETIEN^BGP1PUTL	BGP1GUPL, BGP1ULF
GS^BGP1PUTL	BGP1DPE, BGP1GPED
REPORT^BGP1PUTL	BGP1DPE, BGP1GPED
ACEI^BGP1REF1	BGP1REF
ARB^BGP1REF1	BGP1REF
ASA^BGP1REF1	BGP1REF
BETA^BGP1REF1	BGP1REF
STATIN^BGP1REF1	BGP1REF
^BGP1SDP	BGP1DP
^BGP1SDPD	BGP1DP
^BGP1SDPN	BGP1DP
^BGP1SDPO	BGP1DP
^BGP1ULF	opt
EOJ^BGP1ULF	BGP1ULF1
PROCEO^BGP1ULF1	BGP1ULF
\$\$D^BGP1UTL	BGP1DAR, BGP1DAR9, BGP1DARO, BGP1DHW, BGP1DNE, BGP1DNG BGP1DNG9, BGP1EOA, BGP1GAE0, BGP1GAG9, BGP1GAGP, BGP1GAON BGP1GLHW, BGP1GNT9, BGP1GNTL, BGP1GNXP
\$\$DATE^BGP1UTL	BGP1ALG1, BGP1ASL, BGP1ASL1, BGP1C11, BGP1C12, BGP1C13 BGP1C2X, BGP1C31, BGP1C3X, BGP1CON1, BGP1CP, BGP1CP2, BGP1CP3 BGP1CP4, BGP1CPU, BGP1CPU2, BGP1CPU3, BGP1CPU4, BGP1CU BGP1CU1, BGP1CU2, BGP1CU3, BGP1CU4, BGP1CU5, BGP1CU6, BGP1D2 BGP1D21, BGP1D22, BGP1D23 BGP1D24, BGP1D25, BGP1D26, BGP1D3, BGP1D31, BGP1D36, BGP1D3A BGP1D4, BGP1D41, BGP1D42, BGP1D5, BGP1D51, BGP1D52, BGP1D53 BGP1D54, BGP1D55, BGP1D5A, BGP1D6, BGP1D61, BGP1D62, BGP1D63 BGP1D64, BGP1D7, BGP1D71, BGP1D72, BGP1D721, BGP1D722, BGP1D73 BGP1D731, BGP1D732 BGP1D74, BGP1D75, BGP1D8, BGP1D81, BGP1D82, BGP1D83, BGP1D84 BGP1D86, BGP1D862, BGP1D87, BGP1D88, BGP1D89, BGP1D9, BGP1DCLP BGP1DGPA, BGP1DHE1, BGP1DP, BGP1DPA1, BGP1DPA2, BGP1DPAP BGP1DPAW, BGP1EL2, BGP1EL3, BGP1EL31, BGP1EL4, BGP1EO1 BGP1EO11, BGP1EOP BGP1NPLP, BGP1REF1, BGP1UTL2
\$\$EDT^BGP1UTL	BGP1DNE
\$\$LZERO^BGP1UTL	BGP1DAR, BGP1DAR9, BGP1DARO, BGP1DCHA, BGP1DHW, BGP1DNE BGP1DNG, BGP1DNG9, BGP1EOA, BGP1GAE0, BGP1GAG9, BGP1GAGP BGP1GAON
\$\$RZERO^BGP1UTL	BGP1DAR, BGP1DAR9, BGP1DARO, BGP1DHW, BGP1DNG, BGP1EOA BGP1GACW, BGP1GAE0, BGP1GAG9, BGP1GAGP, BGP1GAON, BGP1GLHW BGP1GNT9, BGP1GNTL
GETIEN^BGP1UTL	BGP1GUPL, BGP1ULF
GNT1^BGP1UTL	BGP1DAR, BGP1DAR9, BGP1GAG9, BGP1GAGP, BGP1GAGS
GS^BGP1UTL	BGP1DGPU, BGP1DNG, BGP1DNG9, BGP1DON, BGP1GDON, BGP1GGPU BGP1GNT9, BGP1GNTL, BGP1LHW
JRNL^BGP1UTL	BGP1D1, BGP1D10, BGP1DNE, BGP1DPA, BGP1DPA9, BGP1DPAP
ONN1^BGP1UTL	BGP1DARO, BGP1GAON
REPORT^BGP1UTL	BGP1DAP, BGP1DCL, BGP1DGPU, BGP1DHW, BGP1DL, BGP1DNG, BGP1DNG9 BGP1DNGP, BGP1DNGS, BGP1DON, BGP1DPP, BGP1DSTM, BGP1GALL BGP1GCMP, BGP1GCOM, BGP1GDON, BGP1GGPU, BGP1GLHW, BGP1GNPL

	BGP1GNST, BGP1GNT9, BGP1GNTL, BGP1GNTP, BGP1GNST, BGP1GPP
	BGP1LHW, BGP1NPL
STMP^BGP1UTL	BGP1DCI
XTMP^BGP1UTL	BGP1C1, BGP1D1, BGP1DPE1
\$\$CPTREFT^BGP1UTL1	BGP1D3A, BGP1D4, BGP1D61, BGP1EO1
\$\$FIRSTPRC^BGP1UTL1	BGP1EL3
\$\$LASTDX^BGP1UTL1	BGP1C1, BGP1C3, BGP1CON1, BGP1CP2, BGP1CP3, BGP1CP5, BGP1CU2 BGP1CU4, BGP1CU5, BGP1D211, BGP1D23, BGP1D3, BGP1D42, BGP1D7 BGP1D71, BGP1D72, BGP1D721, BGP1D74, BGP1EL3, BGP1EL4
\$\$LASTDXI^BGP1UTL1	BGP1C3, BGP1CON1, BGP1CPU3, BGP1CU, BGP1CU2, BGP1CU4, BGP1D21 BGP1D42, BGP1D71, BGP1D721, BGP1D731, BGP1D75, BGP1DPA2
\$\$LASTPRC^BGP1UTL1	BGP1C12, BGP1C2X, BGP1CU, BGP1CU2, BGP1CU4, BGP1D21, BGP1D211 BGP1D3, BGP1D5, BGP1D55, BGP1D61, BGP1D62, BGP1D63, BGP1D64 BGP1D7, BGP1D72, BGP1D87, BGP1D88, BGP1DHE1, BGP1EL4
\$\$LASTPRCI^BGP1UTL1	BGP1C1, BGP1CP2, BGP1CP3, BGP1CU4, BGP1D21, BGP1D42, BGP1D83 BGP1D84, BGP1DPA4
\$\$NMIREF^BGP1UTL1	BGP1D31, BGP1D37
\$\$RADREF^BGP1UTL1	BGP1D4, BGP1D42, BGP1D61
\$\$REFTAX^BGP1UTL1	BGP1EO11
\$\$REFUSAL^BGP1UTL1	BGP1D21, BGP1D22, BGP1D25, BGP1D3, BGP1D31, BGP1D37, BGP1D3A BGP1D5, BGP1D6, BGP1D61, BGP1D74, BGP1D8, BGP1DHE1, BGP1DPA4 BGP1EO1
\$\$CHKDST^BGP1UTL2	BGP1GUA
\$\$DEMOCHK^BGP1UTL2	BGP1DAP, BGP1DCL, BGP1DEL, BGP1DGPU, BGP1DHW, BGP1DL, BGP1DNG BGP1DNGP, BGP1DNGS, BGP1DON, BGP1DPA, BGP1DPE, BGP1DPP BGP1DSTM, BGP1EOD, BGP1NPL
\$\$GETDIR^BGP1UTL2	BGP1DAR, BGP1DAR9, BGP1DARO, BGP1DCHA, BGP1DEL, BGP1DGPU BGP1DHE, BGP1DHW, BGP1DNE, BGP1DNG, BGP1DNG9, BGP1DON, BGP1DPE BGP1EOA, BGP1EOD, BGP1GACW, BGP1GAGP, BGP1GAGS, BGP1GDON BGP1GELD, BGP1GFO9, BGP1GFOR, BGP1GHED, BGP1GLHW, BGP1GNT9 BGP1GNTL, BGP1GNTP BGP1GNST, BGP1GNXP, BGP1GPED, BGP1LHW
\$\$RCIS^BGP1UTL2	BGP1D87
GETMEDS^BGP1UTL2	BGP1CON1, BGP1CU2, BGP1CU4, BGP1D22, BGP1D711, BGP1D721 BGP1D722, BGP1D731, BGP1D732, BGP1D74, BGP1D75, BGP1D81 BGP1D82, BGP1D83, BGP1D84, BGP1D863, BGP1D864, BGP1DHE2
DEV^BGP1UTLC	BGP1UTL
^BGP1XTCH	opt
TAXCHK^BGP1XTCH	BGP1DAP, BGP1DL, BGP1DPP, BGP1XTCH
^BGP1XTCN	opt
TAXCHK^BGP1XTCN	BGP1DCL, BGP1DGPU, BGP1DHW, BGP1DNE, BGP1DNG, BGP1DNG9 BGP1DNGP, BGP1DNGS, BGP1DPA, BGP1DSTM, BGP1NPL
^BGP1XTCO	opt
TAXCHK^BGP1XTCO	BGP1DON, BGP1NPL
^BGP1XTEL	opt
TAXCHK^BGP1XTEL	BGP1DEL
^BGP1XTEO	opt
TAXCHK^BGP1XTEO	BGP1EOD
^BGP1XTHE	opt
TAXCHK^BGP1XTHE	BGP1DHE
EP^BGP1XTL	BGP1XTS
^BGP1XTV	opt
INIT^BGP1XTV	BGP1GU
EP^BGP1XTV1	BGP1CTS, BGP1XTV
^BGP3BAN	opt
^BGP3DA	opt
^BGP3DAR	opt
^BGP3DARA	opt
^BGP3DG	opt
^BGP3DL	opt
^BGP3TXCH	opt
^BGP3ULF	opt
^BGP4BAN	opt
^BGP4DA	opt
^BGP4DAP	opt

^BGP4DAR	opt
^BGP4DARA	opt
^BGP4DG	opt
^BGP4DHE	opt
^BGP4DHEA	opt
^BGP4DL	opt
^BGP4DPP	opt
^BGP4LSTF	opt
^BGP4TXCH	opt
^BGP4ULF	opt
^BGP5BAN	opt
^BGP5CL	opt
^BGP5CTS	opt
^BGP5CTXC	opt
^BGP5DAP	opt
^BGP5DAR	opt
^BGP5DEL	opt
^BGP5DELA	opt
^BGP5DGPA	opt
^BGP5DGPU	opt
^BGP5DHE	opt
^BGP5DHEA	opt
^BGP5DL	opt
^BGP5DNG	opt
^BGP5DPP	opt
^BGP5LSTF	opt
^BGP5NPL	opt
^BGP5TXCH	opt
^BGP5TXCN	opt
^BGP5TXEL	opt
^BGP5TXHE	opt
^BGP5TXV	opt
^BGP5ULF	opt
^BGP6BAN	opt
^BGP6CL	opt
^BGP6CTS	opt
^BGP6CTXC	opt
\$\$CLASS^BGP6D82	BGP1D863
^BGP6DAP	opt
^BGP6DAR	opt
^BGP6DCHA	opt
^BGP6DCL	opt
^BGP6DEL	opt
^BGP6DELA	opt
^BGP6DGPA	opt
^BGP6DGPU	opt
^BGP6DHE	opt
^BGP6DHEA	opt
^BGP6DL	opt
^BGP6DLT	opt
^BGP6DMT	opt
^BGP6DNG	opt
^BGP6DPP	opt
^BGP6DSTM	opt
^BGP6LSTF	opt
^BGP6NPL	opt
^BGP6ULF	opt
\$\$DATE^BGP6UTL	BGP1D61
\$\$REFUSAL^BGP6UTL1	BGP1D61
^BGP6XTCH	opt
^BGP6XTCN	opt
^BGP6XTEL	opt
^BGP6XTHE	opt
^BGP6XTV	opt
^BGP7BAN	opt

^BGP7CL	opt
^BGP7CTS	opt
^BGP7CTXC	opt
\$\$ACTUP^BGP7D1	BGP7DNE1
PROCCY^BGP7D1	BGP7DNE1
^BGP7DAP	opt
^BGP7DAR	opt
^BGP7DAR8	opt
^BGP7DCHA	opt
\$\$STATE^BGP7DCHW	BGP7DNE1
\$\$UID^BGP7DCHW	BGP7DNE1
^BGP7DCL	opt
^BGP7DEL	opt
^BGP7DELA	opt
^BGP7DGPA	opt
^BGP7DGPU	opt
^BGP7DHE	opt
^BGP7DHEA	opt
^BGP7DL	opt
^BGP7DLT	opt
^BGP7DMT	opt
^BGP7DNE	opt
^BGP7DNE0	opt
^BGP7DNE1	opt
PRINT^BGP7DNE1	BGP7DNE1
PROC^BGP7DNE1	BGP7DNE1
^BGP7DNE8	opt
^BGP7DNE9	opt
^BGP7DNG	opt
^BGP7DNG8	opt
^BGP7DPE	opt
^BGP7DPEA	opt
^BGP7DPP	opt
^BGP7DSTM	opt
EP^BGP7GNXP	BGP7GR2
EP^BGP7GPED	BGP7GR2
EP^BGP7GXP0	BGP7GR2
EP^BGP7GXP8	BGP7GR2
EP^BGP7GXP9	BGP7GR2
^BGP7LSTF	opt
^BGP7NPL	opt
^BGP7ULF	opt
\$\$D^BGP7UTL	BGP7DNE1
\$\$DATE^BGP7UTL	BGP1CU
\$\$EDT^BGP7UTL	BGP7DNE1
\$\$LZERO^BGP7UTL	BGP7DNE1
JRNL^BGP7UTL	BGP7DNE1
^BGP7XTCH	opt
^BGP7XTCN	opt
TAXCHK^BGP7XTCN	BGP7DNE1
^BGP7XTEL	opt
^BGP7XTHE	opt
^BGP7XTV	opt
^BGP8BAN	opt
^BGP8CL	opt
^BGP8CTS	opt
^BGP8CTXC	opt
^BGP8DAP	opt
^BGP8DAR	opt
^BGP8DAR9	opt
^BGP8DARO	opt
^BGP8DCHA	opt
^BGP8DCL	opt
^BGP8DEL	opt
^BGP8DELA	opt



^BGP8DEMO	opt
^BGP8DGPA	opt
^BGP8DGPU	opt
^BGP8DHE	opt
^BGP8DHEA	opt
^BGP8DL	opt
CMS^BGP8DLT	opt
CRS^BGP8DLT	opt
ELDER^BGP8DLT	opt
EO^BGP8DLT	opt
GPRA^BGP8DLT	opt
HEDIS^BGP8DLT	opt
ONM^BGP8DLT	opt
CMS^BGP8DMT	opt
CRS^BGP8DMT	opt
ELDER^BGP8DMT	opt
EO^BGP8DMT	opt
GPRA^BGP8DMT	opt
HEDIS^BGP8DMT	opt
ONM^BGP8DMT	opt
^BGP8DNE	opt
^BGP8DNG	opt
^BGP8DNG9	opt
^BGP8DON	opt
^BGP8DPA	opt
COVPAGE^BGP8DPA	opt
^BGP8DPA9	opt
^BGP8DPAP	opt
^BGP8DPE	opt
^BGP8DPEA	opt
^BGP8DPP	opt
^BGP8DSTM	opt
^BGP8EOA	opt
^BGP8EOD	opt
^BGP8LSTF	opt
^BGP8NPL	opt
NONNPL^BGP8NPL	opt
^BGP8ULF	opt
^BGP8XTCH	opt
^BGP8XTCN	opt
^BGP8XTCO	opt
^BGP8XTEL	opt
^BGP8XTHE	opt
^BGP8XTV	opt
^BGP9BAN	opt
^BGP9CL	opt
^BGP9CTS	opt
^BGP9CTXC	opt
^BGP9DAP	opt
^BGP9DAR	opt
SUMONLY^BGP9DAR	opt
^BGP9DAR9	opt
^BGP9DARO	opt
^BGP9DCHA	opt
^BGP9DCL	opt
^BGP9DEL	opt
^BGP9DELA	opt
^BGP9DEMO	opt
^BGP9DGPA	opt
^BGP9DGPU	opt
^BGP9DHE	opt
^BGP9DHEA	opt
^BGP9DHW	opt
^BGP9DICR	opt
^BGP9DL	opt

CMS^BGP9DLT	opt
CRS^BGP9DLT	opt
ELDER^BGP9DLT	opt
EO^BGP9DLT	opt
GPRA^BGP9DLT	opt
HEDIS^BGP9DLT	opt
ONM^BGP9DLT	opt
CMS^BGP9DMT	opt
CRS^BGP9DMT	opt
ELDER^BGP9DMT	opt
EO^BGP9DMT	opt
GPRA^BGP9DMT	opt
HEDIS^BGP9DMT	opt
ONM^BGP9DMT	opt
^BGP9DNE	opt
^BGP9DNG	opt
^BGP9DNG9	opt
^BGP9DNGP	opt
^BGP9DNNGS	opt
^BGP9DON	opt
\$\$V^BGP9DP1C	BGP1PDDL
^BGP9DPA	opt
COVPAGE^BGP9DPA	opt
^BGP9DPA9	opt
^BGP9DPAP	opt
^BGP9DPE	opt
PP^BGP9DPE	opt
^BGP9DPEA	opt
^BGP9DPP	opt
^BGP9DSTM	opt
^BGP9EOA	opt
^BGP9EOD	opt
^BGP9LSTF	opt
^BGP9NPL	opt
NONNPL^BGP9NPL	opt
^BGP9ULF	opt
^BGP9XTCH	opt
^BGP9XTCN	opt
^BGP9XTCO	opt
^BGP9XTEL	opt
^BGP9XTEO	opt
^BGP9XTHE	opt
^BGP9XTV	opt
^BGPD	opt
^BGPDAREA	opt
^BGPDARP	opt
^BGPDFTA	opt
TAXCHK^BGPDT	opt
BANNER^BGPDU	opt
^BGPDUP	opt
CATSTR^BGPGR	BGP1GRA, BGP1GRB
EN^BKMSTIDS	BGP1D24
LIST^BSDAPI2	BGP1DPA, BGP1DPA9
^DIC	BGP1CL, BGP1CTL, BGP1DAP, BGP1DCL, BGP1DEL, BGP1DEMO, BGP1DGPU BGP1DHE, BGP1DHW, BGP1DL, BGP1DNE, BGP1DNG, BGP1DNG9, BGP1DNNGP BGP1DNNGS, BGP1DON, BGP1DPA, BGP1DPA9, BGP1DPAP, BGP1DPE BGP1DPP, BGP1DSTM, BGP1EOD, BGP1EOUT, BGP1ETL, BGP1EUTL BGP1GNXP, BGP1HUTL BGP1NPL, BGP1P3, BGP1POS, BGP1POS1, BGP1PUTL, BGP1UTL, BGP1XTL BGP7DNE1,  dd90241.0111,  dd90241.02 BGP1P3, BGP1POS
IX^DIC	BGP1CTL, BGP1DPA, BGP1DPA9, BGP1DPAP, BGP1ETL, BGP1GACW BGP1GAEL, BGP1GAE0, BGP1GAG9, BGP1GAGP, BGP1GAGS, BGP1GAHE BGP1GALL, BGP1GAON, BGP1GAPE, BGP1GAPU, BGP1GCMP, BGP1GCMS BGP1GCOM, BGP1GDON, BGP1GELD, BGP1GEO, BGP1GFO9, BGP1GFOR
FILE^DICN	

FILE^DICN	BGP1GGPU, BGP1GHED, BGP1GLHW BGP1GLST, BGP1GLTX, BGP1GMTX, BGP1GNPL, BGP1GNST, BGP1GNT9 BGP1GNTL, BGP1GNTP, BGP1GNTS, BGP1GNXP, BGP1GPED, BGP1GPP BGP1GRB, BGP1GUP1, BGP1GUPL, BGP1LHW, BGP1ULF, BGP1ULF1 BGP1XTL
^DIE	BGP1CTL, BGP1DEMO, BGP1DPA, BGP1DPA9, BGP1DPAP, BGP1DSTM BGP1ETL, BGP1GACW, BGP1GAEL, BGP1GAE0, BGP1GAG9, BGP1GAGP BGP1GAGS, BGP1GAHE, BGP1GALL, BGP1GAON, BGP1GAPE, BGP1GAPU BGP1GCMF, BGP1GCMS, BGP1GCOM, BGP1GDON, BGP1GELD, BGP1GEO BGP1GFO9, BGP1GFOR, BGP1GGPU BGP1GHED, BGP1GLHW, BGP1GLST, BGP1GLTX, BGP1GMTX, BGP1GNPL BGP1GNST, BGP1GNT9, BGP1GNTL, BGP1GNTP, BGP1GNTS, BGP1GNXP BGP1GPED, BGP1GPP, BGP1LHW, BGP1POS1, BGP1XTL
FILE^DIE UPDATE^DIE	BGP1GU BGP1GU
^DIK	BGP1DAP, BGP1DCL, BGP1DEL, BGP1DGPU, BGP1DHE, BGP1DHW, BGP1DL BGP1DNE, BGP1DNG, BGP1DNG9, BGP1DNGP, BGP1DNCS, BGP1DON BGP1DPE, BGP1DPP, BGP1DSTM, BGP1EOD, BGP1GU, BGP1GUA, BGP1GUP1 BGP1GUPL, BGP1NPL, BGP1P3, BGP1POS1, BGP1POS2, BGP1ULF BGP1ULF1, BGP7DNE1
IX1^DIK	BGP1DPA, BGP1DPA9, BGP1DPAP, BGP1DSTM, BGP1GUP1, BGP1GUPL BGP1POS1, BGP1ULF, BGP1ULF1
^DIM	dd90241.551101,  dd90377.02,  dd90545.01,  dd90545.02  dd90545.06,  dd90545.09,  dd90547.02,  dd90547.06  dd90547.08,  dd90547.09
\$\$GET1^DIQ ^DIR	BGP1DCHW, BGP1GU, BGP1GUA BGP1ASL, BGP1CL, BGP1CP, BGP1CPU, BGP1CSI, BGP1CSII, BGP1CTL BGP1CTS, BGP1CTXC, BGP1CU, BGP1DAP, BGP1DAR, BGP1DAR9 BGP1DARO, BGP1DCHA, BGP1DCL, BGP1DCLP, BGP1DEL, BGP1DELA BGP1DELP, BGP1DEMO, BGP1DESI, BGP1DESL, BGP1DGPA, BGP1DGPU BGP1DH, BGP1DH1, BGP1DHE BGP1DHEA, BGP1DHEP, BGP1DHSL, BGP1DHW, BGP1DICR, BGP1DL BGP1DLT, BGP1DMT, BGP1DNE, BGP1DNG, BGP1DNG9, BGP1DNGP BGP1DNCS, BGP1DON, BGP1DP, BGP1DPA, BGP1DPA9, BGP1DPAP BGP1DPAW, BGP1DPE, BGP1DPEA, BGP1DPEL, BGP1DPEP, BGP1DPH BGP1DPP, BGP1DPSI, BGP1DS, BGP1DSI BGP1DSL, BGP1DSTM, BGP1ELH, BGP1ELHH, BGP1ELS, BGP1ELSLS BGP1EOA, BGP1EOD, BGP1EOH, BGP1EOP, BGP1EOS, BGP1EOSI BGP1EOSL, BGP1ETL, BGP1HEH, BGP1HEHH, BGP1HES, BGP1HESL BGP1LSTF, BGP1NPL, BGP1NPLP, BGP1PDL, BGP1PES1, BGP1PESL BGP1ULF, BGP1UTL2, BGP1XTCH, BGP1XTCN BGP1XTCO, BGP1XTEL, BGP1XTEO, BGP1XTHE, BGP1XTL, BGP1XTS BGP1XTV, BGP7DNE1
^DIWP	BGP1DELP, BGP1DHEP, BGP1DP, BGP1DPAW, BGP1DPEL, BGP1DPEP BGP1DS, BGP1ELL, BGP1ELS, BGP1EOP, BGP1EOS, BGP1HES
\$\$CODEN^ICDCODE \$\$ICDDX^ICDCODE	BGP1D51, BGP1D61, BGP1DU, BGP1UTL1 BGP1ALG1, BGP1C11, BGP1C12, BGP1C13, BGP1C2X, BGP1C3X, BGP1CPU BGP1CPU2, BGP1CPU3, BGP1CPU4, BGP1CU, BGP1CU1, BGP1CU2 BGP1D23, BGP1D24, BGP1D3A, BGP1D41, BGP1D55, BGP1D5A, BGP1D6 BGP1D7, BGP1D71, BGP1D72, BGP1D722, BGP1D732, BGP1D74, BGP1D82 BGP1D83, BGP1D84
\$\$ICDDX^ICDCODE \$\$ICDOP^ICDCODE	BGP1D862, BGP1DPA2, BGP1DPE1, BGP1UTL1 BGP1C11, BGP1C2X, BGP1C3X, BGP1CU, BGP1CU1, BGP1CU3, BGP1D61 BGP1DHE2, BGP1UTL1
\$\$CODEN^ICPTCOD	BGP1C11, BGP1C12, BGP1C13, BGP1C3X, BGP1CON1, BGP1CP2, BGP1CP4 BGP1CU1, BGP1CU2, BGP1CU3, BGP1D2, BGP1D211, BGP1D21A, BGP1D22 BGP1D3A, BGP1D61, BGP1D71, BGP1D711, BGP1D72, BGP1D721 BGP1D73, BGP1D731, BGP1D732, BGP1D75, BGP1D8, BGP1D82 BGP1D861, BGP1D864 BGP1D9, BGP1DHE2, BGP1EL2
\$\$CPT^ICPTCOD	BGP1C11, BGP1C2X, BGP1C31, BGP1C3X, BGP1CPU2, BGP1CPU4, BGP1CU BGP1CU1, BGP1CU3, BGP1D22, BGP1D33, BGP1D34, BGP1D35, BGP1D36 BGP1D3A, BGP1D4, BGP1D85, BGP1D86, BGP1DHE1, BGP1DPA2, BGP1DU BGP1EL3, BGP1E01
EN^VALM	BGP1ASL, BGP1CSI, BGP1CSII, BGP1CTL, BGP1CTS, BGP1DEMO

TERM^VALMO	BGP1DESI, BGP1DESL, BGP1DHSL, BGP1DPSI, BGP1DSI, BGP1DSL BGP1EOSI, BGP1EOSL, BGP1ETL, BGP1PESI, BGP1PESL, BGP1XTL BGP1XTS, BGP1XTV, BGP1XTV1 BGP1ASL, BGP1CSI, BGP1CSII, BGP1CTL, BGP1CTS, BGP1DEMO BGP1DESI, BGP1DESL, BGP1DHSL, BGP1DHW, BGP1DNGP, BGP1DNGS BGP1DPA, BGP1DPA9, BGP1DPSI, BGP1DSI, BGP1DSL, BGP1EOSI BGP1EOSL, BGP1ETL, BGP1NPL, BGP1PESI, BGP1PESL, BGP1XTL BGP1XTS, BGP1XTV, BGP1XTV1
CLEAR^VALM1	BGP1ASL, BGP1CSI, BGP1CSII, BGP1CTL, BGP1CTS, BGP1DEMO BGP1DESI, BGP1DESL, BGP1DHSL, BGP1DPSI, BGP1DSI, BGP1DSL BGP1EOSI, BGP1EOSL, BGP1ETL, BGP1PESI, BGP1PESL, BGP1XTL BGP1XTS, BGP1XTV, BGP1XTV1
FULL^VALM1	BGP1ASL, BGP1CSI, BGP1CSII, BGP1CTL, BGP1CTS, BGP1DEMO BGP1DESI, BGP1DESL, BGP1DHSL, BGP1DPSI, BGP1DSI, BGP1DSL BGP1EOSI, BGP1EOSL, BGP1ETL, BGP1PESI, BGP1PESL, BGP1XTL BGP1XTS, BGP1XTV, BGP1XTV1
^XBDBQUE	BGP1CTXC, BGP1DAP, BGP1DAR, BGP1DAR9, BGP1DARO, BGP1DCL BGP1DEL, BGP1DELA, BGP1DGPA, BGP1DGPU, BGP1DHE, BGP1DHEA BGP1DHW, BGP1DL, BGP1DNG, BGP1DNG9, BGP1DNGP, BGP1DNGS BGP1DON, BGP1DPAP, BGP1DPE, BGP1DPEA, BGP1DPP, BGP1DSTM BGP1EOA, BGP1EOD, BGP1NPL, BGP1XTCN BGP1XTCO, BGP1XTEL, BGP1XTEO, BGP1XTHE
\$\$VAL^XBIDIQ1	BGP1ALG1, BGP1C11, BGP1C12, BGP1C13, BGP1C2X, BGP1C31, BGP1C3X BGP1CON1, BGP1CP, BGP1CP2, BGP1CP3, BGP1CP4, BGP1CPU, BGP1CPU2 BGP1CPU3, BGP1CPU4, BGP1CTL, BGP1CTS, BGP1CU, BGP1CU1, BGP1CU2 BGP1CU3, BGP1CU4, BGP1CU5, BGP1CU6, BGP1D24, BGP1D26, BGP1D36 BGP1D3A
\$\$VAL^XBIDIQ1	BGP1D5, BGP1D54, BGP1D55, BGP1D7, BGP1D72, BGP1D721, BGP1D722 BGP1D731, BGP1D732, BGP1D75, BGP1D8, BGP1D87, BGP1D88 BGP1DCHW, BGP1DEMO, BGP1DH1, BGP1DHE1, BGP1DICR, BGP1DPE2 BGP1DU, BGP1ELH, BGP1ELHH, BGP1EO1, BGP1ETL, BGP1HEH, BGP1HEHH BGP1PDLH, BGP1UTL2 BGP1XTV, BGP1XTV1
\$\$VALI^XBIDIQ1	BGP1C3X, BGP1CPU, BGP1CU3, BGP1D7, BGP1D711, BGP1DICR BGP1DPE2, BGP1EL4
^XBFBM	BGP1CL, BGP1CTL, BGP1DAP, BGP1DAR, BGP1DAR9, BGP1DARO BGP1DCHA, BGP1DCL, BGP1DEL, BGP1DELA, BGP1DEMO, BGP1DGPA BGP1DGPU, BGP1DHE, BGP1DHEA, BGP1DHW, BGP1DICR, BGP1DL BGP1DLT, BGP1DMT, BGP1DNE, BGP1DNG, BGP1DNG9, BGP1DNGP BGP1DNGS, BGP1DON, BGP1DPA, BGP1DPA9 BGP1DPAP, BGP1DPE, BGP1DPEA, BGP1DPP, BGP1DSTM, BGP1EOA BGP1EOD, BGP1EOUT, BGP1ETL, BGP1EUTL, BGP1GACW, BGP1GAEL BGP1GAE0, BGP1GAG9, BGP1GAGP, BGP1GAGS, BGP1GAHE, BGP1GALL BGP1GAON, BGP1GAPE, BGP1GAPU, BGP1GCMP, BGP1GCMS, BGP1GCOM BGP1GDON, BGP1GELD, BGP1GEO BGP1GFO9, BGP1GFOR, BGP1GGPU, BGP1GHED, BGP1GLHW, BGP1GLST BGP1GLTX, BGP1GMTX, BGP1GNPL, BGP1GNST, BGP1GNT9, BGP1GNTL BGP1GNTP, BGP1GNTS, BGP1GNXP, BGP1GPED, BGP1GPP, BGP1GRB BGP1GUP1, BGP1GUPL, BGP1HUTL, BGP1LHW, BGP1NPL, BGP1POS1 BGP1PUTL, BGP1ULF, BGP1ULF1 BGP1UTL, BGP1XTL, BGP1DNE1
\$\$EXTSET^XBFFUNC	BGP1CU1, BGP1D74, BGP1DPE2
^XBGSAVE	BGP1DNE, BGP1DPED, BGP1ELL, BGP1EOL, BGP1EOP, BGP1EOUT BGP1EUTL, BGP1HEL, BGP1HUTL, BGP1PDL, BGP1PUTL, BGP1UTL BGP1DNE1
^XBKVAR	BGP1GACW, BGP1GAEL, BGP1GAE0, BGP1GAG9, BGP1GAGP, BGP1GAGS BGP1GAHE, BGP1GALL, BGP1GAON, BGP1GAPE, BGP1GAPU, BGP1GCMP BGP1GCMS, BGP1GCOM, BGP1GDON, BGP1GELD, BGP1GEO, BGP1GFO9 BGP1GFOR, BGP1GGPU, BGP1GHED, BGP1GLHW, BGP1GLST, BGP1GLTX BGP1GMTX, BGP1GNPL BGP1GNST, BGP1GNT9, BGP1GNTL, BGP1GNTP, BGP1GNTS, BGP1GNXP BGP1GPED, BGP1GPP, BGP1GUPL, BGP1LHW
GUIR^XBLM	BGP1DPA, BGP1DPA9, BGP1DPAP, BGP1GAEL, BGP1GAE0, BGP1GAG9 BGP1GAGP, BGP1GAGS, BGP1GAHE, BGP1GALL, BGP1GAON, BGP1GAPE BGP1GAPU, BGP1GCMP, BGP1GCMS, BGP1GCOM, BGP1GDON, BGP1GELD

EN^XBVK	BGP1GEO, BGP1GFO9, BGP1GFOR, BGP1GGPU, BGP1GHED, BGP1GLHW BGP1GLTX, BGP1GMTX BGP1GNPL, BGP1GNST, BGP1GNT9, BGP1GNTL, BGP1GNTP, BGP1GNTS BGP1GNXP, BGP1GPED, BGP1GPP, BGP1GU, BGP1LHW BGP1CL, BGP1CTL, BGP1CTS, BGP1DAP, BGP1DAR, BGP1DAR9, BGP1DARO BGP1DCHA, BGP1DCL, BGP1DEL, BGP1DELA, BGP1DEMO, BGP1DGPA BGP1DGPU, BGP1DHE, BGP1DHEA, BGP1DHW, BGP1DICR, BGP1DL BGP1DLT, BGP1DMT, BGP1DNE, BGP1DNG, BGP1DNG9, BGP1DNGP BGP1DNGS, BGP1DON, BGP1DPA BGP1DPA9, BGP1DPAP, BGP1DPE, BGP1DPEA, BGP1DPP, BGP1DSTM BGP1EOA, BGP1EOD, BGP1ETL, BGP1GACW, BGP1GAEL, BGP1GAE0 BGP1GAG9, BGP1GAGP, BGP1GAGS, BGP1GAHE, BGP1GALL, BGP1GAON BGP1GAPE, BGP1GAPU, BGP1GCMP, BGP1GCMS, BGP1GCOM, BGP1GDON BGP1GELD, BGP1GEO, BGP1GGPU
EN^XBVK	BGP1GHED, BGP1GLHW, BGP1GLST, BGP1GNPL, BGP1GNST, BGP1GNT9 BGP1GNTL, BGP1GNTP, BGP1GNTS, BGP1GNXP, BGP1GPED, BGP1GPP BGP1GR, BGP1GR1, BGP1GR2, BGP1GRA, BGP1GRB, BGP1GU, BGP1LHW BGP1LSTF, BGP1NPL, BGP1XTL, BGP1XTS, BGP1XTV, BGP1XTV1 BGP1DNE1, BGP1DNE2
\$\$DT^XLFTD	BGP1D36, BGP1GACW, BGP1GAEL, BGP1GAE0, BGP1GAG9, BGP1GAGP BGP1GAGS, BGP1GAHE, BGP1GALL, BGP1GAON, BGP1GAPE, BGP1GAPU BGP1GCMP, BGP1GCMS, BGP1GCOM, BGP1GDON, BGP1GELD, BGP1GEO BGP1GFO9, BGP1GFOR, BGP1GGPU, BGP1GHED, BGP1GLHW, BGP1GLST BGP1GLTX, BGP1GMTX BGP1GNPL, BGP1GNST, BGP1GNT9, BGP1GNTL, BGP1GNTP, BGP1GNTS BGP1GNXP, BGP1GPED, BGP1GPP, BGP1GUPL, BGP1LHW
\$\$FMADD^XLFTD	BGP1ALG1, BGP1ASL, BGP1BAN, BGP1C1, BGP1C11, BGP1C12, BGP1C13 BGP1C2, BGP1C2X, BGP1C3, BGP1C31, BGP1C3X, BGP1CON1, BGP1CP1 BGP1CP11, BGP1CP2, BGP1CP3, BGP1CP4, BGP1CP5, BGP1CP6, BGP1CU BGP1CU2, BGP1CU4, BGP1CU5, BGP1D1, BGP1D10, BGP1D21, BGP1D22 BGP1D23, BGP1D24 BGP1D25, BGP1D26, BGP1D3, BGP1D31, BGP1D37, BGP1D3A, BGP1D4 BGP1D41, BGP1D42, BGP1D5, BGP1D51, BGP1D52, BGP1D6, BGP1D61 BGP1D62, BGP1D63, BGP1D64, BGP1D7, BGP1D71, BGP1D711, BGP1D72 BGP1D721, BGP1D722, BGP1D729, BGP1D73, BGP1D731, BGP1D732 BGP1D74, BGP1D75 BGP1D8, BGP1D82, BGP1D83, BGP1D84, BGP1D86, BGP1D863, BGP1D87 BGP1D88, BGP1D89, BGP1D9, BGP1DAP, BGP1DARO, BGP1DCL, BGP1DCLP BGP1DEL, BGP1DELA, BGP1DGPA, BGP1DGPU, BGP1DHE, BGP1DHEA BGP1DL, BGP1DNE, BGP1DON, BGP1DPA, BGP1DPA1, BGP1DPA2 BGP1DPA9, BGP1DPAP BGP1DPE1, BGP1DPP, BGP1DSTM, BGP1DU, BGP1EL3, BGP1EO1 BGP1EO11, BGP1EOA, BGP1EOD, BGP1GAEL, BGP1GAE0, BGP1GAHE BGP1GALL, BGP1GAON, BGP1GAPU, BGP1GCMP, BGP1GCOM, BGP1GDON BGP1GELD, BGP1GEO, BGP1GGPU, BGP1GHED, BGP1GNPL, BGP1GNST BGP1GPP, BGP1NPL, BGP1NPLP
\$\$FMDIFF^XLFTD	BGP1REF1, BGP1UTL, BGP1UTL1, BGP1BAN, BGP1DNE1 BGP1CPU4, BGP1D1, BGP1D10, BGP1D32, BGP1D33, BGP1D34, BGP1D35 BGP1D36, BGP1D52, BGP1D7, BGP1D72, BGP1D721, BGP1D722 BGP1D731, BGP1D732, BGP1D74, BGP1D75, BGP1D82, BGP1D83 BGP1D84, BGP1D85, BGP1D861, BGP1D863, BGP1D9, BGP1DPA BGP1DPA2, BGP1EO1, BGP1GU
\$\$FMTE^XLFTD	BGP1ALG1, BGP1C11, BGP1C12, BGP1C13, BGP1C2X, BGP1C31, BGP1C3X BGP1CL, BGP1CON1, BGP1CP, BGP1CU, BGP1CU1, BGP1CU2, BGP1CU3 BGP1CU4, BGP1CU6, BGP1D1, BGP1D10, BGP1D2, BGP1D21, BGP1D211 BGP1D21A, BGP1D22, BGP1D23, BGP1D24, BGP1D25, BGP1D3, BGP1D31 BGP1D36, BGP1D37 BGP1D3A, BGP1D4, BGP1D41, BGP1D5, BGP1D51, BGP1D52, BGP1D54 BGP1D55, BGP1D5A, BGP1D6, BGP1D61, BGP1D62, BGP1D63, BGP1D64 BGP1D7, BGP1D71, BGP1D711, BGP1D72, BGP1D721, BGP1D722 BGP1D729, BGP1D731, BGP1D732, BGP1D74, BGP1D75, BGP1D8 BGP1D81, BGP1D87, BGP1D88
\$\$FMTE^XLFTD	BGP1D89, BGP1D9, BGP1DAP, BGP1DAR, BGP1DAR9, BGP1DARO BGP1DCHA, BGP1DCHW, BGP1DCL, BGP1DCLD, BGP1DCLP, BGP1DEL BGP1DELA, BGP1DGPA, BGP1DGPU, BGP1DH, BGP1DH1, BGP1DHE

```

BGP1DHE1, BGP1DHE2, BGP1DHEA, BGP1DHW, BGP1DICR, BGP1DL
BGP1DLT, BGP1DMT, BGP1DNE, BGP1DNG
BGP1DNG9, BGP1DNGP, BGP1DNGS, BGP1DON, BGP1DPA, BGP1DPA2
BGP1DPA4, BGP1DPA9, BGP1DPAP, BGP1DPAW, BGP1DPE, BGP1DPE1
BGP1DPE2, BGP1DPEA, BGP1DPEL, BGP1DPEP, BGP1DPH, BGP1DPP
BGP1DS, BGP1DSTM, BGP1DU, BGP1EL2, BGP1EL3, BGP1EL4, BGP1ELH
BGP1ELHH, BGP1ELL, BGP1ELS
BGP1ELSL, BGP1EO1, BGP1EO11, BGP1EOA, BGP1EOD, BGP1EOH
BGP1EOL, BGP1EOP, BGP1EOS, BGP1GU, BGP1GUA, BGP1HEH, BGP1HEHH
BGP1HEL, BGP1HES, BGP1HESL, BGP1NPL, BGP1NPLD, BGP1NPLP
BGP1PDL, BGP1PDLH, BGP1PDLs, BGP7DNE1
BGP1DAR, BGP1DAR9, BGP1DARO, BGP1DCHA, BGP1DHW, BGP1DNE
BGP1DNG, BGP1DPA, BGP1DPA9, BGP1DPAP, BGP1EOA, BGP1GACW
BGP1GAEL, BGP1GAEO, BGP1GAG9, BGP1GAGP, BGP1GAGS, BGP1GAHE
BGP1GALL, BGP1GAON, BGP1GAPE, BGP1GAPU, BGP1GCM, BGP1GCMs
BGP1GCOM, BGP1GDON, BGP1GELD
BGP1GEO, BGP1GFO9, BGP1GFOR, BGP1GGPU, BGP1GHED, BGP1GLHW
BGP1GLST, BGP1GLTX, BGP1GMTX, BGP1GNPL, BGP1GNST, BGP1GNT9
BGP1GNTL, BGP1GNTP, BGP1GNTS, BGP1GNXP, BGP1GPED, BGP1GPP
BGP1GRB, BGP1LHW, BGP7DNE1
BGP1CPU4, BGP1D74
BGP1DP, BGP1P3, BGP1POS
BGP1DICR, BGP1DLT, BGP1DMT
BGP1D23, BGP1DCHW, BGP1DHE1, BGP1DP1C, BGP1DP1D, BGP1DPED
BGP1DPEP, BGP1EL2, BGP1ELL1, BGP1ELLN, BGP1ELP1, BGP1EO1
BGP1EOP1, BGP1HEL1, BGP1HEP1, BGP1PDL3, |dd90547.09
BGP1ALG1, BGP1C11, BGP1C12, BGP1C13, BGP1C2X, BGP1C3X, BGP1CPU
BGP1CPU2, BGP1CPU3, BGP1CPU4, BGP1CU, BGP1CU1, BGP1CU2, BGP1D2
BGP1D22, BGP1D51, BGP1D711, BGP1D72, BGP1D721, BGP1D722
BGP1D731, BGP1D732, BGP1D74, BGP1D75, BGP1D8, BGP1D81, BGP1D82
BGP1D83, BGP1D84
BGP1D863, BGP1DARO, BGP1DHE1, BGP1DON, BGP1DU, BGP1EL4
BGP1EO1, BGP1EO11, BGP1EOA, BGP1EOD, BGP1POS1, BGP1ULF
|dd90545.01, |dd90547.06
BGP1P3
BGP1P3, BGP1POS
BGP1ASL, BGP1CSI, BGP1CSII, BGP1CTL, BGP1CTS, BGP1DEMO
BGP1DESI, BGP1DESL, BGP1DHSL, BGP1DPSI, BGP1DSI, BGP1DSL
BGP1EOSI, BGP1EOSL, BGP1ETL, BGP1PESI, BGP1PESL, BGP1XTL
BGP1XTS, BGP1XTV, BGP1XTV1
BGP1DPE1, BGP1EOUT, BGP1EUTL, BGP1HUTL, BGP1PUTL, BGP1UTL
BGP0PUTL, BGP0UTL
***** END *****

```

## 6.2 Callable Routines

Published entry points for use by iCARE:

Routine: BGP1D10

BQI(DFN,BQIGREF);PEP-iCare EP

- Description
  - Entry point called by the iCare module, returns GPRA data by global reference
  - DFN = Patient internal entry number
    - BQIGREF = Global reference to store data

## 6.3 Published Entry Points

**Note:** There are no Published Entry Points for this application.

## 6.4 Exported Options

**Table 6-1. Exported BGP Options**

<b>Option Name</b>	<b>Description</b>
BGP 02 MENU	GPRA+ FY02
BGP 03 AREA AREA	Run AREA Annual Clinical Report (Area Only)
BGP 03 AREA GPRA	Run AREA GPRA Report (to be used at Area only)
BGP 03 AREA MENU	Area Options
BGP 03 EDIT SITE PARAMETERS	Site Parameters
BGP 03 MAIN MENU	GPRA+ FY03
BGP 03 MENU REPORTS	Reports
BGP 03 MENU SETUP	System Setup
BGP 03 RPT AREA PERF	Run Area Annual Performance Report for Area Export
BGP 03 RPT GPRA AREA EXPT	Run GPRA Report for Area Export
BGP 03 RPT LOCAL USE	Run Indicator Reports for Local Use
BGP 03 TAXONOMY CHECK	Check for Taxonomies Required by the GPRA Report
BGP 03 TAXONOMY SETUP	Taxonomy Setup
BGP 03 UPLOAD TO AREA	Upload Report Files from Site
BGP 04 AREA AREA	Run AREA Area Director Report (Area Only)
BGP 04 AREA DIR REPORT	Area Director's Performance Report
BGP 04 AREA GPRA	Run AREA GPRA Report
BGP 04 AREA HEDIS	Run Area HEDIS Report
BGP 04 AREA MENU	Area Office Options
BGP 04 HEDIS AREA REPORT	Run AREA HEDIS Report
BGP 04 HEDIS REPORT	HEDIS Performance Report
BGP 04 LIST FILES	List files in a directory
BGP 04 MAIN MENU	GPRA+ FY04
BGP 04 REPORT GPRA	GPRA Performance Report
BGP 04 REPORTS MENU	Reports
BGP 04 SEL ALL PATS	Selected Indicators with No Community Defined
BGP 04 SEL PATIENT PANEL	Selected Indicators w/Patient Panel Population
BGP 04 SELECTED IND REPORT	Selected Indicators w/Community Taxonomy Defined
BGP 04 SITE PARAMETERS	Site Parameters
BGP 04 SYSTEM SETUP	System Setup
BGP 04 TAXONOMY CHECK	Check for Taxonomies Required by FY 04 GPRA Report

Option Name	Description
BGP 04 TAXONOMY SETUP	Taxonomy Setup
BGP 04 UPLOAD FILES	Upload Report Files from Site
BGP 05 AREA ELDER REPORT	Run AREA Elder Care Report
BGP 05 AREA GPRA	Run AREA National GPRA Report
BGP 05 AREA GPU	Run AREA GPRA Performance Report
BGP 05 AREA HEDIS	Run Area HEDIS Report
BGP 05 AREA MENU	Area Options
BGP 05 CMS PERF RPT	CMS Performance Report
BGP 05 CMS PERF RPT MENU	CMS Performance Report
BGP 05 CMS TAXONOMY CHECK	Taxonomy Check-CMS Report
BGP 05 CMS TAXONOMY SETUP	Taxonomy Setup-CMS Report
BGP 05 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports
BGP 05 ELDER REPORT	Elder Care Report
BGP 05 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report
BGP 05 GPU GPRA PERFORMANCE	GPRA Performance Report
BGP 05 HEDIS AREA REPORT	Run AREA HEDIS Report
BGP 05 HEDIS REPORT	HEDIS Performance Report
BGP 05 HEDIS TAXONOMY CHECK	Taxonomy Check-HEDIS Report
BGP 05 HOSPITAL REPORTS	Hospital Reports
BGP 05 LIST FILES	List files in a directory
BGP 05 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Indicators
BGP 05 LOCAL TAXONOMY CHECK	Taxonomy Check-Local CRS Reports
BGP 05 MAIN MENU	CRS 2005
BGP 05 MENU NATIONAL	National GPRA Reports
BGP 05 NATIONAL GPRA REPORT	National GPRA Report
BGP 05 NATIONAL PAT LISTS	National GPRA Report Patient List
BGP 05 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts
BGP 05 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts
BGP 05 OTHER CMS REPORTS	Other CMS Reports
BGP 05 OTHER NTL RPTS MENU	Other National Reports
BGP 05 REPORTS MENU	Reports
BGP 05 SEL ALL PATS	Selected Indicators w/All Communities
BGP 05 SEL PATIENT PANEL	Selected Indicators w/Patient Panel Population
BGP 05 SELECTED IND REPORT	Selected Indicators w/Community Specified
BGP 05 SITE PARAMETERS	Site Parameters
BGP 05 SYSTEM SETUP	System Setup
BGP 05 TAXONOMY CHECK	Taxonomy Check
BGP 05 TAXONOMY SETUP	Taxonomy Setup
BGP 05 UPLOAD FILES	Upload Report Files from Site
BGP 05 VIEW ANY TAXONOMY	View All CRS Taxonomies (Site-Defined&Hard Coded)
BGP 06 AREA CHILDHOOD WT/HT	Run AREA Height and Weight Data File
BGP 06 AREA ELDER REPORT	Run AREA Elder Care Report



<b>Option Name</b>	<b>Description</b>
BGP 06 AREA GPRA	Run AREA National GPRA Report
BGP 06 AREA GPU	Run AREA GPRA Performance Report
BGP 06 AREA HEDIS	Run Area HEDIS Report
BGP 06 AREA MENU	Area Options
BGP 06 CMS PERF RPT	CMS Performance Report
BGP 06 CMS TAXONOMY CHECK	Taxonomy Check-CMS Report
BGP 06 CMS TAXONOMY SETUP	Taxonomy Setup-CMS Report
BGP 06 COMPREHENSIVE PAT LIST	Comprehensive National GPRA Patient List
BGP 06 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports
BGP 06 ELDER REPORT	Elder Care Report
BGP 06 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report
BGP 06 GPU GPRA PERFORMANCE	GPRA Performance Report
BGP 06 HEDIS AREA REPORT	Run AREA HEDIS Report
BGP 06 HEDIS REPORT	HEDIS Performance Report
BGP 06 HEDIS TAXONOMY CHECK	Taxonomy Check-HEDIS Report
BGP 06 HOSPITAL REPORTS	Hospital Reports
BGP 06 LAB TAX REPORT	Lab Taxonomy Report
BGP 06 LIST FILES	List files in a directory
BGP 06 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures
BGP 06 LOCAL TAXONOMY CHECK	Taxonomy Check-Local CRS Reports
BGP 06 MAIN MENU	CRS 2006
BGP 06 MED TAX REPORT	Medication Taxonomy Report
BGP 06 MENU NATIONAL	National GPRA Reports
BGP 06 NATIONAL GPRA REPORT	National GPRA Report
BGP 06 NATIONAL PAT LISTS	National GPRA Report Patient List
BGP 06 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts
BGP 06 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts
BGP 06 NPL SEARCH TEMPLATE	Create Search Template for National Patient List
BGP 06 OTHER CMS REPORTS	Other CMS Reports
BGP 06 OTHER NTL RPTS MENU	Other National Reports
BGP 06 REPORTS MENU	Reports
BGP 06 SEL ALL PATS	Selected Measures w/All Communities
BGP 06 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population
BGP 06 SELECTED IND REPORT	Selected Measures w/Community Specified
BGP 06 SITE PARAMETERS	Site Parameters
BGP 06 SYSTEM SETUP	System Setup
BGP 06 TAXONOMY CHECK	Taxonomy Check
BGP 06 TAXONOMY REPORTS	Taxonomy Reports
BGP 06 TAXONOMY SETUP	Taxonomy Setup
BGP 06 UPLOAD FILES	Upload Report Files from Site
BGP 06 VIEW ANY TAXONOMY	View All CRS Taxonomies
BGP 07 AREA AGP GPRA YR 2008	Run Area National GPRA Report for GPRA

Option Name	Description
	Year 2008
BGP 07 AREA AGP GPRA YR 2009	Run Area National GPRA Report for GPRA Year 2009
BGP 07 AREA CHILDHOOD WT/HT	Run AREA Height and Weight Data File
BGP 07 AREA COMP EXPORT	Run Area Comprehensive National GPRA Export
BGP 07 AREA ELDER REPORT	Run AREA Elder Care Report
BGP 07 AREA GPRA	Run AREA National GPRA Report
BGP 07 AREA GPU	Run AREA GPRA Performance Report
BGP 07 AREA HEDIS	Run Area HEDIS Report
BGP 07 AREA MENU	Area Options
BGP 07 AREA PAT ED RPT	Run AREA Patient Education Report
BGP 07 CMS PERF RPT	CMS Performance Report
BGP 07 CMS TAXONOMY CHECK	Taxonomy Check-CMS Report
BGP 07 CMS TAXONOMY SETUP	Taxonomy Setup-CMS Report
BGP 07 COMP NATL EXPORT	Comprehensive National GPRA Export
BGP 07 COMPREHENSIVE PAT LIST	Comprehensive National GPRA Patient List
BGP 07 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports
BGP 07 ELDER REPORT	Elder Care Report
BGP 07 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report
BGP 07 GPU GPRA PERFORMANCE	GPRA Performance Report
BGP 07 HEDIS AREA REPORT	Run AREA HEDIS Report
BGP 07 HEDIS REPORT	HEDIS Performance Report
BGP 07 HEDIS TAXONOMY CHECK	Taxonomy Check-HEDIS Report
BGP 07 HOSPITAL REPORTS	Hospital Reports
BGP 07 LAB TAX REPORT	Lab Taxonomy Report
BGP 07 LIST FILES	List files in a directory
BGP 07 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures
BGP 07 LOCAL TAXONOMY CHECK	Taxonomy Check-Local CRS Reports
BGP 07 MAIN MENU	CRS 2007
BGP 07 MED TAX REPORT	Medication Taxonomy Report
BGP 07 MENU NATIONAL	National GPRA Reports
BGP 07 NATIONAL GPRA REPORT	National GPRA Report
BGP 07 NATIONAL PAT LISTS	National GPRA Report Patient List
BGP 07 NGR FOR GPRA YR 2008	National GPRA Report for GPRA Year 2008
BGP 07 NGR FOR GPRA YR 2009	National GPRA Report for GPRA Year 2009
BGP 07 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts
BGP 07 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts
BGP 07 NPL SEARCH TEMPLATE	Create Search Template for National Patient List
BGP 07 OTHER CMS REPORTS	Other CMS Reports
BGP 07 OTHER NTL RPTS MENU	Other National Reports
BGP 07 PAT ED REPORT	Patient Education Report

Option Name	Description
BGP 07 REPORTS MENU	Reports
BGP 07 SEL ALL PATS	Selected Measures w/All Communities
BGP 07 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population
BGP 07 SELECTED IND REPORT	Selected Measures w/Community Specified
BGP 07 SITE PARAMETERS	Site Parameters
BGP 07 SYSTEM SETUP	System Setup
BGP 07 TAXONOMY CHECK	Taxonomy Check
BGP 07 TAXONOMY REPORTS	Taxonomy Reports
BGP 07 TAXONOMY SETUP	Taxonomy Setup
BGP 07 UPLOAD FILES	Upload Report Files from Site
BGP 07 VIEW ANY TAXONOMY	View All CRS Taxonomies
BGP 07 XP FOR 2008	Comprehensive National GPRA Export for 2007-2008
BGP 07 XP FOR 2009	Comprehensive National GPRA Export for 2009
BGP 07 XP FOR 2010	Comprehensive National GPRA Export for 2010
BGP 07 XP FOR 2011	Comprehensive National GPRA Export for 2011
BGP 08 AREA CHILDHOOD WT/HT	Run AREA Height and Weight Data File
BGP 08 AREA ELDER REPORT	Run AREA Elder Care Report
BGP 08 AREA EO REPORT	Run AREA EO Quality Transparency Measures Report
BGP 08 AREA GPRA	Run AREA National GPRA Report
BGP 08 AREA GPU	Run AREA GPRA Performance Report
BGP 08 AREA HEDIS	Run Area HEDIS Report
BGP 08 AREA MENU	Area Options
BGP 08 AREA NGR FOR 09	Run 2010 AREA National GPRA Report
BGP 08 AREA ONM	Run AREA Other National Measures Report
BGP 08 AREA PAT ED RPT	Run AREA Patient Education Report
BGP 08 CMS PERF RPT	CMS Performance Report
BGP 08 CMS TAXONOMY CHECK	Taxonomy Check-CMS Report
BGP 08 CMS TAXONOMY SETUP	Taxonomy Setup-CMS Report
BGP 08 COMP NATL EXPORT	Comprehensive National GPRA Export
BGP 08 COMPREHENSIVE PAT LIST	Comprehensive National GPRA Patient List
BGP 08 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports
BGP 08 ELDER REPORT	Elder Care Report
BGP 08 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report
BGP 08 EO REPORT	Executive Order Quality Transparency Measures Rpt
BGP 08 EO TAXONOMY CHECK	Taxonomy Check-EO Quality Transparency Measures
BGP 08 EO TAXONOMY SETUP	Taxonomy Setup-EO Quality Transparency Measures
BGP 08 FORECAST FOR 09	2010 GPRA Measure Forecast Patient List
BGP 08 GPU GPRA PERFORMANCE	GPRA Performance Report
BGP 08 HEDIS AREA REPORT	Run AREA HEDIS Report
BGP 08 HEDIS REPORT	HEDIS Performance Report

Option Name	Description
BGP 08 HEDIS TAXONOMY CHECK	Taxonomy Check-HEDIS Report
BGP 08 HOSPITAL REPORTS	Hospital Reports
BGP 08 LAB TAX CMS	Lab Taxonomies-CMS Report
BGP 08 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports
BGP 08 LAB TAX ELDER	Lab Taxonomies-Elder Care Report
BGP 08 LAB TAX EO	Lab Taxonomies-EO Quality Transparency Measures
BGP 08 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report
BGP 08 LAB TAX HEDIS	Lab Taxonomies-HEDIS Report
BGP 08 LAB TAX ONM	Lab Taxonomies-Other National Measures Report
BGP 08 LAB TAX REPORT MENU	Lab Taxonomy Report
BGP 08 LIST FILES	List files in a directory
BGP 08 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures
BGP 08 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports
BGP 08 MAIN MENU	CRS 2008
BGP 08 MEASURES FORECAST CP	GPRA Measure Forecast Denominator Definitions
BGP 08 MED TAX CMS	Medication Taxonomies-CMS Report
BGP 08 MED TAX CRS	Medication Taxonomies-Selected Measures Reports
BGP 08 MED TAX ELDER	Medication Taxonomies-Elder Care Report
BGP 08 MED TAX EO	Med Taxonomies-EO Quality Transparency Measures
BGP 08 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report
BGP 08 MED TAX HEDIS	Medication Taxonomies-HEDIS Report
BGP 08 MED TAX ONM	Med Taxonomies-Other National Measures Report
BGP 08 MED TAX REPORT MENU	Medication Taxonomy Report
BGP 08 MENU NATIONAL	National GPRA Reports
BGP 08 NATIONAL GPRA FOR 09	2010 National GPRA Report
BGP 08 NATIONAL GPRA REPORT	National GPRA Report
BGP 08 NATIONAL PAT LISTS	National GPRA Report Patient List
BGP 08 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts
BGP 08 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts
BGP 08 NPL SEARCH TEMPLATE	Create Search Template for National Patient List
BGP 08 OTHER CMS REPORTS	Other CMS Reports
BGP 08 OTHER NATIONAL LISTS	Other National Measures Report Patient List
BGP 08 OTHER NATIONAL MEAS RPT	Other National Measures Report
BGP 08 OTHER NTL RPTS MENU	Other National Reports
BGP 08 PAT ED REPORT	Patient Education Report

<b>Option Name</b>	<b>Description</b>
BGP 08 PTS W SCHED APPT	GPRA Measure Forecast Patient List
BGP 08 PTS W/GPRA DATA	Selected Patients with GPRA measure Data
BGP 08 REPORTS MENU	Reports
BGP 08 SEL ALL PATS	Selected Measures w/All Communities
BGP 08 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population
BGP 08 SELECTED IND REPORT	Selected Measures w/Community Specified
BGP 08 SITE PARAMETERS	Site Parameters
BGP 08 SYSTEM SETUP	System Setup
BGP 08 TAX CHK ONM	Taxonomy Check-Other National Measures Report
BGP 08 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report
BGP 08 TAXONOMY CHECK	Taxonomy Check
BGP 08 TAXONOMY REPORTS	Taxonomy Reports
BGP 08 TAXONOMY SETUP	Taxonomy Setup
BGP 08 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template
BGP 08 UPLOAD FILES	Upload Report Files from Site
BGP 08 VIEW ANY TAXONOMY	View All CRS Taxonomies
BGP 09 AREA CHILDHOOD WT/HT	AREA Height and Weight Data File
BGP 09 AREA ELDER REPORT	AREA Elder Care Report
BGP 09 AREA EO REPORT	AREA EO Quality Transparency Measures Report
BGP 09 AREA GP SUM ONLY	AREA National GPRA & PART Report Perf Summaries
BGP 09 AREA GPRA	AREA National GPRA & PART Report
BGP 09 AREA GPU	AREA GPRA & PART Performance Report
BGP 09 AREA HEDIS	Area HEDIS Report
BGP 09 AREA MENU	Area Options
BGP 09 AREA NGR FOR 2010	2010 AREA National GPRA & PART Report
BGP 09 AREA ONM	AREA Other National Measures Report
BGP 09 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified
BGP 09 CMS PERF RPT	CMS Performance Report
BGP 09 CMS TAXONOMY CHECK	Taxonomy Check-CMS Report
BGP 09 CMS TAXONOMY SETUP	Taxonomy Setup-CMS Report
BGP 09 COMP NATL EXPORT	Comprehensive National GPRA Export
BGP 09 COMPREHENSIVE PAT LIST	Comprehensive National GPRA & PART Patient List
BGP 09 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports
BGP 09 DISPLAY ICARE ITEMS	Display iCare Data Items
BGP 09 ELDER REPORT	Elder Care Report
BGP 09 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report
BGP 09 EO REPORT	Executive Order Quality Transparency Measures Rpt
BGP 09 EO TAXONOMY CHECK	Taxonomy Check-EO Quality Transparency

Option Name	Description
	Measures
BGP 09 EO TAXONOMY SETUP	Taxonomy Setup-EO Quality Transparency Measures
BGP 09 FORECAST FOR 2010	2010 GPRA & PART Forecast Patient List
BGP 09 GPU GPRA PERFORMANCE	GPRA & PART Performance Report
BGP 09 HEDIS AREA REPORT	Run AREA HEDIS Report
BGP 09 HEDIS REPORT	HEDIS Performance Report
BGP 09 HEDIS TAXONOMY CHECK	Taxonomy Check-HEDIS Report
BGP 09 HOSPITAL REPORTS	Hospital Reports
BGP 09 LAB TAX CMS	Lab Taxonomies-CMS Report
BGP 09 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports
BGP 09 LAB TAX ELDER	Lab Taxonomies-Elder Care Report
BGP 09 LAB TAX EO	Lab Taxonomies-EO Quality Transparency Measures
BGP 09 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report
BGP 09 LAB TAX HEDIS	Lab Taxonomies-HEDIS Report
BGP 09 LAB TAX ONM	Lab Taxonomies-Other National Measures Report
BGP 09 LAB TAX REPORT MENU	Lab Taxonomy Report
BGP 09 LIST FILES	List files in a directory
BGP 09 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures
BGP 09 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports
BGP 09 MAIN MENU	CRS 2009
BGP 09 MEASURES FORECAST CP	GPRA & PART Forecast Denominator Definitions
BGP 09 MED TAX CMS	Med Taxonomies-CMS Report
BGP 09 MED TAX CRS	Med Taxonomies-Selected Measures Reports
BGP 09 MED TAX ELDER	Med Taxonomies-Elder Care Report
BGP 09 MED TAX EO	Med Taxonomies-EO Quality Transparency Measures
BGP 09 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report
BGP 09 MED TAX HEDIS	Med Taxonomies-HEDIS Report
BGP 09 MED TAX ONM	Med Taxonomies-Other National Measures Report
BGP 09 MED TAX REPORT MENU	Medication Taxonomy Report
BGP 09 MENU NATIONAL	National GPRA & PART Reports
BGP 09 NATIONAL GPRA FOR 2010	2010 National GPRA & PART Report
BGP 09 NATIONAL GPRA REPORT	National GPRA & PART Report
BGP 09 NATIONAL GPRA SUM ONLY	National GPRA & PART Clinical Perf Summaries
BGP 09 NATIONAL PAT LISTS	National GPRA & PART Patient List
BGP 09 NATL GPRA DESG PROV	National GPRA & PART Report by Designated Provider
BGP 09 NATL HT WT LOCAL	National GPRA Height and Weight Local Data

Option Name	Description
	File
BGP 09 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts
BGP 09 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts
BGP 09 NPL SEARCH TEMPLATE	Create Search Template for National Patient List
BGP 09 OTHER CMS REPORTS	Other CMS Reports
BGP 09 OTHER NATIONAL LISTS	Other National Measures Report Patient List
BGP 09 OTHER NATIONAL MEAS RPT	Other National Measures Report
BGP 09 OTHER NTL RPTS MENU	Other National Reports
BGP 09 PAT ED REPORT	Patient Education w/Community Specified
BGP 09 PATIENT ED MENU	Patient Education Reports
BGP 09 PATIENT ED PP	Patient Education w/Patient Panel Population
BGP 09 PTS W SCHED APPT	GPRA & PART Forecast Patient List
BGP 09 PTS W/GPRA DATA	Selected Patients with GPRA measure Data
BGP 09 REPORTS MENU	Reports
BGP 09 SEL ALL PATS	Selected Measures w/All Communities
BGP 09 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population
BGP 09 SELECTED IND REPORT	Selected Measures w/Community Specified
BGP 09 SITE PARAMETERS	Site Parameters
BGP 09 SYSTEM SETUP	System Setup
BGP 09 TAX CHK ONM	Taxonomy Check-Other National Measures Report
BGP 09 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report
BGP 09 TAXONOMY CHECK	Taxonomy Check
BGP 09 TAXONOMY REPORTS	Taxonomy Reports
BGP 09 TAXONOMY SETUP	Taxonomy Setup
BGP 09 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template
BGP 09 UPLOAD FILES	Upload Report Files from Site
BGP 09 VIEW ANY TAXONOMY	View All CRS Taxonomies
BGP 10 AREA CHILDHOOD WT/HT	AREA Height and Weight Data File
BGP 10 AREA ELDER REPORT	AREA Elder Care Report
BGP 10 AREA EO REPORT	AREA EO Quality Transparency Measures Report
BGP 10 AREA GP SUM ONLY	AREA National GPRA & PART Report Perf Summaries
BGP 10 AREA GPRA	AREA National GPRA & PART Report-Includes GPRA Dev
BGP 10 AREA GPU	AREA GPRA & PART Performance Report
BGP 10 AREA HEDIS	Area HEDIS Report
BGP 10 AREA MENU	Area Options
BGP 10 AREA NGR FOR 2011	2011 AREA National GPRA & PART Report
BGP 10 AREA ONM	AREA Other National Measures Report

Option Name	Description
BGP 10 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified
BGP 10 CMS PERF RPT	CMS Performance Report
BGP 10 CMS TAXONOMY CHECK	Taxonomy Check-CMS Report
BGP 10 CMS TAXONOMY SETUP	Taxonomy Setup-CMS Report
BGP 10 COMP NATL EXPORT	Comprehensive National GPRA Export
BGP 10 COMPREHENSIVE PAT LIST	Comprehensive National GPRA & PART Patient List
BGP 10 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports
BGP 10 DISPLAY ICARE ITEMS	Display iCare Data Items
BGP 10 ELDER REPORT	Elder Care Report
BGP 10 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report
BGP 10 EO REPORT	Executive Order Quality Transparency Measures Rpt
BGP 10 EO TAXONOMY CHECK	Taxonomy Check-EO Quality Transparency Measures
BGP 10 EO TAXONOMY SETUP	Taxonomy Setup-EO Quality Transparency Measures
BGP 10 FORECAST FOR 2011	2011 GPRA & PART Forecast Patient List
BGP 10 GPU GPRA PERFORMANCE	GPRA & PART Performance Report
BGP 10 HEDIS AREA REPORT	Run AREA HEDIS Report
BGP 10 HEDIS REPORT	HEDIS Performance Report
BGP 10 HEDIS TAXONOMY CHECK	Taxonomy Check-HEDIS Report
BGP 10 HOSPITAL REPORTS	Hospital Reports
BGP 10 LAB TAX CMS	Lab Taxonomies-CMS Report
BGP 10 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports
BGP 10 LAB TAX ELDER	Lab Taxonomies-Elder Care Report
BGP 10 LAB TAX EO	Lab Taxonomies-EO Quality Transparency Measures
BGP 10 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report
BGP 10 LAB TAX HEDIS	Lab Taxonomies-HEDIS Report
BGP 10 LAB TAX ONM	Lab Taxonomies-Other National Measures Report
BGP 10 LAB TAX REPORT MENU	Lab Taxonomy Report
BGP 10 LIST FILES	List files in a directory
BGP 10 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures
BGP 10 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports
BGP 10 MAIN MENU	CRS 2010
BGP 10 MEASURES FORECAST CP	GPRA & PART Forecast Denominator Definitions
BGP 10 MED TAX CMS	Med Taxonomies-CMS Report
BGP 10 MED TAX CRS	Med Taxonomies-Selected Measures Reports
BGP 10 MED TAX ELDER	Med Taxonomies-Elder Care Report
BGP 10 MED TAX EO	Med Taxonomies-EO Quality Transparency Measures



Option Name	Description
BGP 10 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report
BGP 10 MED TAX HEDIS	Med Taxonomies-HEDIS Report
BGP 10 MED TAX ONM	Med Taxonomies-Other National Measures Report
BGP 10 MED TAX REPORT MENU	Medication Taxonomy Report
BGP 10 MENU NATIONAL	National GPRA & PART Reports
BGP 10 NATIONAL GPRA FOR 2011	2011 National GPRA & PART Report
BGP 10 NATIONAL GPRA REPORT	National GPRA & PART Report
BGP 10 NATIONAL GPRA SUM ONLY	National GPRA & PART Clinical Perf Summaries
BGP 10 NATIONAL PAT LISTS	National GPRA & PART Patient List
BGP 10 NATL GPRA DESG PROV	National GPRA & PART Report by Designated Provider
BGP 10 NATL HT WT LOCAL	National GPRA Height and Weight Local Data File
BGP 10 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts
BGP 10 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts
BGP 10 NPL SEARCH TEMPLATE	Create Search Template for National Patient List
BGP 10 OTHER CMS REPORTS	Other CMS Reports
BGP 10 OTHER NATIONAL LISTS	Other National Measures Report Patient List
BGP 10 OTHER NATIONAL MEAS RPT	Other National Measures Report
BGP 10 OTHER NTL RPTS MENU	Other National Reports
BGP 10 PAT ED REPORT	Patient Education w/Community Specified
BGP 10 PATIENT ED MENU	Patient Education Reports
BGP 10 PATIENT ED PP	Patient Education w/Patient Panel Population
BGP 10 PTS W SCHED APPT	GPRA & PART Forecast Patient List
BGP 10 PTS W/GPRA DATA	Selected Patients with GPRA measure Data
BGP 10 REPORTS MENU	Reports
BGP 10 SEL ALL PATS	Selected Measures w/All Communities
BGP 10 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population
BGP 10 SELECTED IND REPORT	Selected Measures w/Community Specified
BGP 10 SITE PARAMETERS	Site Parameters
BGP 10 SYSTEM SETUP	System Setup
BGP 10 TAX CHK ONM	Taxonomy Check-Other National Measures Report
BGP 10 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report
BGP 10 TAXONOMY CHECK	Taxonomy Check
BGP 10 TAXONOMY REPORTS	Taxonomy Reports
BGP 10 TAXONOMY SETUP	Taxonomy Setup
BGP 10 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template

Option Name	Description
BGP 10 UPLOAD FILES	Upload Report Files from Site
BGP 10 VIEW ANY TAXONOMY	View All CRS Taxonomies
BGP 11 AREA CHILDHOOD WT/HT	AREA Height and Weight Data File
BGP 11 AREA ELDER REPORT	AREA Elder Care Report
BGP 11 AREA EO REPORT	AREA EO Quality Transparency Measures Report
BGP 11 AREA GP SUM ONLY	AREA National GPRA & PART Report Perf Summaries
BGP 11 AREA GPRA	AREA National GPRA & PART Report-Includes GPRA Dev
BGP 11 AREA GPU	AREA GPRA & PART Performance Report
BGP 11 AREA MENU	Area Options
BGP 11 AREA NGR FOR 2012	2012 AREA National GPRA & PART Report
BGP 11 AREA ONM	AREA Other National Measures Report
BGP 11 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified
BGP 11 COMP NATL EXPORT	Comprehensive National GPRA Export
BGP 11 COMPREHENSIVE PAT LIST	Comprehensive National GPRA & PART Patient List
BGP 11 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports
BGP 11 ELDER REPORT	Elder Care Report
BGP 11 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report
BGP 11 EO REPORT	Executive Order Quality Transparency Measures Rpt
BGP 11 EO TAXONOMY CHECK	Taxonomy Check-EO Quality Transparency Measures
BGP 11 EO TAXONOMY SETUP	Taxonomy Setup-EO Quality Transparency Measures
BGP 11 FORECAST FOR 2012	2012 GPRA & PART Forecast Patient List
BGP 11 GPU GPRA PERFORMANCE	GPRA & PART Performance Report
BGP 11 HOSPITAL REPORTS	Hospital Reports
BGP 11 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports
BGP 11 LAB TAX ELDER	Lab Taxonomies-Elder Care Report
BGP 11 LAB TAX EO	Lab Taxonomies-EO Quality Transparency Measures
BGP 11 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report
BGP 11 LAB TAX ONM	Lab Taxonomies-Other National Measures Report
BGP 11 LAB TAX REPORT MENU	Lab Taxonomy Report
BGP 11 LIST FILES	List files in a directory
BGP 11 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures
BGP 11 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports
BGP 11 MAIN MENU	CRS 2011
BGP 11 MEASURES FORECAST CP	GPRA & PART Forecast Denominator Definitions

Option Name	Description
BGP 11 MED TAX CRS	Med Taxonomies-Selected Measures Reports
BGP 11 MED TAX ELDER	Med Taxonomies-Elder Care Report
BGP 11 MED TAX EO	Med Taxonomies-EO Quality Transparency Measures
BGP 11 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report
BGP 11 MED TAX ONM	Med Taxonomies-Other National Measures Report
BGP 11 MED TAX REPORT MENU	Medication Taxonomy Report
BGP 11 MENU NATIONAL	National GPRA & PART Reports
BGP 11 NATIONAL GPRA FOR 2012	2012 National GPRA & PART Report
BGP 11 NATIONAL GPRA REPORT	National GPRA & PART Report
BGP 11 NATIONAL GPRA SUM ONLY	National GPRA & PART Clinical Perf Summaries
BGP 11 NATIONAL PAT LISTS	National GPRA & PART Patient List
BGP 11 NATL GPRA DESG PROV	National GPRA & PART Report by Designated Provider
BGP 11 NATL HT WT LOCAL	National GPRA Height and Weight Local Data File
BGP 11 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts
BGP 11 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts
BGP 11 NPL SEARCH TEMPLATE	Create Search Template for National Patient List
BGP 11 OTHER NATIONAL LISTS	Other National Measures Report Patient List
BGP 11 OTHER NATIONAL MEAS RPT	Other National Measures Report
BGP 11 OTHER NTL RPTS MENU	Other National Reports
BGP 11 PAT ED REPORT	Patient Education w/Community Specified
BGP 11 PATIENT ED MENU	Patient Education Reports
BGP 11 PATIENT ED PP	Patient Education w/Patient Panel Population
BGP 11 PTS W SCHED APPT	GPRA & PART Forecast Patient List
BGP 11 PTS W/GPRA DATA	Selected Patients with GPRA measure Data
BGP 11 REPORTS MENU	Reports
BGP 11 SEL ALL PATS	Selected Measures w/All Communities
BGP 11 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population
BGP 11 SELECTED IND REPORT	Selected Measures w/Community Specified
BGP 11 SITE PARAMETERS	Site Parameters
BGP 11 SYSTEM SETUP	System Setup
BGP 11 TAX CHK ONM	Taxonomy Check-Other National Measures Report
BGP 11 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report
BGP 11 TAXONOMY CHECK	Taxonomy Check
BGP 11 TAXONOMY REPORTS	Taxonomy Reports
BGP 11 TAXONOMY SETUP	Taxonomy Setup

<b>Option Name</b>	<b>Description</b>
BGP 11 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template
BGP 11 UPLOAD FILES	Upload Report Files from Site
BGP 11 VIEW ANY TAXONOMY	View All CRS Taxonomies
BGP FAC TO AREA RPT PERIOD	Run Area Annual Report for Export to Area
BGP GPRA AREA REPORT	Run AREA GPRA Report (to be used at Area only)
BGP GPRA FAC TO AREA RPT	Run FY Report for Export to Area
BGP GPRA LOCAL REPORT	Run GPRA Report for Local Use
BGP GPRA UPLOAD FILE	Upload GPRA Data File from Site
BGP INDICATOR 32 TESTS	Enter/Edit Indicator 32 Lab Tests
BGP TAXONOMY CHECK	Check for Taxonomies Required by the GRPA Report
BGPGRPC	BGPG Application Context
BGPMENU	IHS Clinical Reporting System (CRS) Main Menu

## 7.0 Security Keys

Table 2-1 provides the BGP security keys and their descriptions.

## **8.0 Archiving and Purging**

There is no archiving and purging in this package.

## 9.0 Documentation Resources

This section describes a few methods to generate online technical documentation.

### 9.1 How to Generate Online Documentation

The file number range for this package is 90240, 90370, 90530–90539 and 90545–90599. The namespace is BGP. All templates, routines, screen forms, and so on begin with BGP.

This section describes some methods by which users can generate IHS RPMS CRS technical documentation. Online technical documentation pertaining to the IHS RPMS clinical reporting software, in addition to that which is located in the help prompts and on the help screens throughout the IHS RPMS Clinical Reporting package, can be generated through the use of several kernel options. These include, but are not limited to, the sections that follow.

### 9.2 System Documentation

Online VPS system documentation can be generated through the use of several kernel options, including, but not limited to:

- %INDEX
- Menu Management
- Inquire Option
- Print Option File
- VA FileMan
- Data Dictionary Utilities
- List File Attributes

For more option listings and further information about other utilities that supply online technical information, see the Decentralized Hospital Computer Program (DHCP) Kernel Reference manual.

### 9.2.1 %INDEX

The %INDEX option analyzes the structure of a routine to determine, in part, if the routine adheres to RPMS programming standards. The output can include the following components:

- Compiled list of errors and warnings
- Routine listings
- Local variables
- Global variables
- Naked globals
- Label references
- External references

Running %INDEX for a specified set of routines allows users to discover any deviations from RPMS programming standards that exist, and to see how routines interact with one another (i.e., which routines call or are called by other routines).

To run %INDEX for the IHS RPMS Clinical Reporting package, specify the BGP namespace at the “Routine(s)?>” prompt.

### 9.2.2 Inquire Option

The **Inquire** menu management option provides the following information about a specified option:

- Option name
- Menu text
- Option description
- Type of option
- Lock (if any)

In addition, all items on the menu are listed for each menu option. To secure information about IHS RPMS Clinical Reporting options, you must specify the BGP namespace.



### 9.2.3 Print Option File

**Note:** The Print Option File utility generates a listing of options from the Option file (#19). Print all entries, a single option, or range of options. For a list of IHS RPMS Clinical Reporting options, see Section 9.1.  
There are no Published Entry Points for this application.

### 9.2.4 List File Attributes

This VA FileMan option allows users to generate documentation pertaining to files and file structure. The standard format of this option provides the following data dictionary information for a specified file:

- File name and description
- Identifiers
- Cross-references
- Files pointed to by the file specified
- Files that point to the file specified
- Input, print, and sort templates

In addition, the following applicable data is supplied for each field in the file:

- Field name, number, title, and description
- Global location
- Help prompt
- Cross-references
- Input transform
- Date last edited
- Notes

Using the Global Map format of this option generates an output that lists the following information:

- All cross references for the file selected
- Global location of each field in the file
- Input, print, and sort templates

For a comprehensive listing of CLINICAL files, see Section 4.0

## 9.3 Online Help

In addition to system documentation, RPMS includes special help displays for most menu options and data entry prompts. Typing ? at the **Select Option** prompt displays information related to the current option, where:

Typing	Displays
A single question mark (?)	A list of all options accessible from the current option
Two question marks (??)	A list of all accessible options and their formal names
Three question marks (???)	A brief description for each option in a menu
A single question mark (?) followed by an option name (? <b>OPTION</b> )	Extended help, if available, for that option

## 10.0 SAC Requirements

This program uses a standard global for export of data to the Area Office. The global is called ^BGPDATA (and is killed at the root level in various routines).

The kill of these unsubscripted globals has been approved by the Standards and Conventions committee.

# Glossary

**Archiving**

The storage of historical or little-used data off-line (often on tape).

**Banner**

A line of text with a user's name and domain.

**Browser**

An interactive application that displays ASCII text on a terminal that supports a scroll region. The text can be in the form of a word-processing field or sequential local or global array. The user is allowed to navigate freely within the document.

**Callable Entry Points**

Places in a routine that can be called from an application program.

**Caret (^)**

A circumflex, also known as an "up-hat," used as a piece delimiter in a global. The caret is denoted as "^" and is typed by pressing SHIFT-6 on the keyboard.

**Cross Reference**

An indexing method whereby files can include presorted lists of entries as part of the stored database. Cross references (x-refs) facilitate look-up and reporting.

**Entry Point**

A point within a routine that is referenced by a "DO" or "GOTO" command from a routine internal to a package.

**File**

A set of related records or entries treated as a single unit.

**FileMan**

The database management system for RPMS.

**Global**

In MUMPS, global refers to a variable stored on disk (global variable) or the array to which the global variable may belong (global array).

**ICD**

International Classification of Diseases.

**INDEX (%INDEX)**

A kernel utility used to verify routines and other MUMPS code associated with a package. Checking is done according to current ANSI MUMPS standards and RPMS programming standards. This tool can be invoked through an option or from direct mode (>D ^%INDEX).

**IRM**

Information Resource Management. The IHS personnel responsible for information systems management and security.

**Kernel**

The set of MUMPS software utilities that function as an intermediary between the host operating system and application packages, such as Laboratory and Pharmacy. The kernel provides a standard and consistent user and programmer interface between application packages and the underlying MUMPS implementation. These utilities provide the foundation for RPMS.

**Menu**

A list of choices for computing activity. A menu is a type of option designed to identify a series of items (other options) for presentation to the user for selection. When displayed, menu-type options are preceded by the word "Select" and followed by the word "option," as in "Select Menu Management option:" (the menu's select prompt).

**Namespace**

A unique set of 2 to 4 alpha characters that are assigned by the database administrator to a software application.

**Option**

An entry in the Option file. As an item in a menu, an option provides an opportunity for users to select it, thereby invoking the associated computing activity. Options may also be scheduled to run in the background, noninteractively, by TaskMan.

**Patient Care Component (PCC)**

The central repository for data in the Resource and Patient Management System (RPMS).

**Queuing**

A request that a job be processed at a later time rather than within the current session.

**Routine**

A program or sequence of instructions called by a program that may have some general or frequent use. MUMPS routines are groups of program lines that are saved, loaded, and called as a single unit via a specific name.

**UCI**

User Class Identification. A computing area.

**Utility**

A callable routine line tag or function. A universal routine usable by anyone.

**Variable**

A character or group of characters that refers to a value. MUMPS recognizes three types of variables: local variables, global variables, and special variables. Local variables exist in a partition of the main memory and disappear at signoff. A global variable is stored on disk, potentially available to any user. Global variables usually exist as parts of global arrays.

## Contact Information

If you have any questions or comments regarding this distribution, please contact the OIT Help Desk (IHS).

**Phone:** (505) 248-4371 or (888) 830-7280 (toll free)

**Fax:** (505) 248-4363

**Web:** <http://www.ihs.gov/GeneralWeb/HelpCenter/Helpdesk/index.cfm>

**Email:** [support@ihs.gov](mailto:support@ihs.gov)