



RESOURCE AND PATIENT MANAGEMENT SYSTEM

IHS Clinical Reporting System

(BGP)

National GPRA/GPRAMA Report Performance Measure List and Definitions

Version 13.0 Patch 1
March 2013

Office of Information Technology
Division of Information Resource Management
Albuquerque, New Mexico

Table of Contents

1.0	CRS 2013 National GPRA/GPRAMA Report	1
1.1	Performance Measures	1
1.2	CRS Denominator Definitions.....	5
1.2.1	For All Denominators.....	5
1.2.2	Active Clinical Population	5
1.2.3	User Population	6
1.2.4	Active Clinical CHS Population.....	7
1.2.5	Active Clinical Behavioral Health Population	7
2.0	Performance Measure Topics and Definitions.....	9
2.1	Diabetes Group.....	9
2.1.1	Diabetes Prevalence	9
2.1.2	Diabetes: Glycemic Control	9
2.1.3	Diabetes: Blood Pressure Control	11
2.1.4	Diabetes: LDL Assessment	13
2.1.5	Diabetes: Nephropathy Assessment	14
2.1.6	Diabetic Retinopathy	16
2.2	Dental Group	18
2.2.1	Access to Dental Services	18
2.2.2	Dental Sealants	19
2.2.3	Topical Fluoride.....	21
2.3	Immunization Group	22
2.3.1	Influenza.....	22
2.3.2	Adult Immunizations	23
2.3.3	Childhood Immunizations	25
2.4	Cancer Screening Group.....	36
2.4.1	Cancer Screening: Pap Smear Rates.....	36
2.4.2	Cancer Screening: Mammogram Rates	37
2.4.3	Colorectal Cancer Screening.....	39
2.4.4	Tobacco Use and Exposure Assessment.....	41
2.4.5	Tobacco Cessation.....	43
2.5	Behavioral Health Group	46
2.5.1	Alcohol Screening (FAS Prevention)	46
2.5.2	Intimate Partner (Domestic) Violence Screening	48
2.5.3	Depression Screening	49
2.6	Cardiovascular Disease Related Group.....	50
2.6.1	Childhood Weight Control.....	50
2.6.2	Controlling High Blood Pressure – Million Hearts	52
2.6.3	Comprehensive CVD-Related Assessment.....	54
2.7	STD-Related Group.....	59

2.7.1	HIV Screening	59
2.8	Other Clinical Group	61
2.8.1	Breastfeeding Rates	61
Acronym List		64
Contact Information		66

1.0 CRS 2013 National GPRA/GPRAMA Report

1.1 Performance Measures

The following performance measures will be reported in the Clinical Reporting System (CRS) 2013 National Government Performance and Results Act of 1993 (GPRA)/GPRA Modernization Act (GPRAMA) Report.

Note: Beginning FY 2010, GPRA Developmental will no longer be included in this document and will instead have its own Performance Measure Topics and Definitions document.

Notations used in this document are described in Table 1-1.

Table 1-1: Document Notations

Notation	Location	Meaning
GPRA:	Preceding a measure	An official GPRA measure reported in the National GPRA Report submitted to Office of Management and Budget (OMB) and Congress in the annual IHS budget process.
GPRAMA:	Preceding a measure	An official GPRAMA measure reported in the National GPRA Report submitted to the Office of Management and Budget (OMB) and Congress, and included in the annual HHS Online Performance Appendix.
Plus Sign (+)	Preceding a measure	The measure is <i>not</i> an official GPRA measure but <i>is included</i> in the National GPRA Report provided to OMB and Congress to provide context to a GPRA measure(s).
Section Symbol (§)	Preceding a measure	The measure is <i>not</i> an official GPRA measure and <i>is not included</i> in the National GPRA Report provided to OMB and Congress. Included in this document to provide context to a GPRA measure(s).
Asterisk (*)	Anywhere in a code (CPT, POV, Edu.,etc.)	A 'wildcard' character indicating that the code given has one or more additional characters at this location.

DIABETES GROUP

- DIABETES PREVALENCE
 - +Diabetes Diagnosis Ever

- §Diabetes Diagnosis during GPRA Year
- **GLYCEMIC CONTROL**
 - +Documented Alc
 - Poor Glycemic Control
 - §A1c equal to or greater than (\geq) 7 and less than ($<$)8
 - GPRAMA: §Good Glycemic Control
 - Ideal Glycemic Control
- **BLOOD PRESSURE CONTROL**
 - §Blood Pressure (BP) Assessed
 - GPRA: Controlled BP (less than ($<$) 140/90)
- **LOW DENSITY LIPOPROTEIN (LDL) ASSESSMENT**
 - GPRA: LDL Assessed
 - §LDL less than or equal (\leq) to 100
- **NEPHROPATHY ASSESSMENT**
 - GPRA: Estimated Glomerular Filtration Rate (GFR) & Quantitative Urinary Protein or History of End Stage Renal Disease (ESRD)
- **RETINOPATHY ASSESSMENT**
 - GPRA: Retinopathy Evaluation (No Refusals)

DENTAL GROUP

- **ACCESS TO DENTAL**
 - GPRA: Annual Dental Visit (No Refusals)
- **DENTAL SEALANTS**
 - GPRA: Dental Sealants (rate)
 - §Dental Sealants (No Refusals; count; not rate)
- **TOPICAL FLUORIDE**
 - GPRA: Topical Fluoride (rate)
 - §Topical Fluoride Application (No Refusals; count; not rate)

IMMUNIZATIONS

- **INFLUENZA**
 - GPRA: Influenza Immunization
- **ADULT IMMUNIZATIONS**
 - GPRA: Pneumovax Ever

- **CHILDHOOD IMMUNIZATIONS (19 THROUGH 35 MONTHS)**
 - §Active Clinical Patients with 4:3:1:3*:3:1:4 (No Refusals)
 - GPRAMA: Active IMM Patients with 4:3:1:3*:3:1:4 (No Refusals)
 - §Four DTaP
 - §Three Polio
 - §One MMR
 - §Three or four HiB
 - §Three Hepatitis B
 - §One Varicella
 - §Four Pneumococcal

CANCER SCREENING

- **PAP SMEAR RATES**
 - GPRA: §Pap smear in past 4 years (No Refusals)
- **MAMMOGRAM RATES**
 - GPRA: Mammogram (No Refusals)
- **COLORECTAL CANCER SCREENING**
 - §Fecal Occult Blood Test (FOBT) or Fecal Immunochemical Test (FIT) during report period, Flexible Sigmoidoscopy in past five years, or Colonoscopy in past 10 years (No Refusals)
 - §FOBT or FIT
- **TOBACCO USE AND EXPOSURE ASSESSMENT**
 - §Tobacco Assessment
 - §Tobacco Users
 - §Smokers
 - §Smokeless Users
 - §Exposed to Environmental Tobacco Smoke (ETS)
- **TOBACCO CESSATION**
 - §Tobacco Cessation Counseling or Smoking Cessation Aid (No Refusals)
 - §Quit Tobacco Use
 - GPRA: §Tobacco Cessation Counseling or Refusal, Smoking Cessation Aid, or Quit Tobacco Use

BEHAVIORAL HEALTH

- ALCOHOL SCREENING (FETAL ALCOHOL SYNDROME [FAS] PREVENTION)
 - GPRA: Alcohol Screening (No Refusals)
- INTIMATE PARTNER VIOLENCE/DOMESTIC VIOLENCE (IPV/DV) SCREENING
 - GPRA: IPV/DV Screening (No Refusals)
- DEPRESSION SCREENING
 - GPRAMA: Depression Screening or Mood Disorder Diagnosis (No Refusals)
 - §Depression Screening
 - §Mood Disorder Diagnosis

CARDIOVASCULAR DISEASE-RELATED

- CHILDHOOD WEIGHT CONTROL
 - §BMI 95% and Up
- CONTROLLING HIGH BLOOD PRESSURE – MILLION HEARTS
 - §BP less than (<) 140/90
- COMPREHENSIVE CVD-RELATED ASSESSMENT
 - GPRA: BP, LDL, and Tobacco Assessed, BMI, and Lifestyle Counseling (No Refusals)
 - §Depression Screen

STD GROUP

- HIV SCREENING
 - GPRA: Prenatal HIV Screening (No Refusals)

OTHER CLINICAL

- BREASTFEEDING RATES
 - Patients 30 through 394 days of age screened for infant feeding choice (IFC) at least once
 - Patients 30 through 394 days of age screened for IFC at the age of two months
 - Patients 30 through 394 days of age screened for IFC at the age of six months
 - Patients 30 through 394 days of age screened for IFC at the age of nine months
 - Patients 30 through 394 days of age screened for IFC at the age of one year
 - GPRA: Patients 30 through 394 days of age who were exclusively or mostly breastfed at two months of age

- Patients 30 through 394 days of age who were exclusively or mostly breastfed at six months of age
- Patients 30 through 394 days of age who were exclusively or mostly breastfed at nine months of age
- Patients 30 through 394 days of age who were exclusively or mostly breastfed at the age of one year

Note: Definitions for all performance measure topics included in CRS begin on Section 2.0. Definitions for numerators and denominators that are preceded by “GPRA” represent measures that are reported to OMB and Congress.

1.2 CRS Denominator Definitions

1.2.1 For All Denominators

- All patients with name “DEMO,PATIENT” or who are included in the RPMS Demo/Test Patient Search Template (DPST option located in the Patient Care Component [PCC] Management Reports, Other section) will be excluded automatically for all denominators.
- For all measures, except as noted, patient age is calculated as of the beginning of the report period.

1.2.2 Active Clinical Population

1.2.2.1 National GPRA/GPRAMA Reporting

- Must have two visits to medical clinics in the past three years. Chart reviews and telephone calls from these clinics do not count; the visits must be face-to-face. At least one visit must be to a core medical clinic. Refer to the *Clinical Reporting System (CRS) for FY2013 Clinical Measures User Manual* for listing of these clinics.
- Must be alive on the last day of the Report Period.
- Must be American Indian/Alaska Native (AI/AN); defined as Beneficiary 01.
- Must reside in a community specified in the site’s GPRA community taxonomy, defined as all communities of residence in the defined Contract Health Service (CHS) catchment area.

1.2.2.2 Local Reports

- Must have two visits to medical clinics in the past three years. Chart reviews and telephone calls from these clinics do not count; the visits must be face-to-face. At least one visit must be to a core medical clinic. Refer to the *Clinical Reporting System for FY2013 Clinical Measures User Manual* for listing of these clinics.
- Must be alive on the last day of the Report Period.
- User defines population type: AI/AN patients only, non AI/AN, or both.
- User defines general population: single community, group of multiple communities (community taxonomy), user-defined list of patients (patient panel), or all patients regardless of community of residence.

1.2.3 User Population

1.2.3.1 National GPRA/GPRAMA Reporting

- Must have been seen at least once in the three years prior to the end of the time period, regardless of the clinic type, and the visit must be either ambulatory (including day surgery or observation) or a hospitalization; the rest of the service categories are excluded.
- Must be alive on the last day of the Report Period.
- Must be AI/AN; defined as Beneficiary 01.
- Must reside in a community specified in the site's GPRA community taxonomy, defined as all communities of residence in the defined CHS catchment area.

1.2.3.2 Local Reports

- Must have been seen at least once in the three years prior to the end of the time period, regardless of the clinic type, and the visit must be either ambulatory (including day surgery or observation) or a hospitalization; the rest of the service categories are excluded.
- Must be alive on the last day of the Report Period.
- User defines population type: AI/AN patients only, non AI/AN, or both.
- User defines general population: single community, group of multiple communities (community taxonomy), user-defined list of patients (patient panel), or all patients regardless of community of residence.

1.2.4 Active Clinical CHS Population

CHS-Only Sites

1.2.4.1 National GPRA/GPRAMA Reporting

- Must have two CHS visits in the three years prior to the end of the Report Period, and the visits must be either ambulatory (including day surgery or observation) or a hospitalization; the rest of the service categories are excluded.
- Must be alive on the last day of the Report period.
- Must be AI/AN; defined as Beneficiary 01. This data item is entered and updated during the Patient Registration process.
- Must reside in a community included in the site's "official" GPRA community taxonomy, defined as all communities of residence in the CHS catchment area specified in the community taxonomy specified by the user.

1.2.4.2 Local Reports

- Must have two CHS visits in the three years prior to the end of the Report Period, and the visits must be either ambulatory (including day surgery or observation) or a hospitalization; the rest of the service categories are excluded.
- Must be alive on the last day of the Report period.
- User defines population type: AI/AN patients only, non AI/AN, or both.
- User defines general population: single community, group of multiple communities (community taxonomy), user-defined list of patients (patient panel), or all patients regardless of community of residence.

1.2.5 Active Clinical Behavioral Health Population

1.2.5.1 National GPRA/GPRAMA Reporting

Urban Outreach and Referral-Only Sites

- Must have two Behavioral Health visits in the three years prior to the end of the report period, and the visits must be either ambulatory (including day surgery or observation) or a hospitalization; the rest of the service categories are excluded.
- Must be alive on the last day of the report period.
- Must be AI/AN; defined as Beneficiary 01. This data item is entered and updated during the Patient Registration process.

- Must reside in a community included in the site’s “official” GPRA community taxonomy, defined as all communities of residence in the CHS catchment area specified in the community taxonomy specified by the user.

1.2.5.2 Local Reports

- Must have two Behavioral Health visits in the three years prior to the end of the report period, and the visits must be either ambulatory (including day surgery or observation) or a hospitalization; the rest of the service categories are excluded.
- Must be alive on the last day of the report period.
- User defines population type: AI/AN patients only, non-AI/AN, or both.
- User defines general population: single community, group of multiple communities (community taxonomy), user-defined list of patients (patient panel), or all patients regardless of community of residence.

2.0 Performance Measure Topics and Definitions

The following sections define the performance measure topics and their definitions that are included in the *CRS 2013 version 13.0 National GPRA/GPRAMA Report*.

2.1 Diabetes Group

2.1.1 Diabetes Prevalence

2.1.1.1 Owner and Contact

Diabetes Program: Dr. Ann Bullock

2.1.1.2 National Reporting

NATIONAL (included in IHS Performance Report; *not* reported to OMB and Congress)

2.1.1.3 Denominators

1. User Population patients.

2.1.1.4 Numerators

1. Anyone diagnosed with diabetes (Purpose of Visit [POV] 250.00 to 250.93) ever.
2. Anyone diagnosed with diabetes during the report period.

2.1.1.5 Definitions

Diabetes Diagnosis

At least one diagnosis 250.00 through 250.93 recorded in the V POV file.

2.1.1.6 Patient Lists

Diabetic patients with most recent diagnosis.

2.1.2 Diabetes: Glycemic Control

2.1.2.1 Owner and Contact

Diabetes Program: Dr. Ann Bullock

2.1.2.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.1.2.3 Denominators

1. GPRAMA: Active Diabetic patients; defined as all Active Clinical patients diagnosed with diabetes (POV 250.00 through 250.93) prior to the report period, *and* at least two visits in the past year, *and* two diabetes mellitus (DM)-related visits ever. The key denominator for this and all diabetes-related topics follows.

2.1.2.4 Numerators

1. Hemoglobin A1c documented during the report period.
2. Poor control: A1c greater (>) than 9.5.
3. A1c is greater than or equal (>=) to 7 and less than (<) 8
4. GPRAMA: Good control: A1c less than (<) 8.

2.1.2.5 Definition

Diabetes

First DM POV 250.00 through 250.93 recorded in the V POV file prior to the report period.

A1c

Searches for most recent A1c test with a result during the report period. If more than one A1c test is found on the same day or the same visit and one test has a result and the other does not, the test with the result will be used. If both tests have a result, the last test done on the visit will be used.

If an A1c test with a result is not found, CRS searches for the most recent A1c test without a result.

- A1c defined as any of the following:
 - Current Procedural Terminology (CPT) 83036, 83037, 3044F to 3046F, 3047F (old code)
 - Logical Observations Identifiers, Names, Codes (LOINC) taxonomy
 - Site-populated taxonomy DM AUDIT HGB A1C TAX
- CPT 3044F represents A1c less than (<) 7 and will be included in the Ideal Control numerator.

2.1.2.6 GPRA 2013 Target

Good Glycemic Control: During FY 2013, establish a baseline for the proportion of patients with diagnosed diabetes who have good glycemic control (defined as A1c less than (<) 8).

2.1.2.7 Patient Lists

- List of diabetic patients with a documented Alc.
- List of diabetic patients without a documented Alc.
- List of diabetic patients with poor glycemic control (Alc greater than (>) 9.5).
- List of diabetic patients with A1c equal to or greater than (=>) 7 and less than (<) 8.
- List of diabetic patients with good glycemic control (Alc less than (<) 8).

2.1.3 Diabetes: Blood Pressure Control

2.1.3.1 Owner and Contact

Diabetes Program: Dr. Ann Bullock

2.1.3.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.1.3.3 Denominators

1. GPRA: Active Diabetic patients; defined as all Active Clinical patients diagnosed with diabetes (POV 250.00 through 250.93) prior to the report period, *and* at least two visits in the past year, *and* two DM-related visits ever. The key denominator for this and all diabetes-related topics follows.

2.1.3.4 Numerators

1. Patients with BP documented during the report period.
2. GPRA: Patients with BP less than (<) 140/90, i.e., the mean systolic value is less than (<) 140 and the mean diastolic value is less than (<) 90.

2.1.3.5 Definitions

Diabetes

First DM POV 250.00 through 250.93 recorded in the V POV file prior to the report period.

Exclusions

When calculating all BPs (using vital measurements or CPT codes), the following visits will be excluded:

- Service Category H (Hospitalization), I (In Hospital), S (Day Surgery), or O (Observation)
- Clinic code 23 (Surgical), 30 (ER), 44 (Day Surgery), C1 (Neurosurgery), or D4 (Anesthesiology)

BP Documented

CRS uses mean of last three BPs documented during the report period. If three BPs are not available, uses mean of last two BPs. If a visit contains more than one BP, the lowest BP will be used, defined as having the lowest systolic value. The mean Systolic value is calculated by adding the last three (or two) systolic values and dividing by three (or two). The mean Diastolic value is calculated by adding the diastolic values from the last three (or two) BPs and dividing by three (or two). If the systolic and diastolic values do not *both* meet the criteria for controlled, then the value is considered not controlled.

If CRS is not able to calculate a mean BP, it will search for CPT 0001F, 2000F, 3074F through 3080F or POV V81.1 documented during the Report Period.

Controlled BP

CRS uses a mean, as described above where BP is less than (<) 140/90. If the mean systolic and diastolic values do not *both* meet the criteria for controlled, then the value is considered not controlled.

BP documented and Controlled BP

If CRS is not able to calculate a mean BP from BP measurements, it will search for the most recent of any of the following codes documented during the report period:

- BP Documented: CPT 0001F or 2000F or POV V81.1; OR
- Systolic: CPT 3074F, 3075F, or 3077F WITH Diastolic: CPT 3078F, 3079F, or 3080F. The systolic and diastolic values do not have to be recorded on the same day. If there are multiple values on the same day, the CPT indicating the lowest value will be used.

- The following combinations represent BP less than (<) 140/90 and will be included in the Controlled BP numerator: CPT 3074F or 3075F *and* 3078F or 3079F. All other combinations will not be included in the Controlled BP numerator.

2.1.3.6 GPRA 2013 Target

During FY 2013, establish a baseline for the proportion of patients with diagnosed diabetes who have achieved BP control (defined as less than (<) 140/90).

2.1.3.7 Patient Lists

- List of diabetic patients who had their BP assessed.
- List of diabetic patients who did not have their BP assessed.
- List of diabetic patients with controlled BP, defined as below 140/90.
- List of diabetic patients with uncontrolled BP, defined as above 140/90.

2.1.4 Diabetes: LDL Assessment

2.1.4.1 Owner and Contact

Diabetes Program: Dr. Ann Bullock

2.1.4.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.1.4.3 Denominators

1. GPRA: Active Diabetic patients; defined as all Active Clinical patients diagnosed with diabetes (POV 250.00 through 250.93) prior to the report period, *and* at least two visits in the past year, *and* two DM-related visits ever. The key denominator for this and all diabetes-related topics is below.

2.1.4.4 Numerators

1. GPRA: Patients with LDL completed during the report period, regardless of result.
2. LDL less than or equal to (<=) 100

2.1.4.5 Definitions

Diabetes

First DM POV 250.00 through 250.93 recorded in the V POV file prior to the report period.

LDL

Searches for most recent LDL test with a result during the report period. If more than one LDL test is found on the same day or the same visit and one test has a result and the other does not, the test with the result will be used. If an LDL test with a result is not found, CRS searches for the most recent LDL test without a result.

- LDL test defined as any of the following:
 - CPT 80061, 83700, 83701, 83704, 83715 (old code), 83716 (old code), 83721, 3048F, 3049F, 3050F
 - LOINC taxonomy
 - Site-populated taxonomy DM AUDIT LDL CHOLESTEROL TAX
- For numerator LDL less than or equal to 100, CPT 3048F will count as meeting the measure

2.1.4.6 GPRA 2013 Target

During FY 2013, achieve the target rate of 68.0% for the proportion of patients with diagnosed diabetes who are assessed for dyslipidemia (LDL cholesterol).

2.1.4.7 Patient Lists

- List of diabetic patients with LDL completed, regardless of result.
- List of diabetic patients without LDL completed.

2.1.5 Diabetes: Nephropathy Assessment

2.1.5.1 Owner and Contact

Diabetes Program: Dr. Ann Bullock

2.1.5.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.1.5.3 Denominators

1. GPRA: Active Diabetic patients; defined as all Active Clinical patients diagnosed with diabetes (POV 250.00 through 250.93) prior to the report period, *and* at least two visits in the past year, *and* two DM-related visits ever. The key denominator for this and all diabetes-related topics is below.

2.1.5.4 Numerators

1. GPRA: Patients with nephropathy assessment, defined as an estimated GFR *and* a quantitative urinary protein assessment during the report period *or* with evidence of diagnosis or treatment of ESRD at any time before the end of the report period.

2.1.5.5 Definitions

Diabetes

First DM POV 250.00 through 250.93 recorded in the V POV file prior to the report period.

Estimated GFR

- Site-populated taxonomy BGP GPRA ESTIMATED GFR TAX
- LOINC taxonomy

Quantitative Urine Protein Assessment

- CPT 82042, 82043, 84156, 3060F, 3061F, or 3062F
- LOINC taxonomy
- Site-populated taxonomy BGP QUANT URINE PROTEIN

Note: Check with your laboratory supervisor to confirm that the names you add to your taxonomy reflect quantitative test values.

ESRD

- ESRD diagnosis or treatment defined as any of the following ever:
 - CPT 36145 (old code), 36147, 36800, 36810, 36815, 36818, 36819, 36820, 36821, 36831 through 36833, 50300, 50320, 50340, 50360, 50365, 50370, 50380, 90951 through 90970 or old codes 90918 through 90925, 90935, 90937, 90939 (old code), 90940, 90945, 90947, 90989, 90993, 90997, 90999, 99512, 3066F, G0257, G0308 through G0327 (old codes), G0392 (old code), G0393 (old code), S9339
 - POV 585.6, V42.0, V45.1 (old code), V45.11, V45.12, V56.*

- Procedure 38.95, 39.27, 39.42, 39.43, 39.53, 39.93 through 39.95, 54.98, 55.6*

2.1.5.6 GPRA 2013 Target

During FY 2013, achieve the target rate of 64.2% for the proportion of patients with diagnosed diabetes who are assessed for nephropathy.

2.1.5.7 Patient Lists

- List of diabetic patients with nephropathy assessment.
- List of diabetic patients without nephropathy assessment.

2.1.6 Diabetic Retinopathy

2.1.6.1 Owner and Contact

Diabetes Program: Dr. Mark Horton

2.1.6.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.1.6.3 Denominators

1. GPRA: Active Diabetic patients; defined as all Active Clinical patients diagnosed with diabetes (POV 250.00 through 250.93) prior to the report period, *and* at least two visits in the past year, *and* two DM-related visits ever, without a documented history of bilateral blindness. The key denominator for this and all diabetes-related topics is below.

2.1.6.4 Numerators

1. GPRA: Patients receiving a qualified retinal evaluation¹ during the report period.

Note: This numerator does *not* include refusals.

- A. Patients with a JVN visit during the Report Period.
- B. Patients with an Ophthalmology visit during the Report Period.
- C. Patients with an Optometry visit during the Report Period.

¹ Validation study properly powered and controlled against the ETDRS gold standard.

2.1.6.5 Definitions

Diabetes

First DM POV 250.00 through 250.93 recorded in the V POV file prior to the report period.

Qualified Retinal Evaluation

- Diabetic retinal exam
- Other eye exam

The following methods are qualifying for this measure:

- Dilated retinal evaluation by an optometrist or ophthalmologist.
- Seven standard fields stereoscopic photos (Early Treatment Diabetic Retinopathy Study [ETDRS]) evaluated by an optometrist or Ophthalmologist.
- Any photographic method formally validated to seven standard fields (ETDRS).

Diabetic Retinal Exam

Any of the following during the report period:

- Exam code 03 Diabetic Eye Exam (dilated retinal examination or formally validated² ETDRS photographic equivalent)
- CPT 2022F Dilated retinal eye exam, 2024F Seven standard field stereoscopic photos with interpretation by an ophthalmologist or optometrist, 2026F Eye imaging formally validated³ to match the diagnosis from seven standard field stereoscopic photos, S0620 Routine ophthalmological examination including refraction; new patient, S0621 Routine ophthalmological examination including refraction; established patient, S3000 Diabetic indicator; retinal eye exam, dilated, bilateral.

Other Eye Exam

- Non-DNKA (did not keep appointment) visits to ophthalmology, optometry, or formally validated⁴ teleophthalmology retinal evaluation clinics
- Non-DNKA visits to an optometrist or ophthalmologist. Searches for any of the following codes in the following order:
 - Clinic codes A2 (Diabetic Retinopathy)⁵, 17, 18

² Validation study properly powered and controlled against the ETDRS gold standard.

³ Ibid.

⁴ Ibid.

- Provider code 24, 79, 08
- CPT 67028, 67038 (old code), 67039, 67040, 92002, 92004, 92012, 92014

JVN Visit

- Clinic code A2

Ophthalmology Visit

- Clinic code 17
- Provider code 79

Optometry Visit

- Clinic code 18
- Provider codes 08, 24

Bilateral Blindness

- Diagnosis (POV or Problem List) 369.01, 369.03, 369.04

2.1.6.6 GPRA 2013 Target

During FY 2013, achieve the target rate of 56.8% for the proportion of patients with diagnosed diabetes who receive an annual retinal examination.

2.1.6.7 Patient Lists

- List of diabetic patients who received any retinal screening.
- List of diabetic patients who did not receive any retinal screening.

2.2 Dental Group**2.2.1 Access to Dental Services****2.2.1.1 Owner and Contact**

Dental Program: Dr. Patrick Blahut

2.2.1.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

⁵ Validated photographic (teleophthalmology) retinal surveillance.

2.2.1.3 Denominators

1. GPRA: User Population patients, broken down by age groups: 0 through 5, 6 through 21, 22 through 34, 35 through 44, 45 through 54, 55 through 74, 75 and older.

2.2.1.4 Numerators

1. GPRA: Patients with documented dental visit during the report period.

Note: This numerator does *not* include refusals.

2.2.1.5 Definitions

Documented Dental Visit

For non-CHS visits, searches for any of the following:

- Dental ADA code 0000, 0190
- VExam code 30
- POV V72.2

For CHS visits, searches for any visit with an ADA code. CHS visit defined as Type code of C in Visit file.

2.2.1.6 GPRA 2013 Target

During FY 2013, achieve the target rate of 26.9% for the proportion of patients who receive dental services.

2.2.1.7 Patient Lists

- List of patients with documented dental visit.
- List of patients without documented dental visit.

2.2.2 Dental Sealants

2.2.2.1 Owner and Contact

Dental Program: Dr. Patrick Blahut

2.2.2.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.2.2.3 Denominators

1. GPRA: User Population patients ages 2 through 15. Broken down by age groups 3 through 5, 6 through 9, 10 through 12, and 13 through 15.
2. No denominator. This measure is a total count only, not a percentage. Broken down by age group 2 through 15.

2.2.2.4 Numerators

1. GPRA: Patients with at least one or more intact dental sealants.
2. Count only (no percentage comparison to denominator). For patients meeting the User Population definition, the total number of dental sealants during the report period.

Note: This numerator does *not* include refusals.

2.2.2.5 Definitions

Intact Dental Sealant

- Any of the following documented during the Report Period:
 - Dental ADA codes 1351, 1352
 - CPT codes D1351, D1352
- OR any of the following documented during the past three years from the end of the Report Period, as long as it is not documented on the same visit as any of the above codes:
 - Dental ADA code 0007

If both ADA and CPT codes are found on the same visit, only the ADA will be counted.

For the count measure, only two sealants per tooth will be counted during the report period. Each tooth is identified by the data element Operative Site in RPMS.

2.2.2.6 GPRA 2013 Target

During FY 2013, establish a baseline for the proportion of patients with at least one or more intact dental sealants.

2.2.2.7 Patient Lists

- List of User Pop patients ages 2 through 15 with intact dental sealant.
- List of User Pop patients ages 2 through 15 without intact dental sealant.

- Patients who received dental sealants during report period.

2.2.3 Topical Fluoride

2.2.3.1 Owner and Contact

Dental Program: Dr. Patrick Blahut

2.2.3.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.2.3.3 Denominators

1. GPRA: User Population patients ages 1 through 15.
2. No denominator. This measure is a total count only, not a percentage.

2.2.3.4 Numerators

1. GPRA: Patients who received one or more topical fluoride applications during the report period.
2. Count only (no percentage comparison to denominator). For patients meeting the User Population definition, the total number of patients with at least one topical fluoride treatment during the report period. Broken down by age group 1 through 15.

Note: This numerator does *not* include refusals.

2.2.3.5 Definitions

Topical Fluoride Application

Defined as any of the following:

- Dental ADA codes 1201 (old code), 1203 (old code), 1204 (old code), 1205 (old code), 1206, 1208, 5986
- CPT codes D1203 (old code), D1204 (old code), D1206, D1208, D5986
- POV V07.31

For the count measure, a maximum of one application per patient per visit is allowed. A maximum of four topical fluoride applications are allowed per patient per year for the applications measure.

2.2.3.6 GPRA 2013 Target

During FY 2013, establish a baseline for the proportion of patients who receive at least one topical fluoride application.

2.2.3.7 Patient Lists

- List of User Pop patients ages 1 through 15 with topical fluoride application.
- List of User Pop patients ages 1 through 15 without topical fluoride application.
- Patients who received at least one topical fluoride application during report period.

2.3 Immunization Group

2.3.1 Influenza

2.3.1.1 Owner and Contact

Epidemiology Program: Amy Groom, MPH

2.3.1.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.3.1.3 Denominators

1. GPRA: Active Clinical patients ages 65 and older.

2.3.1.4 Numerators

1. GPRA: Patients with influenza vaccine documented during the report period or with a contraindication documented at any time before the end of the report period.

<p>Note: The only refusals included in this numerator are documented not medically indicated (NMI) refusals.</p>

- A. Patients with a contraindication or a documented NMI refusal.

2.3.1.5 Definitions

Influenza Vaccine

Any of the following documented during the report period:

- Immunization (CVX) codes 15, 16, 88, 111, 135, 140, 141, 144
- POV V04.8 (old code), V04.81 *not* documented with 90663, 90664, 90666 through 90668, 90470, G9141 or G9142, or V06.6 *not* documented with 90663, 90664, 90666 through 90668, 90470, G9141 or G9142
- CPT 90654 through 90662, 90724 (old code), G0008, G8108 (old code)
- ICD (International Classification of Diseases) Procedure code: 99.52.

Contraindication to Influenza Vaccine

Any of the following documented at any time before the end of the report period:

- Contraindication in the Immunization Package of “Egg Allergy” or “Anaphylaxis”
- PCC NMI Refusal

2.3.1.6 GPRA 2013 Target

During FY 2013, achieve the target rate of 62.3% for the proportion of non-institutionalized adults aged 65 years and older who receive an influenza immunization.

2.3.1.7 Patient Lists

- List of patients 65 years or older influenza vaccination, contraindication, or NMI refusal.
- List of patients 65 years or older without influenza vaccination, contraindication, or NMI refusal.

2.3.2 Adult Immunizations

2.3.2.1 Owner and Contact

Epidemiology Program: Amy Groom, MPH

2.3.2.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.3.2.3 Denominators

1. GPRA: Active Clinical patients ages 65 or older.

2.3.2.4 Numerators

1. GPRA: Patients with Pneumococcal vaccine or contraindication documented at any time before the end of the report period.

Note: The only refusals included in this numerator are documented NMI refusals.

- A. Patients with a contraindication or a documented NMI refusal.

2.3.2.5 Definitions

Pneumococcal Vaccine

Any of the following documented any time before the end of the report period:

- Immunization (CVX) codes 33, 100, 109, 133
- POV V06.6, V03.82
- ICD Procedure 99.55
- CPT 90732, 90669, 90670, G0009, G8115 (old code)

Contraindication to Pneumovax Vaccine

Any of the following documented any time before the end of the report period:

- Contraindication in the Immunization Package of “Anaphylaxis”
- PCC NMI Refusal.

2.3.2.6 GPRA 2013 Target

During FY 2013, achieve the target rate of 84.7% for the proportion of adult patients age 65 years and older who receive a pneumococcal immunization.

2.3.2.7 Patient Lists

- List of patients 65 years or older with pneumovax immunization or contraindication.
- List of patients 65 years or older without pneumovax immunization or contraindication.

2.3.3 Childhood Immunizations

2.3.3.1 Owner and Contact

Epidemiology Program: Amy Groom, MPH

2.3.3.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.3.3.3 Denominators

1. Active Clinical patients ages 19 through 35 months at end of report period.
2. GPRAMA: User Population patients active in the Immunization Package who are 19 through 35 months at end of report period.

Note: Sites must be running the RPMS Immunization package for this denominator. Sites not running the package will have a value of zero for this denominator.

2.3.3.4 Numerators

1. GPRAMA: Patients who have received the 4:3:1:3*:3:1:4 combination (i.e., four DTaP, three Polio, one MMR, three or four HiB, three Hepatitis B, one Varicella, four Pneumococcal), including contraindications and evidence of disease.⁶

Note: The only refusals included in this numerator are documented NMI refusals.

2. Patients who have received four doses of DTaP ever, including contraindications.

Note: The only refusals included in this numerator are documented NMI refusals.

3. Patients who have received three doses of Polio ever, including contraindications and evidence of disease.

Note: The only refusals included in this numerator are documented NMI refusals.

4. Patients who have received one dose of MMR ever, including contraindications, and evidence of disease.

⁶ Included with GPRA denominator only.

Note: The only refusals included in this numerator are documented NMI refusals.

5. Patients who have received three or four doses of HiB ever, including contraindications.

Note: The only refusals included in this numerator are documented NMI refusals.

6. Patients who have received three doses of Hepatitis B vaccine ever, including contraindications and evidence of disease.

Note: The only refusals included in this numerator are documented NMI refusals.

7. Patients who have received one dose of Varicella ever, including contraindications and evidence of disease.⁷

Note: The only refusals included in this numerator are documented NMI refusals.

8. Patients who have received four doses of Pneumococcal conjugate vaccine ever, including contraindications and evidence of disease.⁸

Note: The only refusals included in this numerator are documented NMI refusals.

2.3.3.5 Definitions

Patient Age

Since the age of the patient is calculated at the beginning of the report period, the age range will be adjusted to 7 through 23 months at the beginning of the report period, which makes the patient between the ages of 19 through 35 months at the end of the report period.

Timing of Doses

Because IZ data comes from multiple sources, any IZ codes documented on dates within 10 days of each other will be considered as the same immunization.

⁷ Included with GPRA denominator only.

⁸ Ibid.

Active Immunization Package Patients Denominator

Same as User Population definition *except* includes only patients flagged as active in the Immunization Package.

Note: Only values for the Current Period will be reported for this denominator since currently there is not a way to determine if a patient was active in the Immunization Package during the previous year or baseline periods.

Dosage and Types of Immunizations

- Four Doses of DTaP
 - Four DTaP or DTP or Tdap
 - One DTaP or DTP or Tdap and three DT or Td
 - One DTaP or DTP or Tdap and three each of Diphtheria and Tetanus
 - Four DT and four Acellular Pertussis
 - Four Td and four Acellular Pertussis, or
 - Four each of Diphtheria, Tetanus, and Acellular Pertussis
- Three Doses of Polio
 - Three OPV
 - Three IPV, or
 - Combination of OPV & IPV totaling three doses
- One Dose of MMR
 - MMR
 - One M/R and one Mumps
 - One R/M and one Measles, or
 - One each of Measles, Mumps, and Rubella
- Three doses of Hep B
- Three or four doses of HIB
- One dose of Varicella
- Four doses of Pneumococcal

NMI refusals, Contraindication, and Evidence of Disease Information

NMI refusals, evidence of disease, and contraindications for individual immunizations will also count toward meeting the definition, as defined below.

Note: NMI refusals are *not* counted as refusals; rather, they are counted as contraindications.

- For immunizations that allow a different number of doses (e.g. three or four HIB): To count toward the numerator with the smaller number of doses, all of the patient's vaccinations must be part of the smaller dose series. For example, for a patient to count toward the HIB numerator with only three doses, all three doses must be included in the three-dose series codes listed in the HIB definition. A patient with a mix of three-dose and four-dose series codes will need four doses to count toward the numerator. An exception to this is for the HIB vaccine: if the first two doses are CVX code 49, then the patient only needs three doses (even if the third dose is included in the four-dose series).
- Each immunization must be refused and documented separately. For example, if a patient has an NMI refusal for Rubella only, then there must be an immunization, contraindication, or separate NMI refusal for the Measles and Mumps immunizations.
- For immunizations where required number of doses is greater than one, only one NMI refusal is necessary to be counted in the numerator. For example, if there is a single NMI refusal for Hepatitis B, the patient will be included in the numerator.
- To be counted as evidence of disease or contraindication or NMI refusal, a patient must have evidence of disease, a contraindication, or an NMI refusal for any of the immunizations in the numerator. For example, if a patient was Rubella immune but had a Measles and Mumps immunization, the patient would be counted as having evidence of disease for MMR.
- For immunizations where required number of doses is greater than one, only one contraindication is necessary to be counted in the numerator. For example, if there is a single contraindication for HiB, the patient will be included in the numerator
- Evidence of disease will be checked for at any time in the child's life (prior to the end of the report period.).

Refusal Definitions

PCC Refusal type NMI for any of the following codes:

- DTaP
 - Immunization (CVX) codes 20, 50, 106, 107, 110, 120, 130, 132, 146
 - CPT 90696, 90698, 90700, 90721, 90723
- DTP
 - Immunization (CVX) codes 1, 22, 102
 - CPT 90701, 90711 (old code), 90720
- Tdap

- Immunization (CVX) code 115
- CPT 90715
- DT
 - Immunization (CVX) code 28
 - CPT 90702
- Td
 - Immunization (CVX) codes 9, 113
 - CPT 90714, 90718
- Diphtheria
 - CPT 90719
- Tetanus
 - Immunization (CVX) codes 35, 112
 - CPT 90703
- Acellular Pertussis
 - Immunization (CVX) code 11
- OPV
 - Immunization (CVX) codes 2, 89
 - CPT 90712
- IPV
 - Immunization (CVX) codes 10, 89, 110, 120, 130, 132, 146
 - CPT 90696, 90698, 90711 (old code), 90713, 90723
- MMR
 - Immunization (CVX) codes 3, 94
 - CPT 90707, 90710
- M/R
 - Immunization (CVX) code 4
 - CPT 90708
- R/M
 - Immunization (CVX) code 38
 - CPT 90709 (old code)
- Measles
 - Immunization (CVX) code 5
 - CPT 90705

- Mumps
 - Immunization (CVX) code 7
 - CPT 90704
- Rubella
 - Immunization (CVX) code 6
 - CPT 90706
- HiB
 - Immunization (CVX) codes 17, 22, 46 through 49, 50, 51, 102, 120, 132, 146
 - CPT 90645 through 90648, 90698, 90720 through 90721, 90737 (old code), 90748
- Hepatitis B
 - Immunization (CVX) codes 8, 42 through 45, 51, 102, 104, 110, 132, 146
 - CPT 90636, 90723, 90731 (old code), 90740, 90743 through 90748, G0010, Q3021 (old code), Q3023 (old code)
- Varicella
 - Immunization (CVX) codes 21, 94
 - CPT 90710, 90716
- Pneumococcal
 - Immunization (CVX) codes 33, 100, 109
 - CPT 90669, 90670, 90732, G0009, G8115 (old code)

Immunization Definitions

- DTaP
 - Immunization (CVX) codes 20, 50, 106, 107, 110, 120, 130, 132, 146
 - POV V06.1
 - CPT 90696, 90698, 90700, 90721, 90723
- DTaP Contraindication Definition
 - Immunization Package contraindication of “Anaphylaxis”
- DTP
 - Immunization (CVX) codes 1, 22, 102
 - POV V06.1, V06.2, V06.3
 - CPT 90701, 90711 (old code), 90720
 - Procedure 99.39
- DTP Contraindication Definition

- Immunization Package contraindication of “Anaphylaxis”
- Tdap
 - Immunization (CVX) code 115
 - CPT 90715
- Tdap Contraindication Definition
 - Immunization Package contraindication of “Anaphylaxis”
- DT
 - Immunization (CVX) code 28
 - POV V06.5
 - CPT 90702
- DT Contraindication Definition
 - Immunization Package contraindication of “Anaphylaxis”
- Td
 - Immunization (CVX) codes 9, 113
 - POV V06.5
 - CPT 90714, 90718
- Td Contraindication Definition
 - Immunization Package contraindication of “Anaphylaxis”
- Diphtheria
 - POV V03.5
 - CPT 90719
 - Procedure 99.36
- Diphtheria Contraindication Definition
 - Immunization Package contraindication of “Anaphylaxis”
- Tetanus
 - Immunization (CVX) codes 35, 112
 - POV V03.7
 - CPT 90703
 - Procedure 99.38
- Tetanus Contraindication Definition
 - Immunization Package contraindication of “Anaphylaxis”
- Acellular Pertussis
 - Immunization (CVX) code 11

- POV V03.6
- Procedure 99.37 (old code)
- Acellular Pertussis Contraindication Definition
 - Immunization Package contraindication of “Anaphylaxis”
- OPV
 - Immunization (CVX) codes 2, 89
 - CPT 90712
- OPV Contraindication Definition
 - Immunization Package contraindication of Immune Deficiency
- IPV
 - Immunization (CVX) codes 10, 89, 110, 120, 130, 132, 146
 - POV V04.0, V06.3
 - CPT 90696, 90698, 90711 (old code), 90713, 90723
 - Procedure 99.41
- IPV Evidence of Disease Definitions
 - POV or PCC Problem List (active or inactive) 730.70 through 730.79
- IPV Contraindication Definition
 - Immunization Package contraindication of “Anaphylaxis” or “Neomycin Allergy”
- MMR
 - Immunization (CVX) codes 3, 94
 - POV V06.4
 - CPT 90707, 90710
 - Procedure 99.48
- MMR Contraindication Definitions
 - Immunization Package contraindication of “Anaphylaxis,” “Immune Deficiency,” or “Neomycin Allergy”
- M/R
 - Immunization (CVX) code 4
 - CPT 90708
- M/R Contraindication Definition
 - Immunization Package contraindication of “Anaphylaxis”
- R/M
 - Immunization (CVX) code 38

- CPT 90709 (old code)
- R/M Contraindication Definition
 - Immunization Package contraindication of “Anaphylaxis”
- Measles
 - Immunization (CVX) code 5
 - POV V04.2
 - CPT 90705
 - Procedure 99.45
- Measles Evidence of Disease Definition
 - POV or PCC Problem List (active or inactive) 055*
- Measles Contraindication Definition
 - Immunization Package contraindication of “Anaphylaxis”
- Mumps
 - Immunization (CVX) code 7
 - POV V04.6
 - CPT 90704
 - Procedure 99.46
- Mumps Evidence of Disease Definition
 - POV or PCC Problem List (active or inactive) 072*
- Mumps Contraindication Definition
 - Immunization Package contraindication of “Anaphylaxis”
- Rubella
 - Immunization (CVX) code 6
 - POV V04.3
 - CPT 90706
 - Procedure 99.47
- Rubella Evidence of Disease Definitions
 - POV or PCC Problem List (active or inactive) 056*, 771.0
- Rubella Contraindication Definition
 - Immunization Package contraindication of “Anaphylaxis”
- HiB
 - Three-dose series:
 - Immunization (CVX) codes 49, 51

- CPT 90647, 90748
- Four-dose series:
 - Immunization (CVX) codes 17, 22, 46 through 48, 50, 102, 120, 132, 146
 - POV V03.81
 - CPT 90645 through 90646, 90648, 90698, 90720 through 90721, 90737 (old code)
- HiB Contraindication Definition
 - Immunization Package contraindication of “Anaphylaxis”
- Hepatitis B
 - Immunization (CVX) codes 8, 42 through 45, 51, 102, 104, 110, 132, 146
 - CPT 90636, 90723, 90731 (old code), 90740, 90743 through 90748, G0010, Q3021 (old code), Q3023 (old code)
- Hepatitis B evidence of disease definition
 - POV or PCC Problem List (active or inactive) V02.61, 070.2, 070.3
- Hepatitis B contraindication definition
 - Immunization Package contraindication of “Anaphylaxis”
- Varicella
 - Immunization (CVX) codes 21, 94
 - POV V05.4
 - CPT 90710, 90716
- Varicella Evidence of Disease Definition
 - POV or PCC Problem List (active or inactive) 052*, 053*
 - Immunization Package contraindication of “Hx of Chicken Pox” or “Immune”
- Varicella Contraindication Definitions
 - Immunization Package contraindication of “Anaphylaxis,” “Immune Deficiency,” or “Neomycin Allergy”
- Pneumococcal
 - Immunization (CVX) codes 33 Pneumo Polysaccharide, 100 Pneumo Conjugate, 109 Pneumo NOS, 133 Pneumo Conjugate
 - POV V06.6, V03.82
 - CPT 90669, 90670, 90732, G0009, G8115 (old code)
- Pneumococcal Contraindication Definition

- Immunization Package contraindication of “Anaphylaxis”

2.3.3.6 GPRA 2013 Target

During FY 2013, establish a baseline for the proportion of AI/AN children ages 19 through 35 months who have received the recommended immunizations.

Notes: In FY 2013, the GPRA measure changed to the 4:3:1:3*:3:1:4 combination, which includes 3 or 4 HiB.

In FY 2011, the GPRA measure changed to the 4:3:1:3:3:1:4 combination, which includes pneumococcal.

2.3.3.7 Patient Lists

Note: Because age is calculated at the beginning of the report period, the patient’s age on the list will be between 7 and 23 months.

- List of patients Active Clinical ages 19 through 35 months who received the 4:3:1:3*:3:1:4 combination (four DTaP, three Polio, one MMR, three or four HiB, three Hep B, one Varicella, four Pneumococcal).
- List of Active Clinical patients ages 19 through 35 months who have not received the 4:3:1:3*:3:1:4 combination (four DTaP, three Polio, one MMR, three or four HiB, three Hep B, one Varicella, four Pneumococcal). If a patient did not have all doses in a multiple dose vaccine, the IZ will not be listed. For example, if a patient only had two DTaP, no IZ will be listed for DTaP.
- List of Active Immunization Package patients ages 19 through 35 months who received the 4:3:1:3*:3:1:4 combination (four DTaP, three Polio, one MMR, three or four HiB, three Hep B, one Varicella, and four Pneumococcal).
- List of Active Immunization Package patients ages 19 through 35 months who have not received the 4:3:1:3*:3:1:4 combination (four DTaP, three Polio, one MMR, three or four HiB, three Hep B, one Varicella, and four Pneumococcal). If a patient did not have all doses in a multiple dose vaccine, the IZ will not be listed. For example, if a patient only had two DTaP, no IZ will be listed for DTaP.

2.4 Cancer Screening Group

2.4.1 Cancer Screening: Pap Smear Rates

2.4.1.1 Owner and Contact

Carolyn Aoyama

2.4.1.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.4.1.3 Denominators

1. GPRA: Female Active Clinical patients ages 25 through 64 without a documented history of hysterectomy.

Note: Patients must be at least 25 years of age at the beginning of the report period and less than 65 years of age as of the end of the report period.

2.4.1.4 Numerators

1. GPRA: Patients with a Pap smear documented in the past four years.

Note: This numerator does *not* include refusals.

2.4.1.5 Definitions

Age

Age of the patient is calculated at the beginning of the report period. Patients must be at least 25 years of age at the beginning of the report period and less than 65 years of age as of the end of the report period.

Hysterectomy

Defined as any of the following ever:

- Procedure 68.4 through 68.9
- CPT 51925, 56308 (old code), 58150, 57540, 57545, 57550, 57555, 57556, 58152, 58200 through 58294, 58548, 58550 through 58554, 58570 through 58573, 58951, 58953 through 58954, 58956, 59135
- Diagnosis (POV or problem list) 618.5, 752.43, V67.01, V76.47, V88.01, V88.03

- Women's Health procedure called Hysterectomy

Pap Smear

- V Lab PAP SMEAR
- POV V76.2 Screen Mal Neop-Cervix, V72.32 Encounter for Pap Cervical Smear to Confirm Findings of Recent Normal Smear Following Initial Abnormal Smear, 795.0*
- Procedure 91.46
- CPT 88141 through 88167, 88174 through 88175, G0123, G0124, G0141, G0143 through G0145, G0147, G0148, P3000, P3001, Q0091 Screening Pap Smear
- Women's Health Procedure called Pap Smear and where the result does not have "ERROR/DISREGARD"
- LOINC taxonomy
- Site-populated taxonomy BGP GPRA PAP SMEAR TAX

2.4.1.6 GPRA 2013 Target

During FY 2013, establish a baseline for the proportion of female patients ages 25 through 64 years without a documented history of hysterectomy who have had a Pap screen within the previous four years.

2.4.1.7 Patient Lists

- List of female patients with a Pap smear documented in the past four years.
- List of female patients without a Pap smear documented in the past four years.

2.4.2 Cancer Screening: Mammogram Rates

2.4.2.1 Owner and Contact

Carolyn Aoyama

2.4.2.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.4.2.3 Denominators

1. GPRA: Female Active Clinical patients ages 52 through 64 years, without a documented bilateral mastectomy or two separate unilateral mastectomies.

Note: The patients must be at least 52 years of age as of the beginning of the report period and less than 65 years of age as of the end of the report period.

2.4.2.4 Numerators

1. GPRA: All patients who had a Mammogram documented in the past two years.

Note: This numerator does *not* include refusals.

2.4.2.5 Definitions

Age

Age of the patient is calculated at the beginning of the report period. For all denominators, patients must be at least the minimum age as of the beginning of the report period. For the 52 through 64 denominator, the patients must be less than 65 years of age as of the end of the report period.

Bilateral Mastectomy

- CPT 19300.50 through 19307.50 OR 19300 through 19307 with modifier 09950 (50 and 09950 modifiers indicate bilateral), or old codes 19180, 19200, 19220, or 19240, with modifier of 50 or 09950, or
- ICD Operation codes 85.42, 85.44, 85.46, 85.48

Unilateral Mastectomy

Requires two separate occurrences for either CPT or procedure codes on either two different dates of service or on the same date of service if the codes include both a right side modifier (RT) and left side modifier (LT).

- CPT 19300 through 19307, or old codes 19180, 19200, 19220, 19240
- Procedures 85.41, 85.43, 85.45, 85.47

Mammogram

- V Radiology or CPT 77052 through 77059, 76090 (old code), 76091 (old code), 76092 (old code), G0206, G0204, G0202
- POV V76.11, V76.12, 793.80 Abnormal mammogram, unspecified, 793.81 Mammographic microcalcification, 793.89, Other abnormal findings on radiological exam of breast
- Procedures 87.36, 87.37
- Women's Health Mammogram Screening, Mammogram Dx Bilat, Mammogram Dx Unilat and where the mammogram result does *not* have "ERROR/DISREGARD"

2.4.2.6 GPRA 2013 Target

During FY 2013, achieve the target rate of 49.7% for the proportion of female patients ages 52 through 64 who have had mammography screening within the last two years.

2.4.2.7 Patient Lists

- List of female patients with a Mammogram documented in the past two years.
- List of female patients without a Mammogram documented in the past two years.

2.4.3 Colorectal Cancer Screening

Notes: Based on the HEDIS definition which has lowered the upper age from 80 to 75.

Numerator does not include Double Contrast Barium Enema (DCBE).

2.4.3.1 Owner: Contact

Epidemiology Program: Don Haverkamp

2.4.3.2 National Reporting

NATIONAL (included in IHS Performance Report; *not* reported to OMB and Congress)

2.4.3.3 Denominators

1. GPRA: Active Clinical patients ages 50 through 75 without a documented history of colorectal cancer or total colectomy.

Note: Since HEDIS calculates age at the end of the report period, the patient's at the beginning of the report period must be at least 50 years of age and 51 years of age at the end of the report period.

2.4.3.4 Numerators

1. GPRA: Patients who have had any Colorectal Cancer (CRC) screening, defined as any of the following:
 - A. Fecal Occult Blood Test (FOBT) or FIT during the Report Period

- B. Flexible sigmoidoscopy in the past 5 years
 - C. Colonoscopy in the past 10 years
2. Patients with Fecal Occult Blood test (FOBT) or Fecal Immunochemical Test (FIT) during the Report period.

2.4.3.5 Definitions

Denominator Exclusions

Any diagnosis ever of one of the following:

- Colorectal Cancer
 - POV 153.*, 154.0, 154.1, 197.5, V10.05
 - CPT G0213 through G0215 (old codes), G0231 (old code)
- Total Colectomy
 - CPT 44150 through 44151, 44152 (old code), 44153 (old code), 44155 through 44158, 44210 through 44212
 - Procedure 45.8*

Colorectal Cancer Screening

The most recent of any of the following during applicable timeframes:

- FOBT or FIT
 - CPT 82270, 82274, 89205 (old code), G0107 (old code), G0328, G0394 (old code)
 - LOINC taxonomy
 - Site-populated taxonomy BGP GPRA FOB TESTS
- Flexible Sigmoidoscopy
 - Procedure 45.24
 - CPT 45330 through 45345, G0104
- Colonoscopy
 - Procedure 45.22, 45.23, 45.25, 45.42, 45.43
 - CPT 44388 through 44394, 44397, 45355, 45378 through 45387, 45391, 45392, G0105, G0121

2.4.3.6 GPRA 2013 Target

During FY 2013, establish a baseline for the proportion of clinically appropriate patients ages 50 through 75 years who have received colorectal screening.

2.4.3.7 Patient Lists

- List of patients ages 50 through 75 years with CRC screening (HEDIS definition).
- List of patients ages 50 through 75 years without CRC screening (HEDIS definition).

2.4.4 Tobacco Use and Exposure Assessment

2.4.4.1 Owner and Contact

Chris Lamer, PharmD: Epidemiology Program, Dayle Knutson

2.4.4.2 National Reporting

NATIONAL (included in IHS Performance Report; *not* reported to OMB and Congress)

2.4.4.3 Denominators

1. Active Clinical patients ages five and older.

2.4.4.4 Numerators

1. Patients screened for tobacco use during the report period.
2. Patients identified during the report period as current tobacco users.
 - A. Current smokers
 - B. Current smokeless tobacco users
3. Patients exposed to ETS during the report period.

2.4.4.5 Definitions

Tobacco Screening

At least one of the following:

- Any Health Factor for category Tobacco, TOBACCO (SMOKING), TOBACCO (SMOKELESS – CHEWING/DIP), TOBACCO (EXPOSURE)
- POV or Current PCC Problem List 305.1, 305.1* (old codes), 649.00 through 649.04, V15.82 (tobacco-related diagnosis)
- Dental code 1320

- Patient Education codes containing “TO-”, “-TO”, “-SHS,” 305.1, 305.1* (old codes), 649.00 through 649.04, V15.82, D1320, 99406, 99407, G0375 (old code), G0376 (old code), 1034F, 1035F, 1036F, 1000F, G8455 through G8457 (old codes), G8402 (old code), G8453 (old code)
- CPT D1320, 99406, 99407, G0375 (old code), G0376 (old code), G8455 through G8457 (old codes), G8402 (old code), G8453 (old code), 1034F (Current Tobacco Smoker), 1035F (Current Smokeless Tobacco User), 1036F (Current Tobacco Non-User), 1036F (Current Tobacco Non-User), 1000F (Tobacco Use Assessed)

Tobacco Users

- Health Factors: Current Smoker, Current Smokeless, Current Smoker and Smokeless, Cessation-Smoker, Cessation-Smokeless, Current Smoker, status unknown, Current smoker, every day, Current smoker, some day
- POV 305.1, 305.10 through 305.12 (old codes), 649.00 through 649.04
- CPT 99406, 99407, G0375 (old code), G0376 (old code), 1034F, 1035F, G8455 (old code), G8456 (old code), G8402 (old code), G8453 (old code)

Current Smokers

- Health Factors: Current Smoker, Current Smoker and Smokeless, Cessation-Smoker, Current Smoker, status unknown, Current smoker, every day, Current smoker, some day
- POV 305.1, 305.10 through 305.12 (old codes), 649.00 through 649.04
- CPT 99406, 99407, G0375 (old code), G0376 (old code), 1034F, G8455 (old code), G8402 (old code), G8453 (old code)

Current Smokeless

- Health Factors: Current Smokeless, Current Smoker and Smokeless, Cessation-Smokeless
- CPT 1035F, G8456 (old code)

ETS

Health Factors: Smoker in Home, Exposure to Environmental Tobacco Smoke

2.4.4.6 Patient Lists

- List of patients with documented tobacco screening.
- List of patients without documented tobacco screening.
- List of patients identified as current tobacco users, both smokers and smokeless users.

2.4.5 Tobacco Cessation

2.4.5.1 Owner: Contact

Chris Lamer, PharmD: Epidemiology Program, Dayle Knutson

2.4.5.2 National Reporting

NATIONAL (included in IHS Performance Report; *not* reported to OMB and Congress)

2.4.5.3 Denominators

1. GPRA: Active clinical patients identified as current tobacco users or tobacco users in cessation, broken down by gender and age groups: younger than 12, 12 through 17, 18 and older.

2.4.5.4 Numerators

1. Patients who have received tobacco cessation counseling or received a prescription for a smoking cessation aid anytime during the Report Period.
2. Patients identified as having quit their tobacco use anytime during the Report Period.
3. GPRA: Patients who received tobacco cessation counseling, received a prescription for a tobacco cessation aid, or quit their tobacco use anytime during the Report Period.

2.4.5.5 Definitions

Denominator

Current Tobacco Users or Tobacco Users in Cessation:

CRS will search first for all health factors documented in the Tobacco, TOBACCO (SMOKING) and TOBACCO (SMOKELESS – CHEWING/DIP) categories during the Report Period.

If health factor(s) are found and at least one of them is one of the health factors listed below, the patient is counted as a current tobacco user or tobacco user in cessation. The patient is not counted as receiving cessation counseling.

Tobacco User Health Factors (TUHF):

- Cessation-Smoker

- Cessation-Smokeless
- Current Smoker
- Current Smokeless
- Current Smoker and Smokeless
- Current Smoker, status unknown
- Current Smoker, every day
- Current Smoker, some day

If a health factor is found and it is *not* a TUHF, CRS will then search for CPT 1034F or 1035F documented after the health factor. If one of these codes is found, the patient will be considered a tobacco user.

If no health factor was found, CRS will then search for any of the following codes documented during the Report Period:

- Tobacco-related POV or active Problem List Diagnoses 305.1, 305.10 through 305.12 (old codes), 649.00 through 649.04.
- CPT 99406, 99407, G0375 (old code), G0376 (old code), 1034F, 1035F, G8455 (old code), G8456 (old code), G8402 (old code), G8453 (old code).

If any of these codes are found, the patient will be considered a tobacco user.

If no health factor or other tobacco user-defining code listed above was found during the specified timeframe, CRS will then search for the most recent health factor documented during an *expanded* timeframe of any time prior to the report period. For example, a patient with the most recent health factor being documented five years prior to the report period.

Note: If multiple health factors were documented on the same date and if any of them are TUHF(s), all of the health factors will be considered as TUHF(s).

If a health factor is found during the expanded timeframe, and is a TUHF, the patient will be considered a potential tobacco user.

If a health factor is found during the expanded timeframe and it is not one of the TUHFs, CRS will then search for CPT 1034F or 1035F documented after the health factor. If one of these codes is found, the patient will be considered a potential tobacco user.

If no health factor was found, CRS will then search for any of the following codes documented through the beginning of the Report Period:

- Tobacco-related POV or active Problem List Diagnoses 305.1, 305.10 through 305.12 (old codes), 649.00 through 649.04.
- CPT 99406, 99407, G0375 (old code), G0376 (old code), 1034F, 1035F, G8455 (old code), G8456 (old code), G8402 (old code), G8453 (old code).

If any of these codes are found, the patient will be considered a potential tobacco user. If one of these codes is not found, the patient is considered a non-tobacco user and will not be included in the denominator.

If the patient is considered a potential tobacco user, CRS will then search for POV or current Active Problem List diagnosis code 305.13 Tobacco use in remission (old code) or V15.82 with a date occurring after the health factor date and through the beginning of the report period. If one of these diagnoses is found, the patient will be considered as having quit their tobacco use and will not be included in the denominator. If a diagnosis is not found, the patient is included as a current tobacco user and will be included in the denominator.

Tobacco Cessation Counseling

Any of the following documented anytime during the Report Period:

- Patient education codes containing "TO-", "-TO", "-SHS", 305.1, 305.1* (old codes), 649.00 through 649.04, D1320, 99406, 99407, G0375 (old code), G0376 (old code), 4000F, G8402, G8453
- Clinic code 94 (tobacco cessation clinic)
- Dental code 1320
- CPT D1320, 99406, 99407, G0375 (old code), G0376 (old code), 4000F, G8402, G8453

Prescription for Tobacco Cessation Aid

Any of the following documented anytime during the Report Period:

- Prescription for medication in the site-populated BGP CMS SMOKING CESSATION MEDS taxonomy that does not have a comment of RETURNED TO STOCK
- Prescription for any medication with name containing "NICOTINE PATCH", "NICOTINE POLACRILEX", "NICOTINE INHALER", "NICOTINE NASAL SPRAY" that does not have a comment of RETURNED TO STOCK
- CPT 4001F

Quit Tobacco Use

Any of the following documented anytime during the Report Period *and* after the date of the code found indicating the patient was a current tobacco user:

- POV or current Active Problem List diagnosis code 305.13 Tobacco use in remission (old code) or V15.82
- Health Factor (looks at the last documented health factor): Previous Smoker, Previous Smokeless, Previous (former) smoker, Previous (former) smokeless

2.4.5.6 GPRA 2013 Target

During FY 2013, establish a baseline for the proportion of tobacco-using patients who receive tobacco cessation intervention.

2.4.5.7 Patient Lists

- List of tobacco users with documented tobacco cessation intervention.
- List of tobacco users without documented tobacco cessation intervention.
- List of tobacco users who quit tobacco use.
- List of tobacco users who did not quit tobacco use.
- List of tobacco users with documented tobacco cessation intervention or who quit their tobacco use.
- List of tobacco users without documented tobacco cessation intervention and did not quit their tobacco use.

2.5 Behavioral Health Group**2.5.1 Alcohol Screening (FAS Prevention)****2.5.1.1 Owner and Contact**

Cheryl Peterson, RN, MSN, Denise Grenier, LCSW, Dr. David Sprenger and Dr. Peter Stuart

2.5.1.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.5.1.3 Denominators

1. GPRA: Female Active Clinical patients ages 15 through 44 (child-bearing age).

2.5.1.4 Numerators

1. GPRA: Patients screened for alcohol use, had an alcohol-related diagnosis or procedure, or received alcohol-related patient education during the report period.

Note: This numerator does *not* include refusals.

2.5.1.5 Definitions

Alcohol Screening

Any of the following during the report period:

- PCC Exam code 35
- Any CAGE Health Factor
- Screening Diagnosis V11.3, V79.1, or Behavioral Health System (BHS) problem code 29.1
- CPT 99408, 99409, G0396, G0397, H0049, H0050, 3016F
- V Measurement in PCC or Behavioral Health (BH) of AUDT, AUDC, or CRFT

Alcohol-Related Diagnosis or Procedure

Any of the following during the report period:

- Alcohol-related Diagnosis
 - POV, Current PCC or BHS Problem List 303.*, 305.0*, 291.*, 357.5*
 - BHS POV 10, 27, 29
- Alcohol-related Procedure
 - Procedure 94.46, 94.53, 94.61 through 94.63, 94.67 through 94.69

Alcohol-Related Patient Education

Any of the following during the report period:

- All Patient Education codes containing “AOD-” or “-AOD”, “CD-” or “-CD” (old codes), or V11.3, V79.1, 303.*, 305.0*, 291.* 357.5*, 99408, 99409, G0396, G0397, H0049, H0050, 3016F.

2.5.1.6 GPRA 2013 Target

During FY 2013, achieve the target rate of 61.7% for the proportion of female patients ages 15 through 44 years who receive screening for alcohol use.

2.5.1.7 Patient Lists

- List of female Active Clinical patients ages 15 through 44 years with documented screening.
- List of female Active Clinical patients ages 15 through 44 years without documented screening.

2.5.2 Intimate Partner (Domestic) Violence Screening

2.5.2.1 Owner and Contact

Denise Grenier, LCSW and Dr. Peter Stuart

2.5.2.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.5.2.3 Denominators

1. GPRA: Female Active Clinical patients ages 15 through 40 years.

2.5.2.4 Numerators

1. GPRA: Patients screened for intimate partner (domestic) violence at any time during the report period.

Note: This numerator does *not* include refusals.

2.5.2.5 Definitions

(Intimate Partner Violence/Domestic Violence) IPV/DV Screening

- PCC Exam code 34
- BHS IPV/DV exam

IPV/DV Related Diagnosis

- POV, Current PCC or BHS Problem List 995.80 through 83, 995.85, V15.41, V15.42, V15.49
- BHS POV 43.*, 44.*

IPV/DV Patient Education

Patient Education codes containing “DV-” or “-DV”, 995.80 through 83, 995.85, V15.41, V15.42, V15.49

IPV/DV Counseling

POV V61.11

2.5.2.6 GPRA 2013 Target

During FY 2013, achieve the target rate of 58.3% for the proportion of female patients ages 15 through 40 years who receive screening for domestic violence.

2.5.2.7 Patient Lists

- List of female patients 15 through 40 years with documented IPV/DV screening.
- List of female patients 15 through 40 years without documented IPV/DV screening.

2.5.3 Depression Screening**2.5.3.1 Owner and Contact**

Cheryl Peterson, RN, MSN, Denise Grenier, LCSW, Dr. David Sprenger and Dr. Peter Stuart

2.5.3.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.5.3.3 Denominators

1. GPRA: Active Clinical patients ages 18 and older, broken down by gender.

2.5.3.4 Numerators

1. GPRA: Patients screened for depression or diagnosed with a mood disorder at any time during the report period.

Note: This numerator does *not* include refusals.

- A. Patients screened for depression during the report period.
- B. Patients with a diagnosis of a mood disorder during the report period.

2.5.3.5 Definitions

Depression Screening

Any of the following:

- Exam code 36
- POV V79.0
- CPT 1220F
- BHS problem code 14.1 (screening for depression)
- V Measurement in PCC or BH of PHQ2 or PHQ9

Mood Disorders

At least two visits in PCC or BHS during the report period with POV for: Major Depressive Disorder, Dysthymic Disorder, Depressive Disorder NOS, Bipolar I or II Disorder, Cyclothymic Disorder, Bipolar Disorder NOS, Mood Disorder Due to a General Medical Condition, Substance-induced Mood Disorder, or Mood Disorder NOS.

- These POV codes are: 296.*, 291.89, 292.84, 293.83, 300.4, 301.13, 311 or BHS POV 14, 15

2.5.3.6 GPRA 2013 Target

During FY 2013, achieve the target rate of 58.6% for the proportion of adults ages 18 and older who receive annual screening for depression.

2.5.3.7 Patient Lists

- List of Active Clinical patients 18 or older screened for depression or diagnosed with mood disorder.
- List of Active Clinical patients 18 or older not screened for depression or diagnosed with mood disorder.

2.6 Cardiovascular Disease Related Group

2.6.1 Childhood Weight Control

2.6.1.1 Owner and Contact

Nutrition Program, Lorraine Valdez, MPA, BSN, RN

2.6.1.2 National Reporting

NATIONAL (included in IHS Performance Report; *not* reported to OMB and Congress)

2.6.1.3 Denominators

1. GPRA: Active Clinical Patients 2 through 5 for whom a BMI could be calculated.

2.6.1.4 Numerators

1. GPRA: Patients with a BMI at or above the 95th percentile.

2.6.1.5 Definitions

Age

All patients who are between the ages of two and five at the beginning of the report period and who do not turn age six during the report period are included in this measure. Age in the age groups is calculated based on the date of the most current BMI found. For example, a patient may be two at the beginning of the time period but is three at the time of the most current BMI found. That patient will fall into the Age three group.

BMI

CRS looks for the most recent BMI in the report period. CRS calculates BMI at the time the report is run, using NHANES II. A height and weight must be taken on the same day any time during the report period. The BMI values for this measure are reported differently than in Obesity Assessment since this age group is children ages two through six, whose BMI values are age-dependent. The BMI values are categorized as Overweight for patients with a BMI in the 85th through 94th percentile and Obese for patients with a BMI at or above the 95th percentile.

Patients whose BMI either is greater or less than the Data Check Limit range, as shown in the following table, will not be included in the report counts for Overweight or Obese.

Low-High Ages	Sex	BMI (Overweight)	BMI (Obese)	Data Check Limits	
				BMI >	BMI <
2-2	Male	17.7	18.7	36.8	7.2
2-2	Female	17.5	18.6	37.0	7.1
3-3	Male	17.1	18.0	35.6	7.1
3-3	Female	17.0	18.1	35.4	6.8
4-4	Male	16.8	17.8	36.2	7.0
4-4	Female	16.7	18.1	36.0	6.9
5-5	Male	16.9	18.1	36.0	6.9

Low-High	Sex	BMI	BMI	Data Check Limits	
5-5	Female	16.9	18.5	39.2	6.8

2.6.1.6 2013 Target

During FY 2013, achieve the target rate of 24.0% for the proportion of children with a BMI of 95% or higher.

2.6.1.7 Patient Lists

During FY 2013, achieve the target rate of 24.0% for the proportion of children with a BMI of 95% or higher.

2.6.2 Controlling High Blood Pressure – Million Hearts

2.6.2.1 Owner and Contact

Dr. Dena Wilson, Chris Lamer, PharmD, and Mark Veazie

2.6.2.2 National Reporting

NATIONAL (included in National GPRA/GPRAMA Report; not reported to OMB and Congress)

2.6.2.3 Denominators

1. Million Hearts (NQF 0018): User Population patients ages 18 through 85 years diagnosed with hypertension and no documented history of ESRD or current diagnosis of pregnancy.

2.6.2.4 Numerators

1. Million Hearts (NQF 0018): Patients with BP less than (<) 140/90, i.e., the systolic value is less than 140 AND the diastolic value is less than 90.

2.6.2.5 Definitions

Age

Age of the patient is calculated at end of the Report period.

Hypertension

Diagnosis (POV or problem list) 401.* ever through the first 6 months of the Report Period, and at least one hypertension POV during the report period.

ESRD

Any of the following ever:

- CPT 36145 (old code), 36147, 36800, 36810, 36815, 36818, 36819, 36820, 36821, 36831 through 36833, 50300, 50320, 50340, 50360, 50365, 50370, 50380, 90918 through 90925 (old codes), 90935, 90937, 90939 (old code), 90940, 90945, 90947, 90951 through 90970, 90989, 90993, 90997, 90999, 99512, G0257, G0308 through G0327 (old codes), G0392 (old code), G0393 (old code), S9339
- POV 585.6, V45.1 (old code), V45.11 V45.12
- Procedure 38.95, 39.27, 39.42, 39.43, 39.53, 39.93 through 39.95, 54.98, 55.6*

Pregnancy Definition

At least two visits during the Report Period with POV or Problem diagnosis (640.03, 640.83, 640.93, 641.03, 641.13, 641.23, 641.33, 641.83, 641.93, 642.03, 642.13, 642.23, 642.33, 642.43, 642.53, 642.63, 642.73, 642.93, 643.03, 643.13, 643.23, 643.83, 643.93, 644.03, 644.13, 645.13, 645.23, 646.03, 646.13, 646.23, 646.33, 646.43, 646.53, 646.63, 646.73, 646.83, 646.93, 647.03, 647.13, 647.23, 647.33, 647.43, 647.53, 647.63, 647.83, 647.93, 648.03, 648.13, 648.23, 648.33, 648.43, 648.53, 648.63, 648.73, 648.83, 648.93, 649.03, 649.13, 649.23, 649.33, 649.43, 649.53, 649.63, 649.73, 651.03, 651.13, 651.23, 651.33, 651.43, 651.53, 651.63, 651.73, 651.83, 651.93, 652.03, 652.13, 652.23, 652.33, 652.43, 652.53, 652.63, 652.73, 652.83, 652.93, 653.03, 653.13, 653.23, 653.33, 653.43, 653.53, 653.63, 653.73, 653.83, 653.93, 654.03, 654.13, 654.23, 654.33, 654.43, 654.53, 654.63, 654.73, 654.83, 654.93, 655.03, 655.13, 655.23, 655.33, 655.43, 655.53, 655.63, 655.73, 655.83, 655.93, 656.03, 656.13, 656.23, 656.33, 656.43, 656.53, 656.63, 656.73, 656.83, 656.93, 657.03, 658.03, 658.13, 658.23, 658.33, 658.43, 658.83, 658.93, 659.03, 659.13, 659.23, 659.33, 659.43, 659.53, 659.63, 659.73, 659.83, 659.93, 660.03, 660.13, 660.23, 660.33, 660.43, 660.53, 660.63, 660.73, 660.83, 660.93, 661.03, 661.13, 661.23, 661.33, 661.43, 661.93, 662.03, 662.13, 662.23, 662.33, 663.03, 663.13, 663.23, 663.33, 663.43, 663.53, 663.63, 663.83, 663.93, 665.03, 665.83, 665.93, 668.03, 668.13, 668.23, 668.83, 668.93, 669.03, 669.13, 669.23, 669.43, 669.83, 669.93, 671.03, 671.13, 671.23, 671.33, 671.53, 671.83, 671.93, 673.03, 673.13, 673.23, 673.33, 673.83, 674.03, 674.53, 675.03, 675.13, 675.23, 675.83, 675.93, 676.03, 676.13, 676.23, 676.33, 676.43, 676.53, 676.63, 676.83, 676.93, 678.03, 678.13, 679.03, 679.13, V22.0 through V23.9, V28.81, V28.82, V28.89, V72.42, V89.01 through V89.09), where the primary provider is not a CHR (Provider code 53). Pharmacy-only visits (clinic code 39) will not count toward these two visits. If the patient has more than two pregnancy-related visits during the Report Period, CRS will use the first two visits in the Report Period. The patient must not have a documented miscarriage or abortion occurring after the second pregnancy-related visit.

- Miscarriage definition:
 - POV 630, 631, 632, 633*, 634*
 - CPT 59812, 59820, 59821, 59830
- Abortion definition:
 - POV 635*, 636* 637*
 - CPT 59100, 59120, 59130, 59136, 59150, 59151, 59840, 59841, 59850, 59851, 59852, 59855, 59856, 59857, S2260 through S2267,
 - Procedure 69.01, 69.51, 74.91, 96.49

BP Values

Exclusions: When calculating all BPs, the following visits will be excluded:

- Service Category H (Hospitalization), I (In Hospital), S (Day Surgery), or O (Observation)
- Clinic code 23 (Surgical), 30 (ER), 44 (Day Surgery), C1 (Neurosurgery), or D4 (Anesthesiology)

CRS uses the last Blood Pressure documented during the Report Period.

2.6.2.6 GPRA 2013 Description

During FY 2013, establish a baseline for the proportion of patients with BP less than (<) 140/90.

2.6.2.7 Patient Lists

- List of hypertensive patients with BP less than (<) 140/90.
- List of hypertensive patients with BP greater than or equal to (>=) 140/90.

2.6.3 Comprehensive CVD-Related Assessment

2.6.3.1 Owner and Contact

Mark Veazie, Dr. Dena Wilson and Chris Lamer, PharmD

2.6.3.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.6.3.3 Denominators

1. GPRAMA: Active CHD patients ages 22 and older, defined as all Active Clinical patients diagnosed with CHD prior to the report period, *and* at least two visits during the report period, *and* two CHD-related visits ever.
 - A. Active CHD patients 22 and older who are not Active Diabetic.
 - B. Active CHD patients 22 and older who are Active Diabetic.

2.6.3.4 Numerators

1. Patients with BP value documented at least twice in prior two years.
2. Patients with LDL completed during the Report Period, regardless of result.
3. Patients screened for tobacco use during the report period.
4. Patients for whom a BMI could be calculated.

Note: This numerator does *not* include refusals.

5. Patients who have received any lifestyle adaptation counseling, including medical nutrition counseling, or nutrition, exercise or other lifestyle education during the report period.
6. GPRAMA: Patients with comprehensive CVD assessment, defined as having BP, LDL, and tobacco use assessed, BMI calculated, and lifestyle counseling.

Note: This does *not* include depression screening and does *not* include refusals of BMI.

7. Patients screened for depression or diagnosed with a mood disorder or suicide ideation at any time during the report period.

2.6.3.5 Definitions

CHD

- POV 410.0 through 413.*, 414.0 through 414.9, 429.2
- One or more Coronary Artery Bypass Graft (CABG) or Percutaneous Coronary Interventions (PCI) procedures, defined as any of the following:
 - CABG Procedure
 - POV V45.81
 - CPT 33510 through 33514, 33516 through 33519, 33521 through 33523, 33533 through 33536, S2205 through S2209

- Procedure 36.1*, 36.2*
- PCI Procedure
 - POV V45.82
 - CPT 92980, 92982, 92995, G0290
 - Procedure 00.66, 36.01 (old code), 36.02 (old code), 36.05, (old code), 36.06 through 36.07

BP

Having a minimum of two BPs documented in past two years. If CRS does not find two BPs, it will search for CPT 0001F, 2000F, 3074F through 3080F or POV V81.1 documented during the past two years. The following visits will be excluded:

- Service Category H (Hospitalization), I (In Hospital), S (Day Surgery), O (Observation)
- Clinic codes 23 (Surgical), 30 (ER), 44 (Day Surgery), C1 (Neurosurgery), D4 (Anesthesiology)

LDL

Finds the most recent test done during the Report Period, regardless of the results of the measurement.

- LDL Definition
 - CPT 80061, 83700, 83701, 83704, 83715 (old code), 83716 (old code), 83721, 3048F, 3049F, 3050F
 - LOINC taxonomy
 - Site-populated taxonomy DM AUDIT LDL CHOLESTEROL TAX

Tobacco Screening

At least one of the following:

- Any health factor for category Tobacco, TOBACCO (SMOKING), TOBACCO (SMOKELESS – CHEWING/DIP), TOBACCO (EXPOSURE) documented during current report period
- Tobacco-related diagnoses (POV or current Active Problem List) 305.1, 305.1* (old codes), 649.00 through 649.04, V15.82
- Dental code 1320
- Any patient education code containing "TO-", "-TO", "-SHS", 305.1, 305.1* (old codes), 649.00 through 649.04, V15.82, D1320, 99406, 99407, G0375 (old code), G0376 (old code), 1034F, 1035F, 1036F, 1000F, G8455 through G8457 (old codes), G8402 (old code), G8453 (old code)

- CPT D1320, 99406, 99407, G0375 (old code), G0376 (old code), 1034F, 1035F, 1036F, 1000F, G8455 through G8457 (old codes), G8402 (old code), G8453 (old code)

BMI

CRS calculates BMI at the time the report is run, using NHANES II. For ages 19 through 50 years, height and weight must be recorded within the last five years, not required to be on the same day. For ages over 50 years, height and weight within the last two years, not required to be recorded on same day.

Medical Nutrition Therapy

- Any of the following:
 - CPT 97802 through 97804, G0270, G0271
 - Primary or secondary provider codes 07, 29
 - Clinic codes 67 (dietary), 36 (WIC)

Nutrition education:

- POV V65.3 dietary surveillance and counseling
- Patient education codes ending “-N” (Nutrition) or “-MNT” or containing V65.3 (or old code “-DT” (Diet))
- Patient Goal with Goal Type of “Nutrition” and Goal Status of "Goal Set", "Goal Met", "Maintaining Goal", or "No Change" during the Report Period

Exercise education:

- POV V65.41 exercise counseling
- Patient education codes ending “-EX” (Exercise) or containing V65.41
- Patient Goal with Goal Type of “Physical Activity” and Goal Status of "Goal Set", "Goal Met", "Maintaining Goal", or "No Change" during the Report Period

Related exercise and nutrition education:

- Patient education codes ending “-LA” (lifestyle adaptation) or containing “OBS-” (obesity) or 278.00 or 278.01.

Depression Screening or Mood Disorder DX or Suicide Ideation DX

Any of the following during the report period:

- Depression Screening:
 - Exam code 36
 - POV V79.0
 - CPT 1220F

- BHS problem code 14.1 (screening for depression)
- V Measurement in PCC or BH of PHQ2 or PHQ9
- Mood Disorder diagnosis
 - At least two visits in PCC or BHS during the report period with POV for: Major Depressive Disorder, Dysthymic Disorder, Depressive Disorder NOS, Bipolar I or II Disorder, Cyclothymic Disorder, Bipolar Disorder NOS, Mood Disorder Due to a General Medical Condition, Substance-induced Mood Disorder, or Mood Disorder NOS.
 - These POV codes are: 296.*, 291.89, 292.84, 293.83, 300.4, 301.13, 311 or BHS POV 14, 15
- Suicide Ideation DX
 - POV V62.84
 - BHS Problem code 39 during the Report Period

2.6.3.6 GPRA 2013 Target

During FY 2013, achieve the target rate of 32.3% for the proportion of at-risk patients who have a comprehensive assessment.

2.6.3.7 Patient Lists

- List of Active CHD patients 22 and older with blood pressure documented in the past two years.
- List of Active CHD patients 22 and older without blood pressure documented in the past two years.
- List of Active CHD patients 22 and older with LDL completed during the Report Period.
- List of Active CHD patients 22 and older without LDL completed during the Report Period.
- List of Active CHD patients 22 and older with tobacco screening during the Report Period.
- List of Active CHD patients 22 and older without tobacco screening during the Report Period.
- List of Active CHD patients 22 and older with BMI calculated.
- List of Active CHD patients 22 and older without BMI calculated.
- List of Active CHD patients 22 and older with lifestyle education during the Report Period.

- List of Active CHD patients 22 and older without lifestyle education during the Report Period.
- List of Active CHD patients 22 and older with a comprehensive CVD assessment.
- List of Active CHD patients 22 and older without a comprehensive CVD assessment.
- List of Active CHD patients 22 and older with depression screening during the Report Period.
- List of Active CHD patients 22 and older without depression screening during the Report Period.

2.7 STD-Related Group

2.7.1 HIV Screening

2.7.1.1 Owner and Contact

Lisa Neel, MP and Dr. Marie Russell

2.7.1.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.7.1.3 Denominators

1. GPRA: All pregnant Active Clinical patients with no documented miscarriage or abortion during the past 20 months and *no* recorded HIV diagnosis ever.

2.7.1.4 Numerators

1. GPRA: Patients who were screened for HIV during the past 20 months.

Note: This numerator does *not* include refusals.

2.7.1.5 Definitions

Pregnancy

At least two visits with POV or Problem diagnosis (640.03, 640.83, 640.93, 641.03, 641.13, 641.23, 641.33, 641.83, 641.93, 642.03, 642.13, 642.23, 642.33, 642.43, 642.53, 642.63, 642.73, 642.93, 643.03, 643.13, 643.23, 643.83, 643.93, 644.03, 644.13, 645.13, 645.23, 646.03, 646.13, 646.23, 646.33, 646.43, 646.53, 646.63, 646.73, 646.83, 646.93, 647.03, 647.13, 647.23, 647.33, 647.43, 647.53,

647.63, 647.83, 647.93, 648.03, 648.13, 648.23, 648.33, 648.43, 648.53, 648.63, 648.73, 648.83, 648.93, 649.03, 649.13, 649.23, 649.33, 649.43, 649.53, 649.63, 649.73, 651.03, 651.13, 651.23, 651.33, 651.43, 651.53, 651.63, 651.73, 651.83, 651.93, 652.03, 652.13, 652.23, 652.33, 652.43, 652.53, 652.63, 652.73, 652.83, 652.93, 653.03, 653.13, 653.23, 653.33, 653.43, 653.53, 653.63, 653.73, 653.83, 653.93, 654.03, 654.13, 654.23, 654.33, 654.43, 654.53, 654.63, 654.73, 654.83, 654.93, 655.03, 655.13, 655.23, 655.33, 655.43, 655.53, 655.63, 655.73, 655.83, 655.93, 656.03, 656.13, 656.23, 656.33, 656.43, 656.53, 656.63, 656.73, 656.83, 656.93, 657.03, 658.03, 658.13, 658.23, 658.33, 658.43, 658.83, 658.93, 659.03, 659.13, 659.23, 659.33, 659.43, 659.53, 659.63, 659.73, 659.83, 659.93, 660.03, 660.13, 660.23, 660.33, 660.43, 660.53, 660.63, 660.73, 660.83, 660.93, 661.03, 661.13, 661.23, 661.33, 661.43, 661.93, 662.03, 662.13, 662.23, 662.33, 663.03, 663.13, 663.23, 663.33, 663.43, 663.53, 663.63, 663.83, 663.93, 665.03, 665.83, 665.93, 668.03, 668.13, 668.23, 668.83, 668.93, 669.03, 669.13, 669.23, 669.43, 669.83, 669.93, 671.03, 671.13, 671.23, 671.33, 671.53, 671.83, 671.93, 673.03, 673.13, 673.23, 673.33, 673.83, 674.03, 674.53, 675.03, 675.13, 675.23, 675.83, 675.93, 676.03, 676.13, 676.23, 676.33, 676.43, 676.53, 676.63, 676.83, 676.93, 678.03, 678.13, 679.03, 679.13, V22.0 through V23.9, V28.81, V28.82, V28.89, V72.42, V89.01 through V89.09) during the past 20 months from the end of the Report Period, where the primary provider is not a Community Health Representative (CHR) (Provider code 53). Pharmacy-only visits (clinic code 39) will not count toward these two visits. If the patient has more than two pregnancy-related visits during the past 20 months, CRS will use the first two visits in the 20-month period. The patient must not have a documented miscarriage or abortion occurring after the second pregnancy-related visit. In addition, the patient must have at least one pregnancy-related visit occurring during the reporting period. The time period is extended to include patients who were pregnant during the report period, but whose initial diagnosis (and HIV test) were documented prior to report period.

Miscarriage

- POV 630, 631, 632, 633*, 634*
- CPT 59812, 59820, 59821, 59830

Abortion

- POV 635*, 636*, 637*
- CPT 59100, 59120, 59130, 59136, 59150, 59151, 59840, 59841, 59850, 59851, 59852, 59855, 59856, 59857, S2260 through S2267
- Procedure 69.01, 69.51, 74.91, 96.49

HIV

Any of the following documented any time prior to the end of the report period:

- POV or Problem List 042, 042.0 through 044.9 (old codes), 079.53, V08, 795.71

HIV Screening

- CPT 86689, 86701 through 86703, 87390, 87391, 87534 through 87539
- LOINC taxonomy
- Site-populated taxonomy BGP HIV TESTS

Note: The timeframe for screening for the pregnant patient's denominator is anytime during the past 20 months.

2.7.1.6 GPRA 2013 Target

During FY 2013, achieve the target rate of 82.3% for the proportion of pregnant patients who are screened for HIV.

2.7.1.7 Patient Lists

- List of pregnant patients with documented HIV test in past 20 months.
- List of pregnant patients without documented HIV test in past 20 months.

2.8 Other Clinical Group**2.8.1 Breastfeeding Rates**

Note: This measure is used in conjunction with the Childhood Weight Control GPRA long-term measure to support the reduction of the incidence of childhood obesity.

2.8.1.1 Owner and Contact

Tina Tah, RN, BSN, MBA

2.8.1.2 National Reporting

NATIONAL (included in IHS Performance Report; reported to OMB and Congress)

2.8.1.3 Denominators

1. Active Clinical patients who are 30 through 394 days old.

2. GPRA: Active Clinical patients who are 30 through 394 days old who were screened for infant feeding choice at the age of two months (45 through 89 days).
3. Active Clinical patients who are 30 through 394 days old who were screened for infant feeding choice at the age of six months (165 through 209 days).
4. Active Clinical patients who are 30 through 394 days old who were screened for infant feeding choice at the age of nine months (255 through 299 days).
5. Active Clinical patients who are 30 through 394 days old who were screened for infant feeding choice at the age of one year (350 through 394 days)

2.8.1.4 Numerators

1. Patients who were screened for infant feeding choice at least once.
2. Patients who were screened for infant feeding choice at the age of two months (45 through 89 days).
3. Patients were screened for infant feeding choice at the age of six months (165 through 209 days).
4. Patients who were screened for infant feeding choice at the age of nine months (255 through 299 days).
5. Patients who were screened for infant feeding choice at the age of one year (350 through 394 days).
6. GPRA: Patients who, at the age of two months (45 through 89 days), were either exclusively or mostly breastfed.
7. Patients who, at the age of six months (165 through 209 days), were either exclusively or mostly breastfed.
8. Patients who, at the age of nine months (255 through 299 days), were either exclusively or mostly breastfed.
9. Patients who, at the age of one year (350 through 394 days), were either exclusively or mostly breastfed.

2.8.1.5 Definitions

Infant Feeding Choice

The documented feeding choice from the file V Infant Feeding Choice that is closest to the exact age that is being assessed will be used. For example, if a patient was assessed at 45 days old as half breastfed and half formula and assessed again at 65 days old as mostly breastfed, the mostly breastfed value will be used since it is closer to the exact age of two months (i.e., 60 days). Another example is a patient who was assessed at 67 days as mostly breastfed and again at 80 days as mostly formula. In this case, the 67 days value of mostly breastfed will be used. The other exact ages are 180 days for 6 months, 270 days for nine months, and 365 days for one year.

In order to be included in the age-specific screening numerators, the patient must have been screened at the specific age range. For example, if a patient was screened at six months and was exclusively breastfeeding but was not screened at two months, then the patient will only be counted in the six months numerator.

2.8.1.6 GPRA 2013 Target

During FY 2013, establish a baseline for the proportion of two-month olds who are mostly or exclusively breastfeeding.

2.8.1.7 Patient Lists

- List of Active Clinical patients ages 30 through 394 days who were screened for Infant Feeding Choice at least once.
- List of Active Clinical patients ages 30 through 394 days who were not screened for Infant Feeding Choice at least once.
- List of Active Clinical patients screened at the age of two months (ages 45 through 89 days) and were either exclusively or mostly breastfed.
- List of Active Clinical patients screened at the age of two months (ages 45 through 89 days) and were not exclusively or mostly breastfed.

Acronym List

AI/AN	American Indian/Alaska Native
BH	Behavioral Health
BHS	Behavioral Health System
BMI	Body Mass Index
BP	Blood Pressure
CHR	Community Health Representative
CHS	Contract Health Service
CPT	Current Procedural Terminology
CRC	Colorectal Cancer
CRS	Clinical Reporting System
CVD	Cardiovascular Disease
CVX	Vaccine Code
DCBE	Double Contrast Barium Enema
DM	Diabetes Mellitus
DNKA	Did Not Keep Appointment
DPST	Demo/Test Patient Search Template
ER	Emergency Room
ESRD	End Stage Renal Disease
ETDRS	Early Treatment Diabetic Retinopathy Study

ETS	Environmental Tobacco Smoke
FAS	Fetal Alcohol Syndrome
FIT	Fecal Immunochemical Test
FOBT	Fecal Occult Blood Test
FY	Fiscal Year
GFR	Glomerular Filtration Rate
GPRA	Government Performance and Results Act of 1993
HIV	Human Immunodeficiency Virus
ICD	International Classification of Diseases
IFC	Infant Feeding Choice
IHD	Ischemic Heart Disease
IHS	Indian Health Service
IMM	Immunization
IPV/DV	Intimate Partner Violence/Domestic Violence
LDL	Low-Density Lipoprotein
LOINC	Logical Observations Identifiers, Names, Codes
NMI	Not Medically Indicated
OMB	Office of Management and Budget
PCC	Patient Care Component
POV	Purpose of Visit
RPMS	Resource and Patient Management System

Contact Information

If you have any questions or comments regarding this distribution, please contact the OIT Help Desk (IHS).

Phone: (505) 248-4371 or (888) 830-7280 (toll free)

Fax: (505) 248-4363

Web: <http://www.ihs.gov/GeneralWeb/HelpCenter/Helpdesk/index.cfm>

Email: support@ihs.gov