



RESOURCE AND PATIENT MANAGEMENT SYSTEM

# Clinical Reporting System

(BGP)

## Technical Manual

Version 14.0  
November 2013

Office of Information Technology (OIT)  
Division of Information Resource Management  
Albuquerque, New Mexico

## Document Version History

Version	Date	Notes
1.0	August 2005	Initial version
8.0	August 2008	Updated to include changes to the logic descriptions and performance measures for FY 2008 and reformatted
9.0	June 2009	Updated for version 9.0
10.0	May 2010	Updated for version 10.0
11.0	January 2011	Updated for version 11.0
11.1	May 2011	Updated for version 11.1
12.0	December 2011	Updated for version 12.0
12.1	April 2012	Updated for version 12.1
14.0	November 2012	Updated for version 13.0
14.0	November 2013	Updated for version 14.0

## Table of Contents

<b>1.0</b>	<b>Introduction.....</b>	<b>1</b>
1.1	Key Changes in Version 14.0 .....	2
1.1.1	Logic Changes to National GPRA/GPRAMA Report Measures.....	2
1.1.2	Key Logic Changes to Non-GPRA Measures.....	9
1.1.3	Additional Key Enhancements and Revisions .....	9
<b>2.0</b>	<b>Implementation and Maintenance .....</b>	<b>10</b>
2.1	System Requirements .....	10
2.2	Security Keys.....	10
<b>3.0</b>	<b>Routines .....</b>	<b>11</b>
3.1	Routines and Descriptions.....	11
<b>4.0</b>	<b>Files and Tables.....</b>	<b>24</b>
4.1	File List .....	24
4.2	File Access .....	24
4.3	Cross References.....	25
4.4	Table File.....	54
4.4.1	BGP Control File.....	55
4.4.2	BGP SITE PARAMETERS .....	59
4.4.3	FILE: BGP SUMMARY CATEGORIES.....	60
4.4.4	FILE: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS .....	60
4.4.5	FILE: BGP AREA AUTOMATED GPRA PARAMS .....	61
4.4.6	FILE: BGP GPRA FLAT FILE DATA .....	62
4.4.7	FILE: BGP 14 MEASURES .....	63
4.4.8	FILE: BGP 14 INDIVIDUAL MEASURES .....	66
4.4.9	FILE: BGP 14 NATIONAL PATIENT LISTS .....	69
4.4.10	FILE: BGP 14 TAXONOMIES.....	69
4.4.11	FILE: BGP 14 TAXONOMY TEMP.....	70
4.4.12	FILE: BGP 14 MEASURE GROUPS .....	71
4.4.13	FILE: BGP 14 PATIENT ED DATA CURRENT .....	71
4.4.14	FILE: BGP 14 PATIENT ED DATA PREVIOUS .....	73
4.4.15	FILE: BGP 14 PATIENT ED DATA BASELINE .....	75
4.4.16	FILE: BGP 14 PAT ED MEASURES .....	76
4.4.17	FILE: BGP 14 ICARE GROUPS.....	77
4.4.18	FILE: BGP 14 ICARE CATEGORIES.....	78
4.4.19	FILE: BGP 14 ELDER INDIVIDUAL MEASURES .....	78
4.4.20	FILE: BGP 14 ELDER MEASURES .....	79
<b>5.0</b>	<b>Internal Relations .....</b>	<b>81</b>
<b>6.0</b>	<b>External Relations .....</b>	<b>82</b>
6.1	External Calls .....	82
6.2	Callable Routines.....	118

---

6.3	Published Entry Points.....	118
6.4	Exported Options.....	118
<b>7.0</b>	<b>Security Keys.....</b>	<b>139</b>
<b>8.0</b>	<b>Archiving and Purging.....</b>	<b>140</b>
<b>9.0</b>	<b>Documentation Resources.....</b>	<b>141</b>
9.1	How to Generate Online Documentation.....	141
9.2	System Documentation.....	141
9.2.1	%INDEX.....	141
9.2.2	Inquire Option.....	142
9.2.3	Print Option File.....	142
9.2.4	List File Attributes.....	142
9.3	Online Help.....	143
<b>10.0</b>	<b>SAC Requirements.....</b>	<b>144</b>
	<b>Glossary.....</b>	<b>145</b>
	<b>Contact Information.....</b>	<b>148</b>

## Preface

This manual contains the technical manual for the Clinical Reporting System (CRS) Version 14.0, which adds fiscal year (FY) 2014 clinical performance measures to existing FY 2002 through FY 2013 measures.

## 1.0 Introduction

This manual provides Indian Health Service (IHS) site managers with a technical description of the Clinical Reporting System routines, files, menus, cross references, globals, and other necessary information required to effectively manage the system.

All routines, files, options, and keys have a namespace starting with the letters “BGP.”

The file number range for this package is 90240, 90370–90553, 90530–90539, 90552–90599.

The Government Performance and Results Act (GPRA) requires federal agencies to report annually on how the agency measured against the performance targets set in its annual plan. The IHS GPRA measures include clinical prevention and treatment, quality of care, infrastructure, and administrative efficiency functions.

The IHS Clinical Reporting System (CRS) is a Resource and Patient Management System (RPMS) software application designed for national reporting, as well as Area Office and local monitoring of clinical GPRA and developmental measures. CRS was first released for FY 2002 performance measures (as GPRA+) and is based on a design by the Aberdeen Area Office (GPRA2000).

This manual provides technical information for the CRS Version 14.0. Version 14.0 adds fiscal year (FY) 2014 clinical performance measures to existing FY 2002 through FY 2013 measures.

CRS is the reporting tool used by the IHS Office of Planning and Evaluation to collect and report clinical performance results annually to the Department of Health and Human Services (HHS) and to Congress.

Each year, an updated version of CRS software is released to reflect changes in the logic descriptions of the different denominators and numerators. Additional performance measures may also be added. Local facilities can run reports as often as they want and can also use CRS to transmit data to their Area Office. The Area Office can use CRS to produce an aggregated Area Office report for either annual GPRA or Area Office director performance reports.

CRS produces reports on demand from local RPMS databases for both GPRA and developmental clinical performance measures that are based on RPMS data, thus eliminating the need for manual chart audits for evaluating and reporting clinical measures.

To produce reports with comparable data across every facility, the GPRA measures definitions were “translated” into programming code with the assistance of clinical subject matter experts. CRS uses predefined taxonomies to find data items in the RPMS Patient Care Component to determine if a patient meets the performance measure criteria. Taxonomies contain groups of codes (e.g., diagnoses or procedures) or site-specific terms. Each performance measure topic has one or more defined denominators and numerators.

Administrative and clinical users can review individual or all measures at any time to:

- Identify potential data issues in their RPMS; for example, missing or incorrect data.
- Monitor their site’s performance against past national performance and upcoming agency goals.
- Identify specific areas where the facility is not meeting the measure in order to initiate business process or other changes.
- Quickly measure impact of process changes on performance measures.
- Identify IHS Area Offices meeting or exceeding measures to provide lessons learned.

Users of the RPMS CRS include:

- Area Office and site quality improvement staff
- Compliance officers
- GPRA coordinators
- Clinical staff, such as physicians, nurses, nurse practitioners, and other providers
- Area Office directors
- Any staff involved with quality assurance initiatives
- Staff who run the various CRS reports

## 1.1 Key Changes in Version 14.0

### 1.1.1 Logic Changes to National GPRA/GPRAMA Report Measures

- GPRA Developmental Measures:

- Updated the following measures to add ICD-10 codes: Access to Dental Service; Childhood Immunizations; Cancer Screening: Mammogram Rates; Colorectal Cancer Screening (Revised Logic #2-USPSTF); Comprehensive Cancer Screening; Alcohol Screening; Intimate Partner (Domestic) Violence Screening; Depression Screening; Weight Assessment and Counseling for Nutrition and Physical Activity; HIV Screening; Sexually Transmitted Infection (STI) Screening; Visit Statistics
- Added the following new GPRA Developmental measures: Access to Dental Service (visits with general anesthesia and stainless steel crowns); Hepatitis C Screening (moved from ONM Report); Chlamydia Testing (moved from ONM Report); Visit Statistics
- Deleted the following GPRA Developmental measures: Adult Immunizations; Cancer Screening: Pap Smear Rates
- Updated codes in the following measures: Childhood Immunizations; Comprehensive Cancer Screening; HIV Screening
- Diabetes Prevalence: Added ICD-10 POV codes E10.\* through E13.\* to diabetes definition.
- Diabetes: Glycemic Control: Added ICD-10 POV codes E10.\* through E13.\* to diabetes definition.
- Diabetes: Blood Pressure Control: Added ICD-10 POV codes E10.\* through E13.\* to diabetes definition.
- Diabetes: Nephropathy Assessment: (1) Added ICD-10 POV codes E10.\* through E13.\* to diabetes definition. (2) Added ICD-10 POV codes N18.6, Z48.22, Z49.\*, Z91.15, Z94.0, Z99.2 to ESRD definition. (3) Changed numerator and logic to look for Urine Albumin-to-Creatinine Ratio (UACR) instead of Quantitative Urine Protein Assessment. NOTE: Site populated LOINC taxonomies should be edited to reflect this change as well. (4) Removed CPT codes 82042, 84156, 3060F, 3061F, and 3062F from UACR definition. (5) Changed logic for UACR to CPT 82043 WITH 82570.
- Diabetic Retinopathy: (1) Added ICD-10 POV codes E10.\* through E13.\* to diabetes definition. (2) Added ICD-10 POV codes H54.0 through H54.12 to bilateral blindness definition. (3) Clarified that problem list entries for bilateral blindness must not have a status of Inactive or Deleted.
- Access to Dental Service: Added ICD-10 POV codes Z01.20 and Z01.21 to dental exam definition.
- Influenza: (1) Added CVX codes 149, 150, 151, 153, 155, and 158 to Influenza definition. (2) Added CPT codes 90672, 90673, 90685, 90686 and 90688 to Influenza definition.



- Adult Immunizations: (1) Moved measure from GPRA Developmental report into GPRA report and made it the new GPRA measure. (2) Added CVX code 152 to pneumovax definition.
- Childhood Immunizations: (1) Added ICD-10 POV codes B16.\*, B19.1\*, Z22.51 to Hep B evidence of disease definition. (2) Added ICD-10 POV codes B05.\* to measles evidence of disease definition. (3) Added ICD-10 POV codes B26.\* to mumps evidence of disease definition. (4) Added ICD-10 POV codes M89.6\* to IPV evidence of disease definition. (5) Added ICD-10 POV codes B06.\* to rubella evidence of disease definition. (6) Added ICD-10 POV codes B01.\* through B02.\* to varicella evidence of disease definition. (7) Added CVX code 152 to pneumococcal definition. (8) Added CVX codes 138 and 139 to Td definition.
- Cancer Screening: Pap Smear Rates: (1) Moved measures from GPRA Developmental report into GPRA report and made it the new GPRA measure. (2) Changed age range from 25 through 64 to 24 through 64. (3) Changed numerator from Pap Smear in past four years to Pap Smear in past three years. (4) Changed numerator from Pap + HPV in past six years to Pap + HPV in past five years. (5) Added ICD-10 procedure codes 0UT90ZZ, 0UT94ZZ, 0UT97ZZ, 0UT98ZZ, 0UT9FZZ to hysterectomy definition. (6) Added ICD-10 POV codes N99.3, Z12.72, Z90.710 through Z90.712, Q51.5 to hysterectomy definition. (7) Added ICD-10 POV codes R87.61\*, R87.810, R87.820, Z01.42 to Pap Smear definition. (8) Clarified that problem list entries for hysterectomy must not have a status of Inactive or Deleted.
- Cancer Screening: Mammogram Rates: (1) Added ICD-10 procedure codes BH00ZZZ, BH01ZZZ, BH02ZZZ to mammogram definition. (2) Added ICD-10 POV codes R92.0, R92.1, R92.8, Z12.31 to mammogram definition. (3) Added ICD-10 procedure code 0HTV0ZZ to bilateral mastectomy definition. (4) Added ICD-10 procedure codes 07T50ZZ, 07T60ZZ, 07T70ZZ, 07T80ZZ, 07T90ZZ, 0HTT0ZZ, 0HTU0ZZ, 0KTH0ZZ, 0KTJ0ZZ to unilateral mastectomy definition.

- Colorectal Cancer Screening: (1) Added ICD-10 procedure codes 0D5E4ZZ, 0D5E8ZZ, 0D5F4ZZ, 0D5F8ZZ, 0D5G4ZZ, 0D5G8ZZ, 0D5H4ZZ, 0D5H8ZZ, 0D5K4ZZ, 0D5K8ZZ, 0D5L4ZZ, 0D5L8ZZ, 0D5M4ZZ, 0D5M8ZZ, 0D5N4ZZ, 0D5N8ZZ, 0D9E3ZX, 0D9E4ZX, 0D9E7ZX, 0D9E8ZX, 0D9F3ZX, 0D9F4ZX, 0D9F7ZX, 0D9F8ZX, 0D9G3ZX, 0D9G4ZX, 0D9G7ZX, 0D9G8ZX, 0D9H3ZX, 0D9H4ZX, 0D9H7ZX, 0D9H8ZX, 0D9K3ZX, 0D9K4ZX, 0D9K7ZX, 0D9K8ZX, 0D9L3ZX, 0D9L4ZX, 0D9L7ZX, 0D9L8ZX, 0D9M3ZX, 0D9M4ZX, 0D9M7ZX, 0D9M8ZX, 0D9N3ZX, 0D9N4ZX, 0D9N7ZX, 0D9N8ZX, 0DBE3ZX, 0DBE4ZX, 0DBE7ZX, 0DBE8ZX, 0DBE8ZZ, 0DBF3ZX, 0DBF4ZX, 0DBF7ZX, 0DBF8ZX, 0DBF8ZZ, 0DBG3ZX, 0DBG4ZX, 0DBG7ZX, 0DBG8ZX, 0DBG8ZZ, 0DBH3ZX, 0DBH4ZX, 0DBH7ZX, 0DBH8ZX, 0DBH8ZZ, 0DBK3ZX, 0DBK4ZX, 0DBK7ZX, 0DBK8ZX, 0DBK8ZZ, 0DBL3ZX, 0DBL4ZX, 0DBL7ZX, 0DBL8ZX, 0DBL8ZZ, 0DBM3ZX, 0DBM4ZX, 0DBM7ZX, 0DBM8ZX, 0DBM8ZZ, 0DBN3ZX, 0DBN4ZX, 0DBN7ZX, 0DBN8ZX, 0DBN8ZZ, 0DJD8ZZ to colonoscopy definition. (2) Added ICD-10 procedure code 0DJD8ZZ to sigmoidoscopy definition. (3) Added ICD-10 procedure codes 0DTE4ZZ, 0DTE0ZZ, 0DTE7ZZ, 0DTE8ZZ to total colectomy definition. (4) Added ICD-10 POV codes C18.\*, C19, C20, C78.5, Z85.030, Z85.038 to colorectal cancer definition.
- Tobacco Use and Exposure Assessment: (1) Added ICD-10 POV codes F17.2\*, O99.33\*, Z87.891 to tobacco screening definition. (2) Added ICD-10 POV codes F17.200, F17.203 through F17.210, F17.213 through F17.290, F17.293 through F17.299, O99.33\* to tobacco user (smoker) definition. (3) Added ICD-10 POV codes F17.220, F17.223 through F17.229 to tobacco user (smokeless) definition. (4) Added ICD-10 POV codes F17.2\*0, F17.2\*3, F17.2\*8, F17.2\*9, O99.33\* to tobacco user definition. (5) Added health factors Heavy Tobacco Smoker and Light Tobacco Smoker to Tobacco User and Smoker definitions. (6) Clarified that problem list entries for tobacco-related diagnoses must not have a status of Inactive or Deleted.
- Tobacco Cessation: (1) Added ICD-10 POV codes F17.2\*0, F17.2\*3, F17.2\*8, F17.2\*9, O99.33\* to tobacco user (smoker) definition. (2) Added ICD-10 POV codes F17.2\*1, Z87.891 to tobacco use in remission definition. (3) Added health factors Heavy Tobacco Smoker and Light Tobacco Smoker to Tobacco User Health Factors (TUHF) definition. (4) Clarified that problem list entries for tobacco-related diagnoses must not have a status of Inactive or Deleted.
- Alcohol Screening (FAS Prevention): Added ICD-10 POV codes F10.1\*, F10.20, F10.220 through F10.29, F10.920 through F10.982, F10.99, G62.1 to alcohol-related diagnosis definition.

- Intimate Partner (Domestic) Violence Screening: (1) Added ICD-10 POV codes T74.11XA, T74.21XA, T74.31XA, T74.91XA, T76.11XA, T76.21XA, T76.31XA, T76.91XA, Z91.410 to DV screening definition. (2) Added ICD-10 POV code Z69.11 to IPV counseling definition. (3) Added breakdown measures to report.
- Depression Screening: Added ICD-10 POV codes F06.31 through F06.34, F1\*.\*4, F10.159, F10.180, F10.181, F10.188, F10.259, F10.280, F10.281, F10.288, F10.959, F10.980, F10.981, F10.988, F30.\*, F31.0 through F31.71, F31.73, F31.75, F31.77, F31.81 through F31.9, F32.\* through F39 to mood disorder definition.
- Controlling High Blood Pressure – Million Hearts: (1) Made measure an official GPRA measure. (2) Added ICD-10 procedure codes 0WHR73Z, 0WHR7YZ, 10A00ZZ, 10A03ZZ, 10A04ZZ, 10A07Z6, 10A07ZW, 10A07ZX, 10A07ZZ, 10A08ZZ, 3E1K78Z, 3E1K88Z to abortion definition. (3) Added ICD-10 POV codes O00.\*, O01.\*, O03.1, O03.31 through O03.33, O03.6, O03.81 through O03.83, O04.6, O04.81 through O04.83, Z33.2 to abortion definition. (4) Added ICD-10 POV code O03.9 to miscarriage definition. (5) Added ICD-10 POV codes O09.00 through O10.02, O10.111 through O10.12, O10.211 through O10.22, O10.311 through O10.32, O10.411 through O10.42, O10.911 through O10.92, O11.1 through O15.1, O15.9 through O24.02, O24.111 through O24.12, O24.311 through O24.32, O24.41\*, O24.811 through O24.82, O24.911 through O24.92, O25.10 through O25.2, O26.00 through O26.62, O26.711 through O26.72, O26.811 through O26.93, O29.011 through O30.93, O31.\* through O48.\*, O60.0\*, O61.\* through O66.\*, O68, O69.\*, O71.00 through O71.1, O71.89, O71.9, O74.0 through O75.81, O75.89, O75.9, O76 through O77.\*, O88.011 through O88.02, O88.111 through O88.12, O88.211 through O88.22, O88.311 through O88.32, O88.811 through O88.82, O90.3, O91.011 through O91.019, O91.111 through O91.119, O91.211 through O91.219, O92.011 through O92.019, O92.20, O92.29, O98.011 through O98.02, O98.111 through O98.12, O98.211 through O98.22, O98.311 through O98.32, O98.411 through O98.42, O98.511 through O98.52, O98.611 through O98.62, O98.711 through O98.72, O98.811 through O98.82, O98.911 through O98.92, O99.011 through O99.02, O99.111 through O99.12, O99.210 through O99.214, O99.280 through O99.284, O99.310 through O99.314, O99.320 through O99.324, O99.330 through O99.334, O99.340 through O99.344, O99.350 through O99.354, O99.411 through O99.42, O99.511 through O99.52, O99.611 through O99.62, O99.711 through O99.72, O99.810, O99.814, O99.820, O99.824, O99.830, O99.834, O99.840 through O99.844, O99.89, O9A.111 through O9A.12, O9A.211 through O9A.22, O9A.311 through O9A.32, O9A.411 through O9A.42, O9A.511 through O9A.52, Z03.7\*, Z32.01, Z33.1, Z34.\*, Z36 to pregnancy definition. (6) Added ICD-10 POV codes N18.6, Z48.22, Z49.\*, Z91.15, Z94.0, Z99.2 to ESRD definition. (7) Added ICD-10 POV code I10 to hypertension definition. (8) Clarified that problem list entries for hypertension must not have a status of Inactive or Deleted.

- Comprehensive CVD-Related Assessment: (1) Added ICD-10 procedure codes 0210093, 0210098, 0210099, 021009C, 021009F, 021009W, 02100A3, 02100A8, 02100A9, 02100AC, 02100AF, 02100AW, 02100J3, 02100J8, 02100J9, 02100JC, 02100JF, 02100JW, 02100K3, 02100K8, 02100K9, 02100KC, 02100KF, 02100KW, 02100Z3, 02100Z8, 02100Z9, 02100ZC, 02100ZF, 0210493, 0210498, 0210499, 021049C, 021049F, 021049W, 02104A3, 02104A8, 02104A9, 02104AC, 02104AF, 02104AW, 02104J3, 02104J8, 02104J9, 02104JC, 02104JF, 02104JW, 02104K3, 02104K8, 02104K9, 02104KC, 02104KF, 02104KW, 02104Z3, 02104Z8, 02104Z9, 02104ZC, 02104ZF, 0211093, 0211098, 0211099, 021109C, 021109F, 021109W, 02110A3, 02110A8, 02110A9, 02110AC, 02110AF, 02110AW, 02110J3, 02110J8, 02110J9, 02110JC, 02110JF, 02110JW, 02110K3, 02110K8, 02110K9, 02110KC, 02110KF, 02110KW, 02110Z3, 02110Z8, 02110Z9, 02110ZC, 02110ZF, 0211493, 0211498, 0211499, 021149C, 021149F, 021149W, 02114A3, 02114A8, 02114A9, 02114AC, 02114AF, 02114AW, 02114J3, 02114J8, 02114J9, 02114JC, 02114JF, 02114JW, 02114K3, 02114K8, 02114K9, 02114KC, 02114KF, 02114KW, 02114Z3, 02114Z8, 02114Z9, 02114ZC, 02114ZF, 0212093, 0212098, 0212099, 021209C, 021209F, 021209W, 02120A3, 02120A8, 02120A9, 02120AC, 02120AF, 02120AW, 02120J3, 02120J8, 02120J9, 02120JC, 02120JF, 02120JW, 02120K3, 02120K8, 02120K9, 02120KC, 02120KF, 02120KW, 02120Z3, 02120Z8, 02120Z9, 02120ZC, 02120ZF, 0212493, 0212498, 0212499, 021249C, 021249F, 021249W, 02124A3, 02124A8, 02124A9, 02124AC, 02124AF, 02124AW, 02124J3, 02124J8, 02124J9, 02124JC, 02124JF, 02124JW, 02124K3, 02124K8, 02124K9, 02124KC, 02124KF, 02124KW, 02124Z3, 02124Z8, 02124Z9, 02124ZC, 02124ZF, 0213093, 0213098, 0213099, 021309C, 021309F, 021309W, 02130A3, 02130A8, 02130A9, 02130AC, 02130AF, 02130AW, 02130J3, 02130J8, 02130J9, 02130JC, 02130JF, 02130JW, 02130K3, 02130K8, 02130K9, 02130KC, 02130KF, 02130KW, 02130Z3, 02130Z8, 02130Z9, 02130ZC, 02130ZF, 0213493, 0213498, 0213499, 021349C, 021349F, 021349W, 02134A3, 02134A8, 02134A9, 02134AC, 02134AF, 02134AW, 02134J3, 02134J8, 02134J9, 02134JC, 02134JF, 02134JW, 02134K3, 02134K8, 02134K9, 02134KC, 02134KF, 02134KW, 02134Z3, 02134Z8, 02134Z9, 02134ZC, 02134ZF to CABG definition. (2) Added ICD-10 POV code Z95.1 to CABG definition. (3) Added ICD-10 procedure codes 0270346, 027034Z, 02703D6, 02703DZ, 02703T6, 02703TZ, 02703Z6, 02703ZZ, 0270446, 027044Z, 02704D6, 02704DZ, 02704T6, 02704TZ, 02704Z6, 02704ZZ, 0271346, 027134Z, 02713D6, 02713DZ, 02713T6, 02713TZ, 02713Z6, 02713ZZ, 0271446, 027144Z, 02714D6, 02714DZ, 02714T6, 02714TZ, 02714Z6, 02714ZZ, 0272346, 027234Z, 02723D6, 02723DZ, 02723T6, 02723TZ, 02723Z6, 02723ZZ, 0272446, 027244Z, 02724D6, 02724DZ, 02724T6, 02724TZ, 02724Z6, 02724ZZ, 0273346, 027334Z, 02733D6, 02733DZ, 02733T6, 02733TZ, 02733Z6, 02733ZZ, 0273446, 027344Z, 02734D6, 02734DZ, 02734T6, 02734TZ, 02734Z6, 02734ZZ to PCI definition. (4) Added ICD-10 POV codes Z95.5 and Z98.61 to PCI definition. (5) Added ICD-10 POV codes

I20.0 through I22.8, I24.0 through I25.83, I25.89, I25.9 to CHD definition. (6) Added ICD-10 POV code Z71.3 to nutrition definition. (7) Added ICD-10 POV codes F17.2\*, O99.33\*, Z87.891 to tobacco screening definition. (8) Added ICD-10 POV codes F06.31 through F06.34, F1\*.4, F10.159, F10.180, F10.181, F10.188, F10.259, F10.280, F10.281, F10.288, F10.959, F10.980, F10.981, F10.988, F30.\*, F31.0 through F31.71, F31.73, F31.75, F31.77, F31.81 through F31.9, F32.\* through F39 to depression definition. (9) Added ICD-10 POV code R45.851 to suicide ideation definition. (10) Added ICD-10 POV codes E10.\* through E13.\* to diabetes definition. (11) Clarified that problem list entries for tobacco-related diagnoses must not have a status of Inactive or Deleted.

- HIV Screening: (1) Added ICD-10 procedure codes 0WHR73Z, 0WHR7YZ, 10A00ZZ, 10A03ZZ, 10A04ZZ, 10A07Z6, 10A07ZW, 10A07ZX, 10A07ZZ, 10A08ZZ, 3E1K78Z, 3E1K88Z to abortion definition. (2) Added ICD-10 POV codes O00.\*, O01.\*, O03.1, O03.31 through O03.33, O03.6, O03.81 through O03.83, O04.6, O04.81 through O04.83, Z33.2 to abortion definition. (3) Added ICD-10 POV code O03.9 to miscarriage definition. (4) Added ICD-10 POV codes O09.00 through O10.02, O10.111 through O10.12, O10.211 through O10.22, O10.311 through O10.32, O10.411 through O10.42, O10.911 through O10.92, O11.1 through O15.1, O15.9 through O24.02, O24.111 through O24.12, O24.311 through O24.32, O24.41\*, O24.811 through O24.82, O24.911 through O24.92, O25.10 through O25.2, O26.00 through O26.62, O26.711 through O26.72, O26.811 through O26.93, O29.011 through O30.93, O31.\* through O48.\*, O60.0\*, O61.\* through O66.\*, O68, O69.\*, O71.00 through O71.1, O71.89, O71.9, O74.0 through O75.81, O75.89, O75.9, O76 through O77.\*, O88.011 through O88.02, O88.111 through O88.12, O88.211 through O88.22, O88.311 through O88.32, O88.811 through O88.82, O90.3, O91.011 through O91.019, O91.111 through O91.119, O91.211 through O91.219, O92.011 through O92.019, O92.20, O92.29, O98.011 through O98.02, O98.111 through O98.12, O98.211 through O98.22, O98.311 through O98.32, O98.411 through O98.42, O98.511 through O98.52, O98.611 through O98.62, O98.711 through O98.72, O98.811 through O98.82, O98.911 through O98.92, O99.011 through O99.02, O99.111 through O99.12, O99.210 through O99.214, O99.280 through O99.284, O99.310 through O99.314, O99.320 through O99.324, O99.330 through O99.334, O99.340 through O99.344, O99.350 through O99.354, O99.411 through O99.42, O99.511 through O99.52, O99.611 through O99.62, O99.711 through O99.72, O99.810, O99.814, O99.820, O99.824, O99.830, O99.834, O99.840 through O99.844, O99.89, O9A.111 through O9A.12, O9A.211 through O9A.22, O9A.311 through O9A.32, O9A.411 through O9A.42, O9A.511 through O9A.52, Z03.7\*, Z32.01, Z33.1, Z34.\*, Z36 to pregnancy definition. (5) Added ICD-10 POV codes B20, B97.35, R75, Z21, O98.711 through O98.73 to HIV definition. (6) Clarified that problem list entries for HIV diagnoses must not have a status of Inactive or Deleted.

### 1.1.2 Key Logic Changes to Non-GPRA Measures

For key logic changes to non-GPRA measures, please refer to the CRS 2014 (version 14.0) Selected Measures Report Performance Measure List and Definitions document located on the CRS Web site at

[http://www.ihs.gov/crs/documents/crsv14/SelectedMeasuresV14\\_0.pdf](http://www.ihs.gov/crs/documents/crsv14/SelectedMeasuresV14_0.pdf).

### 1.1.3 Additional Key Enhancements and Revisions

- Added the ability to run reports without the logic text printed in the report.
- Removed site parameters for CHS-Only and Urban Outreach & Referral-Only site options.

## 2.0 Implementation and Maintenance

The Clinical Reporting System occupies the BGP namespace. Options, security locks/keys, templates, routines, and globals have the namespace BGP.

**Note:** This version of the CRS (v.14.0) only contains the 2014 files, options, routines, templates, etc. This was done at the request of the verification staff due to the size of this package. Version 13.0 through patch 1 is a requirement to install version 14.0. Please see the technical manual for previous versions for information about all previous versions.

### 2.1 System Requirements

IHS Clinical Reporting System version 13.0 through patch 1 (BGP\*13.0\*1) must be installed.

### 2.2 Security Keys

Table 2-1 provides security key information.

Table 2-1: BGP Security Keys

Name	Descriptive Name	Description
BGPZAREA	BGP AREA REPORT	This key unlocks the area report options on the main BGPMENU. This key should only be assigned at the Area Office level.
BGPZMENU	BGP MAIN MENU–CRS	This key unlocks the main CRS menu. It should be assigned to all users who need to run GPRA/CRS reports.
BGPZ PATIENT LISTS	BGP PATIENT LISTS	This key allows the holder to obtain patient lists. The patient lists contain sensitive patient/clinical information. This key should only be given to those users who have a need for such information.
BGPZ SITE PARAMETERS	BGP SITE PARAMETERS	This key should be given to those with authority to update the site parameters.
BGPZ TAXONOMY EDIT	BGP TAXONOMY EDIT	This key should be given only to users who need to update taxonomies.

## 3.0 Routines

This section includes a table that lists BGP routines and their descriptions.

Please note that the only routines distributed in Version 14.0 are the BGP4\* routines. Previous versions of CRS contain the other routines. This was done at the request of the verification staff and is due to the large size of the build.

### 3.1 Routines and Descriptions

Table 3-1 provides a list of routines with comprehensive descriptions of the function.

Table 3-1: BGP Routines

<b>Routine</b>	<b>Description</b>
BGP44	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44A	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAY 14, 2013
BGP44B	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 04, 2013
BGP44C	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 04, 2013
BGP44D	IHS/CMI/LAB-CREATED BY ^ATXSTX ON AUG 29, 2013
BGP44E	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 04, 2013
BGP44F	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 04, 2013
BGP44G	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 04, 2013
BGP44H	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44H2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I10	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I11	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I12	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I13	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I14	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I15	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I16	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I17	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I18	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I19	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I20	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I21	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I22	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I23	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I24	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I25	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I26	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I27	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I28	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I4	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013



<b>Routine</b>	<b>Description</b>
BGP44I5	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I6	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I7	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I8	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44I9	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44J	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 06, 2013
BGP44K	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44L	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44M	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N10	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N11	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N12	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N13	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N14	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N15	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N16	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N17	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N18	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N19	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N20	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N21	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N22	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N23	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N24	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N25	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N26	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N4	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N5	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N6	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N7	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N8	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44N9	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O10	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O11	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O12	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O13	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O14	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O15	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O16	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O17	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O18	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O19	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O20	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O21	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O22	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O23	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013

<b>Routine</b>	<b>Description</b>
BGP44O24	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O25	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O26	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O27	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O28	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O29	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O30	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O31	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O32	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O33	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O34	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O35	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O36	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O37	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O38	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O39	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O4	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O40	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O41	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O42	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O43	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O44	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O45	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O5	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O6	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O7	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O8	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44O9	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P10	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P11	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P12	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P13	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P14	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P15	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P16	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P17	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P18	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P19	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P20	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P21	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P22	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P23	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P4	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P5	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P6	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P7	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44P8	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013

<b>Routine</b>	<b>Description</b>
BGP44P9	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44Q	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44Q10	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44Q11	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44Q12	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44Q13	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44Q14	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44Q2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44Q3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44Q4	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44Q5	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44Q6	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44Q7	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44Q8	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44Q9	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44R	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44R10	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44R11	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44R12	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44R13	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44R2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44R3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44R4	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44R5	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44R6	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44R7	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44R8	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44R9	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44S	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44S2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T10	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T11	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T12	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T13	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T14	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T15	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T16	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T17	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T18	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T19	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T20	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T21	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T4	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T5	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T6	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T7	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T8	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44T9	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013

<b>Routine</b>	<b>Description</b>
BGP44U	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44U2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44U3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44U4	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44U5	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44U6	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44V	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44W	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44W2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44W3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44W4	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44W5	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44X	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44Y	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP44Z	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP45	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 30, 2013
BGP45A	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 25, 2013
BGP45B	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP45B2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP45B3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP45B4	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP45B5	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP45B6	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP45C	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP45D	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP45D2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP45E	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP45E2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP45F	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP45G	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP45H	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 11, 2013
BGP45I	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 12, 2013
BGP45J	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 25, 2013
BGP45K	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 12, 2013
BGP45L	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 12, 2013
BGP45M	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 12, 2013
BGP45N	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 12, 2013
BGP45O	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 12, 2013
BGP45P	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 18, 2013
BGP45Q	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 18, 2013
BGP45R	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 26, 2013
BGP45RB	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 26, 2013
BGP45RC	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 26, 2013
BGP45RD	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 26, 2013
BGP45S	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 26, 2013
BGP45T	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 26, 2013
BGP45U	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 26, 2013
BGP45V	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 26, 2013
BGP45W	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 30, 2013
BGP45X	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 26, 2013
BGP45Y	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 26, 2013

<b>Routine</b>	<b>Description</b>
BGP45Z	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 26, 2013
BGP46	IHS/CMI/LAB-CREATED BY ^ATXSTX ON OCT 01, 2013
BGP46A	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 26, 2013
BGP46B	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 26, 2013
BGP46C	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 26, 2013
BGP46D	IHS/CMI/LAB-CREATED BY ^ATXSTX ON OCT 01, 2013
BGP46E	IHS/CMI/LAB-CREATED BY ^ATXSTX ON OCT 01, 2013
BGP46F	IHS/CMI/LAB-CREATED BY ^ATXSTX ON OCT 01, 2013
BGP46G	IHS/CMI/LAB-CREATED BY ^ATXSTX ON OCT 01, 2013
BGP4ALG	IHS/CMI/LAB - measure AHR.A
BGP4ALG1	IHS/CMI/LAB - measure AHR.A
BGP4ALG2	IHS/CMI/LAB - measure AHR.A
BGP4ASL	IHS/CMI/LAB - DISPLAY IND LISTS 28 Apr 2006 2:10 PM
BGP4ASL1	IHS/CMI/LAB - DISPLAY IND LISTS 28 Apr 2006 2:10 PM
BGP4AU1A	IHS/CMI/LAB - BUILD CRS* FILES
BGP4AU1D	IHS/CMI/LAB - GPRA FLAT FILE DATA DUMP
BGP4AU1M	IHS/CMI/LAB - SEND MAIL MESSAGE
BGP4AU1R	IHS/CMI/LAB - READ, PROCESS GPRA FILE
BGP4AUEX	IHS/CMI/LAB - BUILD SITE GPRA FILES, EXPORT TO AREA
BGP4AUUL	IHS/CMI/LAB - AREA UPLOAD
BGP4AUUP	IHS/CMI/LAB - UPLOAD SITE FILES, CREATE EXCEL FILES
BGP4BAN	IHS/CMI/LAB - BANNER FOR CRS 14
BGP4C11	IHS/CMI/LAB - calc CMS measures 02 Jul 2010 8:31 AM
BGP4C13	IHS/CMI/LAB - calc CMS measures 26 Sep 2004 11:28 AM
BGP4CON	IHS/CMI/LAB - measure AHR.A
BGP4CON1	IHS/CMI/LAB - measure AHR.A 30 May 2010 9:32 AM
BGP4CSI	IHS/CMI/LAB - DISPLAY IND LISTS
BGP4CSII	IHS/CMI/LAB - DISPLAY IND LISTS
BGP4CTL	IHS/CMI/LAB - DISPLAY IND LISTS
BGP4CTS	IHS/CMI/LAB - DISPLAY IND LISTS 15 Dec 2010 9:42 AM
BGP4CTXC	IHS/CMI/LAB - TAXONOMY CHECK FOR FY04 CRS REPORT
BGP4CU	IHS/CMI/LAB - calc CMS measures
BGP4CU1	IHS/CMI/LAB - calc CMS measures
BGP4D1	IHS/CMI/LAB - calc measures
BGP4D10	IHS/CMI/LAB - calc measures
BGP4D2	IHS/CMI/LAB - measure 1,2,3,4
BGP4D21	IHS/CMI/LAB - measure 6
BGP4D211	IHS/CMI/LAB - measure 6
BGP4D21A	IHS/CMI/LAB - measure 6
BGP4D22	IHS/CMI/LAB - measure I2
BGP4D23	IHS/CMI/LAB - measure I2 23 Jun 2010 10:08 AM
BGP4D231	IHS/CMI/LAB - measure I2 23 Jun 2010 10:08 AM
BGP4D24	IHS/CMI/LAB - STI MEASURE
BGP4D25	IHS/CMI/LAB - measure 6 03 Jun 2014 3:16 PM
BGP4D26	IHS/CMI/LAB - measure 6
BGP4D27	IHS/CMI/LAB - measure I2
BGP4D28	IHS/CMI/LAB - measure I2
BGP4D3	IHS/CMI/LAB - measure 11 17 Oct 2009 12:40 PM
BGP4D31	IHS/CMI/LAB - measure C
BGP4D32	IHS/CMI/LAB - measure C
BGP4D33	IHS/CMI/LAB - measure C

<b>Routine</b>	<b>Description</b>
BGP4D34	IHS/CMI/LAB - measure C
BGP4D341	IHS/CMI/LAB - measure C
BGP4D35	IHS/CMI/LAB - measure C
BGP4D36	IHS/CMI/LAB - measure C
BGP4D37	IHS/CMI/LAB - IMMUNIZATIONS
BGP4D38	IHS/CMI/LAB - IMMUNIZATIONS
BGP4D39	IHS/CMI/LAB - measure C
BGP4D3A	IHS/CMI/LAB - measure 11
BGP4D4	IHS/CMI/LAB - measure 3
BGP4D41	IHS/CMI/LAB - measure 3
BGP4D42	IHS/CMI/LAB - measure 11
BGP4D5	IHS/CMI/LAB - measure calc
BGP4D51	IHS/CMI/LAB - measure I2
BGP4D52	IHS/CMI/LAB - measure 31
BGP4D53	IHS/CMI/LAB - measure calc
BGP4D54	IHS/CMI/LAB - measure calc
BGP4D55	IHS/CMI/LAB - measure calc
BGP4D5A	IHS/CMI/LAB - measure calc
BGP4D6	IHS/CMI/LAB - measure 31
BGP4D61	IHS/CMI/LAB - measure 31 01 Jul 2010 7:47 PM
BGP4D62	IHS/CMI/LAB - measure 31
BGP4D63	IHS/CMI/LAB - measure 31
BGP4D64	IHS/CMI/LAB - measure 31 01 Jul 2010 7:47 PM
BGP4D7	IHS/CMI/LAB - measure 31
BGP4D71	IHS/CMI/LAB - measure C
BGP4D711	IHS/CMI/LAB - measure C 30 Jun 2010 12:14 PM
BGP4D712	IHS/CMI/LAB - TOBACCO HF
BGP4D713	IHS/CMI/LAB - measure 31
BGP4D72	IHS/CMI/LAB - measure 31
BGP4D721	IHS/CMI/LAB - measure AHR.A
BGP4D722	IHS/CMI/LAB - measure AHR.A
BGP4D723	IHS/CMI/LAB - measure AHR.A
BGP4D724	IHS/CMI/LAB - CONTRA (CONT)
BGP4D729	IHS/CMI/LAB - measure AHR.A
BGP4D73	IHS/CMI/LAB - measure 31
BGP4D731	IHS/CMI/LAB - measure AHR.A
BGP4D732	IHS/CMI/LAB - measure AHR.A
BGP4D74	IHS/CMI/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM
BGP4D75	IHS/CMI/LAB - measure 31
BGP4D8	IHS/CMI/LAB - measure C
BGP4D81	IHS/CMI/LAB - measure C
BGP4D811	IHS/CMI/LAB - PCR, MMR
BGP4D812	IHS/CMI/LAB - measure
BGP4D82	IHS/CMI/LAB - measure C 14 Mar 2010 11:49 AM
BGP4D83	IHS/CMI/LAB - measure C
BGP4D84	IHS/CMI/LAB - measure C
BGP4D85	IHS/CMI/LAB - measure C 09 Jun 2014 5:18 PM
BGP4D86	IHS/CMI/LAB - measure C 06 Nov 2009 2:26 PM
BGP4D861	IHS/CMI/LAB - measure C
BGP4D862	IHS/CMI/LAB - measure C
BGP4D863	IHS/CMI/LAB - measure C

<b>Routine</b>	<b>Description</b>
BGP4D864	IHS/CMI/LAB - measure C
BGP4D87	IHS/CMI/LAB - measure calc
BGP4D88	IHS/CMI/LAB - measure C 03 Jul 2010 7:05 AM
BGP4D89	IHS/CMI/LAB - measure C 03 Jul 2010 7:05 AM
BGP4D9	IHS/CMI/LAB - measure J
BGP4D91	IHS/CMI/LAB - calc measures
BGP4DADB	IHS/CMI/LAB - ihs area GPRA 02
BGP4DAP	IHS/CMI/LAB - IHS GPRA 14 SELECTED REPORT DRIVER PATIENTS
BGP4DAR	IHS/CMI/LAB - ihs area GPRA
BGP4DAR9	IHS/CMI/LAB - ihs area GPRA
BGP4DARO	IHS/CMI/LAB - ihs area GPRA
BGP4DBPR	IHS/CMI/LAB - IHS gpra print 03 Jul 2010 6:26 AM
BGP4DCEI	IHS/CMI/LAB - calculate HEDIS measures
BGP4DCI	IHS/CMI/LAB - IHS area GPRA
BGP4DCL	IHS/CMI/LAB - national patient list 20 Dec 2004 9:24 AM
BGP4DCLD	IHS/CMI/LAB - IHS gpra print
BGP4DCLP	IHS/CMI/LAB - IHS gpra print
BGP4DEL	IHS/CMI/LAB - IHS GPRA 10 REPORT DRIVER 26 Jun 2010 3:41 PM
BGP4DELA	IHS/CMI/LAB - IHS GPRA 10 REPORT DRIVER
BGP4DELP	IHS/CMI/LAB - IHS HEDIS print
BGP4DEMO	IHS/CMI/LAB - demo patient search template
BGP4DESI	IHS/CMI/LAB - DISPLAY IND LISTS
BGP4DESL	IHS/CMI/LAB - FY 11 DISPLAY IND LISTS
BGP4DGPA	IHS/CMI/LAB - ihs area GPRA 02 Sep 2004 1:11 PM
BGP4DGPU	IHS/CMI/LAB - IHS AREA CLIN 05 REPORT DRIVER
BGP4DH	IHS/CMI/LAB - cover page for gpra
BGP4DH1	IHS/CMI/LAB - cover page for gpra
BGP4DH2	IHS/CMI/LAB - cover page for gpra
BGP4DHSL	IHS/CMI/LAB - FY 11 DISPLAY IND LISTS
BGP4DICR	IHS/CMI/LAB - ICARE LIST
BGP4DL	IHS/CMI/LAB - IHS GPRA 10 SELECTED REPORT
BGP4DLT	IHS/CMI/LAB - national patient list 20 Dec 2004 9:24 AM
BGP4DMT	IHS/CMI/LAB - national patient list 20 Dec 2004 9:24 AM
BGP4DNDB	IHS/CMI/LAB - NATL COMP EXPORT
BGP4DNG	IHS/CMI/LAB - NATL COMP EXPORT 13 Nov 2006 12:31 PM
BGP4DNG9	IHS/CMI/LAB - NATL COMP EXPORT
BGP4DNGP	IHS/CMI/LAB - NATL COMP EXPORT 13 Nov 2006 12:31 PM
BGP4DNCS	IHS/CMI/LAB - NATL COMP EXPORT 13 Nov 2006 12:31 PM
BGP4DON	IHS/CMI/LAB - NATL COMP EXPORT 13 Nov 2006 12:31 PM
BGP4DP	IHS/CMI/LAB - IHS gpra print 03 Jul 2010 6:26 AM
BGP4DP1	IHS/CMI/LAB - print ind 1 21 Mar 2010 12:55 PM
BGP4DP11	IHS/CMI/LAB - print ind 1
BGP4DP12	IHS/CMI/LAB - print ind 19 AGE DIST
BGP4DP13	IHS/CMI/LAB - print ind 19 AGE DIST
BGP4DP14	IHS/CMI/LAB - print ind 19 AGE DIST
BGP4DP19	IHS/CMI/LAB - print ind 1 03 Jul 2010 7:40 AM
BGP4DP1C	IHS/CMI/LAB - print ind 1 21 Mar 2010 12:55 PM
BGP4DP1D	IHS/CMI/LAB - print ind 1
BGP4DP1E	IHS/CMI/LAB - print ind 1
BGP4DP1F	IHS/CMI/LAB - print ind 1
BGP4DP1H	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM

<b>Routine</b>	<b>Description</b>
BGP4DP1I	IHS/CMI/LAB - print ind 1
BGP4DP1J	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP4DP1K	IHS/CMI/LAB - print ind 1
BGP4DP1L	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP4DP1M	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP4DP1N	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP4DP1S	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP4DP1T	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP4DP2	IHS/CMI/LAB - print ind 10 02 Jul 2010 9:25 AM
BGP4DP3	IHS/CMI/LAB - print ind 1
BGP4DP4	IHS/CMI/LAB - print ind 31
BGP4DP5	IHS/CMI/LAB - print ind H
BGP4DP50	IHS/CMI/LAB - print ind H
BGP4DP51	IHS/CMI/LAB - print ind H
BGP4DP6	IHS/CMI/LAB - print ind H
BGP4DP60	IHS/CMI/LAB - print ind H
BGP4DP7	IHS/CMI/LAB - print ind 10
BGP4DP8	IHS/CMI/LAB - print ind H
BGP4DPA	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/
BGP4DPA1	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGP4DPA2	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGP4DPA4	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/
BGP4DPA9	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGP4DPAP	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGP4DPAW	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGP4DPE	IHS/CMI/LAB - IHS GPRA 10 REPORT DRIVER
BGP4DPE1	IHS/CMI/LAB - calc measures
BGP4DPE2	IHS/CMI/LAB - calc
BGP4DPE3	IHS/CMI/LAB - patient ed report
BGP4DPEA	IHS/CMI/LAB - IHS GPRA 10 REPORT DRIVER 23 Oct 2009 2:04 PM
BGP4DPED	IHS/CMI/LAB - IHS gpra print
BGP4DPEE	IHS/CMI/LAB - IHS gpra print
BGP4DPEF	IHS/CMI/LAB - IHS gpra print
BGP4DPEL	IHS/CMI/LAB - IHS gpra print
BGP4DPEP	IHS/CMI/LAB - IHS gpra print 01 Jul 2010 7:54 PM
BGP4DPEQ	IHS/CMI/LAB - IHS gpra print
BGP4DPH	IHS/CMI/LAB - AREA REPORT HEADER 01 Jul 2010 7:54 PM
BGP4DPP	IHS/CMI/LAB - IHS GPRA 10 SELECTED REPORT DRIVER ALL PATIENTS
BGP4DPSI	IHS/CMI/LAB - DISPLAY IND LISTS
BGP4DS	IHS/CMI/LAB - IHS gpra print
BGP4DSI	IHS/CMI/LAB - DISPLAY IND LISTS
BGP4DSL	IHS/CMI/LAB - FY 11 DISPLAY IND LISTS
BGP4DSP	IHS/CMI/LAB - IHS summary page 16 Nov 2010 7:12 AM
BGP4DSPD	IHS/CMI/LAB - IHS summary page
BGP4DSPN	IHS/CMI/LAB - IHS summary page
BGP4DSPO	IHS/CMI/LAB - IHS summary page
BGP4DSTM	IHS/CMI/LAB - national patient list
BGP4DU	IHS/CMI/LAB - gpra utility calls
BGP4EL10	IHS/CMI/LAB - print ind 1
BGP4EL11	IHS/CMI/LAB - print ind 1



<b>Routine</b>	<b>Description</b>
BGP4EL12	IHS/CMI/LAB - print ind
BGP4EL13	IHS/CMI/LAB - print ind 1
BGP4EL14	IHS/CMI/LAB - print ind 1
BGP4EL15	IHS/CMI/LAB - print ind 1
BGP4EL16	IHS/CMI/LAB - print ind 1
BGP4EL17	IHS/CMI/LAB - print ind 1
BGP4EL18	IHS/CMI/LAB - print ind 1
BGP4EL19	IHS/CMI/LAB - print ind 1
BGP4EL1A	IHS/CMI/LAB - print ind 1
BGP4EL1B	IHS/CMI/LAB - print ind 1
BGP4EL1C	IHS/CMI/LAB - print ind 1 06 Dec 2010 7:25 PM
BGP4EL1D	IHS/CMI/LAB - print ind 1
BGP4EL1E	IHS/CMI/LAB - print ind 1
BGP4EL1F	IHS/CMI/LAB - print ind 1
BGP4EL1G	IHS/CMI/LAB - print ind 1
BGP4EL1H	IHS/CMI/LAB - print ind 1
BGP4EL1I	IHS/CMI/LAB - print ind 1
BGP4EL1J	IHS/CMI/LAB - print ind 1
BGP4EL1K	IHS/CMI/LAB - print ind 1
BGP4EL1L	IHS/CMI/LAB - print ind 1
BGP4EL1M	IHS/CMI/LAB - print ind 1
BGP4EL1N	IHS/CMI/LAB - print ind 1
BGP4EL1O	IHS/CMI/LAB - print ind 1
BGP4EL1P	IHS/CMI/LAB - print ind 01 Jul 2010 7:55 PM
BGP4EL1Q	IHS/CMI/LAB - print ind
BGP4EL1R	IHS/CMI/LAB - print ind
BGP4EL1S	IHS/CMI/LAB - print ind 1
BGP4EL1T	IHS/CMI/LAB - print ind 1
BGP4EL2	IHS/CMI/LAB - measure 1,2,3,4 17 Jan 2010 6:49 AM
BGP4EL3	IHS/CMI/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM
BGP4EL31	IHS/CMI/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM
BGP4EL4	IHS/CMI/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM
BGP4ELH	IHS/CMI/LAB - cover page for ELDER 25 Jun 2010 10:20 AM
BGP4ELHH	IHS/CMI/LAB - cover page for ELDER 25 Jun 2010 10:20 AM
BGP4ELL	IHS/CMI/LAB - IHS gpra print 01 Jul 2010 7:56 PM
BGP4ELL1	IHS/CMI/LAB - print ind 1
BGP4ELL2	IHS/CMI/LAB - print ind
BGP4ELL3	IHS/CMI/LAB - print ind
BGP4ELL4	IHS/CMI/LAB - print ind
BGP4ELL5	IHS/CMI/LAB - print ind
BGP4ELL6	IHS/CMI/LAB - print ind
BGP4ELL7	IHS/CMI/LAB - print ind
BGP4ELL8	IHS/CMI/LAB - print ind
BGP4ELL9	IHS/CMI/LAB - print ind
BGP4ELLA	IHS/CMI/LAB - print ind
BGP4ELLB	IHS/CMI/LAB - print ind
BGP4ELLC	IHS/CMI/LAB - print ind
BGP4ELLD	IHS/CMI/LAB - print ind
BGP4ELLE	IHS/CMI/LAB - print ind
BGP4ELLF	IHS/CMI/LAB - print ind
BGP4ELLG	IHS/CMI/LAB - print ind

<b>Routine</b>	<b>Description</b>
BGP4ELLH	IHS/CMI/LAB - print ind 07 Jun 2014 4:19 PM
BGP4ELLI	IHS/CMI/LAB - print ind
BGP4ELLJ	IHS/CMI/LAB - print ind
BGP4ELLK	IHS/CMI/LAB - print ind
BGP4ELLL	IHS/CMI/LAB - print ind
BGP4ELLM	IHS/CMI/LAB - print ind
BGP4ELLN	IHS/CMI/LAB - print ind 1
BGP4ELLO	IHS/CMI/LAB - print ind
BGP4ELLP	IHS/CMI/LAB - print ind
BGP4ELLQ	IHS/CMI/LAB - print ind
BGP4ELLR	IHS/CMI/LAB - print ind
BGP4ELLS	IHS/CMI/LAB - print ind
BGP4ELLT	IHS/CMI/LAB - print ind
BGP4ELLU	IHS/CMI/LAB - print ind
BGP4ELLV	IHS/CMI/LAB - print ind
BGP4ELLW	IHS/CMI/LAB - print ind
BGP4ELLX	IHS/CMI/LAB - print ind
BGP4ELP1	IHS/CMI/LAB - print ind 1
BGP4ELS	IHS/CMI/LAB - IHS gpra print
BGP4ELSL	IHS/CMI/LAB - IHS gpra print
BGP4ETL	IHS/CMI/LAB - DISPLAY IND LISTS
BGP4EUTL	IHS/CMI/LAB -
BGP4GACW	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT 01 Jul 2010 7:57 PM
BGP4GADB	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP4GAEL	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP4GAG9	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP4GAGP	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP4GAGS	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP4GAHE	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP4GALL	IHS/CMI/LAB - GUI COM REPORT
BGP4GAON	IHS/CMI/LAB - AREA OTHER NATIONAL MEASURES GPRA
BGP4GAPE	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP4GAPU	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP4GCMP	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP4GCMS	IHS/CMI/LAB - GUI CMS REPORT 27 Apr 2010 10:30 PM
BGP4GCOM	IHS/CMI/LAB - GUI COM REPORT
BGP4GDON	IHS/CMI/LAB - GUI Other National Measurer Report
BGP4GDSH	IHS/CMI/LAB - GPRA DASHBOARD GUI
BGP4GELD	IHS/CMI/LAB - GUI COM REPORT
BGP4GFO9	IHS/CMI/LAB - GUI Patient Forecast Report
BGP4GFOR	IHS/CMI/LAB - GUI Patient Forecast Report
BGP4GGPU	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP4GLHW	IHS/CMI/LAB - IHS Diabetes Audit
BGP4GLST	IHS/CMI/LAB - GUI CMS REPORT
BGP4GLTX	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP4GM	IHS/CMI/LAB - BGPG Visual CRS Reports
BGP4GMTX	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP4GMUE	IHS/CMI/LAB - GUI MU EP REPORT
BGP4GMUH	IHS/CMI/LAB - GUI MU HOS REPORT
BGP4GNPL	IHS/CMI/LAB - IHS Diabetes Audit 2003 26 Mar 2010 5:09 PM
BGP4GNST	IHS/CMI/LAB - IHS Diabetes Audit 2003

<b>Routine</b>	<b>Description</b>
BGP4GNT9	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP4GNTL	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP4GNTP	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP4GNTS	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP4GNXP	IHS/CMI/LAB - IHS Diabetes Audit 2003 27 Apr 2010 10:56 PM
BGP4GPED	IHS/CMI/LAB - GUI COM REPORT
BGP4GPP	IHS/CMI/LAB - GUI PP REPORT
BGP4GR	IHS/CMI/LAB - BGPG Visual CRS Reports
BGP4GR1	IHS/CMI/LAB - BGPG Visual CRS Reports
BGP4GR2	IHS/CMI/LAB - BGPG Visual CRS Reports
BGP4GRA	IHS/CMI/LAB - BGP Gui Area Reports 5/2/2005 8:38:59 PM
BGP4GRB	IHS/CMI/LAB - BGP Gui Area Reports 5/2/2005 8:38:59 PM
BGP4GT	IHS/CMI/LAB - BGPG Gui CRS Tables 2/2/2005 10:24:22 AM
BGP4GTA	IHS/CMI/LAB - BGPG Gui CRS Tables 2/2/2005 10:24:22 AM
BGP4GU	IHS/CMI/LAB - BGP Gui Utilities
BGP4GUA	IHS/CMI/LAB - BGP Gui Utilities
BGP4GUPL	IHS/CMI/LAB - GUI Upload
BGP4LHW	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP4LSTF	IHS/CMI/LAB - List 'BG08' files in pub
BGP4NPL	IHS/CMI/LAB - national patient list
BGP4NPLD	IHS/CMI/LAB - IHS gpra print 30 Jun 2010 5:59 PM
BGP4NPLP	IHS/CMI/LAB - IHS gpra print 30 Jun 2010 5:58 PM
BGP4P1	IHS/CMI/LAB - v11.0 patch 1 env routine 08 Dec 2010 3:10 PM
BGP4P3	IHS/CMI/LAB - NO DESCRIPTION PROVIDED
BGP4PARP	IHS/CMI/LAB - IHS gpra print
BGP4PARQ	IHS/CMI/LAB - IHS gpra print
BGP4PD19	IHS/CMI/LAB - print ind 03 Jul 2010 8:56 AM
BGP4PDH1	IHS/CMI/LAB - cover page for gpra del 0
BGP4PDL	IHS/CMI/LAB - IHS gpra print 01 Jul 2010 8:02 PM
BGP4PDL0	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:03 PM
BGP4PDL1	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:03 PM
BGP4PDL2	IHS/CMI/LAB - print ind 1
BGP4PDL3	IHS/CMI/LAB - print ind 1
BGP4PDL4	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:04 PM
BGP4PDL5	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:04 PM
BGP4PDL7	IHS/CMI/LAB - print ind 1
BGP4PDL8	IHS/CMI/LAB - print ind 1
BGP4PDL9	IHS/CMI/LAB - print ind
BGP4PDLA	IHS/CMI/LAB - print ind
BGP4PDLB	IHS/CMI/LAB - print ind
BGP4PDLD	IHS/CMI/LAB - IHS gpra print
BGP4PDLH	IHS/CMI/LAB - cover page
BGP4PDLL	IHS/CMI/LAB - print ind 1
BGP4PDLN	IHS/CMI/LAB - IHS gpra print
BGP4PDLO	IHS/CMI/LAB - IHS gpra print
BGP4PDL S	IHS/CMI/LAB - IHS gpra print
BGP4PDLT	IHS/CMI/LAB - print ind 1 03 Jul 2010 7:40 AM
BGP4PDPA	IHS/CMI/LAB - print ind 03 Jul 2010 8:56 AM
BGP4PDPB	IHS/CMI/LAB - print ind
BGP4PESI	IHS/CMI/LAB - DISPLAY IND LISTS
BGP4PESL	IHS/CMI/LAB - FY 06 DISPLAY IND LISTS

<b>Routine</b>	<b>Description</b>
BGP4PHEL	IHS/CMI/LAB - IHS gpra print
BGP4POS	IHS/CMI/LAB - NO DESCRIPTION PROVIDED
BGP4POS1	IHS/CMI/LAB - NO DESCRIPTION PROVIDED 28 Jan 2005 1:34 PM
BGP4POS2	IHS/CMI/LAB - NO DESCRIPTION PROVIDED 28 Jan 2005 1:34 PM
BGP4PPEL	IHS/CMI/LAB - IHS gpra print
BGP4PUTL	IHS/CMI/LAB -
BGP4REF	IHS/CMI/LAB - measure AHR.A
BGP4REF1	IHS/CMI/LAB - measure AHR.A
BGP4SDP	IHS/CMI/LAB - IHS summary page 11 Dec 2006 1:24 PM
BGP4SDPD	IHS/CMI/LAB - IHS summary page
BGP4SDPN	IHS/CMI/LAB - IHS summary page
BGP4SDPO	IHS/CMI/LAB - IHS summary page
BGP4TXCH	IHS/CMI/LAB - TAXONOMY CHECK FOR FY03 GPRA REPORT
BGP4ULF	IHS/CMI/LAB - NO DESCRIPTION
BGP4UTL	IHS/CMI/LAB - UTILITIES
BGP4UTL1	IHS/CMI/LAB - NO DESCRIPTION
BGP4UTL2	IHS/CMI/LAB - NO DESCRIPTION PROVIDED 30 Jun 2014 9:01 AM
BGP4UTL3	IHS/CMI/LAB - 27 Apr 2009
BGP4UTLC	IHS/CMI/LAB -
BGP4XTCH	IHS/CMI/LAB - TAXONOMY CHECK FOR FY04 CRS REPORT
BGP4XTCN	IHS/CMI/LAB - TAXONOMY CHECK FOR FY04 CRS REPORT
BGP4XTCO	IHS/CMI/LAB - TAXONOMY CHECK FOR FY04 CRS REPORT
BGP4XTEL	IHS/CMI/LAB - TAXONOMY CHECK FOR FY04 CRS REPORT
BGP4XTEO	IHS/CMI/LAB - TAXONOMY CHECK FOR FY04 CRS REPORT
BGP4XTHE	IHS/CMI/LAB - TAXONOMY CHECK FOR FY07 HEDIS REPORT
BGP4XTL	IHS/CMI/LAB - DISPLAY IND LISTS
BGP4XTS	IHS/CMI/LAB - DISPLAY IND LISTS
BGP4XTV	IHS/CMI/LAB - DISPLAY IND LISTS 15 Dec 2010 9:42 AM
BGP4XTV1	IHS/CMI/LAB - DISPLAY IND LISTS

## 4.0 Files and Tables

### 4.1 File List

Table 4-1 provides information for files and tables. Please note that only files beginning with BGP 14 are distributed with version 14.0; all others were distributed in version 8.0, which is a requirement for installation of version 9.0 and thus all subsequent versions.

Table 4-1: BGP File List

File	Global	Filename
90241.01	^BGPCTRL(	BGP CONTROL FILE
90241.02	^BGPSITE(	BGP SITE PARAMETERS
90241.03	^BGPSCAT(	BGP SUMMARY CATEGORIES
90241.04	^BGP2PM(	BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS
90245	^BGP1PM(	BGP AREA AUTOMATED GPRA PARAMS
90245.1	^BGP1RD(	BGP GPRA FLAT FILE DATA
90552.01	^BGPINDJ(	BGP 14 MEASURES
90552.02	^BGPINDJC (	BGP 14 INDIVIDUAL MEASURES
90552.03	^BGPDCJ(	BGP 14 DATA CURRENT
90552.04	^BGPDPJ(	BGP 14 DATA PREVIOUS
90552.05	^BGPDBJ(	BGP 14 DATA BASELINE
90552.06	^BGNPLJ(	BGP 14 NATIONAL PATIENT LISTS
90552.08	^BGTAXJ(	BGP 14 TAXONOMIES
90552.09	^BGTAXTJ(	BGP 14 TAXONOMY TEMP
90552.1	^BGMGRPJ(	BGP 14 MEASURE GROUPS
90552.12	^BGPEDCJ(	BGP 14 PATIENT ED DATA CURRENT
90552.13	^BGPEDPJ(	BGP 14 PATIENT ED DATA PREVIOUS
90552.14	^BGPEDBJ(	BGP 14 PATIENT ED DATA BASELINE
90552.15	^BGPPEIJ(	BGP 14 PAT ED MEASURES
90552.17	^BGPICAGJ(	BGP 14 ICARE GROUPS
90552.18	^BGPICACJ(	BGP 14 ICARE CATEGORIES
90553.02	^BGPPELIJ(	BGP 14 ELDER INDIVIDUAL INDICATORS
90553.03	^BGPEDCJ(	BGP 14 ELDER DATA CURRENT
90553.04	^BGPEDPJ(	BGP 14 ELDER DATA PREVIOUS
90553.05	^BGPEDBJ(	BGP 14 ELDER DATA BASELINE
90553.06	^BGPPELIJ(	BGP 14 ELDER INDICATORS

### 4.2 File Access

Table 4-2: BGP File List

File (#)	Global	RD	WR	LYG	DD	DEL
90241.01	^BGPCTRL	@	@	@	@	@
90241.02	^BGPSITE	M	M	M	@	@
90241.03	^BGPSCAT(	@	@	@	@	@
90241.04	^BGP2PM(	M	M	M	@	M
90245	^BGP1PM(	M	M	M	@	M
90245.1	^BGP1RD(	M	M	M	@	M
90552.03	^BGPDCJ(	@	@	@	@	@
90552.04	^BGPDPJ(	@	@	@	@	@
90552.05	^BGPDBJ(	@	@	@	@	@
90552.06	^BGNPLJ(	@	@	@	@	@
90552.08	^BGPTAXJ(	@	@	@	@	@
90552.09	^BGPTXTJ(	@	@	@	@	@
90552.1	^BGPGRPJ(	@	@	@	@	@
90552.12	^BGPEDCJ(	@	@	@	@	@
90552.13	^BGPEDPJ(	@	@	@	@	@
90552.14	^BGPEDBJ(	@	@	@	@	@
90552.15	^BGPPEIJ(	@	@	@	@	@
90552.17	^BGPICAGJ(	@	@	@	@	@
90552.18	^BGPICACJ(	@	@	@	@	@
90553.02	^BGPPELIJ(	@	@	@	@	@
90553.03	^BGPEDCJ(	@	@	@	@	@
90553.04	^BGPEDPJ(	@	@	@	@	@
90553.05	^BGPEDBJ(	@	@	@	@	@
90553.06	^BGPPELIJ(	@	@	@	@	@

### 4.3 Cross References

<p>INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 <span style="float: right;">10/09/13 PAGE 1</span></p> <hr/> <p>File #90241.01</p> <p>Traditional Cross-References:</p> <p>B REGULAR  Field: FY (90241.01,.01)  1)= S ^BGPCTRL("B", \$E(X,1,30),DA)=" "  2)= K ^BGPCTRL("B", \$E(X,1,30),DA)</p> <p>C REGULAR  Field: GPRA YEAR (90241.01,.14)  1)= S ^BGPCTRL("C", \$E(X,1,30),DA)=" "  2)= K ^BGPCTRL("C", \$E(X,1,30),DA)</p> <p>Subfile #90241.0111</p> <p>Traditional Cross-References:</p> <p>B REGULAR</p>
---

```

Field: CLINIC CODE (90241.0111,.01)
1)= S ^BGPCTRL(DA(1),11,"B",$(X,1,30),DA)=" "
2)= K ^BGPCTRL(DA(1),11,"B",$(X,1,30),DA)

```

Subfile #90241.0112

Traditional Cross-References:

B REGULAR

```

Field: CLINIC CODES FOR 2ND VISIT (90241.0112,.01)
1)= S ^BGPCTRL(DA(1),12,"B",$(X,1,30),DA)=" "
2)= K ^BGPCTRL(DA(1),12,"B",$(X,1,30),DA)

```

Subfile #90241.011301

Traditional Cross-References:

B REGULAR

```

Field: BH CLINIC CODES (90241.011301,.01)
1)= S ^BGPCTRL(DA(1),1301,"B",$(X,1,30),DA)=" "
2)= K ^BGPCTRL(DA(1),1301,"B",$(X,1,30),DA)

```

Subfile #90241.0145

Traditional Cross-References:

B REGULAR

```

Field: CRSONMNT3 COLUMN HEADERS (90241.0145,.01)
1)= S ^BGPCTRL(DA(1),45,"B",$(X,1,30),DA)=" "
2)= K ^BGPCTRL(DA(1),45,"B",$(X,1,30),DA)

```

Subfile #90241.0168

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 10/09/13 PAGE 2

-----  
Traditional Cross-References:

B REGULAR

```

Field: EO NT1 LABELS (90241.0168,.01)
1)= S ^BGPCTRL(DA(1),68,"B",$(X,1,30),DA)=" "
2)= K ^BGPCTRL(DA(1),68,"B",$(X,1,30),DA)

```

Subfile #90241.0195

Traditional Cross-References:

B REGULAR

```

Field: CLINIC CODES FOR BH ACT CL (90241.0195,.01)
1)= S ^BGPCTRL(DA(1),95,"B",$(X,1,30),DA)=" "
2)= K ^BGPCTRL(DA(1),95,"B",$(X,1,30),DA)

```

Subfile #90241.36

Traditional Cross-References:

B REGULAR

```

Field: PIECE (90241.36,.01)
1)= S ^BGPCTRL(DA(1),36,"B",$(X,1,30),DA)=" "
2)= K ^BGPCTRL(DA(1),36,"B",$(X,1,30),DA)

```

Subfile #90241.37

## Traditional Cross-References:

B REGULAR

Field: PIECE (90241.37,.01)

1)= S ^BGPCTRL(DA(1),37,"B",\$(X,1,30),DA)=""

2)= K ^BGPCTRL(DA(1),37,"B",\$(X,1,30),DA)

Subfile #90241.38

## Traditional Cross-References:

B REGULAR

Field: PIECE (90241.38,.01)

1)= S ^BGPCTRL(DA(1),38,"B",\$(X,1,30),DA)=""

2)= K ^BGPCTRL(DA(1),38,"B",\$(X,1,30),DA)

Subfile #90241.4

## Traditional Cross-References:

B REGULAR

Field: PIECE (90241.4,.01)

1)= S ^BGPCTRL(DA(1),40,"B",\$(X,1,30),DA)=""

2)= K ^BGPCTRL(DA(1),40,"B",\$(X,1,30),DA)

Subfile #90241.41

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01

10/09/13

PAGE 3

-----  
Traditional Cross-References:

B REGULAR

Field: MEASURE (90241.41,.01)

1)= S ^BGPCTRL(DA(1),41,"B",\$(X,1,30),DA)=""

2)= K ^BGPCTRL(DA(1),41,"B",\$(X,1,30),DA)

Subfile #90241.55

## Traditional Cross-References:

B REGULAR

Field: MEASURE (90241.55,.01)

1)= S ^BGPCTRL(DA(1),55,"B",\$(X,1,30),DA)=""

2)= K ^BGPCTRL(DA(1),55,"B",\$(X,1,30),DA)

Subfile #90241.551101

## Traditional Cross-References:

B REGULAR

Field: MEASURE ID (90241.551101,.01)

1)= S ^BGPCTRL(DA(2),55,DA(1),11,"B",\$(X,1,30),DA)=""

2)= K ^BGPCTRL(DA(2),55,DA(1),11,"B",\$(X,1,30),DA)

Subfile #90241.62

## Traditional Cross-References:

B REGULAR

Field: PATIENT ED TOPICS (90241.62,.01)



```

1)= S ^BGPCTRL(DA(1),62,"B", $E(X,1,30),DA)="
2)= K ^BGPCTRL(DA(1),62,"B", $E(X,1,30),DA)

```

Subfile #90241.63

Traditional Cross-References:

```

B    REGULAR
      Field:  DISEASE STATE ABBRV  (90241.63,.01)
1)= S ^BGPCTRL(DA(1),63,"B", $E(X,1,30),DA)="
2)= K ^BGPCTRL(DA(1),63,"B", $E(X,1,30),DA)

```

Subfile #90241.6311

Traditional Cross-References:

```

B    REGULAR
      Field:  ICD MAPPING  (90241.6311,.01)
1)= S ^BGPCTRL(DA(2),63,DA(1),11,"B", $E(X,1,30),DA)="
2)= K ^BGPCTRL(DA(2),63,DA(1),11,"B", $E(X,1,30),DA)

```

Subfile #90241.79

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 10/09/13 PAGE 4

-----  
Traditional Cross-References:

```

B    REGULAR
      Field:  GPRA NT3  (90241.79,.01)
1)= S ^BGPCTRL(DA(1),79,"B", $E(X,1,30),DA)="
2)= K ^BGPCTRL(DA(1),79,"B", $E(X,1,30),DA)

```

Subfile #90241.81

Traditional Cross-References:

```

B    REGULAR
      Field:  GPRA NT4  (90241.81,.01)
1)= S ^BGPCTRL(DA(1),81,"B", $E(X,1,30),DA)="
2)= K ^BGPCTRL(DA(1),81,"B", $E(X,1,30),DA)

```

Subfile #90241.85

Traditional Cross-References:

```

B    REGULAR
      Field:  DEVEL 3  (90241.85,.01)
1)= S ^BGPCTRL(DA(1),85,"B", $E(X,1,30),DA)="
2)= K ^BGPCTRL(DA(1),85,"B", $E(X,1,30),DA)

```

Subfile #90241.86

Traditional Cross-References:

```

B    REGULAR
      Field:  ONMT 4 HEADERS  (90241.86,.01)
1)= S ^BGPCTRL(DA(1),86,"B", $E(X,1,30),DA)="
2)= K ^BGPCTRL(DA(1),86,"B", $E(X,1,30),DA)

```

Subfile #90241.87

## Traditional Cross-References:

B REGULAR

Field: ONMT5 HEADERS (90241.87,.01)  
 1)= S ^BGPCTRL(DA(1),87,"B",\$(X,1,30),DA)=" "  
 2)= K ^BGPCTRL(DA(1),87,"B",\$(X,1,30),DA)

Subfile #90241.97

## Traditional Cross-References:

B REGULAR

Field: GPRANT3 (90241.97,.01)  
 1)= S ^BGPCTRL(DA(1),97,"B",\$(X,1,30),DA)=" "  
 2)= K ^BGPCTRL(DA(1),97,"B",\$(X,1,30),DA)

Subfile #90241.9801

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 10/09/13 PAGE 5

-----  
Traditional Cross-References:

B REGULAR

Field: PATCHES BULLETIN TEXT (90241.9801,.01)  
 1)= S ^BGPCTRL(DA(1),98,"B",\$(X,1,30),DA)=" "  
 2)= K ^BGPCTRL(DA(1),98,"B",\$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.02 10/09/13 PAGE 1

-----  
File #90241.02

## Traditional Cross-References:

B REGULAR

Field: LOCATION (90241.02,.01)  
 1)= S ^BGPSITE("B",\$(X,1,30),DA)=" "  
 2)= K ^BGPSITE("B",\$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.03 10/09/13 PAGE 1

-----  
File #90241.03

## Traditional Cross-References:

B REGULAR

Field: CATEGORY (90241.03,.01)  
 1)= S ^BGPCAT("B",\$(X,1,30),DA)=" "  
 2)= K ^BGPCAT("B",\$(X,1,30),DA)

C REGULAR

Field: ORDER ON GPRA SUMMARY (90241.03,.02)  
 1)= S ^BGPCAT("C",\$(X,1,30),DA)=" "  
 2)= K ^BGPCAT("C",\$(X,1,30),DA)

D REGULAR

Field: ORDER NO NON-GPRA SUMMARY (90241.03,.03)  
 1)= S ^BGPCAT("D",\$(X,1,30),DA)=" "

```

                2)= K ^BGPSCAT("D", $E(X,1,30),DA)

E    REGULAR
      Field:  ORDER ON EO REPORT  (90241.03,.04)
            1)= S ^BGPSCAT("E", $E(X,1,30),DA)=" "
            2)= K ^BGPSCAT("E", $E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.04          10/09/13    PAGE 1
-----

File #90241.04

Traditional Cross-References:

B    REGULAR
      Field:  SITE  (90241.04,.01)
            1)= S ^BGP2PM("B", $E(X,1,30),DA)=" "
            2)= K ^BGP2PM("B", $E(X,1,30),DA)

TRIGGER
      Field:  SITE  (90241.04,.01)
      Triggered Field:  DEFAULT COMMUNITY TAXONOMY
                       (90241.04,5.1)
            1)= K DIV S DIV=X,D0=DA,DIV(0)=D0 S Y(1)=$S($D(^BGP2PM(D0
,5)):^(5),1:" ") S X=$P(Y(1),U,1),X=X S DIU=X K Y S X=DIV S
X=$$VALI^XBIDIQ1(90241.02,$P(^BGP2PM(DA,0),U,1),.05) X ^DD
(90241.04,.01,1,3,1.4)
            1.4)= S DIH=$G(^BGP2PM(DIV(0),5)),DIV=X S $P(^5),U,1)=DI
V,DIH=90241.04,DIG=5.1 D ^DICR
            2)= Q
      CREATE VALUE)= S X=$$VALI^XBIDIQ1(90241.02,$P(^BGP2PM(DA,0
),U,1),.05)
      DELETE VALUE)= NO EFFECT
      FIELD)= #5.1

Subfile #90241.12

Traditional Cross-References:

B    REGULAR
      Field:  EXTRACT DATE  (90241.12,.01)
            1)= S ^BGP2PM(DA(1),8,"B", $E(X,1,30),DA)=" "
            2)= K ^BGP2PM(DA(1),8,"B", $E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90245          10/09/13    PAGE 1
-----

File #90245

Traditional Cross-References:

B    REGULAR
      Field:  NAME  (90245,.01)
            1)= S ^BGP1PM("B", $E(X,1,30),DA)=" "
            2)= K ^BGP1PM("B", $E(X,1,30),DA)

Subfile #90245.07

Traditional Cross-References:

```

```

B    REGULAR
      Field:  REPORT BEGIN DATE  (90245.07,.01)
            1)= S ^BGP1PM(DA(1),7,"B",E(X,1,30),DA)="
            2)= K ^BGP1PM(DA(1),7,"B",E(X,1,30),DA)

```

Subfile #90245.09

Traditional Cross-References:

```

B    REGULAR
      Field:  FACILITY  (90245.09,.01)
            1)= S ^BGP1PM(DA(1),9,"B",E(X,1,30),DA)="
            2)= K ^BGP1PM(DA(1),9,"B",E(X,1,30),DA)

```

```

C    REGULAR
      Field:  ASUFAC  (90245.09,.02)
            1)= S ^BGP1PM(DA(1),9,"C",E(X,1,30),DA)="
            2)= K ^BGP1PM(DA(1),9,"C",E(X,1,30),DA)

```

TRIGGER

```

      Field:  FACILITY  (90245.09,.01)
      Triggered Field:  ASUFAC  (90245.09,.02)
            1)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)
            =$$($D(^BGP1PM(D0,9,D1,0)):^(0),1:"") S X=$P(Y(1),U,2),X=
            X S DIU=X K Y X ^DD(90245.09,.01,1,2,1.1) X ^DD(90245.09,.0
            1,1,2,1.4)
            1.1)= S X=DIV S I(1,0)=$G(D1),I(0,0)=$G(D0),D0=DIV S:'D0!'$
            D(^AUTTLOC(+D0,0)) D0=-1 S Y(101)=$S($D(^AUTTLOC(D0,0)):^(0
            ),1:"") S X=$P(Y(101),U,10) S D0=I(0,0) S D1=I(1,0)
            1.4)= S DIH=$G(^BGP1PM(DIV(0),9,DIV(1),0)),DIV=X S $P(^
            ),U,2)=DIV,DIH=90245.09,DIG=.02 D ^DICR
            2)= Q
      CREATE VALUE)= #.01:ASUFAC INDEX
      DELETE VALUE)= NO EFFECT
      FIELD)= #.02

```

Subfile #90245.992

Traditional Cross-References:

```

B    REGULAR
      Field:  EMAIL RECIPIENT  (90245.992,.01)
            1)= S ^BGP1PM(DA(1),99.2,"B",E(X,1,30),DA)="
            2)= K ^BGP1PM(DA(1),99.2,"B",E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90245.1 10/09/13 PAGE 1

File #90245.1

Traditional Cross-References:

```

B    REGULAR
      Field:  INDICATOR NAME  (90245.1,.01)
            1)= S ^BGP1RD("B",E(X,1,30),DA)="
            2)= K ^BGP1RD("B",E(X,1,30),DA)

```

```

CBD  REGULAR
      Field:  CURRENT REPORT BEGIN DATE  (90245.1,.07)
            1)= S ^BGP1RD("CBD",E(X,1,30),DA)="
            2)= K ^BGP1RD("CBD",E(X,1,30),DA)

```

```

D   REGULAR
    Field:  SITE NAME   (90245.1,.03)
           1)= S ^BGP1RD("D", $E(X,1,30),DA)=" "
           2)= K ^BGP1RD("D", $E(X,1,30),DA)

New-Style Indexes:

C (#253)   RECORD      REGULAR      IR      LOOKUP & SORTING
Short Descr:  COMPOUND INDEX
Set Logic:   S ^BGP1RD("C", $E(X(1),1,50), $E(X(2),1,30), X(3), X(4), DA)="
            "
Kill Logic:  K ^BGP1RD("C", $E(X(1),1,50), $E(X(2),1,30), X(3), X(4), DA)
Whole Kill:  K ^BGP1RD("C")
X(1):       INDICATOR NAME   (90245.1,.01)   (Subscr 1)   (Len 50)
            (forwards)
X(2):       SITE NAME       (90245.1,.03)   (Subscr 2)   (Len 30)   (forwards)
X(3):       CURRENT REPORT BEGIN DATE   (90245.1,.07)   (Subscr 3)
            (forwards)
X(4):       CURRENT REPORT END DATE     (90245.1,.08)   (Subscr 4)
            (forwards)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.01 10/09/13 PAGE 1

---

File #90552.01

Traditional Cross-References:

ADEV     REGULAR  
           Field:   DEVELOPMENTAL MEASURE? (90552.01,.14)  
                   1)= S ^BGPINDJ("ADEV", \$E(X,1,30),DA)=" "  
                   2)= K ^BGPINDJ("ADEV", \$E(X,1,30),DA)

ADEVO     REGULAR  
           Field:   ORDER ON DEVELOPMENTAL REPORT (90552.01,1302)  
                   1)= S ^BGPINDJ("ADEVO", \$E(X,1,30),DA)=" "  
                   2)= K ^BGPINDJ("ADEVO", \$E(X,1,30),DA)

AO        REGULAR  
           Field:   ORDER ON SELECTION/REPORT (90552.01,.02)  
                   1)= S ^BGPINDJ("AO", \$E(X,1,30),DA)=" "  
                   2)= K ^BGPINDJ("AO", \$E(X,1,30),DA)

AOI       REGULAR  
           Field:   ORDER IND (90552.01,1206)  
                   1)= S ^BGPINDJ("AOI", \$E(X,1,30),DA)=" "  
                   2)= K ^BGPINDJ("AOI", \$E(X,1,30),DA)

B         REGULAR  
           Field:   MEASURE NUMBER (90552.01,.01)  
                   1)= S ^BGPINDJ("B", \$E(X,1,30),DA)=" "  
                   2)= K ^BGPINDJ("B", \$E(X,1,30),DA)

C         REGULAR  
           Field:   TITLE/SELECTION TITLE (90552.01,.03)  
                   1)= S ^BGPINDJ("C", \$E(X,1,30),DA)=" "  
                   2)= K ^BGPINDJ("C", \$E(X,1,30),DA)

D         REGULAR  
           Field:   ORDER IND (90552.01,1206)  
                   1)= S ^BGPINDJ("D", \$E(X,1,30),DA)=" "  
                   2)= K ^BGPINDJ("D", \$E(X,1,30),DA)

GPRA     REGULAR  
           Field:   NATIONAL REPORT (90552.01,.07)  
                   1)= S ^BGPINDJ("GPRA", \$E(X,1,30),DA)=" "  
                   2)= K ^BGPINDJ("GPRA", \$E(X,1,30),DA)

ON        REGULAR  
           Field:   OTHER NATIONAL MEASURES RPT? (90552.01,1201)  
                   1)= S ^BGPINDJ("ON", \$E(X,1,30),DA)=" "  
                   2)= K ^BGPINDJ("ON", \$E(X,1,30),DA)

PUID     REGULAR  
           Field:   PUID FROM RM (90552.01,1203)  
                   1)= S ^BGPINDJ("PUID", \$E(X,1,30),DA)=" "  
                   2)= K ^BGPINDJ("PUID", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.01 10/09/13 PAGE 2

---

U MUMPS

Field: TITLE/SELECTION TITLE (90552.01,.03)  
 1)= S ^BGPINDJ("U",\$\$UP^XLFSTR(X),DA)=" "  
 2)= K ^BGPINDJ("U",\$\$UP^XLFSTR(X),DA)

Subfile #90552.0114

Traditional Cross-References:

ALORI REGULAR WHOLE FILE (#90552.01)

Field: TAXONOMY (90552.0114,.03)  
 1)= S ^BGPINDJ("ALORI",\$(X,1,30),DA(1),DA)=" "  
 2)= K ^BGPINDJ("ALORI",\$(X,1,30),DA(1),DA)

B REGULAR

Field: TAXONOMIES USED (90552.0114,.01)  
 1)= S ^BGPINDJ(DA(1),14,"B",\$(X,1,30),DA)=" "  
 2)= K ^BGPINDJ(DA(1),14,"B",\$(X,1,30),DA)

Subfile #90552.0115

Traditional Cross-References:

B REGULAR

Field: LAB TAXONOMIES USED (90552.0115,.01)  
 1)= S ^BGPINDJ(DA(1),15,"B",\$(X,1,30),DA)=" "  
 2)= K ^BGPINDJ(DA(1),15,"B",\$(X,1,30),DA)

TRIGGER

Field: LAB TAXONOMIES USED (90552.0115,.01)  
 Triggered Field: LAB TAXONOMY NAME (90552.0115,.02)  
 1)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)  
 =\$\$(\$D(^BGPINDJ(D0,15,D1,0)):^(0),1:"") S X=\$P(Y(1),U,2),X=  
 X S DIU=X K Y X ^DD(90552.0115,.01,1,2,1.1) X ^DD(90552.011  
 5,.01,1,2,1.4)  
 1.1)= S X=DIV S I(1,0)=\$G(D1),I(0,0)=\$G(D0),D0=DIV S:'D0!'  
 D(^ATXLAB(+D0,0)) D0=-1 S Y(101)=\$S(\$D(^ATXLAB(D0,0)):^(0),  
 1:"") S X=\$P(Y(101),U,1) S D0=I(0,0) S D1=I(1,0)  
 1.4)= S DIH=\$G(^BGPINDJ(DIV(0),15,DIV(1),0)),DIV=X S \$P(^0  
 ),U,2)=DIV,DIH=90552.0115,DIG=.02 D ^DICR  
 2)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)  
 =\$\$(\$D(^BGPINDJ(D0,15,D1,0)):^(0),1:"") S X=\$P(Y(1),U,2),X=  
 X S DIU=X K Y X ^DD(90552.0115,.01,1,2,2.1) X ^DD(90552.011  
 5,.01,1,2,2.4)  
 2.1)= S X=DIV X ^DD(90552.0115,.01,1,2,59.2) S X=\$P(Y(101),  
 U,1) S D0=I(0,0) S D1=I(1,0)  
 2.4)= S DIH=\$G(^BGPINDJ(DIV(0),15,DIV(1),0)),DIV=X S \$P(^0  
 ),U,2)=DIV,DIH=90552.0115,DIG=.02 D ^DICR  
 59.2)= S I(1,0)=\$G(D1),I(0,0)=\$G(D0),Y(1)=\$S(\$D(^BGPINDJ(D0  
 ,15,D1,0)):^(0),1:""),D0=\$P(Y(1),U,1) S:'D0!'  
 D(^ATXLAB(+D0,0)) D0=-1 S Y(101)=\$S(\$D(^ATXLAB(D0,0)):^(0),1:"")  
 CREATE VALUE)= #.01:#.01  
 DELETE VALUE)= #.01:#.01  
 FIELD)= #.02

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.01 10/09/13 PAGE 3

-----  
 Subfile #90552.0161

Traditional Cross-References:

B REGULAR

Field: DENOMINATOR DEFINITIONS (90552.0161,.01)  
 1)= S ^BGPINDJ(DA(1),61,"B", \$E(X,1,30),DA)=" "  
 2)= K ^BGPINDJ(DA(1),61,"B", \$E(X,1,30),DA)

Subfile #90552.016112

Traditional Cross-References:

B REGULAR

Field: REPORT SUB TYPES (90552.016112,.01)  
 1)= S ^BGPINDJ(DA(2),61,DA(1),12,"B", \$E(X,1,30),DA)=" "  
 2)= K ^BGPINDJ(DA(2),61,DA(1),12,"B", \$E(X,1,30),DA)

Subfile #90552.0162

Traditional Cross-References:

B REGULAR

Field: NUMERATOR DEFINITIONS (90552.0162,.01)  
 1)= S ^BGPINDJ(DA(1),62,"B", \$E(X,1,30),DA)=" "  
 2)= K ^BGPINDJ(DA(1),62,"B", \$E(X,1,30),DA)

Subfile #90552.016212

Traditional Cross-References:

B REGULAR

Field: REPORT SUB TYPE (90552.016212,.01)  
 1)= S ^BGPINDJ(DA(2),62,DA(1),12,"B", \$E(X,1,30),DA)=" "  
 2)= K ^BGPINDJ(DA(2),62,DA(1),12,"B", \$E(X,1,30),DA)

Subfile #90552.0181

Traditional Cross-References:

B REGULAR

Field: NATL GPRA DENOM DEFS (90552.0181,.01)  
 1)= S ^BGPINDJ(DA(1),81,"B", \$E(X,1,30),DA)=" "  
 2)= K ^BGPINDJ(DA(1),81,"B", \$E(X,1,30),DA)

Subfile #90552.018112

Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPES (90552.018112,.01)  
 1)= S ^BGPINDJ(DA(2),81,DA(1),12,"B", \$E(X,1,30),DA)=" "  
 2)= K ^BGPINDJ(DA(2),81,DA(1),12,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.01 10/09/13 PAGE 4

-----  
 Subfile #90552.0182

Traditional Cross-References:

B REGULAR

Field: NATL GPRA NUMERATOR DEFS (90552.0182,.01)  
 1)= S ^BGPINDJ(DA(1),82,"B", \$E(X,1,30),DA)=" "  
 2)= K ^BGPINDJ(DA(1),82,"B", \$E(X,1,30),DA)



Subfile #90552.018212

Traditional Cross-References:

B     REGULAR  
        Field:   REPORT SUBTYPES   (90552.018212,.01)  
                   1)= S ^BGPINDJ(DA(2),82,DA(1),12,"B", \$E(X,1,30),DA)=" "  
                   2)= K ^BGPINDJ(DA(2),82,DA(1),12,"B", \$E(X,1,30),DA)

Subfile #90552.0183

Traditional Cross-References:

B     REGULAR  
        Field:   OTHER NATL MEAS DENOM DEFS   (90552.0183,.01)  
                   1)= S ^BGPINDJ(DA(1),83,"B", \$E(X,1,30),DA)=" "  
                   2)= K ^BGPINDJ(DA(1),83,"B", \$E(X,1,30),DA)

Subfile #90552.018312

Traditional Cross-References:

B     REGULAR  
        Field:   REPORT SUBTYPES   (90552.018312,.01)  
                   1)= S ^BGPINDJ(DA(2),83,DA(1),12,"B", \$E(X,1,30),DA)=" "  
                   2)= K ^BGPINDJ(DA(2),83,DA(1),12,"B", \$E(X,1,30),DA)

Subfile #90552.0184

Traditional Cross-References:

B     REGULAR  
        Field:   OTHER NATL MEAS NUMER DEFS   (90552.0184,.01)  
                   1)= S ^BGPINDJ(DA(1),84,"B", \$E(X,1,30),DA)=" "  
                   2)= K ^BGPINDJ(DA(1),84,"B", \$E(X,1,30),DA)

Subfile #90552.018412

Traditional Cross-References:

B     REGULAR  
        Field:   REPORT SUBTYPES   (90552.018412,.01)  
                   1)= S ^BGPINDJ(DA(2),84,DA(1),12,"B", \$E(X,1,30),DA)=" "  
                   2)= K ^BGPINDJ(DA(2),84,DA(1),12,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.01                   10/09/13     PAGE 5

-----  
 Subfile #90552.0185

Traditional Cross-References:

B     REGULAR  
        Field:   DEVELMENTAL MEAS DENOM DEFS   (90552.0185,.01)  
                   1)= S ^BGPINDJ(DA(1),85,"B", \$E(X,1,30),DA)=" "  
                   2)= K ^BGPINDJ(DA(1),85,"B", \$E(X,1,30),DA)

Subfile #90552.018512

Traditional Cross-References:

B     REGULAR

```

Field: REPORT SUBTYPE (90552.018512,.01)
1)= S ^BGPINDJ(DA(2),85,DA(1),12,"B",$(X,1,30),DA)="
2)= K ^BGPINDJ(DA(2),85,DA(1),12,"B",$(X,1,30),DA)

```

Subfile #90552.0186

Traditional Cross-References:

```

B REGULAR
Field: DEVELOPMENTAL MEAS NUMER DEFS (90552.0186,.01)
1)= S ^BGPINDJ(DA(1),86,"B",$(X,1,30),DA)="
2)= K ^BGPINDJ(DA(1),86,"B",$(X,1,30),DA)

```

Subfile #90552.018612

Traditional Cross-References:

```

B REGULAR
Field: REPORT SUBTYPES (90552.018612,.01)
1)= S ^BGPINDJ(DA(2),86,DA(1),12,"B",$(X,1,30),DA)="
2)= K ^BGPINDJ(DA(2),86,DA(1),12,"B",$(X,1,30),DA)

```

Subfile #90552.0187

Traditional Cross-References:

```

B REGULAR
Field: DM DENOM DEFS (90552.0187,.01)
1)= S ^BGPINDJ(DA(1),87,"B",$(X,1,30),DA)="
2)= K ^BGPINDJ(DA(1),87,"B",$(X,1,30),DA)

```

Subfile #90552.0188

Traditional Cross-References:

```

B REGULAR
Field: DM NUMER DEFS (90552.0188,.01)
1)= S ^BGPINDJ(DA(1),88,"B",$(X,1,30),DA)="
2)= K ^BGPINDJ(DA(1),88,"B",$(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.01 10/09/13 PAGE 6

Subfile #90552.0189

Traditional Cross-References:

```

B REGULAR
Field: CVD DENOM DEFS (90552.0189,.01)
1)= S ^BGPINDJ(DA(1),89,"B",$(X,1,30),DA)="
2)= K ^BGPINDJ(DA(1),89,"B",$(X,1,30),DA)

```

Subfile #90552.0191

Traditional Cross-References:

```

B REGULAR
Field: CVD NUM DEFS (90552.0191,.01)
1)= S ^BGPINDJ(DA(1),91,"B",$(X,1,30),DA)="
2)= K ^BGPINDJ(DA(1),91,"B",$(X,1,30),DA)

```

Subfile #90552.0192

```

Traditional Cross-References:

B   REGULAR
    Field:  WH DEN DEFS  (90552.0192,.01)
           1)= S ^BGPINDJ(DA(1),92,"B", $E(X,1,30),DA)=" "
           2)= K ^BGPINDJ(DA(1),92,"B", $E(X,1,30),DA)

Subfile #90552.0193

Traditional Cross-References:

B   REGULAR
    Field:  WH NUM DEFS  (90552.0193,.01)
           1)= S ^BGPINDJ(DA(1),93,"B", $E(X,1,30),DA)=" "
           2)= K ^BGPINDJ(DA(1),93,"B", $E(X,1,30),DA)

Subfile #90552.0194

Traditional Cross-References:

B   REGULAR
    Field:  IPC DEN DEFS  (90552.0194,.01)
           1)= S ^BGPINDJ(DA(1),94,"B", $E(X,1,30),DA)=" "
           2)= K ^BGPINDJ(DA(1),94,"B", $E(X,1,30),DA)

Subfile #90552.0195

Traditional Cross-References:

B   REGULAR
    Field:  IPC NUM DEFS  (90552.0195,.01)
           1)= S ^BGPINDJ(DA(1),95,"B", $E(X,1,30),DA)=" "
           2)= K ^BGPINDJ(DA(1),95,"B", $E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.01          10/09/13    PAGE 7
-----
Subfile #90552.0196

Traditional Cross-References:

B   REGULAR
    Field:  PQA DEM DEFS  (90552.0196,.01)
           1)= S ^BGPINDJ(DA(1),96,"B", $E(X,1,30),DA)=" "
           2)= K ^BGPINDJ(DA(1),96,"B", $E(X,1,30),DA)

Subfile #90552.0197

Traditional Cross-References:

B   REGULAR
    Field:  PQA NUM DEFS  (90552.0197,.01)
           1)= S ^BGPINDJ(DA(1),97,"B", $E(X,1,30),DA)=" "
           2)= K ^BGPINDJ(DA(1),97,"B", $E(X,1,30),DA)

Subfile #90552.0198

Traditional Cross-References:

B   REGULAR
    Field:  ASTHMA DEN DEFS  (90552.0198,.01)
    
```

```

1)= S ^BGPINDJ(DA(1),98,"B",$(X,1,30),DA)=" "
2)= K ^BGPINDJ(DA(1),98,"B",$(X,1,30),DA)

```

Subfile #90552.0199

Traditional Cross-References:

B REGULAR

```

Field: ASTHMA NUM DEFS (90552.0199,.01)
1)= S ^BGPINDJ(DA(1),99,"B",$(X,1,30),DA)=" "
2)= K ^BGPINDJ(DA(1),99,"B",$(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.02 10/09/13 PAGE 1

---

File #90552.02

Traditional Cross-References:

AAST REGULAR

```

Field: ASTHMA REPORT? (90552.02,.23)
1)= S ^BGPINDJC("AAST",$(X,1,30),DA)=" "
2)= K ^BGPINDJC("AAST",$(X,1,30),DA)

```

AB MUMPS

```

Field: ORDER (90552.02,1204)
1)= S ^BGPINDJC("AB",$(X,1,2),X,DA)=" "
2)= K ^BGPINDJC("AB",$(X,1,2),X,DA)

```

ABC MUMPS

```

Field: ORDER (90552.02,1204)
1)= S ^BGPINDJC("ABC",$(X,1,2),$(X,1,2),DA)=" "
2)= K ^BGPINDJC("ABC",$(X,1,2),$(X,1,2),DA)

```

ACARD REGULAR

```

Field: CARDIO INDICATOR? (90552.02,.13)
1)= S ^BGPINDJC("ACARD",$(X,1,30),DA)=" "
2)= K ^BGPINDJC("ACARD",$(X,1,30),DA)

```

ADASH REGULAR

```

Field: DASHBOARD ORDER (90552.02,1417)
1)= S ^BGPINDJC("ADASH",$(X,1,30),DA)=" "
2)= K ^BGPINDJC("ADASH",$(X,1,30),DA)

```

ADM REGULAR

```

Field: DM INDICATOR? (90552.02,.12)
1)= S ^BGPINDJC("ADM",$(X,1,30),DA)=" "
2)= K ^BGPINDJC("ADM",$(X,1,30),DA)

```

AEL REGULAR

```

Field: ELDER RELATED (90552.02,1203)
1)= S ^BGPINDJC("AEL",$(X,1,30),DA)=" "
2)= K ^BGPINDJC("AEL",$(X,1,30),DA)

```

AGPRA REGULAR

```

Field: NATIONAL/PART (90552.02,.05)
1)= S ^BGPINDJC("AGPRA",$(X,1,30),DA)=" "
2)= K ^BGPINDJC("AGPRA",$(X,1,30),DA)

```

AIPC REGULAR

	Field:	IPC REPORT? (90552.02,1101)
		1)= S ^BGPINDJC("AIPC", \$E(X,1,30),DA)=" "
		2)= K ^BGPINDJC("AIPC", \$E(X,1,30),DA)
APQA	REGULAR	
	Field:	PQA (90552.02,1102)
		1)= S ^BGPINDJC("APQA", \$E(X,1,30),DA)=" "
		2)= K ^BGPINDJC("APQA", \$E(X,1,30),DA)
INDEX AND CROSS-REFERENCE LIST -- FILE #90552.02		
10/09/13 PAGE 2		
-----		
AWH	REGULAR	
	Field:	WOMEN'S HEALTH (90552.02,1202)
		1)= S ^BGPINDJC("AWH", \$E(X,1,30),DA)=" "
		2)= K ^BGPINDJC("AWH", \$E(X,1,30),DA)
B	REGULAR	
	Field:	INDICATOR (90552.02,.01)
		1)= S ^BGPINDJC("B", \$E(X,1,30),DA)=" "
		2)= K ^BGPINDJC("B", \$E(X,1,30),DA)
C	REGULAR	
	Field:	INDICATOR ID (90552.02,.04)
		1)= S ^BGPINDJC("C", \$E(X,1,30),DA)=" "
		2)= K ^BGPINDJC("C", \$E(X,1,30),DA)
D	REGULAR	
	Field:	TITLE FOR SCHEDULING OPTION (90552.02,1209)
		1)= S ^BGPINDJC("D", \$E(X,1,30),DA)=" "
		2)= K ^BGPINDJC("D", \$E(X,1,30),DA)
OR	REGULAR	
	Field:	ORDER (90552.02,1204)
		1)= S ^BGPINDJC("OR", \$E(X,1,30),DA)=" "
		2)= K ^BGPINDJC("OR", \$E(X,1,30),DA)
INDEX AND CROSS-REFERENCE LIST -- FILE #90552.03		
10/09/13 PAGE 1		
-----		
File #90552.03		
Traditional Cross-References:		
B	REGULAR	
	Field:	BEGINNING DATE (90552.03,.01)
		1)= S ^BGPDPDCJ("B", \$E(X,1,30),DA)=" "
		2)= K ^BGPDPDCJ("B", \$E(X,1,30),DA)
Subfile #90552.031111		
Traditional Cross-References:		
B	REGULAR	
	Field:	MFI LOCATIONS (90552.031111,.01)
		1)= S ^BGPDPDCJ(DA(1),1111,"B", \$E(X,1,30),DA)=" "
		2)= K ^BGPDPDCJ(DA(1),1111,"B", \$E(X,1,30),DA)
Subfile #90552.12999		
Traditional Cross-References:		

```

B      REGULAR
      Field:  COMMUNITIES  (90552.12999,.01)
              1)= S ^BGPDPDCJ(DA(1),9999,"B",SE(X,1,30),DA)="
              2)= K ^BGPDPDCJ(DA(1),9999,"B",SE(X,1,30),DA)

```

Subfile #90552.129999

Traditional Cross-References:

```

B      REGULAR
      Field:  PATIENTS EISS  (90552.129999,.01)
              1)= S ^BGPDPDCJ(DA(1),99999,"B",SE(X,1,30),DA)="
              2)= K ^BGPDPDCJ(DA(1),99999,"B",SE(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.04                    10/09/13            PAGE 1

---

File #90552.04

Traditional Cross-References:

```

B      REGULAR
      Field:  BEGINNING DATE  (90552.04,.01)
              1)= S ^BGPDPDPJ("B",SE(X,1,30),DA)="
              2)= K ^BGPDPDPJ("B",SE(X,1,30),DA)

```

Subfile #90552.041111

Traditional Cross-References:

```

B      REGULAR
      Field:  MFI LOCATIONS  (90552.041111,.01)
              1)= S ^BGPDPDPJ(DA(1),1111,"B",SE(X,1,30),DA)="
              2)= K ^BGPDPDPJ(DA(1),1111,"B",SE(X,1,30),DA)

```

Subfile #90552.13999

Traditional Cross-References:

```

B      REGULAR
      Field:  COMMUNITIES  (90552.13999,.01)
              1)= S ^BGPDPDPJ(DA(1),9999,"B",SE(X,1,30),DA)="
              2)= K ^BGPDPDPJ(DA(1),9999,"B",SE(X,1,30),DA)

```

Subfile #90552.139999

Traditional Cross-References:

```

B      REGULAR
      Field:  PATIENTS EISS  (90552.139999,.01)
              1)= S ^BGPDPDPJ(DA(1),99999,"B",SE(X,1,30),DA)="
              2)= K ^BGPDPDPJ(DA(1),99999,"B",SE(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.05                    10/09/13            PAGE 1

---

File #90552.05

Traditional Cross-References:

```

B      REGULAR

```

```

Field: BEGINNING DATE (90552.05,.01)
      1)= S ^BGPDPDBJ("B", $E(X,1,30),DA)=" "
      2)= K ^BGPDPDBJ("B", $E(X,1,30),DA)

```

Subfile #90552.051111

Traditional Cross-References:

```

B    REGULAR
      Field: MFI LOCATIONS (90552.051111,.01)
      1)= S ^BGPDPDBJ(DA(1),1111,"B", $E(X,1,30),DA)=" "
      2)= K ^BGPDPDBJ(DA(1),1111,"B", $E(X,1,30),DA)

```

Subfile #90552.14999

Traditional Cross-References:

```

B    REGULAR
      Field: COMMUNITIES (90552.14999,.01)
      1)= S ^BGPDPDBJ(DA(1),9999,"B", $E(X,1,30),DA)=" "
      2)= K ^BGPDPDBJ(DA(1),9999,"B", $E(X,1,30),DA)

```

Subfile #90552.149999

Traditional Cross-References:

```

B    REGULAR
      Field: PATIENTS EISS (90552.149999,.01)
      1)= S ^BGPDPDBJ(DA(1),99999,"B", $E(X,1,30),DA)=" "
      2)= K ^BGPDPDBJ(DA(1),99999,"B", $E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.06 10/09/13 PAGE 1

-----

File #90552.06

Traditional Cross-References:

```

AN    MUMPS
      Field: ORDER ON NATIONAL (90552.06,.05)
      1)= S ^BGNPLJ("AN",+^BGNPLJ(DA,0),X,DA)=" "
      2)= K ^BGNPLJ("AN",+^BGNPLJ(DA,0),X,DA)

```

```

AON   MUMPS
      Field: ORDER ON OTHER NATIONAL (90552.06,.06)
      1)= S ^BGNPLJ("AON",+^BGNPLJ(DA,0),X,DA)=" "
      2)= K ^BGNPLJ("AON",+^BGNPLJ(DA,0),X,DA)

```

```

AR    MUMPS
      Field: NATIONAL/OTHER NATIONAL (90552.06,.04)
      1)= S ^BGNPLJ("AR",+^BGNPLJ(DA,0),X,DA)=" "
      2)= K ^BGNPLJ("AR",+^BGNPLJ(DA,0),X,DA)

```

```

B    REGULAR
      Field: POINTER (90552.06,.01)
      1)= S ^BGNPLJ("B", $E(X,1,30),DA)=" "
      2)= K ^BGNPLJ("B", $E(X,1,30),DA)

```

```

C    REGULAR
      Field: INDIVIDUAL INDICATOR ID (90552.06,.02)
      1)= S ^BGNPLJ("C", $E(X,1,30),DA)=" "

```

```

                2)= K ^BGNPLJ("C", $E(X,1,30),DA)
INDEX AND CROSS-REFERENCE LIST -- FILE #90552.08                10/09/13    PAGE 1
-----
File #90552.08

Traditional Cross-References:

B    REGULAR
      Field:  TAXONOMY NAME  (90552.08,.01)
            1)= S ^BGPTAXJ("B", $E(X,1,30),DA)=" "
            2)= K ^BGPTAXJ("B", $E(X,1,30),DA)

Subfile #90552.0812

Traditional Cross-References:

B    REGULAR
      Field:  REPORTS  (90552.0812,.01)
            1)= S ^BGPTAXJ(DA(1),12,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPTAXJ(DA(1),12,"B", $E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.09                10/09/13    PAGE 1
-----
File #90552.09

Traditional Cross-References:

AC   REGULAR
      Field:  QMAN LINK  (90552.09,.12)
            1)= S ^BGPTAXJB("AC", $E(X,1,30),DA)=" "
            2)= K ^BGPTAXJB("AC", $E(X,1,30),DA)

B    REGULAR
      Field:  NAME  (90552.09,.01)
            1)= S ^BGPTAXJB("B", $E(X,1,30),DA)=" "
            2)= K ^BGPTAXJB("B", $E(X,1,30),DA)

Subfile #90552.11101

Traditional Cross-References:

AA   MUMPS    WHOLE FILE (#90552.09)
      Field:  HIGH VALUE  (90552.11101,.02)
            1)= N %,A S A=$S($E(X,$L(X))=" ":"", $P(^BGPTAXJB(DA(1),0),U
,13):" ",1:""), %= $P(^BGPTAXJB(DA(1),21,DA,0),U)_A, ^BGPTAXJB
(DA(1),21,"AA",%, (X_A))=" "
            2)= N % S %= $P(^BGPTAXJB(DA(1),21,DA,0),U) S:($E(%, $L(%))'=
" ")&($P(^BGPTAXJB(DA(1),0),U,13)) %=_% " " K ^BGPTAXJB(DA(1
),21,"AA",%)

AA2   MUMPS
      Field:  LOW VALUE  (90552.11101,.01)
            1)= I $P(^BGPTAXJB(DA(1),21,DA,0),U,2)]" " N %,A S A=$S($E(X
,$L(X))=" ":"", $P(^BGPTAXJB(DA(1),0),U,13):" ",1:""), %= $P(^
BGPTAXJB(DA(1),21,DA,0),U,2)_A, ^BGPTAXJB(DA(1),21,"AA", (X_A
),%)=" "
            2)= I $P(^BGPTAXJB(DA(1),21,DA,0),U,2)]" " N % S %=X S:($E(%)

```



```

        , $L(%))'=" ")&($P(^BGPTAXJB(DA(1),0),U,13)) %=%_" " K ^BGPT
        AXHB(DA(1),21,"AA",%)

B      REGULAR
      Field:  LOW VALUE  (90552.11101,.01)
            1)= S ^BGPTAXJB(DA(1),21,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPTAXJB(DA(1),21,"B", $E(X,1,30),DA)

Subfile #90552.13101

Traditional Cross-References:

APKG   REGULAR   WHOLE FILE (#90552.09)
      Field:  PACKAGE  (90552.13101,.01)
            1)= S ^BGPTAXJB("APKG", $E(X,1,30),DA(1),DA)=" "
            2)= K ^BGPTAXJB("APKG", $E(X,1,30),DA(1),DA)

B      REGULAR
      Field:  PACKAGE  (90552.13101,.01)
            1)= S ^BGPTAXJB(DA(1),41,"B", $E(X,1,30),DA)=" "

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.09                10/09/13    PAGE 2
-----
            2)= K ^BGPTAXJB(DA(1),41,"B", $E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.1                10/09/13    PAGE 1
-----

File #90552.1

Traditional Cross-References:

B      REGULAR
      Field:  GROUP NAME (90552.1,.01)
            1)= S ^BGPMGRPJ("B", $E(X,1,30),DA)=" "
            2)= K ^BGPMGRPJ("B", $E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.11                10/09/13    PAGE 1
-----

File #90552.11

Traditional Cross-References:

B      REGULAR
      Field:  USER_DATE/TIME RUN (90552.11,.01)
            1)= S ^BGPXPJ("B", $E(X,1,30),DA)=" "
            2)= K ^BGPXPJ("B", $E(X,1,30),DA)

Subfile #90552.111101

Traditional Cross-References:

B      REGULAR
      Field:  DATA RECORDS (90552.111101,.01)
            1)= S ^BGPXPJ(DA(1),11,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPXPJ(DA(1),11,"B", $E(X,1,30),DA)

Subfile #90552.111201

```

## Traditional Cross-References:

B REGULAR

Field: EXPORT FILE NAMES (90552.111201,.01)  
 1)= S ^BGPXPJ(DA(1),12,"B",SE(X,1,30),DA)=" "  
 2)= K ^BGPXPJ(DA(1),12,"B",SE(X,1,30),DA)

Subfile #90552.111301

## Traditional Cross-References:

B REGULAR

Field: COMMUNITIES (90552.111301,.01)  
 1)= S ^BGPXPJ(DA(1),13,"B",SE(X,1,30),DA)=" "  
 2)= K ^BGPXPJ(DA(1),13,"B",SE(X,1,30),DA)

Subfile #90552.111401

## Traditional Cross-References:

B REGULAR

Field: MFI LOCATIONS (90552.111401,.01)  
 1)= S ^BGPXPJ(DA(1),14,"B",SE(X,1,30),DA)=" "  
 2)= K ^BGPXPJ(DA(1),14,"B",SE(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.12 10/09/13 PAGE 1

-----

File #90552.12

## Traditional Cross-References:

B REGULAR

Field: BEGINNING DATE (90552.12,.01)  
 1)= S ^BGPPEDCJ("B",SE(X,1,30),DA)=" "  
 2)= K ^BGPPEDCJ("B",SE(X,1,30),DA)

Subfile #90552.12111

## Traditional Cross-References:

B REGULAR

Field: MFI COMMUNITIES (90552.12111,.01)  
 1)= S ^BGPPEDCJ(DA(1),1111,"B",SE(X,1,30),DA)=" "  
 2)= K ^BGPPEDCJ(DA(1),1111,"B",SE(X,1,30),DA)

Subfile #90552.1212

## Traditional Cross-References:

B REGULAR

Field: 2.1 RATE (90552.1212,.01)  
 1)= S ^BGPPEDCJ(DA(1),12,"B",SE(X,1,30),DA)=" "  
 2)= K ^BGPPEDCJ(DA(1),12,"B",SE(X,1,30),DA)

Subfile #90552.1213

## Traditional Cross-References:

B REGULAR

```

Field: TOP 25 DXS (90552.1213,.01)
1)= S ^BGPPEDCJ(DA(1),13,"B",$(X,1,30),DA)=" "
2)= K ^BGPPEDCJ(DA(1),13,"B",$(X,1,30),DA)

```

Subfile #90552.1214

Traditional Cross-References:

```

B    REGULAR
Field: 4.1.1 (90552.1214,.01)
1)= S ^BGPPEDCJ(DA(1),14,"B",$(X,1,30),DA)=" "
2)= K ^BGPPEDCJ(DA(1),14,"B",$(X,1,30),DA)

```

Subfile #90552.1215

Traditional Cross-References:

```

B    REGULAR
Field: 5.1.1 (90552.1215,.01)
1)= S ^BGPPEDCJ(DA(1),15,"B",$(X,1,30),DA)=" "
2)= K ^BGPPEDCJ(DA(1),15,"B",$(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.12 10/09/13 PAGE 2

-----  
Subfile #90552.1216

Traditional Cross-References:

```

B    REGULAR
Field: 7.2.1 (90552.1216,.01)
1)= S ^BGPPEDCJ(DA(1),16,"B",$(X,1,30),DA)=" "
2)= K ^BGPPEDCJ(DA(1),16,"B",$(X,1,30),DA)

```

Subfile #90552.1217

Traditional Cross-References:

```

B    REGULAR
Field: 7.1.2 GOAL NOT SET (90552.1217,.01)
1)= S ^BGPPEDCJ(DA(1),17,"B",$(X,1,30),DA)=" "
2)= K ^BGPPEDCJ(DA(1),17,"B",$(X,1,30),DA)

```

Subfile #90552.1218

Traditional Cross-References:

```

B    REGULAR
Field: GOAL MET (90552.1218,.01)
1)= S ^BGPPEDCJ(DA(1),18,"B",$(X,1,30),DA)=" "
2)= K ^BGPPEDCJ(DA(1),18,"B",$(X,1,30),DA)

```

Subfile #90552.1219

Traditional Cross-References:

```

B    REGULAR
Field: GOAL MAINTAINED (90552.1219,.01)
1)= S ^BGPPEDCJ(DA(1),19,"B",$(X,1,30),DA)=" "
2)= K ^BGPPEDCJ(DA(1),19,"B",$(X,1,30),DA)

```

Subfile #90552.1221

Traditional Cross-References:

B REGULAR

Field: GOAL NOT MET (90552.1221,.01)  
 1)= S ^BGPPEDCJ(DA(1),21,"B",SE(X,1,30),DA)=" "  
 2)= K ^BGPPEDCJ(DA(1),21,"B",SE(X,1,30),DA)

Subfile #90552.129

Traditional Cross-References:

B REGULAR

Field: COMMUNITIES (90552.129,.01)  
 1)= S ^BGPPEDCJ(DA(1),9999,"B",SE(X,1,30),DA)=" "  
 2)= K ^BGPPEDCJ(DA(1),9999,"B",SE(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.13 10/09/13 PAGE 1

---

File #90552.13

Traditional Cross-References:

B REGULAR

Field: BEGINNING DATE (90552.13,.01)  
 1)= S ^BGPPEDPJ("B",SE(X,1,30),DA)=" "  
 2)= K ^BGPPEDPJ("B",SE(X,1,30),DA)

Subfile #90552.13111

Traditional Cross-References:

B REGULAR

Field: MFI COMMUNITIES (90552.13111,.01)  
 1)= S ^BGPPEDPJ(DA(1),1111,"B",SE(X,1,30),DA)=" "  
 2)= K ^BGPPEDPJ(DA(1),1111,"B",SE(X,1,30),DA)

Subfile #90552.1312

Traditional Cross-References:

B REGULAR

Field: 2.1 RATE (90552.1312,.01)  
 1)= S ^BGPPEDPJ(DA(1),12,"B",SE(X,1,30),DA)=" "  
 2)= K ^BGPPEDPJ(DA(1),12,"B",SE(X,1,30),DA)

Subfile #90552.1313

Traditional Cross-References:

B REGULAR

Field: TOP 25 DXS (90552.1313,.01)  
 1)= S ^BGPPEDPJ(DA(1),13,"B",SE(X,1,30),DA)=" "  
 2)= K ^BGPPEDPJ(DA(1),13,"B",SE(X,1,30),DA)

Subfile #90552.1314

Traditional Cross-References:

```

B    REGULAR
      Field:  4.1.1  (90552.1314,.01)
              1)= S ^BGPPEDPJ(DA(1),14,"B",$(X,1,30),DA)=" "
              2)= K ^BGPPEDPJ(DA(1),14,"B",$(X,1,30),DA)

```

Subfile #90552.1315

Traditional Cross-References:

```

B    REGULAR
      Field:  5.1.1  (90552.1315,.01)
              1)= S ^BGPPEDPJ(DA(1),15,"B",$(X,1,30),DA)=" "
              2)= K ^BGPPEDPJ(DA(1),15,"B",$(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.13 10/09/13 PAGE 2

-----  
Subfile #90552.139

Traditional Cross-References:

```

B    REGULAR
      Field:  COMMUNITIES  (90552.139,.01)
              1)= S ^BGPPEDPJ(DA(1),9999,"B",$(X,1,30),DA)=" "
              2)= K ^BGPPEDPJ(DA(1),9999,"B",$(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.14 10/09/13 PAGE 1

-----  
File #90552.14

Traditional Cross-References:

```

B    REGULAR
      Field:  BEGINNING DATE  (90552.14,.01)
              1)= S ^BGPPEDBJ("B",$(X,1,30),DA)=" "
              2)= K ^BGPPEDBJ("B",$(X,1,30),DA)

```

Subfile #90552.14111

Traditional Cross-References:

```

B    REGULAR
      Field:  MFI COMMUNITIES  (90552.14111,.01)
              1)= S ^BGPPEDBJ(DA(1),1111,"B",$(X,1,30),DA)=" "
              2)= K ^BGPPEDBJ(DA(1),1111,"B",$(X,1,30),DA)

```

Subfile #90552.1412

Traditional Cross-References:

```

B    REGULAR
      Field:  2.1 RATE  (90552.1412,.01)
              1)= S ^BGPPEDBJ(DA(1),12,"B",$(X,1,30),DA)=" "
              2)= K ^BGPPEDBJ(DA(1),12,"B",$(X,1,30),DA)

```

Subfile #90552.1413

Traditional Cross-References:

```

B      REGULAR
      Field:  TOP 25 DXS  (90552.1413,.01)
              1)= S ^BGPPEDBJ(DA(1),13,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPPEDBJ(DA(1),13,"B", $E(X,1,30),DA)

```

Subfile #90552.1414

Traditional Cross-References:

```

B      REGULAR
      Field:  4.1.1  (90552.1414,.01)
              1)= S ^BGPPEDBJ(DA(1),14,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPPEDBJ(DA(1),14,"B", $E(X,1,30),DA)

```

Subfile #90552.1415

Traditional Cross-References:

```

B      REGULAR
      Field:  5.1.1  (90552.1415,.01)
              1)= S ^BGPPEDBJ(DA(1),15,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPPEDBJ(DA(1),15,"B", $E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.14 10/09/13 PAGE 2

-----  
Subfile #90552.149

Traditional Cross-References:

```

B      REGULAR
      Field:  COMMUNITIES (90552.149,.01)
              1)= S ^BGPPEDBJ(DA(1),9999,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPPEDBJ(DA(1),9999,"B", $E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.15 10/09/13 PAGE 1

-----  
File #90552.15

Traditional Cross-References:

```

AO     REGULAR
      Field:  ORDER TO DISPLAY (90552.15,.03)
              1)= S ^BGPPEIJ("AO", $E(X,1,30),DA)=" "
              2)= K ^BGPPEIJ("AO", $E(X,1,30),DA)

```

```

B      REGULAR
      Field:  MEASURE NUMBER (90552.15,.01)
              1)= S ^BGPPEIJ("B", $E(X,1,30),DA)=" "
              2)= K ^BGPPEIJ("B", $E(X,1,30),DA)

```

Subfile #90552.1514

Traditional Cross-References:

```

B      REGULAR
      Field:  TAXONOMIES USED (90552.1514,.01)
              1)= S ^BGPPEIJ(DA(1),14,"B", $E(X,1,30),DA)=" "

```

```
2)= K ^BGPPEIJ(DA(1),14,"B", $E(X,1,30),DA)
```

## TRIGGER

```
Field: TAXONOMY PTR (PROGRAMMER USE) (90552.1514,.02)
Triggered Field: TAXONOMY NAME (90552.1514,.03)
1)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)
=$S($D(^BGPPEIJ(D0,14,D1,0)):^(0),1:"") S X=$P(Y(1),U,3),X=
X S DIU=X K Y X ^DD(90552.1514,.02,1,1,1.1) X ^DD(90552.151
4,.02,1,1,1.4)
1.1)= S X=DIV S I(1,0)=$G(D1),I(0,0)=$G(D0),D0=DIV S:'D0! '$
D(^ATXAX(+D0,0)) D0=-1 S Y(101)=$S($D(^ATXAX(D0,0)):^(0),1:
"") S X=$P(Y(101),U,1) S D0=I(0,0) S D1=I(1,0)
1.4)= S DIH=$G(^BGPPEIJ(DIV(0),14,DIV(1),0)),DIV=X S $P(^(0
),U,3)=DIV,DIH=90552.1514,DIG=.03 D ^DICR
2)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)
=$S($D(^BGPPEIJ(D0,14,D1,0)):^(0),1:"") S X=$P(Y(1),U,3),X=
X S DIU=X K Y X ^DD(90552.1514,.02,1,1,2.1) X ^DD(90552.151
4,.02,1,1,2.4)
2.1)= S X=DIV X ^DD(90552.1514,.02,1,1,59.2) S X=$P(Y(101),
U,1) S D0=I(0,0) S D1=I(1,0)
2.4)= S DIH=$G(^BGPPEIJ(DIV(0),14,DIV(1),0)),DIV=X S $P(^(0
),U,3)=DIV,DIH=90552.1514,DIG=.03 D ^DICR
59.2)= S I(1,0)=$G(D1),I(0,0)=$G(D0),Y(1)=$S($D(^BGPPEIJ(D0
,14,D1,0)):^(0),1:""),D0=$P(Y(1),U,2) S:'D0! '$D(^ATXAX(+D0,
0)) D0=-1 S Y(101)=$S($D(^ATXAX(D0,0)):^(0),1:"")
CREATE VALUE)= #.02:#.01
DELETE VALUE)= #.02:#.01
FIELD)= #.03
```

Subfile #90552.1561

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.15 10/09/13 PAGE 2

-----  
Traditional Cross-References:

## B REGULAR

```
Field: DENOMINATOR DEFINITIONS (90552.1561,.01)
1)= S ^BGPPEIJ(DA(1),61,"B", $E(X,1,30),DA)=" "
2)= K ^BGPPEIJ(DA(1),61,"B", $E(X,1,30),DA)
```

Subfile #90552.1562

## Traditional Cross-References:

## B REGULAR

```
Field: NUMERATOR (90552.1562,.01)
1)= S ^BGPPEIJ(DA(1),62,"B", $E(X,1,30),DA)=" "
2)= K ^BGPPEIJ(DA(1),62,"B", $E(X,1,30),DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.17 10/09/13 PAGE 1

File #90552.17

-----  
Traditional Cross-References:

## B REGULAR

```
Field: GROUP (90552.17,.01)
1)= S ^BGPICAGJ("B", $E(X,1,30),DA)=" "
2)= K ^BGPICAGJ("B", $E(X,1,30),DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90552.18 10/09/13 PAGE 1

-----  
File #90552.18

Traditional Cross-References:

B      REGULAR  
      Field:   CATEGORY   (90552.18,.01)  
              1)= S ^BGPICACJ("B", \$E(X,1,30),DA)=" "  
              2)= K ^BGPICACJ("B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90553.02 10/09/13 PAGE 1

-----  
File #90553.02

Traditional Cross-References:

AB      MUMPS  
      Field:   ORDER   (90553.02,1204)  
              1)= S ^BGPELIIJ("AB", \$P(X,".",1,2),X,DA)=" "  
              2)= K ^BGPELIIJ("AB", \$P(X,".",1,2),X,DA)

ABC     MUMPS  
      Field:   ORDER   (90553.02,1204)  
              1)= S ^BGPELIIJ("ABC", \$P(X,".",1,2), \$STR(X,".", ""),DA)=" "  
              2)= K ^BGPELIIJ("ABC", \$P(X,".",1,2), \$STR(X,".", ""),DA)

AE      MUMPS  
      Field:   ORDER   (90553.02,1204)  
              1)= S ^BGPELIIJ("AE", \$P(X,"."), \$P(X,".",2), \$P(X,".",3),DA)=  
              " "  
              2)= Q

AP      MUMPS  
      Field:   ORDER   (90553.02,1204)  
              1)= S ^BGPELIIJ("AP", \$P(X,".",1,2),DA)=" "  
              2)= K ^BGPELIIJ("AP", \$P(X,".",1,2),DA)

B      REGULAR  
      Field:   INDICATOR (90553.02,.01)  
              1)= S ^BGPELIIJ("B", \$E(X,1,30),DA)=" "  
              2)= K ^BGPELIIJ("B", \$E(X,1,30),DA)

C      REGULAR  
      Field:   INDICATOR ID (90553.02,.04)  
              1)= S ^BGPELIIJ("C", \$E(X,1,30),DA)=" "  
              2)= K ^BGPELIIJ("C", \$E(X,1,30),DA)

OR      REGULAR  
      Field:   ORDER   (90553.02,1204)  
              1)= S ^BGPELIIJ("OR", \$E(X,1,30),DA)=" "  
              2)= K ^BGPELIIJ("OR", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90553.03 10/09/13 PAGE 1



File #90553.03

Traditional Cross-References:

B     REGULAR  
       Field:   BEGINNING DATE   (90553.03,.01)  
               1)= S ^BGPELDCJ("B", \$E(X,1,30),DA)=" "  
               2)= K ^BGPELDCJ("B", \$E(X,1,30),DA)

Subfile #90553.031111

Traditional Cross-References:

B     REGULAR  
       Field:   MFI LOCATIONS   (90553.031111,.01)  
               1)= S ^BGPELDCJ(DA(1),1111,"B", \$E(X,1,30),DA)=" "  
               2)= K ^BGPELDCJ(DA(1),1111,"B", \$E(X,1,30),DA)

Subfile #90553.12999

Traditional Cross-References:

B     REGULAR  
       Field:   COMMUNITIES   (90553.12999,.01)  
               1)= S ^BGPELDCJ(DA(1),9999,"B", \$E(X,1,30),DA)=" "  
               2)= K ^BGPELDCJ(DA(1),9999,"B", \$E(X,1,30),DA)

Subfile #90553.129999

Traditional Cross-References:

B     REGULAR  
       Field:   PATIENTS EISS   (90553.129999,.01)  
               1)= S ^BGPELDCJ(DA(1),99999,"B", \$E(X,1,30),DA)=" "  
               2)= K ^BGPELDCJ(DA(1),99999,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90553.04                   10/09/13     PAGE 1

File #90553.04

Traditional Cross-References:

B     REGULAR  
       Field:   BEGINNING DATE   (90553.04,.01)  
               1)= S ^BGPELDPJ("B", \$E(X,1,30),DA)=" "  
               2)= K ^BGPELDPJ("B", \$E(X,1,30),DA)

Subfile #90553.041111

Traditional Cross-References:

B     REGULAR  
       Field:   MFI LOCATIONS   (90553.041111,.01)  
               1)= S ^BGPELDPJ(DA(1),1111,"B", \$E(X,1,30),DA)=" "  
               2)= K ^BGPELDPJ(DA(1),1111,"B", \$E(X,1,30),DA)

Subfile #90553.13999

## Traditional Cross-References:

B REGULAR

Field: COMMUNITIES (90553.13999,.01)  
 1)= S ^BGPELDPJ(DA(1),9999,"B",\$(X,1,30),DA)=" "  
 2)= K ^BGPELDPJ(DA(1),9999,"B",\$(X,1,30),DA)

Subfile #90553.139999

## Traditional Cross-References:

B REGULAR

Field: PATIENTS EISS (90553.139999,.01)  
 1)= S ^BGPELDPJ(DA(1),99999,"B",\$(X,1,30),DA)=" "  
 2)= K ^BGPELDPJ(DA(1),99999,"B",\$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90553.05 10/09/13 PAGE 1  
 -----

File #90553.05

## Traditional Cross-References:

B REGULAR

Field: BEGINNING DATE (90553.05,.01)  
 1)= S ^BGPELDBJ("B",\$(X,1,30),DA)=" "  
 2)= K ^BGPELDBJ("B",\$(X,1,30),DA)

Subfile #90553.051111

## Traditional Cross-References:

B REGULAR

Field: MFI LOCATIONS (90553.051111,.01)  
 1)= S ^BGPELDBJ(DA(1),1111,"B",\$(X,1,30),DA)=" "  
 2)= K ^BGPELDBJ(DA(1),1111,"B",\$(X,1,30),DA)

Subfile #90553.14999

## Traditional Cross-References:

B REGULAR

Field: COMMUNITIES (90553.14999,.01)  
 1)= S ^BGPELDBJ(DA(1),9999,"B",\$(X,1,30),DA)=" "  
 2)= K ^BGPELDBJ(DA(1),9999,"B",\$(X,1,30),DA)

Subfile #90553.149999

## Traditional Cross-References:

B REGULAR

Field: PATIENTS EISS (90553.149999,.01)  
 1)= S ^BGPELDBJ(DA(1),99999,"B",\$(X,1,30),DA)=" "  
 2)= K ^BGPELDBJ(DA(1),99999,"B",\$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90553.06 10/09/13 PAGE 1  
 -----

File #90553.06

```

Traditional Cross-References:

AO    REGULAR
      Field:  ORDER ON SELECTION/REPORT  (90553.06,.02)
            1)= S ^BGPELIJ("AO", $E(X,1,30),DA)=" "
            2)= K ^BGPELIJ("AO", $E(X,1,30),DA)

B     REGULAR
      Field:  INDICATOR NUMBER  (90553.06,.01)
            1)= S ^BGPELIJ("B", $E(X,1,30),DA)=" "
            2)= K ^BGPELIJ("B", $E(X,1,30),DA)

C     REGULAR
      Field:  TITLE  (90553.06,.03)
            1)= S ^BGPELIJ("C", $E(X,1,30),DA)=" "
            2)= K ^BGPELIJ("C", $E(X,1,30),DA)

D     MUMPS
      Field:  TITLE  (90553.06,.03)
            1)= S ^BGPELIJ("D", $$SUP^XLFSTR(X),DA)=" "
            2)= K ^BGPELIJ("D", $$SUP^XLFSTR(X),DA)

PUID  REGULAR
      Field:  PUID  (90553.06,1201)
            1)= S ^BGPELIJ("PUID", $E(X,1,30),DA)=" "
            2)= K ^BGPELIJ("PUID", $E(X,1,30),DA)

Subfile #90553.0661

Traditional Cross-References:

B     REGULAR
      Field:  DENOMINATOR DEFINITIONS  (90553.0661,.01)
            1)= S ^BGPELIJ(DA(1),61,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPELIJ(DA(1),61,"B", $E(X,1,30),DA)

Subfile #90553.0662

Traditional Cross-References:

B     REGULAR
      Field:  NUMERATOR DEFINITIONS  (90553.0662,.01)
            1)= S ^BGPELIJ(DA(1),62,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPELIJ(DA(1),62,"B", $E(X,1,30),DA)

```

Figure 4-1: Index and Cross Reference List

## 4.4 Table File

The following six files have over 1,000 fields per file. These files are used to hold calculated data values for the GPR reports. To conserve space in this document, the table files are not listed here. To generate a listing, use the ^XBFLD or FM data dictionary listing utility to list the data dictionary in detail.

**FILE: 90552.03 BGP 14 DATA CURRENT**  
**GLOBAL: ^BGPDPDCJ(**

**FILE: 90552.04 BGP 14 DATA PREVIOUS**  
**GLOBAL: ^BGPDPDPJ(**

**FILE: 90552.05 BGP 14 DATA BASELINE**  
**GLOBAL: ^BGPHEDBJ(**

**FILE: 90553.03 BGP 14 ELDER DATA CURRENT**  
**GLOBAL: ^BGPELDCJ(**

**FILE: 90553.04 BGP 14 ELDER DATA PREVIOUS**  
**GLOBAL: ^BGPELDPJ(**

**FILE: 90553.05 BGP 14 ELDER DATA BASELINE**  
**GLOBAL: ^BGPELDBJ(**

#### 4.4.1 BGP Control File

**GLOBAL: ^BGPCTRL(**

**FILE #: 90241.01**

```

CONDENSED DATA DICTIONARY---BGP CONTROL FILE FILE (#90241.01)UCI: DEV,DEV  VERSION:
14.0

CONDENSED DATA DICTIONARY---BGP CONTROL FILE FILE (#90241.01)UCI: CDAA,CDAA
VERSION: 14.0

STORED IN: ^BGPCTRL(                               10/10/13    PAGE 1
-----
-

                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY   : @      LAYGO SECURITY  : @
                                WRITE SECURITY  : @

CROSS REFERENCED BY:
    FY(B)  GPRA YEAR(C)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        FY (RF), [0;1]
.02        ENDING COLUMN FOR ONM 1 (NJ4,0), [0;2]
.03        ENDING COLUMN FOR ONM2 (NJ4,0), [0;3]
.04        ENDING COLUMN FOR GNT1 (NJ4,0), [0;4]
.05        PROGRAM FOR ICARE TO RUN (F), [0;5]
    
```

.06	FILE FOR MEASURES (P1'), [0;6]
.07	FILE # FOR INDIVIDUAL INDS (P1'), [0;7]
.08	BEGINNING DATE FOR GPRA YEAR (D), [0;8]
.09	ENDING DATE FOR GPRA YEAR (D), [0;9]
.1	BEG DATE FOR PREVIOUS YEAR (D), [0;10]
.11	ENDING DATE FOR PREVIOUS YEAR (D), [0;11]
.12	BEG DATE FOR BASELINE YEAR (D), [0;12]
.13	ENDING DATE FOR BASELINE YR (D), [0;13]
.14	GPRA YEAR (D), [0;14]
.15	VERSION (F), [0;15]
.16	ENDING COLUMN FOR GNT2 (NJ3,0), [0;16]
.17	CONTRAINdicATIONS ROUTINE (F), [0;17]
.18	ALLERGY ROUTINE (F), [0;18]
.19	REFUSAL API ROUTINE (F), [0;19]
.2	ENDING COLUMN FOR EO NT1 (NJ4,0), [0;20]
.21	END COLUMN FOR CRSONMNT3 (NJ4,0), [0;21]
.22	ENDING COLUMN FOR DEVEL1 (NJ3,0), [0;22]
.23	ENDING COLUMN FOR DEVEL2 (NJ3,0), [0;23]
.24	ENDING COLUMN FOR DEVEL3 (NJ4,0), [0;24]
.25	ONMT 4 ENDING COLUMN (NJ4,0), [0;25]
.26	ONMT 5 (NJ4,0), [0;26]
.27	ENDING COLUMN FOR NT3 (NJ3,0), [0;27]
1101	CLINICS FOR CLINICAL USER (Multiple-90241.0111), [11;0]
	.01 CLINIC CODE (MF), [0;1]
	.019 CLINIC NAME (CJ8), [ ; ]
1201	CLINIC CODES FOR 2ND VISIT (Multiple-90241.0112), [12;0]
	.01 CLINIC CODES FOR 2ND VISIT (MF), [0;1]
1300	LOCAL REPORT HEADER PAGE (Multiple-90241.13), [13;0]
	.01 LOCAL REPORT HEADER PAGE (W), [0;1]
1301	BH CLINIC CODES (Multiple-90241.011301), [1301;0]
	.01 BH CLINIC CODES (MF), [0;1]
1400	NATIONAL GPRA COVER PG NONCHS (Multiple-90241.14), [14;0]
	.01 GPRA REPORT HEADER PAGE (W), [0;1]
1500	AREA REPORT HEADER PAGE (Multiple-90241.15), [15;0]
	.01 AREA REPORT HEADER PAGE (W), [0;1]
1600	HEDIS REPORT HEADER PAGE (Multiple-90241.16), [16;0]
	.01 HEDIS REPORT HEADER PAGE (W), [0;1]
1700	COM REPORT HEADER PAGE (Multiple-90241.17), [17;0]
	.01 COM REPORT HEADER PAGE (W), [0;1]
1800	PP REPORT HEADER PAGE (Multiple-90241.18), [18;0]
	.01 PP REPORT HEADER PAGE (W), [0;1]
1900	ALL REPORT HEADER PAGE (Multiple-90241.19), [19;0]
	.01 ALL REPORT HEADER PAGE (W), [0;1]
2100	*CMS REPORT COVER PAGE (Multiple-90241.0321), [21;0]
	.01 CMS REPORT COVER PAGE (W), [0;1]
2200	ELDER CARE COVER PAGE (Multiple-90241.22), [22;0]
	.01 ELDER CARE COVER PAGE (W), [0;1]
2300	*NATL GPRA COVER PAGE - CHS (Multiple-90241.23), [23;0]
	.01 CHS NATIONAL GPRA RPT HEADER (W), [0;1]
2400	*CHS COM REPORT HEADER (Multiple-90241.24), [24;0]
	.01 CHS COM REPORT HEADER (W), [0;1]
2500	*CHS ALL REPORT HEADER (Multiple-90241.25), [25;0]
	.01 CHS ALL REPORT HEADER (W), [0;1]
2600	*CHS ELDER REPORT HEADER (Multiple-90241.26), [26;0]
	.01 CHS ELDER REPORT HEADER (W), [0;1]
2700	*CHS HEDIS REPORT HEADER (Multiple-90241.27), [27;0]
	.01 CHS HEDIS REPORT HEADER (W), [0;1]
2800	COMP NATL PAT LIST 1ST PAGE (Multiple-90241.0328), [28;0]
	.01 1ST PAGE COMP LIST (W), [0;1]
2900	*AREA CHS NGR HEADER PAGE (Multiple-90241.29), [29;0]
	.01 AREA CHS NGR HEADER PAGE (W), [0;1]

```

3100 *AREA GPUA CHS HEADER (Multiple-90241.31), [31;0]
      .01 AREA CHS HEADER (W), [0;1]
3200 *AREA CHS HEDIS COVER PAGE (Multiple-90241.32), [32;0]
      .01 AREA HEDIS COVER PAGE (W), [0;1]
3300 *AREA ELDER CHS COVER PAGE (Multiple-90241.33), [33;0]
      .01 AREA ELDER CHS COVER PAGE (W), [0;1]
3400 PATIENT ED COVER PAGE (Multiple-90241.34), [34;0]
      .01 PATIENT ED COVER PAGE (W), [0;1]
3500 AREA PAT ED COVER PAG (Multiple-90241.35), [35;0]
      .01 AREA PAT ED COVER PAG (W), [0;1]
3600 ON 1 HEADERS (Multiple-90241.36), [36;0]
      .01 PIECE (MNJ5,0X), [0;1]
      .02 HEADER (F), [0;2]
3700 ON 2 HEADERS (Multiple-90241.37), [37;0]
      .01 PIECE (MNJ4,0X), [0;1]
      .02 HEADER (F), [0;2]
3800 GPRA NT1 (Multiple-90241.38), [38;0]
      .01 PIECE (MNJ4,0X), [0;1]
      .02 HEADER (F), [0;2]
3900 FORECAST DENOMINATOR DEFS PAGE (Multiple-90241.39), [39;0]
      .01 SCHEDULING OPTION COVER PAGE (W), [0;1]
4000 GPRA NT2 (Multiple-90241.4), [40;0]
      .01 PIECE (MNJ4,0), [0;1]
      .02 LABEL (F), [0;2]
4100 MEASURE (Multiple-90241.41), [41;0]
      .01 MEASURE (MRNJ3,0), [0;1]
      11 DENOM TEXT (Multiple-90241.4111), [11;0]
         .01 DENOM TEXT (W), [0;1]
4200 *CMS REPORT INTRODUCTION (Multiple-90241.42), [42;0]
      .01 CMS REPORT INTRODUCTION (W), [0;1]
4300 LAB TAXONOMY INTRO TEXT (Multiple-90241.43), [43;0]
      .01 LAB TAXONOMY INTRO TEXT (W), [0;1]
4400 MED TAX INTRO (Multiple-90241.44), [44;0]
      .01 MED TAX INTRO (W), [0;1]
4500 CRSONMNT3 COLUMN HEADERS (Multiple-90241.0145), [45;0]
      .01 CRSONMNT3 COLUMN HEADERS (MNJ4,0), [0;1]
      .02 HEADER TEXT (F), [0;2]
4600 *URBAN GP COVER PAGE (Multiple-90241.46), [46;0]
      .01 URBAN GP COVER PAGE (Wx), [0;1]
4700 *URBAN SUM ONLY GP (Multiple-90241.47), [47;0]
      .01 URBAN SUM ONLY GP (Wx), [0;1]
4800 *URBAN COM COVER PAGE (Multiple-90241.48), [48;0]
      .01 URBAN COM COVER PAGE (Wx), [0;1]
4900 *URBAN ALL COVER PAGE (Multiple-90241.49), [49;0]
      .01 URBAN ALL COVER PAGE (Wx), [0;1]
5100 *URBAN ONM COVER PAGE (Multiple-90241.51), [51;0]
      .01 URBAN ONM COVER PAGE (Wx), [0;1]
5200 *URBAN ELDER COVER PAGE (Multiple-90241.52), [52;0]
      .01 URBAN ELDER COVER PAGE (Wx), [0;1]
5300 XP 2008-2009 INFORMING (Multiple-90241.0153), [53;0]
      .01 XP 2008-2009 INFORMING (W), [0;1]
5400 XP REPORT INFORM (Multiple-90241.54), [54;0]
      .01 XP REPORT INFORM (W), [0;1]
5500 XP MEASURES (Multiple-90241.55), [55;0]
      .01 MEASURE (MP90530.01'), [0;1]
      1101 INDIVIDUAL MEASURES (Multiple-90241.551101), [11;0]
         .01 MEASURE ID (MNJ3,0), [0;1]
         .02 VALUE FOR EXPORT (K), [1;E1,245]
         .03 MEASURE LABEL (F), [0;3]
5600 ONM COVER PAGE (Multiple-90241.56), [56;0]
      .01 ONM COVER PAGE (W), [0;1]

```

```

5700 *ONM CHS COVER PAGE (Multiple-90241.57), [57;0]
      .01 ONM CHS COVER PAGE (W), [0;1]
5800 FORECAST REPORT INFORMING (Multiple-90241.58), [58;0]
      .01 FORECAST REPORT INFORMING (W), [0;1]
5900 *EO REPORT COVER PAGE (Multiple-90241.0159), [59;0]
      .01 EO REPORT COVER PAGE (W), [0;1]
6100 PAT ED INFORMING (Multiple-90241.61), [61;0]
      .01 PAT ED INFORMING (W), [0;1]
6200 PATIENT ED TOPICS (Multiple-90241.62), [62;0]
      .01 PATIENT ED TOPICS (F), [0;1]
      .02 DIAGNOSIS (F), [0;2]
      .03 TOPIC (F), [0;3]
6300 PAT ED ICD MAPPINGS (Multiple-90241.63), [63;0]
      .01 DISEASE STATE ABBRV (MF), [0;1]
      .02 DISEASE STATE NAME (F), [0;2]
      .03 TAXONOMY NAME (F), [0;3]

1100 ICD MAPPING (Multiple-90241.6311), [11;0]
      .01 ICD MAPPING (MF), [0;1]
      .02 LENGTH TO CHECK (NJ1,0), [0;2]
      .03 EXACT LENGTH? (S), [0;3]
6400 *EO REPORT COVER PAGE CHS ONLY (Multiple-90241.0164), [64;0]
      .01 EO REPORT COVER PAGE CHS ONLY (W), [0;1]
6500 *EO REPORT INFORMING (Multiple-90241.0165), [65;0]
      .01 EO REPORT INFORMING (W), [0;1]
6600 *EO AREA REPORT COVER PAGE (Multiple-90241.0166), [66;0]
      .01 EO AREA REPORT COVER PAGE (W), [0;1]
6700 *EO AREA REPORT CHS COVER PAGE (Multiple-90241.0467), [67;0]
      .01 EO AREA REPORT CHS COVER PAGE (W), [0;1]
6800 *EO NT1 LABELS (Multiple-90241.0168), [68;0]
      .01 EO NT1 LABELS (MNJ4,0), [0;1]
      .02 TEXT (F), [0;2]
6900 FORECAST INFORMING FOR NEXT YR (Multiple-90241.69), [69;0]
      .01 FORECAST INFORMING FOR NEXT YR (W), [0;1]
7100 GPRA RPT SUM ONLY INFORMING (Multiple-90241.71), [71;0]
      .01 GPRA RPT SUM ONLY INFORMING (W), [0;1]
7200 NATL GPRA DES PROV INFORMING (Multiple-90241.72), [72;0]
      .01 NATL GPRA DES PROV INFORMING (W), [0;1]
7300 HW OPTION INFORMING (Multiple-90241.73), [73;0]
      .01 HW OPTION INFORMING (W), [0;1]
7400 PAT ED PP INFORMING (Multiple-90241.74), [74;0]
      .01 PAT ED PP INFORMING (W), [0;1]
7500 PED PP COVER PAGE (Multiple-90241.75), [75;0]
      .01 PED PP COVER PAGE (W), [0;1]
7600 GPRA SUM ONLY COVER PAGE (Multiple-90241.76), [76;0]
      .01 GPRA SUM ONLY COVER PAGE (W), [0;1]
7700 *NATL GPRA SUM CHS COVER (Multiple-90241.77), [77;0]
      .01 NATL GPRA SUM CHS COVER (W), [0;1]
7800 XP9 INFORMING (Multiple-90241.78), [78;0]
      .01 XP9 INFORMING (W), [0;1]
7900 DEVEL 1 (Multiple-90241.79), [79;0]
      .01 GPRA NT3 (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8100 DEVEL 2 (Multiple-90241.81), [81;0]
      .01 GPRA NT4 (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8200 XP 10 INFORMING (Multiple-90241.82), [82;0]
      .01 XP 10 INFORMING (W), [0;1]
8300 GPU W/PP COVER PAGE (Multiple-90241.83), [83;0]
      .01 GPU W/PP COVER PAGE (W), [0;1]

```

```

8400      XP INFORMING FOR 2011 (Multiple-90241.84), [84;0]
          .01 XP INFORMING FOR 2011 (Wx), [0;1]
8500      DEVEL 3 (Multiple-90241.85), [85;0]
          .01 DEVEL 3 (NJ4,0), [0;1]
          .02 TEXT (F), [0;2]
8600      ONMT 4 HEADERS (Multiple-90241.86), [86;0]
          .01 ONMT 4 HEADERS (NJ3,0), [0;1]

          .02 TEXT (F), [0;2]
8700      ONMT5 HEADERS (Multiple-90241.87), [87;0]
          .01 ONMT5 HEADERS (NJ3,0), [0;1]
          .02 TEXT (F), [0;2]
8800      DASHBOARD INFORMING (Multiple-90241.88), [88;0]
          .01 DASHBOARD INFORMING (Wx), [0;1]
8900      AREA ELDER TOP (Multiple-90241.89), [89;0]
          .01 AREA ELDER TOP (Wx), [0;1]
9100      DASHBOARD COVER PAGE (Multiple-90241.91), [91;0]
          .01 DASHBOARD COVER PAGE (Wx), [0;1]
9200      *DASHBOARD COVER PAGE CHS (Multiple-90241.92), [92;0]
          .01 DASHBOARD COVER PAGE CHS (Wx), [0;1]
9300      *DASHBOARD INFORMING URBAN (Multiple-90241.93), [93;0]
          .01 DASHBOARD INFORMING URBAN (Wx), [0;1]
9400      AREA DASHBOARD COVER (Multiple-90241.94), [94;0]
          .01 AREA DASHBOARD COVER (Wx), [0;1]
9500      CLINIC CODES FOR BH ACT CL (Multiple-90241.0195), [95;0]
          .01 CLINIC CODES FOR BH ACT CL (MF), [0;1]
9601      AUTO EXPORT UTILITY ROUTINE (F), [96;1]
9602      AUTO EXPORT RUN ROUTINE (F), [96;2]
9700      GPRANT3 (Multiple-90241.97), [97;0]
          .01 GPRANT3 (MNJ4,0), [0;1]
          .02 HEADER (F), [0;2]
9801      PATCHES BULLETIN TEXT (Multiple-90241.9801), [98;0]
          .01 PATCHES BULLETIN TEXT (MNJ2,0X), [0;1]
          11 BULLETIN TEXT (Multiple-90241.980111), [11;0]
             .01 BULLETIN TEXT (W), [0;1]
    
```

## 4.4.2 BGP SITE PARAMETERS

**GLOBAL: ^BGPSITE(**

**FILE #: 90241.02**

```

CONDENSED DATA DICTIONARY---BGP SITE PARAMETERS FILE (#90241.02)UCI: DEV,DEV
VERSION: 14.0

STORED IN: ^BGPSITE(                               10/09/13    PAGE 1
-----
                                           FILE SECURITY
DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY    : M      LAYGO SECURITY  : M
WRITE SECURITY   : M

CROSS REFERENCED BY:
LOCATION(B)
    
```



FILE STRUCTURE	
FIELD NUMBER	FIELD NAME
.01	LOCATION (RP9999999.06'X), [0;1]
.02	HOME LOCATION (P9999999.06'), [0;2]
.03	AREA EXPORT? (S), [0;3]
.04	INCLUDE DATA IN WEB EISS? (S), [0;4]
.05	DEFAULT COMMUNITY TAXONOMY (*P9002226'), [0;5]
.06	CHS SITE ONLY (S), [0;6]
.08	MFI SITE? (S), [0;8]
.09	MFI LOCATION TAXONOMY (*P9002226'), [0;9]
.11	EXPORT HT/WT DATA (S), [0;11]
.12	DEMO PATIENT SEARCH TEMPLATE (P.401'), [0;12]
.13	URBAN PROGRAM? (S), [0;13]
.14	DIRECTORY FOR EXPORT FILES (FX), [0;14]

### 4.4.3 FILE: BGP SUMMARY CATEGORIES

**GLOBAL: ^BGPSCAT( FILE #: 90241.03**

VERSION: 14.0	
STORED IN: ^BGPSCAT(	10/09/13 PAGE 1
-----	
	FILE SECURITY
	DD SECURITY : @ DELETE SECURITY: @
	READ SECURITY : @ LAYGO SECURITY : @
	WRITE SECURITY : @
CROSS REFERENCED BY:	
CATEGORY(B)	ORDER ON GPRA SUMMARY(C) ORDER NO NON-GPRA SUMMARY(D)
	ORDER ON EO REPORT(E)
FILE STRUCTURE	
FIELD NUMBER	FIELD NAME
.01	CATEGORY (RF), [0;1]
.02	ORDER ON GPRA SUMMARY (NJ2,0), [0;2]
.03	ORDER NO NON-GPRA SUMMARY (NJ2,0), [0;3]
.04	ORDER ON EO REPORT (NJ2,0), [0;4]

### 4.4.4 FILE: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS

**GLOBAL: ^BGP2PM( FILE #: 90241.04**

CONDENSED DATA DICTIONARY---BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS FILE (#90241.04)UCI: DEV,DEV VERSION: 14.0	
STORED IN: ^BGP2PM(	10/09/13 PAGE 1
-----	

```

                                FILE SECURITY
                                DD SECURITY   : @      DELETE SECURITY: @
                                READ SECURITY  : M      LAYGO SECURITY  : M
                                WRITE SECURITY : M

CROSS REFERENCED BY:
SITE(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        SITE (R*P9999999.06'X), [0;1]
.02        TYPE OF AUTO EXTRACT (S), [0;2]
1.1        DEFAULT DIRECTORY (F), [1;1]
4.1        REMOTE HOST NAME (F), [4;1]
4.2        REMOTE HOST IP ADDRESS (F), [4;2]
4.3        REMOTE HOST DIRECTORY (F), [4;3]
4.4        REMOTE HOST USERNAME (F), [4;4]
4.5        REMOTE HOST PASSWORD (F), [4;5]
5.1        DEFAULT COMMUNITY TAXONOMY (P9002226'), [5;1]
8          EXTRACT DATE (Multiple-90241.12), [8;0]
.01        EXTRACT DATE (MD), [0;1]
.02        EXTRACT FILE NAME (F), [0;2]
.03        EXTRACT BEGIN DATE (D), [0;3]
.04        EXTRACT END DATE (D), [0;4]
.05        ERROR MESSAGE (F), [0;5]
    
```

**4.4.5 FILE: BGP AREA AUTOMATED GPRA PARAMS**  
**GLOBAL: ^BGP GP1PM( FILE #: 90245**

```

CONDENSED DATA DICTIONARY---BGP AREA AUTOMATED GPRA PARAMS FILE (#90245)UCI: DEV,DEV
VERSION: 14.0

STORED IN: ^BGP GP1PM(                                10/09/13      PAGE 1
-----

                                FILE SECURITY
                                DD SECURITY   : @      DELETE SECURITY: M
                                READ SECURITY  : M      LAYGO SECURITY  : M
                                WRITE SECURITY : M

CROSS REFERENCED BY:
NAME(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        NAME (RFX), [0;1]
.02        TYPE OF AUTO EXTRACT (S), [0;2]
1.1        DEFAULT DIRECTORY (F), [1;1]
1.2        SUBDIRECTORY (F), [1;2]
7          DATE PROCESSED (Multiple-90245.07), [7;0]
    
```

```

.01 REPORT BEGIN DATE (MD), [0;1]
.02 REPORT END DATE (D), [0;2]
.03 DATE PROCESSED (D), [0;3]
.04 STATUS (S), [0;4]
.05 ERROR MESSAGE (F), [0;5]
.06 PROCESSING ATTEMPTS (NJ6,0), [0;6]
.07 ASUFAC (F), [0;7]
.08 FILE PROCESSED (F), [0;8]
.09 PROCESS START DATE (D), [0;9]
9 FACILITY (Multiple-90245.09), [9;0]
.01 FACILITY (MP9999999.06'), [0;1]
.02 ASUFAC (NJ6,0), [0;2]
.03 ACTIVE (S), [0;3]
.04 IP ADDRESS (F), [0;4]
.05 GENERIC LISTENER PORT (NJ9,0), [0;5]
99.1 ALERT/MAILMAN SENDER (P200'), [99.1;1]
99.2 ALERT/MM RECIPIENT (Multiple-90245.992), [99.2;0]
.01 EMAIL RECIPIENT (MP200'), [0;1 ]
    
```

#### 4.4.6 FILE: BGP GPRA FLAT FILE DATA GLOBAL: ^BGP GP1RD( FILE #: 90245.1

```

CONDENSED DATA DICTIONARY---BGP GPRA FLAT FILE DATA FILE (#90245.1)UCI: DEV,DEV
VERSION: 14.0

STORED IN: ^BGP GP1RD(                               10/09/13    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY     : @      LAYGO SECURITY  : @
                                WRITE SECURITY   : @

CROSS REFERENCED BY:
INDICATOR NAME(B)  CURRENT REPORT BEGIN DATE(CBD)
SITE NAME(D)

FILE #90245.1
INDEXED BY:        INDICATOR NAME & SITE NAME & CURRENT REPORT BEGIN DATE &
                   CURRENT REPORT END DATE (C)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        INDICATOR NAME (RF), [0;1]
.02        INDICATOR NUMBER (F), [0;2]
.03        SITE NAME (F), [0;3]
.04        ASUFAC (F), [0;4]
.05        DB ID (NJ5,0), [0;5]
.06        DATE REPORT RUN (D), [0;6]
.07        CURRENT REPORT BEGIN DATE (D), [0;7]
.08        CURRENT REPORT END DATE (D), [0;8]
.09        PREVIOUS YEAR BEGIN DATE (D), [0;9]
.1         PREVIOUS YEAR END DATE (D), [0;10]
.11       BASELINE YEAR BEGIN DATE (D), [0;11]
    
```

```
.12    BASELINE YEAR END DATE (D), [0;12]
.13    CURRENT NUMERATOR (NJ6,0), [0;13]
.14    CURRENT DENOMINATOR (NJ6,0), [0;14]
.15    CURRENT PERCENT (NJ8,1), [0;15]
.16    PREVIOUS NUMERATOR (NJ6,0), [0;16]
.17    PREVIOUS DENOMINATOR (NJ6,0), [0;17]
.18    PREVIOUS PERCENT (NJ8,1), [0;18]
.19    BASELINE NUMERATOR (NJ6,0), [0;19]
.2     BASELINE DENOMINATOR (NJ6,0), [0;20]
.21    BASELINE PERCENT (NJ8,1), [0;21]
```

#### 4.4.7 FILE: BGP 14 MEASURES

**GLOBAL: ^BGPINDJ( FILE #: 90552.01**

```
CONDENSED DATA DICTIONARY---BGP 14 MEASURES FILE (#90552.01)UCI: DEV,DEV  VERSION:
14.0
```

```
STORED IN: ^BGPINDJ(                               10/09/13    PAGE 1
```

##### FILE SECURITY

```
DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY    : @      LAYGO SECURITY  : @
WRITE SECURITY   : @
```

##### CROSS REFERENCED BY:

```
DEVELOPMENTAL MEASURE?(ADEV)  ORDER ON DEVELOPMENTAL REPORT(ADEVO)
TAXONOMY(ALORI)  ORDER ON SELECTION/REPORT(AO)
ORDER IND(AOI)  MEASURE NUMBER(B)  TITLE/SELECTION TITLE(C)
ORDER IND(D)  NATIONAL REPORT(GPRA)  OTHER NATIONAL MEASURES RPT?(ON)
PUID FROM RM(PUID)  TITLE/SELECTION TITLE(U)
```

##### FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	MEASURE NUMBER (RNJ3,0X), [0;1]
.02	ORDER ON SELECTION/REPORT (F), [0;2]
.03	TITLE/SELECTION TITLE (F), [0;3]
.05	LIST SELECTION TITLE (F), [0;5]
.06	ORDER TO DISPLAY (NJ4,0), [0;6]
.07	NATIONAL REPORT (S), [0;7]
.12	NO LIST (S), [0;12]
.13	# DENOMINATORS (NJ2,0), [0;13]
.14	DEVELOPMENTAL MEASURE? (S), [0;14]
1	M CODE TO EXECUTE (K), [1;E1,245]
2	SET LIST VALUE (K), [2;E1,245]
3	PRINT M CODE (K), [3;E1,245]
4	DELIMITED FILE PRINT (K), [4;E1,245]
1100	SELECTED REPORT FY LOGIC TEXT (Multiple-90552.0111), [11;0]
	.01 SELECTED REPORT FY LOGIC TEXT (W), [0;1]
1201	OTHER NATIONAL MEASURES RPT? (S), [12;1]
1202	WEB SITE UNIQUE ID (F), [12;2]
1203	PUID FROM RM (NJ4,0), [12;3]
1204	GROUP (P90552.1'), [12;4]

```

1205   UPDATED THIS YEAR? (S), [12;5]
1206   ORDER IND (NJ4,0), [12;6]
1301   SKIP SELECTED REPORT? (S), [13;1]
1302   ORDER ON DEVELOPMENTAL REPORT (NJ3,0), [13;2]
1303   SKIP NGR PRINT/DEV ONLY (S), [13;3]
1400   TAXONOMIES USED (Multiple-90552.0114), [14;0]
      .01 TAXONOMIES USED (MS), [0;1]
      .03 TAXONOMY (F), [0;3]
1500   LAB TAXONOMIES USED (Multiple-90552.0115), [15;0]
      .01 LAB TAXONOMIES USED (MP9002228'), [0;1]
      .02 LAB TAXONOMY NAME (F), [0;2]
5100   INDICATOR DESCRIPTION (Multiple-90552.0151), [51;0]
      .01 DESCRIPTION (W), [0;1]
5200   PAST PERFORMANCE (Multiple-90552.0152), [52;0]
      .01 REPORT PRINT SECTION (W), [0;1]
5300   REPORT PRINT 2ND PAGE (Multiple-90552.0153), [53;0]
      .01 REPORT PRINT 2ND PAGE (W), [0;1]
5400   NATIONAL GPRA/GPRAMA LOGIC (Multiple-90552.54), [54;0]
      .01 NATIONAL GPRA/GPRAMA (W), [0;1]
5500   SOURCE (Multiple-90552.55), [55;0]
      .01 SOURCE (W), [0;1]
5600   OTHER NATIONAL GPRA LOGIC TEXT (Multiple-90552.56), [56;0]
      .01 OTHER NATIONAL GPRA LOGIC TEXT (W), [0;1]
5700   INDICATOR DESCRIPTION FOR 10 (Multiple-90552.57), [57;0]
      .01 INDICATOR DESCRIPTION FOR 10 (W), [0;1]
5800   DEVELOPMENTAL RPT LOGIC TEXT (Multiple-90552.58), [58;0]
      .01 DEVELOPMENTAL RPT LOGIC TEXT (W), [0;1]
6100   SELECTED MEASURES DENOM DEF (Multiple-90552.0161), [61;0]
      .01 DENOMINATOR DEFINITIONS (MNJ2,0), [0;1]
      1   DENOM DESCRIPTION (Multiple-90552.01611), [1;0]
          .01 DENOM DESCRIPTION (W), [0;1]
      1200 REPORT SUB TYPES (Multiple-90552.016112), [12;0]
          .01 REPORT SUB TYPES (MS), [0;1]
6200   SELECTED MEAS NUMERATOR DEFS (Multiple-90552.0162), [62;0]
      .01 NUMERATOR DEFINITIONS (MNJ2,0X), [0;1]
      1   NUMERATOR DESCRIPTION (Multiple-90552.01621), [1;0]
          .01 NUMERATOR DESCRIPTION (W), [0;1]
      1200 REPORT SUB TYPE (Multiple-90552.016212), [12;0]
          .01 REPORT SUB TYPE (MS), [0;1]
7100   REPORT LIST 1ST PAGE (Multiple-90552.0171), [71;0]
      .01 REPORT LIST 1ST PAGE (W), [0;1]
7200   LIST PRINT SECOND PAGE (Multiple-90552.0172), [72;0]
      .01 LIST PRINT SECOND PAGE (W), [0;1]
8100   NATL GPRA DENOM DEFS (Multiple-90552.0181), [81;0]
      .01 NATL GPRA DENOM DEFS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90552.1811), [1;0]
          .01 TEXT (W), [0;1]
      1200 REPORT SUBTYPES (Multiple-90552.018112), [12;0]
          .01 REPORT SUBTYPES (MS), [0;1]
8200   NATL GPRA NUMERATOR DEFS (Multiple-90552.0182), [82;0]
      .01 NATL GPRA NUMERATOR DEFS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90552.01821), [1;0]
          .01 TEXT (W), [0;1]
      1200 REPORT SUBTYPES (Multiple-90552.018212), [12;0]
          .01 REPORT SUBTYPES (MS), [0;1]
8300   OTHER NATL MEAS DENOM DEFS (Multiple-90552.0183), [83;0]
      .01 OTHER NATL MEAS DENOM DEFS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90552.01831), [1;0]
          .01 TEXT (W), [0;1]

```

	1200 REPORT SUBTYPES (Multiple-90552.018312), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8400	OTHER NATL MEAS NUMER DEFS (Multiple-90552.0184), [84;0]
	.01 OTHER NATL MEAS NUMER DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90552.01841), [1;0]
	.01 TEXT (W), [0;1]
	1200 REPORT SUBTYPES (Multiple-90552.018412), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8500	DEVELOPMENTAL MEAS DENOM DEFS (Multiple-90552.0185), [85;0]
	.01 DEVELOPMENTAL MEAS DENOM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90552.01851), [1;0]
	.01 TEXT (W), [0;1]
	1200 REPORT SUBTYPE (Multiple-90552.018512), [12;0]
	.01 REPORT SUBTYPE (MS), [0;1]
8600	DEVELOPMENTAL MEAS NUMER DEFS (Multiple-90552.0186), [86;0]
	.01 DEVELOPMENTAL MEAS NUMER DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90552.01861), [1;0]
	.01 TEXT (W), [0;1]
	1200 REPORT SUBTYPES (Multiple-90552.018612), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8700	DM DENOM DEFS (Multiple-90552.0187), [87;0]
	.01 DM DENOM DEFS (NJ2,0), [0;1]
	1 TEXT (Multiple-90552.01871), [1;0]
	.01 TEXT (Wx), [0;1]
8800	DM NUMER DEFS (Multiple-90552.0188), [88;0]
	.01 DM NUMER DEFS (NJ2,0), [0;1]
	1 TEXT (Multiple-90552.01881), [1;0]
	.01 TEXT (Wx), [0;1]
8900	CVD DENOM DEFS (Multiple-90552.0189), [89;0]
	.01 CVD DENOM DEFS (NJ2,0), [0;1]
	1 TEXT (Multiple-90552.01891), [1;0]
	.01 TEXT (Wx), [0;1]
9100	CVD NUM DEFS (Multiple-90552.0191), [91;0]
	.01 CVD NUM DEFS (NJ2,0), [0;1]
	1 TEXT (Multiple-90552.01911), [1;0]
	.01 TEXT (Wx), [0;1]
9200	WH DEN DEFS (Multiple-90552.0192), [92;0]
	.01 WH DEN DEFS (NJ2,0), [0;1]
	1 TEXT (Multiple-90552.01921), [1;0]
	.01 TEXT (Wx), [0;1]
9300	WH NUM DEFS (Multiple-90552.0193), [93;0]
	.01 WH NUM DEFS (NJ2,0), [0;1]
	1 TEXT (Multiple-90552.01931), [1;0]
	.01 TEXT (Wx), [0;1]
9400	IPC DEN DEFS (Multiple-90552.0194), [94;0]
	.01 IPC DEN DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90552.01941), [1;0]
	.01 TEXT (Wx), [0;1]
9500	IPC NUM DEFS (Multiple-90552.0195), [95;0]
	.01 IPC NUM DEFS (MNJ3,0), [0;1]
	1 TEXT (Multiple-90552.01951), [1;0]
	.01 TEXT (Wx), [0;1]
9600	PQA DEM DEFS (Multiple-90552.0196), [96;0]
	.01 PQA DEM DEFS (MNJ3,0), [0;1]
	1 TEXT (Multiple-90552.01961), [1;0]
	.01 TEXT (Wx), [0;1]
9700	PQA NUM DEFS (Multiple-90552.0197), [97;0]
	.01 PQA NUM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90552.01971), [1;0]
	.01 TEXT (Wx), [0;1]
9800	ASTHMA DEN DEFS (Multiple-90552.0198), [98;0]

```

.01 ASTHMA DEN DEFS (MNJ2,0), [0;1]
1 TEXT (Multiple-90552.01981), [1;0]
.01 TEXT (W), [0;1]
9900 ASTHMA NUM DEFS (Multiple-90552.0199), [99;0]
.01 ASTHMA NUM DEFS (MNJ2,0), [0;1]
1 TEXT (Multiple-90552.01991), [1;0]
.01 TEXT (W), [0;1]
    
```

#### 4.4.8 FILE: BGP 14 INDIVIDUAL MEASURES

**GLOBAL: ^BGPINDJC( FILE #: 90552.02**

```

CONDENSED DATA DICTIONARY---BGP 14 INDIVIDUAL MEASURES FILE (#90552.02)UCI: DEV,DEV
VERSION: 14.0

STORED IN: ^BGPINDJC(                               10/09/13    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @    DELETE SECURITY: @
                                READ SECURITY   : @    LAYGO SECURITY  : @
                                WRITE SECURITY  : @

CROSS REFERENCED BY:
ASTHMA REPORT?(AAST) ORDER(AB) ORDER(ABC)  CARDIO INDICATOR?(ACARD)
DASHBOARD ORDER(ADASH) DM INDICATOR?(ADM)  ELDER RELATED(AEL)
NATIONAL/PART(AGPRA) IPC REPORT?(AIPC)  PQA(APQA)
WOMEN'S HEALTJ(AWH) INDICATOR(B)  INDICATOR ID(C)
TITLE FOR SCHEDULING OPTION(D) ORDER(OR)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        INDICATOR (RP90552.01'), [0;1]
.04        INDICATOR ID (F), [0;4]
.05        NATIONAL/PART (S), [0;5]
.06        ONMNT1 (NJ3,0), [0;6]
.07        ONMNT2 (NJ3,0), [0;7]
.08        DENOM FIELD NUMBER (NJ7,3), [0;8]
.09        NUMERATOR FIELD NUMBER (NJ7,3), [0;9]
.11        PAGE BREAK DENOM NGR (S), [0;11]
.12        DM INDICATOR? (S), [0;12]
.13        CARDIO INDICATOR? (S), [0;13]
.14        GPRANT1 PIECE (NJ5,0), [0;14]
.15        LINE TITLE 1 (F), [0;15]
.16        LINE TITLE 2 (F), [0;16]
.17        LOCAL DENOM TITLE 1 (F), [0;17]
.18        LOCAL DENOM TITLE 2 (F), [0;18]
.19        LINE TITLE 3 (F), [0;19]
.21        LOCAL DENOM TITLE 3 (F), [0;21]
.22        ADD BANG (S), [0;22]
.23        ASTHMA REPORT? (S), [0;23]
.24        PAGE BREAK DENOM (S), [0;24]
1          M CODE NUMERATOR (K), [1;E1,245]
    
```

```

2      M CODE DENOMINATOR (K), [2;E1,245]
3      M CODE FOR COMP PL (K), [3;E1,245]
4      M CODE FOR SCHEDULING (K), [4;E1,245]
1101   IPC REPORT? (S), [11;1]
1102   PQA (S), [11;2]
1103   GPRANT3 (NJ4,0), [11;3]
1201   COLUMN TEXT FOR CMP PL (F), [12;1]
1202   WOMEN'S HEALTH (S), [12;2]
1203   ELDER RELATED (S), [12;3]
1204   ORDER (F), [12;4]
1205   ADD GPRA TO 1ST LINE (S), [12;5]
1206   ADD GPRA TO SECOND LINE (S), [12;6]
1207   ADD GPRA TO 3RD LINE (S), [12;7]
1208   PAGE BREAK NUMER COM (S), [12;8]
1209   TITLE FOR SCHEDULING OPTION (F), [12;9]
1211   ICARE TAB (S), [12;11]
1212   OTHER NATIONAL (S), [12;12]
1213   GPRANT2 PIECE (NJ3,0), [12;13]
1214   SKIP DENOM DISPLAY? (S), [12;14]
1215   PAGE BREAK DENOM ONM? (S), [12;15]
1216   TITLE 2 FOR SCHEDULING OPTION (F), [12;16]
1217   COUNT ONLY? (S), [12;17]
1401   SUMMARY? (S), [14;1]
1402   NATL 2010 (F), [14;2]
1403   2020 TARGET (F), [14;3]
1404   TITLE (F), [14;4]
1405   CATEGORY 1 (P90241.03'), [14;5]
1406   SUMMARY SHEET ORDER (NJ4,0), [14;6]
1407   TITLE 2 (F), [14;7]
1408   GPRA TARGET (F), [14;8]
1409   SECOND LINE GOAL (F), [14;9]
1410   NATIONAL CURRENT 2 (F), [14;10]
1411   SECOND LINE 2012 GOAL (F), [14;11]
1412   TITLE 3 (F), [14;12]
1413   GPRA11 TARGET (F), [14;13]
1414   TITLE 10 (F), [14;14]
1415   TITLE 2 10 (F), [14;15]
1416   TITLE 3 10 (F), [14;16]
1417   DASHBOARD ORDER (NJ2,0), [14;17]
1501   NON GPRA SUMMARY? (S), [15;1]
1502   NG NATIONAL CURRENT (F), [15;2]
1503   NG GOAL 2012 (F), [15;3]
1504   NG TITLE (F), [15;4]
1505   NG CATEGORY (P90241.03'), [15;5]
1506   NG ORDER ON SUMMARY SHEET (NJ4,0), [15;6]
1507   NG TITLE 2 (F), [15;7]
1508   NG GOAL 08 (F), [15;8]
1509   NG SECOND LINE GOAL (F), [15;9]
1510   NG NATIONAL CURRENT 2 (F), [15;10]
1511   NG 2ND LINE 2012 GOAL (F), [15;11]
1512   NG TITLE 3 (F), [15;12]
1600   TEXT FOR SCHEDULING OPTION (Multiple-90552.16), [16;0]
      .01 TEXT FOR SCHEDULING OPTION (W), [0;1]
1601   TEXT FOR SCHEDULING NEXT YR (Multiple-90552.161), [1601;0]
      .01 TEXT FOR SCHEDULING NEXT YR (W), [0;1]
1701   ICARE GROUP (P90552.17'), [17;1]
1702   ICARE CATEGORY (P90552.18'), [17;2]
1703   ICARE MEASURE NAME (F), [17;3]
1704   ICARE EXCEPTION (S), [17;4]
1705   ICARE PERFORMANCE DIRECTION (F), [17;5]
1706   ICARE REPORT CODE (S), [17;6]

```



```

1707 ICARE IPC MEASURE? (S), [17;7]
1708 PREVIOUS INDICATOR ID (F), [17;8]
1800 ICARE TOOLTIPS (Multiple-90552.0218), [18;0]
    .01 ICARE TOOLTIPS (W), [0;1]
1901 ON SUMMARY? (S), [19;1]
1902 ON NATIONAL CURRENT (F), [19;2]
1903 2020 TARGET (F), [19;3]
1904 ON TITLE (F), [19;4]
1905 ON CATEGORY (P90241.03'), [19;5]
1906 ON ORDER (NJ3,0), [19;6]
1907 ON TITLE 2 (F), [19;7]
1908 ON GOAL 08 (F), [19;8]
1909 ON SECOND LINE GOAL (F), [19;9]
1910 ON NATIONAL CURRENT 2 (F), [19;10]
1911 ON SECOND LINE 2012 GOAL (F), [19;11]
1912 ON TITLE 3 (F), [19;12]
1913 %? (S), [19;13]
2001 NATL LINE LABEL 1 (F), [20;1]
2002 NATL LINE LABEL 2 (F), [20;2]
2003 NATL LINE LABEL 3 (F), [20;3]
2004 NATL DENOM 1 (F), [20;4]
2005 NATL DENOM 2 (F), [20;5]
2006 NATL DENOM 3 (F), [20;6]
2102 SKIP SELECTED REPORT? (S), [21;2]
2103 DEVELF1 PIECE (NJ4,0), [21;3]
2104 DEVELF2 PIECE (NJ3,0), [21;4]
2105 PAGE BREAK NUMER NGR? (S), [21;5]
2106 DEVELOPMENTAL MEASURE? (S), [21;6]
2107 ONMT3 (NJ3,0), [21;7]
2108 DEVELF3 (NJ4,0), [21;8]
2109 ONMT4 (NJ4,0), [21;9]
2110 ONMT5 (NJ3,0), [21;10]
2201 GRPA/PART DEVEL SUMMARY? (S), [22;1]
2202 DEV NATIONAL CURRENT (F), [22;2]
2203 DEV 2012 GOAL (F), [22;3]
2204 DEV TITLE (F), [22;4]
2205 CATEGORY (P90241.03'), [22;5]
2206 DEV ORDER ON SUMMARY SHEET (NJ3,0), [22;6]
2207 DEV TITLE 2 (F), [22;7]
2208 DEV GOAL 09 (F), [22;8]
2209 DEV SECOND LINE GOAL (F), [22;9]
2210 DEV NATL CURRENT 2 (F), [22;10]
2211 DEV SECOND LINE 2012 GOAL (F), [22;11]
2212 DEV TITLE 3 (F), [22;12]
2213 PART MEASURE? (S), [22;13]
2214 PART 2012 (F), [22;14]
2215 ADD %LINE? (S), [22;15]
2301 ADD BANG ON DASHBOARD? (S), [23;1]
2302 DASHBOARD LABEL (F), [23;2]
2303 DASHBOARD # NOT % (S), [23;3]
2304 PERCENT INCREASE NO DENOM (NJ7,2), [23;4]
2305 NEG DASHBOARD (S), [23;5]
2306 DASHBOARD LABEL 2 (F), [23;6]
9999 LORI (S), [9999;1]
99991 LORI1 (S), [9999;2]

```

### 4.4.9 FILE: BGP 14 NATIONAL PATIENT LISTS

**GLOBAL: ^BGNPLJ( FILE #: 90552.06**

```

VERSION: 14.0

TEHR,TEHR  VERSION: 14.0

STORED IN: ^BGNPLJ(                               10/10/13    PAGE 1
-----
                                           FILE SECURITY
                                DD SECURITY   : @      DELETE SECURITY: @
                                READ SECURITY  : @      LAYGO SECURITY  : @
                                WRITE SECURITY: @

CROSS REFERENCED BY:
ORDER ON NATIONAL(AN)  ORDER ON OTHER NATIONAL(AON)
NATIONAL/OTHER NATIONAL(AR)  POINTER(B)  INDIVIDUAL INDICATOR ID(C)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        POINTER (RP90552.01'), [0;1]
.02        INDIVIDUAL INDICATOR ID (F), [0;2]
.03        LIST TITLE (F), [0;3]
.04        NATIONAL/OTHER NATIONAL (S), [0;4]
.05        ORDER ON NATIONAL (NJ3,0), [0;5]
.06        ORDER ON OTHER NATIONAL (NJ3,0), [0;6]
.07        DEVELOPMENTAL OR NATIONAL (S), [0;7]
1101       LIST TITLE FOR REPORT (Multiple-90552.61101), [11;0]
           .01 LIST TITLE FOR REPORT (W), [0;1]
1201       SET LIST VALUE (K), [12;E1,245]
    
```

### 4.4.10 FILE: BGP 14 TAXONOMIES

**GLOBAL: ^BGPTAXJ( FILE #: 90552.08**

```

VERSION: 14.0

STORED IN: ^BGPTAXJ(                               10/10/13    PAGE 1
-----
                                           FILE SECURITY
                                DD SECURITY   : @      DELETE SECURITY: @
                                READ SECURITY  : @      LAYGO SECURITY  : @
                                WRITE SECURITY: @

CROSS REFERENCED BY:
TAXONOMY NAME(B)

                                FILE STRUCTURE

FIELD      FIELD
    
```

NUMBER	NAME
.01	TAXONOMY NAME (RF), [0;1]
.02	TYPE (S), [0;2]
.03	LAST CHECKED/EXPORTED (D), [0;3]
.04	EDITABLE? (S), [0;4]
.05	EXPORT? (S), [0;6]
1100	DESCRIPTION (Multiple-90552.0811), [11;0]
.01	DESCRIPTION (W), [0;1]
1200	REPORTS (Multiple-90552.0812), [12;0]
.01	REPORTS (MS), [0;1]
1201	USED THIS YEAR (S), [0;5]

#### 4.4.11 FILE: BGP 14 TAXONOMY TEMP

**GLOBAL: ^BGPTAXJB( FILE #: 90552.09**

VERSION: 14.0	
STORED IN: ^BGPTAXJB(	10/10/13 PAGE 1
-----	
	FILE SECURITY
	DD SECURITY : @ DELETE SECURITY: @
	READ SECURITY : @ LAYGO SECURITY : @
	WRITE SECURITY : @
CROSS REFERENCED BY:	
HIGH VALUE(AA) QMAN LINK(AC) PACKAGE(APKG)	
NAME(B)	
FILE STRUCTURE	
FIELD NUMBER	FIELD NAME
.01	NAME (RFX), [0;1]
.02	BRIEF DESCRIPTION (F), [0;2]
.03	LOCATION (P9999999.06'), [0;3]
.04	NODELETE (S), [0;4]
.05	CREATOR (P200'), [0;5]
.06	STARTING DATE FOR PATIENT LIST (DX), [0;6]
.07	BULLETIN (P3.6'), [0;7]
.08	CREATED BY TAXONOMY SYSTEM (S), [0;8]
.09	DATE CREATED (D), [0;9]
.11	BULLETIN SERVICE CATEGORY (S), [0;11]
.12	QMAN LINK (P9009071'), [0;12]
.13	NON-CANONIC (S), [0;13]
.14	X-REF (F), [0;14]
.15	FILE (P1'), [0;15]
.16	RANGE (S), [0;16]
.17	SEND BULLETIN IF RECENTLY SENT (S), [0;17]
.18	LOCATION OF ENCOUNTER (P9999999.06'), [0;18]
.19	SEND BULLETIN-1ST VISIT ONLY (S), [0;19]
.21	VISIT TYPE (F), [0;21]
.22	READ ONLY (S), [0;22]
1101	EXTENDED DESCRIPTION (Multiple-90552.10101), [11;0]
.01	DEFINITION (W), [0;1]

2101	VALUE (Multiple-90552.11101), [21;0]
	.01 LOW VALUE (MF), [0;1]
	.02 HIGH VALUE (F), [0;2]
3101	PRE BULLETIN CODE (K), [31;E1,245]
4101	PACKAGE (Multiple-90552.13101), [41;0]
	.01 PACKAGE (MP9.4'), [0;1]

#### 4.4.12 FILE: BGP 14 MEASURE GROUPS

**GLOBAL: ^BGPMGRPJ( FILE #: 90552.1**

VERSION: 14.0	
STORED IN: ^BGPMGRPJ(	10/10/13 PAGE 1
-----	
	FILE SECURITY
	DD SECURITY : @ DELETE SECURITY: @
	READ SECURITY : @ LAYGO SECURITY : @
	WRITE SECURITY : @
CROSS REFERENCED BY:	
GROUP NAME(B)	
	FILE STRUCTURE
FIELD	FIELD
NUMBER	NAME
.01	GROUP NAME (RF), [0;1]

#### 4.4.13 FILE: BGP 14 PATIENT ED DATA CURRENT

**GLOBAL: ^BGPPEDCJ( FILE #: 90552.12**

CONDENSED DATA DICTIONARY---BGP 14 PATIENT ED DATA CURRENT FILE (#90552.12)UCI:	
DEV,DEV	VERSION: 14.0
STORED IN: ^BGPPEDCJ(	10/09/13 PAGE 1
-----	
	FILE SECURITY
	DD SECURITY : @ DELETE SECURITY: @
	READ SECURITY : M LAYGO SECURITY : M
	WRITE SECURITY : M
CROSS REFERENCED BY:	
BEGINNING DATE(B)	
	FILE STRUCTURE
FIELD	FIELD
NUMBER	NAME
.01	BEGINNING DATE (RD), [0;1]

```

.02     ENDING DATE (RD), [0;2]
.03     PREVIOUS YR BEG DATE (RD), [0;3]
.04     PREVIOUS YR END DATE (RD), [0;4]
.05     BASELINE YEAR BEG DATE (RD), [0;5]
.06     BASELINE YR END DATE (RD), [0;6]
.07     FY (D), [0;7]
.08     QUARTER (S), [0;8]
.09     FACILITY ASUFAC (F), [0;9]
.1      SU CODE (F), [0;10]
.11     POPULATION (S), [0;11]
.12     DB ID (F), [0;12]
.13     DATE REPORT RUN (D), [0;13]
.14     TEMPLATE? (S), [0;14]
1101    USER POP (NJ6,0), [11;1]
1102    NUMBER W/EDUCATION 1.1.1 (NJ6,0), [11;2]
1103    AVG TIME SPENT 2.1.2A (NJ8,0), [11;3]
1104    MINIMUM TIME SPENT (NJ6,0), [11;4]
1105    MAXIMUM TIME SPENT (NJ6,0), [11;5]
1106    # TOPICS W/MINS & PROVIDER (NJ9,0), [11;6]
1107    TOTAL # OF MINS 2.1.1 (NJ8,0), [11;7]
1108    TOTAL # OF CODES 3.1.1 (NJ5,0), [11;8]
1109    TOTAL # TOPICS 4.1.1 (NJ5,0), [11;9]
1110    TOTAL 5.1.1 (NJ7,0), [11;10]
1111    MFI COMMUNITIES (Multiple-90552.12111), [1111;0]
        .01 MFI COMMUNITIES (F), [0;1]
1112    TOTAL 6.1.1 (NJ6,0), [11;12]
1113    GOOD (NJ6,0), [11;13]
1114    FAIR (NJ6,0), [11;14]
1115    POOR (NJ6,0), [11;15]
1116    REFUSED (NJ6,0), [11;16]
1117    GROUP NO ASSESS (NJ6,0), [11;17]
1118    BLANK (NJ5,0), [11;18]
1119    7 DENOM (NJ5,0), [11;19]
1120    7.2.1 NUMER GS (NJ5,0), [11;20]
1121    7.2.2 NUMER GNS (NJ5,0), [11;21]
1122    7.1.3 NUMER GM (NJ5,0), [11;22]
1123    7.2.4 NUMER (NJ5,0), [11;23]
1124    7.1.1 (NJ5,0), [11;24]
1129    7.1 DENOM USER POP (NJ5,0), [11;29]
1200    2.1 RATE (Multiple-90552.1212), [12;0]
        .01 2.1 RATE (F), [0;1]
        .02 LONG NAME (F), [0;2]
        .03 # MINS (NJ6,0), [0;3]
1300    TOP 25 DXS (Multiple-90552.1213), [13;0]
        .01 TOP 25 DXS (F), [0;1]
        .02 LONG NAME (F), [0;2]
        .03 # OF CODES (NJ6,0), [0;3]
1400    4.1.1 (Multiple-90552.1214), [14;0]
        .01 4.1.1 (F), [0;1]
        .02 LONG NAME (F), [0;2]
        .03 # TOPICS (NJ6,0), [0;3]
1500    5.1.1 (Multiple-90552.1215), [15;0]
        .01 5.1.1 (F), [0;1]
        .02 LONG NAME (F), [0;2]
        .03 # TOPICS (NJ7,0), [0;3]
1600    7.2.1 (Multiple-90552.1216), [16;0]
        .01 7.2.1 (F), [0;1]
        .02 GOAL TYPE (F), [0;2]
        .03 # OF GOAL (NJ5,0), [0;3]
1700    7.1.2 GOAL NOT SET (Multiple-90552.1217), [17;0]
        .01 7.1.2 GOAL NOT SET (F), [0;1]

```

```

.02 GOAL NOT SET TYPE (F), [0;2]
.03 # NOT SET (NJ5,0), [0;3]
1800 GOAL MET (Multiple-90552.1218), [18;0]
.01 GOAL MET (F), [0;1]
.02 GOAL MET (F), [0;2]
.03 # MET (NJ4,0), [0;3]
1900 GOAL MAINTAINED (Multiple-90552.1219), [19;0]
.01 GOAL MAINTAINED (F), [0;1]
.02 GOAL MAINTAINED (F), [0;2]
.03 # MAINTAINED (NJ6,0), [0;3]
2100 GOAL NOT MET (Multiple-90552.1221), [21;0]
.01 GOAL NOT MET (F), [0;1]
.02 GOAL NOT MET (F), [0;2]
.03 # GOAL NOT MET (NJ6,0), [0;3]
9999 COMMUNITIES (Multiple-90552.129), [9999;0]
.01 COMMUNITIES (F), [0;1]
    
```

#### 4.4.14 FILE: BGP 14 PATIENT ED DATA PREVIOUS

**GLOBAL: ^BGPPEDPJ( FILE #: 90552.13**

```

CONDENSED DATA DICTIONARY---BGP 14 PATIENT ED DATA PREVIOUS FILE (#90552.13)UCI:
DEV,DEV  VERSION: 14.0

STORED IN: ^BGPPEDPJ(                               10/09/13    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: M
                                READ SECURITY     : M      LAYGO SECURITY  : M
                                WRITE SECURITY   : M

CROSS REFERENCED BY:
  BEGINNING DATE(B)

                                FILE STRUCTURE

FIELD    FIELD
NUMBER   NAME

.01      BEGINNING DATE (RD), [0;1]
.02      ENDING DATE (RD), [0;2]
.03      PREVIOUS YR BEG DATE (RD), [0;3]
.04      PREVIOUS YR END DATE (RD), [0;4]
.05      BASELINE YEAR BEG DATE (RD), [0;5]
.06      BASELINE YR END DATE (RD), [0;6]
.07      FY (D), [0;7]
.08      QUARTER (S), [0;8]
.09      FACILITY ASUFAC (F), [0;9]
.1       SU CODE (F), [0;10]
.11      POPULATION (S), [0;11]
.12      DB ID (F), [0;12]
.13      DATE REPORT RUN (D), [0;13]
.14      TEMPLATE? (S), [0;14]
1101     USER POP (NJ6,0), [11;1]
1102     NUMBER W/EDUCATION 1.1.1 (NJ6,0), [11;2]
1103     AVG TIME SPENT 2.1.2A (NJ8,0), [11;3]
    
```

```

1104 MINIMUM TIME SPENT (NJ6,0), [11;4]
1105 MAXIMUM TIME SPENT (NJ6,0), [11;5]
1106 # TOPICS W/MINS & PROVIDER (NJ9,0), [11;6]
1107 TOTAL # OF MINS 2.1.1 (NJ8,0), [11;7]
1108 TOTAL # OF CODES 3.1.1 (NJ5,0), [11;8]
1109 TOTAL # TOPICS 4.1.1 (NJ5,0), [11;9]
1110 TOTAL 5.1.1 (NJ7,0), [11;10]
1111 MFI COMMUNITIES (Multiple-90552.13111), [1111;0]
    .01 MFI COMMUNITIES (F), [0;1]
1112 TOTAL 6.1.1 (NJ6,0), [11;12]
1113 GOOD (NJ6,0), [11;13]
1114 FAIR (NJ6,0), [11;14]
1115 POOR (NJ6,0), [11;15]
1116 REFUSED (NJ6,0), [11;16]
1117 GROUP NO ASSESS (NJ6,0), [11;17]
1118 BLANK (NJ5,0), [11;18]
1119 7 DENOM (NJ5,0), [11;19]
1120 7.2.1 NUMER GS (NJ5,0), [11;20]
1121 7.2.2 NUMER GNS (NJ5,0), [11;21]
1122 7.1.3 NUMER GM (NJ5,0), [11;22]
1124 7.1.1 (NJ5,0), [11;24]
1129 7.1 DENOM USER POP (NJ5,0), [11;29]
1200 2.1 RATE (Multiple-90552.1312), [12;0]
    .01 2.1 RATE (F), [0;1]
    .02 LONG NAME (F), [0;2]
    .03 # MINS (NJ6,0), [0;3]
1300 TOP 25 DXS (Multiple-90552.1313), [13;0]
    .01 TOP 25 DXS (F), [0;1]
    .02 LONG NAME (F), [0;2]
    .03 # OF CODES (NJ6,0), [0;3]
1400 4.1.1 (Multiple-90552.1314), [14;0]
    .01 4.1.1 (F), [0;1]
    .02 LONG NAME (F), [0;2]
    .03 # TOPICS (NJ6,0), [0;3]
1500 5.1.1 (Multiple-90552.1315), [15;0]
    .01 5.1.1 (F), [0;1]
    .02 LONG NAME (F), [0;2]
    .03 # TOPICS (NJ7,0), [0;3]
1600 7.2.1 (Multiple-90552.1316), [16;0]
    .01 7.2.1 (F), [0;1]
    .02 GOAL TYPE (F), [0;2]
    .03 # OF GOAL (NJ5,0), [0;3]
1700 7.1.2 GOAL NOT SET (Multiple-90552.1317), [17;0]
    .01 7.1.2 GOAL NOT SET (F), [0;1]
    .02 GOAL NOT SET TYPE (F), [0;2]
    .03 # NOT SET (NJ5,0), [0;3]
1800 GOAL MET (Multiple-90552.1318), [18;0]
    .01 GOAL MET (F), [0;1]
    .02 GOAL MET (F), [0;2]
    .03 # MET (NJ4,0), [0;3]
1900 GOAL MAINTAINED (Multiple-90552.1319), [19;0]
    .01 GOAL MAINTAINED (F), [0;1]
    .02 GOAL MAINTAINED (F), [0;2]
    .03 # MAINTAINED (NJ6,0), [0;3]
2100 GOAL NOT MET (Multiple-90552.1321), [21;0]
    .01 GOAL NOT MET (F), [0;1]
    .02 GOAL NOT MET (F), [0;2]
    .03 # GOAL NOT MET (NJ6,0), [0;3]
9999 COMMUNITIES (Multiple-90552.139), [9999;0]
    .01 COMMUNITIES (F), [0;1]

```

## 4.4.15 FILE: BGP 14 PATIENT ED DATA BASELINE

**GLOBAL: ^BGPPEDBJ( FILE #: 90552.14**

CONDENSED DATA DICTIONARY---BGP 14 PATIENT ED DATA BASELINE FILE (#90552.14)UCI:  
DEV,DEV VERSION: 14.0

STORED IN: ^BGPPEDBJ( 10/09/13 PAGE 1

-----

## FILE SECURITY

DD SECURITY : @ DELETE SECURITY: M  
READ SECURITY : M LAYGO SECURITY : M  
WRITE SECURITY : M

CROSS REFERENCED BY:  
BEGINNING DATE(B)

## FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	BEGINNING DATE (RD), [0;1]
.02	ENDING DATE (RD), [0;2]
.03	PREVIOUS YR BEG DATE (RD), [0;3]
.04	PREVIOUS YR END DATE (RD), [0;4]
.05	BASELINE YEAR BEG DATE (RD), [0;5]
.06	BASELINE YR END DATE (RD), [0;6]
.07	FY (D), [0;7]
.08	QUARTER (S), [0;8]
.09	FACILITY ASUFAC (F), [0;9]
.1	SU CODE (F), [0;10]
.11	POPULATION (S), [0;11]
.12	DB ID (F), [0;12]
.13	DATE REPORT RUN (D), [0;13]
.14	TEMPLATE? (S), [0;14]
1101	USER POP (NJ6,0), [11;1]
1102	NUMBER W/EDUCATION 1.1.1 (NJ6,0), [11;2]
1103	AVG TIME SPENT 2.1.2A (NJ8,0), [11;3]
1104	MINIMUM TIME SPENT (NJ6,0), [11;4]
1105	MAXIMUM TIME SPENT (NJ6,0), [11;5]
1106	# TOPICS W/MINS & PROVIDER (NJ9,0), [11;6]
1107	TOTAL # OF MINS 2.1.1 (NJ8,0), [11;7]
1108	TOTAL # OF CODES 3.1.1 (NJ5,0), [11;8]
1109	TOTAL # TOPICS 4.1.1 (NJ5,0), [11;9]
1110	TOTAL 5.1.1 (NJ7,0), [11;10]
1111	MFI COMMUNITIES (Multiple-90552.14111), [1111;0]
	.01 MFI COMMUNITIES (F), [0;1]
1112	TOTAL 6.1.1 (NJ6,0), [11;12]
1113	GOOD (NJ6,0), [11;13]
1114	FAIR (NJ6,0), [11;14]
1115	POOR (NJ6,0), [11;15]
1116	REFUSED (NJ6,0), [11;16]
1117	GROUP NO ASSESS (NJ6,0), [11;17]
1118	BLANK (NJ5,0), [11;18]
1119	7 DENOM (NJ5,0), [11;19]
1120	7.2.1 NUMER GS (NJ5,0), [11;20]
1121	7.2.2 NUMER GNS (NJ5,0), [11;21]



1122	7.1.3	NUMER GM (NJ5,0), [11;22]
1123	7.2.4	NUMER (NJ5,0), [11;23]
1124	7.1.1	(NJ5,0), [11;24]
1129	7.1	DENOM USER POP (NJ5,0), [11;29]
1200	2.1	RATE (Multiple-90552.1412), [12;0]
	.01	2.1 RATE (F), [0;1]
	.02	LONG NAME (F), [0;2]
	.03	# MINS (NJ6,0), [0;3]
1300	TOP 25	DXS (Multiple-90552.1413), [13;0]
	.01	TOP 25 DXS (F), [0;1]
	.02	LONG NAME (F), [0;2]
	.03	# OF CODES (NJ6,0), [0;3]
1400	4.1.1	(Multiple-90552.1414), [14;0]
	.01	4.1.1 (F), [0;1]
	.02	LONG NAME (F), [0;2]
	.03	# TOPICS (NJ6,0), [0;3]
1500	5.1.1	(Multiple-90552.1415), [15;0]
	.01	5.1.1 (F), [0;1]
	.02	LONG NAME (F), [0;2]
	.03	# TOPICS (NJ7,0), [0;3]
1600	7.2.1	(Multiple-90552.1416), [16;0]
	.01	7.2.1 (F), [0;1]
	.02	GOAL TYPE (F), [0;2]
	.03	# OF GOAL (NJ5,0), [0;3]
1700	7.1.2	GOAL NOT SET (Multiple-90552.1417), [17;0]
	.01	7.1.2 GOAL NOT SET (F), [0;1]
	.02	GOAL NOT SET TYPE (F), [0;2]
	.03	# NOT SET (NJ5,0), [0;3]
1800	GOAL	MET (Multiple-90552.1418), [18;0]
	.01	GOAL MET (F), [0;1]
	.02	GOAL MET (F), [0;2]
	.03	# MET (NJ4,0), [0;3]
1900	GOAL	MAINTAINED (Multiple-90552.1419), [19;0]
	.01	GOAL MAINTAINED (F), [0;1]
	.02	GOAL MAINTAINED (F), [0;2]
	.03	# MAINTAINED (NJ6,0), [0;3]
2100	GOAL	NOT MET (Multiple-90552.1421), [21;0]
	.01	GOAL NOT MET (F), [0;1]
	.02	GOAL NOT MET (F), [0;2]
	.03	# GOAL NOT MET (NJ6,0), [0;3]
9999	COMMUNITIES	(Multiple-90552.149), [9999;0]
	.01	COMMUNITIES (F), [0;1]

#### 4.4.16 FILE: BGP 14 PAT ED MEASURES

**GLOBAL: ^BGPPEIJ( FILE #: 90552.15**

CONDENSED DATA DICTIONARY---BGP 14 PAT ED MEASURES FILE (#90552.15)UCI: DEV,DEV	
VERSION: 14.0	
STORED IN: ^BGPPEIJ(	10/09/13 PAGE 1
-----	
	FILE SECURITY
DD SECURITY : @	DELETE SECURITY: @
READ SECURITY : @	LAYGO SECURITY : @
WRITE SECURITY : @	
CROSS REFERENCED BY:	

```

ORDER TO DISPLAY(AO)  MEASURE NUMBER(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        MEASURE NUMBER (RNJ2,0), [0;1]
.02        TITLE (F), [0;2]
.03        ORDER TO DISPLAY (NJ2,0), [0;3]
.04        LIST SELECTION TITLE (F), [0;4]
1101       FY LOGIC (Multiple-90552.151101), [11;0]
           .01 FY LOGIC (W), [0;1]
1400       TAXONOMIES USED (Multiple-90552.1514), [14;0]
           .01 TAXONOMIES USED (MS), [0;1]
           .02 TAXONOMY PTR (PROGRAMMER USE) (P9002226'), [0;2]
           .03 TAXONOMY NAME (F), [0;3]
6100       DENOMINATOR DEFINITIONS (Multiple-90552.1561), [61;0]
           .01 DENOMINATOR DEFINITIONS (NJ2,0), [0;1]
           11 TEXT (Multiple-90552.156111), [11;0]
              .01 TEXT (W), [0;1]
6200       NUMERATOR (Multiple-90552.1562), [62;0]
           .01 NUMERATOR (MNJ2,0), [0;1]
           11 TEXT (Multiple-90552.156211), [11;0]
              .01 TEXT (W), [0;1]
7100       LIST PRINT 1ST PAGE (Multiple-90552.1571), [71;0]
           .01 LIST PRINT 1ST PAGE (W), [0;1]
7200       LIST PRINT SECOND PAGE (Multiple-90552.1572), [72;0]
           .01 LIST PRINT SECOND PAGE (W), [0;1]
    
```

**4.4.17 FILE: BGP 14 ICARE GROUPS**  
**GLOBAL: ^BGPICAGJ( FILE #: 90552.17**

```

VERSION: 14.0

STORED IN: ^BGPICACJ(                               10/10/13    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY    : @      LAYGO SECURITY  : @
                                WRITE SECURITY  : @

CROSS REFERENCED BY:
CATEGORY(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]
    
```

### 4.4.18 FILE: BGP 14 ICARE CATEGORIES

**GLOBAL: ^BGPICACJ( FILE #: 90552.18**

```

VERSION: 14.0
STORED IN: ^BGPICACJ(                               10/10/13    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY     : @      LAYGO SECURITY  : @
                                WRITE SECURITY    : @
CROSS REFERENCED BY:
  CATEGORY(B)
                                FILE STRUCTURE
FIELD      FIELD
NUMBER     NAME
.01        CATEGORY (RF), [0;1]
    
```

### 4.4.19 FILE: BGP 14 ELDER INDIVIDUAL MEASURES

**GLOBAL: ^BGPELIJ( FILE #: 90553.02**

```

VERSION: 14.0
STORED IN: ^BGPELIJ(                               10/10/13    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY     : @      LAYGO SECURITY  : @
                                WRITE SECURITY    : @
CROSS REFERENCED BY:
  ORDER(AB) ORDER(ABC) ORDER(AE) ORDER(AP) INDICATOR(B)
  INDICATOR ID(C) ORDER(OR)
                                FILE STRUCTURE
FIELD      FIELD
NUMBER     NAME
.01        INDICATOR (RP90553.06'), [0;1]
.019       INDICATOR (CJ8), [ ; ]
.04        INDICATOR ID (F), [0;4]
.08        DENOM FIELD NUMBER (NJ10,3), [0;8]
.09        NUMERATOR FIELD NUMBER (NJ10,3), [0;9]
.15        LINE TITLE 1 (F), [0;15]
.16        LINE TITLE 2 (F), [0;16]
.17        LOCAL DENOM TITLE 1 (F), [0;17]
.18        LOCAL DENOM TITLE 2 (F), [0;18]
.19        LINE TITLE 3 (F), [0;19]
    
```

```
.21 LOCAL DENOM TITLE 3 (F), [0;21]
.22 ADD BANG (S), [0;22]
1 M CODE NUMERATOR (K), [1;E1,245]
2 M CODE DENOMINATOR (K), [2;E1,245]
1204 ORDER (F), [12;4]
```

#### 4.4.20 FILE: BGP 14 ELDER MEASURES

**GLOBAL: ^BGPELIJ( FILE #: 90553.06**

VERSION: 14.0

STORED IN: ^BGPELIJ( 10/10/13 PAGE 1

FILE SECURITY

```
DD SECURITY : @ DELETE SECURITY: @
READ SECURITY : @ LAYGO SECURITY : @
WRITE SECURITY : @
```

CROSS REFERENCED BY:

```
ORDER ON SELECTION/REPORT(AO) INDICATOR NUMBER(B)
TITLE(C) TITLE(D) PUID(PUID)
```

FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	INDICATOR NUMBER (RNJ3,0X), [0;1]
.02	ORDER ON SELECTION/REPORT (F), [0;2]
.03	TITLE (F), [0;3]
.04	SELECTION TITLE (F), [0;4]
.05	LIST SELECTION TITLE (F), [0;5]
.06	ORDER TO DISPLAY (NJ4,0), [0;6]
.12	NO LIST (S), [0;12]
1	M CODE TO EXECUTE (K), [1;E1,245]
2	SET LIST VALUE (K), [2;E1,245]
3	PRINT M CODE (K), [3;E1,245]
4	DELIMITED FILE PRINT (K), [4;E1,245]
1100	FY LOGIC (Multiple-90553.0611), [11;0]
	.01 LOGIC USED (W), [0;1]
1201	PUID (NJ3,0), [12;1]
5300	REPORT PRINT 2ND PAGE (Multiple-90553.0653), [53;0]
	.01 REPORT PRINT 2ND PAGE (W), [0;1]
6100	DENOMINATOR DEFINITIONS (Multiple-90553.0661), [61;0]
	.01 DENOMINATOR DEFINITIONS (MNJ2,0), [0;1]
	1 DENOM DESCRIPTION (Multiple-90553.06611), [1;0]
	.01 DENOM DESCRIPTION (W), [0;1]
6200	NUMERATOR DEFINITIONS (Multiple-90553.0662), [62;0]
	.01 NUMERATOR DEFINITIONS (MNJ2,0X), [0;1]
	.02 REPORTS (F), [0;2]
	.03 SEL (F), [0;3]
	1 NUMERATOR DESCRIPTION (Multiple-90553.06621), [1;0]
	.01 NUMERATOR DESCRIPTION (W), [0;1]
7100	REPORT LIST 1ST PAGE (Multiple-90553.0671), [71;0]
	.01 REPORT LIST 1ST PAGE (W), [0;1]
7200	LIST PRINT SECOND PAGE (Multiple-90553.0672), [72;0]

.01 LIST PRINT SECOND PAGE (W), [0;1] 7200

## 5.0 Internal Relations

All users should be given the access to the appropriate options and keys, as needed.  
All options in this system stand alone.

## 6.0 External Relations

### 6.1 External Calls

This package calls the following documented entry points:

Routine	is Invoked by:
^%DT	
BGP4AU1R, BGP4DPA2, BGP4GUA, BGP4UTL1,  dd90241.01,  dd90241.12,  dd90245.07,  dd90245.1,  dd90552.03,  dd90552.04	
dd90552.05,  dd90552.08,  dd90552.09,  dd90552.12,  dd90552.13,  dd90552.14,  dd90552.19,  dd90553.03,  dd90553.04	
	dd90553.05
DD^%DT	BGP4AU1M, BGP4DPE
^%DTC	BGP4D36
C^%DTC	BGP4GMUE, BGP4GMUH
COMMA^%DTC	
BGP4DBPR, BGP4DELP, BGP4DP, BGP4DP11, BGP4DP12, BGP4DP13, BGP4DP14, BGP4DP19, BGP4DP1C, BGP4DP1H, BGP4DP1I, BGP4DP1J	
BGP4DP1K, BGP4DP1L, BGP4DP1M, BGP4DP1N, BGP4DP1S, BGP4DP1T, BGP4DP2, BGP4DP3, BGP4DP4, BGP4DP5, BGP4DP50, BGP4DP51	
	BGP4DP6, BGP4DP60, BGP4DP7
BGP4DP8, BGP4DPED, BGP4DPEP, BGP4DPH, BGP4EL10, BGP4EL11, BGP4EL12, BGP4EL13, BGP4EL14, BGP4EL15, BGP4EL16, BGP4EL17	
BGP4EL18, BGP4EL19, BGP4EL1A, BGP4EL1B, BGP4EL1C, BGP4EL1D, BGP4EL1E, BGP4EL1F, BGP4EL1G, BGP4EL1H, BGP4EL1I, BGP4EL1J	
	BGP4EL1K, BGP4EL1L
BGP4EL1M, BGP4EL1N, BGP4EL1O, BGP4EL1P, BGP4EL1Q, BGP4EL1R, BGP4EL1S, BGP4EL1T, BGP4ELL, BGP4ELL1, BGP4ELL2, BGP4ELL3	
BGP4ELL4, BGP4ELL5, BGP4ELL6, BGP4ELL7, BGP4ELL8, BGP4ELL9, BGP4ELLA, BGP4ELLB, BGP4ELLC, BGP4ELLD, BGP4ELLE, BGP4ELLF	
	BGP4ELLG, BGP4ELLH
BGP4ELLI, BGP4ELLJ, BGP4ELLK, BGP4ELLL, BGP4ELLM, BGP4ELLN, BGP4ELLO, BGP4ELLP, BGP4ELLQ, BGP4ELLR, BGP4ELLS, BGP4ELLT	
BGP4ELLU, BGP4ELLV, BGP4ELLW, BGP4ELLX, BGP4ELP1, BGP4PD19, BGP4PDL, BGP4PDL0, BGP4PDL1, BGP4PDL2, BGP4PDL3, BGP4PDL4	
	BGP4PDL5, BGP4PDL7
BGP4PDL8, BGP4PDL9, BGP4PDLA, BGP4PDLB, BGP4PDLD, BGP4PDLL, BGP4PDLN, BGP4PDLO, BGP4PDLT, BGP4PDPA, BGP4PDPE	
DW^%DTC	BGP4AUEX, BGP4AUUL, BGP4AUUP
NOW^%DTC	BGP4DPA, BGP4DPA9, BGP4DPAP, BGP4GRB
DEBUG^%Serenji	BGP4GR1, BGP4GRA, BGP4GRB, BGP4GU, BGP4GUA
^%ZIS	
BGP4DADB, BGP4DAP, BGP4DAR, BGP4DAR9, BGP4DARO, BGP4DCL, BGP4DEL, BGP4DELA, BGP4DGPA, BGP4DGPU, BGP4DICR, BGP4DL	

```

BGP4DLT, BGP4DMT, BGP4DNDB, BGP4DNG, BGP4DNG9, BGP4DNGP, BGP4DNGB, BGP4DON, BGP4DPA, BGP4DPA9
, BGP4DPE, BGP4DPEA
                                BGP4DPP, BGP4DSTM, BGP4NPL, BGP4XTCH
    HOME^%ZIS
BGP4AU1A, BGP4AUUL, BGP4CTXC, BGP4DADB, BGP4DAR, BGP4DAR9, BGP4DARO, BGP4DICR, BGP4DLT, BGP4D
MT, BGP4LSTF, BGP4TXCH
                                BGP4ULF, BGP4XTCH, BGP4XTCN, BGP4XTCO, BGP4XTEL, BGP4XTEO, BGP4XTHE
    ^%ZISC
BGP4AUEX, BGP4AUUL, BGP4DADB, BGP4DAP, BGP4DAR, BGP4DAR9, BGP4DARO, BGP4DBPR, BGP4DCL, BGP4DE
L, BGP4DELA, BGP4DELP
BGP4DGPA, BGP4DGPU, BGP4DICR, BGP4DL, BGP4DLT, BGP4DMT, BGP4DNDB, BGP4DNG, BGP4DNG9, BGP4DNGP
, BGP4DNGB, BGP4DON, BGP4DP
                                BGP4DPA, BGP4DPA9, BGP4DPE
BGP4DPEA, BGP4DPEP, BGP4DPP, BGP4DSTM, BGP4GUPL, BGP4NPL, BGP4PARP, BGP4PARQ, BGP4PHEL, BGP4P
PEL, BGP4ULF, BGP4UTL
                                BGP4UTL3, BGP4UTLC, BGP4XTCH
    $$LIST^%ZISH          BGP4AUUP, BGP4GLST, BGP4GU, BGP4LSTF, BGP4UTL2
    $$OPEN^%ZISH         BGP4AUUL, BGP4GUPL, BGP4ULF, BGP4UTL, BGP4UTL3, BGP4UTLC
    $$$STATUS^%ZISH     BGP4AU1R, BGP4AUUL, BGP4AUUP, BGP4GUPL, BGP4ULF
    CLOSE^%ZISH         BGP4AU1D, BGP4AU1M, BGP4AU1R, BGP4AUUP
****      Cross Reference of all Routines      ****
Oct 10, 2013@13:29:03 page 105

Routine          is Invoked by:
    DF^%ZISH      BGP4AU1R
    MV^%ZISH      BGP4AUUP
    OPEN^%ZISH    BGP4AU1D, BGP4AU1M, BGP4AU1R, BGP4AUUP
    ^%ZTER        BGP4GU
    ^%ZTLOAD
BGP4AUEX, BGP4AUUL, BGP4AUUP, BGP4DADB, BGP4DAP, BGP4DAR, BGP4DAR9, BGP4DARO, BGP4DCL, BGP4DE
L, BGP4DELA, BGP4DGPA
BGP4DGPU, BGP4DICR, BGP4DL, BGP4DLT, BGP4DMT, BGP4DNDB, BGP4DNG, BGP4DNG9, BGP4DNGP, BGP4DNGB
, BGP4DON, BGP4DPA
                                BGP4DPA9, BGP4DPAP, BGP4DPE
BGP4DPEA, BGP4DPP, BGP4DSTM, BGP4GADB, BGP4GAEL, BGP4GAG9, BGP4GAGP, BGP4GAGS, BGP4GAHE, BGP4
GALL, BGP4GAON, BGP4GAPE
BGP4GAPU, BGP4GCMP, BGP4GCMS, BGP4GCOM, BGP4GDON, BGP4GD5H, BGP4GELD, BGP4GFO9, BGP4GFOR, BGP
4GGPU, BGP4GLHW, BGP4GLST
                                BGP4GLTX, BGP4GMTX
BGP4GMUE, BGP4GMUH, BGP4GNPL, BGP4GNST, BGP4GNT9, BGP4GNL, BGP4GNTP, BGP4GNTS, BGP4GNXP, BGP
4GPED, BGP4GPP, BGP4GRB
                                BGP4LHW, BGP4NPL, BGP4XTCH
    KILL^%ZTLOAD    BGP4AUEX
    STAT^%ZTLOAD    BGP4AUEX
    $$LASTCPTT^APCLAPIU BGP4D36
    $$LASTITEM^APCLAPIU BGP4D28
    ALLV^APCLAPIU   BGP4D26, BGP4D36, BGP4D55
    $$$START1^APCLDF
BGP4ALG1, BGP4ALG2, BGP4C11, BGP4C13, BGP4CON1, BGP4CU, BGP4CU1, BGP4D1, BGP4D10, BGP4D2, BGP4
D21, BGP4D211, BGP4D22
BGP4D23, BGP4D231, BGP4D24, BGP4D25, BGP4D31, BGP4D33, BGP4D34, BGP4D35, BGP4D36, BGP4D37, BGP
4D38, BGP4D3A, BGP4D4
                                BGP4D41, BGP4D5, BGP4D51

```



BGP4D52, BGP4D53, BGP4D54, BGP4D55, BGP4D5A, BGP4D6, BGP4D61, BGP4D62, BGP4D63, BGP4D64, BGP4D7, BGP4D71, BGP4D711

BGP4D72, BGP4D721, BGP4D722, BGP4D723, BGP4D724, BGP4D729, BGP4D731, BGP4D732, BGP4D74, BGP4D75, BGP4D8, BGP4D81

BGP4D811, BGP4D812, BGP4D82

BGP4D83, BGP4D84, BGP4D86, BGP4D862, BGP4D87, BGP4D88, BGP4D89, BGP4D9, BGP4D91, BGP4DCLP, BGP4DPA2, BGP4DPA4, BGP4DPE1

BGP4DPE2, BGP4DU, BGP4EL2, BGP4EL3, BGP4EL4, BGP4NPLP

\$\$CLINIC^APCLV

BGP4CU, BGP4D1, BGP4D10, BGP4D2, BGP4D21, BGP4D22, BGP4D23, BGP4D24, BGP4D31, BGP4D41, BGP4D51, BGP4D7, BGP4D711, BGP4D83

BGP4D84, BGP4D88, BGP4D89, BGP4D9, BGP4DPA4, BGP4DU, BGP4EL2, BGP4EL4, BGP4NPLP

\$\$DSCHDATE^APCLV BGP4D22, BGP4D51, BGP4D91, BGP4EL3

\$\$PRIMPOV^APCLV

BGP4CU, BGP4D21, BGP4D211, BGP4D22, BGP4D31, BGP4D51, BGP4D71, BGP4D711

\$\$PRIMPROV^APCLV

BGP4D1, BGP4D10, BGP4D21, BGP4D22, BGP4D51, BGP4D7, BGP4DCLP, BGP4DPA4, BGP4DPE2

\$\$VD^APCLV

BGP4D26, BGP4D28, BGP4D36, BGP4D37, BGP4D39, BGP4D3A, BGP4D55, BGP4D81, BGP4D811, BGP4D812, BGP4D89, BGP4D9, BGP4DPA2

BGP4DPE2, BGP4NPLP, BGP4UTL1

\$\$VDTM^APCLV

BGP4D2

\$\$ICD^ATXAPI

BGP4UTL2

ICD^ATXAPI

BGP4UTL2

\$\$ICD^ATXCHK

BGP4UTL2

BULL^ATXSTX2

BGP44A, BGP44B, BGP44C, BGP44D, BGP44E, BGP44F, BGP44G, BGP44H, BGP44I, BGP44J, BGP44K, BGP44L, BGP44M, BGP44N, BGP44O

BGP44P, BGP44Q, BGP44R, BGP44S, BGP44T, BGP44U, BGP44V, BGP44W, BGP44X, BGP44Y, BGP44Z, BGP45A, BGP45B, BGP45C, BGP45D

BGP45E, BGP45F, BGP45G

BGP45H, BGP45I, BGP45J, BGP45K, BGP45L, BGP45M, BGP45N, BGP45O, BGP45P, BGP45Q, BGP45R, BGP45S, BGP45T, BGP45U, BGP45V

BGP45W, BGP45X, BGP45Y, BGP45Z, BGP46A, BGP46B, BGP46C, BGP46D, BGP46E, BGP46F, BGP46G

KILL^ATXSTX2

BGP44A, BGP44B, BGP44C, BGP44D, BGP44E, BGP44F, BGP44G, BGP44H, BGP44I, BGP44J, BGP44K, BGP44L, BGP44M, BGP44N, BGP44O

BGP44P, BGP44Q, BGP44R, BGP44S, BGP44T, BGP44U, BGP44V, BGP44W, BGP44X, BGP44Y, BGP44Z, BGP45A, BGP45B, BGP45C, BGP45D

BGP45E, BGP45F, BGP45G

BGP45H, BGP45I, BGP45J, BGP45K, BGP45L, BGP45M, BGP45N, BGP45O, BGP45P, BGP45Q, BGP45R, BGP45S, BGP45T, BGP45U, BGP45V

BGP45W, BGP45X, BGP45Y, BGP45Z, BGP46A, BGP46B, BGP46C, BGP46D, BGP46E, BGP46F, BGP46G

TAX^ATXSTX2

BGP44A, BGP44B, BGP44C, BGP44D, BGP44E, BGP44F, BGP44G, BGP44H, BGP44I, BGP44J, BGP44K, BGP44L, BGP44M, BGP44N, BGP44O

BGP44P, BGP44Q, BGP44R, BGP44S, BGP44T, BGP44U, BGP44V, BGP44W, BGP44X, BGP44Y, BGP44Z, BGP45A, BGP45B, BGP45C, BGP45D

BGP45E, BGP45F, BGP45G

BGP45H, BGP45I, BGP45J, BGP45K, BGP45L, BGP45M, BGP45N, BGP45O, BGP45P, BGP45Q, BGP45R, BGP45S, BGP45T, BGP45U, BGP45V

BGP45W, BGP45X, BGP45Y, BGP45Z, BGP46A, BGP46B, BGP46C, BGP46D, BGP46E, BGP46F, BGP46G  
 \$\$AGE^AUPNPAT

BGP4D1, BGP4D10, BGP4D21, BGP4D23, BGP4D6, BGP4D7, BGP4D83, BGP4D84, BGP4D85, BGP4D87, BGP4DPA1, BGP4DPA2, BGP4DPE1

BGP4GUA  
 \$\$BEN^AUPNPAT BGP4D1, BGP4DPE1  
 \$\$COMMRES^AUPNPAT BGP4DPAP, BGP4DPAW  
 \$\$DOB^AUPNPAT

BGP4ALG1, BGP4ALG2, BGP4C11, BGP4C13, BGP4CON1, BGP4CU1, BGP4D1, BGP4D10, BGP4D2, BGP4D21, BGP4D211, BGP4D22, BGP4D27

BGP4D28, BGP4D3, BGP4D31, BGP4D32, BGP4D33, BGP4D34, BGP4D35, BGP4D36, BGP4D37, BGP4D38, BGP4D3A, BGP4D4, BGP4D42

BGP4D61, BGP4D62, BGP4D63

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\*  
 Oct 10, 2013@13:29:03 page 106

Routine is Invoked by:

\$\$DOB^AUPNPAT  
 BGP4D71, BGP4D72, BGP4D721, BGP4D724, BGP4D729, BGP4D731, BGP4D732, BGP4D75, BGP4D8, BGP4D81, BGP4D811, BGP4D82, BGP4D84

BGP4D86, BGP4D862, BGP4D89, BGP4D9, BGP4DPA1, BGP4DPA2, BGP4DPAW, BGP4DU, BGP4EL2, BGP4EL3, BGP4UTL2

\$\$DOD^AUPNPAT BGP4D1, BGP4DPE1  
 \$\$HRN^AUPNPAT  
 BGP4DCLD, BGP4DCLP, BGP4DEMO, BGP4DPAP, BGP4DPAW, BGP4DPEE, BGP4DPEL, BGP4DS, BGP4ELS, BGP4ELSL, BGP4GUA, BGP4NPLD

BGP4NPLP, BGP4PDLs  
 \$\$SEX^AUPNPAT BGP4DPAW  
 KILL^AUPNPAT  
 BGP4AUEx, BGP4DADB, BGP4DAP, BGP4DAR, BGP4DAR9, BGP4DARO, BGP4DCL, BGP4DEL, BGP4DELA, BGP4DGA, BGP4DGPU, BGP4DL

BGP4DNDB, BGP4DNG, BGP4DNG9, BGP4DNGP, BGP4DNGS, BGP4DON, BGP4DPE, BGP4DPEA, BGP4DPP, BGP4DSTM, BGP4GACW, BGP4GADB

BGP4GAEL, BGP4GAG9, BGP4GAGP

BGP4GAGS, BGP4GAHE, BGP4GALL, BGP4GAON, BGP4GAPE, BGP4GAPU, BGP4GCMP, BGP4GCMS, BGP4GCOM, BGP4GDON, BGP4GDSh, BGP4GELD

BGP4GF09, BGP4GFOR, BGP4GGPU, BGP4GLHW, BGP4GLST, BGP4GLTX, BGP4GMTX, BGP4GMUE, BGP4GMUH, BGP4GNPL, BGP4GNST, BGP4GNT9

BGP4GNTL, BGP4GNTP  
 BGP4GNTS, BGP4GNXP, BGP4GPED, BGP4GPP, BGP4LHW, BGP4NPL  
 \$\$STATUS^BDGSPT2 BGP4GUA  
 ALLDP^BDPAPI BGP4D1  
 ^BGP0BAN |opt  
 ^BGP0CL |opt  
 ^BGP0CTS |opt  
 ^BGP0CTXC |opt  
 ^BGP0DAP |opt  
 ^BGP0DAR |opt  
 SUMONLY^BGP0DAR |opt  
 ^BGP0DAR9 |opt  
 ^BGP0DARO |opt  
 ^BGP0DCHA |opt

^BGP0DCL		opt
^BGP0DEL		opt
^BGP0DELA		opt
^BGP0DEMO		opt
^BGP0DGPA		opt
^BGP0DGPU		opt
^BGP0DHE		opt
^BGP0DHEA		opt
^BGP0DHW		opt
^BGP0DICR		opt
^BGP0DL		opt
CMS^BGP0DLT		opt
CRS^BGP0DLT		opt
ELDER^BGP0DLT		opt
EO^BGP0DLT		opt
GPRA^BGP0DLT		opt
HEDIS^BGP0DLT		opt
ONM^BGP0DLT		opt
CMS^BGP0DMT		opt
CRS^BGP0DMT		opt
ELDER^BGP0DMT		opt
EO^BGP0DMT		opt
GPRA^BGP0DMT		opt
HEDIS^BGP0DMT		opt
ONM^BGP0DMT		opt
^BGP0DNE		opt
^BGP0DNG		opt
^BGP0DNG9		opt
^BGP0DNGP		opt
^BGP0DNGS		opt
^BGP0DON		opt
W^BGP0DP		BGP4NPLP
***** Cross Reference of all Routines *****		
Oct 10, 2013@13:29:03 page 107		
Routine is Invoked by:		
^BGP0DPA		opt
COVPAGE^BGP0DPA		opt
^BGP0DPA9		opt
^BGP0DPAP		opt
^BGP0DPE		opt
PP^BGP0DPE		opt
^BGP0DPEA		opt
^BGP0DPP		opt
^BGP0DSTM		opt
^BGP0EOA		opt
^BGP0EOD		opt
^BGP0LSTF		opt
^BGP0NPL		opt
NONNPL^BGP0NPL		opt
^BGP0ULF		opt
^BGP0XTCH		opt
^BGP0XTCN		opt
^BGP0XTCO		opt
^BGP0XTEL		opt
^BGP0XTEO		opt
^BGP0XTHE		opt
^BGP0XTV		opt
^BGP1BAN		opt
^BGP1CL		opt
^BGP1CTS		opt

^BGP1CTXC		opt
^BGP1DADB		opt
^BGP1DAP		opt
^BGP1DAR		opt
SUMONLY^BGP1DAR		opt
^BGP1DAR9		opt
^BGP1DARO		opt
^BGP1DCHA		opt
^BGP1DCL		opt
^BGP1DEL		opt
^BGP1DELA		opt
^BGP1DEMO		opt
^BGP1DGPA		opt
^BGP1DGPU		opt
^BGP1DHE		opt
^BGP1DHEA		opt
^BGP1DHW		opt
^BGP1DICR		opt
^BGP1DL		opt
CMS^BGP1DLT		opt
CRS^BGP1DLT		opt
ELDER^BGP1DLT		opt
EO^BGP1DLT		opt
GPRA^BGP1DLT		opt
HEDIS^BGP1DLT		opt
ONM^BGP1DLT		opt
CMS^BGP1DMT		opt
CRS^BGP1DMT		opt
ELDER^BGP1DMT		opt
EO^BGP1DMT		opt
GPRA^BGP1DMT		opt
HEDIS^BGP1DMT		opt
****	Cross Reference of all Routines	****
Oct 10, 2013@13:29:03 page 108		
Routine	is	Invoked by:
ONM^BGP1DMT		opt
^BGP1DNDB		opt
^BGP1DNE		opt
^BGP1DNG		opt
^BGP1DNG9		opt
^BGP1DNGP		opt
^BGP1DNNGS		opt
^BGP1DON		opt
^BGP1DPA		opt
COVPAGE^BGP1DPA		opt
^BGP1DPA9		opt
^BGP1DPAP		opt
^BGP1DPE		opt
PP^BGP1DPE		opt
^BGP1DPEA		opt
^BGP1DPP		opt
^BGP1DSTM		opt
^BGP1EOA		opt
^BGP1EOD		opt
^BGP1LSTF		opt
^BGP1NPL		opt
NONNPL^BGP1NPL		opt
^BGP1ULF		opt
\$\$DATE^BGP1UTL		BGP4D31 , BGP4D4 , BGP4D72 , BGP4D722 , BGP4D9
^BGP1XTCH		opt

^BGP1XTCN		opt
^BGP1XTCO		opt
^BGP1XTEL		opt
^BGP1XTEO		opt
^BGP1XTHE		opt
^BGP1XTV		opt
AUTO^BGP2AUEX		opt
MAN^BGP2AUEX		opt
SITEPAR^BGP2AUEX		opt
AUTO^BGP2AUUP		opt
MAN^BGP2AUUP		opt
SCH^BGP2AUUP		opt
^BGP2BAN		opt
^BGP2CTS		opt
\$\$LOINC^BGP2D21	BGP4D91	
^BGP2DADB		opt
^BGP2DAP		opt
^BGP2DAR		opt
SUMONLY^BGP2DAR		opt
^BGP2DAR9		opt
^BGP2DARO		opt
^BGP2DCHA		opt
^BGP2DCL		opt
^BGP2DEL		opt
^BGP2DELA		opt
^BGP2DEMO		opt
^BGP2DGPA		opt
^BGP2DGPU		opt
^BGP2DHW		opt
^BGP2DICR		opt
^BGP2DL		opt
CMS^BGP2DLT		opt

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\*  
 Oct 10, 2013@13:29:03 page 109

Routine is Invoked by:

CRS^BGP2DLT		opt
ELDER^BGP2DLT		opt
GPRA^BGP2DLT		opt
ONM^BGP2DLT		opt
CMS^BGP2DMT		opt
CRS^BGP2DMT		opt
ELDER^BGP2DMT		opt
GPRA^BGP2DMT		opt
ONM^BGP2DMT		opt
^BGP2DNDB		opt
^BGP2DNE		opt
^BGP2DNG		opt
^BGP2DNG9		opt
^BGP2DNGP		opt
^BGP2DNGS		opt
^BGP2DON		opt
^BGP2DPA		opt
COVPAGE^BGP2DPA		opt
^BGP2DPA9		opt
^BGP2DPAP		opt
^BGP2DPE		opt
PF^BGP2DPE		opt
^BGP2DPEA		opt
^BGP2DPP		opt
^BGP2DSTM		opt

^BGP2LSTF	opt
^BGP2NPL	opt
NONNPL^BGP2NPL	opt
^BGP2ULF	opt
\$\$DATE^BGP2UTL	BGP4D91
^BGP2XTCH	opt
^BGP2XTCN	opt
^BGP2XTCO	opt
^BGP2XTEL	opt
^BGP2XTV	opt
AUTO^BGP3AUEX	opt
MAN^BGP3AUEX	opt
SITEPAR^BGP3AUEX	opt
AUTO^BGP3AUUP	opt
MAN^BGP3AUUP	opt
SCH^BGP3AUUP	opt
^BGP3BAN	opt
^BGP3CTS	opt
^BGP3DADB	opt
^BGP3DAP	opt
^BGP3DAR	opt
SUMONLY^BGP3DAR	opt
^BGP3DAR9	opt
^BGP3DARO	opt
^BGP3DCL	opt
^BGP3DEL	opt
^BGP3DELA	opt
^BGP3DEMO	opt
^BGP3DGPA	opt
^BGP3DGPU	opt
^BGP3DICR	opt
^BGP3DL	opt
***** Cross Reference of all Routines *****	
Oct 10, 2013@13:29:03 page 110	
Routine is Invoked by:	
CMS^BGP3DLT	opt
CRS^BGP3DLT	opt
ELDER^BGP3DLT	opt
GPRA^BGP3DLT	opt
ONM^BGP3DLT	opt
CMS^BGP3DMT	opt
CRS^BGP3DMT	opt
ELDER^BGP3DMT	opt
GPRA^BGP3DMT	opt
ONM^BGP3DMT	opt
^BGP3DNDB	opt
^BGP3DNE	opt
^BGP3DNG	opt
^BGP3DNG9	opt
^BGP3DNGP	opt
^BGP3DNGS	opt
^BGP3DON	opt
^BGP3DPA	opt
COVPAGE^BGP3DPA	opt
^BGP3DPA9	opt
^BGP3DPAP	opt
^BGP3DPE	opt
PP^BGP3DPE	opt
^BGP3DPEA	opt
^BGP3DPP	opt

```

^BGP3DSTM          |opt
^BGP3LSTF          |opt
^BGP3NPL           |opt
NONNPL^BGP3NPL    |opt
^BGP3ULF           |opt
DIRCHK^BGP3UTL2   |dd90241.02
^BGP3XTCH          |opt
^BGP3XTCN          |opt
^BGP3XTCO          |opt
^BGP3XTEL          |opt
^BGP3XTV           |opt
^BGP44             BGP4POS
^BGP44A            BGP44
^BGP44B            BGP44
^BGP44C            BGP44
^BGP44D            BGP44
^BGP44E            BGP44
^BGP44F            BGP44
^BGP44G            BGP44
^BGP44H            BGP44
^BGP44H2           BGP44H
^BGP44I            BGP44
^BGP44I10          BGP44I
^BGP44I11          BGP44I
^BGP44I12          BGP44I
^BGP44I13          BGP44I
^BGP44I14          BGP44I
^BGP44I15          BGP44I
^BGP44I16          BGP44I
^BGP44I17          BGP44I
^BGP44I18          BGP44I
^BGP44I19          BGP44I

```

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\*  
 Oct 10, 2013@13:29:03 page 111

```

Routine           is Invoked by:
^BGP44I2          BGP44I
^BGP44I20         BGP44I
^BGP44I21         BGP44I
^BGP44I22         BGP44I
^BGP44I23         BGP44I
^BGP44I24         BGP44I
^BGP44I25         BGP44I
^BGP44I26         BGP44I
^BGP44I27         BGP44I
^BGP44I28         BGP44I
^BGP44I3          BGP44I
^BGP44I4          BGP44I
^BGP44I5          BGP44I
^BGP44I6          BGP44I
^BGP44I7          BGP44I
^BGP44I8          BGP44I
^BGP44I9          BGP44I
^BGP44J           BGP44
^BGP44K           BGP44
^BGP44L           BGP44
^BGP44M           BGP44
^BGP44N           BGP44
^BGP44N10         BGP44N
^BGP44N11         BGP44N
^BGP44N12         BGP44N

```

^BGP44N13	BGP44N
^BGP44N14	BGP44N
^BGP44N15	BGP44N
^BGP44N16	BGP44N
^BGP44N17	BGP44N
^BGP44N18	BGP44N
^BGP44N19	BGP44N
^BGP44N2	BGP44N
^BGP44N20	BGP44N
^BGP44N21	BGP44N
^BGP44N22	BGP44N
^BGP44N23	BGP44N
^BGP44N24	BGP44N
^BGP44N25	BGP44N
^BGP44N26	BGP44N
^BGP44N3	BGP44N
^BGP44N4	BGP44N
^BGP44N5	BGP44N
^BGP44N6	BGP44N
^BGP44N7	BGP44N
^BGP44N8	BGP44N
^BGP44N9	BGP44N
^BGP44O	BGP44
^BGP44O10	BGP44O
^BGP44O11	BGP44O
^BGP44O12	BGP44O
^BGP44O13	BGP44O
^BGP44O14	BGP44O
^BGP44O15	BGP44O
^BGP44O16	BGP44O
^BGP44O17	BGP44O
^BGP44O18	BGP44O
***** Cross Reference of all Routines *****	
Oct 10, 2013@13:29:03 page 112	
Routine	is Invoked by:
^BGP44O19	BGP44O
^BGP44O2	BGP44O
^BGP44O20	BGP44O
^BGP44O21	BGP44O
^BGP44O22	BGP44O
^BGP44O23	BGP44O
^BGP44O24	BGP44O
^BGP44O25	BGP44O
^BGP44O26	BGP44O
^BGP44O27	BGP44O
^BGP44O28	BGP44O
^BGP44O29	BGP44O
^BGP44O3	BGP44O
^BGP44O30	BGP44O
^BGP44O31	BGP44O
^BGP44O32	BGP44O
^BGP44O33	BGP44O
^BGP44O34	BGP44O
^BGP44O35	BGP44O
^BGP44O36	BGP44O
^BGP44O37	BGP44O
^BGP44O38	BGP44O
^BGP44O39	BGP44O
^BGP44O4	BGP44O
^BGP44O40	BGP44O



```

^BGP44041      BGP440
^BGP44042      BGP440
^BGP44043      BGP440
^BGP44044      BGP440
^BGP44045      BGP440
^BGP4405       BGP440
^BGP4406       BGP440
^BGP4407       BGP440
^BGP4408       BGP440
^BGP4409       BGP440
^BGP44P        BGP44
^BGP44P10      BGP44P
^BGP44P11      BGP44P
^BGP44P12      BGP44P
^BGP44P13      BGP44P
^BGP44P14      BGP44P
^BGP44P15      BGP44P
^BGP44P16      BGP44P
^BGP44P17      BGP44P
^BGP44P18      BGP44P
^BGP44P19      BGP44P
^BGP44P2       BGP44P
^BGP44P20      BGP44P
^BGP44P21      BGP44P
^BGP44P22      BGP44P
^BGP44P23      BGP44P
^BGP44P3       BGP44P
^BGP44P4       BGP44P
^BGP44P5       BGP44P
^BGP44P6       BGP44P
^BGP44P7       BGP44P
^BGP44P8       BGP44P

```

```

***** Cross Reference of all Routines *****
Oct 10, 2013@13:29:03 page 113

```

```

Routine          is Invoked by:

```

```

^BGP44P9        BGP44P
^BGP44Q         BGP44
^BGP44Q10       BGP44Q
^BGP44Q11       BGP44Q
^BGP44Q12       BGP44Q
^BGP44Q13       BGP44Q
^BGP44Q14       BGP44Q
^BGP44Q2        BGP44Q
^BGP44Q3        BGP44Q
^BGP44Q4        BGP44Q
^BGP44Q5        BGP44Q
^BGP44Q6        BGP44Q
^BGP44Q7        BGP44Q
^BGP44Q8        BGP44Q
^BGP44Q9        BGP44Q
^BGP44R         BGP44
^BGP44R10       BGP44R
^BGP44R11       BGP44R
^BGP44R12       BGP44R
^BGP44R13       BGP44R
^BGP44R2        BGP44R
^BGP44R3        BGP44R
^BGP44R4        BGP44R
^BGP44R5        BGP44R
^BGP44R6        BGP44R

```

^BGP44R7	BGP44R
^BGP44R8	BGP44R
^BGP44R9	BGP44R
^BGP44S	BGP44
^BGP44S2	BGP44S
^BGP44T	BGP44
^BGP44T10	BGP44T
^BGP44T11	BGP44T
^BGP44T12	BGP44T
^BGP44T13	BGP44T
^BGP44T14	BGP44T
^BGP44T15	BGP44T
^BGP44T16	BGP44T
^BGP44T17	BGP44T
^BGP44T18	BGP44T
^BGP44T19	BGP44T
^BGP44T2	BGP44T
^BGP44T20	BGP44T
^BGP44T21	BGP44T
^BGP44T3	BGP44T
^BGP44T4	BGP44T
^BGP44T5	BGP44T
^BGP44T6	BGP44T
^BGP44T7	BGP44T
^BGP44T8	BGP44T
^BGP44T9	BGP44T
^BGP44U	BGP44
^BGP44U2	BGP44U
^BGP44U3	BGP44U
^BGP44U4	BGP44U
^BGP44U5	BGP44U
^BGP44U6	BGP44U
***** Cross Reference of all Routines *****	
Oct 10, 2013@13:29:03 page 114	
Routine	is Invoked by:
^BGP44V	BGP44
^BGP44W	BGP44
^BGP44W2	BGP44W
^BGP44W3	BGP44W
^BGP44W4	BGP44W
^BGP44W5	BGP44W
^BGP44X	BGP44
^BGP44Y	BGP44
^BGP44Z	BGP44
^BGP45	BGP4POS
^BGP45A	BGP45
^BGP45B	BGP45
^BGP45B2	BGP45B
^BGP45B3	BGP45B
^BGP45B4	BGP45B
^BGP45B5	BGP45B
^BGP45B6	BGP45B
^BGP45C	BGP45
^BGP45D	BGP45
^BGP45D2	BGP45D
^BGP45E	BGP45
^BGP45E2	BGP45E
^BGP45F	BGP45
^BGP45G	BGP45
^BGP45H	BGP45

^BGP45I	BGP45
^BGP45J	BGP45
^BGP45K	BGP45
^BGP45L	BGP45
^BGP45M	BGP45
^BGP45N	BGP45
^BGP45O	BGP45
^BGP45P	BGP45
^BGP45Q	BGP45
^BGP45R	BGP45
^BGP45RB	BGP45R
^BGP45RC	BGP45R
^BGP45RD	BGP45R
^BGP45S	BGP45
^BGP45T	BGP45
^BGP45U	BGP45
^BGP45V	BGP45
^BGP45W	BGP45
^BGP45X	BGP45
^BGP45Y	BGP45
^BGP45Z	BGP45
^BGP46	BGP4POS
^BGP46A	BGP46
^BGP46B	BGP46
^BGP46C	BGP46
^BGP46D	BGP46
^BGP46E	BGP46
^BGP46F	BGP46
^BGP46G	BGP46
ACEI^BGP4ALG1	BGP4ALG
ARB^BGP4ALG1	BGP4ALG
ASA^BGP4ALG1	BGP4ALG
***** Cross Reference of all Routines *****	
Oct 10, 2013@13:29:03 page 115	
Routine is Invoked by:	
BETA^BGP4ALG1	BGP4ALG
STATIN^BGP4ALG2	BGP4ALG
EN^BGP4ASL	BGP4DADB , BGP4DAR , BGP4DAR9 , BGP4DARO , BGP4DELA , BGP4DGPA , BGP4DPEA
GET^BGP4ASL	BGP4GU
ELD^BGP4ASL1	BGP4ASL
NGR^BGP4ASL1	BGP4ASL
ONM^BGP4ASL1	BGP4ASL
PED^BGP4ASL1	BGP4ASL
EN^BGP4AU1A	BGP4AUUP
EN^BGP4AU1D	BGP4AUUP
MSG1^BGP4AU1M	BGP4AUUP
EN^BGP4AU1R	BGP4AUUP
AUTO^BGP4AUEX	opt
AUTOEX^BGP4AUEX	BGP4UTL
DELTASK^BGP4AUEX	BGP4AUUL
MAN^BGP4AUEX	opt
QUE^BGP4AUEX	BGP4GRB
SITEPAR^BGP4AUEX	opt
EN^BGP4AUUL	BGP4AUUP
SCH^BGP4AUUL	BGP4AUUP
AUTO^BGP4AUUP	opt
MAN^BGP4AUUP	opt
SCH^BGP4AUUP	opt
XIT^BGP4AUUP	BGP4AUUL
^BGP4BAN	opt

```

    $$RPTVER^BGP4BAN
BGP4DCL, BGP4DCLD, BGP4DCLP, BGP4DGPU, BGP4DH, BGP4DH1, BGP4DICR, BGP4DLT, BGP4DMT, BGP4DPAW,
BGP4DSTM, BGP4ELH
    BGP4ELHH, BGP4NPL, BGP4NPLD, BGP4NPLP, BGP4PDLH
    ACEIALG1^BGP4C11      BGP4D722, BGP4D723, BGP4D732
    ARBALG1^BGP4C13      BGP4C11
    ARBRX1^BGP4C13      BGP4C11
    ACEI^BGP4CON1        BGP4CON
    ASA^BGP4CON1         BGP4CON
    BETA^BGP4CON1        BGP4CON
    STATIN^BGP4CON1      BGP4CON
    EP^BGP4CTL           BGP4CTS
    ^BGP4CTS              |opt
    INIT^BGP4CTS         BGP4GU
    GETMEDS^BGP4CU       BGP4C11, BGP4C13, BGP4CU1
    $$ASAALLEG^BGP4CU1  BGP4D721
    ^BGP4D1
BGP4AUEx, BGP4DAP, BGP4DCL, BGP4DEL, BGP4DGPU, BGP4DL, BGP4DNDB, BGP4DNG, BGP4DNG9, BGP4DNGP,
BGP4DNgs, BGP4DON

BGP4DSTM, BGP4GALL, BGP4GCMP, BGP4GCOM, BGP4GDON, BGP4GDSh, BGP4GELD, BGP4GGPU, BGP4GLHW, BGP
4GNPL, BGP4GNST, BGP4GNT9
    BGP4GNTL, BGP4GNTP, BGP4GNtS
    BGP4LHW, BGP4NPL
    $$V2^BGP4D1          BGP4D721, BGP4D729
    PROCY^BGP4D1         BGP4DPA, BGP4DPA9, BGP4DPAP
    ^BGP4D10             BGP4DGPU, BGP4DPP, BGP4GGPU, BGP4GPP
    $$BPS^BGP4D2         BGP4D9
    $$GDEV^BGP4D2        BGP4D22, BGP4D23, BGP4D41
    $$HGba1C^BGP4D2     BGP4D22, BGP4D23, BGP4DPA1
    $$LDL^BGP4D2         BGP4D22, BGP4D23, BGP4D41, BGP4D72, BGP4D73, BGP4DPA1
    $$LOINC^BGP4D2      BGP4ALG2, BGP4D722, BGP4D723, BGP4D84
    $$MEANBP^BGP4D2     BGP4D22, BGP4DPA1
    DMBP^BGP4D2         BGP4EL2
    DMGC^BGP4D2         BGP4EL2
    DMLDL^BGP4D2        BGP4EL2
    $$DENTSrv^BGP4D21   BGP4DPA1, BGP4EL2
    $$DNKA^BGP4D21     BGP4D22, BGP4DPA4
**** Cross Reference of all Routines ****
Oct 10, 2013@13:29:03 page 116

Routine is Invoked by:
    $$EYE^BGP4D21      BGP4D22
    $$LOINC^BGP4D21
BGP4CU, BGP4D8, BGP4D811, BGP4D812, BGP4D82, BGP4D83, BGP4D84, BGP4D861, BGP4D862, BGP4D864, B
GP4D88
    DMEYE^BGP4D21      BGP4EL2
    DMNA^BGP4D21       BGP4EL2
    I61^BGP4D21        BGP4DPA1
    $$ESRD^BGP4D211    BGP4D21, BGP4D22, BGP4D9
    $$GFR^BGP4D211     BGP4D21, BGP4D22
    $$QUANTUP^BGP4D211 BGP4D21, BGP4D22
    $$BLINDPL^BGP4D21A BGP4D21, BGP4D22, BGP4EL2
    $$ASSEV^BGP4D22    BGP4D28, BGP4D81
    $$BPCPT^BGP4D22    BGP4D2, BGP4D23, BGP4D26, BGP4D41, BGP4D9, BGP4DPA1
    $$COPD^BGP4D22     BGP4D28, BGP4D81
    $$CREAT^BGP4D22    BGP4D82, BGP4D86
    $$EMP^BGP4D22      BGP4D28, BGP4D81
    $$PERASTH^BGP4D22  BGP4D28, BGP4D81
    $$TRIG^BGP4D231    BGP4D23
    $$WC^BGP4D231     BGP4D23

```

\$\$PCV^BGP4D24	BGP4EL4
\$\$DEP^BGP4D25	BGP4D23 , BGP4D26 , BGP4D41 , BGP4DPA2
\$\$DEPEDU^BGP4D25	BGP4DPA2
\$\$DEPREF^BGP4D25	BGP4D23
\$\$DEPSCR^BGP4D25	BGP4D23 , BGP4D26 , BGP4D41 , BGP4DPA2
\$\$DEPSUIC^BGP4D25	BGP4D41
DEPEP^BGP4D25	BGP4EL3
\$\$AMP^BGP4D27	BGP4D22
\$\$DEN7^BGP4D3	BGP4DPA1
\$\$FLU^BGP4D3	BGP4DPA1 , BGP4EL3
\$\$HPV^BGP4D3	BGP4D64
\$\$HYSTER^BGP4D3	BGP4D64
\$\$PAP^BGP4D3	BGP4D64 , BGP4DPA1
PN^BGP4D3	BGP4EL3
\$\$ANCONT^BGP4D31	
BGP4D33 , BGP4D34 , BGP4D35 , BGP4D36 , BGP4D37 , BGP4D38 , BGP4D3A , BGP4D86	
\$\$ANEGCONT^BGP4D31	BGP4D38
\$\$ANIMCONT^BGP4D31	BGP4D37
\$\$ANNECONT^BGP4D31	BGP4D33
\$\$HOSP^BGP4D31	BGP4EL31
\$\$MMRCONT^BGP4D31	BGP4D33 , BGP4D35 , BGP4D811
\$\$PNEU^BGP4D31	BGP4D3 , BGP4DPA1
\$\$SEV^BGP4D31	BGP4D28
\$\$V2ASTH^BGP4D31	BGP4EL31
\$\$IMMREF^BGP4D32	BGP4D35
GETIMMS^BGP4D32	
BGP4D33 , BGP4D34 , BGP4D35 , BGP4D36 , BGP4D37 , BGP4D38 , BGP4D3A , BGP4D811 , BGP4D86	
I14^BGP4D32	BGP4DPA1
\$\$MMR^BGP4D33	BGP4D32
\$\$OPV^BGP4D33	BGP4D32
\$\$DTAP^BGP4D34	BGP4D32
RESET^BGP4D34	BGP4D341
TEST^BGP4D341	BGP4D34
\$\$HEP^BGP4D35	BGP4D32 , BGP4D85
\$\$PNEUMO^BGP4D35	BGP4D32
\$\$VAR^BGP4D35	BGP4D32 , BGP4D85
\$\$HPV^BGP4D36	BGP4D85
\$\$MEN^BGP4D36	BGP4D85
\$\$HEPA^BGP4D37	BGP4D32
\$\$ROTA2^BGP4D37	BGP4D32
\$\$ROTA3^BGP4D37	BGP4D32
FLU^BGP4D37	BGP4D3
**** Cross Reference of all Routines ****	
Oct 10, 2013@13:29:03 page 117	
Routine	is Invoked by:
\$\$HIB3^BGP4D38	BGP4D32
\$\$HIB4^BGP4D38	BGP4D32
\$\$INFLU^BGP4D38	BGP4D32
\$\$DTAP^BGP4D3A	BGP4D3
\$\$DTAPTD^BGP4D3A	BGP4D3
\$\$GA^BGP4D3A	BGP4D21
\$\$HIGHR^BGP4D3A	BGP4D3
\$\$HIGHRP^BGP4D3A	BGP4D3
\$\$SEALDEV^BGP4D3A	BGP4D3
\$\$TF^BGP4D3A	BGP4D3
SEAL^BGP4D3A	BGP4D3
\$\$DEN8^BGP4D4	BGP4D64 , BGP4DPA1
\$\$MAM^BGP4D4	BGP4D64 , BGP4DPA1 , BGP4EL3
\$\$MAS^BGP4D4	BGP4EL3
\$\$LIFED^BGP4D41	BGP4D23

\$\$MEANBP^BGP4D41	BGP4D26 , BGP4D9
BPCV^BGP4D41	BGP4EL3
I0302ASC^BGP4D41	BGP4DPA2
\$\$OSTEOSCR^BGP4D42	BGP4EL3
\$\$ALHF^BGP4D5	BGP4DPA2
\$\$ALPED^BGP4D5	BGP4D55 , BGP4DPA2
\$\$ALPRC^BGP4D5	BGP4D26
\$\$DV61^BGP4D5	BGP4D26
\$\$DVDX^BGP4D5	BGP4D26 , BGP4DPA2
\$\$DVEX^BGP4D5	BGP4D26 , BGP4DPA2
\$\$DVPED^BGP4D5	BGP4D26 , BGP4DPA2
DV^BGP4D5	BGP4EL3
\$\$EAPT^BGP4D52	BGP4D51
DVDX^BGP4D54	BGP4D5
\$\$ALDX^BGP4D55	BGP4D26
\$\$ALDX^BGP4D5A	BGP4D5 , BGP4DPA2
\$\$BMI^BGP4D6	BGP4D23 , BGP4D26 , BGP4D41 , BGP4D52 , BGP4D71 , BGP4EL3
\$\$BMIOR^BGP4D6	BGP4DPA2
\$\$OB^BGP4D6	BGP4D71 , BGP4DPA2 , BGP4EL3
\$\$OW^BGP4D6	BGP4D71 , BGP4DPA2 , BGP4EL3
\$\$REF^BGP4D6	BGP4EL3
\$\$REF^BGP4D61	BGP4D62
\$\$COLO^BGP4D62	BGP4D64 , BGP4DPA2
\$\$CRC^BGP4D62	BGP4D64 , BGP4DPA2 , BGP4EL3
\$\$FOB^BGP4D62	BGP4D64 , BGP4DPA2
\$\$SIG^BGP4D62	BGP4D64 , BGP4DPA2
CRCP^BGP4D62	BGP4EL3
\$\$CPTSM^BGP4D7	BGP4D23 , BGP4D26 , BGP4D41 , BGP4D713 , BGP4D89
\$\$DENT^BGP4D7	BGP4D23 , BGP4D26 , BGP4D41 , BGP4D713
\$\$DX^BGP4D7	BGP4D23 , BGP4D26 , BGP4D713
\$\$DXS^BGP4D7	BGP4D713
\$\$DXSL^BGP4D7	BGP4D713
\$\$DXU^BGP4D7	BGP4D713 , BGP4D89
\$\$LASTHF^BGP4D7	BGP4D71 , BGP4D712 , BGP4D9
\$\$PED^BGP4D7	BGP4D23 , BGP4D26 , BGP4D41 , BGP4D713
\$\$PREG^BGP4D7	
BGP4CON1 , BGP4D21 , BGP4D722 , BGP4D723 , BGP4D732 , BGP4D75 , BGP4D8 , BGP4D88 , BGP4D9	
\$\$TOBACCO^BGP4D7	BGP4D23 , BGP4D26 , BGP4D41
TA^BGP4D7	BGP4EL3
I91^BGP4D71	BGP4DPA2
\$\$MEDNUTR^BGP4D711	BGP4D41
\$\$MEDNUTRD^BGP4D711	BGP4D41 , BGP4D71
\$\$OTHREL^BGP4D711	BGP4D41 , BGP4D71
***** Cross Reference of all Routines *****	
Oct 10, 2013@13:29:03 page 118	
Routine	is Invoked by:
\$\$PED^BGP4D711	BGP4D71 , BGP4DPA2
\$\$SPEC EX^BGP4D711	BGP4D41 , BGP4D71
\$\$SPECNUTR^BGP4D711	BGP4D41 , BGP4D71
\$\$TOBHF^BGP4D712	BGP4D7 , BGP4D713 , BGP4D89
PREGSCRN^BGP4D713	BGP4D7
\$\$AMA^BGP4D72	BGP4D731 , BGP4D87
\$\$BETAALG1^BGP4D72	BGP4D721 , BGP4D731 , BGP4D75
\$\$EXPIRED^BGP4D72	BGP4D731 , BGP4D87
\$\$TRANS^BGP4D72	BGP4D731 , BGP4D87
\$\$ASA^BGP4D721	BGP4D731
\$\$ASAALLEG^BGP4D721	BGP4D731 , BGP4D75
\$\$BETA^BGP4D721	BGP4D731
\$\$BETACONT^BGP4D721	BGP4D731 , BGP4D75
\$\$ACEALG^BGP4D722	BGP4D721 , BGP4D731 , BGP4D75

\$\$ACECONT^BGP4D722	BGP4D721 , BGP4D731
\$\$ACERX^BGP4D722	BGP4D721 , BGP4D731
\$\$STATALG^BGP4D722	BGP4D721 , BGP4D731 , BGP4D75
\$\$STATCON^BGP4D722	BGP4D721 , BGP4D731 , BGP4D75
\$\$STATRX^BGP4D722	BGP4D721 , BGP4D731
\$\$ACEALG^BGP4D723	BGP4D21
\$\$ACECONT^BGP4D723	BGP4D21
BETACONT^BGP4D724	BGP4D721
\$\$CHD^BGP4D729	BGP4D25 , BGP4D41 , BGP4D721 , BGP4D73 , BGP4DPA2
CHEL^BGP4D73	BGP4EL4
\$\$FIRSTHF^BGP4D8	BGP4D26
\$\$HIVDX^BGP4D8	BGP4D88
\$\$HIVDX1^BGP4D8	BGP4D812
IE2^BGP4D8	BGP4DPA2
\$\$VAPI^BGP4D81	BGP4D711 , BGP4D721 , BGP4D731 , BGP4D75 , BGP4D82 , BGP4D863 , BGP4D91
\$\$ART^BGP4D811	BGP4D8
\$\$MMR^BGP4D811	BGP4D85
\$\$PCR^BGP4D811	BGP4D8
\$\$CD4^BGP4D812	BGP4D8
\$\$HIVTEST1^BGP4D812	BGP4D8
\$\$CLASS^BGP4D82	BGP4D863
\$\$DAYS^BGP4D82	BGP4D21 , BGP4D52 , BGP4D721 , BGP4D722 , BGP4D723 , BGP4D732 , BGP4D863
IRAA^BGP4D82	BGP4EL3
\$\$CD4RES^BGP4D84	BGP4D8
\$\$TDAP^BGP4D86	BGP4D85
\$\$CBC^BGP4D861	BGP4D86
\$\$CBC4^BGP4D861	BGP4D86
\$\$CBC6^BGP4D861	BGP4D86
\$\$GLUCOSE^BGP4D861	BGP4D86
\$\$LFT^BGP4D861	BGP4D86
\$\$LFT6^BGP4D861	BGP4D86
\$\$POT^BGP4D861	BGP4D86
\$\$SERUM12^BGP4D861	BGP4D86
\$\$SERUM6^BGP4D861	BGP4D86
\$\$UP4^BGP4D861	BGP4D86
\$\$RHEUAR^BGP4D862	BGP4D86
\$\$MEDSPRE^BGP4D863	BGP4D86
\$\$GOLDLAB^BGP4D864	BGP4D86
\$\$FIRSTHTN^BGP4D9	BGP4D21
\$\$V1HTN^BGP4D9	BGP4D21
^BGP4DADB	opt
^BGP4DAP	opt
^BGP4DAR	opt
***** Cross Reference of all Routines *****	
Oct 10, 2013@13:29:03 page 119	
Routine	is Invoked by:
SUMONLY^BGP4DAR	opt
^BGP4DAR9	opt
^BGP4DARO	opt
^BGP4DBPR	BGP4DP
AREA^BGP4DBPR	BGP4PARP
CALCIND^BGP4DCEI	BGP4D1
CALCIND^BGP4DCI	BGP4D1 , BGP4D10
^BGP4DCL	opt
CPPL1^BGP4DCLD	BGP4PDL
\$\$LAST^BGP4DCLP	BGP4DCLD
CPPL1^BGP4DCLP	BGP4DP
^BGP4DEL	opt
^BGP4DELA	opt
^BGP4DELP	BGP4DEL

PRINT1^BGP4DELP	BGP4PHEL
^BGP4DEMO	opt
EN^BGP4DESI	BGP4DEL
EN^BGP4DESL	BGP4DEL
PT^BGP4DESL	BGP4DEL , BGP4DELA
RT^BGP4DESL	BGP4DEL
^BGP4DGPA	opt
^BGP4DGPU	opt
ENDDATE^BGP4DGPU	BGP4DAP , BGP4DL , BGP4DPP
^BGP4DH	BGP4DBPR , BGP4DP , BGP4DPEP
\$\$USR^BGP4DH	BGP4DH1
AREACP^BGP4DH	BGP4DBPR , BGP4PARP , BGP4PARQ , BGP4PPEL
ENDTIME^BGP4DH	BGP4DH1
EOP^BGP4DH	BGP4LSTF , BGP4ULF
HDR^BGP4DH	BGP4DH1 , BGP4DH2
MD^BGP4DH	BGP4DH1
PD^BGP4DH	BGP4DH1
PEDCP^BGP4DH	BGP4DH1
AHDR^BGP4DH1	BGP4DH , BGP4DH2
ALLHDR^BGP4DH1	BGP4DH
AREACP^BGP4DH1	BGP4DBPR , BGP4DH
COMHDR^BGP4DH1	BGP4DH
GPRAHDRS^BGP4DH1	BGP4DH
GPUPPHDR^BGP4DH1	BGP4DH
ONMHDR^BGP4DH1	BGP4DH
PEHDR^BGP4DH1	BGP4DH
PPHDR^BGP4DH1	BGP4DH
DASH^BGP4DH2	BGP4DH
DASHHDRA^BGP4DH2	BGP4DH1
GPRAHDRA^BGP4DH2	BGP4DH1
ONMHDR^BGP4DH2	BGP4DH1
^BGP4DICR	opt
^BGP4DL	opt
AI^BGP4DL	BGP4GALL , BGP4GCOM , BGP4GPP
II^BGP4DL	BGP4GALL , BGP4GCOM , BGP4GPP
PI^BGP4DL	BGP4GALL , BGP4GCOM , BGP4GPP
CMS^BGP4DLT	opt
CRS^BGP4DLT	opt
ELDER^BGP4DLT	opt
GPRA^BGP4DLT	opt
ONM^BGP4DLT	opt
CMS^BGP4DMT	opt
CRS^BGP4DMT	opt
***** Cross Reference of all Routines *****	
Oct 10, 2013@13:29:03 page 120	
Routine	is Invoked by:
ELDER^BGP4DMT	opt
GPRA^BGP4DMT	opt
ONM^BGP4DMT	opt
^BGP4DNDB	opt
^BGP4DNG	opt
\$\$CTR^BGP4DNG	BGP4AUEX
^BGP4DNG9	opt
^BGP4DNGP	opt
^BGP4DNGS	opt
^BGP4DON	opt
^BGP4DP	
BGP4DAP , BGP4DCL , BGP4DGPU , BGP4DL , BGP4DNDB , BGP4DNG , BGP4DNG9 , BGP4DNGP , BGP4DNGS , BGP4DON , BGP4DPP , BGP4DSTM , BGP4NPL	
PRINT1^BGP4DP	BGP4PARP , BGP4PARQ



SETEXCEL^BGP4DP	BGP4AU1A, BGP4PARP, BGP4PARQ
W^BGP4DP	
BGP4DBPR, BGP4DCLP, BGP4DH, BGP4DH1, BGP4DH2, BGP4DP, BGP4DP1C, BGP4DP1H, BGP4DP1I, BGP4DP1J, BGP4DP1K, BGP4DP1L	
BGP4DP1M, BGP4DP1N, BGP4DP1S, BGP4DP1T, BGP4DPH, BGP4DS, BGP4DSP, BGP4DSPD, BGP4DSPN, BGP4DSPO, BGP4DSTM, BGP4NPLP	
	BGP4SDP, BGP4SDPD, BGP4SDPN
	BGP4SDPO
WTITLE^BGP4DP	BGP4DS, BGP4NPLP
PI^BGP4DP1	BGP4DP2
I1AGE^BGP4DP11	BGP4DP1C
I1AGE^BGP4DP12	BGP4DP1
I1AGE^BGP4DP13	BGP4DP1
I1AGE^BGP4DP14	BGP4DP1
I1AGE^BGP4DP19	BGP4DP1
\$\$SB^BGP4DP1C	BGP4DP1E
\$\$V^BGP4DP1C	
BGP4DBPR, BGP4DP11, BGP4DP12, BGP4DP13, BGP4DP14, BGP4DP19, BGP4DP1C, BGP4DP1H, BGP4DP1L, BGP4DP1M, BGP4DP1N, BGP4DP1S	
BGP4DP1T, BGP4DP2, BGP4DP3, BGP4DP4, BGP4DP5, BGP4DP50, BGP4DP51, BGP4DP6, BGP4DP60, BGP4DP7, BGP4DP8, BGP4PD19	
	BGP4PDL0, BGP4PDL1, BGP4PDL2
BGP4PDL3, BGP4PDL4, BGP4PDL5, BGP4PDL7, BGP4PDL8, BGP4PDL9, BGP4PDLA, BGP4PDLB, BGP4PDLI, BGP4PDLJ, BGP4PDLK, BGP4PDLN, BGP4PDL11, BGP4PDL12, BGP4PDL13, BGP4PDL14, BGP4PDL19, BGP4PDL1C, BGP4PDL1H, BGP4PDL1I, BGP4PDL1J, BGP4PDL1K, BGP4PDL1L, BGP4PDL1M, BGP4PDL1N, BGP4PDL1S	
GPRANT1^BGP4DP1C	BGP4DP19, BGP4PD19
I1AGE^BGP4DP1C	BGP4DP1
PI^BGP4DP1C	BGP4DP1, BGP4DP2, BGP4DP3, BGP4DP4, BGP4DP5, BGP4DP6
PI1^BGP4DP1C	BGP4DP4, BGP4DP5
SETEXA^BGP4DP1C	
BGP4DP1H, BGP4DP1T, BGP4DP2, BGP4DP3, BGP4DP7, BGP4PDL1, BGP4PDL2, BGP4PDL3	
SETN^BGP4DP1C	BGP4DP2, BGP4DP3, BGP4DP7, BGP4PDL1, BGP4PDL2, BGP4PDL3
SETN1^BGP4DP1C	BGP4DP1H, BGP4DP1T
GPRANT3^BGP4DP1D	BGP4DP1C
ONM1^BGP4DP1D	BGP4DP1C
\$\$CHECK^BGP4DP1E	BGP4DP1C, BGP4DP2, BGP4DP3, BGP4PDL1, BGP4PDL2, BGP4PDL3
SETDEV^BGP4DP1E	BGP4DP1C
ONN4^BGP4DP1F	BGP4DP1D
^BGP4DP1H	BGP4PDL1
AH^BGP4DP1H	BGP4DP1I, BGP4DP1K
I1AGE^BGP4DP1H	BGP4DP1
BL^BGP4DP1I	BGP4DP1J
PR^BGP4DP1I	BGP4DP1J
SNDPG^BGP4DP1I	BGP4DP1H
I1AGEP^BGP4DP1J	BGP4DP1H
BL^BGP4DP1K	BGP4DP1I
^BGP4DP1L	BGP4DP1, BGP4PDL1
^BGP4DP1M	BGP4DP1, BGP4PDL1
^BGP4DP1N	BGP4DP1, BGP4PDL1
^BGP4DP1S	BGP4DP1, BGP4PDL1
^BGP4DP1T	BGP4DP1S
PI^BGP4DP2	BGP4DP1
PI1^BGP4DP2	BGP4DP1C
SETSUM^BGP4DP2	BGP4PDL2
*****	Cross Reference of all Routines *****
Oct 10, 2013@13:29:03 page 121	
Routine	is Invoked by:
I1AGEP^BGP4DP50	BGP4DP5, BGP4DP51

I1AGEP^BGP4DP60	BGP4DP6
I1AGE^BGP4DP8	BGP4DP1
^BGP4DPA	opt
COVPAGE^BGP4DPA	opt
PROC^BGP4DPA	BGP4DPA , BGP4GFOR
\$\$TITLE2^BGP4DPA1	BGP4DPA1
ISS^BGP4DPA1	BGP4D1
\$\$EYE^BGP4DPA4	BGP4DPA1
^BGP4DPA9	opt
PROC^BGP4DPA9	BGP4DPA9 , BGP4GFO9
^BGP4DPAP	opt
PRINT^BGP4DPAW	BGP4DPA , BGP4DPA9
^BGP4DPE	opt
GETDATES^BGP4DPE	BGP4DPEA
PP^BGP4DPE	opt
^BGP4DPE1	BGP4DPE , BGP4GPED
\$\$EDUALLOW^BGP4DPE1	BGP4DPE2
5^BGP4DPE2	BGP4DPE1
6^BGP4DPE2	BGP4DPE1
7^BGP4DPE2	BGP4DPE1
SET73^BGP4DPE3	BGP4DPE2
SET74^BGP4DPE3	BGP4DPE2
SET75^BGP4DPE3	BGP4DPE2
^BGP4DPEA	opt
^BGP4DPED	BGP4PPEL
\$\$V^BGP4DPED	BGP4DPEF
DEL^BGP4DPED	BGP4DPEP
S^BGP4DPED	BGP4DPEF
SETN^BGP4DPED	BGP4DPEF
^BGP4DPEE	BGP4DPED
7^BGP4DPEF	BGP4DPED
^BGP4DPEL	BGP4DPEP
^BGP4DPEP	BGP4DPE
\$\$C^BGP4DPEP	BGP4DPEQ
\$\$V^BGP4DPEP	BGP4DPEQ
HEADER^BGP4DPEP	BGP4DPEQ
PRINT1^BGP4DPEP	BGP4PPEL
SETN^BGP4DPEP	BGP4DPEQ
7^BGP4DPEQ	BGP4DPEP
SETNM^BGP4DPEQ	BGP4DPEF , BGP4DPEQ
H1^BGP4DPH	
BGP4DP1 , BGP4DP1C , BGP4DP2 , BGP4DP4 , BGP4DP5 , BGP4DP6 , BGP4DPEP , BGP4DPEQ , BGP4ELP1	
H10^BGP4DPH	BGP4DP14
H2^BGP4DPH	BGP4DP1C , BGP4DPEP , BGP4DPEQ , BGP4ELP1
H3^BGP4DPH	BGP4DP11
H4^BGP4DPH	BGP4DP12 , BGP4DP13
H9^BGP4DPH	BGP4DP19
HEADER^BGP4DPH	
BGP4DBPR , BGP4DEL1P , BGP4DP , BGP4DP1 , BGP4DP11 , BGP4DP12 , BGP4DP13 , BGP4DP14 , BGP4DP19 , BGP4DP1C , BGP4DP1H , BGP4DP1I	
BGP4DP1J , BGP4DP1K , BGP4DP1L , BGP4DP1M , BGP4DP1N , BGP4DP1S , BGP4DP1T , BGP4DP2 , BGP4DP3 , BGP4DP4 , BGP4DP5 , BGP4DP50	
	BGP4DP51 , BGP4DP6 , BGP4DP60
BGP4DP8 , BGP4DPEL , BGP4DPEP , BGP4DS , BGP4DSP , BGP4DSPD , BGP4DSPN , BGP4DSPO , BGP4DSTM , BGP4EL10 , BGP4EL11 , BGP4EL12	
BGP4EL13 , BGP4EL14 , BGP4EL15 , BGP4EL16 , BGP4EL17 , BGP4EL18 , BGP4EL19 , BGP4EL1A , BGP4EL1B , BGP4EL1C , BGP4EL1D , BGP4EL1E	
	BGP4EL1F , BGP4EL1G , BGP4EL1H

BGP4EL1I, BGP4EL1J, BGP4EL1K, BGP4EL1L, BGP4EL1M, BGP4EL1N, BGP4EL1O, BGP4EL1P, BGP4EL1Q, BGP4EL1R, BGP4EL1S, BGP4EL1T

HPA^BGP4DPH                   BGP4ELP1, BGP4ELS, BGP4PDLT, BGP4SDP, BGP4SDPD, BGP4SDPN, BGP4SDPO  
                                   BGP4PDLT  
 ^BGP4DPP                    |opt

\*\*\*\*\* Cross Reference of all Routines       \*\*\*\*\*  
 Oct 10, 2013@13:29:03 page 122

Routine                    is Invoked by:

^BGP4DS                    BGP4DP  
 EN^BGP4DSI                BGP4DAP, BGP4DL, BGP4DPP, BGP4DSTM, BGP4NPL  
 EN^BGP4DSL                BGP4DAP, BGP4DL, BGP4DPP  
 PT^BGP4DSL  
 BGP4DADB, BGP4DAP, BGP4DAR, BGP4DAR9, BGP4DARO, BGP4DCL, BGP4DGPA, BGP4DGPU, BGP4DL, BGP4DNDB,  
 BGP4DNG, BGP4DNG9

RT^BGP4DSL                BGP4DNGP, BGP4DNGS, BGP4DON, BGP4DPP, BGP4DSTM, BGP4NPL  
 TEXT^BGP4DSL             BGP4DAP, BGP4DCL, BGP4DL, BGP4DPP, BGP4DSTM, BGP4NPL  
 BGP4DAP, BGP4DAR, BGP4DARO, BGP4DCL, BGP4DEL, BGP4DELA, BGP4DGPA, BGP4DGPU, BGP4DL, BGP4DNG, B  
 GP4DNGP, BGP4DON, BGP4DPE

                                  BGP4DPEA, BGP4DPP, BGP4NPL  
 ^BGP4DSP                 BGP4DP  
 ^BGP4DSPD                BGP4DP  
 ^BGP4DSPN                BGP4DP  
 ^BGP4DSPO                BGP4DP  
 ^BGP4DSTM                |opt  
 CT^BGP4DSTM             BGP4DP, BGP4PDL  
 \$\$CPT^BGP4DU

BGP4D2, BGP4D21, BGP4D211, BGP4D22, BGP4D24, BGP4D3, BGP4D31, BGP4D37, BGP4D4, BGP4D42, BGP4D5,  
 BGP4D52, BGP4D53, BGP4D61

BGP4D62, BGP4D63, BGP4D64, BGP4D7, BGP4D71, BGP4D711, BGP4D72, BGP4D74, BGP4D83, BGP4D84, BGP4  
 D861, BGP4D87, BGP4D88

                                  BGP4D9, BGP4DPA4, BGP4EL4  
 \$\$CPTI^BGP4DU  
 BGP4C11, BGP4C13, BGP4CON1, BGP4CU1, BGP4D2, BGP4D211, BGP4D22, BGP4D25, BGP4D71, BGP4D711, B  
 GP4D72, BGP4D721, BGP4D724

BGP4D73, BGP4D731, BGP4D732, BGP4D75, BGP4D811, BGP4D812, BGP4D82, BGP4D84, BGP4D861, BGP4D86  
 4, BGP4D9, BGP4EL2

\$\$LASTITEM^BGP4DU        BGP4D25, BGP4D5  
 \$\$PLTAX^BGP4DU          BGP4D3, BGP4D33, BGP4D35, BGP4D37, BGP4D811  
 \$\$RAD^BGP4DU            BGP4D42, BGP4D61, BGP4EL4  
 \$\$TRAN^BGP4DU

BGP4D2, BGP4D21, BGP4D211, BGP4D22, BGP4D3, BGP4D31, BGP4D37, BGP4D4, BGP4D42, BGP4D53, BGP4D6  
 1, BGP4D62, BGP4D63

BGP4D64, BGP4D7, BGP4D72, BGP4D83, BGP4D84, BGP4D861, BGP4D88, BGP4DPA4, BGP4EL4  
 \$\$TRANI^BGP4DU  
 BGP4C11, BGP4C13, BGP4CON1, BGP4CU1, BGP4D2, BGP4D211, BGP4D711, BGP4D72, BGP4D721, BGP4D724,  
 BGP4D73, BGP4D731

BGP4D732, BGP4D75, BGP4D811, BGP4D812, BGP4D82, BGP4D861, BGP4D864, BGP4D9, BGP4EL2  
 \$\$WH^BGP4DU             BGP4D3, BGP4D4

PAUSE^BGP4DU  
 BGP4AUEx, BGP4AUUL, BGP4DAP, BGP4DCL, BGP4DEL, BGP4DGPU, BGP4DL, BGP4DNDB, BGP4DNG, BGP4DNGP,  
 BGP4DNGS, BGP4DON, BGP4DPA

                                  BGP4DPA9, BGP4DPE, BGP4DPP, BGP4DSI, BGP4DSTM, BGP4NPL  
 I1AGE^BGP4EL10          BGP4ELP1  
 I1AGE^BGP4EL11          BGP4ELP1

```

H3^BGP4EL12      BGP4EL13
I1AGE^BGP4EL12   BGP4ELP1
I1AGE^BGP4EL13   BGP4ELP1
I1AGE^BGP4EL14   BGP4ELP1
I1AGE^BGP4EL15   BGP4ELP1
I1AGE^BGP4EL16   BGP4ELP1
I1AGE^BGP4EL17   BGP4ELP1
I1AGE^BGP4EL18   BGP4ELP1
I1AGE^BGP4EL19   BGP4ELP1
I1AGE^BGP4EL1A   BGP4ELP1
I1AGE^BGP4EL1B   BGP4ELP1
I1AGE^BGP4EL1C   BGP4ELP1
I1AGE^BGP4EL1D   BGP4ELP1
I1AGE^BGP4EL1E   BGP4ELP1
I1AGE^BGP4EL1F   BGP4ELP1
I1AGE^BGP4EL1G   BGP4ELP1
I1AGE^BGP4EL1H   BGP4ELP1
I1AGE^BGP4EL1I   BGP4ELP1
I1AGE^BGP4EL1J   BGP4ELP1
I1AGE^BGP4EL1K   BGP4ELP1
IELDPHA^BGP4EL1L BGP4ELP1
I1AGE^BGP4EL1M   BGP4ELP1
I1AGE^BGP4EL1N   BGP4ELP1
I1AGE^BGP4EL1O   BGP4ELP1
H3^BGP4EL1P      BGP4EL1Q, BGP4EL1R
I1AGE^BGP4EL1P   BGP4ELP1

```

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\*  
 Oct 10, 2013@13:29:03 page 123

Routine is Invoked by:

```

^BGP4EL1Q      BGP4EL1P
^BGP4EL1R      BGP4EL1Q
^BGP4EL1T      BGP4ELP1
$$FRACTURE^BGP4EL3 BGP4D22
IELDASA^BGP4EL31 BGP4EL3
IELDFSA^BGP4EL31 BGP4EL3
IELDPHA^BGP4EL31 BGP4EL3
$$FUNCTION^BGP4EL4 BGP4EL31
$$PHNV^BGP4EL4    BGP4EL31
$$TXBMD^BGP4EL4   BGP4D22, BGP4EL3
^BGP4ELH         BGP4DELP
AREACP^BGP4ELH   BGP4PHEL
^BGP4ELHH        BGP4ELL
^BGP4ELL         BGP4DELP, BGP4PHEL
SETN^BGP4ELL1    BGP4ELLN
$$SB^BGP4ELL2
BGP4ELL1, BGP4ELL4, BGP4ELL5, BGP4ELL6, BGP4ELL7, BGP4ELL8, BGP4ELL9, BGP4ELLA, BGP4ELLB, BGP4ELLC, BGP4ELLD, BGP4ELLE
BGP4ELLF, BGP4ELLG, BGP4ELLH, BGP4ELLI, BGP4ELLJ, BGP4ELLK, BGP4ELLL, BGP4ELLM, BGP4ELLN, BGP4ELLO, BGP4ELLP, BGP4ELLQ
      BGP4ELLR, BGP4ELLS
      BGP4ELLT, BGP4ELLU, BGP4ELLV, BGP4ELLW, BGP4ELLX
H2^BGP4ELL2     BGP4ELL1
H3^BGP4ELL2
BGP4ELL3, BGP4ELL4, BGP4ELL5, BGP4ELL6, BGP4ELL7, BGP4ELL8, BGP4ELL9, BGP4ELLA, BGP4ELLB, BGP4ELLC, BGP4ELLD, BGP4ELLE
BGP4ELLF, BGP4ELLG, BGP4ELLI, BGP4ELLJ, BGP4ELLK, BGP4ELLL, BGP4ELLM, BGP4ELLP, BGP4ELLW
I1AGE^BGP4ELL2   BGP4ELL1
I1AGE^BGP4ELL3   BGP4ELL1

```

I1AGE^BGP4ELL4	BGP4ELL1
I1AGE^BGP4ELL5	BGP4ELL1
I1AGE^BGP4ELL6	BGP4ELL1
I1AGE^BGP4ELL7	BGP4ELL1
I1AGE^BGP4ELL8	BGP4ELL1
I1AGE^BGP4ELL9	BGP4ELL1
I1AGE^BGP4ELLA	BGP4ELL1
I1AGE^BGP4ELLB	BGP4ELL1
I1AGE^BGP4ELLC	BGP4ELL1
I1AGE^BGP4ELLD	BGP4ELL1
I1AGE^BGP4ELLE	BGP4ELL1
I1AGE^BGP4ELLF	BGP4ELL1
I1AGE^BGP4ELLG	BGP4ELL1
I1AGE^BGP4EL LH	BGP4ELL1
I1AGE^BGP4ELLI	BGP4ELL1
I1AGE^BGP4ELLJ	BGP4ELL1
I1AGE^BGP4ELLK	BGP4ELL1
I1AGE^BGP4ELLL	BGP4ELL1
I1AGE^BGP4ELLM	BGP4ELL1
IELDPHA^BGP4ELLN	BGP4ELL1
I1AGE^BGP4ELLO	BGP4ELL1
I1AGE^BGP4ELLP	BGP4ELL1
I1AGEP^BGP4ELLQ	BGP4ELL3
I1AGE^BGP4ELLR	BGP4ELL1
I1AGE^BGP4ELLS	BGP4ELL1
I1AGEP^BGP4ELLT	BGP4ELLS
^BGP4ELLU	BGP4ELLT
BL^BGP4ELLV	BGP4ELLJ
I1AGE^BGP4ELLX	BGP4ELL1
SETN^BGP4ELP1	BGP4EL1L
^BGP4ELS	BGP4DELP
^BGP4ELSL	BGP4ELL
GETIEN^BGP4EUTL	BGP4GUPL,BGP4ULF
*****	Cross Reference of all Routines *****
Oct 10, 2013@13:29:03 page 124	
Routine	is Invoked by:
GS^BGP4EUTL	BGP4DEL,BGP4GELD
REPORT^BGP4EUTL	BGP4DEL,BGP4GELD
STMP^BGP4EUTL	BGP4DCEI
EP^BGP4GACW	BGP4GRA
EP^BGP4GADB	BGP4GRB
EP^BGP4GAEL	BGP4GRA
EP^BGP4GAG9	BGP4GRA
EP^BGP4GAGP	BGP4GRA
EP^BGP4GAGS	BGP4GRA
EP^BGP4GAHE	BGP4GRA
EP^BGP4GALL	BGP4GR
EP^BGP4GAON	BGP4GRA
EP^BGP4GAPE	BGP4GRA
EP^BGP4GAPU	BGP4GRA
EP^BGP4GCMP	BGP4GR2
EP^BGP4GCMS	BGP4GR
EP^BGP4GCOM	BGP4GR
EP^BGP4GDON	BGP4GRA
EP^BGP4GDSH	BGP4GR2
EP^BGP4GELD	BGP4GR1
EP^BGP4GFO9	BGP4GRB
EP^BGP4GFOR	BGP4GRB
EP^BGP4GGPU	BGP4GR
EP^BGP4GLHW	BGP4GR2

EP^BGP4GLST	BGP4GU
EP^BGP4GLTX	BGP4GU
EP^BGP4GMTX	BGP4GU
EP^BGP4GMUE	BGP4GM
EP^BGP4GMUH	BGP4GM
EP^BGP4GNPL	BGP4GR , BGP4GRA
EP^BGP4GNST	BGP4GR
EP^BGP4GNT9	BGP4GR1
EP^BGP4GNTL	BGP4GR
EP^BGP4GNTP	BGP4GR1
EPSUM^BGP4GNTS	BGP4GR1
EP^BGP4GNXP	BGP4GR2
EP^BGP4GPED	BGP4GR2
EP^BGP4GPP	BGP4GR
CATSTR^BGP4GR	BGP4GR1 , BGP4GRA
ELD^BGP4GR1	BGP4GR
CATSTR^BGP4GU	BGP4GRB
EP^BGP4GUPL	BGP4GU
^BGP4LSTF	opt
^BGP4NPL	opt
NONNPL^BGP4NPL	opt
NPL1^BGP4NPLP	BGP4DP , BGP4PDL
PRINT^BGP4PARP	BGP4AU1A , BGP4DADB , BGP4DAR , BGP4DAR9 , BGP4DGPA
PRINT^BGP4PARQ	BGP4DARO
^BGP4PD19	BGP4PDL1
I1AGE^BGP4PD19	BGP4PDL1
ALLHDR^BGP4PDH1	BGP4PDLH
COMHDR^BGP4PDH1	BGP4PDLH
DENOMHDR^BGP4PDH1	BGP4PDLH
GPRAHDRS^BGP4PDH1	BGP4PDLH
PEDCP^BGP4PDH1	BGP4PDLH
PEHDR^BGP4PDH1	BGP4PDLH
PPHDR^BGP4PDH1	BGP4PDLH
***** Cross Reference of all Routines *****	
Oct 10, 2013@13:29:03 page 125	
Routine is Invoked by:	
HEADER^BGP4PDL	BGP4PDL0 , BGP4PDLN , BGP4PDLO
SAVEDEL^BGP4PDL	BGP4DBPR , BGP4DP , BGP4PARP , BGP4PARQ
\$\$\$SB^BGP4PDL1	BGP4D23 , BGP4D26 , BGP4D6 , BGP4EL3
H1^BGP4PDL1	
BGP4DPED , BGP4DPEF , BGP4PDL0 , BGP4PDL2 , BGP4PDL3 , BGP4PDL4 , BGP4PDL7	
H2^BGP4PDL1	BGP4DPED , BGP4DPEF
PI^BGP4PDL1	BGP4PDL0 , BGP4PDL2 , BGP4PDL3 , BGP4PDL4 , BGP4PDL7
PI1^BGP4PDL1	BGP4PDL4 , BGP4PDL7
SETN^BGP4PDL1	BGP4PDL0
PI^BGP4PDL2	BGP4PDL1
PI1^BGP4PDL2	BGP4PDL1
I1AGEP^BGP4PDL5	BGP4PDL0
I1AGEP^BGP4PDL8	BGP4PDL7
I1AGE^BGP4PDL9	BGP4PDL1
I1AGE^BGP4PDLA	BGP4PDL1
I1AGE^BGP4PDLB	BGP4PDL1
DEVSUM^BGP4PDL0	BGP4PDL
SDP^BGP4PDL0	BGP4PDL
^BGP4PDLH	BGP4DPED , BGP4PDL
^BGP4PDL1	BGP4PDL1
NONSUM^BGP4PDLN	BGP4PDL
SDP^BGP4PDLN	BGP4PDL
OTHSUM^BGP4PDLO	BGP4PDL
^BGP4PDL5	BGP4PDL

I1AGE^BGP4PDLT	BGP4DP1
I1AGE^BGP4PDPA	BGP4PDL1
I1AGE^BGP4PDPB	BGP4PDL1
EN^BGP4PESI	BGP4DPE
EN^BGP4PESL	BGP4DPE
PT^BGP4PESL	BGP4DPE ,BGP4DPEA
RT^BGP4PESL	BGP4DPE
PRINT^BGP4PHEL	BGP4DELA
DRUGS^BGP4POS1	BGP4POS
LAB^BGP4POS1	BGP4POS
PRE^BGP4POS2	BGP4POS
^BGP4PPEL	BGP4DPEA
GETIEN^BGP4PUTL	BGP4GUPL ,BGP4ULF
GS^BGP4PUTL	BGP4DPE ,BGP4GPED
REPORT^BGP4PUTL	BGP4DPE ,BGP4GPED
ACEI^BGP4REF1	BGP4REF
ARB^BGP4REF1	BGP4REF
ASA^BGP4REF1	BGP4REF
BETA^BGP4REF1	BGP4REF
STATIN^BGP4REF1	BGP4REF
^BGP4SDP	BGP4DP
^BGP4SDPD	BGP4DP
^BGP4SDPN	BGP4DP
^BGP4SDPO	BGP4DP
^BGP4ULF	opt
\$\$D^BGP4UTL	
BGP4AU1A ,BGP4DAR ,BGP4DAR9 ,BGP4DARO ,BGP4GAG9 ,BGP4GAGP ,BGP4GAON ,BGP4GLHW ,BGP4GNXP	
\$\$DATE^BGP4UTL	
BGP4ALG1 ,BGP4ALG2 ,BGP4ASL ,BGP4ASL1 ,BGP4C11 ,BGP4C13 ,BGP4CON1 ,BGP4CU ,BGP4CU1 ,BGP4D2 ,BG P4D21 ,BGP4D211 ,BGP4D22	
BGP4D23 ,BGP4D24 ,BGP4D25 ,BGP4D26 ,BGP4D27 ,BGP4D28 ,BGP4D3 ,BGP4D31 ,BGP4D36 ,BGP4D39 ,BGP4D 3A ,BGP4D4 ,BGP4D41	
BGP4D42 ,BGP4D5 ,BGP4D51	
BGP4D52 ,BGP4D53 ,BGP4D54 ,BGP4D55 ,BGP4D5A ,BGP4D6 ,BGP4D61 ,BGP4D62 ,BGP4D63 ,BGP4D64 ,BGP4D 7 ,BGP4D71 ,BGP4D713	
BGP4D72 ,BGP4D721 ,BGP4D722 ,BGP4D723 ,BGP4D724 ,BGP4D73 ,BGP4D731 ,BGP4D732 ,BGP4D74 ,BGP4D7 5 ,BGP4D8 ,BGP4D81	
BGP4D811 ,BGP4D812 ,BGP4D82 ,BGP4D83	
BGP4D84 ,BGP4D86 ,BGP4D862 ,BGP4D87 ,BGP4D88 ,BGP4D89 ,BGP4D9 ,BGP4D91 ,BGP4DCLP ,BGP4DP ,BGP4 DPA1 ,BGP4DPA2 ,BGP4DPAP	
BGP4DPAW ,BGP4DPE2 ,BGP4EL2 ,BGP4EL3 ,BGP4EL31 ,BGP4EL4 ,BGP4NPLP ,BGP4REF1 ,BGP4UTL2	
**** Cross Reference of all Routines ****	
Oct 10, 2013@13:29:03 page 126	
Routine is Invoked by:	
\$\$LZERO^BGP4UTL	
BGP4AU1A ,BGP4AUEX ,BGP4DAR ,BGP4DAR9 ,BGP4DARO ,BGP4GAG9 ,BGP4GAGP ,BGP4GAON	
\$\$RZERO^BGP4UTL	
BGP4AU1A ,BGP4D2 ,BGP4DAR ,BGP4DAR9 ,BGP4DARO ,BGP4GACW ,BGP4GAG9 ,BGP4GAGP ,BGP4GAON ,BGP4GL HW	
GETIEN^BGP4UTL	BGP4AUUL ,BGP4GUPL ,BGP4ULF
GNT1^BGP4UTL	BGP4AU1A ,BGP4DAR ,BGP4DAR9 ,BGP4GAG9 ,BGP4GAGP ,BGP4GAGS
GS^BGP4UTL	
BGP4AUEX ,BGP4DGPU ,BGP4DNG ,BGP4DNG9 ,BGP4DON ,BGP4GDON ,BGP4GGPU ,BGP4GNT9 ,BGP4GNTL ,BGP4L HW	
JRNL^BGP4UTL	BGP4D1 ,BGP4D10 ,BGP4DPA ,BGP4DPA9 ,BGP4DPAP

ONN1^BGP4UTL	BGP4DARO, BGP4GAON
REPORT^BGP4UTL	
BGP4AUEx, BGP4DAP, BGP4DCL, BGP4DGPU, BGP4DL, BGP4DNDB, BGP4DNG, BGP4DNG9, BGP4DNGP, BGP4DNGS, BGP4DON, BGP4DPP	
BGP4DSTM, BGP4GALL, BGP4GCMP, BGP4GCOM, BGP4GDON, BGP4GDSh, BGP4GGPU, BGP4GLHW, BGP4GNPL, BGP4GNST, BGP4GNT9, BGP4GNTL	
	BGP4GNTP, BGP4GNTS, BGP4GPP
	BGP4LHW, BGP4NPL
SETHDR^BGP4UTL	BGP4UTL3
STMP^BGP4UTL	BGP4DCI
XTMP^BGP4UTL	BGP4D1, BGP4DPE1
\$\$CPTREFT^BGP4UTL1	BGP4D3, BGP4D34, BGP4D35, BGP4D37, BGP4D38, BGP4D4, BGP4D42, BGP4D61
\$\$FIRSTPRC^BGP4UTL1	BGP4EL3
\$\$LASTDX^BGP4UTL1	
BGP4ALG1, BGP4CON1, BGP4CU, BGP4CU1, BGP4D21, BGP4D211, BGP4D22, BGP4D23, BGP4D3, BGP4D42, BGP4D52, BGP4D7, BGP4D71	
BGP4D72, BGP4D721, BGP4D724, BGP4D731, BGP4D74, BGP4D75, BGP4D84, BGP4D9, BGP4DPA2, BGP4EL2, BGP4EL3, BGP4EL4	
\$\$LASTPRC^BGP4UTL1	
BGP4CU, BGP4D21, BGP4D211, BGP4D27, BGP4D3, BGP4D31, BGP4D33, BGP4D36, BGP4D37, BGP4D4, BGP4D42, BGP4D5, BGP4D55, BGP4D61	
BGP4D62, BGP4D63, BGP4D64, BGP4D7, BGP4D72, BGP4D83, BGP4D84, BGP4D87, BGP4D88, BGP4EL4	
\$\$NMIREF^BGP4UTL1	BGP4D31, BGP4D37
\$\$PRCREFT^BGP4UTL1	BGP4D42, BGP4D61
\$\$RADREF^BGP4UTL1	BGP4D4, BGP4D42, BGP4D61
\$\$REFUSAL^BGP4UTL1	
BGP4D22, BGP4D25, BGP4D3, BGP4D5, BGP4D6, BGP4D61, BGP4D74, BGP4D8, BGP4DPA4	
SETPRC^BGP4UTL1	BGP4D33, BGP4D34, BGP4D811
\$\$CHKDST^BGP4UTL2	BGP4GUA
\$\$CODEN^BGP4UTL2	BGP4D51, BGP4DU, BGP4UTL1
\$\$DEMOCHK^BGP4UTL2	
BGP4AUEx, BGP4DAP, BGP4DCL, BGP4DEL, BGP4DGPU, BGP4DL, BGP4DNDB, BGP4DNG, BGP4DNGP, BGP4DNGS, BGP4DON, BGP4DPA, BGP4DPA9	
	BGP4DPE, BGP4DPP, BGP4DSTM, BGP4NPL
\$\$GETDEDIR^BGP4UTL2	
BGP4DH, BGP4DH1, BGP4DSL, BGP4ELH, BGP4ELHH, BGP4PDH1, BGP4PDLH, BGP4PESL	
\$\$GETDIR^BGP4UTL2	
BGP4AUEx, BGP4DADB, BGP4DAR, BGP4DAR9, BGP4DARO, BGP4DEL, BGP4DGPU, BGP4DL, BGP4DNDB, BGP4DNG, BGP4DNG9, BGP4DON	
BGP4DPE, BGP4GACW, BGP4GAGP, BGP4GAGS, BGP4GDON, BGP4GELD, BGP4GFO9, BGP4GFOR, BGP4GLHW, BGP4GNT9, BGP4GNTL, BGP4GNTP	
	BGP4GNTS, BGP4GNXP, BGP4GPED
	BGP4LHW, BGP4NPL
\$\$ICD^BGP4UTL2	
BGP4ALG1, BGP4ALG2, BGP4C11, BGP4C13, BGP4CU, BGP4CU1, BGP4D1, BGP4D10, BGP4D21A, BGP4D22, BGP4D23, BGP4D24, BGP4D25	
BGP4D26, BGP4D27, BGP4D31, BGP4D35, BGP4D36, BGP4D37, BGP4D38, BGP4D3A, BGP4D4, BGP4D5, BGP4D51, BGP4D52, BGP4D54	
	BGP4D55, BGP4D5A, BGP4D6, BGP4D7
BGP4D71, BGP4D711, BGP4D713, BGP4D72, BGP4D721, BGP4D722, BGP4D723, BGP4D729, BGP4D731, BGP4D732, BGP4D74, BGP4D75	
BGP4D8, BGP4D81, BGP4D812, BGP4D82, BGP4D83, BGP4D84, BGP4D862, BGP4D87, BGP4D88, BGP4D89, BGP4D9, BGP4D91, BGP4DPA2	
	BGP4DPE1, BGP4DU, BGP4EL3



	BGP4UTL1
\$\$ICDDX^BGP4UTL2	
BGP4ALG1 , BGP4ALG2 , BGP4C11 , BGP4C13 , BGP4CU , BGP4CU1 , BGP4D23 , BGP4D24 , BGP4D25 , BGP4D41 , BGP4D5 , BGP4D52 , BGP4D55	
BGP4D5A , BGP4D6 , BGP4D7 , BGP4D71 , BGP4D711 , BGP4D72 , BGP4D722 , BGP4D723 , BGP4D732 , BGP4D74 , BGP4D8 , BGP4D82 , BGP4D83	
	BGP4D84 , BGP4D862 , BGP4DPA2
	BGP4DPE1 , BGP4UTL1
\$\$ICDOP^BGP4UTL2	BGP4C11 , BGP4CU , BGP4CU1 , BGP4UTL1
\$\$RCIS^BGP4UTL2	BGP4D87
GETMEDS^BGP4UTL2	
BGP4CON1 , BGP4D21 , BGP4D22 , BGP4D39 , BGP4D711 , BGP4D721 , BGP4D722 , BGP4D723 , BGP4D731 , BGP4D732 , BGP4D74 , BGP4D75	
	BGP4D81 , BGP4D811 , BGP4D82 , BGP4D83 , BGP4D84 , BGP4D863 , BGP4D864
ONN4^BGP4UTL3	BGP4UTL
GNT3^BGP4UTLC	BGP4UTL
^BGP4XTCH	opt
TAXCHK^BGP4XTCH	BGP4DAP , BGP4DL , BGP4DPP , BGP4XTCH
^BGP4XTCN	opt
TAXCHK^BGP4XTCN	
BGP4DCL , BGP4DGPU , BGP4DNDB , BGP4DNG , BGP4DNG9 , BGP4DNGP , BGP4DNGS , BGP4DPA , BGP4DPA9 , BGP4DS	
TM , BGP4NPL	
^BGP4XTCO	opt
TAXCHK^BGP4XTCO	BGP4DON , BGP4NPL
***** Cross Reference of all Routines *****	
Oct 10 , 2013@13:29:03 page 127	
Routine	is Invoked by:
^BGP4XTEL	opt
TAXCHK^BGP4XTEL	BGP4DEL
EP^BGP4XTL	BGP4XTS
^BGP4XTV	opt
INIT^BGP4XTV	BGP4GU
EP^BGP4XTV1	BGP4CTS , BGP4XTV
^BGP5BAN	opt
^BGP5CL	opt
^BGP5CTS	opt
^BGP5CTXC	opt
^BGP5DAP	opt
^BGP5DAR	opt
^BGP5DEL	opt
^BGP5DELA	opt
^BGP5DGPA	opt
^BGP5DGPU	opt
^BGP5DHE	opt
^BGP5DHEA	opt
^BGP5DL	opt
^BGP5DNG	opt
^BGP5DPP	opt
^BGP5LSTF	opt
^BGP5NPL	opt
^BGP5TXCH	opt
^BGP5TXCN	opt
^BGP5TXEL	opt
^BGP5TXHE	opt
^BGP5TXV	opt
^BGP5ULF	opt
^BGP6BAN	opt
^BGP6CL	opt
^BGP6CTS	opt

^BGP6CTXC	opt
\$\$CLASS^BGP6D82	BGP4D863
^BGP6DAP	opt
^BGP6DAR	opt
^BGP6DCHA	opt
^BGP6DCL	opt
^BGP6DEL	opt
^BGP6DELA	opt
^BGP6DGPA	opt
^BGP6DGPU	opt
^BGP6DHE	opt
^BGP6DHEA	opt
^BGP6DL	opt
^BGP6DLT	opt
^BGP6DMT	opt
^BGP6DNG	opt
^BGP6DPP	opt
^BGP6DSTM	opt
^BGP6LSTF	opt
^BGP6NPL	opt
^BGP6ULF	opt
^BGP6XTCH	opt
^BGP6XTCN	opt
^BGP6XTEL	opt
^BGP6XTHE	opt
***** Cross Reference of all Routines *****	
Oct 10, 2013@13:29:03 page 128	
Routine	is Invoked by:
^BGP6XTV	opt
^BGP7BAN	opt
^BGP7CL	opt
^BGP7CTS	opt
^BGP7CTXC	opt
^BGP7DAP	opt
^BGP7DAR	opt
^BGP7DAR8	opt
^BGP7DCHA	opt
^BGP7DCL	opt
^BGP7DEL	opt
^BGP7DELA	opt
^BGP7DGPA	opt
^BGP7DGPU	opt
^BGP7DHE	opt
^BGP7DHEA	opt
^BGP7DL	opt
^BGP7DLT	opt
^BGP7DMT	opt
^BGP7DNE	opt
^BGP7DNE0	opt
^BGP7DNE1	opt
PROC^BGP7DNE1	BGP4GNXP
^BGP7DNE8	opt
^BGP7DNE9	opt
^BGP7DNG	opt
^BGP7DNG8	opt
^BGP7DPE	opt
^BGP7DPEA	opt
^BGP7DPP	opt
^BGP7DSTM	opt
^BGP7LSTF	opt

^BGP7NPL	opt
^BGP7ULF	opt
\$\$D^BGP7UTL	BGP4GNXP
\$\$DATE^BGP7UTL	BGP4CU
^BGP7XTCH	opt
^BGP7XTCN	opt
^BGP7XTEL	opt
^BGP7XTHE	opt
^BGP7XTV	opt
^BGP8BAN	opt
^BGP8CL	opt
^BGP8CTS	opt
^BGP8CTXC	opt
^BGP8DAP	opt
^BGP8DAR	opt
^BGP8DAR9	opt
^BGP8DARO	opt
^BGP8DCHA	opt
^BGP8DCL	opt
^BGP8DEL	opt
^BGP8DELA	opt
^BGP8DEMO	opt
^BGP8DGPA	opt
^BGP8DGPU	opt
^BGP8DHE	opt

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\*

Oct 10, 2013@13:29:03 page 129

Routine is Invoked by:

^BGP8DHEA	opt
^BGP8DL	opt
CMS^BGP8DLT	opt
CRS^BGP8DLT	opt
ELDER^BGP8DLT	opt
EO^BGP8DLT	opt
GPRA^BGP8DLT	opt
HEDIS^BGP8DLT	opt
ONM^BGP8DLT	opt
CMS^BGP8DMT	opt
CRS^BGP8DMT	opt
ELDER^BGP8DMT	opt
EO^BGP8DMT	opt
GPRA^BGP8DMT	opt
HEDIS^BGP8DMT	opt
ONM^BGP8DMT	opt
^BGP8DNE	opt
^BGP8DNG	opt
^BGP8DNG9	opt
^BGP8DON	opt
^BGP8DPA	opt
COVPAGE^BGP8DPA	opt
^BGP8DPA9	opt
^BGP8DPAP	opt
^BGP8DPE	opt
^BGP8DPEA	opt
^BGP8DPP	opt
^BGP8DSTM	opt
^BGP8EOA	opt
^BGP8EOD	opt
^BGP8LSTF	opt
^BGP8NPL	opt

```

NONNPL^BGP8NPL      | opt
^BGP8ULF            | opt
^BGP8XTCH           | opt
^BGP8XTCN           | opt
^BGP8XTCO           | opt
^BGP8XTEL           | opt
^BGP8XTHE           | opt
^BGP8XTV            | opt
^BGP9BAN            | opt
^BGP9CL             | opt
^BGP9CTS            | opt
^BGP9CTXC           | opt
^BGP9DAP            | opt
^BGP9DAR            | opt
SUMONLY^BGP9DAR     | opt
^BGP9DAR9           | opt
^BGP9DARO           | opt
^BGP9DCHA           | opt
^BGP9DCL            | opt
^BGP9DEL            | opt
^BGP9DELA           | opt
^BGP9DEMO           | opt
^BGP9DGPA           | opt
^BGP9DGPU           | opt
^BGP9DHE            | opt

```

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\*

Oct 10, 2013@13:29:03 page 130

Routine is Invoked by:

```

^BGP9DHEA           | opt
^BGP9DHW            | opt
^BGP9DICR           | opt
^BGP9DL             | opt
CMS^BGP9DLT         | opt
CRS^BGP9DLT         | opt
ELDER^BGP9DLT       | opt
EO^BGP9DLT          | opt
GPRA^BGP9DLT        | opt
HEDIS^BGP9DLT       | opt
ONM^BGP9DLT         | opt
CMS^BGP9DMT         | opt
CRS^BGP9DMT         | opt
ELDER^BGP9DMT       | opt
EO^BGP9DMT          | opt
GPRA^BGP9DMT        | opt
HEDIS^BGP9DMT       | opt
ONM^BGP9DMT         | opt
^BGP9DNE            | opt
^BGP9DNG            | opt
^BGP9DNG9           | opt
^BGP9DNGP           | opt
^BGP9DNGS           | opt
^BGP9DON            | opt
^BGP9DPA            | opt
COVPAGE^BGP9DPA     | opt
^BGP9DPA9           | opt
^BGP9DPAP           | opt
^BGP9DPE            | opt
PP^BGP9DPE          | opt
^BGP9DPEA           | opt
^BGP9DPP            | opt

```

^BGP9DSTM	opt
^BGP9EOA	opt
^BGP9EOD	opt
^BGP9LSTF	opt
^BGP9NPL	opt
NONNPL^BGP9NPL	opt
^BGP9ULF	opt
^BGP9XTCH	opt
^BGP9XTCN	opt
^BGP9XTCO	opt
^BGP9XTEL	opt
^BGP9XTEO	opt
^BGP9XTHE	opt
^BGP9XTV	opt
^BGPD	opt
^BGPDAREA	opt
^BGPDARP	opt
^BGPDFTA	opt
TAXCHK^BGPDT	opt
BANNER^BGPDU	opt
^BGPDUP	opt
CATSTR^BGPGR	BGP4GRA , BGP4GRB
INIT^BGMUDSI	BGP4GTA
INITH^BGMUDSI	BGP4GTA
INITM^BGMUDSI	BGP4GTA
***** Cross Reference of all Routines *****	
Oct 10, 2013@13:29:03 page 131	
Routine	is Invoked by:
INIT^BGMUDSL	BGP4GTA
^BGMUEH	opt
^BGMUEHD	BGP4GMUH
^BGMUEP	opt
^BGMUEPD	BGP4GMUE
GUIR^BGPXBLM	
BGP4GADB , BGP4GAEL , BGP4GAG9 , BGP4GAGP , BGP4GAGS , BGP4GAHE , BGP4GALL , BGP4GAON , BGP4GAPE , BGP4GAPU , BGP4GCMP , BGP4GCMS	
BGP4GCOM , BGP4GDON , BGP4GDSH , BGP4GELD , BGP4GFO9 , BGP4GFOR , BGP4GGPU , BGP4GLHW , BGP4GLTX , BGP4GMTX , BGP4GMUE , BGP4GMUH	
	BGP4GNPL , BGP4GNST
BGP4GNT9 , BGP4GNTL , BGP4GNTP , BGP4GNTS , BGP4GNXP , BGP4GPED , BGP4GPP , BGP4GU	
EN^BKMSTIDS	BGP4D24
GUIEP^BMXPO	BGP4POS
LIST^BSDAPI2	BGP4DPA , BGP4DPA9
EN^DDIOL	
BGP4AU1A , BGP4AU1D , BGP4AU1M , BGP4AU1R , BGP4AUEX , BGP4AUUL , BGP4AUUP , BGP4UTL2	
NOTICE^DGSEC4	BGP4GUA
OWNREC^DGSEC4	BGP4GUA
SENS^DGSEC4	BGP4GUA
^DIC	
BGP4AUEX , BGP4CTL , BGP4DAP , BGP4DCL , BGP4DEL , BGP4DEMO , BGP4DGPU , BGP4DL , BGP4DNDB , BGP4DNG , BGP4DNG9 , BGP4DNGP	
BGP4DNGS , BGP4DON , BGP4DPA , BGP4DPA9 , BGP4DPAP , BGP4DPE , BGP4DPP , BGP4DSTM , BGP4ETL , BGP4EUTL , BGP4GNXP , BGP4NPL , BGP4P1	
	BGP4P3 , BGP4POS , BGP4POS1
BGP4PUTL , BGP4UTL , BGP4XTL ,  dd90241.0111 ,  dd90241.02 ,  dd90241.04	
IX^DIC	BGP4P1 , BGP4P3 , BGP4POS

```

FILE^DICN
BGP4AU1R, BGP4AUEX, BGP4AUUL, BGP4AUUP, BGP4CTL, BGP4DPA, BGP4DPA9, BGP4DPAP, BGP4ETL, BGP4GACW, BGP4GADB, BGP4GAEL

BGP4GAG9, BGP4GAGP, BGP4GAGS, BGP4GAHE, BGP4GALL, BGP4GAON, BGP4GAPE, BGP4GAPU, BGP4GCMP, BGP4GCMS, BGP4GCOM, BGP4GDON
    BGP4GDSH, BGP4GELD

BGP4GFO9, BGP4GFOR, BGP4GGPU, BGP4GLHW, BGP4GLST, BGP4GLTX, BGP4GMTX, BGP4GMUE, BGP4GMUH, BGP4GNPL, BGP4GNST, BGP4GNT9

BGP4GNTL, BGP4GNTP, BGP4GNTS, BGP4GNXP, BGP4GPED, BGP4GPP, BGP4GRB, BGP4GUPL, BGP4LHW, BGP4ULF, BGP4XTL
    ^DICR                |dd90241.04, |dd90245.09, |dd90552.0115, |dd90552.1514
    ^DIE

BGP4AU1R, BGP4AUEX, BGP4AUUL, BGP4AUUP, BGP4CTL, BGP4DEMO, BGP4DPA, BGP4DPA9, BGP4DPAP, BGP4DSTM, BGP4ETL, BGP4GACW

BGP4GADB, BGP4GAEL, BGP4GAG9, BGP4GAGP, BGP4GAGS, BGP4GAHE, BGP4GALL, BGP4GAON, BGP4GAPE, BGP4GAPU, BGP4GCMP, BGP4GCMS
    BGP4GCOM, BGP4GDON

BGP4GDSH, BGP4GELD, BGP4GFO9, BGP4GFOR, BGP4GGPU, BGP4GLHW, BGP4GLST, BGP4GLTX, BGP4GMTX, BGP4GMUE, BGP4GMUH, BGP4GNPL

BGP4GNST, BGP4GNT9, BGP4GNTL, BGP4GNTP, BGP4GNTS, BGP4GNXP, BGP4GPED, BGP4GPP, BGP4LHW, BGP4POS, BGP4POS1, BGP4XTL
    FILE^DIE                BGP4GU
    UPDATE^DIE              BGP4GU
    ^DIK

BGP4AUUL, BGP4AUUP, BGP4DAP, BGP4DCL, BGP4DEL, BGP4DGPU, BGP4DL, BGP4DNDB, BGP4DNG, BGP4DNG9, BGP4DNGP, BGP4DNGS

BGP4DON, BGP4DPA, BGP4DPA9, BGP4DPE, BGP4DPP, BGP4DSTM, BGP4GU, BGP4GUA, BGP4GUPL, BGP4NPL, BGP4P1, BGP4P3, BGP4POS
    BGP4POS1, BGP4POS2, BGP4ULF

    IX1^DIK
BGP4AUUL, BGP4DPA, BGP4DPA9, BGP4DPAP, BGP4DSTM, BGP4GUPL, BGP4POS, BGP4POS1, BGP4ULF
    ^DIM
|dd90241.551101, |dd90552.01, |dd90552.02, |dd90552.06, |dd90552.09, |dd90553.02, |dd90553.06
    $$GET1^DIQ              BGP4D81, BGP4GU, BGP4GUA, BGP4POS1
    ^DIR

BGP4ASL, BGP4AU1R, BGP4AUEX, BGP4AUUL, BGP4AUUP, BGP4CSI, BGP4CSII, BGP4CTL, BGP4CTS, BGP4CTX, BGP4C, BGP4CU, BGP4DADB

BGP4DAP, BGP4DAR, BGP4DAR9, BGP4DARO, BGP4DBPR, BGP4DCL, BGP4DCLP, BGP4DEL, BGP4DELA, BGP4DELP, BGP4DEMO, BGP4DESI
    BGP4DESL, BGP4DGPA, BGP4DGPU

BGP4DH, BGP4DH1, BGP4DHSL, BGP4DICR, BGP4DL, BGP4DLT, BGP4DMT, BGP4DNDB, BGP4DNG, BGP4DNG9, BGP4DNGP, BGP4DNPS, BGP4DON

BGP4DP, BGP4DPA, BGP4DPA9, BGP4DPAP, BGP4DPAW, BGP4DPE, BGP4DPEA, BGP4DPEL, BGP4DPEP, BGP4DPH, BGP4DPP, BGP4DPSI, BGP4DS
    BGP4DSI, BGP4DSL

BGP4DSTM, BGP4DU, BGP4ELH, BGP4ELHH, BGP4ELS, BGP4ELSL, BGP4ETL, BGP4LSTF, BGP4NPL, BGP4NPLP, BGP4PDL, BGP4PDL, BGP4PESI

```

BGP4PESL, BGP4TXCH, BGP4ULF, BGP4UTL2, BGP4XTCH, BGP4XTCN, BGP4XTCO, BGP4XTEL, BGP4XTEO, BGP4XTHE, BGP4XTL, BGP4XTS

BGP4XTV

^DIWP

BGP4DBPR, BGP4DELP, BGP4DP, BGP4DPAW, BGP4DPEL, BGP4DPEP, BGP4DS, BGP4ELL, BGP4ELS

\$\$CODEN^ICDCODE BGP4UTL2

\$\$ICDD^ICDCODE BGP4UTL2

\$\$ICDDX^ICDCODE BGP4UTL2

\$\$ICDOP^ICDCODE BGP4UTL2

\$\$VSTD^ICDCODE BGP4UTL2

\$\$VSTP^ICDCODE BGP4UTL2

\$\$CODEN^ICDEX BGP4UTL2

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\*

Oct 10, 2013@13:29:03 page 132

Routine is Invoked by:

\$\$ICDD^ICDEX BGP4UTL2

\$\$ICDDX^ICDEX BGP4UTL2

\$\$ICDOP^ICDEX BGP4UTL2

\$\$VSTD^ICDEX BGP4UTL2

\$\$VSTP^ICDEX BGP4UTL2

CODEN^ICDEX BGP4UTL2

ICDD^ICDEX BGP4UTL2

ICDDX^ICDEX BGP4UTL2

ICDOP^ICDEX BGP4UTL2

VSTD^ICDEX BGP4UTL2

VSTP^ICDEX BGP4UTL2

\$\$CODEN^ICPTCOD

BGP4C11, BGP4C13, BGP4CON1, BGP4CU1, BGP4D2, BGP4D211, BGP4D22, BGP4D25, BGP4D33, BGP4D34, BGP4D35, BGP4D36, BGP4D37

BGP4D61, BGP4D71, BGP4D711, BGP4D72, BGP4D721, BGP4D724, BGP4D73, BGP4D731, BGP4D732, BGP4D75, BGP4D811, BGP4D812

BGP4D82, BGP4D84, BGP4D86

BGP4D861, BGP4D864, BGP4D9, BGP4EL2

\$\$CPT^ICPTCOD

BGP4C11, BGP4CU, BGP4CU1, BGP4D22, BGP4D33, BGP4D34, BGP4D35, BGP4D36, BGP4D37, BGP4D38, BGP4D3A, BGP4D4, BGP4D52

BGP4D811, BGP4D86, BGP4D91, BGP4DPA2, BGP4DPE1, BGP4DU, BGP4EL3

EN^VALM

BGP4ASL, BGP4CSI, BGP4CSII, BGP4CTL, BGP4CTS, BGP4DEMO, BGP4DESI, BGP4DESL, BGP4DHSL, BGP4DPSI, BGP4DSI, BGP4DSL

BGP4ETL, BGP4PESI, BGP4PESL, BGP4XTL, BGP4XTS, BGP4XTV, BGP4XTV1

TERM^VALM0

BGP4ASL, BGP4CSI, BGP4CSII, BGP4CTL, BGP4CTS, BGP4DEMO, BGP4DESI, BGP4DESL, BGP4DHSL, BGP4DNGP, BGP4DNBS, BGP4DPA

BGP4DPA9, BGP4DPSI, BGP4DSI, BGP4DSL, BGP4ETL, BGP4NPL, BGP4PESI, BGP4PESL, BGP4XTL, BGP4XTS, BGP4XTV, BGP4XTV1

CLEAR^VALM1

BGP4ASL, BGP4CSI, BGP4CSII, BGP4CTL, BGP4CTS, BGP4DEMO, BGP4DESI, BGP4DESL, BGP4DHSL, BGP4DPSI, BGP4DSI, BGP4DSL

BGP4ETL, BGP4PESI, BGP4PESL, BGP4XTL, BGP4XTS, BGP4XTV, BGP4XTV1

FULL^VALM1

BGP4ASL, BGP4CSI, BGP4CSII, BGP4CTL, BGP4CTS, BGP4DEMO, BGP4DESI, BGP4DESL, BGP4DHSL, BGP4DPSI, BGP4DSI, BGP4DSL

BGP4ETL, BGP4PESI, BGP4PESL, BGP4XTL, BGP4XTS, BGP4XTV, BGP4XTV1

^XDBBQUE

BGP4CTXC, BGP4DADB, BGP4DAP, BGP4DAR, BGP4DAR9, BGP4DARO, BGP4DCL, BGP4DEL, BGP4DELA, BGP4DGP A, BGP4DGPU, BGP4DL

BGP4DNDB, BGP4DNG, BGP4DNG9, BGP4DNGP, BGP4DNCS, BGP4DON, BGP4DPAP, BGP4DPE, BGP4DPEA, BGP4DPP, BGP4DSTM, BGP4NPL  
     BGP4TXCH, BGP4XTCN, BGP4XTCO  
     BGP4XTEL, BGP4XTEO, BGP4XTHE  
     \$\$VAL^XBIDIQ1  
 BGP4ALG1, BGP4ALG2, BGP4AU1M, BGP4AUEX, BGP4AUUP, BGP4C11, BGP4C13, BGP4CON1, BGP4CTL, BGP4CTS, BGP4CU, BGP4CU1  
  
 BGP4D211, BGP4D22, BGP4D23, BGP4D24, BGP4D26, BGP4D36, BGP4D3A, BGP4D5, BGP4D54, BGP4D55, BGP4D7, BGP4D711, BGP4D72  
     BGP4D721, BGP4D722, BGP4D723  
  
 BGP4D731, BGP4D732, BGP4D75, BGP4D8, BGP4D81, BGP4D811, BGP4D812, BGP4D84, BGP4D88, BGP4D91, BGP4DEMO, BGP4DH1, BGP4DICR  
  
 BGP4DPE2, BGP4DU, BGP4ELH, BGP4ELHH, BGP4ETL, BGP4GRB, BGP4PDLH, BGP4UTL2, BGP4XTV, BGP4XTV1  
     \$\$VALI^XBIDIQ1  
 BGP4D22, BGP4D26, BGP4D55, BGP4D7, BGP4D711, BGP4D87, BGP4DICR, BGP4DPE2, BGP4DU, BGP4EL4, |dd  
 90241.04  
     ^XBFBK  
 BGP4AUEX, BGP4AUUL, BGP4CTL, BGP4DADB, BGP4DAP, BGP4DAR, BGP4DAR9, BGP4DARO, BGP4DCL, BGP4DEL, BGP4DELA, BGP4DEMO  
  
 BGP4DGPA, BGP4DGPU, BGP4DICR, BGP4DL, BGP4DLT, BGP4DMT, BGP4DNDB, BGP4DNG, BGP4DNG9, BGP4DNGP, BGP4DNCS, BGP4DON  
     BGP4DPA, BGP4DPA9, BGP4DPAP  
  
 BGP4DPE, BGP4DPEA, BGP4DPP, BGP4DSTM, BGP4ETL, BGP4EUTL, BGP4GACW, BGP4GADB, BGP4GAEL, BGP4GAG9, BGP4GAGP, BGP4GAGS  
  
 BGP4GAHE, BGP4GALL, BGP4GAON, BGP4GAPE, BGP4GAPU, BGP4GCMP, BGP4GCMS, BGP4GCOM, BGP4GDON, BGP4GDOSH, BGP4GELD, BGP4GFO9  
     BGP4GFOR, BGP4GGPU  
  
 BGP4GLHW, BGP4GLST, BGP4GLTX, BGP4GMTX, BGP4GMUE, BGP4GMUH, BGP4GNPL, BGP4GNST, BGP4GNT9, BGP4GNTL, BGP4GNTP, BGP4GNTS  
  
 BGP4GNXP, BGP4GPED, BGP4GPP, BGP4GRB, BGP4GUPL, BGP4LHW, BGP4NPL, BGP4POS1, BGP4PUTL, BGP4ULF, BGP4UTL, BGP4XTL  
     \$\$EXTSET^XBFFUNC      BGP4CU1, BGP4D74, BGP4DPE2  
     ^XBGSAVE              BGP4AUEX, BGP4DPED, BGP4ELL, BGP4EUTL, BGP4PDL, BGP4PUTL, BGP4UTL  
     ^XBKVAR  
 BGP4AU1A, BGP4AU1D, BGP4AU1M, BGP4GACW, BGP4GADB, BGP4GAEL, BGP4GAG9, BGP4GAGP, BGP4GAGS, BGP4GAHE, BGP4GALL, BGP4GAON  
  
 BGP4GAPE, BGP4GAPU, BGP4GCMP, BGP4GCMS, BGP4GCOM, BGP4GDON, BGP4GDOSH, BGP4GELD, BGP4GFO9, BGP4GFOR, BGP4GGPU, BGP4GLHW  
     BGP4GLST, BGP4GLTX  
  
 BGP4GMTX, BGP4GMUE, BGP4GMUH, BGP4GNPL, BGP4GNST, BGP4GNT9, BGP4GNTL, BGP4GNTP, BGP4GNTS, BGP4GNXP, BGP4GPED, BGP4GPP  
     BGP4GUPL, BGP4LHW  
     GUIR^XBLM              BGP4DPA, BGP4DPA9, BGP4DPAP, BGP4LHW  
     EN^XBVK  
 BGP4AUEX, BGP4AUUP, BGP4CTL, BGP4CTS, BGP4DADB, BGP4DAP, BGP4DAR, BGP4DAR9, BGP4DARO, BGP4DCL, BGP4DEL, BGP4DELA  
  
 BGP4DEMO, BGP4DGPA, BGP4DGPU, BGP4DICR, BGP4DL, BGP4DLT, BGP4DMT, BGP4DNDB, BGP4DNG, BGP4DNG9, BGP4DNGP, BGP4DNCS  
     BGP4DON, BGP4DPA, BGP4DPA9, BGP4DPAP



BGP4DPE, BGP4DPEA, BGP4DPP, BGP4DSTM, BGP4ETL, BGP4GACW, BGP4GADB, BGP4GAEL, BGP4GAG9, BGP4GAGP, BGP4GAGS, BGP4GAHE

BGP4GALL, BGP4GAON, BGP4GAPE, BGP4GAPU, BGP4GCMP, BGP4GCMS, BGP4GCOM, BGP4GDON, BGP4GDSH, BGP4GELD, BGP4GGPU, BGP4GLHW

BGP4GLST, BGP4GM, BGP4GMUE

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\*

Oct 10, 2013@13:29:03 page 133

Routine is Invoked by:

EN^XBVK

BGP4GMUH, BGP4GNPL, BGP4GNST, BGP4GNT9, BGP4GNL, BGP4GNTP, BGP4GNLTS, BGP4GNXP, BGP4GPED, BGP4GPP, BGP4GR, BGP4GR1

BGP4GR2, BGP4GRA, BGP4GRB, BGP4GU, BGP4LHW, BGP4LSTF, BGP4NPL, BGP4XTL, BGP4XTS, BGP4XTV, BGP4XTV1

\$\$DT^XLFD

BGP4D36, BGP4GACW, BGP4GADB, BGP4GAEL, BGP4GAG9, BGP4GAGP, BGP4GAGS, BGP4GAHE, BGP4GALL, BGP4GAON, BGP4GAPE, BGP4GAPU

BGP4GCMP, BGP4GCMS, BGP4GCOM, BGP4GDON, BGP4GDSH, BGP4GELD, BGP4GFO9, BGP4GFOR, BGP4GGPU, BGP4GLHW, BGP4GLST, BGP4GLTX

BGP4GMTX, BGP4GMUE

BGP4GMUH, BGP4GNPL, BGP4GNST, BGP4GNT9, BGP4GNL, BGP4GNTP, BGP4GNLTS, BGP4GNXP, BGP4GPED, BGP4GPP, BGP4GUPL, BGP4LHW

\$\$FMADD^XLFD

BGP4ALG2, BGP4ASL, BGP4AUEX, BGP4AUUL, BGP4AUUP, BGP4BAN, BGP4C11, BGP4C13, BGP4CON1, BGP4CU, BGP4D1, BGP4D10, BGP4D21

BGP4D211, BGP4D22, BGP4D23, BGP4D24, BGP4D25, BGP4D26, BGP4D28, BGP4D3, BGP4D34, BGP4D37, BGP4D39, BGP4D3A, BGP4D4

BGP4D41, BGP4D5, BGP4D51

BGP4D52, BGP4D6, BGP4D61, BGP4D62, BGP4D63, BGP4D64, BGP4D7, BGP4D71, BGP4D72, BGP4D721, BGP4D722, BGP4D723, BGP4D729

BGP4D73, BGP4D731, BGP4D732, BGP4D74, BGP4D75, BGP4D8, BGP4D81, BGP4D82, BGP4D83, BGP4D84, BGP4D86, BGP4D863, BGP4D87

BGP4D88, BGP4D89, BGP4D9

BGP4D91, BGP4DAP, BGP4DARO, BGP4DCL, BGP4DCLP, BGP4DEL, BGP4DELA, BGP4DGPA, BGP4DGPU, BGP4DL, BGP4DON, BGP4DPA, BGP4DPA1

BGP4DPA2, BGP4DPA9, BGP4DPAP, BGP4DPE1, BGP4DPP, BGP4DSTM, BGP4DU, BGP4EL3, BGP4GAEL, BGP4GAHE, BGP4GALL, BGP4GAON

BGP4GAPU, BGP4GCMP

BGP4GCOM, BGP4GDON, BGP4GELD, BGP4GGPU, BGP4GMUE, BGP4GMUH, BGP4GNPL, BGP4GNST, BGP4GPP, BGP4GRB, BGP4NPL, BGP4NPLP

BGP4REF1, BGP4UTL, BGP4UTL1

\$\$FMDIFF^XLFD

BGP4D1, BGP4D10, BGP4D22, BGP4D32, BGP4D33, BGP4D34, BGP4D341, BGP4D35, BGP4D36, BGP4D37, BGP4D38, BGP4D39, BGP4D52

BGP4D7, BGP4D72, BGP4D721, BGP4D722, BGP4D723, BGP4D729, BGP4D731, BGP4D732, BGP4D74, BGP4D75, BGP4D811, BGP4D82

BGP4D83, BGP4D84, BGP4D861

BGP4D863, BGP4D9, BGP4D91, BGP4DBPR, BGP4DPA, BGP4DPA2, BGP4DPA9, BGP4GU

```

    $$FMTE^XLFDT
BGP4ALG1 ,BGP4ALG2 ,BGP4AUEX ,BGP4AUUL ,BGP4AUUP ,BGP4C11 ,BGP4C13 ,BGP4CON1 ,BGP4CU ,BGP4CU1
 ,BGP4D1 ,BGP4D10 ,BGP4D2

BGP4D21 ,BGP4D211 ,BGP4D22 ,BGP4D23 ,BGP4D24 ,BGP4D25 ,BGP4D31 ,BGP4D36 ,BGP4D37 ,BGP4D3A ,BGP
4D4 ,BGP4D41 ,BGP4D5
    BGP4D51 ,BGP4D52 ,BGP4D54

BGP4D55 ,BGP4D5A ,BGP4D6 ,BGP4D61 ,BGP4D62 ,BGP4D63 ,BGP4D64 ,BGP4D7 ,BGP4D71 ,BGP4D711 ,BGP4D
72 ,BGP4D721 ,BGP4D722

BGP4D723 ,BGP4D724 ,BGP4D729 ,BGP4D731 ,BGP4D732 ,BGP4D74 ,BGP4D75 ,BGP4D8 ,BGP4D81 ,BGP4D811
 ,BGP4D812 ,BGP4D87
    BGP4D88 ,BGP4D89 ,BGP4D9 ,BGP4D91

BGP4DADB ,BGP4DAP ,BGP4DAR ,BGP4DAR9 ,BGP4DARO ,BGP4DBPR ,BGP4DCL ,BGP4DCLD ,BGP4DCLP ,BGP4DE
L ,BGP4DELA ,BGP4DGPA

BGP4DGPU ,BGP4DH ,BGP4DH1 ,BGP4DICR ,BGP4DL ,BGP4DLT ,BGP4DMT ,BGP4DNDB ,BGP4DNG ,BGP4DNG9 ,BG
P4DNGP ,BGP4DNGB ,BGP4DON
    BGP4DPA ,BGP4DPA2 ,BGP4DPA4

BGP4DPA9 ,BGP4DPAP ,BGP4DPAW ,BGP4DPE ,BGP4DPE1 ,BGP4DPE2 ,BGP4DPEA ,BGP4DPEL ,BGP4DPEP ,BGP4
DPH ,BGP4DPP ,BGP4DS

BGP4DSTM ,BGP4DU ,BGP4EL2 ,BGP4EL3 ,BGP4EL4 ,BGP4ELH ,BGP4ELHH ,BGP4ELL ,BGP4ELS ,BGP4ELSL ,BG
P4GU ,BGP4GUA ,BGP4NPL
    BGP4NPLD ,BGP4NPLP ,BGP4PDL
    BGP4PDLH ,BGP4PDLs
    BGP4AUEX ,BGP4AUUL ,BGP4GRB
    BGP4AUUL
    $$FMTH^XLFDT
    $$HTE^XLFDT
    $$NOW^XLFDT
BGP4AU1A ,BGP4AUEX ,BGP4AUUP ,BGP4DAR ,BGP4DAR9 ,BGP4DARO ,BGP4DPA ,BGP4DPA9 ,BGP4DPAP ,BGP4G
ACW ,BGP4GADB ,BGP4GAEL

BGP4GAG9 ,BGP4GAGP ,BGP4GAGS ,BGP4GAHE ,BGP4GALL ,BGP4GAON ,BGP4GAPE ,BGP4GAPU ,BGP4GCMP ,BGP
4GCMS ,BGP4GCOM ,BGP4GDON
    BGP4GDSH ,BGP4GELD

BGP4GFO9 ,BGP4GFOR ,BGP4GGPU ,BGP4GLHW ,BGP4GLST ,BGP4GLTX ,BGP4GMTX ,BGP4GMUE ,BGP4GMUH ,BGP
4GNPL ,BGP4GNST ,BGP4GNT9

BGP4GNTL ,BGP4GNTP ,BGP4GNTS ,BGP4GNXP ,BGP4GPED ,BGP4GPP ,BGP4GRB ,BGP4GU ,BGP4LHW
    $$LEAP^XLFDT2
    BGP4AUEX ,BGP4AUUP ,BGP4GRB
    BGP4D74
    $$ABS^XLFMTH
    BGP4DBPR ,BGP4DP ,BGP4P1 ,BGP4P3 ,BGP4POS
    $$CJ^XLFSTR
    BGP4DICR ,BGP4DLT ,BGP4DMT
    $$REPEAT^XLFSTR
    BGP4D23 ,BGP4D39 ,BGP4DBPR ,BGP4DP1C ,BGP4DP1D ,BGP4DP1F ,BGP4DPED ,BGP4DPEP ,BGP4EL2 ,BGP4EL
L1 ,BGP4ELLN ,BGP4ELP1
    BGP4PDL3
    $$SUP^XLFSTR
BGP4ALG1 ,BGP4ALG2 ,BGP4C11 ,BGP4C13 ,BGP4CU ,BGP4CU1 ,BGP4D2 ,BGP4D21 ,BGP4D22 ,BGP4D39 ,BGP4
D51 ,BGP4D711 ,BGP4D72

BGP4D721 ,BGP4D722 ,BGP4D723 ,BGP4D731 ,BGP4D732 ,BGP4D74 ,BGP4D75 ,BGP4D81 ,BGP4D811 ,BGP4D8
12 ,BGP4D82 ,BGP4D83
    BGP4D84 ,BGP4D863 ,BGP4D91

BGP4DARO ,BGP4DON ,BGP4DU ,BGP4EL4 ,BGP4POS1 ,BGP4ULF ,|dd90552.01 ,|dd90553.06
    ^XMD
    BGP4AUUP

```

```

$$ADD^XPDMENU          BGP4DPA9
$$VERSION^XPDUTL      BGP4P1,BGP4P3
BMES^XPDUTL           BGP4AUEX,BGP4AUUL
MES^XPDUTL            BGP4DPA9,BGP4P1,BGP4P3,BGP4POS
SETUP^XQALERT         BGP4AUUP
**** Cross Reference of all Routines ****
Oct 10, 2013@13:29:03 page 134

Routine                is Invoked by:
  DISP^XQORM1
BGP4ASL,BGP4CSI,BGP4CSII,BGP4CTL,BGP4CTS,BGP4DEMO,BGP4DESI,BGP4DESL,BGP4DHSL,BGP4DPS
I,BGP4DSI,BGP4DSL      BGP4ETL,BGP4PESI,BGP4PESL,BGP4XTL,BGP4XTS,BGP4XTV,BGP4XTV1
  $$NOJOURN^ZIBGCHAR  BGP4DPE1,BGP4EUTL,BGP4PUTL,BGP4UTL

**** END ****

```

## 6.2 Callable Routines

Published entry points for use by iCARE:

Routine: BGP3D10

BQI(DFN,BQIGREF);PEP-iCare EP

- Description

Entry point called by the iCare module, returns GPRA data by global reference

- DFN = Patient internal entry number

- BQIGREF = Global reference to store data

## 6.3 Published Entry Points

**Note:** There are no Published Entry Points for this application.

## 6.4 Exported Options

Table 6-1: Exported BGP Options

Option Name	Description	KEY
BGP 07 AREA AGP GPRA YR 2008	Run Area National GPRA Report for GPRA Year 2008	
BGP 07 AREA AGP GPRA YR 2009	Run Area National GPRA Report for GPRA Year 2009	
BGP 07 AREA CHILDHOOD WT/HT	Run AREA Height and Weight Data File	
BGP 07 AREA COMP EXPORT	Run Area Comprehensive National GPRA Export	
BGP 07 AREA ELDER REPORT	Run AREA Elder Care Report	
BGP 07 AREA GPRA	Run AREA National GPRA Report	

Option Name	Description	KEY
BGP 07 AREA GPU	Run AREA GPRA Performance Report	
BGP 07 AREA HEDIS	Run Area HEDIS Report	
BGP 07 AREA MENU	Area Options	BGPZAREA
BGP 07 AREA PAT ED RPT	Run AREA Patient Education Report	
BGP 07 CMS PERF RPT	CMS Performance Report	BGPZ PATIENT LISTS
BGP 07 CMS TAXONOMY CHECK	Taxonomy Check-CMS Report	
BGP 07 CMS TAXONOMY SETUP	Taxonomy Setup-CMS Report	
BGP 07 COMP NATL EXPORT	Comprehensive National GPRA Export	
BGP 07 COMPREHENSIVE PAT LIST	Comprehensive National GPRA Patient List	BGPZ PATIENT LISTS
BGP 07 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 07 ELDER REPORT	Elder Care Report	
BGP 07 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 07 GPU GPRA PERFORMANCE	GPRA Performance Report	
BGP 07 HEDIS AREA REPORT	Run AREA HEDIS Report	
BGP 07 HEDIS REPORT	HEDIS Performance Report	
BGP 07 HEDIS TAXONOMY CHECK	Taxonomy Check-HEDIS Report	
BGP 07 HOSPITAL REPORTS	Hospital Reports	
BGP 07 LAB TAX REPORT	Lab Taxonomy Report	
BGP 07 LIST FILES	List files in a directory	
BGP 07 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 07 LOCAL TAXONOMY CHECK	Taxonomy Check-Local CRS Reports	
BGP 07 MAIN MENU	CRS 2007	
BGP 07 MED TAX REPORT	Medication Taxonomy Report	
BGP 07 MENU NATIONAL	National GPRA Reports	
BGP 07 NATIONAL GPRA REPORT	National GPRA Report	
BGP 07 NATIONAL PAT LISTS	National GPRA Report Patient List	BGPZ PATIENT LISTS
BGP 07 NGR FOR GPRA YR 2008	National GPRA Report for GPRA Year 2008	
BGP 07 NGR FOR GPRA YR 2009	National GPRA Report for GPRA Year 2009	
BGP 07 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 07 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	

Option Name	Description	KEY
BGP 07 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 07 OTHER CMS REPORTS	Other CMS Reports	
BGP 07 OTHER NTL RPTS MENU	Other National Reports	
BGP 07 PAT ED REPORT	Patient Education Report	
BGP 07 REPORTS MENU	Reports	
BGP 07 SEL ALL PATS	Selected Measures w/All Communities	
BGP 07 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 07 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 07 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 07 SYSTEM SETUP	System Setup	
BGP 07 TAXONOMY CHECK	Taxonomy Check	
BGP 07 TAXONOMY REPORTS	Taxonomy Reports	
BGP 07 TAXONOMY SETUP	Taxonomy Setup	
BGP 07 UPLOAD FILES	Upload Report Files from Site	
BGP 07 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP 07 XP FOR 2008	Comprehensive National GPRA Export for 2007-2008	
BGP 07 XP FOR 2009	Comprehensive National GPRA Export for 2009	
BGP 07 XP FOR 2010	Comprehensive National GPRA Export for 2010	
BGP 07 XP FOR 2011	Comprehensive National GPRA Export for 2011	
BGP 07 XP FOR 2012	Comprehensive National GPRA Export for 2012	
BGP 08 AREA CHILDHOOD WT/HT	Run AREA Height and Weight Data File	
BGP 08 AREA ELDER REPORT	Run AREA Elder Care Report	
BGP 08 AREA EO REPORT	Run AREA EO Quality Transparency Measures Report	
BGP 08 AREA GPRA	Run AREA National GPRA Report	
BGP 08 AREA GPU	Run AREA GPRA Performance Report	
BGP 08 AREA HEDIS	Run Area HEDIS Report	
BGP 08 AREA MENU	Area Options	BGPZAREA
BGP 08 AREA NGR FOR 09	Run 2010 AREA National GPRA Report	
BGP 08 AREA ONM	Run AREA Other National Measures Report	
BGP 08 AREA PAT ED RPT	Run AREA Patient Education Report	
BGP 08 CMS PERF RPT	CMS Performance Report	BGPZ PATIENT LISTS
BGP 08 CMS TAXONOMY CHECK	Taxonomy Check-CMS Report	
BGP 08 CMS TAXONOMY SETUP	Taxonomy Setup-CMS Report	
BGP 08 COMP NATL EXPORT	Comprehensive National GPRA Export	
BGP 08 COMPREHENSIVE PAT LIST	Comprehensive National GPRA Patient List	BGPZ PATIENT LISTS

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 08 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 08 ELDER REPORT	Elder Care Report	
BGP 08 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 08 EO REPORT	Executive Order Quality Transparency Measures Rpt	
BGP 08 EO TAXONOMY CHECK	Taxonomy Check-EO Quality Transparency Measures	
BGP 08 EO TAXONOMY SETUP	Taxonomy Setup-EO Quality Transparency Measures	
BGP 08 FORECAST FOR 09	2010 GPRA Measure Forecast Patient List	BGPZ PATIENT LISTS
BGP 08 GPU GPRA PERFORMANCE	GPRA Performance Report	
BGP 08 HEDIS AREA REPORT	Run AREA HEDIS Report	
BGP 08 HEDIS REPORT	HEDIS Performance Report	
BGP 08 HEDIS TAXONOMY CHECK	Taxonomy Check-HEDIS Report	
BGP 08 HOSPITAL REPORTS	Hospital Reports	
BGP 08 LAB TAX CMS	Lab Taxonomies-CMS Report	
BGP 08 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 08 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 08 LAB TAX EO	Lab Taxonomies-EO Quality Transparency Measures	
BGP 08 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 08 LAB TAX HEDIS	Lab Taxonomies-HEDIS Report	
BGP 08 LAB TAX ONM	Lab Taxonomies-Other National Measures Report	
BGP 08 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 08 LIST FILES	List files in a directory	
BGP 08 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 08 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 08 MAIN MENU	CRS 2008	
BGP 08 MEASURES FORECAST CP	GPRA Measure Forecast Denominator Definitions	
BGP 08 MED TAX CMS	Medication Taxonomies-CMS Report	
BGP 08 MED TAX CRS	Medication Taxonomies-Selected Measures Reports	
BGP 08 MED TAX ELDER	Medication Taxonomies-Elder Care Report	
BGP 08 MED TAX EO	Med Taxonomies-EO Quality Transparency Measures	
BGP 08 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 08 MED TAX HEDIS	Medication Taxonomies-HEDIS Report	
BGP 08 MED TAX ONM	Med Taxonomies-Other National Measures Report	
BGP 08 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 08 MENU NATIONAL	National GPRA Reports	
BGP 08 NATIONAL GPRA FOR 09	2010 National GPRA Report	
BGP 08 NATIONAL GPRA REPORT	National GPRA Report	
BGP 08 NATIONAL PAT LISTS	National GPRA Report Patient List	BGPZ PATIENT LISTS
BGP 08 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 08 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 08 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 08 OTHER CMS REPORTS	Other CMS Reports	
BGP 08 OTHER NATIONAL LISTS	Other National Measures Report Patient List	BGPZ PATIENT LISTS
BGP 08 OTHER NATIONAL MEAS RPT	Other National Measures Report	
BGP 08 OTHER NTL RPTS MENU	Other National Reports	
BGP 08 PAT ED REPORT	Patient Education Report	
BGP 08 PTS W SCHED APPT	GPRA Measure Forecast Patient List	BGPZ PATIENT LISTS
BGP 08 PTS W/GPRA DATA	Selected Patients with GPRA measure Data	
BGP 08 REPORTS MENU	Reports	
BGP 08 SEL ALL PATS	Selected Measures w/All Communities	
BGP 08 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 08 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 08 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 08 SYSTEM SETUP	System Setup	
BGP 08 TAX CHK ONM	Taxonomy Check-Other National Measures Report	
BGP 08 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report	
BGP 08 TAXONOMY CHECK	Taxonomy Check	
BGP 08 TAXONOMY REPORTS	Taxonomy Reports	
BGP 08 TAXONOMY SETUP	Taxonomy Setup	
BGP 08 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template	
BGP 08 UPLOAD FILES	Upload Report Files from Site	

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 08 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP 09 AREA CHILDHOOD WT/HT	AREA Height and Weight Data File	
BGP 09 AREA ELDER REPORT	AREA Elder Care Report	
BGP 09 AREA EO REPORT	AREA EO Quality Transparency Measures Report	
BGP 09 AREA GP SUM ONLY	AREA National GPRA & PART Report Perf Summaries	
BGP 09 AREA GPRA	AREA National GPRA & PART Report	
BGP 09 AREA GPU	AREA GPRA & PART Performance Report	
BGP 09 AREA HEDIS	Area HEDIS Report	
BGP 09 AREA MENU	Area Options	BGPZAREA
BGP 09 AREA NGR FOR 2010	2010 AREA National GPRA & PART Report	
BGP 09 AREA ONM	AREA Other National Measures Report	
BGP 09 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 09 CMS PERF RPT	CMS Performance Report	BGPZ PATIENT LISTS
BGP 09 CMS TAXONOMY CHECK	Taxonomy Check-CMS Report	
BGP 09 CMS TAXONOMY SETUP	Taxonomy Setup-CMS Report	
BGP 09 COMP NATL EXPORT	Comprehensive National GPRA Export	
BGP 09 COMPREHENSIVE PAT LIST	Comprehensive National GPRA & PART Patient List	BGPZ PATIENT LISTS
BGP 09 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 09 DISPLAY ICARE ITEMS	Display iCare Data Items	
BGP 09 ELDER REPORT	Elder Care Report	
BGP 09 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 09 EO REPORT	Executive Order Quality Transparency Measures Rpt	
BGP 09 EO TAXONOMY CHECK	Taxonomy Check-EO Quality Transparency Measures	
BGP 09 EO TAXONOMY SETUP	Taxonomy Setup-EO Quality Transparency Measures	
BGP 09 FORECAST FOR 2010	2010 GPRA & PART Forecast Patient List	BGPZ PATIENT LISTS
TS		
BGP 09 GPU GPRA PERFORMANCE	GPRA & PART Performance Report	
BGP 09 HEDIS AREA REPORT	Run AREA HEDIS Report	
BGP 09 HEDIS REPORT	HEDIS Performance Report	
BGP 09 HEDIS TAXONOMY CHECK	Taxonomy Check-HEDIS Report	
BGP 09 HOSPITAL REPORTS	Hospital Reports	
BGP 09 LAB TAX CMS	Lab Taxonomies-CMS Report	



<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 09 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 09 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 09 LAB TAX EO	Lab Taxonomies-EO Quality Transparency Measures	
BGP 09 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 09 LAB TAX HEDIS	Lab Taxonomies-HEDIS Report	
BGP 09 LAB TAX ONM	Lab Taxonomies-Other National Measures Report	
BGP 09 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 09 LIST FILES	List files in a directory	
BGP 09 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 09 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 09 MAIN MENU	CRS 2009	
BGP 09 MEASURES FORECAST CP	GPRA & PART Forecast Denominator Definitions	
BGP 09 MED TAX CMS	Med Taxonomies-CMS Report	
BGP 09 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 09 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 09 MED TAX EO	Med Taxonomies-EO Quality Transparency Measures	
BGP 09 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 09 MED TAX HEDIS	Med Taxonomies-HEDIS Report	
BGP 09 MED TAX ONM	Med Taxonomies-Other National Measures Report	
BGP 09 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 09 MENU NATIONAL	National GPRA & PART Reports	
BGP 09 NATIONAL GPRA FOR 2010	2010 National GPRA & PART Report	
BGP 09 NATIONAL GPRA REPORT	National GPRA & PART Report	
BGP 09 NATIONAL GPRA SUM ONLY	National GPRA & PART Clinical Perf Summaries	
BGP 09 NATIONAL PAT LISTS	National GPRA & PART Patient List	BGPZ PATIENT LISTS
BGP 09 NATL GPRA DESG PROV	National GPRA & PART Report by Designated Provider	
BGP 09 NATL HT WT LOCAL	National GPRA Height and Weight Local Data File	
BGP 09 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 09 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	

Option Name	Description	KEY
BGP 09 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 09 OTHER CMS REPORTS	Other CMS Reports	
BGP 09 OTHER NATIONAL LISTS	Other National Measures Report Patient List	BGPZ PATIENTS LISTS
BGP 09 OTHER NATIONAL MEAS RPT	Other National Measures Report	
BGP 09 OTHER NTL RPTS MENU	Other National Reports	
BGP 09 PAT ED REPORT	Patient Education w/Community Specified	
BGP 09 PATIENT ED MENU	Patient Education Reports	
BGP 09 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 09 PTS W SCHED APPT	GPRA & PART Forecast Patient List	BGPZ PATIENT LISTS
BGP 09 PTS W/GPRA DATA	Selected Patients with GPRA measure Data	
BGP 09 REPORTS MENU	Reports	
BGP 09 SEL ALL PATS	Selected Measures w/All Communities	
BGP 09 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 09 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 09 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 09 SYSTEM SETUP	System Setup	
BGP 09 TAX CHK ONM	Taxonomy Check-Other National Measures Report	
BGP 09 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report	
BGP 09 TAXONOMY CHECK	Taxonomy Check	
BGP 09 TAXONOMY REPORTS	Taxonomy Reports	
BGP 09 TAXONOMY SETUP	Taxonomy Setup	
BGP 09 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template	
BGP 09 UPLOAD FILES	Upload Report Files from Site	
BGP 09 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP 10 AREA CHILDHOOD WT/HT	AREA Height and Weight Data File	
BGP 10 AREA ELDER REPORT	AREA Elder Care Report	
BGP 10 AREA EO REPORT	AREA EO Quality Transparency Measures Report	
BGP 10 AREA GP SUM ONLY	AREA National GPRA & PART Report Perf Summaries	
BGP 10 AREA GPRA	AREA National GPRA & PART Report-Includes GPRA Dev	
BGP 10 AREA GPU	AREA GPRA & PART Performance Report	
BGP 10 AREA HEDIS	Area HEDIS Report	
BGP 10 AREA MENU	Area Options	BGPZAREA
BGP 10 AREA NGR FOR 2011	2011 AREA National GPRA & PART Report	

Option Name	Description	KEY
BGP 10 AREA NGR FOR 2012	2012 AREA National GPRA & PART Report	
BGP 10 AREA ONM	AREA Other National Measures Report	
BGP 10 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 10 CMS PERF RPT	CMS Performance Report	BGPZ PATIENT LISTS
BGP 10 CMS TAXONOMY CHECK	Taxonomy Check-CMS Report	
BGP 10 CMS TAXONOMY SETUP	Taxonomy Setup-CMS Report	
BGP 10 COMP NATL EXPORT	Comprehensive National GPRA Export	
BGP 10 COMPREHENSIVE PAT LIST	Comprehensive National GPRA & PART Patient List	BG
PZ PATIENT LISTS		
BGP 10 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 10 DISPLAY ICARE ITEMS	Display iCare Data Items	
BGP 10 ELDER REPORT	Elder Care Report	
BGP 10 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 10 EO REPORT	Executive Order Quality Transparency Measures Rpt	
BGP 10 EO TAXONOMY CHECK	Taxonomy Check-EO Quality Transparency Measures	
BGP 10 EO TAXONOMY SETUP	Taxonomy Setup-EO Quality Transparency Measures	
BGP 10 FORECAST FOR 2011	2011 GPRA & PART Forecast Patient List	BGPZ PATIENT LISTS
BGP 10 FORECAST FOR 2012	2012 GPRA & PART Forecast Patient List	BGPZ PATIENT LISTS
BGP 10 GPU GPRA PERFORMANCE	GPRA & PART Performance Report	
BGP 10 HEDIS AREA REPORT	Run AREA HEDIS Report	
BGP 10 HEDIS REPORT	HEDIS Performance Report	
BGP 10 HEDIS TAXONOMY CHECK	Taxonomy Check-HEDIS Report	
BGP 10 HOSPITAL REPORTS	Hospital Reports	
BGP 10 LAB TAX CMS	Lab Taxonomies-CMS Report	
BGP 10 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 10 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 10 LAB TAX EO	Lab Taxonomies-EO Quality Transparency Measures	
BGP 10 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 10 LAB TAX HEDIS	Lab Taxonomies-HEDIS Report	
BGP 10 LAB TAX ONM	Lab Taxonomies-Other National Measures Report	

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 10 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 10 LIST FILES	List files in a directory	
BGP 10 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 10 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 10 MAIN MENU	CRS 2010	
BGP 10 MEASURES FORECAST CP	GPRA & PART Forecast Denominator Definitions	
BGP 10 MED TAX CMS	Med Taxonomies-CMS Report	
BGP 10 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 10 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 10 MED TAX EO	Med Taxonomies-EO Quality Transparency Measures	
BGP 10 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 10 MED TAX HEDIS	Med Taxonomies-HEDIS Report	
BGP 10 MED TAX ONM	Med Taxonomies-Other National Measures Report	
BGP 10 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 10 MENU NATIONAL	National GPRA & PART Reports	
BGP 10 NATIONAL GPRA FOR 2011	2011 National GPRA & PART Report	
BGP 10 NATIONAL GPRA FOR 2012	2012 National GPRA & PART Report	
BGP 10 NATIONAL GPRA REPORT	National GPRA & PART Report	
BGP 10 NATIONAL GPRA SUM ONLY	National GPRA & PART Clinical Perf Summaries	
BGP 10 NATIONAL PAT LISTS	National GPRA & PART Patient List	BGPZ PATIENT LISTS
BGP 10 NATL GPRA DESG PROV	National GPRA & PART Report by Designated Provider	
BGP 10 NATL HT WT LOCAL	National GPRA Height and Weight Local Data File	
BGP 10 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 10 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 10 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 10 OTHER CMS REPORTS	Other CMS Reports	
BGP 10 OTHER NATIONAL LISTS	Other National Measures Report Patient List	BGPZ PATIENT LISTS
BGP 10 OTHER NATIONAL MEAS RPT	Other National Measures Report	

Option Name	Description	KEY
BGP 10 OTHER NTL RPTS MENU	Other National Reports	
BGP 10 PAT ED REPORT	Patient Education w/Community Specified	
BGP 10 PATIENT ED MENU	Patient Education Reports	
BGP 10 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 10 PTS W SCHED APPT	GPRA & PART Forecast Patient List	BGPZ PATIENT LISTS
BGP 10 PTS W/GPRA DATA	Selected Patients with GPRA measure Data	
BGP 10 REPORTS MENU	Reports	
BGP 10 SEL ALL PATS	Selected Measures w/All Communities	
BGP 10 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 10 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 10 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 10 SYSTEM SETUP	System Setup	
BGP 10 TAX CHK ONM	Taxonomy Check-Other National Measures Report	
BGP 10 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report	
BGP 10 TAXONOMY CHECK	Taxonomy Check	
BGP 10 TAXONOMY REPORTS	Taxonomy Reports	
BGP 10 TAXONOMY SETUP	Taxonomy Setup	
BGP 10 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template	
BGP 10 UPLOAD FILES	Upload Report Files from Site	
BGP 10 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP 11 AREA CHILDHOOD WT/HT	AREA Height and Weight Data File	
BGP 11 AREA DSH	National GPRA Dashboard	
BGP 11 AREA ELDER REPORT	AREA Elder Care Report	
BGP 11 AREA EO REPORT	AREA EO Quality Transparency Measures Report	
BGP 11 AREA GP SUM ONLY	AREA National GPRA & PART Report Perf Summaries	
BGP 11 AREA GPRA	AREA National GPRA & PART Report-Includes GPRA Dev	
BGP 11 AREA GPU	AREA GPRA & PART Performance Report	
BGP 11 AREA HEDIS	Area HEDIS Report	
BGP 11 AREA MENU	Area Options	BGPZAREA
BGP 11 AREA NGR FOR 2012	2012 AREA National GPRA & PART Report	
BGP 11 AREA ONM	AREA Other National Measures Report	
BGP 11 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 11 CMS PERF RPT	CMS Performance Report	BGPZ PATIENT LISTS
BGP 11 CMS TAXONOMY CHECK	Taxonomy Check-CMS Report	

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 11 CMS TAXONOMY SETUP	Taxonomy Setup-CMS Report	
BGP 11 COMP NATL EXPORT	Comprehensive National GPRA Export	
BGP 11 COMPREHENSIVE PAT LIST	Comprehensive National GPRA & PART Patient List	BGPZ PATIENT LISTS
BGP 11 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 11 DISPLAY ICARE ITEMS	Display iCare Data Items	
BGP 11 ELDER REPORT	Elder Care Report	
BGP 11 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 11 EO REPORT	Executive Order Quality Transparency Measures Rpt	
BGP 11 EO TAXONOMY CHECK	Taxonomy Check-EO Quality Transparency Measures	
BGP 11 EO TAXONOMY SETUP	Taxonomy Setup-EO Quality Transparency Measures	
BGP 11 FORECAST FOR 2012	2012 GPRA & PART Forecast Patient List	BGPZ PATIENT LISTS
BGP 11 GPU GPRA PERFORMANCE	GPRA & PART Performance Report	
BGP 11 HEDIS AREA REPORT	Run AREA HEDIS Report	
BGP 11 HEDIS REPORT	HEDIS Performance Report	
BGP 11 HEDIS TAXONOMY CHECK	Taxonomy Check-HEDIS Report	
BGP 11 HOSPITAL REPORTS	Hospital Reports	
BGP 11 LAB TAX CMS	Lab Taxonomies-CMS Report	
BGP 11 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 11 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 11 LAB TAX EO	Lab Taxonomies-EO Quality Transparency Measures	
BGP 11 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 11 LAB TAX HEDIS	Lab Taxonomies-HEDIS Report	
BGP 11 LAB TAX ONM	Lab Taxonomies-Other National Measures Report	
BGP 11 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 11 LIST FILES	List files in a directory	
BGP 11 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 11 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 11 MAIN MENU	CRS 2011	
BGP 11 MEASURES FORECAST CP	GPRA & PART Forecast Denominator Definitions	
BGP 11 MED TAX CMS	Med Taxonomies-CMS Report	
BGP 11 MED TAX CRS	Med Taxonomies-Selected Measures Reports	

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 11 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 11 MED TAX EO	Med Taxonomies-EO Quality Transparency Measures	
BGP 11 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 11 MED TAX HEDIS	Med Taxonomies-HEDIS Report	
BGP 11 MED TAX ONM	Med Taxonomies-Other National Measures Report	
BGP 11 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 11 MENU NATIONAL	National GPRA & PART Reports	
BGP 11 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 11 NATIONAL GPRA FOR 2012	2012 National GPRA & PART Report	
BGP 11 NATIONAL GPRA REPORT	National GPRA & PART Report	
BGP 11 NATIONAL GPRA SUM ONLY	National GPRA & PART Clinical Perf Summaries	
BGP 11 NATIONAL PAT LISTS	National GPRA & PART Patient List	BGPZ PATIENT LISTS
BGP 11 NATL GPRA DESG PROV	National GPRA & PART Report by Designated Provider	
BGP 11 NATL HT WT LOCAL	National GPRA Height and Weight Local Data File	
BGP 11 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 11 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 11 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 11 OTHER CMS REPORTS	Other CMS Reports	
BGP 11 OTHER NATIONAL LISTS	Other National Measures Report Patient List	BGPZ PATIENT LISTS
BGP 11 OTHER NATIONAL MEAS RPT	Other National Measures Report	
BGP 11 OTHER NTL RPTS MENU	Other National Reports	
BGP 11 PAT ED REPORT	Patient Education w/Community Specified	
BGP 11 PATIENT ED MENU	Patient Education Reports	
BGP 11 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 11 PTS W SCHED APPT	GPRA & PART Forecast Patient List	BGPZ PATIENT LISTS
BGP 11 PTS W/GPRA DATA	Selected Patients with GPRA measure Data	
BGP 11 REPORTS MENU	Reports	
BGP 11 SEL ALL PATS	Selected Measures w/All Communities	
BGP 11 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	

Option Name	Description	KEY
BGP 11 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 11 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 11 SYSTEM SETUP	System Setup	
BGP 11 TAX CHK ONM	Taxonomy Check-Other National Measures Report	
BGP 11 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report	
BGP 11 TAXONOMY CHECK	Taxonomy Check	
BGP 11 TAXONOMY REPORTS	Taxonomy Reports	
BGP 11 TAXONOMY SETUP	Taxonomy Setup	
BGP 11 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template	
BGP 11 UPLOAD FILES	Upload Report Files from Site	
BGP 11 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP 12 AREA DSH	National GPRA Dashboard	
BGP 12 AREA ELDER REPORT	AREA Elder Care Report	
BGP 12 AREA GP SUM ONLY	AREA National GPRA & PART Report Perf Summaries	
BGP 12 AREA GPRA	AREA National GPRA & PART Report-Includes GPRA Dev	
BGP 12 AREA GPU	AREA GPRA & PART Performance Report	
BGP 12 AREA MENU	Area Options	BGPZAREA
BGP 12 AREA NGR FOR 2013	2013 AREA National GPRA & PART Report	
BGP 12 AREA ONM	AREA Other National Measures Report	
BGP 12 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 12 COMP NATL EXPORT	Comprehensive National GPRA Export	
BGP 12 COMPREHENSIVE PAT LIST	Comprehensive National GPRA & PART Patient List	BGPZ PATIENT LISTS
BGP 12 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 12 DISPLAY ICARE TEXT	Display iCare Data Items	
BGP 12 ELDER REPORT	Elder Care Report	
BGP 12 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 12 GPU GPRA PERFORMANCE	GPRA & PART Performance Report	
BGP 12 HOSPITAL REPORTS	Hospital Reports	
BGP 12 LAB TAX CMS	Lab Taxonomies-CMS Report	
BGP 12 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 12 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 12 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 12 LAB TAX ONM	Lab Taxonomies-Other National Measures Report	



<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 12 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 12 LIST FILES	List files in a directory	
BGP 12 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 12 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 12 MAIN MENU	CRS 2012	
BGP 12 MEASURES FORECAST CP	GPRA & PART Forecast Denominator Definitions	
BGP 12 MED TAX CMS	Med Taxonomies-CMS Report	
BGP 12 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 12 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 12 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 12 MED TAX ONM	Med Taxonomies-Other National Measures Report	
BGP 12 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 12 MENU NATIONAL	National GPRA & PART Reports	
BGP 12 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 12 NATIONAL GPRA FOR 2013	2013 National GPRA & PART Report	
BGP 12 NATIONAL GPRA REPORT	National GPRA & PART Report	
BGP 12 NATIONAL GPRA SUM ONLY	National GPRA & PART Clinical Perf Summaries	
BGP 12 NATIONAL PAT LISTS	National GPRA & PART Patient List	BGPZ PATIENT LISTS
BGP 12 NATL GPRA DESG PROV	National GPRA & PART Report by Designated Provider	
BGP 12 NATL HT WT LOCAL	National GPRA Height and Weight Local Data File	
BGP 12 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 12 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 12 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 12 OTHER CMS REPORTS	Other CMS Reports	
BGP 12 OTHER NATIONAL LISTS	Other National Measures Report Patient List	BGPZ PATIENT LISTS
BGP 12 OTHER NATIONAL MEAS RPT	Other National Measures Report	
BGP 12 OTHER NTL RPTS MENU	Other National Reports	
BGP 12 PAT ED REPORT	Patient Education w/Community Specified	

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 12 PATIENT ED MENU	Patient Education Reports	
BGP 12 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 12 PTS W SCHED APPT	GPRA & PART Forecast Patient List	BGPZ PATIENT LISTS
BGP 12 PTS W/GPRA DATA	Selected Patients with GPRA measure Data	
BGP 12 REPORTS MENU	Reports	
BGP 12 SEL ALL PATS	Selected Measures w/All Communities	
BGP 12 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 12 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 12 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 12 SYSTEM SETUP	System Setup	
BGP 12 TAX CHK ONM	Taxonomy Check-Other National Measures Report	
BGP 12 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report	
BGP 12 TAXONOMY CHECK	Taxonomy Check	
BGP 12 TAXONOMY REPORTS	Taxonomy Reports	
BGP 12 TAXONOMY SETUP	Taxonomy Setup	
BGP 12 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template	
BGP 12 UPLOAD FILES	Upload Report Files from Site	
BGP 12 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP 13 AREA DSH	National GPRA Dashboard	
BGP 13 AREA DSH	National GPRA Dashboard	
BGP 13 AREA ELDER REPORT	AREA Elder Care Report	
BGP 13 AREA GP SUM ONLY	AREA National GPRA & PART Report Perf Summaries	
BGP 13 AREA GPRA	AREA National GPRA & PART Report-Includes GPRA Dev	
BGP 13 AREA GPU	AREA GPRA & PART Performance Report	
BGP 13 AREA MENU	Area Options	BGPZAREA
BGP 13 AREA NGR FOR 2013	2013 AREA National GPRA & PART Report	
BGP 13 AREA ONM	AREA Other National Measures Report	
BGP 13 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 13 COMP NATL EXPORT	Comprehensive National GPRA Export	
BGP 13 COMPREHENSIVE PAT LIST	Comprehensive National GPRA & PART Patient List	BGPZ PATIENT LISTS
BGP 13 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 13 DISPLAY ICARE TEXT	Display iCare Data Items	
BGP 13 ELDER REPORT	Elder Care Report	
BGP 13 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 13 GPU GPRA PERFORMANCE	GPRA & PART Performance Report	
BGP 13 HOSPITAL REPORTS	Hospital Reports	
BGP 13 LAB TAX CMS	Lab Taxonomies-CMS Report	
BGP 13 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 13 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 13 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 13 LAB TAX ONM	Lab Taxonomies-Other National Measures Report	
BGP 13 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 13 LIST FILES	List files in a directory	
BGP 13 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 13 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 13 MAIN MENU	CRS 2012	
BGP 13 MEASURES FORECAST CP	GPRA & PART Forecast Denominator Definitions	
BGP 13 MED TAX CMS	Med Taxonomies-CMS Report	
BGP 13 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 13 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 13 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 13 MED TAX ONM	Med Taxonomies-Other National Measures Report	
BGP 13 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 13 MENU NATIONAL	National GPRA & PART Reports	
BGP 13 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 13 NATIONAL GPRA FOR 2013	2013 National GPRA & PART Report	
BGP 13 NATIONAL GPRA REPORT	National GPRA & PART Report	
BGP 13 NATIONAL GPRA SUM ONLY	National GPRA & PART Clinical Perf Summaries	
BGP 13 NATIONAL PAT LISTS	National GPRA & PART Patient List	BGPZ PATIENT LISTS
BGP 13 NATL GPRA DESG PROV	National GPRA & PART Report by Designated Provider	
BGP 13 NATL HT WT LOCAL	National GPRA Height and Weight Local Data File	
BGP 13 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 13 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	

Option Name	Description	KEY
BGP 13 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 13 OTHER CMS REPORTS	Other CMS Reports	
BGP 13 OTHER NATIONAL LISTS	Other National Measures Report Patient List	BGPZ PATIENT LISTS
BGP 13 OTHER NATIONAL MEAS RPT	Other National Measures Report	
BGP 13 OTHER NTL RPTS MENU	Other National Reports	
BGP 13 PAT ED REPORT	Patient Education w/Community Specified	
BGP 13 PATIENT ED MENU	Patient Education Reports	
BGP 13 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 13 PTS W SCHED APPT	GPRA & PART Forecast Patient List	BGPZ PATIENT LISTS
BGP 13 PTS W/GPRA DATA	Selected Patients with GPRA measure Data	
BGP 13 REPORTS MENU	Reports	
BGP 13 SEL ALL PATS	Selected Measures w/All Communities	
BGP 13 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 13 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 13 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 13 SYSTEM SETUP	System Setup	
BGP 13 TAX CHK ONM	Taxonomy Check-Other National Measures Report	
BGP 13 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report	
BGP 13 TAXONOMY CHECK	Taxonomy Check	
BGP 13 TAXONOMY REPORTS	Taxonomy Reports	
BGP 13 TAXONOMY SETUP	Taxonomy Setup	
BGP 13 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template	
BGP 13 UPLOAD FILES	Upload Report Files from Site	
BGP 13 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP 14 AREA ELDER REPORT	AREA Elder Care Report	
BGP 14 AREA GP SUM ONLY	AREA National GPRA & PART Report Perf Summaries	
BGP 14 AREA GPRA	AREA National GPRA & PART Report-Includes GPRA Dev	
BGP 14 AREA GPU	AREA GPRA & PART Performance Report	
BGP 14 AREA MENU	Area Options	BGPZAREA
BGP 14 AREA NGR FOR 2013	2013 AREA National GPRA & PART Report	
BGP 14 AREA ONM	AREA Other National Measures Report	
BGP 14 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 14 COMP NATL EXPORT	Comprehensive National GPRA Export	

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 14 COMPREHENSIVE PAT LIST	Comprehensive National GPRA & PART Patient List	BGPZ PATIENT LISTS
BGP 14 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 14 DISPLAY ICARE TEXT	Display iCare Data Items	
BGP 14 ELDER REPORT	Elder Care Report	
BGP 14 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 14 GPU GPRA PERFORMANCE	GPRA & PART Performance Report	
BGP 14 HOSPITAL REPORTS	Hospital Reports	
BGP 14 LAB TAX CMS	Lab Taxonomies-CMS Report	
BGP 14 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 14 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 14 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 14 LAB TAX ONM	Lab Taxonomies-Other National Measures Report	
BGP 14 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 14 LIST FILES	List files in a directory	
BGP 14 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 14 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 14 MAIN MENU	CRS 2012	
BGP 14 MEASURES FORECAST CP	GPRA & PART Forecast Denominator Definitions	
BGP 14 MED TAX CMS	Med Taxonomies-CMS Report	
BGP 14 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 14 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 14 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 14 MED TAX ONM	Med Taxonomies-Other National Measures Report	
BGP 14 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 14 MENU NATIONAL	National GPRA & PART Reports	
BGP 14 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 14 NATIONAL GPRA FOR 2013	2013 National GPRA & PART Report	
BGP 14 NATIONAL GPRA REPORT	National GPRA & PART Report	
BGP 14 NATIONAL GPRA SUM ONLY	National GPRA & PART Clinical Perf Summaries	
BGP 14 NATIONAL PAT LISTS	National GPRA & PART Patient List	BGPZ PATIENT LISTS

Option Name	Description	KEY
BGP 14 NATL GPRA DESG PROV	National GPRA & PART Report by Designated Provider	
BGP 14 NATL HT WT LOCAL	National GPRA Height and Weight Local Data File	
BGP 14 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 14 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 14 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 14 OTHER CMS REPORTS	Other CMS Reports	
BGP 14 OTHER NATIONAL LISTS	Other National Measures Report Patient List	BGPZ PATIENT LISTS
BGP 14 OTHER NATIONAL MEAS RPT	Other National Measures Report	
BGP 14 OTHER NTL RPTS MENU	Other National Reports	
BGP 14 PAT ED REPORT	Patient Education w/Community Specified	
BGP 14 PATIENT ED MENU	Patient Education Reports	
BGP 14 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 14 PTS W SCHED APPT	GPRA & PART Forecast Patient List	BGPZ PATIENT LISTS
BGP 14 PTS W/GPRA DATA	Selected Patients with GPRA measure Data	
BGP 14 REPORTS MENU	Reports	
BGP 14 SEL ALL PATS	Selected Measures w/All Communities	
BGP 14 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 14 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 14 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 14 SYSTEM SETUP	System Setup	
BGP 14 TAX CHK ONM	Taxonomy Check-Other National Measures Report	
BGP 14 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report	
BGP 14 TAXONOMY CHECK	Taxonomy Check	
BGP 14 TAXONOMY REPORTS	Taxonomy Reports	
BGP 14 TAXONOMY SETUP	Taxonomy Setup	
BGP 14 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template	
BGP 14 UPLOAD FILES	Upload Report Files from Site	
BGP 14 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGPGRPC	BGPG Application Context	
BGPMENU	IHS Clinical Reporting System (CRS) Main Menu	BGPZMENU
BGPMU EP PERFORMANCE MEASURES	EP Clinical Quality Measures Report Stage 1	

---

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGPMU HOSPITAL PERF MEASURES	Hospital Clinical Quality Measures Report Stage 1	

## 7.0 Security Keys

Table 2-1 provides the BGP security keys and their descriptions.



## **8.0 Archiving and Purging**

There is no archiving and purging in this package.

## 9.0 Documentation Resources

This section describes a few methods to generate online technical documentation.

### 9.1 How to Generate Online Documentation

The file number range for this package is 90240, 90370, 90530–90539 and 90552–90599. The namespace is BGP. All templates, routines, screen forms, etc., begin with BGP.

This section describes some methods by which users can generate IHS RPMS CRS technical documentation. Online technical documentation pertaining to the IHS RPMS clinical reporting software, in addition to that which is located in the help prompts and on the help screens throughout the IHS RPMS Clinical Reporting package, can be generated through the use of several kernel options. These include, but are not limited to, the sections that follow.

### 9.2 System Documentation

Online VPS system documentation can be generated through the use of several kernel options, including, but not limited to:

- %INDEX
- Menu Management
- Inquire Option
- Print Option File
- VA FileMan
- Data Dictionary Utilities
- List File Attributes

For more option listings and further information about other utilities that supply online technical information, see the Decentralized Hospital Computer Program (DHCP) Kernel Reference manual.

#### 9.2.1 %INDEX

The %INDEX option analyzes the structure of a routine to determine, in part, if the routine adheres to RPMS programming standards. The output can include the following components:

- Compiled list of errors and warnings
- Routine listings

- Local variables
- Global variables
- Naked globals
- Label references
- External references

Running %INDEX for a specified set of routines allows users to discover any deviations from RPMS programming standards that exist, and to see how routines interact with one another (i.e., which routines call or are called by other routines).

To run %INDEX for the IHS RPMS Clinical Reporting package, specify the BGP namespace at the “Routine(s)?>” prompt.

## 9.2.2 Inquire Option

The Inquire menu management option provides the following information about a specified option:

- Option name
- Menu text
- Option description
- Type of option
- Lock (if any)

In addition, all items on the menu are listed for each menu option. To secure information about IHS RPMS Clinical Reporting options, you must specify the BGP namespace.

## 9.2.3 Print Option File

**Note:** The Print Option File utility generates a listing of options from the Option file (#19). Print all entries, a single option, or range of options. For a list of IHS RPMS Clinical Reporting options, see Section 9.1. There are no Published Entry Points for this application.

## 9.2.4 List File Attributes

This VA FileMan option allows users to generate documentation pertaining to files and file structure. The standard format of this option provides the following data dictionary information for a specified file:

- File name and description

- Identifiers
- Cross-references
- Files pointed to by the file specified
- Files that point to the file specified
- Input, print, and sort templates

In addition, the following applicable data is supplied for each field in the file:

- Field name, number, title, and description
- Global location
- Help prompt
- Cross-references
- Input transform
- Date last edited
- Notes

Using the Global Map format of this option generates an output that lists the following information:

- All cross references for the file selected
- Global location of each field in the file
- Input, print, and sort templates

For a comprehensive listing of CLINICAL files, see Section 4.0

### 9.3 Online Help

In addition to system documentation, RPMS includes special help displays for most menu options and data entry prompts. Typing ? at the “Select Option” prompt displays information related to the current option, where:

<b>Typing</b>	<b>Displays</b>
A single question mark (?)	A list of all options accessible from the current option
Two question marks (??)	A list of all accessible options and their formal names
Three question marks (???)	A brief description for each option in a menu
A single question mark (?) followed by an option name (? <b>OPTION</b> )	Extended help, if available, for that option

## 10.0 SAC Requirements

This program uses a standard global for export of data to the Area Office. The global is called ^BGPDATA (and is killed at the root level in various routines).

The kill of these unsubscripted globals has been approved by the Standards and Conventions committee.

## Glossary

### Archiving

The storage of historical or little-used data off-line (often on tape).

### Banner

A line of text with a user's name and domain.

### Browser

An interactive application that displays ASCII text on a terminal that supports a scroll region. The text can be in the form of a word-processing field or sequential local or global array. The user is allowed to navigate freely within the document.

### Callable Entry Points

Places in a routine that can be called from an application program.

### Caret (^)

A circumflex, also known as an "up-hat," used as a piece delimiter in a global. The caret is denoted as "^" and is typed by pressing SHIFT-6 on the keyboard.

### Cross Reference

An indexing method whereby files can include presorted lists of entries as part of the stored database. Cross references (x-refs) facilitate look-up and reporting.

### Entry Point

A point within a routine that is referenced by a "DO" or "GOTO" command from a routine internal to a package.

### File

A set of related records or entries treated as a single unit.

### FileMan

The database management system for RPMS.

### Global

In MUMPS, global refers to a variable stored on disk (global variable) or the array to which the global variable may belong (global array).

### ICD

International Classification of Diseases.

**INDEX (%INDEX)**

A kernel utility used to verify routines and other MUMPS code associated with a package. Checking is done according to current ANSI MUMPS standards and RPMS programming standards. This tool can be invoked through an option or from direct mode (>D ^%INDEX).

**IRM**

Information Resource Management. The IHS personnel responsible for information systems management and security.

**Kernel**

The set of MUMPS software utilities that function as an intermediary between the host operating system and application packages, such as Laboratory and Pharmacy. The kernel provides a standard and consistent user and programmer interface between application packages and the underlying MUMPS implementation. These utilities provide the foundation for RPMS.

**Menu**

A list of choices for computing activity. A menu is a type of option designed to identify a series of items (other options) for presentation to the user for selection. When displayed, menu-type options are preceded by the word "Select" and followed by the word "option," as in "Select Menu Management option:" (the menu's select prompt).

**Namespace**

A unique set of 2 to 4 alpha characters that are assigned by the database administrator to a software application.

**Option**

An entry in the Option file. As an item in a menu, an option provides an opportunity for users to select it, thereby invoking the associated computing activity. Options may also be scheduled to run in the background, non-interactively, by TaskMan.

**Patient Care Component (PCC)**

The central repository for data in the Resource and Patient Management System (RPMS).

**Queuing**

A request that a job be processed at a later time rather than within the current session.

**Routine**

A program or sequence of instructions called by a program that may have some general or frequent use. MUMPS routines are groups of program lines that are saved, loaded, and called as a single unit via a specific name.

**UCI**

User Class Identification. A computing area.

**Utility**

A callable routine line tag or function. A universal routine usable by anyone.

**Variable**

A character or group of characters that refers to a value. MUMPS recognizes three types of variables: local variables, global variables, and special variables. Local variables exist in a partition of the main memory and disappear at signoff. A global variable is stored on disk, potentially available to any user. Global variables usually exist as parts of global arrays.



## Contact Information

If you have any questions or comments regarding this distribution, please contact the OIT Help Desk (IHS).

**Phone:** (505) 248-4371 or (888) 830-7280 (toll free)

**Fax:** (505) 248-4363

**Web:** <http://www.ihs.gov/GeneralWeb/HelpCenter/Helpdesk/index.cfm>

**Email:** [support@ihs.gov](mailto:support@ihs.gov)