



RESOURCE AND PATIENT MANAGEMENT SYSTEM

Clinical Reporting System

(BGP)

Technical Manual

Version 18.1
June 2018

Office of Information Technology
Division of Information Technology

Document Version History

Version	Date	Notes
1.0	August 2005	Initial version
8.0	August 2008	Updated to include changes to the logic descriptions and performance measures for FY 2008 and reformatted
9.0	June 2009	Updated for version 9.0
10.0	May 2010	Updated for version 10.0
11.0	January 2011	Updated for version 11.0
11.1	May 2011	Updated for version 11.1
12.0	December 2011	Updated for version 12.0
12.1	April 2012	Updated for version 12.1
13.0	November 2012	Updated for version 13.0
14.0	November 2013	Updated for version 14.0
14.1	May 2014	Updated for version 14.1
15.0	November 2014	Updated for version 15.0
15.1	May 2015	Updated for version 15.1
16.0	November 2015	Updated for version 16.0
16.1	February 2016	Updated for version 16.1
17.0	September 2016	Updated for version 17.0
17.1	March 2017	Updated for version 17.1
18.0	October 2017	Updated for version 18.0
18.1	June 2018	Updated for version 18.1

Table of Contents

1.0	Introduction.....	1
1.1	Key Changes in v18.1.....	2
1.1.1	Logic Changes to National GPRA/GPRAMA Report Measures.....	2
1.1.2	Key Logic Changes to Non-GPRA Measures.....	2
1.1.3	Additional Key Enhancements and Revisions	3
2.0	Implementation and Maintenance	4
2.1	System Requirements	4
2.2	Security Keys.....	4
3.0	Routines	5
3.1	Routines and Descriptions.....	5
4.0	Files and Tables.....	26
4.1	File List	26
4.2	File Access	27
4.3	Cross References	27
4.4	Table File.....	56
4.4.1	BGP Control File.....	56
4.4.2	BGP SITE PARAMETERS	61
4.4.3	FILE: BGP SUMMARY CATEGORIES.....	62
4.4.4	FILE: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS	63
4.4.5	FILE: BGP AREA AUTOMATED GPRA PARAMS	63
4.4.6	FILE: BGP GPRA FLAT FILE DATA	64
4.4.7	FILE: BGP 18 MEASURES	65
4.4.8	FILE: BGP 18 INDIVIDUAL MEASURES	68
4.4.9	FILE: BGP 18 NATIONAL PATIENT LISTS	71
4.4.10	FILE: BGP 18 SNOMED SUBSETS	72
4.4.11	FILE: BGP 18 TAXONOMIES.....	73
4.4.12	FILE: BGP 18 MEASURE GROUPS	73
4.4.13	FILE: BGP 18 PATIENT ED DATA CURRENT	74
4.4.14	FILE: BGP 18 PATIENT ED DATA PREVIOUS	76
4.4.15	FILE: BGP 18 PATIENT ED DATA BASELINE	77
4.4.16	FILE: BGP 18 PAT ED MEASURES	79
4.4.17	FILE: BGP 18 ICARE GROUPS	80
4.4.18	FILE: BGP 18 ICARE CATEGORIES	81
4.4.19	FILE: BGP 18 GUI OUTPUT	81
4.4.20	FILE: BGP 18 ELDER INDIVIDUAL MEASURES	82
4.4.21	FILE: BGP 18 ELDER MEASURES	83
5.0	Internal Relations	85
6.0	External Relations	86

6.1	External Calls	86
6.2	Callable Routines.....	115
6.3	Published Entry Points.....	115
6.4	Exported Options.....	115
7.0	Security Keys.....	131
8.0	Archiving and Purging	132
9.0	Documentation Resources	133
9.1	How to Generate Online Documentation	133
9.2	System Documentation.....	133
9.2.1	%INDEX	133
9.2.2	Inquire Option	134
9.2.3	Print Option File.....	134
9.2.4	List File Attributes	134
9.3	Online Help.....	135
10.0	SAC Requirements	136
	Glossary.....	137
	Acronym List	139
	Contact Information	140

Preface

This manual contains the technical manual for the Clinical Reporting System (CRS) v18.1, which adds fiscal year (FY) 2018 clinical performance measures to existing FY 2002 through FY 2017 measures.

1.0 Introduction

This manual provides Indian Health Service (IHS) site managers with a technical description of the Clinical Reporting System routines, files, menus, cross references, globals, and other necessary information required to effectively manage the system.

All routines, files, options, and keys have a namespace starting with the letters “BGP.”

The file number range for this package is 90240, 90370–90561, 90530–90539, 90558–90599.

The Government Performance and Results Act (GPRA) requires federal agencies to report annually on how the agency measured against the performance targets set in its annual plan. The IHS GPRA measures include clinical prevention and treatment, quality of care, infrastructure, and administrative efficiency functions.

The IHS Clinical Reporting System (CRS) is a Resource and Patient Management System (RPMS) software application designed for national reporting, as well as Area Office and local monitoring of clinical GPRA and developmental measures. CRS was first released for FY 2002 performance measures (as GPRA+) and is based on a design by the Aberdeen Area Office (GPRA2000).

This manual provides technical information for the CRS v18.1. V18.1 adds FY 2018 clinical performance measures to existing FY 2002 through FY 2017 measures.

CRS is the reporting tool used by the IHS Office of Planning and Evaluation to collect and report clinical performance results annually to the Department of Health and Human Services (HHS) and to Congress.

Each year, an updated version of CRS software is released to reflect changes in the logic descriptions of the different denominators and numerators. Additional performance measures may also be added. Local facilities can run reports as often as they want and can also use CRS to transmit data to their Area Office. The Area Office can use CRS to produce an aggregated Area Office report for either annual GPRA or Area Office director performance reports.

CRS produces reports on demand from local RPMS databases for both GPRA and developmental clinical performance measures that are based on RPMS data, thus eliminating the need for manual chart audits for evaluating and reporting clinical measures.

To produce reports with comparable data across every facility, the GPRA measures definitions were translated into programming code with the assistance of clinical subject matter experts. CRS uses predefined taxonomies to find data items in the RPMS Patient Care Component to determine if a patient meets the performance measure criteria. Taxonomies contain groups of codes (e.g., diagnoses or procedures) or site-specific terms. Each performance measure topic has one or more defined denominators and numerators.

Administrative and clinical users can review individual or all measures at any time to:

- Identify potential data issues in their RPMS; for example, missing or incorrect data.
- Monitor their site's performance against past national performance and upcoming agency goals.
- Identify specific areas where the facility is not meeting the measure in order to initiate business process or other changes.
- Quickly measure impact of process changes on performance measures.
- Identify IHS Area Offices meeting or exceeding measures to provide lessons learned.

Users of the RPMS CRS include:

- Area Office and site quality improvement staff
- Compliance officers
- GPRA coordinators
- Clinical staff, such as physicians, nurses, nurse practitioners, and other providers
- Area Office directors
- Any staff involved with quality assurance initiatives
- Staff who run the various CRS reports

1.1 Key Changes in v18.1

1.1.1 Logic Changes to National GPRA/GPRAMA Report Measures

None.

1.1.2 Key Logic Changes to Non-GPRA Measures

None.

1.1.3 Additional Key Enhancements and Revisions

Added new IPC report with new measures.

2.0 Implementation and Maintenance

The Clinical Reporting System occupies the BGP namespace. Options, security locks/keys, templates, routines, and globals have the namespace BGP.

Note: This version of the CRS (v.18.1) only contains the 2018 files, options, routines, templates, etc. This was done at the request of the verification staff due to the size of this package. V18.0 through patch 1 is a requirement to install v18.1. Please see the technical manual for previous versions for information about all previous versions.

2.1 System Requirements

IHS Clinical Reporting System v18.0 through patch 1 must be installed (bgp_1800.01k).

2.2 Security Keys

Table 2-1 provides security key information.

Table 2-1: Security key names, descriptive names, and descriptions

Name	Descriptive Name	Description
BGPZAREA	BGP AREA REPORT	This key unlocks the area report options on the main BGPMENU. This key should only be assigned at the Area Office level.
BGPZMENU	BGP MAIN MENU-CRS	This key unlocks the main CRS menu. It should be assigned to all users who need to run GPRA/CRS reports.
BGPZ PATIENT LISTS	BGP PATIENT LISTS	This key allows the holder to obtain patient lists. The patient lists contain sensitive patient/clinical information. This key should only be given to those users who have a need for such information.
BGPZ SITE PARAMETERS	BGP SITE PARAMETERS	This key should be given to those with authority to update the site parameters.
BGPZ TAXONOMY EDIT	BGP TAXONOMY EDIT	This key should be given only to users who need to update taxonomies.

3.0 Routines

This section includes Table 3-1, which lists BGP routines and their descriptions.

Please note that the only routines distributed in v18.1 are the BGP8* routines. Previous versions of CRS contain the other routines. This was done at the request of the verification staff and is due to the large size of the build.

3.1 Routines and Descriptions

Table 3-1 provides a list of routines with comprehensive descriptions of the functions.

Table 3-1: BGP Routines

ROUTINE	DESCRIPTION
BGP84	IHS/CMI/LAB-CREATED BY ^ATXSTX ON APR 12, 2018
BGP84A	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 05, 2018
BGP84B	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 05, 2018
BGP84C	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 05, 2018
BGP84D	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 05, 2018
BGP84E	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 05, 2018
BGP84F	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 07, 2018
BGP84G	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 13, 2018
BGP84H	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 13, 2018
BGP84I	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 13, 2018
BGP84J	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 13, 2018
BGP84K	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 13, 2018
BGP84L	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 13, 2018
BGP84M	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 13, 2018
BGP84N	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 13, 2018
BGP84O	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 13, 2018
BGP84P	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 13, 2018

ROUTINE	DESCRIPTION
BGP84Q	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 13, 2018
BGP84R	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 13, 2018
BGP84S	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 15, 2018
BGP84T	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 15, 2018
BGP84U	IHS/CMI/LAB-CREATED BY ^ATXSTX ON APR 11, 2018
BGP84V	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 21, 2018
BGP84W	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 21, 2018
BGP84X	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 21, 2018
BGP84Y	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 21, 2018
BGP84Z	IHS/CMI/LAB-CREATED BY ^ATXSTX ON APR 12, 2018
BGP85	IHS/CMI/LAB-CREATED BY ^ATXSTX ON APR 11, 2018
BGP85A	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 22, 2018
BGP85B	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 22, 2018
BGP85C	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 22, 2018
BGP85D	IHS/CMI/LAB-CREATED BY ^ATXSTX ON APR 11, 2018
BGP85E	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 22, 2018
BGP85F	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 22, 2018
BGP85G	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 22, 2018
BGP85H	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 22, 2018
BGP85I	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 22, 2018
BGP85J	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 22, 2018
BGP85K	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 23, 2018
BGP85L	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 23, 2018
BGP85M	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 23, 2018
BGP85N	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 26, 2018

ROUTINE	DESCRIPTION
BGP85O	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 23, 2018
BGP85P	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 26, 2018
BGP85Q	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 26, 2018
BGP85R	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 26, 2018
BGP85S	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 26, 2018
BGP85T	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 26, 2018
BGP85U	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 26, 2018
BGP85V	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 26, 2018
BGP85W	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 27, 2018
BGP85X	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 27, 2018
BGP85Y	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 27, 2018
BGP85Z	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 27, 2018
BGP86	IHS/CMI/LAB-CREATED BY ^ATXSTX ON APR 30, 2018
BGP86A	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 27, 2018
BGP86B	IHS/CMI/LAB-CREATED BY ^ATXSTX ON FEB 27, 2018
BGP86C	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 06, 2018
BGP86D	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 12, 2018
BGP86E	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 12, 2018
BGP86F	IHS/CMI/LAB-CREATED BY ^ATXSTX ON APR 30, 2018
BGP86G	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 13, 2018
BGP86H	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 19, 2018
BGP86I	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 19, 2018
BGP86J	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 19, 2018
BGP86K	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 19, 2018
BGP86L	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 19, 2018

ROUTINE	DESCRIPTION
BGP86M	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 20, 2018
BGP86N	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 20, 2018
BGP86O	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 20, 2018
BGP86P	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 20, 2018
BGP86Q	IHS/CMI/LAB-CREATED BY ^ATXSTX ON MAR 20, 2018
BGP86R	IHS/CMI/LAB-CREATED BY ^ATXSTX ON APR 04, 2018
BGP8ALG	IHS/CMI/LAB - measure AHR.A
BGP8ALG1	IHS/CMI/LAB - measure AHR.A
BGP8ALG2	IHS/CMI/LAB - measure AHR.A
BGP8ASL	IHS/CMI/LAB - DISPLAY IND LISTS 28 Apr 2006 2:10 PM
BGP8ASL1	IHS/CMI/LAB - DISPLAY IND LISTS
BGP8AU1A	IHS/CMI/LAB - BUILD CRS* FILES
BGP8AU1D	IHS/CMI/LAB - GPRA FLAT FILE DATA DUMP
BGP8AU1M	IHS/CMI/LAB - SEND MAIL MESSAGE
BGP8AU1R	IHS/CMI/LAB - READ, PROCESS GPRA FILE
BGP8AUEX	IHS/CMI/LAB - BUILD SITE GPRA FILES, EXPORT TO AREA
BGP8AUUL	IHS/CMI/LAB - AREA UPLOAD
BGP8AUUP	IHS/CMI/LAB - UPLOAD SITE FILES, CREATE EXCEL FILES
BGP8BAN	IHS/CMI/LAB - BANNER FOR CRS
BGP8C11	IHS/CMI/LAB - calc CMS measures 02 Jul 2010 8:31 AM
BGP8C13	IHS/CMI/LAB - calc CMS measures 26 Sep 2004 11:28 AM
BGP8CON	IHS/CMI/LAB - measure AHR.A
BGP8CON1	IHS/CMI/LAB - measure logic
BGP8CSI	IHS/CMI/LAB - DISPLAY IND LISTS
BGP8CSII	IHS/CMI/LAB - DISPLAY IND LISTS

ROUTINE	DESCRIPTION
BGP8CTL	IHS/CMI/LAB - DISPLAY IND LISTS
BGP8CTS	IHS/CMI/LAB - display ind lists
BGP8CU	IHS/CMI/LAB - calc cms measures
BGP8CU1	IHS/CMI/LAB - calc CMS measures
BGP8D1	IHS/CMI/LAB - CALC MEASURES
BGP8D10	IHS/CMI/LAB - calc measures
BGP8D2	IHS/CMI/LAB - measure 1,2,3,4
BGP8D21	IHS/CMI/LAB - measure 6
BGP8D211	IHS/CMI/LAB - measure 6 19 Sep 2014 8:12 AM
BGP8D212	IHS/CMI/LAB - measure 6 19 Sep 2014 8:12 AM
BGP8D213	IHS/CMI/LAB - measure 6 13 Aug 2015 6:58 AM
BGP8D214	IHS/CMI/LAB - measure 6 19 Sep 2014 8:12 AM
BGP8D21A	IHS/CMI/LAB - measure 6
BGP8D22	IHS/CMI/LAB - measure I2
BGP8D24	IHS/CMI/LAB - sti measure
BGP8D24A	IHS/CMI/LAB - sti measure
BGP8D25	IHS/CMI/LAB - MEASURE
BGP8D26	IHS/CMI/LAB - MEASURE LOGIC
BGP8D27	IHS/CMI/LAB - measure I2
BGP8D28	IHS/CMI/LAB - measure I2
BGP8D3	IHS/CMI/LAB - MEASURE LOGIC
BGP8D31	IHS/CMI/LAB - MEASURE LOGIC
BGP8D32	IHS/CMI/LAB - MEASURE LOGIC
BGP8D33	IHS/CMI/LAB - measure C
BGP8D34	IHS/CMI/LAB - measure C

ROUTINE	DESCRIPTION
BGP8D341	IHS/CMI/LAB - measure C
BGP8D35	IHS/CMI/LAB - MEASURE LOGIC
BGP8D36	IHS/CMI/LAB - MEASURE IMM LOGIC
BGP8D37	IHS/CMI/LAB - IMMUNIZATIONS
BGP8D38	IHS/CMI/LAB - IMMUNIZATIONS
BGP8D39	IHS/CMI/LAB - measure C
BGP8D3A	IHS/CMI/LAB - MEASURE LOGIC
BGP8D3B	IHS/CMI/LAB - PNEUMO REMINDER 27 Feb 2015 7:52 AM
BGP8D3C	IHS/CMI/LAB - VARIOUS UTILS
BGP8D4	IHS/CMI/LAB - MEASURE LOGIC 3
BGP8D41	IHS/CMI/LAB - measure 3
BGP8D42	IHS/CMI/LAB - measure 11
BGP8D5	IHS/CMI/LAB - measure calc
BGP8D51	IHS/CMI/LAB - measure I2 26 Mar 2015 10:09 AM
BGP8D52	IHS/CMI/LAB - measure 31
BGP8D53	IHS/CMI/LAB - measure calc
BGP8D54	IHS/CMI/LAB - measure calc 02 Jul 2010 8:08 AM
BGP8D55	IHS/CMI/LAB - measure calc
BGP8D5A	IHS/CMI/LAB - measure calc
BGP8D6	IHS/CMI/LAB - measure 31
BGP8D62	IHS/CMI/LAB - MEASURE 31
BGP8D63	IHS/CMI/LAB - MEASURE LOGIC
BGP8D64	IHS/CMI/LAB - measure 31 01 Jul 2010 7:47 PM
BGP8D7	IHS/CMI/LAB - measure 31 06 Nov 2014 2:31 PM
BGP8D71	IHS/CMI/LAB - measure C

ROUTINE	DESCRIPTION
BGP8D711	IHS/CMI/LAB - measure C 30 Jun 2010 12:14 PM
BGP8D712	IHS/CMI/LAB - TOBACCO HF
BGP8D713	IHS/CMI/LAB - measure 31
BGP8D714	IHS/CMI/LAB - measure 6
BGP8D715	IHS/CMI/LAB - measure 6
BGP8D72	IHS/CMI/LAB - measure 31
BGP8D721	IHS/CMI/LAB - measure AHR.A
BGP8D722	IHS/CMI/LAB - measure MEDS
BGP8D723	IHS/CMI/LAB - measure AHR.A
BGP8D724	IHS/CMI/LAB - CONTRA (CONT)
BGP8D729	IHS/CMI/LAB - measure AHR.A
BGP8D73	IHS/CMI/LAB - measure 31
BGP8D731	IHS/CMI/LAB - measure AHR.A
BGP8D732	IHS/CMI/LAB - measure AHR.A
BGP8D74	IHS/CMI/LAB - MEASURE LOGIC
BGP8D75	IHS/CMI/LAB - measure 31
BGP8D76	IHS/CMI/LAB - MEASURE LOGIC
BGP8D8	IHS/CMI/LAB - measure C 11 Feb 2018 3:35 PM
BGP8D81	IHS/CMI/LAB - measure C 17 Oct 2014 8:51 AM
BGP8D811	IHS/CMI/LAB - PCR, MMR
BGP8D812	IHS/CMI/LAB - measure C
BGP8D82	IHS/CMI/LAB - measure C 14 Mar 2010 11:49 AM
BGP8D83	IHS/CMI/LAB - measure C 07 Jan 2018 11:45 AM
BGP8D84	IHS/CMI/LAB - measure C
BGP8D841	IHS/CMI/LAB - measure C

ROUTINE	DESCRIPTION
BGP8D85	IHS/CMI/LAB - measure C 09 Jun 2018 5:18 PM
BGP8D86	IHS/CMI/LAB - measure C 06 Nov 2009 2:26 PM
BGP8D861	IHS/CMI/LAB - measure C
BGP8D862	IHS/CMI/LAB - measure C
BGP8D863	IHS/CMI/LAB - measure C
BGP8D864	IHS/CMI/LAB - measure C
BGP8D87	IHS/CMI/LAB - measure calc 01 Nov 2014 2:35 PM
BGP8D88	IHS/CMI/LAB - measure C 03 Jul 2010 7:05 AM
BGP8D89	IHS/CMI/LAB - measure C 03 Jul 2010 7:05 AM
BGP8D9	IHS/CMI/LAB - measure J
BGP8D91	IHS/CMI/LAB - MEASURE LOGIC
BGP8DADB	IHS/CMI/LAB - MEASURE LOGIC
BGP8DAP	IHS/CMI/LAB - GPRA AREA DRIVER
BGP8DAR	IHS/CMI/LAB - GPRA AREA REPORT
BGP8DARO	IHS/CMI/LAB - ihs area GPRA 02 Sep 2004
BGP8DBPR	IHS/CMI/LAB - IHS gpra print 03 Jul 2010 6:26 AM
BGP8DCEI	IHS/CMI/LAB - calculate HEDIS measures
BGP8DCHW	IHS/CMI/LAB - calc measures 29 Apr 2007 7:38 PM
BGP8DCI	IHS/CMI/LAB - AREA GPRA
BGP8DCL	IHS/CMI/LAB - national patient list 20 Dec 2004 9:24 AM
BGP8DCLD	IHS/CMI/LAB - IHS gpra print
BGP8DCLP	IHS/CMI/LAB - IHS gpra print
BGP8DEL	IHS/CMI/LAB - GPRA REPORT DRIVER
BGP8DELA	IHS/CMI/LAB - GPRA REPORT
BGP8DELP	IHS/CMI/LAB - IHS HEDIS print

ROUTINE	DESCRIPTION
BGP8DEMO	IHS/CMI/LAB - demo patient search template
BGP8DESI	IHS/CMI/LAB - DISPLAY IND LISTS
BGP8DESL	IHS/CMI/LAB - IHS 2018 DISPLAY IND LISTS
BGP8DGPA	IHS/CMI/LAB - ihs area GPRA 02 Sep 2004 1:11 PM
BGP8DGPU	IHS/CMI/LAB - IHS AREA CLIN 05 REPORT DRIVER
BGP8DH	IHS/CMI/LAB - HEADER
BGP8DH1	IHS/CMI/LAB - COVER PAGE
BGP8DH2	IHS/CMI/LAB - COVER PAGE
BGP8DHSL	IHS/CMI/LAB - IHS 2018 DISPLAY IND LISTS
BGP8DICR	IHS/CMI/LAB - ICARE LIST
BGP8DL	IHS/CMI/LAB - LOCAL COM REPORT
BGP8DLT	IHS/CMI/LAB - national patient list 20 Dec 2004 9:24 AM
BGP8DMT	IHS/CMI/LAB - NATIONAL LIST
BGP8DNDB	IHS/CMI/LAB - NATIONAL EXPORT
BGP8DNE1	IHS/CMI/LAB - NATL COMP
BGP8DNG	IHS/CMI/LAB - NATL COM EXPORT
BGP8DNGP	IHS/CMI/LAB - NATL RPT PRT
BGP8DNGS	IHS/CMI/LAB - NATL COMP EXPORT 13 Nov 2006 12:31 PM
BGP8DON	IHS/CMI/LAB - NATL COMP EXPORT 13 Nov 2006 12:31 PM
BGP8DP	IHS/CMI/LAB - IHS gpra print 03 Jul 2010 6:26 AM
BGP8DP1	IHS/CMI/LAB - print ind 1 21 Mar 2010 12:55 PM
BGP8DP11	IHS/CMI/LAB - print ind 1
BGP8DP12	IHS/CMI/LAB - print ind 19 AGE DIST
BGP8DP13	IHS/CMI/LAB - print ind 19 AGE DIST 02 Feb 2018 1:14 PM
BGP8DP14	IHS/CMI/LAB - print ind 19 AGE DIST

ROUTINE	DESCRIPTION
BGP8DP19	IHS/CMI/LAB - print ind 1 03 Jul 2010 7:40 AM
BGP8DP1A	IHS/CMI/LAB - print ind 19 AGE DIST 02 Feb 2018 1:14 PM
BGP8DP1C	IHS/CMI/LAB - print ind 1 21 Mar 2010 12:55 PM
BGP8DP1D	IHS/CMI/LAB - print ind
BGP8DP1E	IHS/CMI/LAB - PRINT IND
BGP8DP1F	IHS/CMI/LAB - PRINT IND
BGP8DP1G	IHS/CMI/LAB - print ind 1
BGP8DP1H	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP8DP1I	IHS/CMI/LAB - print ind 1
BGP8DP1J	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP8DP1K	IHS/CMI/LAB - print ind 1
BGP8DP1L	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP8DP1M	IHS/CMI/LAB - PRINT IND
BGP8DP1N	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP8DP1O	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP8DP1S	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP8DP1T	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP8DP2	IHS/CMI/LAB - print ind 10 02 Jul 2010 9:25 AM
BGP8DP3	IHS/CMI/LAB - print ind 1
BGP8DP4	IHS/CMI/LAB - print ind 31
BGP8DP5	IHS/CMI/LAB - print ind H
BGP8DP50	IHS/CMI/LAB - print ind H
BGP8DP51	IHS/CMI/LAB - print ind H
BGP8DP6	IHS/CMI/LAB - print ind H
BGP8DP60	IHS/CMI/LAB - print ind H 02 Feb 2018 1:59 PM

ROUTINE	DESCRIPTION
BGP8DP7	IHS/CMI/LAB - print ind 10
BGP8DP8	IHS/CMI/LAB - print ind H
BGP8DPA	IHS/CMI/LAB - FORECAST
BGP8DPA1	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGP8DPA2	IHS/CMI/LAB - FORECAST
BGP8DPA4	IHS/CMI/LAB - FORECAST
BGP8DPAP	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGP8DPAW	IHS/CMI/LAB - FORECAST PRINT
BGP8DPE	IHS/CMI/LAB - REPORT DRIVER
BGP8DPE1	IHS/CMI/LAB - EDUC REPRT
BGP8DPE2	IHS/CMI/LAB - EDUC REPORT
BGP8DPE3	IHS/CMI/LAB - patient ed report
BGP8DPEA	IHS/CMI/LAB - EDUC REPORT
BGP8DPED	IHS/CMI/LAB - EDUC REPORT
BGP8DPEE	IHS/CMI/LAB - IHS gpra print
BGP8DPEF	IHS/CMI/LAB - IHS gpra print
BGP8DPEL	IHS/CMI/LAB - IHS gpra print
BGP8DPEP	IHS/CMI/LAB - EDUC RPT PRINT
BGP8DPEQ	IHS/CMI/LAB - IHS gpra print
BGP8DPH	IHS/CMI/LAB - AREA REPORT HEADER 01 Jul 2010 7:54 PM
BGP8DPP	IHS/CMI/LAB - PP REPORT
BGP8DPSI	IHS/CMI/LAB - DISPLAY IND LISTS
BGP8DS	IHS/CMI/LAB - IHS gpra print
BGP8DSI	IHS/CMI/LAB - DISPLAY IND LISTS
BGP8DSL	IHS/CMI/LAB - IHS 2018 DISPLAY IND LISTS

ROUTINE	DESCRIPTION
BGP8DSP	IHS/CMI/LAB - SUM PAGE
BGP8DSPD	IHS/CMI/LAB - IHS summary page
BGP8DSPN	IHS/CMI/LAB - IHS summary page
BGP8DSPO	IHS/CMI/LAB - SUM P AGE
BGP8DSTM	IHS/CMI/LAB - national patient list
BGP8DU	IHS/CMI/LAB - gpra utility calls
BGP8EL10	IHS/CMI/LAB - print ind 1
BGP8EL11	IHS/CMI/LAB - print ind 1 20 Jan 2018 4:41 PM
BGP8EL12	IHS/CMI/LAB - print ind
BGP8EL13	IHS/CMI/LAB - print ind 1
BGP8EL14	IHS/CMI/LAB - print ind 1
BGP8EL15	IHS/CMI/LAB - print ind 1
BGP8EL16	IHS/CMI/LAB - print ind 1
BGP8EL17	IHS/CMI/LAB - print ind 1
BGP8EL18	IHS/CMI/LAB - print ind 1
BGP8EL19	IHS/CMI/LAB - print ind 1
BGP8EL1A	IHS/CMI/LAB - print ind 1
BGP8EL1B	IHS/CMI/LAB - ELDER
BGP8EL1C	IHS/CMI/LAB - ELDER
BGP8EL1D	IHS/CMI/LAB - print ind 1
BGP8EL1E	IHS/CMI/LAB - print ind 1
BGP8EL1F	IHS/CMI/LAB - print ind 1
BGP8EL1G	IHS/CMI/LAB - ELDER CALC
BGP8EL1H	IHS/CMI/LAB - print ind 1
BGP8EL1I	IHS/CMI/LAB - print ind 1

ROUTINE	DESCRIPTION
BGP8EL1J	IHS/CMI/LAB - print ind 1 05 Feb 2018 1:41 PM
BGP8EL1K	IHS/CMI/LAB - print ind 1
BGP8EL1L	IHS/CMI/LAB - print ind 1
BGP8EL1M	IHS/CMI/LAB - print ind 1
BGP8EL1N	IHS/CMI/LAB - print ind 1
BGP8EL1O	IHS/CMI/LAB - print ind 1
BGP8EL1P	IHS/CMI/LAB - print ind 01 Jul 2010 7:55 PM
BGP8EL1Q	IHS/CMI/LAB - print ind 05 Feb 2018 9:01 AM
BGP8EL1R	IHS/CMI/LAB - print ind
BGP8EL1S	IHS/CMI/LAB - print ind 1
BGP8EL1T	IHS/CMI/LAB - print ind 1
BGP8EL2	IHS/CMI/LAB - measure 1,2,3,
BGP8EL3	IHS/CMI/LAB - ELDER MEASURES
BGP8EL31	IHS/CMI/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM
BGP8EL4	IHS/CMI/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM
BGP8ELH	IHS/CMI/LAB - cover page for ELDER 25 Jun 2010 10:20 AM
BGP8ELHH	IHS/CMI/LAB - cover page for ELDER 25 Jun 2010 10:20 AM
BGP8ELL	IHS/CMI/LAB - IHS gpra print 01 Jul 2010 7:56 PM
BGP8ELL1	IHS/CMI/LAB - print ind 1 20 Jan 2017 4:52 PM
BGP8ELL2	IHS/CMI/LAB - print ind 20 Jan 2017 4:41 PM
BGP8ELL3	IHS/CMI/LAB - print ind
BGP8ELL4	IHS/CMI/LAB - print ind 20 Jan 2017 4:36 PM
BGP8ELL5	IHS/CMI/LAB - print ind
BGP8ELL6	IHS/CMI/LAB - print ind
BGP8ELL7	IHS/CMI/LAB - print ind 03 Feb 2017 4:55 PM

ROUTINE	DESCRIPTION
BGP8ELL8	IHS/CMI/LAB - print ind
BGP8ELL9	IHS/CMI/LAB - print ind
BGP8ELLA	IHS/CMI/LAB - print ind 20 Jan 2017 4:46 PM
BGP8ELLB	IHS/CMI/LAB - print ind 20 Jan 2017 4:48 PM
BGP8ELLC	IHS/CMI/LAB - print ind
BGP8ELLD	IHS/CMI/LAB - print ind
BGP8ELLE	IHS/CMI/LAB - print ind 03 Feb 2017 10:05 AM
BGP8ELLF	IHS/CMI/LAB - print ind
BGP8ELLG	IHS/CMI/LAB - print ind
BGP8ELLH	IHS/CMI/LAB - print ind 07 Jun 2017 4:19 PM
BGP8ELLI	IHS/CMI/LAB - print ind 25 Mar 2017 6:57 PM
BGP8ELLJ	IHS/CMI/LAB - print ind
BGP8ELLK	IHS/CMI/LAB - print ind
BGP8ELLL	IHS/CMI/LAB - print ind 05 Feb 2017 9:00 AM
BGP8ELLM	IHS/CMI/LAB - print ind
BGP8ELLN	IHS/CMI/LAB - print ind 1
BGP8ELLO	IHS/CMI/LAB - print ind
BGP8ELLP	IHS/CMI/LAB - print ind
BGP8ELLQ	IHS/CMI/LAB - print ind
BGP8ELLR	IHS/CMI/LAB - print ind
BGP8ELLS	IHS/CMI/LAB - print ind
BGP8ELLT	IHS/CMI/LAB - print ind
BGP8ELLU	IHS/CMI/LAB - print ind
BGP8ELLV	IHS/CMI/LAB - print ind
BGP8ELLW	IHS/CMI/LAB - print ind

ROUTINE	DESCRIPTION
BGP8ELLX	IHS/CMI/LAB - print ind 30 Jun 2017 10:24 AM
BGP8ELP1	IHS/CMI/LAB - print ind 1
BGP8ELS	IHS/CMI/LAB - IHS gpra print
BGP8ELSL	IHS/CMI/LAB - IHS gpra print
BGP8ETL	IHS/CMI/LAB - DISPLAY IND LISTS
BGP8EUTL	IHS/CMI/LAB -
BGP8GACW	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT 01 Jul 2010 7:57 PM
BGP8GADB	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP8GAEL	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP8GAG9	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP8GAGP	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP8GAGS	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP8GAHE	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP8GALL	IHS/CMI/LAB - GUI COM REPORT
BGP8GAON	IHS/CMI/LAB - AREA OTHER NATIONAL MEASURES GPRA REPORT
BGP8GAPE	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP8GAPU	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP8GCMP	IHS/CMI/LAB - CRS
BGP8GCMS	IHS/CMI/LAB - GUI CMS REPORT 27 Apr 2010 10:30 PM
BGP8GCOM	IHS/CMI/LAB - GUI COM REPORT
BGP8GDON	IHS/CMI/LAB - GUI Other National Measurer Report
BGP8GDSH	IHS/CMI/LAB - GPRA DASHBOARD GUI
BGP8GELD	IHS/CMI/LAB - GUI COM REPORT
BGP8GFO9	IHS/CMI/LAB - GUI Patient Forecast Report

ROUTINE	DESCRIPTION
BGP8GFOR	IHS/CMI/LAB - GUI Patient Forecast Report
BGP8GGPU	IHS/CMI/LAB - CRS
BGP8GHED	IHS/CMI/LAB - CRS
BGP8GIPC	IHS/CMI/LAB - GUI COM REPORT
BGP8GLHW	IHS/CMI/LAB - CRS 27 Apr 2010
BGP8GLST	IHS/CMI/LAB - GUI CMS REPORT
BGP8GLTX	IHS/CMI/LAB - CRS
BGP8GM	IHS/CMI/LAB - BGPG Visual CRS Reports
BGP8GMTX	IHS/CMI/LAB - CRS
BGP8GMUE	IHS/CMI/LAB - GUI MU EP REPORT
BGP8GMUH	IHS/CMI/LAB - GUI MU HOS REPORT
BGP8GNPL	IHS/CMI/LAB - CRS 26 Mar 2010 5:09 PM
BGP8GNST	IHS/CMI/LAB - CRS
BGP8GNT9	IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM
BGP8GNTL	IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM
BGP8GNTP	IHS/CMI/LAB - BGP 18 DESIGNATED PROVIDER
BGP8GNTS	IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM
BGP8GNXP	IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM
BGP8GPED	IHS/CMI/LAB - GUI COM REPORT
BGP8GPP	IHS/CMI/LAB - GUI PP REPORT
BGP8GR	IHS/CMI/LAB - BGPG Visual CRS Reports
BGP8GR1	IHS/CMI/LAB - BGPG Visual CRS Reports
BGP8GR2	IHS/CMI/LAB - BGPG Visual CRS Reports
BGP8GRA	IHS/CMI/LAB - BGP Gui Area Reports 5/2/2005 8:38:59 PM
BGP8GRB	IHS/CMI/LAB - BGP Gui Area Reports 5/2/2005 8:38:59 PM

ROUTINE	DESCRIPTION
BGP8GT	IHS/CMI/LAB - BGPG Gui CRS Tables 2/2/2005 10:24:22 AM
BGP8GTA	IHS/CMI/LAB - BGPG Gui CRS Tables 2/2/2005 10:24:22 AM
BGP8GU	IHS/CMI/LAB - BGP Gui Utilities 10/29/2004
BGP8GUA	IHS/CMI/LAB - BGP Gui Utilities 10/29/2004
BGP8GUPL	IHS/CMI/LAB - GUI Upload 16 May 2016 2:34 PM
BGP8HUTL	IHS/CMI/LAB -
BGP8LHW	IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM
BGP8LSTF	IHS/CMI/LAB - List 'BG08' files in pub
BGP8NPL	IHS/CMI/LAB - national patient list
BGP8NPLD	IHS/CMI/LAB - IHS gpra print 30 Jun 2010 5:59 PM
BGP8NPLP	IHS/CMI/LAB - IHS gpra print 30 Jun 2010 5:58 PM
BGP8PARP	IHS/CMI/LAB - IHS gpra print
BGP8PARQ	IHS/CMI/LAB - IHS gpra print
BGP8PC1	IHS/CMI/LAB - CALC MEASURES
BGP8PC10	IHS/CMI/LAB - measure I2
BGP8PC11	IHS/CMI/LAB - measure I2
BGP8PC12	IHS/CMI/LAB - measure I2
BGP8PC13	IHS/CMI/LAB - measure I2
BGP8PC14	IHS/CMI/LAB - measure I2
BGP8PC15	IHS/CMI/LAB - measure I2
BGP8PC16	IHS/CMI/LAB - measure I2
BGP8PC17	IHS/CMI/LAB - measure I2
BGP8PC2	IHS/CMI/LAB - measure I2
BGP8PC3	IHS/CMI/LAB - measure I2
BGP8PC4	IHS/CMI/LAB - measure I2

ROUTINE	DESCRIPTION
BGP8PC5	IHS/CMI/LAB - measure I2
BGP8PC6	IHS/CMI/LAB - measure I2
BGP8PC61	IHS/CMI/LAB - measure I2
BGP8PC62	IHS/CMI/LAB - measure I2
BGP8PC63	IHS/CMI/LAB - measure I2
BGP8PC64	IHS/CMI/LAB - measure I2
BGP8PC65	IHS/CMI/LAB - measure I2
BGP8PC66	IHS/CMI/LAB - measure I2
BGP8PC67	IHS/CMI/LAB - measure I2
BGP8PC68	IHS/CMI/LAB - measure I2
BGP8PC69	IHS/CMI/LAB - measure I2
BGP8PC7	IHS/CMI/LAB - measure I2
BGP8PC8	IHS/CMI/LAB - measure I2
BGP8PC9	IHS/CMI/LAB - measure I2
BGP8PCCI	IHS/CMI/LAB - AREA GPRA
BGP8PCD	IHS/CMI/LAB - GPRA REPORT DRIVER
BGP8PCH	IHS/CMI/LAB - cover page for ELDER 25 Jun 2010 10:20 AM
BGP8PCSI	IHS/CMI/LAB - DISPLAY IND LISTS
BGP8PCSL	IHS/CMI/LAB - IHS 2018 DISPLAY IND LISTS
BGP8PCTL	IHS/CMI/LAB - DISPLAY IND LISTS
BGP8PCTX	IHS/CMI/LAB - TAXONOMY CHECK FOR IPC REPORT
BGP8PCUT	IHS/CMI/LAB -
BGP8PD19	IHS/CMI/LAB - print ind 03 Jul 2010 8:56 AM
BGP8PDH1	IHS/CMI/LAB - cover page for gpra del 0
BGP8PDL	IHS/CMI/LAB - IHS gpra print 01 Jul 2010 8:02 PM

ROUTINE	DESCRIPTION
BGP8PDL0	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:03 PM
BGP8PDL1	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:03 PM
BGP8PDL2	IHS/CMI/LAB - print ind 1
BGP8PDL3	IHS/CMI/LAB - print ind 1
BGP8PDL4	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:04 PM
BGP8PDL5	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:04 PM
BGP8PDL7	IHS/CMI/LAB - print ind 1
BGP8PDL8	IHS/CMI/LAB - print ind 1
BGP8PDL9	IHS/CMI/LAB - print ind
BGP8PDLA	IHS/CMI/LAB - print ind
BGP8PDLB	IHS/CMI/LAB - print ind
BGP8PDLD	IHS/CMI/LAB - IHS gpra print
BGP8PDLE	IHS/CMI/LAB - print ind
BGP8PDLH	IHS/CMI/LAB - cover page
BGP8PDLL	IHS/CMI/LAB - print ind 1
BGP8PDLN	IHS/CMI/LAB - IHS gpra print
BGP8PDLO	IHS/CMI/LAB - IHS gpra print
BGP8PDL S	IHS/CMI/LAB - IHS gpra print
BGP8PDLT	IHS/CMI/LAB - print ind 1 03 Jul 2010 7:40 AM
BGP8PDPA	IHS/CMI/LAB - print ind 03 Jul 2010 8:56 AM
BGP8PDPB	IHS/CMI/LAB - print ind
BGP8PESI	IHS/CMI/LAB - DISPLAY IND LISTS
BGP8PESL	IHS/CMI/LAB - FY 06 DISPLAY IND LISTS
BGP8PHEL	IHS/CMI/LAB - IHS gpra print
BGP8POS	IHS/CMI/LAB – 18 POST INIT

ROUTINE	DESCRIPTION
BGP8POS1	IHS/CMI/LAB – POST INIT
BGP8POS2	IHS/CMI/LAB - NO DESCRIPTION PROVIDED 28 Jan 2005 1:34 PM
BGP8PPEL	IHS/CMI/LAB - IHS gpra print
BGP8PUTL	IHS/CMI/LAB -
BGP8REF	IHS/CMI/LAB - measure AHR.A
BGP8REF1	IHS/CMI/LAB - measure AHR.A
BGP8SDP	IHS/CMI/LAB - IHS summary page 11 Dec 2006 1:24 PM
BGP8SDPD	IHS/CMI/LAB - IHS summary page
BGP8SDPN	IHS/CMI/LAB - IHS summary page
BGP8SDPO	IHS/CMI/LAB - IHS summary page
BGP8TXCH	IHS/CMI/LAB - TAXONOMY CHECK FOR FY03 GPRA REPORT
BGP8ULF	IHS/CMI/LAB - UPLOAD AREA FILES
BGP8UTL	IHS/CMI/LAB - UTILITIES
BGP8UTL1	IHS/CMI/LAB - UTILITIES
BGP8UTL2	IHS/CMI/LAB - UTILITIES
BGP8UTL3	IHS/CMI/LAB - UTILITIES
BGP8UTLC	IHS/CMI/LAB - UTILITIES
BGP8VP	IHS/CMI/LAB – PATCH 1
BGP8XTCH	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS
BGP8XTCN	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT
BGP8XTCO	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT
BGP8XTEL	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT
BGP8XTEO	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT
BGP8XTHE	IHS/CMI/LAB - TAXONOMY CHECK FOR FY07 HEDIS REPORT
BGP8XTL	IHS/CMI/LAB - DISPLAY IND LISTS

ROUTINE	DESCRIPTION
BGP8XTS	IHS/CMI/LAB - DISPLAY IND LISTS
BGP8XTV	IHS/CMI/LAB - DISPLAY IND LISTS 15 Dec 2010 9:42 AM
BGP8XTV1	IHS/CMI/LAB - DISPLAY IND LISTS

4.0 Files and Tables

4.1 File List

Table 4-1 provides information for files and tables. Please note that only files beginning with BGP 18.1 are distributed with v18.1; all previous versions of CRS must be installed prior to v18.1. If v18.0 through patch 1 is installed then all previous versions have been installed.

Table 4-1: BGP File List

File	Global	Filename
90241.01	^BGPCTRL(BGP CONTROL FILE
90241.02	^BGPSITE(BGP SITE PARAMETERS
90241.03	^BGPSCAT(BGP SUMMARY CATEGORIES
90241.04	^BGP2PR(BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS
90245	^BGP1PR(BGP AREA AUTOMATED GPRA PARAMS
90245.1	^BGP1RM(BGP GPRA FLAT FILE DATA
90560.01	^BGPINDR(BGP 18 MEASURES
90560.02	^BGPINDRC (BGP 18 INDIVIDUAL MEASURES
90560.03	^BGPDCR(BGP 18 DATA CURRENT
90560.04	^BGPDPDR(BGP 18 DATA PREVIOUS
90560.05	^BGPDBR(BGP 18 DATA BASELINE
90560.06	^BGNPLR(BGP 18 NATIONAL PATIENT LISTS
90588.07	^BGSNOSR(BGP 18 SNOMED SUBSETS
90560.08	^BGTAXR(BGP 18 TAXONOMIES
90560.09	^BGTAXTR(BGP 18 TAXONOMY TEMP
90560.1	^BGMGRPR(BGP 18 MEASURE GROUPS
90560.12	^BGPEDCR(BGP 18 PATIENT ED DATA CURRENT
90560.13	^BGPEDPR(BGP 18 PATIENT ED DATA PREVIOUS
90560.14	^BGPEDBR(BGP 18 PATIENT ED DATA BASELINE
90560.15	^BGPPEIR(BGP 18 PAT ED MEASURES
90560.17	^BGPICAGR(BGP 18 ICARE GROUPS
90560.18	^BGPICACR(BGP 18 ICARE CATEGORIES
90560.19	^BPGUIR(BGP 18 GUI OUTPUT
90560.21	^BGSNOMR(BGP 18 SNOMED LISTS
90561.02	^BGPPEIIR(BGP 18 ELDER INDIVIDUAL INDICATORS
90561.03	^BGPEDCR(BGP 18 ELDER DATA CURRENT
90561.04	^BGPEDPR(BGP 18 ELDER DATA PREVIOUS
90561.05	^BGPEDBR(BGP 18 ELDER DATA BASELINE
90561.06	^BGPPELIR(BGP 18 ELDER INDICATORS

4.2 File Access

Table 4-2: BGP File List

File (#)	Global	RD	WR	LYG	DD	DEL
90241.01	^BGPCTRL	@	@	@	@	@
90241.02	^BGPSITE	M	M	M	@	@
90241.03	^BGPSCAT(@	@	@	@	@
90241.04	^BGP2PR(M	M	M	@	M
90245	^BGP1PM(M	M	M	@	M
90245.1	^BGP1RD(M	M	M	@	M
90560.01	^BGPINDR(@	@	@	@	@
90560.02	^BGPINDRC(@	@	@	@	@
90560.03	^BGPDCR(@	@	@	@	@
90560.04	^BGPDPDR(@	@	@	@	@
90560.05	^BGPDPDBR(@	@	@	@	@
90560.06	^BGNPLR(@	@	@	@	@
90560.07	^BGPSNOSR(@	@	@	@	@
90560.08	^BGPTAXR(@	@	@	@	@
90560.09	^BGPTAXTR(@	@	@	@	@
90560.1	^BGPMPR(@	@	@	@	@
90560.12	^BGPEDCR(@	@	@	@	@
90560.13	^BGPEDPR(@	@	@	@	@
90560.14	^BGPEDDBR(@	@	@	@	@
90560.15	^BGPPEIR(@	@	@	@	@
90560.17	^BGPICAGR(@	@	@	@	@
90560.18	^BGPICACR(@	@	@	@	@
90560.19	^BPGUIR(@	@	@	@	@
90560.21	^BGPSNOMR(@	@	@	@	@
90561.02	^BGPPELIR(@	@	@	@	@
90561.03	^BGPPELDCR(@	@	@	@	@
90561.04	^BGPPELDPR(@	@	@	@	@
90561.05	^BGPPELDBR(@	@	@	@	@
90561.06	^BGPPELIR(@	@	@	@	@

4.3 Cross References

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01	05/14/18	PAGE 1

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01	05/14/18	PAGE 1

File #90241.01		
Traditional Cross-References:		


```

B    REGULAR
      Field:  FY    (90241.01,.01)
            1)= S ^BGPCTRL("B", $E(X,1,30),DA)=" "
            2)= K ^BGPCTRL("B", $E(X,1,30),DA)

```

```

C    REGULAR
      Field:  GPRA YEAR  (90241.01,.14)
            1)= S ^BGPCTRL("C", $E(X,1,30),DA)=" "
            2)= K ^BGPCTRL("C", $E(X,1,30),DA)

```

Subfile #90241.0111

Traditional Cross-References:

```

B    REGULAR
      Field:  CLINIC CODE  (90241.0111,.01)
            1)= S ^BGPCTRL(DA(1),11,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPCTRL(DA(1),11,"B", $E(X,1,30),DA)

```

Subfile #90241.011101

Traditional Cross-References:

```

B    REGULAR
      Field:  CLINICS FOR IPC REPORT  (90241.011101,.01)
            1)= S ^BGPCTRL(DA(1),1101,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPCTRL(DA(1),1101,"B", $E(X,1,30),DA)

```

Subfile #90241.0112

Traditional Cross-References:

```

B    REGULAR
      Field:  CLINIC CODES FOR 2ND VISIT  (90241.0112,.01)
            1)= S ^BGPCTRL(DA(1),12,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPCTRL(DA(1),12,"B", $E(X,1,30),DA)

```

Subfile #90241.011301

Traditional Cross-References:

```

B    REGULAR
      Field:  BH CLINIC CODES  (90241.011301,.01)
            1)= S ^BGPCTRL(DA(1),1301,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPCTRL(DA(1),1301,"B", $E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 05/14/18 PAGE 2

Subfile #90241.013

Traditional Cross-References:

```

B    REGULAR
      Field:  BH ALCOHOL PROBLEM CODES  (90241.013,.01)
            1)= S ^BGPCTRL(DA(1),30,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPCTRL(DA(1),30,"B", $E(X,1,30),DA)

```

Subfile #90241.0145

Traditional Cross-References:

B REGULAR

Field: CRSONMNT3 COLUMN HEADERS (90241.0145,.01)
 1)= S ^BGPCTRL(DA(1),45,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),45,"B",\$(X,1,30),DA)

Subfile #90241.015

Traditional Cross-References:

B REGULAR

Field: DEP SCR BH CLINICS (90241.015,.01)
 1)= S ^BGPCTRL(DA(1),50,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),50,"B",\$(X,1,30),DA)

Subfile #90241.0168

Traditional Cross-References:

B REGULAR

Field: EO NT (90241.0168,.01)
 1)= S ^BGPCTRL(DA(1),68,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),68,"B",\$(X,1,30),DA)

Subfile #90241.0195

Traditional Cross-References:

B REGULAR

Field: CLINIC CODES FOR BH ACT CL (90241.0195,.01)
 1)= S ^BGPCTRL(DA(1),95,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),95,"B",\$(X,1,30),DA)

Subfile #90241.18501

Traditional Cross-References:

B REGULAR

Field: DEV 4 HEADERS (90241.18501,.01)
 1)= S ^BGPCTRL(DA(1),851,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),851,"B",\$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 05/14/18 PAGE 3

Subfile #90241.1972

Traditional Cross-References:

B REGULAR

Field: GPRA NT5 LABELS (90241.1972,.01)
 1)= S ^BGPCTRL(DA(1),972,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),972,"B",\$(X,1,30),DA)

Subfile #90241.1973

Traditional Cross-References:

B REGULAR

Field: GPRA NT6 LABELS (90241.1973,.01)
 1)= S ^BGPCTRL(DA(1),973,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),973,"B",\$(X,1,30),DA)

Subfile #90241.36

Traditional Cross-References:

B REGULAR

Field: PIECE (90241.36,.01)
 1)= S ^BGPCTRL(DA(1),36,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),36,"B",\$(X,1,30),DA)

Subfile #90241.37

Traditional Cross-References:

B REGULAR

Field: PIECE (90241.37,.01)
 1)= S ^BGPCTRL(DA(1),37,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),37,"B",\$(X,1,30),DA)

Subfile #90241.38

Traditional Cross-References:

B REGULAR

Field: PIECE (90241.38,.01)
 1)= S ^BGPCTRL(DA(1),38,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),38,"B",\$(X,1,30),DA)

Subfile #90241.4

Traditional Cross-References:

B REGULAR

Field: PIECE (90241.4,.01)
 1)= S ^BGPCTRL(DA(1),40,"B",\$(X,1,30),DA)=" "

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 05/14/18 PAGE 4

 2)= K ^BGPCTRL(DA(1),40,"B",\$(X,1,30),DA)

Subfile #90241.41

Traditional Cross-References:

B REGULAR

Field: MEASURE (90241.41,.01)
 1)= S ^BGPCTRL(DA(1),41,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),41,"B",\$(X,1,30),DA)

Subfile #90241.55

Traditional Cross-References:

B REGULAR

Field: MEASURE (90241.55,.01)
 1)= S ^BGPCTRL(DA(1),55,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),55,"B",\$(X,1,30),DA)

Subfile #90241.551101

Traditional Cross-References:

B REGULAR

Field: MEASURE ID (90241.551101,.01)
 1)= S ^BGPCTRL(DA(2),55,DA(1),11,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(2),55,DA(1),11,"B",\$(X,1,30),DA)

Subfile #90241.62

Traditional Cross-References:

B REGULAR

Field: PATIENT ED TOPICS (90241.62,.01)
 1)= S ^BGPCTRL(DA(1),62,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),62,"B",\$(X,1,30),DA)

Subfile #90241.63

Traditional Cross-References:

B REGULAR

Field: DISEASE STATE ABBRV (90241.63,.01)
 1)= S ^BGPCTRL(DA(1),63,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),63,"B",\$(X,1,30),DA)

Subfile #90241.6311

Traditional Cross-References:

B REGULAR

Field: ICD MAPPING (90241.6311,.01)
 INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 05/14/18 PAGE 5

 1)= S ^BGPCTRL(DA(2),63,DA(1),11,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(2),63,DA(1),11,"B",\$(X,1,30),DA)

Subfile #90241.79

Traditional Cross-References:

B REGULAR

Field: DEVEL 1 (90241.79,.01)
 1)= S ^BGPCTRL(DA(1),79,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),79,"B",\$(X,1,30),DA)

Subfile #90241.81

Traditional Cross-References:

B REGULAR
 Field: DEVEL 2 (90241.81,.01)
 1)= S ^BGPCTRL(DA(1),81,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),81,"B", \$E(X,1,30),DA)

Subfile #90241.85

Traditional Cross-References:

B REGULAR
 Field: DEVEL 3 (90241.85,.01)
 1)= S ^BGPCTRL(DA(1),85,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),85,"B", \$E(X,1,30),DA)

Subfile #90241.86

Traditional Cross-References:

B REGULAR
 Field: ONMT 4 HEADERS (90241.86,.01)
 1)= S ^BGPCTRL(DA(1),86,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),86,"B", \$E(X,1,30),DA)

Subfile #90241.87

Traditional Cross-References:

B REGULAR
 Field: ONMT5 HEADERS (90241.87,.01)
 1)= S ^BGPCTRL(DA(1),87,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),87,"B", \$E(X,1,30),DA)

Subfile #90241.97

Traditional Cross-References:

B REGULAR

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 05/14/18 PAGE 6

 Field: GPRANT3 (90241.97,.01)
 1)= S ^BGPCTRL(DA(1),97,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),97,"B", \$E(X,1,30),DA)

Subfile #90241.971

Traditional Cross-References:

B REGULAR
 Field: GPRA NT4 (90241.971,.01)
 1)= S ^BGPCTRL(DA(1),971,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),971,"B", \$E(X,1,30),DA)

Subfile #90241.9801

Traditional Cross-References:

```

B      REGULAR
      Field:  PATCHES BULLETIN TEXT  (90241.9801,.01)
            1)= S ^BGPCTRL(DA(1),98,"B",$(X,1,30),DA)=" "
            2)= K ^BGPCTRL(DA(1),98,"B",$(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.01 05/14/18 PAGE 1

File #90560.01

Traditional Cross-References:

```

ADEV   REGULAR
      Field:  DEVELOPMENTAL MEASURE?  (90560.01,.14)
            1)= S ^BGPINDR("ADEV",$(X,1,30),DA)=" "
            2)= K ^BGPINDR("ADEV",$(X,1,30),DA)

```

```

ADEVO  REGULAR
      Field:  ORDER ON DEVELOPMENTAL REPORT  (90560.01,1302)
            1)= S ^BGPINDR("ADEVO",$(X,1,30),DA)=" "
            2)= K ^BGPINDR("ADEVO",$(X,1,30),DA)

```

```

AIPC   REGULAR
      Field:  ORDER ON IPC REPORT  (90560.01,1208)
            1)= S ^BGPINDR("AIPC",$(X,1,30),DA)=" "
            2)= K ^BGPINDR("AIPC",$(X,1,30),DA)

```

```

AO     REGULAR
      Field:  ORDER ON SELECTION/REPORT  (90560.01,.02)
            1)= S ^BGPINDR("AO",$(X,1,30),DA)=" "
            2)= K ^BGPINDR("AO",$(X,1,30),DA)

```

```

AOI    REGULAR
      Field:  ORDER IND  (90560.01,1206)
            1)= S ^BGPINDR("AOI",$(X,1,30),DA)=" "
            2)= K ^BGPINDR("AOI",$(X,1,30),DA)

```

```

B      REGULAR
      Field:  MEASURE NUMBER  (90560.01,.01)
            1)= S ^BGPINDR("B",$(X,1,30),DA)=" "
            2)= K ^BGPINDR("B",$(X,1,30),DA)

```

```

C      REGULAR
      Field:  TITLE/SELECTION TITLE  (90560.01,.03)
            1)= S ^BGPINDR("C",$(X,1,30),DA)=" "
            2)= K ^BGPINDR("C",$(X,1,30),DA)

```

```

D      REGULAR
      Field:  ORDER IND  (90560.01,1206)
            1)= S ^BGPINDR("D",$(X,1,30),DA)=" "
            2)= K ^BGPINDR("D",$(X,1,30),DA)

```

```

GPRA   REGULAR

```

```

      Field: NATIONAL REPORT (90560.01,.07)
            1)= S ^BGPINDR("GPRA", $E(X,1,30),DA)=" "
            2)= K ^BGPINDR("GPRA", $E(X,1,30),DA)

ON    REGULAR
      Field: OTHER NATIONAL MEASURES RPT? (90560.01,1201)
            1)= S ^BGPINDR("ON", $E(X,1,30),DA)=" "
INDEX AND CROSS-REFERENCE LIST -- FILE #90560.01          05/14/18    PAGE 2
-----
            2)= K ^BGPINDR("ON", $E(X,1,30),DA)

PUID  REGULAR
      Field: PUID FROM RM (90560.01,1203)
            1)= S ^BGPINDR("PUID", $E(X,1,30),DA)=" "
            2)= K ^BGPINDR("PUID", $E(X,1,30),DA)

U     MUMPS
      Field: TITLE/SELECTION TITLE (90560.01,.03)
            1)= S ^BGPINDR("U", $$SUP^XLFSTR(X),DA)=" "
            2)= K ^BGPINDR("U", $$SUP^XLFSTR(X),DA)

Subfile #90560.0161

Traditional Cross-References:

B     REGULAR
      Field: DENOMINATOR DEFINITIONS (90560.0161,.01)
            1)= S ^BGPINDR(DA(1),61,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPINDR(DA(1),61,"B", $E(X,1,30),DA)

Subfile #90560.016112

Traditional Cross-References:

B     REGULAR
      Field: REPORT SUB TYPES (90560.016112,.01)
            1)= S ^BGPINDR(DA(2),61,DA(1),12,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPINDR(DA(2),61,DA(1),12,"B", $E(X,1,30),DA)

Subfile #90560.0162

Traditional Cross-References:

B     REGULAR
      Field: NUMERATOR DEFINITIONS (90560.0162,.01)
            1)= S ^BGPINDR(DA(1),62,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPINDR(DA(1),62,"B", $E(X,1,30),DA)

Subfile #90560.016212

Traditional Cross-References:

B     REGULAR
      Field: REPORT SUB TYPE (90560.016212,.01)
            1)= S ^BGPINDR(DA(2),62,DA(1),12,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPINDR(DA(2),62,DA(1),12,"B", $E(X,1,30),DA)

```

Subfile #90560.0181

Traditional Cross-References:

B REGULAR
 INDEX AND CROSS-REFERENCE LIST -- FILE #90560.01 05/14/18 PAGE 3

 Field: NATL GPRA DENOM DEFS (90560.0181,.01)
 1)= S ^BGPINDR(DA(1),81,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),81,"B",\$(X,1,30),DA)

Subfile #90560.018112

Traditional Cross-References:

B REGULAR
 Field: REPORT SUBTYPES (90560.018112,.01)
 1)= S ^BGPINDR(DA(2),81,DA(1),12,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(2),81,DA(1),12,"B",\$(X,1,30),DA)

Subfile #90560.0182

Traditional Cross-References:

B REGULAR
 Field: NATL GPRA NUMERATOR DEFS (90560.0182,.01)
 1)= S ^BGPINDR(DA(1),82,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),82,"B",\$(X,1,30),DA)

Subfile #90560.018212

Traditional Cross-References:

B REGULAR
 Field: REPORT SUBTYPES (90560.018212,.01)
 1)= S ^BGPINDR(DA(2),82,DA(1),12,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(2),82,DA(1),12,"B",\$(X,1,30),DA)

Subfile #90560.0183

Traditional Cross-References:

B REGULAR
 Field: OTHER NATL MEAS DENOM DEFS (90560.0183,.01)
 1)= S ^BGPINDR(DA(1),83,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),83,"B",\$(X,1,30),DA)

Subfile #90560.018312

Traditional Cross-References:

B REGULAR
 Field: REPORT SUBTYPES (90560.018312,.01)
 1)= S ^BGPINDR(DA(2),83,DA(1),12,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(2),83,DA(1),12,"B",\$(X,1,30),DA)

Subfile #90560.0184

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.01

05/14/18

PAGE 4

Traditional Cross-References:

B REGULAR

Field: OTHER NATL MEAS NUMER DEFS (90560.0184,.01)
 1)= S ^BGPINDR(DA(1),84,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),84,"B",\$(X,1,30),DA)

Subfile #90560.018412

Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPES (90560.018412,.01)
 1)= S ^BGPINDR(DA(2),84,DA(1),12,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(2),84,DA(1),12,"B",\$(X,1,30),DA)

Subfile #90560.0185

Traditional Cross-References:

B REGULAR

Field: DEVELOPMENTAL MEAS DENOM DEFS (90560.0185,.01)
 1)= S ^BGPINDR(DA(1),85,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),85,"B",\$(X,1,30),DA)

Subfile #90560.018512

Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPE (90560.018512,.01)
 1)= S ^BGPINDR(DA(2),85,DA(1),12,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(2),85,DA(1),12,"B",\$(X,1,30),DA)

Subfile #90560.0186

Traditional Cross-References:

B REGULAR

Field: DEVELOPMENTAL MEAS NUMER DEFS (90560.0186,.01)
 1)= S ^BGPINDR(DA(1),86,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),86,"B",\$(X,1,30),DA)

Subfile #90560.018612

Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPES (90560.018612,.01)
 1)= S ^BGPINDR(DA(2),86,DA(1),12,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(2),86,DA(1),12,"B",\$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.01

05/14/18

PAGE 5

Subfile #90560.0187

Traditional Cross-References:

B REGULAR

Field: DM DENOM DEFS (90560.0187,.01)
 1)= S ^BGPINDR(DA(1),87,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),87,"B",\$(X,1,30),DA)

Subfile #90560.0188

Traditional Cross-References:

B REGULAR

Field: DM NUMER DEFS (90560.0188,.01)
 1)= S ^BGPINDR(DA(1),88,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),88,"B",\$(X,1,30),DA)

Subfile #90560.0189

Traditional Cross-References:

B REGULAR

Field: CVD DENOM DEFS (90560.0189,.01)
 1)= S ^BGPINDR(DA(1),89,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),89,"B",\$(X,1,30),DA)

Subfile #90560.0191

Traditional Cross-References:

B REGULAR

Field: CVD NUM DEFS (90560.0191,.01)
 1)= S ^BGPINDR(DA(1),91,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),91,"B",\$(X,1,30),DA)

Subfile #90560.0192

Traditional Cross-References:

B REGULAR

Field: WH DEN DEFS (90560.0192,.01)
 1)= S ^BGPINDR(DA(1),92,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),92,"B",\$(X,1,30),DA)

Subfile #90560.0193

Traditional Cross-References:

B REGULAR

Field: WH NUM DEFS (90560.0193,.01)
 1)= S ^BGPINDR(DA(1),93,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),93,"B",\$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.01 05/14/18 PAGE 6

 Subfile #90560.0194

Traditional Cross-References:

B REGULAR

Field: IPC DEN DEFS (90560.0194,.01)
 1)= S ^BGPINDR(DA(1),94,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),94,"B",\$(X,1,30),DA)

Subfile #90560.0195

Traditional Cross-References:

B REGULAR

Field: IPC NUM DEFS (90560.0195,.01)
 1)= S ^BGPINDR(DA(1),95,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),95,"B",\$(X,1,30),DA)

Subfile #90560.0196

Traditional Cross-References:

B REGULAR

Field: PQA DEM DEFS (90560.0196,.01)
 1)= S ^BGPINDR(DA(1),96,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),96,"B",\$(X,1,30),DA)

Subfile #90560.0197

Traditional Cross-References:

B REGULAR

Field: PQA NUM DEFS (90560.0197,.01)
 1)= S ^BGPINDR(DA(1),97,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),97,"B",\$(X,1,30),DA)

Subfile #90560.0198

Traditional Cross-References:

B REGULAR

Field: ASTHMA DEN DEFS (90560.0198,.01)
 1)= S ^BGPINDR(DA(1),98,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPINDR(DA(1),98,"B",\$(X,1,30),DA)

Subfile #90560.0199

Traditional Cross-References:

B REGULAR

Field: ASTHMA NUM DEFS (90560.0199,.01)
 1)= S ^BGPINDR(DA(1),99,"B",\$(X,1,30),DA)=" "

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.01 05/14/18 PAGE 7

 2)= K ^BGPINDR(DA(1),99,"B",\$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.02 05/14/18 PAGE 1

File #90560.02

Traditional Cross-References:

AAST REGULAR

Field: ASTHMA REPORT? (90560.02,.23)
 1)= S ^BGPINDRC("AAST", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDRC("AAST", \$E(X,1,30),DA)

AB MUMPS

Field: ORDER (90560.02,1204)
 1)= S ^BGPINDRC("AB", \$P(X,".",1,2),X,DA)=" "
 2)= K ^BGPINDRC("AB", \$P(X,".",1,2),X,DA)

ABC MUMPS

Field: ORDER (90560.02,1204)
 1)= S ^BGPINDRC("ABC", \$P(X,".",1,2), \$TR(X,".",""),DA)=" "
 2)= K ^BGPINDRC("ABC", \$P(X,".",1,2), \$TR(X,".",""),DA)

ACARD REGULAR

Field: CARDIO INDICATOR? (90560.02,.13)
 1)= S ^BGPINDRC("ACARD", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDRC("ACARD", \$E(X,1,30),DA)

ADASH REGULAR

Field: DASHBOARD ORDER (90560.02,1417)
 1)= S ^BGPINDRC("ADASH", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDRC("ADASH", \$E(X,1,30),DA)

ADM REGULAR

Field: DM INDICATOR? (90560.02,.12)
 1)= S ^BGPINDRC("ADM", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDRC("ADM", \$E(X,1,30),DA)

AEL REGULAR

Field: ELDER RELATED (90560.02,1203)
 1)= S ^BGPINDRC("AEL", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDRC("AEL", \$E(X,1,30),DA)

AGPRA REGULAR

Field: NATIONAL/PART (90560.02,.05)
 1)= S ^BGPINDRC("AGPRA", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDRC("AGPRA", \$E(X,1,30),DA)

AIPC REGULAR

Field: IPC REPORT? (90560.02,1101)
 1)= S ^BGPINDRC("AIPC", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDRC("AIPC", \$E(X,1,30),DA)

APQA REGULAR

Field: PQA (90560.02,1102)
 1)= S ^BGPINDRC("APQA", \$E(X,1,30),DA)=" "

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.02

05/14/18

PAGE 2

 2)= K ^BGPINDRC("APQA", \$E(X,1,30),DA)

```

AWH    REGULAR
      Field:  WOMEN'S HEALTH  (90560.02,1202)
            1)= S ^BGPINDRC("AWH", $E(X,1,30),DA)=" "
            2)= K ^BGPINDRC("AWH", $E(X,1,30),DA)

B      REGULAR
      Field:  INDICATOR  (90560.02,.01)
            1)= S ^BGPINDRC("B", $E(X,1,30),DA)=" "
            2)= K ^BGPINDRC("B", $E(X,1,30),DA)

C      REGULAR
      Field:  INDICATOR ID  (90560.02,.04)
            1)= S ^BGPINDRC("C", $E(X,1,30),DA)=" "
            2)= K ^BGPINDRC("C", $E(X,1,30),DA)

D      REGULAR
      Field:  TITLE FOR SCHEDULING OPTION  (90560.02,1209)
            1)= S ^BGPINDRC("D", $E(X,1,30),DA)=" "
            2)= K ^BGPINDRC("D", $E(X,1,30),DA)

OR     REGULAR
      Field:  ORDER  (90560.02,1204)
            1)= S ^BGPINDRC("OR", $E(X,1,30),DA)=" "
            2)= K ^BGPINDRC("OR", $E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.03 05/14/18 PAGE 1

File #90560.03

Traditional Cross-References:

```

B      REGULAR
      Field:  BEGINNING DATE  (90560.03,.01)
            1)= S ^BGPDPDCR("B", $E(X,1,30),DA)=" "
            2)= K ^BGPDPDCR("B", $E(X,1,30),DA)

```

Subfile #90560.031111

Traditional Cross-References:

```

B      REGULAR
      Field:  MFI LOCATIONS  (90560.031111,.01)
            1)= S ^BGPDPDCR(DA(1),1111,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPDPDCR(DA(1),1111,"B", $E(X,1,30),DA)

```

Subfile #90560.12999

Traditional Cross-References:

```

B      REGULAR
      Field:  COMMUNITIES  (90560.12999,.01)
            1)= S ^BGPDPDCR(DA(1),9999,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPDPDCR(DA(1),9999,"B", $E(X,1,30),DA)

```

Subfile #90560.129999

Traditional Cross-References:

B REGULAR

Field: PATIENTS EISS (90560.129999,.01)
 1)= S ^BGPDPDCR(DA(1),99999,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPDPDCR(DA(1),99999,"B",SE(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.04 05/14/18 PAGE 1

File #90560.04

Traditional Cross-References:

B REGULAR

Field: BEGINNING DATE (90560.04,.01)
 1)= S ^BGPDPDPR("B",SE(X,1,30),DA)=" "
 2)= K ^BGPDPDPR("B",SE(X,1,30),DA)

Subfile #90560.041111

Traditional Cross-References:

B REGULAR

Field: MFI LOCATIONS (90560.041111,.01)
 1)= S ^BGPDPDPR(DA(1),1111,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPDPDPR(DA(1),1111,"B",SE(X,1,30),DA)

Subfile #90560.13999

Traditional Cross-References:

B REGULAR

Field: COMMUNITIES (90560.13999,.01)
 1)= S ^BGPDPDPR(DA(1),9999,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPDPDPR(DA(1),9999,"B",SE(X,1,30),DA)

Subfile #90560.139999

Traditional Cross-References:

B REGULAR

Field: PATIENTS EISS (90560.139999,.01)
 1)= S ^BGPDPDPR(DA(1),99999,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPDPDPR(DA(1),99999,"B",SE(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.05 05/14/18 PAGE 1

File #90560.05

Traditional Cross-References:

B REGULAR

Field: BEGINNING DATE (90560.05,.01)
 1)= S ^BGPDPDBR("B",SE(X,1,30),DA)=" "
 2)= K ^BGPDPDBR("B",SE(X,1,30),DA)

Subfile #90560.051111

Traditional Cross-References:

B REGULAR

Field: MFI LOCATIONS (90560.051111,.01)
 1)= S ^BGPDPDBR(DA(1),1111,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPDPDBR(DA(1),1111,"B",SE(X,1,30),DA)

Subfile #90560.14999

Traditional Cross-References:

B REGULAR

Field: COMMUNITIES (90560.14999,.01)
 1)= S ^BGPDPDBR(DA(1),9999,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPDPDBR(DA(1),9999,"B",SE(X,1,30),DA)

Subfile #90560.149999

Traditional Cross-References:

B REGULAR

Field: PATIENTS EISS (90560.149999,.01)
 1)= S ^BGPDPDBR(DA(1),99999,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPDPDBR(DA(1),99999,"B",SE(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.06 05/14/18 PAGE 1

 File #90560.06

Traditional Cross-References:

AN MUMPS

Field: ORDER ON NATIONAL (90560.06,.05)
 1)= S ^BGNPLR("AN",+^BGNPLR(DA,0),X,DA)=" "
 2)= K ^BGNPLR("AN",+^BGNPLR(DA,0),X,DA)

AON MUMPS

Field: ORDER ON OTHER NATIONAL (90560.06,.06)
 1)= S ^BGNPLR("AON",+^BGNPLR(DA,0),X,DA)=" "
 2)= K ^BGNPLR("AON",+^BGNPLR(DA,0),X,DA)

AR MUMPS

Field: NATIONAL/OTHER NATIONAL (90560.06,.04)
 1)= S ^BGNPLR("AR",+^BGNPLR(DA,0),X,DA)=" "
 2)= K ^BGNPLR("AR",+^BGNPLR(DA,0),X,DA)

B REGULAR

Field: POINTER (90560.06,.01)
 1)= S ^BGNPLR("B",SE(X,1,30),DA)=" "
 2)= K ^BGNPLR("B",SE(X,1,30),DA)

C REGULAR

Field: INDIVIDUAL INDICATOR ID (90560.06,.02)

```

1)= S ^BGNPLR("C", $E(X,1,30),DA)=" "
2)= K ^BGNPLR("C", $E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.07 05/14/18 PAGE 1

File #90560.07

Traditional Cross-References:

```

B    REGULAR
      Field:  SUBSET NAME  (90560.07,.01)
          1)= S ^BGPSNOSR("B", $E(X,1,30),DA)=" "
          2)= K ^BGPSNOSR("B", $E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.08 05/14/18 PAGE 1

File #90560.08

Traditional Cross-References:

```

B    REGULAR
      Field:  TAXONOMY NAME (90560.08,.01)
          1)= S ^BGPTAXR("B", $E(X,1,30),DA)=" "
          2)= K ^BGPTAXR("B", $E(X,1,30),DA)

```

Subfile #90560.0812

Traditional Cross-References:

```

B    REGULAR
      Field:  REPORTS  (90560.0812,.01)
          1)= S ^BGPTAXR(DA(1),12,"B", $E(X,1,30),DA)=" "
          2)= K ^BGPTAXR(DA(1),12,"B", $E(X,1,30),DA)

```

Subfile #90560.0813

Traditional Cross-References:

```

B    REGULAR
      Field:  MEASURES USED WITH (90560.0813,.01)
          1)= S ^BGPTAXR(DA(1),13,"B", $E(X,1,30),DA)=" "
          2)= K ^BGPTAXR(DA(1),13,"B", $E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.1 05/14/18 PAGE 1

File #90560.1

Traditional Cross-References:

```

B    REGULAR
      Field:  GROUP NAME  (90560.1,.01)
          1)= S ^BGPMPGRPR("B", $E(X,1,30),DA)=" "
          2)= K ^BGPMPGRPR("B", $E(X,1,30),DA)

```


INDEX AND CROSS-REFERENCE LIST -- FILE #90560.12 05/14/18 PAGE 1

File #90560.12

Traditional Cross-References:

B REGULAR
 Field: BEGINNING DATE (90560.12,.01)
 1)= S ^BGPPEDCR("B",\$(X,1,30),DA)=" "
 2)= K ^BGPPEDCR("B",\$(X,1,30),DA)

Subfile #90560.12111

Traditional Cross-References:

B REGULAR
 Field: MFI COMMUNITIES (90560.12111,.01)
 1)= S ^BGPPEDCR(DA(1),1111,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPPEDCR(DA(1),1111,"B",\$(X,1,30),DA)

Subfile #90560.1212

Traditional Cross-References:

B REGULAR
 Field: 2.1 RATE (90560.1212,.01)
 1)= S ^BGPPEDCR(DA(1),12,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPPEDCR(DA(1),12,"B",\$(X,1,30),DA)

Subfile #90560.1213

Traditional Cross-References:

B REGULAR
 Field: TOP 25 DXS (90560.1213,.01)
 1)= S ^BGPPEDCR(DA(1),13,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPPEDCR(DA(1),13,"B",\$(X,1,30),DA)

Subfile #90560.1214

Traditional Cross-References:

B REGULAR
 Field: 4.1.1 (90560.1214,.01)
 1)= S ^BGPPEDCR(DA(1),14,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPPEDCR(DA(1),14,"B",\$(X,1,30),DA)

Subfile #90560.1215

Traditional Cross-References:

B REGULAR
 Field: 5.1.1 (90560.1215,.01)
 1)= S ^BGPPEDCR(DA(1),15,"B",\$(X,1,30),DA)=" "

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.12 05/14/18 PAGE 2

```

                2)= K ^BGPPEDCR(DA(1),15,"B",$(X,1,30),DA)
Subfile #90560.1216
Traditional Cross-References:
B    REGULAR
      Field:  7.2.1 (90560.1216,.01)
          1)= S ^BGPPEDCR(DA(1),16,"B",$(X,1,30),DA)=" "
          2)= K ^BGPPEDCR(DA(1),16,"B",$(X,1,30),DA)
Subfile #90560.1217
Traditional Cross-References:
B    REGULAR
      Field:  7.1.2 GOAL NOT SET (90560.1217,.01)
          1)= S ^BGPPEDCR(DA(1),17,"B",$(X,1,30),DA)=" "
          2)= K ^BGPPEDCR(DA(1),17,"B",$(X,1,30),DA)
Subfile #90560.1218
Traditional Cross-References:
B    REGULAR
      Field:  GOAL MET (90560.1218,.01)
          1)= S ^BGPPEDCR(DA(1),18,"B",$(X,1,30),DA)=" "
          2)= K ^BGPPEDCR(DA(1),18,"B",$(X,1,30),DA)
Subfile #90560.1219
Traditional Cross-References:
B    REGULAR
      Field:  GOAL MAINTAINED (90560.1219,.01)
          1)= S ^BGPPEDCR(DA(1),19,"B",$(X,1,30),DA)=" "
          2)= K ^BGPPEDCR(DA(1),19,"B",$(X,1,30),DA)
Subfile #90560.1221
Traditional Cross-References:
B    REGULAR
      Field:  GOAL NOT MET (90560.1221,.01)
          1)= S ^BGPPEDCR(DA(1),21,"B",$(X,1,30),DA)=" "
          2)= K ^BGPPEDCR(DA(1),21,"B",$(X,1,30),DA)
Subfile #90560.129
Traditional Cross-References:
B    REGULAR
      Field:  COMMUNITIES (90560.129,.01)
INDEX AND CROSS-REFERENCE LIST -- FILE #90560.12                05/14/18    PAGE 3
-----
          1)= S ^BGPPEDCR(DA(1),9999,"B",$(X,1,30),DA)=" "
          2)= K ^BGPPEDCR(DA(1),9999,"B",$(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.13

05/14/18

PAGE 1

File #90560.13

Traditional Cross-References:

B REGULAR

Field: BEGINNING DATE (90560.13,.01)
1)= S ^BGPPEDPR("B", \$E(X,1,30),DA)=" "
2)= K ^BGPPEDPR("B", \$E(X,1,30),DA)

Subfile #90560.13111

Traditional Cross-References:

B REGULAR

Field: MFI COMMUNITIES (90560.13111,.01)
1)= S ^BGPPEDPR(DA(1),1111,"B", \$E(X,1,30),DA)=" "
2)= K ^BGPPEDPR(DA(1),1111,"B", \$E(X,1,30),DA)

Subfile #90560.1312

Traditional Cross-References:

B REGULAR

Field: 2.1 RATE (90560.1312,.01)
1)= S ^BGPPEDPR(DA(1),12,"B", \$E(X,1,30),DA)=" "
2)= K ^BGPPEDPR(DA(1),12,"B", \$E(X,1,30),DA)

Subfile #90560.1313

Traditional Cross-References:

B REGULAR

Field: TOP 25 DXS (90560.1313,.01)
1)= S ^BGPPEDPR(DA(1),13,"B", \$E(X,1,30),DA)=" "
2)= K ^BGPPEDPR(DA(1),13,"B", \$E(X,1,30),DA)

Subfile #90560.1314

Traditional Cross-References:

B REGULAR

Field: 4.1.1 (90560.1314,.01)
1)= S ^BGPPEDPR(DA(1),14,"B", \$E(X,1,30),DA)=" "
2)= K ^BGPPEDPR(DA(1),14,"B", \$E(X,1,30),DA)

Subfile #90560.1315

Traditional Cross-References:

B REGULAR

Field: 5.1.1 (90560.1315,.01)
1)= S ^BGPPEDPR(DA(1),15,"B", \$E(X,1,30),DA)=" "

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.13

05/14/18

PAGE 2

```

-----
                2)= K ^BGPPEDPR(DA(1),15,"B",$(X,1,30),DA)
Subfile #90560.1316
Traditional Cross-References:
B    REGULAR
      Field:  7.2.1 (90560.1316,.01)
          1)= S ^BGPPEDPR(DA(1),16,"B",$(X,1,30),DA)=" "
          2)= K ^BGPPEDPR(DA(1),16,"B",$(X,1,30),DA)
Subfile #90560.1317
Traditional Cross-References:
B    REGULAR
      Field:  7.1.2 GOAL NOT SET (90560.1317,.01)
          1)= S ^BGPPEDPR(DA(1),17,"B",$(X,1,30),DA)=" "
          2)= K ^BGPPEDPR(DA(1),17,"B",$(X,1,30),DA)
Subfile #90560.1318
Traditional Cross-References:
B    REGULAR
      Field:  GOAL MET (90560.1318,.01)
          1)= S ^BGPPEDPR(DA(1),18,"B",$(X,1,30),DA)=" "
          2)= K ^BGPPEDPR(DA(1),18,"B",$(X,1,30),DA)
Subfile #90560.1319
Traditional Cross-References:
B    REGULAR
      Field:  GOAL MAINTAINED (90560.1319,.01)
          1)= S ^BGPPEDPR(DA(1),19,"B",$(X,1,30),DA)=" "
          2)= K ^BGPPEDPR(DA(1),19,"B",$(X,1,30),DA)
Subfile #90560.1321
Traditional Cross-References:
B    REGULAR
      Field:  GOAL NOT MET (90560.1321,.01)
          1)= S ^BGPPEDPR(DA(1),21,"B",$(X,1,30),DA)=" "
          2)= K ^BGPPEDPR(DA(1),21,"B",$(X,1,30),DA)
Subfile #90560.139
Traditional Cross-References:
B    REGULAR
      Field:  COMMUNITIES (90560.139,.01)
INDEX AND CROSS-REFERENCE LIST -- FILE #90560.13                05/14/18    PAGE 3
-----
                1)= S ^BGPPEDPR(DA(1),9999,"B",$(X,1,30),DA)=" "

```

2)= K ^BGPPEDPR(DA(1),9999,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.14

05/14/18

PAGE 1

File #90560.14

Traditional Cross-References:

B REGULAR

Field: BEGINNING DATE (90560.14,.01)
1)= S ^BGPPEDBR("B", \$E(X,1,30),DA)=" "
2)= K ^BGPPEDBR("B", \$E(X,1,30),DA)

Subfile #90560.14111

Traditional Cross-References:

B REGULAR

Field: MFI COMMUNITIES (90560.14111,.01)
1)= S ^BGPPEDBR(DA(1),1111,"B", \$E(X,1,30),DA)=" "
2)= K ^BGPPEDBR(DA(1),1111,"B", \$E(X,1,30),DA)

Subfile #90560.1412

Traditional Cross-References:

B REGULAR

Field: 2.1 RATE (90560.1412,.01)
1)= S ^BGPPEDBR(DA(1),12,"B", \$E(X,1,30),DA)=" "
2)= K ^BGPPEDBR(DA(1),12,"B", \$E(X,1,30),DA)

Subfile #90560.1413

Traditional Cross-References:

B REGULAR

Field: TOP 25 DXS (90560.1413,.01)
1)= S ^BGPPEDBR(DA(1),13,"B", \$E(X,1,30),DA)=" "
2)= K ^BGPPEDBR(DA(1),13,"B", \$E(X,1,30),DA)

Subfile #90560.1414

Traditional Cross-References:

B REGULAR

Field: 4.1.1 (90560.1414,.01)
1)= S ^BGPPEDBR(DA(1),14,"B", \$E(X,1,30),DA)=" "
2)= K ^BGPPEDBR(DA(1),14,"B", \$E(X,1,30),DA)

Subfile #90560.1415

Traditional Cross-References:

B REGULAR

Field: 5.1.1 (90560.1415,.01)
1)= S ^BGPPEDBR(DA(1),15,"B", \$E(X,1,30),DA)=" "

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.14 05/14/18 PAGE 2

 2)= K ^BGPPEDBR(DA(1),15,"B",\$(X,1,30),DA)

Subfile #90560.1416

Traditional Cross-References:

B REGULAR

Field: 7.2.1 (90560.1416,.01)

1)= S ^BGPPEDBR(DA(1),16,"B",\$(X,1,30),DA)=" "

2)= K ^BGPPEDBR(DA(1),16,"B",\$(X,1,30),DA)

Subfile #90560.1417

Traditional Cross-References:

B REGULAR

Field: 7.1.2 GOAL NOT SET (90560.1417,.01)

1)= S ^BGPPEDBR(DA(1),17,"B",\$(X,1,30),DA)=" "

2)= K ^BGPPEDBR(DA(1),17,"B",\$(X,1,30),DA)

Subfile #90560.1418

Traditional Cross-References:

B REGULAR

Field: GOAL MET (90560.1418,.01)

1)= S ^BGPPEDBR(DA(1),18,"B",\$(X,1,30),DA)=" "

2)= K ^BGPPEDBR(DA(1),18,"B",\$(X,1,30),DA)

Subfile #90560.1419

Traditional Cross-References:

B REGULAR

Field: GOAL MAINTAINED (90560.1419,.01)

1)= S ^BGPPEDBR(DA(1),19,"B",\$(X,1,30),DA)=" "

2)= K ^BGPPEDBR(DA(1),19,"B",\$(X,1,30),DA)

Subfile #90560.1421

Traditional Cross-References:

B REGULAR

Field: GOAL NOT MET (90560.1421,.01)

1)= S ^BGPPEDBR(DA(1),21,"B",\$(X,1,30),DA)=" "

2)= K ^BGPPEDBR(DA(1),21,"B",\$(X,1,30),DA)

Subfile #90560.149

Traditional Cross-References:

B REGULAR

Field: COMMUNITIES (90560.149,.01)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.14

05/14/18

PAGE 3

```

1)= S ^BGPPEDBR(DA(1),9999,"B", $E(X,1,30),DA)="
2)= K ^BGPPEDBR(DA(1),9999,"B", $E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.15 05/14/18 PAGE 1

File #90560.15

Traditional Cross-References:

AO REGULAR

```

Field: ORDER TO DISPLAY (90560.15,.03)
1)= S ^BGPPEIR("AO", $E(X,1,30),DA)="
2)= K ^BGPPEIR("AO", $E(X,1,30),DA)

```

B REGULAR

```

Field: MEASURE NUMBER (90560.15,.01)
1)= S ^BGPPEIR("B", $E(X,1,30),DA)="
2)= K ^BGPPEIR("B", $E(X,1,30),DA)

```

Subfile #90560.1514

Traditional Cross-References:

B REGULAR

```

Field: TAXONOMIES USED (90560.1514,.01)
1)= S ^BGPPEIR(DA(1),14,"B", $E(X,1,30),DA)="
2)= K ^BGPPEIR(DA(1),14,"B", $E(X,1,30),DA)

```

TRIGGER

```

Field: TAXONOMY PTR (PROGRAMMER USE) (90560.1514,.02)
Triggered Field: TAXONOMY NAME (90560.1514,.03)
1)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)
=$S($D(^BGPPEIR(D0,14,D1,0)):^(0),1:"") S X=$P(Y(1),U,3),X=
X S DIU=X K Y X ^DD(90560.1514,.02,1,1,1.1) X ^DD(90560.151
4,.02,1,1,1.4)
1.1)= S X=DIV S I(1,0)=$G(D1),I(0,0)=$G(D0),D0=DIV S:'D0! '$
D(^ATXAX(+D0,0)) D0=-1 S Y(101)=$S($D(^ATXAX(D0,0)):^(0),1:
"") S X=$P(Y(101),U,1) S D0=I(0,0) S D1=I(1,0)
1.4)= S DIH=$G(^BGPPEIR(DIV(0),14,DIV(1),0)),DIV=X S $P(^0
),U,3)=DIV,DIH=90560.1514,DIG=.03 D ^DICR
2)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)
=$S($D(^BGPPEIR(D0,14,D1,0)):^(0),1:"") S X=$P(Y(1),U,3),X=
X S DIU=X K Y X ^DD(90560.1514,.02,1,1,2.1) X ^DD(90560.151
4,.02,1,1,2.4)
2.1)= S X=DIV X ^DD(90560.1514,.02,1,1,59.2) S X=$P(Y(101),
U,1) S D0=I(0,0) S D1=I(1,0)
2.4)= S DIH=$G(^BGPPEIR(DIV(0),14,DIV(1),0)),DIV=X S $P(^0
),U,3)=DIV,DIH=90560.1514,DIG=.03 D ^DICR
59.2)= S I(1,0)=$G(D1),I(0,0)=$G(D0),Y(1)=$S($D(^BGPPEIR(D0
,14,D1,0)):^(0),1:""),D0=$P(Y(1),U,2) S:'D0! '$D(^ATXAX(+D0,
0)) D0=-1 S Y(101)=$S($D(^ATXAX(D0,0)):^(0),1:"")
CREATE VALUE)= #.02:#.01
DELETE VALUE)= #.02:#.01
FIELD)= #.03

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.15 05/14/18 PAGE 2

 Subfile #90560.1561

Traditional Cross-References:

B REGULAR

Field: DENOMINATOR DEFINITIONS (90560.1561,.01)
 1)= S ^BGPPEIR(DA(1),61,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPPEIR(DA(1),61,"B",\$(X,1,30),DA)

Subfile #90560.1562

Traditional Cross-References:

B REGULAR

Field: NUMERATOR (90560.1562,.01)
 1)= S ^BGPPEIR(DA(1),62,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPPEIR(DA(1),62,"B",\$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.17 05/14/18 PAGE 1

File #90560.17

Traditional Cross-References:

B REGULAR

Field: GROUP (90560.17,.01)
 1)= S ^BGPICAGR("B",\$(X,1,30),DA)=" "
 2)= K ^BGPICAGR("B",\$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.18 05/14/18 PAGE 1

File #90560.18

Traditional Cross-References:

B REGULAR

Field: CATEGORY (90560.18,.01)
 1)= S ^BGPICACR("B",\$(X,1,30),DA)=" "
 2)= K ^BGPICACR("B",\$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.19 05/14/18 PAGE 1

File #90560.19

Traditional Cross-References:

AC REGULAR

Field: START TIME (90560.19,.03)
 1)= S ^BGPGUIR("AC",\$(X,1,30),DA)=" "
 2)= K ^BGPGUIR("AC",\$(X,1,30),DA)

AUSR MUMPS

Field: START TIME (90560.19,.03)


```

1)= S ^BPGGUIR("AUSR",$S($P($G(^BPGGUIR(DA,0)),"^",2):$P(^B
PGGUIR(DA,0),"^",2),1:1),(9999999.9999-X),DA)=" "
2)= K ^BPGGUIR("AUSR",$S($P($G(^BPGGUIR(DA,0)),"^",2):$P(^B
PGGUIR(DA,0),"^",2),1:1),(9999999.9999-X),DA)

```

B REGULAR

Field: NAME (90560.19,.01)

```
1)= S ^BPGGUIR("B",$E(X,1,30),DA)=" "
```

```
2)= K ^BPGGUIR("B",$E(X,1,30),DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90560.21 05/14/18 PAGE 1

File #90560.21

Traditional Cross-References:

B REGULAR

Field: NAME OF LIST (90560.21,.01)

```
1)= S ^BGPSNOMR("B",$E(X,1,30),DA)=" "
```

```
2)= K ^BGPSNOMR("B",$E(X,1,30),DA)
```

Subfile #90560.2111

Traditional Cross-References:

B REGULAR

Field: SNOMED CODE (90560.2111,.01)

```
1)= S ^BGPSNOMR(DA(1),11,"B",$E(X,1,30),DA)=" "
```

```
2)= K ^BGPSNOMR(DA(1),11,"B",$E(X,1,30),DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90561.02 05/14/18 PAGE 1

File #90561.02

Traditional Cross-References:

AB MUMPS

Field: ORDER (90561.02,1204)

```
1)= S ^BGPELIIR("AB",$P(X,".",1,2),X,DA)=" "
```

```
2)= K ^BGPELIIR("AB",$P(X,".",1,2),X,DA)
```

ABC MUMPS

Field: ORDER (90561.02,1204)

```
1)= S ^BGPELIIR("ABC",$P(X,".",1,2),$TR(X,".",""),DA)=" "
```

```
2)= K ^BGPELIIR("ABC",$P(X,".",1,2),$TR(X,".",""),DA)
```

AE MUMPS

Field: ORDER (90561.02,1204)

```
1)= S ^BGPELIIR("AE",$P(X,"."),$P(X,".",2),$P(X,".",3),DA)=
"
```

```
2)= Q
```

```

AP      MUMPS
      Field:  ORDER   (90561.02,1204)
            1)= S ^BGPELIIR("AP", $P(X,".",1,2),DA)=" "
            2)= K ^BGPELIIR("AP", $P(X,".",1,2),DA)

```

```

B      REGULAR
      Field:  INDICATOR (90561.02,.01)
            1)= S ^BGPELIIR("B", $E(X,1,30),DA)=" "
            2)= K ^BGPELIIR("B", $E(X,1,30),DA)

```

```

C      REGULAR
      Field:  INDICATOR ID (90561.02,.04)
            1)= S ^BGPELIIR("C", $E(X,1,30),DA)=" "
            2)= K ^BGPELIIR("C", $E(X,1,30),DA)

```

```

OR      REGULAR
      Field:  ORDER   (90561.02,1204)
            1)= S ^BGPELIIR("OR", $E(X,1,30),DA)=" "
            2)= K ^BGPELIIR("OR", $E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90561.03 05/14/18 PAGE 1

File #90561.03

Traditional Cross-References:

```

B      REGULAR
      Field:  BEGINNING DATE (90561.03,.01)
            1)= S ^BGPEDLCR("B", $E(X,1,30),DA)=" "
            2)= K ^BGPEDLCR("B", $E(X,1,30),DA)

```

Subfile #90561.031111

Traditional Cross-References:

```

B      REGULAR
      Field:  MFI LOCATIONS (90561.031111,.01)
            1)= S ^BGPEDLCR(DA(1),1111,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPEDLCR(DA(1),1111,"B", $E(X,1,30),DA)

```

Subfile #90561.12999

Traditional Cross-References:

```

B      REGULAR
      Field:  COMMUNITIES (90561.12999,.01)
            1)= S ^BGPEDLCR(DA(1),9999,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPEDLCR(DA(1),9999,"B", $E(X,1,30),DA)

```

Subfile #90561.129999

Traditional Cross-References:

```

B      REGULAR
      Field:  PATIENTS EISS (90561.129999,.01)

```

```

1)= S ^BGPEDLCR(DA(1),99999,"B", $E(X,1,30),DA)=" "
2)= K ^BGPEDLCR(DA(1),99999,"B", $E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90561.04 05/14/18 PAGE 1

File #90561.04

Traditional Cross-References:

```

B    REGULAR
      Field:  BEGINNING DATE  (90561.04,.01)
1)= S ^BGPEDLPR("B", $E(X,1,30),DA)=" "
2)= K ^BGPEDLPR("B", $E(X,1,30),DA)

```

Subfile #90561.041111

Traditional Cross-References:

```

B    REGULAR
      Field:  MFI LOCATIONS  (90561.041111,.01)
1)= S ^BGPEDLPR(DA(1),1111,"B", $E(X,1,30),DA)=" "
2)= K ^BGPEDLPR(DA(1),1111,"B", $E(X,1,30),DA)

```

Subfile #90561.13999

Traditional Cross-References:

```

B    REGULAR
      Field:  COMMUNITIES  (90561.13999,.01)
1)= S ^BGPEDLPR(DA(1),9999,"B", $E(X,1,30),DA)=" "
2)= K ^BGPEDLPR(DA(1),9999,"B", $E(X,1,30),DA)

```

Subfile #90561.139999

Traditional Cross-References:

```

B    REGULAR
      Field:  PATIENTS EISS  (90561.139999,.01)
1)= S ^BGPEDLPR(DA(1),99999,"B", $E(X,1,30),DA)=" "
2)= K ^BGPEDLPR(DA(1),99999,"B", $E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90561.05 05/14/18 PAGE 1

File #90561.05

Traditional Cross-References:

```

B    REGULAR
      Field:  BEGINNING DATE  (90561.05,.01)
1)= S ^BGPEDLBR("B", $E(X,1,30),DA)=" "
2)= K ^BGPEDLBR("B", $E(X,1,30),DA)

```

Subfile #90561.051111

Traditional Cross-References:

```

B    REGULAR
      Field:  MFI LOCATIONS  (90561.051111,.01)
            1)= S ^BGPEDLBR(DA(1),1111,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPEDLBR(DA(1),1111,"B", $E(X,1,30),DA)

```

Subfile #90561.14999

Traditional Cross-References:

```

B    REGULAR
      Field:  COMMUNITIES  (90561.14999,.01)
            1)= S ^BGPEDLBR(DA(1),9999,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPEDLBR(DA(1),9999,"B", $E(X,1,30),DA)

```

Subfile #90561.149999

Traditional Cross-References:

```

B    REGULAR
      Field:  PATIENTS EISS  (90561.149999,.01)
            1)= S ^BGPEDLBR(DA(1),99999,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPEDLBR(DA(1),99999,"B", $E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90561.06 05/14/18 PAGE 1

File #90561.06

Traditional Cross-References:

```

AO   REGULAR
      Field:  ORDER ON SELECTION/REPORT  (90561.06,.02)
            1)= S ^BGPELIR("AO", $E(X,1,30),DA)=" "
            2)= K ^BGPELIR("AO", $E(X,1,30),DA)

```

```

B    REGULAR
      Field:  INDICATOR NUMBER  (90561.06,.01)
            1)= S ^BGPELIR("B", $E(X,1,30),DA)=" "
            2)= K ^BGPELIR("B", $E(X,1,30),DA)

```

```

C    REGULAR
      Field:  TITLE  (90561.06,.03)
            1)= S ^BGPELIR("C", $E(X,1,30),DA)=" "
            2)= K ^BGPELIR("C", $E(X,1,30),DA)

```

```

D    MUMPS
      Field:  TITLE  (90561.06,.03)
            1)= S ^BGPELIR("D", $$SUP^XLFSTR(X),DA)=" "
            2)= K ^BGPELIR("D", $$SUP^XLFSTR(X),DA)

```

```

PUID REGULAR
      Field:  PUID  (90561.06,1201)
            1)= S ^BGPELIR("PUID", $E(X,1,30),DA)=" "
            2)= K ^BGPELIR("PUID", $E(X,1,30),DA)

```

Subfile #90561.0661

```

Traditional Cross-References:

B   REGULAR
      Field:  DENOMINATOR DEFINITIONS  (90561.0661,.01)
          1)= S ^BGPELIR(DA(1),61,"B", $E(X,1,30),DA)=" "
          2)= K ^BGPELIR(DA(1),61,"B", $E(X,1,30),DA)

Subfile #90561.0662

Traditional Cross-References:

B   REGULAR
      Field:  NUMERATOR DEFINITIONS  (90561.0662,.01)
          1)= S ^BGPELIR(DA(1),62,"B", $E(X,1,30),DA)=" "
          2)= K ^BGPELIR(DA(1),62,"B", $E(X,1,30),DA) Traditional Cross-

```

Figure 4-1: Index and Cross Reference List

4.4 Table File

The following six files have over 1,000 fields per file. These files are used to hold calculated data values for the GPRA reports. To conserve space in this document, the table files are not listed here. To generate a listing, use the ^XBFLD or FM data dictionary listing utility to list the data dictionary in detail.

FILE: 90560.03 BGP 18 DATA CURRENT

GLOBAL: ^BGPDPDCR(

FILE: 90560.04 BGP 18 DATA PREVIOUS

GLOBAL: ^BGPDPDPR(

FILE: 90560.05 BGP 18 DATA BASELINE

GLOBAL: ^BGPHEDBR(

FILE: 90561.03 BGP 18 ELDER DATA CURRENT

GLOBAL: ^BGPELDCR(

FILE: 90561.04 BGP 18 ELDER DATA PREVIOUS

GLOBAL: ^BGPELDPR(

FILE: 90561.05 BGP 18 ELDER DATA BASELINE

GLOBAL: ^BGPELDBR(

4.4.1 BGP Control File

GLOBAL: ^BGPCTRL(

FILE #: 90241.01

CONDENSED DATA DICTIONARY---BGP CONTROL FILE FILE (#90241.01)UCI: CMBA,DEV VERSION: 18.1

STORED IN: ^BGPCTRL(05/14/18 PAGE 1

FILE SECURITY

DD SECURITY : @ DELETE SECURITY: @
 READ SECURITY : @ LAYGO SECURITY : @
 WRITE SECURITY : @

CROSS REFERENCED BY:
 FY(B) GPRA YEAR(C)

FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	FY (RF), [0;1]
.02	ENDING COLUMN FOR ONM1 (NJ4,0), [0;2]
.03	ENDING COLUMN FOR ONM2 (NJ4,0), [0;3]
.04	ENDING COLUMN FOR GPRANT1 (NJ4,0), [0;4]
.05	PROGRAM FOR ICARE TO RUN (F), [0;5]
.06	FILE FOR MEASURES (P1'), [0;6]
.07	FILE # FOR INDIVIDUAL INDS (P1'), [0;7]
.08	BEGINNING DATE FOR GPRA YEAR (D), [0;8]
.09	ENDING DATE FOR GPRA YEAR (D), [0;9]
.1	BEG DATE FOR PREVIOUS YEAR (D), [0;10]
.11	ENDING DATE FOR PREVIOUS YEAR (D), [0;11]
.12	BEG DATE FOR BASELINE YEAR (D), [0;12]
.13	ENDING DATE FOR BASELINE YR (D), [0;13]
.14	GPRA YEAR (D), [0;14]
.15	VERSION (F), [0;15]
.16	ENDING COLUMN FOR GPRANT2 (NJ3,0), [0;16]
.17	CONTRAINdications ROUTINE (F), [0;17]
.18	ALLERGY ROUTINE (F), [0;18]
.19	REFUSAL API ROUTINE (F), [0;19]
.2	*ENDING COLUMN FOR EO (NJ4,0), [0;20]
.21	END COLUMN FOR CRSONMNT3 (NJ4,0), [0;21]
.22	ENDING COLUMN FOR DEVEL1 (NJ3,0), [0;22]
.23	ENDING COLUMN FOR DEVEL2 (NJ3,0), [0;23]
.24	ENDING COLUMN FOR DEVEL3 (NJ4,0), [0;24]
.25	ONMT 4 ENDING COLUMN (NJ4,0), [0;25]
.26	ONMT 5 (NJ4,0), [0;26]
.27	ENDING COLUMN FOR GPRANT3 (NJ3,0), [0;27]
.28	ENDING COLUMN FOR DEV 4 (NJ3,0), [0;28]
.29	ENDING COLUMN FOR GPRANT4 (NJ3,0), [0;29]
.3	UNFOLDTX ROUTINE (F), [0;30]
.31	ENDING COLUMN FOR GPRANT5 (NJ3,0), [0;31]
.32	ENDING COLUMN FOR NT6 (NJ3,0), [0;32]
1101	CLINICS FOR CLINICAL USER (Multiple-90241.0111), [11;0]
	.01 CLINIC CODE (MF), [0;1]
	.019 CLINIC NAME (CJ8), [;]
1102	CLINICS FOR IPC REPORT (Multiple-90241.011101), [1101;0]
	.01 CLINICS FOR IPC REPORT (MF), [0;1]

1201	CLINIC CODES FOR 2ND VISIT (Multiple-90241.0112), [12:0]
	.01 CLINIC CODES FOR 2ND VISIT (MF), [0:1]
1300	LOCAL REPORT HEADER PAGE (Multiple-90241.13), [13:0]
	.01 LOCAL REPORT HEADER PAGE (W), [0:1]
1301	BH CLINIC CODES (Multiple-90241.011301), [1301:0]
	.01 BH CLINIC CODES (MF), [0:1]
1400	NATIONAL GPRA COVER PG NONCHS (Multiple-90241.14), [14:0]
	.01 GPRA REPORT HEADER PAGE (W), [0:1]
1500	AREA REPORT HEADER PAGE (Multiple-90241.15), [15:0]
	.01 AREA REPORT HEADER PAGE (W), [0:1]
1600	HEDIS REPORT HEADER PAGE (Multiple-90241.16), [16:0]
	.01 HEDIS REPORT HEADER PAGE (W), [0:1]
1700	COM REPORT HEADER PAGE (Multiple-90241.17), [17:0]
	.01 COM REPORT HEADER PAGE (W), [0:1]
1800	PP REPORT HEADER PAGE (Multiple-90241.18), [18:0]
	.01 PP REPORT HEADER PAGE (W), [0:1]
1900	ALL REPORT HEADER PAGE (Multiple-90241.19), [19:0]
	.01 ALL REPORT HEADER PAGE (W), [0:1]
2100	*CMS REPORT COVER PAGE (Multiple-90241.0321), [21:0]
	.01 CMS REPORT COVER PAGE (W), [0:1]
2200	ELDER CARE COVER PAGE (Multiple-90241.22), [22:0]
	.01 ELDER CARE COVER PAGE (W), [0:1]
2300	*NATL GPRA COVER PAGE - CHS (Multiple-90241.23), [23:0]
	.01 CHS NATIONAL GPRA RPT HEADER (W), [0:1]
2400	*CHS COM REPORT HEADER (Multiple-90241.24), [24:0]
	.01 CHS COM REPORT HEADER (W), [0:1]
2500	*CHS ALL REPORT HEADER (Multiple-90241.25), [25:0]
	.01 CHS ALL REPORT HEADER (W), [0:1]
2600	*CHS ELDER REPORT HEADER (Multiple-90241.26), [26:0]
	.01 CHS ELDER REPORT HEADER (W), [0:1]
2700	*CHS HEDIS REPORT HEADER (Multiple-90241.27), [27:0]
	.01 CHS HEDIS REPORT HEADER (W), [0:1]
2800	COMP NATL PAT LIST 1ST PAGE (Multiple-90241.0328), [28:0]
	.01 1ST PAGE COMP LIST (W), [0:1]
2900	*AREA CHS NGR HEADER PAGE (Multiple-90241.29), [29:0]
	.01 AREA CHS NGR HEADER PAGE (W), [0:1]
3000	BH ALCOHOL PROBLEM CODES (Multiple-90241.013), [30:0]
	.01 BH ALCOHOL PROBLEM CODES (MF), [0:1]
3100	*AREA GPVA CHS HEADER (Multiple-90241.31), [31:0]
	.01 AREA CHS HEADER (W), [0:1]
3200	*AREA CHS HEDIS COVER PAGE (Multiple-90241.32), [32:0]
	.01 AREA HEDIS COVER PAGE (W), [0:1]
3300	*AREA ELDER CHS COVER PAGE (Multiple-90241.33), [33:0]
	.01 AREA ELDER CHS COVER PAGE (W), [0:1]
3400	PATIENT ED COVER PAGE (Multiple-90241.34), [34:0]
	.01 PATIENT ED COVER PAGE (W), [0:1]
3500	AREA PAT ED COVER PAG (Multiple-90241.35), [35:0]
	.01 AREA PAT ED COVER PAG (W), [0:1]
3600	ON 1 HEADERS (Multiple-90241.36), [36:0]
	.01 PIECE (MNJ5,0X), [0:1]
	.02 HEADER (F), [0:2]
3700	ON 2 HEADERS (Multiple-90241.37), [37:0]
	.01 PIECE (MNJ4,0X), [0:1]
	.02 HEADER (F), [0:2]
3800	GPRA NT1 (Multiple-90241.38), [38:0]
	.01 PIECE (MNJ4,0X), [0:1]
	.02 HEADER (F), [0:2]

3900	FORECAST DENOMINATOR DEFS PAGE (Multiple-90241.39), [39;0]
	.01 SCHEDULING OPTION COVER PAGE (W), [0;1]
4000	GPRA NT2 (Multiple-90241.4), [40;0]
	.01 PIECE (MNJ4,0), [0;1]
	.02 LABEL (F), [0;2]
4100	MEASURE (Multiple-90241.41), [41;0]
	.01 MEASURE (MRNJ3,0), [0;1]
	11 DENOM TEXT (Multiple-90241.4111), [11;0]
	.01 DENOM TEXT (W), [0;1]
4200	*CMS REPORT INTRODUCTION (Multiple-90241.42), [42;0]
	.01 CMS REPORT INTRODUCTION (W), [0;1]
4300	LAB TAXONOMY INTRO TEXT (Multiple-90241.43), [43;0]
	.01 LAB TAXONOMY INTRO TEXT (W), [0;1]
4400	MED TAX INTRO (Multiple-90241.44), [44;0]
	.01 MED TAX INTRO (W), [0;1]
4500	CRSONMNT3 COLUMN HEADERS (Multiple-90241.0145), [45;0]
	.01 CRSONMNT3 COLUMN HEADERS (MNJ4,0), [0;1]
	.02 HEADER TEXT (F), [0;2]
4600	*URBAN GP COVER PAGE (Multiple-90241.46), [46;0]
	.01 URBAN GP COVER PAGE (Wx), [0;1]
4700	*URBAN SUM ONLY GP (Multiple-90241.47), [47;0]
	.01 URBAN SUM ONLY GP (Wx), [0;1]
4800	*URBAN COM COVER PAGE (Multiple-90241.48), [48;0]
	.01 URBAN COM COVER PAGE (Wx), [0;1]
4900	*URBAN ALL COVER PAGE (Multiple-90241.49), [49;0]
	.01 URBAN ALL COVER PAGE (Wx), [0;1]
5000	DEP SCR BH CLINICS (Multiple-90241.015), [50;0]
	.01 DEP SCR BH CLINICS (MF), [0;1]
5100	*URBAN ONM COVER PAGE (Multiple-90241.51), [51;0]
	.01 URBAN ONM COVER PAGE (Wx), [0;1]
5200	*URBAN ELDER COVER PAGE (Multiple-90241.52), [52;0]
	.01 URBAN ELDER COVER PAGE (Wx), [0;1]
5300	XP 2008-2009 INFORMING (Multiple-90241.0153), [53;0]
	.01 XP 2008-2009 INFORMING (W), [0;1]
5400	XP REPORT INFORM (Multiple-90241.54), [54;0]
	.01 XP REPORT INFORM (W), [0;1]
5500	XP MEASURES (Multiple-90241.55), [55;0]
	.01 MEASURE (MP90530.01'), [0;1]
	1101 INDIVIDUAL MEASURES (Multiple-90241.551101), [11;0]
	.01 MEASURE ID (MNJ3,0), [0;1]
	.02 VALUE FOR EXPORT (K), [1;E1,245]
	.03 MEASURE LABEL (F), [0;3]
5600	ONM COVER PAGE (Multiple-90241.56), [56;0]
	.01 ONM COVER PAGE (W), [0;1]
5700	*ONM CHS COVER PAGE (Multiple-90241.57), [57;0]
	.01 ONM CHS COVER PAGE (W), [0;1]
5800	FORECAST REPORT INFORMING (Multiple-90241.58), [58;0]
	.01 FORECAST REPORT INFORMING (W), [0;1]
5900	*EO REPORT COVER PAGE (Multiple-90241.0159), [59;0]
	.01 EO REPORT COVER PAGE (W), [0;1]
6100	PAT ED INFORMING (Multiple-90241.61), [61;0]
	.01 PAT ED INFORMING (W), [0;1]
6200	PATIENT ED TOPICS (Multiple-90241.62), [62;0]
	.01 PATIENT ED TOPICS (F), [0;1]
	.02 DIAGNOSIS (F), [0;2]
	.03 TOPIC (F), [0;3]
6300	PAT ED ICD MAPPINGS (Multiple-90241.63), [63;0]

	.01	DISEASE STATE ABBRV (MF), [0;1]
	.02	DISEASE STATE NAME (F), [0;2]
	.03	TAXONOMY NAME (F), [0;3]
	1100	ICD MAPPING (Multiple-90241.6311), [11;0]
	.01	ICD MAPPING (MF), [0;1]
	.02	LENGTH TO CHECK (NJ1,0), [0;2]
	.03	EXACT LENGTH? (S), [0;3]
6400	*EO	REPORT COVER PAGE CHS ONLY (Multiple-90241.0164), [64;0]
	.01	EO REPORT COVER PAGE CHS ONLY (W), [0;1]
6500	*EO	REPORT INFORMING (Multiple-90241.0165), [65;0]
	.01	EO REPORT INFORMING (W), [0;1]
6600	*EO	AREA REPORT COVER PAGE (Multiple-90241.0166), [66;0]
	.01	EO AREA REPORT COVER PAGE (W), [0;1]
6700	*EO	AREA REPORT CHS COVER PAGE (Multiple-90241.0467), [67;0]
	.01	EO AREA REPORT CHS COVER PAGE (W), [0;1]
6800	*EO	NT (Multiple-90241.0168), [68;0]
	.01	EO NT (MNJ4,0), [0;1]
	.02	TEXT (F), [0;2]
6900		FORECAST INFORMING FOR NEXT YR (Multiple-90241.69), [69;0]
	.01	FORECAST INFORMING FOR NEXT YR (W), [0;1]
7100		GPRA RPT SUM ONLY INFORMING (Multiple-90241.71), [71;0]
	.01	GPRA RPT SUM ONLY INFORMING (W), [0;1]
7200		NATL GPRA DES PROV INFORMING (Multiple-90241.72), [72;0]
	.01	NATL GPRA DES PROV INFORMING (W), [0;1]
7300		HW OPTION INFORMING (Multiple-90241.73), [73;0]
	.01	HW OPTION INFORMING (W), [0;1]
7400		PAT ED PP INFORMING (Multiple-90241.74), [74;0]
	.01	PAT ED PP INFORMING (W), [0;1]
7500		PED PP COVER PAGE (Multiple-90241.75), [75;0]
	.01	PED PP COVER PAGE (W), [0;1]
7600		GPRA SUM ONLY COVER PAGE (Multiple-90241.76), [76;0]
	.01	GPRA SUM ONLY COVER PAGE (W), [0;1]
7700	*NATL	GPRA SUM CHS COVER (Multiple-90241.77), [77;0]
	.01	NATL GPRA SUM CHS COVER (W), [0;1]
7800		XP9 INFORMING (Multiple-90241.78), [78;0]
	.01	XP9 INFORMING (W), [0;1]
7900		DEVEL 1 (Multiple-90241.79), [79;0]
	.01	DEVEL 1 (MNJ3,0), [0;1]
	.02	TEXT (F), [0;2]
8100		DEVEL 2 (Multiple-90241.81), [81;0]
	.01	DEVEL 2 (MNJ3,0), [0;1]
	.02	TEXT (F), [0;2]
8200		XP 10 INFORMING (Multiple-90241.82), [82;0]
	.01	XP 10 INFORMING (W), [0;1]
8300		GPU W/PP COVER PAGE (Multiple-90241.83), [83;0]
	.01	GPU W/PP COVER PAGE (W), [0;1]
8400		XP INFORMING FOR 2011 (Multiple-90241.84), [84;0]
	.01	XP INFORMING FOR 2011 (Wx), [0;1]
8500		DEVEL 3 (Multiple-90241.85), [85;0]
	.01	DEVEL 3 (NJ4,0), [0;1]
	.02	TEXT (F), [0;2]
8501		DEV 4 HEADERS (Multiple-90241.18501), [851;0]
	.01	DEV 4 HEADERS (MNJ3,0), [0;1]
	.02	TEXT (F), [0;2]
8600		ONMT 4 HEADERS (Multiple-90241.86), [86;0]
	.01	ONMT 4 HEADERS (NJ3,0), [0;1]
	.02	TEXT (F), [0;2]

8700	ONMT5 HEADERS (Multiple-90241.87), [87;0]
	.01 ONMT5 HEADERS (NJ3,0), [0;1]
	.02 TEXT (F), [0;2]
8800	DASHBOARD INFORMING (Multiple-90241.88), [88;0]
	.01 DASHBOARD INFORMING (Wx), [0;1]
8900	AREA ELDER TOP (Multiple-90241.89), [89;0]
	.01 AREA ELDER TOP (Wx), [0;1]
9100	DASHBOARD COVER PAGE (Multiple-90241.91), [91;0]
	.01 DASHBOARD COVER PAGE (Wx), [0;1]
9200	*DASHBOARD COVER PAGE CHS (Multiple-90241.92), [92;0]
	.01 DASHBOARD COVER PAGE CHS (Wx), [0;1]
9300	*DASHBOARD INFORMING URBAN (Multiple-90241.93), [93;0]
	.01 DASHBOARD INFORMING URBAN (Wx), [0;1]
9400	AREA DASHBOARD COVER (Multiple-90241.94), [94;0]
	.01 AREA DASHBOARD COVER (Wx), [0;1]
9500	CLINIC CODES FOR BH ACT CL (Multiple-90241.0195), [95;0]
	.01 CLINIC CODES FOR BH ACT CL (MF), [0;1]
9601	AUTO EXPORT UTILITY ROUTINE (F), [96;1]
9602	AUTO EXPORT RUN ROUTINE (F), [96;2]
9700	GPRA NT3 (Multiple-90241.97), [97;0]
	.01 GPRANT3 (MNJ4,0), [0;1]
	.02 HEADER (F), [0;2]
9701	GPRA NT4 (Multiple-90241.971), [971;0]
	.01 GPRA NT4 (NJ3,0), [0;1]
	.02 TEXT (F), [0;2]
9702	GPRA NT5 LABELS (Multiple-90241.1972), [972;0]
	.01 GPRA NT5 LABELS (MNJ3,0), [0;1]
	.02 LABEL (F), [0;2]
9703	GPRA NT6 LABELS (Multiple-90241.1973), [973;0]
	.01 GPRA NT6 LABELS (MNJ4,0), [0;1]
	.02 LABEL (F), [0;2]
9801	PATCHES BULLETIN TEXT (Multiple-90241.9801), [98;0]
	.01 PATCHES BULLETIN TEXT (MNJ2,0X), [0;1]
	11 BULLETIN TEXT (Multiple-90241.980111), [11;0]
	.01 BULLETIN TEXT (W), [0;1]
9802	IPC COVER PAGE (Multiple-90241.019802), [9802;0]
	.01 IPC COVER PAGE (Wx), [0;1]
	.01 BULLETIN TEXT (W), [0;1]

Figure 4-2: BGP Control File

4.4.2 BGP SITE PARAMETERS

GLOBAL: ^BGPSITE(

FILE #: 90241.02

CONDENSED DATA DICTIONARY---BGP SITE PARAMETERS FILE (#90241.02)UCI: DEV,DEV		
VERSION: 18.1		
STORED IN: ^BGPSITE(05/14/18	PAGE 1

	FILE SECURITY	
DD SECURITY	: @	DELETE SECURITY: @

```

                                READ SECURITY : M      LAYGO SECURITY : M
                                WRITE SECURITY : M
CROSS REFERENCED BY:
    LOCATION(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        LOCATION (RP9999999.06'X), [0;1]
.02        HOME LOCATION (P9999999.06'), [0;2]
.03        AREA EXPORT? (S), [0;3]
.04        INCLUDE DATA IN WEB EISS? (S), [0;4]
.05        DEFAULT COMMUNITY TAXONOMY (*P9002226'), [0;5]
.06        CHS SITE ONLY (S), [0;6]
.08        MFI SITE? (S), [0;8]
.09        MFI LOCATION TAXONOMY (*P9002226'), [0;9]
.11        EXPORT HT/WT DATA (S), [0;11]
.12        DEMO PATIENT SEARCH TEMPLATE (P.401'), [0;12]
.13        URBAN PROGRAM? (S), [0;13]
.14        DIRECTORY FOR EXPORT FILES (FX), [0;14]
    
```

Figure 4-3: BGP SITE PARAMETERS

4.4.3 FILE: BGP SUMMARY CATEGORIES

GLOBAL: ^BGPSCAT(FILE #: 90241.03

```

VERSION: 18.1

STORED IN: ^BGPSCAT(                                05/14/18      PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY     : @      LAYGO SECURITY  : @
                                WRITE SECURITY    : @

CROSS REFERENCED BY:
    CATEGORY(B)  ORDER ON GPRA SUMMARY(C)  ORDER NO NON-GPRA SUMMARY(D)
    ORDER ON EO REPORT(E)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]
.02        ORDER ON GPRA SUMMARY (NJ2,0), [0;2]
.03        ORDER NO NON-GPRA SUMMARY (NJ2,0), [0;3]
.04        ORDER ON EO REPORT (NJ2,0), [0;4]
    
```

Figure 4-4: BGP SUMMARY CATEGORIES

4.4.4 FILE: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS GLOBAL: ^BGP2PM(FILE #: 90241.04

```

CONDENSED DATA DICTIONARY---BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS FILE
(#90241.04)UCI: DEV,DEV  VERSION: 18.1

STORED IN: ^BGP2PM(                                05/14/18      PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY   : M      LAYGO SECURITY : M
                                WRITE SECURITY  : M

CROSS REFERENCED BY:
SITE(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        SITE (R*P9999999.06'X), [0;1]
.02        TYPE OF AUTO EXTRACT (S), [0;2]
1.1        DEFAULT DIRECTORY (F), [1;1]
4.1        REMOTE HOST NAME (F), [4;1]
4.2        REMOTE HOST IP ADDRESS (F), [4;2]
4.3        REMOTE HOST DIRECTORY (F), [4;3]
4.4        REMOTE HOST USERNAME (F), [4;4]
4.5        REMOTE HOST PASSWORD (F), [4;5]
5.1        DEFAULT COMMUNITY TAXONOMY (P9002226'), [5;1]
8          EXTRACT DATE (Multiple-90241.12), [8;0]
          .01 EXTRACT DATE (MD), [0;1]
          .02 EXTRACT FILE NAME (F), [0;2]
          .03 EXTRACT BEGIN DATE (D), [0;3]
          .04 EXTRACT END DATE (D), [0;4]
          .05 ERROR MESSAGE (F), [0;5]
    
```

Figure 4-5: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS

4.4.5 FILE: BGP AREA AUTOMATED GPRA PARAMS GLOBAL: ^BGP1PM(FILE #: 90245

```

CONDENSED DATA DICTIONARY---BGP AREA AUTOMATED GPRA PARAMS FILE (#90245)UCI: DEV,DEV
VERSION: 18.1

STORED IN: ^BGP1PM(                                05/14/18      PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: M
                                READ SECURITY   : M      LAYGO SECURITY : M
                                WRITE SECURITY  : M
    
```

```

CROSS REFERENCED BY:
  NAME(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        NAME (RFX), [0;1]
.02        TYPE OF AUTO EXTRACT (S), [0;2]
1.1        DEFAULT DIRECTORY (F), [1;1]
1.2        SUBDIRECTORY (F), [1;2]
7          DATE PROCESSED (Multiple-90245.07), [7;0]
  .01      REPORT BEGIN DATE (MD), [0;1]
  .02      REPORT END DATE (D), [0;2]
  .03      DATE PROCESSED (D), [0;3]
  .04      STATUS (S), [0;4]
  .05      ERROR MESSAGE (F), [0;5]
  .06      PROCESSING ATTEMPTS (NJ6,0), [0;6]
  .07      ASUFAC (F), [0;7]
  .08      FILE PROCESSED (F), [0;8]
  .09      PROCESS START DATE (D), [0;9]
9          FACILITY (Multiple-90245.09), [9;0]
  .01      FACILITY (MP9999999.06'), [0;1]
  .02      ASUFAC (NJ6,0), [0;2]
  .03      ACTIVE (S), [0;3]
  .04      IP ADDRESS (F), [0;4]
  .05      GENERIC LISTENER PORT (NJ9,0), [0;5]
99.1       ALERT/MAILMAN SENDER (P200'), [99.1;1]
99.2       ALERT/MM RECIPIENT (Multiple-90245.992), [99.2;0]
  .01      EMAIL RECIPIENT (MP200'), [0;1 ]
    
```

Figure 4-6: BGP AREA AUTOMATED GPRA PARAMS

4.4.6 FILE: BGP GPRA FLAT FILE DATA

GLOBAL: ^BGP1RD(FILE #: 90245.1

```

CONDENSED DATA DICTIONARY---BGP GPRA FLAT FILE DATA FILE (#90245.1)UCI: DEV,DEV
VERSION: 18.1

STORED IN: ^BGP1RD(                                05/14/18      PAGE 1
-----

                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY     : @      LAYGO SECURITY  : @
                                WRITE SECURITY    : @

CROSS REFERENCED BY:
  INDICATOR NAME(B)  CURRENT REPORT BEGIN DATE(CBD)
  SITE NAME(D)

FILE #90245.1
INDEXED BY:          INDICATOR NAME & SITE NAME & CURRENT REPORT BEGIN DATE &
                     CURRENT REPORT END DATE (C)
    
```

FILE STRUCTURE	
FIELD NUMBER	FIELD NAME
.01	INDICATOR NAME (RF), [0;1]
.02	INDICATOR NUMBER (F), [0;2]
.03	SITE NAME (F), [0;3]
.04	ASUFAC (F), [0;4]
.05	DB ID (NJ5,0), [0;5]
.06	DATE REPORT RUN (D), [0;6]
.07	CURRENT REPORT BEGIN DATE (D), [0;7]
.08	CURRENT REPORT END DATE (D), [0;8]
.09	PREVIOUS YEAR BEGIN DATE (D), [0;9]
.1	PREVIOUS YEAR END DATE (D), [0;10]
.11	BASELINE YEAR BEGIN DATE (D), [0;11]
.12	BASELINE YEAR END DATE (D), [0;12]
.13	CURRENT NUMERATOR (NJ6,0), [0;13]
.14	CURRENT DENOMINATOR (NJ6,0), [0;14]
.15	CURRENT PERCENT (NJ8,1), [0;15]
.16	PREVIOUS NUMERATOR (NJ6,0), [0;16]
.17	PREVIOUS DENOMINATOR (NJ6,0), [0;17]
.18	PREVIOUS PERCENT (NJ8,1), [0;18]
.19	BASELINE NUMERATOR (NJ6,0), [0;19]
.2	BASELINE DENOMINATOR (NJ6,0), [0;20]
.21	BASELINE PERCENT (NJ8,1), [0;21]

Figure 4-7: BGP GPRA FLAT FILE DATA

4.4.7 FILE: BGP 18 MEASURES GLOBAL: ^BGPINDR(FILE #: 90560.01

```

CONDENSED DATA DICTIONARY---BGP 18 MEASURES FILE (#90560.01)UCI: CMBA,DEV  VERSION:
18.1

STORED IN: ^BGPINDR(                                05/14/18    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY     : @      LAYGO SECURITY  : @
                                WRITE SECURITY    : @

CROSS REFERENCED BY:
DEVELOPMENTAL MEASURE?(ADEV)  ORDER ON DEVELOPMENTAL REPORT(ADEVO)
ORDER ON IPC REPORT(AIPC)     ORDER ON SELECTION/REPORT(AO)
ORDER IND(AOI) MEASURE NUMBER(B)  TITLE/SELECTION TITLE(C)
ORDER IND(D) NATIONAL REPORT(GPRA) OTHER NATIONAL MEASURES RPT?(ON)
PUID FROM RM(PUID) TITLE/SELECTION TITLE(U)

                                FILE STRUCTURE
    
```

FIELD NUMBER	FIELD NAME
.01	MEASURE NUMBER (RNJ3,0X), [0;1]
.02	ORDER ON SELECTION/REPORT (F), [0;2]
.03	TITLE/SELECTION TITLE (F), [0;3]
.05	LIST SELECTION TITLE (F), [0;5]
.06	ORDER TO DISPLAY (NJ4,0), [0;6]
.07	NATIONAL REPORT (S), [0;7]
.12	NO LIST (S), [0;12]
.13	# DENOMINATORS (NJ2,0), [0;13]
.14	DEVELOPMENTAL MEASURE? (S), [0;14]
1	M CODE TO EXECUTE (K), [1;E1,245]
2	SET LIST VALUE (K), [2;E1,245]
3	PRINT M CODE (K), [3;E1,245]
4	DELIMITED FILE PRINT (K), [4;E1,245]
1100	SELECTED REPORT FY LOGIC TEXT (Multiple-90560.0111), [11;0]
	.01 SELECTED REPORT FY LOGIC TEXT (W), [0;1]
1201	OTHER NATIONAL MEASURES RPT? (S), [12;1]
1202	WEB SITE UNIQUE ID (F), [12;2]
1203	PUID FROM RM (NJ4,0), [12;3]
1204	GROUP (P90560.1'), [12;4]
1205	UPDATED THIS YEAR? (S), [12;5]
1206	ORDER IND (NJ4,0), [12;6]
1207	IPC REPORT ONLY? (S), [12;7]
1208	ORDER ON IPC REPORT (NJ4,0), [12;8]
1301	SKIP SELECTED REPORT? (S), [13;1]
1302	ORDER ON DEVELOPMENTAL REPORT (NJ3,0), [13;2]
1303	SKIP NGR PRINT/DEV ONLY (S), [13;3]
2100	IPC MEASURE LOGIC TEXT (Multiple-90560.0121), [21;0]
	.01 IPC MEASURE LOGIC TEXT (Wx), [0;1]
5100	INDICATOR DESCRIPTION (Multiple-90560.0151), [51;0]
	.01 DESCRIPTION (W), [0;1]
5200	PAST PERFORMANCE (Multiple-90560.0152), [52;0]
	.01 REPORT PRINT SECTION (W), [0;1]
5300	REPORT PRINT 2ND PAGE (Multiple-90560.0153), [53;0]
	.01 REPORT PRINT 2ND PAGE (W), [0;1]
5400	NATIONAL GPRA/GPRAMA LOGIC (Multiple-90560.54), [54;0]
	.01 NATIONAL GPRA/GPRAMA (W), [0;1]
5500	SOURCE (Multiple-90560.55), [55;0]
	.01 SOURCE (W), [0;1]
5600	OTHER NATIONAL GPRA LOGIC TEXT (Multiple-90560.56), [56;0]
	.01 OTHER NATIONAL GPRA LOGIC TEXT (W), [0;1]
5700	INDICATOR DESCRIPTION FOR 10 (Multiple-90560.57), [57;0]
	.01 INDICATOR DESCRIPTION FOR 10 (W), [0;1]
5800	DEVELOPMENTAL RPT LOGIC TEXT (Multiple-90560.58), [58;0]
	.01 DEVELOPMENTAL RPT LOGIC TEXT (W), [0;1]
6100	SELECTED MEASURES DENOM DEF (Multiple-90560.0161), [61;0]
	.01 DENOMINATOR DEFINITIONS (MNJ2,0), [0;1]
	1 DENOM DESCRIPTION (Multiple-90560.01611), [1;0]
	.01 DENOM DESCRIPTION (W), [0;1]
	1200 REPORT SUB TYPES (Multiple-90560.016112), [12;0]
	.01 REPORT SUB TYPES (MS), [0;1]
6200	SELECTED MEAS NUMERATOR DEFS (Multiple-90560.0162), [62;0]
	.01 NUMERATOR DEFINITIONS (MNJ2,0X), [0;1]
	1 NUMERATOR DESCRIPTION (Multiple-90560.01621), [1;0]
	.01 NUMERATOR DESCRIPTION (W), [0;1]

	1200 REPORT SUB TYPE (Multiple-90560.016212), [12;0]
	.01 REPORT SUB TYPE (MS), [0;1]
7100	REPORT LIST 1ST PAGE (Multiple-90560.0171), [71;0]
	.01 REPORT LIST 1ST PAGE (W), [0;1]
7200	LIST PRINT SECOND PAGE (Multiple-90560.0172), [72;0]
	.01 LIST PRINT SECOND PAGE (W), [0;1]
8100	NATL GPRA DENOM DEFS (Multiple-90560.0181), [81;0]
	.01 NATL GPRA DENOM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90560.1811), [1;0]
	.01 TEXT (W), [0;1]
	1200 REPORT SUBTYPES (Multiple-90560.018112), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8200	NATL GPRA NUMERATOR DEFS (Multiple-90560.0182), [82;0]
	.01 NATL GPRA NUMERATOR DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90560.01821), [1;0]
	.01 TEXT (W), [0;1]
	1200 REPORT SUBTYPES (Multiple-90560.018212), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8300	OTHER NATL MEAS DENOM DEFS (Multiple-90560.0183), [83;0]
	.01 OTHER NATL MEAS DENOM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90560.01831), [1;0]
	.01 TEXT (W), [0;1]
	1200 REPORT SUBTYPES (Multiple-90560.018312), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8400	OTHER NATL MEAS NUMER DEFS (Multiple-90560.0184), [84;0]
	.01 OTHER NATL MEAS NUMER DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90560.01841), [1;0]
	.01 TEXT (W), [0;1]
	1200 REPORT SUBTYPES (Multiple-90560.018412), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8500	DEVELOPMENTAL MEAS DENOM DEFS (Multiple-90560.0185), [85;0]
	.01 DEVELMENTAL MEAS DENOM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90560.01851), [1;0]
	.01 TEXT (W), [0;1]
	1200 REPORT SUBTYPE (Multiple-90560.018512), [12;0]
	.01 REPORT SUBTYPE (MS), [0;1]
8600	DEVELOPMENTAL MEAS NUMER DEFS (Multiple-90560.0186), [86;0]
	.01 DEVELOPMENTAL MEAS NUMER DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90560.01861), [1;0]
	.01 TEXT (W), [0;1]
	1200 REPORT SUBTYPES (Multiple-90560.018612), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8700	DM DENOM DEFS (Multiple-90560.0187), [87;0]
	.01 DM DENOM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90560.01871), [1;0]
	.01 TEXT (Wx), [0;1]
8800	DM NUMER DEFS (Multiple-90560.0188), [88;0]
	.01 DM NUMER DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90560.01881), [1;0]
	.01 TEXT (Wx), [0;1]
8900	CVD DENOM DEFS (Multiple-90560.0189), [89;0]
	.01 CVD DENOM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90560.01891), [1;0]
	.01 TEXT (Wx), [0;1]
9100	CVD NUM DEFS (Multiple-90560.0191), [91;0]
	.01 CVD NUM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90560.01911), [1;0]


```

      .01 TEXT (Wx), [0;1]
9200  WH DEN DEFS (Multiple-90560.0192), [92;0]
      .01 WH DEN DEFS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90560.01921), [1;0]
      .01 TEXT (Wx), [0;1]
9300  WH NUM DEFS (Multiple-90560.0193), [93;0]
      .01 WH NUM DEFS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90560.01931), [1;0]
      .01 TEXT (Wx), [0;1]
9400  IPC DEN DEFS (Multiple-90560.0194), [94;0]
      .01 IPC DEN DEFS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90560.01941), [1;0]
      .01 TEXT (Wx), [0;1]
9500  IPC NUM DEFS (Multiple-90560.0195), [95;0]
      .01 IPC NUM DEFS (MNJ3,0), [0;1]
      1   TEXT (Multiple-90560.01951), [1;0]
      .01 TEXT (Wx), [0;1]
9600  PQA DEM DEFS (Multiple-90560.0196), [96;0]
      .01 PQA DEM DEFS (MNJ3,0), [0;1]
      1   TEXT (Multiple-90560.01961), [1;0]
      .01 TEXT (Wx), [0;1]
9700  PQA NUM DEFS (Multiple-90560.0197), [97;0]
      .01 PQA NUM DEFS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90560.01971), [1;0]
      .01 TEXT (Wx), [0;1]
9800  ASTHMA DEN DEFS (Multiple-90560.0198), [98;0]
      .01 ASTHMA DEN DEFS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90560.01981), [1;0]
      .01 TEXT (W), [0;1]
9900  ASTHMA NUM DEFS (Multiple-90560.0199), [99;0]
      .01 ASTHMA NUM DEFS (MNJ2,0), [0;1]
      1   TEXT (Multiple-90560.01991), [1;0]
      .01 TEXT (W), [0;1]

```

Figure 4-8: BGP 18 MEASURES

4.4.8 FILE: BGP 18 INDIVIDUAL MEASURES

GLOBAL: ^BGPINDRC(FILE #: 90560.02

```

CONDENSED DATA DICTIONARY---BGP 18 INDIVIDUAL MEASURES FILE (#90560.02)UCI: CMBA,DEV
VERSION: 18.1

STORED IN: ^BGPINDRC(                                05/14/18    PAGE 1
-----
                                           FILE SECURITY
DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY    : @      LAYGO SECURITY  : @
WRITE SECURITY   : @

CROSS REFERENCED BY:
ASTHMA REPORT?(AAST)  ORDER(AB)  ORDER(ABC)  CARDIO INDICATOR?(ACARD)
DASHBOARD ORDER(ADASH)  DM INDICATOR?(ADM)  ELDER RELATED(AEL)
NATIONAL/PART(AGPRA)  IPC REPORT?(AIPC)  PQA(APQA)

```

WOMEN'S HEALTH(AWH) INDICATOR(B) INDICATOR ID(C)
 TITLE FOR SCHEDULING OPTION(D) ORDER(OR)

FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	INDICATOR (RP90560.01'), [0;1]
.04	INDICATOR ID (F), [0;4]
.05	NATIONAL/PART (S), [0;5]
.06	ONMNT1 (NJ3,0), [0;6]
.07	ONMNT2 (NJ3,0), [0;7]
.08	DENOM FIELD NUMBER (NJ7,3), [0;8]
.09	NUMERATOR FIELD NUMBER (NJ7,3), [0;9]
.11	PAGE BREAK DENOM NGR (S), [0;11]
.12	DM INDICATOR? (S), [0;12]
.13	CARDIO INDICATOR? (S), [0;13]
.14	GPRANT1 PIECE (NJ5,0), [0;14]
.22	ADD BANG (S), [0;22]
.23	ASTHMA REPORT? (S), [0;23]
.24	PAGE BREAK DENOM (S), [0;24]
1	M CODE NUMERATOR (K), [1;E1,245]
2	M CODE DENOMINATOR (K), [2;E1,245]
3	M CODE FOR COMP PL (K), [3;E1,245]
4	M CODE FOR SCHEDULING (K), [4;E1,245]
1101	IPC REPORT? (S), [11;1]
1102	PQA (S), [11;2]
1103	GPRANT3 (NJ4,0), [11;3]
1201	COLUMN TEXT FOR CMP PL (F), [12;1]
1202	WOMEN'S HEALTH (S), [12;2]
1203	ELDER RELATED (S), [12;3]
1204	ORDER (F), [12;4]
1208	PAGE BREAK NUMER COM (S), [12;8]
1209	TITLE FOR SCHEDULING OPTION (F), [12;9]
1211	ICARE TAB (S), [12;11]
1212	OTHER NATIONAL (S), [12;12]
1213	GPRANT2 PIECE (NJ3,0), [12;13]
1214	SKIP DENOM DISPLAY? (S), [12;14]
1215	PAGE BREAK DENOM ONM? (S), [12;15]
1216	TITLE 2 FOR SCHEDULING OPTION (F), [12;16]
1217	COUNT ONLY? (S), [12;17]
1401	NATL GPRA SUMMARY? (S), [14;1]
1402	NATL PREV YR (F), [14;2]
1403	NATL GPRA 2020 TARGET (F), [14;3]
1404	NATL SUM TITLE (F), [14;4]
1405	NATL SUM CATEGORY 1 (P90241.03'), [14;5]
1406	NATL SUM SHEET ORDER (NJ4,0), [14;6]
1407	NATL SUM TITLE 2 (F), [14;7]
1408	NATL GPRA TARGET (F), [14;8]
1409	NATL GPRA TARGET 2ND LINE (F), [14;9]
1410	NATL SUM PY LINE 2 (F), [14;10]
1411	SECOND LINE 2012 GOAL (F), [14;11]
1412	NATL SUM TITLE 3 (F), [14;12]
1413	NATL SUM TARGET (?) (F), [14;13]
1414	NATL SUM TITLE NY (F), [14;14]

1415 NATL SUM TITLE NY 2 (F), [14;15]
 1416 NATL SUM TITLE NY 3 (F), [14;16]
 1417 DASHBOARD ORDER (NJ2,0), [14;17]
 1501 NON GPRA SUMMARY? (S), [15;1]
 1502 NG NATIONAL CURRENT (F), [15;2]
 1503 NG GOAL PY (F), [15;3]
 1504 NG TITLE (F), [15;4]
 1505 NG CATEGORY (P90241.03'), [15;5]
 1506 NG ORDER ON SUMMARY SHEET (NJ4,0), [15;6]
 1507 NG TITLE 2 (F), [15;7]
 1508 NG GOAL (F), [15;8]
 1509 NG SECOND LINE GOAL (F), [15;9]
 1510 NG NATIONAL CURRENT 2 (F), [15;10]
 1511 NG 2ND LINE 2012 GOAL (F), [15;11]
 1512 NG TITLE 3 (F), [15;12]
 1600 TEXT FOR SCHEDULING OPTION (Multiple-90560.16), [16;0]
 .01 TEXT FOR SCHEDULING OPTION (W), [0;1]
 1601 TEXT FOR SCHEDULING NEXT YR (Multiple-90560.161), [1601;0]
 .01 TEXT FOR SCHEDULING NEXT YR (W), [0;1]
 1701 ICARE GROUP (P90560.17'), [17;1]
 1702 ICARE CATEGORY (P90560.18'), [17;2]
 1703 ICARE MEASURE NAME (F), [17;3]
 1704 ICARE EXCEPTION (S), [17;4]
 1705 ICARE PERFORMANCE DIRECTION (F), [17;5]
 1706 ICARE REPORT CODE (S), [17;6]
 1707 ICARE IPC MEASURE? (S), [17;7]
 1708 PREVIOUS INDICATOR ID (F), [17;8]
 1800 ICARE TOOLTIPS (Multiple-90560.0218), [18;0]
 .01 ICARE TOOLTIPS (W), [0;1]
 1901 ON SUMMARY? (S), [19;1]
 1902 ON NATIONAL CURRENT (F), [19;2]
 1903 2020 TARGET (F), [19;3]
 1904 ON TITLE (F), [19;4]
 1905 ON CATEGORY (P90241.03'), [19;5]
 1906 ON ORDER (NJ3,0), [19;6]
 1907 ON TITLE 2 (F), [19;7]
 1908 ON GOAL 08 (F), [19;8]
 1909 ON SECOND LINE GOAL (F), [19;9]
 1910 ON NATIONAL CURRENT 2 (F), [19;10]
 1911 ON SECOND LINE 2012 GOAL (F), [19;11]
 1912 ON TITLE 3 (F), [19;12]
 1913 %? (S), [19;13]
 2102 SKIP SELECTED REPORT? (S), [21;2]
 2103 DEVELF1 PIECE (NJ4,0), [21;3]
 2104 DEVELF2 PIECE (NJ3,0), [21;4]
 2105 PAGE BREAK NUMER NGR? (S), [21;5]
 2106 DEVELOPMENTAL MEASURE? (S), [21;6]
 2107 ONMT3 (NJ3,0), [21;7]
 2108 DEVELF3 (NJ4,0), [21;8]
 2109 ONMT4 (NJ4,0), [21;9]
 2110 ONMT5 (NJ3,0), [21;10]
 2111 DEVELF4 (NJ3,0), [21;11]
 2112 GPRANT4 (NJ3,0), [21;12]
 2113 GPRANT5 (NJ4,0), [21;13]
 2114 GPRANT6 (NJ3,0), [21;14]
 2201 DEV SUMMARY? (S), [22;1]
 2202 DEV NATIONAL CURRENT (F), [22;2]

```

2203     DEV GOAL (F), [22;3]
2204     DEV TITLE (F), [22;4]
2205     CATEGORY (P90241.03'), [22;5]
2206     DEV ORDER ON SUMMARY SHEET (NJ3,0), [22;6]
2207     DEV TITLE 2 (F), [22;7]
2208     DEV GOAL NY (F), [22;8]
2209     DEV SECOND LINE GOAL (F), [22;9]
2210     DEV NATL CURRENT 2 (F), [22;10]
2211     DEV SECOND LINE GOAL (F), [22;11]
2212     DEV TITLE 3 (F), [22;12]
2213     PART MEASURE? (S), [22;13]
2214     PART 2012 (F), [22;14]
2215     ADD %LINE? (S), [22;15]
2301     ADD BANG ON DASHBOARD? (S), [23;1]
2302     DASHBOARD LABEL (F), [23;2]
2303     DASHBOARD # NOT % (S), [23;3]
2304     PERCENT INCREASE NO DENOM (NJ7,2), [23;4]
2305     NEG DASHBOARD (S), [23;5]
2306     DASHBOARD LABEL 2 (F), [23;6]
2307     USE PRE-SPLIT LABELS? (S), [23;7]
2401     DEN LABEL SELECTED (F), [24;1]
2402     NUM LABEL SELECTED (F), [24;2]
2501     DEN LABEL NGR (F), [25;1]
2502     NUM LABEL NGR (F), [25;2]
2601     DEN LABEL DEV (F), [26;1]
2602     NUM LABEL DEV (F), [26;2]
2701     DEN LABEL ONM (F), [27;1]
2702     NUM LABEL ONM (F), [27;2]
2801     DEN LABEL DM (F), [28;1]
2802     NUM LABEL DM (F), [28;2]
2901     DEN LABEL CVD (F), [29;1]
2902     NUM LABEL CVD (F), [29;2]
3101     DEN LABEL WH (F), [31;1]
3102     NUM LABEL WH (F), [31;2]
3201     DEN LABEL PQA (F), [32;1]
3202     NUM LABEL PQA (F), [32;2]
3301     DEN LABEL IPC (F), [33;1]
3302     NUM LABEL IPC (F), [33;2]
3401     DEN LABEL ASTHMA (F), [34;1]
3402     NUM LABEL ASTHMA (F), [34;2]
9999     LORI (S), [9999;1]
99991    LORI1 (S), [9999;2]

```

Figure 4-9: BGP 18 INDIVIDUAL MEASURES

4.4.9 FILE: BGP 18 NATIONAL PATIENT LISTS

GLOBAL: ^BGNPLR(FILE #: 90560.06

```

CONDENSED DATA DICTIONARY---BGP 18 NATIONAL PATIENT LISTS FILE (#90560.06)UCI:
CMBA,CMBA  VERSION: 18.1

```

```

STORED IN: ^BGNPLR(

```

```

05/14/18  PAGE 1

```

```

-----
                                FILE SECURITY
                                DD SECURITY   : @      DELETE SECURITY: @
                                READ SECURITY  : @      LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  ORDER ON NATIONAL(AN)  ORDER ON OTHER NATIONAL(AON)
  NATIONAL/OTHER NATIONAL(AR)  POINTER(B)  INDIVIDUAL INDICATOR ID(C)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        POINTER (RP90560.01'), [0;1]
.02        INDIVIDUAL INDICATOR ID (F), [0;2]
.03        LIST TITLE (F), [0;3]
.04        NATIONAL/OTHER NATIONAL (S), [0;4]
.05        ORDER ON NATIONAL (NJ3,0), [0;5]
.06        ORDER ON OTHER NATIONAL (NJ3,0), [0;6]
.07        DEVELOPMENTAL OR NATIONAL (S), [0;7]
1101       LIST TITLE FOR REPORT (Multiple-90560.61101), [11;0]
           .01 LIST TITLE FOR REPORT (W), [0;1]
1201       SET LIST VALUE (K), [12;E1,245]
    
```

Figure 4-10: BGP 18 NATIONAL PATIENT LISTS

4.4.10 FILE: BGP 18 SNOMED SUBSETS

GLOBAL: ^BGPSNOSR(FILE #: 90560.07

```

CONDENSED DATA DICTIONARY---BGP 18 SNOMED SUBSETS FILE (#90560.07)UCI: CMBA,CMBA
VERSION: 18.1

STORED IN: ^BGPSNOSR(                                05/14/18    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @      DELETE SECURITY: @
                                READ SECURITY  : @      LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  SUBSET NAME(B)

FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        SUBSET NAME (RF), [0;1]
    
```

Figure 4-11: BGP 18 SNOMED SUBSETS

4.4.11 FILE: BGP 18 TAXONOMIES

GLOBAL: ^BGPTAXR(FILE #: 90560.08

```

VERSION: 18.1

STORED IN: ^BGPTAXR(                                05/14/18      PAGE 1
-----
                                         FILE SECURITY
                                         DD SECURITY      : @      DELETE SECURITY: @
                                         READ SECURITY   : @      LAYGO SECURITY : @
                                         WRITE SECURITY  : @

CROSS REFERENCED BY:
  TAXONOMY NAME(B)

                                         FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        TAXONOMY NAME (RF), [0;1]
.02        TYPE (S), [0;2]
.03        LAST CHECKED/EXPORTED (D), [0;3]
.04        EDITABLE? (S), [0;4]
.05        EXPORT? (S), [0;6]
1100       DESCRIPTION (Multiple-90560.0811), [11;0]
           .01 DESCRIPTION (W), [0;1]
1200       REPORTS (Multiple-90560.0812), [12;0]
           .01 REPORTS (MS), [0;1]
1201       USED THIS YEAR (S), [0;5]
    
```

Figure 4-12: BGP 18 TAXONOMIES

4.4.12 FILE: BGP 18 MEASURE GROUPS

GLOBAL: ^BGPMGRPR(FILE #: 90560.1

```

VERSION: 18.1

STORED IN: ^BGPMGRPR(                                05/14/18      PAGE 1
-----
                                         FILE SECURITY
                                         DD SECURITY      : @      DELETE SECURITY: @
                                         READ SECURITY   : @      LAYGO SECURITY : @
                                         WRITE SECURITY  : @

CROSS REFERENCED BY:
  GROUP NAME(B)

                                         FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME
    
```

```
.01      GROUP NAME (RF), [0;1]
```

Figure 4-13: BGP 18 MEASURE GROUPS

4.4.13 FILE: BGP 18 PATIENT ED DATA CURRENT

GLOBAL: ^BGPPEDCR(FILE #: 90560.12

```
CONDENSED DATA DICTIONARY---BGP 18 PATIENT ED DATA CURRENT FILE (#90560.12)UCI:
DEV,DEV  VERSION: 18.1
```

```
STORED IN: ^BGPPEDCR(                                05/14/18      PAGE 1
```

```
-----
```

FILE SECURITY

```
DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY    : M      LAYGO SECURITY : M
WRITE SECURITY   : M
```

```
CROSS REFERENCED BY:
  BEGINNING DATE(B)
```

```
FILE STRUCTURE
```

FIELD NUMBER	FIELD NAME
.01	BEGINNING DATE (RD), [0;1]
.02	ENDING DATE (RD), [0;2]
.03	PREVIOUS YR BEG DATE (RD), [0;3]
.04	PREVIOUS YR END DATE (RD), [0;4]
.05	BASELINE YEAR BEG DATE (RD), [0;5]
.06	BASELINE YR END DATE (RD), [0;6]
.07	FY (D), [0;7]
.08	QUARTER (S), [0;8]
.09	FACILITY ASUFAC (F), [0;9]
.1	SU CODE (F), [0;10]
.11	POPULATION (S), [0;11]
.12	DB ID (F), [0;12]
.13	DATE REPORT RUN (D), [0;13]
.14	TEMPLATE? (S), [0;14]
1101	USER POP (NJ6,0), [11;1]
1102	NUMBER W/EDUCATION 1.1.1 (NJ6,0), [11;2]
1103	AVG TIME SPENT 2.1.2A (NJ8,0), [11;3]
1104	MINIMUM TIME SPENT (NJ6,0), [11;4]
1105	MAXIMUM TIME SPENT (NJ6,0), [11;5]
1106	# TOPICS W/MINS & PROVIDER (NJ9,0), [11;6]
1107	TOTAL # OF MINS 2.1.1 (NJ8,0), [11;7]
1108	TOTAL # OF CODES 3.1.1 (NJ5,0), [11;8]
1109	TOTAL # TOPICS 4.1.1 (NJ5,0), [11;9]
1110	TOTAL 5.1.1 (NJ7,0), [11;10]
1111	MFI COMMUNITIES (Multiple-90560.12111), [1111;0]
	.01 MFI COMMUNITIES (F), [0;1]
1112	TOTAL 6.1.1 (NJ6,0), [11;12]

1113	GOOD (NJ6,0), [11;13]
1114	FAIR (NJ6,0), [11;14]
1115	POOR (NJ6,0), [11;15]
1116	REFUSED (NJ6,0), [11;16]
1117	GROUP NO ASSESS (NJ6,0), [11;17]
1118	BLANK (NJ5,0), [11;18]
1119	7 DENOM (NJ5,0), [11;19]
1120	7.2.1 NUMER GS (NJ5,0), [11;20]
1121	7.2.2 NUMER GNS (NJ5,0), [11;21]
1122	7.1.3 NUMER GM (NJ5,0), [11;22]
1123	7.2.4 NUMER (NJ5,0), [11;23]
1124	7.1.1 (NJ5,0), [11;24]
1129	7.1 DENOM USER POP (NJ5,0), [11;29]
1200	2.1 RATE (Multiple-90560.1212), [12;0]
	.01 2.1 RATE (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # MINS (NJ6,0), [0;3]
1300	TOP 25 DXS (Multiple-90560.1213), [13;0]
	.01 TOP 25 DXS (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # OF CODES (NJ6,0), [0;3]
1400	4.1.1 (Multiple-90560.1214), [14;0]
	.01 4.1.1 (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # TOPICS (NJ6,0), [0;3]
1500	5.1.1 (Multiple-90560.1215), [15;0]
	.01 5.1.1 (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # TOPICS (NJ7,0), [0;3]
1600	7.2.1 (Multiple-90560.1216), [16;0]
	.01 7.2.1 (F), [0;1]
	.02 GOAL TYPE (F), [0;2]
	.03 # OF GOAL (NJ5,0), [0;3]
1700	7.1.2 GOAL NOT SET (Multiple-90560.1217), [17;0]
	.01 7.1.2 GOAL NOT SET (F), [0;1]
	.02 GOAL NOT SET TYPE (F), [0;2]
	.03 # NOT SET (NJ5,0), [0;3]
1800	GOAL MET (Multiple-90560.1218), [18;0]
	.01 GOAL MET (F), [0;1]
	.02 GOAL MET (F), [0;2]
	.03 # MET (NJ4,0), [0;3]
1900	GOAL MAINTAINED (Multiple-90560.1219), [19;0]
	.01 GOAL MAINTAINED (F), [0;1]
	.02 GOAL MAINTAINED (F), [0;2]
	.03 # MAINTAINED (NJ6,0), [0;3]
2100	GOAL NOT MET (Multiple-90560.1221), [21;0]
	.01 GOAL NOT MET (F), [0;1]
	.02 GOAL NOT MET (F), [0;2]
	.03 # GOAL NOT MET (NJ6,0), [0;3]
9999	COMMUNITIES (Multiple-90560.129), [9999;0]
	.01 COMMUNITIES (F), [0;1]

Figure 4-14: BGP 18 PATIENT ED DATA CURRENT

4.4.14 FILE: BGP 18 PATIENT ED DATA PREVIOUS

GLOBAL: ^BGPPEDPR(FILE #: 90560.13

CONDENSED DATA DICTIONARY---BGP 18 PATIENT ED DATA PREVIOUS FILE (#90560.13)UCI:
DEV,DEV VERSION: 18.1

STORED IN: ^BGPPEDPR(05/14/18 PAGE 1

FILE SECURITY

DD SECURITY : @ DELETE SECURITY: M
READ SECURITY : M LAYGO SECURITY : M
WRITE SECURITY : M

CROSS REFERENCED BY:
BEGINNING DATE(B)

FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	BEGINNING DATE (RD), [0;1]
.02	ENDING DATE (RD), [0;2]
.03	PREVIOUS YR BEG DATE (RD), [0;3]
.04	PREVIOUS YR END DATE (RD), [0;4]
.05	BASELINE YEAR BEG DATE (RD), [0;5]
.06	BASELINE YR END DATE (RD), [0;6]
.07	FY (D), [0;7]
.08	QUARTER (S), [0;8]
.09	FACILITY ASUFAC (F), [0;9]
.1	SU CODE (F), [0;10]
.11	POPULATION (S), [0;11]
.12	DB ID (F), [0;12]
.13	DATE REPORT RUN (D), [0;13]
.14	TEMPLATE? (S), [0;14]
1101	USER POP (NJ6,0), [11;1]
1102	NUMBER W/EDUCATION 1.1.1 (NJ6,0), [11;2]
1103	AVG TIME SPENT 2.1.2A (NJ8,0), [11;3]
1104	MINIMUM TIME SPENT (NJ6,0), [11;4]
1105	MAXIMUM TIME SPENT (NJ6,0), [11;5]
1106	# TOPICS W/MINS & PROVIDER (NJ9,0), [11;6]
1107	TOTAL # OF MINS 2.1.1 (NJ8,0), [11;7]
1108	TOTAL # OF CODES 3.1.1 (NJ5,0), [11;8]
1109	TOTAL # TOPICS 4.1.1 (NJ5,0), [11;9]
1110	TOTAL 5.1.1 (NJ7,0), [11;10]
1111	MFI COMMUNITIES (Multiple-90560.13111), [1111;0]
	.01 MFI COMMUNITIES (F), [0;1]
1112	TOTAL 6.1.1 (NJ6,0), [11;12]
1113	GOOD (NJ6,0), [11;13]
1114	FAIR (NJ6,0), [11;14]
1115	POOR (NJ6,0), [11;15]
1116	REFUSED (NJ6,0), [11;16]
1117	GROUP NO ASSESS (NJ6,0), [11;17]
1118	BLANK (NJ5,0), [11;18]

1119	7 DENOM (NJ5,0), [11;19]
1120	7.2.1 NUMER GS (NJ5,0), [11;20]
1121	7.2.2 NUMER GNS (NJ5,0), [11;21]
1122	7.1.3 NUMER GM (NJ5,0), [11;22]
1124	7.1.1 (NJ5,0), [11;24]
1129	7.1 DENOM USER POP (NJ5,0), [11;29]
1200	2.1 RATE (Multiple-90560.1312), [12;0]
	.01 2.1 RATE (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # MINS (NJ6,0), [0;3]
1300	TOP 25 DXS (Multiple-90560.1313), [13;0]
	.01 TOP 25 DXS (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # OF CODES (NJ6,0), [0;3]
1400	4.1.1 (Multiple-90560.1314), [14;0]
	.01 4.1.1 (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # TOPICS (NJ6,0), [0;3]
1500	5.1.1 (Multiple-90560.1315), [15;0]
	.01 5.1.1 (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # TOPICS (NJ7,0), [0;3]
1600	7.2.1 (Multiple-90560.1316), [16;0]
	.01 7.2.1 (F), [0;1]
	.02 GOAL TYPE (F), [0;2]
	.03 # OF GOAL (NJ5,0), [0;3]
1700	7.1.2 GOAL NOT SET (Multiple-90560.1317), [17;0]
	.01 7.1.2 GOAL NOT SET (F), [0;1]
	.02 GOAL NOT SET TYPE (F), [0;2]
	.03 # NOT SET (NJ5,0), [0;3]
1800	GOAL MET (Multiple-90560.1318), [18;0]
	.01 GOAL MET (F), [0;1]
	.02 GOAL MET (F), [0;2]
	.03 # MET (NJ4,0), [0;3]
1900	GOAL MAINTAINED (Multiple-90560.1319), [19;0]
	.01 GOAL MAINTAINED (F), [0;1]
	.02 GOAL MAINTAINED (F), [0;2]
	.03 # MAINTAINED (NJ6,0), [0;3]
2100	GOAL NOT MET (Multiple-90560.1321), [21;0]
	.01 GOAL NOT MET (F), [0;1]
	.02 GOAL NOT MET (F), [0;2]
	.03 # GOAL NOT MET (NJ6,0), [0;3]
9999	COMMUNITIES (Multiple-90560.139), [9999;0]
	.01 COMMUNITIES (F), [0;1]

Figure 4-15: BGP 18 PATIENT ED DATA PREVIOUS

4.4.15 FILE: BGP 18 PATIENT ED DATA BASELINE

GLOBAL: ^BGPPEDBR(FILE #: 90560.14

CONDENSED DATA DICTIONARY---BGP 18 PATIENT ED DATA BASELINE FILE (#90560.14)UCI:
DEV,DEV VERSION: 18.1

STORED IN: ^BGPPEDBR(05/14/18	PAGE 1

		FILE SECURITY	
	DD SECURITY	: @	DELETE SECURITY: M
	READ SECURITY	: M	LAYGO SECURITY : M
	WRITE SECURITY	: M	
CROSS REFERENCED BY:			
	BEGINNING DATE(B)		
FILE STRUCTURE			
FIELD NUMBER	FIELD NAME		
.01	BEGINNING DATE (RD), [0;1]		
.02	ENDING DATE (RD), [0;2]		
.03	PREVIOUS YR BEG DATE (RD), [0;3]		
.04	PREVIOUS YR END DATE (RD), [0;4]		
.05	BASELINE YEAR BEG DATE (RD), [0;5]		
.06	BASELINE YR END DATE (RD), [0;6]		
.07	FY (D), [0;7]		
.08	QUARTER (S), [0;8]		
.09	FACILITY ASUFAC (F), [0;9]		
.1	SU CODE (F), [0;10]		
.11	POPULATION (S), [0;11]		
.12	DB ID (F), [0;12]		
.13	DATE REPORT RUN (D), [0;13]		
.14	TEMPLATE? (S), [0;14]		
1101	USER POP (NJ6,0), [11;1]		
1102	NUMBER W/EDUCATION 1.1.1 (NJ6,0), [11;2]		
1103	AVG TIME SPENT 2.1.2A (NJ8,0), [11;3]		
1104	MINIMUM TIME SPENT (NJ6,0), [11;4]		
1105	MAXIMUM TIME SPENT (NJ6,0), [11;5]		
1106	# TOPICS W/MINS & PROVIDER (NJ9,0), [11;6]		
1107	TOTAL # OF MINS 2.1.1 (NJ8,0), [11;7]		
1108	TOTAL # OF CODES 3.1.1 (NJ5,0), [11;8]		
1109	TOTAL # TOPICS 4.1.1 (NJ5,0), [11;9]		
1110	TOTAL 5.1.1 (NJ7,0), [11;10]		
1111	MFI COMMUNITIES (Multiple-90560.14111), [1111;0]		
	.01 MFI COMMUNITIES (F), [0;1]		
1112	TOTAL 6.1.1 (NJ6,0), [11;12]		
1113	GOOD (NJ6,0), [11;13]		
1114	FAIR (NJ6,0), [11;14]		
1115	POOR (NJ6,0), [11;15]		
1116	REFUSED (NJ6,0), [11;16]		
1117	GROUP NO ASSESS (NJ6,0), [11;17]		
1118	BLANK (NJ5,0), [11;18]		
1119	7 DENOM (NJ5,0), [11;19]		
1120	7.2.1 NUMER GS (NJ5,0), [11;20]		
1121	7.2.2 NUMER GNS (NJ5,0), [11;21]		
1122	7.1.3 NUMER GM (NJ5,0), [11;22]		
1123	7.2.4 NUMER (NJ5,0), [11;23]		
1124	7.1.1 (NJ5,0), [11;24]		
1129	7.1 DENOM USER POP (NJ5,0), [11;29]		
1200	2.1 RATE (Multiple-90560.1412), [12;0]		
	.01 2.1 RATE (F), [0;1]		

	.02	LONG NAME (F), [0;2]
	.03	# MINS (NJ6,0), [0;3]
1300		TOP 25 DXS (Multiple-90560.1413), [13;0]
	.01	TOP 25 DXS (F), [0;1]
	.02	LONG NAME (F), [0;2]
	.03	# OF CODES (NJ6,0), [0;3]
1400		4.1.1 (Multiple-90560.1414), [14;0]
	.01	4.1.1 (F), [0;1]
	.02	LONG NAME (F), [0;2]
	.03	# TOPICS (NJ6,0), [0;3]
1500		5.1.1 (Multiple-90560.1415), [15;0]
	.01	5.1.1 (F), [0;1]
	.02	LONG NAME (F), [0;2]
	.03	# TOPICS (NJ7,0), [0;3]
1600		7.2.1 (Multiple-90560.1416), [16;0]
	.01	7.2.1 (F), [0;1]
	.02	GOAL TYPE (F), [0;2]
	.03	# OF GOAL (NJ5,0), [0;3]
1700		7.1.2 GOAL NOT SET (Multiple-90560.1417), [17;0]
	.01	7.1.2 GOAL NOT SET (F), [0;1]
	.02	GOAL NOT SET TYPE (F), [0;2]
	.03	# NOT SET (NJ5,0), [0;3]
1800		GOAL MET (Multiple-90560.1418), [18;0]
	.01	GOAL MET (F), [0;1]
	.02	GOAL MET (F), [0;2]
	.03	# MET (NJ4,0), [0;3]
1900		GOAL MAINTAINED (Multiple-90560.1419), [19;0]
	.01	GOAL MAINTAINED (F), [0;1]
	.02	GOAL MAINTAINED (F), [0;2]
	.03	# MAINTAINED (NJ6,0), [0;3]
2100		GOAL NOT MET (Multiple-90560.1421), [21;0]
	.01	GOAL NOT MET (F), [0;1]
	.02	GOAL NOT MET (F), [0;2]
	.03	# GOAL NOT MET (NJ6,0), [0;3]
9999		COMMUNITIES (Multiple-90560.149), [9999;0]
	.01	COMMUNITIES (F), [0;1]

Figure 4-16: BGP 18 PATIENT ED DATA BASELINE

4.4.16 FILE: BGP 18 PAT ED MEASURES

GLOBAL: ^BGPPEIR(FILE #: 90560.15

CONDENSED DATA DICTIONARY---BGP 18 PAT ED MEASURES FILE (#90560.15)UCI: DEV,DEV			
VERSION: 18.1			
STORED IN: ^BGPPEIR(05/14/18	PAGE 1	

		FILE SECURITY	
	DD SECURITY : @	DELETE SECURITY: @	
	READ SECURITY : @	LAYGO SECURITY : @	
	WRITE SECURITY : @		
CROSS REFERENCED BY:			
ORDER TO DISPLAY(AO) MEASURE NUMBER(B)			

```

FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        MEASURE NUMBER (RNJ2,0), [0;1]
.02        TITLE (F), [0;2]
.03        ORDER TO DISPLAY (NJ2,0), [0;3]
.04        LIST SELECTION TITLE (F), [0;4]
1101       FY LOGIC (Multiple-90560.151101), [11;0]
           .01 FY LOGIC (W), [0;1]
1400       TAXONOMIES USED (Multiple-90560.1514), [14;0]
           .01 TAXONOMIES USED (MS), [0;1]
           .02 TAXONOMY PTR (PROGRAMMER USE) (P9002226'), [0;2]
           .03 TAXONOMY NAME (F), [0;3]
6100       DENOMINATOR DEFINITIONS (Multiple-90560.1561), [61;0]
           .01 DENOMINATOR DEFINITIONS (NJ2,0), [0;1]
           11 TEXT (Multiple-90560.156111), [11;0]
              .01 TEXT (W), [0;1]
6200       NUMERATOR (Multiple-90560.1562), [62;0]
           .01 NUMERATOR (MNJ2,0), [0;1]
           11 TEXT (Multiple-90560.156211), [11;0]
              .01 TEXT (W), [0;1]
7100       LIST PRINT 1ST PAGE (Multiple-90560.1571), [71;0]
           .01 LIST PRINT 1ST PAGE (W), [0;1]
7200       LIST PRINT SECOND PAGE (Multiple-90560.1572), [72;0]
           .01 LIST PRINT SECOND PAGE (W), [0;1]
    
```

Figure 4-17: BGP 18 PAT ED MEASURES

4.4.17 FILE: BGP 18 ICARE GROUPS

GLOBAL: ^BGPICAGR(FILE #: 90560.17

```

VERSION: 18.1

STORED IN: ^BGPICAGR(                                05/14/18      PAGE 1
-----
                                           FILE SECURITY
                                DD SECURITY   : @      DELETE SECURITY: @
                                READ SECURITY  : @      LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
    CATEGORY(B)

                                           FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]
    
```

Figure 4-18: BGP 18 ICARE GROUPS

4.4.18 FILE: BGP 18 ICARE CATEGORIES

GLOBAL: ^BGPICACR(FILE #: 90560.18

```

VERSION: 18.1
STORED IN: ^BGPICACR(                                05/14/18      PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY   : @      LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  CATEGORY(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]

```

Figure 4-19: BGP 18 ICARE CATEGORIES

4.4.19 FILE: BGP 18 GUI OUTPUT

GLOBAL: ^BGPGUIR(FILE #: 90560.19

```

CONDENSED DATA DICTIONARY---BGP 18 GUI REPORT OUTPUT FILE (#90560.19)UCI: CMBA,C
MBA                                                                VERSION: 18.1
STORED IN: ^BGPGUIR(                                05/14/18      PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY   : @      LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  START TIME(AC)  START TIME(AUSR)  NAME(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        NAME (RF), [0;1]
.02        USER WHO REQUESTED REPORT (P200'), [0;2]
.03        START TIME (D), [0;3]
.04        END TIME (D), [0;4]
.05        TYPE OF REPORT (F), [0;5]

```

```
.06 STATUS (S), [0;6]
.07 TYPE OF OUTPUT (S), [0;7]
.08 EXPORT FILENAME (F), [0;8]
.09 TASK NUMBER (NJ9,0), [0;9]
1 EXPORTED FILENAMES (F), [1;1]
1100 PRINT FORMATTED OUTPUT (Multiple-90560.1911), [11;0]
    .01 OUTPUT (W), [0;1]
1200 DELIMITED FORMATTED OUTPUT (Multiple-90560.1912), [12;0]
    .01 DELIMITED FORMATTED OUTPUT (W), [0;1]
FILE: BGP 18 SNOMED LISTS
```

Figure 4-20: BGP 18 GUI OUTPUT

GLOBAL: ^BGPSNOMR(FILE #: 90560.21

```
CONDENSED DATA DICTIONARY---BGP 18 SNOMED LISTS FILE (#90560.21)UCI: CMBA,CMBA
VERSION: 18.1

STORED IN: ^BGPSNOMR(                                05/14/18      PAGE 1
-----
                                     FILE SECURITY
                                     DD SECURITY      : @      DELETE SECURITY: @
                                     READ SECURITY     : @      LAYGO SECURITY  : @
                                     WRITE SECURITY    : @

CROSS REFERENCED BY:
NAME OF LIST(B)

                                     FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        NAME OF LIST (RF), [0;1]
1101       SNOMED CODE (Multiple-90560.2111), [11;0]
           .01 SNOMED CODE (MF), [0;1]
```

Figure 4-21: BGP 18 SNOMED LISTS

4.4.20 FILE: BGP 18 ELDER INDIVIDUAL MEASURES

GLOBAL: ^BGPELIIR(FILE #: 90561.02

```
CONDENSED DATA DICTIONARY---BGP 18 ELDER INDIVIDUAL MEASURES FILE (#90561.02)UCI:
CMBA,CMBA  VERSION: 18.1

STORED IN: ^BGPELIIR(                                05/14/18      PAGE 1
-----
                                     FILE SECURITY
                                     DD SECURITY      : @      DELETE SECURITY: @
                                     READ SECURITY     : @      LAYGO SECURITY  : @
                                     WRITE SECURITY    : @
```

```

CROSS REFERENCED BY:
ORDER(AB) ORDER(ABC) ORDER(AE) ORDER(AP) INDICATOR(B)
INDICATOR ID(C) ORDER(OR)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        INDICATOR (RP90561.06'), [0;1]
.019       INDICATOR (CJ8), [ ; ]
.04        INDICATOR ID (F), [0;4]
.08        DENOM FIELD NUMBER (NJ10,3), [0;8]
.09        NUMERATOR FIELD NUMBER (NJ10,3), [0;9]
.15        LINE TITLE 1 (F), [0;15]
.16        LINE TITLE 2 (F), [0;16]
.17        LOCAL DENOM TITLE 1 (F), [0;17]
.18        LOCAL DENOM TITLE 2 (F), [0;18]
.19        LINE TITLE 3 (F), [0;19]
.21        LOCAL DENOM TITLE 3 (F), [0;21]
.22        ADD BANG (S), [0;22]
1          M CODE NUMERATOR (K), [1;E1,245]
2          M CODE DENOMINATOR (K), [2;E1,245]
1204      ORDER (F), [12;4]
2401      DEN LABEL (F), [24;1]
2402      NUM LABEL (F), [24;2]
    
```

Figure 4-22: BGP 18 ELDER INDIVIDUAL MEASURES

4.4.21 FILE: BGP 18 ELDER MEASURES

GLOBAL: ^BGPELIR(FILE #: 90561.06

```

VERSION: 18.1

STORED IN: ^BGPELIR(                                05/14/18      PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY     : @      LAYGO SECURITY  : @
                                WRITE SECURITY    : @

CROSS REFERENCED BY:
ORDER ON SELECTION/REPORT(AO) INDICATOR NUMBER(B)
TITLE(C) TITLE(D) PUID(PUID)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        INDICATOR NUMBER (RNJ3,0X), [0;1]
.02        ORDER ON SELECTION/REPORT (F), [0;2]
    
```



```

.03     TITLE (F), [0;3]
.04     SELECTION TITLE (F), [0;4]
.05     LIST SELECTION TITLE (F), [0;5]
.06     ORDER TO DISPLAY (NJ4,0), [0;6]
.12     NO LIST (S), [0;12]
1       M CODE TO EXECUTE (K), [1;E1,245]
2       SET LIST VALUE (K), [2;E1,245]
3       PRINT M CODE (K), [3;E1,245]
4       DELIMITED FILE PRINT (K), [4;E1,245]
1100    FY LOGIC (Multiple-90561.0611), [11;0]
        .01 LOGIC USED (W), [0;1]
1201    PUID (NJ3,0), [12;1]
5300    REPORT PRINT 2ND PAGE (Multiple-90561.0653), [53;0]
        .01 REPORT PRINT 2ND PAGE (W), [0;1]
6100    DENOMINATOR DEFINITIONS (Multiple-90561.0661), [61;0]
        .01 DENOMINATOR DEFINITIONS (MNJ2,0), [0;1]
            1 DENOM DESCRIPTION (Multiple-90561.06611), [1;0]
                .01 DENOM DESCRIPTION (W), [0;1]
6200    NUMERATOR DEFINITIONS (Multiple-90561.0662), [62;0]
        .01 NUMERATOR DEFINITIONS (MNJ2,0X), [0;1]
        .02 REPORTS (F), [0;2]
        .03 SEL (F), [0;3]
            1 NUMERATOR DESCRIPTION (Multiple-90561.06621), [1;0]
                .01 NUMERATOR DESCRIPTION (W), [0;1]
7100    REPORT LIST 1ST PAGE (Multiple-90561.0671), [71;0]
        .01 REPORT LIST 1ST PAGE (W), [0;1]
7200    LIST PRINT SECOND PAGE (Multiple-90561.0672), [72;0]
        .01 LIST PRINT SECOND PAGE (W), [0;1] 7200

```

Figure 4-23: BGP 18 ELDER MEASURES

5.0 Internal Relations

All users should be given the access to the appropriate options and keys, as needed.
All options in this system stand alone.

6.0 External Relations

6.1 External Calls

This package calls the following documented entry points:

V. A. C R O S S R E F E R E N C E R 7.3 [2008 VA Standards & Conventions] UCI: CMBA CPU: DEV May 14, 2018@12:17:51	
Routine	is Invoked by:
^%DT	BGP8AU1R,BGP8GUA,BGP8UTL1, dd90241.01, dd90245.07 dd90245.1, dd90560.03, dd90560.04, dd90560.05 dd90560.08, dd90560.12, dd90560.13, dd90560.14 dd90560.19, dd90561.03, dd90561.04, dd90561.05
DD^%DT	BGP8AU1M,BGP8DPE
^%DTC	BGP8D36
C^%DTC	BGP8GMUE,BGP8GMUH,BGP8UTL3
COMMA^%DTC	BGP8DBPR,BGP8DELP,BGP8DP,BGP8DP11,BGP8DP12,BGP8DP13 BGP8DP14,BGP8DP19,BGP8DP1A,BGP8DP1C,BGP8DP1H,BGP8DP1I BGP8DP1J,BGP8DP1K,BGP8DP1L,BGP8DP1M,BGP8DP1N,BGP8DP1O BGP8DP1S,BGP8DP1T,BGP8DP2,BGP8DP3,BGP8DP4,BGP8DP5 BGP8DP50,BGP8DP51,BGP8DP6 BGP8DP60,BGP8DP7,BGP8DP8,BGP8DPED,BGP8DPEP,BGP8DPH BGP8EL10,BGP8EL11,BGP8EL12,BGP8EL13,BGP8EL14,BGP8EL15 BGP8EL16,BGP8EL17,BGP8EL18,BGP8EL19,BGP8EL1A,BGP8EL1B BGP8EL1C,BGP8EL1D,BGP8EL1E,BGP8EL1F,BGP8EL1G,BGP8EL1H BGP8EL1I,BGP8EL1J BGP8EL1K,BGP8EL1L,BGP8EL1M,BGP8EL1N,BGP8EL1O,BGP8EL1P BGP8EL1Q,BGP8EL1R,BGP8EL1S,BGP8EL1T,BGP8ELL,BGP8ELL1 BGP8ELL2,BGP8ELL3,BGP8ELL4,BGP8ELL5,BGP8ELL6,BGP8ELL7 BGP8ELL8,BGP8ELL9,BGP8ELLA,BGP8ELLB,BGP8ELLC,BGP8ELLD BGP8ELLE,BGP8ELLF
COMMA^%DTC	BGP8ELLG,BGP8ELLH,BGP8ELLI,BGP8ELLJ,BGP8ELLK,BGP8ELLL BGP8ELLM,BGP8ELLN,BGP8ELLO,BGP8ELLP,BGP8ELLQ,BGP8ELLR BGP8ELLS,BGP8ELLT,BGP8ELLU,BGP8ELLV,BGP8ELLW,BGP8EL LX BGP8ELP1,BGP8PD19,BGP8PDL,BGP8PDL0,BGP8PDL1,BGP8PDL2 BGP8PDL3,BGP8PDL4 BGP8PDL5,BGP8PDL7,BGP8PDL8,BGP8PDL9,BGP8PDLA,BGP8PDLB BGP8PDL D,BGP8PDLE,BGP8PDL L,BGP8PDLN,BGP8PDLO,BGP8PDLT BGP8PDPA,BGP8PDPB
DW^%DTC	BGP8AU EX,BGP8AUUL,BGP8AUUP
NOW^%DTC	BGP8DPA,BGP8DPAP,BGP8GRB
DEBUG^%Serenji	BGP8GR1,BGP8GRA,BGP8GRB,BGP8GU,BGP8GUA
^%ZIS	BGP8DADB,BGP8DAP,BGP8DAR,BGP8DARO,BGP8DCL,BGP8DEL BGP8DELA,BGP8DGPA,BGP8DGPU,BGP8DICR,BGP8DL,BGP8DLT BGP8DMT,BGP8DNDB,BGP8DNE1,BGP8DNG,BGP8DNGP,BGP8DN GS BGP8DON,BGP8DPA,BGP8DPE,BGP8DPEA,BGP8DPP,BGP8DST M BGP8NPL,BGP8PCD,BGP8XTCH
HOME^%ZIS	BGP8AU1A,BGP8AUUL,BGP8DADB,BGP8DAR,BGP8DARO,BGP8DICR BGP8DLT,BGP8DMT,BGP8LSTF,BGP8PCTX,BGP8TXCH,BGP8ULF BGP8XTCH,BGP8XTCN,BGP8XTCO,BGP8XTEL,BGP8XTEO,BGP8XTHE
^%ZISC	BGP8AU EX,BGP8AUUL,BGP8DADB,BGP8DAP,BGP8DAR,BGP8DARO

	BGP8DBPR, BGP8DCL, BGP8DEL, BGP8DELA, BGP8DELP, BGP8DGPA BGP8DGPU, BGP8DICR, BGP8DL, BGP8DLT, BGP8DMT, BGP8DNDB BGP8DNE1, BGP8DNG, BGP8DNGP, BGP8DNDS, BGP8DON, BGP8DP BGP8DPA, BGP8DPE, BGP8DPEA, BGP8DPEP BGP8DPP, BGP8DSTM, BGP8GUPL, BGP8NPL, BGP8PARP, BGP8PARQ BGP8PCD, BGP8PHEL, BGP8PEL, BGP8ULF, BGP8UTL, BGP8UTL3 BGP8UTLC, BGP8XTCH
\$\$LIST^%ZISH	BGP8AUUP, BGP8GLST, BGP8GU, BGP8LSTF, BGP8UTL2
\$\$OPEN^%ZISH	BGP8AUUL, BGP8DNE1, BGP8GUPL, BGP8ULF, BGP8UTL, BGP8UTL3 BGP8UTLC
\$\$STATUS^%ZISH	BGP8AU1R, BGP8AUUL, BGP8AUUP, BGP8GUPL, BGP8ULF
CLOSE^%ZISH	BGP8AU1D, BGP8AU1M, BGP8AU1R, BGP8AUUP
DF^%ZISH	BGP8AU1R
MV^%ZISH	BGP8AUUP
OPEN^%ZISH	BGP8AU1D, BGP8AU1M, BGP8AU1R, BGP8AUUP
JOBPAR^%ZOSV	BGP8GUA
^%ZTER	BGP8GU
^%ZTLOAD	BGP8AUEX, BGP8AUUL, BGP8AUUP, BGP8DADB, BGP8DAP, BGP8DAR BGP8DARO, BGP8DCL, BGP8DEL, BGP8DELA, BGP8DGPA, BGP8DGPU BGP8DICR, BGP8DL, BGP8DLT, BGP8DMT, BGP8DNDB, BGP8DNE1 BGP8DNG, BGP8DNGP, BGP8DNDS, BGP8DON, BGP8DPA, BGP8DPAP BGP8DPE, BGP8DPEA, BGP8DPP, BGP8DSTM BGP8GADB, BGP8GAEL, BGP8GAG9, BGP8GAGP, BGP8GAGS, BGP8GAHE BGP8GALL, BGP8GAON, BGP8GAPE, BGP8GAPU, BGP8GCMP, BGP8GCMS BGP8GCOM, BGP8GDON, BGP8GDSH, BGP8GELD, BGP8GFO9, BGP8GFOR BGP8GGPU, BGP8GHED, BGP8GIPC, BGP8GLHW, BGP8GLST, BGP8GLTX BGP8GMTX, BGP8GMUE BGP8GMUH, BGP8GNPL, BGP8GNST, BGP8GNT9, BGP8GNTL, BGP8GNTP BGP8GNTS, BGP8GNXP, BGP8GPED, BGP8GPP, BGP8GRB, BGP8LHW BGP8NPL, BGP8PCD, BGP8XTCH
KILL^%ZTLOAD	BGP8AUEX
STAT^%ZTLOAD	BGP8AUEX
\$\$LASTITEM^APCLAPIU	BGP8D28
ALLV^APCLAPIU	BGP8D1, BGP8D21, BGP8D211, BGP8D24, BGP8D53, BGP8D55, BGP8D714 BGP8D715, BGP8PC1, BGP8PC10, BGP8PC12, BGP8PC13, BGP8PC14 BGP8PC15, BGP8PC16, BGP8PC2, BGP8PC4, BGP8PC6, BGP8PC8 BGP8PC9
\$\$START1^APCLDF	BGP8ALG1, BGP8ALG2, BGP8C11, BGP8C13, BGP8CON1, BGP8CU BGP8CU1, BGP8D1, BGP8D10, BGP8D2, BGP8D21, BGP8D211, BGP8D212 BGP8D213, BGP8D21A, BGP8D22, BGP8D24, BGP8D24A, BGP8D25 BGP8D27, BGP8D31, BGP8D33, BGP8D34, BGP8D35, BGP8D37, BGP8D38 BGP8D3A, BGP8D3C, BGP8D4 BGP8D41, BGP8D5, BGP8D51, BGP8D52, BGP8D53, BGP8D54, BGP8D55 BGP8D5A, BGP8D6, BGP8D62, BGP8D7, BGP8D71, BGP8D711, BGP8D714 BGP8D72, BGP8D722, BGP8D723, BGP8D724, BGP8D729, BGP8D731 BGP8D732, BGP8D74, BGP8D75, BGP8D8, BGP8D81, BGP8D811 BGP8D812, BGP8D82, BGP8D83 BGP8D84, BGP8D86, BGP8D87, BGP8D88, BGP8D89, BGP8D9, BGP8D91 BGP8DCHW, BGP8DCLP, BGP8DPA2, BGP8DPA4, BGP8DPE1, BGP8DPE2 BGP8DU, BGP8EL2, BGP8EL4, BGP8NPLP, BGP8PC1, BGP8PC10 BGP8PC11, BGP8PC12, BGP8PC13, BGP8PC16, BGP8PC4, BGP8PC9
\$\$CLINIC^APCLV	BGP8D1, BGP8D10, BGP8D2, BGP8D21, BGP8D211, BGP8D213, BGP8D22 BGP8D27, BGP8D31, BGP8D41, BGP8D51, BGP8D53, BGP8D7, BGP8D711 BGP8D714, BGP8D715, BGP8D83, BGP8D84, BGP8D88, BGP8D9 BGP8DPA4, BGP8DU, BGP8EL2, BGP8EL4, BGP8NPLP, BGP8PC1
\$\$DSCHDATE^APCLV	BGP8D51
\$\$PRIMPOV^APCLV	BGP8D21, BGP8D211, BGP8D22, BGP8D31, BGP8D51, BGP8D71

\$\$PRIMPROV^APCLV	BGP8D711, BGP8PC13 BGP8D1, BGP8D10, BGP8D21, BGP8D211, BGP8D213, BGP8D51, BGP8D53 BGP8D714, BGP8D715, BGP8DCLP, BGP8DPA4, BGP8DPE2
\$\$VD^APCLV	BGP8D211, BGP8D24, BGP8D27, BGP8D28, BGP8D37, BGP8D39, BGP8D3A BGP8D3B, BGP8D3C, BGP8D53, BGP8D55, BGP8D714, BGP8D715 BGP8D81, BGP8D811, BGP8D812, BGP8D841, BGP8D87, BGP8D89 BGP8D9, BGP8D91, BGP8DPA2, BGP8DPA4, BGP8DPE2, BGP8NPLP BGP8PC10, BGP8PC12, BGP8PC13 BGP8PC14, BGP8PC15, BGP8PC16, BGP8PC17, BGP8PC2, BGP8PC4 BGP8PC6, BGP8PC61, BGP8PC62, BGP8PC63, BGP8PC64, BGP8PC65 BGP8PC66, BGP8PC67, BGP8PC68, BGP8PC69, BGP8PC7, BGP8PC8 BGP8PC9, BGP8UTL1
\$\$VDTM^APCLV	BGP8D2, BGP8D841, BGP8PC12, BGP8PC2
\$\$ICD^ATXAPI	BGP8D36, BGP8PC10, BGP8PC12, BGP8PC13, BGP8PC14, BGP8PC15 BGP8PC16, BGP8PC2, BGP8PC4, BGP8PC6, BGP8PC8, BGP8PC9
BLDTAX^ATXAPI	BGP8DU, BGP8UTL2
\$\$ICD^ATXCHK	BGP8UTL2
BULL^ATXSTX2	BGP84A, BGP84B, BGP84C, BGP84D, BGP84E, BGP84F, BGP84G, BGP84H BGP84I, BGP84J, BGP84K, BGP84L, BGP84M, BGP84N, BGP84O, BGP84P BGP84Q, BGP84R, BGP84S, BGP84T, BGP84U, BGP84V, BGP84W, BGP84X BGP84Y, BGP84Z, BGP85A, BGP85B, BGP85C, BGP85D, BGP85E, BGP85F BGP85G
BULL^ATXSTX2	BGP85H, BGP85I, BGP85J, BGP85K, BGP85L, BGP85M, BGP85N, BGP85O BGP85P, BGP85Q, BGP85R, BGP85S, BGP85T, BGP85U, BGP85V, BGP85W BGP85X, BGP85Y, BGP85Z, BGP86A, BGP86B, BGP86C, BGP86D, BGP86E BGP86F, BGP86G, BGP86H, BGP86I, BGP86J, BGP86K, BGP86L, BGP86M BGP86N
KILL^ATXSTX2	BGP86O, BGP86P, BGP86Q, BGP86R BGP84A, BGP84B, BGP84C, BGP84D, BGP84E, BGP84F, BGP84G, BGP84H BGP84I, BGP84J, BGP84K, BGP84L, BGP84M, BGP84N, BGP84O, BGP84P BGP84Q, BGP84R, BGP84S, BGP84T, BGP84U, BGP84V, BGP84W, BGP84X BGP84Y, BGP84Z, BGP85A, BGP85B, BGP85C, BGP85D, BGP85E, BGP85F BGP85G BGP85H, BGP85I, BGP85J, BGP85K, BGP85L, BGP85M, BGP85N, BGP85O BGP85P, BGP85Q, BGP85R, BGP85S, BGP85T, BGP85U, BGP85V, BGP85W BGP85X, BGP85Y, BGP85Z, BGP86A, BGP86B, BGP86C, BGP86D, BGP86E BGP86F, BGP86G, BGP86H, BGP86I, BGP86J, BGP86K, BGP86L, BGP86M BGP86N
TAX^ATXSTX2	BGP86O, BGP86P, BGP86Q, BGP86R BGP84A, BGP84B, BGP84C, BGP84D, BGP84E, BGP84F, BGP84G, BGP84H BGP84I, BGP84J, BGP84K, BGP84L, BGP84M, BGP84N, BGP84O, BGP84P BGP84Q, BGP84R, BGP84S, BGP84T, BGP84U, BGP84V, BGP84W, BGP84X BGP84Y, BGP84Z, BGP85A, BGP85B, BGP85C, BGP85D, BGP85E, BGP85F BGP85G BGP85H, BGP85I, BGP85J, BGP85K, BGP85L, BGP85M, BGP85N, BGP85O BGP85P, BGP85Q, BGP85R, BGP85S, BGP85T, BGP85U, BGP85V, BGP85W BGP85X, BGP85Y, BGP85Z, BGP86A, BGP86B, BGP86C, BGP86D, BGP86E BGP86F, BGP86G, BGP86H, BGP86I, BGP86J, BGP86K, BGP86L, BGP86M BGP86N
\$\$AGE^AUPNPAT	BGP86O, BGP86P, BGP86Q, BGP86R BGP8D1, BGP8D10, BGP8D21, BGP8D6, BGP8D7, BGP8D83, BGP8D84 BGP8D85, BGP8D87, BGP8DCHW, BGP8DPA1, BGP8DPA2, BGP8DPE1 BGP8EL4, BGP8GUA, BGP8PC1, BGP8PC13, BGP8PC14, BGP8PC17
\$\$BEN^AUPNPAT	BGP8D1, BGP8DPE1, BGP8PC1
\$\$COMMRES^AUPNPAT	BGP8DCHW, BGP8DNE1, BGP8DPAP, BGP8DPAW
\$\$DOB^AUPNPAT	BGP8ALG1, BGP8ALG2, BGP8C11, BGP8C13, BGP8CON1, BGP8CU1 BGP8D1, BGP8D10, BGP8D2, BGP8D21, BGP8D211, BGP8D212, BGP8D213

	BGP8D214, BGP8D21A, BGP8D22, BGP8D24A, BGP8D27, BGP8D28
	BGP8D3, BGP8D31, BGP8D32, BGP8D33, BGP8D34, BGP8D35, BGP8D36
	BGP8D37, BGP8D38, BGP8D3A
	BGP8D3B, BGP8D3C, BGP8D4, BGP8D62, BGP8D71, BGP8D72, BGP8D721
	BGP8D724, BGP8D729, BGP8D731, BGP8D732, BGP8D75, BGP8D76
	BGP8D8, BGP8D81, BGP8D811, BGP8D82, BGP8D841, BGP8D86, BGP8D9
	BGP8D91, BGP8DPA1, BGP8DPA2, BGP8DPA4, BGP8DPAW, BGP8DPEE
	BGP8DPEL, BGP8DS
	BGP8DU, BGP8EL2, BGP8ELS, BGP8ELSL, BGP8NPLP, BGP8PC1
	BGP8PC10, BGP8PC12, BGP8PC13, BGP8PC14, BGP8PC16, BGP8PC4
	BGP8PC5, BGP8PC6, BGP8PC61, BGP8PC62, BGP8PC63, BGP8PC64
	BGP8PC65, BGP8PC66, BGP8PC67, BGP8PC68, BGP8PC69, BGP8PC7
	BGP8PC8, BGP8PC9, BGP8UTL1
	BGP8UTL2
\$\$DOD^AUPNPAT	BGP8D1, BGP8DPE1, BGP8PC1
\$\$HRN^AUPNPAT	BGP8DCLD, BGP8DCLP, BGP8DEMO, BGP8DPAP, BGP8DPAW, BGP8DPEE
	BGP8DPEL, BGP8DS, BGP8ELS, BGP8ELSL, BGP8GUA, BGP8NPLD
	BGP8NPLP, BGP8PDLs
\$\$SEX^AUPNPAT	BGP8DPAW
\$\$TRIBE^AUPNPAT	BGP8DCHW
KILL^AUPNPAT	BGP8AUEx, BGP8DADB, BGP8DAP, BGP8DAR, BGP8DARO, BGP8DCL
	BGP8DEL, BGP8DELA, BGP8DGPA, BGP8DGPU, BGP8DL, BGP8DNDB
	BGP8DNE1, BGP8DNG, BGP8DNGP, BGP8DNgs, BGP8DON, BGP8DPE
	BGP8DPEA, BGP8DPP, BGP8DSTM, BGP8GACW, BGP8GADB, BGP8GAEL
	BGP8GAG9, BGP8GAGP, BGP8GAGS
	BGP8GAHE, BGP8GALL, BGP8GAON, BGP8GAPE, BGP8GAPU, BGP8GCMP
	BGP8GCMS, BGP8GCOM, BGP8GDON, BGP8GDSh, BGP8GELD, BGP8GFO9
	BGP8GFOR, BGP8GGPU, BGP8GHED, BGP8GIPC, BGP8GLHW, BGP8GLST
	BGP8GLTX, BGP8GMTX, BGP8GMUE, BGP8GMUH, BGP8GNPL, BGP8GNST
	BGP8GNT9, BGP8GNTL
	BGP8GNTP, BGP8GNts, BGP8GNXP, BGP8GPED, BGP8GPP, BGP8LHW
	BGP8NPL, BGP8PCD
\$\$STATUS^BDGSPT2	BGP8GUA
ALLDP^BDPAP I	BGP8D1
\$\$GETDIR^BGP0UTL2	BGP8DNE1
\$\$LASTPRC^BGP2UTL1	BGP8D21
DIRCHK^BGP3UTL2	dd90241.02
AUTO^BGP4AUEx	opt
MAN^BGP4AUEx	opt
SITEPAR^BGP4AUEx	opt
AUTO^BGP4AUUP	opt
MAN^BGP4AUUP	opt
SCH^BGP4AUUP	opt
^BGP4BAN	opt
^BGP4CTS	opt
^BGP4DADB	opt
^BGP4DAP	opt
^BGP4DAR	opt
SUMONLY^BGP4DAR	opt
^BGP4DAR9	opt
^BGP4DARO	opt
^BGP4DCL	opt
^BGP4DEL	opt
^BGP4DELA	opt
^BGP4DEMO	opt
^BGP4DGPA	opt
^BGP4DGPU	opt

^BGP4DICR		opt
^BGP4DL		opt
CMS^BGP4DLT		opt
CRS^BGP4DLT		opt
ELDER^BGP4DLT		opt
GPRA^BGP4DLT		opt
***** Cross Reference of all Routines ***** May 14, 2018@12:17:51 page 176		
Routine	is	Invoked by:
ONM^BGP4DLT		opt
CMS^BGP4DMT		opt
CRS^BGP4DMT		opt
ELDER^BGP4DMT		opt
GPRA^BGP4DMT		opt
ONM^BGP4DMT		opt
^BGP4DNDB		opt
^BGP4DNG		opt
^BGP4DNG9		opt
^BGP4DNGP		opt
^BGP4DNGS		opt
^BGP4DON		opt
W^BGP4DP	BGP8NPLP	
^BGP4DPA		opt
COVPAGE^BGP4DPA		opt
^BGP4DPA9		opt
^BGP4DPAP		opt
^BGP4DPE		opt
PP^BGP4DPE		opt
^BGP4DPEA		opt
^BGP4DPP		opt
^BGP4DSTM		opt
^BGP4LSTF		opt
^BGP4NPL		opt
NONNPL^BGP4NPL		opt
^BGP4ULF		opt
^BGP4XTCH		opt
^BGP4XTCN		opt
^BGP4XTCO		opt
^BGP4XTEL		opt
^BGP4XTV		opt
AUTO^BGP5AUEX		opt
MAN^BGP5AUEX		opt
SITEPAR^BGP5AUEX		opt
AUTO^BGP5AUUP		opt
MAN^BGP5AUUP		opt
SCH^BGP5AUUP		opt
^BGP5BAN		opt
^BGP5CTS		opt
^BGP5DADB		opt
^BGP5DAP		opt
^BGP5DAR		opt
SUMONLY^BGP5DAR		opt
^BGP5DARO		opt
^BGP5DCL		opt
^BGP5DEL		opt
^BGP5DELA		opt
^BGP5DEMO		opt

^BGP5DGPA	opt
^BGP5DGPU	opt
^BGP5DICR	opt
^BGP5DL	opt
CMS^BGP5DLT	opt
CRS^BGP5DLT	opt
ELDER^BGP5DLT	opt
GPRA^BGP5DLT	opt
ONM^BGP5DLT	opt
CMS^BGP5DMT	opt
CRS^BGP5DMT	opt
ELDER^BGP5DMT	opt
GPRA^BGP5DMT	opt
ONM^BGP5DMT	opt
^BGP5DNDB	opt
^BGP5DNG	opt
^BGP5DNBP	opt
^BGP5DNBS	opt
^BGP5DON	opt
^BGP5DPA	opt
COVPAGE^BGP5DPA	opt
^BGP5DPAP	opt
^BGP5DPE	opt
PP^BGP5DPE	opt
^BGP5DPEA	opt
^BGP5DPP	opt
^BGP5DSTM	opt
^BGP5LSTF	opt
^BGP5NPL	opt
NONNPL^BGP5NPL	opt
^BGP5ULF	opt
^BGP5XTCH	opt
^BGP5XTCN	opt
^BGP5XTCO	opt
^BGP5XTEL	opt
^BGP5XTV	opt
AUTO^BGP6AUEX	opt
MAN^BGP6AUEX	opt
SITEPAR^BGP6AUEX	opt
AUTO^BGP6AUUP	opt
MAN^BGP6AUUP	opt
SCH^BGP6AUUP	opt
^BGP6BAN	opt
^BGP6CTS	opt
^BGP6DADB	opt
^BGP6DAP	opt
^BGP6DAR	opt
SUMONLY^BGP6DAR	opt
^BGP6DARO	opt
^BGP6DCL	opt
^BGP6DEL	opt
^BGP6DELA	opt
^BGP6DEMO	opt
^BGP6DGPA	opt
^BGP6DGPU	opt
^BGP6DICR	opt
^BGP6DL	opt

CMS^BGP6DLT	opt
CRS^BGP6DLT	opt
ELDER^BGP6DLT	opt
GPRA^BGP6DLT	opt
ONM^BGP6DLT	opt
CMS^BGP6DMT	opt
CRS^BGP6DMT	opt
ELDER^BGP6DMT	opt
GPRA^BGP6DMT	opt
ONM^BGP6DMT	opt
^BGP6DNDB	opt
^BGP6DNG	opt
^BGP6DNGP	opt
^BGP6DNGS	opt
^BGP6DON	opt
^BGP6DPA	opt
COVPAGE^BGP6DPA	opt
^BGP6DPAP	opt
^BGP6DPE	opt
PP^BGP6DPE	opt
^BGP6DPEA	opt
^BGP6DPP	opt
^BGP6DSTM	opt
^BGP6LSTF	opt
^BGP6NPL	opt
NONNPL^BGP6NPL	opt
^BGP6ULF	opt
^BGP6XTCH	opt
^BGP6XTCN	opt
^BGP6XTCO	opt
^BGP6XTEL	opt
^BGP6XTV	opt
AUTO^BGP7AUEX	opt
MAN^BGP7AUEX	opt
SITEPAR^BGP7AUEX	opt
AUTO^BGP7AUUP	opt
MAN^BGP7AUUP	opt
SCH^BGP7AUUP	opt
^BGP7BAN	opt
^BGP7CTS	opt
GETIMMS^BGP7D32	BGP8D3C
^BGP7DADB	opt
^BGP7DAP	opt
^BGP7DAR	opt
SUMONLY^BGP7DAR	opt
^BGP7DARO	opt
^BGP7DCL	opt
^BGP7DEL	opt
^BGP7DELA	opt
^BGP7DEMO	opt
^BGP7DGPA	opt
^BGP7DGPU	opt
^BGP7DICR	opt
^BGP7DL	opt
CMS^BGP7DLT	opt
CRS^BGP7DLT	opt
ELDER^BGP7DLT	opt

GPRA^BGP7DLT	opt
ONM^BGP7DLT	opt
CMS^BGP7DMT	opt
CRS^BGP7DMT	opt
ELDER^BGP7DMT	opt
GPRA^BGP7DMT	opt
ONM^BGP7DMT	opt
^BGP7DNDB	opt
^BGP7DNG	opt
^BGP7DNGP	opt
^BGP7DNGS	opt
^BGP7DON	opt
^BGP7DPA	opt
COVPAGE^BGP7DPA	opt
^BGP7DPAP	opt
^BGP7DPE	opt
PF^BGP7DPE	opt
^BGP7DPEA	opt
^BGP7DPP	opt
^BGP7DSTM	opt
^BGP7LSTF	opt
^BGP7NPL	opt
NONNPL^BGP7NPL	opt
^BGP7ULF	opt
\$\$DATE^BGP7UTL	BGP8D76
^BGP7XTCH	opt
^BGP7XTCN	opt
^BGP7XTCO	opt
^BGP7XTEL	opt
^BGP7XTV	opt
^BGP84	BGP8POS
^BGP84A	BGP84
^BGP84B	BGP84
^BGP84C	BGP84
^BGP84D	BGP84
^BGP84E	BGP84
^BGP84F	BGP84
^BGP84G	BGP84
^BGP84H	BGP84
^BGP84I	BGP84
^BGP84J	BGP84
^BGP84K	BGP84
^BGP84L	BGP84
^BGP84M	BGP84
^BGP84N	BGP84
^BGP84O	BGP84
^BGP84P	BGP84
^BGP84Q	BGP84
^BGP84R	BGP84
^BGP84S	BGP84
^BGP84T	BGP84
^BGP84U	BGP84
^BGP84V	BGP84
^BGP84W	BGP84
^BGP84X	BGP84
^BGP84Y	BGP84
^BGP84Z	BGP84

^BGP85	BGP8POS
^BGP85A	BGP85
^BGP85B	BGP85
^BGP85C	BGP85
^BGP85D	BGP85
^BGP85E	BGP85
^BGP85F	BGP85
^BGP85G	BGP85
^BGP85H	BGP85
^BGP85I	BGP85
^BGP85J	BGP85
^BGP85K	BGP85
^BGP85L	BGP85
^BGP85M	BGP85
^BGP85N	BGP85
^BGP85O	BGP85
^BGP85P	BGP85
^BGP85Q	BGP85
^BGP85R	BGP85
^BGP85S	BGP85
^BGP85T	BGP85
^BGP85U	BGP85
^BGP85V	BGP85
^BGP85W	BGP85
^BGP85X	BGP85
^BGP85Y	BGP85
^BGP85Z	BGP85
^BGP86	BGP8POS
^BGP86A	BGP86
^BGP86B	BGP86
^BGP86C	BGP86
^BGP86D	BGP86
^BGP86E	BGP86
^BGP86F	BGP86
^BGP86G	BGP86
^BGP86H	BGP86
^BGP86I	BGP86
^BGP86J	BGP86
^BGP86K	BGP86
^BGP86L	BGP86
^BGP86M	BGP86
^BGP86N	BGP86
^BGP86O	BGP86
^BGP86P	BGP86
^BGP86Q	BGP86
^BGP86R	BGP86
ACEI^BGP8ALG1	BGP8ALG
ARB^BGP8ALG1	BGP8ALG
ASA^BGP8ALG1	BGP8ALG
BETA^BGP8ALG1	BGP8ALG
STATIN^BGP8ALG2	BGP8ALG
EN^BGP8ASL	BGP8DADB , BGP8DAR , BGP8DARO , BGP8DELA , BGP8DGPA , BGP8DPEA
GET^BGP8ASL	BGP8GU
ELD^BGP8ASL1	BGP8ASL
NGR^BGP8ASL1	BGP8ASL
ONM^BGP8ASL1	BGP8ASL
PED^BGP8ASL1	BGP8ASL

EN^BGP8AU1A	BGP8AUUP
EN^BGP8AU1D	BGP8AUUP
MSG1^BGP8AU1M	BGP8AUUP
EN^BGP8AU1R	BGP8AUUP
AUTO^BGP8AUEX	opt
AUTOEX^BGP8AUEX	BGP8UTL
DELTASK^BGP8AUEX	BGP8AUUL
MAN^BGP8AUEX	opt
QUE^BGP8AUEX	BGP8GRB
SITEPAR^BGP8AUEX	opt
EN^BGP8AUUL	BGP8AUUP
SCH^BGP8AUUL	BGP8AUUP
AUTO^BGP8AUUP	opt
MAN^BGP8AUUP	opt
SCH^BGP8AUUP	opt
XIT^BGP8AUUP	BGP8AUUL
^BGP8BAN	opt
\$\$RPTVER^BGP8BAN	BGP8DCL, BGP8DCLD, BGP8DCLP, BGP8DGPU, BGP8DH, BGP8DH1 BGP8DICR, BGP8DLT, BGP8DMT, BGP8DPAW, BGP8DSTM, BGP8ELH BGP8ELHH, BGP8NPL, BGP8NPLD, BGP8NPLP, BGP8PCH, BGP8PDLH BGP8D722, BGP8D723, BGP8D732
ACEIALG1^BGP8C11	BGP8D722, BGP8D723, BGP8D732
ARBALG1^BGP8C13	BGP8C11
ACEI^BGP8CON1	BGP8CON
ASA^BGP8CON1	BGP8CON
STATIN^BGP8CON1	BGP8CON
EP^BGP8CTL	BGP8CTS
^BGP8CTS	opt
INIT^BGP8CTS	BGP8GU
GETMEDS^BGP8CU	BGP8C13, BGP8CU1
\$\$ASAALLEG^BGP8CU1	BGP8D721
^BGP8D1	BGP8AUEX, BGP8DAP, BGP8DCL, BGP8DEL, BGP8DGPU, BGP8DL BGP8DNDB, BGP8DNG, BGP8DNGP, BGP8DNGS, BGP8DON, BGP8DSTM BGP8GALL, BGP8GCM, BGP8GCOM, BGP8GDON, BGP8GDSH, BGP8GELD BGP8GGPU, BGP8GHED, BGP8GLHW, BGP8GNPL, BGP8GNST, BGP8GNT9 BGP8GNTL, BGP8GNT, BGP8GNTS BGP8LHW, BGP8NPL
\$\$ACTUP^BGP8D1	BGP8DNE1
\$\$V2^BGP8D1	BGP8D2, BGP8D729
\$\$V2DM^BGP8D1	BGP8D10, BGP8D211
PROCCY^BGP8D1	BGP8DNE1, BGP8DPA, BGP8DPAP
^BGP8D10	BGP8DGPU, BGP8DPP, BGP8GGPU, BGP8GPP
\$\$GDEV^BGP8D2	BGP8D22, BGP8D41, BGP8D9
\$\$HGBA1C^BGP8D2	BGP8D22, BGP8DPA1, BGP8PC1
\$\$LDL^BGP8D2	BGP8D72, BGP8D73, BGP8DPA1
\$\$LOINC^BGP8D2	BGP8ALG2, BGP8D213, BGP8D722, BGP8D723, BGP8D841
\$\$MEANBP^BGP8D2	BGP8D22, BGP8DPA1
\$\$MEANBPD^BGP8D2	BGP8D9
DMBP^BGP8D2	BGP8EL2
DMGC^BGP8D2	BGP8EL2
\$\$BF^BGP8D21	BGP8D212, BGP8D213, BGP8EL2
\$\$DENTDEV^BGP8D21	BGP8PC3
\$\$DENTSRV^BGP8D21	BGP8DPA1, BGP8DPA2, BGP8EL2
\$\$DNKA^BGP8D21	BGP8D213, BGP8DPA4
\$\$EYE^BGP8D21	BGP8D22, BGP8PC1
\$\$LOINC^BGP8D21	BGP8D212, BGP8D8, BGP8D811, BGP8D812, BGP8D82, BGP8D83 BGP8D84, BGP8D841, BGP8D861, BGP8D864, BGP8D88
\$\$TC^BGP8D21	BGP8PC3

DMEYE^BGP8D21	BGP8EL2
DMNA^BGP8D21	BGP8EL2
I61^BGP8D21	BGP8DPA1
\$\$DENTSRVD^BGP8D211	BGP8D21 , BGP8D3
\$\$DMFB^BGP8D211	BGP8D2
\$\$DMPVPL^BGP8D211	BGP8D2
\$\$ESRD^BGP8D211	BGP8D21 , BGP8D212 , BGP8D213 , BGP8D22 , BGP8D39 , BGP8D9 BGP8DPA2 , BGP8EL2 , BGP8PC1
\$\$GFR^BGP8D211	BGP8D21 , BGP8D22 , BGP8PC1
\$\$QUANTUP^BGP8D211	BGP8D21 , BGP8D22 , BGP8PC1
JVN^BGP8D211	BGP8D21
\$\$ALCHEP^BGP8D212	BGP8D213 , BGP8EL2
\$\$CHDLDL^BGP8D212	BGP8D213 , BGP8EL2
\$\$LASTLDLV^BGP8D212	BGP8D213 , BGP8EL2
\$\$STATNMI^BGP8D212	BGP8D213 , BGP8EL2
STRC^BGP8D212	BGP8DPA4
\$\$CLIVER^BGP8D213	BGP8D212 , BGP8EL2
\$\$EMP^BGP8D213	BGP8D22 , BGP8D28 , BGP8D39 , BGP8D81
\$\$FOOT^BGP8D213	BGP8D22 , BGP8PC1
\$\$STATALG^BGP8D213	BGP8D212 , BGP8EL2
CVD^BGP8D213	BGP8DPA4
OPTOM^BGP8D213	BGP8D3B
\$\$STATIN^BGP8D214	BGP8D212 , BGP8D213 , BGP8EL2
\$\$BLINDPL^BGP8D21A	BGP8D21 , BGP8D22 , BGP8EL2 , BGP8PC1
\$\$CHDPL^BGP8D21A	BGP8D212
\$\$EYEENUC^BGP8D21A	BGP8D21 , BGP8D22 , BGP8EL2 , BGP8PC1
\$\$HEPA^BGP8D21A	BGP8D212 , BGP8D213 , BGP8EL2
\$\$HEPB^BGP8D21A	BGP8D212 , BGP8D213 , BGP8EL2
\$\$ASSEV^BGP8D22	BGP8D28 , BGP8D31 , BGP8D81 , BGP8PC17
\$\$BPCPT^BGP8D22	BGP8D2 , BGP8D41 , BGP8D9 , BGP8DPA1
\$\$COPD^BGP8D22	BGP8D28 , BGP8D39 , BGP8D81
\$\$CREAT^BGP8D22	BGP8D82
\$\$PERASTH^BGP8D22	BGP8D28 , BGP8D81
\$\$SEVPER^BGP8D22	BGP8D81
\$\$PCV^BGP8D24	BGP8EL4
BNI^BGP8D24	BGP8DPA4
\$\$SHIVDX^BGP8D24A	BGP8D33 , BGP8D35 , BGP8D38
\$\$KEYSTI^BGP8D24A	BGP8D24
\$\$DEP^BGP8D25	BGP8D41 , BGP8DPA2 , BGP8DPA4
\$\$DEPEDU^BGP8D25	BGP8DPA2 , BGP8DPA4
\$\$DEPSCR^BGP8D25	BGP8D41 , BGP8DPA2 , BGP8DPA4
\$\$DEPSUIC^BGP8D25	BGP8D41
DEPEP^BGP8D25	BGP8EL3
\$\$AMP^BGP8D27	BGP8D22 , BGP8PC1
\$\$DEPSCRBH^BGP8D27	BGP8D25
\$\$DEN7^BGP8D3	BGP8DPA1
\$\$FLU^BGP8D3	BGP8D3B , BGP8DPA1 , BGP8DPA4 , BGP8EL3
\$\$PAP^BGP8D3	BGP8DPA1
\$\$PAPHPVWH^BGP8D3	BGP8D31
\$\$ANCONT^BGP8D31	BGP8D33 , BGP8D34 , BGP8D35 , BGP8D36 , BGP8D37 , BGP8D38 , BGP8D3A BGP8D3B , BGP8D86 , BGP8PC6 , BGP8PC7
\$\$ANEGCONT^BGP8D31	BGP8D38
\$\$ANIMCONT^BGP8D31	BGP8D37 , BGP8D3C
\$\$ANNECONT^BGP8D31	BGP8D33
\$\$HOSP^BGP8D31	BGP8EL31
\$\$MMRCONT^BGP8D31	BGP8D33 , BGP8D35 , BGP8D811
\$\$PAPHPV^BGP8D31	BGP8D3

\$\$PNEU^BGP8D31	BGP8DPA1
\$\$SEV^BGP8D31	BGP8D28
\$\$V2ASTH^BGP8D31	BGP8EL31
\$\$IMMREF^BGP8D32	BGP8D35
GETIMMS^BGP8D32	BGP8D33 , BGP8D34 , BGP8D35 , BGP8D36 , BGP8D37 , BGP8D38 , BGP8D811 BGP8D86
I14^BGP8D32	BGP8DPA1
\$\$MMR^BGP8D33	BGP8D32
\$\$OPV^BGP8D33	BGP8D32
\$\$DTAP^BGP8D34	BGP8D32
RESET^BGP8D34	BGP8D341
TEST^BGP8D341	BGP8D34
\$\$HEP^BGP8D35	BGP8D32
\$\$PNEUMO^BGP8D35	BGP8D32
\$\$VAR^BGP8D35	BGP8D32
\$\$AGE^BGP8D36	BGP8D3 , BGP8DPA4
\$\$ENCEPH^BGP8D36	BGP8D34
\$\$HADWARF^BGP8D36	BGP8D39
\$\$HPV^BGP8D36	BGP8D85
\$\$IMMUNO^BGP8D36	BGP8D33 , BGP8D35 , BGP8D38
\$\$INTUSS^BGP8D36	BGP8D37
\$\$LYMPHO^BGP8D36	BGP8D33 , BGP8D35 , BGP8D38
\$\$MEN^BGP8D36	BGP8D85
\$\$SCID^BGP8D36	BGP8D37
\$\$HEPA^BGP8D37	BGP8D32
\$\$ROTA2^BGP8D37	BGP8D32
\$\$ROTA3^BGP8D37	BGP8D32
FLU^BGP8D37	BGP8D3
\$\$HIB3^BGP8D38	BGP8D32
\$\$HIB4^BGP8D38	BGP8D32
\$\$INFLU^BGP8D38	BGP8D32
\$\$DTAP^BGP8D3A	BGP8D3B , BGP8PC5
\$\$DTAPTD^BGP8D3A	BGP8D3B , BGP8PC5
\$\$GA^BGP8D3A	BGP8D21
\$\$HIGHR^BGP8D3A	BGP8D3
\$\$HIGHRP^BGP8D3A	BGP8D3B
\$\$SEALDEV^BGP8D3A	BGP8D3
\$\$TF^BGP8D3A	BGP8D3
SEAL^BGP8D3A	BGP8D3
SEALR^BGP8D3A	BGP8D3
\$\$PCCONT^BGP8D3B	BGP8PC5
\$\$PPCONT^BGP8D3B	BGP8PC5
I13^BGP8D3B	BGP8D3 , BGP8DPA4
PN^BGP8D3B	BGP8EL3
\$\$FIRSTPDX^BGP8D3C	BGP8D3B
\$\$IZOSTER^BGP8D3C	BGP8D3B , BGP8PC5
\$\$LASTVD^BGP8D3C	BGP8D3B
\$\$PCV13^BGP8D3C	BGP8D3B , BGP8PC5
\$\$PPSV23^BGP8D3C	BGP8D3B , BGP8PC5
\$\$DEN8^BGP8D4	BGP8DPA1
\$\$MAM^BGP8D4	BGP8DPA1 , BGP8EL3
\$\$MAS^BGP8D4	BGP8EL3
\$\$MEANBP^BGP8D41	BGP8D9
BPCV^BGP8D41	BGP8EL3
\$\$ALPED^BGP8D5	BGP8D55 , BGP8DPA2
\$\$DVDX^BGP8D5	BGP8DPA2
\$\$DVEX^BGP8D5	BGP8DPA2

\$\$DVPED^BGP8D5	BGP8DPA2
DV^BGP8D5	BGP8EL3
ICRSAMM^BGP8D51	BGP8DPA4
\$\$EAPT^BGP8D52	BGP8D51
DVDX^BGP8D54	BGP8D5
ALSCRN^BGP8D55	BGP8D24 , BGP8DPA2 , BGP8DPA4
\$\$ALDX^BGP8D5A	BGP8DPA2
\$\$BMI^BGP8D6	BGP8D52 , BGP8D71 , BGP8EL3
\$\$BMIOR^BGP8D6	BGP8DPA2
\$\$OB^BGP8D6	BGP8D71 , BGP8DPA2 , BGP8EL3
\$\$OW^BGP8D6	BGP8D71 , BGP8DPA2 , BGP8EL3
\$\$REF^BGP8D6	BGP8EL3
\$\$COLO^BGP8D62	BGP8DPA2
\$\$CRC^BGP8D62	BGP8D63 , BGP8DPA2 , BGP8EL3
\$\$FOB^BGP8D62	BGP8DPA2
\$\$SIG^BGP8D62	BGP8DPA2
CRCP^BGP8D62	BGP8EL3
\$\$CPTSM^BGP8D7	BGP8D41 , BGP8D713
\$\$DENT^BGP8D7	BGP8D41 , BGP8D713
\$\$DX^BGP8D7	BGP8D713
\$\$DXS^BGP8D7	BGP8D713
\$\$DXSL^BGP8D7	BGP8D713
\$\$DXU^BGP8D7	BGP8D713
\$\$LASTHF^BGP8D7	BGP8D71 , BGP8D712 , BGP8D76 , BGP8D9
\$\$PED^BGP8D7	BGP8D41 , BGP8D713
\$\$PREG^BGP8D7	BGP8D21 , BGP8D3B , BGP8D8 , BGP8D88 , BGP8DPA2
\$\$TOBACCO^BGP8D7	BGP8D41
TA^BGP8D7	BGP8EL3
I91^BGP8D71	BGP8DPA2
\$\$MEDNUTR^BGP8D711	BGP8D41
\$\$MEDNUTRD^BGP8D711	BGP8D41 , BGP8D71
\$\$OTHREL^BGP8D711	BGP8D41 , BGP8D71
\$\$PED^BGP8D711	BGP8D71 , BGP8D76 , BGP8DPA2
\$\$SPECSEX^BGP8D711	BGP8D41 , BGP8D71
\$\$SPECNUTR^BGP8D711	BGP8D41 , BGP8D71
\$\$TOBHF^BGP8D712	BGP8D7 , BGP8D713
PREGSCRN^BGP8D713	BGP8D7
PREG^BGP8D714	BGP8D7
\$\$PREG^BGP8D715	BGP8CON1 , BGP8D212 , BGP8D213 , BGP8D52 , BGP8D53 , BGP8D722 BGP8D723 , BGP8D75 , BGP8D9 , BGP8EL2
\$\$AMA^BGP8D72	BGP8D731 , BGP8D87
\$\$BETAALG1^BGP8D72	BGP8D721 , BGP8D731 , BGP8D75
\$\$EXPIRED^BGP8D72	BGP8D731 , BGP8D87
\$\$TRANS^BGP8D72	BGP8D731 , BGP8D87
\$\$ASA^BGP8D721	BGP8D731
\$\$ASAALLEG^BGP8D721	BGP8D731 , BGP8D75
\$\$BETA^BGP8D721	BGP8D731
\$\$BETACONT^BGP8D721	BGP8D731 , BGP8D75
\$\$ACEALG^BGP8D722	BGP8D721 , BGP8D731 , BGP8D75
\$\$ACECONT^BGP8D722	BGP8D721 , BGP8D731
\$\$ACERX^BGP8D722	BGP8D721 , BGP8D731
\$\$RESAL^BGP8D722	BGP8D213
\$\$RESCK^BGP8D722	BGP8D213
\$\$STATALG^BGP8D722	BGP8D721 , BGP8D731 , BGP8D75
\$\$STATCON^BGP8D722	BGP8D721 , BGP8D731 , BGP8D75
\$\$STATRX^BGP8D722	BGP8D721 , BGP8D731
\$\$ACEALG^BGP8D723	BGP8D21

\$\$ACECONT^BGP8D723	BGP8D21
BETACONT^BGP8D724	BGP8CON, BGP8D721
\$\$CHD^BGP8D729	BGP8D25, BGP8D41, BGP8D721, BGP8D73
CHEL^BGP8D73	BGP8EL4
\$\$HOSPICE^BGP8D74	BGP8D39, BGP8D53
\$\$HIVDX^BGP8D8	BGP8D88
\$\$HIVDX1^BGP8D8	BGP8D812
\$\$HIVTEST^BGP8D8	BGP8D24A
IE2^BGP8D8	BGP8DPA2
\$\$VAPI^BGP8D81	BGP8D711, BGP8D721, BGP8D731, BGP8D75, BGP8D82, BGP8D863 BGP8D91
\$\$ART^BGP8D811	BGP8D8
\$\$PCR^BGP8D811	BGP8D8
\$\$CD4^BGP8D812	BGP8D8
\$\$HIVTEST1^BGP8D812	BGP8D8
\$\$CLASS^BGP8D82	BGP8D863
\$\$DAYS^BGP8D82	BGP8D21, BGP8D214, BGP8D52, BGP8D721, BGP8D722, BGP8D723 BGP8D732, BGP8D863
\$\$CD4RES^BGP8D841	BGP8D8
HEPC^BGP8D841	BGP8D84
\$\$TDAP^BGP8D86	BGP8D85
\$\$FIRSTHTN^BGP8D9	BGP8D21
\$\$LASTBP^BGP8D9	BGP8DPA2
\$\$MHHTN^BGP8D9	BGP8DPA2
\$\$V1HTN^BGP8D9	BGP8D21
^BGP8DADB	opt
^BGP8DAP	opt
^BGP8DAR	opt
SUMONLY^BGP8DAR	opt
^BGP8DARO	opt
^BGP8DBPR	BGP8DP
AREA^BGP8DBPR	BGP8PARP
PRINTN^BGP8DBPR	BGP8DP
CALCIND^BGP8DCEI	BGP8D1
\$\$STATE^BGP8DCHW	BGP8DNE1
\$\$UID^BGP8DCHW	BGP8DNE1
CALCIND^BGP8DCI	BGP8D1, BGP8D10
^BGP8DCL	opt
\$\$LAST^BGP8DCLP	BGP8DCLD
CPPL1^BGP8DCLP	BGP8DP
^BGP8DEL	opt
^BGP8DELA	opt
^BGP8DELP	BGP8DEL
PRINT1^BGP8DELP	BGP8PHEL
^BGP8DEMO	opt
EN^BGP8DESI	BGP8DEL
EN^BGP8DESL	BGP8DEL
PT^BGP8DESL	BGP8DEL, BGP8DELA
RT^BGP8DESL	BGP8DEL
^BGP8DGPA	opt
^BGP8DGPU	opt
ENDDATE^BGP8DGPU	BGP8DADB, BGP8DAP, BGP8DAR, BGP8DL, BGP8DNDB, BGP8DPP BGP8UTL3
^BGP8DH	BGP8DBPR, BGP8DP, BGP8DPEP
\$\$USR^BGP8DH	BGP8DH1
AREACP^BGP8DH	BGP8DBPR, BGP8PARP, BGP8PARQ, BGP8PPEL
ENDTIME^BGP8DH	BGP8DH1

EOP^BGP8DH	BGP8LSTF , BGP8ULF
HDR^BGP8DH	BGP8DH1 , BGP8DH2
MD^BGP8DH	BGP8DH1
PD^BGP8DH	BGP8DH1
PEDCP^BGP8DH	BGP8DH1
AHDR^BGP8DH1	BGP8DH , BGP8DH2
ALLHDR^BGP8DH1	BGP8DH
AREACP^BGP8DH1	BGP8DBPR , BGP8DH
COMHDR^BGP8DH1	BGP8DH
GPRAHDRS^BGP8DH1	BGP8DH
GPUPPHDR^BGP8DH1	BGP8DH
ONMHDR^BGP8DH1	BGP8DH
PEHDR^BGP8DH1	BGP8DH
PPHDR^BGP8DH1	BGP8DH
DASH^BGP8DH2	BGP8DH
DASHHDRA^BGP8DH2	BGP8DH1
GPRAHDRA^BGP8DH2	BGP8DH1
ONMHDRA^BGP8DH2	BGP8DH1
^BGP8DICR	opt
^BGP8DL	opt
AI^BGP8DL	BGP8GALL , BGP8GCOM , BGP8GPP
CHKY^BGP8DL	BGP8UTL3
II^BGP8DL	BGP8GALL , BGP8GCOM , BGP8GPP
PI^BGP8DL	BGP8GALL , BGP8GCOM , BGP8GPP
CRS^BGP8DLT	opt
ELDER^BGP8DLT	opt
GPRA^BGP8DLT	opt
IPC^BGP8DLT	opt
ONM^BGP8DLT	opt
CRS^BGP8DMT	opt
ELDER^BGP8DMT	opt
GPRA^BGP8DMT	opt
IPC^BGP8DMT	opt
ONM^BGP8DMT	opt
^BGP8DNDB	opt
PRINT^BGP8DNE1	BGP8DNE1
PROC^BGP8DNE1	BGP8DNE1 , BGP8GNXP
^BGP8DNG	opt
\$\$CTR^BGP8DNG	BGP8AUEX
^BGP8DNGP	opt
^BGP8DNGS	opt
^BGP8DON	opt
^BGP8DP	BGP8DAP , BGP8DCL , BGP8DGPU , BGP8DL , BGP8DNDB , BGP8DNG BGP8DNGP , BGP8DNGS , BGP8DON , BGP8DPP , BGP8DSTM , BGP8NPL BGP8PCD
PRINT1^BGP8DP	BGP8PARP , BGP8PARQ
SETEXCEL^BGP8DP	BGP8AU1A , BGP8PARP , BGP8PARQ
W^BGP8DP	BGP8DBPR , BGP8DCLP , BGP8DH , BGP8DH1 , BGP8DH2 , BGP8DP , BGP8DP1C BGP8DP1H , BGP8DP1I , BGP8DP1J , BGP8DP1K , BGP8DP1L , BGP8DP1M BGP8DP1N , BGP8DP1O , BGP8DP1S , BGP8DP1T , BGP8DPH , BGP8DS BGP8DSP , BGP8DSPD , BGP8DSPN , BGP8DSPO , BGP8DSTM , BGP8NPLP BGP8PCH , BGP8SDP BGP8SDPD , BGP8SDPN , BGP8SDPO
WTITLE^BGP8DP	BGP8DS , BGP8NPLP
PI^BGP8DP1	BGP8DP2
I1AGE^BGP8DP11	BGP8DP1C
I1AGE^BGP8DP12	BGP8DP1

I1AGE^BGP8DP13	BGP8DP1
I1AGE^BGP8DP14	BGP8DP1
I1AGE^BGP8DP1A	BGP8DP1
\$\$\$B^BGP8DP1C	BGP8DP1E
\$\$V^BGP8DP1C	BGP8DBPR, BGP8DP11, BGP8DP12, BGP8DP13, BGP8DP14, BGP8DP19 BGP8DP1A, BGP8DP1C, BGP8DP1H, BGP8DP1L, BGP8DP1M, BGP8DP1N BGP8DP1O, BGP8DP1S, BGP8DP1T, BGP8DP2, BGP8DP3, BGP8DP4 BGP8DP5, BGP8DP50, BGP8DP51, BGP8DP6, BGP8DP60, BGP8DP7 BGP8DP8, BGP8PD19, BGP8PDL0 BGP8PDL1, BGP8PDL2, BGP8PDL3, BGP8PDL4, BGP8PDL5, BGP8PDL7 BGP8PDL8, BGP8PDL9, BGP8PDLA, BGP8PDLB, BGP8PDLE, BGP8PDLN BGP8PDLT, BGP8PDPA, BGP8PDPB
GPRANT1^BGP8DP1C	BGP8DP19, BGP8PD19
I1AGE^BGP8DP1C	BGP8DP1
PI^BGP8DP1C	BGP8DP1, BGP8DP10, BGP8DP3, BGP8DP4, BGP8DP5, BGP8DP6
PI1^BGP8DP1C	BGP8DP4, BGP8DP5
SETEXA^BGP8DP1C	BGP8DP19, BGP8DP1H, BGP8DP1T, BGP8DP2, BGP8DP3, BGP8DP7 BGP8PD19, BGP8PDL1, BGP8PDL2, BGP8PDL3
SETN^BGP8DP1C	BGP8DP2, BGP8DP3, BGP8DP7, BGP8PDL1, BGP8PDL2, BGP8PDL3
SETN1^BGP8DP1C	BGP8DP1H, BGP8DP1T
GPRANT3^BGP8DP1D	BGP8DP1C
ONM1^BGP8DP1D	BGP8DP1C
\$\$CHECK^BGP8DP1E	BGP8DP1C, BGP8DP2, BGP8DP3, BGP8PDL1, BGP8PDL2, BGP8PDL3
SETDEV^BGP8DP1E	BGP8DP1C
ONN4^BGP8DP1F	BGP8DP1D
GPRANT5^BGP8DP1G	BGP8DP1D
AH^BGP8DP1H	BGP8DP1I, BGP8DP1K
BL^BGP8DP1I	BGP8DP1J
PR^BGP8DP1I	BGP8DP1J
SNDPG^BGP8DP1I	BGP8DP1H
I1AGEP^BGP8DP1J	BGP8DP1H
BL^BGP8DP1K	BGP8DP1I
^BGP8DP1L	BGP8DP1, BGP8PDL1
^BGP8DP1M	BGP8DP1, BGP8PDL1
^BGP8DP1N	BGP8DP1, BGP8PDL1
^BGP8DP1O	BGP8DP1, BGP8PDL1
^BGP8DP1S	BGP8DP1, BGP8PDL1
^BGP8DP1T	BGP8DP1S
PI^BGP8DP2	BGP8DP1
PI1^BGP8DP2	BGP8DP1C
SETSUM^BGP8DP2	BGP8PDL2
I1AGEP^BGP8DP50	BGP8DP5, BGP8DP51
I1AGEP^BGP8DP60	BGP8DP6
I1AGE^BGP8DP8	BGP8DP1
^BGP8DPA	opt
COVPAGE^BGP8DPA	opt
PROC^BGP8DPA	BGP8DPA, BGP8GFOR
\$\$TITLE^BGP8DPA1	BGP8DPA4
\$\$TITLE2^BGP8DPA1	BGP8DPA1
ISS^BGP8DPA1	BGP8D1
\$\$TITLE^BGP8DPA2	BGP8DPA4
\$\$EYE^BGP8DPA4	BGP8DPA1
^BGP8DPAP	opt
PRINT^BGP8DPAW	BGP8DPA
^BGP8DPE	opt
GETDATES^BGP8DPE	BGP8DPEA
PP^BGP8DPE	opt

^BGP8DPE1	BGP8DPE ,BGP8GPED
\$\$EDUALLOW^BGP8DPE1	BGP8DPE2
5^BGP8DPE2	BGP8DPE1
6^BGP8DPE2	BGP8DPE1
7^BGP8DPE2	BGP8DPE1
SET73^BGP8DPE3	BGP8DPE2
SET74^BGP8DPE3	BGP8DPE2
SET75^BGP8DPE3	BGP8DPE2
^BGP8DPEA	opt
^BGP8DPED	BGP8PPEL
\$\$V^BGP8DPED	BGP8DPEF
DEL^BGP8DPED	BGP8DPEP
S^BGP8DPED	BGP8DPEF
SETN^BGP8DPED	BGP8DPEF
^BGP8DPEE	BGP8DPED
7^BGP8DPEF	BGP8DPED
^BGP8DPEL	BGP8DPEP
^BGP8DPEP	BGP8DPE
\$\$C^BGP8DPEP	BGP8DPEQ
\$\$V^BGP8DPEP	BGP8DPEQ
HEADER^BGP8DPEP	BGP8DPEQ
PRINT1^BGP8DPEP	BGP8PPEL
SETN^BGP8DPEP	BGP8DPEQ
7^BGP8DPEQ	BGP8DPEP
SETNM^BGP8DPEQ	BGP8DPEF ,BGP8DPEQ
H1^BGP8DPH	BGP8DP1 ,BGP8DP1C ,BGP8DP1O ,BGP8DP2 ,BGP8DP4 ,BGP8DP5 BGP8DP6 ,BGP8DPEP ,BGP8DPEQ ,BGP8ELP1
H10^BGP8DPH	BGP8DP14
H2^BGP8DPH	BGP8DP1C ,BGP8DPEP ,BGP8DPEQ ,BGP8ELP1
H3^BGP8DPH	BGP8DP11
H4^BGP8DPH	BGP8DP12 ,BGP8DP13 ,BGP8DP1A
H9^BGP8DPH	BGP8DP19
HEADER^BGP8DPH	BGP8DBPR ,BGP8DELP ,BGP8DP ,BGP8DP1 ,BGP8DP11 ,BGP8DP12 BGP8DP13 ,BGP8DP14 ,BGP8DP19 ,BGP8DP1A ,BGP8DP1C ,BGP8DP1H BGP8DP1I ,BGP8DP1J ,BGP8DP1K ,BGP8DP1L ,BGP8DP1M ,BGP8DP1N BGP8DP1O ,BGP8DP1S ,BGP8DP1T ,BGP8DP2 ,BGP8DP3 ,BGP8DP4 BGP8DP5 ,BGP8DP50 ,BGP8DP51 BGP8DP6 ,BGP8DP60 ,BGP8DP8 ,BGP8DPEL ,BGP8DPEP ,BGP8DS BGP8DSP ,BGP8DSPD ,BGP8DSPN ,BGP8DSPO ,BGP8DSTM ,BGP8EL10 BGP8EL11 ,BGP8EL12 ,BGP8EL13 ,BGP8EL14 ,BGP8EL15 ,BGP8EL16 BGP8EL17 ,BGP8EL18 ,BGP8EL19 ,BGP8EL1A ,BGP8EL1B ,BGP8EL1C BGP8EL1D ,BGP8EL1E ,BGP8EL1F BGP8EL1G ,BGP8EL1H ,BGP8EL1I ,BGP8EL1J ,BGP8EL1K ,BGP8EL1L BGP8EL1M ,BGP8EL1N ,BGP8EL1O ,BGP8EL1P ,BGP8EL1Q ,BGP8EL1R BGP8EL1S ,BGP8EL1T ,BGP8ELP1 ,BGP8ELS ,BGP8PDLT ,BGP8SDP BGP8SDPD ,BGP8SDPN ,BGP8SDPO
HPA^BGP8DPH	BGP8PDLT
^BGP8DPP	opt
^BGP8DS	BGP8DP
EN^BGP8DSI	BGP8DAP ,BGP8DL ,BGP8DPP ,BGP8DSTM ,BGP8NPL
EN^BGP8DSL	BGP8DAP ,BGP8DL ,BGP8DPP
PT^BGP8DSL	BGP8DADB ,BGP8DAP ,BGP8DAR ,BGP8DARO ,BGP8DCL ,BGP8DGPA BGP8DGPU ,BGP8DL ,BGP8DNDB ,BGP8DNG ,BGP8DNGP ,BGP8DNGS BGP8DON ,BGP8DPP ,BGP8DSTM ,BGP8NPL ,BGP8PCD
RT^BGP8DSL	BGP8DAP ,BGP8DCL ,BGP8DL ,BGP8DPP ,BGP8DSTM ,BGP8NPL
TEXT^BGP8DSL	BGP8DAP ,BGP8DAR ,BGP8DARO ,BGP8DCL ,BGP8DEL ,BGP8DELA BGP8DGPA ,BGP8DGPU ,BGP8DL ,BGP8DNG ,BGP8DNGP ,BGP8DON

	BGP8DPE, BGP8DPEA, BGP8DPP, BGP8NPL, BGP8PCD
^BGP8DSP	BGP8DP
^BGP8DSPD	BGP8DP
^BGP8DSPN	BGP8DP
^BGP8DSPO	BGP8DP
^BGP8DSTM	opt
CT^BGP8DSTM	BGP8DP
\$\$CPT^BGP8DU	BGP8D2, BGP8D21, BGP8D211, BGP8D213, BGP8D22, BGP8D25, BGP8D27 BGP8D3, BGP8D31, BGP8D37, BGP8D3A, BGP8D3C, BGP8D4, BGP8D52 BGP8D53, BGP8D62, BGP8D63, BGP8D7, BGP8D71, BGP8D711, BGP8D714 BGP8D72, BGP8D74, BGP8D812, BGP8D83, BGP8D84, BGP8D841 BGP8D861, BGP8D87 BGP8D88, BGP8D9, BGP8DPA4, BGP8PC1, BGP8PC10, BGP8PC11 BGP8PC14, BGP8PC16, BGP8PC4, BGP8PC8, BGP8PC9
\$\$CPTI^BGP8DU	BGP8C13, BGP8CON1, BGP8CU1, BGP8D2, BGP8D211, BGP8D214 BGP8D3A, BGP8D3B, BGP8D71, BGP8D711, BGP8D72, BGP8D721 BGP8D724, BGP8D73, BGP8D731, BGP8D732, BGP8D75, BGP8D811 BGP8D82, BGP8D841, BGP8D861, BGP8D864, BGP8D9, BGP8DPA4 BGP8EL2, BGP8PC7
\$\$IPLSNOID^BGP8DU	BGP8D212, BGP8D213, BGP8D54, BGP8D55, BGP8D7, BGP8D71 BGP8D841
\$\$IPLSNOND^BGP8DU	BGP8CON1, BGP8D211, BGP8D213, BGP8D21A, BGP8D22, BGP8D27 BGP8D3, BGP8D33, BGP8D35, BGP8D37, BGP8D4, BGP8D62, BGP8D722 BGP8D724, BGP8D75, BGP8D811, BGP8PC10, BGP8PC12, BGP8PC13 BGP8PC16, BGP8PC2, BGP8PC6, BGP8PC62, BGP8PC64, BGP8PC65 BGP8PC67, BGP8PC68, BGP8PC69 BGP8PC8
\$\$LASTITEM^BGP8DU	BGP8D25, BGP8D3A, BGP8PC1, BGP8PC11, BGP8PC14, BGP8PC15 BGP8PC7, BGP8UTL2
\$\$PLTAXID^BGP8DU	BGP8D212, BGP8D213, BGP8D54, BGP8D55, BGP8D71, BGP8D841
\$\$PLTAXND^BGP8DU	BGP8CON1, BGP8D211, BGP8D213, BGP8D21A, BGP8D22, BGP8D27 BGP8D3, BGP8D33, BGP8D35, BGP8D36, BGP8D37, BGP8D4, BGP8D62 BGP8D722, BGP8D724, BGP8D75, BGP8D811, BGP8PC10, BGP8PC12 BGP8PC13, BGP8PC16, BGP8PC2, BGP8PC6, BGP8PC62, BGP8PC64 BGP8PC65, BGP8PC67, BGP8PC68 BGP8PC69, BGP8PC8
\$\$RAD^BGP8DU	BGP8D53
\$\$TRAN^BGP8DU	BGP8D2, BGP8D21, BGP8D211, BGP8D22, BGP8D3, BGP8D31, BGP8D37 BGP8D3C, BGP8D4, BGP8D53, BGP8D62, BGP8D63, BGP8D714, BGP8D72 BGP8D812, BGP8D83, BGP8D84, BGP8D841, BGP8D861, BGP8D88 BGP8DPA4, BGP8PC10, BGP8PC14, BGP8PC4, BGP8PC8, BGP8PC9
\$\$TRANI^BGP8DU	BGP8C13, BGP8CON1, BGP8CU1, BGP8D2, BGP8D211, BGP8D711 BGP8D72, BGP8D721, BGP8D724, BGP8D73, BGP8D731, BGP8D732 BGP8D75, BGP8D811, BGP8D82, BGP8D861, BGP8D864, BGP8D9 BGP8EL2
\$\$WH^BGP8DU	BGP8D3, BGP8D4, BGP8PC8
ALLCPT^BGP8DU	BGP8D31
PAUSE^BGP8DU	BGP8AUEX, BGP8AUUL, BGP8DAP, BGP8DCL, BGP8DEL, BGP8DGPU BGP8DL, BGP8DNDB, BGP8DNG, BGP8DNGP, BGP8DNGS, BGP8DON BGP8DPA, BGP8DPE, BGP8DPP, BGP8DSI, BGP8DSTM, BGP8NPL, BGP8PCD
I1AGE^BGP8EL10	BGP8ELP1
I1AGE^BGP8EL11	BGP8ELP1
H3^BGP8EL12	BGP8EL13
I1AGE^BGP8EL12	BGP8ELP1
I1AGE^BGP8EL13	BGP8ELP1
I1AGE^BGP8EL15	BGP8ELP1
I1AGE^BGP8EL16	BGP8ELP1

I1AGE^BGP8EL17	BGP8ELP1
I1AGE^BGP8EL18	BGP8ELP1
I1AGE^BGP8EL19	BGP8ELP1
I1AGE^BGP8EL1A	BGP8ELP1
I1AGE^BGP8EL1B	BGP8ELP1
I1AGE^BGP8EL1C	BGP8ELP1
I1AGE^BGP8EL1D	BGP8ELP1
I1AGE^BGP8EL1E	BGP8ELP1
I1AGE^BGP8EL1F	BGP8ELP1
I1AGE^BGP8EL1G	BGP8ELP1
I1AGE^BGP8EL1H	BGP8ELP1
I1AGE^BGP8EL1I	BGP8ELP1
I1AGE^BGP8EL1J	BGP8ELP1
I1AGE^BGP8EL1K	BGP8ELP1
IELDPHA^BGP8EL1L	BGP8ELP1
I1AGE^BGP8EL1M	BGP8ELP1
I1AGE^BGP8EL1N	BGP8ELP1
I1AGE^BGP8EL1O	BGP8ELP1
H3^BGP8EL1P	BGP8EL1Q , BGP8EL1R
I1AGE^BGP8EL1P	BGP8ELP1
^BGP8EL1Q	BGP8EL1P
^BGP8EL1R	BGP8EL1Q
^BGP8EL1T	BGP8ELP1
IELDASA^BGP8EL31	BGP8EL3
IELDFSA^BGP8EL31	BGP8EL3
IELDPHA^BGP8EL31	BGP8EL3
\$\$FUNCTION^BGP8EL4	BGP8EL31
\$\$PHNV^BGP8EL4	BGP8EL31
^BGP8ELH	BGP8DELP
AREACP^BGP8ELH	BGP8PHEL
^BGP8ELHH	BGP8ELL
^BGP8ELL	BGP8DELP , BGP8PHEL
SETN^BGP8ELL1	BGP8ELLN
\$\$\$SB^BGP8ELL2	BGP8ELL1 , BGP8ELL4 , BGP8ELL5 , BGP8ELL6 , BGP8ELL7 , BGP8ELL8 BGP8ELL9 , BGP8ELLA , BGP8ELLB , BGP8ELLC , BGP8ELLD , BGP8ELLE BGP8ELLF , BGP8ELLG , BGP8ELLI , BGP8ELLJ , BGP8ELLK BGP8ELLL , BGP8ELLM , BGP8ELLN , BGP8ELLO , BGP8ELLP , BGP8ELLQ BGP8ELLR , BGP8ELLS BGP8ELLT , BGP8ELLU , BGP8ELLV , BGP8ELLW , BGP8ELLX
H2^BGP8ELL2	BGP8ELL1
H3^BGP8ELL2	BGP8ELL3 , BGP8ELL4 , BGP8ELL5 , BGP8ELL6 , BGP8ELL7 , BGP8ELL8 BGP8ELL9 , BGP8ELLA , BGP8ELLB , BGP8ELLC , BGP8ELLD , BGP8ELLE BGP8ELLF , BGP8ELLG , BGP8ELLI , BGP8ELLJ , BGP8ELLK , BGP8ELLL BGP8ELLM , BGP8ELLP , BGP8ELLW
I1AGE^BGP8ELL2	BGP8ELL1
I1AGE^BGP8ELL3	BGP8ELL1
I1AGE^BGP8ELL4	BGP8ELL1
I1AGE^BGP8ELL6	BGP8ELL1
I1AGE^BGP8ELL7	BGP8ELL1
I1AGE^BGP8ELL8	BGP8ELL1
I1AGE^BGP8ELL9	BGP8ELL1
I1AGE^BGP8ELLA	BGP8ELL1
I1AGE^BGP8ELLB	BGP8ELL1
I1AGE^BGP8ELLC	BGP8ELL1
I1AGE^BGP8ELLD	BGP8ELL1
I1AGE^BGP8ELLE	BGP8ELL1
I1AGE^BGP8ELLF	BGP8ELL1

I1AGE^BGP8ELLG	BGP8ELL1
I1AGE^BGP8ELLH	BGP8ELL1
I1AGE^BGP8ELLI	BGP8ELL1
I1AGE^BGP8ELLJ	BGP8ELL1
I1AGE^BGP8ELLK	BGP8ELL1
I1AGE^BGP8ELLL	BGP8ELL1
I1AGE^BGP8ELLM	BGP8ELL1
IELDPHA^BGP8ELLN	BGP8ELL1
I1AGE^BGP8ELLO	BGP8ELL1
I1AGE^BGP8ELLP	BGP8ELL1
I1AGEP^BGP8ELLQ	BGP8ELL3
I1AGE^BGP8ELLR	BGP8ELL1
I1AGE^BGP8ELLS	BGP8ELL1
I1AGEP^BGP8ELLT	BGP8ELLS
^BGP8ELLU	BGP8ELLT
BL^BGP8ELLV	BGP8ELLJ
I1AGE^BGP8ELLX	BGP8ELL1
SETN^BGP8ELP1	BGP8EL1L
^BGP8ELS	BGP8DELP
^BGP8ELSL	BGP8ELL
GETIEN^BGP8EUTL	BGP8GUPL , BGP8ULF
GS^BGP8EUTL	BGP8DEL , BGP8GELD
REPORT^BGP8EUTL	BGP8DEL , BGP8GELD
STMP^BGP8EUTL	BGP8DCEI
EP^BGP8GACW	BGP8GRA
EP^BGP8GADB	BGP8GRB
EP^BGP8GAEL	BGP8GRA
EP^BGP8GAG9	BGP8GRA
EP^BGP8GAGP	BGP8GRA
EP^BGP8GAGS	BGP8GRA
EP^BGP8GAHE	BGP8GRA
EP^BGP8GALL	BGP8GR
EP^BGP8GAON	BGP8GRA
EP^BGP8GAPE	BGP8GRA
EP^BGP8GAPU	BGP8GRA
EP^BGP8GCMP	BGP8GR2
EP^BGP8GCMS	BGP8GR
EP^BGP8GCOM	BGP8GR
EP^BGP8GDON	BGP8GRA
EP^BGP8GDSH	BGP8GR2
EP^BGP8GELD	BGP8GR1
EP^BGP8GFO9	BGP8GRB
EP^BGP8GFOR	BGP8GRB
EP^BGP8GGPU	BGP8GR
EP^BGP8GHED	BGP8GR
EP^BGP8GLHW	BGP8GR2
EP^BGP8GLST	BGP8GU
EP^BGP8GLTX	BGP8GU
EP^BGP8GMTX	BGP8GU
EP^BGP8GMUE	BGP8GM
EP^BGP8GMUH	BGP8GM
EP^BGP8GNPL	BGP8GR , BGP8GRA
EP^BGP8GNST	BGP8GR
EP^BGP8GNT9	BGP8GR1
EP^BGP8GNTL	BGP8GR
EP^BGP8GNTP	BGP8GR1
EPSUM^BGP8GNTS	BGP8GR1

EP^BGP8GNXP	BGP8GR2
EP^BGP8GPED	BGP8GR2
EP^BGP8GPP	BGP8GR
CATSTR^BGP8GR	BGP8GIPC , BGP8GR1 , BGP8GRA
ELD^BGP8GR1	BGP8GR
CATSTR^BGP8GU	BGP8GRB
\$\$CHKFQT^BGP8GUA	BGP8GU
UPLOG^BGP8GUA	BGP8GADB , BGP8GAEL , BGP8GAG9 , BGP8GAGP , BGP8GAGS , BGP8GAHE BGP8GALL , BGP8GAON , BGP8GAPE , BGP8GAPU , BGP8GCMP , BGP8GCMS BGP8GCOM , BGP8GDON , BGP8GDSH , BGP8GELD , BGP8GFO9 , BGP8GFOR BGP8GGPU , BGP8GIPC , BGP8GLHW , BGP8GLST , BGP8GLTX , BGP8GMTX BGP8GMUE , BGP8GMUH BGP8GNPL , BGP8GNST , BGP8GNT9 , BGP8GNTL , BGP8GNTP , BGP8GNTS BGP8GNXP , BGP8GPED , BGP8GPP
EP^BGP8GUPL	BGP8GU
GS^BGP8HUTL	BGP8GHED
REPORT^BGP8HUTL	BGP8GHED
^BGP8LSTF	opt
^BGP8NPL	opt
NONNPL^BGP8NPL	opt
NPL1^BGP8NPLP	BGP8DP
PRINT^BGP8PARP	BGP8AU1A , BGP8DADB , BGP8DAR , BGP8DGPA
PRINT^BGP8PARQ	BGP8DARO
^BGP8PC1	BGP8GIPC , BGP8PCD
\$\$PALLCARE^BGP8PC13	BGP8PC14
\$\$PREG^BGP8PC16	BGP8PC15
\$\$FTOF^BGP8PC2	BGP8PC10 , BGP8PC15 , BGP8PC16 , BGP8PC4 , BGP8PC6 , BGP8PC8 BGP8PC9
\$\$HOSPIND^BGP8PC2	BGP8PC10 , BGP8PC15 , BGP8PC16 , BGP8PC6 , BGP8PC8 , BGP8PC9
\$\$IPV^BGP8PC61	BGP8PC6
\$\$MMR^BGP8PC62	BGP8PC6
\$\$HIB^BGP8PC63	BGP8PC6
\$\$HEPB^BGP8PC64	BGP8PC6
\$\$DIS^BGP8PC65	BGP8PC62
\$\$HIV^BGP8PC65	BGP8PC62
\$\$MNLHT^BGP8PC65	BGP8PC62
\$\$VZV^BGP8PC65	BGP8PC6
\$\$PNEUMO^BGP8PC66	BGP8PC6
\$\$HEPA^BGP8PC67	BGP8PC6
\$\$ROTA^BGP8PC68	BGP8PC6
\$\$FLU^BGP8PC69	BGP8PC6
CALCIND^BGP8PCCI	BGP8PC1
^BGP8PCD	opt
EN^BGP8PCSI	BGP8PCD
EN^BGP8PCSL	BGP8PCD
RT^BGP8PCSL	BGP8PCD
^BGP8PCTX	opt
TAXCHK^BGP8PCTX	BGP8PCD
JRNL^BGP8PCUT	BGP8PC1
I1AGE^BGP8PD19	BGP8PDL1
ALLHDR^BGP8PDH1	BGP8PDLH
COMHDR^BGP8PDH1	BGP8PDLH
DENOMHDR^BGP8PDH1	BGP8PDLH
GPRAHDRS^BGP8PDH1	BGP8PDLH
PEDCP^BGP8PDH1	BGP8PDLH
PEHDR^BGP8PDH1	BGP8PDLH
PPHDR^BGP8PDH1	BGP8PDLH

HEADER^BGP8PDL	BGP8PDL0, BGP8PDLN, BGP8PDLO
SAVEDEL^BGP8PDL	BGP8DBPR, BGP8DP, BGP8PARP, BGP8PARQ
\$\$\$SB^BGP8PDL1	BGP8D6, BGP8EL3
H1^BGP8PDL1	BGP8DP10, BGP8DPED, BGP8DPEF, BGP8PDL0, BGP8PDL2, BGP8PDL3 BGP8PDL4, BGP8PDL7
H2^BGP8PDL1	BGP8DPED, BGP8DPEF
PI^BGP8PDL1	BGP8DP10, BGP8PDL0, BGP8PDL2, BGP8PDL3, BGP8PDL4, BGP8PDL7
PI1^BGP8PDL1	BGP8PDL4, BGP8PDL7
SETN^BGP8PDL1	BGP8PDL0
PI^BGP8PDL2	BGP8PDL1
PI1^BGP8PDL2	BGP8PDL1
I1AGEP^BGP8PDL5	BGP8PDL0
I1AGEP^BGP8PDL8	BGP8PDL7
I1AGE^BGP8PDL9	BGP8PDL1
I1AGE^BGP8PDLA	BGP8PDL1
I1AGE^BGP8PDLB	BGP8PDL1
I1AGE^BGP8PDLE	BGP8PDL1
^BGP8PDLH	BGP8DPED
^BGP8PDLL	BGP8PDL1
I1AGE^BGP8PDLT	BGP8DP1
I1AGE^BGP8PDPA	BGP8PDL1
I1AGE^BGP8PDPB	BGP8PDL1
EN^BGP8PESI	BGP8DPE
EN^BGP8PESL	BGP8DPE
PT^BGP8PESL	BGP8DPE, BGP8DPEA
RT^BGP8PESL	BGP8DPE
PRINT^BGP8PHEL	BGP8DELA
DRUGS^BGP8POS1	BGP8POS, BGP8VP
LAB^BGP8POS1	BGP8POS, BGP8VP
PRE^BGP8POS2	BGP8POS
^BGP8PPEL	BGP8DPEA
GETIEN^BGP8PUTL	BGP8GUPL, BGP8ULF
GS^BGP8PUTL	BGP8DPE, BGP8GPED
REPORT^BGP8PUTL	BGP8DPE, BGP8GPED
ACEI^BGP8REF1	BGP8REF
ARB^BGP8REF1	BGP8REF
ASA^BGP8REF1	BGP8REF
BETA^BGP8REF1	BGP8REF
STATIN^BGP8REF1	BGP8REF
^BGP8SDP	BGP8DP
^BGP8SDPD	BGP8DP
^BGP8SDPN	BGP8DP
^BGP8SDPO	BGP8DP
^BGP8ULF	opt
\$\$D^BGP8UTL	BGP8AU1A, BGP8DAR, BGP8DARO, BGP8DNE1, BGP8GAG9, BGP8GAGP BGP8GAON, BGP8GLHW, BGP8GNXP
\$\$DATE^BGP8UTL	BGP8ALG1, BGP8ALG2, BGP8ASL, BGP8ASL1, BGP8C11, BGP8C13 BGP8CON1, BGP8CU, BGP8CU1, BGP8D2, BGP8D21, BGP8D211, BGP8D212 BGP8D213, BGP8D214, BGP8D22, BGP8D24, BGP8D24A, BGP8D25 BGP8D27, BGP8D28, BGP8D3, BGP8D31, BGP8D39, BGP8D3A, BGP8D3B BGP8D4, BGP8D5, BGP8D51 BGP8D52, BGP8D53, BGP8D54, BGP8D55, BGP8D5A, BGP8D6, BGP8D62 BGP8D63, BGP8D7, BGP8D71, BGP8D713, BGP8D714, BGP8D715 BGP8D72, BGP8D721, BGP8D722, BGP8D723, BGP8D724, BGP8D73 BGP8D731, BGP8D732, BGP8D74, BGP8D75, BGP8D76, BGP8D8, BGP8D81 BGP8D811, BGP8D812 BGP8D82, BGP8D83, BGP8D84, BGP8D841, BGP8D87, BGP8D88, BGP8D89

	BGP8D9, BGP8D91, BGP8DCLP, BGP8DP, BGP8DPA1, BGP8DPA2 BGP8DPA4, BGP8DPAP, BGP8DPAW, BGP8DPE2, BGP8DPEL, BGP8DS BGP8EL2, BGP8EL3, BGP8EL31, BGP8EL4, BGP8ELS, BGP8NPLP BGP8PC1, BGP8PC10, BGP8PC11 BGP8PC12, BGP8PC13, BGP8PC14, BGP8PC15, BGP8PC16, BGP8PC17 BGP8PC2, BGP8PC3, BGP8PC4, BGP8PC5, BGP8PC6, BGP8PC8, BGP8PC9 BGP8REF1, BGP8UTL2
\$\$EDT^BGP8UTL	BGP8DNE1, BGP8DPEE, BGP8DS, BGP8ELSL, BGP8NPLP
\$\$LZERO^BGP8UTL	BGP8AU1A, BGP8AUEX, BGP8DAR, BGP8DARO, BGP8DNE1, BGP8GAG9 BGP8GAGP, BGP8GAON
\$\$RZERO^BGP8UTL	BGP8AU1A, BGP8D2, BGP8DAR, BGP8DARO, BGP8GACW, BGP8GAG9 BGP8GAGP, BGP8GAON, BGP8GLHW, BGP8PC2
GETIEN^BGP8UTL	BGP8AUUL, BGP8GUPL, BGP8ULF
GNT1^BGP8UTL	BGP8AU1A, BGP8DAR, BGP8GAG9, BGP8GAGP, BGP8GAGS
GS^BGP8UTL	BGP8AUEX, BGP8DGPU, BGP8DNG, BGP8DON, BGP8GDON, BGP8GGPU BGP8GNT9, BGP8GNTL, BGP8LHW
JRNL^BGP8UTL	BGP8D1, BGP8D10, BGP8DNE1, BGP8DPA, BGP8DPAP
ONN1^BGP8UTL	BGP8DARO, BGP8GAON
REPORT^BGP8UTL	BGP8AUEX, BGP8DAP, BGP8DCL, BGP8DGPU, BGP8DL, BGP8DNDB BGP8DNG, BGP8DNGP, BGP8DNGB, BGP8DON, BGP8DPP, BGP8DSTM BGP8GALL, BGP8GCM, BGP8GCOM, BGP8GDON, BGP8GDSH, BGP8GGPU BGP8GIPC, BGP8GLHW, BGP8GNPL, BGP8GNST, BGP8GNT9, BGP8GNTL BGP8GNT, BGP8GNTS, BGP8GPP BGP8LHW, BGP8NPL, BGP8PCD
SETHDR^BGP8UTL	BGP8UTL3
STMP^BGP8UTL	BGP8DCI, BGP8PCCI
XTMP^BGP8UTL	BGP8D1, BGP8DPE1, BGP8PC1
\$\$CPTREFT^BGP8UTL1	BGP8D24A, BGP8D3, BGP8D31, BGP8D34, BGP8D35, BGP8D37, BGP8D38 BGP8D3B, BGP8D3C, BGP8D4, BGP8D53, BGP8D62
\$\$FIRSTCPT^BGP8UTL1	BGP8D3C, BGP8D841
\$\$FIRSTPRC^BGP8UTL1	BGP8D3C
\$\$LABEL^BGP8UTL1	BGP8DP1C, BGP8DP2, BGP8DP3, BGP8DP7, BGP8PDL1, BGP8PDL2 BGP8PDL3
\$\$LABLEL^BGP8UTL1	BGP8EL1L, BGP8ELL1, BGP8ELLN, BGP8ELP1
\$\$LASTDX^BGP8UTL1	BGP8ALG1, BGP8CON1, BGP8CU1, BGP8D1, BGP8D10, BGP8D2, BGP8D21 BGP8D211, BGP8D212, BGP8D213, BGP8D22, BGP8D3, BGP8D36 BGP8D39, BGP8D3B, BGP8D4, BGP8D52, BGP8D53, BGP8D7, BGP8D71 BGP8D72, BGP8D721, BGP8D724, BGP8D731, BGP8D74, BGP8D75 BGP8D841, BGP8D9, BGP8DPA2 BGP8EL2, BGP8PC1, BGP8PC12, BGP8PC13, BGP8PC14, BGP8PC16 BGP8PC2, BGP8PC6, BGP8PC62, BGP8PC64, BGP8PC65, BGP8PC67 BGP8PC68, BGP8PC69, BGP8PC7, BGP8PC8, BGP8PC9
\$\$LASTPRC^BGP8UTL1	BGP8D21, BGP8D211, BGP8D21A, BGP8D27, BGP8D3, BGP8D4, BGP8D5 BGP8D53, BGP8D55, BGP8D62, BGP8D63, BGP8D714, BGP8D72, BGP8D83 BGP8D84, BGP8D87, BGP8D88, BGP8DPA4, BGP8PC8
\$\$NMIREF^BGP8UTL1	BGP8D31, BGP8D37, BGP8D3A, BGP8D3B, BGP8D3C
\$\$PRCREFT^BGP8UTL1	BGP8D62
\$\$RADREF^BGP8UTL1	BGP8D4, BGP8D62
\$\$REFUSAL^BGP8UTL1	BGP8D213, BGP8D24A, BGP8D25, BGP8D3, BGP8D5, BGP8D53, BGP8D6 BGP8D62, BGP8D74, BGP8DPA4
\$\$CHKDST^BGP8UTL2	BGP8GUA
\$\$CODEN^BGP8UTL2	BGP8D51, BGP8PC11, BGP8PC12, BGP8PC13, BGP8UTL1
\$\$DEMOCHK^BGP8UTL2	BGP8AUEX, BGP8DAP, BGP8DCL, BGP8DEL, BGP8DGPU, BGP8DL BGP8DNDB, BGP8DNG, BGP8DNGP, BGP8DNGB, BGP8DON, BGP8DPA BGP8DPE, BGP8DPP, BGP8DSTM, BGP8NPL, BGP8PCD
\$\$EDD^BGP8UTL2	BGP8D3B
\$\$GETDEDIR^BGP8UTL2	BGP8DH, BGP8DH1, BGP8DSL, BGP8ELH, BGP8ELHH, BGP8PCH, BGP8PDH1

\$\$GETDIR^BGP8UTL2	BGP8PDLH, BGP8PESL BGP8AUEX, BGP8DADB, BGP8DAR, BGP8DARO, BGP8DEL, BGP8DGPU BGP8DL, BGP8DNDB, BGP8DNG, BGP8DON, BGP8DPE, BGP8GACW BGP8GAGP, BGP8GAGS, BGP8GDON, BGP8GELD, BGP8GFO9, BGP8GFOR BGP8GLHW, BGP8GNT9, BGP8GNTL, BGP8GNTP, BGP8GNTS, BGP8GNXP BGP8GPED, BGP8LHW, BGP8NPL
\$\$ICD^BGP8UTL2	BGP8ALG1, BGP8ALG2, BGP8C11, BGP8C13, BGP8CU1, BGP8D1, BGP8D10 BGP8D212, BGP8D213, BGP8D21A, BGP8D22, BGP8D24, BGP8D24A BGP8D25, BGP8D27, BGP8D31, BGP8D35, BGP8D37, BGP8D38, BGP8D3A BGP8D3C, BGP8D4, BGP8D5, BGP8D51, BGP8D52, BGP8D53, BGP8D55 BGP8D5A, BGP8D6 BGP8D7, BGP8D71, BGP8D711, BGP8D713, BGP8D714, BGP8D715 BGP8D72, BGP8D722, BGP8D723, BGP8D729, BGP8D731, BGP8D732 BGP8D74, BGP8D75, BGP8D8, BGP8D81, BGP8D812, BGP8D82, BGP8D83 BGP8D84, BGP8D841, BGP8D87, BGP8D88, BGP8D9, BGP8D91, BGP8DPA2 BGP8DPE1, BGP8DU BGP8PC11, BGP8PC12, BGP8PC13, BGP8PC14, BGP8PC15, BGP8PC16 BGP8PC4, BGP8PC6, BGP8PC61, BGP8PC62, BGP8PC63, BGP8PC64 BGP8PC65, BGP8PC66, BGP8PC67, BGP8PC68, BGP8PC69, BGP8PC7 BGP8PC9, BGP8UTL1
\$\$ICDDX^BGP8UTL2	BGP8ALG1, BGP8ALG2, BGP8C11, BGP8C13, BGP8CU1, BGP8D213 BGP8D25, BGP8D41, BGP8D5, BGP8D52, BGP8D5A, BGP8D6, BGP8D7 BGP8D711, BGP8D72, BGP8D722, BGP8D723, BGP8D732, BGP8D74 BGP8D8, BGP8D82, BGP8D83, BGP8D84, BGP8DPA2, BGP8DPE1 BGP8PC12, BGP8UTL1
\$\$ICDOP^BGP8UTL2	BGP8CU1, BGP8UTL1
\$\$RCIS^BGP8UTL2	BGP8D87
GETMEDS^BGP8UTL2	BGP8CON1, BGP8D21, BGP8D214, BGP8D22, BGP8D36, BGP8D39 BGP8D53, BGP8D711, BGP8D721, BGP8D722, BGP8D723, BGP8D731 BGP8D732, BGP8D74, BGP8D75, BGP8D81, BGP8D811, BGP8D82 BGP8D83, BGP8D84, BGP8D863, BGP8D864, BGP8D87, BGP8D89 BGP8DPA4, BGP8PC12, BGP8PC14, BGP8PC17
UNFOLDTX^BGP8UTL2	BGP8D1, BGP8D10, BGP8DPA, BGP8PC1
AGEDATE^BGP8UTL3	BGP8D32
ONN4^BGP8UTL3	BGP8UTL
TESTDR^BGP8UTL3	BGP8DNG, BGP8DNCP, BGP8DNCS
GNT3^BGP8UTLC	BGP8UTL
^BGP8XTCH	opt
TAXCHK^BGP8XTCH	BGP8DAP, BGP8DL, BGP8DPP, BGP8XTCH
^BGP8XTCN	opt
TAXCHK^BGP8XTCN	BGP8DCL, BGP8DGPU, BGP8DNDB, BGP8DNE1, BGP8DNG, BGP8DNCP BGP8DNCS, BGP8DPA, BGP8DSTM, BGP8NPL
^BGP8XTCO	opt
TAXCHK^BGP8XTCO	BGP8DON, BGP8NPL
^BGP8XTEL	opt
TAXCHK^BGP8XTEL	BGP8DEL
EP^BGP8XTL	BGP8XTS
^BGP8XTV	opt
INIT^BGP8XTV	BGP8GU
EP^BGP8XTV1	BGP8CTS, BGP8XTV
^BGP8Y	BGP8VP
^BGP8Z	BGP8VP
CATSTR^BGPGR	BGP8GRA, BGP8GRB
INIT^BGP8MUDI	BGP8GTA
INITH^BGP8MUDI	BGP8GTA
INITM^BGP8MUDI	BGP8GTA
INIT^BGP8MUDSL	BGP8GTA

^BGMUEHD	BGP8GMUH
^BGMUEPD	BGP8GMUE
GUIR^BGPXBLM	BGP8GADB, BGP8GAEL, BGP8GAG9, BGP8GAGP, BGP8GAGS, BGP8GAHE BGP8GALL, BGP8GAON, BGP8GAPE, BGP8GAPU, BGP8GCMP, BGP8GCMS BGP8GCOM, BGP8GDON, BGP8GDSH, BGP8GELD, BGP8GFO9, BGP8GFOR BGP8GGPU, BGP8GIPC, BGP8GLHW, BGP8GLTX, BGP8GMTX, BGP8GMUE BGP8GMUH, BGP8GNPL BGP8GNST, BGP8GNT9, BGP8GNTL, BGP8GNTP, BGP8GNTS, BGP8GNXP BGP8GPED, BGP8GPP, BGP8GU
GUIEP^BMXPO	BGP8POS, BGP8VP
LIST^BSDAPI2	BGP8DPA
\$\$\$SUBLST^BSTSAPI	BGP8UTL2
SUBLST^BSTSAPI	BGP8UTL2
^CIMZSUS	BGP8PC14
EN^DDIOL	BGP8AU1A, BGP8AU1D, BGP8AU1M, BGP8AU1R, BGP8AU1EX, BGP8AUUL BGP8AUUP, BGP8UTL2
NOTICE^DGSEC4	BGP8GUA
OWNREC^DGSEC4	BGP8GUA
SENS^DGSEC4	BGP8GUA
^DIC	BGP8AU1EX, BGP8CTL, BGP8DCL, BGP8DEL, BGP8DEMO, BGP8DGPU BGP8DL, BGP8DNDB, BGP8DNE1, BGP8DNG, BGP8DNGP, BGP8DNGS BGP8DON, BGP8DPA, BGP8DPAP, BGP8DPE, BGP8DPP, BGP8DSTM BGP8ETL, BGP8EUTL, BGP8GNXP, BGP8HUTL, BGP8NPL, BGP8P1, BGP8P3 BGP8PCD, BGP8PCTL, BGP8PCUT BGP8POS, BGP8POS1, BGP8PUTL, BGP8UTL, BGP8VP, BGP8XTL dd90241.0111, dd90241.02
IX^DIC	BGP8P1, BGP8P3, BGP8POS, BGP8VP
FILE^DICN	BGP8AU1R, BGP8AU1EX, BGP8AUUL, BGP8AUUP, BGP8CTL, BGP8DPA BGP8DPAP, BGP8ETL, BGP8GACW, BGP8GADB, BGP8GAEL, BGP8GAG9 BGP8GAGP, BGP8GAGS, BGP8GAHE, BGP8GALL, BGP8GAON, BGP8GAPE BGP8GAPU, BGP8GCMP, BGP8GCMS, BGP8GCOM, BGP8GDON, BGP8GDSH BGP8GELD, BGP8GFO9 BGP8GFOR, BGP8GGPU, BGP8GHED, BGP8GIPC, BGP8GLHW, BGP8GLST BGP8GLTX, BGP8GMTX, BGP8GMUE, BGP8GMUH, BGP8GNPL, BGP8GNST BGP8GNT9, BGP8GNTL, BGP8GNTP, BGP8GNTS, BGP8GNXP, BGP8GPED BGP8GPP, BGP8GRB, BGP8GUPL, BGP8LHW, BGP8PCTL, BGP8ULF BGP8XTL
^DICR	dd90245.09, dd90560.1514
^DIE	BGP8AU1R, BGP8AU1EX, BGP8AUUL, BGP8AUUP, BGP8CTL, BGP8DEMO BGP8DPA, BGP8DPAP, BGP8DSTM, BGP8ETL, BGP8GACW, BGP8GADB BGP8GAEL, BGP8GAG9, BGP8GAGP, BGP8GAGS, BGP8GAHE, BGP8GALL BGP8GAON, BGP8GAPE, BGP8GAPU, BGP8GCMP, BGP8GCMS, BGP8GCOM BGP8GDON, BGP8GDSH BGP8GELD, BGP8GFO9, BGP8GFOR, BGP8GGPU, BGP8GHED, BGP8GIPC BGP8GLHW, BGP8GLST, BGP8GLTX, BGP8GMTX, BGP8GMUE, BGP8GMUH BGP8GNPL, BGP8GNST, BGP8GNT9, BGP8GNTL, BGP8GNTP, BGP8GNTS BGP8GNXP, BGP8GPED, BGP8GPP, BGP8GUA, BGP8LHW, BGP8PCTL BGP8POS, BGP8POS1, BGP8XTL
FILE^DIE	BGP8GU
UPDATE^DIE	BGP8GU
^DIK	BGP8AUUL, BGP8AUUP, BGP8DAP, BGP8DCL, BGP8DEL, BGP8DGPU BGP8DL, BGP8DNDB, BGP8DNE1, BGP8DNG, BGP8DNGP, BGP8DNGS BGP8DON, BGP8DPA, BGP8DPE, BGP8DPP, BGP8DSTM, BGP8GU, BGP8GUA BGP8GUPL, BGP8NPL, BGP8P1, BGP8P3, BGP8PCD, BGP8POS, BGP8POS1 BGP8POS2, BGP8ULF BGP8VP
IX1^DIK	BGP8AUUL, BGP8DPA, BGP8DPAP, BGP8DSTM, BGP8GUPL, BGP8POS

^DIM	BGP8POS1, BGP8ULF, BGP8VP dd90241.551101, dd90560.01, dd90560.02, dd90560.06 dd90561.02, dd90561.06
\$\$GET1^DIQ	BGP8D81, BGP8DCHW, BGP8GU, BGP8GUA, BGP8POS1, BGP8UTL2
^DIR	BGP8ASL, BGP8AU1R, BGP8AUEX, BGP8AUUL, BGP8AUUP, BGP8CSI BGP8CSII, BGP8CTL, BGP8CTS, BGP8CU, BGP8DADB, BGP8DAP, BGP8DAR BGP8DARO, BGP8DBPR, BGP8DCL, BGP8DCLP, BGP8DEL, BGP8DELA BGP8DELP, BGP8DEMO, BGP8DESI, BGP8DESL, BGP8DGPA, BGP8DGPU BGP8DH, BGP8DH1, BGP8DHSL BGP8DICR, BGP8DL, BGP8DLT, BGP8DMT, BGP8DNDB, BGP8DNE1 BGP8DNG, BGP8DNCP, BGP8DNCS, BGP8DON, BGP8DP, BGP8DPA BGP8DPAP, BGP8DPAW, BGP8DPE, BGP8DPEA, BGP8DPEL, BGP8DPEP BGP8DPH, BGP8DPP, BGP8DPSI, BGP8DS, BGP8DSI, BGP8DSL, BGP8DSTM BGP8DU, BGP8ELH, BGP8ELHH BGP8ELS, BGP8ELSL, BGP8ETL, BGP8LSTF, BGP8NPL, BGP8NPLP BGP8PCD, BGP8PCH, BGP8PCSI, BGP8PCSL, BGP8PCTL, BGP8PCTX BGP8PDL, BGP8PESI, BGP8PESL, BGP8TXCH, BGP8ULF, BGP8UTL2 BGP8UTL3, BGP8XTCH, BGP8XTCN, BGP8XTCO, BGP8XTEL, BGP8XTEO BGP8XTHE, BGP8XTL, BGP8XTS BGP8XTV
^DIWP	BGP8DBPR, BGP8DELP, BGP8DP, BGP8DPAW, BGP8DPEL, BGP8DPEP BGP8DS, BGP8ELL, BGP8ELS, BGP8UTL1
\$\$CODEN^ICDCODE	BGP8UTL2
\$\$ICDD^ICDCODE	BGP8UTL2
\$\$ICDDX^ICDCODE	BGP8UTL2
\$\$ICDOP^ICDCODE	BGP8UTL2
\$\$VSTD^ICDCODE	BGP8UTL2
\$\$VSTP^ICDCODE	BGP8UTL2
\$\$CODEN^ICDEX	BGP8UTL2
\$\$ICDD^ICDEX	BGP8UTL2
\$\$ICDDX^ICDEX	BGP8UTL2
\$\$ICDOP^ICDEX	BGP8UTL2
\$\$VSTD^ICDEX	BGP8UTL2
\$\$VSTP^ICDEX	BGP8UTL2
\$\$CODEN^ICPTCOD	BGP8C13, BGP8CON1, BGP8CU1, BGP8D2, BGP8D211, BGP8D214 BGP8D24, BGP8D33, BGP8D34, BGP8D35, BGP8D36, BGP8D37, BGP8D3A BGP8D3B, BGP8D62, BGP8D71, BGP8D711, BGP8D72, BGP8D721 BGP8D724, BGP8D73, BGP8D731, BGP8D732, BGP8D75, BGP8D811 BGP8D82, BGP8D841, BGP8D86 BGP8D861, BGP8D864, BGP8D9, BGP8DPA4, BGP8EL2, BGP8PC7
\$\$CPT^ICPTCOD	BGP8CU1, BGP8D22, BGP8D33, BGP8D34, BGP8D35, BGP8D36, BGP8D37 BGP8D38, BGP8D3A, BGP8D4, BGP8D52, BGP8D811, BGP8D86, BGP8DPA2 BGP8DPE1, BGP8DU, BGP8PC10, BGP8PC15, BGP8PC16, BGP8PC2 BGP8PC4, BGP8PC6, BGP8PC8, BGP8PC9
EN^VALM	BGP8ASL, BGP8CSI, BGP8CSII, BGP8CTL, BGP8CTS, BGP8DEMO BGP8DESI, BGP8DESL, BGP8DHSL, BGP8DPSI, BGP8DSI, BGP8DSL BGP8ETL, BGP8PCSI, BGP8PCSL, BGP8PCTL, BGP8PESI, BGP8PESL BGP8XTL, BGP8XTS, BGP8XTV, BGP8XTV1
TERM^VALM0	BGP8ASL, BGP8CSI, BGP8CSII, BGP8CTL, BGP8CTS, BGP8DEMO BGP8DESI, BGP8DESL, BGP8DHSL, BGP8DNCP, BGP8DNCS, BGP8DPA BGP8DPSI, BGP8DSI, BGP8DSL, BGP8ETL, BGP8NPL, BGP8PCSI BGP8PCSL, BGP8PCTL, BGP8PESI, BGP8PESL, BGP8XTL, BGP8XTS BGP8XTV, BGP8XTV1
CLEAR^VALM1	BGP8ASL, BGP8CSI, BGP8CSII, BGP8CTL, BGP8CTS, BGP8DEMO BGP8DESI, BGP8DESL, BGP8DHSL, BGP8DPSI, BGP8DSI, BGP8DSL BGP8ETL, BGP8PCSI, BGP8PCSL, BGP8PCTL, BGP8PESI, BGP8PESL BGP8XTL, BGP8XTS, BGP8XTV, BGP8XTV1

FULL^VALM1	BGP8ASL, BGP8CSI, BGP8CSII, BGP8CTL, BGP8CTS, BGP8DEMO BGP8DESI, BGP8DESL, BGP8DHSL, BGP8DPSI, BGP8DSI, BGP8DSL BGP8ETL, BGP8PCSI, BGP8PCSL, BGP8PCTL, BGP8PESI, BGP8PESL BGP8XTL, BGP8XTS, BGP8XTV, BGP8XTV1
^XBDBQUE	BGP8DADB, BGP8DAP, BGP8DAR, BGP8DARO, BGP8DCL, BGP8DEL BGP8DELA, BGP8DGPA, BGP8DGPU, BGP8DL, BGP8DNDB, BGP8DNG BGP8DNGP, BGP8DNDS, BGP8DON, BGP8DPAP, BGP8DPE, BGP8DPEA BGP8DPP, BGP8DSTM, BGP8NPL, BGP8PCD, BGP8PCTX, BGP8TXCH BGP8XTCN, BGP8XTCO, BGP8XTEL BGP8XTEO, BGP8XTHE
\$\$VAL^XBIDIQ1	BGP8ALG1, BGP8ALG2, BGP8AU1M, BGP8AUEx, BGP8AUUP, BGP8C11 BGP8C13, BGP8CON1, BGP8CTL, BGP8CTS, BGP8CU1, BGP8D211 BGP8D212, BGP8D213, BGP8D214, BGP8D21A, BGP8D22, BGP8D24 BGP8D24A, BGP8D3, BGP8D31, BGP8D36, BGP8D39, BGP8D3A, BGP8D5 BGP8D54, BGP8D55, BGP8D7 BGP8D71, BGP8D711, BGP8D72, BGP8D721, BGP8D722, BGP8D723 BGP8D729, BGP8D731, BGP8D732, BGP8D75, BGP8D8, BGP8D81 BGP8D811, BGP8D812, BGP8D841, BGP8D87, BGP8D88, BGP8D89 BGP8D9, BGP8DCHW, BGP8DEMO, BGP8DH1, BGP8DICR, BGP8DNG BGP8DPA4, BGP8DPE2, BGP8DU, BGP8ELH BGP8ELHH, BGP8ETL, BGP8GRB, BGP8PC12, BGP8PC13, BGP8PC14 BGP8PC15, BGP8PC16, BGP8PC17, BGP8PC2, BGP8PC4, BGP8PC6 BGP8PC61, BGP8PC62, BGP8PC63, BGP8PC64, BGP8PC65, BGP8PC66 BGP8PC67, BGP8PC68, BGP8PC69, BGP8PC9, BGP8PCTL, BGP8PDLH BGP8POS, BGP8UTL1, BGP8UTL2 BGP8XTV, BGP8XTV1
\$\$VALI^XBIDIQ1	BGP8D22, BGP8D31, BGP8D3C, BGP8D55, BGP8D7, BGP8D711, BGP8D87 BGP8DICR, BGP8DPE2, BGP8DU, BGP8EL4, BGP8PC10, BGP8PC12 BGP8PC13, BGP8PC14, BGP8PC15, BGP8PC16, BGP8PC2, BGP8PC4 BGP8PC6, BGP8PC8, BGP8PC9, BGP8UTL1
^XBFMK	BGP8AUEx, BGP8AUUL, BGP8CTL, BGP8DADB, BGP8DAP, BGP8DAR BGP8DARO, BGP8DCL, BGP8DEL, BGP8DELA, BGP8DEMO, BGP8DGPA BGP8DGPU, BGP8DICR, BGP8DL, BGP8DLT, BGP8DMT, BGP8DNDB BGP8DNE1, BGP8DNG, BGP8DNGP, BGP8DNDS, BGP8DON, BGP8DPA BGP8DPAP, BGP8DPE, BGP8DPEA, BGP8DPP
^XBFMK	BGP8DSTM, BGP8ETL, BGP8EUTL, BGP8GACW, BGP8GADB, BGP8GAEL BGP8GAG9, BGP8GAGP, BGP8GAGS, BGP8GAHE, BGP8GALL, BGP8GAON BGP8GAPE, BGP8GAPU, BGP8GCMP, BGP8GCMS, BGP8GCOM, BGP8GDON BGP8GDSH, BGP8GELD, BGP8GFO9, BGP8GFOR, BGP8GGPU, BGP8GHED BGP8GIPC, BGP8GLHW BGP8GLST, BGP8GLTX, BGP8GMTX, BGP8GMUE, BGP8GMUH, BGP8GNPL BGP8GNST, BGP8GNT9, BGP8GNTL, BGP8GNTP, BGP8GNTS, BGP8GNXP BGP8GPED, BGP8GPP, BGP8GRB, BGP8GUPL, BGP8HUTL, BGP8LHW BGP8NPL, BGP8PCD, BGP8PCTL, BGP8PCUT, BGP8POS1, BGP8PUTL BGP8ULF, BGP8UTL, BGP8XTL
\$\$EXTSET^XBFUNC	BGP8CU1, BGP8D74, BGP8DPE2
^XBGSAVE	BGP8AUEx, BGP8DNE1, BGP8DPED, BGP8ELL, BGP8EUTL, BGP8HUTL BGP8PDL, BGP8PUTL, BGP8UTL
^XBKVAR	BGP8AU1A, BGP8AU1D, BGP8AU1M, BGP8GACW, BGP8GADB, BGP8GAEL BGP8GAG9, BGP8GAGP, BGP8GAGS, BGP8GAHE, BGP8GALL, BGP8GAON BGP8GAPE, BGP8GAPU, BGP8GCMP, BGP8GCMS, BGP8GCOM, BGP8GDON BGP8GDSH, BGP8GELD, BGP8GFO9, BGP8GFOR, BGP8GGPU, BGP8GHED BGP8GIPC, BGP8GLHW BGP8GLST, BGP8GLTX, BGP8GMTX, BGP8GMUE, BGP8GMUH, BGP8GNPL BGP8GNST, BGP8GNT9, BGP8GNTL, BGP8GNTP, BGP8GNTS, BGP8GNXP BGP8GPED, BGP8GPP, BGP8GUPL, BGP8LHW
GUIR^XBLM	BGP8DPA, BGP8DPAP, BGP8GHED, BGP8LHW

EN^XBVK	BGP8AUEX, BGP8AUUP, BGP8CTL, BGP8CTS, BGP8DADB, BGP8DAP BGP8DAR, BGP8DARO, BGP8DCL, BGP8DEL, BGP8DELA, BGP8DEMO BGP8DGPA, BGP8DGPU, BGP8DICR, BGP8DL, BGP8DLT, BGP8DMT BGP8DNDB, BGP8DNE1, BGP8DNG, BGP8DNGP, BGP8DNDS, BGP8DON BGP8DPA, BGP8DPAP, BGP8DPE, BGP8DPEA BGP8DPP, BGP8DSTM, BGP8ETL, BGP8GACW, BGP8GADB, BGP8GAEL BGP8GAG9, BGP8GAGP, BGP8GAGS, BGP8GAHE, BGP8GALL, BGP8GAON BGP8GAPE, BGP8GAPU, BGP8GCMP, BGP8GCMS, BGP8GCOM, BGP8GDON BGP8GDSH, BGP8GELD, BGP8GGPU, BGP8GHED, BGP8GIPC, BGP8GLHW BGP8GLST, BGP8GM, BGP8GMUE BGP8GMUH, BGP8GNPL, BGP8GNST, BGP8GNT9, BGP8GNTL, BGP8GNTP BGP8GNTS, BGP8GNXP, BGP8GPED, BGP8GPP, BGP8GR, BGP8GR1 BGP8GR2, BGP8GRA, BGP8GRB, BGP8GU, BGP8LHW, BGP8LSTF, BGP8NPL BGP8PCD, BGP8PCTL, BGP8XTL, BGP8XTS, BGP8XTV, BGP8XTV1
\$\$DT^XLFD	BGP8D36, BGP8GACW, BGP8GADB, BGP8GAEL, BGP8GAG9, BGP8GAGP BGP8GAGS, BGP8GAHE, BGP8GALL, BGP8GAON, BGP8GAPE, BGP8GAPU BGP8GCMP, BGP8GCMS, BGP8GCOM, BGP8GDON, BGP8GDSH, BGP8GELD BGP8GFO9, BGP8GFOR, BGP8GGPU, BGP8GHED, BGP8GIPC, BGP8GLHW BGP8GLST, BGP8GLTX BGP8GMTX, BGP8GMUE, BGP8GMUH, BGP8GNPL, BGP8GNST, BGP8GNT9 BGP8GNTL, BGP8GNTP, BGP8GNTS, BGP8GNXP, BGP8GPED, BGP8GPP BGP8GUPL, BGP8LHW
\$\$FMADD^XLFD	BGP8ALG2, BGP8ASL, BGP8AUEX, BGP8AUUL, BGP8AUUP, BGP8BAN BGP8C11, BGP8C13, BGP8CON1, BGP8CU, BGP8D1, BGP8D10, BGP8D2 BGP8D21, BGP8D211, BGP8D213, BGP8D214, BGP8D22, BGP8D24 BGP8D24A, BGP8D25, BGP8D28, BGP8D3, BGP8D31, BGP8D34, BGP8D37 BGP8D39, BGP8D3A, BGP8D3B
\$\$FMADD^XLFD	BGP8D4, BGP8D5, BGP8D51, BGP8D52, BGP8D53, BGP8D6, BGP8D62 BGP8D63, BGP8D7, BGP8D71, BGP8D714, BGP8D715, BGP8D72 BGP8D721, BGP8D722, BGP8D723, BGP8D729, BGP8D73, BGP8D731 BGP8D732, BGP8D74, BGP8D75, BGP8D76, BGP8D8, BGP8D81, BGP8D82 BGP8D83, BGP8D84, BGP8D863 BGP8D87, BGP8D88, BGP8D89, BGP8D9, BGP8DADB, BGP8DAP, BGP8DAR BGP8DARO, BGP8DCL, BGP8DCLP, BGP8DEL, BGP8DELA, BGP8DGPA BGP8DGPU, BGP8DL, BGP8DNDB, BGP8DNE1, BGP8DON, BGP8DPA BGP8DPA1, BGP8DPA2, BGP8DPA4, BGP8DPAP, BGP8DPE1, BGP8DPP BGP8DSTM, BGP8DU, BGP8GAEL BGP8GAHE, BGP8GALL, BGP8GAON, BGP8GAPU, BGP8GCMP, BGP8GCOM BGP8GDON, BGP8GELD, BGP8GGPU, BGP8GHED, BGP8GIPC, BGP8GMUE BGP8GMUH, BGP8GNPL, BGP8GNST, BGP8GPP, BGP8GRB, BGP8NPL BGP8NPLP, BGP8PC1, BGP8PC12, BGP8PC13, BGP8PC14, BGP8PC16 BGP8PC4, BGP8PC5, BGP8PC6 BGP8PC61, BGP8PC62, BGP8PC63, BGP8PC64, BGP8PC65, BGP8PC66 BGP8PC67, BGP8PC68, BGP8PC69, BGP8PC9, BGP8PCD, BGP8REF1 BGP8UTL, BGP8UTL1, BGP8UTL2, BGP8UTL3
\$\$FMDIFF^XLFD	BGP8D1, BGP8D10, BGP8D214, BGP8D21A, BGP8D22, BGP8D24, BGP8D33 BGP8D34, BGP8D341, BGP8D35, BGP8D36, BGP8D37, BGP8D38, BGP8D39 BGP8D3C, BGP8D52, BGP8D7, BGP8D721, BGP8D722, BGP8D723 BGP8D731, BGP8D732, BGP8D74, BGP8D75, BGP8D811, BGP8D82 BGP8D83, BGP8D84 BGP8D841, BGP8D861, BGP8D863, BGP8D87, BGP8D9, BGP8DBPR BGP8DPA, BGP8DPA2, BGP8GU, BGP8PC6, BGP8PC61, BGP8PC62 BGP8PC63, BGP8PC64, BGP8PC65, BGP8PC66, BGP8PC67, BGP8PC68 BGP8PC69, BGP8PC7
\$\$FMTE^XLFD	BGP8ALG1, BGP8ALG2, BGP8AUEX, BGP8AUUL, BGP8AUUP, BGP8C11 BGP8C13, BGP8CON1, BGP8CU, BGP8CU1, BGP8D1, BGP8D10, BGP8D2 BGP8D21, BGP8D211, BGP8D212, BGP8D213, BGP8D21A, BGP8D22

	BGP8D24, BGP8D24A, BGP8D25, BGP8D27, BGP8D3, BGP8D31, BGP8D37 BGP8D3A, BGP8D3C BGP8D4, BGP8D41, BGP8D5, BGP8D51, BGP8D52, BGP8D53, BGP8D54 BGP8D55, BGP8D5A, BGP8D6, BGP8D62, BGP8D7, BGP8D71, BGP8D711 BGP8D714, BGP8D72, BGP8D722, BGP8D723, BGP8D724, BGP8D729 BGP8D731, BGP8D732, BGP8D74, BGP8D75, BGP8D8, BGP8D81 BGP8D811, BGP8D812, BGP8D87 BGP8D88, BGP8D9, BGP8D91, BGP8DADB, BGP8DAP, BGP8DAR, BGP8DARO BGP8DBPR, BGP8DCHW, BGP8DCL, BGP8DCLD, BGP8DCLP, BGP8DEL BGP8DELA, BGP8DGPA, BGP8DGPU, BGP8DH, BGP8DH1, BGP8DICR BGP8DL, BGP8DLT, BGP8DMT, BGP8DNDB, BGP8DNE1, BGP8DNG BGP8DNGP, BGP8DNGS, BGP8DON BGP8DPA, BGP8DPA2, BGP8DPA4, BGP8DPAP, BGP8DPAW, BGP8DPE BGP8DPE1, BGP8DPE2, BGP8DPEA, BGP8DPEL, BGP8DPEP, BGP8DPH BGP8DPP, BGP8DS, BGP8DSTM, BGP8DU, BGP8EL2, BGP8EL4, BGP8ELH BGP8ELHH, BGP8ELL, BGP8ELS, BGP8ELSL, BGP8GU, BGP8GUA, BGP8NPL BGP8NPLD, BGP8NPLP BGP8PC10, BGP8PC11, BGP8PC12, BGP8PC13, BGP8PCD, BGP8PCH BGP8PDL, BGP8PDLH, BGP8PDLs, BGP8UTL3 BGP8AUEX, BGP8AUUL, BGP8GRB BGP8AUUL BGP8AU1A, BGP8AUEX, BGP8AUUP, BGP8DAR, BGP8DARO, BGP8DNE1 BGP8DPA, BGP8DPAP, BGP8GACW, BGP8GADB, BGP8GAEL, BGP8GAG9 BGP8GAGP, BGP8GAGS, BGP8GAHE, BGP8GALL, BGP8GAON, BGP8GAPE BGP8GAPU, BGP8GCMP, BGP8GCMS, BGP8GCOM, BGP8GDON, BGP8GDSH BGP8GELD, BGP8GFO9 BGP8GFOR, BGP8GGPU, BGP8GHED, BGP8GIPC, BGP8GLHW, BGP8GLST BGP8GLTX, BGP8GMTX, BGP8GMUE, BGP8GMUH, BGP8GNPL, BGP8GNST BGP8GNT9, BGP8GNTL, BGP8GNTP, BGP8GNTS, BGP8GNXP, BGP8GPED BGP8GPP, BGP8GRB, BGP8GU, BGP8LHW BGP8AUEX, BGP8AUUP, BGP8GRB BGP8D74 BGP8DBPR, BGP8DP, BGP8P1, BGP8P3, BGP8POS, BGP8VP BGP8DICR, BGP8DLT, BGP8DMT BGP8D39, BGP8D722, BGP8DBPR, BGP8DCHW, BGP8DP1C, BGP8DP1D BGP8DP1F, BGP8DP1G, BGP8DPED, BGP8DPEP, BGP8EL2, BGP8ELL1 BGP8ELLN, BGP8ELP1, BGP8PDL3 BGP8ALG1, BGP8ALG2, BGP8C11, BGP8C13, BGP8CU1, BGP8D2, BGP8D21 BGP8D213, BGP8D214, BGP8D21A, BGP8D22, BGP8D3, BGP8D31 BGP8D36, BGP8D39, BGP8D51, BGP8D711, BGP8D72, BGP8D721 BGP8D722, BGP8D723, BGP8D731, BGP8D732, BGP8D74, BGP8D75 BGP8D81, BGP8D811, BGP8D812 BGP8D82, BGP8D83, BGP8D84, BGP8D841, BGP8D863, BGP8D87 BGP8D89, BGP8D91, BGP8DARO, BGP8DON, BGP8DPA4, BGP8DU BGP8PC12, BGP8PC14, BGP8PC17, BGP8PC2, BGP8PC9, BGP8POS1 BGP8ULF, dd90560.01, dd90561.06 BGP8AUUP BGP8P1, BGP8P3, BGP8POS, BGP8VP BGP8AUEX, BGP8AUUL BGP8P1, BGP8P3, BGP8POS, BGP8VP BGP8AUUP BGP8ASL, BGP8CSI, BGP8CSII, BGP8CTL, BGP8CTS, BGP8DEMO BGP8DESI, BGP8DESL, BGP8DHSL, BGP8DPSI, BGP8DSI, BGP8DSL BGP8ETL, BGP8PCSI, BGP8PCSL, BGP8PCTL, BGP8PESI, BGP8PESL BGP8XTL, BGP8XTS, BGP8XTV, BGP8XTV1 BGP8DPE1, BGP8EUTL, BGP8HUTL, BGP8PCUT, BGP8PUTL, BGP8UTL
\$\$FMTH^XLFD	
\$\$HTE^XLFD	
\$\$NOW^XLFD	
\$\$LEAP^XLFD2	
\$\$ABS^XLFMTH	
\$\$CJ^XLFSTR	
\$\$REPEAT^XLFSTR	
\$\$STRIP^XLFSTR	
\$\$UP^XLFSTR	
^XMD	
\$\$VERSION^XPDUTL	
BMES^XPDUTL	
MES^XPDUTL	
SETUP^XQALERT	
DISP^XQORM1	
\$\$NOJOURN^ZIBGCHAR	

```

*****  END  *****
---  END  ---

```

Figure 6-1: External Calls

6.2 Callable Routines

Published entry points for use by iCARE:

Routine: BGP8D10

BQI(DFN,BQIGREF);PEP-iCare EP

- Description:
 - Entry point called by the iCare module, returns GPRA data by global reference:
 - DFN = Patient internal entry number:
 - BQIGREF = Global reference to store data.

6.3 Published Entry Points

Note: There are no Published Entry Points for this application.

6.4 Exported Options

Table 6-1: Exported BGP Options

Option Name	Description	KEY
BGPGRPC	BGPG Application Context	
BGP 14 AREA DSH	National GPRA Dashboard	
BGP 14 AREA ELDER REPORT	AREA Elder Care Report	
BGP 14 AREA GP SUM ONLY	AREA National GPRA/GPRAMA Report Perf Summaries	
BGP 14 AREA GPRA	AREA National GPRA/GPRAMA Report-Includes GPRA Dev	
BGP 14 AREA GPU	AREA GPRA/GPRAMA Performance Report	
BGP 14 AREA MENU	Area Options	BGPZAREA
BGP 14 AREA NGR FOR 2014	2014 AREA National GPRA & PART Report	
BGP 14 AREA ONM	AREA Other National Measures Report	
BGP 14 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 14 AUTO AREA PARAMS	Setup Area Automated Parameters	

Option Name	Description	KEY
BGP 14 AUTO EDIT CLIENT PARAM	Setup Automated GPRA Extract	
BGP 14 AUTO MANUALLY EXTRACT	Manually Run GPRA Extract	
BGP 14 AUTO PROC SITE MAN	Manually Run Area Aggregate of GPRA Extracts	
BGP 14 AUTO REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 14 AUTO SCHEDULE AREA	Schedule Auto Area File Aggregation	
BGP 14 COMPREHENSIVE PAT LIST	Comprehensive National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 14 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 14 ELDER REPORT	Elder Care Report	
BGP 14 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 14 GPU GPRA PERFORMANCE	GPRA/GPRAMA Performance Report	
BGP 14 LAB TAX CMS	Lab Taxonomies-CMS Report	
BGP 14 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 14 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 14 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 14 LAB TAX ONM	Lab Taxonomies-Other National Measures Report	
BGP 14 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 14 LIST FILES	List files in a directory	
BGP 14 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 14 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 14 MAIN MENU	CRS 2014	
BGP 14 MEASURES FORECAST CP	GPRA/GPRAMA Forecast Denominator Definitions	
BGP 14 MED TAX CMS	Med Taxonomies-CMS Report	
BGP 14 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 14 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 14 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 14 MED TAX ONM	Med Taxonomies-Other National Measures Report	
BGP 14 MED TAX REPORT MENU	Medication Taxonomy Report	

Option Name	Description	KEY
BGP 14 MENU NATIONAL	National GPRA/GPRAMA Reports	
BGP 14 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 14 NATIONAL GPRA REPORT	National GPRA/GPRAMA Report	
BGP 14 NATIONAL GPRA SUM ONLY	National GPRA/GPRAMA Clinical Perf Summaries	
BGP 14 NATIONAL PAT LISTS	National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 14 NATL GPRA DESG PROV	National GPRA/GPRAMA Report by Designated Provider	
BGP 14 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 14 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 14 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 14 OTHER NATIONAL LISTS	Other National Measures Report Patient List	BGPZ PATIENT LISTS
BGP 14 OTHER NATIONAL MEAS RPT	Other National Measures Report	
BGP 14 OTHER NTL RPTS MENU	Other National Reports	
BGP 14 PAT ED REPORT	Patient Education w/Community Specified	
BGP 14 PATIENT ED MENU	Patient Education Reports	
BGP 14 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 14 PTS W SCHED APPT	GPRA/GPRAMA Forecast Patient List	BGPZ PATIENT LISTS
BGP 14 PTS W/GPRA DATA	Selected Patients with GPRA measure Data	
BGP 14 REPORTS MENU	Reports	
BGP 14 SEL ALL PATS	Selected Measures w/All Communities	
BGP 14 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 14 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 14 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 14 SYSTEM SETUP	System Setup	
BGP 14 TAX CHK ONM	Taxonomy Check-Other National Measures Report	
BGP 14 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report	
BGP 14 TAXONOMY CHECK	Taxonomy Check	
BGP 14 TAXONOMY REPORTS	Taxonomy Reports	

Option Name	Description	KEY
BGP 14 TAXONOMY SETUP	Taxonomy Setup	
BGP 14 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template	
BGP 14 UPLOAD FILES	Upload Report Files from Site	
BGP 14 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP 15 AREA DSH	National GPRA Dashboard	
BGP 15 AREA ELDER REPORT	AREA Elder Care Report	
BGP 15 AREA GP SUM ONLY	AREA National GPRA/GPRAMA Report Perf Summaries	
BGP 15 AREA GPRA	AREA National GPRA/GPRAMA Report-Includes GPRA Dev	
BGP 15 AREA GPU	AREA GPRA/GPRAMA Performance Report	
BGP 15 AREA MENU	Area Options	BGPZAREA
BGP 15 AREA NGR FOR 2014	2015 AREA National GPRA & PART Report	
BGP 15 AREA ONM	AREA Other National Measures Report	
BGP 15 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 15 AUTO AREA PARAMS	Setup Area Automated Parameters	
BGP 15 AUTO EDIT CLIENT PARAM	Setup Automated GPRA Extract	
BGP 15 AUTO MANUALLY EXTRACT	Manually Run GPRA Extract	
BGP 15 AUTO PROC SITE MAN	Manually Run Area Aggregate of GPRA Extracts	
BGP 15 AUTO REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 15 AUTO SCHEDULE AREA	Schedule Auto Area File Aggregation	
BGP 15 COMPREHENSIVE PAT LIST	Comprehensive National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 15 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 15 ELDER REPORT	Elder Care Report	
BGP 15 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 15 GPU GPRA PERFORMANCE	GPRA/GPRAMA Performance Report	
BGP 15 LAB TAX CMS	Lab Taxonomies-CMS Report	
BGP 15 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 15 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 15 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 15 LAB TAX ONM	Lab Taxonomies-Other National Measures Report	

Option Name	Description	KEY
BGP 15 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 15 LIST FILES	List files in a directory	
BGP 15 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 15 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 15 MAIN MENU	CRS 2015	
BGP 15 MEASURES FORECAST CP	GPRA/GPRAMA Forecast Denominator Definitions	
BGP 15 MED TAX CMS	Med Taxonomies-CMS Report	
BGP 15 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 15 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 15 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 15 MED TAX ONM	Med Taxonomies-Other National Measures Report	
BGP 15 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 15 MENU NATIONAL	National GPRA/GPRAMA Reports	
BGP 15 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 15 NATIONAL GPRA REPORT	National GPRA/GPRAMA Report	
BGP 15 NATIONAL GPRA SUM ONLY	National GPRA/GPRAMA Clinical Perf Summaries	
BGP 15 NATIONAL PAT LISTS	National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 15 NATL GPRA DESG PROV	National GPRA/GPRAMA Report by Designated Provider	
BGP 15 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 15 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 15 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 15 OTHER NATIONAL LISTS	Other National Measures Report Patient List	BGPZ PATIENT LISTS
BGP 15 OTHER NATIONAL MEAS RPT	Other National Measures Report	
BGP 15 OTHER NTL RPTS MENU	Other National Reports	
BGP 15 PAT ED REPORT	Patient Education w/Community Specified	
BGP 15 PATIENT ED MENU	Patient Education Reports	

Option Name	Description	KEY
BGP 15 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 15 PTS W SCHED APPT	GPRA/GPRAMA Forecast Patient List	BGPZ PATIENT LISTS
BGP 15 PTS W/GPRA DATA	Selected Patients with GPRA measure Data	
BGP 15 REPORTS MENU	Reports	
BGP 15 SEL ALL PATS	Selected Measures w/All Communities	
BGP 15 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 15 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 15 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 15 SYSTEM SETUP	System Setup	
BGP 15 TAX CHK ONM	Taxonomy Check-Other National Measures Report	
BGP 15 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report	
BGP 15 TAXONOMY CHECK	Taxonomy Check	
BGP 15 TAXONOMY REPORTS	Taxonomy Reports	
BGP 15 TAXONOMY SETUP	Taxonomy Setup	
BGP 15 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template	
BGP 15 UPLOAD FILES	Upload Report Files from Site	
BGP 15 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP 16 AREA DSH	National GPRA Dashboard	
BGP 16 AREA ELDER REPORT	AREA Elder Care Report	
BGP 16 AREA GP SUM ONLY	AREA National GPRA/GPRAMA Report Perf Summaries	
BGP 16 AREA GPRA	AREA National GPRA/GPRAMA Report-Includes GPRA Dev	
BGP 16 AREA GPU	AREA GPRA/GPRAMA Performance Report	
BGP 16 AREA MENU	Area Options	BGPZAREA
BGP 16 AREA ONM	AREA Other National Measures Report	
BGP 16 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 16 AUTO AREA PARAMS	Set up Area Automated Parameters	
BGP 16 AUTO EDIT CLIENT PARAM	Set up Automated GPRA Extract	
BGP 16 AUTO GPRA EXTRACT	Auto GPRA Extract	
BGP 16 AUTO HOST PARAMS	Set up Host (Area) Automated Parameters	
BGP 16 AUTO MANUALLY EXTRACT	Manually Run GPRA Extract	

Option Name	Description	KEY
BGP 16 AUTO PROC SITE FILES	Auto Process GPRA Extract Files	
BGP 16 AUTO PROC SITE MAN	Manually Run Area Aggregate of GPRA Extracts	
BGP 16 AUTO REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 16 AUTO SCHEDULE AREA	Schedule Auto Area File Aggregation	
BGP 16 COMPREHENSIVE PAT LIST	Comprehensive National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 16 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 16 DISPLAY ICARE TEXT	Display iCare Data Items	
BGP 16 ELDER REPORT	Elder Care Report	
BGP 16 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 16 GPU GPRA PERFORMANCE	GPRA/GPRAMA Performance Report	
BGP 16 LAB TAX CMS	Lab Taxonomies-CMS Report	
BGP 16 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 16 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 16 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 16 LAB TAX ONM	Lab Taxonomies-Other National Measures Report	
BGP 16 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 16 LIST FILES	List files in a directory	
BGP 16 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 16 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 16 MAIN MENU	CRS 2016	
BGP 16 MEASURES FORECAST CP	GPRA/GPRAMA Forecast Denominator Definitions	
BGP 16 MED TAX CMS	Med Taxonomies-CMS Report	
BGP 16 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 16 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 16 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 16 MED TAX ONM	Med Taxonomies-Other National Measures Report	
BGP 16 MED TAX REPORT MENU	Medication Taxonomy Report	

Option Name	Description	KEY
BGP 16 MENU NATIONAL	National GPRA/GPRAMA Reports	
BGP 16 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 16 NATIONAL GPRA REPORT	National GPRA/GPRAMA Report	
BGP 16 NATIONAL GPRA SUM ONLY	National GPRA/GPRAMA Clinical Perf Summaries	
BGP 16 NATIONAL PAT LISTS	National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 16 NATL GPRA DESG PROV	National GPRA/GPRAMA Report by Designated Provider	
BGP 16 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 16 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 16 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 16 OTHER CMS REPORTS	Other CMS Reports	
BGP 16 OTHER NATIONAL LISTS	Other National Measures Report Patient List	BGPZ PAT
IENT LISTS		
BGP 16 OTHER NATIONAL MEAS RPT	Other National Measures Report	
BGP 16 OTHER NTL RPTS MENU	Other National Reports	
BGP 16 PAT ED REPORT	Patient Education w/Community Specified	
BGP 16 PATIENT ED MENU	Patient Education Reports	
BGP 16 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 16 PTS W SCHED APPT	GPRA/GPRAMA Forecast Patient List	BGPZ PATIENT LISTS
BGP 16 PTS W/GPRA DATA	Selected Patients with GPRA measure Data	
BGP 16 REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 16 REPORTS MENU	Reports	
BGP 16 SEL ALL PATS	Selected Measures w/All Communities	
BGP 16 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 16 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 16 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 16 SYSTEM SETUP	System Setup	

Option Name	Description	KEY
BGP 16 TAX CHK ONM	Taxonomy Check-Other National Measures Report	
BGP 16 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report	
BGP 16 TAXONOMY CHECK	Taxonomy Check	
BGP 16 TAXONOMY REPORTS	Taxonomy Reports	
BGP 16 TAXONOMY SETUP	Taxonomy Setup	
BGP 16 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template	
BGP 16 UPLOAD FILES	Upload Report Files from Site	
BGP 16 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP 17 AREA DSH	National GPRA Dashboard	
BGP 17 AREA ELDER REPORT	AREA Elder Care Report	
BGP 17 AREA GP SUM ONLY	AREA National GPRA/GPRAMA Report Perf Summaries	
BGP 17 AREA GPRA	AREA National GPRA/GPRAMA Report-Includes GPRA Dev	
BGP 17 AREA GPU	AREA GPRA/GPRAMA Performance Report	
BGP 17 AREA MENU	Area Options	BGPZAREA
BGP 17 AREA ONM	AREA Other National Measures Report	
BGP 17 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 17 AUTO AREA PARAMS	Set up Area Automated Parameters	
BGP 17 AUTO EDIT CLIENT PARAM	Set up Automated GPRA Extract	
BGP 17 AUTO GPRA EXTRACT	Auto GPRA Extract	
BGP 17 AUTO HOST PARAMS	Set up Host (Area) Automated Parameters	
BGP 17 AUTO MANUALLY EXTRACT	Manually Run GPRA Extract	
BGP 17 AUTO PROC SITE FILES	Auto Process GPRA Extract Files	
BGP 17 AUTO PROC SITE MAN	Manually Run Area Aggregate of GPRA Extracts	
BGP 17 AUTO REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 17 AUTO SCHEDULE AREA	Schedule Auto Area File Aggregation	
BGP 17 COMPREHENSIVE PAT LIST	Comprehensive National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 17 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 17 DISPLAY ICARE TEXT	Display iCare Data Items	
BGP 17 ELDER REPORT	Elder Care Report	

Option Name	Description	KEY
BGP 17 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 17 GPU GPRA PERFORMANCE	GPRA/GPRAMA Performance Report	
BGP 17 LAB TAX CMS	Lab Taxonomies-CMS Report	
BGP 17 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 17 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 17 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 17 LAB TAX ONM	Lab Taxonomies-Other National Measures Report	
BGP 17 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 17 LIST FILES	List files in a directory	
BGP 17 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 17 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 17 MAIN MENU	CRS 2017	
BGP 17 MEASURES FORECAST CP	GPRA/GPRAMA Forecast Denominator Definitions	
BGP 17 MED TAX CMS	Med Taxonomies-CMS Report	
BGP 17 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 17 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 17 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 17 MED TAX ONM	Med Taxonomies-Other National Measures Report	
BGP 17 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 17 MENU NATIONAL	National GPRA/GPRAMA Reports	
BGP 17 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 17 NATIONAL GPRA REPORT	National GPRA/GPRAMA Report	
BGP 17 NATIONAL GPRA SUM ONLY	National GPRA/GPRAMA Clinical Perf Summaries	
BGP 17 NATIONAL PAT LISTS	National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 17 NATL GPRA DESG PROV	National GPRA/GPRAMA Report by Designated Provider	
BGP 17 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	

Option Name	Description	KEY
BGP 17 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 17 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 17 OTHER CMS REPORTS	Other CMS Reports	
BGP 17 OTHER NATIONAL LISTS	Other National Measures Report Patient List	BGPZ PATIENT LISTS
BGP 17 OTHER NATIONAL MEAS RPT	Other National Measures Report	
BGP 17 OTHER NTL RPTS MENU	Other National Reports	
BGP 17 PAT ED REPORT	Patient Education w/Community Specified	
BGP 17 PATIENT ED MENU	Patient Education Reports	
BGP 17 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 17 PTS W SCHED APPT	GPRA/GPRAMA Forecast Patient List	BGPZ PATIENT LISTS
BGP 17 PTS W/GPRA DATA	Selected Patients with GPRA measure Data	
BGP 17 REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 17 REPORTS MENU	Reports	
BGP 17 SEL ALL PATS	Selected Measures w/All Communities	
BGP 17 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 17 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 17 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 17 SYSTEM SETUP	System Setup	
BGP 17 TAX CHK ONM	Taxonomy Check-Other National Measures Report	
BGP 17 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report	
BGP 17 TAXONOMY CHECK	Taxonomy Check	
BGP 17 TAXONOMY REPORTS	Taxonomy Reports	
BGP 17 TAXONOMY SETUP	Taxonomy Setup	
BGP 17 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template	
BGP 17 UPLOAD FILES	Upload Report Files from Site	
BGP 17 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP 18 AREA DSH	National GPRA Dashboard	
BGP 18 AREA ELDER REPORT	AREA Elder Care Report	

Option Name	Description	KEY
BGP 18 AREA GP SUM ONLY	AREA National GPRA/GPRAMA Report Perf Summaries	
BGP 18 AREA GPRA	AREA National GPRA/GPRAMA Report-Includes GPRA Dev	
BGP 18 AREA GPU	AREA GPRA/GPRAMA Performance Report	
BGP 18 AREA MENU	Area Options	BGPZAREA
BGP 18 AREA ONM	AREA Other National Measures Report	
BGP 18 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 18 AUTO AREA PARAMS	Set up Area Automated Parameters	
BGP 18 AUTO EDIT CLIENT PARAM	Set up Automated GPRA Extract	
BGP 18 AUTO GPRA EXTRACT	Auto GPRA Extract	
BGP 18 AUTO HOST PARAMS	Set up Host (Area) Automated Parameters	
BGP 18 AUTO MANUALLY EXTRACT	Manually Run GPRA Extract	
BGP 18 AUTO PROC SITE FILES	Auto Process GPRA Extract Files	
BGP 18 AUTO PROC SITE MAN	Manually Run Area Aggregate of GPRA Extracts	
BGP 18 AUTO REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 18 AUTO SCHEDULE AREA	Schedule Auto Area File Aggregation	
BGP 18 COMPREHENSIVE PAT LIST	Comprehensive National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 18 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 18 DISPLAY ICARE TEXT	Display iCare Data Items	
BGP 18 ELDER REPORT	Elder Care Report	
BGP 18 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	

Option Name	Description	KEY
BGP 18 GPU GPRA PERFORMANCE	GPRA/GPRAMA Performance Report	
BGP 18 IPC LAB TAX REPORT	Lab Taxonomies-IPC Report	
BGP 18 IPC MED TAX RPT	Med Taxonomies-IPC Report	
BGP 18 IPC REPORT	IPC Measures Report	
BGP 18 IPC TAXONOMY CHECK	Taxonomy Check-IPC Report	
BGP 18 IPC TAXONOMY SETUP	Taxonomy Setup-IPC Report	
BGP 18 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 18 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 18 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 18 LAB TAX ONM	Lab Taxonomies-Other National Measures Report	
BGP 18 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 18 LIST FILES	List files in a directory	
BGP 18 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 18 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 18 MAIN MENU	CRS 2018	
BGP 18 MEASURES FORECAST CP	GPRA/GPRAMA Forecast Denominator Definitions	
BGP 18 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 18 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 18 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 18 MED TAX ONM	Med Taxonomies-Other National Measures Report	
BGP 18 MED TAX REPORT MENU	Medication Taxonomy Report	

Option Name	Description	KEY
BGP 18 MENU NATIONAL	National GPRA/GPRAMA Reports	
BGP 18 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 18 NATIONAL GPRA REPORT	National GPRA/GPRAMA Report	
BGP 18 NATIONAL GPRA SUM ONLY	National GPRA/GPRAMA Clinical Perf Summaries	
BGP 18 NATIONAL PAT LISTS	National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 18 NATL GPRA DESG PROV	National GPRA/GPRAMA Report by Designated Provider	
BGP 18 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 18 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 18 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 18 OTHER CMS REPORTS	Other CMS Reports	
BGP 18 OTHER NATIONAL LISTS	Other National Measures Report Patient List	BGPZ PATIENT LISTS
BGP 18 OTHER NATIONAL MEAS RPT	Other National Measures Report	
BGP 18 OTHER NTL RPTS MENU	Other National Reports	
BGP 18 PAT ED REPORT	Patient Education w/Community Specified	
BGP 18 PATIENT ED MENU	Patient Education Reports	
BGP 18 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 18 PTS W SCHED APPT	GPRA/GPRAMA Forecast Patient List	BGPZ PATIENT LISTS
BGP 18 PTS W/GPRA DATA	Selected Patients with GPRA measure Data	

Option Name	Description	KEY
BGP 18 REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 18 REPORTS MENU	Reports	
BGP 18 SEL ALL PATS	Selected Measures w/All Communities	
BGP 18 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 18 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 18 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 18 SYSTEM SETUP	System Setup	
BGP 18 TAX CHK ONM	Taxonomy Check-Other National Measures Report	
BGP 18 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report	
BGP 18 TAXONOMY CHECK	Taxonomy Check	
BGP 18 TAXONOMY REPORTS	Taxonomy Reports	
BGP 18 TAXONOMY SETUP	Taxonomy Setup	
BGP 18 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template	
BGP 18 UPLOAD FILES	Upload Report Files from Site	
BGP 18 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP FAC TO AREA RPT PERIOD	Run Area Annual Report for Export to Area	
BGP GPRA AREA REPORT	Run AREA GPRA Report (to be used at Area only)	BGPZAREA
BGP GPRA FAC TO AREA RPT	Run FY Report for Export to Area	
BGP GPRA LOCAL REPORT	Run GPRA Report for Local Use	
BGP GPRA UPLOAD FILE	Upload GPRA Data File from Site	BGPZAREA
BGP INDICATOR 32 TESTS	Enter/Edit Indicator 32 Lab Tests	
BGP TAXONOMY CHECK	Check for Taxonomies Required by the GRPA Report	

Option Name	Description	KEY
BGPGRPC	BGPG Application Context	
BGPMENU	IHS Clinical Reporting System (CRS) Main Menu	BGPZMENU

7.0 Security Keys

Table 2-1 provides the BGP security keys and their descriptions.

8.0 Archiving and Purging

There is no archiving and purging in this package.

9.0 Documentation Resources

This section describes a few methods to generate online technical documentation.

9.1 How to Generate Online Documentation

The file number range for this package is 90240, 90370, 90530–90539 and 90558–90599. The namespace is BGP. All templates, routines, screen forms, etc., begin with BGP.

This section describes some methods by which users can generate IHS RPMS CRS technical documentation. Online technical documentation pertaining to the IHS RPMS clinical reporting software can be generated through the use of several kernel options. This is in addition to that which is located in the help prompts and on the help screens throughout the IHS RPMS Clinical Reporting package. These include, but are not limited to, the sections that follow.

9.2 System Documentation

Online VPS system documentation can be generated through the use of several kernel options, including:

- %INDEX
- Menu Management
- Inquire Option
- Print Option File
- VA FileMan
- Data Dictionary Utilities
- List File Attributes

For more option listings and further information about other utilities that supply online technical information, see the Decentralized Hospital Computer Program (DHCP) Kernel Reference manual.

9.2.1 %INDEX

The %INDEX option analyzes the structure of a routine to determine, in part, if the routine adheres to RPMS programming standards. The output can include the following components:

- Compiled list of errors and warnings
- Routine listings

- Local variables
- Global variables
- Naked globals
- Label references
- External references

Running %INDEX for a specified set of routines allows users to discover any deviations from RPMS programming standards that exist, and to see how routines interact with one another (i.e., which routines call, or are called by, other routines).

To run %INDEX for the IHS RPMS Clinical Reporting package, specify the BGP namespace at the “Routine(s)?>” prompt.

9.2.2 Inquire Option

The Inquire menu management option provides the following information about a specified option:

- Option name
- Menu text
- Option description
- Type of option
- Lock (if any)

In addition, all items on the menu are listed for each menu option. To secure information about IHS RPMS Clinical Reporting options, the BGP namespace must be specified.

9.2.3 Print Option File

Note: The Print Option File utility generates a listing of options from the Option file (#19). It can print all entries, a single option, or range of options. For a list of IHS RPMS Clinical Reporting options, see Section 9.1.
There are no Published Entry Points for this application.

9.2.4 List File Attributes

This VA FileMan option allows users to generate documentation pertaining to files and file structure. The standard format of this option provides the following data dictionary information for a specified file:

- File name and description

- Identifiers
- Cross-references
- Files pointed to by the specified file
- Files that point to the specified file
- Input, print, and sort templates

In addition, the following applicable data is supplied for each field in the file:

- Field name, number, title, and description
- Global location
- Help prompt
- Cross-references
- Input transform
- Date last edited
- Notes

Using the Global Map format of this option generates an output that lists the following information:

- All cross references for the selected file
- Global location of each field in the file
- Input, print, and sort templates

For a comprehensive listing of CLINICAL files, see Section 4.0.

9.3 Online Help

In addition to system documentation, RPMS includes special help displays for most menu options and data entry prompts. Typing a question mark (?) at the Select Option prompt displays information related to the current option. Table 9-1 displays the options available.

Table 9-1: Online Help Options

Typing	Displays
A single question mark (?)	A list of all options accessible from the current option
Two question marks (??)	A list of all accessible options and their formal names
Three question marks (???)	A brief description for each option in a menu
A single question mark (?) followed by an option name (?OPTION)	Extended help, if available, for that option

10.0 SAC Requirements

This program uses a standard global for exporting data to the Area Office. The global is called ^BGPDATA (and is killed at the root level in various routines.)

The kill of these unsubscribed globals has been approved by the Standards and Conventions committee.

Glossary

Archiving

The storage of historical or little-used data off-line (often on tape.)

Cross Reference

An indexing method whereby files can include presorted lists of entries as part of the stored database. Cross references (x-refs) facilitate look-up and reporting.

Entry Point

A point within a routine that is referenced by a “DO” or “GOTO” command from a routine internal to a package.

File

A set of related records or entries treated as a single unit.

FileMan

The database management system for RPMS.

Global

In MUMPS, global refers to a variable stored on disk (global variable) or the array to which the global variable may belong (global array).

INDEX (%INDEX)

A kernel utility used to verify routines and other MUMPS code associated with a package. Checking is done according to current ANSI MUMPS standards and RPMS programming standards. This tool can be invoked through an option or from direct mode (>D ^%INDEX).

Kernel

The set of MUMPS software utilities that function as an intermediary between the host operating system and application packages, such as Laboratory and Pharmacy. The kernel provides a standard and consistent user and programmer interface between application packages and the underlying MUMPS implementation. These utilities provide the foundation for RPMS.

Menu

A list of choices for computing activity. A menu is a type of option designed to identify a series of items (other options) for presentation to the user for selection. When displayed, menu-type options are preceded by the word “Select” and followed by the word “option,” as in “Select Menu Management option:” (the menu’s select prompt.)

Namespace

A unique set of 2 to 4 alpha characters that are assigned to a software application by the database administrator.

Option

An entry in the Option file. As an item in a menu, an option provides an opportunity for users to select it, thereby invoking the associated computing activity. Options may also be scheduled to run in the background, non-interactively, by TaskMan.

Routine

A program or sequence of instructions called by a program that may have some general or frequent use. MUMPS routines are groups of program lines that are saved, loaded, and called as a single unit via a specific name.

Utility

A callable routine line tag or function. A universal routine usable by anyone.

Variable

A character or group of characters that refers to a value. MUMPS recognizes three types of variables: local variables, global variables, and special variables. Local variables exist in a partition of the main memory and disappear at signoff. A global variable is stored on disk, potentially available to any user. Global variables usually exist as parts of global arrays.

Acronym List

Acronym	Term Meaning
CRS	Clinical Reporting System
DHCP	Decentralized Hospital Computer Program
ICD	International Classification of Diseases
FIPS	Federal Information Processing Standards
FOIA	Freedom of Information Act
GPRA	Government Performance and Results Act
GPRAMA	GPRA Modernization Act
HHS	(Department of) Health and Human Services
ICD	International Classification of Diseases
IHS	Indian Health Service
ISC	Information System Coordinator
MUMPS	Massachusetts General Hospital (M) Utility Multi Programming System
OIT	Office of Information Technology
RPMS	Resource and Patient Management System
VPS	Volume Performance Standard

Contact Information

For questions or comments regarding this distribution, please contact the OIT Help Desk (IHS).

Phone: (888) 830-7280 (toll free)

Web: <http://www.ihs.gov/helpdesk/>

Email: support@ihs.gov