



RESOURCE AND PATIENT MANAGEMENT SYSTEM

# **Clinical Reporting System**

(BGP)

## **Technical Manual**

Version 20.0  
March 2020

Office of Information Technology  
Division of Information Resource Management

# Table of Contents

<b>1.0</b>	<b>Introduction.....</b>	<b>1</b>
1.1	Key Changes in v20.0.....	2
1.1.1	Logic Changes to National GPRA/GPRAMA Report Measures.....	2
1.1.2	Key Logic Changes to Non-GPRA Measures.....	5
1.1.3	Additional Key Enhancements and Revisions .....	5
<b>2.0</b>	<b>Implementation and Maintenance .....</b>	<b>6</b>
2.1	System Requirements .....	6
2.2	Security Keys.....	6
<b>3.0</b>	<b>Routines .....</b>	<b>7</b>
3.1	Routines with Description .....	7
<b>4.0</b>	<b>Files and Tables.....</b>	<b>26</b>
4.1	File List .....	26
4.2	File Access .....	27
4.3	Cross References .....	27
4.4	Table File.....	50
4.4.1	BGP Control File.....	50
4.4.2	BGP SITE PARAMETERS .....	55
4.4.3	FILE: BGP SUMMARY CATEGORIES.....	55
4.4.4	FILE: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS .....	56
4.4.5	FILE: BGP AREA AUTOMATED GPRA PARAMS .....	57
4.4.6	FILE: BGP GPRA FLAT FILE DATA .....	57
4.4.7	FILE: BGP 20 MEASURES .....	58
4.4.8	FILE: BGP 20 INDIVIDUAL MEASURES .....	61
4.4.9	FILE: BGP 20 NATIONAL PATIENT LISTS .....	63
4.4.10	FILE: BGP 20 SNOMED SUBSETS .....	64
4.4.11	FILE: BGP 20 TAXONOMIES.....	64
4.4.12	FILE: BGP 20 MEASURE GROUPS .....	65
4.4.13	FILE: BGP 20 ICARE GROUPS .....	65
4.4.14	FILE: BGP 20 ICARE CATEGORIES .....	66
4.4.15	FILE: BGP 20 GUI OUTPUT .....	66
4.4.16	FILE: BGP 20 ELDER INDIVIDUAL MEASURES .....	67
4.4.17	FILE: BGP 20 ELDER MEASURES .....	68
<b>5.0</b>	<b>External Relations .....</b>	<b>70</b>
5.1	External Calls .....	70
5.2	Callable Routines.....	99
5.3	Published Entry Points.....	99
5.4	Exported Options.....	100
<b>6.0</b>	<b>Internal Relations .....</b>	<b>105</b>
<b>7.0</b>	<b>Security Keys.....</b>	<b>106</b>

---

<b>8.0</b>	<b>Archiving and Purging .....</b>	<b>107</b>
<b>9.0</b>	<b>Documentation Resources .....</b>	<b>108</b>
9.1	How to Generate Online Documentation .....	108
9.2	System Documentation.....	108
9.2.1	%INDEX .....	108
9.2.2	Inquire Option .....	109
9.2.3	Print Option File.....	109
9.2.4	List File Attributes .....	109
9.3	Online Help.....	110
<b>10.0</b>	<b>SAC Requirements and Exemptions .....</b>	<b>111</b>
	<b>Glossary.....</b>	<b>112</b>
	<b>Acronym List .....</b>	<b>114</b>
	<b>Contact Information .....</b>	<b>115</b>

## Revision History

Version	Date	Author	Section	Page Number	Summary of Change
1.0	August 2005	Lori Butcher			Initial version
8.0	August 2008	Lori Butcher			Updated to include changes to the logic descriptions and performance measures for FY 2008 and reformatted
9.0	June 2009	Lori Butcher			Updated for version 9.0
10.0	May 2010	Lori Butcher			Updated for version 10.0
11.0	January 2011	Lori Butcher			Updated for version 11.0
11.1	May 2011	Lori Butcher			Updated for version 11.1
12.0	December 2011	Lori Butcher			Updated for version 12.0
12.1	April 2012	Lori Butcher			Updated for version 12.1
13.0	November 2012	Lori Butcher			Updated for version 13.0
14.0	November 2013	Lori Butcher			Updated for version 14.0
14.1	May 2014	Lori Butcher			Updated for version 14.1
15.0	November 2014	Lori Butcher			Updated for version 15.0
15.1	May 2015	Lori Butcher			Updated for version 15.1
16.0	November 2015	Lori Butcher			Updated for version 16.0
16.1	February 2016	Lori Butcher			Updated for version 16.1
17.0	September 2016	Lori Butcher			Updated for version 17.0
17.1	March 2017	Lori Butcher			Updated for version 17.1
18.0	October 2017	Lori Butcher			Updated for version 18.0
18.1	June 2018	Lori Butcher			Updated for version 18.1
19.0	December 2019	Lori Butcher			Updated for version 19.0
19.1	May 2019	Lori Butcher			Updated for version 19.1
20.0	March 2020	Lori Butcher			Updated for version 20.0

## Preface

This manual contains the technical manual for the Clinical Reporting System (CRS) v20.0, which adds fiscal year (FY) 2020 clinical performance measures to existing FY 2002 through FY 2019 measures.

## 1.0 Introduction

This manual provides Indian Health Service (IHS) site managers with a technical description of the Clinical Reporting System (CRS) routines, files, menus, cross references, globals, and other necessary information required to effectively manage the system.

All routines, files, options, and keys have a namespace starting with the letters “BGP.”

The file number range for this package is 90240, 90370–90564, 90530–90539, and 90558–90599.

The Government Performance and Results Act (GPRA) requires federal agencies to report annually on how the agency measured against the performance targets set in its annual plan. The IHS GPRA measures include clinical prevention and treatment, quality of care, infrastructure, and administrative efficiency functions.

The IHS CRS is a Resource and Patient Management System (RPMS) software application designed for national reporting, as well as Area Office and local monitoring of clinical GPRA and developmental measures. CRS was first released for FY 2002 performance measures (as GPRA+) and is based on a design by the Aberdeen Area Office (GPRA2000).

This manual provides technical information for the CRS v20.0. Version 20.0 adds FY 2020 clinical performance measures to existing FY 2002 through FY 2019 measures.

CRS is the reporting tool used by the IHS Office of Planning and Evaluation to collect and report clinical performance results annually to the Department of Health and Human Services (HHS) and to Congress.

Each year, an updated version of CRS software is released to reflect changes in the logic descriptions of the different denominators and numerators. Additional performance measures may also be added. Local facilities can run reports as often as they want and can also use CRS to transmit data to their Area Office. The Area Office can use CRS to produce an aggregated Area Office report for either annual GPRA or Area Office director performance reports.

CRS produces reports on demand from local RPMS databases for both GPRA and developmental clinical performance measures that are based on RPMS data, thus eliminating the need for manual chart audits for evaluating and reporting clinical measures.

To produce reports with comparable data across every facility, the GPRA measures definitions were translated into programming code with the assistance of clinical subject matter experts. CRS uses predefined taxonomies to find data items in the RPMS Patient Care Component to determine if a patient meets the performance measure criteria. Taxonomies contain groups of codes (e.g., diagnoses or procedures) or site-specific terms. Each performance measure topic has one or more defined denominators and numerators.

Administrative and clinical users can review individual or all measures at any time to:

- Identify potential data issues in their RPMS; for example, missing or incorrect data.
- Monitor their site's performance against past national performance and upcoming agency goals.
- Identify specific areas where the facility is not meeting the measure in order to initiate business process or other changes.
- Quickly measure impact of process changes on performance measures.
- Identify IHS Area Offices meeting or exceeding measures to provide lessons learned.

Users of the RPMS CRS include:

- Area Office and site quality improvement staff
- Compliance officers
- GPRA coordinators
- Clinical staff, such as physicians, nurses, nurse practitioners, and other providers
- Area Office directors
- Any staff involved with quality assurance initiatives
- Staff who run the various CRS reports

## 1.1 Key Changes in v20.0

### 1.1.1 Logic Changes to National GPRA/GPRAMA Report Measures

- GPRA Developmental Measures:
  - Added the following new GPRA Developmental measures:
    - Adult Immunizations – PPSV23/PCV13 combos for high risk patients and patients 65 and older
    - HIV Screening – User Population patients age 13 through 64 with HIV diagnosis ever and first HIV diagnosis during the report period

- Hepatitis C Screening – User Population patients age 13 through 64 with Hepatitis C diagnosis ever and first Hepatitis C diagnosis during the report period
- Removed the following GPRA Developmental measures:
  - Adult Immunizations – combo measures that included one Zoster ever
- Updated codes and/or logic in the following measures: Access to Dental Service; Adult Immunizations; Adolescent Immunizations; Substance Use Disorder (SUD) in Women of Childbearing Age; Weight Assessment and Counseling for Nutrition and Physical Activity; Physical Activity Assessment; Appropriate Medication Therapy After a Heart Attack; HIV Quality of Care; Hepatitis C Screening; Chlamydia Testing; Proportion of Days Covered by Medication Therapy.
- Statin Therapy to Reduce Cardiovascular Disease Risk in Patients with Diabetes:
  - Updated breastfeeding definition to include SNOMED data set and Lactation Status of "Lactating" in Reproductive Factors file.
  - Updated 40 through 75 with DM denominator to only include those with LDL equal to 70 through 189.
  - Updated ASCVD definition to align more with eCQM measure.
  - Changed select denominator exclusions to denominator exceptions to align with eCQM measure.
  - Updated denominator exceptions to align with eCQM measure.
- Adult Immunizations:
  - Added CVX 196 to Td definition.
  - Updated age ranges to 19 through 49 and 50 through 64.
  - Updated Zoster logic to Zostavax in the past 5 years and the two Shingrix need to be at least 2 months apart.
  - Removed PCV13 from Pneumo measures.
  - Added PCV13 in the past year as a contraindication to PPSV23.
  - Removed several measures.
- Childhood Immunizations:
  - Added CVX 196 to Td definition.
- Tobacco Use and Exposure Assessment:
  - Changed Electronic Nicotine Delivery Systems (ENDS) topic to E-Cigarettes.
  - Removed Current ENDS user health factor and added Current E-cigarette user w/nicotine and Current E-cig user w/other substance(s).
  - Updated ICD-10 codes for patient education logic in Tobacco Screening definition.



- Updated SNOMED codes for patient education logic in Tobacco Screening definition.
- Updated SNOMED data sets PXR M BGP TOBACCO SCREENED and PXR M BGP CURRENT TOBACCO.
- Tobacco Cessation:
  - Changed Electronic Nicotine Delivery Systems (ENDS) topic to E-Cigarettes.
  - Removed Current ENDS user health factor and added Current E-cigarette user w/nicotine and Current E-cig user w/other substance(s).
  - Updated SNOMED data set PXR M BGP TOBACCO TOPICS.
  - Updated ICD-10 codes for patient education logic in Tobacco Screening definition.
- Alcohol Screening:
  - Added ICD-10 codes F10.1\*, F10.20, F10.220 through F10.29, F10.920 through F10.982, F10.99, G62.1 to Alcohol-related Patient Education definition.
  - Updated SNOMED codes for Alcohol-related Patient Education definition.
- Screening, Brief Intervention, and Referral to Treatment (SBIRT):
  - Added SNOMED code 408947007 to patient education logic for BNI definition.
- Intimate Partner (Domestic) Violence Screening:
  - Added ICD-10 codes T74.11XA, T74.21XA, T74.31XA, T74.91XA, T76.11XA, T76.21XA, T76.31XA, T76.91XA, Z91.410 to IPV/DV patient education definition.
  - Updated SNOMED codes for IPV/DV patient education definition.
- Depression Screening:
  - Added ICD-10 Z13.3\* to depression screening logic.
- Statin Therapy for the Prevention and Treatment of Cardiovascular Disease:
  - Updated breastfeeding definition to include SNOMED data set and Lactation Status of "Lactating" in Reproductive Factors file.
  - Updated 40 through 75 with DM denominator to only include those with LDL equal to 70 through 189.
  - Updated ASCVD definition to align more with eCQM measure.
  - Changed select denominator exclusions to denominator exceptions to align with eCQM measure.
  - Updated denominator exceptions to align with eCQM measure.

### 1.1.2 Key Logic Changes to Non-GPRA Measures

For key logic changes to non-GPRA measures, please refer to the *CRS 2020 (Version 20.0) Selected Measures Report Performance Measure List and Definitions* document located on the CRS Web site:

[https://www.ihs.gov/sites/crs/themes/responsive2017/display\\_objects/documents/crsv20/SelectedMeasuresV200.pdf](https://www.ihs.gov/sites/crs/themes/responsive2017/display_objects/documents/crsv20/SelectedMeasuresV200.pdf).

### 1.1.3 Additional Key Enhancements and Revisions

- Removed Patient Education Reports and moved some measures to the Selected Measures Report.
- Updated the following IPC measures: Diabetes Comprehensive Care, Adolescent Immunizations, Adult Immunizations.

## 2.0 Implementation and Maintenance

The Clinical Reporting System occupies the BGP namespace. Options, security locks/keys, templates, routines, and globals have the namespace BGP.

**Note:** This version of the CRS (v.20.0) only contains the 2020 files, options, routines, templates, etc. This was done at the request of the verification staff due to the size of this package. V19.1 is a requirement to install v20.0. Please see the technical manual for previous versions for information about all previous versions.

### 2.1 System Requirements

- Kernel v8.0 patch 1018 (XU\*8.0\*1018) or later
- FileMan v22.0 patch 1018 (DI\*22.0\*1018) or later
- IHS Clinical Reporting System version 19.1 through patch 3 must be installed (bgp\_1910.03k).
- Taxonomy v5.1 patch 32 must be installed (atx\_0510.32k).

### 2.2 Security Keys

Table 2-1 provides security key information.

Table 2-1: Security key names, descriptive names, and descriptions

Name	Descriptive Name	Description
BGPZAREA	BGP AREA REPORT	This key unlocks the area report options on the main BGPMENU. This key should only be assigned at the Area Office level.
BGPZMENU	BGP MAIN MENU-CRS	This key unlocks the main CRS menu. It should be assigned to all users who need to run GPRA/CRS reports.
BGPZ PATIENT LISTS	BGP PATIENT LISTS	This key allows the holder to obtain patient lists. The patient lists contain sensitive patient/clinical information. This key should only be given to those users who have a need for such information.
BGPZ SITE PARAMETERS	BGP SITE PARAMETERS	This key should be given to those with authority to update the site parameters.
BGPZ TAXONOMY EDIT	BGP TAXONOMY EDIT	This key should be given only to users who need to update taxonomies.

## 3.0 Routines

This section includes Table 3-1, which lists BGP routines and their descriptions.

Please note that the only routines distributed in v20.0 are the BGPO\* routines. Previous versions of CRS contain the other routines. This was done at the request of the verification staff and is due to the large size of the build.

### 3.1 Routines with Description

Table 3-1 provides a list of routines with comprehensive descriptions of the functions.

Table 3-1: BGP Routines

Routine	Description
BGPO1	IHS/CMI/LAB-CREATED BY ^ATXSTX ON DEC 17, 2019
BGPO1A	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 20, 2019
BGPO1B	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 20, 2019
BGPO1C	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 20, 2019
BGPO1D	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1D2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1D3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1E	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1E2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1E3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1E4	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1E5	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1E6	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1E7	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1E8	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1E9	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1F	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1F2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1F3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G10	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G11	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G12	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G13	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G14	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G15	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G16	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G17	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019

<b>Routine</b>	<b>Description</b>
BGPO1G18	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G19	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G20	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G21	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G22	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G23	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G24	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G25	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G26	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G27	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G28	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G29	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G30	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G31	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G32	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G33	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G34	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G35	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G36	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G37	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G38	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G39	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G4	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G40	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G41	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G42	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G43	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G44	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G45	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G46	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G47	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G48	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G49	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G5	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G50	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G51	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G52	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G53	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G54	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019

<b>Routine</b>	<b>Description</b>
BGPO1G55	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G56	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G57	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G58	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G59	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G6	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G60	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G61	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G62	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G63	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G64	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G65	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G66	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G67	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G68	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G69	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G7	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G70	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G71	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G72	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G73	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G74	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G75	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G76	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G77	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G78	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G79	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G8	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1G9	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H10	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H11	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H12	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H13	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H14	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H15	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H16	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H17	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H18	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H19	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019

<b>Routine</b>	<b>Description</b>
BGPO1H20	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H21	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H22	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H23	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H24	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H25	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H26	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H27	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H28	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H29	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H30	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H31	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H32	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H33	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H34	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H35	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H36	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H37	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H38	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H39	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H4	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H40	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H41	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H42	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H43	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H44	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H45	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H46	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H47	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H48	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H49	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H5	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H50	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H51	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H52	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H53	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H54	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H55	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H56	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H57	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019

<b>Routine</b>	<b>Description</b>
BGPO1H58	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H59	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H6	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H60	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H61	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H62	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H63	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H64	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H7	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H8	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1H9	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I10	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I11	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I12	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I13	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I14	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I15	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I16	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I17	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I18	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I19	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I20	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I4	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I5	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I6	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I7	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I8	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1I9	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1J	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1J2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1K	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1K2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1L	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1L2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1L3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1M	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1M2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1N	IHS/CMI/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019



<b>Routine</b>	<b>Description</b>
BGPO1O	IHS/CM/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1O2	IHS/CM/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1P	IHS/CM/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1Q	IHS/CM/LAB-CREATED BY ^ATXSTX ON NOV 26, 2019
BGPO1R	IHS/CM/LAB-CREATED BY ^ATXSTX ON DEC 17, 2019
BGPO1S	IHS/CM/LAB-CREATED BY ^ATXSTX ON DEC 17, 2019
BGPOALG	IHS/CM/LAB - measure AHR.A
BGPOALG1	IHS/CM/LAB - measure AHR.A
BGPOALG2	IHS/CM/LAB - measure AHR.A
BGPOASL	IHS/CM/LAB - DISPLAY IND LISTS
BGPOASL1	IHS/CM/LAB - DISPLAY IND LISTS
BGPOAU1A	IHS/CM/LAB - BUILD CRS* FILES
BGPOAU1D	IHS/CM/LAB - GPRA FLAT FILE DATA DUMP
BGPOAU1M	IHS/CM/LAB - SEND MAIL MESSAGE
BGPOAU1R	IHS/CM/LAB - READ, PROCESS GPRA FILE
BGPOAUEX	IHS/CM/LAB - BUILD SITE GPRA FILES, EXPORT TO AREA
BGPOAUUL	IHS/CM/LAB - AREA UPLOAD
BGPOAUUP	IHS/CM/LAB - UPLOAD SITE FILES, CREATE EXCEL FILES
BGPOBAN	IHS/CM/LAB - BANNER FOR CRS
BGPOC11	IHS/CM/LAB - calc CMS measures 02 Jul 2010 8:31 AM
BGPOC13	IHS/CM/LAB - calc CMS measures 26 Sep 2004 11:28 AM
BGPOCON	IHS/CM/LAB - measure AHR.A
BGPOCON1	IHS/CM/LAB - measure logic
BGPOCTL	IHS/CM/LAB - DISPLAY IND LISTS
BGPOCTS	IHS/CM/LAB - display ind lists
BGPOCU	IHS/CM/LAB - calc cms measures
BGPOCU1	IHS/CM/LAB - calc CMS measures
BGPOD1	IHS/CM/LAB - CALC MEASURES
BGPOD10	IHS/CM/LAB - calc measures
BGPOD2	IHS/CM/LAB - measure 1,2,3,4
BGPOD21	IHS/CM/LAB - measure 6
BGPOD211	IHS/CM/LAB - measure 6 19 Sep 2014 8:12 AM
BGPOD212	IHS/CM/LAB - measure 6 19 Sep 2014 8:12 AM
BGPOD213	IHS/CM/LAB - measure 6 13 Aug 2015 6:58 AM
BGPOD214	IHS/CM/LAB - measure 6 19 Sep 2014 8:12 AM
BGPOD21A	IHS/CM/LAB - measure 6
BGPOD22	IHS/CM/LAB - measure I2
BGPOD24	IHS/CM/LAB - sti measure
BGPOD24A	IHS/CM/LAB - sti measure
BGPOD25	IHS/CM/LAB - MEASURE
BGPOD26	IHS/CM/LAB - MEASURE LOGIC

<b>Routine</b>	<b>Description</b>
BGPOD27	IHS/CFI/LAB - measure I2
BGPOD28	IHS/CFI/LAB - measure I2
BGPOD3	IHS/CFI/LAB - MEASURE LOGIC
BGPOD31	IHS/CFI/LAB - MEASURE LOGIC
BGPOD32	IHS/CFI/LAB - MEASURE LOGIC
BGPOD33	IHS/CFI/LAB - measure C
BGPOD34	IHS/CFI/LAB - measure C
BGPOD341	IHS/CFI/LAB - measure C
BGPOD35	IHS/CFI/LAB - MEASURE LOGIC
BGPOD36	IHS/CFI/LAB - MEASURE IMM LOGIC
BGPOD37	IHS/CFI/LAB - IMMUNIZATIONS
BGPOD38	IHS/CFI/LAB - IMMUNIZATIONS
BGPOD39	IHS/CFI/LAB - measure C
BGPOD3A	IHS/CFI/LAB - MEASURE LOGIC
BGPOD3B	IHS/CFI/LAB - PNEUMO REMINDER
BGPOD3C	IHS/CFI/LAB - VARIOUS UTILS
BGPOD4	IHS/CFI/LAB - MEASURE LOGIC 3
BGPOD41	IHS/CFI/LAB - measure 3
BGPOD42	IHS/CFI/LAB - measure 11
BGPOD5	IHS/CFI/LAB - measure calc
BGPOD51	IHS/CFI/LAB - measure I2 26 Mar 2015 10:09 AM
BGPOD52	IHS/CFI/LAB - measure 31
BGPOD53	IHS/CFI/LAB - measure calc
BGPOD54	IHS/CFI/LAB - measure calc 02 Jul 2010 8:08 AM
BGPOD55	IHS/CFI/LAB - measure calc
BGPOD5A	IHS/CFI/LAB - measure calc
BGPOD6	IHS/CFI/LAB - measure 31
BGPOD62	IHS/CFI/LAB - MEASURE 31
BGPOD64	IHS/CFI/LAB - measure 31 01 Jul 2010 7:47 PM
BGPOD7	IHS/CFI/LAB - measure 31 06 Nov 2014 2:31 PM
BGPOD71	IHS/CFI/LAB - measure C
BGPOD711	IHS/CFI/LAB - measure C 30 Jun 2010 12:14 PM
BGPOD712	IHS/CFI/LAB - TOBACCO HF
BGPOD713	IHS/CFI/LAB - measure 31
BGPOD714	IHS/CFI/LAB - measure 6
BGPOD715	IHS/CFI/LAB - measure 6
BGPOD72	IHS/CFI/LAB - measure 31
BGPOD721	IHS/CFI/LAB - measure AHR.A
BGPOD722	IHS/CFI/LAB - measure MEDS
BGPOD723	IHS/CFI/LAB - measure AHR.A
BGPOD724	IHS/CFI/LAB - CONTRA (CONT)

<b>Routine</b>	<b>Description</b>
BGPOD729	IHS/CM/LAB - measure AHR.A
BGPOD73	IHS/CM/LAB - measure 31
BGPOD731	IHS/CM/LAB - measure AHR.A
BGPOD732	IHS/CM/LAB - measure AHR.A
BGPOD74	IHS/CM/LAB - MEASURE LOGIC
BGPOD75	IHS/CM/LAB - measure 31
BGPOD76	IHS/CM/LAB - MEASURE LOGIC
BGPOD8	IHS/CM/LAB - measure C 11 Feb 2019 3:35 PM
BGPOD81	IHS/CM/LAB - measure C 17 Oct 2014 8:51 AM
BGPOD811	IHS/CM/LAB - PCR, MMR
BGPOD812	IHS/CM/LAB - measure C 03 Jul 2010 7:05 AM 21
BGPOD82	IHS/CM/LAB - measure C 14 Mar 2010 11:49 AM
BGPOD83	IHS/CM/LAB - measure C 07 Jan 2019 11:45 AM
BGPOD84	IHS/CM/LAB - measure C
BGPOD841	IHS/CM/LAB - measure C
BGPOD85	IHS/CM/LAB - measure C 09 Jun 2019 5:18 PM
BGPOD86	IHS/CM/LAB - measure C 06 Nov 2009 2:26 PM
BGPOD861	IHS/CM/LAB - measure C
BGPOD862	IHS/CM/LAB - measure C
BGPOD863	IHS/CM/LAB - measure C
BGPOD864	IHS/CM/LAB - measure C
BGPOD87	IHS/CM/LAB - measure calc 01 Nov 2014 2:35 PM
BGPOD88	IHS/CM/LAB - measure C 03 Jul 2010 7:05 AM
BGPOD89	IHS/CM/LAB - measure C 03 Jul 2010 7:05 AM
BGPOD9	IHS/CM/LAB - measure J
BGPOD91	IHS/CM/LAB - MEASURE LOGIC
BGPODADB	IHS/CM/LAB - MEASURE LOGIC
BGPODAP	IHS/CM/LAB - GPRA AREA DRIVER
BGPODAR	IHS/CM/LAB - GPRA AREA REPORT
BGPODBPR	IHS/CM/LAB - IHS gpra print 03 Jul 2010 6:26 AM
BGPODCEI	IHS/CM/LAB - calculate HEDIS measures
BGPODCI	IHS/CM/LAB - AREA GPRA
BGPODCL	IHS/CM/LAB - national patient list 20 Dec 2004 9:24 AM
BGPODCLD	IHS/CM/LAB - IHS gpra print
BGPODCLP	IHS/CM/LAB - IHS gpra print
BGPODEL	IHS/CM/LAB - GPRA REPORT DRIVER
BGPODELA	IHS/CM/LAB - GPRA REPORT
BGPODELP	IHS/CM/LAB - IHS HEDIS print
BGPODESI	IHS/CM/LAB - DISPLAY IND LISTS
BGPODESL	IHS/CM/LAB - IHS 2020 DISPLAY IND LISTS
BGPODGPA	IHS/CM/LAB - ihs area GPRA 02 Sep 2004 1:11 PM

<b>Routine</b>	<b>Description</b>
BGPODGPU	IHS/CMI/LAB - IHS AREA CLIN 05 REPORT DRIVER
BGPODH	IHS/CMI/LAB - HEADER
BGPODH1	IHS/CMI/LAB - COVER PAGE
BGPODH2	IHS/CMI/LAB - COVER PAGE
BGPODHSL	IHS/CMI/LAB - IHS 2020 DISPLAY IND LISTS
BGPODICR	IHS/CMI/LAB - ICARE LIST
BGPODL	IHS/CMI/LAB - LOCAL COM REPORT
BGPODLT	IHS/CMI/LAB - national patient list 20 Dec 2004 9:24 AM
BGPODMT	IHS/CMI/LAB - NATIONAL LIST
BGPODNDB	IHS/CMI/LAB - NATIONAL EXPORT
BGPODNE1	IHS/CMI/LAB - NATL COMP
BGPODNG	IHS/CMI/LAB - NATL COM EXPORT
BGPODNGP	IHS/CMI/LAB - NATL RPT PRT
BGPODNGS	IHS/CMI/LAB - NATL COMP EXPORT 13 Nov 2006 12:31 PM
BGPODP	IHS/CMI/LAB - IHS gpri print 03 Jul 2010 6:26 AM
BGPODP1	IHS/CMI/LAB - print ind 1 21 Mar 2010 12:55 PM
BGPODP11	IHS/CMI/LAB - print ind 1
BGPODP12	IHS/CMI/LAB - print ind 19 AGE DIST
BGPODP13	IHS/CMI/LAB - print ind 19 AGE DIST 02 Feb 2019 1:14 PM
BGPODP14	IHS/CMI/LAB - print ind 19 AGE DIST
BGPODP19	IHS/CMI/LAB - print ind 1 03 Jul 2010 7:40 AM
BGPODP1A	IHS/CMI/LAB - print ind 19 AGE DIST 02 Feb 2019 1:14 PM
BGPODP1C	IHS/CMI/LAB - print ind 1 21 Mar 2010 12:55 PM
BGPODP1D	IHS/CMI/LAB - print ind
BGPODP1E	IHS/CMI/LAB - PRINT IND
BGPODP1F	IHS/CMI/LAB - PRINT IND
BGPODP1G	IHS/CMI/LAB - print ind 1
BGPODP1H	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPODP1I	IHS/CMI/LAB - print ind 1
BGPODP1J	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPODP1K	IHS/CMI/LAB - print ind 1
BGPODP1L	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPODP1O	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPODP1S	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPODP1T	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPODP2	IHS/CMI/LAB - print ind 10 02 Jul 2010 9:25 AM
BGPODP3	IHS/CMI/LAB - print ind 1
BGPODP4	IHS/CMI/LAB - print ind 31
BGPODP5	IHS/CMI/LAB - print ind H
BGPODP50	IHS/CMI/LAB - print ind H
BGPODP51	IHS/CMI/LAB - print ind H

<b>Routine</b>	<b>Description</b>
BGPODP6	IHS/CM/LAB - print ind H
BGPODP60	IHS/CM/LAB - print ind H 02 Feb 2019 1:59 PM
BGPODP7	IHS/CM/LAB - print ind 10
BGPODP8	IHS/CM/LAB - print ind H
BGPODPA	IHS/CM/LAB - FORECAST
BGPODPA1	IHS/CM/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGPODPA2	IHS/CM/LAB - FORECAST
BGPODPA4	IHS/CM/LAB - FORECAST
BGPODPAP	IHS/CM/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGPODPAW	IHS/CM/LAB - FORECAST PRINT
BGPODPH	IHS/CM/LAB - AREA REPORT HEADER 01 Jul 2010 7:54 PM
BGPODPP	IHS/CM/LAB - PP REPORT
BGPODS	IHS/CM/LAB - IHS gpra print
BGPODSI	IHS/CM/LAB - DISPLAY IND LISTS
BGPODSL	IHS/CM/LAB - IHS 2020 DISPLAY IND LISTS
BGPODSP	IHS/CM/LAB - SUM PAGE
BGPODSPD	IHS/CM/LAB - IHS summary page
BGPODSPN	IHS/CM/LAB - IHS summary page
BGPODSPO	IHS/CM/LAB - SUM P AGE
BGPODSTM	IHS/CM/LAB - national patient list
BGPODU	IHS/CM/LAB - gpra utility calls
BGPOEL10	IHS/CM/LAB - print ind 1
BGPOEL11	IHS/CM/LAB - print ind 1 20 Jan 2019 4:41 PM
BGPOEL12	IHS/CM/LAB - print ind
BGPOEL13	IHS/CM/LAB - print ind 1
BGPOEL14	IHS/CM/LAB - print ind 1
BGPOEL15	IHS/CM/LAB - print ind 1
BGPOEL16	IHS/CM/LAB - print ind 1
BGPOEL17	IHS/CM/LAB - print ind 1
BGPOEL18	IHS/CM/LAB - print ind 1
BGPOEL19	IHS/CM/LAB - print ind 1
BGPOEL1A	IHS/CM/LAB - print ind 1
BGPOEL1B	IHS/CM/LAB - ELDER
BGPOEL1C	IHS/CM/LAB - ELDER
BGPOEL1D	IHS/CM/LAB - print ind 1
BGPOEL1E	IHS/CM/LAB - print ind 1
BGPOEL1F	IHS/CM/LAB - print ind 1
BGPOEL1G	IHS/CM/LAB - ELDER CALC
BGPOEL1H	IHS/CM/LAB - print ind 1
BGPOEL1I	IHS/CM/LAB - print ind 1
BGPOEL1J	IHS/CM/LAB - print ind 1 05 Feb 2019 1:41 PM

<b>Routine</b>	<b>Description</b>
BGPOEL1K	IHS/CM/LAB - print ind 1
BGPOEL1L	IHS/CM/LAB - print ind 1
BGPOEL1M	IHS/CM/LAB - print ind 1
BGPOEL1N	IHS/CM/LAB - print ind 1
BGPOEL1O	IHS/CM/LAB - print ind 1
BGPOEL1P	IHS/CM/LAB - print ind 01 Jul 2010 7:55 PM
BGPOEL1Q	IHS/CM/LAB - print ind 05 Feb 2019 9:01 AM
BGPOEL1R	IHS/CM/LAB - print ind
BGPOEL1S	IHS/CM/LAB - print ind 1
BGPOEL1T	IHS/CM/LAB - print ind 1
BGPOEL2	IHS/CM/LAB - measure 1,2,3,4
BGPOEL3	IHS/CM/LAB - ELDER MEASURES
BGPOEL31	IHS/CM/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM
BGPOEL4	IHS/CM/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM
BGPOELH	IHS/CM/LAB - cover page for ELDER 25 Jun 2010 10:20 AM
BGPOELHH	IHS/CM/LAB - cover page for ELDER 25 Jun 2010 10:20 AM
BGPOELL	IHS/CM/LAB - IHS gpra print 01 Jul 2010 7:56 PM
BGPOELL1	IHS/CM/LAB - print ind 1 20 Jan 2017 4:52 PM
BGPOELL2	IHS/CM/LAB - print ind 20 Jan 2017 4:41 PM
BGPOELL3	IHS/CM/LAB - print ind
BGPOELL4	IHS/CM/LAB - print ind 20 Jan 2017 4:36 PM
BGPOELL5	IHS/CM/LAB - print ind
BGPOELL6	IHS/CM/LAB - print ind
BGPOELL7	IHS/CM/LAB - print ind 03 Feb 2017 4:55 PM
BGPOELL8	IHS/CM/LAB - print ind
BGPOELL9	IHS/CM/LAB - print ind
BGPOELLA	IHS/CM/LAB - print ind 20 Jan 2017 4:46 PM
BGPOELLB	IHS/CM/LAB - print ind 20 Jan 2017 4:48 PM
BGPOELLC	IHS/CM/LAB - print ind
BGPOELLD	IHS/CM/LAB - print ind
BGPOELLE	IHS/CM/LAB - print ind 03 Feb 2017 10:05 AM
BGPOELLF	IHS/CM/LAB - print ind
BGPOELLG	IHS/CM/LAB - print ind
BGPOELLH	IHS/CM/LAB - print ind 07 Jun 2017 4:19 PM
BGPOELLI	IHS/CM/LAB - print ind 25 Mar 2017 6:57 PM
BGPOELLJ	IHS/CM/LAB - print ind
BGPOELLK	IHS/CM/LAB - print ind
BGPOELLL	IHS/CM/LAB - print ind 05 Feb 2017 9:00 AM
BGPOELLM	IHS/CM/LAB - print ind
BGPOELLN	IHS/CM/LAB - print ind 1
BGPOELLO	IHS/CM/LAB - print ind

<b>Routine</b>	<b>Description</b>
BGPOELLP	IHS/CM/LAB - print ind
BGPOELLQ	IHS/CM/LAB - print ind
BGPOELLR	IHS/CM/LAB - print ind
BGPOELLS	IHS/CM/LAB - print ind 01 Jul 2010 7:56 PM 20 May 2017 4:45 PM
BGPOELLT	IHS/CM/LAB - print ind
BGPOELLU	IHS/CM/LAB - print ind
BGPOELLV	IHS/CM/LAB - print ind
BGPOELLW	IHS/CM/LAB - print ind
BGPOELLX	IHS/CM/LAB - print ind 30 Jun 2017 10:24 AM
BGPOELP1	IHS/CM/LAB - print ind 1
BGPOELS	IHS/CM/LAB - IHS gpra print
BGPOELSL	IHS/CM/LAB - IHS gpra print
BGPOETL	IHS/CM/LAB - DISPLAY IND LISTS
BGPOEUTL	IHS/CM/LAB -
BGPOGACW	IHS/CM/LAB - AREA NATIONAL GPRA REPORT 01 Jul 2010 7:57 PM
BGPOGADB	IHS/CM/LAB - AREA NATIONAL GPRA REPORT
BGPOGAEL	IHS/CM/LAB - AREA NATIONAL GPRA REPORT
BGPOGAG9	IHS/CM/LAB - AREA NATIONAL GPRA REPORT
BGPOGAGP	IHS/CM/LAB - AREA NATIONAL GPRA REPORT
BGPOGAGS	IHS/CM/LAB - AREA NATIONAL GPRA REPORT
BGPOGAHE	IHS/CM/LAB - AREA NATIONAL GPRA REPORT
BGPOGALL	IHS/CM/LAB - GUI COM REPORT
BGPOGAON	IHS/CM/LAB - AREA OTHER NATIONAL MEASURES GPRA REPORT
BGPOGAPE	IHS/CM/LAB - AREA NATIONAL GPRA REPORT
BGPOGAPU	IHS/CM/LAB - AREA NATIONAL GPRA REPORT
BGPOGCMP	IHS/CM/LAB - CRS
BGPOGCMS	IHS/CM/LAB - GUI CMS REPORT 27 Apr 2010 10:30 PM
BGPOGCOM	IHS/CM/LAB - GUI COM REPORT
BGPOGDON	IHS/CM/LAB - GUI Other National Measurer Report
BGPOGDSH	IHS/CM/LAB - GPRA DASHBOARD GUI
BGPOGELD	IHS/CM/LAB - GUI COM REPORT
BGPOGFO9	IHS/CM/LAB - GUI Patient Forecast Report
BGPOGFOR	IHS/CM/LAB - GUI Patient Forecast Report
BGPOGGPU	IHS/CM/LAB - CRS
BGPOGHED	IHS/CM/LAB - CRS
BGPOGIPC	IHS/CM/LAB - GUI COM REPORT
BGPOGLHW	IHS/CM/LAB - CRS
BGPOGLST	IHS/CM/LAB - GUI CMS REPORT
BGPOGLTX	IHS/CM/LAB - CRS

<b>Routine</b>	<b>Description</b>
BGPOGM	IHS/CM/LAB - BPGG Visual CRS Reports
BGPOGMTX	IHS/CM/LAB - CRS
BGPOGMUE	IHS/CM/LAB - GUI MU EP REPORT
BGPOGMUH	IHS/CM/LAB - GUI MU HOS REPORT
BGPOGNPL	IHS/CM/LAB - CRS 26 Mar 2010 5:09 PM
BGPOGNST	IHS/CM/LAB - CRS
BGPOGNT9	IHS/CM/LAB - CRS 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM
BGPOGNTL	IHS/CM/LAB - CRS 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM
BGPOGNTP	IHS/CM/LAB - BGP 20 DESIGNATED PROVIDER REPORT
BGPOGNTS	IHS/CM/LAB - CRS 27 Apr 2010 10:56 PM 13 Dec 2006 7:35 AM
BGPOGNXP	IHS/CM/LAB - CRS 27 Apr 2010 10:56 PM
BGPOGPED	IHS/CM/LAB - GUI COM REPORT
BGPOGPP	IHS/CM/LAB - GUI PP REPORT
BGPOGR	IHS/CM/LAB - BPGG Visual CRS Reports
BGPOGR1	IHS/CM/LAB - BPGG Visual CRS Reports 12/30/2004 12:29:35 PM
BGPOGR2	IHS/CM/LAB - BPGG Visual CRS Reports 12/30/2004 12:29:35 PM
BGPOGRA	IHS/CM/LAB - BGP Gui Area Reports 5/2/2005 8:38:59 PM
BGPOGRB	IHS/CM/LAB - BGP Gui Area Reports 5/2/2005 8:38:59 PM
BGPOGT	IHS/CM/LAB - BPGG Gui CRS Tables 2/2/2005 10:24:22 AM
BGPOGTA	IHS/CM/LAB - BPGG Gui CRS Tables 2/2/2005 10:24:22 AM
BGPOGU	IHS/CM/LAB - BGP Gui Utilities
BGPOGUA	IHS/CM/LAB - BGP Gui Utilities
BGPOGUPL	IHS/CM/LAB - GUI Upload 16 May 2016 2:34 PM
BGPOLSTF	IHS/CM/LAB - List 'BG08' files in pub
BGPONPL	IHS/CM/LAB - national patient list
BGPONPLP	IHS/CM/LAB - IHS gpra print 30 Jun 2010 5:58 PM
BGPOPARP	IHS/CM/LAB - IHS gpra print
BGPOPARG	IHS/CM/LAB - IHS gpra print
BGPOPC1	IHS/CM/LAB - CALC MEASURES
BGPOPC10	IHS/CM/LAB - measure I2
BGPOPC11	IHS/CM/LAB - measure PC11
BGPOPC12	IHS/CM/LAB - measure I2
BGPOPC13	IHS/CM/LAB - measure I2
BGPOPC14	IHS/CM/LAB - measure I2
BGPOPC15	IHS/CM/LAB - measure I2
BGPOPC16	IHS/CM/LAB - measure I2
BGPOPC17	IHS/CM/LAB - measure I2
BGPOPC2	IHS/CM/LAB - measure I2
BGPOPC3	IHS/CM/LAB - measure I2
BGPOPC4	IHS/CM/LAB - measure I2
BGPOPC5	IHS/CM/LAB - measure I2



<b>Routine</b>	<b>Description</b>
BGPOPC6	IHS/CM/LAB - measure I2
BGPOPC61	IHS/CM/LAB - measure I2
BGPOPC62	IHS/CM/LAB - measure I2
BGPOPC63	IHS/CM/LAB - measure I2
BGPOPC64	IHS/CM/LAB - measure I2
BGPOPC65	IHS/CM/LAB - measure I2
BGPOPC66	IHS/CM/LAB - measure I2
BGPOPC67	IHS/CM/LAB - measure I2
BGPOPC68	IHS/CM/LAB - measure I2
BGPOPC69	IHS/CM/LAB - measure I2
BGPOPC7	IHS/CM/LAB - measure I2
BGPOPC8	IHS/CM/LAB - measure I2
BGPOPC9	IHS/CM/LAB - measure I2
BGPOPCCI	IHS/CM/LAB - AREA GPRA
BGPOPCD	IHS/CM/LAB - GPRA REPORT DRIVER
BGPOPCH	IHS/CM/LAB - cover page for ELDER 25 Jun 2010 10:20 AM
BGPOPCSI	IHS/CM/LAB - DISPLAY IND LISTS
BGPOPCSL	IHS/CM/LAB - IHS 2020 DISPLAY IND LISTS
BGPOPCTL	IHS/CM/LAB - DISPLAY IND LISTS
BGPOPCTX	IHS/CM/LAB - TAXONOMY CHECK FOR IPC REPORT
BGPOPCUT	IHS/CM/LAB -
BGPOPD19	IHS/CM/LAB - print ind 03 Jul 2010 8:56 AM
BGPOPDH1	IHS/CM/LAB - cover page for gpra del 0
BGPOPDL	IHS/CM/LAB - IHS gpra print 01 Jul 2010 8:02 PM
BGPOPDL0	IHS/CM/LAB - print ind 1 01 Jul 2010 8:03 PM
BGPOPDL1	IHS/CM/LAB - print ind 1 01 Jul 2010 8:03 PM
BGPOPDL2	IHS/CM/LAB - print ind 1
BGPOPDL3	IHS/CM/LAB - print ind 1
BGPOPDL4	IHS/CM/LAB - print ind 1 01 Jul 2010 8:04 PM
BGPOPDL5	IHS/CM/LAB - print ind 1 01 Jul 2010 8:04 PM
BGPOPDL7	IHS/CM/LAB - print ind 1
BGPOPDL8	IHS/CM/LAB - print ind 1
BGPOPDL9	IHS/CM/LAB - print ind
BGPOPDLA	IHS/CM/LAB - print ind
BGPOPDLB	IHS/CM/LAB - print ind
BGPOPDLD	IHS/CM/LAB - IHS gpra print
BGPOPDLE	IHS/CM/LAB - print ind
BGPOPDLH	IHS/CM/LAB - cover page
BGPOPDLL	IHS/CM/LAB - print ind 1
BGPOPDLN	IHS/CM/LAB - IHS gpra print
BGPOPDLO	IHS/CM/LAB - IHS gpra print

<b>Routine</b>	<b>Description</b>
BGPOPDLT	IHS/CM/LAB - print ind 1 03 Jul 2010 7:40 AM
BGPOPDPA	IHS/CM/LAB - print ind 03 Jul 2010 8:56 AM
BGPODPDB	IHS/CM/LAB - print ind
BGPOPHL	IHS/CM/LAB - IHS gpra print
BGPOPOS	IHS/CM/LAB - POST INIT
BGPOPOS1	IHS/CM/LAB - NO DESCRIPTION PROVIDED 11 Aug 2016 1:25 PM
BGPOPOS2	IHS/CM/LAB - NO DESCRIPTION PROVIDED 28 Jan 2005 1:34 PM
BGPOREF	IHS/CM/LAB - measure AHR.A
BGPOREF1	IHS/CM/LAB - measure AHR.A
BGPOSDP	IHS/CM/LAB - IHS summary page 11 Dec 2006 1:24 PM
BGPOSDPD	IHS/CM/LAB - IHS summary page
BGPOSDPN	IHS/CM/LAB - IHS summary page
BGPOSDPO	IHS/CM/LAB - IHS summary page
BGPOULF	IHS/CM/LAB - UPLOAD AREA FILES
BGPOUTL	IHS/CM/LAB - UTILITIES
BGPOUTL1	IHS/CM/LAB - UTILITIES
BGPOUTL2	IHS/CM/LAB - UTILITIES 06 Jan 2017 9:49 AM
BGPOUTL3	IHS/CM/LAB - UTILITIES
BGPOUTLC	IHS/CM/LAB - UTILITIES
BGPOXTCH	IHS/CM/LAB - TAXONOMY CHECK FOR CRS
BGPOXTCN	IHS/CM/LAB - TAXONOMY CHECK FOR CRS REPORT
BGPOXTEL	IHS/CM/LAB - TAXONOMY CHECK FOR CRS REPORT
BGPOXTL	IHS/CM/LAB - DISPLAY IND LISTS
BGPOXTS	IHS/CM/LAB - DISPLAY IND LISTS
BGPOXTV	IHS/CM/LAB - DISPLAY IND LISTS 15 Dec 2010 9:42 AM
BGPOXTV1	IHS/CM/LAB - DISPLAY IND LISTS
BGPY	IHS/CM/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA	IHS/CM/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA10	IHS/CM/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA100	IHS/CM/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA101	IHS/CM/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA102	IHS/CM/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA103	IHS/CM/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA104	IHS/CM/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA105	IHS/CM/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA106	IHS/CM/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA107	IHS/CM/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA108	IHS/CM/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA109	IHS/CM/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA11	IHS/CM/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA110	IHS/CM/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020

<b>Routine</b>	<b>Description</b>
BGPYA111	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA112	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA113	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA114	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA115	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA116	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA117	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA118	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA119	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA12	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA120	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA121	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA122	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA123	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA124	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA125	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA126	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA127	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA128	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA129	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA13	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA130	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA131	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA132	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA133	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA134	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA135	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA136	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA137	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA138	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA139	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA14	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA140	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA141	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA142	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA143	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA144	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA145	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA146	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA147	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA148	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020

<b>Routine</b>	<b>Description</b>
BGPYA149	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA15	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA150	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA151	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA152	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA153	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA154	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA155	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA156	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA157	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA158	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA159	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA16	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA160	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA161	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA162	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA163	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA164	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA165	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA166	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA167	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA168	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA169	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA17	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA170	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA171	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA172	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA173	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA174	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA18	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA19	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA20	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA21	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA22	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA23	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA24	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA25	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA26	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA27	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA28	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020

<b>Routine</b>	<b>Description</b>
BGPYA29	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA3	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA30	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA31	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA32	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA33	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA34	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA35	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA36	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA37	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA38	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA39	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA4	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA40	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA41	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA42	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA43	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA44	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA45	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA46	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA47	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA48	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA49	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA5	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA50	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA51	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA52	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA53	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA54	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA55	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA56	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA57	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA58	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA59	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA6	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA60	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA61	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA62	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA63	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA64	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA65	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020

<b>Routine</b>	<b>Description</b>
BGPYA66	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA67	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA68	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA69	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA7	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA70	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA71	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA72	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA73	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA74	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA75	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA76	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA77	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA78	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA79	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA8	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA80	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA81	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA82	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA83	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA84	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA85	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA86	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA87	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA88	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA89	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA9	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA90	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA91	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA92	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA93	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA94	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA95	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA96	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA97	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA98	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020
BGPYA99	IHS/CMI/LAB-CREATED BY ^ATXSTX ON JAN 08, 2020

## 4.0 Files and Tables

### 4.1 File List

Table 4-1 provides information for files and tables. Please note that only files beginning with BGP 20.0 are distributed with v20.0; all previous versions of CRS must be installed prior to v20.0. If v19.1 patch 3 is installed, then all previous versions have been installed.

Table 4-1: BGP File List

File	Global	Filename
90241.01	^BGPCTRL(	BGP CONTROL FILE
90241.02	^BGPSITE(	BGP SITE PARAMETERS
90241.03	^BGPSCAT(	BGP SUMMARY CATEGORIES
90241.04	^BGP2PM(	BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS
90245	^BGP1PM(	BGP AREA AUTOMATED GPRA PARAMS
90245.1	^BGP1RD(	BGP GPRA FLAT FILE DATA
90564.01	^BGPINDO(	BGP 20 MEASURES
90564.02	^BGPINDOC (	BGP 20 INDIVIDUAL MEASURES
90564.03	^BGP2DCO(	BGP 20 DATA CURRENT
90564.04	^BGP2DPO(	BGP 20 DATA PREVIOUS
90564.05	^BGP2DBO(	BGP 20 DATA BASELINE
90564.06	^BGNPLO(	BGP 20 NATIONAL PATIENT LISTS
90588.07	^BGPSNOSO(	BGP 20 SNOMED SUBSETS
90564.08	^BGTAXO(	BGP 20 TAXONOMIES
90564.1	^BGP2GRPO(	BGP 20 MEASURE GROUPS
90564.17	^BGP2ICAGO(	BGP 20 ICARE GROUPS
90564.18	^BGP2ICACO(	BGP 20 ICARE CATEGORIES
90564.19	^BGP2GUIO(	BGP 20 GUI OUTPUT
90564.21	^BGP2SNOMO(	BGP 20 SNOMED LISTS
90564.22	^BGP2ELIIO(	BGP 20 ELDER INDIVIDUAL INDICATORS
90564.23	^BGP2ELDCO(	BGP 20 ELDER DATA CURRENT
90564.24	^BGP2ELDPO(	BGP 20 ELDER DATA PREVIOUS
90564.25	^BGP2ELDBO(	BGP 20 ELDER DATA BASELINE
90564.26	^BGP2ELIO(	BGP 20 ELDER INDICATORS

## 4.2 File Access

Table 4-2: BGP File List

File (#)	Global	RD	WR	LYG	DD	DEL
90241.01	^BGPCTRL	@	@	@	@	@
90241.02	^BGPSITE	M	M	M	@	@
90241.03	^BGPSCAT(	@	@	@	@	@
90241.04	^BGP2PM(	M	M	M	@	M
90245	^BGP1PM(	M	M	M	@	M
90245.1	^BGP1RD(	M	M	M	@	M
90564.01	^BGPINDO(	@	@	@	@	@
90564.02	^BGPINDOC(	@	@	@	@	@
90564.03	^BGPDPDCO(	@	@	@	@	@
90564.04	^BGPDPDO(	@	@	@	@	@
90564.05	^BGPDPDBO(	@	@	@	@	@
90564.06	^BGNPLO(	@	@	@	@	@
90564.07	^BGPSNOSO(	@	@	@	@	@
90564.08	^BGPTAXO(	@	@	@	@	@
90564.1	^BGPGRPO(	@	@	@	@	@
90564.17	^BGPICAGO(	@	@	@	@	@
90564.18	^BGPICACO(	@	@	@	@	@
90564.19	^BPGUIO(	@	@	@	@	@
90564.21	^BGPSNOMO(	@	@	@	@	@
90564.22	^BGPELIIO(	@	@	@	@	@
90564.23	^BGPELDCO(	@	@	@	@	@
90564.24	^BGPELDPO(	@	@	@	@	@
90564.25	^BGPELDBO(	@	@	@	@	@
90564.26	^BGPELIO(	@	@	@	@	@

## 4.3 Cross References

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01                01/09/20    PAGE 1
-----
File #90241.01

Traditional Cross-References:

B    REGULAR
      Field:  FY  (90241.01,.01)
            1)= S ^BGPCTRL("B", $E(X,1,30),DA)=""
    
```



```

                2)= K ^BGPCTRL("B", $E(X,1,30), DA)

C    REGULAR
    Field:  GPRA YEAR    (90241.01, .14)
           1)= S ^BGPCTRL("C", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL("C", $E(X,1,30), DA)

Subfile #90241.0111

Traditional Cross-References:

B    REGULAR
    Field:  CLINIC CODE  (90241.0111, .01)
           1)= S ^BGPCTRL(DA(1), 11, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 11, "B", $E(X,1,30), DA)

Subfile #90241.011101

Traditional Cross-References:

B    REGULAR
    Field:  CLINICS FOR IPC REPORT  (90241.011101, .01)
           1)= S ^BGPCTRL(DA(1), 1101, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 1101, "B", $E(X,1,30), DA)

Subfile #90241.0112

Traditional Cross-References:

B    REGULAR
    Field:  CLINIC CODES FOR 2ND VISIT  (90241.0112, .01)
           1)= S ^BGPCTRL(DA(1), 12, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 12, "B", $E(X,1,30), DA)

Subfile #90241.011301

Traditional Cross-References:

B    REGULAR
    Field:  BH CLINIC CODES  (90241.011301, .01)
           1)= S ^BGPCTRL(DA(1), 1301, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 1301, "B", $E(X,1,30), DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01                01/09/20    PAGE 2
-----
Subfile #90241.013

Traditional Cross-References:

B    REGULAR
    Field:  BH ALCOHOL PROBLEM CODES  (90241.013, .01)
           1)= S ^BGPCTRL(DA(1), 30, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 30, "B", $E(X,1,30), DA)

Subfile #90241.0145

Traditional Cross-References:

B    REGULAR
    Field:  CRSONMNT3 COLUMN HEADERS  (90241.0145, .01)
           1)= S ^BGPCTRL(DA(1), 45, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 45, "B", $E(X,1,30), DA)

```

Subfile #90241.015

Traditional Cross-References:

B REGULAR

Field: DEP SCR BH CLINICS (90241.015,.01)  
 1)= S ^BGPCTRL(DA(1),50,"B",SE(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),50,"B",SE(X,1,30),DA)

Subfile #90241.0168

Traditional Cross-References:

B REGULAR

Field: EO NT (90241.0168,.01)  
 1)= S ^BGPCTRL(DA(1),68,"B",SE(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),68,"B",SE(X,1,30),DA)

Subfile #90241.0195

Traditional Cross-References:

B REGULAR

Field: CLINIC CODES FOR BH ACT CL (90241.0195,.01)  
 1)= S ^BGPCTRL(DA(1),95,"B",SE(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),95,"B",SE(X,1,30),DA)

Subfile #90241.18501

Traditional Cross-References:

B REGULAR

Field: DEVNT4 HEADERS (90241.18501,.01)  
 1)= S ^BGPCTRL(DA(1),851,"B",SE(X,1,30),DA)=""

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 01/09/20 PAGE 3

-----  
 2)= K ^BGPCTRL(DA(1),851,"B",SE(X,1,30),DA)

Subfile #90241.1972

Traditional Cross-References:

B REGULAR

Field: GPRA NT5 LABELS (90241.1972,.01)  
 1)= S ^BGPCTRL(DA(1),972,"B",SE(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),972,"B",SE(X,1,30),DA)

Subfile #90241.1973

Traditional Cross-References:

B REGULAR

Field: DEVNT6 LABELS (90241.1973,.01)  
 1)= S ^BGPCTRL(DA(1),973,"B",SE(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),973,"B",SE(X,1,30),DA)

Subfile #90241.36

Traditional Cross-References:

B REGULAR

```

Field:  PIECE  (90241.36,.01)
       1)= S ^BGPCTRL(DA(1),36,"B", $E(X,1,30),DA)=""
       2)= K ^BGPCTRL(DA(1),36,"B", $E(X,1,30),DA)

```

Subfile #90241.37

Traditional Cross-References:

B REGULAR

```

Field:  PIECE  (90241.37,.01)
       1)= S ^BGPCTRL(DA(1),37,"B", $E(X,1,30),DA)=""
       2)= K ^BGPCTRL(DA(1),37,"B", $E(X,1,30),DA)

```

Subfile #90241.38

Traditional Cross-References:

B REGULAR

```

Field:  PIECE  (90241.38,.01)
       1)= S ^BGPCTRL(DA(1),38,"B", $E(X,1,30),DA)=""
       2)= K ^BGPCTRL(DA(1),38,"B", $E(X,1,30),DA)

```

Subfile #90241.4

Traditional Cross-References:

B REGULAR

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 01/09/20 PAGE 4

```

Field:  PIECE  (90241.4,.01)
       1)= S ^BGPCTRL(DA(1),40,"B", $E(X,1,30),DA)=""
       2)= K ^BGPCTRL(DA(1),40,"B", $E(X,1,30),DA)

```

Subfile #90241.41

Traditional Cross-References:

B REGULAR

```

Field:  MEASURE (90241.41,.01)
       1)= S ^BGPCTRL(DA(1),41,"B", $E(X,1,30),DA)=""
       2)= K ^BGPCTRL(DA(1),41,"B", $E(X,1,30),DA)

```

Subfile #90241.55

Traditional Cross-References:

B REGULAR

```

Field:  MEASURE (90241.55,.01)
       1)= S ^BGPCTRL(DA(1),55,"B", $E(X,1,30),DA)=""
       2)= K ^BGPCTRL(DA(1),55,"B", $E(X,1,30),DA)

```

Subfile #90241.551101

Traditional Cross-References:

B REGULAR

```

Field:  MEASURE ID (90241.551101,.01)
       1)= S ^BGPCTRL(DA(2),55,DA(1),11,"B", $E(X,1,30),DA)=""
       2)= K ^BGPCTRL(DA(2),55,DA(1),11,"B", $E(X,1,30),DA)

```

Subfile #90241.62

## Traditional Cross-References:

B REGULAR

Field: PATIENT ED TOPICS (90241.62,.01)  
 1)= S ^BGPCTRL(DA(1),62,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),62,"B",\$(X,1,30),DA)

Subfile #90241.63

## Traditional Cross-References:

B REGULAR

Field: DISEASE STATE ABBRV (90241.63,.01)  
 1)= S ^BGPCTRL(DA(1),63,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),63,"B",\$(X,1,30),DA)

Subfile #90241.6311

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 01/09/20 PAGE 5

---

## Traditional Cross-References:

B REGULAR

Field: ICD MAPPING (90241.6311,.01)  
 1)= S ^BGPCTRL(DA(2),63,DA(1),11,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(2),63,DA(1),11,"B",\$(X,1,30),DA)

Subfile #90241.79

## Traditional Cross-References:

B REGULAR

Field: DEVEL 1 (90241.79,.01)  
 1)= S ^BGPCTRL(DA(1),79,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),79,"B",\$(X,1,30),DA)

Subfile #90241.81

## Traditional Cross-References:

B REGULAR

Field: DEVEL 2 (90241.81,.01)  
 1)= S ^BGPCTRL(DA(1),81,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),81,"B",\$(X,1,30),DA)

Subfile #90241.85

## Traditional Cross-References:

B REGULAR

Field: DEVEL 3 (90241.85,.01)  
 1)= S ^BGPCTRL(DA(1),85,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),85,"B",\$(X,1,30),DA)

Subfile #90241.8502

## Traditional Cross-References:

B REGULAR

Field: HEADERS FOR DEV5 (90241.8502,.01)  
 1)= S ^BGPCTRL(DA(1),852,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),852,"B",\$(X,1,30),DA)

Subfile #90241.86

Traditional Cross-References:

B REGULAR

Field: ONMT 4 HEADERS (90241.86,.01)

1) = S ^BGPCTRL(DA(1),86,"B", \$E(X,1,30),DA)=""

2) = K ^BGPCTRL(DA(1),86,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 01/09/20 PAGE 6

Subfile #90241.87

Traditional Cross-References:

B REGULAR

Field: ONMT5 HEADERS (90241.87,.01)

1) = S ^BGPCTRL(DA(1),87,"B", \$E(X,1,30),DA)=""

2) = K ^BGPCTRL(DA(1),87,"B", \$E(X,1,30),DA)

Subfile #90241.97

Traditional Cross-References:

B REGULAR

Field: GPRANT3 (90241.97,.01)

1) = S ^BGPCTRL(DA(1),97,"B", \$E(X,1,30),DA)=""

2) = K ^BGPCTRL(DA(1),97,"B", \$E(X,1,30),DA)

Subfile #90241.971

Traditional Cross-References:

B REGULAR

Field: GPRA NT4 (90241.971,.01)

1) = S ^BGPCTRL(DA(1),971,"B", \$E(X,1,30),DA)=""

2) = K ^BGPCTRL(DA(1),971,"B", \$E(X,1,30),DA)

Subfile #90241.9801

Traditional Cross-References:

B REGULAR

Field: PATCHES BULLETIN TEXT (90241.9801,.01)

1) = S ^BGPCTRL(DA(1),98,"B", \$E(X,1,30),DA)=""

2) = K ^BGPCTRL(DA(1),98,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.02 01/09/20 PAGE 1

File #90241.02

Traditional Cross-References:

B REGULAR

Field: LOCATION (90241.02,.01)

1) = S ^BGPSITE("B", \$E(X,1,30),DA)=""

2) = K ^BGPSITE("B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.03 01/09/20 PAGE 1

File #90241.03

## Traditional Cross-References:

B REGULAR  
Field: CATEGORY (90241.03,.01)  
1)= S ^BGPSCAT("B", \$E(X,1,30), DA)=""  
2)= K ^BGPSCAT("B", \$E(X,1,30), DA)

C REGULAR  
Field: ORDER ON GPRA SUMMARY (90241.03,.02)  
1)= S ^BGPSCAT("C", \$E(X,1,30), DA)=""  
2)= K ^BGPSCAT("C", \$E(X,1,30), DA)

D REGULAR  
Field: ORDER NO NON-GPRA SUMMARY (90241.03,.03)  
1)= S ^BGPSCAT("D", \$E(X,1,30), DA)=""  
2)= K ^BGPSCAT("D", \$E(X,1,30), DA)

E REGULAR  
Field: ORDER ON EO REPORT (90241.03,.04)  
1)= S ^BGPSCAT("E", \$E(X,1,30), DA)=""  
2)= K ^BGPSCAT("E", \$E(X,1,30), DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90245 01/09/20 PAGE 1

File #90245

## Traditional Cross-References:

B REGULAR  
Field: NAME (90245,.01)  
1)= S ^BGP1PM("B", \$E(X,1,30), DA)=""  
2)= K ^BGP1PM("B", \$E(X,1,30), DA)

Subfile #90245.07

## Traditional Cross-References:

B REGULAR  
Field: REPORT BEGIN DATE (90245.07,.01)  
1)= S ^BGP1PM(DA(1), 7, "B", \$E(X,1,30), DA)=""  
2)= K ^BGP1PM(DA(1), 7, "B", \$E(X,1,30), DA)

Subfile #90245.09

## Traditional Cross-References:

B REGULAR  
Field: FACILITY (90245.09,.01)  
1)= S ^BGP1PM(DA(1), 9, "B", \$E(X,1,30), DA)=""  
2)= K ^BGP1PM(DA(1), 9, "B", \$E(X,1,30), DA)

C REGULAR  
Field: ASUFAC (90245.09,.02)  
1)= S ^BGP1PM(DA(1), 9, "C", \$E(X,1,30), DA)=""  
2)= K ^BGP1PM(DA(1), 9, "C", \$E(X,1,30), DA)

TRIGGER  
Field: FACILITY (90245.09,.01)

```

Triggered Field: ASUFAC (90245.09,.02)
1)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)
=$S($D(^BGP1PM(D0,9,D1,0)):^(0),1:"") S X=$P(Y(1),U,2),X=
X S DIU=X K Y X ^DD(90245.09,.01,1,2,1.1) X ^DD(90245.09,.0
1,1,2,1.4)
1.1)= S X=DIV S I(1,0)=$G(D1),I(0,0)=$G(D0),D0=DIV S:'D0!'$
D(^AUTTLOC(+D0,0)) D0=-1 S Y(101)=$S($D(^AUTTLOC(D0,0)):^(0
),1:"") S X=$P(Y(101),U,10) S D0=I(0,0) S D1=I(1,0)
1.4)= S DIH=$G(^BGP1PM(DIV(0),9,DIV(1),0)),DIV=X S $P(^(0
),U,2)=DIV,DIH=90245.09,DIG=.02 D ^DICR
2)= Q
CREATE VALUE)=#.01:ASUFAC INDEX
DELETE VALUE)=NO EFFECT
FIELD)=#.02
    
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90245 01/09/20 PAGE 2

-----  
Subfile #90245.992

Traditional Cross-References:

```

B REGULAR
Field: EMAIL RECIPIENT (90245.992,.01)
1)= S ^BGP1PM(DA(1),99.2,"B",$E(X,1,30),DA)="
2)= K ^BGP1PM(DA(1),99.2,"B",$E(X,1,30),DA)
    
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90245.1 01/09/20 PAGE 1

-----  
File #90245.1

Traditional Cross-References:

```

B REGULAR
Field: INDICATOR NAME (90245.1,.01)
1)= S ^BGP1RD("B",$E(X,1,30),DA)="
2)= K ^BGP1RD("B",$E(X,1,30),DA)

CBD REGULAR
Field: CURRENT REPORT BEGIN DATE (90245.1,.07)
1)= S ^BGP1RD("CBD",$E(X,1,30),DA)="
2)= K ^BGP1RD("CBD",$E(X,1,30),DA)

D REGULAR
Field: SITE NAME (90245.1,.03)
1)= S ^BGP1RD("D",$E(X,1,30),DA)="
2)= K ^BGP1RD("D",$E(X,1,30),DA)
    
```

New-Style Indexes:

```

C (#161) RECORD REGULAR IR LOOKUP & SORTING
Short Descr: COMPOUND INDEX
Set Logic: S ^BGP1RD("C",$E(X(1),1,50),$E(X(2),1,30),X(3),X(4),DA)="
"
Kill Logic: K ^BGP1RD("C",$E(X(1),1,50),$E(X(2),1,30),X(3),X(4),DA)
Whole Kill: K ^BGP1RD("C")
X(1): INDICATOR NAME (90245.1,.01) (Subscr 1) (Len 50)
(forwards)
X(2): SITE NAME (90245.1,.03) (Subscr 2) (Len 30) (forwards)
X(3): CURRENT REPORT BEGIN DATE (90245.1,.07) (Subscr 3)
(forwards)
X(4): CURRENT REPORT END DATE (90245.1,.08) (Subscr 4)
    
```

(forwards)

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.01 01/09/20 PAGE 1

File #90564.01

## Traditional Cross-References:

ADEV REGULAR  
Field: DEVELOPMENTAL MEASURE? (90564.01,.14)  
1)= S ^BGPINDO("ADEV", \$E(X,1,30), DA)=""  
2)= K ^BGPINDO("ADEV", \$E(X,1,30), DA)

ADEVO REGULAR  
Field: ORDER ON DEVELOPMENTAL REPORT (90564.01,1302)  
1)= S ^BGPINDO("ADEVO", \$E(X,1,30), DA)=""  
2)= K ^BGPINDO("ADEVO", \$E(X,1,30), DA)

AIPC REGULAR  
Field: ORDER ON IPC REPORT (90564.01,1208)  
1)= S ^BGPINDO("AIPC", \$E(X,1,30), DA)=""  
2)= K ^BGPINDO("AIPC", \$E(X,1,30), DA)

AO REGULAR  
Field: ORDER ON SELECTION/REPORT (90564.01,.02)  
1)= S ^BGPINDO("AO", \$E(X,1,30), DA)=""  
2)= K ^BGPINDO("AO", \$E(X,1,30), DA)

AOI REGULAR  
Field: ORDER IND (90564.01,1206)  
1)= S ^BGPINDO("AOI", \$E(X,1,30), DA)=""  
2)= K ^BGPINDO("AOI", \$E(X,1,30), DA)

B REGULAR  
Field: MEASURE NUMBER (90564.01,.01)  
1)= S ^BGPINDO("B", \$E(X,1,30), DA)=""  
2)= K ^BGPINDO("B", \$E(X,1,30), DA)

C REGULAR  
Field: TITLE/SELECTION TITLE (90564.01,.03)  
1)= S ^BGPINDO("C", \$E(X,1,30), DA)=""  
2)= K ^BGPINDO("C", \$E(X,1,30), DA)

D REGULAR  
Field: ORDER IND (90564.01,1206)  
1)= S ^BGPINDO("D", \$E(X,1,30), DA)=""  
2)= K ^BGPINDO("D", \$E(X,1,30), DA)

GPRA REGULAR  
Field: NATIONAL REPORT (90564.01,.07)  
1)= S ^BGPINDO("GPRA", \$E(X,1,30), DA)=""  
2)= K ^BGPINDO("GPRA", \$E(X,1,30), DA)

PUID REGULAR  
Field: PUID FROM RM (90564.01,1203)

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.01 01/09/20 PAGE 2

1)= S ^BGPINDO("PUID", \$E(X,1,30), DA)=""  
2)= K ^BGPINDO("PUID", \$E(X,1,30), DA)



```

U      MUMPS
      Field:  TITLE/SELECTION TITLE  (90564.01,.03)
            1)= S ^BGPINDO("U", $$UP^XLFSTR(X), DA)=""
            2)= K ^BGPINDO("U", $$UP^XLFSTR(X), DA)

Subfile #90564.0161

Traditional Cross-References:

B      REGULAR
      Field:  DENOMINATOR DEFINITIONS  (90564.0161,.01)
            1)= S ^BGPINDO(DA(1), 61, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDO(DA(1), 61, "B", $E(X,1,30), DA)

Subfile #90564.016112

Traditional Cross-References:

B      REGULAR
      Field:  REPORT SUB TYPES  (90564.016112,.01)
            1)= S ^BGPINDO(DA(2), 61, DA(1), 12, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDO(DA(2), 61, DA(1), 12, "B", $E(X,1,30), DA)

Subfile #90564.0162

Traditional Cross-References:

B      REGULAR
      Field:  NUMERATOR DEFINITIONS  (90564.0162,.01)
            1)= S ^BGPINDO(DA(1), 62, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDO(DA(1), 62, "B", $E(X,1,30), DA)

Subfile #90564.016212

Traditional Cross-References:

B      REGULAR
      Field:  REPORT SUB TYPE  (90564.016212,.01)
            1)= S ^BGPINDO(DA(2), 62, DA(1), 12, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDO(DA(2), 62, DA(1), 12, "B", $E(X,1,30), DA)

Subfile #90564.0181

Traditional Cross-References:

B      REGULAR
      Field:  NATL GPRA DENOM DEFS  (90564.0181,.01)
            1)= S ^BGPINDO(DA(1), 81, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDO(DA(1), 81, "B", $E(X,1,30), DA)
INDEX AND CROSS-REFERENCE LIST -- FILE #90564.01          01/09/20          PAGE 3
-----

Subfile #90564.018112

Traditional Cross-References:

B      REGULAR
      Field:  REPORT SUBTYPES  (90564.018112,.01)
            1)= S ^BGPINDO(DA(2), 81, DA(1), 12, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDO(DA(2), 81, DA(1), 12, "B", $E(X,1,30), DA)

Subfile #90564.0182

```

## Traditional Cross-References:

B REGULAR

Field: NATL GPRA NUMERATOR DEFS (90564.0182,.01)  
 1)= S ^BGPINDO(DA(1),82,"B",SE(X,1,30),DA)=""  
 2)= K ^BGPINDO(DA(1),82,"B",SE(X,1,30),DA)

Subfile #90564.018212

## Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPES (90564.018212,.01)  
 1)= S ^BGPINDO(DA(2),82,DA(1),12,"B",SE(X,1,30),DA)=""  
 2)= K ^BGPINDO(DA(2),82,DA(1),12,"B",SE(X,1,30),DA)

Subfile #90564.0185

## Traditional Cross-References:

B REGULAR

Field: DEVELMENTAL MEAS DENOM DEFS (90564.0185,.01)  
 1)= S ^BGPINDO(DA(1),85,"B",SE(X,1,30),DA)=""  
 2)= K ^BGPINDO(DA(1),85,"B",SE(X,1,30),DA)

Subfile #90564.018512

## Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPE (90564.018512,.01)  
 1)= S ^BGPINDO(DA(2),85,DA(1),12,"B",SE(X,1,30),DA)=""  
 2)= K ^BGPINDO(DA(2),85,DA(1),12,"B",SE(X,1,30),DA)

Subfile #90564.0186

## Traditional Cross-References:

B REGULAR

Field: DEVELOPMENTAL MEAS NUMER DEFS (90564.0186,.01)  
 INDEX AND CROSS-REFERENCE LIST -- FILE #90564.01 01/09/20 PAGE 4

-----  
 1)= S ^BGPINDO(DA(1),86,"B",SE(X,1,30),DA)=""  
 2)= K ^BGPINDO(DA(1),86,"B",SE(X,1,30),DA)

Subfile #90564.018612

## Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPES (90564.018612,.01)  
 1)= S ^BGPINDO(DA(2),86,DA(1),12,"B",SE(X,1,30),DA)=""  
 2)= K ^BGPINDO(DA(2),86,DA(1),12,"B",SE(X,1,30),DA)

Subfile #90564.0187

## Traditional Cross-References:

B REGULAR

Field: DM DENOM DEFS (90564.0187,.01)  
 1)= S ^BGPINDO(DA(1),87,"B",SE(X,1,30),DA)=""

```
2)= K ^BGPINDO (DA(1),87,"B", $E(X,1,30),DA)
```

Subfile #90564.0188

Traditional Cross-References:

B REGULAR

```
Field: DM NUMER DEFS (90564.0188,.01)
1)= S ^BGPINDO (DA(1),88,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDO (DA(1),88,"B", $E(X,1,30),DA)
```

Subfile #90564.0189

Traditional Cross-References:

B REGULAR

```
Field: CVD DENOM DEFS (90564.0189,.01)
1)= S ^BGPINDO (DA(1),89,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDO (DA(1),89,"B", $E(X,1,30),DA)
```

Subfile #90564.0191

Traditional Cross-References:

B REGULAR

```
Field: CVD NUM DEFS (90564.0191,.01)
1)= S ^BGPINDO (DA(1),91,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDO (DA(1),91,"B", $E(X,1,30),DA)
```

Subfile #90564.0192

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.01 01/09/20 PAGE 5

-----  
Traditional Cross-References:

B REGULAR

```
Field: WH DEN DEFS (90564.0192,.01)
1)= S ^BGPINDO (DA(1),92,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDO (DA(1),92,"B", $E(X,1,30),DA)
```

Subfile #90564.0193

Traditional Cross-References:

B REGULAR

```
Field: WH NUM DEFS (90564.0193,.01)
1)= S ^BGPINDO (DA(1),93,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDO (DA(1),93,"B", $E(X,1,30),DA)
```

Subfile #90564.0194

Traditional Cross-References:

B REGULAR

```
Field: IPC DEN DEFS (90564.0194,.01)
1)= S ^BGPINDO (DA(1),94,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDO (DA(1),94,"B", $E(X,1,30),DA)
```

Subfile #90564.0195

Traditional Cross-References:



```

1)= S ^BGPINDOC ("AGPRA", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDOC ("AGPRA", $E (X, 1, 30), DA)

AIPC    REGULAR
      Field:  IPC REPORT? (90564.02, 1101)
1)= S ^BGPINDOC ("AIPC", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDOC ("AIPC", $E (X, 1, 30), DA)

APQA    REGULAR
      Field:  PQA (90564.02, 1102)
1)= S ^BGPINDOC ("APQA", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDOC ("APQA", $E (X, 1, 30), DA)

AWH     REGULAR
      Field:  WOMEN'S HEALTH (90564.02, 1202)
INDEX AND CROSS-REFERENCE LIST -- FILE #90564.02                01/09/20    PAGE 2
-----
1)= S ^BGPINDOC ("AWH", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDOC ("AWH", $E (X, 1, 30), DA)

B       REGULAR
      Field:  INDICATOR (90564.02, .01)
1)= S ^BGPINDOC ("B", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDOC ("B", $E (X, 1, 30), DA)

C       REGULAR
      Field:  INDICATOR ID (90564.02, .04)
1)= S ^BGPINDOC ("C", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDOC ("C", $E (X, 1, 30), DA)

D       REGULAR
      Field:  TITLE FOR SCHEDULING OPTION (90564.02, 1209)
1)= S ^BGPINDOC ("D", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDOC ("D", $E (X, 1, 30), DA)

OR      REGULAR
      Field:  ORDER (90564.02, 1204)
1)= S ^BGPINDOC ("OR", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDOC ("OR", $E (X, 1, 30), DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.03                01/09/20    PAGE 1
-----
File #90564.03

Traditional Cross-References:

B       REGULAR
      Field:  BEGINNING DATE (90564.03, .01)
1)= S ^BGPDPDCO ("B", $E (X, 1, 30), DA) = ""
2)= K ^BGPDPDCO ("B", $E (X, 1, 30), DA)

Subfile #90564.031111

Traditional Cross-References:

B       REGULAR
      Field:  MFI LOCATIONS (90564.031111, .01)
1)= S ^BGPDPDCO (DA(1), 1111, "B", $E (X, 1, 30), DA) = ""
2)= K ^BGPDPDCO (DA(1), 1111, "B", $E (X, 1, 30), DA)

Subfile #90564.0321

```

## Traditional Cross-References:

AC MUMPS

Field: NUMBER OF THIS TOPIC (90564.0321,.02)  
 1)= S ^BGPDPDCO(DA(1),21,"AC",(99999999-X),DA)=X  
 2)= K ^BGPDPDCO(DA(1),21,"AC",(99999999-X),DA)

B REGULAR

Field: PATIENT ED RATE TOPICS (90564.0321,.01)  
 1)= S ^BGPDPDCO(DA(1),21,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPDPDCO(DA(1),21,"B",\$(X,1,30),DA)

Subfile #90564.0322

## Traditional Cross-References:

AC MUMPS

Field: COUNT OF TOPICS (90564.0322,.02)  
 1)= S ^BGPDPDCO(DA(1),22,"AC",(99999999-X),DA)=""  
 2)= K ^BGPDPDCO(DA(1),22,"AC",(99999999-X),DA)

B REGULAR

Field: PATIENT ED BY PROVIDER (90564.0322,.01)  
 1)= S ^BGPDPDCO(DA(1),22,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPDPDCO(DA(1),22,"B",\$(X,1,30),DA)

Subfile #90564.12999

## Traditional Cross-References:

B REGULAR

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.03 01/09/20 PAGE 2

Field: COMMUNITIES (90564.12999,.01)  
 1)= S ^BGPDPDCO(DA(1),9999,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPDPDCO(DA(1),9999,"B",\$(X,1,30),DA)

Subfile #90564.129999

## Traditional Cross-References:

B REGULAR

Field: PATIENTS EISS (90564.129999,.01)  
 1)= S ^BGPDPDCO(DA(1),99999,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPDPDCO(DA(1),99999,"B",\$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.04 01/09/20 PAGE 1

File #90564.04

## Traditional Cross-References:

B REGULAR

Field: BEGINNING DATE (90564.04,.01)  
 1)= S ^BGPDPDPO("B",\$(X,1,30),DA)=""  
 2)= K ^BGPDPDPO("B",\$(X,1,30),DA)

Subfile #90564.041111

## Traditional Cross-References:

```

B    REGULAR
      Field:  MFI LOCATIONS  (90564.041111,.01)
              1)= S ^BGPGPDPO(DA(1),1111,"B", $E(X,1,30),DA)=""
              2)= K ^BGPGPDPO(DA(1),1111,"B", $E(X,1,30),DA)

```

Subfile #90564.0421

Traditional Cross-References:

```

AC    MUMPS
      Field:  NUMBER OF THIS TOPIC  (90564.0421,.02)
              1)= S ^BGPGPDPO(DA(1),21,"AC", (99999999-X),DA)=X
              2)= K ^BGPGPDPO(DA(1),21,"AC", (99999999-X),DA)

```

```

B    REGULAR
      Field:  PATIENT ED RATE TOPICS  (90564.0421,.01)
              1)= S ^BGPGPDPO(DA(1),21,"B", $E(X,1,30),DA)=""
              2)= K ^BGPGPDPO(DA(1),21,"B", $E(X,1,30),DA)

```

Subfile #90564.0422

Traditional Cross-References:

```

AC    MUMPS
      Field:  COUNT OF TOPICS  (90564.0422,.02)
              1)= S ^BGPGPDPO(DA(1),22,"AC", (99999999-X),DA)=X
              2)= K ^BGPGPDPO(DA(1),22,"AC", (99999999-X),DA)

```

```

B    REGULAR
      Field:  PATIENT ED BY PROVIDER  (90564.0422,.01)
              1)= S ^BGPGPDPO(DA(1),22,"B", $E(X,1,30),DA)=""
              2)= K ^BGPGPDPO(DA(1),22,"B", $E(X,1,30),DA)

```

Subfile #90564.13999

Traditional Cross-References:

```

B    REGULAR
INDEX AND CROSS-REFERENCE LIST -- FILE #90564.04                01/09/20    PAGE 2
-----

```

```

      Field:  COMMUNITIES  (90564.13999,.01)
              1)= S ^BGPGPDPO(DA(1),9999,"B", $E(X,1,30),DA)=""
              2)= K ^BGPGPDPO(DA(1),9999,"B", $E(X,1,30),DA)

```

Subfile #90564.139999

Traditional Cross-References:

```

B    REGULAR
      Field:  PATIENTS EISS  (90564.139999,.01)
              1)= S ^BGPGPDPO(DA(1),99999,"B", $E(X,1,30),DA)=""
              2)= K ^BGPGPDPO(DA(1),99999,"B", $E(X,1,30),DA)

```

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.05                01/09/20    PAGE 1
-----

```

File #90564.05

Traditional Cross-References:

```

B    REGULAR

```

```

Field: BEGINNING DATE (90564.05,.01)
      1)= S ^BGPDPDBO("B", $E(X,1,30), DA)=""
      2)= K ^BGPDPDBO("B", $E(X,1,30), DA)

Subfile #90564.051111

Traditional Cross-References:

B    REGULAR
      Field: MFI LOCATIONS (90564.051111,.01)
      1)= S ^BGPDPDBO(DA(1),1111,"B", $E(X,1,30), DA)=""
      2)= K ^BGPDPDBO(DA(1),1111,"B", $E(X,1,30), DA)

Subfile #90564.0521

Traditional Cross-References:

AC   MUMPS
      Field: NUMBER OF THIS TOPIC (90564.0521,.02)
      1)= S ^BGPDPDBO(DA(1),21,"AC", (99999999-X), DA)=X
      2)= K ^BGPDPDBO(DA(1),21,"AC", (99999999-X), DA)

B    REGULAR
      Field: PATIENT ED RATE TOPICS (90564.0521,.01)
      1)= S ^BGPDPDBO(DA(1),21,"B", $E(X,1,30), DA)=""
      2)= K ^BGPDPDBO(DA(1),21,"B", $E(X,1,30), DA)

Subfile #90564.0522

Traditional Cross-References:

AC   MUMPS
      Field: COUNT OF TOPICS (90564.0522,.02)
      1)= S ^BGPDPDBO(DA(1),22,"AC", (99999999-X), DA)=""
      2)= K ^BGPDPDBO(DA(1),22,"AC", (99999999-X), DA)

B    REGULAR
      Field: PATIENT ED BY PROVIDER (90564.0522,.01)
      1)= S ^BGPDPDBO(DA(1),22,"B", $E(X,1,30), DA)=""
      2)= K ^BGPDPDBO(DA(1),22,"B", $E(X,1,30), DA)

Subfile #90564.14999

Traditional Cross-References:

B    REGULAR
INDEX AND CROSS-REFERENCE LIST -- FILE #90564.05                01/09/20    PAGE 2
-----
      Field: COMMUNITIES (90564.14999,.01)
      1)= S ^BGPDPDBO(DA(1),9999,"B", $E(X,1,30), DA)=""
      2)= K ^BGPDPDBO(DA(1),9999,"B", $E(X,1,30), DA)

Subfile #90564.149999

Traditional Cross-References:

B    REGULAR
      Field: PATIENTS EISS (90564.149999,.01)
      1)= S ^BGPDPDBO(DA(1),99999,"B", $E(X,1,30), DA)=""
      2)= K ^BGPDPDBO(DA(1),99999,"B", $E(X,1,30), DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.06                01/09/20    PAGE 1

```



-----  
 File #90564.06

Traditional Cross-References:

AN MUMPS  
 Field: ORDER ON NATIONAL (90564.06,.05)  
 1)= S ^BGNPLO("AN",+^BGNPLO(DA,0),X,DA)=""  
 2)= K ^BGNPLO("AN",+^BGNPLO(DA,0),X,DA)

AR MUMPS  
 Field: NATIONAL? (90564.06,.04)  
 1)= S ^BGNPLO("AR",+^BGNPLO(DA,0),X,DA)=""  
 2)= K ^BGNPLO("AR",+^BGNPLO(DA,0),X,DA)

B REGULAR  
 Field: POINTER (90564.06,.01)  
 1)= S ^BGNPLO("B", \$E(X,1,30),DA)=""  
 2)= K ^BGNPLO("B", \$E(X,1,30),DA)

C REGULAR  
 Field: INDIVIDUAL INDICATOR ID (90564.06,.02)  
 1)= S ^BGNPLO("C", \$E(X,1,30),DA)=""  
 2)= K ^BGNPLO("C", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.07 01/09/20 PAGE 1  
 -----

File #90564.07

Traditional Cross-References:

B REGULAR  
 Field: SUBSET NAME (90564.07,.01)  
 1)= S ^BGPSNOSO("B", \$E(X,1,30),DA)=""  
 2)= K ^BGPSNOSO("B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.08 01/09/20 PAGE 1  
 -----

File #90564.08

Traditional Cross-References:

B REGULAR  
 Field: TAXONOMY NAME (90564.08,.01)  
 1)= S ^BGPTAXO("B", \$E(X,1,30),DA)=""  
 2)= K ^BGPTAXO("B", \$E(X,1,30),DA)

Subfile #90564.0812

Traditional Cross-References:

B REGULAR  
 Field: REPORTS (90564.0812,.01)  
 1)= S ^BGPTAXO(DA(1),12,"B", \$E(X,1,30),DA)=""  
 2)= K ^BGPTAXO(DA(1),12,"B", \$E(X,1,30),DA)

Subfile #90564.0813

Traditional Cross-References:

```

B      REGULAR
      Field:  MEASURES USED WITH  (90564.0813,.01)
            1)= S ^BGPTAXO(DA(1),13,"B",SE(X,1,30),DA)="
            2)= K ^BGPTAXO(DA(1),13,"B",SE(X,1,30),DA)

```

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.1          01/09/20    PAGE 1
-----

```

File #90564.1

Traditional Cross-References:

```

B      REGULAR
      Field:  GROUP NAME  (90564.1,.01)
            1)= S ^BGPMGRPO("B",SE(X,1,30),DA)="
            2)= K ^BGPMGRPO("B",SE(X,1,30),DA)

```

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.17        01/09/20    PAGE 1
-----

```

File #90564.17

Traditional Cross-References:

```

B      REGULAR
      Field:  GROUP  (90564.17,.01)
            1)= S ^BGPICAGO("B",SE(X,1,30),DA)="
            2)= K ^BGPICAGO("B",SE(X,1,30),DA)

```

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.18        01/09/20    PAGE 1
-----

```

File #90564.18

Traditional Cross-References:

```

B      REGULAR
      Field:  CATEGORY  (90564.18,.01)
            1)= S ^BGPICACO("B",SE(X,1,30),DA)="
            2)= K ^BGPICACO("B",SE(X,1,30),DA)

```

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.19        01/09/20    PAGE 1
-----

```

File #90564.19

Traditional Cross-References:

```

AC     REGULAR
      Field:  START TIME  (90564.19,.03)
            1)= S ^BGPGUIO("AC",SE(X,1,30),DA)="
            2)= K ^BGPGUIO("AC",SE(X,1,30),DA)

```

```

AUSR   MUMPS
      Field:  START TIME  (90564.19,.03)
            1)= S ^BGPGUIO("AUSR",SS($P($G(^BGPGUIO(DA,0)),"^",2):$P(^B
GPGUIO(DA,0),"^",2),1:1),(9999999.9999-X),DA)="
            2)= K ^BGPGUIO("AUSR",SS($P($G(^BGPGUIO(DA,0)),"^",2):$P(^B
GPGUIO(DA,0),"^",2),1:1),(9999999.9999-X),DA)

```

```

B      REGULAR

```

```
Field: NAME (90564.19,.01)
1) = S ^BGPGUIO("B", $E(X,1,30), DA)=""
2) = K ^BGPGUIO("B", $E(X,1,30), DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.21 01/09/20 PAGE 1

---

File #90564.21

Traditional Cross-References:

```
B REGULAR
Field: NAME OF LIST (90564.21,.01)
1) = S ^BGPSNOMO("B", $E(X,1,30), DA)=""
2) = K ^BGPSNOMO("B", $E(X,1,30), DA)
```

Subfile #90564.2111

Traditional Cross-References:

```
B REGULAR
Field: SNOMED/RXNORM CODE (90564.2111,.01)
1) = S ^BGPSNOMO(DA(1), 11, "B", $E(X,1,30), DA)=""
2) = K ^BGPSNOMO(DA(1), 11, "B", $E(X,1,30), DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.22 01/09/20 PAGE 1

---

File #90564.22

Traditional Cross-References:

```
AB MUMPS
Field: ORDER (90564.22,1204)
1) = S ^BGPELIIO("AB", $P(X,".",1,2), X, DA)=""
2) = K ^BGPELIIO("AB", $P(X,".",1,2), X, DA)

ABC MUMPS
Field: ORDER (90564.22,1204)
1) = S ^BGPELIIO("ABC", $P(X,".",1,2), $TR(X,".", ""), DA)=""
2) = K ^BGPELIIO("ABC", $P(X,".",1,2), $TR(X,".", ""), DA)

AE MUMPS
Field: ORDER (90564.22,1204)
1) = S ^BGPELIIO("AE", $P(X,"."), $P(X,".",2), $P(X,".",3), DA)=""
2) = Q

AP MUMPS
Field: ORDER (90564.22,1204)
1) = S ^BGPELIIO("AP", $P(X,".",1,2), DA)=""
2) = K ^BGPELIIO("AP", $P(X,".",1,2), DA)

B REGULAR
Field: INDICATOR (90564.22,.01)
1) = S ^BGPELIIO("B", $E(X,1,30), DA)=""
2) = K ^BGPELIIO("B", $E(X,1,30), DA)

C REGULAR
Field: INDICATOR ID (90564.22,.04)
1) = S ^BGPELIIO("C", $E(X,1,30), DA)=""
2) = K ^BGPELIIO("C", $E(X,1,30), DA)
```

```

OR      REGULAR
      Field:  ORDER    (90564.22,1204)
            1)= S ^BGPELIIO("OR", $E(X,1,30), DA)=""
            2)= K ^BGPELIIO("OR", $E(X,1,30), DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.23 01/09/20 PAGE 1

---

File #90564.23

Traditional Cross-References:

```

B      REGULAR
      Field:  BEGINNING DATE (90564.23,.01)
            1)= S ^BGPELDCO("B", $E(X,1,30), DA)=""
            2)= K ^BGPELDCO("B", $E(X,1,30), DA)

```

Subfile #90564.231111

Traditional Cross-References:

```

B      REGULAR
      Field:  MFI LOCATIONS (90564.231111,.01)
            1)= S ^BGPELDCO(DA(1),1111,"B", $E(X,1,30), DA)=""
            2)= K ^BGPELDCO(DA(1),1111,"B", $E(X,1,30), DA)

```

Subfile #90564.32999

Traditional Cross-References:

```

B      REGULAR
      Field:  COMMUNITIES (90564.32999,.01)
            1)= S ^BGPELDCO(DA(1),9999,"B", $E(X,1,30), DA)=""
            2)= K ^BGPELDCO(DA(1),9999,"B", $E(X,1,30), DA)

```

Subfile #90564.329999

Traditional Cross-References:

```

B      REGULAR
      Field:  PATIENTS EISS (90564.329999,.01)
            1)= S ^BGPELDCO(DA(1),99999,"B", $E(X,1,30), DA)=""
            2)= K ^BGPELDCO(DA(1),99999,"B", $E(X,1,30), DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.24 01/09/20 PAGE 1

---

File #90564.24

Traditional Cross-References:

```

B      REGULAR
      Field:  BEGINNING DATE (90564.24,.01)
            1)= S ^BGPELDPO("B", $E(X,1,30), DA)=""
            2)= K ^BGPELDPO("B", $E(X,1,30), DA)

```

Subfile #90564.241111

Traditional Cross-References:

```

B      REGULAR

```

```
Field: MFI LOCATIONS (90564.241111,.01)
1) = S ^BGPELDPO (DA(1),1111,"B", $E(X,1,30), DA)=""
2) = K ^BGPELDPO (DA(1),1111,"B", $E(X,1,30), DA)
```

Subfile #90564.33999

Traditional Cross-References:

B REGULAR

```
Field: COMMUNITIES (90564.33999,.01)
1) = S ^BGPELDPO (DA(1),9999,"B", $E(X,1,30), DA)=""
2) = K ^BGPELDPO (DA(1),9999,"B", $E(X,1,30), DA)
```

Subfile #90564.33999

Traditional Cross-References:

B REGULAR

```
Field: PATIENTS EISS (90564.339999,.01)
1) = S ^BGPELDPO (DA(1),99999,"B", $E(X,1,30), DA)=""
2) = K ^BGPELDPO (DA(1),99999,"B", $E(X,1,30), DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.25 01/09/20 PAGE 1

File #90564.25

Traditional Cross-References:

B REGULAR

```
Field: BEGINNING DATE (90564.25,.01)
1) = S ^BGPELDPO ("B", $E(X,1,30), DA)=""
2) = K ^BGPELDPO ("B", $E(X,1,30), DA)
```

Subfile #90564.251111

Traditional Cross-References:

B REGULAR

```
Field: MFI LOCATIONS (90564.251111,.01)
1) = S ^BGPELDPO (DA(1),1111,"B", $E(X,1,30), DA)=""
2) = K ^BGPELDPO (DA(1),1111,"B", $E(X,1,30), DA)
```

Subfile #90564.34999

Traditional Cross-References:

B REGULAR

```
Field: COMMUNITIES (90564.34999,.01)
1) = S ^BGPELDPO (DA(1),9999,"B", $E(X,1,30), DA)=""
2) = K ^BGPELDPO (DA(1),9999,"B", $E(X,1,30), DA)
```

Subfile #90564.34999

Traditional Cross-References:

B REGULAR

```
Field: PATIENTS EISS (90564.349999,.01)
1) = S ^BGPELDPO (DA(1),99999,"B", $E(X,1,30), DA)=""
2) = K ^BGPELDPO (DA(1),99999,"B", $E(X,1,30), DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90564.26 01/09/20 PAGE 1

```

-----
File #90564.26

Traditional Cross-References:

AO    REGULAR
      Field:  ORDER ON SELECTION/REPORT  (90564.26,.02)
            1)= S ^BGPELIO("AO", $E(X,1,30), DA)=""
            2)= K ^BGPELIO("AO", $E(X,1,30), DA)

B     REGULAR
      Field:  INDICATOR NUMBER  (90564.26,.01)
            1)= S ^BGPELIO("B", $E(X,1,30), DA)=""
            2)= K ^BGPELIO("B", $E(X,1,30), DA)

C     REGULAR
      Field:  TITLE  (90564.26,.03)
            1)= S ^BGPELIO("C", $E(X,1,30), DA)=""
            2)= K ^BGPELIO("C", $E(X,1,30), DA)

D     MUMPS
      Field:  TITLE  (90564.26,.03)
            1)= S ^BGPELIO("D", $$UP^XLFSTR(X), DA)=""
            2)= K ^BGPELIO("D", $$UP^XLFSTR(X), DA)

PUID  REGULAR
      Field:  PUID  (90564.26,1201)
            1)= S ^BGPELIO("PUID", $E(X,1,30), DA)=""
            2)= K ^BGPELIO("PUID", $E(X,1,30), DA)

Subfile #90564.2661

Traditional Cross-References:

B     REGULAR
      Field:  DENOMINATOR DEFINITIONS  (90564.2661,.01)
            1)= S ^BGPELIO(DA(1), 61, "B", $E(X,1,30), DA)=""
            2)= K ^BGPELIO(DA(1), 61, "B", $E(X,1,30), DA)

Subfile #90564.2662

Traditional Cross-References:

B     REGULAR
      Field:  NUMERATOR DEFINITIONS  (90564.2662,.01)
            1)= S ^BGPELIO(DA(1), 62, "B", $E(X,1,30), DA)=""
            2)= K ^BGPELIO(DA(1), 62, "B", $E(X,1,30), DA)

```

Figure 4-1: Index and Cross Reference List

## 4.4 Table File

The following six files have over 1,000 fields per file. These files are used to hold calculated data values for the GPRR reports. To conserve space in this document, the table files are not listed here. To generate a listing, use the ^XBFLD or FM data dictionary listing utility to list the data dictionary in detail.

**FILE: 90564.03 BGP 20 DATA CURRENT**

**GLOBAL: ^BGPDPDCO(**

**FILE: 90564.04 BGP 20 DATA PREVIOUS**

**GLOBAL: ^BGPDPDPO(**

**FILE: 90564.05 BGP 20 DATA BASELINE**

**GLOBAL: ^BGPHEDBO(**

**FILE: 90564.23 BGP 20 ELDER DATA CURRENT**

**GLOBAL: ^BGPELDCO(**

**FILE: 90564.24 BGP 20 ELDER DATA PREVIOUS**

**GLOBAL: ^BGPELDPO(**

**FILE: 90564.25 BGP 20 ELDER DATA BASELINE**

**GLOBAL: ^BGPELDBO(**

### 4.4.1 BGP Control File

**GLOBAL: ^BGPCTRL(**

**FILE #: 90241.01**

```

CONDENSED DATA DICTIONARY---BGP CONTROL FILE FILE (#90241.01)UCI: CMBA,CMBA
VERSION: 20.0

STORED IN: ^BGPCTRL(                                01/09/20    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY    : @      LAYGO SECURITY  : @
                                WRITE SECURITY   : @
CROSS REFERENCED BY:
    FY(B)  GPRR YEAR(C)

                                FILE STRUCTURE

FIELD      FIELD
    
```

NUMBER	NAME
.01	FY (RF), [0;1]
.02	ENDING COLUMN FOR ONM1 (NJ4,0), [0;2]
.03	ENDING COLUMN FOR ONM2 (NJ4,0), [0;3]
.04	GPRANT1 END COLUMN (NJ4,0), [0;4]
.05	PROGRAM FOR ICARE TO RUN (F), [0;5]
.06	FILE FOR MEASURES (P1'), [0;6]
.07	FILE # FOR INDIVIDUAL INDS (P1'), [0;7]
.08	BEGINNING DATE FOR GPRA YEAR (D), [0;8]
.09	ENDING DATE FOR GPRA YEAR (D), [0;9]
.1	BEG DATE FOR PREVIOUS YEAR (D), [0;10]
.11	ENDING DATE FOR PREVIOUS YEAR (D), [0;11]
.12	BEG DATE FOR BASELINE YEAR (D), [0;12]
.13	ENDING DATE FOR BASELINE YR (D), [0;13]
.14	GPRA YEAR (D), [0;14]
.15	VERSION (F), [0;15]
.16	GPRANT2 END COLUMN (NJ3,0), [0;16]
.17	CONTRAINDICATIONS ROUTINE (F), [0;17]
.18	ALLERGY ROUTINE (F), [0;18]
.19	REFUSAL API ROUTINE (F), [0;19]
.2	*ENDING COLUMN FOR EO (NJ4,0), [0;20]
.21	END COLUMN FOR CRSONMNT3 (NJ4,0), [0;21]
.22	DEVNT1 END COLUMN (NJ3,0), [0;22]
.23	DEVNT2 END COLUMN (NJ3,0), [0;23]
.24	DEVNT3 END COLUMN (NJ4,0), [0;24]
.25	ONMT 4 ENDING COLUMN (NJ4,0), [0;25]
.26	ONMT 5 (NJ4,0), [0;26]
.27	GPRANT3 END COLUMN (NJ3,0), [0;27]
.28	DEVNT4 END COLUMN (NJ3,0), [0;28]
.29	GPRANT4 END COLUMN (NJ3,0), [0;29]
.3	UNFOLDTX ROUTINE (F), [0;30]
.31	GPRANT5 END COLUMN (NJ3,0), [0;31]
.32	DEVNT6 END COLUMN (NJ3,0), [0;32]
.33	DEVNT5 END COLUMN (NJ3,0), [0;33]
1101	CLINICS FOR CLINICAL USER (Multiple-90241.0111), [11;0]
	.01 CLINIC CODE (MF), [0;1]
	.019 CLINIC NAME (CJ8), [ ; ]
1102	CLINICS FOR IPC REPORT (Multiple-90241.011101), [1101;0]
	.01 CLINICS FOR IPC REPORT (MF), [0;1]
1201	CLINIC CODES FOR 2ND VISIT (Multiple-90241.0112), [12;0]
	.01 CLINIC CODES FOR 2ND VISIT (MF), [0;1]
1300	LOCAL REPORT HEADER PAGE (Multiple-90241.13), [13;0]
	.01 LOCAL REPORT HEADER PAGE (W), [0;1]
1301	BH CLINIC CODES (Multiple-90241.011301), [1301;0]
	.01 BH CLINIC CODES (MF), [0;1]
1400	NATIONAL GPRA COVER PG NONCHS (Multiple-90241.14), [14;0]
	.01 GPRA REPORT HEADER PAGE (W), [0;1]
1500	AREA REPORT HEADER PAGE (Multiple-90241.15), [15;0]
	.01 AREA REPORT HEADER PAGE (W), [0;1]
1600	*HEDIS REPORT HEADER PAGE (Multiple-90241.16), [16;0]
	.01 HEDIS REPORT HEADER PAGE (W), [0;1]
1700	COM REPORT HEADER PAGE (Multiple-90241.17), [17;0]
	.01 COM REPORT HEADER PAGE (W), [0;1]
1800	PP REPORT HEADER PAGE (Multiple-90241.18), [18;0]
	.01 PP REPORT HEADER PAGE (W), [0;1]
1900	ALL REPORT HEADER PAGE (Multiple-90241.19), [19;0]
	.01 ALL REPORT HEADER PAGE (W), [0;1]
2100	*CMS REPORT COVER PAGE (Multiple-90241.0321), [21;0]
	.01 CMS REPORT COVER PAGE (W), [0;1]
2200	ELDER CARE COVER PAGE (Multiple-90241.22), [22;0]
	.01 ELDER CARE COVER PAGE (W), [0;1]



```

2300 *NATL GPRA COVER PAGE - CHS (Multiple-90241.23), [23;0]
      .01 CHS NATIONAL GPRA RPT HEADER (W), [0;1]
2400 *CHS COM REPORT HEADER (Multiple-90241.24), [24;0]
      .01 CHS COM REPORT HEADER (W), [0;1]
2500 *CHS ALL REPORT HEADER (Multiple-90241.25), [25;0]
      .01 CHS ALL REPORT HEADER (W), [0;1]
2600 *CHS ELDER REPORT HEADER (Multiple-90241.26), [26;0]
      .01 CHS ELDER REPORT HEADER (W), [0;1]
2700 *CHS HEDIS REPORT HEADER (Multiple-90241.27), [27;0]
      .01 CHS HEDIS REPORT HEADER (W), [0;1]
2800 COMP NATL PAT LIST 1ST PAGE (Multiple-90241.0328), [28;0]
      .01 1ST PAGE COMP LIST (W), [0;1]
2900 *AREA CHS NGR HEADER PAGE (Multiple-90241.29), [29;0]
      .01 AREA CHS NGR HEADER PAGE (W), [0;1]
3000 BH ALCOHOL PROBLEM CODES (Multiple-90241.013), [30;0]
      .01 BH ALCOHOL PROBLEM CODES (MF), [0;1]
3100 *AREA GPUA CHS HEADER (Multiple-90241.31), [31;0]
      .01 AREA CHS HEADER (W), [0;1]
3200 *AREA CHS HEDIS COVER PAGE (Multiple-90241.32), [32;0]
      .01 AREA HEDIS COVER PAGE (W), [0;1]
3300 *AREA ELDER CHS COVER PAGE (Multiple-90241.33), [33;0]
      .01 AREA ELDER CHS COVER PAGE (W), [0;1]
3400 PATIENT ED COVER PAGE (Multiple-90241.34), [34;0]
      .01 PATIENT ED COVER PAGE (W), [0;1]
3500 AREA PAT ED COVER PAG (Multiple-90241.35), [35;0]
      .01 AREA PAT ED COVER PAG (W), [0;1]
3600 ON 1 HEADERS (Multiple-90241.36), [36;0]
      .01 PIECE (MNJ5,0X), [0;1]
      .02 HEADER (F), [0;2]
3700 ON 2 HEADERS (Multiple-90241.37), [37;0]
      .01 PIECE (MNJ4,0X), [0;1]
      .02 HEADER (F), [0;2]
3800 GPRA NT1 (Multiple-90241.38), [38;0]
      .01 PIECE (MNJ4,0X), [0;1]
      .02 HEADER (F), [0;2]
3900 FORECAST DENOMINATOR DEFS PAGE (Multiple-90241.39), [39;0]
      .01 SCHEDULING OPTION COVER PAGE (W), [0;1]
4000 GPRA NT2 (Multiple-90241.4), [40;0]
      .01 PIECE (MNJ4,0), [0;1]
      .02 LABEL (F), [0;2]
4100 MEASURE (Multiple-90241.41), [41;0]
      .01 MEASURE (MRNJ3,0), [0;1]
      11 DENOM TEXT (Multiple-90241.4111), [11;0]
         .01 DENOM TEXT (W), [0;1]
4200 *CMS REPORT INTRODUCTION (Multiple-90241.42), [42;0]
      .01 CMS REPORT INTRODUCTION (W), [0;1]
4300 LAB TAXONOMY INTRO TEXT (Multiple-90241.43), [43;0]
      .01 LAB TAXONOMY INTRO TEXT (W), [0;1]
4400 MED TAX INTRO (Multiple-90241.44), [44;0]
      .01 MED TAX INTRO (W), [0;1]
4500 CRSONMNT3 COLUMN HEADERS (Multiple-90241.0145), [45;0]
      .01 CRSONMNT3 COLUMN HEADERS (MNJ4,0), [0;1]
      .02 HEADER TEXT (F), [0;2]
4600 *URBAN GP COVER PAGE (Multiple-90241.46), [46;0]
      .01 URBAN GP COVER PAGE (Wx), [0;1]
4700 *URBAN SUM ONLY GP (Multiple-90241.47), [47;0]
      .01 URBAN SUM ONLY GP (Wx), [0;1]
4800 *URBAN COM COVER PAGE (Multiple-90241.48), [48;0]
      .01 URBAN COM COVER PAGE (Wx), [0;1]
4900 *URBAN ALL COVER PAGE (Multiple-90241.49), [49;0]
      .01 URBAN ALL COVER PAGE (Wx), [0;1]
5000 DEP SCR BH CLINICS (Multiple-90241.015), [50;0]

```

```

.01 DEP SCR BH CLINICS (MF), [0;1]
5100 *URBAN ONM COVER PAGE (Multiple-90241.51), [51;0]
.01 URBAN ONM COVER PAGE (Wx), [0;1]
5200 *URBAN ELDER COVER PAGE (Multiple-90241.52), [52;0]
.01 URBAN ELDER COVER PAGE (Wx), [0;1]
5300 XP 2008-2009 INFORMING (Multiple-90241.0153), [53;0]
.01 XP 2008-2009 INFORMING (W), [0;1]
5400 XP REPORT INFORM (Multiple-90241.54), [54;0]
.01 XP REPORT INFORM (W), [0;1]
5500 XP MEASURES (Multiple-90241.55), [55;0]
.01 MEASURE (MP90530.01'), [0;1]
1101 INDIVIDUAL MEASURES (Multiple-90241.551101), [11;0]
.01 MEASURE ID (MNJ3,0), [0;1]
.02 VALUE FOR EXPORT (K), [1;E1,245]
.03 MEASURE LABEL (F), [0;3]
5600 ONM COVER PAGE (Multiple-90241.56), [56;0]
.01 ONM COVER PAGE (W), [0;1]
5700 *ONM CHS COVER PAGE (Multiple-90241.57), [57;0]
.01 ONM CHS COVER PAGE (W), [0;1]
5800 FORECAST REPORT INFORMING (Multiple-90241.58), [58;0]
.01 FORECAST REPORT INFORMING (W), [0;1]
5900 *EO REPORT COVER PAGE (Multiple-90241.0159), [59;0]
.01 EO REPORT COVER PAGE (W), [0;1]
6100 PAT ED INFORMING (Multiple-90241.61), [61;0]
.01 PAT ED INFORMING (W), [0;1]
6200 PATIENT ED TOPICS (Multiple-90241.62), [62;0]
.01 PATIENT ED TOPICS (F), [0;1]
.02 DIAGNOSIS (F), [0;2]
.03 TOPIC (F), [0;3]
6300 PAT ED ICD MAPPINGS (Multiple-90241.63), [63;0]
.01 DISEASE STATE ABBRV (MF), [0;1]
.02 DISEASE STATE NAME (F), [0;2]
.03 TAXONOMY NAME (F), [0;3]
1100 ICD MAPPING (Multiple-90241.6311), [11;0]
.02 LENGTH TO CHECK (NJ1,0), [0;2]
.03 EXACT LENGTH? (S), [0;3]
6400 *EO REPORT COVER PAGE CHS ONLY (Multiple-90241.0164), [64;0]
.01 EO REPORT COVER PAGE CHS ONLY (W), [0;1]
6500 *EO REPORT INFORMING (Multiple-90241.0165), [65;0]
.01 EO REPORT INFORMING (W), [0;1]
6600 *EO AREA REPORT COVER PAGE (Multiple-90241.0166), [66;0]
.01 EO AREA REPORT COVER PAGE (W), [0;1]
6700 *EO AREA REPORT CHS COVER PAGE (Multiple-90241.0467), [67;0]
.01 EO AREA REPORT CHS COVER PAGE (W), [0;1]
6800 *EO NT (Multiple-90241.0168), [68;0]
.01 EO NT (MNJ4,0), [0;1]
.02 TEXT (F), [0;2]
6900 FORECAST INFORMING FOR NEXT YR (Multiple-90241.69), [69;0]
.01 FORECAST INFORMING FOR NEXT YR (W), [0;1]
7100 GPRA RPT SUM ONLY INFORMING (Multiple-90241.71), [71;0]
.01 GPRA RPT SUM ONLY INFORMING (W), [0;1]
7200 NATL GPRA DES PROV INFORMING (Multiple-90241.72), [72;0]
.01 NATL GPRA DES PROV INFORMING (W), [0;1]
7300 HW OPTION INFORMING (Multiple-90241.73), [73;0]
.01 HW OPTION INFORMING (W), [0;1]
7400 PAT ED PP INFORMING (Multiple-90241.74), [74;0]
.01 PAT ED PP INFORMING (W), [0;1]
7500 PED PP COVER PAGE (Multiple-90241.75), [75;0]
.01 PED PP COVER PAGE (W), [0;1]
7600 GPRA SUM ONLY COVER PAGE (Multiple-90241.76), [76;0]
.01 GPRA SUM ONLY COVER PAGE (W), [0;1]
7700 *NATL GPRA SUM CHS COVER (Multiple-90241.77), [77;0]

```

```

7800 .01 NATL GPRA SUM CHS COVER (W), [0;1]
      XP9 INFORMING (Multiple-90241.78), [78;0]
      .01 XP9 INFORMING (W), [0;1]
7900 DEVNT1 HEADERS (Multiple-90241.79), [79;0]
      .01 DEVEL 1 (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8100 DEVNT2 HEADERS (Multiple-90241.81), [81;0]
      .01 DEVEL 2 (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8200 XP 10 INFORMING (Multiple-90241.82), [82;0]
      .01 XP 10 INFORMING (W), [0;1]
8300 GPU W/PP COVER PAGE (Multiple-90241.83), [83;0]
      .01 GPU W/PP COVER PAGE (W), [0;1]
8400 XP INFORMING FOR 2011 (Multiple-90241.84), [84;0]
      .01 XP INFORMING FOR 2011 (Wx), [0;1]
8500 DEVNT3 HEADERS (Multiple-90241.85), [85;0]
      .01 DEVEL 3 (NJ4,0), [0;1]
      .02 TEXT (F), [0;2]
8501 DEVNT4 HEADERS (Multiple-90241.18501), [851;0]
      .01 DEVNT4 HEADERS (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8502 DEVNT5 HEADERS (Multiple-90241.8502), [852;0]
      .01 HEADERS FOR DEV5 (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8600 ONMT 4 HEADERS (Multiple-90241.86), [86;0]
      .01 ONMT 4 HEADERS (NJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8700 ONMT5 HEADERS (Multiple-90241.87), [87;0]
      .01 ONMT5 HEADERS (NJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8800 DASHBOARD INFORMING (Multiple-90241.88), [88;0]
      .01 DASHBOARD INFORMING (Wx), [0;1]
8900 *AREA ELDER TOP (Multiple-90241.89), [89;0]
      .01 AREA ELDER TOP (Wx), [0;1]
9100 DASHBOARD COVER PAGE (Multiple-90241.91), [91;0]
      .01 DASHBOARD COVER PAGE (Wx), [0;1]
9200 *DASHBOARD COVER PAGE CHS (Multiple-90241.92), [92;0]
      .01 DASHBOARD COVER PAGE CHS (Wx), [0;1]
9300 *DASHBOARD INFORMING URBAN (Multiple-90241.93), [93;0]
      .01 DASHBOARD INFORMING URBAN (Wx), [0;1]
9400 AREA DASHBOARD COVER (Multiple-90241.94), [94;0]
      .01 AREA DASHBOARD COVER (Wx), [0;1]
9500 CLINIC CODES FOR BH ACT CL (Multiple-90241.0195), [95;0]
      .01 CLINIC CODES FOR BH ACT CL (MF), [0;1]
9601 AUTO EXPORT UTILITY ROUTINE (F), [96;1]
9602 AUTO EXPORT RUN ROUTINE (F), [96;2]
9700 GPRA NT3 (Multiple-90241.97), [97;0]
      .01 GPRANT3 (MNJ4,0), [0;1]
      .02 HEADER (F), [0;2]
9701 GPRA NT4 (Multiple-90241.971), [971;0]
      .01 GPRA NT4 (NJ3,0), [0;1]
      .02 TEXT (F), [0;2]
9702 GPRA NT5 LABELS (Multiple-90241.1972), [972;0]
      .01 GPRA NT5 LABELS (MNJ3,0), [0;1]
      .02 LABEL (F), [0;2]
9703 DEVNT6 LABELS (Multiple-90241.1973), [973;0]
      .01 DEVNT6 LABELS (MNJ4,0), [0;1]
      .02 LABEL (F), [0;2]
9801 PATCHES BULLETIN TEXT (Multiple-90241.9801), [98;0]
      .01 PATCHES BULLETIN TEXT (MNJ2,0X), [0;1]
      11 BULLETIN TEXT (Multiple-90241.980111), [11;0]
          .01 BULLETIN TEXT (W), [0;1]

```

```
9802      IPC COVER PAGE (Multiple-90241.019802), [9802;0]
          .01 IPC COVER PAGE (Wx), [0;1]
```

Figure 4-2: BGP Control File

### 4.4.2 BGP SITE PARAMETERS

**GLOBAL: ^BGPSITE(**

**FILE #: 90241.02**

```
CONDENSED DATA DICTIONARY---BGP SITE PARAMETERS FILE (#90241.02)   VERSION: 20.0
STORED IN: ^BGPSITE(                                               01/09/20   PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : M   LAYGO SECURITY  : M
                                WRITE SECURITY : M

CROSS REFERENCED BY:
LOCATION(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        LOCATION (RP99999999.06'X), [0;1]
.02        HOME LOCATION (P99999999.06'), [0;2]
.03        AREA EXPORT? (S), [0;3]
.04        INCLUDE DATA IN WEB EISS? (S), [0;4]
.05        DEFAULT COMMUNITY TAXONOMY (*P9002226'), [0;5]
.06        CHS SITE ONLY (S), [0;6]
.08        MFI SITE? (S), [0;8]
.09        MFI LOCATION TAXONOMY (*P9002226'), [0;9]
.11        EXPORT HT/WT DATA (S), [0;11]
.12        DEMO PATIENT SEARCH TEMPLATE (P.401'), [0;12]
.13        URBAN PROGRAM? (S), [0;13]
.14        DIRECTORY FOR EXPORT FILES (FX), [0;14]
```

Figure 4-3: BGP SITE PARAMETERS

### 4.4.3 FILE: BGP SUMMARY CATEGORIES

**GLOBAL: ^BGPSCAT( FILE #: 90241.03**

```
VERSION: 20.0
STORED IN: ^BGPSCAT(                                               01/09/20   PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY : @
```

```

CROSS REFERENCED BY:
  CATEGORY (B)  ORDER ON GPRA SUMMARY (C)  ORDER NO NON-GPRA SUMMARY (D)
  ORDER ON EO REPORT (E)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]
.02        ORDER ON GPRA SUMMARY (NJ2,0), [0;2]
.03        ORDER NO NON-GPRA SUMMARY (NJ2,0), [0;3]
.04        ORDER ON EO REPORT (NJ2,0), [0;4]
    
```

Figure 4-4: BGP SUMMARY CATEGORIES

#### 4.4.4 FILE: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS GLOBAL: ^BGP2PM( FILE #: 90241.04

```

CONDENSED DATA DICTIONARY---BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS FILE
(#90241.04)      VERSION: 20.0

STORED IN: ^BGP2PM(                                01/09/20      PAGE 1
-----

                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY    : M      LAYGO SECURITY  : M
                                WRITE SECURITY   : M

CROSS REFERENCED BY:
  SITE (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        SITE (R*P9999999.06'X), [0;1]
.02        TYPE OF AUTO EXTRACT (S), [0;2]
1.1        DEFAULT DIRECTORY (F), [1;1]
4.1        REMOTE HOST NAME (F), [4;1]
4.2        REMOTE HOST IP ADDRESS (F), [4;2]
4.3        REMOTE HOST DIRECTORY (F), [4;3]
4.4        REMOTE HOST USERNAME (F), [4;4]
4.5        REMOTE HOST PASSWORD (F), [4;5]
5.1        DEFAULT COMMUNITY TAXONOMY (P9002226'), [5;1]
8          EXTRACT DATE (Multiple-90241.12), [8;0]
          .01 EXTRACT DATE (MD), [0;1]
          .02 EXTRACT FILE NAME (F), [0;2]
          .03 EXTRACT BEGIN DATE (D), [0;3]
          .04 EXTRACT END DATE (D), [0;4]
          .05 ERROR MESSAGE (F), [0;5]
    
```

Figure 4-5: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS

### 4.4.5 FILE: BGP AREA AUTOMATED GPRA PARAMS GLOBAL: ^BGP1PM( FILE #: 90245

```

CONDENSED DATA DICTIONARY---BGP AREA AUTOMATED GPRA PARAMS FILE (#90245)   VERSION:
20.0

STORED IN: ^BGP1PM(                               01/09/20   PAGE 1
-----
                                         FILE SECURITY
                                         DD SECURITY   : @   DELETE SECURITY: M
                                         READ SECURITY  : M   LAYGO SECURITY : M
                                         WRITE SECURITY : M

CROSS REFERENCED BY:
NAME (B)

                                         FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        NAME (RFX), [0;1]
.02        TYPE OF AUTO EXTRACT (S), [0;2]
1.1        DEFAULT DIRECTORY (F), [1;1]
1.2        SUBDIRECTORY (F), [1;2]
7          DATE PROCESSED (Multiple-90245.07), [7;0]
          .01 REPORT BEGIN DATE (MD), [0;1]
          .02 REPORT END DATE (D), [0;2]
          .03 DATE PROCESSED (D), [0;3]
          .04 STATUS (S), [0;4]
          .05 ERROR MESSAGE (F), [0;5]
          .06 PROCESSING ATTEMPTS (NJ6,0), [0;6]
          .07 ASUFAC (F), [0;7]
          .08 FILE PROCESSED (F), [0;8]
          .09 PROCESS START DATE (D), [0;9]
9          FACILITY (Multiple-90245.09), [9;0]
          .01 FACILITY (MP9999999.06'), [0;1]
          .02 ASUFAC (NJ6,0), [0;2]
          .03 ACTIVE (S), [0;3]
          .04 IP ADDRESS (F), [0;4]
          .05 GENERIC LISTENER PORT (NJ9,0), [0;5]
99.1       ALERT/MAILMAN SENDER (P200'), [99.1;1]
99.2       ALERT/MM RECIPIENT (Multiple-90245.992), [99.2;0]
          .01 EMAIL RECIPIENT (MP200'), [0;1 ]
    
```

Figure 4-6: BGP AREA AUTOMATED GPRA PARAMS

### 4.4.6 FILE: BGP GPRA FLAT FILE DATA GLOBAL: ^BGP1RD( FILE #: 90245.1

```

CONDENSED DATA DICTIONARY---BGP GPRA FLAT FILE DATA FILE (#90245.1)   VERSION: 20.0

STORED IN: ^BGP1RD(                               01/09/20   PAGE 1
-----
                                         FILE SECURITY
    
```

```

DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY   : @      LAYGO SECURITY  : @
WRITE SECURITY  : @

CROSS REFERENCED BY:
  INDICATOR NAME(B)  CURRENT REPORT BEGIN DATE(CBD)
  SITE NAME(D)

FILE #90245.1
INDEXED BY:          INDICATOR NAME & SITE NAME & CURRENT REPORT BEGIN DATE &
                     CURRENT REPORT END DATE (C)

FILE STRUCTURE

FIELD           FIELD
NUMBER          NAME

.01             INDICATOR NAME (RF), [0;1]
.02             INDICATOR NUMBER (F), [0;2]
.03             SITE NAME (F), [0;3]
.04             ASUFAC (F), [0;4]
.05             DB ID (NJ5,0), [0;5]
.06             DATE REPORT RUN (D), [0;6]
.07             CURRENT REPORT BEGIN DATE (D), [0;7]
.08             CURRENT REPORT END DATE (D), [0;8]
.09             PREVIOUS YEAR BEGIN DATE (D), [0;9]
.1              PREVIOUS YEAR END DATE (D), [0;10]
.11            BASELINE YEAR BEGIN DATE (D), [0;11]
.12            BASELINE YEAR END DATE (D), [0;12]
.13            CURRENT NUMERATOR (NJ6,0), [0;13]
.14            CURRENT DENOMINATOR (NJ6,0), [0;14]
.15            CURRENT PERCENT (NJ8,1), [0;15]
.16            PREVIOUS NUMERATOR (NJ6,0), [0;16]
.17            PREVIOUS DENOMINATOR (NJ6,0), [0;17]
.18            PREVIOUS PERCENT (NJ8,1), [0;18]
.19            BASELINE NUMERATOR (NJ6,0), [0;19]
.2             BASELINE DENOMINATOR (NJ6,0), [0;20]
.21            BASELINE PERCENT (NJ8,1), [0;21]
  
```

Figure 4-7: BGP GPRA FLAT FILE DATA

#### 4.4.7 FILE: BGP 20 MEASURES

**GLOBAL: ^BGPINDO( FILE #: 90564.01**

```

CONDENSED DATA DICTIONARY---BGP 20 MEASURES FILE (#90564.01)UCI: CMBA,CMBA
VERSION: 20.0

STORED IN: ^BGPINDO(                                01/09/20    PAGE 1
-----

FILE SECURITY
DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY   : @      LAYGO SECURITY  : @
WRITE SECURITY  : @

CROSS REFERENCED BY:
  DEVELOPMENTAL MEASURE?(ADEV)  ORDER ON DEVELOPMENTAL REPORT(ADEVO)
  ORDER ON IPC REPORT(AIPC)     ORDER ON SELECTION/REPORT(AO)
  ORDER IND(AOI)  MEASURE NUMBER(B)  TITLE/SELECTION TITLE(C)
  ORDER IND(D)   NATIONAL REPORT(GPRA)  PUID FROM RM(PUID)
  
```

TITLE/SELECTION TITLE (U)	
FILE STRUCTURE	
FIELD NUMBER	FIELD NAME
.01	MEASURE NUMBER (RNJ3,0X), [0;1]
.02	ORDER ON SELECTION/REPORT (F), [0;2]
.03	TITLE/SELECTION TITLE (F), [0;3]
.05	LIST SELECTION TITLE (F), [0;5]
.06	ORDER TO DISPLAY (NJ4,0), [0;6]
.07	NATIONAL REPORT (S), [0;7]
.12	NO LIST (S), [0;12]
.13	# DENOMINATORS (NJ2,0), [0;13]
.14	DEVELOPMENTAL MEASURE? (S), [0;14]
1	M CODE TO EXECUTE (K), [1;E1,245]
2	SET LIST VALUE (K), [2;E1,245]
3	PRINT M CODE (K), [3;E1,245]
4	DELIMITED FILE PRINT (K), [4;E1,245]
1100	SELECTED REPORT FY LOGIC TEXT (Multiple-90564.0111), [11;0]
	.01 SELECTED REPORT FY LOGIC TEXT (W), [0;1]
1202	WEB SITE UNIQUE ID (F), [12;2]
1203	PUID FROM RM (NJ4,0), [12;3]
1204	GROUP (P90564.1'), [12;4]
1205	UPDATED THIS YEAR? (S), [12;5]
1206	ORDER IND (NJ4,0), [12;6]
1207	IPC REPORT ONLY? (S), [12;7]
1208	ORDER ON IPC REPORT (NJ4,0), [12;8]
1301	SKIP SELECTED REPORT? (S), [13;1]
1302	ORDER ON DEVELOPMENTAL REPORT (NJ3,0), [13;2]
1303	SKIP NGR PRINT/DEV ONLY (S), [13;3]
2100	IPC MEASURE LOGIC TEXT (Multiple-90564.0121), [21;0]
	.01 IPC MEASURE LOGIC TEXT (Wx), [0;1]
5100	INDICATOR DESCRIPTION (Multiple-90564.0151), [51;0]
	.01 DESCRIPTION (W), [0;1]
5200	PAST PERFORMANCE (Multiple-90564.0152), [52;0]
	.01 REPORT PRINT SECTION (W), [0;1]
5300	REPORT PRINT 2ND PAGE (Multiple-90564.0153), [53;0]
	.01 REPORT PRINT 2ND PAGE (W), [0;1]
5400	NATIONAL GPRA/GPRAMA LOGIC (Multiple-90564.54), [54;0]
	.01 NATIONAL GPRA/GPRAMA (W), [0;1]
5500	SOURCE (Multiple-90564.55), [55;0]
	.01 SOURCE (W), [0;1]
5800	DEVELOPMENTAL RPT LOGIC TEXT (Multiple-90564.58), [58;0]
	.01 DEVELOPMENTAL RPT LOGIC TEXT (W), [0;1]
6100	SELECTED MEASURES DENOM DEF (Multiple-90564.0161), [61;0]
	.01 DENOMINATOR DEFINITIONS (MNJ2,0), [0;1]
	1 DENOM DESCRIPTION (Multiple-90564.01611), [1;0]
	.01 DENOM DESCRIPTION (W), [0;1]
	1200 REPORT SUB TYPES (Multiple-90564.016112), [12;0]
	.01 REPORT SUB TYPES (MS), [0;1]
6200	SELECTED MEAS NUMERATOR DEFS (Multiple-90564.0162), [62;0]
	.01 NUMERATOR DEFINITIONS (MNJ2,0X), [0;1]
	1 NUMERATOR DESCRIPTION (Multiple-90564.01621), [1;0]
	.01 NUMERATOR DESCRIPTION (W), [0;1]
	1200 REPORT SUB TYPE (Multiple-90564.016212), [12;0]
	.01 REPORT SUB TYPE (MS), [0;1]
7100	REPORT LIST 1ST PAGE (Multiple-90564.0171), [71;0]
	.01 REPORT LIST 1ST PAGE (W), [0;1]
7200	LIST PRINT SECOND PAGE (Multiple-90564.0172), [72;0]



```

8100 .01 LIST PRINT SECOND PAGE (W), [0;1]
      NATL GPRA DENOM DEFS (Multiple-90564.0181), [81;0]
      .01 NATL GPRA DENOM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.1811), [1;0]
        .01 TEXT (W), [0;1]
      1200 REPORT SUBTYPES (Multiple-90564.018112), [12;0]
        .01 REPORT SUBTYPES (MS), [0;1]
8200 NATL GPRA NUMERATOR DEFS (Multiple-90564.0182), [82;0]
      .01 NATL GPRA NUMERATOR DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01821), [1;0]
        .01 TEXT (W), [0;1]
      1200 REPORT SUBTYPES (Multiple-90564.018212), [12;0]
        .01 REPORT SUBTYPES (MS), [0;1]
8500 DEVELOPMENTAL MEAS DENOM DEFS (Multiple-90564.0185), [85;0]
      .01 DEVELOPMENTAL MEAS DENOM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01851), [1;0]
        .01 TEXT (W), [0;1]
      1200 REPORT SUBTYPE (Multiple-90564.018512), [12;0]
        .01 REPORT SUBTYPE (MS), [0;1]
8600 DEVELOPMENTAL MEAS NUMER DEFS (Multiple-90564.0186), [86;0]
      .01 DEVELOPMENTAL MEAS NUMER DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01861), [1;0]
        .01 TEXT (W), [0;1]
      1200 REPORT SUBTYPES (Multiple-90564.018612), [12;0]
        .01 REPORT SUBTYPES (MS), [0;1]
8700 DM DENOM DEFS (Multiple-90564.0187), [87;0]
      .01 DM DENOM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01871), [1;0]
        .01 TEXT (Wx), [0;1]
8800 DM NUMER DEFS (Multiple-90564.0188), [88;0]
      .01 DM NUMER DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01881), [1;0]
        .01 TEXT (Wx), [0;1]
8900 CVD DENOM DEFS (Multiple-90564.0189), [89;0]
      .01 CVD DENOM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01891), [1;0]
        .01 TEXT (Wx), [0;1]
9100 CVD NUM DEFS (Multiple-90564.0191), [91;0]
      .01 CVD NUM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01911), [1;0]
        .01 TEXT (Wx), [0;1]
9200 WH DEN DEFS (Multiple-90564.0192), [92;0]
      .01 WH DEN DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01921), [1;0]
        .01 TEXT (Wx), [0;1]
9300 WH NUM DEFS (Multiple-90564.0193), [93;0]
      .01 WH NUM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01931), [1;0]
        .01 TEXT (Wx), [0;1]
9400 IPC DEN DEFS (Multiple-90564.0194), [94;0]
      .01 IPC DEN DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90564.01941), [1;0]
        .01 TEXT (Wx), [0;1]
9500 IPC NUM DEFS (Multiple-90564.0195), [95;0]
      .01 IPC NUM DEFS (MNJ3,0), [0;1]
      1 TEXT (Multiple-90564.01951), [1;0]
        .01 TEXT (Wx), [0;1]
9600 PQA DEM DEFS (Multiple-90564.0196), [96;0]
      .01 PQA DEM DEFS (MNJ3,0), [0;1]
      1 TEXT (Multiple-90564.01961), [1;0]
        .01 TEXT (Wx), [0;1]
9700 PQA NUM DEFS (Multiple-90564.0197), [97;0]

```

```
.01 PQA NUM DEFS (MNJ2,0), [0;1]
1 TEXT (Multiple-90564.01971), [1;0]
.01 TEXT (Wx), [0;1]
```

Figure 4-8: BGP 20 MEASURES

#### 4.4.8 FILE: BGP 20 INDIVIDUAL MEASURES

**GLOBAL: ^BGPINDOC( FILE #: 90564.02**

CONDENSED DATA DICTIONARY-BGP 20 INDIVIDUAL MEASURES FILE (#90564.02)UCI: CMBA,CMBA  
VERSION: 20.0

STORED IN: ^BGPINDOC( 01/09/20 PAGE 1

```

                                FILE SECURITY
DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY    : @      LAYGO SECURITY  : @
WRITE SECURITY   : @
```

CROSS REFERENCED BY:

```

ASTHMA REPORT?(AAST) ORDER(AB) ORDER(ABC)  CARDIO INDICATOR?(ACARD)
DASHBOARD ORDER(ADASH) DM INDICATOR?(ADM)  ELDER RELATED(AEL)
NATIONAL/PART(AGPRA) IPC REPORT?(AIPC) PQA(APQA)
WOMEN'S HEALTH(AWH) INDICATOR(B) INDICATOR ID(C)
TITLE FOR SCHEDULING OPTION(D) ORDER(OR)
```

FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	INDICATOR (RP90564.01'), [0;1]
.04	INDICATOR ID (F), [0;4]
.05	NATIONAL/PART (S), [0;5]
.08	DENOM FIELD NUMBER (NJ7,3), [0;8]
.09	NUMERATOR FIELD NUMBER (NJ7,3), [0;9]
.11	PAGE BREAK DENOM NGR (S), [0;11]
.12	DM INDICATOR? (S), [0;12]
.13	CARDIO INDICATOR? (S), [0;13]
.14	GPRANT1 PIECE (NJ5,0), [0;14]
.15	DEVNT5 (NJ3,0), [0;15]
.22	ADD BANG (S), [0;22]
.23	ASTHMA REPORT? (S), [0;23]
.24	PAGE BREAK DENOM (S), [0;24]
1	M CODE NUMERATOR (K), [1;E1,245]
2	M CODE DENOMINATOR (K), [2;E1,245]
3	M CODE FOR COMP PL (K), [3;E1,245]
4	M CODE FOR SCHEDULING (K), [4;E1,245]
1101	IPC REPORT? (S), [11;1]
1102	PQA (S), [11;2]
1103	GPRANT3 (NJ4,0), [11;3]
1201	COLUMN TEXT FOR CMP PL (F), [12;1]
1202	WOMEN'S HEALTH (S), [12;2]
1203	ELDER RELATED (S), [12;3]
1204	ORDER (F), [12;4]

```

1208 PAGE BREAK NUMER COM (S), [12;8]
1209 TITLE FOR SCHEDULING OPTION (F), [12;9]
1211 ICARE TAB (S), [12;11]
1213 GPRANT2 PIECE (NJ3,0), [12;13]
1214 SKIP DENOM DISPLAY? (S), [12;14]
1215 PAGE BREAK DENOM ONM? (S), [12;15]
1216 TITLE 2 FOR SCHEDULING OPTION (F), [12;16]
1217 COUNT ONLY? (S), [12;17]
1401 NATL GPRA SUMMARY? (S), [14;1]
1402 NATL PREV YR (F), [14;2]
1403 NATL GPRA 2020 TARGET (F), [14;3]
1404 NATL SUM TITLE (F), [14;4]
1405 NATL SUM CATEGORY 1 (P90241.03'), [14;5]
1406 NATL SUM SHEET ORDER (NJ4,0), [14;6]
1407 NATL SUM TITLE 2 (F), [14;7]
1408 NATL GPRA TARGET (F), [14;8]
1409 NATL GPRA TARGET 2ND LINE (F), [14;9]
1410 NATL SUM PY LINE 2 (F), [14;10]
1411 SECOND LINE 2012 GOAL (F), [14;11]
1412 NATL SUM TITLE 3 (F), [14;12]
1413 NATL SUM TARGET (?) (F), [14;13]
1414 NATL SUM TITLE NY (F), [14;14]
1415 NATL SUM TITLE NY 2 (F), [14;15]
1416 NATL SUM TITLE NY 3 (F), [14;16]
1417 DASHBOARD ORDER (NJ2,0), [14;17]
1501 NON GPRA SUMMARY? (S), [15;1]
1502 NG NATIONAL CURRENT (F), [15;2]
1503 NG GOAL PY (F), [15;3]
1504 NG TITLE (F), [15;4]
1505 NG CATEGORY (P90241.03'), [15;5]
1506 NG ORDER ON SUMMARY SHEET (NJ4,0), [15;6]
1507 NG TITLE 2 (F), [15;7]
1508 NG GOAL (F), [15;8]
1509 NG SECOND LINE GOAL (F), [15;9]
1510 NG NATIONAL CURRENT 2 (F), [15;10]
1511 NG 2ND LINE 2012 GOAL (F), [15;11]
1512 NG TITLE 3 (F), [15;12]
1600 TEXT FOR SCHEDULING OPTION (Multiple-90564.16), [16;0]
    .01 TEXT FOR SCHEDULING OPTION (W), [0;1]
1601 TEXT FOR SCHEDULING NEXT YR (Multiple-90564.161), [1601;0]
    .01 TEXT FOR SCHEDULING NEXT YR (W), [0;1]
1701 ICARE GROUP (P90564.17'), [17;1]
1702 ICARE CATEGORY (P90564.18'), [17;2]
1703 ICARE MEASURE NAME (F), [17;3]
1704 ICARE EXCEPTION (S), [17;4]
1705 ICARE PERFORMANCE DIRECTION (F), [17;5]
1706 ICARE REPORT CODE (S), [17;6]
1707 ICARE IPC MEASURE? (S), [17;7]
1708 PREVIOUS INDICATOR ID (F), [17;8]
1800 ICARE TOOLTIPS (Multiple-90564.0218), [18;0]
    .01 ICARE TOOLTIPS (W), [0;1]
1903 2020 TARGET (F), [19;3]
1913 %? (S), [19;13]
2102 SKIP SELECTED REPORT? (S), [21;2]
2103 DEVELF1 PIECE (NJ4,0), [21;3]
2104 DEVELF2 PIECE (NJ3,0), [21;4]
2105 PAGE BREAK NUMER NGR? (S), [21;5]
2106 DEVELOPMENTAL MEASURE? (S), [21;6]
2108 DEVELF3 (NJ4,0), [21;8]
2111 DEVELF4 (NJ3,0), [21;11]
2112 GPRANT4 (NJ3,0), [21;12]
2113 GPRANT5 (NJ4,0), [21;13]

```

2114	GPRANT6 (NJ3,0), [21;14]
2115	DEVNT 6 PIECE (NJ6,0), [21;15]
2201	DEV SUMMARY? (S), [22;1]
2202	DEV NATIONAL CURRENT (F), [22;2]
2203	DEV GOAL (F), [22;3]
2204	DEV TITLE (F), [22;4]
2205	CATEGORY (P90241.03'), [22;5]
2206	DEV ORDER ON SUMMARY SHEET (NJ3,0), [22;6]
2207	DEV TITLE 2 (F), [22;7]
2208	DEV GOAL NY (F), [22;8]
2209	DEV SECOND LINE GOAL (F), [22;9]
2210	DEV NATL CURRENT 2 (F), [22;10]
2211	DEV SECOND LINE GOAL (F), [22;11]
2212	DEV TITLE 3 (F), [22;12]
2213	PART MEASURE? (S), [22;13]
2214	PART 2012 (F), [22;14]
2215	ADD %LINE? (S), [22;15]
2301	ADD BANG ON DASHBOARD? (S), [23;1]
2302	DASHBOARD LABEL (F), [23;2]
2303	DASHBOARD # NOT % (S), [23;3]
2304	PERCENT INCREASE NO DENOM (NJ7,2), [23;4]
2305	NEG DASHBOARD (S), [23;5]
2306	DASHBOARD LABEL 2 (F), [23;6]
2307	USE PRE-SPLIT LABELS? (S), [23;7]
2401	DEN LABEL SELECTED (F), [24;1]
2402	NUM LABEL SELECTED (F), [24;2]
2501	DEN LABEL NGR (F), [25;1]
2502	NUM LABEL NGR (F), [25;2]
2601	DEN LABEL DEV (F), [26;1]
2602	NUM LABEL DEV (F), [26;2]
2801	DEN LABEL DM (F), [28;1]
2802	NUM LABEL DM (F), [28;2]
2901	DEN LABEL CVD (F), [29;1]
2902	NUM LABEL CVD (F), [29;2]
3101	DEN LABEL WH (F), [31;1]
3102	NUM LABEL WH (F), [31;2]
3201	DEN LABEL PQA (F), [32;1]
3202	NUM LABEL PQA (F), [32;2]
3301	DEN LABEL IPC (F), [33;1]
3302	NUM LABEL IPC (F), [33;2]
3401	DEN LABEL ASTHMA (F), [34;1]
3402	NUM LABEL ASTHMA (F), [34;2]
9999	LORI (S), [9999;1]
99991	LORI1 (S), [9999;2]

Figure 4-9: BGP 20 INDIVIDUAL MEASURES

#### 4.4.9 FILE: BGP 20 NATIONAL PATIENT LISTS

**GLOBAL: ^BGNPLOC (FILE #: 90564.06**

CONDENSED DATA DICTIONARY---BGP 20 NATIONAL PATIENT LISTS FILE (#90564.06) CMBA,CMBA		
VERSION: 20.0		
STORED IN: ^BGNPLOC(	01/09/20	PAGE 1
-----		
	FILE SECURITY	
DD SECURITY	: @	DELETE SECURITY: @
READ SECURITY	: @	LAYGO SECURITY : @

```

WRITE SECURITY : @
CROSS REFERENCED BY:
ORDER ON NATIONAL (AN) ORDER ON OTHER NATIONAL (AON)
NATIONAL/OTHER NATIONAL (AR) POINTER (B) INDIVIDUAL INDICATOR ID (C)

FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        POINTER (RP90564.01'), [0;1]
.02        INDIVIDUAL INDICATOR ID (F), [0;2]
.03        LIST TITLE (F), [0;3]
.04        NATIONAL (S), [0;4]
.05        ORDER ON NATIONAL (NJ3,0), [0;5]
.07        DEVELOPMENTAL OR NATIONAL (S), [0;7]
1101       LIST TITLE FOR REPORT (Multiple-90564.61101), [11;0]
           .01 LIST TITLE FOR REPORT (W), [0;1]
1201       SET LIST VALUE (K), [12;E1,245]
    
```

Figure 4-10: BGP 20 NATIONAL PATIENT LISTS

#### 4.4.10 FILE: BGP 20 SNOMED SUBSETS

**GLOBAL: ^BGPSNOSO( FILE #: 90564.07**

```

CONDENSED DATA DICTIONARY---BGP 20 SNOMED SUBSETS FILE (#90564.07) CMBA,CMBA
VERSION: 20.0

STORED IN: ^BGPSNOSO(                                01/09/20    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY     : @      LAYGO SECURITY  : @
                                WRITE SECURITY    : @

CROSS REFERENCED BY:
SUBSET NAME (B)

FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        SUBSET NAME (RF), [0;1]
    
```

Figure 4-11: BGP 20 SNOMED SUBSETS

#### 4.4.11 FILE: BGP 20 TAXONOMIES

**GLOBAL: ^BGPTAXO( FILE #: 90564.08**

```

VERSION: 20.0

STORED IN: ^BGPTAXO(                                01/09/20    PAGE 1
-----
    
```

```

                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
    TAXONOMY NAME (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        TAXONOMY NAME (RF), [0;1]
.02        TYPE (S), [0;2]
.03        LAST CHECKED/EXPORTED (D), [0;3]
.04        EDITABLE? (S), [0;4]
.05        EXPORT? (S), [0;6]
1100       DESCRIPTION (Multiple-90564.0811), [11;0]
           .01 DESCRIPTION (W), [0;1]
1200       REPORTS (Multiple-90564.0812), [12;0]
           .01 REPORTS (MS), [0;1]
1201       USED THIS YEAR (S), [0;5]
    
```

Figure 4-12: BGP 20 TAXONOMIES

#### 4.4.12 FILE: BGP 20 MEASURE GROUPS

**GLOBAL: ^BGPMGRPO( FILE #: 90564.1**

```

VERSION: 20.0

STORED IN: ^BGPMGRPO(                                01/09/20    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
    GROUP NAME (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        GROUP NAME (RF), [0;1]
    
```

Figure 4-13: BGP 20 MEASURE GROUPS

#### 4.4.13 FILE: BGP 20 ICARE GROUPS

**GLOBAL: ^BGPICAGO( FILE #: 90564.17**

```

VERSION: 20.0

STORED IN: ^BGPICAGO(                                01/09/20    PAGE 1
    
```

```

-----
                                FILE SECURITY
                                DD SECURITY : @   DELETE SECURITY: @
                                READ SECURITY : @   LAYGO SECURITY : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  CATEGORY (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]
    
```

Figure 4-14: BGP 20 ICARE GROUPS

#### 4.4.14 FILE: BGP 20 ICARE CATEGORIES

**GLOBAL: ^BGPICACO( FILE #: 90564.18**

```

VERSION: 20.0
STORED IN: ^BGPICACO(                                01/09/20    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY : @   DELETE SECURITY: @
                                READ SECURITY : @   LAYGO SECURITY : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  CATEGORY (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]
    
```

Figure 4-15: BGP 20 ICARE CATEGORIES

#### 4.4.15 FILE: BGP 20 GUI OUTPUT

**GLOBAL: ^BGPGUIO( FILE #: 90564.19**

```

CONDENSED DATA DICTIONARY---BGP 20 GUI REPORT OUTPUT FILE (#90564.19) CMBA,C
MBA                                                                VERSION: 20.0
STORED IN: ^BGPGUIO(                                01/09/20    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY : @   DELETE SECURITY: @
    
```

```

                                READ SECURITY : @      LAYGO SECURITY : @
                                WRITE SECURITY : @
CROSS REFERENCED BY:
  START TIME (AC)  START TIME (AUSR)  NAME (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        NAME (RF), [0;1]
.02        USER WHO REQUESTED REPORT (P200'), [0;2]
.03        START TIME (D), [0;3]
.04        END TIME (D), [0;4]
.05        TYPE OF REPORT (F), [0;5]
.06        STATUS (S), [0;6]
.07        TYPE OF OUTPUT (S), [0;7]
.08        EXPORT FILENAME (F), [0;8]
.09        TASK NUMBER (NJ9,0), [0;9]
1          EXPORTED FILENAMES (F), [1;1]
1100      PRINT FORMATTED OUTPUT (Multiple-90564.1911), [11;0]
          .01 OUTPUT (W), [0;1]
1200      DELIMITED FORMATTED OUTPUT (Multiple-90564.1912), [12;0]
          .01 DELIMITED FORMATTED OUTPUT (W), [0;1]
FILE: BGP 20 SNOMED LISTS
    
```

Figure 4-16: BGP 20 GUI OUTPUT

**GLOBAL: ^BGPSNOMO( FILE #: 90564.21**

```

CONDENSED DATA DICTIONARY---BGP 20 SNOMED LISTS FILE (#90564.21) CMBA,CMBA
VERSION: 20.0

STORED IN: ^BGPSNOMO(                                01/09/20      PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @      DELETE SECURITY: @
                                READ SECURITY  : @      LAYGO SECURITY  : @
                                WRITE SECURITY : @
CROSS REFERENCED BY:
  NAME OF LIST(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        NAME OF LIST (RF), [0;1]
1101      SNOMED CODE (Multiple-90564.2111), [11;0]
          .01 SNOMED CODE (MF), [0;1]
    
```

Figure 4-17: BGP 20 SNOMED LISTS

**4.4.16 FILE: BGP 20 ELDER INDIVIDUAL MEASURES**

**GLOBAL: ^BGPELHO( FILE #: 90564.22**



```

CONDENSED DATA DICTIONARY---BGP 20 ELDER INDIVIDUAL MEASURES FILE (#90564.22)
CMBA,CMBA  VERSION: 20.0

STORED IN: ^BGPELIIO(                                01/09/20    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY    : @      LAYGO SECURITY  : @
                                WRITE SECURITY   : @

CROSS REFERENCED BY:
ORDER (AB)  ORDER (ABC)  ORDER (AE)  ORDER (AP)  INDICATOR (B)
INDICATOR ID (C)  ORDER (OR)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        INDICATOR (RP90564.06'), [0;1]
.019       INDICATOR (CJ8), [ ; ]
.04        INDICATOR ID (F), [0;4]
.08        DENOM FIELD NUMBER (NJ10,3), [0;8]
.09        NUMERATOR FIELD NUMBER (NJ10,3), [0;9]
.15        LINE TITLE 1 (F), [0;15]
.16        LINE TITLE 2 (F), [0;16]
.17        LOCAL DENOM TITLE 1 (F), [0;17]
.18        LOCAL DENOM TITLE 2 (F), [0;18]
.19        LINE TITLE 3 (F), [0;19]
.21        LOCAL DENOM TITLE 3 (F), [0;21]
.22        ADD BANG (S), [0;22]
1          M CODE NUMERATOR (K), [1;E1,245]
2          M CODE DENOMINATOR (K), [2;E1,245]
1204      ORDER (F), [12;4]
2401      DEN LABEL (F), [24;1]
2402      NUM LABEL (F), [24;2]
    
```

Figure 4-18: BGP 20 ELDER INDIVIDUAL MEASURES

### 4.4.17 FILE: BGP 20 ELDER MEASURES

**GLOBAL: ^BGPELIO( FILE #: 90564.26**

```

VERSION: 20.0

STORED IN: ^BGPELIO(                                01/09/20    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY    : @      LAYGO SECURITY  : @
                                WRITE SECURITY   : @

CROSS REFERENCED BY:
ORDER ON SELECTION/REPORT (AO)  INDICATOR NUMBER (B)
TITLE (C)  TITLE (D)  PUID (PUID)

                                FILE STRUCTURE
    
```

FIELD NUMBER	FIELD NAME
.01	INDICATOR NUMBER (RNJ3,0X), [0;1]
.02	ORDER ON SELECTION/REPORT (F), [0;2]
.03	TITLE (F), [0;3]
.04	SELECTION TITLE (F), [0;4]
.05	LIST SELECTION TITLE (F), [0;5]
.06	ORDER TO DISPLAY (NJ4,0), [0;6]
.12	NO LIST (S), [0;12]
1	M CODE TO EXECUTE (K), [1;E1,245]
2	SET LIST VALUE (K), [2;E1,245]
3	PRINT M CODE (K), [3;E1,245]
4	DELIMITED FILE PRINT (K), [4;E1,245]
1100	FY LOGIC (Multiple-90564.2611), [11;0]
	.01 LOGIC USED (W), [0;1]
1201	PUID (NJ3,0), [12;1]
5300	REPORT PRINT 2ND PAGE (Multiple-90564.2653), [53;0]
	.01 REPORT PRINT 2ND PAGE (W), [0;1]
6100	DENOMINATOR DEFINITIONS (Multiple-90564.2661), [61;0]
	.01 DENOMINATOR DEFINITIONS (MNJ2,0), [0;1]
	1 DENOM DESCRIPTION (Multiple-90564.26611), [1;0]
	.01 DENOM DESCRIPTION (W), [0;1]
6200	NUMERATOR DEFINITIONS (Multiple-90564.2662), [62;0]
	.01 NUMERATOR DEFINITIONS (MNJ2,0X), [0;1]
	.02 REPORTS (F), [0;2]
	.03 SEL (F), [0;3]
	1 NUMERATOR DESCRIPTION (Multiple-90564.26621), [1;0]
	.01 NUMERATOR DESCRIPTION (W), [0;1]
7100	REPORT LIST 1ST PAGE (Multiple-90564.2671), [71;0]
	.01 REPORT LIST 1ST PAGE (W), [0;1]
7200	LIST PRINT SECOND PAGE (Multiple-90564.2672), [72;0]
	.01 LIST PRINT SECOND PAGE (W), [0;1] 7200

Figure 4-19: BGP 20 ELDER MEASURES

## 5.0 External Relations

### 5.1 External Calls

This package calls the following documented entry points:

Routine	is	Invoked by:
^%DT		BGPOAU1R, BGPOGUA, BGPOUTL1,  dd90241.01,  dd90245.07  dd90245.1,  dd90564.03,  dd90564.04,  dd90564.05  dd90564.08,  dd90564.19,  dd90564.23,  dd90564.24  dd90564.25
DD^%DT		BGPOAU1M
^%DTC		BGPOD36
C^%DTC		BGPOGMUE, BGPOGMUH, BGPOUTL3
COMMA^%DTC		BGPODBPR, BGPODELP, BGPODP, BGPODP1, BGPODP11, BGPODP12 BGPODP13, BGPODP14, BGPODP19, BGPODP1A, BGPODP1C, BGPODP1H BGPODP1I, BGPODP1J, BGPODP1K, BGPODP1L, BGPODP1O, BGPODP1S BGPODP1T, BGPODP2, BGPODP3, BGPODP4, BGPODP5, BGPODP50 BGPODP51, BGPODP6, BGPODP60
COMMA^%DTC		BGPODP7, BGPODP8, BGPODPH, BGPOEL10, BGPOEL11, BGPOEL12 BGPOEL13, BGPOEL14, BGPOEL15, BGPOEL16, BGPOEL17, BGPOEL18 BGPOEL19, BGPOEL1A, BGPOEL1B, BGPOEL1C, BGPOEL1D, BGPOEL1E BGPOEL1F, BGPOEL1G, BGPOEL1H, BGPOEL1I, BGPOEL1J, BGPOEL1K BGPOEL1L, BGPOEL1M BGPOEL1N, BGPOEL1O, BGPOEL1P, BGPOEL1Q, BGPOEL1R, BGPOEL1S BGPOEL1T, BGPOELL, BGPOELL1, BGPOELL2, BGPOELL3, BGPOELL4 BGPOELL5, BGPOELL6, BGPOELL7, BGPOELL8, BGPOELL9, BGPOELLA BGPOELLB, BGPOELLC, BGPOELLD, BGPOELLE, BGPOELLF, BGPOELLG BGPOELLH, BGPOELLI BGPOELLJ, BGPOELLK, BGPOELLL, BGPOELLM, BGPOELLN, BGPOELLO BGPOELLP, BGPOELLQ, BGPOELLR, BGPOELLS, BGPOELLT, BGPOELLU BGPOELLV, BGPOELLW, BGPOELLX, BGPOELP1, BGPOPD19, BGPOPD1 BGPOPD0, BGPOPD1, BGPOPD2, BGPOPD3, BGPOPD4, BGPOPD5 BGPOPD7, BGPOPD8 BGPOPD9, BGPOPDLA, BGPOPDLB, BGPOPDL, BGPOPDLE, BGPOPDLL BGPOPDLN, BGPOPDLO, BGPOPDLT, BGPOPDPA, BGPOPDPB
DW^%DTC		BGPOAU1R, BGPOAUUL, BGPOAUUP
NOW^%DTC		BGPODPA, BGPODPAP, BGPOGRB
DEBUG^%Serenji		BGPOGR1, BGPOGRA, BGPOGRB, BGPOGU, BGPOGUA
^%ZIS		BGPODADB, BGPODAP, BGPODAR, BGPODCL, BGPODEL, BGPODELA BGPODGPA, BGPODGPU, BGPODICR, BGPODL, BGPODLT, BGPODMT BGPODNDB, BGPODNE1, BGPODNG, BGPODNGP, BGPODNGS, BGPODPA BGPODPP, BGPODSTM, BGPONPL, BGPOPCD, BGPOXTCH
HOME^%ZIS		BGPOAU1A, BGPOAUUL, BGPODADB, BGPODAR, BGPODICR, BGPODLT BGPODMT, BGPOLSTF, BGPOPCTX, BGPOULF, BGPOXTCH, BGPOXTCN BGPOXTCL
^%ZISC		BGPOAU1R, BGPOAUUL, BGPODADB, BGPODAP, BGPODAR, BGPODBPR BGPODCL, BGPODEL, BGPODELA, BGPODELP, BGPODGPA, BGPODGPU BGPODICR, BGPODL, BGPODLT, BGPODMT, BGPODNDB, BGPODNE1 BGPODNG, BGPODNGP, BGPODNGS, BGPODP, BGPODPA, BGPODPP BGPODSTM, BGPOGUPL, BGPONPL, BGPOPARP BGPOPARQ, BGPOPCD, BGPOPHL, BGPOULF, BGPOUTL, BGPOUTLC BGPOXTCH
\$\$LIST^%ZISH		BGPOAUUP, BGPOGLST, BGPOGU, BGPOLSTF, BGPOUTL2
\$\$OPEN^%ZISH		BGPOAUUL, BGPODNE1, BGPOGUPL, BGPOULF, BGPOUTL, BGPOUTLC
\$\$STATUS^%ZISH		BGPOAU1R, BGPOAUUL, BGPOAUUP, BGPOGUPL, BGPOULF
CLOSE^%ZISH		BGPOAU1D, BGPOAU1M, BGPOAU1R, BGPOAUUP

DF^%ZISH	BGPOAU1R
MV^%ZISH	BGPOAUUP
OPEN^%ZISH	BGPOAU1D, BGPOAU1M, BGPOAU1R, BGPOAUUP
JOBPAR^%ZOSV	BGPOGUA
^%ZTER	BGPOGU
^%ZTLOAD	BGPOAUEX, BGPOAUUL, BGPOAUUP, BGPODADB, BGPODAP, BGPODAR BGPODCL, BGPODEL, BGPODELA, BGPODGPA, BGPODGPU, BGPODICR BGPODL, BGPODLT, BGPODMT, BGPODNDB, BGPODNE1, BGPODNG BGPODNGP, BGPODNGS, BGPODPA, BGPODPAP, BGPODPP, BGPODSTM BGPOGADB, BGPOGAEL, BGPOGAG9
^%ZTLOAD	BGPOGAGP, BGPOGAGS, BGPOGAHE, BGPOGALL, BGPOGAON, BGPOGAPE BGPOGAPU, BGPOGCMP, BGPOGCMS, BGPOGCOM, BGPOGDON, BGPOGDSH BGPOGELD, BGPOGFO9, BGPOGFOR, BGPOGGPU, BGPOGIPC, BGPOGLHW BGPOGLST, BGPOGLTX, BGPOGMTX, BGPOGMUE, BGPOGMUH, BGPOGNPL BGPOGNST, BGPOGNT9 BGPOGNTL, BGPOGNTP, BGPOGNTS, BGPOGNXP, BGPOGPP, BGPOGRB BGPONPL, BGPOPCD, BGPOXTCH
KILL^%ZTLOAD	BGPOAUEX
STAT^%ZTLOAD	BGPOAUEX
ALLV^APCLAPIU	BGPOD1, BGPOD21, BGPOD211, BGPOD24, BGPOD4, BGPOD53, BGPOD55 BGPOD714, BGPOD715, BGPOD73, BGPOPC1, BGPOPC10, BGPOPC12 BGPOPC13, BGPOPC14, BGPOPC15, BGPOPC16, BGPOPC2, BGPOPC4 BGPOPC6, BGPOPC8, BGPOPC9
\$\$START1^APCLDF	BGPOALG1, BGPOALG2, BGPOC11, BGPOC13, BGPOCON1, BGPOCU BGPOCU1, BGPOD1, BGPOD10, BGPOD2, BGPOD21, BGPOD211, BGPOD212 BGPOD213, BGPOD21A, BGPOD22, BGPOD24, BGPOD24A, BGPOD25 BGPOD27, BGPOD28, BGPOD31, BGPOD33, BGPOD34, BGPOD35, BGPOD37 BGPOD38, BGPOD3A, BGPOD3C BGPOD4, BGPOD41, BGPOD5, BGPOD51, BGPOD52, BGPOD53, BGPOD54 BGPOD55, BGPOD5A, BGPOD6, BGPOD62, BGPOD7, BGPOD71, BGPOD711 BGPOD714, BGPOD72, BGPOD722, BGPOD723, BGPOD724, BGPOD729 BGPOD731, BGPOD732, BGPOD74, BGPOD75, BGPOD8, BGPOD81 BGPOD811, BGPOD812, BGPOD82 BGPOD83, BGPOD84, BGPOD841, BGPOD85, BGPOD86, BGPOD862 BGPOD87, BGPOD88, BGPOD89, BGPOD9, BGPOD91, BGPODCLP, BGPODPA2 BGPODPA4, BGPODU, BGPOEL2, BGPOEL4, BGPONPLP, BGPOPC1 BGPOPC10, BGPOPC11, BGPOPC12, BGPOPC13, BGPOPC16, BGPOPC4 BGPOPC9
\$\$CLINIC^APCLV	BGPOD1, BGPOD10, BGPOD2, BGPOD21, BGPOD211, BGPOD213, BGPOD22 BGPOD27, BGPOD31, BGPOD4, BGPOD41, BGPOD51, BGPOD53, BGPOD7 BGPOD711, BGPOD714, BGPOD715, BGPOD83, BGPOD84, BGPOD88 BGPOD9, BGPODPA4, BGPODU, BGPOEL2, BGPOEL4, BGPONPLP, BGPOPC1 BGPOPC14
\$\$DSCHDATE^APCLV	BGPOD51
\$\$PRIMPOV^APCLV	BGPOD21, BGPOD211, BGPOD22, BGPOD31, BGPOD51, BGPOD71 EGPOD711, BGPOPC13
\$\$PRIMPROV^APCLV	BGPOD1, BGPOD10, BGPOD21, BGPOD211, BGPOD213, BGPOD51, BGPOD53 BGPOD714, BGPOD715, BGPOD862, BGPODCLP, BGPODPA4
\$\$VD^APCLV	BGPOD211, BGPOD24, BGPOD27, BGPOD28, BGPOD37, BGPOD39, BGPOD3A BGPOD3B, BGPOD3C, BGPOD4, BGPOD53, BGPOD55, BGPOD714, BGPOD715 BGPOD73, BGPOD81, BGPOD811, BGPOD812, BGPOD841, BGPOD87 BGPOD89, BGPOD9, BGPOD91, BGPODPA2, BGPODPA4, BGPONPLP BGPOPC10, BGPOPC12 BGPOPC13, BGPOPC14, BGPOPC15, BGPOPC16, BGPOPC17, BGPOPC2 BGPOPC4, BGPOPC6, BGPOPC61, BGPOPC62, BGPOPC63, BGPOPC64 BGPOPC65, BGPOPC66, BGPOPC67, BGPOPC68, BGPOPC69, BGPOPC7 BGPOPC8, BGPOPC9, BGPOUTL1
\$\$VDTM^APCLV	BGPOD2, BGPOD4, BGPOD841, BGPOPC12, BGPOPC2
\$\$ICD^ATXAPI	BGPOD21, BGPOD36, BGPOPC10, BGPOPC12, BGPOPC13, BGPOPC14 BGPOPC15, BGPOPC16, BGPOPC2, BGPOPC4, BGPOPC6, BGPOPC8 BGPOPC9
BLDTAX^ATXAPI	BGPODU, BGPOUTL2

\$\$ICD^ATXCHK	BGPOUTL2
BULL^ATXSTX2	BGPO1A, BGPO1B, BGPO1C, BGPO1D, BGPO1E, BGPO1F, BGPO1G, BGPO1H BGPO1I, BGPO1J, BGPO1K, BGPO1L, BGPO1M, BGPO1N, BGPO1O, BGPO1P BGPO1Q, BGPO1R, BGPO1S, BGPYA
KILL^ATXSTX2	BGPO1A, BGPO1B, BGPO1C, BGPO1D, BGPO1E, BGPO1F, BGPO1G, BGPO1H BGPO1I, BGPO1J, BGPO1K, BGPO1L, BGPO1M, BGPO1N, BGPO1O, BGPO1P BGPO1Q, BGPO1R, BGPO1S, BGPYA
TAX^ATXSTX2	BGPO1A, BGPO1B, BGPO1C, BGPO1D, BGPO1E, BGPO1F, BGPO1G, BGPO1H BGPO1I, BGPO1J, BGPO1K, BGPO1L, BGPO1M, BGPO1N, BGPO1O, BGPO1P BGPO1Q, BGPO1R, BGPO1S, BGPYA
\$\$AGE^AUPNPAT	BGPOD1, BGPOD10, BGPOD21, BGPOD6, BGPOD7, BGPOD83, BGPOD84 BGPOD85, BGPOD87, BGPODPA1, BGPODPA2, BGPOEL4, BGPOGUA BGPOPC1, BGPOPC13, BGPOPC14, BGPOPC17
\$\$BEN^AUPNPAT	BGPOD1, BGPOPC1
\$\$COMMRES^AUPNPAT	BGPODNE1, BGPODPAP, BGPODPAW
\$\$DOB^AUPNPAT	BGPOALG1, BGPOALG2, BGPOC11, BGPOC13, BGPOCON1, BGPOCU1 BGPOD1, BGPOD10, BGPOD2, BGPOD21, BGPOD211, BGPOD212, BGPOD213 BGPOD214, BGPOD21A, BGPOD22, BGPOD24A, BGPOD27, BGPOD28 BGPOD3, BGPOD31, BGPOD32, BGPOD33, BGPOD34, BGPOD35, BGPOD36 BGPOD37, BGPOD38, BGPOD3A BGPOD3B, BGPOD3C, BGPOD4, BGPOD62, BGPOD71, BGPOD72, BGPOD721 BGPOD724, BGPOD729, BGPOD73, BGPOD731, BGPOD732, BGPOD75 BGPOD76, BGPOD8, BGPOD81, BGPOD811, BGPOD82, BGPOD841, BGPOD86 BGPOD9, BGPOD91, BGPODPA1, BGPODPA2, BGPODPA4, BGPODPAW BGPODS, BGPODU, BGPOEL2 BGPOELS, BGPOELSL, BGPONPLP, BGPOPC1, BGPOPC10, BGPOPC12 BGPOPC13, BGPOPC14, BGPOPC16, BGPOPC4, BGPOPC5, BGPOPC6 BGPOPC61, BGPOPC62, BGPOPC63, BGPOPC64, BGPOPC65, BGPOPC66 BGPOPC67, BGPOPC68, BGPOPC69, BGPOPC7, BGPOPC8, BGPOPC9 BGPOUTL1, BGPOUTL2
\$\$DOD^AUPNPAT	BGPOD1, BGPOPC1, BGPOPC13
\$\$HRN^AUPNPAT	BGPODCLD, BGPODCLP, BGPODPAP, BGPODPAW, BGPODS, BGPOELS BGPOELSL, BGPOGUA, BGPONPLP
\$\$SEX^AUPNPAT	BGPODPAW
KILL^AUPNPAT	BGPOAUEx, BGPODADB, BGPODAP, BGPODAR, BGPODCL, BGPODEL BGPODELA, BGPODGPU, BGPODGPU, BGPODL, BGPODNDB, BGPODNE1 BGPODNG, BGPODNGP, BGPODNGS, BGPODPP, BGPODSTM, BGPOGACW BGPOGADB, BGPOGAEL, BGPOGAG9, BGPOGAGP, BGPOGAGS, BGPOGAHE BGPOGALL, BGPOGAON, BGPOGAPE BGPOGAPU, BGPOGCM, BGPOGCM, BGPOGCOM, BGPOGDON, BGPOGDSh BGPOGELD, BGPOGFO9, BGPOGFOR, BGPOGGPU, BGPOGIPC, BGPOGLHW BGPOGLST, BGPOGLTX, BGPOGMTX, BGPOGMUE, BGPOGMUH, BGPOGNPL BGPOGNST, BGPOGNT9, BGPOGNTL, BGPOGNTP, BGPOGNTS, BGPOGNXP BGPOGPP, BGPONPL
KILL^AUPNPAT	BGPOPCD
\$\$STATUS^BDGSPT2	BGPOGUA
ALLDP^BDPAPI	BGPOD1
\$\$GETDIR^BGP0UTL2	BGPODNE1
\$\$LASTPRC^BGP2UTL1	BGPOD21
DIRCHK^BGP3UTL2	dd90241.02
W^BGP4DP	BGPONPLP
AUTO^BGP6AUEx	opt
MAN^BGP6AUEx	opt
SITEPAR^BGP6AUEx	opt
AUTO^BGP6AUUP	opt
MAN^BGP6AUUP	opt
SCH^BGP6AUUP	opt
^BGP6BAN	opt
^BGP6CTS	opt
^BGP6DADB	opt
^BGP6DAP	opt
^BGP6DAR	opt

SUMONLY^BGP6DAR	opt
^BGP6DARO	opt
^BGP6DCL	opt
^BGP6DEL	opt
^BGP6DELA	opt
^BGP6DEMO	opt
^BGP6DGPA	opt
^BGP6DGPU	opt
^BGP6DICR	opt
^BGP6DL	opt
CMS^BGP6DLT	opt
CRS^BGP6DLT	opt
ELDER^BGP6DLT	opt
GPRA^BGP6DLT	opt
ONM^BGP6DLT	opt
CMS^BGP6DMT	opt
CRS^BGP6DMT	opt
ELDER^BGP6DMT	opt
GPRA^BGP6DMT	opt
ONM^BGP6DMT	opt
^BGP6DNDB	opt
^BGP6DNG	opt
^BGP6DNNGP	opt
^BGP6DNNGS	opt
^BGP6DON	opt
^BGP6DPA	opt
COVPAGE^BGP6DPA	opt
^BGP6DPAP	opt
^BGP6DPE	opt
PP^BGP6DPE	opt
^BGP6DPEA	opt
^BGP6DPP	opt
^BGP6DSTM	opt
^BGP6LSTF	opt
^BGP6NPL	opt
NONNPL^BGP6NPL	opt
^BGP6ULF	opt
^BGP6XTCH	opt
^BGP6XTCN	opt
^BGP6XTCO	opt
^BGP6XTEL	opt
^BGP6XTV	opt
AUTO^BGP7AUEX	opt
MAN^BGP7AUEX	opt
SITEPAR^BGP7AUEX	opt
AUTO^BGP7AUUP	opt
MAN^BGP7AUUP	opt
SCH^BGP7AUUP	opt
^BGP7BAN	opt
^BGP7CTS	opt
GETIMMS^BGP7D32	BGP7D32
^BGP7DADB	opt
^BGP7DAP	opt
^BGP7DAR	opt
SUMONLY^BGP7DAR	opt
^BGP7DARO	opt
^BGP7DCL	opt
^BGP7DEL	opt
^BGP7DELA	opt
^BGP7DEMO	opt
^BGP7DGPA	opt
^BGP7DGPU	opt

^BGP7DICR	opt
^BGP7DL	opt
CMS^BGP7DLT	opt
CRS^BGP7DLT	opt
ELDER^BGP7DLT	opt
GPRA^BGP7DLT	opt
ONM^BGP7DLT	opt
CMS^BGP7DMT	opt
CRS^BGP7DMT	opt
ELDER^BGP7DMT	opt
GPRA^BGP7DMT	opt
ONM^BGP7DMT	opt
^BGP7DNDB	opt
^BGP7DNG	opt
^BGP7DNGP	opt
^BGP7DNDS	opt
^BGP7DON	opt
^BGP7DPA	opt
COVPAGE^BGP7DPA	opt
^BGP7DPAP	opt
^BGP7DPE	opt
PP^BGP7DPE	opt
^BGP7DPEA	opt
^BGP7DPP	opt
^BGP7DSTM	opt
^BGP7LSTF	opt
^BGP7NPL	opt
NONNPL^BGP7NPL	opt
^BGP7ULF	opt
\$\$DATE^BGP7UTL	BGPOD76
^BGP7XTCH	opt
^BGP7XTCN	opt
^BGP7XTCO	opt
^BGP7XTEL	opt
^BGP7XTV	opt
AUTO^BGP8AUEX	opt
MAN^BGP8AUEX	opt
SITEPAR^BGP8AUEX	opt
AUTO^BGP8AUUP	opt
MAN^BGP8AUUP	opt
SCH^BGP8AUUP	opt
^BGP8BAN	opt
^BGP8CTS	opt
\$\$ACTUP^BGP8D1	BGPODNE1
PROCCY^BGP8D1	BGPODNE1
\$\$DMPVPL^BGP8D211	BGPOD1, BGPOD10
^BGP8DADB	opt
^BGP8DAP	opt
^BGP8DAR	opt
SUMONLY^BGP8DAR	opt
^BGP8DARO	opt
\$\$STATE^BGP8DCHW	BGPODNE1
\$\$UID^BGP8DCHW	BGPODNE1
^BGP8DCL	opt
^BGP8DEL	opt
^BGP8DELA	opt
^BGP8DEMO	opt
^BGP8DGPA	opt
^BGP8DGPU	opt
^BGP8DICR	opt
^BGP8DL	opt
CRS^BGP8DLT	opt

ELDER^BGP8DLT	opt
GPRA^BGP8DLT	opt
IPC^BGP8DLT	opt
ONM^BGP8DLT	opt
CRS^BGP8DMT	opt
ELDER^BGP8DMT	opt
GPRA^BGP8DMT	opt
IPC^BGP8DMT	opt
ONM^BGP8DMT	opt
^BGP8DNDB	opt
PRINT^BGP8DNE1	BGPODNE1
PROC^BGP8DNE1	BGPODNE1
^BGP8DNG	opt
^BGP8DNGP	opt
^BGP8DNGS	opt
^BGP8DON	opt
^BGP8DPA	opt
COVPAGE^BGP8DPA	opt
^BGP8DPAP	opt
^BGP8DPE	opt
PP^BGP8DPE	opt
^BGP8DPEA	opt
^BGP8DPP	opt
^BGP8DSTM	opt
^BGP8LSTF	opt
^BGP8NPL	opt
NONNPL^BGP8NPL	opt
^BGP8PCD	opt
^BGP8PCTX	opt
^BGP8ULF	opt
\$\$D^BGP8UTL	BGPODNE1
\$\$DATE^BGP8UTL	BGPOD7
\$\$EDT^BGP8UTL	BGPODNE1
\$\$LZERO^BGP8UTL	BGPODNE1
JRNL^BGP8UTL	BGPODNE1
^BGP8XTCH	opt
^BGP8XTCN	opt
TAXCHK^BGP8XTCN	BGPODNE1
^BGP8XTCO	opt
^BGP8XTEL	opt
^BGP8XTV	opt
CATSTR^BGPGR	BGPOGRA, BGPOGRB
AUTO^BGPLAUEX	opt
MAN^BGPLAUEX	opt
SITEPAR^BGPLAUEX	opt
AUTO^BGPLAUUP	opt
MAN^BGPLAUUP	opt
SCH^BGPLAUUP	opt
^BGPLBAN	opt
^BGPLCTS	opt
^BGPLDADB	opt
^BGPLDAP	opt
^BGPLDAR	opt
SUMONLY^BGPLDAR	opt
^BGPLDCL	opt
^BGPLDEL	opt
^BGPLDGPA	opt
^BGPLDGPU	opt
^BGPLDICR	opt
^BGPLDL	opt
CRS^BGPLDLT	opt
ELDER^BGPLDLT	opt



GPRABGPLDLT	opt
IPCBGPLDLT	opt
CRSBGPLDMT	opt
ELDER^BGPLDMT	opt
GPRABGPLDMT	opt
IPCBGPLDMT	opt
^BGPLDNDB	opt
^BGPLDNG	opt
^BGPLDNGP	opt
^BGPLDNGS	opt
^BGPLDPA	opt
COVPAGE^BGPLDPA	opt
^BGPLDPE	opt
PP^BGPLDPE	opt
^BGPLDPP	opt
^BGPLDSTM	opt
^BGPLLSTF	opt
^BGPLNPL	opt
^BGPLPCD	opt
^BGPLPCTX	opt
^BGPLULF	opt
\$\$ICD^BGPLUTL2	BGPOPC7
^BGPLXTCH	opt
^BGPLXTCN	opt
^BGPLXTEL	opt
^BGPLXTV	opt
INIT^BGPMUDSI	BGPOGTA
INITH^BGPMUDSI	BGPOGTA
INITM^BGPMUDSI	BGPOGTA
INIT^BGPMUDSL	BGPOGTA
^BGMUEHD	BGPOGMUH
^BGMUEPD	BGPOGMUE
^BGPO1	BGPOPOS
^BGPO1A	BGPO1
^BGPO1B	BGPO1
^BGPO1C	BGPO1
^BGPO1D	BGPO1
^BGPO1D2	BGPO1D
^BGPO1D3	BGPO1D
^BGPO1E	BGPO1
^BGPO1E2	BGPO1E
^BGPO1E3	BGPO1E
^BGPO1E4	BGPO1E
^BGPO1E5	BGPO1E
^BGPO1E6	BGPO1E
^BGPO1E7	BGPO1E
^BGPO1E8	BGPO1E
^BGPO1E9	BGPO1E
^BGPO1F	BGPO1
^BGPO1F2	BGPO1F
^BGPO1F3	BGPO1F
^BGPO1G	BGPO1
^BGPO1G10	BGPO1G
^BGPO1G11	BGPO1G
^BGPO1G12	BGPO1G
^BGPO1G13	BGPO1G
^BGPO1G14	BGPO1G
^BGPO1G15	BGPO1G
^BGPO1G16	BGPO1G
^BGPO1G17	BGPO1G
^BGPO1G18	BGPO1G
^BGPO1G19	BGPO1G

^BGP01G2	BGP01G
^BGP01G20	BGP01G
^BGP01G21	BGP01G
^BGP01G22	BGP01G
^BGP01G23	BGP01G
^BGP01G24	BGP01G
^BGP01G25	BGP01G
^BGP01G26	BGP01G
^BGP01G27	BGP01G
^BGP01G28	BGP01G
^BGP01G29	BGP01G
^BGP01G3	BGP01G
^BGP01G30	BGP01G
^BGP01G31	BGP01G
^BGP01G32	BGP01G
^BGP01G33	BGP01G
^BGP01G34	BGP01G
^BGP01G35	BGP01G
^BGP01G36	BGP01G
^BGP01G37	BGP01G
^BGP01G38	BGP01G
^BGP01G39	BGP01G
^BGP01G4	BGP01G
^BGP01G40	BGP01G
^BGP01G41	BGP01G
^BGP01G42	BGP01G
^BGP01G43	BGP01G
^BGP01G44	BGP01G
^BGP01G45	BGP01G
^BGP01G46	BGP01G
^BGP01G47	BGP01G
^BGP01G48	BGP01G
^BGP01G49	BGP01G
^BGP01G5	BGP01G
^BGP01G50	BGP01G
^BGP01G51	BGP01G
^BGP01G52	BGP01G
^BGP01G53	BGP01G
^BGP01G54	BGP01G
^BGP01G55	BGP01G
^BGP01G56	BGP01G
^BGP01G57	BGP01G
^BGP01G58	BGP01G
^BGP01G59	BGP01G
^BGP01G6	BGP01G
^BGP01G60	BGP01G
^BGP01G61	BGP01G
^BGP01G62	BGP01G
^BGP01G63	BGP01G
^BGP01G64	BGP01G
^BGP01G65	BGP01G
^BGP01G66	BGP01G
^BGP01G67	BGP01G
^BGP01G68	BGP01G
^BGP01G69	BGP01G
^BGP01G7	BGP01G
^BGP01G70	BGP01G
^BGP01G71	BGP01G
^BGP01G72	BGP01G
^BGP01G73	BGP01G
^BGP01G74	BGP01G
^BGP01G75	BGP01G

^BGPO1G76	BGPO1G
^BGPO1G77	BGPO1G
^BGPO1G78	BGPO1G
^BGPO1G79	BGPO1G
^BGPO1G8	BGPO1G
^BGPO1G9	BGPO1G
^BGPO1H	BGPO1
^BGPO1H10	BGPO1H
^BGPO1H11	BGPO1H
^BGPO1H12	BGPO1H
^BGPO1H13	BGPO1H
^BGPO1H14	BGPO1H
^BGPO1H15	BGPO1H
^BGPO1H16	BGPO1H
^BGPO1H17	BGPO1H
^BGPO1H18	BGPO1H
^BGPO1H19	BGPO1H
^BGPO1H2	BGPO1H
^BGPO1H20	BGPO1H
^BGPO1H21	BGPO1H
^BGPO1H22	BGPO1H
^BGPO1H23	BGPO1H
^BGPO1H24	BGPO1H
^BGPO1H25	BGPO1H
^BGPO1H26	BGPO1H
^BGPO1H27	BGPO1H
^BGPO1H28	BGPO1H
^BGPO1H29	BGPO1H
^BGPO1H3	BGPO1H
^BGPO1H30	BGPO1H
^BGPO1H31	BGPO1H
^BGPO1H32	BGPO1H
^BGPO1H33	BGPO1H
^BGPO1H34	BGPO1H
^BGPO1H35	BGPO1H
^BGPO1H36	BGPO1H
^BGPO1H37	BGPO1H
^BGPO1H38	BGPO1H
^BGPO1H39	BGPO1H
^BGPO1H4	BGPO1H
^BGPO1H40	BGPO1H
^BGPO1H41	BGPO1H
^BGPO1H42	BGPO1H
^BGPO1H43	BGPO1H
^BGPO1H44	BGPO1H
^BGPO1H45	BGPO1H
^BGPO1H46	BGPO1H
^BGPO1H47	BGPO1H
^BGPO1H48	BGPO1H
^BGPO1H49	BGPO1H
^BGPO1H5	BGPO1H
^BGPO1H50	BGPO1H
^BGPO1H51	BGPO1H
^BGPO1H52	BGPO1H
^BGPO1H53	BGPO1H
^BGPO1H54	BGPO1H
^BGPO1H55	BGPO1H
^BGPO1H56	BGPO1H
^BGPO1H57	BGPO1H
^BGPO1H58	BGPO1H
^BGPO1H59	BGPO1H
^BGPO1H6	BGPO1H

^BGPO1H60	BGPO1H
^BGPO1H61	BGPO1H
^BGPO1H62	BGPO1H
^BGPO1H63	BGPO1H
^BGPO1H64	BGPO1H
^BGPO1H7	BGPO1H
^BGPO1H8	BGPO1H
^BGPO1H9	BGPO1H
^BGPO1I	BGPO1
^BGPO1I10	BGPO1I
^BGPO1I11	BGPO1I
^BGPO1I12	BGPO1I
^BGPO1I13	BGPO1I
^BGPO1I14	BGPO1I
^BGPO1I15	BGPO1I
^BGPO1I16	BGPO1I
^BGPO1I17	BGPO1I
^BGPO1I18	BGPO1I
^BGPO1I19	BGPO1I
^BGPO1I2	BGPO1I
^BGPO1I20	BGPO1I
^BGPO1I3	BGPO1I
^BGPO1I4	BGPO1I
^BGPO1I5	BGPO1I
^BGPO1I6	BGPO1I
^BGPO1I7	BGPO1I
^BGPO1I8	BGPO1I
^BGPO1I9	BGPO1I
^BGPO1J	BGPO1
^BGPO1J2	BGPO1J
^BGPO1K	BGPO1
^BGPO1K2	BGPO1K
^BGPO1L	BGPO1
^BGPO1L2	BGPO1L
^BGPO1L3	BGPO1L
^BGPO1M	BGPO1
^BGPO1M2	BGPO1M
^BGPO1N	BGPO1
^BGPO1O	BGPO1
^BGPO1O2	BGPO1O
^BGPO1P	BGPO1
^BGPO1Q	BGPO1
^BGPO1R	BGPO1
^BGPO1S	BGPO1
ACEI^BGPOALG1	BGPOALG
ARB^BGPOALG1	BGPOALG
ASA^BGPOALG1	BGPOALG
BETA^BGPOALG1	BGPOALG
STATIN^BGPOALG2	BGPOALG
EN^BGPOASL	BGPODADB, BGPODAR, BGPODELA, BGPODGPA
GET^BGPOASL	BGPOGU
ELD^BGPOASL1	BGPOASL
NGR^BGPOASL1	BGPOASL
EN^BGPOAU1A	BGPOAUUP
EN^BGPOAU1D	BGPOAUUP
MSG1^BGPOAU1M	BGPOAUUP
EN^BGPOAU1R	BGPOAUUP
AUTO^BGPOAUEX	opt
AUTOEX^BGPOAUEX	BGPOUTL
DELTASK^BGPOAUEX	BGPOAUUL
MAN^BGPOAUEX	opt
QUE^BGPOAUEX	BGPOGRB

SITEPAR^BGPOAUEX	opt
EN^BGPOAUUL	BGPOAUUP
SCH^BGPOAUUL	BGPOAUUP
AUTO^BGPOAUUP	opt
MAN^BGPOAUUP	opt
SCH^BGPOAUUP	opt
XIT^BGPOAUUP	BGPOAUUL
^BGPOBAN	opt
\$\$FV^BGPOBAN	BGPODGPU, BGPODH, BGPODNG, BGPOGDON, BGPOGELD, BGPOGGPU BGPOGLST, BGPOGNT9, BGPOGNTL, BGPOGNTS, BGPOGU, BGPOLSTF BGPODDL, BGPODDLH, BGPOULF, BGPOUTL
\$\$GY^BGPOBAN	BGPODL, BGPODNG
\$\$RPTVER^BGPOBAN	BGPODCL, BGPODCLD, BGPODCLP, BGPODGPU, BGPODH, BGPODH1 BGPODICR, BGPODLT, BGPODMT, BGPODPAW, BGPODSTM, BGPOELH BGPOELHH, BGPONPL, BGPONPLP, BGPOPCH, BGPODDLH
\$\$VER^BGPOBAN	BGPOASL, BGPOASL1, BGPOGUPL, BGPOULF, BGPOUTL
ACEIALG1^BGPOC11	BGPOD722, BGPOD723, BGPOD732
ARBALG1^BGPOC13	BGPOC11
ACEI^BGPOCON1	BGPOCON
ASA^BGPOCON1	BGPOCON
STATIN^BGPOCON1	BGPOCON
EP^BGPOCTL	BGPOCTS
^BGPOCTS	opt
INIT^BGPOCTS	BGPOGU
GETMEDS^BGPOCU	BGPOC13, BGPOCU1
\$\$ASAALLEG^BGPOCU1	BGPOD721
^BGPOD1	BGPOAUEX, BGPODAP, BGPODCL, BGPODEL, BGPODGPU, BGPODL BGPODNDB, BGPODNG, BGPODNGP, BGPODNGS, BGPODSTM, BGPOGALL BGPOGCMF, BGPOGCOM, BGPOGDON, BGPOGDSDH, BGPOGELD, BGPOGGPU BGPOGLHW, BGPOGNPL, BGPOGNST, BGPOGNT9, BGPOGNTL, BGPOGNTP BGPOGNTS, BGPONPL
\$\$DP^BGPOD1	BGPOD10
\$\$FIRSTDM^BGPOD1	BGPOD10
\$\$V2^BGPOD1	BGPOD729
\$\$V2DM^BGPOD1	BGPOD211
PROCCY^BGPOD1	BGPODPA, BGPODPAP
^BGPOD10	BGPODGPU, BGPODPP, BGPOGGPU, BGPOGPP
\$\$GDEV^BGPOD2	BGPOD22, BGPOD41, BGPOD9
\$\$HGBA1C^BGPOD2	BGPOD22, BGPODPA1, BGPOPC1
\$\$LDL^BGPOD2	BGPOD72, BGPOD73, BGPODPA1
\$\$LOINC^BGPOD2	BGPOALG2, BGPOD722, BGPOD723, BGPOD841
\$\$MEANBP^BGPOD2	BGPOD22, BGPODPA1
\$\$MEANBPD^BGPOD2	BGPOD9
DMBP^BGPOD2	BGPOEL2
DMGC^BGPOD2	BGPOEL2
\$\$BF^BGPOD21	BGPOCON1, BGPOD212, BGPOD213, BGPOD722, BGPOD723, BGPOD75 BGPOEL2
\$\$DENTEXAM^BGPOD21	BGPOD85, BGPOPC3
\$\$DNKA^BGPOD21	BGPOD213, BGPODPA4
\$\$EYE^BGPOD21	BGPOD22, BGPOPC1
\$\$LOINC^BGPOD21	BGPOD212, BGPOD8, BGPOD811, BGPOD812, BGPOD82, BGPOD83 BGPOD84, BGPOD841, BGPOD861, BGPOD864, BGPOD88
\$\$TC^BGPOD21	BGPOPC3
DMEYE^BGPOD21	BGPOEL2
DMNA^BGPOD21	BGPOEL2
I61^BGPOD21	BGPODPA1
\$\$DENTSRVD^BGPOD211	BGPOD21, BGPOD3, BGPODPA2, BGPOEL2
\$\$DMPVPL^BGPOD211	BGPOD1, BGPOD10
\$\$DVADA^BGPOD211	BGPODPA4
\$\$ESRD^BGPOD211	BGPOD21, BGPOD212, BGPOD213, BGPOD22, BGPOD39, BGPOD9 BGPODPA2, BGPOEL2, BGPOPC1
\$\$GFR^BGPOD211	BGPOD21, BGPOD22, BGPOPC1

\$\$QUANTUP^BGPOD211	BGPOD21, BGPOD22, BGPOPC1
JVN^BGPOD211	BGPOD21
\$\$ASCVDLDL^BGPOD212	BGPOD213, BGPOEL2
\$\$HIGHLDLV^BGPOD212	BGPOD213, BGPOEL2
\$\$LASTLDLV^BGPOD212	BGPOD213, BGPOEL2
\$\$PALL^BGPOD212	BGPOD213, BGPOEL2
\$\$RHAB^BGPOD212	BGPOD213, BGPOEL2
\$\$STATNMI^BGPOD212	BGPOD213, BGPOEL2
STRC^BGPOD212	BGPODPA4
\$\$ALD^BGPOD213	BGPOD212, BGPOEL2
\$\$EMP^BGPOD213	BGPOD22, BGPOD28, BGPOD39, BGPOD81
\$\$FOOT^BGPOD213	BGPOD22, BGPOPC1
\$\$STATALG^BGPOD213	BGPOD212, BGPOEL2
CVD^BGPOD213	BGPODPA4
OPTOM^BGPOD213	BGPOD3B
\$\$STATIN^BGPOD214	BGPOD212, BGPOD213, BGPOEL2
\$\$BLINDPL^BGPOD21A	BGPOD21, BGPOD22, BGPOEL2, BGPOPC1
\$\$EYEENUC^BGPOD21A	BGPOD21, BGPOD22, BGPOEL2, BGPOPC1
\$\$HEPA^BGPOD21A	BGPOD212, BGPOD213, BGPOEL2
\$\$HEPB^BGPOD21A	BGPOD212, BGPOD213, BGPOEL2
\$\$ASSEV^BGPOD22	BGPOD28, BGPOD31, BGPOD81, BGPOPC17
\$\$BPCPT^BGPOD22	BGPOD2, BGPOD41, BGPOD9, BGPODPA1
\$\$COPD^BGPOD22	BGPOD28, BGPOD39, BGPOD81
\$\$CREAT^BGPOD22	BGPOD82
\$\$PERASTH^BGPOD22	BGPOD28, BGPOD81
\$\$SEVPER^BGPOD22	BGPOD81
\$\$PCV^BGPOD24	BGPOEL4
\$\$TXPTED^BGPOD24	BGPOD73
BNI^BGPOD24	BGPOD73, BGPODPA4
\$\$HIVDX^BGPOD24A	BGPOD33, BGPOD35, BGPOD38
\$\$KEYSTI^BGPOD24A	BGPOD24
\$\$DEP^BGPOD25	BGPOD41, BGPODPA2, BGPODPA4
\$\$DEPEDU^BGPOD25	BGPODPA2, BGPODPA4
\$\$DEPSCR^BGPOD25	BGPOD41, BGPODPA2, BGPODPA4
\$\$DEPSUIC^BGPOD25	BGPOD41
DEPEP^BGPOD25	BGPOEL3
\$\$AMP^BGPOD27	BGPOD22, BGPOPC1
\$\$DEPSCRBH^BGPOD27	BGPOD25
\$\$DEN7^BGPOD3	BGPODPA1
\$\$FLU^BGPOD3	BGPOD3B, BGPODPA1, BGPODPA4, BGPOEL3
\$\$PAP^BGPOD3	BGPODPA1
\$\$PAPHPVWH^BGPOD3	BGPOD31, BGPOPC8
\$\$ANCONT^BGPOD31	BGPOD33, BGPOD34, BGPOD35, BGPOD36, BGPOD37, BGPOD38, BGPOD3A BGPOD3B, BGPOD86, BGPOPC6, BGPOPC7
\$\$ANEGCONT^BGPOD31	BGPOD38
\$\$ANIMCONT^BGPOD31	BGPOD37, BGPOD3C
\$\$ANNECONT^BGPOD31	BGPOD33
\$\$HOSP^BGPOD31	BGPOEL31
\$\$MMRCONT^BGPOD31	BGPOD33, BGPOD35, BGPOD811
\$\$PAPHPV^BGPOD31	BGPOD3
\$\$PNEU^BGPOD31	BGPODPA1
\$\$SEV^BGPOD31	BGPOD28
\$\$V2ASTH^BGPOD31	BGPOEL31
\$\$IMMREF^BGPOD32	BGPOD35
GETIMMS^BGPOD32	BGPOD33, BGPOD34, BGPOD35, BGPOD36, BGPOD37, BGPOD38, BGPOD811 BGPOD86
I14^BGPOD32	BGPODPA1
\$\$MMR^BGPOD33	BGPOD32
\$\$OPV^BGPOD33	BGPOD32
\$\$DTAP^BGPOD34	BGPOD32
RESET^BGPOD34	BGPOD341
TEST^BGPOD341	BGPOD34

\$\$HEP^BGPOD35	BGPOD32
\$\$PNEUMO^BGPOD35	BGPOD32
\$\$VAR^BGPOD35	BGPOD32
\$\$AGE^BGPOD36	BGPOD3, BGPODPA4
\$\$ENCEPH^BGPOD36	BGPOD34
\$\$HADWARF^BGPOD36	BGPOD39
\$\$HPV^BGPOD36	BGPOD85
\$\$IMMUNO^BGPOD36	BGPOD33, BGPOD35, BGPOD38
\$\$INTUSS^BGPOD36	BGPOD37
\$\$LYMPHO^BGPOD36	BGPOD33, BGPOD35, BGPOD38
\$\$MEN^BGPOD36	BGPOD85
\$\$SCID^BGPOD36	BGPOD37
\$\$HEPA^BGPOD37	BGPOD32
\$\$ROTA2^BGPOD37	BGPOD32
\$\$ROTA3^BGPOD37	BGPOD32
FLU^BGPOD37	BGPOD3
\$\$HIB3^BGPOD38	BGPOD32
\$\$HIB4^BGPOD38	BGPOD32
\$\$INFLU^BGPOD38	BGPOD32
\$\$DTAP^BGPOD3A	BGPOD3B, BGPOPC5
\$\$DTAPTD^BGPOD3A	BGPOD3B, BGPOPC5
\$\$GA^BGPOD3A	BGPOD21
\$\$HIGHR^BGPOD3A	BGPOD3
\$\$HIGHRP^BGPOD3A	BGPOD3B
\$\$SEALDEV^BGPOD3A	BGPOD3
\$\$TF^BGPOD3A	BGPOD3
SEAL^BGPOD3A	BGPOD3
SEALR^BGPOD3A	BGPOD3
\$\$PPCONT^BGPOD3B	BGPOPC5
I13^BGPOD3B	BGPOD3, BGPODPA4
PN^BGPOD3B	BGPOEL3
\$\$FIRSTPDX^BGPOD3C	BGPOD3B
\$\$IZOSTVAC^BGPOD3C	BGPOD3B, BGPOPC5
\$\$LASTVD^BGPOD3C	BGPOD3B
\$\$PCV13^BGPOD3C	BGPOD3B, BGPOPC5
\$\$PPSV23^BGPOD3C	BGPOD3B, BGPOPC5
\$\$SHINGRIX^BGPOD3C	BGPOD3B, BGPOPC5
\$\$MAM^BGPOD4	BGPODPA1, BGPOEL3
\$\$MAS^BGPOD4	BGPODPA1, BGPOEL3
\$\$MEANBP^BGPOD41	BGPOD9
BPCV^BGPOD41	BGPOEL3
\$\$ALPED^BGPOD5	BGPOD55, BGPODPA2
\$\$DVDX^BGPOD5	BGPODPA2
\$\$DVEX^BGPOD5	BGPODPA2
\$\$DVPED^BGPOD5	BGPODPA2
DV^BGPOD5	BGPOEL3
ICRSAMM^BGPOD51	BGPODPA4
\$\$EAPT^BGPOD52	BGPOD51
DVDX^BGPOD54	BGPOD5
ALSCRN^BGPOD55	BGPOD24, BGPODPA2, BGPODPA4
\$\$ALDX^BGPOD5A	BGPODPA2
\$\$BMI^BGPOD6	BGPOD52, BGPOD71, BGPOEL3
\$\$BMIOR^BGPOD6	BGPODPA2
\$\$OB^BGPOD6	BGPOD71, BGPODPA2, BGPOEL3
\$\$OW^BGPOD6	BGPOD71, BGPODPA2, BGPOEL3
\$\$REF^BGPOD6	BGPOEL3
\$\$COLO^BGPOD62	BGPODPA2
\$\$CRC^BGPOD62	BGPODPA2, BGPOEL3
\$\$CT^BGPOD62	BGPODPA2
\$\$FIT^BGPOD62	BGPODPA2
\$\$FOB^BGPOD62	BGPODPA2
\$\$SIG^BGPOD62	BGPODPA2

CRCP^BGPOD62	BGPOEL3
\$\$CPTSM^BGPOD7	BGPOD41, BGPOD713
\$\$DENT^BGPOD7	BGPOD41, BGPOD713
\$\$DX^BGPOD7	BGPOD713
\$\$DXS^BGPOD7	BGPOD713
\$\$DXSL^BGPOD7	BGPOD713
\$\$DXU^BGPOD7	BGPOD713
\$\$LASTHF^BGPOD7	BGPOD71, BGPOD712, BGPOD76, BGPOD9
\$\$PED^BGPOD7	BGPOD41, BGPOD713
\$\$PREG^BGPOD7	BGPOD21, BGPOD3B, BGPOD8, BGPOD88, BGPODPA2
\$\$TOBACCO^BGPOD7	BGPOD41
TA^BGPOD7	BGPOEL3
\$\$MEDNUTR^BGPOD711	BGPOD41
\$\$MEDNUTRD^BGPOD711	BGPOD41, BGPOD71
\$\$OTHREL^BGPOD711	BGPOD41, BGPOD71
\$\$PED^BGPOD711	BGPOD71, BGPOD76, BGPODPA2
\$\$SPECEx^BGPOD711	BGPOD41, BGPOD71
\$\$SPECNUTR^BGPOD711	BGPOD41, BGPOD71
\$\$TOBHF^BGPOD712	BGPOD7, BGPOD713
PREGSCRN^BGPOD713	BGPOD7
PREG^BGPOD714	BGPOD7
\$\$PREG^BGPOD715	BGPOCON1, BGPOD212, BGPOD213, BGPOD52, BGPOD53, BGPOD722 BGPOD723, BGPOD73, BGPOD75, BGPOD9, BGPOEL2
\$\$AMA^BGPOD72	BGPOD731, BGPOD87
\$\$BETAALG1^BGPOD72	BGPOD721, BGPOD731, BGPOD75
\$\$EXPIRED^BGPOD72	BGPOD731, BGPOD87
\$\$TRANS^BGPOD72	BGPOD731, BGPOD87
\$\$ASA^BGPOD721	BGPOD731
\$\$ASAALLEG^BGPOD721	BGPOD731, BGPOD75
\$\$BETA^BGPOD721	BGPOD731
\$\$BETACONT^BGPOD721	BGPOD731, BGPOD75
\$\$ACEALG^BGPOD722	BGPOD721, BGPOD731, BGPOD75
\$\$ACECONT^BGPOD722	BGPOD721, BGPOD731
\$\$ACERX^BGPOD722	BGPOD721, BGPOD731
\$\$STATALG^BGPOD722	BGPOD721, BGPOD731, BGPOD75
\$\$STATCON^BGPOD722	BGPOD721, BGPOD731, BGPOD75
\$\$STATRX^BGPOD722	BGPOD721, BGPOD731
\$\$ACEALG^BGPOD723	BGPOD21
\$\$ACECONT^BGPOD723	BGPOD21
BETACONT^BGPOD724	BGPOCON, BGPOD721
\$\$CHD^BGPOD729	BGPOD25, BGPOD41, BGPOD721, BGPOD73
CHEL^BGPOD73	BGPOEL4
\$\$HOSPICE^BGPOD74	BGPOD39, BGPOD53, BGPOD81
ALLHF^BGPOD76	BGPOD3A
TOBFOR^BGPOD76	BGPODPA2
\$\$HIVDX^BGPOD8	BGPOD88
\$\$HIVDX1^BGPOD8	BGPOD812
\$\$HIVTEST^BGPOD8	BGPOD24A
IE2^BGPOD8	BGPODPA2
\$\$VAPI^BGPOD81	BGPOD711, BGPOD721, BGPOD731, BGPOD75, BGPOD82, BGPOD863 BGPOD91
\$\$ART^BGPOD811	BGPOD8
\$\$PCR^BGPOD811	BGPOD8
\$\$CD4^BGPOD812	BGPOD8
\$\$HIVTEST1^BGPOD812	BGPOD8
\$\$CLASS^BGPOD82	BGPOD863
\$\$DAYS^BGPOD82	BGPOD21, BGPOD214, BGPOD52, BGPOD721, BGPOD722, BGPOD723 BGPOD732, BGPOD863
PHYACT^BGPOD84	BGPOD8
\$\$CD4RES^BGPOD841	BGPOD8
HEPC^BGPOD841	BGPOD84



\$\$TDAP^BGPOD86	BGPOD85
\$\$FIRSTHTN^BGPOD9	BGPOD21
\$\$LASTBP^BGPOD9	BGPODPA2
\$\$MHHTN^BGPOD9	BGPODPA2
\$\$V1HTN^BGPOD9	BGPOD21
^BGPODADB	opt
^BGPODAP	opt
^BGPODAR	opt
SUMONLY^BGPODAR	opt
^BGPODBPR	BGPODP
AREA^BGPODBPR	BGPOPARP
PRINTN^BGPODBPR	BGPODP
CALCIND^BGPODCEI	BGPOD1
CALCIND^BGPODCI	BGPOD1, BGPOD10
^BGPODCL	opt
\$\$LAST^BGPODCLP	BGPODCLD
CPPL1^BGPODCLP	BGPODP
^BGPODEL	opt
^BGPODELP	BGPODEL
PRINT1^BGPODELP	BGPOPHEL
EN^BGPODESI	BGPODEL
EN^BGPODESL	BGPODEL
PT^BGPODESL	BGPODEL, BGPODELA
RT^BGPODESL	BGPODEL
^BGPODGPA	opt
^BGPODGPU	opt
ENDDATE^BGPODGPU	BGPODADB, BGPODAP, BGPODAR, BGPODL, BGPODNDB, BGPODPP
	BGPOUTL3
^BGPODH	BGPODBPR, BGPODP
\$\$CTR^BGPODH	BGPODH1, BGPOELHH
\$\$USR^BGPODH	BGPODH1
AREACP^BGPODH	BGPODBPR, BGPOPARP, BGPOPAPQ
ENDTIME^BGPODH	BGPODH1
EOF^BGPODH	BGPOLSTF, BGPOULF
HDR^BGPODH	BGPODH1, BGPODH2
MD^BGPODH	BGPODH1
PD^BGPODH	BGPODH1
SENS^BGPODH	BGPODH1, BGPODPAP, BGPODPAW, BGPOELH
AHDR^BGPODH1	BGPODH, BGPODH2
ALLHDR^BGPODH1	BGPODH
AREACP^BGPODH1	BGPODBPR, BGPODH
COMHDR^BGPODH1	BGPODH
GPRAHDRS^BGPODH1	BGPODH
GPUPPHDR^BGPODH1	BGPODH
PEHDR^BGPODH1	BGPODH
DASH^BGPODH2	BGPODH
DASHHDRA^BGPODH2	BGPODH1
GPRAHDRA^BGPODH2	BGPODH1
^BGPODICR	opt
^BGPODL	opt
CHKY^BGPODL	BGPOUTL3
PI^BGPODL	BGPOGALL, BGPOGCOM, BGPOGPP
CRS^BGPODLT	opt
ELDER^BGPODLT	opt
GPRA^BGPODLT	opt
IPC^BGPODLT	opt
CRS^BGPODMT	opt
ELDER^BGPODMT	opt
GPRA^BGPODMT	opt
IPC^BGPODMT	opt
^BGPODNDB	opt
PROC^BGPODNE1	BGPOGNXP

^BGPODNG	opt
\$\$CTR^BGPODNG	BGPOAUEX
^BGPODNGP	opt
^BGPODNGS	opt
^BGPODP	BGPODAP, BGPODCL, BGPODGPU, BGPODL, BGPODNDB, BGPODNG BGPODNGP, BGPODNGS, BGPODPP, BGPODSTM, BGPONPL, BGPOPCD
PRINT1^BGPODP	BGPOPARP, BGPOPARG
SETEXCEL^BGPODP	BGPOAU1A, BGPOPARP, BGPOPARG
W^BGPODP	BGPODBPR, BGPODCLP, BGPODH, BGPODH1, BGPODH2, BGPODP, BGPODP1C BGPODP1H, BGPODP1I, BGPODP1J, BGPODP1K, BGPODP1L, BGPODP1O BGPODP1S, BGPODP1T, BGPODPH, BGPODS, BGPODSP, BGPODSPD BGPODSPN, BGPODSPO, BGPODSTM, BGPOELH, BGPOELHH, BGPONPLP BGPOPARP, BGPOPCH
W^BGPODP	BGPOSDP, BGPOSDPD, BGPOSDPN, BGPOSDPO
WTITLE^BGPODP	BGPODS, BGPONPLP
PI^BGPODP1	BGPODP2
I1AGE^BGPODP11	BGPODP1C
I1AGE^BGPODP12	BGPODP1
I1AGE^BGPODP13	BGPODP1
I1AGE^BGPODP14	BGPODP1
I1AGE^BGPODP1A	BGPODP1
\$\$SB^BGPODP1C	BGPODP1E
\$\$V^BGPODP1C	BGPODBPR, BGPODP11, BGPODP12, BGPODP13, BGPODP14, BGPODP19 BGPODP1A, BGPODP1C, BGPODP1H, BGPODP1L, BGPODP1O, BGPODP1S BGPODP1T, BGPODP2, BGPODP3, BGPODP4, BGPODP5, BGPODP50 BGPODP51, BGPODP6, BGPODP60, BGPODP7, BGPODP8, BGPODP19 BGPODDL0, BGPODDL1, BGPODDL2 BGPODDL3, BGPODDL4, BGPODDL5, BGPODDL7, BGPODDL8, BGPODDL9 BGPODLA, BGPODLB, BGPODLE, BGPODLL, BGPODLT, BGPODPA BGPODPB
GPRANT1^BGPODP1C	BGPODP19, BGPODP19
I1AGE^BGPODP1C	BGPODP1
PI^BGPODP1C	BGPODP1, BGPODP10, BGPODP3, BGPODP4, BGPODP5, BGPODP6
PI1^BGPODP1C	BGPODP4, BGPODP5
SETEXA^BGPODP1C	BGPODP19, BGPODP1H, BGPODP1T, BGPODP2, BGPODP3, BGPODP7 BGPODP19, BGPODDL1, BGPODDL2, BGPODDL3
SETN^BGPODP1C	BGPODP2, BGPODP3, BGPODP7, BGPODDL1, BGPODDL2, BGPODDL3
SETN1^BGPODP1C	BGPODP1H, BGPODP1T
GPRANT3^BGPODP1D	BGPODP1C
\$\$CHECK^BGPODP1E	BGPODP1C, BGPODP2, BGPODP3, BGPODDL1, BGPODDL2, BGPODDL3
SETDEV^BGPODP1E	BGPODP1C
DEVEL3^BGPODP1G	BGPODP1D
AH^BGPODP1H	BGPODP1I, BGPODP1K
BL^BGPODP1I	BGPODP1J
PR^BGPODP1I	BGPODP1J
SNDPG^BGPODP1I	BGPODP1H
I1AGEP^BGPODP1J	BGPODP1H
BL^BGPODP1K	BGPODP1I
^BGPODP1L	BGPODP1, BGPODDL1
^BGPODP1O	BGPODP1, BGPODDL1
^BGPODP1S	BGPODP1, BGPODDL1
^BGPODP1T	BGPODP1S
PI^BGPODP2	BGPODP1
PI1^BGPODP2	BGPODP1C
SETSUM^BGPODP2	BGPODDL2
I1AGEP^BGPODP50	BGPODP5, BGPODP51
I1AGEP^BGPODP60	BGPODP6
I1AGE^BGPODP8	BGPODP1
^BGPODPA	opt
COVPAGE^BGPODPA	opt
PROC^BGPODPA	BGPODPA, BGPOGFOR
\$\$TITLE^BGPODPA1	BGPODPA4

\$\$TITLE2^BGPODPA1	BGPODPA1
ISS^BGPODPA1	BGPOD1
\$\$TITLE^BGPODPA2	BGPODPA4
\$\$DENTSRVD^BGPODPA4	BGPODPA1
\$\$EYE^BGPODPA4	BGPODPA1
PRINT^BGPODPAW	BGPODPA
H1^BGPODPH	BGPODP1, BGPODP1C, BGPODP10, BGPODP2, BGPODP4, BGPODP5 BGPODP6, BGPOELP1
H10^BGPODPH	BGPODP14
H2^BGPODPH	BGPODP1C, BGPOELP1
H3^BGPODPH	BGPODP11
H4^BGPODPH	BGPODP12, BGPODP13, BGPODP1A
H9^BGPODPH	BGPODP19
HEADER^BGPODPH	BGPODBPR, BGPODELP, BGPODP, BGPODP1, BGPODP11, BGPODP12 BGPODP13, BGPODP14, BGPODP19, BGPODP1A, BGPODP1C, BGPODP1H BGPODP1I, BGPODP1J, BGPODP1K, BGPODP1L, BGPODP1O, BGPODP1S BGPODP1T, BGPODP2, BGPODP3, BGPODP4, BGPODP5, BGPODP50 BGPODP51, BGPODP6, BGPODP60 BGPODP8, BGPODS, BGPODSP, BGPODSPD, BGPODSPN, BGPODSPO BGPODSTM, BGPOEL10, BGPOEL11, BGPOEL12, BGPOEL13, BGPOEL14 BGPOEL15, BGPOEL16, BGPOEL17, BGPOEL18, BGPOEL19, BGPOEL1A BGPOEL1B, BGPOEL1C, BGPOEL1D, BGPOEL1E, BGPOEL1F, BGPOEL1G BGPOEL1H, BGPOEL1I, BGPOEL1J BGPOEL1K, BGPOEL1L, BGPOEL1M, BGPOEL1N, BGPOEL1O, BGPOEL1P BGPOEL1Q, BGPOEL1R, BGPOEL1S, BGPOEL1T, BGPOELP1, BGPOELS BGPOPDLT, BGPOSDP, BGPOSDPD, BGPOSDPN, BGPOSDPO
HPA^BGPODPH	BGPOPDLT
^BGPODPP	opt
^BGPODS	BGPODP
EN^BGPODSI	BGPODAP, BGPODL, BGPODPP, BGPODSTM, BGPONPL
EN^BGPODSL	BGPODAP, BGPODL, BGPODPP
PT^BGPODSL	BGPODADB, BGPODAP, BGPODAR, BGPODCL, BGPODGA, BGPODGPU BGPODL, BGPODNDB, BGPODNNG, BGPODNNGP, BGPODNNGS, BGPODPP BGPODSTM, BGPONPL, BGPOPCD
RT^BGPODSL	BGPODAP, BGPODCL, BGPODL, BGPODPP, BGPODSTM, BGPONPL
TEXT^BGPODSL	BGPODAP, BGPODAR, BGPODCL, BGPODEL, BGPODELA, BGPODGA BGPODGPU, BGPODL, BGPODNNG, BGPODNNGP, BGPODPP, BGPONPL, BGPOPCD
^BGPODSP	BGPODP
^BGPODSPD	BGPODP
^BGPODSPN	BGPODP
^BGPODSTM	opt
CT^BGPODSTM	BGPODP
\$\$CPT^BGPODU	BGPOD2, BGPOD21, BGPOD211, BGPOD212, BGPOD213, BGPOD22 BGPOD25, BGPOD27, BGPOD3, BGPOD31, BGPOD37, BGPOD3A, BGPOD3C BGPOD4, BGPOD52, BGPOD53, BGPOD62, BGPOD7, BGPOD71, BGPOD711 BGPOD714, BGPOD72, BGPOD74, BGPOD812, BGPOD83, BGPOD84 BGPOD841, BGPOD85, BGPOD861
\$\$CPT^BGPODU	BGPOD87, BGPOD88, BGPOD9, BGPODPA4, BGPOPC1, BGPOPC10 BGPOPC11, BGPOPC14, BGPOPC16, BGPOPC4, BGPOPC8, BGPOPC9
\$\$CPTI^BGPODU	BGPOC13, BGPOCON1, BGPOCU1, BGPOD2, BGPOD211, BGPOD214 BGPOD3A, BGPOD3B, BGPOD71, BGPOD711, BGPOD72, BGPOD721 BGPOD724, BGPOD73, BGPOD731, BGPOD732, BGPOD75, BGPOD811 BGPOD82, BGPOD841, BGPOD861, BGPOD864, BGPOD9, BGPODPA4 BGPOEL2
\$\$IPLSNOID^BGPODU	BGPOD212, BGPOD54, BGPOD55, BGPOD7, BGPOD71
\$\$IPLSNOND^BGPODU	BGPOCON1, BGPOD2, BGPOD211, BGPOD213, BGPOD21A, BGPOD22 BGPOD27, BGPOD3, BGPOD33, BGPOD35, BGPOD36, BGPOD37, BGPOD4 BGPOD62, BGPOD722, BGPOD724, BGPOD75, BGPOD811, BGPOEL2 BGPOPC10, BGPOPC12, BGPOPC13, BGPOPC16, BGPOPC2, BGPOPC6 BGPOPC62, BGPOPC64, BGPOPC65 BGPOPC67, BGPOPC68, BGPOPC69, BGPOPC8
\$\$LASTITEM^BGPODU	BGPOD25, BGPOD3A, BGPOD4, BGPOPC1, BGPOPC11, BGPOPC14

	BGPOPC15, BGPOUTL2
\$\$PL^BGPODU	BGPOD212, BGPOD213, BGPOD9
\$\$PLSNONDR^BGPODU	BGPOD1, BGPOD2, BGPOD841, BGPOEL2
\$\$PLTAXID^BGPODU	BGPOD212, BGPOD54, BGPOD55, BGPOD71
\$\$PLTAXND^BGPODU	BGPOCON1, BGPOD2, BGPOD211, BGPOD213, BGPOD21A, BGPOD22 BGPOD27, BGPOD3, BGPOD33, BGPOD35, BGPOD36, BGPOD37, BGPOD4 BGPOD62, BGPOD722, BGPOD724, BGPOD73, BGPOD75, BGPOD811 BGPOEL2, BGPOPC10, BGPOPC12, BGPOPC13, BGPOPC16, BGPOPC2 BGPOPC6, BGPOPC62, BGPOPC64 BGPOPC65, BGPOPC67, BGPOPC68, BGPOPC69, BGPOPC8
\$\$PLTAXNDR^BGPODU	BGPOD1, BGPOD2, BGPOD841, BGPOEL2
\$\$RAD^BGPODU	BGPOD53
\$\$TRAN^BGPODU	BGPOD2, BGPOD21, BGPOD211, BGPOD22, BGPOD3, BGPOD31, BGPOD37 BGPOD3C, BGPOD4, BGPOD53, BGPOD62, BGPOD714, BGPOD72, BGPOD812 BGPOD83, BGPOD84, BGPOD841, BGPOD861, BGPOD88, BGPODPA4 BGPOPC10, BGPOPC14, BGPOPC4, BGPOPC8, BGPOPC9
\$\$TRANI^BGPODU	BGPOC13, BGPOCON1, BGPOCU1, BGPOD2, BGPOD211, BGPOD711 BGPOD72, BGPOD721, BGPOD724, BGPOD73, BGPOD731, BGPOD732 BGPOD75, BGPOD811, BGPOD82, BGPOD861, BGPOD864, BGPOD9 BGPOEL2
\$\$WH^BGPODU	BGPOD3, BGPOD4, BGPOPC8
ALLCPT^BGPODU	BGPOD24, BGPOD31, BGPOPC8
PAUSE^BGPODU	BGPOAUEX, BGPOAUUL, BGPODAP, BGPODCL, BGPODEL, BGPODGPU BGPODL, BGPODNDB, BGPODNG, BGPODNGP, BGPODNGS, BGPODPA BGPODPP, BGPODSI, BGPODSTM, BGPONPL, BGPOPCD
I1AGE^BGPOEL10	BGPOELP1
I1AGE^BGPOEL11	BGPOELP1
H3^BGPOEL12	BGPOEL13
I1AGE^BGPOEL12	BGPOELP1
I1AGE^BGPOEL13	BGPOELP1
I1AGE^BGPOEL15	BGPOELP1
I1AGE^BGPOEL16	BGPOELP1
I1AGE^BGPOEL17	BGPOELP1
I1AGE^BGPOEL18	BGPOELP1
I1AGE^BGPOEL19	BGPOELP1
I1AGE^BGPOEL1A	BGPOELP1
I1AGE^BGPOEL1B	BGPOELP1
I1AGE^BGPOEL1C	BGPOELP1
I1AGE^BGPOEL1D	BGPOELP1
I1AGE^BGPOEL1E	BGPOELP1
I1AGE^BGPOEL1F	BGPOELP1
I1AGE^BGPOEL1G	BGPOELP1
I1AGE^BGPOEL1H	BGPOELP1
I1AGE^BGPOEL1I	BGPOELP1
I1AGE^BGPOEL1J	BGPOELP1
I1AGE^BGPOEL1K	BGPOELP1
IELDPHA^BGPOEL1L	BGPOELP1
I1AGE^BGPOEL1M	BGPOELP1
I1AGE^BGPOEL1N	BGPOELP1
I1AGE^BGPOEL1O	BGPOELP1
H3^BGPOEL1P	BGPOEL1Q, BGPOEL1R
I1AGE^BGPOEL1P	BGPOELP1
^BGPOEL1Q	BGPOEL1P
^BGPOEL1R	BGPOEL1Q
^BGPOEL1T	BGPOELP1
IELDASA^BGPOEL31	BGPOEL3
IELDFSA^BGPOEL31	BGPOEL3
IELDPHA^BGPOEL31	BGPOEL3
\$\$FUNCTION^BGPOEL4	BGPOEL31
\$\$PHNV^BGPOEL4	BGPOEL31
^BGPOELH	BGPODELP
AREACP^BGPOELH	BGPOPHEL

^BGPOELHH	BGPOELL
^BGPOELL	BGPODELP, BGPOPHEL
SETN^BGPOELL1	BGPOELLN
\$\$\$B^BGPOELL2	BGPOELL1, BGPOELL4, BGPOELL5, BGPOELL6, BGPOELL7, BGPOELL8 BGPOELL9, BGPOELLA, BGPOELLB, BGPOELLC, BGPOELLD, BGPOELLE BGPOELLF, BGPOELLG, BGPOEL LH, BGPOELLI, BGPOELLJ, BGPOELLK BGPOELLL, BGPOELLM, BGPOELLN, BGPOELLO, BGPOELLP, BGPOELLQ BGPOELLR, BGPOELLS BGPOELLT, BGPOELLU, BGPOELLV, BGPOELLW, BGPOELLX
H2^BGPOELL2	BGPOELL1
H3^BGPOELL2	BGPOELL3, BGPOELL4, BGPOELL5, BGPOELL6, BGPOELL7, BGPOELL8 BGPOELL9, BGPOELLA, BGPOELLB, BGPOELLC, BGPOELLD, BGPOELLE BGPOELLF, BGPOELLG, BGPOELLI, BGPOELLJ, BGPOELLK, BGPOELLL BGPOELLM, BGPOELLP, BGPOELLW
I1AGE^BGPOELL2	BGPOELL1
I1AGE^BGPOELL3	BGPOELL1
I1AGE^BGPOELL4	BGPOELL1
I1AGE^BGPOELL6	BGPOELL1
I1AGE^BGPOELL7	BGPOELL1
I1AGE^BGPOELL8	BGPOELL1
I1AGE^BGPOELL9	BGPOELL1
I1AGE^BGPOELLA	BGPOELL1
I1AGE^BGPOELLB	BGPOELL1
I1AGE^BGPOELLC	BGPOELL1
I1AGE^BGPOELLD	BGPOELL1
I1AGE^BGPOELLE	BGPOELL1
I1AGE^BGPOELLF	BGPOELL1
I1AGE^BGPOELLG	BGPOELL1
I1AGE^BGPOEL LH	BGPOELL1
I1AGE^BGPOELLI	BGPOELL1
I1AGE^BGPOELLJ	BGPOELL1
I1AGE^BGPOELLK	BGPOELL1
I1AGE^BGPOELLL	BGPOELL1
I1AGE^BGPOELLM	BGPOELL1
I1ELDPHA^BGPOELLN	BGPOELL1
I1AGE^BGPOELLO	BGPOELL1
I1AGE^BGPOELLP	BGPOELL1
I1AGEP^BGPOELLQ	BGPOELL3
I1AGE^BGPOELLR	BGPOELL1
I1AGE^BGPOELLS	BGPOELL1
I1AGEP^BGPOELLT	BGPOELLS
^BGPOELLU	BGPOELLT
BL^BGPOELLV	BGPOELLJ
I1AGE^BGPOELLX	BGPOELL1
SETN^BGPOELP1	BGPOEL1L
^BGPOELS	BGPODELP
^BGPOELSL	BGPOELL
GETIEN^BGPOEUTL	BGPOGUPL
REPORT^BGPOEUTL	BGPODEL, BGPOGELD
STMP^BGPOEUTL	BGPODCEI
EP^BGPOGACW	BGPOGRA
EP^BGPOGADB	BGPOGRB
EP^BGPOGAEL	BGPOGRA
EP^BGPOGAG9	BGPOGRA
EP^BGPOGAGP	BGPOGRA
EP^BGPOGAGS	BGPOGRA
EP^BGPOGAHE	BGPOGRA
EP^BGPOGALL	BGPOGR
EP^BGPOGAON	BGPOGRA
EP^BGPOGAPE	BGPOGRA
EP^BGPOGAPU	BGPOGRA
EP^BGPOGCMF	BGPOGR2

EP^BGPOGCMS	BGPOGR
EP^BGPOGCOM	BGPOGR
EP^BGPOGDON	BGPOGRA
EP^BGPOGDSH	BGPOGR2
EP^BGPOGELD	BGPOGR1
EP^BGPOGFO9	BGPOGRB
EP^BGPOGFOR	BGPOGRB
EP^BGPOGGPU	BGPOGR
EP^BGPOGLHW	BGPOGR2
EP^BGPOGLST	BGPOGU
EP^BGPOGLTX	BGPOGU
EP^BGPOGMTX	BGPOGU
EP^BGPOGMUE	BGPOGM
EP^BGPOGMUH	BGPOGM
EP^BGPOGNPL	BGPOGR, BGPOGRA
EP^BGPOGNST	BGPOGR
EP^BGPOGNT9	BGPOGR1
EP^BGPOGNTL	BGPOGR
EP^BGPOGNTP	BGPOGR1
EPSUM^BGPOGNTS	BGPOGR1
EP^BGPOGNXP	BGPOGR2
EP^BGPOGPP	BGPOGR
CATSTR^BGPOGR	BGPOGIPC, BGPOGR1, BGPOGRA
ELD^BGPOGR1	BGPOGR
CATSTR^BGPOGU	BGPOGRB
\$\$CHKFQT^BGPOGUA	BGPOGU
UPLOG^BGPOGUA	BGPOGADB, BGPOGAEL, BGPOGAG9, BGPOGAGP, BGPOGAGS, BGPOGAHE BGPOGALL, BGPOGAON, BGPOGAPE, BGPOGAPU, BGPOGCMF, BGPOGCMS BGPOGCOM, BGPOGDON, BGPOGDSH, BGPOGELD, BGPOGFO9, BGPOGFOR BGPOGGPU, BGPOGIPC, BGPOGLHW, BGPOGLST, BGPOGLTX, BGPOGMTX BGPOGMUE, BGPOGMUH BGPOGNPL, BGPOGNST, BGPOGNT9, BGPOGNTL, BGPOGNTP, BGPOGNTS BGPOGNXP, BGPOGPP
EP^BGPOGUPL	BGPOGU
^BGPOLSTF	opt
^BGPONPL	opt
NPL1^BGPONPLP	BGPODP
PRINT^BGPOPAPR	BGPOAU1A, BGPODADB, BGPODAR, BGPODGPA
^BGPOPC1	BGPOGIPC, BGPOPCD
\$\$PALLCARE^BGPOPC13	BGPOPC14
\$\$PREG^BGPOPC16	BGPOPC15
\$\$FTOF^BGPOPC2	BGPOPC15, BGPOPC16
\$\$HOSPIND^BGPOPC2	BGPOPC10, BGPOPC15, BGPOPC16, BGPOPC6, BGPOPC8, BGPOPC9
\$\$IPV^BGPOPC61	BGPOPC6
\$\$MMR^BGPOPC62	BGPOPC6
\$\$HIB^BGPOPC63	BGPOPC6
\$\$HEPB^BGPOPC64	BGPOPC6
\$\$DIS^BGPOPC65	BGPOPC62
\$\$HIV^BGPOPC65	BGPOPC62
\$\$MNLHT^BGPOPC65	BGPOPC62
\$\$VZV^BGPOPC65	BGPOPC6
\$\$PNEUMO^BGPOPC66	BGPOPC6
\$\$HEPA^BGPOPC67	BGPOPC6
\$\$ROTA^BGPOPC68	BGPOPC6
\$\$FLU^BGPOPC69	BGPOPC6
CALCIND^BGPOPCCI	BGPOPC1
^BGPOPCD	opt
EN^BGPOPCSI	BGPOPCD
EN^BGPOP CSL	BGPOPCD
RT^BGPOP CSL	BGPOPCD
^BGPOPCTX	opt

TAXCHK^BGPOPCTX	BGPOPCD
JRNL^BGPOPCUT	BGPOPC1
I1AGE^BGPOPD19	BGPOPDL1
ALLHDR^BGPOPDH1	BGPOPDLH
COMHDR^BGPOPDH1	BGPOPDLH
DENOMHDR^BGPOPDH1	BGPOPDLH
GPRAHDRS^BGPOPDH1	BGPOPDLH
PPHDR^BGPOPDH1	BGPOPDLH
HEADER^BGPOPDL	BGPOPDL0, BGPOPDLN, BGPOPDLO
SAVEDEL^BGPOPDL	BGPODBPR, BGPODP, BGPOPARP, BGPOPARQ
\$\$SB^BGPOPDL1	BGPOD6, BGPOEL3
H1^BGPOPDL1	BGPODP10, BGPOPDL0, BGPOPDL2, BGPOPDL3, BGPOPDL4, BGPOPDL7
PI^BGPOPDL1	BGPODP10, BGPOPDL0, BGPOPDL2, BGPOPDL3, BGPOPDL4, BGPOPDL7
PI1^BGPOPDL1	BGPOPDL4, BGPOPDL7
SETN^BGPOPDL1	BGPOPDL0
PI^BGPOPDL2	BGPOPDL1
PI1^BGPOPDL2	BGPOPDL1
PTED2^BGPOPDL2	BGPOPDL1
PTED3^BGPOPDL2	BGPOPDL1
I1AGEP^BGPOPDL5	BGPOPDL0
I1AGEP^BGPOPDL8	BGPOPDL7
I1AGE^BGPOPDL9	BGPOPDL1
I1AGE^BGPOPDLA	BGPOPDL1
I1AGE^BGPOPDLB	BGPOPDL1
I1AGE^BGPOPDLE	BGPOPDL1
^BGPOPDL	BGPOPDL1
I1AGE^BGPOPDLT	BGPODP1
I1AGE^BGPOPDPA	BGPOPDL1
I1AGE^BGPOPDPB	BGPOPDL1
PRINT^BGPOPHL	BGPODELA
DRUGS^BGPOPOS1	BGPOPOS
LAB^BGPOPOS1	BGPOPOS
PRE^BGPOPOS2	BGPOPOS
ACEI^BGPOREF1	BGPOREF
ARB^BGPOREF1	BGPOREF
ASA^BGPOREF1	BGPOREF
BETA^BGPOREF1	BGPOREF
STATIN^BGPOREF1	BGPOREF
^BGPOSDP	BGPODP
^BGPOSDPD	BGPODP
^BGPOSDPN	BGPODP
^BGPOULF	opt
\$\$D^BGPOUTL	BGPOAU1A, BGPODAR, BGPOGAG9, BGPOGAGP, BGPOGAON, BGPOGLHW BGPOGNXP
\$\$DATE^BGPOUTL	BGPOALG1, BGPOALG2, BGPOASL, BGPOASL1, BGPOC11, BGPOC13 BGPOCON1, BGPOCU, BGPOCU1, BGPOD2, BGPOD21, BGPOD211, BGPOD212 BGPOD213, BGPOD214, BGPOD22, BGPOD24, BGPOD24A, BGPOD25 BGPOD27, BGPOD28, BGPOD3, BGPOD31, BGPOD39, BGPOD3A, BGPOD3B BGPOD4, BGPOD5, BGPOD51 BGPOD52, BGPOD53, BGPOD54, BGPOD55, BGPOD5A, BGPOD6, BGPOD62 BGPOD7, BGPOD71, BGPOD713, BGPOD714, BGPOD715, BGPOD72 BGPOD721, BGPOD722, BGPOD723, BGPOD724, BGPOD73, BGPOD731 BGPOD732, BGPOD74, BGPOD75, BGPOD76, BGPOD8, BGPOD81, BGPOD811 BGPOD812, BGPOD82 BGPOD83, BGPOD84, BGPOD841, BGPOD85, BGPOD862, BGPOD87 BGPOD88, BGPOD89, BGPOD9, BGPOD91, BGPODCLP, BGPODP, BGPODPA1 BGPODPA2, BGPODPA4, BGPODPAP, BGPODPAW, BGPODS, BGPOEL2 BGPOEL3, BGPOEL31, BGPOEL4, BGPOELS, BGPONPLP, BGPOPC1 BGPOPC10, BGPOPC11, BGPOPC12 BGPOPC13, BGPOPC14, BGPOPC15, BGPOPC16, BGPOPC17, BGPOPC2 BGPOPC3, BGPOPC4, BGPOPC5, BGPOPC6, BGPOPC8, BGPOPC9, BGPOREF1 BGPOUTL2

\$\$EDT^BGPOUTL	BGPODS, BGPOELSL, BGPONPLP
\$\$LZERO^BGPOUTL	BGPOAU1A, BGPOAUEX, BGPODAR, BGPOGAG9, BGPOGAGP, BGPOGAON
\$\$MD^BGPOUTL	BGPOD212, BGPOD213, BGPOD3, BGPOD3B, BGPOD4, BGPOD62, BGPODPA1 BGPOEL2
\$\$RZERO^BGPOUTL	BGPOAU1A, BGPOD2, BGPODAR, BGPOGACW, BGPOGAG9, BGPOGAGP BGPOGAON, BGPOGLHW, BGPOPC2
GETIEN^BGPOUTL	BGPOAUUL, BGPOGUPL, BGPOULF
GNT1^BGPOUTL	BGPOAU1A, BGPODAR, BGPOGAG9, BGPOGAGP, BGPOGAGS
GS^BGPOUTL	BGPOAUEX, BGPODGPU, BGPODNG, BGPOGDON, BGPOGGPU, BGPOGNT9 BGPOGNTL
JRNL^BGPOUTL	BGPOD1, BGPOD10, BGPODPA, BGPODPAP
REPORT^BGPOUTL	BGPOAUEX, BGPODAP, BGPODCL, BGPODGPU, BGPODL, BGPODNDB BGPODNG, BGPODNGP, BGPODNGS, BGPODPP, BGPODSTM, BGPOGALL BGPOGCMF, BGPOGCOM, BGPOGDON, BGPOGDSH, BGPOGGPU, BGPOGIPC BGPOGLHW, BGPOGNPL, BGPOGNST, BGPOGNT9, BGPOGNTL, BGPOGNTF BGPOGNTS, BGPOGPP, BGPONPL BGPOPCD
STMP^BGPOUTL	BGPODCI, BGPOPCCI
XTMP^BGPOUTL	BGPOD1, BGPOPC1
\$\$CPTREFT^BGPOUTL1	BGPOD24A, BGPOD3, BGPOD31, BGPOD34, BGPOD35, BGPOD37, BGPOD38 BGPOD3B, BGPOD3C, BGPOD4, BGPOD53, BGPOD62
\$\$FIRSTCPT^BGPOUTL1	BGPOD3C, BGPOD841
\$\$FIRSTPRC^BGPOUTL1	BGPOD3C
\$\$LABEL^BGPOUTL1	BGPODP1C, BGPODP2, BGPODP3, BGPODP7, BGPOPDL1, BGPOPDL2 BGPOPDL3
\$\$LABLEL^BGPOUTL1	BGPOEL1L, BGPOELL1, BGPOELLN, BGPOELP1
\$\$LASTDX^BGPOUTL1	BGPOALG1, BGPOCON1, BGPOCU1, BGPOD1, BGPOD10, BGPOD2, BGPOD21 BGPOD211, BGPOD22, BGPOD3, BGPOD36, BGPOD39, BGPOD3B, BGPOD4 BGPOD52, BGPOD53, BGPOD7, BGPOD71, BGPOD72, BGPOD721, BGPOD724 BGPOD73, BGPOD731, BGPOD74, BGPOD75, BGPOD9, BGPODPA2 BGPODPA4, BGPOEL2 BGPOPC1, BGPOPC12, BGPOPC13, BGPOPC14, BGPOPC16, BGPOPC2 BGPOPC6, BGPOPC62, BGPOPC64, BGPOPC65, BGPOPC67, BGPOPC68 BGPOPC69, BGPOPC8, BGPOPC9
\$\$LASTPRC^BGPOUTL1	BGPOD21, BGPOD211, BGPOD21A, BGPOD27, BGPOD3, BGPOD4, BGPOD5 BGPOD53, BGPOD55, BGPOD62, BGPOD714, BGPOD72, BGPOD83, BGPOD84 BGPOD87, BGPOD88, BGPODPA4, BGPOPC8
\$\$NMIREF^BGPOUTL1	BGPOD31, BGPOD37, BGPOD3A, BGPOD3B, BGPOD3C
\$\$PRCREFT^BGPOUTL1	BGPOD62
\$\$RADREF^BGPOUTL1	BGPOD4, BGPOD62
\$\$REFUSAL^BGPOUTL1	BGPOD213, BGPOD24A, BGPOD25, BGPOD3, BGPOD5, BGPOD53, BGPOD6 BGPOD62, BGPOD74, BGPODPA4
\$\$CHKDST^BGPOUTL2	BGPOGUA
\$\$CODEN^BGPOUTL2	BGPOD51, BGPOPC11, BGPOPC12, BGPOPC13, BGPOUTL1
\$\$DEMOCHK^BGPOUTL2	BGPOAUEX, BGPODAP, BGPODCL, BGPODEL, BGPODGPU, BGPODL BGPODNDB, BGPODNG, BGPODNGP, BGPODNGS, BGPODPA, BGPODPP BGPODSTM, BGPONPL, BGPOPCD
\$\$EDD^BGPOUTL2	BGPOD3B
\$\$GETDEDIR^BGPOUTL2	BGPODH, BGPODH1, BGPODSL, BGPOELH, BGPOELHH, BGPOPCH, BGPOPLH
\$\$GETDIR^BGPOUTL2	BGPOAUEX, BGPODADB, BGPODAR, BGPODEL, BGPODGPU, BGPODL BGPODNDB, BGPODNG, BGPOGACW, BGPOGAGP, BGPOGAGS, BGPOGDON BGPOGELD, BGPOGF09, BGPOGF0R, BGPOGLHW, BGPOGNT9, BGPOGNTL BGPOGNTF, BGPOGNTS, BGPOGNXP, BGPONPL
\$\$ICD^BGPOUTL2	BGPOALG1, BGPOALG2, BGPOC11, BGPOC13, BGPOCU1, BGPOD1, BGPOD10 BGPOD212, BGPOD213, BGPOD21A, BGPOD22, BGPOD24, BGPOD24A BGPOD25, BGPOD27, BGPOD31, BGPOD35, BGPOD37, BGPOD38, BGPOD3A BGPOD3C, BGPOD4, BGPOD5, BGPOD51, BGPOD52, BGPOD53, BGPOD55 BGPOD5A, BGPOD6 BGPOD7, BGPOD71, BGPOD711, BGPOD713, BGPOD714, BGPOD715 BGPOD72, BGPOD722, BGPOD723, BGPOD729, BGPOD731, BGPOD732 BGPOD74, BGPOD75, BGPOD8, BGPOD81, BGPOD812, BGPOD82, BGPOD83 BGPOD84, BGPOD87, BGPOD88, BGPOD9, BGPOD91, BGPODPA2, BGPODU



	BGPOPC11, BGPOPC12
	BGPOPC13, BGPOPC14, BGPOPC15, BGPOPC16, BGPOPC4, BGPOPC6
	BGPOPC61, BGPOPC62, BGPOPC63, BGPOPC64, BGPOPC65, BGPOPC66
	BGPOPC67, BGPOPC68, BGPOPC69, BGPOPC7, BGPOPC9, BGPOUTL1
	BGPOUTL2
\$\$ICDDX^BGPOUTL2	BGPOALG1, BGPOALG2, BGPOC11, BGPOC13, BGPOCU1, BGPOD213
	BGPOD25, BGPOD41, BGPOD5, BGPOD52, BGPOD5A, BGPOD6, BGPOD7
	BGPOD711, BGPOD72, BGPOD722, BGPOD723, BGPOD732, BGPOD74
	BGPOD82, BGPOD83, BGPOD84, BGPODPA2, BGPOPC12, BGPOUTL1
	BGPOUTL2
\$\$ICDOP^BGPOUTL2	BGPOCU1, BGPOUTL1
\$\$LASTDXSN^BGPOUTL2	BGPOD729, BGPODU
\$\$RCIS^BGPOUTL2	BGPOD87
GETMEDS^BGPOUTL2	BGPOCON1, BGPOD21, BGPOD214, BGPOD22, BGPOD36, BGPOD39
	BGPOD53, BGPOD711, BGPOD721, BGPOD722, BGPOD723, BGPOD731
	BGPOD732, BGPOD74, BGPOD75, BGPOD81, BGPOD811, BGPOD82
	BGPOD83, BGPOD84, BGPOD863, BGPOD864, BGPOD87, BGPOD89
	BGPODPA4, BGPOPC12, BGPOPC14, BGPOPC17
UNFOLDTX^BGPOUTL2	BGPOD1, BGPOD10, BGPODPA, BGPOPC1
AGEDATE^BGPOUTL3	BGPOD32
TESTDR^BGPOUTL3	BGPODNG, BGPODNGP, BGPODNGS
GNT3^BGPOUTLC	BGPOUTL
^BGPOXTCH	opt
TAXCHK^BGPOXTCH	BGPODAP, BGPODL, BGPODPP, BGPOXTCH
^BGPOXTCN	opt
TAXCHK^BGPOXTCN	BGPODCL, BGPODGPU, BGPODNDB, BGPODNG, BGPODNGP, BGPODNGS
	BGPODPA, BGPODSTM, BGPONPL
^BGPOXTEL	opt
TAXCHK^BGPOXTEL	BGPODEL
EP^BGPOXTL	BGPOXTS
^BGPOXTV	opt
INIT^BGPOXTV	BGPOGU
EP^BGPOXTV1	BGPOCTS, BGPOXTV
GUIR^BGPXBLM	BGPOGADB, BGPOGAEL, BGPOGAG9, BGPOGAGP, BGPOGAGS, BGPOGAHE
	BGPOGALL, BGPOGAON, BGPOGAPE, BGPOGAPU, BGPOGAMP, BGPOGAMS
	BGPOGCOM, BGPOGDON, BGPOGDSD, BGPOGELD, BGPOGFO9, BGPOGFOR
	BGPOGGPU, BGPOGIPC, BGPOGLHW, BGPOGLTX, BGPOGMTX, BGPOGMUE
	BGPOGMUH, BGPOGNPL
	BGPOGNST, BGPOGNT9, BGPOGNTL, BGPOGNTP, BGPOGNTS, BGPOGNXP
	BGPOGPP, BGPOGU
^BGPY	BGPOPOS
^BGPYA	BGPY
^BGPYA10	BGPYA
^BGPYA100	BGPYA
^BGPYA101	BGPYA
^BGPYA102	BGPYA
^BGPYA103	BGPYA
^BGPYA104	BGPYA
^BGPYA105	BGPYA
^BGPYA106	BGPYA
^BGPYA107	BGPYA
^BGPYA108	BGPYA
^BGPYA109	BGPYA
^BGPYA11	BGPYA
^BGPYA110	BGPYA
^BGPYA111	BGPYA
^BGPYA112	BGPYA
^BGPYA113	BGPYA
^BGPYA114	BGPYA
^BGPYA115	BGPYA
^BGPYA116	BGPYA
^BGPYA117	BGPYA

^BGPYA118	BGPYA
^BGPYA119	BGPYA
^BGPYA12	BGPYA
^BGPYA120	BGPYA
^BGPYA121	BGPYA
^BGPYA122	BGPYA
^BGPYA123	BGPYA
^BGPYA124	BGPYA
^BGPYA125	BGPYA
^BGPYA126	BGPYA
^BGPYA127	BGPYA
^BGPYA128	BGPYA
^BGPYA129	BGPYA
^BGPYA13	BGPYA
^BGPYA130	BGPYA
^BGPYA131	BGPYA
^BGPYA132	BGPYA
^BGPYA133	BGPYA
^BGPYA134	BGPYA
^BGPYA135	BGPYA
^BGPYA136	BGPYA
^BGPYA137	BGPYA
^BGPYA138	BGPYA
^BGPYA139	BGPYA
^BGPYA14	BGPYA
^BGPYA140	BGPYA
^BGPYA141	BGPYA
^BGPYA142	BGPYA
^BGPYA143	BGPYA
^BGPYA144	BGPYA
^BGPYA145	BGPYA
^BGPYA146	BGPYA
^BGPYA147	BGPYA
^BGPYA148	BGPYA
^BGPYA149	BGPYA
^BGPYA15	BGPYA
^BGPYA150	BGPYA
^BGPYA151	BGPYA
^BGPYA152	BGPYA
^BGPYA153	BGPYA
^BGPYA154	BGPYA
^BGPYA155	BGPYA
^BGPYA156	BGPYA
^BGPYA157	BGPYA
^BGPYA158	BGPYA
^BGPYA159	BGPYA
^BGPYA16	BGPYA
^BGPYA160	BGPYA
^BGPYA161	BGPYA
^BGPYA162	BGPYA
^BGPYA163	BGPYA
^BGPYA164	BGPYA
^BGPYA165	BGPYA
^BGPYA166	BGPYA
^BGPYA167	BGPYA
^BGPYA168	BGPYA
^BGPYA169	BGPYA
^BGPYA17	BGPYA
^BGPYA170	BGPYA
^BGPYA171	BGPYA
^BGPYA172	BGPYA
^BGPYA173	BGPYA

^BGPYA174	BGPYA
^BGPYA18	BGPYA
^BGPYA19	BGPYA
^BGPYA2	BGPYA
^BGPYA20	BGPYA
^BGPYA21	BGPYA
^BGPYA22	BGPYA
^BGPYA23	BGPYA
^BGPYA24	BGPYA
^BGPYA25	BGPYA
^BGPYA26	BGPYA
^BGPYA27	BGPYA
^BGPYA28	BGPYA
^BGPYA29	BGPYA
^BGPYA3	BGPYA
^BGPYA30	BGPYA
^BGPYA31	BGPYA
^BGPYA32	BGPYA
^BGPYA33	BGPYA
^BGPYA34	BGPYA
^BGPYA35	BGPYA
^BGPYA36	BGPYA
^BGPYA37	BGPYA
^BGPYA38	BGPYA
^BGPYA39	BGPYA
^BGPYA4	BGPYA
^BGPYA40	BGPYA
^BGPYA41	BGPYA
^BGPYA42	BGPYA
^BGPYA43	BGPYA
^BGPYA44	BGPYA
^BGPYA45	BGPYA
^BGPYA46	BGPYA
^BGPYA47	BGPYA
^BGPYA48	BGPYA
^BGPYA49	BGPYA
^BGPYA5	BGPYA
^BGPYA50	BGPYA
^BGPYA51	BGPYA
^BGPYA52	BGPYA
^BGPYA53	BGPYA
^BGPYA54	BGPYA
^BGPYA55	BGPYA
^BGPYA56	BGPYA
^BGPYA57	BGPYA
^BGPYA58	BGPYA
^BGPYA59	BGPYA
^BGPYA6	BGPYA
^BGPYA60	BGPYA
^BGPYA61	BGPYA
^BGPYA62	BGPYA
^BGPYA63	BGPYA
^BGPYA64	BGPYA
^BGPYA65	BGPYA
^BGPYA66	BGPYA
^BGPYA67	BGPYA
^BGPYA68	BGPYA
^BGPYA69	BGPYA
^BGPYA7	BGPYA
^BGPYA70	BGPYA
^BGPYA71	BGPYA
^BGPYA72	BGPYA

^BGPYA73	BGPYA
^BGPYA74	BGPYA
^BGPYA75	BGPYA
^BGPYA76	BGPYA
^BGPYA77	BGPYA
^BGPYA78	BGPYA
^BGPYA79	BGPYA
^BGPYA8	BGPYA
^BGPYA80	BGPYA
^BGPYA81	BGPYA
^BGPYA82	BGPYA
^BGPYA83	BGPYA
^BGPYA84	BGPYA
^BGPYA85	BGPYA
^BGPYA86	BGPYA
^BGPYA87	BGPYA
^BGPYA88	BGPYA
^BGPYA89	BGPYA
^BGPYA9	BGPYA
^BGPYA90	BGPYA
^BGPYA91	BGPYA
^BGPYA92	BGPYA
^BGPYA93	BGPYA
^BGPYA94	BGPYA
^BGPYA95	BGPYA
^BGPYA96	BGPYA
^BGPYA97	BGPYA
^BGPYA98	BGPYA
^BGPYA99	BGPYA
GUIEP^BMXPO	BGPOPOS
LIST^BSDAPI2	BGPODPA
\$\$SUBLST^BSTSAPI	BGPOUTL2
SUBLST^BSTSAPI	BGPOUTL2
^CIMZSUS	BGPOPC14
EN^DDIOL	BGPOAU1A, BGPOAU1D, BGPOAU1M, BGPOAU1R, BGPOAU1EX, BGPOAU1UL BGPOAU1UP, BGPOUTL2
NOTICE^DGSEC4	BGPOGUA
OWNREC^DGSEC4	BGPOGUA
SENS^DGSEC4	BGPOGUA
^DIC	BGPOAU1EX, BGPOCTL, BGPODAP, BGPODCL, BGPODEL, BGPODGPU, BGPODL BGPODNDB, BGPODNE1, BGPODNG, BGPODNGP, BGPODNGS, BGPODPA BGPODPAP, BGPODPP, BGPODSTM, BGPOETL, BGPOEUTL, BGPOGNXP BGPONPL, BGPOPCD, BGPOPCTL, BGPOPCUT, BGPOPOS, BGPOPOS1 BGPOUTL, BGPOXTL,  dd90241.0111  dd90241.02
IX^DIC	BGPOPOS
FILE^DICN	BGPOAU1R, BGPOAU1EX, BGPOAU1UL, BGPOAU1UP, BGPOCTL, BGPODPA BGPODPAP, BGPOETL, BGPOGACW, BGPOGADB, BGPOGAEL, BGPOGAG9 BGPOGAGP, BGPOGAGS, BGPOGAHE, BGPOGALL, BGPOGAON, BGPOGAPE BGPOGAPU, BGPOGCMP, BGPOGCMS, BGPOGCOM, BGPOGDON, BGPOGDSH BGPOGELD, BGPOGFO9 BGPOGFOR, BGPOGGPU, BGPOGIPC, BGPOGLHW, BGPOGLST, BGPOGLTX BGPOGMTX, BGPOGMUE, BGPOGMUH, BGPOGNPL, BGPOGNST, BGPOGNT9 BGPOGNTL, BGPOGNTP, BGPOGNTS, BGPOGNXP, BGPOGPP, BGPOGRB BGPOGUPL, BGPOPCTL, BGPOULF, BGPOXTL  dd90245.09
^DICR	dd90245.09
^DIE	BGPOAU1R, BGPOAU1EX, BGPOAU1UL, BGPOAU1UP, BGPOCTL, BGPODPA BGPODPAP, BGPODSTM, BGPOETL, BGPOGACW, BGPOGADB, BGPOGAEL BGPOGAG9, BGPOGAGP, BGPOGAGS, BGPOGAHE, BGPOGALL, BGPOGAON BGPOGAPE, BGPOGAPU, BGPOGCMP, BGPOGCMS, BGPOGCOM, BGPOGDON BGPOGDSH, BGPOGELD BGPOGFO9, BGPOGFOR, BGPOGGPU, BGPOGIPC, BGPOGLHW, BGPOGLST

	BGPOGLTX, BGPOGMTX, BGPOGMUE, BGPOGMUH, BGPOGNPL, BGPOGNST BGPOGNT9, BGPOGNTL, BGPOGNTP, BGPOGNTS, BGPOGNXP, BGPOGPP BGPOGUA, BGPOPCTL, BGPOPOS, BGPOPOS1, BGPOXTL
FILE^DIE	BGPOGU
UPDATE^DIE	BGPOGU
^DIK	BGPOAUUL, BGPOAUUP, BGPODAP, BGPODCL, BGPODEL, BGPODGPU BGPODL, BGPODNDB, BGPODNE1, BGPODNG, BGPODNGP, BGPODNGS BGPODPA, BGPODPP, BGPODSTM, BGPOGU, BGPOGUA, BGPOGUPL, BGPONPL BGPOPCD, BGPOPOS, BGPOPOS1, BGPOPOS2, BGPOULF
IX1^DIK	BGPOAUUL, BGPOD1, BGPODPA, BGPODPAP, BGPODSTM, BGPOGUPL BGPOPOS, BGPOPOS1, BGPOULF
^DIM	dd90241.551101,  dd90564.01,  dd90564.02,  dd90564.06  dd90564.22,  dd90564.26
\$\$GET1^DIQ	BGPOD81, BGPOGU, BGPOGUA, BGPOPOS1, BGPOUTL2
^DIR	BGPOASL, BGPOAU1R, BGPOAUEx, BGPOAUUL, BGPOAUUP, BGPOCTL BGPOCTS, BGPOCU, BGPODADB, BGPODAP, BGPODAR, BGPODBPR, BGPODCL BGPODCLP, BGPODEL, BGPODELA, BGPODELP, BGPODESI, BGPODESL BGPODGPA, BGPODGPU, BGPODH, BGPODH1, BGPODHSL, BGPODICR BGPODL, BGPODLT, BGPODMT BGPODNDB, BGPODNE1, BGPODNG, BGPODNGP, BGPODNGS, BGPODP BGPODPA, BGPODPAP, BGPODPAP, BGPODPH, BGPODPP, BGPODS, BGPODSI BGPODSL, BGPODSTM, BGPODU, BGPOELH, BGPOELHH, BGPOELS BGPOELSL, BGPOETL, BGPOLSTF, BGPONPL, BGPONPLP, BGPOPCD BGPOPC, BGPOPCSI, BGPOPCSL BGPOPCTL, BGPOPCTX, BGPOULF, BGPOUTL2, BGPOUTL3, BGPOXTCH BGPOXTCN, BGPOXTL, BGPOXTS, BGPOXTV
^DIWP	BGPODBPR, BGPODELP, BGPODP, BGPODPAP, BGPODS, BGPOELL, BGPOELS BGPOUTL1
\$\$CODEN^ICDCODE	BGPOUTL2
\$\$ICDD^ICDCODE	BGPOUTL2
\$\$ICDDX^ICDCODE	BGPOUTL2
\$\$ICDOP^ICDCODE	BGPOUTL2
\$\$VSTD^ICDCODE	BGPOUTL2
\$\$VSTP^ICDCODE	BGPOUTL2
\$\$CODEN^ICDEX	BGPOD4, BGPOUTL2
\$\$ICDD^ICDEX	BGPOUTL2
\$\$ICDDX^ICDEX	BGPOUTL2
\$\$ICDOP^ICDEX	BGPOUTL2
\$\$VSTD^ICDEX	BGPOUTL2
\$\$VSTP^ICDEX	BGPOUTL2
\$\$CODEN^ICPTCOD	BGPOC13, BGPOCON1, BGPOCU1, BGPOD2, BGPOD211, BGPOD214 BGPOD24, BGPOD33, BGPOD34, BGPOD35, BGPOD36, BGPOD37, BGPOD3A BGPOD3B, BGPOD71, BGPOD711, BGPOD72, BGPOD721, BGPOD724 BGPOD73, BGPOD731, BGPOD732, BGPOD75, BGPOD811, BGPOD82 BGPOD841, BGPOD86, BGPOD861 BGPOD864, BGPOD9, BGPODPA4, BGPOEL2
\$\$CPT^ICPTCOD	BGPOCU1, BGPOD22, BGPOD33, BGPOD34, BGPOD35, BGPOD36, BGPOD37 BGPOD38, BGPOD3A, BGPOD4, BGPOD5, BGPOD52, BGPOD811, BGPOD86 BGPODPA2, BGPODU, BGPOPC10, BGPOPC15, BGPOPC16, BGPOPC2 BGPOPC4, BGPOPC6, BGPOPC8, BGPOPC9
EN^VALM	BGPOASL, BGPOCTL, BGPOCTS, BGPODESI, BGPODESL, BGPODHSL BGPODSI, BGPODSL, BGPOETL, BGPOPCSI, BGPOPCSL, BGPOPCTL BGPOXTL, BGPOXTS, BGPOXTV, BGPOXTV1
TERM^VALM0	BGPOASL, BGPOCTL, BGPOCTS, BGPODESI, BGPODESL, BGPODHSL BGPODNGP, BGPODNGS, BGPODPA, BGPODSI, BGPODSL, BGPOETL BGPONPL, BGPOPCSI, BGPOPCSL, BGPOPCTL, BGPOXTL, BGPOXTS BGPOXTV, BGPOXTV1
CLEAR^VALM1	BGPOASL, BGPOCTL, BGPOCTS, BGPODESI, BGPODESL, BGPODHSL BGPODSI, BGPODSL, BGPOETL, BGPOPCSI, BGPOPCSL, BGPOPCTL BGPOXTL, BGPOXTS, BGPOXTV, BGPOXTV1
FULL^VALM1	BGPOASL, BGPOCTL, BGPOCTS, BGPODESI, BGPODESL, BGPODHSL BGPODSI, BGPODSL, BGPOETL, BGPOPCSI, BGPOPCSL, BGPOPCTL



\$\$DT^XLFD	BGPOD36, BGPOGACW, BGPOGADB, BGPOGAEL, BGPOGAG9, BGPOGAGP BGPOGAGS, BGPOGAHE, BGPOGALL, BGPOGAON, BGPOGAPE, BGPOGAPU BGPOGCMP, BGPOGCMS, BGPOGCOM, BGPOGDON, BGPOGDSH, BGPOGELD BGPOGFO9, BGPOGFOR, BGPOGGPU, BGPOGIPC, BGPOGLHW, BGPOGLST BGPOGLTX, BGPOGMTX BGPOGMUE, BGPOGMUH, BGPOGNPL, BGPOGNST, BGPOGNT9, BGPOGNTL BGPOGNTP, BGPOGNST, BGPOGNXP, BGPOGPP, BGPOGUPL
\$\$FMADD^XLFD	BGPOALG2, BGPOASL, BGPOAUEX, BGPOAUUL, BGPOAUUP, BGPOBAN BGPOC11, BGPOC13, BGPOCON1, BGPOCU, BGPOD1, BGPOD10, BGPOD21 BGPOD211, BGPOD214, BGPOD22, BGPOD24, BGPOD24A, BGPOD25 BGPOD28, BGPOD3, BGPOD31, BGPOD34, BGPOD37, BGPOD39, BGPOD3A BGPOD3B, BGPOD5, BGPOD51 BGPOD52, BGPOD53, BGPOD6, BGPOD62, BGPOD7, BGPOD71, BGPOD714 BGPOD715, BGPOD72, BGPOD721, BGPOD722, BGPOD723, BGPOD729 BGPOD73, BGPOD731, BGPOD732, BGPOD74, BGPOD75, BGPOD76, BGPOD8 BGPOD81, BGPOD82, BGPOD83, BGPOD84, BGPOD841, BGPOD863 BGPOD87, BGPOD88 BGPOD89, BGPOD9, BGPODADB, BGPODAP, BGPODAR, BGPODCL, BGPODCLP BGPODEL, BGPODELA, BGPODGPA, BGPODGPU, BGPODL, BGPODNDB BGPODNE1, BGPODPA, BGPODPA1, BGPODPA2, BGPODPA4, BGPODPAP BGPODPP, BGPODSTM, BGPODU, BGPOGAEL, BGPOGAHE, BGPOGALL BGPOGAON, BGPOGAPU, BGPOGCMP BGPOGCOM, BGPOGDON, BGPOGDSH, BGPOGELD, BGPOGGPU, BGPOGIPC BGPOGMUE, BGPOGMUH, BGPOGNPL, BGPOGNST, BGPOGPP, BGPOGRB BGPONPL, BGPONPLP, BGPOPC1, BGPOPC10, BGPOPC12, BGPOPC13 BGPOPC14, BGPOPC16, BGPOPC4, BGPOPC5, BGPOPC6, BGPOPC61 BGPOPC62, BGPOPC63, BGPOPC64
\$\$FMADD^XLFD	BGPOPC65, BGPOPC66, BGPOPC67, BGPOPC68, BGPOPC69, BGPOPC8 BGPOPC9, BGPOPCD, BGPOREF1, BGPOUTL, BGPOUTL1, BGPOUTL2 BGPOUTL3
\$\$FMDIFF^XLFD	BGPOD214, BGPOD21A, BGPOD22, BGPOD24, BGPOD33, BGPOD34 BGPOD341, BGPOD35, BGPOD36, BGPOD37, BGPOD38, BGPOD39, BGPOD3C BGPOD52, BGPOD7, BGPOD721, BGPOD722, BGPOD723, BGPOD731 BGPOD732, BGPOD74, BGPOD75, BGPOD811, BGPOD82, BGPOD83 BGPOD84, BGPOD841, BGPOD861 BGPOD863, BGPOD87, BGPOD9, BGPODBPR, BGPODPA, BGPODPA2, BGPOGU BGPOPC6, BGPOPC61, BGPOPC62, BGPOPC63, BGPOPC64, BGPOPC65 BGPOPC66, BGPOPC67, BGPOPC68, BGPOPC69, BGPOPC7
\$\$FMTE^XLFD	BGPOALG1, BGPOALG2, BGPOAUEX, BGPOAUUL, BGPOAUUP, BGPOC11 BGPOC13, BGPOCON1, BGPOCU, BGPOCU1, BGPOD1, BGPOD10, BGPOD2 BGPOD21, BGPOD211, BGPOD212, BGPOD213, BGPOD21A, BGPOD22 BGPOD24, BGPOD24A, BGPOD25, BGPOD27, BGPOD28, BGPOD3, BGPOD31 BGPOD37, BGPOD3A BGPOD3C, BGPOD4, BGPOD41, BGPOD5, BGPOD51, BGPOD52, BGPOD53 BGPOD54, BGPOD55, BGPOD5A, BGPOD6, BGPOD62, BGPOD7, BGPOD71 BGPOD711, BGPOD714, BGPOD72, BGPOD722, BGPOD723, BGPOD724 BGPOD729, BGPOD731, BGPOD732, BGPOD74, BGPOD75, BGPOD8 BGPOD81, BGPOD811, BGPOD812 BGPOD84, BGPOD85, BGPOD862, BGPOD87, BGPOD88, BGPOD9, BGPOD91 BGPODADB, BGPODAP, BGPODAR, BGPODBPR, BGPODCL, BGPODCLD BGPODCLP, BGPODEL, BGPODELA, BGPODGPA, BGPODGPU, BGPODH BGPODH1, BGPODICR, BGPODL, BGPODLT, BGPODMT, BGPODNDB BGPODNE1, BGPODNG, BGPODNGP BGPODNGS, BGPODPA, BGPODPA2, BGPODPA4, BGPODPAP, BGPODPAW BGPODPH, BGPODPP, BGPODS, BGPODSTM, BGPODU, BGPOEL2, BGPOEL4 BGPOELH, BGPOELHH, BGPOELL, BGPOELS, BGPOELSL, BGPOGU, BGPOGUA BGPONPL, BGPONPLP, BGPOPC10, BGPOPC11, BGPOPC12, BGPOPC13 BGPOPCD, BGPOPCH BGPOPDL, BGPOPDLH, BGPOUTL3
\$\$FMTH^XLFD	BGPOAUEX, BGPOAUUL, BGPOGRB
\$\$HTE^XLFD	BGPOAUUL
\$\$NOW^XLFD	BGPOAU1A, BGPOAUEX, BGPOAUUP, BGPODAR, BGPODNE1, BGPODPA

```

BGPODPAP, BGPOGACW, BGPOGADB, BGPOGAEL, BGPOGAG9, BGPOGAGP
BGPOGAGS, BGPOGAHE, BGPOGALL, BGPOGAON, BGPOGAPE, BGPOGAPU
BGPOGCMP, BGPOGCMS, BGPOGCOM, BGPOGDON, BGPOGDSH, BGPOGELD
BGPOGFO9, BGPOGFOR
BGPOGGPU, BGPOGIPC, BGPOGLHW, BGPOGLST, BGPOGLTX, BGPOGMTX
BGPOGMUE, BGPOGMUH, BGPOGNPL, BGPOGNST, BGPOGNT9, BGPOGNTL
BGPOGNTF, BGPOGNTS, BGPOGNXP, BGPOGPP, BGPOGRB, BGPOGU
BGPOAUEX, BGPOAUUP, BGPOGRB
$$LEAP^XLFD2T2
$$ABS^XLFMTH
$$CJ^XLFSTR
$$REPEAT^XLFSTR
$$STRIP^XLFSTR
$$SUP^XLFSTR
^XMD
$$VERSION^XPDUTL
BMES^XPDUTL
MES^XPDUTL
SETUP^XQALERT
DISP^XQORM1
$$$NOJOURN^ZIBGCHAR
*****  END  *****
BGPODBPR, BGPODP, BGPOPOS
BGPODICR, BGPODLT, BGPODMT
BGPOD39, BGPOD722, BGPODBPR, BGPODP1C, BGPODP1D, BGPODP1F
BGPODP1G, BGPOEL2, BGPOELL1, BGPOELLN, BGPOELP1, BGPODPL3
BGPOALG1, BGPOALG2, BGPOC11, BGPOC13, BGPOCU1, BGPOD2, BGPOD21
BGPOD213, BGPOD214, BGPOD21A, BGPOD22, BGPOD3, BGPOD31
BGPOD36, BGPOD39, BGPOD51, BGPOD711, BGPOD72, BGPOD721
BGPOD722, BGPOD723, BGPOD731, BGPOD732, BGPOD74, BGPOD75
BGPOD81, BGPOD811, BGPOD812
BGPOD82, BGPOD83, BGPOD84, BGPOD841, BGPOD863, BGPOD87
BGPOD89, BGPOD91, BGPODPA4, BGPODU, BGPOPC12, BGPOPC14
BGPOPC17, BGPOPC2, BGPOPC8, BGPOPC9, BGPOPOS1, BGPOULF
|dd90564.01, |dd90564.26
BGPOAUUP
BGPOPOS
BGPOAUEX, BGPOAUUL
BGPOPOS
BGPOAUUP
BGPOASL, BGPOCTL, BGPOCTS, BGPODESI, BGPODESL, BGPODHSL
BGPODSI, BGPODSL, BGPOETL, BGPOPCSI, BGPOPCSL, BGPOPCTL
BGPOXTL, BGPOXTS, BGPOXTV, BGPOXTV1
BGPOEUTL, BGPOPCUT, BGPOUTL

```

Figure 5-1: External Calls

## 5.2 Callable Routines

Published entry points for use by iCARE:

Routine: BGPLD10

BQI(DFN,BQIGREF);PEP-iCare EP

- Description:
  - Entry point called by the iCare module, returns GPRA data by global reference:
    - DFN = Patient internal entry number:
      - BQIGREF = Global reference to store data.

## 5.3 Published Entry Points

**Note:** There are no Published Entry Points for this application.



## 5.4 Exported Options

Table 5-1: Exported BGP options

Option Name	Description	KEY
BGPGRPC	BGGG Application Context	
BGP 19 AREA DSH	National GPRA Dashboard	
BGP 19 AREA ELDER REPORT	AREA Elder Care Report	
BGP 19 AREA GP SUM ONLY	AREA National GPRA/GPRAMA Report Perf Summaries	
BGP 19 AREA GPRA	AREA National GPRA/GPRAMA Report-Includes GPRA Dev	
BGP 19 AREA GPU	AREA GPRA/GPRAMA Performance Report	
BGP 19 AREA MENU	Area Options	BGPZAREA
BGP 19 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 19 AUTO AREA PARAMS	Set up Area Automated Parameters	
BGP 19 AUTO EDIT CLIENT PARAM	Set up Automated GPRA Extract	
BGP 19 AUTO GPRA EXTRACT	Auto GPRA Extract	
BGP 19 AUTO HOST PARAMS	Set up Host (Area) Automated Parameters	
BGP 19 AUTO MANUALLY EXTRACT	Manually Run GPRA Extract	
BGP 19 AUTO PROC SITE FILES	Auto Process GPRA Extract Files	
BGP 19 AUTO PROC SITE MAN	Manually Run Area Aggregate of GPRA Extracts	
BGP 19 AUTO REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 19 AUTO SCHEDULE AREA	Schedule Auto Area File Aggregation	
BGP 19 COMPREHENSIVE PAT LIST	Comprehensive National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 19 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 19 DISPLAY ICARE TEXT	Display iCare Data Items	
BGP 19 ELDER REPORT	Elder Care Report	
BGP 19 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 19 GPU GPRA PERFORMANCE	GPRA/GPRAMA Performance Report	
BGP 19 IPC LAB TAX REPORT	Lab Taxonomies-IPC Report	
BGP 19 IPC MED TAX RPT	Med Taxonomies-IPC Report	
BGP 19 IPC REPORT	IPC Measures Report	
BGP 19 IPC TAXONOMY CHECK	Taxonomy Check-IPC Report	

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 19 IPC TAXONOMY SETUP	Taxonomy Setup-IPC Report	
BGP 19 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 19 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 19 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 19 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 19 LIST FILES	List files in a directory	
BGP 19 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 19 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 19 MAIN MENU	CRS 2019	
BGP 19 MEASURES FORECAST CP	GPRA/GPRAMA Forecast Denominator Definitions	
BGP 19 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 19 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 19 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 19 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 19 MENU NATIONAL	National GPRA/GPRAMA Reports	
BGP 19 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 19 NATIONAL GPRA REPORT	National GPRA/GPRAMA Report	
BGP 19 NATIONAL GPRA SUM ONLY	National GPRA/GPRAMA Clinical Perf Summaries	
BGP 19 NATIONAL PAT LISTS	National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 19 NATL GPRA DESG PROV	National GPRA/GPRAMA Report by Designated Provider	
BGP 19 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 19 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 19 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 19 OTHER NTL RPTS MENU	Other National Reports	
BGP 19 PAT ED REPORT	Patient Education w/Community Specified	
BGP 19 PATIENT ED MENU	Patient Education Reports	
BGP 19 PATIENT ED PP	Patient Education w/Patient Panel Population	

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 19 PTS W SCHED APPT	GPRA/GPRAMA Forecast Patient List	BGPZ PATIENT LISTS
BGP 19 REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 19 REPORTS MENU	Reports	
BGP 19 SEL ALL PATS	Selected Measures w/All Communities	
BGP 19 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 19 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 19 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 19 SYSTEM SETUP	System Setup	
BGP 19 TAXONOMY CHECK	Taxonomy Check	
BGP 19 TAXONOMY REPORTS	Taxonomy Reports	
BGP 19 TAXONOMY SETUP	Taxonomy Setup	
BGP 19 UPLOAD FILES	Upload Report Files from Site	
BGP 19 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP 20 AREA DSH	National GPRA Dashboard	
BGP 20 AREA GP SUM ONLY	AREA National GPRA/GPRAMA Report Perf Summaries	
BGP 20 AREA GPRA	AREA National GPRA/GPRAMA Report-Includes GPRA Dev	
BGP 20 AREA GPU	AREA GPRA/GPRAMA Performance Report	
BGP 20 AREA MENU	Area Options	BGPZAREA
BGP 20 AUTO AREA PARAMS	Set up Area Automated Parameters	
BGP 20 AUTO EDIT CLIENT PARAM	Set up Automated GPRA Extract	
BGP 20 AUTO GPRA EXTRACT	Auto GPRA Extract	
BGP 20 AUTO HOST PARAMS	Set up Host (Area) Automated Parameters	
BGP 20 AUTO MANUALLY EXTRACT	Manually Run GPRA Extract	
BGP 20 AUTO PROC SITE FILES	Auto Process GPRA Extract Files	
BGP 20 AUTO PROC SITE MAN	Manually Run Area Aggregate of GPRA Extracts	
BGP 20 AUTO REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 20 AUTO SCHEDULE AREA	Schedule Auto Area File Aggregation	
BGP 20 COMPREHENSIVE PAT LIST	Comprehensive National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 20 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 20 DISPLAY ICARE TEXT	Display iCare Data Items	

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 20 ELDER REPORT	Elder Care Report	
BGP 20 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 20 GPU GPRA PERFORMANCE	GPRA/GPRAMA Performance Report	
BGP 20 IPC LAB TAX REPORT	Lab Taxonomies-IPC Report	
BGP 20 IPC MED TAX RPT	Med Taxonomies-IPC Report	
BGP 20 IPC REPORT	IPC Measures Report	
BGP 20 IPC TAXONOMY CHECK	Taxonomy Check-IPC Report	
BGP 20 IPC TAXONOMY SETUP	Taxonomy Setup-IPC Report	
BGP 20 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 20 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 20 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 20 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 20 LIST FILES	List files in a directory	
BGP 20 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 20 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 20 MAIN MENU	CRS 2020	
BGP 20 MEASURES FORECAST CP	GPRA/GPRAMA Forecast Denominator Definitions	
BGP 20 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 20 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 20 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 20 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 20 MENU NATIONAL	National GPRA/GPRAMA Reports	
BGP 20 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 20 NATIONAL GPRA REPORT	National GPRA/GPRAMA Report	
BGP 20 NATIONAL GPRA SUM ONLY	National GPRA/GPRAMA Clinical Perf Summaries	
BGP 20 NATIONAL PAT LISTS	National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 20 NATL GPRA DESG PROV	National GPRA/GPRAMA Report by Designated Provider	
BGP 20 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 20 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 20 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 20 OTHER NTL RPTS MENU	Other National Reports	
BGP 20 PTS W SCHED APPT	GPRA/GPRAMA Forecast Patient List	BGPZ PATIENT LISTS
BGP 20 REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 20 REPORTS MENU	Reports	
BGP 20 SEL ALL PATS	Selected Measures w/All Communities	
BGP 20 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 20 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 20 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 20 SYSTEM SETUP	System Setup	
BGP 20 TAXONOMY CHECK	Taxonomy Check	
BGP 20 TAXONOMY REPORTS	Taxonomy Reports	
BGP 20 TAXONOMY SETUP	Taxonomy Setup	
BGP 20 UPLOAD FILES	Upload Report Files from Site	
BGP 20 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGPGRPC	BGGP Application Context	
BGPMENU	IHS Clinical Reporting System (CRS) Main Menu	BGPZMENU

## 6.0 Internal Relations

All users should be given the access to the appropriate options and keys, as needed.  
All options in this system stand alone.

## 7.0 Security Keys

Table 2-1 provides the BGP security keys and their descriptions.

## **8.0 Archiving and Purging**

There is no archiving and purging in this package.



## 9.0 Documentation Resources

This section describes a few methods to generate online technical documentation.

### 9.1 How to Generate Online Documentation

The file number range for this package is 90240, 90370, 90530–90539, and 90558–90599. The namespace is BGP. All templates, routines, screen forms, etc., begin with BGP.

This section describes some methods by which users can generate IHS RPMS CRS technical documentation. Online technical documentation pertaining to the IHS RPMS clinical reporting software can be generated through the use of several kernel options. This is in addition to that which is located in the help prompts and on the help screens throughout the IHS RPMS Clinical Reporting package. These include, but are not limited to, the sections that follow.

### 9.2 System Documentation

Online Volume Performance Standard (VPS) system documentation can be generated through the use of several kernel options, including:

- %INDEX
- Menu Management
- Inquire Option
- Print Option File
- VA FileMan
- Data Dictionary Utilities
- List File Attributes

For more option listings and further information about other utilities that supply online technical information, see the *Decentralized Hospital Computer Program (DHCP) Kernel Reference* manual.

#### 9.2.1 %INDEX

The %INDEX option analyzes the structure of a routine to determine in part, if the routine adheres to RPMS programming standards. The output can include the following components:

- Compiled list of errors and warnings
- Routine listings
- Local variables

- Global variables
- Naked globals
- Label references
- External references

Running %INDEX for a specified set of routines allows users to discover any existing deviations from RPMS programming standards and to see how routines interact with one another (i.e., which routines call, or are called by, other routines).

To run %INDEX for the IHS RPMS Clinical Reporting package, specify the BGP namespace at the “Routine(s)” prompt.

### 9.2.2 Inquire Option

The Inquire menu management option provides the following information about a specified option:

- Option name
- Menu text
- Option description
- Type of option
- Lock (if any)

In addition, all items on the menu are listed for each menu option. To secure information about IHS RPMS Clinical Reporting options, the BGP namespace must be specified.

### 9.2.3 Print Option File

**Note:** The Print Option File utility generates a listing of options from the Option file (#19). It can print all entries, a single option, or range of options. For a list of IHS RPMS Clinical Reporting options, see Section 9.1.

There are no Published Entry Points for this application.

### 9.2.4 List File Attributes

This VA FileMan option allows users to generate documentation pertaining to files and file structure. The standard format of this option provides the following data dictionary information for a specified file:

- File name and description
- Identifiers

- Cross-references
- Files pointed to by the specified file
- Files that point to the specified file
- Input, print, and sort templates

In addition, the following applicable data is supplied for each field in the file:

- Field name, number, title, and description
- Global location
- Help prompt
- Cross-references
- Input transform
- Date last edited
- Notes

Using the Global Map format of this option generates an output that lists the following information:

- All cross-references for the selected file
- Global location of each field in the file
- Input, print, and sort templates

For a comprehensive listing of files, see Table 4-1 in Section 4.1.

## 9.3 Online Help

In addition to system documentation, RPMS includes special help displays for most menu options and data entry prompts. Typing a question mark (?) at the “Select Option” prompt displays information related to the current option. Table 9-1 displays the available options.

Table 9-1: Online help options

Typing	Displays
A single question mark (?)	A list of all options accessible from the current option
Two question marks (??)	A list of all accessible options and their formal names
Three question marks (???)	A brief description for each option in a menu
A single question mark (?) followed by an option name (?OPTION)	Extended help, if available, for that option

## 10.0 SAC Requirements and Exemptions

This program uses a standard global for exporting data to the Area Office. The global is called ^BGPDATA (and is killed at the root level in various routines.)

The kill of these unsubscripted globals has been approved by the Standards and Conventions committee.

# Glossary

**Archiving**

The storage of historical or little-used data off-line (often on tape.)

**Cross Reference**

An indexing method whereby files can include presorted lists of entries as part of the stored database. Cross-references (x-refs) facilitate look-up and reporting.

**Entry Point**

A point within a routine that is referenced by a “DO” or “GOTO” command from a routine internal to a package.

**File**

A set of related records or entries treated as a single unit.

**FileMan**

The database management system for RPMS.

**Global**

In MUMPS, global refers to a variable stored on disk (global variable) or the array to which the global variable may belong (global array).

**INDEX (%INDEX)**

A kernel utility used to verify routines and other MUMPS code associated with a package. Checking is done according to current ANSI MUMPS standards and RPMS programming standards. This tool can be invoked through an option or from direct mode (>D ^%INDEX).

**Kernel**

The set of MUMPS software utilities that function as an intermediary between the host operating system and application packages, such as Laboratory and Pharmacy. The kernel provides a standard and consistent user and programmer interface between application packages and the underlying MUMPS implementation. These utilities provide the foundation for RPMS.

**Menu**

A list of choices for computing activity. A menu is a type of option designed to identify a series of items (other options) for presentation to the user for selection. When displayed, menu-type options are preceded by the word “Select” and followed by the word “option,” as in “Select Menu Management option:” (the menu’s Select prompt).

**Namespace**

A unique set of two to four alpha characters that are assigned to a software application by the database administrator.

**Option**

An entry in the Option file. As an item in a menu, an option provides an opportunity for users to select it, thereby invoking the associated computing activity. Options may also be scheduled to run in the background, non-interactively, by TaskMan.

**Routine**

A program or sequence of instructions called by a program that may have some general or frequent use. MUMPS routines are groups of program lines that are saved, loaded, and called as a single unit via a specific name.

**Utility**

A callable routine line tag or function. A universal routine usable by anyone.

**Variable**

A character or group of characters that refers to a value. MUMPS recognizes three types of variables: local variables, global variables, and special variables. Local variables exist in a partition of the main memory and disappear at signoff. A global variable is stored on disk, potentially available to any user. Global variables usually exist as parts of global arrays.

## Acronym List

<b>Acronym</b>	<b>Term Meaning</b>
CRS	Clinical Reporting System
DHCP	Decentralized Hospital Computer Program
GPRA	Government Performance and Results Act
GPRAMA	GPRA Modernization Act
HHS	(Department of) Health and Human Services
ICD	International Classification of Diseases
IHS	Indian Health Service
MUMPS	Massachusetts General Hospital (M) Utility Multi Programming System
OIT	Office of Information Technology
RPMS	Resource and Patient Management System
VPS	Volume Performance Standard

## Contact Information

If you have any questions or comments regarding this distribution, please contact the IHS IT Service Desk.

**Phone:** (888) 830-7280 (toll free)

**Web:** <https://www.ihs.gov/itsupport/>

**E-mail:** [itsupport@ihs.gov](mailto:itsupport@ihs.gov)