



RESOURCE AND PATIENT MANAGEMENT SYSTEM

# **Clinical Reporting System**

(BGP)

## **Technical Manual**

Version 21.0  
February 2021

Office of Information Technology  
Division of Information Resource Management

# Table of Contents

<b>1.0</b>	<b>Introduction.....</b>	<b>1</b>
1.1	Key Changes in v21.0.....	2
1.1.1	Logic Changes to National GPRA/GPRAMA Report Measures.....	2
1.1.2	Key Logic Changes to Non-GPRA Measures.....	3
1.1.3	Additional Key Enhancements and Revisions .....	3
<b>2.0</b>	<b>Implementation and Maintenance .....</b>	<b>4</b>
2.1	System Requirements .....	4
2.2	Security Keys.....	4
<b>3.0</b>	<b>Routines .....</b>	<b>5</b>
3.1	Routines with Description .....	5
<b>4.0</b>	<b>Files and Tables.....</b>	<b>15</b>
4.1	File List .....	15
4.2	File Access .....	16
4.3	Cross References .....	16
4.4	Table File.....	39
4.4.1	BGP CONTROL FILE.....	39
4.4.2	BGP SITE PARAMETERS .....	44
4.4.3	FILE: BGP SUMMARY CATEGORIES.....	44
4.4.4	FILE: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS .....	45
4.4.5	FILE: BGP AREA AUTOMATED GPRA PARAMS .....	46
4.4.6	FILE: BGP GPRA FLAT FILE DATA .....	46
4.4.7	FILE: BGP 21 MEASURES .....	47
4.4.8	FILE: BGP 21 INDIVIDUAL MEASURES .....	50
4.4.9	FILE: BGP 21 NATIONAL PATIENT LISTS .....	52
4.4.10	FILE: BGP 21 SNOMED SUBSETS .....	53
4.4.11	FILE: BGP 21 TAXONOMIES.....	53
4.4.12	FILE: BGP 21 MEASURE GROUPS .....	54
4.4.13	FILE: BGP 21 ICARE GROUPS .....	54
4.4.14	FILE: BGP 21 ICARE CATEGORIES .....	55
4.4.15	FILE: BGP 21 GUI OUTPUT .....	55
4.4.16	FILE: BGP 21 ELDER INDIVIDUAL MEASURES .....	56
4.4.17	FILE: BGP 21 ELDER MEASURES .....	57
<b>5.0</b>	<b>External Relations .....</b>	<b>59</b>
5.1	External Calls .....	59
5.2	Callable Routines.....	81
5.3	Published Entry Points.....	81
5.4	Exported Options .....	81
<b>6.0</b>	<b>Internal Relations .....</b>	<b>87</b>
<b>7.0</b>	<b>Security Keys.....</b>	<b>88</b>

---

<b>8.0</b>	<b>Archiving and Purging .....</b>	<b>89</b>
<b>9.0</b>	<b>Documentation Resources .....</b>	<b>90</b>
9.1	How to Generate Online Documentation .....	90
9.2	System Documentation.....	90
9.2.1	%INDEX .....	90
9.2.2	Inquire Option .....	91
9.2.3	Print Option File.....	91
9.2.4	List File Attributes .....	91
9.3	Online Help.....	92
<b>10.0</b>	<b>SAC Requirements and Exemptions .....</b>	<b>93</b>
	<b>Glossary.....</b>	<b>94</b>
	<b>Acronym List .....</b>	<b>96</b>
	<b>Contact Information .....</b>	<b>97</b>

## Revision History

Version	Date	Author	Section	Page Number	Summary of Change
1.0	August 2005	Lori Butcher			Initial version
8.0	August 2008	Lori Butcher			Updated to include changes to the logic descriptions and performance measures for FY 2008 and reformatted
9.0	June 2009	Lori Butcher			Updated for version 9.0
10.0	May 2010	Lori Butcher			Updated for version 10.0
11.0	January 2011	Lori Butcher			Updated for version 11.0
11.1	May 2011	Lori Butcher			Updated for version 11.1
12.0	December 2011	Lori Butcher			Updated for version 12.0
12.1	April 2012	Lori Butcher			Updated for version 12.1
13.0	November 2012	Lori Butcher			Updated for version 13.0
14.0	November 2013	Lori Butcher			Updated for version 14.0
14.1	May 2014	Lori Butcher			Updated for version 14.1
15.0	November 2014	Lori Butcher			Updated for version 15.0
15.1	May 2015	Lori Butcher			Updated for version 15.1
16.0	November 2015	Lori Butcher			Updated for version 16.0
16.1	February 2016	Lori Butcher			Updated for version 16.1
17.0	September 2016	Lori Butcher			Updated for version 17.0
17.1	March 2017	Lori Butcher			Updated for version 17.1
18.0	October 2017	Lori Butcher			Updated for version 18.0
18.1	June 2018	Lori Butcher			Updated for version 18.1
19.0	December 2019	Lori Butcher			Updated for version 19.0
19.1	May 2019	Lori Butcher			Updated for version 19.1
20.0	March 2020	Lori Butcher			Updated for version 20.0
20.1	May 2020	Lori Butcher			Updated for version 20.1
21.0	November 2020	Lori Butcher			Updated for version 21.0

## Preface

This manual contains the technical manual for the Clinical Reporting System (CRS) v21.0, which adds fiscal year (FY) 2021 clinical performance measures to existing FY 2002 through FY 2020 measures.

## 1.0 Introduction

This manual provides Indian Health Service (IHS) site managers with a technical description of the Clinical Reporting System (CRS) routines, files, menus, cross references, globals, and other necessary information required to effectively manage the system.

All routines, files, options, and keys have a namespace starting with the letters “BGP.”

The file number range for this package is 90240, 90370–90565, 90530–90539, and 90558–90599.

The Government Performance and Results Act (GPRA) requires federal agencies to report annually on how the agency measured against the performance targets set in its annual plan. The IHS GPRA measures include clinical prevention and treatment, quality of care, infrastructure, and administrative efficiency functions.

The IHS CRS is a Resource and Patient Management System (RPMS) software application designed for national reporting, as well as Area Office and local monitoring of clinical GPRA and developmental measures. CRS was first released for FY 2002 performance measures (as GPRA+) and is based on a design by the Aberdeen Area Office (GPRA2000).

This manual provides technical information for the CRS v21.0. Version 21.0 adds FY 2021 clinical performance measures to existing FY 2002 through FY 2020 measures.

CRS is the reporting tool used by the IHS Office of Planning and Evaluation to collect and report clinical performance results annually to the Department of Health and Human Services (HHS) and to Congress.

Each year, an updated version of CRS software is released to reflect changes in the logic descriptions of the different denominators and numerators. Additional performance measures may also be added. Local facilities can run reports as often as they want and can also use CRS to transmit data to their Area Office. The Area Office can use CRS to produce an aggregated Area Office report for either annual GPRA or Area Office director performance reports.

CRS produces reports on demand from local RPMS databases for both GPRA and developmental clinical performance measures that are based on RPMS data, thus eliminating the need for manual chart audits for evaluating and reporting clinical measures.

To produce reports with comparable data across every facility, the GPRA measures definitions were translated into programming code with the assistance of clinical subject matter experts. CRS uses predefined taxonomies to find data items in the RPMS Patient Care Component to determine if a patient meets the performance measure criteria. Taxonomies contain groups of codes (e.g., diagnoses or procedures) or site-specific terms. Each performance measure topic has one or more defined denominators and numerators.

Administrative and clinical users can review individual or all measures at any time to:

- Identify potential data issues in their RPMS; for example, missing or incorrect data.
- Monitor their site's performance against past national performance and upcoming agency goals.
- Identify specific areas where the facility is not meeting the measure in order to initiate business process or other changes.
- Quickly measure impact of process changes on performance measures.
- Identify IHS Area Offices meeting or exceeding measures to provide lessons learned.

Users of the RPMS CRS include:

- Area Office and site quality improvement staff
- Compliance officers
- GPRA coordinators
- Clinical staff, such as physicians, nurses, nurse practitioners, and other providers
- Area Office directors
- Any staff involved with quality assurance initiatives
- Staff who run the various CRS reports

## 1.1 Key Changes in v21.0

### 1.1.1 Logic Changes to National GPRA/GPRAMA Report Measures

- GPRA Developmental Measures:
  - Updated codes and/or logic in the following measures: Adult Immunizations; Childhood Immunizations; Adolescent Immunizations; Substance Use Disorder (SUD) in Women of Childbearing Age; Hepatitis C Screening; Chlamydia Testing.
- Influenza:

- Added CVX 194, 200, 201, 202, and 205 to influenza definition.
- Adult Immunizations:
  - Added CVX 194, 200, 201, 202, and 205 to influenza definition.
- Childhood Immunizations:
  - Added CVX 198 to DTP, 4-dose HiB, and Hep B definitions.
- Cancer Screening: Mammogram Rates:
  - Removed ICD-10 code Z12.31 from mammogram definition.
- Alcohol Screening:
  - Added HCPCS code G0443 to Alcohol Screening and Alcohol-related Patient Education definitions.
  - Added HCPCS code G2011 to Positive Screen for Alcohol Use definition.
- Screening, Brief Intervention, and Referral to Treatment (SBIRT):
  - Added HCPCS code G0443 to Screening for Risky or Harmful Alcohol Use definition.
  - Added HCPCS code G2011 to BNI/BI definition.

### 1.1.2 Key Logic Changes to Non-GPRA Measures

For key logic changes to non-GPRA measures, please refer to the *CRS 2021 (Version 21.0) Selected Measures Report Performance Measure List and Definitions* document located on the CRS Web site:

[https://www.ihs.gov/sites/crs/themes/responsive2017/display\\_objects/documents/crsv21/SelectedMeasuresV210.pdf](https://www.ihs.gov/sites/crs/themes/responsive2017/display_objects/documents/crsv21/SelectedMeasuresV210.pdf).

### 1.1.3 Additional Key Enhancements and Revisions

- Fixed defect in IPC report routine
- Fixed duplicate name issue in the GUI



## 2.0 Implementation and Maintenance

The Clinical Reporting System occupies the BGP namespace. Options, security locks/keys, templates, routines, and globals have the namespace BGP.

**Note:** This version of the CRS (v21.0) only contains the 2020 files, options, routines, templates, etc. This was done at the request of the verification staff due to the size of this package. V20.0 is a requirement to install v21.0. Please see the technical manual for previous versions for information about all previous versions.

### 2.1 System Requirements

- Kernel v8.0 patch 1018 (XU\*8.0\*1018) or later
- FileMan v22.0 patch 1018 (DI\*22.0\*1018) or later
- IHS Clinical Reporting System version 20.1 must be installed (bgp\_2010.k).
- Taxonomy v5.1 patch 36 (or later) must be installed (atx\_0510.36k, atx\*5.1\*36).

### 2.2 Security Keys

Table 2-1 provides security key information.

Table 2-1: Security key names, descriptive names, and descriptions

Name	Descriptive Name	Description
BGPZAREA	BGP AREA REPORT	This key unlocks the area report options on the main BGPMENU. This key should only be assigned at the Area Office level.
BGPZMENU	BGP MAIN MENU–CRS	This key unlocks the main CRS menu. It should be assigned to all users who need to run GPRA/CRS reports.
BGPZ PATIENT LISTS	BGP PATIENT LISTS	This key allows the holder to obtain patient lists. The patient lists contain sensitive patient/clinical information. This key should only be given to those users who have a need for such information.
BGPZ SITE PARAMETERS	BGP SITE PARAMETERS	This key should be given to those with authority to update the site parameters.
BGPZ TAXONOMY EDIT	BGP TAXONOMY EDIT	This key should be given only to users who need to update taxonomies.

## 3.0 Routines

This section includes Table 3-1, which lists BGP routines and their descriptions.

Please note that the only routines distributed in v21.0 are the BGPQ\* routines. Previous versions of CRS contain the other routines. This was done at the request of the verification staff and is due to the large size of the build.

### 3.1 Routines with Description

Table 3-1 provides a list of routines with comprehensive descriptions of the functions.

Table 3-1: BGP routines

Routine	Description
BGPQ1	IHS/CMI/LAB-CREATED BY ^ATXSTX ON OCT 29, 2020
BGPQ1A	IHS/CMI/LAB-CREATED BY ^ATXSTX ON OCT 15, 2020
BGPQ1B	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 21, 2020
BGPQ1C	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 21, 2020
BGPQ1D	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 21, 2020
BGPQ1E	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 21, 2020
BGPQ1F	IHS/CMI/LAB-CREATED BY ^ATXSTX ON SEP 21, 2020
BGPQ1G	IHS/CMI/LAB-CREATED BY ^ATXSTX ON OCT 29, 2020
BGPQ1G2	IHS/CMI/LAB-CREATED BY ^ATXSTX ON OCT 29, 2020
BGPQ1H	IHS/CMI/LAB-CREATED BY ^ATXSTX ON OCT 29, 2020
BGPQALG	IHS/CMI/LAB - measure AHR.A
BGPQALG1	IHS/CMI/LAB - measure AHR.A
BGPQALG2	IHS/CMI/LAB - measure AHR.A
BGPQASL	IHS/CMI/LAB - DISPLAY IND LISTS
BGPQASL1	IHS/CMI/LAB - DISPLAY IND LISTS
BGPQAU1A	IHS/CMI/LAB - BUILD CRS* FILES
BGPQAU1D	IHS/CMI/LAB - GPRA FLAT FILE DATA DUMP
BGPQAU1M	IHS/CMI/LAB - SEND MAIL MESSAGE
BGPQAU1R	IHS/CMI/LAB - READ, PROCESS GPRA FILE
BGPQAU1EX	IHS/CMI/LAB - BUILD SITE GPRA FILES, EXPORT TO AREA
BGPQAU1UL	IHS/CMI/LAB - AREA UPLOAD
BGPQAU1UP	IHS/CMI/LAB - UPLOAD SITE FILES, CREATE EXCEL FILES
BGPQBAN	IHS/CMI/LAB - BANNER FOR CRS
BGPQC11	IHS/CMI/LAB - calc CMS measures 02 Jul 2010 8:31 AM
BGPQC13	IHS/CMI/LAB - calc CMS measures 26 Sep 2004 11:28 AM
BGPQCON	IHS/CMI/LAB - measure AHR.A
BGPQCON1	IHS/CMI/LAB - measure logic
BGPQCTL	IHS/CMI/LAB - DISPLAY IND LISTS
BGPQCTS	IHS/CMI/LAB - display ind lists
BGPQCU	IHS/CMI/LAB - calc cms measures
BGPQCU1	IHS/CMI/LAB - calc CMS measures

<b>Routine</b>	<b>Description</b>
BGPQD1	IHS/CMI/LAB - CALC MEASURES
BGPQD10	IHS/CMI/LAB - calc measures
BGPQD2	IHS/CMI/LAB - measure 1,2,3,4
BGPQD21	IHS/CMI/LAB - measure 6
BGPQD211	IHS/CMI/LAB - measure 6 19 Sep 2014 8:12 AM
BGPQD212	IHS/CMI/LAB - measure 6 19 Sep 2014 8:12 AM
BGPQD213	IHS/CMI/LAB - measure 6 13 Aug 2015 6:58 AM
BGPQD214	IHS/CMI/LAB - measure 6 19 Sep 2014 8:12 AM
BGPQD21A	IHS/CMI/LAB - measure 6
BGPQD22	IHS/CMI/LAB - measure I2
BGPQD24	IHS/CMI/LAB - sti measure
BGPQD24A	IHS/CMI/LAB - sti measure
BGPQD25	IHS/CMI/LAB - MEASURE
BGPQD26	IHS/CMI/LAB - MEASURE LOGIC
BGPQD27	IHS/CMI/LAB - measure I2
BGPQD28	IHS/CMI/LAB - measure I2
BGPQD3	IHS/CMI/LAB - MEASURE LOGIC
BGPQD31	IHS/CMI/LAB - MEASURE LOGIC
BGPQD32	IHS/CMI/LAB - MEASURE LOGIC
BGPQD33	IHS/CMI/LAB - measure C
BGPQD34	IHS/CMI/LAB - measure C
BGPQD341	IHS/CMI/LAB - measure C
BGPQD35	IHS/CMI/LAB - MEASURE LOGIC
BGPQD36	IHS/CMI/LAB - MEASURE IMM LOGIC
BGPQD37	IHS/CMI/LAB - IMMUNIZATIONS
BGPQD38	IHS/CMI/LAB - IMMUNIZATIONS
BGPQD39	IHS/CMI/LAB - measure C
BGPQD3A	IHS/CMI/LAB - MEASURE LOGIC
BGPQD3B	IHS/CMI/LAB - PNEUMO REMINDER 27 Feb 2015 7:52 AM
BGPQD3C	IHS/CMI/LAB - VARIOUS UTILS
BGPQD4	IHS/CMI/LAB - MEASURE LOGIC 3
BGPQD41	IHS/CMI/LAB - measure 3
BGPQD42	IHS/CMI/LAB - measure 11
BGPQD5	IHS/CMI/LAB - measure calc
BGPQD51	IHS/CMI/LAB - measure I2 26 Mar 2015 10:09 AM
BGPQD52	IHS/CMI/LAB - measure 31
BGPQD53	IHS/CMI/LAB - measure calc
BGPQD54	IHS/CMI/LAB - measure calc 02 Jul 2010 8:08 AM
BGPQD55	IHS/CMI/LAB - measure calc
BGPQD5A	IHS/CMI/LAB - measure calc
BGPQD6	IHS/CMI/LAB - measure 31
BGPQD62	IHS/CMI/LAB - MEASURE 31
BGPQD64	IHS/CMI/LAB - measure 31 01 Jul 2010 7:47 PM
BGPQD7	IHS/CMI/LAB - measure 31 06 Nov 2014 2:31 PM
BGPQD71	IHS/CMI/LAB - measure C

<b>Routine</b>	<b>Description</b>
BGPQD711	IHS/CMI/LAB - measure C 30 Jun 2010 12:14 PM
BGPQD712	IHS/CMI/LAB - TOBACCO HF
BGPQD713	IHS/CMI/LAB - measure 31
BGPQD714	IHS/CMI/LAB - measure 6
BGPQD715	IHS/CMI/LAB - measure 6
BGPQD72	IHS/CMI/LAB - measure 31
BGPQD721	IHS/CMI/LAB - measure AHR.A
BGPQD722	IHS/CMI/LAB - measure MEDS
BGPQD723	IHS/CMI/LAB - measure AHR.A
BGPQD724	IHS/CMI/LAB - CONTRA (CONT)
BGPQD729	IHS/CMI/LAB - measure AHR.A
BGPQD73	IHS/CMI/LAB - measure 31
BGPQD731	IHS/CMI/LAB - measure AHR.A
BGPQD732	IHS/CMI/LAB - measure AHR.A
BGPQD74	IHS/CMI/LAB - MEASURE LOGIC
BGPQD75	IHS/CMI/LAB - measure 31
BGPQD76	IHS/CMI/LAB - MEASURE LOGIC
BGPQD8	IHS/CMI/LAB - measure C 11 Feb 2019 3:35 PM
BGPQD81	IHS/CMI/LAB - measure C 17 Oct 2014 8:51 AM
BGPQD811	IHS/CMI/LAB - PCR, MMR
BGPQD812	IHS/CMI/LAB - measure C
BGPQD82	IHS/CMI/LAB - measure C 14 Mar 2010 11:49 AM
BGPQD83	IHS/CMI/LAB - measure C 07 Jan 2019 11:45 AM
BGPQD84	IHS/CMI/LAB - measure C
BGPQD841	IHS/CMI/LAB - measure C
BGPQD85	IHS/CMI/LAB - measure C 09 Jun 2019 5:18 PM
BGPQD86	IHS/CMI/LAB - measure C 06 Nov 2009 2:26 PM
BGPQD861	IHS/CMI/LAB - measure C
BGPQD862	IHS/CMI/LAB - measure C
BGPQD863	IHS/CMI/LAB - measure C
BGPQD864	IHS/CMI/LAB - measure C
BGPQD87	IHS/CMI/LAB - measure calc 01 Nov 2014 2:35 PM
BGPQD88	IHS/CMI/LAB - measure C 03 Jul 2010 7:05 AM
BGPQD89	IHS/CMI/LAB - measure C 03 Jul 2010 7:05 AM
BGPQD9	IHS/CMI/LAB - measure J
BGPQD91	IHS/CMI/LAB - MEASURE LOGIC
BGPQDADB	IHS/CMI/LAB - MEASURE LOGIC
BGPQDAP	IHS/CMI/LAB - GPRA AREA DRIVER
BGPQDAR	IHS/CMI/LAB - GPRA AREA REPORT
BGPQDBPR	IHS/CMI/LAB - IHS gpra print 03 Jul 2010 6:26 AM
BGPQDCEI	IHS/CMI/LAB - calculate ELDER measures
BGPQDCI	IHS/CMI/LAB - AREA GPRA
BGPQDCL	IHS/CMI/LAB - national patient list 20 Dec 2004 9:24 AM
BGPQDCLD	IHS/CMI/LAB - IHS gpra print
BGPQDCLP	IHS/CMI/LAB - IHS gpra print

<b>Routine</b>	<b>Description</b>
BGPQDEL	IHS/CMI/LAB - GPRA REPORT DRIVER
BGPQDELA	IHS/CMI/LAB - GPRA REPORT
BGPQDELP	IHS/CMI/LAB - IHS HEDIS print
BGPQDESI	IHS/CMI/LAB - DISPLAY IND LISTS
BGPQDESL	IHS/CMI/LAB - IHS 2021 DISPLAY IND LISTS
BGPQDGPA	IHS/CMI/LAB - ihs area GPRA 02 Sep 2004 1:11 PM
BGPQDGPU	IHS/CMI/LAB - IHS AREA CLIN 05 REPORT DRIVER
BGPQDGH	IHS/CMI/LAB - HEADER
BGPQDH1	IHS/CMI/LAB - COVER PAGE
BGPQDH2	IHS/CMI/LAB - COVER PAGE
BGPQDHSL	IHS/CMI/LAB - IHS 2021 DISPLAY IND LISTS
BGPQDICR	IHS/CMI/LAB - ICARE LIST
BGPQDL	IHS/CMI/LAB - LOCAL COM REPORT
BGPQDLT	IHS/CMI/LAB - national patient list 20 Dec 2004 9:24 AM
BGPQDMT	IHS/CMI/LAB - NATIONAL LIST
BGPQDNDB	IHS/CMI/LAB - NATIONAL EXPORT
BGPQDNE1	IHS/CMI/LAB - NATL COMP
BGPQDNG	IHS/CMI/LAB - NATL COM EXPORT
BGPQDNGP	IHS/CMI/LAB - NATL RPT PRT
BGPQDNGS	IHS/CMI/LAB - NATL COMP EXPORT 13 Nov 2006 12:31 PM
BGPQDP	IHS/CMI/LAB - IHS gpra print 03 Jul 2010 6:26 AM
BGPQDP1	IHS/CMI/LAB - print ind 1 21 Mar 2010 12:55 PM
BGPQDP11	IHS/CMI/LAB - print ind 1
BGPQDP12	IHS/CMI/LAB - print ind 19 AGE DIST
BGPQDP13	IHS/CMI/LAB - print ind 19 AGE DIST 02 Feb 2019 1:14 PM
BGPQDP14	IHS/CMI/LAB - print ind 19 AGE DIST
BGPQDP19	IHS/CMI/LAB - print ind 1 03 Jul 2010 7:40 AM
BGPQDP1A	IHS/CMI/LAB - print ind 19 AGE DIST 02 Feb 2019 1:14 PM
BGPQDP1C	IHS/CMI/LAB - print ind 1 21 Mar 2010 12:55 PM
BGPQDP1D	IHS/CMI/LAB - print ind
BGPQDP1E	IHS/CMI/LAB - PRINT IND
BGPQDP1F	IHS/CMI/LAB - PRINT IND
BGPQDP1G	IHS/CMI/LAB - print ind 1
BGPQDP1H	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPQDP1I	IHS/CMI/LAB - print ind 1
BGPQDP1J	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPQDP1K	IHS/CMI/LAB - print ind 1
BGPQDP1L	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPQDP1M	IHS/CMI/LAB - PRINT IND
BGPQDP1N	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPQDP1O	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPQDP1S	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPQDP1T	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGPQDP2	IHS/CMI/LAB - print ind 10 02 Jul 2010 9:25 AM
BGPQDP3	IHS/CMI/LAB - print ind 1

<b>Routine</b>	<b>Description</b>
BGPQDP4	IHS/CMI/LAB - print ind 31
BGPQDP5	IHS/CMI/LAB - print ind H
BGPQDP50	IHS/CMI/LAB - print ind H
BGPQDP51	IHS/CMI/LAB - print ind H
BGPQDP6	IHS/CMI/LAB - print ind H
BGPQDP60	IHS/CMI/LAB - print ind H 02 Feb 2019 1:59 PM
BGPQDP7	IHS/CMI/LAB - print ind 10
BGPQDP8	IHS/CMI/LAB - print ind H
BGPQDPA	IHS/CMI/LAB - FORECAST
BGPQDPA1	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGPQDPA2	IHS/CMI/LAB - FORECAST
BGPQDPA4	IHS/CMI/LAB - FORECAST
BGPQDPAP	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGPQDPAW	IHS/CMI/LAB - FORECAST PRINT
BGPQDPH	IHS/CMI/LAB - AREA REPORT HEADER 01 Jul 2010 7:54 PM
BGPQDPP	IHS/CMI/LAB - PP REPORT
BGPQDS	IHS/CMI/LAB - IHS gpra print
BGPQDSI	IHS/CMI/LAB - DISPLAY IND LISTS
BGPQDSL	IHS/CMI/LAB - IHS 2021 DISPLAY IND LISTS
BGPQDSP	IHS/CMI/LAB - SUM PAGE
BGPQDSPD	IHS/CMI/LAB - IHS summary page
BGPQDSPN	IHS/CMI/LAB - IHS summary page
BGPQDSPO	IHS/CMI/LAB - SUM P AGE
BGPQDSTM	IHS/CMI/LAB - national patient list
BGPQDU	IHS/CMI/LAB - gpra utility calls
BGPQEL10	IHS/CMI/LAB - print ind 1
BGPQEL11	IHS/CMI/LAB - print ind 1 20 Jan 2019 4:41 PM
BGPQEL12	IHS/CMI/LAB - print ind
BGPQEL13	IHS/CMI/LAB - print ind 1
BGPQEL14	IHS/CMI/LAB - print ind 1
BGPQEL15	IHS/CMI/LAB - print ind 1
BGPQEL16	IHS/CMI/LAB - print ind 1
BGPQEL17	IHS/CMI/LAB - print ind 1
BGPQEL18	IHS/CMI/LAB - print ind 1
BGPQEL19	IHS/CMI/LAB - print ind 1
BGPQEL1A	IHS/CMI/LAB - print ind 1
BGPQEL1B	IHS/CMI/LAB - ELDER
BGPQEL1C	IHS/CMI/LAB - ELDER
BGPQEL1D	IHS/CMI/LAB - print ind 1
BGPQEL1E	IHS/CMI/LAB - print ind 1
BGPQEL1F	IHS/CMI/LAB - print ind 1
BGPQEL1G	IHS/CMI/LAB - ELDER CALC
BGPQEL1H	IHS/CMI/LAB - print ind 1
BGPQEL1I	IHS/CMI/LAB - print ind 1
BGPQEL1J	IHS/CMI/LAB - print ind 1 05 Feb 2019 1:41 PM

<b>Routine</b>	<b>Description</b>
BGPQEL1K	IHS/CMI/LAB - print ind 1
BGPQEL1L	IHS/CMI/LAB - print ind 1
BGPQEL1M	IHS/CMI/LAB - print ind 1
BGPQEL1N	IHS/CMI/LAB - print ind 1
BGPQEL1O	IHS/CMI/LAB - print ind 1
BGPQEL1P	IHS/CMI/LAB - print ind 01 Jul 2010 7:55 PM
BGPQEL1Q	IHS/CMI/LAB - print ind 05 Feb 2019 9:01 AM
BGPQEL1R	IHS/CMI/LAB - print ind
BGPQEL1S	IHS/CMI/LAB - print ind 1
BGPQEL1T	IHS/CMI/LAB - print ind 1
BGPQEL2	IHS/CMI/LAB - measure 1,2,3,4
BGPQEL3	IHS/CMI/LAB - ELDER MEASURES
BGPQEL31	IHS/CMI/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM
BGPQEL4	IHS/CMI/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM
BGPQELH	IHS/CMI/LAB - cover page for ELDER 25 Jun 2010 10:20 AM
BGPQELHH	IHS/CMI/LAB - cover page for ELDER 25 Jun 2010 10:20 AM
BGPQELL	IHS/CMI/LAB - IHS gpra print 01 Jul 2010 7:56 PM
BGPQELL1	IHS/CMI/LAB - print ind 1 20 Jan 2017 4:52 PM
BGPQELL2	IHS/CMI/LAB - print ind 20 Jan 2017 4:41 PM
BGPQELL3	IHS/CMI/LAB - print ind
BGPQELL4	IHS/CMI/LAB - print ind 20 Jan 2017 4:36 PM
BGPQELL5	IHS/CMI/LAB - print ind
BGPQELL6	IHS/CMI/LAB - print ind
BGPQELL7	IHS/CMI/LAB - print ind 03 Feb 2017 4:55 PM
BGPQELL8	IHS/CMI/LAB - print ind
BGPQELL9	IHS/CMI/LAB - print ind
BGPQELLA	IHS/CMI/LAB - print ind 20 Jan 2017 4:46 PM
BGPQELLB	IHS/CMI/LAB - print ind 20 Jan 2017 4:48 PM
BGPQELLC	IHS/CMI/LAB - print ind
BGPQELLD	IHS/CMI/LAB - print ind
BGPQELLE	IHS/CMI/LAB - print ind 03 Feb 2017 10:05 AM
BGPQELLF	IHS/CMI/LAB - print ind
BGPQELLG	IHS/CMI/LAB - print ind
BGPQELLH	IHS/CMI/LAB - print ind 07 Jun 2017 4:19 PM
BGPQELLI	IHS/CMI/LAB - print ind 25 Mar 2017 6:57 PM
BGPQELLJ	IHS/CMI/LAB - print ind
BGPQELLK	IHS/CMI/LAB - print ind
BGPQELLL	IHS/CMI/LAB - print ind 05 Feb 2017 9:00 AM
BGPQELLM	IHS/CMI/LAB - print ind
BGPQELLN	IHS/CMI/LAB - print ind 1
BGPQELLO	IHS/CMI/LAB - print ind
BGPQELLP	IHS/CMI/LAB - print ind
BGPQELLQ	IHS/CMI/LAB - print ind
BGPQELLR	IHS/CMI/LAB - print ind
BGPQELLS	IHS/CMI/LAB - print ind 01 Jul 2010 7:56 PM

<b>Routine</b>	<b>Description</b>
BGPQELLT	IHS/CMI/LAB - print ind
BGPQELLU	IHS/CMI/LAB - print ind
BGPQELLV	IHS/CMI/LAB - print ind
BGPQELLW	IHS/CMI/LAB - print ind
BGPQELLX	IHS/CMI/LAB - print ind 30 Jun 2017 10:24 AM
BGPQELLY	IHS/CMI/LAB - print ind 03 Feb 2017 10:05 AM
BGPQELP1	IHS/CMI/LAB - print ind 1
BGPQEELS	IHS/CMI/LAB - IHS gprra print
BGPQEELSL	IHS/CMI/LAB - IHS gprra print
BGPQETL	IHS/CMI/LAB - DISPLAY IND LISTS
BGPQEUTL	IHS/CMI/LAB -
BGPQGADB	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPQGAEL	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPQGAG9	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPQGAGP	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPQGAGS	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPQGAHE	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPQGALL	IHS/CMI/LAB - GUI COM REPORT
BGPQGAPU	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGPQGAMP	IHS/CMI/LAB - CRS
BGPQGCOM	IHS/CMI/LAB - GUI COM REPORT
BGPQGDH	IHS/CMI/LAB - GPRA DASHBOARD GUI
BGPQGELD	IHS/CMI/LAB - GUI COM REPORT
BGPQGF09	IHS/CMI/LAB - GUI Patient Forecast Report
BGPQGF0R	IHS/CMI/LAB - GUI Patient Forecast Report
BGPQGGPU	IHS/CMI/LAB - CRS
BGPQGIPC	IHS/CMI/LAB - GUI COM REPORT
BGPQGLHW	IHS/CMI/LAB - CRS
BGPQGLST	IHS/CMI/LAB - GUI CMS REPORT
BGPQGLTX	IHS/CMI/LAB - CRS
BGPQGM	IHS/CMI/LAB - BGPG Visual CRS Reports
BGPQGMTX	IHS/CMI/LAB - CRS
BGPQGMUE	IHS/CMI/LAB - GUI MU EP REPORT
BGPQGMUH	IHS/CMI/LAB - GUI MU HOS REPORT
BGPQGNPL	IHS/CMI/LAB - CRS 26 Mar 2010 5:09 PM
BGPQGNST	IHS/CMI/LAB - CRS
BGPQGN9	IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM
BGPQGNL	IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM
BGPQGNTP	IHS/CMI/LAB - BGP 21 DESIGNATED PROVIDER REPORT
BGPQGNST	IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM
BGPQGNXP	IHS/CMI/LAB - CRS 27 Apr 2010 10:56 PM
BGPQGPP	IHS/CMI/LAB - GUI PP REPORT
BGPQGR	IHS/CMI/LAB - BGPG Visual CRS Reports
BGPQGR1	IHS/CMI/LAB - BGPG Visual CRS Reports
BGPQGR2	IHS/CMI/LAB - BGPG Visual CRS Reports



<b>Routine</b>	<b>Description</b>
BGPQGRA	IHS/CMI/LAB - BGP Gui Area Reports 5/2/2005 8:38:59 PM
BGPQGRB	IHS/CMI/LAB - BGP Gui Area Reports 5/2/2005 8:38:59 PM
BGPQGT	IHS/CMI/LAB - BGPG Gui CRS Tables 2/2/2005 10:24:22 AM
BGPQGTA	IHS/CMI/LAB - BGPG Gui CRS Tables 2/2/2005 10:24:22 AM
BGPQGU	IHS/CMI/LAB - BGP Gui Utilities
BGPQGUA	IHS/CMI/LAB - BGP Gui Utilities
BGPQGUPL	IHS/CMI/LAB - GUI Upload
BGPQLSTF	IHS/CMI/LAB - List 'BG08' files in pub
BGPQNPL	IHS/CMI/LAB - national patient list
BGPQNPLP	IHS/CMI/LAB - IHS gpra print 30 Jun 2010 5:58 PM
BGPQPARP	IHS/CMI/LAB - IHS gpra print
BGPQPARQ	IHS/CMI/LAB - IHS gpra print
BGPQPC1	IHS/CMI/LAB - CALC MEASURES
BGPQPC10	IHS/CMI/LAB - measure I2
BGPQPC11	IHS/CMI/LAB - measure PC11
BGPQPC12	IHS/CMI/LAB - measure I2
BGPQPC13	IHS/CMI/LAB - measure I2
BGPQPC14	IHS/CMI/LAB - measure I2
BGPQPC15	IHS/CMI/LAB - measure I2
BGPQPC16	IHS/CMI/LAB - measure I2
BGPQPC17	IHS/CMI/LAB - measure I2
BGPQPC2	IHS/CMI/LAB - measure I2
BGPQPC3	IHS/CMI/LAB - measure I2
BGPQPC4	IHS/CMI/LAB - measure I2
BGPQPC5	IHS/CMI/LAB - measure I2
BGPQPC6	IHS/CMI/LAB - measure I2
BGPQPC61	IHS/CMI/LAB - measure I2
BGPQPC62	IHS/CMI/LAB - measure I2
BGPQPC63	IHS/CMI/LAB - measure I2
BGPQPC64	IHS/CMI/LAB - measure I2
BGPQPC65	IHS/CMI/LAB - measure I2
BGPQPC66	IHS/CMI/LAB - measure I2
BGPQPC67	IHS/CMI/LAB - measure I2
BGPQPC68	IHS/CMI/LAB - measure I2
BGPQPC69	IHS/CMI/LAB - measure I2
BGPQPC7	IHS/CMI/LAB - measure I2
BGPQPC8	IHS/CMI/LAB - measure I2
BGPQPC9	IHS/CMI/LAB - measure I2
BGPQPCCI	IHS/CMI/LAB - AREA GPRA
BGPQPCD	IHS/CMI/LAB - GPRA REPORT DRIVER
BGPQPCH	IHS/CMI/LAB - cover page for ELDER 25 Jun 2010 10:20 AM
BGPQPCSI	IHS/CMI/LAB - DISPLAY IND LISTS
BGPQPCSL	IHS/CMI/LAB - IHS 2021 DISPLAY IND LISTS
BGPQPCTL	IHS/CMI/LAB - DISPLAY IND LISTS
BGPQPCTX	IHS/CMI/LAB - TAXONOMY CHECK FOR IPC REPORT

<b>Routine</b>	<b>Description</b>
BGPQPCUT	IHS/CMI/LAB -
BGPQPD19	IHS/CMI/LAB - print ind 03 Jul 2010 8:56 AM
BGPQPDH1	IHS/CMI/LAB - cover page for gpra del 0
BGPQPDL	IHS/CMI/LAB - IHS gpra print 01 Jul 2010 8:02 PM
BGPQPDL0	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:03 PM
BGPQPDL1	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:03 PM
BGPQPDL2	IHS/CMI/LAB - print ind 1
BGPQPDL3	IHS/CMI/LAB - print ind 1
BGPQPDL4	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:04 PM
BGPQPDL5	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:04 PM
BGPQPDL7	IHS/CMI/LAB - print ind 1
BGPQPDL8	IHS/CMI/LAB - print ind 1
BGPQPDL9	IHS/CMI/LAB - print ind
BGPQPDLA	IHS/CMI/LAB - print ind
BGPQPDLB	IHS/CMI/LAB - print ind
BGPQPDLD	IHS/CMI/LAB - IHS gpra print
BGPQPDL E	IHS/CMI/LAB - print ind
BGPQPDLH	IHS/CMI/LAB - cover page
BGPQPDL L	IHS/CMI/LAB - print ind 1
BGPQPDLN	IHS/CMI/LAB - IHS gpra print
BGPQPDL O	IHS/CMI/LAB - IHS gpra print
BGPQPDL T	IHS/CMI/LAB - print ind 1 03 Jul 2010 7:40 AM
BGPQPDP A	IHS/CMI/LAB - print ind 03 Jul 2010 8:56 AM
BGPQPDP B	IHS/CMI/LAB - print ind 03 Jul 2010 12:41 PM
BGPQPHEL	IHS/CMI/LAB - IHS gpra print
BGPQPOS	IHS/CMI/LAB - POST INIT
BGPQPOS1	IHS/CMI/LAB - NO DESCRIPTION PROVIDED
BGPQPOS2	IHS/CMI/LAB - NO DESCRIPTION PROVIDED
BGPQREF	IHS/CMI/LAB - measure AHR.A
BGPQREF1	IHS/CMI/LAB - measure AHR.A
BGPQSDP	IHS/CMI/LAB - IHS summary page 11 Dec 2006 1:24 PM
BGPQSDPD	IHS/CMI/LAB - IHS summary page
BGPQSDPN	IHS/CMI/LAB - IHS summary page
BGPQSDPO	IHS/CMI/LAB - IHS summary page
BGPQULF	IHS/CMI/LAB - UPLOAD AREA FILES
BGPQUTL	IHS/CMI/LAB - UTILITIES
BGPQUTL1	IHS/CMI/LAB - UTILITIES
BGPQUTL2	IHS/CMI/LAB - UTILITIES 06 Jan 2017 9:49 AM
BGPQUTL3	IHS/CMI/LAB - UTILITIES
BGPQUTLC	IHS/CMI/LAB - UTILITIES
BGPQXTCH	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT
BGPQXTCN	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT
BGPQXTL	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT
BGPQXTL	IHS/CMI/LAB - DISPLAY IND LISTS
BGPQXTS	IHS/CMI/LAB - DISPLAY IND LISTS

---

<b>Routine</b>	<b>Description</b>
BGPQXTV	IHS/CMI/LAB - DISPLAY IND LISTS 15 Dec 2010 9:42 AM
BGPQXTV1	IHS/CMI/LAB - DISPLAY IND LISTS
BGPTGE	cmi/anch/maw - BGP Gui Save Utilities
BGPTGU	cmi/anch/maw - BGP Gui Taxonomy Utilities
BGPTGUA	cmi/anch/maw - BGP Gui Taxonomy Utilities (con't)

## 4.0 Files and Tables

### 4.1 File List

Table 4-1 provides information for files and tables. Please note that only files beginning with BGP 21.0 are distributed with v21.0; all previous versions of CRS must be installed prior to v21.0. If v20.1 is installed, then all previous versions have been installed.

Table 4-1: BGP file list

File (#)	Global	Filename
90241.01	^BGPCTRL(	BGP CONTROL FILE
90241.02	^BGPSITE(	BGP SITE PARAMETERS
90241.03	^BGPSCAT(	BGP SUMMARY CATEGORIES
90241.04	^BGP2PM(	BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS
90245	^BGP1PM(	BGP AREA AUTOMATED GPRA PARAMS
90245.1	^BGP1RD(	BGP GPRA FLAT FILE DATA
90565.01	^BGPINDQ(	BGP 21 MEASURES
90565.02	^BGPINDQC (	BGP 21 INDIVIDUAL MEASURES
90565.03	^BGP2PDCQ(	BGP 21 DATA CURRENT
90565.04	^BGP2PDPQ(	BGP 21 DATA PREVIOUS
90565.05	^BGP2PDBQ(	BGP 21 DATA BASELINE
90565.06	^BGP2PNLQ(	BGP 21 NATIONAL PATIENT LISTS
90588.07	^BGP2SNOSQ(	BGP 21 SNOMED SUBSETS
90565.08	^BGP2TAXQ(	BGP 21 TAXONOMIES
90565.1	^BGP2MGRPQ(	BGP 21 MEASURE GROUPS
90565.17	^BGP2ICAGQ(	BGP 21 ICARE GROUPS
90565.18	^BGP2ICACQ(	BGP 21 ICARE CATEGORIES
90565.19	^BGP2GUIQ(	BGP 21 GUI OUTPUT
90565.21	^BGP2SNOMQ(	BGP 21 SNOMED LISTS
90565.22	^BGP2ELIIQ(	BGP 21 ELDER INDIVIDUAL INDICATORS
90565.23	^BGP2ELDCQ(	BGP 21 ELDER DATA CURRENT
90565.24	^BGP2ELDPQ(	BGP 21 ELDER DATA PREVIOUS
90565.25	^BGP2ELDBQ(	BGP 21 ELDER DATA BASELINE
90565.26	^BGP2ELIQ(	BGP 21 ELDER INDICATORS

## 4.2 File Access

Table 4-2: BGP file list

File (#)	Global	RD	WR	LYG	DD	DEL
90241.01	^BGPCTRL	@	@	@	@	@
90241.02	^BGPSITE	M	M	M	@	@
90241.03	^BGPSCAT(	@	@	@	@	@
90241.04	^BGP2PM(	M	M	M	@	M
90245	^BGP1PM(	M	M	M	@	M
90245.1	^BGP1RD(	M	M	M	@	M
90565.01	^BGPINDQ(	@	@	@	@	@
90565.02	^BGPINDQC(	@	@	@	@	@
90565.03	^BGPDCQ(	@	@	@	@	@
90565.04	^BGPDPQ(	@	@	@	@	@
90565.05	^BGPDBQ(	@	@	@	@	@
90565.06	^BGNPLQ(	@	@	@	@	@
90565.07	^BGPSNOSQ(	@	@	@	@	@
90565.08	^BGPTAXQ(	@	@	@	@	@
90565.1	^BGPGRPQ(	@	@	@	@	@
90565.17	^BGPICAGQ(	@	@	@	@	@
90565.18	^BGPICACQ(	@	@	@	@	@
90565.19	^BPGUIQ(	@	@	@	@	@
90565.21	^BGPSNOMQ(	@	@	@	@	@
90565.22	^BGPELIQ(	@	@	@	@	@
90565.23	^BGPELDCQ(	@	@	@	@	@
90565.24	^BGPELDPQ(	@	@	@	@	@
90565.25	^BGPELDBQ(	@	@	@	@	@
90565.26	^BGPELIQ(	@	@	@	@	@

## 4.3 Cross References

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01                11/17/20    PAGE 1
-----
File #90241.01

Traditional Cross-References:

B      REGULAR
      Field:  FY  (90241.01,.01)
            1)= S ^BGPCTRL("B", $E(X,1,30),DA)=""
    
```

```

                2)= K ^BGPCTRL("B", $E(X,1,30), DA)

C    REGULAR
    Field:  GPRA YEAR    (90241.01, .14)
           1)= S ^BGPCTRL("C", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL("C", $E(X,1,30), DA)

Subfile #90241.0111

Traditional Cross-References:

B    REGULAR
    Field:  CLINIC CODE  (90241.0111, .01)
           1)= S ^BGPCTRL(DA(1), 11, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 11, "B", $E(X,1,30), DA)

Subfile #90241.011101

Traditional Cross-References:

B    REGULAR
    Field:  CLINICS FOR IPC REPORT  (90241.011101, .01)
           1)= S ^BGPCTRL(DA(1), 1101, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 1101, "B", $E(X,1,30), DA)

Subfile #90241.0112

Traditional Cross-References:

B    REGULAR
    Field:  CLINIC CODES FOR 2ND VISIT  (90241.0112, .01)
           1)= S ^BGPCTRL(DA(1), 12, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 12, "B", $E(X,1,30), DA)

Subfile #90241.011301

Traditional Cross-References:

B    REGULAR
    Field:  BH CLINIC CODES  (90241.011301, .01)
           1)= S ^BGPCTRL(DA(1), 1301, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 1301, "B", $E(X,1,30), DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01                11/17/20    PAGE 2
-----
Subfile #90241.013

Traditional Cross-References:

B    REGULAR
    Field:  BH ALCOHOL PROBLEM CODES  (90241.013, .01)
           1)= S ^BGPCTRL(DA(1), 30, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 30, "B", $E(X,1,30), DA)

Subfile #90241.0145

Traditional Cross-References:

B    REGULAR
    Field:  CRSONMNT3 COLUMN HEADERS  (90241.0145, .01)
           1)= S ^BGPCTRL(DA(1), 45, "B", $E(X,1,30), DA)=""
           2)= K ^BGPCTRL(DA(1), 45, "B", $E(X,1,30), DA)

```

Subfile #90241.015

Traditional Cross-References:

B REGULAR

Field: DEP SCR BH CLINICS (90241.015,.01)  
 1)= S ^BGPCTRL(DA(1),50,"B",SE(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),50,"B",SE(X,1,30),DA)

Subfile #90241.0168

Traditional Cross-References:

B REGULAR

Field: EO NT (90241.0168,.01)  
 1)= S ^BGPCTRL(DA(1),68,"B",SE(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),68,"B",SE(X,1,30),DA)

Subfile #90241.0195

Traditional Cross-References:

B REGULAR

Field: CLINIC CODES FOR BH ACT CL (90241.0195,.01)  
 1)= S ^BGPCTRL(DA(1),95,"B",SE(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),95,"B",SE(X,1,30),DA)

Subfile #90241.18501

Traditional Cross-References:

B REGULAR

Field: DEVNT4 HEADERS (90241.18501,.01)  
 1)= S ^BGPCTRL(DA(1),851,"B",SE(X,1,30),DA)=""

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 11/17/20 PAGE 3

-----  
 2)= K ^BGPCTRL(DA(1),851,"B",SE(X,1,30),DA)

Subfile #90241.1972

Traditional Cross-References:

B REGULAR

Field: GPRA NT5 LABELS (90241.1972,.01)  
 1)= S ^BGPCTRL(DA(1),972,"B",SE(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),972,"B",SE(X,1,30),DA)

Subfile #90241.1973

Traditional Cross-References:

B REGULAR

Field: DEVNT6 LABELS (90241.1973,.01)  
 1)= S ^BGPCTRL(DA(1),973,"B",SE(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),973,"B",SE(X,1,30),DA)

Subfile #90241.36

Traditional Cross-References:

B REGULAR

```

Field:  PIECE  (90241.36,.01)
        1)= S ^BGPCTRL(DA(1),36,"B", $E(X,1,30),DA)=""
        2)= K ^BGPCTRL(DA(1),36,"B", $E(X,1,30),DA)

Subfile #90241.37

Traditional Cross-References:

B      REGULAR
      Field:  PIECE  (90241.37,.01)
            1)= S ^BGPCTRL(DA(1),37,"B", $E(X,1,30),DA)=""
            2)= K ^BGPCTRL(DA(1),37,"B", $E(X,1,30),DA)

Subfile #90241.38

Traditional Cross-References:

B      REGULAR
      Field:  PIECE  (90241.38,.01)
            1)= S ^BGPCTRL(DA(1),38,"B", $E(X,1,30),DA)=""
            2)= K ^BGPCTRL(DA(1),38,"B", $E(X,1,30),DA)

Subfile #90241.4

Traditional Cross-References:

B      REGULAR
INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01                11/17/20    PAGE 4
-----
      Field:  PIECE  (90241.4,.01)
            1)= S ^BGPCTRL(DA(1),40,"B", $E(X,1,30),DA)=""
            2)= K ^BGPCTRL(DA(1),40,"B", $E(X,1,30),DA)

Subfile #90241.41

Traditional Cross-References:

B      REGULAR
      Field:  MEASURE  (90241.41,.01)
            1)= S ^BGPCTRL(DA(1),41,"B", $E(X,1,30),DA)=""
            2)= K ^BGPCTRL(DA(1),41,"B", $E(X,1,30),DA)

Subfile #90241.55

Traditional Cross-References:

B      REGULAR
      Field:  MEASURE  (90241.55,.01)
            1)= S ^BGPCTRL(DA(1),55,"B", $E(X,1,30),DA)=""
            2)= K ^BGPCTRL(DA(1),55,"B", $E(X,1,30),DA)

Subfile #90241.551101

Traditional Cross-References:

B      REGULAR
      Field:  MEASURE ID  (90241.551101,.01)
            1)= S ^BGPCTRL(DA(2),55,DA(1),11,"B", $E(X,1,30),DA)=""
            2)= K ^BGPCTRL(DA(2),55,DA(1),11,"B", $E(X,1,30),DA)

Subfile #90241.62

```



## Traditional Cross-References:

B REGULAR

Field: PATIENT ED TOPICS (90241.62,.01)  
 1)= S ^BGPCTRL(DA(1),62,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),62,"B",\$(X,1,30),DA)

Subfile #90241.63

## Traditional Cross-References:

B REGULAR

Field: DISEASE STATE ABBRV (90241.63,.01)  
 1)= S ^BGPCTRL(DA(1),63,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),63,"B",\$(X,1,30),DA)

Subfile #90241.6311

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 11/17/20 PAGE 5

-----  
Traditional Cross-References:

B REGULAR

Field: ICD MAPPING (90241.6311,.01)  
 1)= S ^BGPCTRL(DA(2),63,DA(1),11,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(2),63,DA(1),11,"B",\$(X,1,30),DA)

Subfile #90241.79

## Traditional Cross-References:

B REGULAR

Field: DEVEL 1 (90241.79,.01)  
 1)= S ^BGPCTRL(DA(1),79,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),79,"B",\$(X,1,30),DA)

Subfile #90241.81

## Traditional Cross-References:

B REGULAR

Field: DEVEL 2 (90241.81,.01)  
 1)= S ^BGPCTRL(DA(1),81,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),81,"B",\$(X,1,30),DA)

Subfile #90241.85

## Traditional Cross-References:

B REGULAR

Field: DEVEL 3 (90241.85,.01)  
 1)= S ^BGPCTRL(DA(1),85,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),85,"B",\$(X,1,30),DA)

Subfile #90241.8502

## Traditional Cross-References:

B REGULAR

Field: HEADERS FOR DEV5 (90241.8502,.01)  
 1)= S ^BGPCTRL(DA(1),852,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPCTRL(DA(1),852,"B",\$(X,1,30),DA)

Subfile #90241.86

Traditional Cross-References:

B REGULAR

Field: ONMT 4 HEADERS (90241.86,.01)

1) = S ^BGPCTRL(DA(1),86,"B", \$E(X,1,30),DA)=""

2) = K ^BGPCTRL(DA(1),86,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 11/17/20 PAGE 6

Subfile #90241.87

Traditional Cross-References:

B REGULAR

Field: ONMT5 HEADERS (90241.87,.01)

1) = S ^BGPCTRL(DA(1),87,"B", \$E(X,1,30),DA)=""

2) = K ^BGPCTRL(DA(1),87,"B", \$E(X,1,30),DA)

Subfile #90241.97

Traditional Cross-References:

B REGULAR

Field: GPRANT3 (90241.97,.01)

1) = S ^BGPCTRL(DA(1),97,"B", \$E(X,1,30),DA)=""

2) = K ^BGPCTRL(DA(1),97,"B", \$E(X,1,30),DA)

Subfile #90241.971

Traditional Cross-References:

B REGULAR

Field: GPRA NT4 (90241.971,.01)

1) = S ^BGPCTRL(DA(1),971,"B", \$E(X,1,30),DA)=""

2) = K ^BGPCTRL(DA(1),971,"B", \$E(X,1,30),DA)

Subfile #90241.9801

Traditional Cross-References:

B REGULAR

Field: PATCHES BULLETIN TEXT (90241.9801,.01)

1) = S ^BGPCTRL(DA(1),98,"B", \$E(X,1,30),DA)=""

2) = K ^BGPCTRL(DA(1),98,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.02 11/17/20 PAGE 1

File #90241.02

Traditional Cross-References:

B REGULAR

Field: LOCATION (90241.02,.01)

1) = S ^BGPSITE("B", \$E(X,1,30),DA)=""

2) = K ^BGPSITE("B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.03 11/17/20 PAGE 1

File #90241.03

## Traditional Cross-References:

B REGULAR  
Field: CATEGORY (90241.03,.01)  
1)= S ^BGPSCAT("B", \$E(X,1,30), DA)=""  
2)= K ^BGPSCAT("B", \$E(X,1,30), DA)

C REGULAR  
Field: ORDER ON GPRA SUMMARY (90241.03,.02)  
1)= S ^BGPSCAT("C", \$E(X,1,30), DA)=""  
2)= K ^BGPSCAT("C", \$E(X,1,30), DA)

D REGULAR  
Field: ORDER NO NON-GPRA SUMMARY (90241.03,.03)  
1)= S ^BGPSCAT("D", \$E(X,1,30), DA)=""  
2)= K ^BGPSCAT("D", \$E(X,1,30), DA)

E REGULAR  
Field: ORDER ON EO REPORT (90241.03,.04)  
1)= S ^BGPSCAT("E", \$E(X,1,30), DA)=""  
2)= K ^BGPSCAT("E", \$E(X,1,30), DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90245 11/17/20 PAGE 1

File #90245

## Traditional Cross-References:

B REGULAR  
Field: NAME (90245,.01)  
1)= S ^BGP1PM("B", \$E(X,1,30), DA)=""  
2)= K ^BGP1PM("B", \$E(X,1,30), DA)

Subfile #90245.07

## Traditional Cross-References:

B REGULAR  
Field: REPORT BEGIN DATE (90245.07,.01)  
1)= S ^BGP1PM(DA(1), 7, "B", \$E(X,1,30), DA)=""  
2)= K ^BGP1PM(DA(1), 7, "B", \$E(X,1,30), DA)

Subfile #90245.09

## Traditional Cross-References:

B REGULAR  
Field: FACILITY (90245.09,.01)  
1)= S ^BGP1PM(DA(1), 9, "B", \$E(X,1,30), DA)=""  
2)= K ^BGP1PM(DA(1), 9, "B", \$E(X,1,30), DA)

C REGULAR  
Field: ASUFAC (90245.09,.02)  
1)= S ^BGP1PM(DA(1), 9, "C", \$E(X,1,30), DA)=""  
2)= K ^BGP1PM(DA(1), 9, "C", \$E(X,1,30), DA)

TRIGGER  
Field: FACILITY (90245.09,.01)

```

Triggered Field: ASUFAC (90245.09,.02)
1)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)
=$S($D(^BGP1PM(D0,9,D1,0)):^(0),1:"") S X=$P(Y(1),U,2),X=
X S DIU=X K Y X ^DD(90245.09,.01,1,2,1.1) X ^DD(90245.09,.0
1,1,2,1.4)
1.1)= S X=DIV S I(1,0)=$G(D1),I(0,0)=$G(D0),D0=DIV S:'D0!'$
D(^AUTTLOC(+D0,0)) D0=-1 S Y(101)=$S($D(^AUTTLOC(D0,0)):^(0
),1:"") S X=$P(Y(101),U,10) S D0=I(0,0) S D1=I(1,0)
1.4)= S DIH=$G(^BGP1PM(DIV(0),9,DIV(1),0)),DIV=X S $P(^(0
),U,2)=DIV,DIH=90245.09,DIG=.02 D ^DICR
2)= Q
CREATE VALUE)=#.01:ASUFAC INDEX
DELETE VALUE)=NO EFFECT
FIELD)=#.02
    
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90245 11/17/20 PAGE 2

-----  
Subfile #90245.992

Traditional Cross-References:

```

B REGULAR
Field: EMAIL RECIPIENT (90245.992,.01)
1)= S ^BGP1PM(DA(1),99.2,"B", $E(X,1,30),DA)="
2)= K ^BGP1PM(DA(1),99.2,"B", $E(X,1,30),DA)
    
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90245.1 11/17/20 PAGE 1

-----  
File #90245.1

Traditional Cross-References:

```

B REGULAR
Field: INDICATOR NAME (90245.1,.01)
1)= S ^BGP1RD("B", $E(X,1,30),DA)="
2)= K ^BGP1RD("B", $E(X,1,30),DA)

CBD REGULAR
Field: CURRENT REPORT BEGIN DATE (90245.1,.07)
1)= S ^BGP1RD("CBD", $E(X,1,30),DA)="
2)= K ^BGP1RD("CBD", $E(X,1,30),DA)

D REGULAR
Field: SITE NAME (90245.1,.03)
1)= S ^BGP1RD("D", $E(X,1,30),DA)="
2)= K ^BGP1RD("D", $E(X,1,30),DA)
    
```

New-Style Indexes:

```

C (#161) RECORD REGULAR IR LOOKUP & SORTING
Short Descr: COMPOUND INDEX
Set Logic: S ^BGP1RD("C", $E(X(1),1,50), $E(X(2),1,30), X(3), X(4), DA)="
"
Kill Logic: K ^BGP1RD("C", $E(X(1),1,50), $E(X(2),1,30), X(3), X(4), DA)
Whole Kill: K ^BGP1RD("C")
X(1): INDICATOR NAME (90245.1,.01) (Subscr 1) (Len 50)
(forwards)
X(2): SITE NAME (90245.1,.03) (Subscr 2) (Len 30) (forwards)
X(3): CURRENT REPORT BEGIN DATE (90245.1,.07) (Subscr 3)
(forwards)
X(4): CURRENT REPORT END DATE (90245.1,.08) (Subscr 4)
    
```

(forwards)

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.01 11/17/20 PAGE 1

File #90565.01

## Traditional Cross-References:

ADEV REGULAR  
Field: DEVELOPMENTAL MEASURE? (90565.01,.14)  
1) = S ^BGPINDQ("ADEV", \$E(X,1,30), DA)=""  
2) = K ^BGPINDQ("ADEV", \$E(X,1,30), DA)

ADEVO REGULAR  
Field: ORDER ON DEVELOPMENTAL REPORT (90565.01,1302)  
1) = S ^BGPINDQ("ADEVO", \$E(X,1,30), DA)=""  
2) = K ^BGPINDQ("ADEVO", \$E(X,1,30), DA)

AIPC REGULAR  
Field: ORDER ON IPC REPORT (90565.01,1208)  
1) = S ^BGPINDQ("AIPC", \$E(X,1,30), DA)=""  
2) = K ^BGPINDQ("AIPC", \$E(X,1,30), DA)

AO REGULAR  
Field: ORDER ON SELECTION/REPORT (90565.01,.02)  
1) = S ^BGPINDQ("AO", \$E(X,1,30), DA)=""  
2) = K ^BGPINDQ("AO", \$E(X,1,30), DA)

AOI REGULAR  
Field: ORDER IND (90565.01,1206)  
1) = S ^BGPINDQ("AOI", \$E(X,1,30), DA)=""  
2) = K ^BGPINDQ("AOI", \$E(X,1,30), DA)

B REGULAR  
Field: MEASURE NUMBER (90565.01,.01)  
1) = S ^BGPINDQ("B", \$E(X,1,30), DA)=""  
2) = K ^BGPINDQ("B", \$E(X,1,30), DA)

C REGULAR  
Field: TITLE/SELECTION TITLE (90565.01,.03)  
1) = S ^BGPINDQ("C", \$E(X,1,30), DA)=""  
2) = K ^BGPINDQ("C", \$E(X,1,30), DA)

D REGULAR  
Field: ORDER IND (90565.01,1206)  
1) = S ^BGPINDQ("D", \$E(X,1,30), DA)=""  
2) = K ^BGPINDQ("D", \$E(X,1,30), DA)

GPRA REGULAR  
Field: NATIONAL REPORT (90565.01,.07)  
1) = S ^BGPINDQ("GPRA", \$E(X,1,30), DA)=""  
2) = K ^BGPINDQ("GPRA", \$E(X,1,30), DA)

PUID REGULAR  
Field: PUID FROM RM (90565.01,1203)

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.01 11/17/20 PAGE 2

1) = S ^BGPINDQ("PUID", \$E(X,1,30), DA)=""  
2) = K ^BGPINDQ("PUID", \$E(X,1,30), DA)

```

U      MUMPS
      Field:  TITLE/SELECTION TITLE  (90565.01,.03)
            1)= S ^BGPINDQ("U", $$UP^XLFSTR(X), DA)=""
            2)= K ^BGPINDQ("U", $$UP^XLFSTR(X), DA)

Subfile #90565.0161

Traditional Cross-References:

B      REGULAR
      Field:  DENOMINATOR DEFINITIONS  (90565.0161,.01)
            1)= S ^BGPINDQ(DA(1), 61, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDQ(DA(1), 61, "B", $E(X,1,30), DA)

Subfile #90565.016112

Traditional Cross-References:

B      REGULAR
      Field:  REPORT SUB TYPES  (90565.016112,.01)
            1)= S ^BGPINDQ(DA(2), 61, DA(1), 12, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDQ(DA(2), 61, DA(1), 12, "B", $E(X,1,30), DA)

Subfile #90565.0162

Traditional Cross-References:

B      REGULAR
      Field:  NUMERATOR DEFINITIONS  (90565.0162,.01)
            1)= S ^BGPINDQ(DA(1), 62, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDQ(DA(1), 62, "B", $E(X,1,30), DA)

Subfile #90565.016212

Traditional Cross-References:

B      REGULAR
      Field:  REPORT SUB TYPE  (90565.016212,.01)
            1)= S ^BGPINDQ(DA(2), 62, DA(1), 12, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDQ(DA(2), 62, DA(1), 12, "B", $E(X,1,30), DA)

Subfile #90565.0181

Traditional Cross-References:

B      REGULAR
      Field:  NATL GPRA DENOM DEFS  (90565.0181,.01)
            1)= S ^BGPINDQ(DA(1), 81, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDQ(DA(1), 81, "B", $E(X,1,30), DA)
INDEX AND CROSS-REFERENCE LIST -- FILE #90565.01          11/17/20          PAGE 3
-----

Subfile #90565.018112

Traditional Cross-References:

B      REGULAR
      Field:  REPORT SUBTYPES  (90565.018112,.01)
            1)= S ^BGPINDQ(DA(2), 81, DA(1), 12, "B", $E(X,1,30), DA)=""
            2)= K ^BGPINDQ(DA(2), 81, DA(1), 12, "B", $E(X,1,30), DA)

Subfile #90565.0182

```

## Traditional Cross-References:

B REGULAR

Field: NATL GPRA NUMERATOR DEFS (90565.0182,.01)  
 1)= S ^BGPINDQ (DA(1),82,"B", \$E(X,1,30),DA)=""  
 2)= K ^BGPINDQ (DA(1),82,"B", \$E(X,1,30),DA)

Subfile #90565.018212

## Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPES (90565.018212,.01)  
 1)= S ^BGPINDQ (DA(2),82,DA(1),12,"B", \$E(X,1,30),DA)=""  
 2)= K ^BGPINDQ (DA(2),82,DA(1),12,"B", \$E(X,1,30),DA)

Subfile #90565.0185

## Traditional Cross-References:

B REGULAR

Field: DEVELMENTAL MEAS DENOM DEFS (90565.0185,.01)  
 1)= S ^BGPINDQ (DA(1),85,"B", \$E(X,1,30),DA)=""  
 2)= K ^BGPINDQ (DA(1),85,"B", \$E(X,1,30),DA)

Subfile #90565.018512

## Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPE (90565.018512,.01)  
 1)= S ^BGPINDQ (DA(2),85,DA(1),12,"B", \$E(X,1,30),DA)=""  
 2)= K ^BGPINDQ (DA(2),85,DA(1),12,"B", \$E(X,1,30),DA)

Subfile #90565.0186

## Traditional Cross-References:

B REGULAR

Field: DEVELOPMENTAL MEAS NUMER DEFS (90565.0186,.01)  
 INDEX AND CROSS-REFERENCE LIST -- FILE #90565.01 11/17/20 PAGE 4

-----  
 1)= S ^BGPINDQ (DA(1),86,"B", \$E(X,1,30),DA)=""  
 2)= K ^BGPINDQ (DA(1),86,"B", \$E(X,1,30),DA)

Subfile #90565.018612

## Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPES (90565.018612,.01)  
 1)= S ^BGPINDQ (DA(2),86,DA(1),12,"B", \$E(X,1,30),DA)=""  
 2)= K ^BGPINDQ (DA(2),86,DA(1),12,"B", \$E(X,1,30),DA)

Subfile #90565.0187

## Traditional Cross-References:

B REGULAR

Field: DM DENOM DEFS (90565.0187,.01)  
 1)= S ^BGPINDQ (DA(1),87,"B", \$E(X,1,30),DA)=""

```
2)= K ^BGPINDQ (DA(1),87,"B", $E(X,1,30),DA)
```

Subfile #90565.0188

Traditional Cross-References:

B REGULAR

```
Field: DM NUMER DEFS (90565.0188,.01)
1)= S ^BGPINDQ (DA(1),88,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDQ (DA(1),88,"B", $E(X,1,30),DA)
```

Subfile #90565.0189

Traditional Cross-References:

B REGULAR

```
Field: CVD DENOM DEFS (90565.0189,.01)
1)= S ^BGPINDQ (DA(1),89,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDQ (DA(1),89,"B", $E(X,1,30),DA)
```

Subfile #90565.0191

Traditional Cross-References:

B REGULAR

```
Field: CVD NUM DEFS (90565.0191,.01)
1)= S ^BGPINDQ (DA(1),91,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDQ (DA(1),91,"B", $E(X,1,30),DA)
```

Subfile #90565.0192

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.01 11/17/20 PAGE 5

-----  
Traditional Cross-References:

B REGULAR

```
Field: WH DEN DEFS (90565.0192,.01)
1)= S ^BGPINDQ (DA(1),92,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDQ (DA(1),92,"B", $E(X,1,30),DA)
```

Subfile #90565.0193

Traditional Cross-References:

B REGULAR

```
Field: WH NUM DEFS (90565.0193,.01)
1)= S ^BGPINDQ (DA(1),93,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDQ (DA(1),93,"B", $E(X,1,30),DA)
```

Subfile #90565.0194

Traditional Cross-References:

B REGULAR

```
Field: IPC DEN DEFS (90565.0194,.01)
1)= S ^BGPINDQ (DA(1),94,"B", $E(X,1,30),DA)=""
2)= K ^BGPINDQ (DA(1),94,"B", $E(X,1,30),DA)
```

Subfile #90565.0195

Traditional Cross-References:



```

B      REGULAR
      Field:  IPC NUM DEFS  (90565.0195,.01)
              1)= S ^BGPINDQ (DA(1),95,"B", $E(X,1,30),DA)=""
              2)= K ^BGPINDQ (DA(1),95,"B", $E(X,1,30),DA)

Subfile #90565.0196

Traditional Cross-References:

B      REGULAR
      Field:  PQA DEM DEFS  (90565.0196,.01)
              1)= S ^BGPINDQ (DA(1),96,"B", $E(X,1,30),DA)=""
              2)= K ^BGPINDQ (DA(1),96,"B", $E(X,1,30),DA)

Subfile #90565.0197

Traditional Cross-References:

B      REGULAR
      Field:  PQA NUM DEFS  (90565.0197,.01)
              1)= S ^BGPINDQ (DA(1),97,"B", $E(X,1,30),DA)=""
              2)= K ^BGPINDQ (DA(1),97,"B", $E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.02                11/17/20    PAGE 1
-----

File #90565.02

Traditional Cross-References:

AB      MUMPS
      Field:  ORDER  (90565.02,1204)
              1)= S ^BGPINDQC ("AB", $P(X,".",1,2),X,DA)=""
              2)= K ^BGPINDQC ("AB", $P(X,".",1,2),X,DA)

ABC      MUMPS
      Field:  ORDER  (90565.02,1204)
              1)= S ^BGPINDQC ("ABC", $P(X,".",1,2), $TR(X,".",""), DA)=""
              2)= K ^BGPINDQC ("ABC", $P(X,".",1,2), $TR(X,".",""), DA)

ACARD    REGULAR
      Field:  CARDIO INDICATOR?  (90565.02,.13)
              1)= S ^BGPINDQC ("ACARD", $E(X,1,30),DA)=""
              2)= K ^BGPINDQC ("ACARD", $E(X,1,30),DA)

ADASH    REGULAR
      Field:  DASHBOARD ORDER  (90565.02,1417)
              1)= S ^BGPINDQC ("ADASH", $E(X,1,30),DA)=""
              2)= K ^BGPINDQC ("ADASH", $E(X,1,30),DA)

ADM      REGULAR
      Field:  DM INDICATOR?  (90565.02,.12)
              1)= S ^BGPINDQC ("ADM", $E(X,1,30),DA)=""
              2)= K ^BGPINDQC ("ADM", $E(X,1,30),DA)

AEL      REGULAR
      Field:  ELDER RELATED  (90565.02,1203)
              1)= S ^BGPINDQC ("AEL", $E(X,1,30),DA)=""
              2)= K ^BGPINDQC ("AEL", $E(X,1,30),DA)

AGPRA    REGULAR
      Field:  NATIONAL/PART  (90565.02,.05)

```

```

1)= S ^BGPINDQC ("AGPRA", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDQC ("AGPRA", $E (X, 1, 30), DA)

AIPC    REGULAR
      Field:  IPC REPORT?  (90565.02, 1101)
1)= S ^BGPINDQC ("AIPC", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDQC ("AIPC", $E (X, 1, 30), DA)

APQA    REGULAR
      Field:  PQA  (90565.02, 1102)
1)= S ^BGPINDQC ("APQA", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDQC ("APQA", $E (X, 1, 30), DA)

AWH     REGULAR
      Field:  WOMEN'S HEALTH  (90565.02, 1202)
INDEX AND CROSS-REFERENCE LIST -- FILE #90565.02                11/17/20    PAGE 2
-----
1)= S ^BGPINDQC ("AWH", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDQC ("AWH", $E (X, 1, 30), DA)

B       REGULAR
      Field:  INDICATOR  (90565.02, .01)
1)= S ^BGPINDQC ("B", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDQC ("B", $E (X, 1, 30), DA)

C       REGULAR
      Field:  INDICATOR ID  (90565.02, .04)
1)= S ^BGPINDQC ("C", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDQC ("C", $E (X, 1, 30), DA)

D       REGULAR
      Field:  TITLE FOR SCHEDULING OPTION  (90565.02, 1209)
1)= S ^BGPINDQC ("D", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDQC ("D", $E (X, 1, 30), DA)

OR      REGULAR
      Field:  ORDER  (90565.02, 1204)
1)= S ^BGPINDQC ("OR", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDQC ("OR", $E (X, 1, 30), DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.03                11/17/20    PAGE 1
-----
File #90565.03

Traditional Cross-References:

B       REGULAR
      Field:  BEGINNING DATE  (90565.03, .01)
1)= S ^BGPINDQC ("B", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDQC ("B", $E (X, 1, 30), DA)

Subfile #90565.031111

Traditional Cross-References:

B       REGULAR
      Field:  MFI LOCATIONS  (90565.031111, .01)
1)= S ^BGPINDQC (DA(1), 1111, "B", $E (X, 1, 30), DA) = ""
2)= K ^BGPINDQC (DA(1), 1111, "B", $E (X, 1, 30), DA)

Subfile #90565.0321

```

## Traditional Cross-References:

AC MUMPS

Field: NUMBER OF THIS TOPIC (90565.0321,.02)  
 1)= S ^BGPDPDCQ(DA(1),21,"AC",(99999999-X),DA)=X  
 2)= K ^BGPDPDCQ(DA(1),21,"AC",(99999999-X),DA)

B REGULAR

Field: PATIENT ED RATE TOPICS (90565.0321,.01)  
 1)= S ^BGPDPDCQ(DA(1),21,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPDPDCQ(DA(1),21,"B",\$(X,1,30),DA)

Subfile #90565.0322

## Traditional Cross-References:

AC MUMPS

Field: COUNT OF TOPICS (90565.0322,.02)  
 1)= S ^BGPDPDCQ(DA(1),22,"AC",(99999999-X),DA)=""  
 2)= K ^BGPDPDCQ(DA(1),22,"AC",(99999999-X),DA)

B REGULAR

Field: PATIENT ED BY PROVIDER (90565.0322,.01)  
 1)= S ^BGPDPDCQ(DA(1),22,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPDPDCQ(DA(1),22,"B",\$(X,1,30),DA)

Subfile #90565.12999

## Traditional Cross-References:

B REGULAR

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.03 11/17/20 PAGE 2

Field: COMMUNITIES (90565.12999,.01)  
 1)= S ^BGPDPDCQ(DA(1),9999,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPDPDCQ(DA(1),9999,"B",\$(X,1,30),DA)

Subfile #90565.129999

## Traditional Cross-References:

B REGULAR

Field: PATIENTS EISS (90565.129999,.01)  
 1)= S ^BGPDPDCQ(DA(1),99999,"B",\$(X,1,30),DA)=""  
 2)= K ^BGPDPDCQ(DA(1),99999,"B",\$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.04 11/17/20 PAGE 1

File #90565.04

## Traditional Cross-References:

B REGULAR

Field: BEGINNING DATE (90565.04,.01)  
 1)= S ^BGPDPDPQ("B",\$(X,1,30),DA)=""  
 2)= K ^BGPDPDPQ("B",\$(X,1,30),DA)

Subfile #90565.041111

## Traditional Cross-References:

```

B    REGULAR
      Field:  MFI LOCATIONS  (90565.041111,.01)
              1)= S ^BGPDPQ(DA(1),1111,"B",SE(X,1,30),DA)="
              2)= K ^BGPDPQ(DA(1),1111,"B",SE(X,1,30),DA)

Subfile #90565.0421

Traditional Cross-References:

AC    MUMPS
      Field:  NUMBER OF THIS TOPIC  (90565.0421,.02)
              1)= S ^BGPDPQ(DA(1),21,"AC", (9999999-X), DA)=X
              2)= K ^BGPDPQ(DA(1),21,"AC", (9999999-X), DA)

B    REGULAR
      Field:  PATIENT ED RATE TOPICS  (90565.0421,.01)
              1)= S ^BGPDPQ(DA(1),21,"B",SE(X,1,30),DA)="
              2)= K ^BGPDPQ(DA(1),21,"B",SE(X,1,30),DA)

Subfile #90565.0422

Traditional Cross-References:

AC    MUMPS
      Field:  COUNT OF TOPICS  (90565.0422,.02)
              1)= S ^BGPDPQ(DA(1),22,"AC", (9999999-X), DA)=X
              2)= K ^BGPDPQ(DA(1),22,"AC", (9999999-X), DA)

B    REGULAR
      Field:  PATIENT ED BY PROVIDER  (90565.0422,.01)
              1)= S ^BGPDPQ(DA(1),22,"B",SE(X,1,30),DA)="
              2)= K ^BGPDPQ(DA(1),22,"B",SE(X,1,30),DA)

Subfile #90565.13999

Traditional Cross-References:

B    REGULAR
INDEX AND CROSS-REFERENCE LIST -- FILE #90565.04                11/17/20    PAGE 2
-----
      Field:  COMMUNITIES  (90565.13999,.01)
              1)= S ^BGPDPQ(DA(1),9999,"B",SE(X,1,30),DA)="
              2)= K ^BGPDPQ(DA(1),9999,"B",SE(X,1,30),DA)

Subfile #90565.13999

Traditional Cross-References:

B    REGULAR
      Field:  PATIENTS EISS  (90565.139999,.01)
              1)= S ^BGPDPQ(DA(1),99999,"B",SE(X,1,30),DA)="
              2)= K ^BGPDPQ(DA(1),99999,"B",SE(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.05                11/17/20    PAGE 1
-----

File #90565.05

Traditional Cross-References:

B    REGULAR

```

```

Field: BEGINNING DATE (90565.05,.01)
      1)= S ^BGPGPDBQ("B", $E(X,1,30), DA)=""
      2)= K ^BGPGPDBQ("B", $E(X,1,30), DA)

Subfile #90565.051111

Traditional Cross-References:

B    REGULAR
      Field: MFI LOCATIONS (90565.051111,.01)
      1)= S ^BGPGPDBQ(DA(1),1111,"B", $E(X,1,30), DA)=""
      2)= K ^BGPGPDBQ(DA(1),1111,"B", $E(X,1,30), DA)

Subfile #90565.0521

Traditional Cross-References:

AC   MUMPS
      Field: NUMBER OF THIS TOPIC (90565.0521,.02)
      1)= S ^BGPGPDBQ(DA(1),21,"AC", (99999999-X), DA)=X
      2)= K ^BGPGPDBQ(DA(1),21,"AC", (99999999-X), DA)

B    REGULAR
      Field: PATIENT ED RATE TOPICS (90565.0521,.01)
      1)= S ^BGPGPDBQ(DA(1),21,"B", $E(X,1,30), DA)=""
      2)= K ^BGPGPDBQ(DA(1),21,"B", $E(X,1,30), DA)

Subfile #90565.0522

Traditional Cross-References:

AC   MUMPS
      Field: COUNT OF TOPICS (90565.0522,.02)
      1)= S ^BGPGPDBQ(DA(1),22,"AC", (99999999-X), DA)=""
      2)= K ^BGPGPDBQ(DA(1),22,"AC", (99999999-X), DA)

B    REGULAR
      Field: PATIENT ED BY PROVIDER (90565.0522,.01)
      1)= S ^BGPGPDBQ(DA(1),22,"B", $E(X,1,30), DA)=""
      2)= K ^BGPGPDBQ(DA(1),22,"B", $E(X,1,30), DA)

Subfile #90565.14999

Traditional Cross-References:

B    REGULAR
INDEX AND CROSS-REFERENCE LIST -- FILE #90565.05                11/17/20    PAGE 2
-----
      Field: COMMUNITIES (90565.14999,.01)
      1)= S ^BGPGPDBQ(DA(1),9999,"B", $E(X,1,30), DA)=""
      2)= K ^BGPGPDBQ(DA(1),9999,"B", $E(X,1,30), DA)

Subfile #90565.149999

Traditional Cross-References:

B    REGULAR
      Field: PATIENTS EISS (90565.149999,.01)
      1)= S ^BGPGPDBQ(DA(1),99999,"B", $E(X,1,30), DA)=""
      2)= K ^BGPGPDBQ(DA(1),99999,"B", $E(X,1,30), DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.06                11/17/20    PAGE 1

```

-----  
 File #90565.06

Traditional Cross-References:

AN MUMPS  
 Field: ORDER ON NATIONAL (90565.06,.05)  
 1)= S ^BGNPLQ("AN",+^BGNPLQ(DA,0),X,DA)=""  
 2)= K ^BGNPLQ("AN",+^BGNPLQ(DA,0),X,DA)

AR MUMPS  
 Field: NATIONAL? (90565.06,.04)  
 1)= S ^BGNPLQ("AR",+^BGNPLQ(DA,0),X,DA)=""  
 2)= K ^BGNPLQ("AR",+^BGNPLQ(DA,0),X,DA)

B REGULAR  
 Field: POINTER (90565.06,.01)  
 1)= S ^BGNPLQ("B", \$E(X,1,30),DA)=""  
 2)= K ^BGNPLQ("B", \$E(X,1,30),DA)

C REGULAR  
 Field: INDIVIDUAL INDICATOR ID (90565.06,.02)  
 1)= S ^BGNPLQ("C", \$E(X,1,30),DA)=""  
 2)= K ^BGNPLQ("C", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.07 11/17/20 PAGE 1  
 -----

File #90565.07

Traditional Cross-References:

B REGULAR  
 Field: SUBSET NAME (90565.07,.01)  
 1)= S ^BGPSNOSQ("B", \$E(X,1,30),DA)=""  
 2)= K ^BGPSNOSQ("B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.08 11/17/20 PAGE 1  
 -----

File #90565.08

Traditional Cross-References:

B REGULAR  
 Field: TAXONOMY NAME (90565.08,.01)  
 1)= S ^BGPTAXQ("B", \$E(X,1,30),DA)=""  
 2)= K ^BGPTAXQ("B", \$E(X,1,30),DA)

Subfile #90565.0812

Traditional Cross-References:

B REGULAR  
 Field: REPORTS (90565.0812,.01)  
 1)= S ^BGPTAXQ(DA(1),12,"B", \$E(X,1,30),DA)=""  
 2)= K ^BGPTAXQ(DA(1),12,"B", \$E(X,1,30),DA)

Subfile #90565.0813

Traditional Cross-References:

```

B      REGULAR
      Field:  MEASURES USED WITH  (90565.0813,.01)
            1)= S ^BGPTAXQ (DA(1),13,"B",SE(X,1,30),DA)="
            2)= K ^BGPTAXQ (DA(1),13,"B",SE(X,1,30),DA)

```

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.1          11/17/20    PAGE 1
-----

```

File #90565.1

Traditional Cross-References:

```

B      REGULAR
      Field:  GROUP NAME  (90565.1,.01)
            1)= S ^BGPMGRPQ ("B",SE(X,1,30),DA)="
            2)= K ^BGPMGRPQ ("B",SE(X,1,30),DA)

```

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.17        11/17/20    PAGE 1
-----

```

File #90565.17

Traditional Cross-References:

```

B      REGULAR
      Field:  GROUP  (90565.17,.01)
            1)= S ^BGPICAGQ ("B",SE(X,1,30),DA)="
            2)= K ^BGPICAGQ ("B",SE(X,1,30),DA)

```

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.18        11/17/20    PAGE 1
-----

```

File #90565.18

Traditional Cross-References:

```

B      REGULAR
      Field:  CATEGORY  (90565.18,.01)
            1)= S ^BGPICACQ ("B",SE(X,1,30),DA)="
            2)= K ^BGPICACQ ("B",SE(X,1,30),DA)

```

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.19        11/17/20    PAGE 1
-----

```

File #90565.19

Traditional Cross-References:

```

AC     REGULAR
      Field:  START TIME  (90565.19,.03)
            1)= S ^BGPGUIQ ("AC",SE(X,1,30),DA)="
            2)= K ^BGPGUIQ ("AC",SE(X,1,30),DA)

```

```

AUSR   MUMPS
      Field:  START TIME  (90565.19,.03)
            1)= S ^BGPGUIQ ("AUSR",SS($P($G(^BGPGUIQ(DA,0)),"^",2):$P(^B
GPGUIQ(DA,0),"^",2),1:1),(9999999.9999-X),DA)="
            2)= K ^BGPGUIQ ("AUSR",SS($P($G(^BGPGUIQ(DA,0)),"^",2):$P(^B
GPGUIQ(DA,0),"^",2),1:1),(9999999.9999-X),DA)

```

```

B      REGULAR

```

```

Field:  NAME  (90565.19,.01)
       1)= S ^BGPGUIQ("B", $E(X,1,30), DA)=""
       2)= K ^BGPGUIQ("B", $E(X,1,30), DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.21 11/17/20 PAGE 1

---

File #90565.21

Traditional Cross-References:

```

B      REGULAR
      Field:  NAME OF LIST  (90565.21,.01)
           1)= S ^BGPSNOMQ("B", $E(X,1,30), DA)=""
           2)= K ^BGPSNOMQ("B", $E(X,1,30), DA)

```

Subfile #90565.2111

Traditional Cross-References:

```

B      REGULAR
      Field:  SNOMED/RXNORM CODE  (90565.2111,.01)
           1)= S ^BGPSNOMQ(DA(1), 11, "B", $E(X,1,30), DA)=""
           2)= K ^BGPSNOMQ(DA(1), 11, "B", $E(X,1,30), DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.22 11/17/20 PAGE 1

---

File #90565.22

Traditional Cross-References:

```

AB     MUMPS
      Field:  ORDER  (90565.22,1204)
           1)= S ^BGPELIIQ("AB", $P(X,".",1,2), X, DA)=""
           2)= K ^BGPELIIQ("AB", $P(X,".",1,2), X, DA)

ABC    MUMPS
      Field:  ORDER  (90565.22,1204)
           1)= S ^BGPELIIQ("ABC", $P(X,".",1,2), $TR(X,".", ""), DA)=""
           2)= K ^BGPELIIQ("ABC", $P(X,".",1,2), $TR(X,".", ""), DA)

AE     MUMPS
      Field:  ORDER  (90565.22,1204)
           1)= S ^BGPELIIQ("AE", $P(X,"."), $P(X,".",2), $P(X,".",3), DA)=""
           2)= Q

AP     MUMPS
      Field:  ORDER  (90565.22,1204)
           1)= S ^BGPELIIQ("AP", $P(X,".",1,2), DA)=""
           2)= K ^BGPELIIQ("AP", $P(X,".",1,2), DA)

B      REGULAR
      Field:  INDICATOR  (90565.22,.01)
           1)= S ^BGPELIIQ("B", $E(X,1,30), DA)=""
           2)= K ^BGPELIIQ("B", $E(X,1,30), DA)

C      REGULAR
      Field:  INDICATOR ID  (90565.22,.04)
           1)= S ^BGPELIIQ("C", $E(X,1,30), DA)=""
           2)= K ^BGPELIIQ("C", $E(X,1,30), DA)

```



```

OR      REGULAR
        Field:  ORDER    (90565.22,1204)
                1)= S ^BGPELIQ("OR", $E(X,1,30), DA)=""
                2)= K ^BGPELIQ("OR", $E(X,1,30), DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.23 11/17/20 PAGE 1

---

File #90565.23

Traditional Cross-References:

```

B      REGULAR
        Field:  BEGINNING DATE (90565.23,.01)
                1)= S ^BGPELDCQ("B", $E(X,1,30), DA)=""
                2)= K ^BGPELDCQ("B", $E(X,1,30), DA)

```

Subfile #90565.231111

Traditional Cross-References:

```

B      REGULAR
        Field:  MFI LOCATIONS (90565.231111,.01)
                1)= S ^BGPELDCQ(DA(1),1111,"B", $E(X,1,30), DA)=""
                2)= K ^BGPELDCQ(DA(1),1111,"B", $E(X,1,30), DA)

```

Subfile #90565.32999

Traditional Cross-References:

```

B      REGULAR
        Field:  COMMUNITIES (90565.32999,.01)
                1)= S ^BGPELDCQ(DA(1),9999,"B", $E(X,1,30), DA)=""
                2)= K ^BGPELDCQ(DA(1),9999,"B", $E(X,1,30), DA)

```

Subfile #90565.329999

Traditional Cross-References:

```

B      REGULAR
        Field:  PATIENTS EISS (90565.329999,.01)
                1)= S ^BGPELDCQ(DA(1),99999,"B", $E(X,1,30), DA)=""
                2)= K ^BGPELDCQ(DA(1),99999,"B", $E(X,1,30), DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.24 11/17/20 PAGE 1

---

File #90565.24

Traditional Cross-References:

```

B      REGULAR
        Field:  BEGINNING DATE (90565.24,.01)
                1)= S ^BGPELDPQ("B", $E(X,1,30), DA)=""
                2)= K ^BGPELDPQ("B", $E(X,1,30), DA)

```

Subfile #90565.241111

Traditional Cross-References:

```

B      REGULAR

```

```
Field: MFI LOCATIONS (90565.241111,.01)
1) = S ^BGPELDPQ (DA(1),1111,"B", $E(X,1,30),DA)=""
2) = K ^BGPELDPQ (DA(1),1111,"B", $E(X,1,30),DA)
```

Subfile #90565.33999

Traditional Cross-References:

B REGULAR

```
Field: COMMUNITIES (90565.33999,.01)
1) = S ^BGPELDPQ (DA(1),9999,"B", $E(X,1,30),DA)=""
2) = K ^BGPELDPQ (DA(1),9999,"B", $E(X,1,30),DA)
```

Subfile #90565.33999

Traditional Cross-References:

B REGULAR

```
Field: PATIENTS EISS (90565.339999,.01)
1) = S ^BGPELDPQ (DA(1),99999,"B", $E(X,1,30),DA)=""
2) = K ^BGPELDPQ (DA(1),99999,"B", $E(X,1,30),DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.25 11/17/20 PAGE 1

File #90565.25

Traditional Cross-References:

B REGULAR

```
Field: BEGINNING DATE (90565.25,.01)
1) = S ^BGPELDBQ ("B", $E(X,1,30),DA)=""
2) = K ^BGPELDBQ ("B", $E(X,1,30),DA)
```

Subfile #90565.251111

Traditional Cross-References:

B REGULAR

```
Field: MFI LOCATIONS (90565.251111,.01)
1) = S ^BGPELDBQ (DA(1),1111,"B", $E(X,1,30),DA)=""
2) = K ^BGPELDBQ (DA(1),1111,"B", $E(X,1,30),DA)
```

Subfile #90565.34999

Traditional Cross-References:

B REGULAR

```
Field: COMMUNITIES (90565.34999,.01)
1) = S ^BGPELDBQ (DA(1),9999,"B", $E(X,1,30),DA)=""
2) = K ^BGPELDBQ (DA(1),9999,"B", $E(X,1,30),DA)
```

Subfile #90565.349999

Traditional Cross-References:

B REGULAR

```
Field: PATIENTS EISS (90565.349999,.01)
1) = S ^BGPELDBQ (DA(1),99999,"B", $E(X,1,30),DA)=""
2) = K ^BGPELDBQ (DA(1),99999,"B", $E(X,1,30),DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90565.26 11/17/20 PAGE 1

```

-----
File #90565.26

Traditional Cross-References:

AO    REGULAR
      Field:  ORDER ON SELECTION/REPORT  (90565.26,.02)
            1)= S ^BGPELIQ("AO", $E(X,1,30), DA)=""
            2)= K ^BGPELIQ("AO", $E(X,1,30), DA)

B     REGULAR
      Field:  INDICATOR NUMBER  (90565.26,.01)
            1)= S ^BGPELIQ("B", $E(X,1,30), DA)=""
            2)= K ^BGPELIQ("B", $E(X,1,30), DA)

C     REGULAR
      Field:  TITLE  (90565.26,.03)
            1)= S ^BGPELIQ("C", $E(X,1,30), DA)=""
            2)= K ^BGPELIQ("C", $E(X,1,30), DA)

D     MUMPS
      Field:  TITLE  (90565.26,.03)
            1)= S ^BGPELIQ("D", $$UP^XLFSTR(X), DA)=""
            2)= K ^BGPELIQ("D", $$UP^XLFSTR(X), DA)

PUID  REGULAR
      Field:  PUID  (90565.26,1201)
            1)= S ^BGPELIQ("PUID", $E(X,1,30), DA)=""
            2)= K ^BGPELIQ("PUID", $E(X,1,30), DA)

Subfile #90565.2661

Traditional Cross-References:

B     REGULAR
      Field:  DENOMINATOR DEFINITIONS  (90565.2661,.01)
            1)= S ^BGPELIQ(DA(1), 61, "B", $E(X,1,30), DA)=""
            2)= K ^BGPELIQ(DA(1), 61, "B", $E(X,1,30), DA)

Subfile #90565.2662

Traditional Cross-References:

B     REGULAR
      Field:  NUMERATOR DEFINITIONS  (90565.2662,.01)
            1)= S ^BGPELIQ(DA(1), 62, "B", $E(X,1,30), DA)=""
            2)= K ^BGPELIQ(DA(1), 62, "B", $E(X,1,30), DA)

```

Figure 4-1: Index and cross reference list

## 4.4 Table File

The following six files have over 1,000 fields per file. These files are used to hold calculated data values for the GPR reports. To conserve space in this document, the table files are not listed here. To generate a listing, use the ^XBFLD or FM data dictionary listing utility to list the data dictionary in detail.

**FILE:** 90565.03 BGP 21 DATA CURRENT

**GLOBAL:** ^BGPDPDCQ(

**FILE:** 90565.04 BGP 21 DATA PREVIOUS

**GLOBAL:** ^BGPDPDPQ(

**FILE:** 90565.05 BGP 21 DATA BASELINE

**GLOBAL:** ^BGPHEDBQ(

**FILE:** 90565.23 BGP 21 ELDER DATA CURRENT

**GLOBAL:** ^BGPELDCQ(

**FILE:** 90565.24 BGP 21 ELDER DATA PREVIOUS

**GLOBAL:** ^BGPELDPQ(

**FILE:** 90565.25 BGP 21 ELDER DATA BASELINE

**GLOBAL:** ^BGPELDBQ(

### 4.4.1 BGP CONTROL FILE

**GLOBAL:** ^BGPCTRL(

**FILE #:** 90241.01

```

CONDENSED DATA DICTIONARY---BGP CONTROL FILE FILE (#90241.01)UCI: CMBA,CMBA
VERSION: 21.0

STORED IN: ^BGPCTRL(                               11/17/20    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY    : @      LAYGO SECURITY  : @
                                WRITE SECURITY   : @
CROSS REFERENCED BY:
  FY(B)  GPR YEAR(C)

                                FILE STRUCTURE

FIELD    FIELD

```

NUMBER	NAME
.01	FY (RF), [0;1]
.02	ENDING COLUMN FOR ONM1 (NJ4,0), [0;2]
.03	ENDING COLUMN FOR ONM2 (NJ4,0), [0;3]
.04	GPRANT1 END COLUMN (NJ4,0), [0;4]
.05	PROGRAM FOR ICARE TO RUN (F), [0;5]
.06	FILE FOR MEASURES (P1'), [0;6]
.07	FILE # FOR INDIVIDUAL INDS (P1'), [0;7]
.08	BEGINNING DATE FOR GPRA YEAR (D), [0;8]
.09	ENDING DATE FOR GPRA YEAR (D), [0;9]
.1	BEG DATE FOR PREVIOUS YEAR (D), [0;10]
.11	ENDING DATE FOR PREVIOUS YEAR (D), [0;11]
.12	BEG DATE FOR BASELINE YEAR (D), [0;12]
.13	ENDING DATE FOR BASELINE YR (D), [0;13]
.14	GPRA YEAR (D), [0;14]
.15	VERSION (F), [0;15]
.16	GPRANT2 END COLUMN (NJ3,0), [0;16]
.17	CONTRAINDICATIONS ROUTINE (F), [0;17]
.18	ALLERGY ROUTINE (F), [0;18]
.19	REFUSAL API ROUTINE (F), [0;19]
.2	*ENDING COLUMN FOR EO (NJ4,0), [0;20]
.21	END COLUMN FOR CRSONMNT3 (NJ4,0), [0;21]
.22	DEVNT1 END COLUMN (NJ3,0), [0;22]
.23	DEVNT2 END COLUMN (NJ3,0), [0;23]
.24	DEVNT3 END COLUMN (NJ4,0), [0;24]
.25	ONMT 4 ENDING COLUMN (NJ4,0), [0;25]
.26	ONMT 5 (NJ4,0), [0;26]
.27	GPRANT3 END COLUMN (NJ3,0), [0;27]
.28	DEVNT4 END COLUMN (NJ3,0), [0;28]
.29	GPRANT4 END COLUMN (NJ3,0), [0;29]
.3	UNFOLDTX ROUTINE (F), [0;30]
.31	GPRANT5 END COLUMN (NJ3,0), [0;31]
.32	DEVNT6 END COLUMN (NJ3,0), [0;32]
.33	DEVNT5 END COLUMN (NJ3,0), [0;33]
1101	CLINICS FOR CLINICAL USER (Multiple-90241.0111), [11;0]
	.01 CLINIC CODE (MF), [0;1]
	.019 CLINIC NAME (CJ8), [ ; ]
1102	CLINICS FOR IPC REPORT (Multiple-90241.011101), [1101;0]
	.01 CLINICS FOR IPC REPORT (MF), [0;1]
1201	CLINIC CODES FOR 2ND VISIT (Multiple-90241.0112), [12;0]
	.01 CLINIC CODES FOR 2ND VISIT (MF), [0;1]
1300	LOCAL REPORT HEADER PAGE (Multiple-90241.13), [13;0]
	.01 LOCAL REPORT HEADER PAGE (W), [0;1]
1301	BH CLINIC CODES (Multiple-90241.011301), [1301;0]
	.01 BH CLINIC CODES (MF), [0;1]
1400	NATIONAL GPRA COVER PG NONCHS (Multiple-90241.14), [14;0]
	.01 GPRA REPORT HEADER PAGE (W), [0;1]
1500	AREA REPORT HEADER PAGE (Multiple-90241.15), [15;0]
	.01 AREA REPORT HEADER PAGE (W), [0;1]
1600	*HEDIS REPORT HEADER PAGE (Multiple-90241.16), [16;0]
	.01 HEDIS REPORT HEADER PAGE (W), [0;1]
1700	COM REPORT HEADER PAGE (Multiple-90241.17), [17;0]
	.01 COM REPORT HEADER PAGE (W), [0;1]
1800	PP REPORT HEADER PAGE (Multiple-90241.18), [18;0]
	.01 PP REPORT HEADER PAGE (W), [0;1]
1900	ALL REPORT HEADER PAGE (Multiple-90241.19), [19;0]
	.01 ALL REPORT HEADER PAGE (W), [0;1]
2100	*CMS REPORT COVER PAGE (Multiple-90241.0321), [21;0]
	.01 CMS REPORT COVER PAGE (W), [0;1]
2200	ELDER CARE COVER PAGE (Multiple-90241.22), [22;0]
	.01 ELDER CARE COVER PAGE (W), [0;1]

```

2300 *NATL GPRA COVER PAGE - CHS (Multiple-90241.23), [23;0]
      .01 CHS NATIONAL GPRA RPT HEADER (W), [0;1]
2400 *CHS COM REPORT HEADER (Multiple-90241.24), [24;0]
      .01 CHS COM REPORT HEADER (W), [0;1]
2500 *CHS ALL REPORT HEADER (Multiple-90241.25), [25;0]
      .01 CHS ALL REPORT HEADER (W), [0;1]
2600 *CHS ELDER REPORT HEADER (Multiple-90241.26), [26;0]
      .01 CHS ELDER REPORT HEADER (W), [0;1]
2700 *CHS HEDIS REPORT HEADER (Multiple-90241.27), [27;0]
      .01 CHS HEDIS REPORT HEADER (W), [0;1]
2800 COMP NATL PAT LIST 1ST PAGE (Multiple-90241.0328), [28;0]
      .01 1ST PAGE COMP LIST (W), [0;1]
2900 *AREA CHS NGR HEADER PAGE (Multiple-90241.29), [29;0]
      .01 AREA CHS NGR HEADER PAGE (W), [0;1]
3000 BH ALCOHOL PROBLEM CODES (Multiple-90241.013), [30;0]
      .01 BH ALCOHOL PROBLEM CODES (MF), [0;1]
3100 *AREA GPUVA CHS HEADER (Multiple-90241.31), [31;0]
      .01 AREA CHS HEADER (W), [0;1]
3200 *AREA CHS HEDIS COVER PAGE (Multiple-90241.32), [32;0]
      .01 AREA HEDIS COVER PAGE (W), [0;1]
3300 *AREA ELDER CHS COVER PAGE (Multiple-90241.33), [33;0]
      .01 AREA ELDER CHS COVER PAGE (W), [0;1]
3400 PATIENT ED COVER PAGE (Multiple-90241.34), [34;0]
      .01 PATIENT ED COVER PAGE (W), [0;1]
3500 AREA PAT ED COVER PAG (Multiple-90241.35), [35;0]
      .01 AREA PAT ED COVER PAG (W), [0;1]
3600 ON 1 HEADERS (Multiple-90241.36), [36;0]
      .01 PIECE (MNJ5,0X), [0;1]
      .02 HEADER (F), [0;2]
3700 ON 2 HEADERS (Multiple-90241.37), [37;0]
      .01 PIECE (MNJ4,0X), [0;1]
      .02 HEADER (F), [0;2]
3800 GPRA NT1 (Multiple-90241.38), [38;0]
      .01 PIECE (MNJ4,0X), [0;1]
      .02 HEADER (F), [0;2]
3900 FORECAST DENOMINATOR DEFS PAGE (Multiple-90241.39), [39;0]
      .01 SCHEDULING OPTION COVER PAGE (W), [0;1]
4000 GPRA NT2 (Multiple-90241.4), [40;0]
      .01 PIECE (MNJ4,0), [0;1]
      .02 LABEL (F), [0;2]
4100 MEASURE (Multiple-90241.41), [41;0]
      .01 MEASURE (MRNJ3,0), [0;1]
      11 DENOM TEXT (Multiple-90241.4111), [11;0]
         .01 DENOM TEXT (W), [0;1]
4200 *CMS REPORT INTRODUCTION (Multiple-90241.42), [42;0]
      .01 CMS REPORT INTRODUCTION (W), [0;1]
4300 LAB TAXONOMY INTRO TEXT (Multiple-90241.43), [43;0]
      .01 LAB TAXONOMY INTRO TEXT (W), [0;1]
4400 MED TAX INTRO (Multiple-90241.44), [44;0]
      .01 MED TAX INTRO (W), [0;1]
4500 CRSONMNT3 COLUMN HEADERS (Multiple-90241.0145), [45;0]
      .01 CRSONMNT3 COLUMN HEADERS (MNJ4,0), [0;1]
      .02 HEADER TEXT (F), [0;2]
4600 *URBAN GP COVER PAGE (Multiple-90241.46), [46;0]
      .01 URBAN GP COVER PAGE (Wx), [0;1]
4700 *URBAN SUM ONLY GP (Multiple-90241.47), [47;0]
      .01 URBAN SUM ONLY GP (Wx), [0;1]
4800 *URBAN COM COVER PAGE (Multiple-90241.48), [48;0]
      .01 URBAN COM COVER PAGE (Wx), [0;1]
4900 *URBAN ALL COVER PAGE (Multiple-90241.49), [49;0]
      .01 URBAN ALL COVER PAGE (Wx), [0;1]
5000 DEP SCR BH CLINICS (Multiple-90241.015), [50;0]

```

```

.01 DEP SCR BH CLINICS (MF), [0;1]
5100 *URBAN ONM COVER PAGE (Multiple-90241.51), [51;0]
.01 URBAN ONM COVER PAGE (Wx), [0;1]
5200 *URBAN ELDER COVER PAGE (Multiple-90241.52), [52;0]
.01 URBAN ELDER COVER PAGE (Wx), [0;1]
5300 XP 2008-2009 INFORMING (Multiple-90241.0153), [53;0]
.01 XP 2008-2009 INFORMING (W), [0;1]
5400 XP REPORT INFORM (Multiple-90241.54), [54;0]
.01 XP REPORT INFORM (W), [0;1]
5500 XP MEASURES (Multiple-90241.55), [55;0]
.01 MEASURE (MP90530.01'), [0;1]
1101 INDIVIDUAL MEASURES (Multiple-90241.551101), [11;0]
.01 MEASURE ID (MNJ3,0), [0;1]
.02 VALUE FOR EXPORT (K), [1;E1,245]
.03 MEASURE LABEL (F), [0;3]
5600 ONM COVER PAGE (Multiple-90241.56), [56;0]
.01 ONM COVER PAGE (W), [0;1]
5700 *ONM CHS COVER PAGE (Multiple-90241.57), [57;0]
.01 ONM CHS COVER PAGE (W), [0;1]
5800 FORECAST REPORT INFORMING (Multiple-90241.58), [58;0]
.01 FORECAST REPORT INFORMING (W), [0;1]
5900 *EO REPORT COVER PAGE (Multiple-90241.0159), [59;0]
.01 EO REPORT COVER PAGE (W), [0;1]
6100 PAT ED INFORMING (Multiple-90241.61), [61;0]
.01 PAT ED INFORMING (W), [0;1]
6200 PATIENT ED TOPICS (Multiple-90241.62), [62;0]
.01 PATIENT ED TOPICS (F), [0;1]
.02 DIAGNOSIS (F), [0;2]
.03 TOPIC (F), [0;3]
6300 PAT ED ICD MAPPINGS (Multiple-90241.63), [63;0]
.01 DISEASE STATE ABBRV (MF), [0;1]
.02 DISEASE STATE NAME (F), [0;2]
.03 TAXONOMY NAME (F), [0;3]
1100 ICD MAPPING (Multiple-90241.6311), [11;0]
.02 LENGTH TO CHECK (NJ1,0), [0;2]
.03 EXACT LENGTH? (S), [0;3]
6400 *EO REPORT COVER PAGE CHS ONLY (Multiple-90241.0164), [64;0]
.01 EO REPORT COVER PAGE CHS ONLY (W), [0;1]
6500 *EO REPORT INFORMING (Multiple-90241.0165), [65;0]
.01 EO REPORT INFORMING (W), [0;1]
6600 *EO AREA REPORT COVER PAGE (Multiple-90241.0166), [66;0]
.01 EO AREA REPORT COVER PAGE (W), [0;1]
6700 *EO AREA REPORT CHS COVER PAGE (Multiple-90241.0467), [67;0]
.01 EO AREA REPORT CHS COVER PAGE (W), [0;1]
6800 *EO NT (Multiple-90241.0168), [68;0]
.01 EO NT (MNJ4,0), [0;1]
.02 TEXT (F), [0;2]
6900 FORECAST INFORMING FOR NEXT YR (Multiple-90241.69), [69;0]
.01 FORECAST INFORMING FOR NEXT YR (W), [0;1]
7100 GPRA RPT SUM ONLY INFORMING (Multiple-90241.71), [71;0]
.01 GPRA RPT SUM ONLY INFORMING (W), [0;1]
7200 NATL GPRA DES PROV INFORMING (Multiple-90241.72), [72;0]
.01 NATL GPRA DES PROV INFORMING (W), [0;1]
7300 HW OPTION INFORMING (Multiple-90241.73), [73;0]
.01 HW OPTION INFORMING (W), [0;1]
7400 PAT ED PP INFORMING (Multiple-90241.74), [74;0]
.01 PAT ED PP INFORMING (W), [0;1]
7500 PED PP COVER PAGE (Multiple-90241.75), [75;0]
.01 PED PP COVER PAGE (W), [0;1]
7600 GPRA SUM ONLY COVER PAGE (Multiple-90241.76), [76;0]
.01 GPRA SUM ONLY COVER PAGE (W), [0;1]
7700 *NATL GPRA SUM CHS COVER (Multiple-90241.77), [77;0]

```

```

8000 .01 NATL GPRA SUM CHS COVER (W), [0;1]
7800 XP9 INFORMING (Multiple-90241.78), [78;0]
      .01 XP9 INFORMING (W), [0;1]
7900 DEVNT1 HEADERS (Multiple-90241.79), [79;0]
      .01 DEVEL 1 (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8100 DEVNT2 HEADERS (Multiple-90241.81), [81;0]
      .01 DEVEL 2 (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8200 XP 10 INFORMING (Multiple-90241.82), [82;0]
      .01 XP 10 INFORMING (W), [0;1]
8300 GPU W/PP COVER PAGE (Multiple-90241.83), [83;0]
      .01 GPU W/PP COVER PAGE (W), [0;1]
8400 XP INFORMING FOR 2011 (Multiple-90241.84), [84;0]
      .01 XP INFORMING FOR 2011 (Wx), [0;1]
8500 DEVNT3 HEADERS (Multiple-90241.85), [85;0]
      .01 DEVEL 3 (NJ4,0), [0;1]
      .02 TEXT (F), [0;2]
8501 DEVNT4 HEADERS (Multiple-90241.18501), [851;0]
      .01 DEVNT4 HEADERS (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8502 DEVNT5 HEADERS (Multiple-90241.8502), [852;0]
      .01 HEADERS FOR DEV5 (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8600 ONMT 4 HEADERS (Multiple-90241.86), [86;0]
      .01 ONMT 4 HEADERS (NJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8700 ONMT5 HEADERS (Multiple-90241.87), [87;0]
      .01 ONMT5 HEADERS (NJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8800 DASHBOARD INFORMING (Multiple-90241.88), [88;0]
      .01 DASHBOARD INFORMING (Wx), [0;1]
8900 *AREA ELDER TOP (Multiple-90241.89), [89;0]
      .01 AREA ELDER TOP (Wx), [0;1]
9100 DASHBOARD COVER PAGE (Multiple-90241.91), [91;0]
      .01 DASHBOARD COVER PAGE (Wx), [0;1]
9200 *DASHBOARD COVER PAGE CHS (Multiple-90241.92), [92;0]
      .01 DASHBOARD COVER PAGE CHS (Wx), [0;1]
9300 *DASHBOARD INFORMING URBAN (Multiple-90241.93), [93;0]
      .01 DASHBOARD INFORMING URBAN (Wx), [0;1]
9400 AREA DASHBOARD COVER (Multiple-90241.94), [94;0]
      .01 AREA DASHBOARD COVER (Wx), [0;1]
9500 CLINIC CODES FOR BH ACT CL (Multiple-90241.0195), [95;0]
      .01 CLINIC CODES FOR BH ACT CL (MF), [0;1]
9601 AUTO EXPORT UTILITY ROUTINE (F), [96;1]
9602 AUTO EXPORT RUN ROUTINE (F), [96;2]
9700 GPRA NT3 (Multiple-90241.97), [97;0]
      .01 GPRANT3 (MNJ4,0), [0;1]
      .02 HEADER (F), [0;2]
9701 GPRA NT4 (Multiple-90241.971), [971;0]
      .01 GPRA NT4 (NJ3,0), [0;1]
      .02 TEXT (F), [0;2]
9702 GPRA NT5 LABELS (Multiple-90241.1972), [972;0]
      .01 GPRA NT5 LABELS (MNJ3,0), [0;1]
      .02 LABEL (F), [0;2]
9703 DEVNT6 LABELS (Multiple-90241.1973), [973;0]
      .01 DEVNT6 LABELS (MNJ4,0), [0;1]
      .02 LABEL (F), [0;2]
9801 PATCHES BULLETIN TEXT (Multiple-90241.9801), [98;0]
      .01 PATCHES BULLETIN TEXT (MNJ2,0X), [0;1]
      11 BULLETIN TEXT (Multiple-90241.980111), [11;0]
          .01 BULLETIN TEXT (W), [0;1]

```



```
9802      IPC COVER PAGE (Multiple-90241.019802), [9802;0]
          .01 IPC COVER PAGE (Wx), [0;1]
```

Figure 4-2: BGP Control File

### 4.4.2 BGP SITE PARAMETERS

**GLOBAL: ^BGPSITE(**

**FILE #: 90241.02**

```
CONDENSED DATA DICTIONARY---BGP SITE PARAMETERS FILE (#90241.02)   VERSION: 21.0
STORED IN: ^BGPSITE(                                               11/17/20   PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : M   LAYGO SECURITY  : M
                                WRITE SECURITY : M

CROSS REFERENCED BY:
LOCATION(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        LOCATION (RP9999999.06'X), [0;1]
.02        HOME LOCATION (P9999999.06'), [0;2]
.03        AREA EXPORT? (S), [0;3]
.04        INCLUDE DATA IN WEB EISS? (S), [0;4]
.05        DEFAULT COMMUNITY TAXONOMY (*P9002226'), [0;5]
.06        CHS SITE ONLY (S), [0;6]
.08        MFI SITE? (S), [0;8]
.09        MFI LOCATION TAXONOMY (*P9002226'), [0;9]
.11        EXPORT HT/WT DATA (S), [0;11]
.12        DEMO PATIENT SEARCH TEMPLATE (P.401'), [0;12]
.13        URBAN PROGRAM? (S), [0;13]
.14        DIRECTORY FOR EXPORT FILES (FX), [0;14]
```

Figure 4-3: BGP SITE PARAMETERS

### 4.4.3 FILE: BGP SUMMARY CATEGORIES

**GLOBAL: ^BGPSCAT( FILE #: 90241.03**

```
VERSION: 21.0
STORED IN: ^BGPSCAT(                                               11/17/20   PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY : @
```

```

CROSS REFERENCED BY:
  CATEGORY (B)  ORDER ON GPRA SUMMARY (C)  ORDER NO NON-GPRA SUMMARY (D)
  ORDER ON EO REPORT (E)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]
.02        ORDER ON GPRA SUMMARY (NJ2,0), [0;2]
.03        ORDER NO NON-GPRA SUMMARY (NJ2,0), [0;3]
.04        ORDER ON EO REPORT (NJ2,0), [0;4]
    
```

Figure 4-4: BGP SUMMARY CATEGORIES

#### 4.4.4 FILE: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS GLOBAL: ^BGP2PM( FILE #: 90241.04

```

CONDENSED DATA DICTIONARY---BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS FILE
(#90241.04)      VERSION: 21.0

STORED IN: ^BGP2PM(                               11/17/20      PAGE 1
-----

                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY     : M      LAYGO SECURITY  : M
                                WRITE SECURITY    : M

CROSS REFERENCED BY:
  SITE (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        SITE (R*P9999999.06'X), [0;1]
.02        TYPE OF AUTO EXTRACT (S), [0;2]
1.1        DEFAULT DIRECTORY (F), [1;1]
4.1        REMOTE HOST NAME (F), [4;1]
4.2        REMOTE HOST IP ADDRESS (F), [4;2]
4.3        REMOTE HOST DIRECTORY (F), [4;3]
4.4        REMOTE HOST USERNAME (F), [4;4]
4.5        REMOTE HOST PASSWORD (F), [4;5]
5.1        DEFAULT COMMUNITY TAXONOMY (P9002226'), [5;1]
8          EXTRACT DATE (Multiple-90241.12), [8;0]
          .01 EXTRACT DATE (MD), [0;1]
          .02 EXTRACT FILE NAME (F), [0;2]
          .03 EXTRACT BEGIN DATE (D), [0;3]
          .04 EXTRACT END DATE (D), [0;4]
          .05 ERROR MESSAGE (F), [0;5]
    
```

Figure 4-5: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS

### 4.4.5 FILE: BGP AREA AUTOMATED GPRA PARAMS

**GLOBAL: ^BGP1PM( FILE #: 90245**

```

CONDENSED DATA DICTIONARY---BGP AREA AUTOMATED GPRA PARAMS FILE (#90245)   VERSION:
21.0

STORED IN: ^BGP1PM(                               11/17/20   PAGE 1
-----
                                         FILE SECURITY
                                         DD SECURITY      : @   DELETE SECURITY: M
                                         READ SECURITY   : M   LAYGO SECURITY : M
                                         WRITE SECURITY  : M

CROSS REFERENCED BY:
NAME (B)

                                         FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        NAME (RFX), [0;1]
.02        TYPE OF AUTO EXTRACT (S), [0;2]
1.1        DEFAULT DIRECTORY (F), [1;1]
1.2        SUBDIRECTORY (F), [1;2]
7          DATE PROCESSED (Multiple-90245.07), [7;0]
.01        REPORT BEGIN DATE (MD), [0;1]
.02        REPORT END DATE (D), [0;2]
.03        DATE PROCESSED (D), [0;3]
.04        STATUS (S), [0;4]
.05        ERROR MESSAGE (F), [0;5]
.06        PROCESSING ATTEMPTS (NJ6,0), [0;6]
.07        ASUFAC (F), [0;7]
.08        FILE PROCESSED (F), [0;8]
.09        PROCESS START DATE (D), [0;9]
9          FACILITY (Multiple-90245.09), [9;0]
.01        FACILITY (MP9999999.06'), [0;1]
.02        ASUFAC (NJ6,0), [0;2]
.03        ACTIVE (S), [0;3]
.04        IP ADDRESS (F), [0;4]
.05        GENERIC LISTENER PORT (NJ9,0), [0;5]
99.1      ALERT/MAILMAN SENDER (P200'), [99.1;1]
99.2      ALERT/MM RECIPIENT (Multiple-90245.992), [99.2;0]
.01        EMAIL RECIPIENT (MP200'), [0;1 ]
    
```

Figure 4-6: BGP AREA AUTOMATED GPRA PARAMS

### 4.4.6 FILE: BGP GPRA FLAT FILE DATA

**GLOBAL: ^BGP1RD( FILE #: 90245.1**

```

CONDENSED DATA DICTIONARY---BGP GPRA FLAT FILE DATA FILE (#90245.1)   VERSION: 21.0

STORED IN: ^BGP1RD(                               11/17/20   PAGE 1
-----
                                         FILE SECURITY
    
```

```

DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY   : @      LAYGO SECURITY  : @
WRITE SECURITY  : @

CROSS REFERENCED BY:
  INDICATOR NAME(B)  CURRENT REPORT BEGIN DATE(CBD)
  SITE NAME(D)

FILE #90245.1
INDEXED BY:          INDICATOR NAME & SITE NAME & CURRENT REPORT BEGIN DATE &
                     CURRENT REPORT END DATE (C)

FILE STRUCTURE

FIELD           FIELD
NUMBER          NAME

.01             INDICATOR NAME (RF), [0;1]
.02             INDICATOR NUMBER (F), [0;2]
.03             SITE NAME (F), [0;3]
.04             ASUFAC (F), [0;4]
.05             DB ID (NJ5,0), [0;5]
.06             DATE REPORT RUN (D), [0;6]
.07             CURRENT REPORT BEGIN DATE (D), [0;7]
.08             CURRENT REPORT END DATE (D), [0;8]
.09             PREVIOUS YEAR BEGIN DATE (D), [0;9]
.1              PREVIOUS YEAR END DATE (D), [0;10]
.11             BASELINE YEAR BEGIN DATE (D), [0;11]
.12             BASELINE YEAR END DATE (D), [0;12]
.13             CURRENT NUMERATOR (NJ6,0), [0;13]
.14             CURRENT DENOMINATOR (NJ6,0), [0;14]
.15             CURRENT PERCENT (NJ8,1), [0;15]
.16             PREVIOUS NUMERATOR (NJ6,0), [0;16]
.17             PREVIOUS DENOMINATOR (NJ6,0), [0;17]
.18             PREVIOUS PERCENT (NJ8,1), [0;18]
.19             BASELINE NUMERATOR (NJ6,0), [0;19]
.2              BASELINE DENOMINATOR (NJ6,0), [0;20]
.21             BASELINE PERCENT (NJ8,1), [0;21]
    
```

Figure 4-7: BGP GPRA FLAT FILE DATA

### 4.4.7 FILE: BGP 21 MEASURES

**GLOBAL: ^BGPINDQ( FILE #: 90565.01**

```

CONDENSED DATA DICTIONARY---BGP 21 MEASURES FILE (#90565.01)UCI: CMBA,CMBA
VERSION: 21.0

STORED IN: ^BGPINDQ(                               11/17/20    PAGE 1
-----

FILE SECURITY
DD SECURITY      : @      DELETE SECURITY: @
READ SECURITY   : @      LAYGO SECURITY  : @
WRITE SECURITY  : @

CROSS REFERENCED BY:
  DEVELOPMENTAL MEASURE?(ADEV)  ORDER ON DEVELOPMENTAL REPORT(ADEVO)
  ORDER ON IPC REPORT(AIPC)     ORDER ON SELECTION/REPORT(AO)
  ORDER IND(AOI)  MEASURE NUMBER(B)  TITLE/SELECTION TITLE(C)
  ORDER IND(D)   NATIONAL REPORT(GPRA)  PUID FROM RM(PUID)
    
```

TITLE/SELECTION TITLE (U)	
FILE STRUCTURE	
FIELD NUMBER	FIELD NAME
.01	MEASURE NUMBER (RNJ3,0X), [0;1]
.02	ORDER ON SELECTION/REPORT (F), [0;2]
.03	TITLE/SELECTION TITLE (F), [0;3]
.05	LIST SELECTION TITLE (F), [0;5]
.06	ORDER TO DISPLAY (NJ4,0), [0;6]
.07	NATIONAL REPORT (S), [0;7]
.12	NO LIST (S), [0;12]
.13	# DENOMINATORS (NJ2,0), [0;13]
.14	DEVELOPMENTAL MEASURE? (S), [0;14]
1	M CODE TO EXECUTE (K), [1;E1,245]
2	SET LIST VALUE (K), [2;E1,245]
3	PRINT M CODE (K), [3;E1,245]
4	DELIMITED FILE PRINT (K), [4;E1,245]
1100	SELECTED REPORT FY LOGIC TEXT (Multiple-90565.0111), [11;0]
	.01 SELECTED REPORT FY LOGIC TEXT (W), [0;1]
1202	WEB SITE UNIQUE ID (F), [12;2]
1203	PUID FROM RM (NJ4,0), [12;3]
1204	GROUP (P90565.1'), [12;4]
1205	UPDATED THIS YEAR? (S), [12;5]
1206	ORDER IND (NJ4,0), [12;6]
1207	IPC REPORT ONLY? (S), [12;7]
1208	ORDER ON IPC REPORT (NJ4,0), [12;8]
1301	SKIP SELECTED REPORT? (S), [13;1]
1302	ORDER ON DEVELOPMENTAL REPORT (NJ3,0), [13;2]
1303	SKIP NGR PRINT/DEV ONLY (S), [13;3]
2100	IPC MEASURE LOGIC TEXT (Multiple-90565.0121), [21;0]
	.01 IPC MEASURE LOGIC TEXT (Wx), [0;1]
5100	INDICATOR DESCRIPTION (Multiple-90565.0151), [51;0]
	.01 DESCRIPTION (W), [0;1]
5200	PAST PERFORMANCE (Multiple-90565.0152), [52;0]
	.01 REPORT PRINT SECTION (W), [0;1]
5300	REPORT PRINT 2ND PAGE (Multiple-90565.0153), [53;0]
	.01 REPORT PRINT 2ND PAGE (W), [0;1]
5400	NATIONAL GPRA/GPRAMA LOGIC (Multiple-90565.54), [54;0]
	.01 NATIONAL GPRA/GPRAMA (W), [0;1]
5500	SOURCE (Multiple-90565.55), [55;0]
	.01 SOURCE (W), [0;1]
5800	DEVELOPMENTAL RPT LOGIC TEXT (Multiple-90565.58), [58;0]
	.01 DEVELOPMENTAL RPT LOGIC TEXT (W), [0;1]
6100	SELECTED MEASURES DENOM DEF (Multiple-90565.0161), [61;0]
	.01 DENOMINATOR DEFINITIONS (MNJ2,0), [0;1]
	1 DENOM DESCRIPTION (Multiple-90565.01611), [1;0]
	.01 DENOM DESCRIPTION (W), [0;1]
	1200 REPORT SUB TYPES (Multiple-90565.016112), [12;0]
	.01 REPORT SUB TYPES (MS), [0;1]
6200	SELECTED MEAS NUMERATOR DEFS (Multiple-90565.0162), [62;0]
	.01 NUMERATOR DEFINITIONS (MNJ2,0X), [0;1]
	1 NUMERATOR DESCRIPTION (Multiple-90565.01621), [1;0]
	.01 NUMERATOR DESCRIPTION (W), [0;1]
	1200 REPORT SUB TYPE (Multiple-90565.016212), [12;0]
	.01 REPORT SUB TYPE (MS), [0;1]
7100	REPORT LIST 1ST PAGE (Multiple-90565.0171), [71;0]
	.01 REPORT LIST 1ST PAGE (W), [0;1]
7200	LIST PRINT SECOND PAGE (Multiple-90565.0172), [72;0]

```

8100 .01 LIST PRINT SECOND PAGE (W), [0;1]
      NATL GPRA DENOM DEFS (Multiple-90565.0181), [81;0]
      .01 NATL GPRA DENOM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90565.1811), [1;0]
        .01 TEXT (W), [0;1]
      1200 REPORT SUBTYPES (Multiple-90565.018112), [12;0]
        .01 REPORT SUBTYPES (MS), [0;1]
8200 NATL GPRA NUMERATOR DEFS (Multiple-90565.0182), [82;0]
      .01 NATL GPRA NUMERATOR DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90565.01821), [1;0]
        .01 TEXT (W), [0;1]
      1200 REPORT SUBTYPES (Multiple-90565.018212), [12;0]
        .01 REPORT SUBTYPES (MS), [0;1]
8500 DEVELOPMENTAL MEAS DENOM DEFS (Multiple-90565.0185), [85;0]
      .01 DEVELOPMENTAL MEAS DENOM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90565.01851), [1;0]
        .01 TEXT (W), [0;1]
      1200 REPORT SUBTYPE (Multiple-90565.018512), [12;0]
        .01 REPORT SUBTYPE (MS), [0;1]
8600 DEVELOPMENTAL MEAS NUMER DEFS (Multiple-90565.0186), [86;0]
      .01 DEVELOPMENTAL MEAS NUMER DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90565.01861), [1;0]
        .01 TEXT (W), [0;1]
      1200 REPORT SUBTYPES (Multiple-90565.018612), [12;0]
        .01 REPORT SUBTYPES (MS), [0;1]
8700 DM DENOM DEFS (Multiple-90565.0187), [87;0]
      .01 DM DENOM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90565.01871), [1;0]
        .01 TEXT (Wx), [0;1]
8800 DM NUMER DEFS (Multiple-90565.0188), [88;0]
      .01 DM NUMER DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90565.01881), [1;0]
        .01 TEXT (Wx), [0;1]
8900 CVD DENOM DEFS (Multiple-90565.0189), [89;0]
      .01 CVD DENOM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90565.01891), [1;0]
        .01 TEXT (Wx), [0;1]
9100 CVD NUM DEFS (Multiple-90565.0191), [91;0]
      .01 CVD NUM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90565.01911), [1;0]
        .01 TEXT (Wx), [0;1]
9200 WH DEN DEFS (Multiple-90565.0192), [92;0]
      .01 WH DEN DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90565.01921), [1;0]
        .01 TEXT (Wx), [0;1]
9300 WH NUM DEFS (Multiple-90565.0193), [93;0]
      .01 WH NUM DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90565.01931), [1;0]
        .01 TEXT (Wx), [0;1]
9400 IPC DEN DEFS (Multiple-90565.0194), [94;0]
      .01 IPC DEN DEFS (MNJ2,0), [0;1]
      1 TEXT (Multiple-90565.01941), [1;0]
        .01 TEXT (Wx), [0;1]
9500 IPC NUM DEFS (Multiple-90565.0195), [95;0]
      .01 IPC NUM DEFS (MNJ3,0), [0;1]
      1 TEXT (Multiple-90565.01951), [1;0]
        .01 TEXT (Wx), [0;1]
9600 PQA DEM DEFS (Multiple-90565.0196), [96;0]
      .01 PQA DEM DEFS (MNJ3,0), [0;1]
      1 TEXT (Multiple-90565.01961), [1;0]
        .01 TEXT (Wx), [0;1]
9700 PQA NUM DEFS (Multiple-90565.0197), [97;0]

```

```
.01 PQA NUM DEFS (MNJ2,0), [0;1]
1 TEXT (Multiple-90565.01971), [1;0]
.01 TEXT (Wx), [0;1]
```

Figure 4-8: BGP 21 MEASURES

#### 4.4.8 FILE: BGP 21 INDIVIDUAL MEASURES

**GLOBAL: ^BGPINDQC( FILE #: 90565.02**

CONDENSED DATA DICTIONARY-BGP 21 INDIVIDUAL MEASURES FILE (#90565.02)UCI: CMBA,CMBA  
VERSION: 21.0

STORED IN: ^BGPINDQC( 11/17/20 PAGE 1

##### FILE SECURITY

```
DD SECURITY : @ DELETE SECURITY: @
READ SECURITY : @ LAYGO SECURITY : @
WRITE SECURITY : @
```

##### CROSS REFERENCED BY:

```
ASTHMA REPORT?(AAST) ORDER(AB) ORDER(ABC) CARDIO INDICATOR?(ACARD)
DASHBOARD ORDER(ADASH) DM INDICATOR?(ADM) ELDER RELATED(AEL)
NATIONAL/PART(AGPRA) IPC REPORT?(AIPC) PQA(APQA)
WOMEN'S HEALTH(AWH) INDICATOR(B) INDICATOR ID(C)
TITLE FOR SCHEDULING OPTION(D) ORDER(OR)
```

##### FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	INDICATOR (RP90565.01'), [0;1]
.04	INDICATOR ID (F), [0;4]
.05	NATIONAL/PART (S), [0;5]
.08	DENOM FIELD NUMBER (NJ7,3), [0;8]
.09	NUMERATOR FIELD NUMBER (NJ7,3), [0;9]
.11	PAGE BREAK DENOM NGR (S), [0;11]
.12	DM INDICATOR? (S), [0;12]
.13	CARDIO INDICATOR? (S), [0;13]
.14	GPRANT1 PIECE (NJ5,0), [0;14]
.15	DEVNT5 (NJ3,0), [0;15]
.22	ADD BANG (S), [0;22]
.23	ASTHMA REPORT? (S), [0;23]
.24	PAGE BREAK DENOM (S), [0;24]
1	M CODE NUMERATOR (K), [1;E1,245]
2	M CODE DENOMINATOR (K), [2;E1,245]
3	M CODE FOR COMP PL (K), [3;E1,245]
4	M CODE FOR SCHEDULING (K), [4;E1,245]
1101	IPC REPORT? (S), [11;1]
1102	PQA (S), [11;2]
1103	GPRANT3 (NJ4,0), [11;3]
1201	COLUMN TEXT FOR CMP PL (F), [12;1]
1202	WOMEN'S HEALTH (S), [12;2]
1203	ELDER RELATED (S), [12;3]
1204	ORDER (F), [12;4]

```

1208 PAGE BREAK NUMER COM (S), [12;8]
1209 TITLE FOR SCHEDULING OPTION (F), [12;9]
1211 ICARE TAB (S), [12;11]
1213 GPRANT2 PIECE (NJ3,0), [12;13]
1214 SKIP DENOM DISPLAY? (S), [12;14]
1215 PAGE BREAK DENOM ONM? (S), [12;15]
1216 TITLE 2 FOR SCHEDULING OPTION (F), [12;16]
1217 COUNT ONLY? (S), [12;17]
1401 NATL GPRA SUMMARY? (S), [14;1]
1402 NATL PREV YR (F), [14;2]
1403 NATL GPRA 2020 TARGET (F), [14;3]
1404 NATL SUM TITLE (F), [14;4]
1405 NATL SUM CATEGORY 1 (P90241.03'), [14;5]
1406 NATL SUM SHEET ORDER (NJ4,0), [14;6]
1407 NATL SUM TITLE 2 (F), [14;7]
1408 NATL GPRA TARGET (F), [14;8]
1409 NATL GPRA TARGET 2ND LINE (F), [14;9]
1410 NATL SUM PY LINE 2 (F), [14;10]
1411 SECOND LINE 2012 GOAL (F), [14;11]
1412 NATL SUM TITLE 3 (F), [14;12]
1413 NATL SUM TARGET (?) (F), [14;13]
1414 NATL SUM TITLE NY (F), [14;14]
1415 NATL SUM TITLE NY 2 (F), [14;15]
1416 NATL SUM TITLE NY 3 (F), [14;16]
1417 DASHBOARD ORDER (NJ2,0), [14;17]
1501 NON GPRA SUMMARY? (S), [15;1]
1502 NG NATIONAL CURRENT (F), [15;2]
1503 NG GOAL PY (F), [15;3]
1504 NG TITLE (F), [15;4]
1505 NG CATEGORY (P90241.03'), [15;5]
1506 NG ORDER ON SUMMARY SHEET (NJ4,0), [15;6]
1507 NG TITLE 2 (F), [15;7]
1508 NG GOAL (F), [15;8]
1509 NG SECOND LINE GOAL (F), [15;9]
1510 NG NATIONAL CURRENT 2 (F), [15;10]
1511 NG 2ND LINE 2012 GOAL (F), [15;11]
1512 NG TITLE 3 (F), [15;12]
1600 TEXT FOR SCHEDULING OPTION (Multiple-90565.16), [16;0]
    .01 TEXT FOR SCHEDULING OPTION (W), [0;1]
1601 TEXT FOR SCHEDULING NEXT YR (Multiple-90565.161), [1601;0]
    .01 TEXT FOR SCHEDULING NEXT YR (W), [0;1]
1701 ICARE GROUP (P90565.17'), [17;1]
1702 ICARE CATEGORY (P90565.18'), [17;2]
1703 ICARE MEASURE NAME (F), [17;3]
1704 ICARE EXCEPTION (S), [17;4]
1705 ICARE PERFORMANCE DIRECTION (F), [17;5]
1706 ICARE REPORT CODE (S), [17;6]
1707 ICARE IPC MEASURE? (S), [17;7]
1708 PREVIOUS INDICATOR ID (F), [17;8]
1800 ICARE TOOLTIPS (Multiple-90565.0218), [18;0]
    .01 ICARE TOOLTIPS (W), [0;1]
1903 2020 TARGET (F), [19;3]
1913 %? (S), [19;13]
2102 SKIP SELECTED REPORT? (S), [21;2]
2103 DEVELF1 PIECE (NJ4,0), [21;3]
2104 DEVELF2 PIECE (NJ3,0), [21;4]
2105 PAGE BREAK NUMER NGR? (S), [21;5]
2106 DEVELOPMENTAL MEASURE? (S), [21;6]
2108 DEVELF3 (NJ4,0), [21;8]
2111 DEVELF4 (NJ3,0), [21;11]
2112 GPRANT4 (NJ3,0), [21;12]
2113 GPRANT5 (NJ4,0), [21;13]

```



2114	GPRANT6 (NJ3,0), [21;14]
2115	DEVNT 6 PIECE (NJ6,0), [21;15]
2201	DEV SUMMARY? (S), [22;1]
2202	DEV NATIONAL CURRENT (F), [22;2]
2203	DEV GOAL (F), [22;3]
2204	DEV TITLE (F), [22;4]
2205	CATEGORY (P90241.03'), [22;5]
2206	DEV ORDER ON SUMMARY SHEET (NJ3,0), [22;6]
2207	DEV TITLE 2 (F), [22;7]
2208	DEV GOAL NY (F), [22;8]
2209	DEV SECOND LINE GOAL (F), [22;9]
2210	DEV NATL CURRENT 2 (F), [22;10]
2211	DEV SECOND LINE GOAL (F), [22;11]
2212	DEV TITLE 3 (F), [22;12]
2213	PART MEASURE? (S), [22;13]
2214	PART 2012 (F), [22;14]
2215	ADD %LINE? (S), [22;15]
2301	ADD BANG ON DASHBOARD? (S), [23;1]
2302	DASHBOARD LABEL (F), [23;2]
2303	DASHBOARD # NOT % (S), [23;3]
2304	PERCENT INCREASE NO DENOM (NJ7,2), [23;4]
2305	NEG DASHBOARD (S), [23;5]
2306	DASHBOARD LABEL 2 (F), [23;6]
2307	USE PRE-SPLIT LABELS? (S), [23;7]
2401	DEN LABEL SELECTED (F), [24;1]
2402	NUM LABEL SELECTED (F), [24;2]
2501	DEN LABEL NGR (F), [25;1]
2502	NUM LABEL NGR (F), [25;2]
2601	DEN LABEL DEV (F), [26;1]
2602	NUM LABEL DEV (F), [26;2]
2801	DEN LABEL DM (F), [28;1]
2802	NUM LABEL DM (F), [28;2]
2901	DEN LABEL CVD (F), [29;1]
2902	NUM LABEL CVD (F), [29;2]
3101	DEN LABEL WH (F), [31;1]
3102	NUM LABEL WH (F), [31;2]
3201	DEN LABEL PQA (F), [32;1]
3202	NUM LABEL PQA (F), [32;2]
3301	DEN LABEL IPC (F), [33;1]
3302	NUM LABEL IPC (F), [33;2]
3401	DEN LABEL ASTHMA (F), [34;1]
3402	NUM LABEL ASTHMA (F), [34;2]
9999	LORI (S), [9999;1]
99991	LORI1 (S), [9999;2]

Figure 4-9: BGP 21 INDIVIDUAL MEASURES

#### 4.4.9 FILE: BGP 21 NATIONAL PATIENT LISTS

**GLOBAL: ^BGNPLQ( FILE #: 90565.06**

CONDENSED DATA DICTIONARY---BGP 21 NATIONAL PATIENT LISTS FILE (#90565.06) CMBA,CMBA		
VERSION: 21.0		
STORED IN: ^BGNPLQ(	11/17/20	PAGE 1
-----		
	FILE SECURITY	
DD SECURITY	: @	DELETE SECURITY: @
READ SECURITY	: @	LAYGO SECURITY : @

```

WRITE SECURITY : @
CROSS REFERENCED BY:
ORDER ON NATIONAL (AN) ORDER ON OTHER NATIONAL (AON)
NATIONAL/OTHER NATIONAL (AR) POINTER (B) INDIVIDUAL INDICATOR ID (C)

FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        POINTER (RP90565.01'), [0;1]
.02        INDIVIDUAL INDICATOR ID (F), [0;2]
.03        LIST TITLE (F), [0;3]
.04        NATIONAL (S), [0;4]
.05        ORDER ON NATIONAL (NJ3,0), [0;5]
.07        DEVELOPMENTAL OR NATIONAL (S), [0;7]
1101       LIST TITLE FOR REPORT (Multiple-90565.61101), [11;0]
           .01 LIST TITLE FOR REPORT (W), [0;1]
1201       SET LIST VALUE (K), [12;E1,245]
    
```

Figure 4-10: BGP 21 NATIONAL PATIENT LISTS

#### 4.4.10 FILE: BGP 21 SNOMED SUBSETS

**GLOBAL: ^BGPSNOSQ( FILE #: 90565.07**

```

CONDENSED DATA DICTIONARY---BGP 21 SNOMED SUBSETS FILE (#90565.07) CMBA,CMBA
VERSION: 21.0

STORED IN: ^BGPSNOSQ(                               11/17/20    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @    DELETE SECURITY: @
                                READ SECURITY  : @    LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
SUBSET NAME (B)

FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        SUBSET NAME (RF), [0;1]
    
```

Figure 4-11: BGP 21 SNOMED SUBSETS

#### 4.4.11 FILE: BGP 21 TAXONOMIES

**GLOBAL: ^BGPTAXQ( FILE #: 90565.08**

```

VERSION: 21.0

STORED IN: ^BGPTAXQ(                               11/17/20    PAGE 1
-----
    
```

```

                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  TAXONOMY NAME (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        TAXONOMY NAME (RF), [0;1]
.02        TYPE (S), [0;2]
.03        LAST CHECKED/EXPORTED (D), [0;3]
.04        EDITABLE? (S), [0;4]
.05        EXPORT? (S), [0;6]
1100       DESCRIPTION (Multiple-90565.0811), [11;0]
           .01 DESCRIPTION (W), [0;1]
1200       REPORTS (Multiple-90565.0812), [12;0]
           .01 REPORTS (MS), [0;1]
1201       USED THIS YEAR (S), [0;5]
    
```

Figure 4-12: BGP 21 TAXONOMIES

#### 4.4.12 FILE: BGP 21 MEASURE GROUPS

**GLOBAL: ^BGPMGRPQ( FILE #: 90565.1**

```

VERSION: 21.0

STORED IN: ^BGPMGRPQ(                               11/17/20   PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  GROUP NAME (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        GROUP NAME (RF), [0;1]
    
```

Figure 4-13: BGP 21 MEASURE GROUPS

#### 4.4.13 FILE: BGP 21 ICARE GROUPS

**GLOBAL: ^BGPICAGQ( FILE #: 90565.17**

```

VERSION: 21.0

STORED IN: ^BGPICAGQ(                               11/17/20   PAGE 1
    
```

```

-----
                                FILE SECURITY
                                DD SECURITY : @ DELETE SECURITY: @
                                READ SECURITY : @ LAYGO SECURITY : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  CATEGORY (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]
    
```

Figure 4-14: BGP 21 ICARE GROUPS

#### 4.4.14 FILE: BGP 21 ICARE CATEGORIES

**GLOBAL: ^BGPICACQ( FILE #: 90565.18**

```

VERSION: 21.0
STORED IN: ^BGPICACQ(                               11/17/20     PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY : @ DELETE SECURITY: @
                                READ SECURITY : @ LAYGO SECURITY : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  CATEGORY (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]
    
```

Figure 4-15: BGP 21 ICARE CATEGORIES

#### 4.4.15 FILE: BGP 21 GUI OUTPUT

**GLOBAL: ^BGPGUIQ( FILE #: 90565.19**

```

CONDENSED DATA DICTIONARY---BGP 21 GUI REPORT OUTPUT FILE (#90565.19) CMBA,C
MBA                                                                VERSION: 21.0
STORED IN: ^BGPGUIQ(                               11/17/20     PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY : @ DELETE SECURITY: @
    
```

```

                                READ SECURITY : @      LAYGO SECURITY : @
                                WRITE SECURITY : @
CROSS REFERENCED BY:
  START TIME (AC)  START TIME (AUSR)  NAME (B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        NAME (RF), [0;1]
.02        USER WHO REQUESTED REPORT (P200'), [0;2]
.03        START TIME (D), [0;3]
.04        END TIME (D), [0;4]
.05        TYPE OF REPORT (F), [0;5]
.06        STATUS (S), [0;6]
.07        TYPE OF OUTPUT (S), [0;7]
.08        EXPORT FILENAME (F), [0;8]
.09        TASK NUMBER (NJ9,0), [0;9]
1          EXPORTED FILENAMES (F), [1;1]
1100      PRINT FORMATTED OUTPUT (Multiple-90565.1911), [11;0]
          .01 OUTPUT (W), [0;1]
1200      DELIMITED FORMATTED OUTPUT (Multiple-90565.1912), [12;0]
          .01 DELIMITED FORMATTED OUTPUT (W), [0;1]
FILE: BGP 21 SNOMED LISTS

```

Figure 4-16: BGP 21 GUI OUTPUT

**GLOBAL: ^BGPSNOMQ( FILE #: 90565.21**

```

CONDENSED DATA DICTIONARY---BGP 21 SNOMED LISTS FILE (#90565.21) CMBA,CMBA
VERSION: 21.0

STORED IN: ^BGPSNOMQ(                               11/17/20      PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @      DELETE SECURITY: @
                                READ SECURITY  : @      LAYGO SECURITY  : @
                                WRITE SECURITY : @
CROSS REFERENCED BY:
  NAME OF LIST(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        NAME OF LIST (RF), [0;1]
1101      SNOMED CODE (Multiple-90565.2111), [11;0]
          .01 SNOMED CODE (MF), [0;1]

```

Figure 4-17: BGP 21 SNOMED LISTS

**4.4.16 FILE: BGP 21 ELDER INDIVIDUAL MEASURES****GLOBAL: ^BGPELIHQ( FILE #: 90565.22**

```

CONDENSED DATA DICTIONARY---BGP 21 ELDER INDIVIDUAL MEASURES FILE (#90565.22)
CMBA,CMBA  VERSION: 21.0

STORED IN: ^BGPELIQ(                                     11/17/20  PAGE 1
-----
                                           FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
ORDER (AB)  ORDER (ABC)  ORDER (AE)  ORDER (AP)  INDICATOR (B)
INDICATOR ID (C)  ORDER (OR)

                                           FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        INDICATOR (RP90565.06'), [0;1]
.019       INDICATOR (CJ8), [ ; ]
.04        INDICATOR ID (F), [0;4]
.08        DENOM FIELD NUMBER (NJ10,3), [0;8]
.09        NUMERATOR FIELD NUMBER (NJ10,3), [0;9]
.15        LINE TITLE 1 (F), [0;15]
.16        LINE TITLE 2 (F), [0;16]
.17        LOCAL DENOM TITLE 1 (F), [0;17]
.18        LOCAL DENOM TITLE 2 (F), [0;18]
.19        LINE TITLE 3 (F), [0;19]
.21        LOCAL DENOM TITLE 3 (F), [0;21]
.22        ADD BANG (S), [0;22]
1          M CODE NUMERATOR (K), [1;E1,245]
2          M CODE DENOMINATOR (K), [2;E1,245]
1204      ORDER (F), [12;4]
2401      DEN LABEL (F), [24;1]
2402      NUM LABEL (F), [24;2]
    
```

Figure 4-18: BGP 21 ELDER INDIVIDUAL MEASURES

### 4.4.17 FILE: BGP 21 ELDER MEASURES

**GLOBAL: ^BGPELIQ( FILE #: 90565.26**

```

VERSION: 21.0

STORED IN: ^BGPELIQ(                                     11/17/20  PAGE 1
-----
                                           FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
ORDER ON SELECTION/REPORT (AO)  INDICATOR NUMBER (B)
TITLE (C)  TITLE (D)  PUID (PUID)

                                           FILE STRUCTURE
    
```

FIELD NUMBER	FIELD NAME
.01	INDICATOR NUMBER (RNJ3,0X), [0;1]
.02	ORDER ON SELECTION/REPORT (F), [0;2]
.03	TITLE (F), [0;3]
.04	SELECTION TITLE (F), [0;4]
.05	LIST SELECTION TITLE (F), [0;5]
.06	ORDER TO DISPLAY (NJ4,0), [0;6]
.12	NO LIST (S), [0;12]
1	M CODE TO EXECUTE (K), [1;E1,245]
2	SET LIST VALUE (K), [2;E1,245]
3	PRINT M CODE (K), [3;E1,245]
4	DELIMITED FILE PRINT (K), [4;E1,245]
1100	FY LOGIC (Multiple-90565.2611), [11;0]
	.01 LOGIC USED (W), [0;1]
1201	PUID (NJ3,0), [12;1]
5300	REPORT PRINT 2ND PAGE (Multiple-90565.2653), [53;0]
	.01 REPORT PRINT 2ND PAGE (W), [0;1]
6100	DENOMINATOR DEFINITIONS (Multiple-90565.2661), [61;0]
	.01 DENOMINATOR DEFINITIONS (MNJ2,0), [0;1]
	1 DENOM DESCRIPTION (Multiple-90565.26611), [1;0]
	.01 DENOM DESCRIPTION (W), [0;1]
6200	NUMERATOR DEFINITIONS (Multiple-90565.2662), [62;0]
	.01 NUMERATOR DEFINITIONS (MNJ2,0X), [0;1]
	.02 REPORTS (F), [0;2]
	.03 SEL (F), [0;3]
	1 NUMERATOR DESCRIPTION (Multiple-90565.26621), [1;0]
	.01 NUMERATOR DESCRIPTION (W), [0;1]
7100	REPORT LIST 1ST PAGE (Multiple-90565.2671), [71;0]
	.01 REPORT LIST 1ST PAGE (W), [0;1]
7200	LIST PRINT SECOND PAGE (Multiple-90565.2672), [72;0]
	.01 LIST PRINT SECOND PAGE (W), [0;1] 7200

Figure 4-19: BGP 21 ELDER MEASURES

## 5.0 External Relations

### 5.1 External Calls

This package calls the following documented entry points:

Routine ^%DT	is Invoked by: BGPQAU1R, BGPQGUA, BGPQUTL1,  dd90241.01,  dd90245.07  dd90245.1,  dd90565.03,  dd90565.04,  dd90565.05  dd90565.08,  dd90565.19,  dd90565.23,  dd90565.24  dd90565.25
DD^%DT	BGPQAU1M
^%DTC	BGPQD36
C^%DTC	BGPQGMUE, BGPQGMUH, BGPQUTL3
COMMA^%DTC	BGPQDBPR, BGPQDELP, BGPQDP, BGPQDP1, BGPQDP11, BGPQDP12 BGPQDP13, BGPQDP14, BGPQDP19, BGPQDP1A, BGPQDP1C, BGPQDP1H BGPQDP1I, BGPQDP1J, BGPQDP1K, BGPQDP1L, BGPQDP1M, BGPQDP1N BGPQDP1O, BGPQDP1S, BGPQDP1T, BGPQDP2, BGPQDP3, BGPQDP4 BGPQDP5, BGPQDP50, BGPQDP51 BGPQDP6, BGPQDP60, BGPQDP7, BGPQDP8, BGPQDPH, BGPQEL10 BGPQEL11, BGPQEL12, BGPQEL13, BGPQEL14, BGPQEL15, BGPQEL16 BGPQEL17, BGPQEL18, BGPQEL19, BGPQEL1A, BGPQEL1B, BGPQEL1C BGPQEL1D, BGPQEL1E, BGPQEL1F, BGPQEL1G, BGPQEL1H, BGPQEL1I BGPQEL1J, BGPQEL1K, BGPQEL1L BGPQEL1M, BGPQEL1N, BGPQEL1O, BGPQEL1P, BGPQEL1Q, BGPQEL1R BGPQEL1S, BGPQEL1T, BGPQELL, BGPQELL1, BGPQELL2, BGPQELL3 BGPQELL4, BGPQELL5, BGPQELL6, BGPQELL7, BGPQELL8, BGPQELL9 BGPQELLA, BGPQELLB, BGPQELLC, BGPQELLD, BGPQELLE, BGPQELLF BGPQELLG, BGPQELLH BGPQELLI, BGPQELLJ, BGPQELLK, BGPQELLL, BGPQELLM, BGPQELLN BGPQELLO, BGPQELLP, BGPQELLQ, BGPQELLR, BGPQELLS, BGPQELLT BGPQELLU, BGPQELLV, BGPQELLW, BGPQELLX, BGPQELLY, BGPQELP1 BGPQPD19, BGPQPDL, BGPQPDL0, BGPQPDL1, BGPQPDL2, BGPQPDL3 BGPQPDL4, BGPQPDL5
***** Cross Reference of all Routines ***** Dec 01, 2020@10:19:35 page 161	
Routine COMMA^%DTC	is Invoked by: BGPQPDL7, BGPQPDL8, BGPQPDL9, BGPQPDLA, BGPQPDLB, BGPQPDLD BGPQPDL E, BGPQPDL L, BGPQPDL N, BGPQPDL O, BGPQPDL T, BGPQPDP A BGPQPDP B
DW^%DTC	BGPQAU EX, BGPQAU UL, BGPQAU UP
NOW^%DTC	BGPQDP A, BGPQDP AP, BGPQGR B
DEBUG^%Serenji ^%ZIS	BGPQGR 1, BGPQGR A, BGPQGR B, BGPQGU, BGPQGUA, BGPTGU, BGPTGUA BGPQDAD B, BGPQDAP, BGPQDAR, BGPQDCL, BGPQDEL, BGPQDELA BGPQDGP A, BGPQDGPU, BGPQDICR, BGPQDL, BGPQDLT, BGPQDMT BGPQDNDB, BGPQDNE1, BGPQDNG, BGPQDNGP, BGPQDNGS, BGPQDPA BGPQDPP, BGPQDSTM, BGPQNPL, BGPQPCD, BGPQXTCH
HOME^%ZIS	BGPQAU1A, BGPQAUUL, BGPQDADB, BGPQDAR, BGPQDICR, BGPQDLT BGPQDMT, BGPQLSTF, BGPQPCTX, BGPQULF, BGPQXTCH, BGPQXTCN BGPQXTEL
^%ZISC	BGPQAU EX, BGPQAU UL, BGPQDAD B, BGPQDAP, BGPQDAR, BGPQDBPR BGPQDCL, BGPQDEL, BGPQDELA, BGPQDELP, BGPQDGP A, BGPQDGPU BGPQDICR, BGPQDL, BGPQDLT, BGPQDMT, BGPQDNDB, BGPQDNE1 BGPQDNG, BGPQDNGP, BGPQDNGS, BGPQDP, BGPQDPA, BGPQDPP BGPQDSTM, BGPQGUPL, BGPQNPL, BGPQPARP BGPQPARQ, BGPQPCD, BGPQPHEL, BGPQULF, BGPQUTL, BGPQUTLC



	BGPQXTCH
\$\$LIST^%ZISH	BGPQAUUP, BGPQGLST, BGPQGU, BGPQLSTF, BGPQUTL2
\$\$OPEN^%ZISH	BGPQAUUL, BGPQDNE1, BGPQGUPL, BGPQULF, BGPQUTL, BGPQUTLC
\$\$STATUS^%ZISH	BGPQAU1R, BGPQAUUL, BGPQAUUP, BGPQGUPL, BGPQULF
CLOSE^%ZISH	BGPQAU1D, BGPQAU1M, BGPQAU1R, BGPQAUUP
DF^%ZISH	BGPQAU1R
MV^%ZISH	BGPQAUUP
OPEN^%ZISH	BGPQAU1D, BGPQAU1M, BGPQAU1R, BGPQAUUP
JOBPAR^%ZOSV	BGPQGUA
^%ZTER	BGPQGU
^%ZTLOAD	BGPQAUEX, BGPQAUUL, BGPQAUUP, BGPQDADB, BGPQDAP, BGPQDAR BGPQDCL, BGPQDEL, BGPQDELA, BGPQDGPA, BGPQDGPU, BGPQDICR BGPQDL, BGPQDLT, BGPQDMT, BGPQDNDB, BGPQDNE1, BGPQDNG BGPQDNGP, BGPQDNGS, BGPQDPA, BGPQDFAP, BGPQDPP, BGPQDSTM BGPQGADB, BGPQGAEL, BGPQGAG9 BGPQGAGP, BGPQGAGS, BGPQGAHE, BGPQGALL, BGPQGAPU, BGPQGCMP BGPQGCOM, BGPQGDSD, BGPQGELD, BGPQGF09, BGPQGF0R, BGPQGGPU BGPQGIPC, BGPQGLHW, BGPQGLST, BGPQGLTX, BGPQGMTX, BGPQGMUE BGPQGMUH, BGPQGNPL, BGPQGNST, BGPQGNT9, BGPQGNTL, BGPQGNTP BGPQGNTS, BGPQGNXP BGPQGPP, BGPQGRB, BGPQNPL, BGPQPCD, BGPQXTCH
KILL^%ZTLOAD	BGPQAUEX
STAT^%ZTLOAD	BGPQAUEX
ALLV^APCLAPIU	BGPQD1, BGPQD21, BGPQD211, BGPQD24, BGPQD4, BGPQD53, BGPQD55 BGPQD714, BGPQD715, BGPQD73, BGPQPC1, BGPQPC10, BGPQPC12 BGPQPC13, BGPQPC14, BGPQPC15, BGPQPC16, BGPQPC2, BGPQPC4 BGPQPC6, BGPQPC8, BGPQPC9
\$\$START1^APCLDF	BGPQALG1, BGPQALG2, BGPQC11, BGPQC13, BGPQCON1, BGPQCU BGPQCU1, BGPQD1, BGPQD10, BGPQD2, BGPQD21, BGPQD211, BGPQD212 BGPQD213, BGPQD21A, BGPQD22, BGPQD24, BGPQD24A, BGPQD25 BGPQD27, BGPQD28, BGPQD31, BGPQD33, BGPQD34, BGPQD35, BGPQD37 BGPQD38, BGPQD3A, BGPQD3C
***** Cross Reference of all Routines ***** Dec 01, 2020@10:19:35 page 162	
Routine	is Invoked by:
\$\$START1^APCLDF	BGPQD4, BGPQD41, BGPQD5, BGPQD51, BGPQD52, BGPQD53, BGPQD54 BGPQD55, BGPQD5A, BGPQD6, BGPQD62, BGPQD7, BGPQD711, BGPQD714 BGPQD72, BGPQD722, BGPQD723, BGPQD724, BGPQD729, BGPQD731 BGPQD732, BGPQD74, BGPQD75, BGPQD8, BGPQD81, BGPQD811 BGPQD812, BGPQD82, BGPQD83 BGPQD84, BGPQD841, BGPQD85, BGPQD86, BGPQD862, BGPQD87 BGPQD88, BGPQD89, BGPQD9, BGPQD91, BGPQDCLP, BGPQDPA2 BGPQDPA4, BGPQDU, BGPQEL2, BGPQEL4, BGPQNPLP, BGPQPC1 BGPQPC10, BGPQPC11, BGPQPC12, BGPQPC13, BGPQPC4, BGPQPC9
\$\$CLINIC^APCLV	BGPQD1, BGPQD10, BGPQD2, BGPQD21, BGPQD211, BGPQD213, BGPQD22 BGPQD27, BGPQD31, BGPQD4, BGPQD41, BGPQD51, BGPQD53, BGPQD7 BGPQD711, BGPQD714, BGPQD715, BGPQD83, BGPQD84, BGPQD88 BGPQD9, BGPQDPA4, BGPQDU, BGPQEL4, BGPQNPLP, BGPQPC1, BGPQPC14
\$\$DSCHDATE^APCLV	BGPQD51
\$\$PRIMPOV^APCLV	BGPQD21, BGPQD211, BGPQD22, BGPQD31, BGPQD51, BGPQD71 BGPQD711, BGPQPC13
\$\$PRIMPROV^APCLV	BGPQD1, BGPQD10, BGPQD21, BGPQD211, BGPQD213, BGPQD51, BGPQD53 BGPQD714, BGPQD715, BGPQD862, BGPQDCLP, BGPQDPA4
\$\$VD^APCLV	BGPQD211, BGPQD24, BGPQD27, BGPQD28, BGPQD37, BGPQD39, BGPQD3A BGPQD3B, BGPQD3C, BGPQD4, BGPQD53, BGPQD55, BGPQD714, BGPQD715 BGPQD73, BGPQD81, BGPQD811, BGPQD812, BGPQD841, BGPQD87 BGPQD89, BGPQD9, BGPQD91, BGPQDPA2, BGPQDPA4, BGPQNPLP BGPQPC10, BGPQPC12 BGPQPC14, BGPQPC15, BGPQPC16, BGPQPC17, BGPQPC2, BGPQPC4 BGPQPC6, BGPQPC61, BGPQPC62, BGPQPC63, BGPQPC64, BGPQPC65 BGPQPC66, BGPQPC67, BGPQPC68, BGPQPC69, BGPQPC7, BGPQPC8

```

BGPQPC9, BGPQUTL1
$$VDTM^APCLV      BGPQD2, BGPQD4, BGPQD841, BGPQPC12, BGPQPC2
$$ICD^ATXAPI      BGPQD21, BGPQD36, BGPQPC10, BGPQPC12, BGPQPC13, BGPQPC14
                  BGPQPC15, BGPQPC16, BGPQPC2, BGPQPC4, BGPQPC6, BGPQPC8
                  BGPQPC9
BLDTAX^ATXAPI     BGPQDU, BGPQUTL2
$$ICD^ATXCHK      BGPQUTL2
LABTAX^ATXGE      BGPTGUA
LTAX^ATXGE        BGPTGUA
MEDBLD^ATXGE      BGPTGUA
CATSTR^ATXGU      BGPTGE
BULL^ATXSTX2      BGPQ1A, BGPQ1B, BGPQ1C, BGPQ1D, BGPQ1E, BGPQ1F, BGPQ1G, BGPQ1H
KILL^ATXSTX2      BGPQ1A, BGPQ1B, BGPQ1C, BGPQ1D, BGPQ1E, BGPQ1F, BGPQ1G, BGPQ1H
TAX^ATXSTX2       BGPQ1A, BGPQ1B, BGPQ1C, BGPQ1D, BGPQ1E, BGPQ1F, BGPQ1G, BGPQ1H
$$AGE^AUPNPAT     BGPQD1, BGPQD10, BGPQD21, BGPQD6, BGPQD7, BGPQD76, BGPQD83
                  BGPQD84, BGPQD85, BGPQD87, BGPQDPA1, BGPQDPA2, BGPQEL4
                  BGPQGUA, BGPQPC1, BGPQPC13, BGPQPC14, BGPQPC16, BGPQPC17
                  BGPQPC5
$$BEN^AUPNPAT     BGPQD1, BGPQPC1
$$COMMRES^AUPNPAT BGPQDNE1, BGPQDPAP, BGPQDPAW
$$DOB^AUPNPAT     BGPQALG1, BGPQALG2, BGPQC11, BGPQC13, BGPQCON1, BGPQCU1
                  BGPQD1, BGPQD10, BGPQD2, BGPQD21, BGPQD211, BGPQD212, BGPQD213
                  BGPQD214, BGPQD21A, BGPQD22, BGPQD24A, BGPQD27, BGPQD28
                  BGPQD3, BGPQD31, BGPQD32, BGPQD33, BGPQD34, BGPQD35, BGPQD36
                  BGPQD37, BGPQD38, BGPQD3A
    
```

\*\*\*\* Cross Reference of all Routines \*\*\*\* Dec 01, 2020@10:19:35 page 163

```

Routine           is Invoked by:
  $$DOB^AUPNPAT   BGPQD3B, BGPQD3C, BGPQD4, BGPQD62, BGPQD72, BGPQD721, BGPQD724
                  BGPQD729, BGPQD73, BGPQD731, BGPQD732, BGPQD75, BGPQD76
                  BGPQD8, BGPQD81, BGPQD811, BGPQD82, BGPQD841, BGPQD86, BGPQD9
                  BGPQD91, BGPQDPA1, BGPQDPA2, BGPQDPA4, BGPQDPAW, BGPQDS
                  BGPQDU, BGPQEL2, BGPQELS
                  BGPQEELSL, BGPQNPLP, BGPQPC1, BGPQPC10, BGPQPC12, BGPQPC13
                  BGPQPC14, BGPQPC16, BGPQPC4, BGPQPC5, BGPQPC6, BGPQPC61
                  BGPQPC62, BGPQPC63, BGPQPC64, BGPQPC65, BGPQPC66, BGPQPC67
                  BGPQPC68, BGPQPC69, BGPQPC7, BGPQPC8, BGPQPC9, BGPQUTL1
                  BGPQUTL2
  $$DOD^AUPNPAT   BGPQD1, BGPQPC1, BGPQPC13
  $$HRN^AUPNPAT   BGPQDCLD, BGPQDCLP, BGPQDPAP, BGPQDPAW, BGPQDS, BGPQELS
                  BGPQEELSL, BGPQGUA, BGPQNPLP
  $$SEX^AUPNPAT   BGPQDPAW
  KILL^AUPNPAT    BGPQAUEx, BGPQDADB, BGPQDAP, BGPQDAR, BGPQDCL, BGPQDEL
                  BGPQDELA, BGPQDGP, BGPQDGPU, BGPQDL, BGPQDNDB, BGPQDNE1
                  BGPQDNG, BGPQDNGP, BGPQDNGS, BGPQDPP, BGPQDSTM, BGPQGADB
                  BGPQGAEL, BGPQGAG9, BGPQGAGP, BGPQGAGS, BGPQGAHE, BGPQGALL
                  BGPQGAPU, BGPQGCMP, BGPQGCMP
                  BGPQGDSH, BGPQGELD, BGPQGFO9, BGPQGFOR, BGPQGGPU, BGPQGIPC
                  BGPQGLHW, BGPQGLST, BGPQGLTX, BGPQGMTX, BGPQGMUE, BGPQGMUH
                  BGPQGNPL, BGPQGNST, BGPQGNTP, BGPQGNTP, BGPQGNTP, BGPQGNTP
                  BGPQGNXP, BGPQGNXP, BGPQNPL, BGPQPCD
  $$STATUS^BDGSPT2 BGPQGUA
  ALLDP^BDPAPI     BGPQD1
  $$GETDIR^BGP0UTL2 BGPQDNE1
  GETIMMS^BGP7D32  BGPQD3C
  $$DATE^BGP7UTL   BGPQD76
  $$ACTUP^BGP8D1   BGPQDNE1
  PROCY^BGP8D1     BGPQDNE1
  $$STATE^BGP8DCHW BGPQDNE1
  $$UID^BGP8DCHW   BGPQDNE1
  PRINT^BGP8DNE1   BGPQDNE1
    
```

```

PROC^BGP8DNE1      BGPQDNE1
TAXCHK^BGP8XTCN    BGPQDNE1
CATSTR^BGPGR       BGPQGRA,BGPQGRB
$$DATE^BGPLUTL     BGPQD7
$$ICD^BGPLUTL2     BGPQPC7
INIT^BGPMUSSI      BGPQGTA
INITH^BGPMUSSI     BGPQGTA
INITM^BGPMUSSI     BGPQGTA
INIT^BGPMUSSL      BGPQGTA
^BGMUEHD           BGPQGMUH
^BGMUEPD           BGPQGMUE
AUTO^BGPOAUEX      |opt
MAN^BGPOAUEX       |opt
SITEPAR^BGPOAUEX  |opt
AUTO^BGPOAUUP      |opt
    
```

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 01, 2020@10:19:35 page 164

Routine is Invoked by:

```

MAN^BGPOAUUP       |opt
SCH^BGPOAUUP       |opt
^BGPOBAN           |opt
^BGPOCTS           |opt
^BGPODADB          |opt
^BGPODAP           |opt
^BGPODAR           |opt
SUMONLY^BGPODAR    |opt
^BGPODCL           |opt
^BGPODEL           |opt
^BGPODGPA          |opt
^BGPODGPU          |opt
^BGPODICR          |opt
^BGPODL            |opt
CRS^BGPODLT        |opt
ELDER^BGPODLT      |opt
GPRA^BGPODLT       |opt
IPC^BGPODLT        |opt
CRS^BGPODMT        |opt
ELDER^BGPODMT      |opt
GPRA^BGPODMT       |opt
IPC^BGPODMT        |opt
^BGPODNDB          |opt
^BGPODNG           |opt
^BGPODNGP          |opt
^BGPODNGS          |opt
^BGPODPA           |opt
COVPAGE^BGPODPA    |opt
^BGPODPP           |opt
^BGPODSTM          |opt
^BGPOLSTF          |opt
^BGPONPL           |opt
^BGPOPCD           |opt
^BGPOPCTX          |opt
^BGPOULF           |opt
DIRCHK^BGPOUTL2    |dd90241.02
^BGPOXTCH          |opt
^BGPOXTCN          |opt
^BGPOXTEL          |opt
^BGPOXTV           |opt
^BGPQ1             BGPQPOS
^BGPQ1A            BGPQ1
^BGPQ1B            BGPQ1
    
```

```

^BGPQ1C      BGPQ1
^BGPQ1D      BGPQ1
^BGPQ1E      BGPQ1
^BGPQ1F      BGPQ1
^BGPQ1G      BGPQ1

```

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 01, 2020@10:19:35 page 165

Routine is Invoked by:

```

^BGPQ1G2      BGPQ1G
^BGPQ1H      BGPQ1
ACEI^BGPQALG1 BGPQALG
ARB^BGPQALG1 BGPQALG
ASA^BGPQALG1 BGPQALG
BETA^BGPQALG1 BGPQALG
STATIN^BGPQALG2 BGPQALG
EN^BGPQASL    BGPQDADB, BGPQDAR, BGPQDELA, BGPQDGPA
GET^BGPQASL    BGPQGU
ELD^BGPQASL1  BGPQASL
NGR^BGPQASL1  BGPQASL
EN^BGPQAU1A   BGPQAUUP
EN^BGPQAU1D   BGPQAUUP
MSG1^BGPQAU1M BGPQAUUP
EN^BGPQAU1R   BGPQAUUP
AUTO^BGPQAUEX |opt
AUTOEX^BGPQAUEX BGPQUTL
DELTASK^BGPQAUEX BGPQAUUL
MAN^BGPQAUEX  |opt
QUE^BGPQAUEX  BGPQGRB
SITEPAR^BGPQAUEX |opt
EN^BGPQAUUL   BGPQAUUP
SCH^BGPQAUUL  BGPQAUUP
AUTO^BGPQAUUP |opt
MAN^BGPQAUUP  |opt
SCH^BGPQAUUP  |opt
XIT^BGPQAUUP  BGPQAUUL
^BGPQBAN      |opt
$$FV^BGPQBAN  BGPQDGPU, BGPQDH, BGPQDNG, BGPQGELD, BGPQGGPU, BGPQGLST
                BGPQGNT9, BGPQGNTL, BGPQGNTS, BGPQGU, BGPQLSTF, BGPQPD
                BGPQPD LH, BGPQULF, BGPQUTL
$$GY^BGPQBAN  BGPQDL, BGPQDNG
$$RPTVER^BGPQBAN BGPQDCL, BGPQDCLD, BGPQDCLP, BGPQDGPU, BGPQDH, BGPQDH1
                BGPQDICR, BGPQDLT, BGPQDMT, BGPQDPAW, BGPQDSTM, BGPQELH
                BGPQELHH, BGPQNPL, BGPQNPLP, BGPQPCH, BGPQPD LH
                BGPQASL, BGPQASL1, BGPQGUPL, BGPQULF, BGPQUTL
$$VER^BGPQBAN BGPQD722, BGPQD723, BGPQD732
ACEIALG1^BGPQC11 BGPQC11
ARBALG1^BGPQC13 BGPQC11
ACEI^BGPQCON1  BGPQCON
ASA^BGPQCON1  BGPQCON
STATIN^BGPQCON1 BGPQCON
EP^BGPQCTL    BGPQCTS
^BGPQCTS      |opt
INIT^BGPQCTS  BGPQGU
GETMEDS^BGPQCU BGPQC13
$$ASAALLEG^BGPQCU1 BGPQD721
^BGPQD1      BGPQAUEX, BGPQDAP, BGPQDCL, BGPQDEL, BGPQDGPU, BGPQDL
                BGPQDNDB, BGPQDNG, BGPQDNGP, BGPQDNGS, BGPQDSTM, BGPQGALL
                BGPQGCOMP, BGPQGCOM, BGPQGD SH, BGPQGELD, BGPQGGPU, BGPQGLHW
                BGPQGNPL, BGPQGNST, BGPQGNT9, BGPQGNTL, BGPQGNT P, BGPQGNTS
                BGPQNPL

```

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 01, 2020@10:19:35 page 166

```

Routine          is Invoked by:
$$$DP^BGPQD1    BGPQD10
$$$FIRSTDM^BGPQD1 BGPQD10
$$$V2^BGPQD1    BGPQD729
$$$V2DM^BGPQD1  BGPQD211
PROCCY^BGPQD1   BGPQDPA, BGPQDPAP
^BGPQD10        BGPQDGPU, BGPQDPP, BGPQGGPU, BGPQGPP
$$$GDEV^BGPQD2  BGPQD22, BGPQD41, BGPQD9
$$$HGBA1C^BGPQD2 BGPQD22, BGPQDPA1, BGPQPC1
$$$LDL^BGPQD2   BGPQD73
$$$LOINC^BGPQD2 BGPQALG2, BGPQD722, BGPQD723, BGPQD841
$$$MEANBP^BGPQD2 BGPQD22, BGPQDPA1
$$$MEANBPD^BGPQD2 BGPQD9
DMBP^BGPQD2     BGPQEL2
DMGC^BGPQD2     BGPQEL2
$$$BF^BGPQD21   BGPQCON1, BGPQD212, BGPQD213, BGPQD722, BGPQD723, BGPQD75
                BGPQEL2
$$$DENTEXAM^BGPQD21 BGPQD85, BGPQPC3
$$$DNKA^BGPQD21  BGPQD213, BGPQDPA4
$$$EYE^BGPQD21  BGPQD22, BGPQPC1
$$$LOINC^BGPQD21 BGPQD212, BGPQD8, BGPQD811, BGPQD812, BGPQD82, BGPQD83
                BGPQD84, BGPQD841, BGPQD861, BGPQD864, BGPQD88
$$$TC^BGPQD21   BGPQPC3
DMEYE^BGPQD21   BGPQEL2
DMNA^BGPQD21    BGPQEL2
I61^BGPQD21     BGPQDPA1
$$$DENTSRVD^BGPQD211 BGPQD21, BGPQD3, BGPQDPA2, BGPQEL2
$$$DMPVPL^BGPQD211 BGPQD1, BGPQD10
$$$DVADA^BGPQD211 BGPQDPA4
$$$ESRD^BGPQD211 BGPQD21, BGPQD212, BGPQD213, BGPQD22, BGPQD39, BGPQD9
                BGPQDPA2, BGPQEL2, BGPQPC1
$$$GFR^BGPQD211  BGPQD21, BGPQD22, BGPQPC1
$$$QUANTUP^BGPQD211 BGPQD21, BGPQD22, BGPQPC1
JVN^BGPQD211    BGPQD21
$$$ASCVDLDL^BGPQD212 BGPQD213, BGPQEL2
$$$HIGHLDLV^BGPQD212 BGPQD213, BGPQEL2
$$$LASTLDLV^BGPQD212 BGPQD213, BGPQEL2
$$$PALL^BGPQD212  BGPQD213, BGPQEL2
$$$RHAB^BGPQD212  BGPQD213, BGPQEL2
$$$STATNMI^BGPQD212 BGPQD213, BGPQEL2
STRC^BGPQD212    BGPQDPA4
$$$ALD^BGPQD213  BGPQD212, BGPQEL2
$$$EMP^BGPQD213  BGPQD22, BGPQD28, BGPQD39, BGPQD81
$$$FOOT^BGPQD213 BGPQD22, BGPQPC1
$$$STATALG^BGPQD213 BGPQD212, BGPQEL2
CVD^BGPQD213     BGPQDPA4
OPTOM^BGPQD213   BGPQD3B
$$$STATIN^BGPQD214 BGPQD212, BGPQD213, BGPQEL2
$$$BLINDPL^BGPQD21A BGPQD21, BGPQD22, BGPQEL2, BGPQPC1

**** Cross Reference of all Routines **** Dec 01, 2020@10:19:35 page 167

```

```

Routine          is Invoked by:
$$$YEENUC^BGPQD21A BGPQD21, BGPQD22, BGPQEL2, BGPQPC1
$$$HEPA^BGPQD21A   BGPQD212, BGPQD213, BGPQEL2
$$$HEPB^BGPQD21A   BGPQD212, BGPQD213, BGPQEL2
$$$ASSEV^BGPQD22   BGPQD28, BGPQD31, BGPQD81, BGPQPC17
$$$BPCPT^BGPQD22   BGPQD2, BGPQD41, BGPQD9, BGPQDPA1
$$$COPD^BGPQD22    BGPQD28, BGPQD39, BGPQD81
$$$CREAT^BGPQD22   BGPQD82
$$$PERASTH^BGPQD22 BGPQD28, BGPQD81

```

```

$$SEVPER^BGPQD22      BGPQD81
$$PCV^BGPQD24         BGPQEL4
$$TXPTED^BGPQD24     BGPQD73
BNI^BGPQD24           BGPQD73, BGPQDPA4
$$SHIVDX^BGPQD24A    BGPQD33, BGPQD35, BGPQD38
$$KEYSTI^BGPQD24A    BGPQD24
$$DEP^BGPQD25         BGPQD41, BGPQDPA2, BGPQDPA4
$$DEPEDU^BGPQD25     BGPQDPA2, BGPQDPA4
$$DEPSCR^BGPQD25     BGPQD41, BGPQDPA2, BGPQDPA4
$$DEPSUIC^BGPQD25    BGPQD41
DEPEP^BGPQD25         BGPQEL3
$$AMP^BGPQD27         BGPQD22, BGPQPC1
$$DEPSCRBH^BGPQD27   BGPQD25
$$DEN7^BGPQD3         BGPQDPA1
$$FLU^BGPQD3          BGPQD3B, BGPQDPA1, BGPQDPA4, BGPQEL3
$$PAP^BGPQD3          BGPQDPA1
$$PAPHPVWH^BGPQD3    BGPQD31, BGPQPC8
$$ANCONT^BGPQD31     BGPQD33, BGPQD34, BGPQD35, BGPQD36, BGPQD37, BGPQD38, BGPQD3A
                        BGPQD3B, BGPQD86, BGPQPC6, BGPQPC7
$$ANEGCONT^BGPQD31   BGPQD38
$$ANIMCONT^BGPQD31   BGPQD37, BGPQD3C
$$ANNECONT^BGPQD31   BGPQD33
$$HOSP^BGPQD31       BGPQEL31
$$MMRCONT^BGPQD31    BGPQD33, BGPQD35, BGPQD811
$$PAPHPV^BGPQD31     BGPQD3
$$PNEU^BGPQD31       BGPQDPA1
$$SEV^BGPQD31        BGPQD28
$$V2ASTH^BGPQD31    BGPQEL31
$$IMMREF^BGPQD32     BGPQD35
GETIMMS^BGPQD32      BGPQD33, BGPQD34, BGPQD35, BGPQD36, BGPQD37, BGPQD38, BGPQD811
                        BGPQD86
I14^BGPQD32          BGPQDPA1
$$MMR^BGPQD33         BGPQD32
$$OPV^BGPQD33        BGPQD32
$$DTAP^BGPQD34       BGPQD32
RESET^BGPQD34        BGPQD341
TEST^BGPQD341        BGPQD34
$$HEP^BGPQD35        BGPQD32
$$PNEUMO^BGPQD35    BGPQD32
$$VAR^BGPQD35        BGPQD32
    
```

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 01, 2020@10:19:35 page 168

```

Routine      is Invoked by:
$$AGE^BGPQD36      BGPQD3, BGPQDPA4
$$ENCEPH^BGPQD36  BGPQD34
$$HADWARF^BGPQD36 BGPQD39
$$HPV^BGPQD36     BGPQD85
$$IMMUNO^BGPQD36  BGPQD33, BGPQD35, BGPQD38
$$INTUSS^BGPQD36  BGPQD37
$$LYMPHO^BGPQD36  BGPQD33, BGPQD35, BGPQD38
$$MEN^BGPQD36     BGPQD85
$$SCID^BGPQD36    BGPQD37
$$HEPA^BGPQD37    BGPQD32
$$ROTA2^BGPQD37   BGPQD32
$$ROTA3^BGPQD37   BGPQD32
FLU^BGPQD37       BGPQD3
$$HIB3^BGPQD38    BGPQD32
$$HIB4^BGPQD38    BGPQD32
$$INFLU^BGPQD38   BGPQD32
$$DTAP^BGPQD3A    BGPQD3B, BGPQPC5
$$DTAPTD^BGPQD3A BGPQD3B, BGPQPC5
    
```

\$\$GA^BGPQD3A	BGPQD21
\$\$HIGHR^BGPQD3A	BGPQD3
\$\$HIGHRP^BGPQD3A	BGPQD3B
\$\$SEALDEV^BGPQD3A	BGPQD3
\$\$TF^BGPQD3A	BGPQD3
SEAL^BGPQD3A	BGPQD3
SEALR^BGPQD3A	BGPQD3
\$\$PPCONT^BGPQD3B	BGPQPC5
I13^BGPQD3B	BGPQD3, BGPQDPA4
PN^BGPQD3B	BGPQEL3
\$\$FIRSTPDX^BGPQD3C	BGPQD3B
\$\$IZOSTVAC^BGPQD3C	BGPQD3B, BGPQPC5
\$\$LASTVD^BGPQD3C	BGPQD3B
\$\$PCV13^BGPQD3C	BGPQD3B, BGPQPC5
\$\$PPSV23^BGPQD3C	BGPQD3B, BGPQPC5
\$\$SHINGRIX^BGPQD3C	BGPQD3B, BGPQPC5
\$\$MAM^BGPQD4	BGPQDPA1, BGPQEL3
\$\$MAS^BGPQD4	BGPQDPA1, BGPQEL3
\$\$MEANBP^BGPQD41	BGPQD9
BPCV^BGPQD41	BGPQEL3
\$\$ALPED^BGPQD5	BGPQD55, BGPQDPA2
\$\$DVDX^BGPQD5	BGPQDPA2
\$\$DVEX^BGPQD5	BGPQDPA2
\$\$DVPED^BGPQD5	BGPQDPA2
DV^BGPQD5	BGPQEL3
ICRSAMM^BGPQD51	BGPQDPA4
\$\$EAPT^BGPQD52	BGPQD51
DVDX^BGPQD54	BGPQD5
ALSCRN^BGPQD55	BGPQD24, BGPQDPA2, BGPQDPA4
\$\$ALDX^BGPQD5A	BGPQDPA2

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 01, 2020@10:19:35 page 169

Routine	is Invoked by:
\$\$BMI^BGPQD6	BGPQD52, BGPQD71, BGPQEL3
\$\$BMIOR^BGPQD6	BGPQDPA2
\$\$OB^BGPQD6	BGPQD71, BGPQDPA2, BGPQEL3
\$\$OW^BGPQD6	BGPQD71, BGPQDPA2, BGPQEL3
\$\$REF^BGPQD6	BGPQEL3
\$\$COLO^BGPQD62	BGPQDPA2
\$\$CRC^BGPQD62	BGPQDPA2, BGPQEL3
\$\$CT^BGPQD62	BGPQDPA2
\$\$FIT^BGPQD62	BGPQDPA2
\$\$FOB^BGPQD62	BGPQDPA2
\$\$SIG^BGPQD62	BGPQDPA2
CRCP^BGPQD62	BGPQEL3
\$\$CPTSM^BGPQD7	BGPQD713
\$\$DENT^BGPQD7	BGPQD713
\$\$DX^BGPQD7	BGPQD713
\$\$DXS^BGPQD7	BGPQD713
\$\$DXSL^BGPQD7	BGPQD713
\$\$DXU^BGPQD7	BGPQD713
\$\$LASTHF^BGPQD7	BGPQD712, BGPQD76
\$\$PED^BGPQD7	BGPQD713
\$\$PREG^BGPQD7	BGPQD21, BGPQD3B, BGPQD8, BGPQD841, BGPQD88, BGPQDPA2
TA^BGPQD7	BGPQEL3
\$\$MEDNUTR^BGPQD711	BGPQD41
\$\$MEDNUTRD^BGPQD711	BGPQD71
\$\$OTHREL^BGPQD711	BGPQD41, BGPQD71
\$\$PED^BGPQD711	BGPQD76, BGPQDPA2
\$\$SPECSEX^BGPQD711	BGPQD41, BGPQD71
\$\$SPECNUTR^BGPQD711	BGPQD41, BGPQD71

```

$$TOBHF^BGPQD712      BGPQD7, BGPQD713
PREGSCRN^BGPQD713     BGPQD7
PREG^BGPQD714         BGPQD7
$$PREG^BGPQD715       BGPQCON1, BGPQD212, BGPQD213, BGPQD52, BGPQD53, BGPQD722
                        BGPQD723, BGPQD73, BGPQD75, BGPQD9, BGPQEL2
$$AMA^BGPQD72         BGPQD731, BGPQD87
$$BETAALG1^BGPQD72    BGPQD721, BGPQD731, BGPQD75
$$EXPIRED^BGPQD72     BGPQD731, BGPQD87
$$TRANS^BGPQD72      BGPQD731, BGPQD87
$$ASA^BGPQD721        BGPQD731
$$ASAALLEG^BGPQD721  BGPQD731, BGPQD75
$$BETA^BGPQD721       BGPQD731
$$BETACONT^BGPQD721  BGPQD731, BGPQD75
$$ACEALG^BGPQD722    BGPQD721, BGPQD731, BGPQD75
$$ACECONT^BGPQD722   BGPQD721, BGPQD731
$$ACERX^BGPQD722     BGPQD721, BGPQD731
$$STATALG^BGPQD722   BGPQD721, BGPQD731, BGPQD75
$$STATCON^BGPQD722   BGPQD721, BGPQD731, BGPQD75
$$STATRX^BGPQD722    BGPQD721, BGPQD731
$$ACEALG^BGPQD723    BGPQD21

```

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 01, 2020@10:19:35 page 170

```

Routine          is Invoked by:
$$ACECONT^BGPQD723 BGPQD21
BETACONT^BGPQD724 BGPQCON, BGPQD721
$$CHD^BGPQD729    BGPQD25, BGPQD41, BGPQD721, BGPQD73
CHEL^BGPQD73      BGPQEL4
$$HOSPICE^BGPQD74 BGPQD39, BGPQD53, BGPQD81
ALLHF^BGPQD76     BGPQD3A, BGPQD712
TOBFOR^BGPQD76    BGPQDPA2
$$HIVDX^BGPQD8    BGPQD88
$$HIVDX1^BGPQD8   BGPQD812
$$HIVTEST^BGPQD8  BGPQD24A
IE2^BGPQD8        BGPQDPA2
$$VAPI^BGPQD81    BGPQD711, BGPQD721, BGPQD731, BGPQD75, BGPQD82, BGPQD863
                        BGPQD91
$$ART^BGPQD811    BGPQD8
$$PCR^BGPQD811    BGPQD8
$$CD4^BGPQD812    BGPQD8
$$HIVTEST1^BGPQD812 BGPQD8
$$CLASS^BGPQD82   BGPQD863
$$DAYS^BGPQD82    BGPQD21, BGPQD214, BGPQD52, BGPQD721, BGPQD722, BGPQD723
                        BGPQD732, BGPQD863
PHYACT^BGPQD84    BGPQD8
$$CD4RES^BGPQD841 BGPQD8
HEPC^BGPQD841     BGPQD84
$$TDAP^BGPQD86    BGPQD85
$$FIRSTHTN^BGPQD9 BGPQD21
$$LASTBP^BGPQD9   BGPQDPA2
$$MHHTN^BGPQD9    BGPQDPA2
$$V1HTN^BGPQD9    BGPQD21
^BGPQDADB         |opt
^BGPQDAP          |opt
^BGPQDAR          |opt
SUMONLY^BGPQDAR   |opt
^BGPQDBPR         BGPQDP
AREA^BGPQDBPR     BGPQPARP
PRINTN^BGPQDBPR   BGPQDP
CALCIND^BGPQDCEI  BGPQD1
CALCIND^BGPQDCI   BGPQD1, BGPQD10
^BGPQDCL         |opt

```



```

$$LAST^BGPQDCLP      BGPQDCLD
CPPL1^BGPQDCLP      BGPQDP
^BGPQDEL             |opt
^BGPQDELP           BGPQDEL
PRINT1^BGPQDELP     BGPQPHEL
EN^BGPQDESI         BGPQDEL
EN^BGPQDESL         BGPQDEL
PT^BGPQDESL         BGPQDEL,BGPQDELA
RT^BGPQDESL         BGPQDEL
^BGPQDGP           |opt

```

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 01, 2020@10:19:35 page 171

```

Routine              is Invoked by:
^BGPQDGPU            |opt
ENDDATE^BGPQDGPU    BGPQDADB,BGPQDAP,BGPQDAR,BGPQDL,BGPQDNDB,BGPQDPP
                    BGPQUTL3
^BGPQDH              BGPQDBPR,BGPQDP
$$CTR^BGPQDH        BGPQDH1,BGPQELHH
$$USR^BGPQDH        BGPQDH1
AREACP^BGPQDH       BGPQDBPR,BGPQPARP,BGPQPARQ
ENDTIME^BGPQDH      BGPQDH1
EOP^BGPQDH          BGPQLSTF,BGPQULF
HDR^BGPQDH          BGPQDH1,BGPQDH2
MD^BGPQDH           BGPQDH1
PD^BGPQDH           BGPQDH1
SENS^BGPQDH         BGPQDH1,BGPQDPAP,BGPQDPAW,BGPQELH
AHDR^BGPQDH1        BGPQDH,BGPQDH2
ALLHDR^BGPQDH1      BGPQDH
AREACP^BGPQDH1      BGPQDBPR,BGPQDH
COMHDR^BGPQDH1      BGPQDH
GPRAHDRS^BGPQDH1   BGPQDH
GPUPPHDR^BGPQDH1   BGPQDH
PPHDR^BGPQDH1       BGPQDH
DASH^BGPQDH2        BGPQDH
DASHHDRA^BGPQDH2   BGPQDH1
GPRAHDRA^BGPQDH2   BGPQDH1
^BGPQDICR           |opt
^BGPQDL             |opt
CHKY^BGPQDL         BGPQUTL3
PI^BGPQDL           BGPQGALL,BGPQGCOP,BGPQGPP
CRS^BGPQDLT         |opt
ELDER^BGPQDLT       |opt
GPRA^BGPQDLT        |opt
IPC^BGPQDLT         |opt
CRS^BGPQDMT         |opt
ELDER^BGPQDMT       |opt
GPRA^BGPQDMT        |opt
IPC^BGPQDMT         |opt
^BGPQDNDB           |opt
PROC^BGPQDNE1       BGPQGNXP
^BGPQDNG            |opt
$$CTR^BGPQDNG       BGPQAUEX
^BGPQDNGP           |opt
^BGPQDNGS           |opt
^BGPQDP             BGPQDAP,BGPQDCL,BGPQDGPU,BGPQDL,BGPQDNDB,BGPQDNG
                    BGPQDNGP,BGPQDNGS,BGPQDPP,BGPQDSTM,BGPQNPL,BGPQPCD
PRINT1^BGPQDP       BGPQPARP,BGPQPARQ
SETEXCEL^BGPQDP     BGPQAU1A,BGPQPARP,BGPQPARQ
W^BGPQDP            BGPQDBPR,BGPQDCLP,BGPQDH,BGPQDH1,BGPQDH2,BGPQDP,BGPQDP1C
                    BGPQDP1H,BGPQDP1I,BGPQDP1J,BGPQDP1K,BGPQDP1L,BGPQDP1M
                    BGPQDP1N,BGPQDP1O,BGPQDP1S,BGPQDP1T,BGPQDPH,BGPQDS

```

BGPQDSP, BGPQDSPD, BGPQDSPN, BGPQDSPO, BGPQDSTM, BGPQELH BGPQELHH, BGPQNPLP	
***** Cross Reference of all Routines ***** Dec 01, 2020@10:19:35 page 172	
Routine	is Invoked by:
W^BGPQDP	BGPQPARP, BGPQPC, BGPQSDP, BGPQSDPD, BGPQSDPN, BGPQSDPO
WTITLE^BGPQDP	BGPQDS, BGPQNPLP
PI^BGPQDP1	BGPQDP2
I1AGE^BGPQDP11	BGPQDP1C
I1AGE^BGPQDP12	BGPQDP1
I1AGE^BGPQDP13	BGPQDP1
I1AGE^BGPQDP14	BGPQDP1
I1AGE^BGPQDP1A	BGPQDP1
\$\$\$B^BGPQDP1C	BGPQDP1E
\$\$V^BGPQDP1C	BGPQDBPR, BGPQDP11, BGPQDP12, BGPQDP13, BGPQDP14, BGPQDP19 BGPQDP1A, BGPQDP1C, BGPQDP1H, BGPQDP1L, BGPQDP1M, BGPQDP1N BGPQDP1O, BGPQDP1S, BGPQDP1T, BGPQDP2, BGPQDP3, BGPQDP4 BGPQDP5, BGPQDP50, BGPQDP51, BGPQDP6, BGPQDP60, BGPQDP7 BGPQDP8, BGPQDP19, BGPQDLP0 BGPQDLP1, BGPQDLP2, BGPQDLP3, BGPQDLP4, BGPQDLP5, BGPQDLP7 BGPQDLP8, BGPQDLP9, BGPQDPLA, BGPQDPLB, BGPQDPLE, BGPQDPLL BGPQDPLT, BGPQDPDA, BGPQDPDB
GPRANT1^BGPQDP1C	BGPQDP19, BGPQDP19
I1AGE^BGPQDP1C	BGPQDP1
PI^BGPQDP1C	BGPQDP1, BGPQDP10, BGPQDP3, BGPQDP4, BGPQDP5, BGPQDP6
PI1^BGPQDP1C	BGPQDP4, BGPQDP5
SETEXA^BGPQDP1C	BGPQDP19, BGPQDP1H, BGPQDP1T, BGPQDP2, BGPQDP3, BGPQDP7 BGPQDLP19, BGPQDLP1, BGPQDLP2, BGPQDLP3
SETN^BGPQDP1C	BGPQDP2, BGPQDP3, BGPQDP7, BGPQDLP1, BGPQDLP2, BGPQDLP3
SETN1^BGPQDP1C	BGPQDP1H, BGPQDP1T
GPRANT3^BGPQDP1D	BGPQDP1C
\$\$CHECK^BGPQDP1E	BGPQDP1C, BGPQDP2, BGPQDP3, BGPQDLP1, BGPQDLP2, BGPQDLP3
SETDEV^BGPQDP1E	BGPQDP1C
DEVEL3^BGPQDP1G	BGPQDP1D
AH^BGPQDP1H	BGPQDP1I, BGPQDP1K
BL^BGPQDP1I	BGPQDP1J
PR^BGPQDP1I	BGPQDP1J
SNDPG^BGPQDP1I	BGPQDP1H
I1AGEP^BGPQDP1J	BGPQDP1H
BL^BGPQDP1K	BGPQDP1I
^BGPQDP1L	BGPQDP1, BGPQDLP1
^BGPQDP1O	BGPQDP1, BGPQDLP1
^BGPQDP1S	BGPQDP1, BGPQDLP1
^BGPQDP1T	BGPQDP1S
PI^BGPQDP2	BGPQDP1
PI1^BGPQDP2	BGPQDP1C
SETSUM^BGPQDP2	BGPQDLP2
I1AGEP^BGPQDP50	BGPQDP5, BGPQDP51
I1AGEP^BGPQDP60	BGPQDP6
I1AGE^BGPQDP8	BGPQDP1
^BGPQDPA	opt
COVPAGE^BGPQDPA	opt
PROC^BGPQDPA	BGPQDPA, BGPQGFOR
***** Cross Reference of all Routines ***** Dec 01, 2020@10:19:35 page 173	
Routine	is Invoked by:
\$\$TITLE^BGPQDPA1	BGPQDPA4
\$\$TITLE2^BGPQDPA1	BGPQDPA1
ISS^BGPQDPA1	BGPQD1
\$\$TITLE^BGPQDPA2	BGPQDPA4

```

$$DENTSRVD^BGPQDPA4 BGPQDPA1
$$EYE^BGPQDPA4 BGPQDPA1
PRINT^BGPQDPAW BGPQDPA
H1^BGPQDPH BGPQDP1,BGPQDP1C,BGPQDP10,BGPQDP2,BGPQDP4,BGPQDP5
BGPQDP6,BGPQELP1
H10^BGPQDPH BGPQDP14
H2^BGPQDPH BGPQDP1C,BGPQELP1
H3^BGPQDPH BGPQDP11
H4^BGPQDPH BGPQDP12,BGPQDP13,BGPQDP1A
H9^BGPQDPH BGPQDP19
HEADER^BGPQDPH BGPQDBPR,BGPQDELP,BGPQDP,BGPQDP1,BGPQDP11,BGPQDP12
BGPQDP13,BGPQDP14,BGPQDP19,BGPQDP1A,BGPQDP1C,BGPQDP1H
BGPQDP1I,BGPQDP1J,BGPQDP1K,BGPQDP1L,BGPQDP1M,BGPQDP1N
BGPQDP1O,BGPQDP1S,BGPQDP1T,BGPQDP2,BGPQDP3,BGPQDP4
BGPQDP5,BGPQDP50,BGPQDP51
BGPQDP6,BGPQDP60,BGPQDP8,BGPQDS,BGPQDSP,BGPQDSPD
BGPQDSPN,BGPQDSPO,BGPQDSTM,BGPQEL10,BGPQEL11,BGPQEL12
BGPQEL13,BGPQEL14,BGPQEL15,BGPQEL16,BGPQEL17,BGPQEL18
BGPQEL19,BGPQEL1A,BGPQEL1B,BGPQEL1C,BGPQEL1D,BGPQEL1E
BGPQEL1F,BGPQEL1G,BGPQEL1H
BGPQEL1I,BGPQEL1J,BGPQEL1K,BGPQEL1L,BGPQEL1M,BGPQEL1N
BGPQEL1O,BGPQEL1P,BGPQEL1Q,BGPQEL1R,BGPQEL1S,BGPQEL1T
BGPQELP1,BGPQELS,BGPQDLT,BGPQSDP,BGPQSDPD,BGPQSDPN
BGPQSDPO
HPA^BGPQDPH BGPQDLT
^BGPQDPP |opt
^BGPQDS BGPQDP
EN^BGPQDSI BGPQDAP,BGPQDL,BGPQDPP,BGPQDSTM,BGPQNPL
EN^BGPQDSL BGPQDAP,BGPQDL,BGPQDPP
PT^BGPQDSL BGPQDADB,BGPQDAP,BGPQDAR,BGPQDCL,BGPQDGPA,BGPQDGPU
BGPQDL,BGPQDNDB,BGPQDNG,BGPQDNGP,BGPQDNGS,BGPQDPP
BGPQDSTM,BGPQNPL,BGPQPCD
RT^BGPQDSL BGPQDAP,BGPQDCL,BGPQDL,BGPQDPP,BGPQDSTM,BGPQNPL
TEXT^BGPQDSL BGPQDAP,BGPQDAR,BGPQDCL,BGPQDEL,BGPQDELA,BGPQDGPA
BGPQDGPU,BGPQDL,BGPQDNG,BGPQDNGP,BGPQDPP,BGPQNPL,BGPQPCD
^BGPQDSP BGPQDP
^BGPQDSPD BGPQDP
^BGPQDSPN BGPQDP
^BGPQDSTM |opt
CT^BGPQDSTM BGPQDP
$$CPT^BGPQDU BGPQD2,BGPQD21,BGPQD211,BGPQD212,BGPQD213,BGPQD22
BGPQD25,BGPQD27,BGPQD3,BGPQD31,BGPQD37,BGPQD3A,BGPQD3C
BGPQD4,BGPQD52,BGPQD53,BGPQD62,BGPQD7,BGPQD711,BGPQD714
BGPQD74,BGPQD812,BGPQD83,BGPQD84,BGPQD841,BGPQD85
BGPQD861,BGPQD87,BGPQD88

```

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 01, 2020@10:19:35 page 174

```

Routine is Invoked by:
$$CPT^BGPQDU BGPQD9,BGPQDPA4,BGPQPC1,BGPQPC10,BGPQPC11,BGPQPC14
BGPQPC16,BGPQPC4,BGPQPC8,BGPQPC9
$$CPTI^BGPQDU BGPQC13,BGPQCON1,BGPQCU1,BGPQD2,BGPQD211,BGPQD214
BGPQD3A,BGPQD3B,BGPQD711,BGPQD721,BGPQD724,BGPQD73
BGPQD731,BGPQD732,BGPQD75,BGPQD811,BGPQD82,BGPQD841
BGPQD861,BGPQD864,BGPQD9,BGPQDPA4
$$IPLSNOID^BGPQDU BGPQD212,BGPQD54,BGPQD55,BGPQD7
$$IPLSNOND^BGPQDU BGPQCON1,BGPQD2,BGPQD211,BGPQD213,BGPQD21A,BGPQD22
BGPQD27,BGPQD3,BGPQD33,BGPQD35,BGPQD36,BGPQD37,BGPQD4
BGPQD62,BGPQD722,BGPQD724,BGPQD75,BGPQD811,BGPQEL2
BGPQPC10,BGPQPC12,BGPQPC13,BGPQPC16,BGPQPC2,BGPQPC6
BGPQPC62,BGPQPC64,BGPQPC65
BGPQPC67,BGPQPC68,BGPQPC69,BGPQPC8

```

\$\$LASTITEM^BGPQDU	BGPQD25, BGPQD3A, BGPQD4, BGPQPC1, BGPQPC11, BGPQPC14 BGPQPC15, BGPQUTL2
\$\$PL^BGPQDU	BGPQD212, BGPQD213, BGPQD9
\$\$PLSNONDR^BGPQDU	BGPQD1, BGPQD2, BGPQD841, BGPQEL2
\$\$PLTAXID^BGPQDU	BGPQD212, BGPQD54, BGPQD55
\$\$PLTAXND^BGPQDU	BGPQCON1, BGPQD2, BGPQD211, BGPQD213, BGPQD21A, BGPQD22 BGPQD27, BGPQD3, BGPQD33, BGPQD35, BGPQD36, BGPQD37, BGPQD4 BGPQD62, BGPQD722, BGPQD724, BGPQD73, BGPQD75, BGPQD811 BGPQEL2, BGPQPC10, BGPQPC12, BGPQPC13, BGPQPC16, BGPQPC2 BGPQPC6, BGPQPC62, BGPQPC64 BGPQPC65, BGPQPC67, BGPQPC68, BGPQPC69, BGPQPC8
\$\$PLTAXNDR^BGPQDU	BGPQD1, BGPQD2, BGPQD841, BGPQEL2
\$\$RAD^BGPQDU	BGPQD53
\$\$TRAN^BGPQDU	BGPQD2, BGPQD21, BGPQD211, BGPQD22, BGPQD3, BGPQD31, BGPQD37 BGPQD3C, BGPQD4, BGPQD53, BGPQD62, BGPQD714, BGPQD812, BGPQD83 BGPQD84, BGPQD841, BGPQD861, BGPQD88, BGPQDPA4, BGPQPC10 BGPQPC14, BGPQPC4, BGPQPC8, BGPQPC9
\$\$TRANI^BGPQDU	BGPQC13, BGPQCON1, BGPQCU1, BGPQD2, BGPQD211, BGPQD711 BGPQD721, BGPQD724, BGPQD73, BGPQD731, BGPQD732, BGPQD75 BGPQD811, BGPQD82, BGPQD861, BGPQD864, BGPQD9
\$\$WH^BGPQDU	BGPQD3, BGPQD4, BGPQPC8
ALLCPT^BGPQDU	BGPQD24, BGPQD31, BGPQPC8
PAUSE^BGPQDU	BGPQAUEx, BGPQAUL, BGPQDAP, BGPQDCL, BGPQDEL, BGPQDGPU BGPQDL, BGPQDNDB, BGPQDNG, BGPQDNGP, BGPQDNGS, BGPQDPA BGPQDPP, BGPQDSI, BGPQDSTM, BGPQNPL, BGPQPCD
I1AGE^BGPQEL10	BGPQELP1
I1AGE^BGPQEL11	BGPQELP1
H3^BGPQEL12	BGPQEL13
I1AGE^BGPQEL12	BGPQELP1
I1AGE^BGPQEL13	BGPQELP1
I1AGE^BGPQEL15	BGPQELP1
I1AGE^BGPQEL16	BGPQELP1
I1AGE^BGPQEL17	BGPQELP1
I1AGE^BGPQEL18	BGPQELP1
I1AGE^BGPQEL19	BGPQELP1

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 01, 2020@10:19:35 page 175

Routine	is Invoked by:
I1AGE^BGPQEL1A	BGPQELP1
I1AGE^BGPQEL1B	BGPQELP1
I1AGE^BGPQEL1C	BGPQELP1
I1AGE^BGPQEL1D	BGPQELP1
I1AGE^BGPQEL1E	BGPQELP1
I1AGE^BGPQEL1F	BGPQELP1
I1AGE^BGPQEL1G	BGPQELP1
I1AGE^BGPQEL1H	BGPQELP1
I1AGE^BGPQEL1I	BGPQELP1
I1AGE^BGPQEL1J	BGPQELP1
I1AGE^BGPQEL1K	BGPQELP1
IELDPHA^BGPQEL1L	BGPQELP1
I1AGE^BGPQEL1M	BGPQELP1
I1AGE^BGPQEL1N	BGPQELP1
I1AGE^BGPQEL1O	BGPQELP1
H3^BGPQEL1P	BGPQEL1Q, BGPQEL1R
I1AGE^BGPQEL1P	BGPQELP1
^BGPQEL1Q	BGPQEL1P
^BGPQEL1R	BGPQEL1Q
^BGPQEL1T	BGPQELP1
IELDASA^BGPQEL31	BGPQEL3
IELDFSA^BGPQEL31	BGPQEL3
IELDPHA^BGPQEL31	BGPQEL3

```

$$FUNCTION^BGPQEL4  BGPQEL31
$$PHNV^BGPQEL4     BGPQEL31
^BGPQELH           BGPQDELP
AREACP^BGPQELH     BGPQPHEL
^BGPQELHH          BGPQELL
^BGPQELL           BGPQDELP, BGPQPHEL
SETN^BGPQELL1      BGPQELLN
$$$SB^BGPQELL2     BGPQELL1, BGPQELL4, BGPQELL5, BGPQELL6, BGPQELL7, BGPQELL8
                    BGPQELL9, BGPQELLA, BGPQELLB, BGPQELLC, BGPQELLD, BGPQELLE
                    BGPQELLF, BGPQELLG, BGPQEL LH, BGPQEL LI, BGPQEL LJ, BGPQEL LK
                    BGPQEL LL, BGPQEL LM, BGPQEL LN, BGPQEL LO, BGPQEL LP, BGPQEL LQ
                    BGPQEL LR, BGPQEL LS
                    BGPQEL LT, BGPQEL LU, BGPQEL LV, BGPQEL LW, BGPQEL LX, BGPQEL LY
H2^BGPQELL2        BGPQELL1
H3^BGPQELL2        BGPQELL3, BGPQELL4, BGPQELL5, BGPQELL6, BGPQELL7, BGPQELL8
                    BGPQELL9, BGPQELLA, BGPQEL LB, BGPQEL LC, BGPQEL LD, BGPQEL LE
                    BGPQEL LF, BGPQEL LG, BGPQEL LI, BGPQEL LJ, BGPQEL LK, BGPQEL LL
                    BGPQEL LM, BGPQEL LP, BGPQEL LW
I1AGE^BGPQELL2     BGPQELL1
I1AGE^BGPQELL3     BGPQELL1
I1AGE^BGPQELL4     BGPQELL1
I1AGE^BGPQELL6     BGPQELL1
I1AGE^BGPQELL7     BGPQELL1
I1AGE^BGPQELL8     BGPQELL1
I1AGE^BGPQELL9     BGPQELL1
    
```

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 01, 2020@10:19:35 page 176

```

Routine           is Invoked by:
I1AGE^BGPQELLA    BGPQELL1
I1AGE^BGPQELLB    BGPQELL1
I1AGE^BGPQELLC    BGPQELL1
I1AGE^BGPQELLD    BGPQELL1
I1AGE^BGPQELLE    BGPQELL1
I1AGE^BGPQELLF    BGPQELL1
I1AGE^BGPQELLG    BGPQELL1
I1AGE^BGPQEL LH   BGPQELL1
I1AGE^BGPQEL LI   BGPQELL1
I1AGE^BGPQEL LJ   BGPQELL1
I1AGE^BGPQEL LK   BGPQELL1
I1AGE^BGPQEL LL   BGPQELL1
I1AGE^BGPQEL LM   BGPQELL1
IELDPHA^BGPQEL LN BGPQELL1
I1AGE^BGPQEL LO   BGPQELL1
I1AGE^BGPQEL LP   BGPQELL1
I1AGEP^BGPQEL LQ  BGPQELL3
I1AGE^BGPQEL LR   BGPQELL1
I1AGE^BGPQEL LS   BGPQELL1
I1AGEP^BGPQEL LT  BGPQEL LS
^BGPQEL LU        BGPQEL LT
BL^BGPQEL LV      BGPQEL LJ
I1AGE^BGPQEL LX   BGPQELL1
I1AGEP^BGPQEL LY  BGPQELLE
SETN^BGPQEL P1    BGPQEL 1L
^BGPQELS          BGPQDELP
^BGPQELS L        BGPQELL
GETIEN^BGPQEUTL   BGPQGUPL
REPORT^BGPQEUTL   BGPQDEL, BGPQELD
STMP^BGPQEUTL     BGPQDCEI
EP^BGPQGADB       BGPQGRB
EP^BGPQGAG9       BGPQGRA
EP^BGPQGAGP       BGPQGRA
    
```

```

EP^BGPQGAGS      BGPQGRA
EP^BGPQGALL      BGPQGR
EP^BGPQGAPU      BGPQGRA
EP^BGPQGCMP      BGPQGR2
EP^BGPQGCOM      BGPQGR
EP^BGPQGDSDH     BGPQGR2
EP^BGPQGEELD     BGPQGR1
EP^BGPQGFO9      BGPQGRB
EP^BGPQGFOR      BGPQGRB
EP^BGPQGGPU      BGPQGR
EP^BGPQGLST      BGPQGU
EP^BGPQGLTX      BGPQGU
EP^BGPQGMTX      BGPQGU
EP^BGPQGMUE      BGPQGM
EP^BGPQGMUH      BGPQGM
    
```

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 01, 2020@10:19:35 page 177

```

Routine          is Invoked by:
EP^BGPQGNPL      BGPQGR,BGPQGRA
EP^BGPQGNST      BGPQGR
EP^BGPQGNT9      BGPQGR1
EP^BGPQGNTL      BGPQGR
EP^BGPQGNTP      BGPQGR1
EPSUM^BGPQGNSTS  BGPQGR1
EP^BGPQGGPP      BGPQGR
CATSTR^BGPQGR    BGPQGI PC, BGPQGR1, BGPQGRA
ELD^BGPQGR1      BGPQGR
CATSTR^BGPQGU    BGPQGRB
$$CHKFQT^BGPQGUA BGPQGU
UFLOG^BGPQGUA   BGPQGADB, BGPQGAEL, BGPQGAG9, BGPQGAGP, BGPQGAGS, BGPQGAHE
                    BGPQGALL, BGPQGAPU, BGPQGCMP, BGPQGCOM, BGPQGDSDH, BGPQGEELD
                    BGPQGFO9, BGPQGFOR, BGPQGGPU, BGPQGI PC, BGPQGLHW, BGPQGLST
                    BGPQGLTX, BGPQGMTX, BGPQGMUE, BGPQGMUH, BGPQGNPL, BGPQGNST
                    BGPQGNT9, BGPQGNTL
                    BGPQGNTP, BGPQGNSTS, BGPQGNXP, BGPQGGPP
EP^BGPQGUPL      BGPQGU
^BGPQLSTF        | opt
^BGPQNPL         | opt
NPL1^BGPQNPLP    BGPQDP
PRINT^BGPQPARP   BGPQAU1A, BGPQDADB, BGPQDAR, BGPQDGPA
^BGPQPC1         BGPQGI PC, BGPQPCD
$$PALLCARE^BGPQPC13 BGPQPC14
$$PREG^BGPQPC16  BGPQPC15
$$FRAILITY^BGPQPC2 BGPQPC10, BGPQPC16, BGPQPC9
$$FRAILITY2^BGPQPC2 BGPQPC10, BGPQPC16, BGPQPC9
$$FTOF^BGPQPC2  BGPQPC15
$$HOSPIND^BGPQPC2 BGPQPC10, BGPQPC15, BGPQPC16, BGPQPC6, BGPQPC8, BGPQPC9
$$LONGTERM^BGPQPC2 BGPQPC10, BGPQPC16, BGPQPC9
$$IPV^BGPQPC61  BGPQPC6
$$MMR^BGPQPC62  BGPQPC6
$$HIB^BGPQPC63  BGPQPC6
$$HEPB^BGPQPC64 BGPQPC6
$$DIS^BGPQPC65  BGPQPC62
$$HIV^BGPQPC65  BGPQPC62
$$MNLHT^BGPQPC65 BGPQPC62
$$VZV^BGPQPC65  BGPQPC6
$$PNEUMO^BGPQPC66 BGPQPC6
$$HEPA^BGPQPC67 BGPQPC6
$$ROTA^BGPQPC68 BGPQPC6
$$FLU^BGPQPC69  BGPQPC6
CALCIND^BGPQPCCI BGPQPC1
    
```

```

^BGPQPCD          |opt
EN^BGPQPCSI      BGPQPCD
EN^BGPQPCSL      BGPQPCD
RT^BGPQPCSL      BGPQPCD
^BGPQPCTX        |opt
    
```

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 01, 2020@10:19:35 page 178

```

Routine           is Invoked by:
TAXCHK^BGPQPCTX  BGPQPCD
JRNL^BGPQPCUT    BGPQPC1
I1AGE^BGPQPD19   BGPQPDL1
ALLHDR^BGPQPDH1  BGPQPDLH
COMHDR^BGPQPDH1  BGPQPDLH
DENOMHDR^BGPQPDH1 BGPQPDLH
GPRAHDRS^BGPQPDH1 BGPQPDLH
PPHDR^BGPQPDH1  BGPQPDLH
HEADER^BGPQPDL   BGPQPDL, BGPQPDLN, BGPQPDL0
SAVEDEL^BGPQPDL  BGPQDBPR, BGPQDP, BGPQPARP, BGPQPARQ
$$$B^BGPQPDL1    BGPQD6, BGPQEL3
H1^BGPQPDL1      BGPQDP10, BGPQPDL0, BGPQPDL2, BGPQPDL3, BGPQPDL4, BGPQPDL7
PI^BGPQPDL1      BGPQDP10, BGPQPDL0, BGPQPDL2, BGPQPDL3, BGPQPDL4, BGPQPDL7
PI1^BGPQPDL1     BGPQPDL4, BGPQPDL7
SETN^BGPQPDL1    BGPQPDL0
PI^BGPQPDL2      BGPQPDL1
PI1^BGPQPDL2     BGPQPDL1
PTED2^BGPQPDL2  BGPQPDL1
PTED3^BGPQPDL2  BGPQPDL1
I1AGEP^BGPQPDL5  BGPQPDL0
I1AGEP^BGPQPDL8  BGPQPDL7
I1AGE^BGPQPDL9   BGPQPDL1
I1AGE^BGPQPDLA   BGPQPDL1
I1AGE^BGPQPDLB   BGPQPDL1
I1AGE^BGPQPDL E  BGPQPDL1
^BGPQPDL L       BGPQPDL1
I1AGE^BGPQPDL T  BGPQDP1
I1AGE^BGPQPDL P A BGPQPDL1
I1AGE^BGPQPDL P B BGPQPDL1
PRINT^BGPQPHEL   BGPQDELA
DRUGS^BGPQPOS1   BGPQPOS
LAB^BGPQPOS1     BGPQPOS
PRE^BGPQPOS2     BGPQPOS
ACEI^BGPQREF1    BGPQREF
ARB^BGPQREF1     BGPQREF
ASA^BGPQREF1     BGPQREF
BETA^BGPQREF1    BGPQREF
STATIN^BGPQREF1  BGPQREF
^BGPQSDP         BGPQDP
^BGPQSDPD        BGPQDP
^BGPQSDPN        BGPQDP
^BGPQULF         |opt
$$D^BGPQUTL      BGPQAU1A, BGPQDAR, BGPQDNE1, BGPQGAG9, BGPQGAGP, BGPQGLHW
BGPQGNXP
$$DATE^BGPQUTL   BGPQALG1, BGPQALG2, BGPQASL, BGPQASL1, BGPQC11, BGPQC13
BGPQCON1, BGPQCU, BGPQCU1, BGPQD2, BGPQD21, BGPQD211, BGPQD212
BGPQD213, BGPQD214, BGPQD22, BGPQD24, BGPQD24A, BGPQD25
BGPQD27, BGPQD28, BGPQD3, BGPQD31, BGPQD39, BGPQD3A, BGPQD3B
BGPQD4, BGPQD5, BGPQD51
    
```

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 01, 2020@10:19:35 page 179

```

Routine           is Invoked by:
    
```

\$\$DATE^BGPQUTL	BGPQD52, BGPQD53, BGPQD54, BGPQD55, BGPQD5A, BGPQD6, BGPQD62 BGPQD7, BGPQD71, BGPQD712, BGPQD713, BGPQD714, BGPQD715 BGPQD72, BGPQD721, BGPQD722, BGPQD723, BGPQD724, BGPQD73 BGPQD731, BGPQD732, BGPQD74, BGPQD75, BGPQD76, BGPQD8, BGPQD81 BGPQD811, BGPQD812 BGPQD82, BGPQD83, BGPQD84, BGPQD841, BGPQD85, BGPQD862 BGPQD87, BGPQD88, BGPQD89, BGPQD9, BGPQD91, BGPQDCLP, BGPQDP BGPQDPA1, BGPQDPA2, BGPQDPA4, BGPQDPAP, BGPQDPAW, BGPQDS BGPQEL2, BGPQEL3, BGPQEL31, BGPQEL4, BGPQELS, BGPQNPLP BGPQPC1, BGPQPC10, BGPQPC11 BGPQPC12, BGPQPC13, BGPQPC14, BGPQPC15, BGPQPC16, BGPQPC17 BGPQPC2, BGPQPC3, BGPQPC4, BGPQPC5, BGPQPC6, BGPQPC8, BGPQPC9 BGPQREF1, BGPQUTL2
\$\$EDT^BGPQUTL	BGPQDNE1, BGPQDS, BGPQELSL, BGPQNPLP
\$\$LZERO^BGPQUTL	BGPQAU1A, BGPQAUEx, BGPQDAR, BGPQDNE1, BGPQGAG9, BGPQGAGP
\$\$MD^BGPQUTL	BGPQD212, BGPQD213, BGPQD3, BGPQD3B, BGPQD4, BGPQD62, BGPQDPA1 BGPQEL2
\$\$RZERO^BGPQUTL	BGPQAU1A, BGPQD2, BGPQDAR, BGPQGAG9, BGPQGAGP, BGPQGLHW BGPQPC2
GETIEN^BGPQUTL	BGPQAUUL, BGPQGUPL, BGPQULF
GNT1^BGPQUTL	BGPQAU1A, BGPQDAR, BGPQGAG9, BGPQGAGP, BGPQGAGS
GS^BGPQUTL	BGPQAUEx, BGPQDGPU, BGPQDNG, BGPQGGPU, BGPQGNT9, BGPQGNTL
JRNL^BGPQUTL	BGPQD1, BGPQD10, BGPQDNE1, BGPQDPA, BGPQDPAP
REPORT^BGPQUTL	BGPQAUEx, BGPQDAP, BGPQDCL, BGPQDGPU, BGPQDL, BGPQDNDB BGPQDNG, BGPQDNGP, BGPQDNGS, BGPQDPP, BGPQDSTM, BGPQGALL BGPQGCMP, BGPQGCOM, BGPQGDSh, BGPQGGPU, BGPQGIPC, BGPQGLHW BGPQGNPL, BGPQGNST, BGPQGNT9, BGPQGNTL, BGPQGNTF, BGPQGNtS BGPQGPP, BGPQNPL, BGPQPCD
STMP^BGPQUTL	BGPQDCI, BGPQPCCI
XTMP^BGPQUTL	BGPQD1, BGPQPC1
\$\$CPTREFT^BGPQUTL1	BGPQD24A, BGPQD3, BGPQD31, BGPQD34, BGPQD35, BGPQD37, BGPQD38 BGPQD3B, BGPQD3C, BGPQD4, BGPQD53, BGPQD62
\$\$FIRSTCPT^BGPQUTL1	BGPQD3C, BGPQD841
\$\$FIRSTPRC^BGPQUTL1	BGPQD3C
\$\$LABEL^BGPQUTL1	BGPQDP1C, BGPQDP2, BGPQDP3, BGPQDP7, BGPQPDL1, BGPQPDL2 BGPQPDL3
\$\$LABLEL^BGPQUTL1	BGPQEL1L, BGPQELL1, BGPQELLN, BGPQELP1
\$\$LASTDX^BGPQUTL1	BGPQALG1, BGPQCON1, BGPQCU1, BGPQD1, BGPQD10, BGPQD2, BGPQD21 BGPQD211, BGPQD22, BGPQD3, BGPQD36, BGPQD39, BGPQD3B, BGPQD4 BGPQD52, BGPQD53, BGPQD7, BGPQD721, BGPQD724, BGPQD73 BGPQD731, BGPQD74, BGPQD75, BGPQD9, BGPQDPA2, BGPQDPA4 BGPQEL2, BGPQPC1, BGPQPC12 BGPQPC13, BGPQPC14, BGPQPC16, BGPQPC2, BGPQPC6, BGPQPC62 BGPQPC64, BGPQPC65, BGPQPC67, BGPQPC68, BGPQPC69, BGPQPC8 BGPQPC9
\$\$LASTPRC^BGPQUTL1	BGPQD21, BGPQD211, BGPQD21A, BGPQD27, BGPQD3, BGPQD4, BGPQD5 BGPQD53, BGPQD55, BGPQD62, BGPQD714, BGPQD83, BGPQD84, BGPQD87 BGPQD88, BGPQDPA4, BGPQPC10, BGPQPC16, BGPQPC8, BGPQPC9
***** Cross Reference of all Routines ***** Dec 01, 2020@10:19:35 page 180	
Routine	is Invoked by:
\$\$NMIREF^BGPQUTL1	BGPQD31, BGPQD37, BGPQD3A, BGPQD3B, BGPQD3C
\$\$PRCREFT^BGPQUTL1	BGPQD62
\$\$RADREF^BGPQUTL1	BGPQD4, BGPQD62
\$\$REFUSAL^BGPQUTL1	BGPQD213, BGPQD24A, BGPQD25, BGPQD3, BGPQD5, BGPQD53, BGPQD6 BGPQD62, BGPQD74, BGPQDPA4
\$\$CHKDST^BGPQUTL2	BGPQGUA
\$\$CODEN^BGPQUTL2	BGPQD51, BGPQPC11, BGPQPC12, BGPQPC13, BGPQUTL1
\$\$DEMOCHK^BGPQUTL2	BGPQAUEx, BGPQDAP, BGPQDCL, BGPQDEL, BGPQDGPU, BGPQDL BGPQDNDB, BGPQDNG, BGPQDNGP, BGPQDNGS, BGPQDPA, BGPQDPP BGPQDSTM, BGPQNPL, BGPQPCD



\$\$\$EDD^BGPQUTL2	BGPQD3B
\$\$GETDEDIR^BGPQUTL2	BGPQDH, BGPQDH1, BGPQDSL, BGPQELH, BGPQELHH, BGPQPCH, BGPQPD LH
\$\$GETDIR^BGPQUTL2	BGPQAUEx, BGPQDADB, BGPQDAR, BGPQDEL, BGPQDGPU, BGPQDL BGPQDNDB, BGPQDNG, BGPQGAGP, BGPQGAGS, BGPQGELD, BGPQGF09 BGPQGF0R, BGPQGLHW, BGPQGNT9, BGPQGNTL, BGPQGNTTP, BGPQGNTS BGPQGNXP, BGPQNPL
\$\$ICD^BGPQUTL2	BGPQALG1, BGPQALG2, BGPQC11, BGPQC13, BGPQCU1, BGPQD1, BGPQD10 BGPQD212, BGPQD213, BGPQD21A, BGPQD22, BGPQD24, BGPQD24A BGPQD25, BGPQD27, BGPQD31, BGPQD35, BGPQD37, BGPQD38, BGPQD3A BGPQD3C, BGPQD4, BGPQD5, BGPQD51, BGPQD52, BGPQD53, BGPQD55 BGPQD5A, BGPQD6 BGPQD7, BGPQD711, BGPQD713, BGPQD714, BGPQD715, BGPQD72 BGPQD722, BGPQD723, BGPQD729, BGPQD731, BGPQD732, BGPQD74 BGPQD75, BGPQD8, BGPQD81, BGPQD812, BGPQD82, BGPQD83, BGPQD84 BGPQD87, BGPQD88, BGPQD9, BGPQD91, BGPQDPA2, BGPQDU, BGPQPC11 BGPQPC12, BGPQPC13 BGPQPC14, BGPQPC15, BGPQPC16, BGPQPC4, BGPQPC6, BGPQPC61 BGPQPC62, BGPQPC63, BGPQPC64, BGPQPC65, BGPQPC66, BGPQPC67 BGPQPC68, BGPQPC69, BGPQPC7, BGPQPC9, BGPQUTL1, BGPQUTL2
\$\$ICDDX^BGPQUTL2	BGPQALG1, BGPQALG2, BGPQC11, BGPQC13, BGPQCU1, BGPQD213 BGPQD25, BGPQD41, BGPQD5, BGPQD52, BGPQD5A, BGPQD6, BGPQD7 BGPQD711, BGPQD72, BGPQD722, BGPQD723, BGPQD732, BGPQD74 BGPQD82, BGPQD83, BGPQD84, BGPQDPA2, BGPQPC12, BGPQUTL1 BGPQUTL2
\$\$ICDOP^BGPQUTL2	BGPQUTL1
\$\$LASTDXSN^BGPQUTL2	BGPQD729, BGPQDU
\$\$RCIS^BGPQUTL2	BGPQD87
GETMEDS^BGPQUTL2	BGPQCON1, BGPQD21, BGPQD214, BGPQD22, BGPQD36, BGPQD39 BGPQD53, BGPQD711, BGPQD721, BGPQD722, BGPQD723, BGPQD731 BGPQD732, BGPQD74, BGPQD75, BGPQD81, BGPQD811, BGPQD82 BGPQD83, BGPQD84, BGPQD863, BGPQD864, BGPQD87, BGPQD89 BGPQDPA4, BGPQPC12, BGPQPC14, BGPQPC17 BGPQPC2
UNFOLDTX^BGPQUTL2	BGPQD1, BGPQD10, BGPQDPA, BGPQPC1
AGEDATE^BGPQUTL3	BGPQD32
TESTDR^BGPQUTL3	BGPQDNG, BGPQDNGP, BGPQDN GS
GNT3^BGPQUTLC	BGPQUTL
^BGPQXTCH	opt

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 01, 2020@10:19:35 page 181

Routine	is Invoked by:
TAXCHK^BGPQXTCH	BGPQDAP, BGPQDL, BGPQDPP, BGPQXTCH
^BGPQXTCN	opt
TAXCHK^BGPQXTCN	BGPQDCL, BGPQDGPU, BGPQDNDB, BGPQDNG, BGPQDNGP, BGPQDN GS BGPQDPA, BGPQDSTM, BGPQNPL
^BGPQXTEL	opt
TAXCHK^BGPQXTEL	BGPQDEL
EP^BGPQXTL	BGPQXTS
^BGPQXTV	opt
INIT^BGPQXTV	BGPQGU
EP^BGPQXTV1	BGPQCTS, BGPQXTV
GUIR^BGPXB LM	BGPQGADB, BGPQGAEL, BGPQGAG9, BGPQGAGP, BGPQGAGS, BGPQGAHE BGPQGALL, BGPQGAPU, BGPQGCMP, BGPQGCOM, BGPQGDSH, BGPQGELD BGPQGF09, BGPQGF0R, BGPQGGPU, BGPQGI PC, BGPQGLHW, BGPQGLTX BGPQGMTX, BGPQGMUE, BGPQGMUH, BGPQGNPL, BGPQGNST, BGPQGNT9 BGPQGNTL, BGPQGNTP BGPQGNTS, BGPQGNXP, BGPQGPP, BGPQGU
GUIEP^BMXPO	BGPQPOS
LIST^BSDAPI2	BGPQDPA
\$\$\$SUBLST^BSTSAPI	BGPQUTL2
SUBLST^BSTSAPI	BGPQUTL2

EN^DDIOL	BGPQAU1A, BGPQAU1D, BGPQAU1M, BGPQAU1R, BGPQAU1EX, BGPQAUUL BGPQAUUP, BGPQUTL2
NOTICE^DGSEC4	BGPQGUA
OWNREC^DGSEC4	BGPQGUA
SENS^DGSEC4	BGPQGUA
^DIC	BGPQAU1EX, BGPQCTL, BGPQDAP, BGPQDCL, BGPQDEL, BGPQDGPU, BGPQDL BGPQDNDB, BGPQDNE1, BGPQDNG, BGPQDNGP, BGPQDNGS, BGPQDPA BGPQDPAP, BGPQDPP, BGPQDSTM, BGPQETL, BGPQEUTL, BGPQGNXP BGPQNPL, BGPQPCD, BGPQPCTL, BGPQPCUT, BGPQPOS, BGPQPOS1 BGPQUTL, BGPQXTL,  dd90241.0111  dd90241.02
IX^DIC	BGPQPOS
FILE^DICN	BGPQAU1R, BGPQAU1EX, BGPQAUUL, BGPQAUUP, BGPQCTL, BGPQDPA BGPQDPAP, BGPQETL, BGPQGADB, BGPQGAEL, BGPQGAG9, BGPQGAGP BGPQGAGS, BGPQGAHE, BGPQGALL, BGPQGAPU, BGPQGCOMP, BGPQGCOM BGPQGDSH, BGPQGELED, BGPQGFO9, BGPQGFOR, BGPQGGPU, BGPQGIPC BGPQGLHW, BGPQGLST BGPQGLTX, BGPQGMTX, BGPQGMUE, BGPQGMUH, BGPQGNPL, BGPQGNST BGPQGNTP, BGPQGNL, BGPQGNTP, BGPQGNL, BGPQGNL, BGPQGNL BGPQGRB, BGPQGUPL, BGPQPCTL, BGPQULF, BGPQXTL
^DICR	dd90245.09
^DIE	BGPQAU1R, BGPQAU1EX, BGPQAUUL, BGPQAUUP, BGPQCTL, BGPQDPA BGPQDPAP, BGPQDSTM, BGPQETL, BGPQGADB, BGPQGAEL, BGPQGAG9 BGPQGAGP, BGPQGAGS, BGPQGAHE, BGPQGALL, BGPQGAPU, BGPQGCOMP BGPQGCOM, BGPQGDSH, BGPQGELED, BGPQGFO9, BGPQGFOR, BGPQGGPU BGPQGIPC, BGPQGLHW BGPQGLST, BGPQGLTX, BGPQGMTX, BGPQGMUE, BGPQGMUH, BGPQGNPL BGPQGNST, BGPQGNTP, BGPQGNL, BGPQGNTP, BGPQGNL, BGPQGNL BGPQGNL, BGPQGNL, BGPQGNL, BGPQGNL, BGPQGNL, BGPQGNL

\*\*\*\*\* Cross Reference of all Routines \*\*\*\*\* Dec 01, 2020@10:19:35 page 182

Routine	is Invoked by:
FILE^DIE	BGPQGU
UPDATE^DIE	BGPQGU, BGPTGE
^DIK	BGPQAUUL, BGPQAUUP, BGPQDAP, BGPQDCL, BGPQDEL, BGPQDGPU BGPQDL, BGPQDNDB, BGPQDNE1, BGPQDNG, BGPQDNGP, BGPQDNGS BGPQDPA, BGPQDPP, BGPQDSTM, BGPQGU, BGPQGUA, BGPQGUPL, BGPQNPL BGPQPCD, BGPQPOS, BGPQPOS1, BGPQPOS2, BGPQULF, BGPTGE
IX1^DIK	BGPQAUUL, BGPQD1, BGPQD10, BGPQDPA, BGPQDPAP, BGPQDSTM BGPQGUPL, BGPQPOS, BGPQPOS1, BGPQULF
^DIM	dd90241.551101,  dd90565.01,  dd90565.02,  dd90565.06  dd90565.22,  dd90565.26
\$\$GET1^DIQ	BGPQD81, BGPQGU, BGPQGUA, BGPQPOS1, BGPQUTL2, BGPTGE
^DIR	BGPQASL, BGPQAU1R, BGPQAU1EX, BGPQAUUL, BGPQAUUP, BGPQCTL BGPQCTS, BGPQCU, BGPQDADB, BGPQDAP, BGPQDAR, BGPQDBPR, BGPQDCL BGPQDCLP, BGPQDEL, BGPQDELA, BGPQDELP, BGPQDESI, BGPQDESL BGPQDGPA, BGPQDGPU, BGPQDH, BGPQDH1, BGPQDHS, BGPQDICR BGPQDL, BGPQDLT, BGPQDMT BGPQDNDB, BGPQDNE1, BGPQDNG, BGPQDNGP, BGPQDNGS, BGPQDP BGPQDPA, BGPQDPAP, BGPQDPAW, BGPQDPH, BGPQDPP, BGPQDS, BGPQDSI BGPQDSL, BGPQDSTM, BGPQDU, BGPQELH, BGPQELHH, BGPQEELS BGPQEELSL, BGPQETL, BGPQLSTF, BGPQNPL, BGPQNPLP, BGPQPCD BGPQPCH, BGPQPCSI, BGPQPCSL BGPQPCTL, BGPQPCTX, BGPQULF, BGPQUTL2, BGPQUTL3, BGPQXTCH BGPQXTCN, BGPQXTL, BGPQXTS, BGPQXTV
^DIWP	BGPQDBPR, BGPQDELP, BGPQDP, BGPQDPAW, BGPQDS, BGPQELL, BGPQEELS BGPQUTL1
\$\$CODEN^ICDCODE	BGPQUTL2
\$\$ICDD^ICDCODE	BGPQUTL2
\$\$ICDDX^ICDCODE	BGPQUTL2, BGPTGU
\$\$ICDOP^ICDCODE	BGPQUTL2, BGPTGU

\$\$VSTD^ICDCODE	BGPQUTL2
\$\$VSTP^ICDCODE	BGPQUTL2
\$\$CODEN^ICDEX	BGPQD4, BGPQUTL2
\$\$ICDD^ICDEX	BGPQUTL2
\$\$ICDDX^ICDEX	BGPQUTL2, BGPTGUA
\$\$ICDOP^ICDEX	BGPQUTL2, BGPTGUA
\$\$VSTD^ICDEX	BGPQUTL2
\$\$VSTP^ICDEX	BGPQUTL2
\$\$CODEN^ICPTCOD	BGPQC13, BGPQCON1, BGPQCU1, BGPQD2, BGPQD211, BGPQD214 BGPQD24, BGPQD33, BGPQD34, BGPQD35, BGPQD36, BGPQD37, BGPQD3A BGPQD3B, BGPQD711, BGPQD721, BGPQD724, BGPQD73, BGPQD731 BGPQD732, BGPQD75, BGPQD811, BGPQD82, BGPQD841, BGPQD86 BGPQD861, BGPQD864, BGPQD9 BGPQDPA4
\$\$CPT^ICPTCOD	BGPQD22, BGPQD33, BGPQD34, BGPQD35, BGPQD36, BGPQD37, BGPQD38 BGPQD3A, BGPQD4, BGPQD5, BGPQD52, BGPQD811, BGPQD86, BGPQDPA2 BGPQDU, BGPQPC10, BGPQPC15, BGPQPC16, BGPQPC2, BGPQPC4 BGPQPC6, BGPQPC8, BGPQPC9, BGPTGU, BGPTGUA
EN^VALM	BGPQASL, BGPQCTL, BGPQCTS, BGPQDESI, BGPQDESL, BGPQDHSL BGPQDSI, BGPQDSL, BGPQETL, BGPQPCSI, BGPQPCSL, BGPQPCTL BGPQXTL, BGPQXTS, BGPQXTV, BGPQXTV1
***** Cross Reference of all Routines ***** Dec 01, 2020@10:19:35 page 183	
Routine	is Invoked by:
TERM^VALMO	BGPQASL, BGPQCTL, BGPQCTS, BGPQDESI, BGPQDESL, BGPQDHSL BGPQDNGP, BGPQDNGS, BGPQDPA, BGPQDSI, BGPQDSL, BGPQETL BGPQNPL, BGPQPCSI, BGPQPCSL, BGPQPCTL, BGPQXTL, BGPQXTS BGPQXTV, BGPQXTV1
CLEAR^VALM1	BGPQASL, BGPQCTL, BGPQCTS, BGPQDESI, BGPQDESL, BGPQDHSL BGPQDSI, BGPQDSL, BGPQETL, BGPQPCSI, BGPQPCSL, BGPQPCTL BGPQXTL, BGPQXTS, BGPQXTV, BGPQXTV1
FULL^VALM1	BGPQASL, BGPQCTL, BGPQCTS, BGPQDESI, BGPQDESL, BGPQDHSL BGPQDSI, BGPQDSL, BGPQETL, BGPQPCSI, BGPQPCSL, BGPQPCTL BGPQXTL, BGPQXTS, BGPQXTV, BGPQXTV1
^XBDBQUE	BGPQDADB, BGPQDAP, BGPQDAR, BGPQDCL, BGPQDEL, BGPQDELA BGPQDGPA, BGPQDGPU, BGPQDL, BGPQDNDB, BGPQDNG, BGPQDNGP BGPQDNGS, BGPQDPAP, BGPQDPP, BGPQDSTM, BGPQNPL, BGPQPCD BGPQPCTX, BGPQXTCN, BGPQXTEL
\$\$VAL^XBIDIQ1	BGPQALG1, BGPQALG2, BGPQAU1M, BGPQAUEx, BGPQAUUP, BGPQC11 BGPQC13, BGPQCON1, BGPQCTL, BGPQCTS, BGPQCU1, BGPQD21 BGPQD211, BGPQD212, BGPQD213, BGPQD214, BGPQD21A, BGPQD22 BGPQD24, BGPQD24A, BGPQD3, BGPQD31, BGPQD36, BGPQD39, BGPQD3A BGPQD54, BGPQD55, BGPQD7 BGPQD711, BGPQD72, BGPQD721, BGPQD722, BGPQD723, BGPQD729 BGPQD73, BGPQD731, BGPQD732, BGPQD75, BGPQD8, BGPQD81 BGPQD811, BGPQD812, BGPQD84, BGPQD841, BGPQD862, BGPQD87 BGPQD88, BGPQD89, BGPQD9, BGPQDH1, BGPQDICR, BGPQDNG, BGPQDP1 BGPQDPA4, BGPQDU, BGPQELH BGPQELHH, BGPQETL, BGPQGRB, BGPQPC12, BGPQPC13, BGPQPC14 BGPQPC15, BGPQPC16, BGPQPC17, BGPQPC2, BGPQPC4, BGPQPC6 BGPQPC61, BGPQPC62, BGPQPC63, BGPQPC64, BGPQPC65, BGPQPC66 BGPQPC67, BGPQPC68, BGPQPC69, BGPQPC8, BGPQPC9, BGPQPCTL BGPQPD12, BGPQPD1H, BGPQPOS BGPQUTL1, BGPQUTL2, BGPQXTV, BGPQXTV1
\$\$VALI^XBIDIQ1	BGPQD21, BGPQD22, BGPQD3C, BGPQD4, BGPQD55, BGPQD7, BGPQD711 BGPQD73, BGPQD862, BGPQD87, BGPQDICR, BGPQDU, BGPQEL4 BGPQPC10, BGPQPC12, BGPQPC13, BGPQPC14, BGPQPC15, BGPQPC16 BGPQPC2, BGPQPC4, BGPQPC6, BGPQPC8, BGPQPC9, BGPQUTL1
^XBFMK	BGPQAUEx, BGPQAUUL, BGPQCTL, BGPQDADB, BGPQDAP, BGPQDAR BGPQDCL, BGPQDEL, BGPQDELA, BGPQDGPA, BGPQDGPU, BGPQDICR BGPQDL, BGPQDLT, BGPQDMT, BGPQDNDB, BGPQDNE1, BGPQDNG

	BGPQDNGP, BGPQDNGS, BGPQDPA, BGPQDPAP, BGPQDPP, BGPQDSTM BGPQETL, BGPQEUTL, BGPQGADB, BGPQGAEL BGPQGAG9, BGPQGAGP, BGPQGAGS, BGPQGAHE, BGPQGALL, BGPQGAPU BGPQGCMP, BGPQGCOP, BGPQGDSD, BGPQGELD, BGPQGF09, BGPQGF0R, BGPQGGPU BGPQGGPU, BGPQGIPC, BGPQGLHW, BGPQGLST, BGPQGLTX, BGPQGMTX BGPQGMUE, BGPQGMUH, BGPQGNPL, BGPQGNST, BGPQNT9, BGPQNTL BGPQNTP, BGPQNTS BGPQGNXP, BGPQGPP, BGPQGRB, BGPQGUPL, BGPQNPL, BGPQPCD BGPQPCTL, BGPQPCUT, BGPQPOS1, BGPQULF, BGPQUTL, BGPQXTL BGPQD74 BGPQAUEX, BGPQDNE1, BGPQELL, BGPQPD, BGPQUTL
\$\$EXTSET^XBFUNC ^XBGSAVE	
***** Cross Reference of all Routines ***** Dec 01, 2020@10:19:35 page 184	
Routine	is Invoked by:
^XBKVAR	BGPQAU1A, BGPQAU1D, BGPQAU1M, BGPQGADB, BGPQGAEL, BGPQGAG9 BGPQGAGP, BGPQGAGS, BGPQGAHE, BGPQGALL, BGPQGAPU, BGPQGCMP BGPQGCOP, BGPQGDSD, BGPQGELD, BGPQGF09, BGPQGF0R, BGPQGGPU BGPQGIPC, BGPQGLHW, BGPQGLST, BGPQGLTX, BGPQGMTX, BGPQGMUE BGPQGMUH, BGPQGNPL BGPQGNST, BGPQNT9, BGPQNTL, BGPQNTP, BGPQNTS, BGPQGNXP BGPQGPP, BGPQGUPL
GUIR^XBLM EN^XBVK	BGPQDPA, BGPQDPAP BGPQAUEX, BGPQAUUP, BGPQCTL, BGPQCTS, BGPQDADB, BGPQDAP BGPQDAR, BGPQDCL, BGPQDEL, BGPQDELA, BGPQDGPA, BGPQDGPU BGPQDICR, BGPQDL, BGPQDLT, BGPQDMT, BGPQDNDB, BGPQDNE1 BGPQDNG, BGPQDNGP, BGPQDNGS, BGPQDPA, BGPQDPAP, BGPQDPP BGPQDSTM, BGPQETL, BGPQGADB, BGPQGAEL BGPQGAG9, BGPQGAGP, BGPQGAGS, BGPQGAHE, BGPQGALL, BGPQGAPU BGPQGCMP, BGPQGCOP, BGPQGDSD, BGPQGELD, BGPQGGPU, BGPQGIPC BGPQGLHW, BGPQGLST, BGPQGM, BGPQGMUE, BGPQGMUH, BGPQGNPL BGPQGNST, BGPQNT9, BGPQNTL, BGPQNTP, BGPQNTS, BGPQGNXP BGPQGPP, BGPQGR, BGPQGR1 BGPQGR2, BGPQGRA, BGPQGRB, BGPQGU, BGPQLSTF, BGPQNPL, BGPQPCD BGPQPCTL, BGPQXTL, BGPQXTS, BGPQXTV, BGPQXTV1
\$\$DT^XLFD	BGPQD36, BGPQGADB, BGPQGAEL, BGPQGAG9, BGPQGAGP, BGPQGAGS BGPQGAHE, BGPQGALL, BGPQGAPU, BGPQGCMP, BGPQGCOP, BGPQGDSD BGPQGELD, BGPQGF09, BGPQGF0R, BGPQGGPU, BGPQGLHW, BGPQGLST BGPQGLTX, BGPQGMTX, BGPQGMUE, BGPQGMUH, BGPQGNPL BGPQGNST, BGPQNT9 BGPQNTL, BGPQNTP, BGPQNTS, BGPQGNXP, BGPQGPP, BGPQGUPL
\$\$FMADD^XLFD	BGPQALG2, BGPQASL, BGPQAUEX, BGPQAUUL, BGPQAUUP, BGPQBAN BGPQC11, BGPQC13, BGPQCON1, BGPQCU, BGPQD1, BGPQD10, BGPQD21 BGPQD211, BGPQD214, BGPQD22, BGPQD24, BGPQD24A, BGPQD25 BGPQD28, BGPQD3, BGPQD31, BGPQD34, BGPQD37, BGPQD39, BGPQD3A BGPQD3B, BGPQD5, BGPQD51 BGPQD52, BGPQD53, BGPQD6, BGPQD62, BGPQD7, BGPQD714, BGPQD715 BGPQD721, BGPQD722, BGPQD723, BGPQD729, BGPQD73, BGPQD731 BGPQD732, BGPQD74, BGPQD75, BGPQD76, BGPQD8, BGPQD81, BGPQD82 BGPQD83, BGPQD84, BGPQD841, BGPQD863, BGPQD87, BGPQD88 BGPQD89, BGPQD9, BGPQDADB BGPQDAP, BGPQDAR, BGPQDCL, BGPQDCLP, BGPQDEL, BGPQDELA BGPQDGPA, BGPQDGPU, BGPQDL, BGPQDNDB, BGPQDNE1, BGPQDPA BGPQDPA1, BGPQDPA2, BGPQDPA4, BGPQDPAP, BGPQDPP, BGPQDSTM BGPQDU, BGPQGAEL, BGPQGAHE, BGPQGALL, BGPQGAPU, BGPQGCMP BGPQGCOP, BGPQGDSD, BGPQGELD BGPQGGPU, BGPQGIPC, BGPQGMUE, BGPQGMUH, BGPQGNPL, BGPQGNST BGPQGPP, BGPQGRB, BGPQNPL, BGPQNPLP, BGPQPC1, BGPQPC10 BGPQPC12, BGPQPC13, BGPQPC14, BGPQPC16, BGPQPC2, BGPQPC4 BGPQPC5, BGPQPC6, BGPQPC61, BGPQPC63, BGPQPC66, BGPQPC68 BGPQPC69, BGPQPC8, BGPQPC9 BGPQPCD, BGPQREF1, BGPQUTL, BGPQUTL1, BGPQUTL2, BGPQUTL3

\$\$FMDIFF^XLFD	BGPQD214, BGPQD21A, BGPQD22, BGPQD24, BGPQD33, BGPQD34 BGPQD341, BGPQD35, BGPQD36, BGPQD37, BGPQD38, BGPQD39, BGPQD3C BGPQD52, BGPQD7, BGPQD721, BGPQD722, BGPQD723, BGPQD731 BGPQD732, BGPQD74, BGPQD75, BGPQD811, BGPQD82, BGPQD83 BGPQD84, BGPQD841, BGPQD861
***** Cross Reference of all Routines ***** Dec 01, 2020@10:19:35 page 185	
Routine	is Invoked by:
\$\$FMDIFF^XLFD	BGPQD863, BGPQD87, BGPQD9, BGPQDBPR, BGPQDPA, BGPQDPA2, BGPQGU BGPQPC6, BGPQPC61, BGPQPC62, BGPQPC63, BGPQPC64, BGPQPC65 BGPQPC66, BGPQPC67, BGPQPC68, BGPQPC69, BGPQPC7
\$\$FMTE^XLFD	BGPQALG1, BGPQALG2, BGPQAUEX, BGPQAUUL, BGPQAUUP, BGPQC11 BGPQC13, BGPQCON1, BGPQCU, BGPQCU1, BGPQD1, BGPQD10, BGPQD2 BGPQD21, BGPQD211, BGPQD212, BGPQD213, BGPQD21A, BGPQD22 BGPQD24, BGPQD24A, BGPQD25, BGPQD27, BGPQD28, BGPQD3, BGPQD31 BGPQD37, BGPQD3A BGPQD3C, BGPQD4, BGPQD41, BGPQD5, BGPQD51, BGPQD52, BGPQD53 BGPQD54, BGPQD55, BGPQD5A, BGPQD6, BGPQD62, BGPQD7, BGPQD711 BGPQD714, BGPQD72, BGPQD722, BGPQD723, BGPQD724, BGPQD729 BGPQD731, BGPQD732, BGPQD74, BGPQD75, BGPQD8, BGPQD81 BGPQD811, BGPQD812, BGPQD84 BGPQD85, BGPQD862, BGPQD87, BGPQD88, BGPQD9, BGPQD91, BGPQDADB BGPQDAP, BGPQDAR, BGPQDBPR, BGPQDCL, BGPQDCLD, BGPQDCLP BGPQDEL, BGPQDELA, BGPQDGPA, BGPQDGPU, BGPQDH, BGPQDH1 BGPQDICR, BGPQDL, BGPQDLT, BGPQDMT, BGPQDNDB, BGPQDNE1 BGPQDNG, BGPQDNGP, BGPQDNGS BGPQDPA, BGPQDPA2, BGPQDPA4, BGPQDPAP, BGPQDPAW, BGPQDPH BGPQDPP, BGPQDS, BGPQDSTM, BGPQDU, BGPQEL2, BGPQEL4, BGPQELH BGPQELHH, BGPQELL, BGPQELS, BGPQELSL, BGPQGU, BGPQGUA, BGPQNPL BGPQNPLP, BGPQPC10, BGPQPC11, BGPQPC12, BGPQPC13, BGPQPCD BGPQPCH, BGPQPD BGPQPDH, BGPQUTL3
\$\$FMTH^XLFD	BGPQAUEX, BGPQAUUL, BGPQGRB
\$\$HTE^XLFD	BGPQAUUL
\$\$NOW^XLFD	BGPQAU1A, BGPQAUEX, BGPQAUUP, BGPQDAR, BGPQDNE1, BGPQDPA BGPQDPAP, BGPQGADB, BGPQGAEL, BGPQGAG9, BGPQGAGP, BGPQGAGS BGPQGAHE, BGPQGALL, BGPQGAPU, BGPQGCMF, BGPQGCOM, BGPQGDSDH BGPQGELD, BGPQGFO9, BGPQGFOR, BGPQGGPU, BGPQGIPC, BGPQGLHW BGPQGLST, BGPQGLTX BGPQGMTX, BGPQGMUE, BGPQGMUH, BGPQGNPL, BGPQGNST, BGPQGNTP BGPQGNL, BGPQGNTP, BGPQGNST, BGPQGNXP, BGPQGPP, BGPQGRB BGPQGU
\$\$LEAP^XLFD2	BGPQAUEX, BGPQAUUP, BGPQGRB
\$\$ABS^XLFMTH	BGPQD74
\$\$CJ^XLFSTR	BGPQDBPR, BGPQDP, BGPQPOS
\$\$REPEAT^XLFSTR	BGPQDICR, BGPQDLT, BGPQDMT
\$\$STRIP^XLFSTR	BGPQD39, BGPQD722, BGPQDBPR, BGPQDP1C, BGPQDP1D, BGPQDP1F BGPQDP1G, BGPQELL1, BGPQELLN, BGPQELP1, BGPQPD13
\$\$SUP^XLFSTR	BGPQALG1, BGPQALG2, BGPQC11, BGPQC13, BGPQCU1, BGPQD2, BGPQD21 BGPQD213, BGPQD214, BGPQD21A, BGPQD22, BGPQD3, BGPQD31 BGPQD36, BGPQD39, BGPQD51, BGPQD711, BGPQD72, BGPQD721 BGPQD722, BGPQD723, BGPQD731, BGPQD732, BGPQD74, BGPQD75 BGPQD81, BGPQD811, BGPQD812 BGPQD82, BGPQD83, BGPQD84, BGPQD841, BGPQD863, BGPQD87 BGPQD89, BGPQD91, BGPQDPA4, BGPQDU, BGPQPC12, BGPQPC14 BGPQPC17, BGPQPC2, BGPQPC8, BGPQPC9, BGPQPOS1, BGPQULF  dd90565.01,  dd90565.26
***** Cross Reference of all Routines ***** Dec 01, 2020@10:19:35 page 186	
Routine	is Invoked by:

```

^XMD                BGPQAUUP
$$VERSION^XPDUTL   BGPQPOS
BMES^XPDUTL        BGPQAUEX, BGPQAUUL
MES^XPDUTL         BGPQPOS
SETUP^XQALERT      BGPQAUUP
DISP^XQORM1        BGPQASL, BGPQCTL, BGPQCTS, BGPQDESI, BGPQDESL, BGPQDHS
                    BGPQDSI, BGPQDSL, BGPQETL, BGPQPCSI, BGPQPCSL, BGPQPCTL
                    BGPQXTL, BGPQXTS, BGPQXTV, BGPQXTV1
$$NOJOURN^ZIBGCHAR BGPQEUTL, BGPQPCUT, BGPQUTL

*****   END   *****
    
```

Figure 5-1: External Calls

## 5.2 Callable Routines

Published entry points for use by iCARE:

Routine: BGPQD10

BQI(DFN,BQIGREF) ;PEP-iCare EP

- Description:
  - Entry point called by the iCare module, returns GPRA data by global reference:
    - DFN = Patient internal entry number:
      - BQIGREF = Global reference to store data.

## 5.3 Published Entry Points

**Note:** There are no published entry points for this application.

## 5.4 Exported Options

Table 5-1: Exported BGP options

Option Name	Description	KEY
BGPGRPC	BGGP Application Context	
BGP 20 AREA DSH	National GPRA Dashboard	
BGP 20 AREA ELDER REPORT	AREA Elder Care Report	
BGP 20 AREA GP SUM ONLY	AREA National GPRA/GPRAMA Report Perf Summaries	
BGP 20 AREA GPRA	AREA National GPRA/GPRAMA Report-Includes GPRA Dev	
BGP 20 AREA GPU	AREA GPRA/GPRAMA Performance Report	

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 20 AREA MENU	Area Options	BGPZAREA
BGP 20 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 20 AUTO AREA PARAMS	Set up Area Automated Parameters	
BGP 20 AUTO EDIT CLIENT PARAM	Set up Automated GPRA Extract	
BGP 20 AUTO GPRA EXTRACT	Auto GPRA Extract	
BGP 20 AUTO HOST PARAMS	Set up Host (Area) Automated Parameters	
BGP 20 AUTO MANUALLY EXTRACT	Manually Run GPRA Extract	
BGP 20 AUTO PROC SITE FILES	Auto Process GPRA Extract Files	
BGP 20 AUTO PROC SITE MAN	Manually Run Area Aggregate of GPRA Extracts	
BGP 20 AUTO REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 20 AUTO SCHEDULE AREA	Schedule Auto Area File Aggregation	
BGP 20 COMPREHENSIVE PAT LIST	Comprehensive National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 20 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 20 DISPLAY ICARE TEXT	Display iCare Data Items	
BGP 20 ELDER REPORT	Elder Care Report	
BGP 20 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 20 GPU GPRA PERFORMANCE	GPRA/GPRAMA Performance Report	
BGP 20 IPC LAB TAX REPORT	Lab Taxonomies-IPC Report	
BGP 20 IPC MED TAX RPT	Med Taxonomies-IPC Report	
BGP 20 IPC REPORT	IPC Measures Report	
BGP 20 IPC TAXONOMY CHECK	Taxonomy Check-IPC Report	
BGP 20 IPC TAXONOMY SETUP	Taxonomy Setup-IPC Report	
BGP 20 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 20 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 20 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 20 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 20 LIST FILES	List files in a directory	
BGP 20 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 20 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 20 MAIN MENU	CRS 2020	
BGP 20 MEASURES FORECAST CP	GPRA/GPRAMA Forecast Denominator Definitions	
BGP 20 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 20 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 20 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 20 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 20 MENU NATIONAL	National GPRA/GPRAMA Reports	
BGP 20 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 20 NATIONAL GPRA REPORT	National GPRA/GPRAMA Report	
BGP 20 NATIONAL GPRA SUM ONLY	National GPRA/GPRAMA Clinical Perf Summaries	
BGP 20 NATIONAL PAT LISTS	National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 20 NATL GPRA DESG PROV	National GPRA/GPRAMA Report by Designated Provider	
BGP 20 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 20 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 20 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 20 OTHER NTL RPTS MENU	Other National Reports	
BGP 20 PAT ED REPORT	Patient Education w/Community Specified	
BGP 20 PATIENT ED MENU	Patient Education Reports	
BGP 20 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 20 PTS W SCHED APPT	GPRA/GPRAMA Forecast Patient List	BGPZ PATIENT LISTS
BGP 20 REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 20 REPORTS MENU	Reports	
BGP 20 SEL ALL PATS	Selected Measures w/All Communities	
BGP 20 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 20 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 20 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 20 SYSTEM SETUP	System Setup	
BGP 20 TAXONOMY CHECK	Taxonomy Check	



<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 20 TAXONOMY REPORTS	Taxonomy Reports	
BGP 20 TAXONOMY SETUP	Taxonomy Setup	
BGP 20 UPLOAD FILES	Upload Report Files from Site	
BGP 20 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP 21 AREA DSH	National GPRA Dashboard	
BGP 21 AREA GP SUM ONLY	AREA National GPRA/GPRAMA Report Perf Summaries	
BGP 21 AREA GPRA	AREA National GPRA/GPRAMA Report-Includes GPRA Dev	
BGP 21 AREA GPU	AREA GPRA/GPRAMA Performance Report	
BGP 21 AREA MENU	Area Options	BGPZAREA
BGP 21 AUTO AREA PARAMS	Set up Area Automated Parameters	
BGP 21 AUTO EDIT CLIENT PARAM	Set up Automated GPRA Extract	
BGP 21 AUTO GPRA EXTRACT	Auto GPRA Extract	
BGP 21 AUTO HOST PARAMS	Set up Host (Area) Automated Parameters	
BGP 21 AUTO MANUALLY EXTRACT	Manually Run GPRA Extract	
BGP 21 AUTO PROC SITE FILES	Auto Process GPRA Extract Files	
BGP 21 AUTO PROC SITE MAN	Manually Run Area Aggregate of GPRA Extracts	
BGP 21 AUTO REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 21 AUTO SCHEDULE AREA	Schedule Auto Area File Aggregation	
BGP 21 COMPREHENSIVE PAT LIST	Comprehensive National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 21 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 21 DISPLAY ICARE TEXT	Display iCare Data Items	
BGP 21 ELDER REPORT	Elder Care Report	
BGP 21 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 21 GPU GPRA PERFORMANCE	GPRA/GPRAMA Performance Report	
BGP 21 IPC LAB TAX REPORT	Lab Taxonomies-IPC Report	
BGP 21 IPC MED TAX RPT	Med Taxonomies-IPC Report	
BGP 21 IPC REPORT	IPC Measures Report	
BGP 21 IPC TAXONOMY CHECK	Taxonomy Check-IPC Report	
BGP 21 IPC TAXONOMY SETUP	Taxonomy Setup-IPC Report	
BGP 21 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 21 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 21 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 21 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 21 LIST FILES	List files in a directory	
BGP 21 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 21 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 21 MAIN MENU	CRS 2021	
BGP 21 MEASURES FORECAST CP	GPRA/GPRAMA Forecast Denominator Definitions	
BGP 21 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 21 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 21 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 21 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 21 MENU NATIONAL	National GPRA/GPRAMA Reports	
BGP 21 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 21 NATIONAL GPRA REPORT	National GPRA/GPRAMA Report	
BGP 21 NATIONAL GPRA SUM ONLY	National GPRA/GPRAMA Clinical Perf Summaries	
BGP 21 NATIONAL PAT LISTS	National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 21 NATL GPRA DESG PROV	National GPRA/GPRAMA Report by Designated Provider	
BGP 21 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 21 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 21 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 21 OTHER NTL RPTS MENU	Other National Reports	
BGP 21 PTS W SCHED APPT	GPRA/GPRAMA Forecast Patient List	BGPZ PATIENT LISTS
BGP 21 REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 21 REPORTS MENU	Reports	
BGP 21 SEL ALL PATS	Selected Measures w/All Communities	
BGP 21 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 21 SELECTED IND REPORT	Selected Measures w/Community Specified	

<b>Option Name</b>	<b>Description</b>	<b>KEY</b>
BGP 21 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 21 SYSTEM SETUP	System Setup	
BGP 21 TAXONOMY CHECK	Taxonomy Check	
BGP 21 TAXONOMY REPORTS	Taxonomy Reports	
BGP 21 TAXONOMY SETUP	Taxonomy Setup	
BGP 21 UPLOAD FILES	Upload Report Files from Site	
BGP 21 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGPGRPC	BGG Application Context	
BGPMENU	IHS Clinical Reporting System (CRS) Main Menu	BGPZMENU

## 6.0 Internal Relations

All users should be given the access to the appropriate options and keys, as needed.  
All options in this system stand alone.

## 7.0 Security Keys

Table 2-1 provides the BGP security keys and their descriptions.

## **8.0 Archiving and Purging**

There is no archiving and purging in this package.

## 9.0 Documentation Resources

This section describes a few methods to generate online technical documentation.

### 9.1 How to Generate Online Documentation

The file number range for this package is 90240, 90370, 90530–90539, and 90558–90599. The namespace is BGP. All templates, routines, screen forms, etc., begin with BGP.

This section describes some methods by which users can generate IHS RPMS CRS technical documentation. Online technical documentation pertaining to the IHS RPMS clinical reporting software can be generated through the use of several kernel options. This access is in addition to that which is located in the help prompts, and on the help screens throughout the IHS RPMS Clinical Reporting package. These include, but are not limited to, the sections that follow.

### 9.2 System Documentation

Online Volume Performance Standard (VPS) system documentation can be generated through the use of several kernel options, including:

- %INDEX
- Menu Management
- Inquire Option
- Print Option File
- VA FileMan
- Data Dictionary Utilities
- List File Attributes

For more option listings and further information about other utilities that supply online technical information, see the *Decentralized Hospital Computer Program (DHCP) Kernel Reference* manual.

#### 9.2.1 %INDEX

The %INDEX option analyzes the structure of a routine to determine in part, if the routine adheres to RPMS programming standards. The output can include the following components:

- Compiled list of errors and warnings
- Routine listings
- Local variables

- Global variables
- Naked globals
- Label references
- External references

Running %INDEX for a specified set of routines allows users to discover any existing deviations from RPMS programming standards and to see how routines interact with one another (i.e., which routines call, or are called by, other routines).

To run %INDEX for the IHS RPMS Clinical Reporting package, specify the BGP namespace at the “Routine(s)” prompt.

### 9.2.2 Inquire Option

The Inquire menu management option provides the following information about a specified option:

- Option name
- Menu text
- Option description
- Type of option
- Lock (if any)

In addition, all items on the menu are listed for each menu option. To secure information about IHS RPMS Clinical Reporting options, the BGP namespace must be specified.

### 9.2.3 Print Option File

**Note:** The Print Option File utility generates a listing of options from the Option file (#19). It can print all entries, a single option, or range of options. For a list of IHS RPMS Clinical Reporting options, see Section 9.1.

There are no published entry points for this application.

### 9.2.4 List File Attributes

This VA FileMan option allows users to generate documentation pertaining to files and file structure. The standard format of this option provides the following data dictionary information for a specified file:

- File name and description
- Identifiers



- Cross-references
- Files pointed to by the specified file
- Files that point to the specified file
- Input, print, and sort templates

In addition, the following applicable data is supplied for each field in the file:

- Field name, number, title, and description
- Global location
- Help prompt
- Cross-references
- Input transform
- Date last edited
- Notes

Using the Global Map format of this option generates an output that lists the following information:

- All cross-references for the selected file
- Global location of each field in the file
- Input, print, and sort templates

For a comprehensive listing of files, see Table 4-1 in Section 4.1.

## 9.3 Online Help

In addition to system documentation, RPMS includes special help displays for most menu options and data entry prompts. Typing a question mark (?) at the “Select Option” prompt displays information related to the current option. Table 9-1 displays the available options.

Table 9-1: Online help options

Typing	Displays
A single question mark (?)	A list of all options accessible from the current option
Two question marks (??)	A list of all accessible options and their formal names
Three question marks (???)	A brief description for each option in a menu
A single question mark (?) followed by an option name (? <b>OPTION</b> )	Extended help, if available, for that option

## 10.0 SAC Requirements and Exemptions

This program uses a standard global for exporting data to the Area Office. The global is called ^BGPDATA (and is killed at the root level in various routines).

The kill of these unsubscribed globals has been approved by the Standards and Conventions committee.

# Glossary

**Archiving**

The storage of historical or little-used data off-line (often on tape.)

**Cross-Reference**

An indexing method whereby files can include presorted lists of entries as part of the stored database. Cross-references (x-refs) facilitate look-up and reporting.

**Entry Point**

A point within a routine that is referenced by a “DO” or “GOTO” command from a routine internal to a package.

**File**

A set of related records or entries treated as a single unit.

**FileMan**

The database management system for RPMS.

**Global**

In MUMPS, global refers to a variable stored on disk (global variable) or the array to which the global variable may belong (global array).

**INDEX (%INDEX)**

A kernel utility used to verify routines and other MUMPS code associated with a package. Checking is done according to current ANSI MUMPS standards and RPMS programming standards. This tool can be invoked through an option or from direct mode (>D ^%INDEX).

**Kernel**

The set of MUMPS software utilities that function as an intermediary between the host operating system and application packages, such as Laboratory and Pharmacy. The kernel provides a standard and consistent user and programmer interface between application packages and the underlying MUMPS implementation. These utilities provide the foundation for RPMS.

**Menu**

A list of choices for computing activity. A menu is a type of option designed to identify a series of items (other options) for presentation to the user for selection. When displayed, menu-type options are preceded by the word “Select” and followed by the word “option,” as in “Select Menu Management option:” (the menu’s Select prompt).

**Namespace**

A unique set of two to four alpha characters that are assigned to a software application by the database administrator.

**Option**

An entry in the Option file. As an item in a menu, an option provides an opportunity for users to select it, thereby invoking the associated computing activity. Options may also be scheduled to run in the background, non-interactively, by TaskMan.

**Routine**

A program or sequence of instructions called by a program that may have some general or frequent use. MUMPS routines are groups of program lines that are saved, loaded, and called as a single unit via a specific name.

**Utility**

A callable routine line tag or function. A universal routine usable by anyone.

**Variable**

A character or group of characters that refers to a value. MUMPS recognizes three types of variables: local variables, global variables, and special variables. Local variables exist in a partition of the main memory and disappear at signoff. A global variable is stored on disk, potentially available to any user. Global variables usually exist as parts of global arrays.

## Acronym List

Acronym	Term Meaning
ADA	American Dental Association
CRS	Clinical Reporting System
DHCP	Decentralized Hospital Computer Program
ENDS	Electronic Nicotine Delivery System
FY	Fiscal Year
GPRA	Government Performance and Results Act
GPRAMA	GPRA Modernization Act
HHS	(Department of) Health and Human Services
ICD	International Classification of Diseases
IHS	Indian Health Service
MUMPS	Massachusetts General Hospital (M) Utility Multi Programming System
OIT	Office of Information Technology
RPMS	Resource and Patient Management System
SAC	Standards and Conventions
SBIRT	Screening, Brief Intervention and Referral to Treatment
SUD	Substance Use Disorder
VA	Department of Veterans Affairs
VPS	Volume Performance Standard

## Contact Information

If you have any questions or comments regarding this distribution, please contact the IHS IT Service Desk.

**Phone:** (888) 830-7280 (toll free)

**Web:** <https://www.ihs.gov/itsupport/>

**E-mail:** [itsupport@ihs.gov](mailto:itsupport@ihs.gov)