

Indian Health Service

Urban Indian Health Programs

GPRA Results



National GPRA Support Team Indian Health Service / California Area Office

FOR MORE INFORMATION, CONTACT:

Diane Leach National GPRA Coordinator Diane.Leach@ihs.gov

Phyllis Wolfe Director, Office of Urban Indian Health Programs Phyllis.Wolfe@ihs.gov

National GPRA Support Team

caogpra@ihs.gov

TABLE OF CONTENTS

FY 2014 Urban Program Results Summary and Analysis	6
Final Urban Dashboard (All Programs)	9
2014 Urban CRS Dashboard	
2014 Urban Dashboard by Program Type	11
Aberdeen Area:	
Nebraska Urban Indian Health Coalition	
South Dakota Urban Indian Health	
Albuquerque Area:	
First Nations Community Healthsource (Albuquerque)	
Denver Indian Health and Family Services	
Bemidji Area:	
American Indian Health Service of Chicago	
American Indian Health and Family Services (Detroit)	
Gerald L. Ignace Indian Health Center (Milwaukee)	
Indian Health Board of Minneapolis, Inc	20
Billings Area:	
Indian Health Board of Billings	21
North American Indian Alliance (Butte)	22
Indian Family Health Clinic (Great Falls)	23
Helena Indian Alliance	24
Missoula Indian Center	

California Area:

Bakersfield Indian Health Center	
Fresno Native American Health Center	27
United American Indian Involvement (Los Angeles)	
Native American Health Center (Oakland/San Francisco)	29
Sacramento Native American Health Center	
San Diego American Indian Health Center	31
Indian Health Center of Santa Clara Valley (San Jose)	
Santa Barbara Indian Health Center	
Nashville Area:	
Native American Lifelines (Boston)	
The American Indian Community House of New York City, Inc	35
Navajo Area:	
NACA Family Health Center (Flagstaff)	
Oklahoma Area:	
Urban Inter-Tribal Center of Texas (Dallas)	
Hunter Health Clinic (Wichita)	
Phoenix Area:	
Native American Community Health Center (Phoenix)	
Nevada Urban Indians (Reno)	40
Indian Walk-In Center (Salt Lake City)	41

Portland Area:

Native American Rehabilitation Association of the Northwest, Inc (Portland)	42
Seattle Indian Health Board	43
Native Health Clinic of Spokane	44
Tucson Area:	
Tucson Indian Center	45
Appendix 1: Urban Program Results—Data Sources	46

FY 2014 URBAN PROGRAM RESULTS SUMMARY AND ANALYSIS

Introduction: Background and Data Collection

FY 2014 marks the ninth year that urban programs have been reporting GPRA (Government Performance and Results Act) data to the Indian Health Service. Urban programs report on a subset of GPRA measures, including three of four GPRAMA (Government Performance and Results Act Modernization Act) measures.

In FY 2014 urban programs reported data for 17 clinical GPRA measures. This includes 16 measures with specific targets (either numerical or "baseline") and one long term measure (Childhood Weight Control) with no specific target for FY 2014. Urban programs are required to meet the same targets as Federal and Tribal programs for the measures they report.

Like Tribal programs, urban programs are not required to use the Resource Patient Management System (RPMS) as their patient data management system. However, unlike Tribal programs, urban programs are required to report GPRA data in order to receive funding. Many urban programs have opted to use RPMS and the Clinical Reporting System (CRS), a software application that runs off of RPMS, to report GPRA data. CRS data is validated and the measure logic is updated at least annually. Therefore, data from different CRS sites can be combined and reported as an aggregate rate. About one-third of urban programs have not opted to use RPMS/CRS for GPRA reporting. As of FY 2014, urban programs that have not opted to use RPMS and CRS are allowed to perform a 100% audit and submit GPRA results in Excel spreadsheet format. The National GPRA Support Team provides detailed instructions and an Excel template for non-RPMS programs to report data; however, data from non-CRS programs is not combined with CRS data, as it cannot be validated by an external source. Therefore only data from urban programs reporting via CRS are included in the official urban GPRA results.

During FY 2014, 33 urban programs reported GPRA/GPRAMA data, unchanged from FY 2013. 23 urban programs reported data via RPMS/CRS and 10 reported via Excel spreadsheet from a non-RPMS data source. No new programs transitioned to CRS reporting in FY 2014, and one program stopped reporting via CRS and submitted an Excel spreadsheet instead. In previous years the number of programs that reported via CRS out of the total number of urban programs reporting was:

FY 2013: 24 of 33 FY 2012: 24 of 35 FY 2011: 21 of 34 FY 2010: 18 of 34 FY 2009: 11 of 35

The final results for all 33 urban programs are included in the FY 2014 Urban Program Report, including individual dashboards for each program, and three national aggregate dashboards.

FY 2014 Measures and Results

In FY 2014, urban programs reported data for 16 measures with targets and reported data for the Childhood Weight Control measure, a long-term measure with no specific target for FY 2014. Results from the 23 urban programs that reported via CRS were used to calculate whether measures with targets were met or not met.

Urban programs currently report three of four clinical GPRA measures that are now classified as GPRAMA measures: Diabetes: Good Glycemic Control, Childhood Immunizations, and Depression Screening. Urban programs do not yet report data for the CVD Comprehensive Assessment GPRAMA Measure.

In FY 2014, urban programs met 4 of 16 measure targets. Of the four measures that met targets, three had significant logic changes and therefore had "baseline" targets. Any result reported for a baseline target counts as met. The measures with baselines were Diabetes: Nephropathy Assessed, Pneumococcal Immunization, and Pap Screening. The one measure met by urban programs that did not have a baseline target was Diabetes: Controlled Blood Pressure.

Urban programs did not meet the remaining 12 measures with specific targets, including Diabetes: Good Glycemic Control, Diabetes: LDL Assessed, Childhood Immunizations, Influenza Immunization, Mammography Screening, Colorectal Cancer Screening, Tobacco Screening, Alcohol Screening, DV/IPV Screening, Depression Screening, Prenatal HIV Screening, and Breastfeeding Rates.

However, despite not meeting the majority of targets, urban programs did improve over FY 2013 performance. Overall, urban programs performed better on 10 measures with comparable data in FY 2014 compared to FY 2013. Measures that improved include: Diabetes: Controlled Blood Pressure, Diabetes: LDL Assessed, Childhood Immunizations, Influenza Immunization, Mammography Screening, Colorectal Cancer Screening, Tobacco Cessation Counseling, Alcohol Screening, DV/IPV Screening, and Depression Screening.

Breakout Results

There are three categories of urban programs: Comprehensive Service programs, Limited Service programs, and Outreach and Referral programs. A comprehensive program provides direct medical care to patients for 40 or more hours per week, though the range of services varies among programs. A limited program provides direct medical care to patients for less than 40 hours per week. An outreach and referral program provides mental health, substance abuse, health education and referral services, but no direct medical care.

There are 21 programs that provide comprehensive services to patients, and in FY 2014, 13 of these programs reported data via CRS. There are 7 programs with limited service, 6 of which reported data via CRS, and 5 outreach and referral programs, 4 of which reported data via CRS. Ten programs (8 comprehensive, 1 limited, 1 outreach and referral) reported via Excel spreadsheet.

All urban programs are required to report data on GPRA measures regardless of whether they provide the screening or service to their patients directly. Therefore, results from limited and outreach and referral programs often are incomplete, and their results for many measures are often below the average.

Among CRS programs, the 13 Comprehensive Service urban programs had the highest average results for all measures <u>except</u>: Diabetes: LDL Assessed, Pap Screening, Mammography Screening, Tobacco Cessation, Childhood Immunizations, and Prenatal HIV Screening. Limited Service programs had the highest average on these six measures (in FY 2013 Limited Service programs exceeded Comprehensive Service programs in the Diabetes: LDL Assessed, Tobacco Cessation, and Pap Screening measures.) Outreach and Referral programs had the lowest rates for all measures.

Also, Comprehensive Service programs exceeded the national targets for Diabetes: Good Glycemic Control and Diabetes: Blood Pressure Control.

Individual Program Results

While reviewing individual urban program results in this report, it is important to keep in mind the limits of the various data collection methods. Non-CRS sites report results on spreadsheets, and are not required to submit supporting documentation. IHS cannot validate results from non-RPMS electronic systems, and these manual audits have not been independently verified. Finally, while CRS results can be validated, some urban programs either have transitioned recently to CRS for reporting, or do double data-entry with another information system. As a result, measure results can be impacted by the timeliness, accuracy, and completeness of data entry into RPMS. Therefore, all results, but particularly those from sites <u>not</u> reporting through CRS, should be viewed with some caution. Also note that if a program did not report any data for a specific measure, the result is categorized as "no data."

2014 FINAL URBAN DASHBOARD (ALL PROGRAMS)

2014 Final - Urban National Dashboard								
	CRS	Non-CRS	CRS	Non-CRS		2014 Final		
DIABETES	2014-Final	2014- Final	2013-Final	2013-Final	2014 Target	Results		
Good Glycemic Control	47.1%	46.2%	49.1%	42.1%	48.3%	Not Met		
Controlled BP <140/90	66.1%	72.8%	64.7%	73.1%	64.6%	Met		
LDL Assessed	68.3%	66.4%	65.2%	54.1%	73.9%	Not Met		
Nephropathy Assessed ^a	53.5%	65.2%	52.6%	58.2%	Baseline	Met		
Retinopathy Exam	N/A	N/A	N/A	N/A	58.6%	N/A		
DENTAL								
Dental Access	N/A	N/A	N/A	N/A	29.2%	N/A		
Sealants	N/A	N/A	N/A	N/A	13.9%	N/A		
Topical Fluoride	N/A	N/A	N/A	N/A	26.7%	N/A		
IMMUNIZATIONS								
Influenza 65+	43.1%	40.5%	40.2%	44.7%	69.1%	Not Met		
Pneumovax 65+ ^ª	54.5%	42.6%	51.2%	46.5%	Baseline	Met		
Childhood IZ	39.0%	59.5%	38.5%	51.2%	74.8%	Not Met		
PREVENTION								
Pap Screening ^a	41.6%	40.7%	47.3%	58.2%	Baseline	Met		
Mammography Screening	26.6%	30.8%	20.5%	38.2%	54.7%	Not Met		
Colorectal Cancer Screening	17.1%	24.4%	15.2%	24.1%	35.0%	Not Met		
Tobacco Cessation	38.2%	33.6%	33.9%	40.9%	45.7%	Not Met		
Alcohol Screening (FAS Prevention)	55.3%	47.3%	53.7%	64.1%	65.9%	Not Met		
DV/IPV Screening	52.6%	48.0%	50.1%	63.6%	64.1%	Not Met		
Depression Screening	55.4%	48.9%	53.4%	54.0%	66.9%	Not Met		
CVD-Comprehensive Assessment	N/A	N/A	N/A	N/A	51.0%	N/A		
Prenatal HIV Screening	65.3%	81.7%	66.1%	65.5%	89.1%	Not Met		
Childhood Weight Control ^b	27.7%	21.9%	19.9%	32.2%	N/A ^b	N/A		
Breastfeeding Rates ^c	11.1%	30.0%	50.0%	67.4%	29.0%	Not Met		
Controlling High Blood Pressure	N/A	N/A	N/A	N/A	Baseline	N/A		

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, reported next in FY 2016.

^cNew Measure for Urban Programs in FY 2013

Dashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 4 Measures Not Met =12 Measures with No Data =0

2014 URBAN CRS DASHBOARD

2014 Final - CRS Urban National Dashboa		CRS	1 1	2014 Final
	_	_		
DIABETES	<u>2014-Final</u>	<u>2013-Final</u>	2014 Target	Results
Good Glycemic Control	47.1%	49.1%	48.3%	Not Met
Controlled BP <140/90	66.1%	64.7%	64.6%	Met
LDL Assessed	68.3%	65.2%	73.9%	Not Met
Nephropathy Assessed ^a	53.5%	52.6%	Baseline	Met
Retinopathy Exam	N/A	N/A	58.6%	N/A
DENTAL				
Dental Access	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	26.7%	N/A
IMMUNIZATIONS				
Influenza 65+	43.1%	40.2%	69.1%	Not Met
Pneumovax 65+ ^a	54.5%	51.2%	Baseline	Met
Childhood IZ	39.0%	38.5%	74.8%	Not Met
PREVENTION				
Pap Screening ^a	41.6%	47.3%	Baseline	Met
Mammography Screening	26.6%	20.5%	54.7%	Not Met
Colorectal Cancer Screening	17.1%	15.2%	35.0%	Not Met
Tobacco Cessation	38.2%	33.9%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	55.3%	53.7%	65.9%	Not Met
DV/IPV Screening	52.6%	50.1%	64.1%	Not Met
Depression Screening	55.4%	53.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	65.3%	66.1%	89.1%	Not Met
Childhood Weight Control ^b	27.7%	19.9%	N/A ^b	N/A
Breastfeeding Rates ^c	11.1%	50.0%	29.0%	Not Met
Controlling High Blood Pressure	N/A	N/A	Baseline	N/A
^a Measure logic revised in FY 2014 ^a Long-term measure as of FY 2009, reported ne	t in FY 2016			sures Met = 4 sures Not Met =12
New Measure for Urban Programs in FY 2013				sures with No Data =0

Dashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

2014 URBAN DASHBOARD BY PROGRAM TYPE

2014 Final Urban Dashboard	CRS	CRS	CRS	Non CRS	
(By Program Type)	Comprehensive	Limited	Outreach/		
	Service	Service	Referral		
DIABETES	2014-Final	2014- Final	2014-Final	2014-Final	2014 Target
Good Glycemic Control	49.1%	41.5%	23.5%	46.2%	48.3%
Controlled BP <140/90	67.0%	64.5%	47.1%	72.8%	64.6%
LDL Assessed	69.1%	70.9%	31.4%	66.4%	73.9%
Nephropathy Assessed ^a	55.9%	50.5%	0.0%	65.2%	Baseline
Retinopathy Exam	N/A	N/A	N/A	N/A	58.6%
DENTAL					
Dental Access	N/A	N/A	N/A	N/A	29.2%
Sealants	N/A	N/A	N/A	N/A	13.9%
Topical Fluoride	N/A	N/A	N/A	N/A	26.7%
IMMUNIZATIONS					
Influenza 65+	45.3%	41.1%	12.2%	40.5%	69.1%
Pneumovax 65+ ^a	56.6%	48.3%	46.3%	42.6%	Baseline
Childhood IZ	37.8%	53.1%	0.0%	59.5%	74.8%
PREVENTION					
Pap Screening ^a	41.5%	47.3%	11.8%	40.7%	Baseline
Mammography Screening	27.3%	28.3%	6.3%	30.8%	54.7%
Colorectal Cancer Screening	18.2%	13.7%	13.1%	24.4%	35.0%
Tobacco Cessation	37.7%	43.7%	16.8%	33.6%	45.7%
Alcohol Screening (FAS Prevention)	56.1%	55.3%	21.0%	47.3%	65.9%
DV/IPV Screening	54.0%	49.7%	16.4%	48.0%	64.1%
Depression Screening	57.2%	52.6%	21.8%	48.9%	66.9%
CVD-Comprehensive Assessment	N/A	N/A	N/A	N/A	51.0%
Prenatal HIV Screening	65.1%	66.7%	No Data	81.7%	89.1%
Childhood Weight Control ^b	26.9%	40.9%	0.0%	21.9%	N/A ^b
Breastfeeding Rates ^c	11.1%	No Data	No Data	30.0%	29.0%
Controlling High Blood Pressure	N/A	N/A	N/A	N/A	Baseline

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, reported next in FY 2016.

^cNew Measure for Urban Programs in FY 2013

Dashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Individual

URBAN PROGRAM Results

Nebraska Urban Indian Health Coalition 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Nebraska	Nebraska	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014-Final</u>	<u>2013 Final</u>	<u>2014 Final</u>	2014 Target	<u>Results - Nebraska</u>
Good Glycemic Control	52.2%	88.6%	47.1%	48.3%	Met
Controlled BP <140/90	91.3%	97.1%	66.1%	64.6%	Met
LDL Assessed	75.0%	100%	68.3%	73.9%	Met
Nephropathy Assessed ^a	70.7%	100%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	30.4%	100%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	34.8%	100%	54.5%	Baseline	Met
Childhood IZ	33.3%	80.0%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	42.9%	67.2%	41.6%	Baseline	Met
Mammography Screening	37.7%	71.1%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	17.9%	70.7%	17.1%	35.0%	Not Met
Tobacco Cessation	35.5%	92.8%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	94.9%	100%	55.3%	65.9%	Met
DV/IPV Screening	92.8%	100%	52.6%	64.1%	Met
Depression Screening	95.2%	100%	55.4%	66.9%	Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	100.0%	100%	65.3%	89.1%	Met
Childhood Weight Control ^b	33.3%	15.0%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	100.0%	100%	11.1%	29.0%	Met
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in EV 2014					Measures Met = 11

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 11 Measures Not Met =5 Measures with No Data =0

South Dakota Urban Indian Health 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	South Dakota	South Dakota	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014 Final</u>	<u>2013 Final</u>	<u>2014 Final</u>	<u>2014 Target</u>	<u>Results - South Dakota</u>
Good Glycemic Control	41.7%	42.0%	47.1%	48.3%	Not Met
Controlled BP <140/90	64.8%	57.3%	66.1%	64.6%	Met
LDL Assessed	74.1%	71.8%	68.3%	73.9%	Met
Nephropathy Assessed ^a	67.6%	51.9%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	60.4%	60.9%	43.1%	69.1%	Not Met
Pneumovax 65+ ^ª	75.0%	69.6%	54.5%	Baseline	Met
Childhood IZ	36.5%	45.0%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	49.9%	65.4%	41.6%	Baseline	Met
Mammography Screening	48.8%	35.4%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	23.1%	20.6%	17.1%	35.0%	Not Met
Tobacco Cessation	58.2%	59.4%	38.2%	45.7%	Met
Alcohol Screening (FAS Prevention)	59.2%	58.3%	55.3%	65.9%	Not Met
DV/IPV Screening	58.5%	56.4%	52.6%	64.1%	Not Met
Depression Screening	54.0%	58.4%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	86.7%	78.9%	65.3%	89.1%	Not Met
Childhood Weight Control ^b	30.8%	17.8%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	0.0%	0.0%	11.1%	29.0%	Not Met
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in FY 2014					Measures Met = 6

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Not Met = 10 Measures with No Data = 0

First Nations Community Healthsource (Albuquerque) 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	First Nations	First Nations	CRS Sites ^d	National	2014 Final
DIABETES	2014 Final	2013 Final	2014 Final	2014 Target	Results - First Nations
Good Glycemic Control	33.6%	34.9%	47.1%	48.3%	Not Met
Controlled BP <140/90	57.1%	75.3%	66.1%	64.6%	Not Met
LDL Assessed	27.1%	24.7%	68.3%	73.9%	Not Met
Nephropathy Assessed ^a	33.6%	43.2%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	0.0%	0.0%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	5.1%	0.0%	54.5%	Baseline	Met
Childhood IZ	20.0%	6.7%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	48.6%	26.8%	41.6%	Baseline	Met
Mammography Screening	27.7%	40.2%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	33.9%	13.9%	17.1%	35.0%	Not Met
Tobacco Cessation	9.5%	64.8%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	35.3%	100%	55.3%	65.9%	Not Met
DV/IPV Screening	78.1%	100%	52.6%	64.1%	Met
Depression Screening	81.6%	100%	55.4%	66.9%	Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	96.4%	92.5%	65.3%	89.1%	Met
Childhood Weight Control ^b	40.0%	38.0%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	100%	88.2%	11.1%	29.0%	Met
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in FY 2014 ^b Long-term measure as of FY 2009, next re	eported in EY 2016				Measures Met = 7 Measures Not Met =9

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Not Met =9 Measures with No Data =0

Denver Indian Health and Family Services 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Denver	Denver	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014 Final</u>	<u>2013 Final</u>	<u>2014 Final</u>	<u>2014 Target</u>	<u>Results - Denver</u>
Good Glycemic Control	54.0%	58.3%	47.1%	48.3%	Met
Controlled BP <140/90	74.0%	75.9%	66.1%	64.6%	Met
LDL Assessed	86.0%	88.9%	68.3%	73.9%	Met
Nephropathy Assessed ^a	70.7%	68.5%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	34.8%	26.4%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	75.8%	69.8%	54.5%	Baseline	Met
Childhood IZ	46.7%	65.0%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	21.6%	32.6%	41.6%	Baseline	Met
Mammography Screening	18.1%	0.0%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	2.8%	2.8%	17.1%	35.0%	Not Met
Tobacco Cessation	40.8%	23.4%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	63.9%	51.9%	55.3%	65.9%	Not Met
DV/IPV Screening	62.4%	49.8%	52.6%	64.1%	Not Met
Depression Screening	66.4%	55.6%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	50.0%	0.0%	65.3%	89.1%	Not Met
Childhood Weight Control ^b	19.6%	15.0%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	0.0%	No Data	11.1%	29.0%	Not Met
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in FY 2014					Measures Met = 6

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 6 Measures Not Met =10 Measures with No Data = 0

American Indian Health Service of Chicago 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Chicago	Chicago	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014 Final</u>	<u>2013 Final</u>	<u>2014 Final</u>	2014 Target	Results - Chicago
Good Glycemic Control	50.7%	47.8%	47.1%	48.3%	Met
Controlled BP <140/90	84.5%	79.1%	66.1%	64.6%	Met
LDL Assessed	87.3%	85.1%	68.3%	73.9%	Met
Nephropathy Assessed ^a	54.9%	68.7%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	75.0%	58.1%	43.1%	69.1%	Met
Pneumovax 65+ ^a	89.3%	77.4%	54.5%	Baseline	Met
Childhood IZ	100.0%	40.0%	39.0%	74.8%	Met
PREVENTION					
Pap Screening ^a	80.3%	75.5%	41.6%	Baseline	Met
Mammography Screening	56.5%	34.7%	26.6%	54.7%	Met
Colorectal Cancer Screening	51.5%	42.4%	17.1%	35.0%	Met
Tobacco Cessation	66.1%	51.6%	38.2%	45.7%	Met
Alcohol Screening (FAS Prevention)	56.5%	68.4%	55.3%	65.9%	Not Met
DV/IPV Screening	52.8%	65.4%	52.6%	64.1%	Not Met
Depression Screening	67.1%	68.8%	55.4%	66.9%	Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	85.7%	66.7%	65.3%	89.1%	Not Met
Childhood Weight Control ^b	75.0%	20.0%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in FY 2014					Measures Met = 12

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 12 Measures Not Met =3 Measures with No Data =1

American Indian Health and Family Services (Detroit) 2014 Final **GPRA** Report

2014 Final GPRA Dashboard								
	Detroit	Detroit	CRS Sites ^d	National	2014 Final			
DIABETES	<u>2014 Final</u>	2013 Final	<u>2014 Final</u>	2014 Target	Results - Detroit			
Good Glycemic Control	29.6%	55.2%	47.1%	48.3%	Not Met			
Controlled BP <140/90	59.3%	55.2%	66.1%	64.6%	Not Met			
LDL Assessed	51.9%	82.8%	68.3%	73.9%	Not Met			
Nephropathy Assessed ^a	25.9%	65.5%	53.5%	Baseline	Met			
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A			
DENTAL								
Dental Access	N/A	N/A	N/A	29.2%	N/A			
Sealants	N/A	N/A	N/A	13.9%	N/A			
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A			
IMMUNIZATIONS								
Influenza 65+	50.0%	41.7%	43.1%	69.1%	Not Met			
Pneumovax 65+ ^ª	78.6%	83.3%	54.5%	Baseline	Met			
Childhood IZ	100.0%	100%	39.0%	74.8%	Met			
PREVENTION								
Pap Screening ^a	38.9%	51.9%	41.6%	Baseline	Met			
Mammography Screening	16.7%	29.2%	26.6%	54.7%	Not Met			
Colorectal Cancer Screening	15.1%	15.3%	17.1%	35.0%	Not Met			
Tobacco Cessation	43.5%	44.7%	38.2%	45.7%	Not Met			
Alcohol Screening (FAS Prevention)	70.0%	69.1%	55.3%	65.9%	Met			
DV/IPV Screening	68.6%	59.1%	52.6%	64.1%	Met			
Depression Screening	61.8%	64.4%	55.4%	66.9%	Not Met			
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A			
Prenatal HIV Screening	0.0%	No Data	65.3%	89.1%	Not Met			
Childhood Weight Control ^b	No Data	0.0%	27.7%	N/A ^b	N/A			
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data			
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A			
^a Measure logic revised in FY 2014					Measures Met = 6			

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Not Met = 9

Gerald L. Ignace Indian Health Center (Milwaukee) 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Milwaukee	Milwaukee	CRS Sites ^d	National	2014 Final
DIABETES	2014 Final	2013 Final	2014 Final	2014 Target	Results - Milwaukee
Good Glycemic Control	51.2%	58.1%	47.1%	48.3%	Met
Controlled BP <140/90	75.6%	72.6%	66.1%	64.6%	Met
LDL Assessed	85.4%	87.2%	68.3%	73.9%	Met
Nephropathy Assessed ^a	87.0%	72.6%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	55.8%	53.5%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	30.8%	11.6%	54.5%	Baseline	Met
Childhood IZ	17.4%	16.7%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	38.9%	41.8%	41.6%	Baseline	Met
Mammography Screening	32.0%	17.4%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	6.3%	3.0%	17.1%	35.0%	Not Met
Tobacco Cessation	17.3%	22.2%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	74.7%	71.2%	55.3%	65.9%	Met
DV/IPV Screening	75.2%	69.6%	52.6%	64.1%	Met
Depression Screening	73.4%	70.2%	55.4%	66.9%	Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	0.0%	0.0%	65.3%	89.1%	Not Met
Childhood Weight Control ^b	39.0%	24.0%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in FY 2014					Measures Met = 9

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Not Met =6 Measures with No Data =1

Indian Health Board of Minneapolis, Inc. 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Minneapolis	Minneapolis	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014 Final</u>	<u>2013 Final</u>	2014 Final	2014 Target	<u>Results - Minneapolis</u>
Good Glycemic Control	66.2%	71.8%	47.1%	48.3%	Met
Controlled BP <140/90	80.1%	74.6%	66.1%	64.6%	Met
LDL Assessed	86.0%	89.4%	68.3%	73.9%	Met
Nephropathy Assessed ^a	89.7%	95.8%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	39.2%	51.6%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	72.5%	69.5%	54.5%	Baseline	Met
Childhood IZ	69.8%	77.4%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	39.9%	40.5%	41.6%	Baseline	Met
Mammography Screening	30.3%	28.1%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	25.3%	22.6%	17.1%	35.0%	Not Met
Tobacco Cessation	56.8%	60.6%	38.2%	45.7%	Met
Alcohol Screening (FAS Prevention)	51.1%	45.6%	55.3%	65.9%	Not Met
DV/IPV Screening	49.1%	39.5%	52.6%	64.1%	Not Met
Depression Screening	50.2%	45.8%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	85.2%	86.8%	65.3%	89.1%	Not Met
Childhood Weight Control ^b	21.0%	30.0%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	16.1%	43.2%	11.1%	29.0%	Not Met
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in EV 2014					Monsures Mot = 7

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 7

Measures Not Met = 9 Measures with No Data =0

Indian Health Board of Billings 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Billings	Billings	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014 Final</u>	2013 Final	<u>2014 Final</u>	2014 Target	Results - Billings
Good Glycemic Control	48.5%	45.0%	47.1%	48.3%	Met
Controlled BP <140/90	63.8%	64.9%	66.1%	64.6%	Not Met
LDL Assessed	50.0%	37.8%	68.3%	73.9%	Not Met
Nephropathy Assessed ^a	37.7%	28.8%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	29.2%	30.0%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	40.3%	41.4%	54.5%	Baseline	Met
Childhood IZ	4.0%	6.3%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	24.5%	40.1%	41.6%	Baseline	Met
Mammography Screening	20.2%	22.7%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	12.2%	15.7%	17.1%	35.0%	Not Met
Tobacco Cessation	52.0%	49.0%	38.2%	45.7%	Met
Alcohol Screening (FAS Prevention)	62.5%	64.2%	55.3%	65.9%	Not Met
DV/IPV Screening	61.8%	63.3%	52.6%	64.1%	Not Met
Depression Screening	61.1%	61.2%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	0.0%	0.0%	65.3%	89.1%	Not Met
Childhood Weight Control ^b	33.3%	0.0%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in EV 2014					Measures Met = 5

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 5 Measures Not Met =10 Measures with No Data =1

North American Indian Alliance (Butte) 2014 Final **GPRA** Report

2014 Final GPRA Dashboard					
	Butte	Butte	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014 Final</u>	<u>2013 Final</u>	2014 Final	2014 Target	Results - Butte
Good Glycemic Control	42.9%	55.6%	47.1%	48.3%	Not Met
Controlled BP <140/90	71.4%	85.2%	66.1%	64.6%	Met
LDL Assessed	57.1%	63.0%	68.3%	73.9%	Not Met
Nephropathy Assessed ^a	39.3%	48.1%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL			-	-	-
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	64.3%	57.1%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	21.4%	35.7%	54.5%	Baseline	Met
Childhood IZ	0.0%	No Data	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	58.0%	56.3%	41.6%	Baseline	Met
Mammography Screening	41.7%	39.1%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	0.0%	0.0%	17.1%	35.0%	Not Met
Tobacco Cessation	4.7%	9.2%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	45.9%	48.0%	55.3%	65.9%	Not Met
DV/IPV Screening	44.6%	49.2%	52.6%	64.1%	Not Met
Depression Screening	45.9%	57.6%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	No Data	No Data	65.3%	89.1%	No Data
Childhood Weight Control ^b	0.0%	No Data	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in FY 2014					Measures Met = 4
^b Long-term measure as of FY 2009, next re	eported in FY 2016				Measures Not Met =10

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Not Met =10 Measures with No Data =2

Indian Family Health Clinic (Great Falls) 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Great Falls	Great Falls	CRS Sites ^d	National	2014 Final
DIABETES	2014 Final	2013 Final	<u>2014 Final</u>	2014 Target	<u>Results - Great Falls</u>
Good Glycemic Control	42.0%	50.7%	47.1%	48.3%	Not Met
Controlled BP <140/90	62.3%	53.3%	66.1%	64.6%	Not Met
LDL Assessed	84.1%	76.0%	68.3%	73.9%	Met
Nephropathy Assessed ^a	65.2%	57.3%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	34.4%	23.9%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	47.5%	41.8%	54.5%	Baseline	Met
Childhood IZ	0.0%	50.0%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	43.7%	50.6%	41.6%	Baseline	Met
Mammography Screening	32.8%	5.5%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	3.2%	13.5%	17.1%	35.0%	Not Met
Tobacco Cessation	64.8%	56.7%	38.2%	45.7%	Met
Alcohol Screening (FAS Prevention)	66.2%	61.2%	55.3%	65.9%	Met
DV/IPV Screening	64.3%	51.9%	52.6%	64.1%	Met
Depression Screening	59.5%	48.2%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	66.7%	33.3%	65.3%	89.1%	Not Met
Childhood Weight Control ^b	16.7%	12.5%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in FY 2014					Measures Met = 7

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 7 Measures Not Met = 8 Measures with No Data =1

Helena Indian Alliance 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Helena	Helena	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014 Final</u>	<u>2013 Final</u>	2014 Final	2014 Target	<u>Results - Helena</u>
Good Glycemic Control	56.0%	62.3%	47.1%	48.3%	Met
Controlled BP <140/90	64.0%	69.8%	66.1%	64.6%	Not Met
LDL Assessed	82.0%	54.7%	68.3%	73.9%	Met
Nephropathy Assessed ^a	76.0%	34.0%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	45.7%	37.5%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	54.3%	59.4%	54.5%	Baseline	Met
Childhood IZ	0.0%	0.0%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	38.5%	41.7%	41.6%	Baseline	Met
Mammography Screening	18.4%	42.9%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	13.2%	15.4%	17.1%	35.0%	Not Met
Tobacco Cessation	60.3%	64.4%	38.2%	45.7%	Met
Alcohol Screening (FAS Prevention)	57.9%	65.5%	55.3%	65.9%	Not Met
DV/IPV Screening	52.5%	64.8%	52.6%	64.1%	Not Met
Depression Screening	63.5%	69.8%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	100%	No Data	65.3%	89.1%	Met
Childhood Weight Control ^b	No Data	No Data	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in FY 2014					Measures Met = 7

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 7

Measures Not Met =8

Missoula Indian Center 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Missoula	Missoula	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014 Final</u>	2013 Final	<u>2014 Final</u>	2014 Target	<u>Results - Missoula</u>
Good Glycemic Control	8.7%	0.0%	47.1%	48.3%	Not Met
Controlled BP <140/90	65.2%	0.0%	66.1%	64.6%	Met
LDL Assessed	0.0%	0.0%	68.3%	73.9%	Not Met
Nephropathy Assessed ^a	0.0%	0.0%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	40.0%	23.1%	43.1%	69.1%	Not Met
Pneumovax 65+ ^ª	50.0%	53.8%	54.5%	Baseline	Met
Childhood IZ	No Data	50.0%	39.0%	74.8%	No Data
PREVENTION					
Pap Screening ^a	4.0%	2.9%	41.6%	Baseline	Met
Mammography Screening	0.0%	2.9%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	0.0%	0.0%	17.1%	35.0%	Not Met
Tobacco Cessation	0.0%	1.0%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	4.9%	5.2%	55.3%	65.9%	Not Met
DV/IPV Screening	0.0%	2.3%	52.6%	64.1%	Not Met
Depression Screening	1.4%	2.4%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	No Data	No Data	65.3%	89.1%	No Data
Childhood Weight Control ^b	No Data	No Data	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Mossura logic revised in EV 2014					Maasuras Mat - 1

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 4

Measures Not Met =9 Measures with No Data =3

Bakersfield Indian Health Center 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Bakersfield	Bakersfield	CRS Sites ^d	National	2014 Final
DIABETES	2014 Final	2013 Final	<u>2014 Final</u>	2014 Target	Results - Bakersfield
Good Glycemic Control	35.7%	32.4%	47.1%	48.3%	Not Met
Controlled BP <140/90	32.1%	23.5%	66.1%	64.6%	Not Met
LDL Assessed	57.1%	41.2%	68.3%	73.9%	Not Met
Nephropathy Assessed ^a	0.0%	32.4%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	4.3%	3.2%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	60.9%	45.2%	54.5%	Baseline	Met
Childhood IZ	0.0%	No Data	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	21.2%	31.0%	41.6%	Baseline	Met
Mammography Screening	12.9%	8.6%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	26.2%	23.7%	17.1%	35.0%	Not Met
Tobacco Cessation	34.7%	30.9%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	23.0%	22.5%	55.3%	65.9%	Not Met
DV/IPV Screening	25.0%	18.4%	52.6%	64.1%	Not Met
Depression Screening	29.9%	24.9%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	No Data	No Data	65.3%	89.1%	No Data
Childhood Weight Control ^b	0.0%	No Data	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in FY 2014					Measures Met = 3

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^cDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 3 Measures Not Met =11 Measures with No Data =2

Fresno Native American Health Center 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Fresno	Fresno	CRS Sites ^d	National	2014 Final
DIABETES	2014 Final	2013 Final	2014 Final	2014 Target	Results - Fresno
Good Glycemic Control	27.6%	19.0%	47.1%	48.3%	Not Met
Controlled BP <140/90	41.4%	33.3%	66.1%	64.6%	Not Met
LDL Assessed	44.8%	23.8%	68.3%	73.9%	Not Met
Nephropathy Assessed ^a	0.0%	23.8%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	22.9%	16.7%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	14.3%	20.0%	54.5%	Baseline	Met
Childhood IZ	No Data	0.0%	39.0%	74.8%	No Data
PREVENTION					
Pap Screening ^a	15.1%	9.6%	41.6%	Baseline	Met
Mammography Screening	16.7%	9.8%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	0.9%	1.1%	17.1%	35.0%	Not Met
Tobacco Cessation	5.1%	7.1%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	22.0%	11.8%	55.3%	65.9%	Not Met
DV/IPV Screening	20.7%	12.0%	52.6%	64.1%	Not Met
Depression Screening	32.1%	17.6%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	No Data	No Data	65.3%	89.1%	No Data
Childhood Weight Control ^b	No Data	100%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 3

Measures Not Met =10

United American Indian Involvement (Los Angeles) 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Los Angeles	Los Angeles	CRS Sites ^d	National	2014 Final
DIABETES	2014 Final	2013 Final	2014 Final	2014 Target	Results - Los Angeles
Good Glycemic Control	38.3%	38.4%	47.1%	48.3%	Not Met
Controlled BP <140/90	55.3%	57.6%	66.1%	64.6%	Not Met
LDL Assessed	63.8%	60.6%	68.3%	73.9%	Not Met
Nephropathy Assessed ^a	58.5%	36.4%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	45.5%	40.7%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	63.6%	75.9%	54.5%	Baseline	Met
Childhood IZ	60.0%	28.6%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	47.1%	64.0%	41.6%	Baseline	Met
Mammography Screening	15.5%	14.3%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	19.0%	12.3%	17.1%	35.0%	Not Met
Tobacco Cessation	15.5%	38.1%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	58.6%	49.0%	55.3%	65.9%	Not Met
DV/IPV Screening	46.4%	37.8%	52.6%	64.1%	Not Met
Depression Screening	50.1%	48.0%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	0.0%	0.0%	65.3%	89.1%	Not Met
Childhood Weight Control ^b	45.5%	25.0%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 3

Measures Not Met =12

Native American Health Center (Oakland/San Francisco) 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Oakland/SF	Oakland/SF	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014 Final</u>	2013 Final	2014 Final	2014 Target	Results - Oakland/SF
Good Glycemic Control	55.4%	47.1%	47.1%	48.3%	Met
Controlled BP <140/90	85.9%	70.6%	66.1%	64.6%	Met
LDL Assessed	73.9%	50.0%	68.3%	73.9%	Met
Nephropathy Assessed ^a	51.1%	14.7%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	42.6%	25.7%	43.1%	69.1%	Not Met
Pneumovax 65+ ^ª	57.4%	65.7%	54.5%	Baseline	Met
Childhood IZ	28.6%	12.5%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	48.0%	33.6%	41.6%	Baseline	Met
Mammography Screening	24.8%	3.5%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	38.7%	3.2%	17.1%	35.0%	Met
Tobacco Cessation	44.8%	1.7%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	25.6%	14.4%	55.3%	65.9%	Not Met
DV/IPV Screening	14.9%	7.1%	52.6%	64.1%	Not Met
Depression Screening	39.8%	16.2%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	78.8%	0.0%	65.3%	89.1%	Not Met
Childhood Weight Control ^b	14.7%	40.0%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 7

Measures Not Met =8

Sacramento Native American Health Center 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Sacramento	Sacramento	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014 Final</u>	<u>2013 Final</u>	<u>2014 Final</u>	2014 Target	Results - Sacramento
Good Glycemic Control	42.9%	47.3%	47.1%	48.3%	Not Met
Controlled BP <140/90	63.1%	64.8%	66.1%	64.6%	Not Met
LDL Assessed	51.2%	62.6%	68.3%	73.9%	Not Met
Nephropathy Assessed ^a	77.4%	50.5%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	43.6%	43.2%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	65.5%	59.1%	54.5%	Baseline	Met
Childhood IZ	71.4%	76.5%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	47.1%	45.3%	41.6%	Baseline	Met
Mammography Screening	19.4%	27.4%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	23.8%	23.8%	17.1%	35.0%	Not Met
Tobacco Cessation	5.7%	9.5%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	30.6%	47.7%	55.3%	65.9%	Not Met
DV/IPV Screening	29.9%	39.6%	52.6%	64.1%	Not Met
Depression Screening	35.3%	51.2%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	42.9%	76.9%	65.3%	89.1%	Not Met
Childhood Weight Control ^b	16.0%	17.2%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 3

Measures Not Met =12

San Diego American Indian Health Center 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	San Diego	San Diego	CRS Sites ^d	National	2014 Final
DIABETES	2014 Final	2013 Final	2014 Final	2014 Target	<u>Results - San Diego</u>
Good Glycemic Control	41.2%	49.2%	47.1%	48.3%	Not Met
Controlled BP <140/90	69.1%	71.4%	66.1%	64.6%	Met
LDL Assessed	82.4%	77.8%	68.3%	73.9%	Met
Nephropathy Assessed ^a	75.0%	77.8%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	37.5%	34.6%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	78.1%	80.8%	54.5%	Baseline	Met
Childhood IZ	55.0%	46.2%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	46.4%	52.0%	41.6%	Baseline	Met
Mammography Screening	25.4%	33.3%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	9.5%	17.5%	17.1%	35.0%	Not Met
Tobacco Cessation	42.5%	35.1%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	56.8%	50.6%	55.3%	65.9%	Not Met
DV/IPV Screening	54.8%	54.7%	52.6%	64.1%	Not Met
Depression Screening	58.7%	57.1%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	100%	100%	65.3%	89.1%	Met
Childhood Weight Control ^b	46.2%	17.6%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	0.0%	No Data	11.1%	29.0%	Not Met
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 6

Measures Not Met =10

Indian Health Center of Santa Clara Valley (San Jose) 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	San Jose	San Jose	CRS Sites ^d	National	2014 Final
DIABETES	2014 Final	2013 Final	2014 Final	2014 Target	<u>Results - San Jose</u>
Good Glycemic Control	45.4%	33.3%	47.1%	48.3%	Not Met
Controlled BP <140/90	67.0%	70.1%	66.1%	64.6%	Met
LDL Assessed	76.3%	59.8%	68.3%	73.9%	Met
Nephropathy Assessed ^a	64.9%	87.4%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
nfluenza 65+	46.9%	57.1%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	50.0%	63.3%	54.5%	Baseline	Met
Childhood IZ	57.1%	35.3%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	56.5%	62.7%	41.6%	Baseline	Met
Mammography Screening	35.9%	49.4%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	29.9%	31.6%	17.1%	35.0%	Not Met
Fobacco Cessation	93.3%	70.0%	38.2%	45.7%	Met
Alcohol Screening (FAS Prevention)	29.2%	13.5%	55.3%	65.9%	Not Met
DV/IPV Screening	28.6%	16.3%	52.6%	64.1%	Not Met
Depression Screening	40.4%	23.6%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	100%	100%	65.3%	89.1%	Met
Childhood Weight Control ^b	18.6%	100%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	66.7%	50.0%	11.1%	29.0%	Met
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 8 Measures Not Met =8

Santa Barbara Indian Health Center 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Santa Barbara	Santa Barbara	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014 Final</u>	2013 Final	2014 Final	2014 Target	Results - Santa Barbara
Good Glycemic Control	70.8%	44.0%	47.1%	48.3%	Met
Controlled BP <140/90	79.2%	76.0%	66.1%	64.6%	Met
LDL Assessed	91.7%	88.0%	68.3%	73.9%	Met
Nephropathy Assessed ^a	87.5%	84.0%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	57.1%	72.7%	43.1%	69.1%	Not Met
Pneumovax 65+ ^ª	77.1%	86.4%	54.5%	Baseline	Met
Childhood IZ	83.3%	83.3%	39.0%	74.8%	Met
PREVENTION					
Pap Screening ^a	72.9%	83.6%	41.6%	Baseline	Met
Mammography Screening	73.3%	75.7%	26.6%	54.7%	Met
Colorectal Cancer Screening	66.9%	39.8%	17.1%	35.0%	Met
Tobacco Cessation	54.5%	31.9%	38.2%	45.7%	Met
Alcohol Screening (FAS Prevention)	70.7%	67.7%	55.3%	65.9%	Met
DV/IPV Screening	66.7%	64.0%	52.6%	64.1%	Met
Depression Screening	72.9%	62.2%	55.4%	66.9%	Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	50.0%	100%	65.3%	89.1%	Not Met
Childhood Weight Control ^b	7.1%	9.1%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	100%	100%	11.1%	29.0%	Met
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 14

Measures Not Met =2

Native American Lifelines (Boston) 2014 Final GPRA Report

2014 Final GPRA Dashboard						
	Boston	Boston	CRS Sites ^d	National	2014 Final	
DIABETES	<u>2014 Final</u>	2013 Final	<u>2014 Final</u>	2014 Target	Results - Boston	
Good Glycemic Control	No Data	No Data	47.1%	48.3%	No Data	
Controlled BP <140/90	No Data	No Data	66.1%	64.6%	No Data	
LDL Assessed	No Data	No Data	68.3%	73.9%	No Data	
Nephropathy Assessed ^a	No Data	No Data	53.5%	Baseline	No Data	
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A	
DENTAL						
Dental Access	N/A	N/A	N/A	29.2%	N/A	
Sealants	N/A	N/A	N/A	13.9%	N/A	
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A	
IMMUNIZATIONS						
Influenza 65+	No Data	0.0%	43.1%	69.1%	No Data	
Pneumovax 65+ ^ª	No Data	0.0%	54.5%	Baseline	No Data	
Childhood IZ	0.0%	No Data	39.0%	74.8%	Not Met	
PREVENTION						
Pap Screening ^a	5.3%	0.0%	41.6%	Baseline	Met	
Mammography Screening	12.5%	0.0%	26.6%	54.7%	Not Met	
Colorectal Cancer Screening	0.0%	0.0%	17.1%	35.0%	Not Met	
Tobacco Cessation	0.0%	0.0%	38.2%	45.7%	Not Met	
Alcohol Screening (FAS Prevention)	72.7%	50.0%	55.3%	65.9%	Met	
DV/IPV Screening	33.3%	30.8%	52.6%	64.1%	Not Met	
Depression Screening	73.3%	30.4%	55.4%	66.9%	Met	
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A	
Prenatal HIV Screening	No Data	No Data	65.3%	89.1%	No Data	
Childhood Weight Control ^b	No Data	No Data	27.7%	N/A ^b	N/A	
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data	
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A	
Aleasure logic revised in FY 2014 Measures Met = 3						

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures with No Data =8

Measures Not Met =5

The American Indian Community House of New York City, Inc. 2014 Final **GPRA** Report

2014 Final GPRA Dashboard					
	New York	New York	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014 Final</u>	<u>2013 Final</u>	<u>2014 Final</u>	2014 Target	Results - New York
Good Glycemic Control	No Data	No Data	47.1%	48.3%	No Data
Controlled BP <140/90	No Data	No Data	66.1%	64.6%	No Data
LDL Assessed	No Data	No Data	68.3%	73.9%	No Data
Nephropathy Assessed ^a	No Data	No Data	53.5%	Baseline	No Data
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	0.0%	No Data	43.1%	69.1%	Not Met
Pneumovax 65+ ^ª	0.0%	No Data	54.5%	Baseline	Met
Childhood IZ	No Data	No Data	39.0%	74.8%	No Data
PREVENTION					
Pap Screening ^a	9.1%	0.0%	41.6%	Baseline	Met
Mammography Screening	0.0%	100%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	13.3%	33.3%	17.1%	35.0%	Not Met
Tobacco Cessation	0.0%	0.0%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	80.0%	60.0%	55.3%	65.9%	Met
DV/IPV Screening	80.0%	25.0%	52.6%	64.1%	Met
Depression Screening	56.7%	52.4%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	No Data	No Data	65.3%	89.1%	No Data
Childhood Weight Control ^b	No Data	No Data	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in FY 2014					Measures Met = 4

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures with No Data =7

Measures Not Met =5

NACA Family Health Center (Flagstaff) 2014 Final **GPRA** Report

2014 Final GPRA Dashboard					
	Flagstaff	Flagstaff	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014 Final</u>	2013 Final	<u>2014 Final</u>	2014 Target	Results - Flagstaff
Good Glycemic Control	49.3%	48.6%	47.1%	48.3%	Met
Controlled BP <140/90	91.5%	83.8%	66.1%	64.6%	Met
LDL Assessed	53.5%	27.0%	68.3%	73.9%	Not Met
Nephropathy Assessed ^a	1.4%	12.2%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
nfluenza 65+	15.4%	29.2%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	50.0%	47.7%	54.5%	Baseline	Met
Childhood IZ	50.0%	0.0%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	40.7%	43.3%	41.6%	Baseline	Met
Mammography Screening	18.2%	22.2%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	26.5%	18.1%	17.1%	35.0%	Not Met
Tobacco Cessation	5.9%	10.9%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	33.0%	45.7%	55.3%	65.9%	Not Met
DV/IPV Screening	31.5%	43.6%	52.6%	64.1%	Not Met
Depression Screening	34.5%	44.7%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	50.0%	33.3%	65.3%	89.1%	Not Met
Childhood Weight Control ^b	27.3%	9.1%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in FY 2014					Measures Met = 5

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Not Met =10

Urban Inter-Tribal Center of Texas (Dallas) 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Dallas	Dallas	CRS Sites ^d	National	2014 Final
DIABETES	2014 Final	2013 Final	2014 Final	2014 Target	<u>Results - Dallas</u>
Good Glycemic Control	51.7%	55.2%	47.1%	48.3%	Met
Controlled BP <140/90	59.7%	63.0%	66.1%	64.6%	Not Met
LDL Assessed	71.7%	73.5%	68.3%	73.9%	Not Met
Nephropathy Assessed ^a	43.4%	65.2%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	66.0%	58.2%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	69.4%	57.5%	54.5%	Baseline	Met
Childhood IZ ^a	46.4%	40.0%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	53.4%	47.6%	41.6%	Baseline	Met
Mammography Screening	37.0%	23.7%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	21.7%	12.0%	17.1%	35.0%	Not Met
Tobacco Cessation	29.8%	21.6%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	63.7%	59.9%	55.3%	65.9%	Not Met
DV/IPV Screening	62.1%	58.2%	52.6%	64.1%	Not Met
Depression Screening	68.0%	64.6%	55.4%	66.9%	Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	0.0%	No Data	65.3%	89.1%	Not Met
Childhood Weight Control ^b	13.6%	24.1%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	0.0%	No Data	11.1%	29.0%	Not Met
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 5 Measures Not Met =11 Measures with No Data =0

Hunter Health Clinic (Wichita) 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Wichita	Wichita	CRS Sites ^d	National	2014 Final
DIABETES	2014 Final	2013 Final	2014 Final	2014 Target	Results - Wichita
Good Glycemic Control	47.5%	47.8%	47.1%	48.3%	Not Met
Controlled BP <140/90	68.1%	69.9%	66.1%	64.6%	Met
LDL Assessed	70.0%	44.6%	68.3%	73.9%	Not Met
Nephropathy Assessed ^a	70.6%	40.3%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	38.8%	41.7%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	13.3%	14.6%	54.5%	Baseline	Met
Childhood IZ	14.3%	9.1%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	48.7%	59.8%	41.6%	Baseline	Met
Mammography Screening	14.5%	10.6%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	20.6%	23.3%	17.1%	35.0%	Not Met
Tobacco Cessation	26.3%	24.5%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	56.6%	58.4%	55.3%	65.9%	Not Met
DV/IPV Screening	48.7%	50.1%	52.6%	64.1%	Not Met
Depression Screening	54.6%	56.3%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	97.1%	90.5%	65.3%	89.1%	Met
Childhood Weight Control ^b	23.5%	16.7%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
Measure logic revised in FY 2014 Measures Met = 5					

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 5 Measures Not Met =10

Native American Community Health Center (Phoenix) 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Phoenix	Phoenix	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014 Final</u>	<u>2013 Final</u>	2014 Final	2014 Target	<u>Results - Phoenix</u>
Good Glycemic Control	42.5%	37.3%	47.1%	48.3%	Not Met
Controlled BP <140/90	76.1%	78.4%	66.1%	64.6%	Met
LDL Assessed	60.2%	54.5%	68.3%	73.9%	Not Met
Nephropathy Assessed ^a	70.3%	42.4%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	29.3%	25.4%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	13.3%	14.9%	54.5%	Baseline	Met
Childhood IZ ^a	85.7%	93.1%	39.0%	74.8%	Met
PREVENTION					
Pap Screening ^a	40.2%	59.7%	41.6%	Baseline	Met
Mammography Screening	37.8%	55.3%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	4.6%	27.1%	17.1%	35.0%	Not Met
Tobacco Cessation	15.3%	9.9%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	95.1%	98.5%	55.3%	65.9%	Met
DV/IPV Screening	94.6%	98.7%	52.6%	64.1%	Met
Depression Screening	95.3%	98.9%	55.4%	66.9%	Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	76.6%	75.5%	65.3%	89.1%	Not Met
Childhood Weight Control ^b	17.1%	26.3%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	15.8%	46.4%	11.1%	29.0%	Not Met
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in FY 2014					Measures Met = 8

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 8 Measures Not Met =8 Measures with No Data =0

Nevada Urban Indians (Reno) 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Reno	Reno	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014 Final</u>	2013 Final	<u>2014 Final</u>	2014 Target	<u>Results - Reno</u>
Good Glycemic Control	37.5%	44.4%	47.1%	48.3%	Not Met
Controlled BP <140/90	75.0%	88.9%	66.1%	64.6%	Met
_DL Assessed	37.5%	88.9%	68.3%	73.9%	Not Met
Nephropathy Assessed ^a	12.5%	11.1%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Fopical Fluoride	N/A	N/A	N/A	26.7%	N/A
MMUNIZATIONS					
nfluenza 65+	7.1%	9.1%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	21.4%	13.6%	54.5%	Baseline	Met
Childhood IZ ^a	No Data	No Data	39.0%	74.8%	No Data
PREVENTION					
Pap Screening ^a	18.9%	18.2%	41.6%	Baseline	Met
Mammography Screening	0.0%	10.5%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	0.0%	0.0%	17.1%	35.0%	Not Met
Tobacco Cessation	4.0%	8.3%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	35.7%	31.6%	55.3%	65.9%	Not Met
DV/IPV Screening	16.7%	28.6%	52.6%	64.1%	Not Met
Depression Screening	31.3%	22.7%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	No Data	No Data	65.3%	89.1%	No Data
Childhood Weight Control ^b	No Data	0.0%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
Measure logic revised in FY 2014					Measures Met = 4

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

40

Measures Not Met = 9

Indian Walk-In Center (Salt Lake City) 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Salt Lake City	Salt Lake City	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014 Final</u>	<u>2013 Final</u>	<u>2014 Final</u>	2014 Target	Results - Salt Lake City
Good Glycemic Control	57.5%	35.0%	47.1%	48.3%	Met
Controlled BP <140/90	67.5%	53.1%	66.1%	64.6%	Met
LDL Assessed	66.3%	60.9%	68.3%	73.9%	Not Met
Nephropathy Assessed ^a	75.0%	90.6%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	28.6%	45.5%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	28.6%	13.6%	54.5%	Baseline	Met
Childhood IZ ^a	30.0%	38.5%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	27.6%	34.1%	41.6%	Baseline	Met
Mammography Screening	13.8%	5.1%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	5.0%	33.3%	17.1%	35.0%	Not Met
Tobacco Cessation	18.9%	0.0%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	74.2%	91.1%	55.3%	65.9%	Met
DV/IPV Screening	71.0%	45.3%	52.6%	64.1%	Met
Depression Screening	70.6%	50.1%	55.4%	66.9%	Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	78.6%	44.4%	65.3%	89.1%	Not Met
Childhood Weight Control ^b	47.5%	30.0%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in FY 2014					Measures Met = 8

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, reported next in FY 2016.

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 8

Measures Not Met =7

Native American Rehabilitation Association of the Northwest, Inc. (Portland) 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Portland	Portland	CRS Sites ^d	National	2014 Final
DIABETES	2014 Final	<u>2013 Final</u>	<u>2014 Final</u>	2014 Target	Results - Portland
Good Glycemic Control	57.7%	62.0%	47.1%	48.3%	Met
Controlled BP <140/90	70.7%	77.6%	66.1%	64.6%	Met
LDL Assessed	86.5%	89.1%	68.3%	73.9%	Met
Nephropathy Assessed ^a	78.4%	82.8%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
IMMUNIZATIONS					
Influenza 65+	58.9%	56.5%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	32.4%	40.4%	54.5%	Baseline	Met
Childhood IZ ^a	70.6%	47.2%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	41.9%	50.0%	41.6%	Baseline	Met
Mammography Screening	51.3%	40.1%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	55.7%	48.6%	17.1%	35.0%	Met
Tobacco Cessation	0.3%	2.5%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	24.4%	48.5%	55.3%	65.9%	Not Met
DV/IPV Screening	28.8%	46.2%	52.6%	64.1%	Not Met
Depression Screening	28.9%	52.8%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	59.0%	67.2%	65.3%	89.1%	Not Met
Childhood Weight Control ^b	10.7%	30.3%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in FY 2014					Measures Met = 7

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 7 Measures Not Met =8

Seattle Indian Health Board 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Seattle	Seattle	CRS Sites ^d	National	2014 Final
DIABETES	<u>2014 Final</u>	<u>2013 Final</u>	<u>2014 Final</u>	2014 Target	<u>Results - Seattle</u>
Good Glycemic Control	30.3%	38.9%	47.1%	48.3%	Not Met
Controlled BP <140/90	68.2%	85.8%	66.1%	64.6%	Met
LDL Assessed	49.2%	62.8%	68.3%	73.9%	Not Met
Nephropathy Assessed ^a	46.6%	55.6%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A
MMUNIZATIONS					
nfluenza 65+	36.8%	40.2%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	45.9%	53.1%	54.5%	Baseline	Met
Childhood IZ ^a	50.5%	34.5%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	36.0%	81.2%	41.6%	Baseline	Met
Mammography Screening	10.8%	31.6%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	25.1%	24.5%	17.1%	35.0%	Not Met
Tobacco Cessation	39.8%	95.2%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	11.7%	6.7%	55.3%	65.9%	Not Met
DV/IPV Screening	1.7%	13.5%	52.6%	64.1%	Not Met
Depression Screening	7.3%	16.8%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	90.1%	36.6%	65.3%	89.1%	Met
Childhood Weight Control ^b	23.0%	No Data	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
Measure logic revised in EY 2014					Measures Met = 5

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 5 Measures Not Met =10 Measures with No Data =1

Native Health Clinic of Spokane 2014 Final GPRA Report

2014 Final GPRA Dashboard					
	Spokane	Spokane	CRS Sites ^d	National	2014 Final
DIABETES	2014 Final	2013 Final	<u>2014 Final</u>	2014 Target	Results - Spokane
Good Glycemic Control	47.4%	43.4%	47.1%	48.3%	Not Met
Controlled BP <140/90	64.0%	50.9%	66.1%	64.6%	Not Met
LDL Assessed	44.7%	69.8%	68.3%	73.9%	Not Met
Nephropathy Assessed ^a	32.5%	66.0%	53.5%	Baseline	Met
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A
DENTAL					
Dental Access	N/A	N/A	N/A	29.2%	N/A
Sealants	N/A	N/A	N/A	13.9%	N/A
Fopical Fluoride	N/A	N/A	N/A	26.7%	N/A
MMUNIZATIONS					
nfluenza 65+	40.0%	55.2%	43.1%	69.1%	Not Met
Pneumovax 65+ ^a	72.3%	67.2%	54.5%	Baseline	Met
Childhood IZ ^a	43.1%	44.2%	39.0%	74.8%	Not Met
PREVENTION					
Pap Screening ^a	42.6%	40.7%	41.6%	Baseline	Met
Mammography Screening	23.3%	24.6%	26.6%	54.7%	Not Met
Colorectal Cancer Screening	18.5%	15.7%	17.1%	35.0%	Not Met
Tobacco Cessation	30.2%	28.3%	38.2%	45.7%	Not Met
Alcohol Screening (FAS Prevention)	48.3%	53.9%	55.3%	65.9%	Not Met
DV/IPV Screening	46.7%	51.3%	52.6%	64.1%	Not Met
Depression Screening	48.3%	54.0%	55.4%	66.9%	Not Met
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A
Prenatal HIV Screening	86.7%	100%	65.3%	89.1%	Not Met
Childhood Weight Control ^b	30.4%	28.8%	27.7%	N/A ^b	N/A
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A
^a Measure logic revised in FY 2014					Measures Met = 3

^aMeasure logic revised in FY 2014

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures Met = 3

Measures Not Met =12

Tucson Indian Center 2014 Final GPRA Report

2014 Final GPRA Dashboard							
	Tucson	Tucson	CRS Sites ^d	National	2014 Final		
DIABETES	2014 Final	<u>2013 Final</u>	<u>2014 Final</u>	2014 Target	<u>Results - Tucson</u>		
Good Glycemic Control	43.2%	0.0%	47.1%	48.3%	Not Met		
Controlled BP <140/90	73.5%	21.6%	66.1%	64.6%	Met		
LDL Assessed	77.8%	0.0%	68.3%	73.9%	Met		
Nephropathy Assessed ^a	74.6%	0.0%	53.5%	Baseline	Met		
Retinopathy Exam	N/A	N/A	N/A	58.6%	N/A		
DENTAL							
Dental Access	N/A	N/A	N/A	29.2%	N/A		
Sealants	N/A	N/A	N/A	13.9%	N/A		
Topical Fluoride	N/A	N/A	N/A	26.7%	N/A		
IMMUNIZATIONS							
Influenza 65+	56.4%	57.4%	43.1%	69.1%	Not Met		
Pneumovax 65+ ^a	72.7%	72.2%	54.5%	Baseline	Met		
Childhood IZ ^a	50.0%	0.0%	39.0%	74.8%	Not Met		
PREVENTION							
Pap Screening ^a	45.2%	44.5%	41.6%	Baseline	Met		
Mammography Screening	77.8%	33.3%	26.6%	54.7%	Met		
Colorectal Cancer Screening	25.6%	25.0%	17.1%	35.0%	Not Met		
Tobacco Cessation	22.5%	24.4%	38.2%	45.7%	Not Met		
Alcohol Screening (FAS Prevention)	100%	100%	55.3%	65.9%	Met		
DV/IPV Screening	100%	100%	52.6%	64.1%	Met		
Depression Screening	100%	100%	55.4%	66.9%	Met		
CVD-Comprehensive Assessment	N/A	N/A	N/A	51.0%	N/A		
Prenatal HIV Screening	100%	100%	65.3%	89.1%	Met		
Childhood Weight Control ^b	20.0%	0.0%	27.7%	N/A ^b	N/A		
Breastfeeding Rates ^c	No Data	No Data	11.1%	29.0%	No Data		
Controlling High Blood Pressure	N/A	N/A	N/A	Baseline	N/A		
^a Measure logic revised in FY 2014 <i>Measures Met</i> = 10							

^bLong-term measure as of FY 2009, next reported in FY 2016

^cNew Measure for Urban Programs in FY 2013

^dDashboard includes data from 23 Urban Programs reporting via CRS

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

Measures with No Data =1

Measures Not Met =5

APPENDIX 1: URBAN PROGRAM RESULTS—DATA SOURCES

Reported from CRS

South Dakota Urban Indian Health Denver Indian Health and Family Services American Indian Health Service of Chicago American Indian Health and Family Services (Detroit) Gerald L. Ignace Indian Health Center (Milwaukee) Indian Health Board of Billings North American Indian Alliance (Butte) Indian Family Health Clinic (Great Falls) Helena Indian Alliance Missoula Indian Center **Bakersfield Indian Health Center** Fresno Native American Health Center United American Indian Involvement (Los Angeles) Sacramento Native American Health Center San Diego American Indian Health Center Santa Barbara Indian Health Center Native American Lifelines (Boston) The American Indian Community House of New York City, Inc. NACA Family Health Center (Flagstaff) Urban Inter-Tribal Center of Texas (Dallas) Hunter Health Center (Wichita) Nevada Urban Indians (Reno) Native Health Clinic of Spokane

Reported from non-CRS

Nebraska Urban Indian Health Coalition

First Nations Community Healthsource (Albuquerque)

Indian Health Board of Minneapolis, Inc.

Native American Health Center (Oakland/San Francisco)

Indian Health Center of Santa Clara Valley (San Jose)

Native American Community Health Center (Phoenix)

Indian Walk-In Center (Salt Lake City)

Native American Rehabilitation Association of the Northwest, Inc. (Portland)

Seattle Indian Health Board

Tucson Indian Center