

INDIAN HEALTH SERVICE

Pa Do

URBAN INDIAN HEALTH PROGRAMS GPRA/GPRAMA REJULTS



FOR MORE INFORMATION, CONTACT:

Diane Leach National GPRA Coordinator Diane.Leach@ihs.gov

Raho Ortiz Acting Director, Office of Urban Indian Health Programs <u>Raho.Ortiz@ihs.gov</u>

Rose Weahkee Deputy Director, Office of Urban Indian Health Programs <u>Rose.Weahkee@ihs.gov</u>

> National GPRA Support Team <u>caogpra@ihs.gov</u>

TABLE OF CONTENTS

FY 2017 Urban Program Results Summary and Analysis	
Final Urban Dashboard (All Programs)	
2017 Urban CRS Dashboard	
2017 Urban Dashboard by Program Type	
Albuquerque Area:	
First Nations Community Healthsource (Albuquerque)	
Denver Indian Health and Family Services	15
Bemidji Area:	
American Indian Health Service of Chicago	
American Indian Health and Family Services (Detroit)	
Gerald L. Ignace Indian Health Center (Milwaukee)	
Indian Health Board of Minneapolis, Inc	
Billings Area:	
North American Indian Alliance (Butte)	
Indian Family Health Clinic (Great Falls)	
Helena Indian Alliance	
Missoula Indian Center	

California Area:

	Bakersfield American Indian Health Project	24
	Fresno American Indian Health Project	25
	United American Indian Involvement (Los Angeles)	26
	Native American Health Center (Oakland/San Francisco)	27
	Sacramento Native American Health Center	28
	San Diego American Indian Health Center	29
	Indian Health Center of Santa Clara Valley (San Jose)	30
Gro	eat Plains Area:	
	Nebraska Urban Indian Health Coalition	31
	South Dakota Urban Indian Health	32
Na	shville Area:	
	Native American Lifelines	33
	The American Indian Community House of New York City, Inc	34
Na	vajo Area:	
	NACA Family Health Center (Flagstaff)	35

Oklahoma Area:

Urban Inter-Tribal Center of Texas (Dallas)	
Hunter Health Clinic (Wichita)	
Phoenix Area:	
Native American Community Health (Phoenix)	
Nevada Urban Indians, Inc. (Reno)	39
Urban Indian Center of Salt Lake (Salt Lake City)	40
Portland Area:	
Native American Rehabilitation Association of the Northwest, Inc (Portland)	41
Seattle Indian Health Board	
Native Project (Spokane)	
Tucson Area:	
Tucson Indian Center	
Appendix 1: Urban Program Results—Data Sources	45

FY 2017 URBAN PROGRAM REJULTS SUMMARY AND ANALYSIS

Since FY 2006, urban programs have reported data for a subset of the clinical GPRA (Government Performance and Results Act) measures reported by federal and tribal Indian health programs. In FY 2017, urban programs reported a total of 20 clinical performance measures, including three of four GPRAMA (GPRA Modernization Act) measures. Urban programs are required to meet the same targets as Federal and Tribal programs for all of the measures they report.

Like tribal programs, urban programs are not required to use the Resource Patient Management System (RPMS) as their patient data management system. However, unlike tribal programs, urban programs are required to report GPRA/GPRAMA data in order to receive funding. Most urban programs have opted to use RPMS and the Clinical Reporting System (CRS), a software application that runs off of RPMS, to report GPRA data. CRS data is validated and the measure logic is updated twice annually. Therefore, data from different CRS sites can be combined and reported as an aggregate rate. About one-third of urban programs have not opted to use RPMS/CRS for GPRA reporting. In FY 2017, as in previous years, urban programs that have not opted to use RPMS and CRS were allowed to perform a 100% audit and submit GPRA results in Excel spreadsheet format. The National GPRA Support Team provides detailed instructions and an Excel template for non-RPMS programs to report data during the second, third, and fourth quarters of the GPRA year; however, data from non-CRS programs is not combined with CRS data, as it cannot be validated by an external source. Therefore, only data from urban programs reporting via CRS are included in the official urban GPRA results.

During FY 2017, 31 contracted urban programs reported end-of-year GPRA/GPRAMA data. 20 of these programs reported data via RPMS/CRS, and 11 reported via Excel spreadsheet from a non-RPMS data system. Two programs that submitted data via CRS in prior years switched to non -RPMS reporting in FY 2017; one of those programs switched at the end of the year and was unable to report GPRA data for FY 2017. In addition, one program that had been submitting data via CRS ceased operations before the end of the GPRA year and did not report. In previous years, the number of programs reporting via CRS was:

FY 2016: 23 of 33 FY 2015: 24 of 33 FY 2014: 23 of 33 FY 2013: 24 of 33 FY 2012: 24 of 35 FY 2011: 21 of 34 FY 2010: 18 of 34 FY 2009: 11 of 35

FY 2017 URBAN PROGRAM REJULTS JUMMARY AND ANALYSIS

The final, end-of-year results for all 31 reporting urban programs are included in this FY 2017 Urban Program Report, including individual dashboards for each program, and three national aggregate dashboards.

FY 2017 Measures and Results

In FY 2017, urban programs reported data for 20 clinical measures, including 16 measures with numeric targets, one new measure with a baseline target, the long-term Childhood Weight Control Measure that had no specific target for FY 2017, and two contextual diabetes measures that have no targets. Urban programs reported three of four clinical GPRA measures classified as GPRAMA measures: Diabetes: Good Glycemic Control, Childhood Immunizations, and Depression Screening. Urban programs did not report data for the new CVD Statin Therapy GPRAMA Measure, which replaced the CVD Comprehensive Assessment GPRAMA Measure in FY 2017. Urban programs also did not report data for nine other clinical GRPA measures reported by Tribal and Federal programs.

Results from the 20 urban programs that reported end-of-year data via CRS were used to calculate whether measures with targets were met or not met. Measures with baseline targets are automatically "met" with any result.

In addition to the new Universal Alcohol Screening measure, which had a baseline target, urban programs also met 2 of the 16 measures with specific numeric targets. These measures were Diabetes: Controlled Blood Pressure and Breastfeeding Rates. Urban programs met these two measures in FY 2016 as well.

Urban programs did not meet targets for 14 measures, including Diabetes: Good Glycemic Control, Diabetes: Statin Therapy, Diabetes: Nephropathy Assessed, Influenza Vaccination 6mo-17yrs, Influenza Vaccination 18+, Pneumococcal Vaccination, Childhood Immunization, Pap Screening, Mammography Screening, Colorectal Cancer Screening, Tobacco Cessation, Domestic/Intimate Partner Violence Screening, Depression Screening, and HIV Screening Ever.

However, despite not meeting the majority of targets, urban programs did improve over FY 2016 performance on many measures. Overall, urban programs performed better on 7 of 16 measures in FY 2017 compared to FY 2016.

Measures that improved in 2017 include: Diabetes: Statin Therapy, Influenza Vaccination 6mo-18yrs, Influenza Vaccination 18+, Childhood Immunizations, Colorectal Cancer Screening, HIV Screening Ever, and Breastfeeding Rates. The measures with the largest improvement were:

FY 2017 URBAN PROGRAM REJULTS SUMMARY AND ANALYSIS

Diabetes: Statin Therapy and Influenza Vaccination 18+, which improved by 3.4% and 2.6%, respectively, between 2016 and 2017. The Childhood Immunization GPRAMA measure also improved over the 2016 rate by 1.9%, and Influenza Vaccination 6mo-17yrs improved by 1.5%. (Note: the Breastfeeding Rates measure also improved from 50.0% to 66.7% but this measure has a very low denominator- only 3 patients in FY 2017- so large increases or decreases are not significant.)

Results by Program Type

There are three service categories of urban programs: Comprehensive Service programs, Limited Service programs, and Outreach and Referral programs. A Comprehensive Service program provides direct medical care to patients for 40 or more hours per week, though the range of services varies among programs. A Limited Service program provides direct medical care to patients for less than 40 hours per week. An Outreach and Referral program provides mental health, substance abuse, health education and referral services, but no direct medical care.

In FY 2017 there were 19 Comprehensive Service urban programs that reported final GPRA data, and 10 of these programs reported via CRS. There were 7 Limited Service programs, 6 of which reported data via CRS, and 5 Outreach and Referral programs, 4 of which reported data via CRS. The remaining 11 programs (9 Comprehensive, 1 Limited, 1 Outreach and Referral) reported via Excel spreadsheet.

All urban programs are required to report data on GPRA measures regardless of whether they provide the screening or service to their patients directly. Therefore, results from Limited and Outreach and Referral programs often are incomplete compared to Comprehensive Service programs.

In the past, Comprehensive Service Programs generally had the highest average results for most measures, but in FY 2017 two of the highestperforming urban sites switched to non-RPMS data systems, which lowered the overall results for Comprehensive Service programs on many measures. However, Comprehensive Service programs reporting via CRS still had the highest results for 10 measures overall.

Among CRS programs, the Comprehensive Service urban sites had the highest average results for the following measures: Diabetes: Good Glycemic Control, Diabetes: Controlled Blood Pressure, Diabetes: Statin Therapy, Pneumococcal Vaccination, Childhood Immunization, Mammography Screening, Universal Alcohol Screening, DV/IPV Screening, Depression Screening, and HIV Screening. Comprehensive Service programs were the only ones to report any denominators/results for the Breastfeeding Rates measure.

FY 2017 URBAN PROGRAM REJULTS JUMMARY AND ANALYSIS

Limited Service sites had the highest average results for the following measures: Diabetes: Nephropathy Assessed, Pap Screening, Colorectal Cancer Screening, and Tobacco Cessation. Outreach and Referral sites had the highest average results for the Influenza Vaccination 6mo-17yrs and Influenza Vaccination 18+ measures.

Non-CRS program data is of varying quality and generally should not be compared directly to CRS data, but non-CRS programs reported average rates exceeding the urban CRS program average on 11 measures, and higher than the IHS national average on the Diabetes: Good Glycemic Control, Diabetes: Controlled Blood Pressure, and Diabetes: Statin Therapy measures.

Future Directions

As of FY 2018, GPRA data will no longer be reported via CRS. GPRA data will come from the National Data Warehouse (NDW), and be compiled and reported via the Integrated Data Collection System (IDCS). The NDW can accept data in HL7 format from non-RPMS data systems. Therefore all urban programs will be included in official GPRA results as of FY 2018, and urban programs will be reporting results for all clinical GPRA measures as of FY 2018, not just a subset of measures.

Individual Program Results

This report contains dashboards summarizing final GPRA results from each urban program. When reviewing these results, it is important to keep a few factors in mind. Non-CRS sites reported GPRA results via Excel spreadsheet, and are not required to submit supporting documentation and therefore IHS cannot validate or verify these results. Additionally, while CRS results can be validated, some urban programs perform double data-entry with RPMS and another information system. As a result, measure results can be impacted by the timeliness, accuracy, and completeness of data entry into RPMS. Therefore, all results, but particularly those from sites not reporting through CRS, should be viewed with some caution. Also note that if a program reported zero patients in both the numerator and denominator for a specific measure or did not report any result at all, the result is categorized as "no data."

2017 FINAL URBAN DAJHBOARD (ALL PROGRAMJ)

2017 Final Urban National Dashboard	CRS	Non-CRS	CRS	Non-CRS				
DIABETES	<u>2017 Final</u>	2017 Final	<u>2016 Final</u>	2016 Final	2017 Target	2017 Final Results		
Good Glycemic Control (A1c <8)	46.1%	52.0%	46.7%	51.6%	48.4%	Not Met		
Controlled BP <140/90	67.8%	74.8%	71.1%	72.7%	63.8%	Met		
Statin Therapy	55.6%	65.7%	52.2%	57.6%	61.9%	Not Met		
Nephropathy Assessed	51.2%	57.7%	51.4%	66.3%	63.3%	Not Met		
IMMUNIZATIONS								
Influenza Vaccination 6mo - 17yrs	25.9%	27.7%	24.4%	32.7%	37.1%	Not Met		
Influenza Vaccination 18+	25.4%	19.5%	22.7%	24.5%	38.7%	Not Met		
Pneumococcal Vaccination 65+	53.2%	41.0%	54.0%	50.7%	86.7%	Not Met		
Childhood IZ	33.8%	51.4%	32.0%	44.1%	74.8%	Not Met		
PREVENTION								
Pap Screening	37.8%	39.2%	38.1%	36.2%	56.1%	Not Met		
Mammography Screening	26.5%	39.3%	27.9%	31.8%	56.7%	Not Met		
Colorectal Cancer Screening	22.5%	35.5%	22.4%	34.2%	40.2%	Not Met		
Tobacco Cessation	40.7%	49.9%	43.1%	43.6%	53.2%	Not Met		
Universal Alcohol Screening ^a	56.3%	46.3%	57.1%	47.0%	Baseline	Met		
DV/IPV Screening	50.4%	51.0%	53.2%	44.1%	65.3%	Not Met		
Depression Screening 18+	54.6%	44.7%	55.6%	50.3%	70.0%	Not Met		
HIV Screening Ever	21.4%	20.5%	21.2%	21.9%	41.9%	Not Met		
Childhood Weight Control ^b	24.4%	30.1%	22.1%	27.7%	N/A	N/A		
Breastfeeding Rates	66.7%	31.5%	50.0%	34.3%	36.4%	Met		

^aNew Measure as of FY 2017

^bLong-term measure, no target until FY 2019

Measures Met: 3

Measures Not Met: 14

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

2017 URBAN CRJ DAJHBOARD

2017 Final CRS Urban National Dashboard	CRS	CRS		
DIABETES	<u>2017 Final</u>	<u>2016 Final</u>	2017 Target	2017 Final Results
Good Glycemic Control (A1c <8)	46.1%	46.7%	48.4%	Not Met
Controlled BP <140/90	67.8%	71.1%	63.8%	Met
Statin Therapy	55.6%	52.2%	61.9%	Not Met
Nephropathy Assessed	51.2%	51.4%	63.3%	Not Met
IMMUNIZATIONS				
Influenza Vaccination 6mo - 17yrs	25.9%	24.4%	37.1%	Not Met
Influenza Vaccination 18+	25.4%	22.7%	38.7%	Not Met
Pneumococcal Vaccination 65+	53.2%	54.0%	86.7%	Not Met
Childhood IZ	33.8%	32.0%	74.8%	Not Met
PREVENTION				
Pap Screening	37.8%	38.1%	56.1%	Not Met
Mammography Screening	26.5%	27.9%	56.7%	Not Met
Colorectal Cancer Screening	22.5%	22.4%	40.2%	Not Met
Tobacco Cessation	40.7%	43.1%	53.2%	Not Met
Universal Alcohol Screening ^a	56.3%	N/A	Baseline	Met
DV/IPV Screening	50.4%	53.2%	65.3%	Not Met
Depression Screening 18+	54.6%	55.6%	70.0%	Not Met
HIV Screening Ever	21.4%	21.2%	41.9%	Not Met
Childhood Weight Control ^b	24.4%	22.1%	N/A	N/A
Breastfeeding Rates	66.7%	50.0%	36.4%	Met

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Measures Met: 3

Measures Not Met: 14

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

2017 URBAN DAJHBOARD BY PROGRAM TYPE

2017 Final Urban Dashboard	CRS	CRS	CRS	Non CRS	
(By Program Type)	Comprehensive	Limited	Outreach/		
	Service	Service	Referral		
DIABETES	2017 Final	<u>2017 Final</u>	<u>2017 Final</u>	<u>2017 Final</u>	2017 Target
Good Glycemic Control (A1c <8)	47.8%	39.9%	31.6%	52.0%	48.4%
Controlled BP <140/90	70.7%	55.4%	55.3%	74.8%	63.8%
Statin Therapy	60.3%	35.7%	27.3%	65.7%	61.9%
Nephropathy Assessed	50.9%	57.2%	21.1%	57.7%	63.3%
IMMUNIZATIONS					
Influenza Vaccination 6mo - 17yrs	25.0%	28.7%	53.8%	27.7%	37.1%
Influenza Vaccination 18+	25.6%	23.8%	29.3%	19.5%	38.7%
Pneumococcal Vaccination 65+	53.6%	51.9%	50.0%	41.0%	86.7%
Childhood IZ	34.3%	33.3%	16.7%	51.4%	74.8%
PREVENTION					
Pap Screening	37.8%	39.9%	18.2%	39.2%	56.1%
Mammography Screening	28.4%	20.8%	11.1%	39.3%	56.7%
Colorectal Cancer Screening	22.2%	23.6%	23.5%	35.5%	40.2%
Tobacco Cessation	40.9%	41.4%	18.4%	49.9%	53.2%
Universal Alcohol Screening ^a	59.0%	47.7%	31.5%	46.3%	Baseline
DV/IPV Screening	51.1%	49.9%	19.7%	51.0%	65.3%
Depression Screening 18+	55.6%	52.4%	32.9%	44.7%	70.0%
HIV Screening Ever	22.9%	21.5%	1.3%	20.5%	41.9%
Childhood Weight Control ^b	23.1%	36.4%	No Data	30.1%	N/A
Breastfeeding Rates	66.7%	No Data	No Data	31.5%	36.4%

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results.

Measures in red are GPRAMA measures

INDIVIDUAL URBAN PROGRAM RESULTS

FIRST NATIONS COMMUNITY HEALTHSOURCE (ALBUQUERQUE)

2017 Final GPRA/GPRAMA Report

	First Nations	First Nations	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	<u>2016 Final</u>	<u>2017 Final</u>	<u>2017 Target</u>	Results - First Nations
Good Glycemic Control (A1c <8)	60.7%	64.5%	46.1%	48.4%	Met
Controlled BP <140/90	82.2%	81.2%	67.8%	63.8%	Met
tatin Therapy	100.0%	100.0%	55.6%	61.9%	Met
lephropathy Assessed	42.5%	61.8%	51.2%	63.3%	Not Met
MMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	27.6%	53.5%	25.9%	37.1%	Not Met
nfluenza Vaccination 18+	28.2%	36.1%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	60.7%	64.3%	53.2%	86.7%	Not Met
Childhood IZ	68.8%	11.1%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	39.6%	38.2%	37.8%	56.1%	Not Met
lammography Screening	88.0%	74.5%	26.5%	56.7%	Met
Colorectal Cancer Screening	42.9%	36.2%	22.5%	40.2%	Met
Tobacco Cessation	29.6%	22.0%	40.7%	53.2%	Not Met
Jniversal Alcohol Screening ^a	66.3%	N/A	56.3%	Baseline	Met
DV/IPV Screening	88.7%	78.0%	50.4%	65.3%	Met
Depression Screening 18+	98.1%	95.6%	54.6%	70.0%	Met
IIV Screening Ever	20.6%	26.0%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	23.1%	17.5%	24.4%	N/A	N/A
Breastfeeding Rates	55.0%	87.5%	66.7%	36.4%	Met

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Measures Met: 9

Measures Not Met: 8

Measures with No Data: 0

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

DENVER INDIAN HEALTH AND FAMILY SERVICES

2017 Final GPRA/GPRAMA Report

2017 Final GPRA/GPRAMA Dashboard	Denver	Denver	Urban CRS Sites	National	2017 Final
DIABETES	2017 Final	2016 Final	2017 Final	2017 Target	Results - Denver
Good Glycemic Control (A1c <8)	38.4%	52.9%	46.1%	48.4%	Not Met
Controlled BP <140/90	59.4%	77.2%	67.8%	63.8%	Not Met
Statin Therapy	78.3%	81.5%	55.6%	61.9%	Met
Nephropathy Assessed	43.5%	61.8%	51.2%	63.3%	Not Met
MMUNIZATIONS					
Influenza Vaccination 6mo - 17yrs	18.5%	25.8%	25.9%	37.1%	Not Met
nfluenza Vaccination 18+	0.0%	30.3%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	14.0%	77.8%	53.2%	86.7%	Not Met
Childhood IZ	22.4%	46.2%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	43.0%	26.5%	37.8%	56.1%	Not Met
Mammography Screening	45.9%	27.4%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	12.7%	11.7%	22.5%	40.2%	Not Met
Tobacco Cessation	81.1%	64.8%	40.7%	53.2%	Met
Universal Alcohol Screening ^a	7.5%	N/A	56.3%	Baseline	Met
DV/IPV Screening	74.7%	63.9%	50.4%	65.3%	Met
Depression Screening 18+	5.7%	65.7%	54.6%	70.0%	Not Met
HIV Screening Ever	4.0%	32.0%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	14.3%	29.6%	24.4%	N/A	N/A
Breastfeeding Rates	No Data	No Data	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 4

Measures Not Met: 12

AMERICAN INDIAN HEALTH SERVICE OF CHICAGO

2017 Final GPRA/GPRAMA Report

2017 Final GPRA/GPRAMA Dashboard					
	Chicago	Chicago	Urban CRS Sites	National	2017 Final
DIABETES	2017 Final	<u>2016 Final</u>	<u>2017 Final</u>	<u>2017 Target</u>	Results - Chicago
Good Glycemic Control (A1c <8)	48.3%	34.5%	46.1%	48.4%	Not Met
Controlled BP <140/90	63.8%	58.6%	67.8%	63.8%	Met
Statin Therapy	83.3%	76.2%	55.6%	61.9%	Met
Nephropathy Assessed	69.0%	13.8%	51.2%	63.3%	Met
MMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	49.1%	49.0%	25.9%	37.1%	Met
nfluenza Vaccination 18+	32.9%	28.4%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	87.0%	87.5%	53.2%	86.7%	Met
Childhood IZ	62.5%	63.6%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	52.9%	59.6%	37.8%	56.1%	Not Met
Mammography Screening	48.6%	27.3%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	38.5%	38.0%	22.5%	40.2%	Not Met
Tobacco Cessation	48.4%	46.1%	40.7%	53.2%	Not Met
Jniversal Alcohol Screening ^a	69.1%	N/A	56.3%	Baseline	Met
DV/IPV Screening	68.1%	71.7%	50.4%	65.3%	Met
Depression Screening 18+	70.0%	62.4%	54.6%	70.0%	Met
IV Screening Ever	69.1%	77.7%	21.4%	41.9%	Met
Childhood Weight Control ^b	33.3%	37.5%	24.4%	N/A	N/A
Breastfeeding Rates	No Data	0.0%	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 9

Measures Not Met: 7

AMERICAN INDIAN HEALTH AND FAMILY SERVICES (DETROIT)

2017 Final GPRA/GPRAMA Report

2017 Final GPRA/GPRAMA Dashboard					
	Detroit	Detroit	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	2016 Final	<u>2017 Final</u>	<u>2017 Target</u>	Results - Detroit
Good Glycemic Control (A1c <8)	56.5%	43.5%	46.1%	48.4%	Met
Controlled BP <140/90	65.2%	65.2%	67.8%	63.8%	Met
Statin Therapy	78.9%	71.4%	55.6%	61.9%	Met
Nephropathy Assessed	87.0%	82.6%	51.2%	63.3%	Met
IMMUNIZATIONS	_				
Influenza Vaccination 6mo - 17yrs	12.5%	19.0%	25.9%	37.1%	Not Met
Influenza Vaccination 18+	20.7%	21.9%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	64.3%	73.3%	53.2%	86.7%	Not Met
Childhood IZ	16.7%	0.0%	33.8%	74.8%	Not Met
PREVENTION	_				
Pap Screening	48.7%	47.7%	37.8%	56.1%	Not Met
Mammography Screening	25.0%	13.0%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	40.6%	34.3%	22.5%	40.2%	Met
Tobacco Cessation	39.0%	38.8%	40.7%	53.2%	Not Met
Universal Alcohol Screening ^a	49.2%	N/A	56.3%	Baseline	Met
DV/IPV Screening	53.1%	46.6%	50.4%	65.3%	Not Met
Depression Screening 18+	52.4%	50.8%	54.6%	70.0%	Not Met
HIV Screening Ever	43.6%	28.4%	21.4%	41.9%	Met
Childhood Weight Control ^b	No Data	0.0%	24.4%	N/A	N/A
Breastfeeding Rates	No Data	No Data	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 7

Measures Not Met: 9

GERALD L. IGNACE INDIAN HEALTH CENTER (MILWAUKEE)

2017 Final GPRA/GPRAMA Report

2017 Final GPRA/GPRAMA Dashboard					
	Milwaukee	Milwaukee	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	2016 Final	<u>2017 Final</u>	<u>2017 Target</u>	Results - Milwaukee
Good Glycemic Control (A1c <8)	56.5%	43.5%	46.1%	48.4%	Met
Controlled BP <140/90	65.2%	65.2%	67.8%	63.8%	Met
Statin Therapy	78.9%	71.4%	55.6%	61.9%	Met
Nephropathy Assessed	87.0%	82.6%	51.2%	63.3%	Met
MMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	12.5%	19.0%	25.9%	37.1%	Not Met
nfluenza Vaccination 18+	20.7%	21.9%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	64.3%	73.3%	53.2%	86.7%	Not Met
Childhood IZ	16.7%	0.0%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	48.7%	47.7%	37.8%	56.1%	Not Met
Mammography Screening	25.0%	13.0%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	40.6%	34.3%	22.5%	40.2%	Met
Tobacco Cessation	39.0%	38.8%	40.7%	53.2%	Not Met
Universal Alcohol Screening ^a	49.2%	N/A	56.3%	Baseline	Met
DV/IPV Screening	53.1%	46.6%	50.4%	65.3%	Not Met
Depression Screening 18+	52.4%	50.8%	54.6%	70.0%	Not Met
HV Screening Ever	43.6%	28.4%	21.4%	41.9%	Met
Childhood Weight Control ^b	No Data	0.0%	24.4%	N/A	N/A
Breastfeeding Rates	No Data	No Data	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 7

Measures Not Met: 9

INDIAN HEALTH BOARD OF MINNEAPOLIS, INC.

2017 Final GPRA/GPRAMA Report

	Minneapolis	Minneapolis	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	<u>2016 Final</u>	<u>2017 Final</u>	<u>2017 Target</u>	Results - Minneapolis
Good Glycemic Control (A1c <8)	54.3%	56.5%	46.1%	48.4%	Met
Controlled BP <140/90	82.7%	76.1%	67.8%	63.8%	Met
Statin Therapy	89.9%	91.3%	55.6%	61.9%	Met
lephropathy Assessed	85.8%	82.6%	51.2%	63.3%	Met
MMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	35.8%	25.7%	25.9%	37.1%	Not Met
nfluenza Vaccination 18+	20.1%	20.6%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	42.1%	41.9%	53.2%	86.7%	Not Met
Childhood IZ	63.5%	35.7%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	36.7%	33.0%	37.8%	56.1%	Not Met
Aammography Screening	28.6%	27.8%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	44.9%	25.6%	22.5%	40.2%	Met
Tobacco Cessation	75.7%	80.4%	40.7%	53.2%	Met
Iniversal Alcohol Screening ^a	58.1%	N/A	56.3%	Baseline	Met
OV/IPV Screening	47.5%	53.5%	50.4%	65.3%	Not Met
Depression Screening 18+	47.1%	42.7%	54.6%	70.0%	Not Met
IIV Screening Ever	32.1%	28.7%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	46.4%	32.1%	24.4%	N/A	N/A
Breastfeeding Rates	26.7%	20.0%	66.7%	36.4%	Not Met

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 7

Measures Not Met: 10

NORTH AMERICAN INDIAN ALLIANCE (BUTTE)

2017 Final GPRA/GPRAMA Report

2017 Final GPRA/GPRAMA Dashboard					
	Butte	Butte	Urban CRS Sites	National	2017 Final
DIABETES	2017 Final	2016 Final	<u>2017 Final</u>	<u>2017 Target</u>	Results - Butte
Good Glycemic Control (A1c <8)	28.0%	44.1%	46.1%	48.4%	Not Met
Controlled BP <140/90	84.0%	64.7%	67.8%	63.8%	Met
Statin Therapy	0.0%	0.0%	55.6%	61.9%	Not Met
Nephropathy Assessed	48.0%	41.2%	51.2%	63.3%	Not Met
IMMUNIZATIONS					
Influenza Vaccination 6mo - 17yrs	37.0%	16.1%	25.9%	37.1%	Not Met
Influenza Vaccination 18+	18.5%	18.0%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	25.0%	26.1%	53.2%	86.7%	Not Met
Childhood IZ	0.0%	No Data	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	21.7%	27.1%	37.8%	56.1%	Not Met
Mammography Screening	5.4%	5.1%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	5.1%	3.1%	22.5%	40.2%	Not Met
Tobacco Cessation	8.3%	12.4%	40.7%	53.2%	Not Met
Universal Alcohol Screening ^a	13.7%	N/A	56.3%	Baseline	Met
DV/IPV Screening	37.2%	45.7%	50.4%	65.3%	Not Met
Depression Screening 18+	41.9%	52.4%	54.6%	70.0%	Not Met
HIV Screening Ever	0.3%	0.0%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	No Data	50.0%	24.4%	N/A	N/A
Breastfeeding Rates	No Data	No Data	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 2

Measures Not Met: 14

INDIAN FAMILY HEALTH CLINIC (GREAT FALLS)

2017 Final GPRA/GPRAMA Report

2017 Final GPRA/GPRAMA Dashboard	Great Falls	Great Falls	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	<u>2016 Final</u>	<u>2017 Final</u>	<u>2017 Target</u>	Results - Great Falls
Good Glycemic Control (A1c <8)	53.0%	51.7%	46.1%	48.4%	Met
Controlled BP <140/90	59.1%	72.4%	67.8%	63.8%	Not Met
Statin Therapy	45.5%	40.9%	55.6%	61.9%	Not Met
Nephropathy Assessed	74.2%	51.7%	51.2%	63.3%	Met
IMMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	26.8%	22.7%	25.9%	37.1%	Not Met
nfluenza Vaccination 18+	25.8%	26.2%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	69.5%	70.4%	53.2%	86.7%	Not Met
Childhood IZ	0.0%	No Data	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	55.6%	46.0%	37.8%	56.1%	Not Met
Mammography Screening	37.2%	33.3%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	37.0%	21.5%	22.5%	40.2%	Not Met
Tobacco Cessation	62.9%	54.3%	40.7%	53.2%	Met
Universal Alcohol Screening ^a	65.5%	N/A	56.3%	Baseline	Met
DV/IPV Screening	64.6%	52.1%	50.4%	65.3%	Not Met
Depression Screening 18+	66.6%	54.1%	54.6%	70.0%	Not Met
HV Screening Ever	20.8%	21.4%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	0.0%	33.3%	24.4%	N/A	N/A
Breastfeeding Rates	No Data	No Data	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 4

Measures Not Met: 12

HELENA INDIAN ALLIANCE

2017 Final GPRA/GPRAMA Report

	Helena	Helena	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	2016 Final	<u>2017 Final</u>	2017 Target	<u>Results - Helena</u>
Good Glycemic Control (A1c <8)	58.0%	50.0%	46.1%	48.4%	Met
Controlled BP <140/90	62.0%	51.8%	67.8%	63.8%	Not Met
Statin Therapy	42.1%	34.1%	55.6%	61.9%	Not Met
Nephropathy Assessed	90.0%	71.4%	51.2%	63.3%	Met
MMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	27.6%	38.7%	25.9%	37.1%	Not Met
nfluenza Vaccination 18+	28.3%	35.0%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	67.5%	68.6%	53.2%	86.7%	Not Met
Childhood IZ	33.3%	0.0%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	39.5%	48.0%	37.8%	56.1%	Not Met
Mammography Screening	29.8%	35.4%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	25.0%	27.5%	22.5%	40.2%	Not Met
Fobacco Cessation	62.1%	62.0%	40.7%	53.2%	Met
Jniversal Alcohol Screening ^a	62.8%	N/A	56.3%	Baseline	Met
DV/IPV Screening	71.7%	64.4%	50.4%	65.3%	Met
Depression Screening 18+	67.1%	69.7%	54.6%	70.0%	Not Met
HV Screening Ever	8.6%	6.8%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	100.0%	66.7%	24.4%	N/A	N/A
Breastfeeding Rates	No Data	No Data	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 5

Measures Not Met: 11

MISSOULA INDIAN CENTER

2017 Final GPRA/GPRAMA Report

	Missoula	Missoula	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	2016 Final	<u>2017 Final</u>	2017 Target	<u>Results - Missoula</u>
Good Glycemic Control (A1c <8)	0.0%	16.7%	46.1%	48.4%	Not Met
Controlled BP <140/90	22.2%	25.0%	67.8%	63.8%	Not Met
Statin Therapy	0.0%	0.0%	55.6%	61.9%	Not Met
Nephropathy Assessed	0.0%	0.0%	51.2%	63.3%	Not Met
MMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	57.6%	80.0%	25.9%	37.1%	Met
nfluenza Vaccination 18+	60.0%	52.3%	25.4%	38.7%	Met
Pneumococcal Vaccination 65+	No Data	100.0%	53.2%	86.7%	No Data
Childhood IZ	0.0%	0.0%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	2.4%	0.0%	37.8%	56.1%	Not Met
Mammography Screening	0.0%	0.0%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	0.0%	0.0%	22.5%	40.2%	Not Met
Fobacco Cessation	15.4%	16.7%	40.7%	53.2%	Not Met
Jniversal Alcohol Screening ^a	15.6%	N/A	56.3%	Baseline	Met
DV/IPV Screening	7.9%	16.7%	50.4%	65.3%	Not Met
Depression Screening 18+	10.0%	25.0%	54.6%	70.0%	Not Met
IIV Screening Ever	1.0%	0.9%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	No Data	No Data	24.4%	N/A	N/A
Breastfeeding Rates	No Data	No Data	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 3

Measures Not Met: 12

BAKERSFIELD AMERICAN INDIAN HEALTH PROJECT

2017 Final GPRA/GPRAMA Report

2017 Final GPRA/GPRAMA Dashboard								
	Bakersfield	Bakersfield	Urban CRS Sites	National	2017 Final			
DIABETES	<u>2017 Final</u>	2016 Final	<u>2017 Final</u>	<u>2017 Target</u>	Results - Bakersfield			
Good Glycemic Control (A1c <8)	42.9%	43.8%	46.1%	48.4%	Not Met			
Controlled BP <140/90	67.9%	56.3%	67.8%	63.8%	Met			
tatin Therapy	37.5%	0.0%	55.6%	61.9%	Not Met			
lephropathy Assessed	28.6%	50.0%	51.2%	63.3%	Not Met			
MMUNIZATIONS								
nfluenza Vaccination 6mo - 17yrs	33.3%	5.9%	25.9%	37.1%	Not Met			
nfluenza Vaccination 18+	21.2%	19.5%	25.4%	38.7%	Not Met			
Pneumococcal Vaccination 65+	66.7%	58.8%	53.2%	86.7%	Not Met			
Childhood IZ	20.0%	0.0%	33.8%	74.8%	Not Met			
PREVENTION								
ap Screening	36.5%	27.3%	37.8%	56.1%	Not Met			
lammography Screening	20.0%	15.0%	26.5%	56.7%	Not Met			
Colorectal Cancer Screening	40.0%	33.3%	22.5%	40.2%	Not Met			
obacco Cessation	34.3%	40.9%	40.7%	53.2%	Not Met			
Iniversal Alcohol Screening ^a	46.0%	N/A	56.3%	Baseline	Met			
V/IPV Screening	32.1%	23.5%	50.4%	65.3%	Not Met			
Depression Screening 18+	43.4%	35.9%	54.6%	70.0%	Not Met			
IIV Screening Ever	3.1%	3.1%	21.4%	41.9%	Not Met			
childhood Weight Control ^b	No Data	No Data	24.4%	N/A	N/A			
Breastfeeding Rates	No Data	No Data	66.7%	36.4%	No Data			

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 2

Measures Not Met: 14

FRESNO AMERICAN INDIAN HEALTH PROJECT

2017 Final GPRA/GPRAMA Report

2017 Final GPRA/GPRAMA Dashboard					
	Fresno	Fresno	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	2016 Final	<u>2017 Final</u>	<u>2017 Target</u>	<u>Results - Fresno</u>
Good Glycemic Control (A1c <8)	5.7%	12.8%	46.1%	48.4%	Not Met
Controlled BP <140/90	11.4%	20.5%	67.8%	63.8%	Not Met
Statin Therapy	0.0%	3.4%	55.6%	61.9%	Not Met
Nephropathy Assessed	2.9%	0.0%	51.2%	63.3%	Not Met
IMMUNIZATIONS					
Influenza Vaccination 6mo - 17yrs	2.5%	0.0%	25.9%	37.1%	Not Met
Influenza Vaccination 18+	5.0%	0.9%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	5.4%	8.0%	53.2%	86.7%	Not Met
Childhood IZ	0.0%	0.0%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	8.2%	9.4%	37.8%	56.1%	Not Met
Mammography Screening	4.1%	17.4%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	0.5%	0.6%	22.5%	40.2%	Not Met
Tobacco Cessation	0.0%	0.0%	40.7%	53.2%	Not Met
Universal Alcohol Screening ^a	22.3%	N/A	56.3%	Baseline	Met
DV/IPV Screening	26.9%	11.5%	50.4%	65.3%	Not Met
Depression Screening 18+	27.5%	13.3%	54.6%	70.0%	Not Met
HIV Screening Ever	2.3%	1.5%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	No Data	No Data	24.4%	N/A	N/A
Breastfeeding Rates	No Data	No Data	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 1

Measures Not Met: 15

UNITED AMERICAN INDIAN INVOLVEMENT (LOS ANGELES)

2017 Final GPRA/GPRAMA Report

	Los Angeles	Los Angeles	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	2016 Final	<u>2017 Final</u>	<u>2017 Target</u>	Results - Los Angeles
Good Glycemic Control (A1c <8)	45.0%	51.4%	46.1%	48.4%	Not Met
Controlled BP <140/90	60.0%	75.7%	67.8%	63.8%	Not Met
tatin Therapy	19.6%	13.8%	55.6%	61.9%	Not Met
lephropathy Assessed	65.0%	68.9%	51.2%	63.3%	Met
MMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	35.1%	19.2%	25.9%	37.1%	Not Met
nfluenza Vaccination 18+	34.9%	22.6%	25.4%	38.7%	Not Met
neumococcal Vaccination 65+	91.9%	65.0%	53.2%	86.7%	Met
Childhood IZ	26.7%	41.2%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	46.6%	41.8%	37.8%	56.1%	Not Met
lammography Screening	11.6%	5.6%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	32.3%	38.3%	22.5%	40.2%	Not Met
obacco Cessation	46.5%	32.4%	40.7%	53.2%	Not Met
Iniversal Alcohol Screening ^a	52.3%	N/A	56.3%	Baseline	Met
V/IPV Screening	44.8%	51.0%	50.4%	65.3%	Not Met
epression Screening 18+	52.2%	50.5%	54.6%	70.0%	Not Met
IIV Screening Ever	24.8%	20.1%	21.4%	41.9%	Not Met
childhood Weight Control ^b	42.9%	40.0%	24.4%	N/A	N/A
Breastfeeding Rates	No Data	100.0%	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 3

Measures Not Met: 13

NATIVE AMERICAN HEALTH CENTER (OAKLAND/JAN FRANCIJCO)

2017 Final GPRA/GPRAMA Report

2017 Final GPRA/GPRAMA Dashboard								
	Oakland/SF	Oakland/SF	Urban CRS Sites	National	2017 Final			
DIABETES	<u>2017 Final</u>	<u>2016 Final</u>	<u>2017 Final</u>	<u>2017 Target</u>	Results - Oakland/SF			
Good Glycemic Control (A1c <8)	61.7%	61.0%	46.1%	48.4%	Met			
Controlled BP <140/90	83.3%	76.8%	67.8%	63.8%	Met			
Statin Therapy	64.3%	69.0%	55.6%	61.9%	Met			
Nephropathy Assessed	53.3%	68.3%	51.2%	63.3%	Not Met			
MMUNIZATIONS								
nfluenza Vaccination 6mo - 17yrs	20.4%	27.1%	25.9%	37.1%	Not Met			
nfluenza Vaccination 18+	10.0%	22.5%	25.4%	38.7%	Not Met			
Pneumococcal Vaccination 65+	59.2%	56.9%	53.2%	86.7%	Not Met			
Childhood IZ	56.5%	42.9%	33.8%	74.8%	Not Met			
PREVENTION								
Pap Screening	43.4%	44.0%	37.8%	56.1%	Not Met			
Mammography Screening	38.1%	24.5%	26.5%	56.7%	Not Met			
Colorectal Cancer Screening	37.2%	42.8%	22.5%	40.2%	Not Met			
Tobacco Cessation	32.8%	35.9%	40.7%	53.2%	Not Met			
Iniversal Alcohol Screening ^a	45.4%	N/A	56.3%	Baseline	Met			
DV/IPV Screening	41.5%	26.1%	50.4%	65.3%	Not Met			
Depression Screening 18+	44.5%	41.3%	54.6%	70.0%	Not Met			
IV Screening Ever	46.9%	41.1%	21.4%	41.9%	Met			
Childhood Weight Control ^b	23.5%	26.1%	24.4%	N/A	N/A			
Breastfeeding Rates	No Data	0.0%	66.7%	36.4%	No Data			

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 5

Measures Not Met: 11

SACRAMENTO NATIVE AMERICAN HEALTH CENTER

2017 Final GPRA/GPRAMA Report

	Sacramento	Sacramento	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	<u>2016 Final</u>	<u>2017 Final</u>	2017 Target	Results - Sacramento
Good Glycemic Control (A1c <8)	34.4%	27.1%	46.1%	48.4%	Not Met
Controlled BP <140/90	47.9%	8.3%	67.8%	63.8%	Not Met
Statin Therapy	63.8%	31.6%	55.6%	61.9%	Met
Nephropathy Assessed	42.7%	58.3%	51.2%	63.3%	Not Met
MMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	13.3%	50.0%	25.9%	37.1%	Not Met
nfluenza Vaccination 18+	17.3%	34.3%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	67.3%	55.2%	53.2%	86.7%	Not Met
Childhood IZ	64.7%	5.3%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	31.8%	20.5%	37.8%	56.1%	Not Met
Mammography Screening	29.0%	12.6%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	30.0%	14.9%	22.5%	40.2%	Not Met
Tobacco Cessation	97.2%	16.2%	40.7%	53.2%	Met
Jniversal Alcohol Screening ^a	45.8%	N/A	56.3%	Baseline	Met
DV/IPV Screening	28.4%	13.4%	50.4%	65.3%	Not Met
Depression Screening 18+	41.0%	35.7%	54.6%	70.0%	Not Met
IV Screening Ever	14.2%	43.5%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	27.5%	5.3%	24.4%	N/A	N/A
Breastfeeding Rates	11.1%	33.3%	66.7%	36.4%	Not Met

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 3

Measures Not Met: 14

SAN DIEGO AMERICAN INDIAN HEALTH CENTER

2017 Final GPRA/GPRAMA Report

2017 Final GPRA/GPRAMA Dashboard	San Diego	San Diego	Urban CRS Sites	National	2017 Final
	-	-			
DIABETES	<u>2017 Final</u>	<u>2016 Final</u>	<u>2017 Final</u>	<u>2017 Target</u>	<u>Results - San Diego</u>
Good Glycemic Control (A1c <8)	46.6%	38.3%	46.1%	48.4%	Not Met
Controlled BP <140/90	81.0%	80.0%	67.8%	63.8%	Met
Statin Therapy	39.5%	48.8%	55.6%	61.9%	Not Met
Nephropathy Assessed	69.0%	66.7%	51.2%	63.3%	Met
MMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	14.5%	16.9%	25.9%	37.1%	Not Met
nfluenza Vaccination 18+	18.8%	16.9%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	51.5%	47.4%	53.2%	86.7%	Not Met
Childhood IZ	47.4%	35.0%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	49.7%	50.8%	37.8%	56.1%	Not Met
Mammography Screening	23.9%	32.4%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	11.1%	7.7%	22.5%	40.2%	Not Met
Tobacco Cessation	22.0%	23.4%	40.7%	53.2%	Not Met
Universal Alcohol Screening ^a	60.9%	N/A	56.3%	Baseline	Met
DV/IPV Screening	58.1%	32.8%	50.4%	65.3%	Not Met
Depression Screening 18+	64.0%	43.2%	54.6%	70.0%	Not Met
HIV Screening Ever	40.9%	40.1%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	18.2%	21.1%	24.4%	N/A	N/A
Breastfeeding Rates	No Data	50.0%	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 3

Measures Not Met: 13

INDIAN HEALTH CENTER OF JANTA CLARA VALLEY (JAN JOJE)

2017 Final GPRA/GPRAMA Report

2017 Final GPRA/GPRAMA Dashboard					
	San Jose	San Jose	Urban CRS Sites	National	2017 Final
DIABETES	2017 Final	<u>2016 Final</u>	<u>2017 Final</u>	<u>2017 Target</u>	<u>Results - San Jose</u>
Good Glycemic Control (A1c <8)	61.8%	76.3%	46.1%	48.4%	Met
Controlled BP <140/90	62.9%	64.5%	67.8%	63.8%	Not Met
Statin Therapy	78.5%	65.3%	55.6%	61.9%	Met
Nephropathy Assessed	65.2%	75.0%	51.2%	63.3%	Met
MMUNIZATIONS	_				
nfluenza Vaccination 6mo - 17yrs	33.1%	38.9%	25.9%	37.1%	Not Met
nfluenza Vaccination 18+	32.0%	42.8%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	66.2%	69.6%	53.2%	86.7%	Not Met
Childhood IZ	71.4%	64.3%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	55.4%	57.5%	37.8%	56.1%	Not Met
Mammography Screening	48.8%	47.7%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	30.4%	38.8%	22.5%	40.2%	Not Met
Tobacco Cessation	40.6%	53.5%	40.7%	53.2%	Not Met
Universal Alcohol Screening ^a	51.4%	N/A	56.3%	Baseline	Met
DV/IPV Screening	49.5%	46.7%	50.4%	65.3%	Not Met
Depression Screening 18+	56.3%	54.1%	54.6%	70.0%	Not Met
HIV Screening Ever	27.4%	16.2%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	15.0%	30.0%	24.4%	N/A	N/A
Breastfeeding Rates	100.0%	100.0%	66.7%	36.4%	Met

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 5

Measures Not Met: 12

NEBRAJKA URBAN INDIAN HEALTH COALITION

2017 Final GPRA/GPRAMA Report

	Nebraska	Nebraska	Urban CRS Sites	National	2017 Final
DIABETES	2017 Final	2016 Final	2017 Final	2017 Target	Results - Nebraska
Good Glycemic Control (A1c <8)	60.4%	55.4%	46.1%	48.4%	Met
Controlled BP <140/90	86.8%	94.1%	67.8%	63.8%	Met
Statin Therapy	78.9%	63.4%	55.6%	61.9%	Met
Nephropathy Assessed	54.9%	66.3%	51.2%	63.3%	Not Met
IMMUNIZATIONS					
Influenza Vaccination 6mo - 17yrs	40.6%	24.1%	25.9%	37.1%	Met
Influenza Vaccination 18+	32.9%	37.6%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	75.0%	64.3%	53.2%	86.7%	Not Met
Childhood IZ	44.4%	20.0%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	49.7%	45.3%	37.8%	56.1%	Not Met
Mammography Screening	44.9%	41.5%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	50.5%	60.0%	22.5%	40.2%	Met
Tobacco Cessation	54.7%	75.4%	40.7%	53.2%	Met
Universal Alcohol Screening ^a	100.0%	N/A	56.3%	Baseline	Met
DV/IPV Screening	100.0%	100.0%	50.4%	65.3%	Met
Depression Screening 18+	100.0%	100.0%	54.6%	70.0%	Met
HIV Screening Ever	10.2%	9.4%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	47.6%	37.5%	24.4%	N/A	N/A
Breastfeeding Rates	20.0%	75.0%	66.7%	36.4%	Not Met

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 9

Measures Not Met: 8

JOUTH DAKOTA URBAN INDIAN HEALTH

2017 Final GPRA/GPRAMA Report

	South Dakota	South Dakota	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	<u>2016 Final</u>	<u>2017 Final</u>	<u>2017 Target</u>	Results - South Dakota
Good Glycemic Control (A1c <8)	35.2%	48.7%	46.1%	48.4%	Not Met
Controlled BP <140/90	71.3%	73.0%	67.8%	63.8%	Met
Statin Therapy	47.8%	47.3%	55.6%	61.9%	Not Met
Nephropathy Assessed	58.3%	64.3%	51.2%	63.3%	Not Met
IMMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	39.2%	37.3%	25.9%	37.1%	Met
nfluenza Vaccination 18+	22.7%	23.4%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	51.0%	62.3%	53.2%	86.7%	Not Met
Childhood IZ	41.5%	34.0%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	36.2%	39.4%	37.8%	56.1%	Not Met
Mammography Screening	41.0%	44.4%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	24.0%	23.7%	22.5%	40.2%	Not Met
Fobacco Cessation	50.0%	50.9%	40.7%	53.2%	Not Met
Jniversal Alcohol Screening ^a	56.1%	N/A	56.3%	Baseline	Met
DV/IPV Screening	57.2%	54.5%	50.4%	65.3%	Not Met
Depression Screening 18+	55.7%	52.4%	54.6%	70.0%	Not Met
HIV Screening Ever	41.1%	41.8%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	18.0%	18.9%	24.4%	N/A	N/A
Breastfeeding Rates	No Data	0.0%	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 3

Measures Not Met: 13

NATIVE AMERICAN LIFELINES

2017 Final GPRA/GPRAMA Report

2017 Final GPRA/GPRAMA Dashboard	NAL	NAL	Urban CRS Sites	National	2017 Final
DIABETES	2017 Final	2016 Final	2017 Final	2017 Target	Results - NAL
Good Glycemic Control (A1c <8)	No Data	No Data	46.1%	48.4%	No Data
Controlled BP <140/90	No Data	No Data	67.8%	63.8%	No Data
Statin Therapy	No Data	No Data	55.6%	61.9%	No Data
Nephropathy Assessed	No Data	No Data	51.2%	63.3%	No Data
MMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	No Data	0.0%	25.9%	37.1%	No Data
nfluenza Vaccination 18+	0.0%	0.0%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	0.0%	0.0%	53.2%	86.7%	Not Met
Childhood IZ	No Data	No Data	33.8%	74.8%	No Data
PREVENTION					
Pap Screening	0.0%	5.9%	37.8%	56.1%	Not Met
Mammography Screening	0.0%	0.0%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	0.0%	0.0%	22.5%	40.2%	Not Met
Tobacco Cessation	0.0%	3.8%	40.7%	53.2%	Not Met
Jniversal Alcohol Screening ^a	52.2%	N/A	56.3%	Baseline	Met
DV/IPV Screening	30.0%	72.7%	50.4%	65.3%	Not Met
Depression Screening 18+	52.9%	70.6%	54.6%	70.0%	Not Met
IV Screening Ever	0.3%	0.3%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	No Data	No Data	24.4%	N/A	N/A
Breastfeeding Rates	No Data	No Data	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 1

Measures Not Met: 9

THE AMERICAN INDIAN COMMUNITY HOUSE OF NEW YORK CITY, INC.

2017 Final GPRA/GPRAMA Report

2017 Final GPRA/GPRAMA Dashboard	New York	New York	Urban CRS Sites	National	2017 Final
DIABETES	2017 Final	2016 Final	2017 Final	2017 Target	Results - New York
Good Glycemic Control (A1c <8)	0.0%	0.0%	46.1%	48.4%	Not Met
Controlled BP <140/90	0.0%	100.0%	67.8%	63.8%	Not Met
Statin Therapy	0.0%	0.0%	55.6%	61.9%	Not Met
Nephropathy Assessed	0.0%	0.0%	51.2%	63.3%	Not Met
MMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	No Data	No Data	25.9%	37.1%	No Data
nfluenza Vaccination 18+	0.0%	8.7%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	0.0%	0.0%	53.2%	86.7%	Not Met
Childhood IZ	No Data	0.0%	33.8%	74.8%	No Data
PREVENTION					
Pap Screening	0.0%	12.5%	37.8%	56.1%	Not Met
Mammography Screening	0.0%	0.0%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	16.7%	8.3%	22.5%	40.2%	Not Met
Tobacco Cessation	0.0%	0.0%	40.7%	53.2%	Not Met
Universal Alcohol Screening ^a	2.8%	N/A	56.3%	Baseline	Met
DV/IPV Screening	No Data	0.0%	50.4%	65.3%	No Data
Depression Screening 18+	0.0%	26.1%	54.6%	70.0%	Not Met
HIV Screening Ever	1.2%	0.7%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	No Data	No Data	24.4%	N/A	N/A
Breastfeeding Rates	No Data	No Data	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 1

Measures Not Met: 12

NACA FAMILY HEALTH CENTER (FLAGSTAFF)

2017 Final GPRA/GPRAMA Report

2017 Final GPRA/GPRAMA Dashboard					
	Flagstaff	Flagstaff	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	2016 Final	<u>2017 Final</u>	<u>2017 Target</u>	Results - Flagstaff
Good Glycemic Control (A1c <8)	41.3%	50.7%	46.1%	48.4%	Not Met
Controlled BP <140/90	76.2%	95.7%	67.8%	63.8%	Met
Statin Therapy	0.0%	0.0%	55.6%	61.9%	Not Met
Nephropathy Assessed	0.0%	1.4%	51.2%	63.3%	Not Met
IMMUNIZATIONS					
Influenza Vaccination 6mo - 17yrs	11.1%	21.1%	25.9%	37.1%	Not Met
nfluenza Vaccination 18+	20.1%	32.2%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	80.8%	74.2%	53.2%	86.7%	Not Met
Childhood IZ	0.0%	50.0%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	44.6%	52.9%	37.8%	56.1%	Not Met
Mammography Screening	24.2%	36.6%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	27.0%	26.7%	22.5%	40.2%	Not Met
Tobacco Cessation	44.8%	51.6%	40.7%	53.2%	Not Met
Universal Alcohol Screening ^a	47.5%	N/A	56.3%	Baseline	Met
DV/IPV Screening	47.2%	43.5%	50.4%	65.3%	Not Met
Depression Screening 18+	48.5%	49.3%	54.6%	70.0%	Not Met
IV Screening Ever	26.6%	26.0%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	33.3%	50.0%	24.4%	N/A	N/A
Breastfeeding Rates	No Data	No Data	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 2

Measures Not Met: 14

URBAN INTER-TRIBAL CENTER OF TEXAS (DALLAS)

2017 Final GPRA/GPRAMA Report

2017 Final GPRA/GPRAMA Dashboard					
	Dallas	Dallas	Urban CRS Sites	National	2017 Final
DIABETES	2017 Final	<u>2016 Final</u>	<u>2017 Final</u>	<u>2017 Target</u>	<u>Results - Dallas</u>
Good Glycemic Control (A1c <8)	49.0%	50.0%	46.1%	48.4%	Met
Controlled BP <140/90	64.7%	70.8%	67.8%	63.8%	Met
Statin Therapy	61.5%	64.0%	55.6%	61.9%	Not Met
Nephropathy Assessed	50.1%	52.9%	51.2%	63.3%	Not Met
IMMUNIZATIONS					
Influenza Vaccination 6mo - 17yrs	19.6%	21.7%	25.9%	37.1%	Not Met
Influenza Vaccination 18+	36.7%	34.8%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	60.8%	68.4%	53.2%	86.7%	Not Met
Childhood IZ	21.3%	38.6%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	44.6%	45.8%	37.8%	56.1%	Not Met
Mammography Screening	38.4%	29.5%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	24.8%	31.3%	22.5%	40.2%	Not Met
Tobacco Cessation	49.2%	53.1%	40.7%	53.2%	Not Met
Universal Alcohol Screening ^a	62.4%	N/A	56.3%	Baseline	Met
DV/IPV Screening	60.3%	63.8%	50.4%	65.3%	Not Met
Depression Screening 18+	63.2%	65.5%	54.6%	70.0%	Not Met
HIV Screening Ever	10.8%	9.9%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	23.3%	3.2%	24.4%	N/A	N/A
Breastfeeding Rates	50.0%	100.0%	66.7%	36.4%	Met

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Measures Met: 4

Measures Not Met: 13

Measures with No Data: 0

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

HUNTER HEALTH CLINIC (WICHITA)

2017 Final GPRA/GPRAMA Report

	Wichita	Wichita	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	<u>2016 Final</u>	<u>2017 Final</u>	2017 Target	Results - Wichita
Good Glycemic Control (A1c <8)	47.4%	43.1%	46.1%	48.4%	Not Met
Controlled BP <140/90	70.6%	73.9%	67.8%	63.8%	Met
Statin Therapy	72.5%	66.2%	55.6%	61.9%	Met
Nephropathy Assessed	47.4%	76.6%	51.2%	63.3%	Not Met
IMMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	15.1%	10.0%	25.9%	37.1%	Not Met
nfluenza Vaccination 18+	17.4%	11.6%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	17.9%	13.4%	53.2%	86.7%	Not Met
Childhood IZ	50.0%	12.5%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	49.1%	55.3%	37.8%	56.1%	Not Met
Mammography Screening	19.9%	25.3%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	26.9%	28.3%	22.5%	40.2%	Not Met
Tobacco Cessation	39.8%	17.8%	40.7%	53.2%	Not Met
Universal Alcohol Screening ^a	61.8%	N/A	56.3%	Baseline	Met
DV/IPV Screening	55.8%	53.5%	50.4%	65.3%	Not Met
Depression Screening 18+	64.9%	63.3%	54.6%	70.0%	Not Met
HIV Screening Ever	10.0%	10.0%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	20.0%	11.1%	24.4%	N/A	N/A
Breastfeeding Rates	No Data	No Data	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 3

Measures Not Met: 13

NATIVE AMERICAN COMMUNITY HEALTH (PHOENIX)

2017 Final GPRA/GPRAMA Report

2017 Final GPRA/GPRAMA Dashboard					
	Phoenix	Phoenix	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	<u>2016 Final</u>	<u>2017 Final</u>	<u>2017 Target</u>	<u>Results - Phoenix</u>
Good Glycemic Control (A1c <8)	67.3%	47.5%	46.1%	48.4%	Met
Controlled BP <140/90	86.3%	72.3%	67.8%	63.8%	Met
Statin Therapy	41.4%	43.3%	55.6%	61.9%	Not Met
Nephropathy Assessed	55.1%	54.0%	51.2%	63.3%	Not Met
IMMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	51.2%	37.9%	25.9%	37.1%	Met
nfluenza Vaccination 18+	57.3%	19.0%	25.4%	38.7%	Met
Pneumococcal Vaccination 65+	58.7%	14.8%	53.2%	86.7%	Not Met
Childhood IZ	75.7%	54.1%	33.8%	74.8%	Met
PREVENTION					
Pap Screening	62.8%	45.5%	37.8%	56.1%	Met
Mammography Screening	56.5%	75.4%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	48.9%	61.5%	22.5%	40.2%	Met
Tobacco Cessation	24.6%	9.6%	40.7%	53.2%	Not Met
Universal Alcohol Screening ^a	90.0%	N/A	56.3%	Baseline	Met
DV/IPV Screening	85.3%	95.1%	50.4%	65.3%	Met
Depression Screening 18+	97.1%	94.9%	54.6%	70.0%	Met
HIV Screening Ever	30.2%	20.3%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	39.8%	30.8%	24.4%	N/A	N/A
Breastfeeding Rates	26.3%	30.0%	66.7%	36.4%	Not Met

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Measures Met: 10

Measures Not Met: 7

Measures with No Data: 0

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

NEVADA URBAN INDIANS, INC. (RENO)

2017 Final GPRA/GPRAMA Report

Reno	Reno	Urban CRS Sites	National	2017 Final
<u>2017 Final</u>	2016 Final	<u>2017 Final</u>	<u>2017 Target</u>	<u>Results - Reno</u>
0.0%	0.0%	46.1%	48.4%	Not Met
14.3%	0.0%	67.8%	63.8%	Not Met
0.0%	0.0%	55.6%	61.9%	Not Met
14.3%	0.0%	51.2%	63.3%	Not Met
0.0%	0.0%	25.9%	37.1%	Not Met
12.7%	1.7%	25.4%	38.7%	Not Met
42.9%	22.2%	53.2%	86.7%	Not Met
0.0%	0.0%	33.8%	74.8%	Not Met
30.3%	8.0%	37.8%	56.1%	Not Met
0.0%	0.0%	26.5%	56.7%	Not Met
10.5%	5.6%	22.5%	40.2%	Not Met
0.0%	0.0%	40.7%	53.2%	Not Met
37.0%	N/A	56.3%	Baseline	Met
38.1%	13.3%	50.4%	65.3%	Not Met
36.5%	20.0%	54.6%	70.0%	Not Met
0.5%	1.1%	21.4%	41.9%	Not Met
No Data	100.0%	24.4%	N/A	N/A
No Data	No Data	66.7%	36.4%	No Data
	2017 Final 0.0% 14.3% 0.0% 14.3% 0.0% 14.3% 42.9% 0.0% 42.9% 0.0% 30.3% 0.0% 10.5% 0.0% 37.0% 38.1% 36.5% 0.5% No Data	2017 Final 2016 Final 0.0% 0.0% 14.3% 0.0% 0.0% 0.0% 14.3% 0.0% 0.0% 0.0% 14.3% 0.0% 0.0% 0.0% 14.3% 0.0% 14.3% 0.0% 0.0% 0.0% 14.3% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 38.1% 13.3% 36.5% 20.0% 0.5% 1.1% No Data 100.0%	2017 Final 2016 Final 2017 Final 0.0% 0.0% 46.1% 14.3% 0.0% 67.8% 0.0% 0.0% 55.6% 14.3% 0.0% 51.2% 0.0% 0.0% 25.9% 12.7% 1.7% 25.4% 42.9% 22.2% 53.2% 0.0% 0.0% 33.8% 0.0% 0.0% 26.5% 10.5% 5.6% 22.5% 0.0% 0.0% 26.5% 10.5% 5.6% 22.5% 0.0% 0.0% 40.7% 37.0% N/A 56.3% 38.1% 13.3% 50.4% 0.5% 1.1% 21.4% No Data 100.0% 24.4%	2017 Final 2016 Final 2017 Final 2017 Target 0.0% 0.0% 46.1% 48.4% 14.3% 0.0% 67.8% 63.8% 0.0% 0.0% 55.6% 61.9% 14.3% 0.0% 51.2% 63.3% 0.0% 0.0% 25.9% 37.1% 14.3% 0.0% 25.9% 37.1% 0.0% 0.0% 25.9% 37.1% 12.7% 1.7% 25.4% 38.7% 42.9% 22.2% 53.2% 86.7% 0.0% 0.0% 33.8% 74.8% U 30.3% 8.0% 37.8% 56.1% 0.0% 0.0% 20.5% 40.2% 0.0% 0.0% 22.5% 40.2% 0.0% 0.0% 26.5% 56.7% 10.5% 5.6% 22.5% 40.2% 0.0% 0.0% 40.7% 53.2% 37.0% N/A 56.3% 56.3%

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 1

Measures Not Met: 15

URBAN INDIAN CENTER OF JALT LAKE (JALT LAKE CITY)

2017 Final GPRA/GPRAMA Report

2017 Final GPRA/GPRAMA Dashboard	<u>t</u>				
	Salt Lake City	Salt Lake City	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	<u>2016 Final</u>	<u>2017 Final</u>	<u>2017 Target</u>	Results - Salt Lake City
Good Glycemic Control (A1c <8)	39.6%	47.6%	46.1%	48.4%	Not Met
Controlled BP <140/90	62.5%	58.3%	67.8%	63.8%	Not Met
Statin Therapy	64.6%	36.4%	55.6%	61.9%	Met
lephropathy Assessed	72.9%	91.7%	51.2%	63.3%	Met
MMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	19.6%	10.5%	25.9%	37.1%	Not Met
nfluenza Vaccination 18+	19.5%	9.2%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	44.0%	25.3%	53.2%	86.7%	Not Met
Childhood IZ	35.7%	66.7%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	20.4%	21.8%	37.8%	56.1%	Not Met
lammography Screening	30.6%	34.9%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	2.5%	8.7%	22.5%	40.2%	Not Met
obacco Cessation	7.7%	16.3%	40.7%	53.2%	Not Met
Iniversal Alcohol Screening ^a	71.1%	N/A	56.3%	Baseline	Met
OV/IPV Screening	72.2%	45.7%	50.4%	65.3%	Met
Depression Screening 18+	75.3%	59.9%	54.6%	70.0%	Met
IIV Screening Ever	4.7%	0.4%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	44.0%	48.4%	24.4%	N/A	N/A
Breastfeeding Rates	No Data	No Data	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 5

Measures Not Met: 11

NATIVE AMERICAN REHABILITATION ASSOCIATION OF THE NORTHWEST, INC. (PORTLAND)

2017 Final GPRA/GPRAMA Dashboard	<u>l</u>				
	Portland	Portland	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	2016 Final	<u>2017 Final</u>	<u>2017 Target</u>	Results - Portland
Good Glycemic Control (A1c <8)	47.7%	51.0%	46.1%	48.4%	Not Met
Controlled BP <140/90	76.6%	77.6%	67.8%	63.8%	Met
Statin Therapy	66.7%	68.6%	55.6%	61.9%	Met
Nephropathy Assessed	70.3%	71.4%	51.2%	63.3%	Met
IMMUNIZATIONS		_			
Influenza Vaccination 6mo - 17yrs	20.3%	5.0%	25.9%	37.1%	Not Met
Influenza Vaccination 18+	30.3%	14.7%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	58.7%	39.3%	53.2%	86.7%	Not Met
Childhood IZ	22.2%	0.0%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	5.7%	2.7%	37.8%	56.1%	Not Met
Mammography Screening	4.2%	4.6%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	6.2%	4.3%	22.5%	40.2%	Not Met
Tobacco Cessation	23.6%	32.8%	40.7%	53.2%	Not Met
Universal Alcohol Screening ^a	64.9%	N/A	56.3%	Baseline	Met
DV/IPV Screening	0.7%	0.0%	50.4%	65.3%	Not Met
Depression Screening 18+	20.3%	21.6%	54.6%	70.0%	Not Met
HIV Screening Ever	0.1%	0.1%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	14.3%	16.7%	24.4%	N/A	N/A
Breastfeeding Rates	No Data	No Data	66.7%	36.4%	No Data

2017 Final GPRA/GPRAMA Report

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 4

Measures Not Met: 12

JEATTLE INDIAN HEALTH BOARD

2017 Final GPRA/GPRAMA Report

	Seattle	Seattle	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	2016 Final	<u>2017 Final</u>	2017 Target	<u>Results - Seattle</u>
Good Glycemic Control (A1c <8)	38.6%	47.9%	46.1%	48.4%	Not Met
Controlled BP <140/90	81.6%	95.7%	67.8%	63.8%	Met
Statin Therapy	57.8%	56.7%	55.6%	61.9%	Not Met
Nephropathy Assessed	48.9%	71.6%	51.2%	63.3%	Not Met
MMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	21.1%	35.2%	25.9%	37.1%	Not Met
nfluenza Vaccination 18+	18.0%	18.6%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	49.1%	51.4%	53.2%	86.7%	Not Met
Childhood IZ	46.0%	53.2%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	25.3%	32.4%	37.8%	56.1%	Not Met
Mammography Screening	23.3%	12.1%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	40.5%	36.3%	22.5%	40.2%	Met
Tobacco Cessation	40.8%	43.5%	40.7%	53.2%	Not Met
Universal Alcohol Screening ^a	13.3%	N/A	56.3%	Baseline	Met
DV/IPV Screening	1.7%	2.6%	50.4%	65.3%	Not Met
Depression Screening 18+	15.9%	15.6%	54.6%	70.0%	Not Met
HIV Screening Ever	20.3%	17.6%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	17.8%	24.0%	24.4%	N/A	N/A
Breastfeeding Rates	No Data	No Data	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 3

Measures Not Met: 13

NATIVE PROJECT (JPOKANE)

2017 Final GPRA/GPRAMA Report

	Spokane	Spokane	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	<u>2016 Final</u>	<u>2017 Final</u>	2017 Target	Results - Spokane
Good Glycemic Control (A1c <8)	52.9%	50.0%	46.1%	48.4%	Met
Controlled BP <140/90	67.6%	67.4%	67.8%	63.8%	Met
Statin Therapy	68.9%	51.1%	55.6%	61.9%	Met
Nephropathy Assessed	67.6%	75.4%	51.2%	63.3%	Met
MMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	27.7%	33.6%	25.9%	37.1%	Not Met
nfluenza Vaccination 18+	26.8%	31.2%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	70.5%	77.6%	53.2%	86.7%	Not Met
Childhood IZ	43.5%	36.2%	33.8%	74.8%	Not Met
PREVENTION					
Pap Screening	33.5%	39.6%	37.8%	56.1%	Not Met
Mammography Screening	40.7%	44.6%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	31.8%	38.0%	22.5%	40.2%	Not Met
Fobacco Cessation	54.8%	57.1%	40.7%	53.2%	Met
Jniversal Alcohol Screening ^a	52.0%	N/A	56.3%	Baseline	Met
DV/IPV Screening	50.4%	55.9%	50.4%	65.3%	Not Met
Depression Screening 18+	54.3%	58.3%	54.6%	70.0%	Not Met
HIV Screening Ever	49.5%	45.6%	21.4%	41.9%	Met
Childhood Weight Control ^b	29.5%	29.3%	24.4%	N/A	N/A
Breastfeeding Rates	No Data	No Data	66.7%	36.4%	No Data

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 7

Measures Not Met: 9

TUCJON INDIAN CENTER

2017 Final GPRA/GPRAMA Report

	Tucson	Tucson	Urban CRS Sites	National	2017 Final
DIABETES	<u>2017 Final</u>	2016 Final	2017 Final	2017 Target	<u>Results - Tucson</u>
Good Glycemic Control (A1c <8)	49.7%	43.3%	46.1%	48.4%	Met
Controlled BP <140/90	63.6%	61.2%	67.8%	63.8%	Not Met
Statin Therapy	64.9%	53.5%	55.6%	61.9%	Met
Nephropathy Assessed	89.4%	53.7%	51.2%	63.3%	Met
IMMUNIZATIONS					
nfluenza Vaccination 6mo - 17yrs	36.1%	31.2%	25.9%	37.1%	Not Met
nfluenza Vaccination 18+	36.8%	34.3%	25.4%	38.7%	Not Met
Pneumococcal Vaccination 65+	72.9%	70.0%	53.2%	86.7%	Not Met
Childhood IZ	No Data	No Data	33.8%	74.8%	No Data
PREVENTION					
Pap Screening	58.7%	47.5%	37.8%	56.1%	Met
Mammography Screening	44.4%	36.3%	26.5%	56.7%	Not Met
Colorectal Cancer Screening	35.9%	26.7%	22.5%	40.2%	Not Met
Tobacco Cessation	34.1%	15.7%	40.7%	53.2%	Not Met
Universal Alcohol Screening ^a	25.0%	N/A	56.3%	Baseline	Met
DV/IPV Screening	64.7%	55.3%	50.4%	65.3%	Not Met
Depression Screening 18+	65.3%	52.0%	54.6%	70.0%	Not Met
HIV Screening Ever	33.5%	33.5%	21.4%	41.9%	Not Met
Childhood Weight Control ^b	44.4%	37.5%	24.4%	N/A	N/A
Breastfeeding Rates	26.3%	No Data	66.7%	36.4%	Not Met

^aNew measure as of FY 2017

^bLong-term measure, no target until FY 2019

Results in italics represent measures with fewer than 20 patients in the denominator; use caution when interpreting these results

Measures in red are GPRAMA measures

Measures Met: 5

Measures Not Met: 11

APPENDIX 1: URBAN PROGRAM REJULTS-DATA SOURCES

REPORTED FROM CRJ

American Indian Health Service of Chicago

American Indian Health and Family Services (Detroit)

Gerald L. Ignace Indian Health Center (Milwaukee)

North American Indian Alliance (Butte)

Indian Family Health Clinic (Great Falls)

Helena Indian Alliance

Missoula Indian Center

Bakersfield American Indian Health Project

Fresno American Indian Health Project

United American Indian Involvement (Los Angeles)

San Diego American Indian Health Center

South Dakota Urban Indian Health

Native American Lifelines

The American Indian Community House of New York City, Inc.

NACA Family Health Center (Flagstaff)

Urban Inter-Tribal Center of Texas (Dallas)

Hunter Health Center (Wichita)

Nevada Urban Indians, Inc. (Reno)

Native American Rehabilitation Association of the Northwest, Inc. (Portland)

Native Project (Spokane)

REPORTED FROM NON-CRJ

Denver Indian Health and Family Services

First Nations Community Healthsource (Albuquerque)

Indian Health Board of Minneapolis, Inc.

Native American Health Center (Oakland/San Francisco)

Sacramento Native American Health Center

Indian Health Center of Santa Clara Valley (San Jose)

Nebraska Urban Indian Health Coalition

Native American Community Health (Phoenix)

Urban Indian Center of Salt Lake (Salt Lake City)

Seattle Indian Health Board

Tucson Indian Center