



Proportion of Outpatient Visits for Influenza-Like Illness (ILI)
 Percent ILI for FluYear 2013 - 2014
 ILINet vs. IIAS
 09/29/13 to 02/15/14



Source ●●● IIAS □□□ ILINet


Percentage of ILI visits is number of ILI visits divided by total number of daily visits (outpatient visits).
 The horizontal line represents the 2013-2014 baseline. The baseline is the mean percentage of patient visits for
 ILI during non-influenza weeks for the previous three seasons plus two standard deviations.
 Sources: ILINet - CDC Sentinal Surveillance System for Influenza-Like Illness, IIAS - IHS Influenza Awareness System

All IHS Areas
 Influenza-Like Illness (ILI) All Surveillance Years - Continuous
 Percentage of Visits for ILI per week
 01/04/09 to 02/15/14




Percentage of ILI visits is number of ILI visits divided by total number of daily visits.

IHS versus ILINet
 Influenza-Like Illness (ILI) All Surveillance Years - Continuous
 Percentage of Visits for ILI per week
 01/04/09 to 02/15/14



Percentage of ILI visits is number of ILI visits divided by total number of daily visits (outpatient visits).

Percentage of Influenza-Like Illness Visits by Region For Week: 7




% Visits for ILI Compared to Previous Week

IHS Areas	% in Week 6	% in Week 7
NATIONAL	2.1	1.6
ABERDEEN	1.6	1.8
ALASKA	0.9	1.0
ALBUQUERQUE	1.7	1.5
BEMIDJI	1.0	2.2
BILLINGS	1.6	1.7
CALIFORNIA	1.2	0.9
NASHVILLE	1.5	0.9
NAVAJO	3.3	3.1
OKLAHOMA	2.8	1.1
PHOENIX	2.1	1.8
PORTLAND	1.2	1.1
TUCSON	2.2	1.6

IHS Influenza Vaccination* Surveillance

- As of 2/15/2014, sites reporting to the IAS have administered 417,385 doses (1st and 2nd) of seasonal influenza vaccine to Active Clinical patients.



* Not all sites are currently sending the newer influenza vaccine codes, which may result in an underestimate of vaccine coverage.

Influenza Vaccination Coverage by Age Group*

	Active Clinical Population**	Seasonal Flu Vaccine (At Least 1 Dose)***	% Seasonal Flu (At Least 1 Dose)	Seasonal Flu Vaccine (At Least 2 Doses)	% Seasonal Flu (At Least 2 Doses)	Total # Doses Administered
0 - 5 months	5,282	144	2.7	1	0.0	145
6 - 23 months	26,310	16,252	61.8	4,799	18.2	21,122
2 - 4 years	64,723	22,753	35.2	855	1.3	23,696
5 - 17 years	236,652	84,947	35.9	1,023	0.4	86,301
18 - 49 years	507,513	141,126	27.8	1,673	0.3	143,515
50 - 64 years	195,409	85,652	43.8	1,098	0.6	87,203
65 + years	107,076	54,304	50.7	858	0.8	55,548
Children (6 months-17 years)	327,685	123,952	37.8	6,677	2.0	131,119
Adults (18 + years)	809,998	281,082	34.7	3,629	0.4	286,266
All (6 months +)	1,137,683	405,034	35.6	10,306	0.9	417,385

* Not all sites are currently sending the newer influenza vaccine codes, which may result in an underestimate of vaccine coverage.

** Active Clinical population is defined as patients who have had at least 2 visits in the last 3 years

*** Limited to sites that exported both doses administered and active clinical population data

Influenza Vaccination Doses Administered by Influenza Vaccination Type*

Area	Inactive CVX Codes**	CVX 88 FLU-NOS** *	CVX 111 FLU-LAIV3	CVX 135 FLU-HIGH	CVX 140 FLU-IIV3pf	CVX 141 FLU-IIV3	CVX 144 FLU-DERMAL	CVX 149 FLU-LAIV4	CVX 150 FLU-IIV4pf	CVX 153 FLU-ccIIV3	CVX 155 FLU-RIV3	CVX 158 IIV4	Proc 99.52 Vac Inf	ICD-9 V04.81 Vac Inf	CPT Billing Codes	Cumulative # of Doses Seasonal Flu
ABR	92	285	45	336	4436	18398	84	2340	1368	24	10	723	1	2375	205	30722
AKA	579	84	66	261	3112	6721	28	826	1669	7	3	254	.	407	269	14286
ALB	48	280	23	648	4720	19828	306	2021	1360	9	8	157	.	660	1241	31309
BEM	90	147	245	93	2441	8586	222	227	41	1	3	.	.	1484	362	13942
BIL	43	149	38	994	13356	6687	260	2248	1167	8	.	22	1	192	288	25453
CAO	87	213	84	636	2245	11566	54	592	775	145	.	10	.	532	383	17322
NSA	81	76	13	80	3367	4402	458	141	348	.	.	5	.	165	154	9290
NAV	348	421	74	142	7935	86617	1	1703	1694	1	3	1125	36	896	1182	102178
OKC	405	3164	127	2127	12620	67291	140	3780	7226	4	7	551	483	3807	390	102122
PHX	212	389	62	674	16882	20379	45	2386	3490	1	8	692	8	1401	1522	48151
POR	134	503	400	440	4331	22152	101	1984	400	10	550	78	.	731	371	32185
TUC	24	29	108	4	5314	1593	.	415	734	.	3	59	.	279	143	8705
	2143	5740	1285	6435	80759	274220	1699	18663	20272	210	595	3676	529	12929	6510	435665

* Not all sites are currently sending the newer influenza vaccine codes, which may result in an underestimate of vaccine coverage.

** Inactive CVX Codes 15 (FLU-TIVhx), 16 (FLU-WHOLE), 123 (FLU-H5N1), and 151 (FLU-NasNOS) should not be used to document flu vaccines given this flu season.

*** CVX Code 88 (FLU-NOS) should only be used to document flu vaccines given elsewhere when flu vaccine type is unknown.

- This report includes data from the following # of RPMS databases:

IHS Area	# of RPMS Databases Reporting*	# of Facilities Reporting**
NATIONAL	154	343
ABERDEEN	15	24
ALASKA	12	82
ALBUQUERQUE	11	16
BEMIDJI	1	6
BILLINGS	12	29
CALIFORNIA	16	22
NASHVILLE	17	20
NAVAJO	7	31
OKLAHOMA	21	44
PHOENIX	14	26
PORTLAND	27	37
TUCSON	1	6

* Exporting databases may include data from multiple facilities.

** Includes only facility categories: Hospital, Health Center, Health Station, Health Location, Alaska Village Clinic.