

Historical Trauma and Unresolved Grief: Reflections on Perceived Discrimination and Microaggressions

Maria Yellow Horse Brave Heart, PhD
Associate Professor of Psychiatry/Director,
Native American & Disparities Research
Center for Rural & Community Behavioral Health
mbraveheart@salud.unm.edu

Presentation Overview

- Historical Trauma and Historical Unresolved Grief
Definition Review
- Healing Historical Trauma and Unresolved Grief: The
HTUG Intervention: A Tribal Best Practice
- Review of the DSM IV Cultural Formulation in
assessment and treatment planning
- Perceived Discrimination and Depression
- Microaggressions, PTSD Risk Factors, Depression and
Lowered Self-Esteem

Exercise

Question:

What is my ethnicity? (may be race, religion, etc) – as many or as few words as you choose)

Exercise

Name 3 Instances where you have felt discriminated against or oppressed

Exercise

Processing

Sharing

Omniciye Woiyaksape: Sharing Wisdom Council Project

It is our way to mourn for one year when one of our relations enters the Spirit World. Tradition is to wear black while mourning our lost one, tradition is not to be happy, not to sing and dance and enjoy life's beauty during mourning time. Tradition is to suffer with the remembering of our lost one, and to give away much of what we own and to cut our hair short....Chief Sitting Bull was more than a relation....He represented an entire people: our freedom, our way of life -- all that we were. And for one hundred years we as a people have mourned our great leader.

Multiple Losses and Trauma Exposure

- Death of five family members killed in a collision by a drunk driver on a reservation road
- One month earlier, death of a diabetic relative
- Following month, adolescent cousin's suicide and the death of another relative from a heart attack
- Surviving family members include individuals who are descendants of massacre survivors & abuse in boarding schools
- Many community members comment that they feel they are always in a state of mourning and constantly attending funerals.

Omniciye Woiyaksape

We have followed tradition in our mourning. We have not been happy, have not enjoyed life's beauty, have not danced or sung as a proud nation. We have suffered remembering our great Chief and have given away much of what was ours.... blackness has been around us for a hundred years. During this time the heartbeat of our people has been weak, and our life style has deteriorated to a devastating degree. Our people now suffer from the highest rates of unemployment, poverty, alcoholism, and suicide in the country.

Traditional Hunkpapa Lakota Elders Council (Blackcloud, 1990)

Intergenerational Parental Trauma

I never bonded with any parental figures in my home. At seven years old, I could be gone for days at a time and no one would look for me....I've never been to a boarding school....all of the abuse we've talked about happened in my home. If it had happened by strangers, it wouldn't have been so bad- the sexual abuse, the neglect. Then, I could blame it all on another race....And, yes, they [my parents] went to boarding school.

A Lakota Parent in Recovery
(Brave Heart, 2000, pp. 254-255)

Multiple Losses and Trauma Exposure

- Death of five family members killed in a collision by a drunk driver on a reservation road
- One month earlier, death of a diabetic relative
- Following month, adolescent cousin's suicide and the death of another relative from a heart attack
- Surviving family members include individuals who are descendants of massacre survivors & abuse in boarding schools
- Many community members comment that they feel they are always in a state of mourning and constantly attending funerals.

Historical Trauma and Unresolved Grief

- ***Historical trauma*** is cumulative emotional and psychological wounding over the lifespan and across generations, emanating from massive group trauma (1985-88)
- ***Historical unresolved grief*** accompanies that trauma (Brave Heart, 1998, 1999, 2000)

Historical Trauma Response

- The *historical trauma response* (HTR) is a constellation of features in reaction to massive group trauma
- This response is observed among Lakota and other Native populations, Jewish Holocaust survivors and descendants, Japanese American internment camp survivors and descendants.

(Brave Heart, 1998, 1999, 2000)

Confronting the Cumulative, Massive Group Trauma

- Origins of trauma are in genocide
- Boarding schools compounded trauma
- Trauma is transferred across generations through impairment of traditional parenting skills, identification, and other complex processes; epigenetics research relevant (Yehuda)
- Children of genocide survivors, children of boarding school survivors may pass on the trauma to their descendents

Genocide and Discrimination

- **Native history meets UN 1948 Geneva Convention definition of genocide**
- **Congressional genocidal policy:** *no further recognition of their rights to the land over which they roam; go upon said reservations...chose between this policy of the government and extermination; wards of the government, controlled and managed at its discretion*
- **BIA Education Division called “Civilization Division”**
- **Congressional policy of forced separation of children from family and tribe; militaristic**
- **Gender roles and relationships impaired by boarding schools**

Intergenerational Traumatic Grief

- Federal prohibition against practice of traditional Native spirituality limited bereavement resulting in unresolved grief across generations
- Dominant societal view of Natives as “savage” and unfeeling – dehumanizing, invalidating grief
- Acute grief which persists becomes unresolved, prolonged, complicated
- Modern multiple losses & cumulative traumatic losses superimposed upon collective generational trauma

Perceived Discrimination and Microaggressions

- Perceived discrimination - relationship with increased depression (see Whitbeck)
- Microaggressions (term coined by Chester Pierce, MD; further development by D. Wing Sue, PhD) can include instances of being racially profiled, experiences of discrimination, being stereotyped, being intentionally or unintentionally excluded, hearing racist comments, etc.
- Associated with historical trauma response, PTSD symptoms, and depression (preliminary research of Dr. Karina Walters (Choctaw) U of WA)

Historical Trauma Response Features

- **Survivor guilt**
- **Depression**
- **Sometimes PTSD symptoms**
- **Psychic numbing**
- **Fixation to trauma**
- **Somatic (physical) symptoms**
- **Low self-esteem**
- **Victim Identity**
- **Anger**
- **Self-destructive behavior including substance abuse**
- **Suicidal ideation**
- **Hypervigilance**
- **Intense fear**
- **Dissociation**
- **Compensatory fantasies**
- **Poor affect (emotion) tolerance**

Historical Trauma Response Features

- Death identity – fantasies of reunification with the deceased; cheated death
- Preoccupation with trauma, with death
- Dreams of massacres, historical trauma content
- **Loyalty to ancestral suffering & the deceased**
- **Internalization of ancestral suffering**
- **Vitality in own life seen as a betrayal to ancestors who suffered so much**


Identification & Self-Hatred

- **Identification with the aggressor (A. Freud) & internalized oppression (Freire)**
- Identification with the oppressor's view of Natives, resulting in self-hatred
- Self-destructive behavior (i.e. SA) to avoid pain and to act out the self-hatred
- Identifying with parents' trauma response patterns
- Remember the exercise at beginning

HTUG Tribal Best Practice

- Traditional culture & ceremonies throughout facilitated release of emotions
- Psychoeducation; narratives & trauma testimony
- Delivered over 4 days; small process groups with the trained Native facilitators
- Focus on *returning to the sacred path* – the strengths in our traditional culture
- Ceremonies may help in the healing process, changing brain chemistry, calming traumatic brain

Historical Trauma & Unresolved Grief Interventions: *Return to the Sacred Path*



Historical Trauma Intervention Research & Evaluation (1992 - 2003)

- Reduction in sense of feeling responsible to undo painful historical past
- Less ***shame, stigma***, anger, sadness
- Decrease in guilt
- Increase in joy
- Improved ***valuation of true self and of tribe***
- Increased ***sense of personal power***

Table 11: Gender Differences for Affects Experienced Often Before, During and After the Intervention

| | Before | During | After |
|----------------|--------------------|--------------------|--------------------|
| | Female/Male | Female/Male | Female/Male |
| Anger | 70.6% 73.3% | 41.2% 66.7% | 11.8% 26.7% |
| Sadness | 70.6% 66.7% | 100.0% 80.0% | 5.9% 33.3% |
| Guilt | 70.6% 53.3% | 29.4% 33.3% | 0.0% 13.3% |
| Shame | 64.7% 60.0% | 5.9% 40.0% | 0.0% 13.3% |
| Joy | 58.8% 33.3% | 64.7% 66.7% | 70.6% 86.7% |

Themes from Qualitative Evaluation of Parental Responses (1996-2004)

- Increased sense of parental competence
- Increase in use of traditional language
- Increased communication with own parents and grandparents about HT
- Improved relationships with children, parents, grandparents, and extended kinship network
- Increased ***pride in being Lakota and valuing own culture***, i.e. Seven Laws

Culturally Sensitive Diagnosis: the DSM IV Cultural Formulation

Cultural Identity

- Ethnic or cultural reference group(s)
- Degree of involvement w/culture of origin & host culture
- Language abilities, use, & preference

Cultural Explanations of Illness

- Meaning & perceived severity of symptoms in relation to reference group/s norms
- Perceived causes & explanatory models that the pt. & reference group(s) use to explain the illness
- Preferences for sources of care

Culturally Sensitive Diagnosis: the DSM IV Cultural Formulation

Cultural factors related to psychosocial environment & levels of functioning

- Culturally relevant interpretations of ***social stressors***, available supports, levels of functioning & disability
- Stresses in the local social environment
- Role of religion & kin networks in providing emotional, instrumental, & informational support

Cultural elements of the relationship between the individual and the clinician

- Individual differences in culture & social status between the individual & clinician
- ***Problems these differences may cause***

Culturally Sensitive Diagnosis: the DSM IV Cultural Formulation

Overall cultural assessment for diagnosis and care

- Discussion of how cultural considerations specifically influence comprehensive diagnosis and care

Reference:

Lewis-Fernandez, R. and Diaz, N. The Cultural Formulation: A method for assessing cultural factors affecting the clinical encounter. *Psychiatric Quarterly*, 2002, 73(4): 271-295. (Table 1, p. 275)

Examples for Native clients: skin color issues, risk for trauma exposure, traditional mourning practices, racism, unemployment rates, housing availability

Cultural Formulation (con't)

- Indirect styles of communication, values of non-interference and non-intrusiveness, & polite reserve may delay help-seeking and true presenting problem
- Variation in eye contact; cultural differences in personal space & cross-gender interaction
- **Listening for the meaning in the metaphor**
- **Client use of narratives, stories; talking in the displacement**
- **Beginning phase may be longer**

Culturally & Historically Responsive Assessment

- Explore generational boarding school history, tribal traumatic events, and investigate how these were/are processed in the family
- Explore degree of involvement in traditional Indigenous culture; complexity of cultural responsiveness is examined in literature on assessment and intervention with Indigenous populations (e.g. Brave Heart, 2001 a, b).
- Use adaptation of the DSM IV Cultural Formulation (Lewis-Fernandez & Diaz, 2002), expanded to include exploration of boarding school trauma, tribal relocations, migration, trauma in tribal community of origin, language

Culturally & Historically Responsive Assessment

- Explore instances of perceived discrimination and microaggressions
- “War stories” and testimonies – traumatic!
- Some Examples:
- Being stopped for drinking water
- Having security called at hotel gift shop – assumed I was not a hotel guest and that I was loitering
- Being mistaken for the help numerous times while dressed in a business suit on professional travel
- Being told I was standing in the wrong line

Website

- www.historicaltrauma.com
- Developed by Raymond Daw (Dine')

Relevant Recent HT Publications

- Brave Heart, M.Y.H., Elkins, J., Tafoya, G., Bird, D., & Salvador (2012). *Wicasa Was'aka: Restoring the traditional strength of American Indian males. American Journal of Public Health, 102 (S2), 177-183.*
- Brave Heart, M.Y.H., Chase, J., Elkins, J., & Altschul, D.B. (2011). Historical trauma among Indigenous Peoples of the Americas: Concepts, research, and clinical considerations. *Journal of Psychoactive Drugs, 43 (4), 282-290.*
- Brave Heart, M.Y.H. & Deschenie, T. (2006). Resource guide: Historical trauma and post-colonial stress in American Indian populations. *Tribal College Journal of American Indian Higher Education, 17 (3), 24-27.*
- Brave Heart, M.Y.H. (2003). The historical trauma response among Natives and its relationship with substance abuse: A Lakota illustration. *Journal of Psychoactive Drugs, 35(1), 7-13.*

Other Relevant Publications

- American Indians had an adult trauma exposure rate of 62.4% to 69.8% to at least one traumatic event; a substantial proportion of these entail death of a loved one (Manson, Beals, Klein, Croy, & AI-SUPERPFP Team, 2005).
- CG/PG: sadness, separation distress including strong yearnings, longing for and preoccupation with thoughts of the deceased, and intrusive images, psychic numbness, guilt, extreme difficulty moving on with life, and a sense of the part of the self having died (Boelen & Prigerson, 2007; Shear et al., 2005). CG may also co-occur with PTSD (20-50%); prevalence unclear for American Indians/Alaska Natives.
- Historical unresolved grief includes these but also yearning, pining, preoccupation with thoughts of ancestors lost in massacres, loyalty to ancestors with a focus on their suffering, as if to not suffer is to not honor them, to forget them

References

- Brave Heart, M.Y.H., DeBruyn, L.M., Crazy Thunder, D., Rodriguez, B., & Grube, K. (2005). . *This is hallowed ground: Native Voices From Ground Zero*, In Danieli, Y. & Dingman, R. (Eds) On the Ground After September 11: Mental Health Responses and Practical Knowledge Gained. New York: Haworth Press.
- Brave Heart, M.Y.H. (2003) The Historical Trauma Response Among Natives and Its Relationship with Substance Abuse: A Lakota Illustration, Journal of Psychoactive Drugs, 35 (1), 7-13.
- Brave Heart, MYH (1998). The return to the sacred path: Healing the historical trauma response among the Lakota. *Smith College Studies in Social Work*, 68(3), 287-305

References

- Brave Heart, M.Y.H. (1999) *Oyate Ptayela: Rebuilding the Lakota Nation through addressing historical trauma among Lakota parents. Journal of Human Behavior and the Social Environment, 2(1/2), 109-126.*
- Brave Heart, M.Y.H. (2000) *Wakiksuyapi: Carrying the historical trauma of the Lakota. Tulane Studies in Social Welfare, 21-22, 245-266.*
- Brave Heart, M.Y.H. (2001) Clinical assessment with American Indians. In R.Fong & S. Furuto (Eds), *Cultural competent social work practice: Practice skills, interventions, and evaluation* (pp. 163-177). Reading, MA: Longman Publishers.
- Brave Heart, M.Y.H. (2001) Clinical interventions with American Indians. In R. Fong & S. Furuto (Eds). *Cultural competent social work practice: Practice skills, interventions, and evaluation* (pp. 285-298). Reading, MA: Longman Publishers.

References

- Beals, J., Manson, S., Whitesell, N. Spicer, P., Novins, D. & Mitchell, C. (2005). Prevalence of DSM-IV disorders and attendant help-seeking in 2 American Indian reservation populations. *Archives of General Psychiatry*, 162, 99-108.
- Beristain, C., Paez, D. & Gonzalez, J. (2000). Rituals, social sharing, silence, emotions and collective memory claims in the case of the Guatemalan genocide. *Psicothema*, 12(Supl.), 117-130.
- Duran, BM, Sanders, M, Skipper, B, Waitzkin, H, Malcoe, LH, Paine, S, & Yager, J. (2004). Prevalence & correlates of mental disorders among Native American women in primary care. *American Journal of Public Health*, 94(1), 71-77.
- Huang, B., Grant, BF., Dawson, DA., Stinson, FS., Chou, SP, Saha, TD, Goldstein, RB, Smith, S.M. , Ruan, WJ, & Pickering, RP. (2006). Race-ethnicity & the prevalence & co-occurrence of Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition, alcohol and drug use disorders and Axis I and II disorders: United States, 2001 to 2002. *Comprehensive Psychiatry*, 47, 252-257.

References

- Indian Health Service (2001). *Trends in Indian Health 2000-2001*. Washington, DC: U.S. Department of Health & Human Services.
- Legters, L.H. (1988). The American genocide. *Policy Studies Journal*, 16 (4), 768-777.
- Lewis-Fernandez, R. & Diaz, N. (2002). The cultural formulation: A method for assessing cultural factors affecting the clinical encounter. *Psychiatric Quarterly*, 73(4), 271-295.
- Manson, S., Beals, J., O'Neil, T., Piasecki, J., Bechtold, D., Keane, E., & Jones, M. (1996). Wounded spirits, ailing hearts: PTSD and related disorders among American Indians. In A. Marsella, M. Friedman, E. Gerrity, & R. Scurfield (Eds), *Ethnocultural aspects of Posttraumatic Stress Disorder* (pp. 255-283). Washington DC: American Psychological Association.
- Robin, R.W., Chester, B., & Goldman, D. (1996). Cumulative trauma and PTSD in American Indian communities (pp. 239-253). In Marsella, A.J., Friedman, M.J., Gerrity, E.T., & Scurfield, R.M. (Eds), *Ethnocultural aspects of Post-traumatic Stress Disorder*. Washington, DC: American Psychological Press

References

- Robin, R., Chester, B., Rasmussen, J., Jaranson, J. & Goldman, D. (1997). Prevalence and characteristics of trauma and posttraumatic stress disorder in a southwestern American Indian community. *American Journal of Psychiatry*, 154(11), 1582–1588.
- Shear, K., Frank, E., Houck, P.R., and Reynolds, C.F. Treatment of complicated grief: A randomized controlled trial, 2005, *JAMA*, 293 (21), 2601-2608.
- US Senate Miscellaneous Document, #1, 40th Congress, 2nd Session, 1868, [1319]

References

- Brave Heart, M.Y.H. (1999) Gender differences in the historical trauma response among the Lakota. *Journal of Health and Social Policy, 10(4)*, 1-21.
- Brave Heart, M.Y.H. & Spicer, P. (1999). *The sociocultural context of American Indian Infant Mental Health. World Association of Infant Mental Health Handbook of Infant Mental Health*. J.D. Osofsky & H.E. Fitzgerald (Eds.). John Wiley & Sons.
- Brave Heart, M.Y.H., & De Bruyn, L. (1998). The American holocaust: Historical unresolved grief among native American Indians. *National Center for American Indian and Alaska Native Mental Health Research Journal, 8(2)*, 56-78.

Additional References

- Boelen & Prigerson, 2007 on Prolonged Grief
- Duran, B. (2004) CA/N article
- Manson, Beals, Klein, Croy 2005
- Walters, K. (2004) Presentation at HT conference, New Mexico, December, 2004