

Meditation as a Modulator of Stress Effects on the Mind and Body

Shawn S. Sidhu, M.D., F.A.P.A.

Nari K. Clemons, PT

Overview

- I) Brief Review of Normal Structure and Function of Central Nervous System
- II) Physiological Effects of Stress on the Mind and Body
- III) Physiological Effects of Meditation on the Mind and Body

Brief Review of Normal Structure and Function of Central Nervous System

CNS Structure and Function

Structure – refers to “nuts and bolts” of the brain

Function – refers to inter/intra neuronal functioning

If we compare the brain to a computer, structure would refer to the hardware (computer, monitor, mouse, etc.) while function would refer to the software code while causes the computer to run smoothly

Really More of a Continuum

(Sadock 2007, pg 70)

Cell Components (receptors, genetic material, proteins) → Neuron → Neuronal Network
→ Brodman Groups or Areas → Larger Structures → Whole Brain

*Enough “micro” changes over time can lead to “macro” changes (even whole brain volume)

Brain Structure

(Sadock 2007, pg. 86)

Broken Into 3 Major Areas:

- 1) Forebrain
- 2) Midbrain
- 3) Brainstem: Cranial nerves, vital centers
(arousal, heart rate, origin of neurotransmitters)

Forebrain

(Sadock, 2007, pg 87, table 3.1-3)

Telencephalon

Cerebral Cortex

Hippocampus

Amygdala

Striatum/Basal Ganglia


Diencephalon

Thalamus

Hypothalamus

Epithalamus

Cerebral Cortex



Cortex (lobes)


(Sadock 2007, pg 85, table 3.1-1)

Frontal: language (left), movement (right), executive function, motivation, voluntary movement

Temporal: Audition, language (left), some memory and emotion given proximity to limbic system

Parietal: Tactile sensation, visuospatial (right), reading/calculation (left), sensory integration

Occipital: Vision




Specialized Areas of Cortex

(Sadock 2007 pg 90, Ngo 2013)

Prefrontal Cortex: anterior most portion of frontal lobe (many small divisions). Executive functioning, motivation, attention, sequencing of actions, planning. Can be involved in emotion regulation, cognitive re-evaluation, reconsolidation, and mental flexibility.

Prefrontal Cortex



Specialized Areas of Cortex

Insular Cortex/Insula: Refers to deep cortex of the temporoparietal junction. Serves a role in body awareness, perception of visceral sensation, awareness of heart rate and respiratory rate, and response to pain (Ngo 2013)

Forebrain

(Sadock 2007 pg. 89)

“Top” – Cerebral Cortex

“Bottom” – Basal Ganglia (modulation of movement) Limbic System/Cingulate Cortex

Limbic System/Cingulate Cortex (Ngo 2013)

Limbic system

Amygdala: Emotion Processing

Hippocampus: Memory Processing

Cingulate Cortex: Known as “limbic cortex”

Anterior Cingulate: Attention

Posterior Cingulate: Understanding
Context

Forebrain

(Sadock, 2007, pg 87, table 3.1-3)

Telencephalon

Cerebral Cortex

Hippocampus

Amygdala

Striatum/Basal Ganglia

Diencephalon

Thalamus: relays sensory and motor signals/
information to cortex (Sherman 2000)

Hypothalamus

Epithalamus

Hypothalamus

(Sadock 2007, pg 121)

Releases a multitude of hormones, including:

Corticotropin Releasing Hormone (CRH)

Adrenocorticotrophic Hormone (ACTH)


Thyrotropin-Releasing Hormone (TRH) → Thyroid Stimulating Hormone (TSH)

Gonadotropin-Releasing Hormone (GnRH) → Luteinizing hormone (LH) and Follicle-Stimulating Hormone (FSH)

Growth Hormone Releasing Hormone (GHRH) → Growth Hormone (GH)

Typical Hypothalamic Feedback Loop

Cortisol secreted by the adrenal cortex suppresses secretion of CRH and ACTH.



Major Neurotransmitters (NTs)

(Sadock 2007, pgs 100-109)

Dopamine: cardiac, movement, breast feeding (Schizophrenia)

Norepinephrine/Epinephrine: sympathetic, focus (anxiety, depression)

Serotonin: gut (anxiety, depression)

Histamine: allergy/inflammation, sedation, weight gain

Acetylcholine: movement, parasympathetic (anticholinergic toxicity)

Gamma-Aminobutyric Acid (GABA): major inhibitory NT

Glutamate: major excitatory NT

Physiological Effects of Stress on the Body

Stress

What does stress even mean?

Broadly defined as:

Physical/Pain

Grief or Loss

Mental Illness (Depression, Schizophrenia)

Early Childhood Adversity/Trauma

Largely defined as when demands in life outweigh our ability to cope with them

Stress and Pain

Pain is an incredibly complex phenomenon.

The way we perceive pain is multifactorial, from the objective cellular level (automatic reflexes) all the way to the very subjective emotional level

Even our cellular understanding of pain isn't complete. Why would a serotonergic medication help treat pain if in theory the only receptors for pain are opioid?

Goal with Stress and Pain

Much like with pain, our goal with stress is to help explain its relationship to the body and to then work towards learning to accept it and adjust ourselves to function with both stress and pain

A completely stress-free world is a fantasy. However, how we choose to respond to the stress in this world may make all the difference.

PsychoNeuroEndocrinology

(Sadock 2007 pgs 122-125)

Hypothalamic-Pituitary-Adrenal Axis:

High levels of stress cause increased CRH, ACTH, and cortisol levels. Over time this leads to reduced hippocampal size and enlarged adrenal glands. Chronic hypercortisolemia results in reduced immune function.

Can lead to chronic fatigue, social withdrawal, impaired sleep, and decreased concentration. Can also lead to mood disturbance. Seen in anxiety and PTSD.

PsychoNeuroEndocrinology

(Toufexis et al, 2014)

Hypothalamic-Pituitary-Gonadal Axis:

High cortisol levels, especially over time, also appear to inhibit testosterone and estrogen secretion

Testosterone: mood, energy, strength, sperm production

Estrogen: mood, libido, sense of well-being, fertility

Both of these hormones can impact the size of the hypothalamic nuclei and corpus callosum, the neuronal density in the temporal cortex, the organization of language ability, and the responsivity in Broca's motor speech area

PsychoNeuroEndocrinology

(Ongphiphadhanakul 1994)

Hypothalamic-Pituitary-Thyroid Axis:

Stress has also been shown to decrease conversion of T4 to T3, which means you have less active thyroid hormone circulating in your body

Signs of hypothyroidism include: fatigue, decreased libido, memory impairment, irritability, and depression

PsychoNeuroEndocrinology

(Sadock 2007 pgs 122-125)

Severe psychosocial stress can cause growth hormone deficiency and delay puberty, and this can be severe enough to result in significant short adult stature

Children with Growth Hormone Deficiency see improved cognitive functioning when growth hormone is supplemented

PsychoNeuroImmunology

(Sadock 2007, pgs 125-126)

Numerous effects of stress on immunology
(cortisol known to cause immunosuppression)

One study assessed medical students prior to examination and during final examination. Examination stress resulted in less natural killer T cell activity, decreased numbers of T cells, and decreased interferon production.

PsychoNeuroImmunology

(Sadock 2007, pgs 125-126)

Caregivers of people with chronic illnesses have been found to have impaired antibody responses, more days of illness, and longer latency for wound healing

HIV patients who rate severe stress experience lower CD⁺ T Cell numbers and lower natural killer cell counts

PsychoNeuroImmunology

(Sadock 2007, pgs 125-126)

Mental Illness:

Schizophrenia: increased interferon (helps generate immune response), lower interleukin-2 (pro-inflammatory).

Depression: increased proinflammatory interleukin-1 and interleukin-6, increased CRP.

Chronic Fatigue Syndrome: alternating overactive immune activation and suppression

PsychoNeuroImmunology

(Sadock 2007, pgs 125-126)

TAKE HOME: Stress simultaneously

1) Creates chronic, low level inflammation in the body which promotes systemic inflammation (linked to cancer, heart disease, autoimmune conditions, and depression)


AND

2) Suppresses acute inflammation needed to fight off infections

Physiological Effects of Stress on the Brain

Effects of Hypercortisolemia

(Issa 2010, Gray 2013)

- 
- Chronic elevated levels of cortisol in the cerebral vasculature and CSF

- 
- Reduced level of Brain-Derived Neurotrophic Factor (BDNF)

- 
- Decreased volume of hippocampus

Chronic Stress Effects on CNS Structures

Structure	Effect of Stress	Source
Prefrontal Cortex	Decreased OFC activity	Dedovic 2009
Cingulate Cortex	Decreased ACC volume	Meng 2014 Baldacara 2014
Amygdala	Decreased volume	Hanson 2014, Stratmann 2014
Hippocampus	Decreased volume (GM) Deactivity	Issa 2010, Gray 2013, Dedovic 2009
Temporo-Parietal Junction Insula	Decreased volume	Stratmann 2014, Meng 2014




“Activation” refers to increased blood flow and/or increased metabolism

Physiological Effects of Meditation on the Mind and Body

Cognitive Behavioral Therapy

Sadock, 2007, pgs. 953-961



Chronic Stress Effects on CNS Structures

Structure	Effect of Stress	Source
Prefrontal Cortex	Decreased OFC activity	Dedovic 2009
Cingulate Cortex	Decreased ACC volume	Meng 2014 Baldacara 2014
Amygdala	Decreased volume	Hanson 2014, Stratmann 2014
Hippocampus	Decreased volume (GM) Deactivity	Issa 2010, Gray 2013, Dedovic 2009
Temporo-Parietal Junction Insula	Decreased volume	Stratmann 2014, Meng 2014



“Activation” refers to increased blood flow and/or increased metabolism

Benefits of Meditation for the Brain

Simultaneously providing both “top-down” and “bottom-up” rewiring of the brain (comprehensive total brain exercise)


“Top-Down” by concentrating and focusing very hard while attempting to minimize impulses from lower brain

“Bottom-Up” by increasing our awareness of our body and in particular our heart rate and respiratory rate, which in turn allows the cortex to calm, decrease extraneous noise, and focus/concentrate

Maybe Also “Side to Side?”

(Kurth 2014)

Meditation
thickens the corpus
callosum,
increasing “cross
talk” between left
and right cerebral
hemispheres



Frontal Brain Asymmetry on EEG

(Keune 2013, Moynihan 2013)

Meditation can impact frontal asymmetry. Keune reported that mindfulness meditation helped change the asymmetry pattern from withdraw to approach/motivation.

Moynihan reported that meditation helped to maintain left frontal asymmetry (where slipping to the right was undesirable)

Can Meditation Reverse the Effects of Stress on the Brain?

Meditation Reverses Effects of Chronic Stress

Structure	Effect of Stress	Source
Prefrontal Cortex	Decreased activity Increased activation	Dedovic 2009 Guleria 2013
Cingulate Cortex	Decreased ACC volume Increased volume	Meng 2014 Baldacara 2014 Lu 2014
Amygdala	Decreased volume Increased volume	Hanson 2014, Stratmann 2014 Lu 2014
Hippocampus	Decreased volume (GM) Deactivity Increased volume	Issa 2010, Gray 2013, Dedovic 2009 Lu 2014
Temporo-Parietal Junction Insula	Decreased volume Increased activation	Stratmann 2014, Meng 2014 Zeidan 2014

What About Meditation and Immune Function?

Meditation Improves Immune Function

Witek-Janusek 2008:

Women newly diagnosed with early stage breast cancer who were given mindfulness meditation had higher levels of healthy immune markers (interferon, interleukins) than controls. They also experienced improved coping skills and quality of life

Meditation Improves Immune Function

Rosenkranz 2013:

Subjects were given a small “burn” with capsaicin cream. Those who partook in mindfulness had a much smaller post-test inflammatory response

How About the Endocrine System?

Meditation and Cortisol

Turakitwanakan 2013:

Medical students given a four day mindfulness meditation course had significantly lower serum (blood) cortisol levels

Kang 2012:

Breast cancer patients received three hours of mindfulness meditation instruction per week for eight weeks, resulting in lower salivary cortisol, not to mention decreased perceived stress, improved coping, and decreased psychological stress

Other Organs/Diseases?

Park 2014:

Mindfulness meditation resulted in reduction in systolic and diastolic blood pressure, mean arterial pressure, heart rate, and muscle sympathetic nerve activity, all critical to health in chronic kidney disease (population of study)

Manchanda 2014:

Meditation can improve outcomes in individuals with coronary artery disease by reducing adverse cardiovascular events (heart attacks) by 48% over a 5 year period.

The benefits to meditation for the mind and the body are plentiful. That being said, is it possible that there can be too much of a good thing?

QUESTIONS/THOUGHTS???

References (in order of appearance)

Sadock BJ, Sadock VA (eds): Kaplan and Sadock's Comprehensive Textbook of Psychiatry, 10th ed. Philadelphia, Lippincott Williams & Wilkins, 2007, pp

Ngo T-I: Ruvue des effets de la meditation de pleine conscience sur la sante mentale et physique et sur ses mecanismes d'action. Sante mentale au Quebec. 2013; XXXVIII (number 2): 19-34.

Sherman S. Murray, Guillery R. W.: Exploring the Thalamus. Waltham, Academic Press, 2000, pp

Toufexis D, Rivarola MA, Lara H et al. Stress and the Reproductive Axis. J Neuroendocrinol. 2014 Jul; [Epub ahead of print]

Ongphiphadhanakul B, Fang SL, Tang KT et al. Tumor Necrosis Factor-Alpha Decreases Thyrotropin-Induced 5'-Deiodinase Activity in FRTL-5 Thyroid Cells. Eur J Endocrinol. 1994 May; 130(5):502-7.

Issa G, Wilson C, Terry AV, et al. An Inverse Relationship Between Cortisol and BDNF Levels in Schizophrenia: Data from Human Postmortem and Animal Studies. Neurobiol Dis. 2010 Sep; 39(3):327-33.

References (in order of appearance)

Gray JD, Milner TA, McEwenn BS. Dynamic Plasticity: The Role of Glucocorticoids, Brain-Derived Neurotrophic Factor and Other Trophic Factors. *Neuroscience*. 2013 Jun 3; 239:214-27.

Dedovic K, D'Aguiar C, Pruessner JC. What Stress Does to Your Brain: A Review of Neuroimaging Studies. *Can J Psychiatry*. 2009 Jan;54(1):6-15.

Stratmann M, Konrad C, Kugel H, et al. Insular and Hippocampal Gray Matter Volume Reductions in Patients with Major Depressive Disorder. *PLoS One*. 2014 Jul 22;9(7):e102692.

Karssen AM, Her S, Li JZ, et al. Stress-Induced Changes in Primate Prefrontal Profiles of Gene Expression. *Mol Psychiatry*. 2007 Dec;12(12):1089-102.

Meng Y, Qiu C, Zhu H, et al. Anatomical Deficits in Adult Posttraumatic Stress Disorder: A Meta-Analysis of Voxel-Based Morphometry Studies. *Behav Brain Res*. 2014 Aug 15;270C:307-315.

Baldacara L, Zugman A, Araujo C, et al. Reduction of Anterior Cingulate in Adults with Urban Violence-Related PTSD. *J Affect Disord*. 2014 Jul 2;168C:13-20.

References (in order of appearance)

Hanson JL, Nacewicz BM, Sutterer MJ, et al. Behavioral Problems After Early Life Stress: Contributions of the Hippocampus and Amygdala. *Biol Psychiatry*. 2014 May 23. pii: S0006-3223(14)00351-5.

Kumar S, Hultman R, Hughes D, et al. Prefrontal Cortex Reactivity Underlies Trait Vulnerability to Chronic Social Defeat Stress. *Nat Commun*. 2014 Jul 29;5:4537.

Kurth F, Mackenzie-Graham A, Toga AW, et al. Shifting Brain Asymmetry: The Link Between Meditation and Structural Lateralization. *Soc Cogn Affect Neurosci*. 2014 Mar 17. [Epub ahead of print]

Keune PM, Bostanov V, Hautzinger M, et al. Approaching Dysphoric Mood: State-Effects of Mindfulness Meditation on Frontal Brain Asymmetry. *Biol Psychol*. 2013 Apr;93(1):105-13.

Moynihan JA, Chapman BP, Klorman R, et al. Mindfulness-based Stress Reduction for Older Adults: Effects on Executive Function, Frontal Alpha Asymmetry and Immune Function. *Neuropsychobiology*. 2013;68(1):34-43.

Guleria A, Kumar U, Kishan SS, et al. Effect of "SOHAM" Meditation on the Human Brain: an fMRI Study. *Psychiatry Res*. 2013 Dec 30;214(3):462-5.

References (in order of appearance)

Zeidan F, Martucci KT, Kraft RA, et al. Neural Correlates of Mindfulness Meditation-Related Anxiety Relief. *Soc Cogn Affect Neurosci*. 2014 Jun;9(6):751-9

Lu H, Song Y, Xu M, et al. The Brain Structure Correlates of Individual Differences in Trait Mindfulness: A Voxel-Based Morphometry Study. *Neuroscience*. 2014 Jul 11;272:21-8.

Witek-Janusek L, Albuquerque K, Chroniak KR, et al. Effect of Mindfulness Based Stress Reduction on Immune Function, Quality of Life and Coping in Women Newly Diagnosed with Early Stage Breast Cancer. *Brain Behav Immun*. 2008 Aug;22(6):969-81.

Rosenkranz MA, Davidson RJ, Maccoon DG, et al. A Comparison of Mindfulness-Based Stress Reduction and an Active Control in Modulation of Neurogenic Inflammation. *Brain Behav Immun*. 2013 Jan;27(1):174-84.

Turakitwanakan W, Mekseepralard C, Busarakmtragul P. Effects of Mindfulness Meditation on Serum Cortisol of Medical Students. *J Med Assoc Thai*. 2013 Jan;96 Suppl 1:S90-5.

Kang G, Oh S. Effects of Mindfulness Meditation Program on Perceived Stress, Ways of Coping, and Stress Response in Breast Cancer Patients. *J Korean Acad Nurs*. 2012 Apr;42(2):161-70.

References (in order of appearance)

Park J, Lyles RH, Bauer-Wu S. Mindfulness Meditation Lowers Muscle Sympathetic Nerve Activity and Blood Pressure in African-American Males with Chronic Kidney Disease. *Am J Physiol Regul Integr Comp Physiol*. 2014 Jul 1;307(1):R93-R101.

Manchanda SC, Madan K. Yoga and Meditation in Cardiovascular Disease. *Clin Res Cardiol*. 2014 Jan 25. [Epub ahead of print]