



RESOURCE AND PATIENT MANAGEMENT SYSTEM

Clinical Reporting System

(BGP)

Technical Manual

Version 17.0
September 2016

Office of Information Technology
Division of Information Technology

Document Version History

Version	Date	Notes
1.0	August 2005	Initial version
8.0	August 2008	Updated to include changes to the logic descriptions and performance measures for FY 2008 and reformatted
9.0	June 2009	Updated for version 9.0
10.0	May 2010	Updated for version 10.0
11.0	January 2011	Updated for version 11.0
11.1	May 2011	Updated for version 11.1
12.0	December 2011	Updated for version 12.0
12.1	April 2012	Updated for version 12.1
13.0	November 2012	Updated for version 13.0
14.0	November 2013	Updated for version 14.0
14.1	May 2014	Updated for version 14.1
15.0	November 2014	Updated for version 15.0
15.1	May 2015	Updated for version 15.1
16.0	November 2015	Updated for version 16.0
16.1	February 2016	Updated for version 16.1
17.0	September 2016	Updated for version 17.0

Table of Contents

1.0	Introduction.....	1
1.1	Key Changes in v17.0.....	2
1.1.1	Logic Changes to National GPRA/GPRAMA Report Measures.....	2
1.1.2	Key Logic Changes to Non-GPRA Measures.....	7
1.1.3	Additional Key Enhancements and Revisions	7
2.0	Implementation and Maintenance	8
2.1	System Requirements	8
2.2	Security Keys.....	8
3.0	Routines	9
3.1	Routines and Descriptions.....	9
4.0	Files and Tables.....	31
4.1	File List	31
4.2	File Access	32
4.3	Cross References.....	32
4.4	Table File.....	62
4.4.1	BGP Control File.....	62
4.4.2	BGP SITE PARAMETERS	67
4.4.3	FILE: BGP SUMMARY CATEGORIES.....	67
4.4.4	FILE: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS	68
4.4.5	FILE: BGP AREA AUTOMATED GPRA PARAMS	69
4.4.6	FILE: BGP GPRA FLAT FILE DATA	69
4.4.7	FILE: BGP 17 MEASURES	70
4.4.8	FILE: BGP 17 INDIVIDUAL MEASURES	73
4.4.9	FILE: BGP 17 NATIONAL PATIENT LISTS	76
4.4.10	FILE: BGP 17 SNOMED SUBSETS.....	77
4.4.11	FILE: BGP 17 TAXONOMIES.....	77
4.4.12	FILE: BGP 17 MEASURE GROUPS	78
4.4.13	FILE: BGP 17 PATIENT ED DATA CURRENT	78
4.4.14	FILE: BGP 17 PATIENT ED DATA PREVIOUS	80
4.4.15	FILE: BGP 17 PATIENT ED DATA BASELINE	82
4.4.16	FILE: BGP 17 PAT ED MEASURES	84
4.4.17	FILE: BGP 17 ICARE GROUPS.....	84
4.4.18	FILE: BGP 17 ICARE CATEGORIES	85
4.4.19	FILE: BGP 17 GUI OUTPUT	85
4.4.20	FILE: BGP 17 SNOMED LISTS.....	86
4.4.21	FILE: BGP 17 ELDER INDIVIDUAL MEASURES	86
4.4.22	FILE: BGP 17 ELDER MEASURES	87
5.0	Internal Relations	89
6.0	External Relations	90

6.1	External Calls	90
6.2	Callable Routines.....	124
6.3	Published Entry Points.....	124
6.4	Exported Options.....	124
7.0	Security Keys.....	137
8.0	Archiving and Purging	138
9.0	Documentation Resources	139
9.1	How to Generate Online Documentation	139
9.2	System Documentation.....	139
9.2.1	%INDEX	139
9.2.2	Inquire Option	140
9.2.3	Print Option File.....	140
9.2.4	List File Attributes	140
9.3	Online Help.....	141
10.0	SAC Requirements	142
	Glossary.....	143
	Acronym List	145
	Contact Information	146

Preface

This manual contains the technical manual for the Clinical Reporting System (CRS) v17.0, which adds fiscal year (FY) 2017 clinical performance measures to existing FY 2002 through FY 2016 measures.

1.0 Introduction

This manual provides Indian Health Service (IHS) site managers with a technical description of the Clinical Reporting System routines, files, menus, cross references, globals, and other necessary information required to effectively manage the system.

All routines, files, options, and keys have a namespace starting with the letters “BGP.”

The file number range for this package is 90240, 90370–90559, 90530–90539, 90558–90599.

The Government Performance and Results Act (GPRA) requires federal agencies to report annually on how the agency measured against the performance targets set in its annual plan. The IHS GPRA measures include clinical prevention and treatment, quality of care, infrastructure, and administrative efficiency functions.

The IHS Clinical Reporting System (CRS) is a Resource and Patient Management System (RPMS) software application designed for national reporting, as well as Area Office and local monitoring of clinical GPRA and developmental measures. CRS was first released for FY 2002 performance measures (as GPRA+) and is based on a design by the Aberdeen Area Office (GPRA2000).

This manual provides technical information for the CRS v17.0. V17.0 adds FY 2017 clinical performance measures to existing FY 2002 through FY 2016 measures.

CRS is the reporting tool used by the IHS Office of Planning and Evaluation to collect and report clinical performance results annually to the Department of Health and Human Services (HHS) and to Congress.

Each year, an updated version of CRS software is released to reflect changes in the logic descriptions of the different denominators and numerators. Additional performance measures may also be added. Local facilities can run reports as often as they want and can also use CRS to transmit data to their Area Office. The Area Office can use CRS to produce an aggregated Area Office report for either annual GPRA or Area Office director performance reports.

CRS produces reports on demand from local RPMS databases for both GPRA and developmental clinical performance measures that are based on RPMS data, thus eliminating the need for manual chart audits for evaluating and reporting clinical measures.

To produce reports with comparable data across every facility, the GPRA measures definitions were “translated” into programming code with the assistance of clinical subject matter experts. CRS uses predefined taxonomies to find data items in the RPMS Patient Care Component to determine if a patient meets the performance measure criteria. Taxonomies contain groups of codes (e.g., diagnoses or procedures) or site-specific terms. Each performance measure topic has one or more defined denominators and numerators.

Administrative and clinical users can review individual or all measures at any time to:

- Identify potential data issues in their RPMS; for example, missing or incorrect data.
- Monitor their site’s performance against past national performance and upcoming agency goals.
- Identify specific areas where the facility is not meeting the measure in order to initiate business process or other changes.
- Quickly measure impact of process changes on performance measures.
- Identify IHS Area Offices meeting or exceeding measures to provide lessons learned.

Users of the RPMS CRS include:

- Area Office and site quality improvement staff
- Compliance officers
- GPRA coordinators
- Clinical staff, such as physicians, nurses, nurse practitioners, and other providers
- Area Office directors
- Any staff involved with quality assurance initiatives
- Staff who run the various CRS reports

1.1 Key Changes in v17.0

1.1.1 Logic Changes to National GPRA/GPRAMA Report Measures

- Key changes to GPRA/GPRAMA Measures:
 - Replaced Alcohol Screening (FAS Prevention) GRPA measure with Universal Alcohol Screening (ages 12 through 75) measure
 - Added new GPRA measure for Screening, Brief Intervention, and Referral to Treatment (SBIRT)
 - Added new GPRA measure for Depression Screening (ages 12 through 17)

- Added new GPRA measures for Antidepressant Medication Management (patients with Acute Phase Treatment and patients with Continuation Phase Treatment)
- Replaced Comprehensive CVD-Related Assessment GPRA measure with Statin Therapy for the Prevention and Treatment of Cardiovascular Disease measure
- GPRA Developmental Measures:
 - Added the following new GPRA Developmental measures:
 - Diabetes: Glycemic Control (Active Diabetic denominator includes Problem List entries)
 - Adult Immunizations (Composite measure for age 19 and older with age-appropriate immunizations)
 - HIV Screening: (New measures for male patients age 25 through 45 with positive result and HIV screening ever)
 - Chlamydia Testing (New refusal measures)
 - Sexually Transmitted Infection (STI) Screening (New refusal measures)
 - Removed topics:
 - Alcohol Screening
 - Screening, Brief Intervention, and Referral to Treatment (SBIRT)
 - Depression Screening
 - Statin Therapy for the Prevention and Treatment of Cardiovascular Disease
 - Updated codes and/or logic in the following measures: Childhood Immunizations; Comprehensive Cancer Screening; HIV Screening; Hepatitis C Screening; Optometry; Visit Statistics.
- Statin Therapy to Reduce Cardiovascular Disease Risk in Patients with Diabetes:
 - Added logic to CVD definitions to look at the Problem List.
 - Added SNOMED data set PXRMC ISCHEMIC HEART DISEASE to CHD definition (for Problem List only).
 - Added SNOMED data set PXRMB BGP AMI to AMI definition (for Problem List only).
 - Added SNOMED data set PXRMB BGP IVD to IVD definition (for Problem List only).
 - Added SNOMED data set PXRMB BGP ISCHEMIC STROKE TIA to ischemic stroke/TIA definition (for Problem List only).
 - Added logic to Acute Alcoholic Hepatitis definition to look at the Problem List.

- Added SNOMED data set PXRMBGPACUTE ETOH HEPATITIS to acute alcoholic hepatitis definition (for Problem List only).
- Added logic to Myopathy/Myalgia definition to look at the Problem List.
- Added SNOMED data set PXRMBGPMYOPATHY MYALGIA to myopathy/myalgia definition (for Problem List only).
- Updated adverse drug reaction/documentated statin allergy logic to clarify that Problem List entry status is not Deleted.
- Added SNOMED data set PXRMBGPADR STATIN to statin adverse reaction definition (for Problem List only).
- Added logic to cirrhosis of the liver definition to look at the Problem List.
- Added SNOMED data set PXRMBGPCIRRHOSIS to cirrhosis of the liver definition (for Problem List only).
- Added logic to ESRD definition to look at the Problem List.
- Added SNOMED data set PXRMBGPEND STAGE RENAL DISEASE to ESRD definition (for Problem List only).
- Diabetes: Nephropathy Assessment:
 - Added logic to ESRD definition to look at the Problem List.
 - Added SNOMED data set PXRMBGPEND STAGE RENAL DISEASE to ESRD definition (for Problem List only).
- Diabetic Retinopathy:
 - Removed ICD-10 codes H54.10-H54.12 from bilateral blindness definition.
 - Changed logic for bilateral blindness to include inactive problems on the Problem List.
 - Added SNOMED data set PXRMBGPBILAT BLINDNESS and PXRMBGPBLINDNESS UNSPECIFIED with Laterality equal to Bilateral to bilateral blindness definition (for Problem List only).
 - Added SNOMED data sets PXRMBGPLEFT EYE BLIND, PXRMBGPBLINDNESS UNSPECIFIED with Laterality equal to Left, PXRMBGPRIGHT EYE BLIND, and PXRMBGPBLINDNESS UNSPECIFIED with Laterality equal to Right to bilateral blindness definition (for Problem List only).
- Childhood Immunizations:
 - Added SNOMED data set PXRMBGPPOLIO to IPV evidence of disease definition (for Problem List only).
 - Added SNOMED data set PXRMBGPMEASLES to measles evidence of disease definition (for Problem List only).
 - Added SNOMED data set PXRMBGPRUBELLA to rubella evidence of disease definition (for Problem List only).

- Added SNOMED data set PXRMBGPHEPATITISA to Hepatitis A evidence of disease definition (for Problem List only).
- Added SNOMED data set PXRMBGPHEPATITISB to Hepatitis B evidence of disease definition (for Problem List only).
- Added SNOMED data set PXRMBGPVARICELLA to varicella evidence of disease definition (for Problem List only).
- Cancer Screening: Pap Smear Rates:
 - Removed ICD-10 code Z90.711 from hysterectomy definition.
 - Updated hysterectomy definition to include inactive Problem List items.
 - Added SNOMED data set PXRMBGPHYSTERECTOMYDX to hysterectomy definition (for Problem List only).
- Cancer Screening: Mammogram Rates:
 - Added logic to look at the Problem List for bilateral and unilateral mastectomies.
 - Added SNOMED data set PXRMBGPBILATMASTECTOMY to bilateral mastectomy definition (for Problem List only).
 - Added SNOMED data set PXRMBGPRIGHTMASTECTOMY to right mastectomy definition (for Problem List only).
 - Added SNOMED data set PXRMBGPLEFTMASTECTOMY to left mastectomy definition (for Problem List only).
- Colorectal Cancer Screening:
 - Added logic to colorectal cancer screening definition to look at the Problem List.
 - Added SNOMED data set PXRMBGPCOLORECTALCANCER to colorectal cancer definition (for Problem List only).
- Tobacco Use and Exposure Assessment:
 - Added SNOMED data set PXRMBGPTOBACCO SCREENED to tobacco-related diagnosis definition (for Problem List only).
 - Added SNOMED data set PXRMBGPCURRENTTOBACCO to tobacco user definition (for Problem List only).
 - Added SNOMED data set PXRMBGPTOBACCO SMOKER to smoker definition (for Problem List only).
 - Added SNOMED data set PXRMBGPTOBACCO SMOKELESS to smokeless definition (for Problem List only).
- Tobacco Cessation:
 - Added SNOMED data set PXRMBGPQUITTOBACCO to quit tobacco definition (for Problem List only).

- Added SNOMED data set PXRМ BGP CURRENT TOBACCO to tobacco user definition (for Problem List only).
- Alcohol Screening:
 - Changed topic to Alcohol Screening from Alcohol Screening (FAS Prevention).
 - Moved measures from GPRA Developmental report to Selected Measures report.
 - Changed GPRA measure to Universal Alcohol Screening measure.
 - Removed User Pop FAS measures.
 - Added new measure with User Pop denominator.
 - Added SNOMED data set PXRМ BGP ETOH RELATED DX to alcohol-related diagnosis definition (for Problem List only).
- Screening, Brief Intervention, and Referral to Treatment (SBIRT):
 - Made BNI/BI measure new GPRA measure.
 - Added new measure with User Pop denominator.
- Intimate Partner (Domestic) Violence Screening: Added SNOMED data set PXRМ BGP IPV DV DX to IPV/DV diagnosis definition (for Problem List only).
- Depression Screening:
 - Added measures for ages 12 through 17.
 - Created new GPRA measure for age 12 through 17.
 - Added PHQT to depression screening definition.
- Antidepressant Medication Management: Made two measures new GPRA measures.
- Controlling High Blood Pressure - Million Hearts:
 - Added logic to ESRD definition to look at the Problem List.
 - Added SNOMED data set PXRМ END STAGE RENAL DISEASE to ESRD definition (for Problem List only).
 - Added SNOMED data set PXRМ ESSENTIAL HYPERTENSION to hypertension definition (for Problem List only).
 - Updated logic for patients with more than one blood pressure on a single day to first look for blood pressure less than (<) 140/90 and if not found, look for blood pressure less than (<) 150/90.
- Comprehensive Cardiovascular disease (CVD)-Related Assessment: Removed from all reports.
- Statin Therapy for the Prevention and Treatment of Cardiovascular Disease: New GPRA measure.
- HIV Screening:

- Changed logic for HIV to include inactive problems on the Problem List.
- Added SNOMED data set PXRHM HIV to HIV diagnosis definition (for Problem List only).

1.1.2 Key Logic Changes to Non-GPRA Measures

For key logic changes to non-GPRA measures, please refer to the *CRS 2017 (Version 17.0) Selected Measures Report Performance Measure List and Definitions* document located on the CRS Web site at

http://www.ihs.gov/crs/includes/themes/newihstheme/display_objects/documents/crsv17/SelectedMeasuresV170.pdf.

1.1.3 Additional Key Enhancements and Revisions

- Removed the ability to run the GPRA Dashboard for the following GPRA year.
- Minor bug fixes.

2.0 Implementation and Maintenance

The Clinical Reporting System occupies the BGP namespace. Options, security locks/keys, templates, routines, and globals have the namespace BGP.

Note: This version of the CRS (v.17.0) only contains the 2017 files, options, routines, templates, etc. This was done at the request of the verification staff due to the size of this package. V16.1 is a requirement to install v17.0. Please see the technical manual for previous versions for information about all previous versions.

2.1 System Requirements

IHS Clinical Reporting System v16.1 must be installed (bgp_1610.k).

2.2 Security Keys

Table 2-1 provides security key information.

Table 2-1: BGP Security Keys

Name	Descriptive Name	Description
BGPZAREA	BGP AREA REPORT	This key unlocks the area report options on the main BGMENU. This key should only be assigned at the Area Office level.
BGPZMENU	BGP MAIN MENU–CRS	This key unlocks the main CRS menu. It should be assigned to all users who need to run GPRA/CRS reports.
BGPZ PATIENT LISTS	BGP PATIENT LISTS	This key allows the holder to obtain patient lists. The patient lists contain sensitive patient/clinical information. This key should only be given to those users who have a need for such information.
BGPZ SITE PARAMETERS	BGP SITE PARAMETERS	This key should be given to those with authority to update the site parameters.
BGPZ TAXONOMY EDIT	BGP TAXONOMY EDIT	This key should be given only to users who need to update taxonomies.

3.0 Routines

This section includes a table that lists BGP routines and their descriptions.

Please note that the only routines distributed in v17.0 are the BGP7* routines, Previous versions of CRS contain the other routines. This was done at the request of the verification staff and is due to the large size of the build.

3.1 Routines and Descriptions

Table 3-1 provides a list of routines with comprehensive descriptions of the function.

Table 3-1: BGP Routines

ROUTINE	DESCRIPTION
BGP5UTL	IHS/CMI/LAB - UTILITIES
BGP6UTL	IHS/CMI/LAB - UTILITIES 04 Aug 2014 2:58 PM
BGP71	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71A	IHS/CMI/LAB -CREATED BY ^ATXSTX ON MAY 31, 2016
BGP71B	IHS/CMI/LAB -CREATED BY ^ATXSTX ON MAY 31, 2016
BGP71C	IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 07, 2016
BGP71C2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 07, 2016
BGP71D	IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 07, 2016
BGP71E	IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 07, 2016
BGP71F	IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 07, 2016
BGP71G	IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 07, 2016
BGP71H	IHS/CMI/LAB -CREATED BY ^ATXSTX ON JUL 07, 2016
BGP71I	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J10	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J11	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J12	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J13	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J14	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J15	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J16	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J17	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J18	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J19	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016

ROUTINE	DESCRIPTION
BGP71J3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J8	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71J9	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71K	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71K2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71L	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71L2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71L3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71L4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71M	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71M2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71M3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71M4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71M5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71N	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N10	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N11	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N12	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N13	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N14	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N15	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N16	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N17	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N18	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N19	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N20	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N21	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N22	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N23	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N24	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N25	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N26	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N27	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016

ROUTINE	DESCRIPTION
BGP71N28	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N29	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N30	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N8	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71N9	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 12, 2016
BGP71O	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71O10	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71O11	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71O12	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71O2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71O3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71O4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71O5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71O6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71O7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71O8	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71O9	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71P	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71P10	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71P11	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71P12	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71P13	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71P14	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71P15	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71P2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71P3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71P4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71P5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71P6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71P7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71P8	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71P9	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71Q	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016

ROUTINE	DESCRIPTION
BGP71R	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71R2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71R3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71R4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71R5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71R6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71R7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71R8	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S10	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S11	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S12	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S13	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S14	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S15	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S16	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S17	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S18	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S19	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S20	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S21	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S22	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S23	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S24	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S25	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S26	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S27	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S28	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S29	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S8	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71S9	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016

ROUTINE	DESCRIPTION
BGP71T10	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T11	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T12	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T13	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T14	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T15	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T16	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T17	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T18	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T19	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T20	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T21	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T22	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T23	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T24	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T25	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T26	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T27	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T28	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T29	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T30	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T31	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T32	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T8	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71T9	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U10	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U11	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U12	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U13	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U14	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U15	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016

ROUTINE	DESCRIPTION
BGP71U16	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U17	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U18	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U19	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U20	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U21	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U22	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U23	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U24	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U25	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U26	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U27	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U28	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U29	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U30	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U31	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U32	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U33	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U34	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U35	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U36	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U37	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U38	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U39	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U40	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U41	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U42	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U43	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U44	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U45	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U46	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U47	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U48	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U49	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016

ROUTINE	DESCRIPTION
BGP71U50	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U51	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U52	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U53	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U54	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U55	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U56	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U57	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U58	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U59	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U60	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U61	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U8	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71U9	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V10	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V11	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V12	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V13	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V14	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V15	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V16	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V17	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V18	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V19	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V20	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V21	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V22	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V23	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V24	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V25	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V26	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V27	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V28	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V29	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016

ROUTINE	DESCRIPTION
BGP71V3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V30	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V31	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V8	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71V9	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W10	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W11	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W12	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W13	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W14	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W15	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W16	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W17	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W18	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W8	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71W9	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71X	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71X10	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71X11	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71X12	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71X13	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71X14	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71X15	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71X2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71X3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71X4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71X5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016

ROUTINE	DESCRIPTION
BGP71X6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71X7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71X8	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71X9	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71Y	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71Y2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71Y3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71Y4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71Y5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71Z	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP71Z2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A10	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A11	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A12	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A13	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A14	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A15	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A16	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A17	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A18	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A19	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A20	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A21	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A22	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A23	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A24	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A25	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A26	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A27	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A28	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A29	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A30	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A31	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A32	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016

ROUTINE	DESCRIPTION
BGP72A33	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A34	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A35	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A36	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A8	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72A9	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B10	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B11	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B12	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B13	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B14	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B15	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B16	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B17	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B18	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B19	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B20	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B21	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B22	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B23	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B24	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B25	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B26	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B8	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72B9	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72C	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72C2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016

ROUTINE	DESCRIPTION
BGP72C3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72C4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72C5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72C6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72C7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72D	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72E	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72E2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72E3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72E4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72E5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72E6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72E7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72F	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72G	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72G10	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72G11	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72G12	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72G13	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72G14	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72G15	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72G16	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72G17	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72G2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72G3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72G4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72G5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72G6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72G7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72G8	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72G9	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72H	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72I	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72J	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72J2	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72J3	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72J4	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72J5	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016

ROUTINE	DESCRIPTION
BGP72J6	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72J7	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP72K	IHS/CMI/LAB -CREATED BY ^ATXSTX ON AUG 11, 2016
BGP7ALG	IHS/CMI/LAB - measure AHR.A
BGP7ALG1	IHS/CMI/LAB - measure AHR.A
BGP7ALG2	IHS/CMI/LAB - measure AHR.A
BGP7ASL	IHS/CMI/LAB - DISPLAY IND LISTS 28 Apr 2006 2:10 PM
BGP7ASL1	IHS/CMI/LAB - DISPLAY IND LISTS 28 Apr 2006 2:10 PM
BGP7AU1A	IHS/CMI/LAB - BUILD CRS* FILES
BGP7AU1D	IHS/CMI/LAB - GPRA FLAT FILE DATA DUMP
BGP7AU1M	IHS/CMI/LAB - SEND MAIL MESSAGE
BGP7AU1R	IHS/CMI/LAB - READ, PROCESS GPRA FILE
BGP7AUEX	IHS/CMI/LAB - BUILD SITE GPRA FILES, EXPORT TO AREA
BGP7AUUL	IHS/CMI/LAB - AREA UPLOAD
BGP7AUUP	IHS/CMI/LAB - UPLOAD SITE FILES, CREATE EXCEL FILES
BGP7BAN	IHS/CMI/LAB - BANNER FOR CRS
BGP7C11	IHS/CMI/LAB - calc CMS measures 02 Jul 2010 8:31 AM
BGP7C13	IHS/CMI/LAB - calc CMS measures 26 Sep 2004 11:28 AM
BGP7CON	IHS/CMI/LAB - measure AHR.A
BGP7CON1	IHS/CMI/LAB - measure AHR.A 30 May 2010 9:32 AM
BGP7CSI	IHS/CMI/LAB - DISPLAY IND LISTS
BGP7CSII	IHS/CMI/LAB - DISPLAY IND LISTS
BGP7CTL	IHS/CMI/LAB - DISPLAY IND LISTS
BGP7CTS	IHS/CMI/LAB - DISPLAY IND LISTS 15 Dec 2010 9:42 AM
BGP7CTXC	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT
BGP7CU	IHS/CMI/LAB - calc CMS measures
BGP7CU1	IHS/CMI/LAB - calc CMS measures
BGP7D1	IHS/CMI/LAB - calc measures
BGP7D10	IHS/CMI/LAB - calc measures
BGP7D2	IHS/CMI/LAB - measure 1,2,3,4
BGP7D21	IHS/CMI/LAB - measure 6
BGP7D211	IHS/CMI/LAB - measure 6 19 Sep 2014 8:12 AM
BGP7D212	IHS/CMI/LAB - measure 6 19 Sep 2014 8:12 AM
BGP7D213	IHS/CMI/LAB - measure 6 13 Aug 2015 6:58 AM
BGP7D214	IHS/CMI/LAB - measure 6 19 Sep 2014 8:12 AM
BGP7D21A	IHS/CMI/LAB - measure 6
BGP7D22	IHS/CMI/LAB - measure I2
BGP7D23	IHS/CMI/LAB - measure I2 23 Jun 2010 10:08 AM

ROUTINE	DESCRIPTION
BGP7D231	IHS/CMI/LAB - measure I2 23 Jun 2010 10:08 AM
BGP7D24	IHS/CMI/LAB - STI MEASURE
BGP7D24A	IHS/CMI/LAB - STI MEASURE
BGP7D25	IHS/CMI/LAB - measure 6
BGP7D26	IHS/CMI/LAB - measure 6
BGP7D27	IHS/CMI/LAB - measure I2
BGP7D28	IHS/CMI/LAB - measure I2
BGP7D3	IHS/CMI/LAB - measure 11 17 Oct 2009 12:40 PM
BGP7D31	IHS/CMI/LAB - measure C 01 Jun 2015 12:51 PM 01 Nov 2014 6:34 PM
BGP7D32	IHS/CMI/LAB - measure C 28 Sep 2015 11:39 AM
BGP7D33	IHS/CMI/LAB - measure C
BGP7D34	IHS/CMI/LAB - measure C
BGP7D341	IHS/CMI/LAB - measure C
BGP7D35	IHS/CMI/LAB - measure C 01 Nov 2014 12:11 PM
BGP7D36	IHS/CMI/LAB - measure C 06 Nov 2009 2:03 PM 28 May 2015 4:23 PM
BGP7D37	IHS/CMI/LAB - IMMUNIZATIONS
BGP7D38	IHS/CMI/LAB - IMMUNIZATIONS
BGP7D39	IHS/CMI/LAB - measure C
BGP7D3A	IHS/CMI/LAB - measure 11
BGP7D3B	IHS/CMI/LAB - PNEUMO REMINDER 27 Feb 2015 7:52 AM
BGP7D3C	IHS/CMI/LAB - VARIOUS UTILS
BGP7D4	IHS/CMI/LAB - measure 3 11 Dec 2009 5:58 PM 12 Sep 2010 10:17 AM
BGP7D41	IHS/CMI/LAB - measure 3
BGP7D42	IHS/CMI/LAB - measure 11
BGP7D5	IHS/CMI/LAB - measure calc
BGP7D51	IHS/CMI/LAB - measure I2 26 Mar 2015 10:09 AM
BGP7D52	IHS/CMI/LAB - measure 31
BGP7D53	IHS/CMI/LAB - measure calc
BGP7D54	IHS/CMI/LAB - measure calc 02 Jul 2010 8:08 AM
BGP7D55	IHS/CMI/LAB - measure calc
BGP7D5A	IHS/CMI/LAB - measure calc
BGP7D6	IHS/CMI/LAB - measure 31
BGP7D61	IHS/CMI/LAB - measure 31 01 Jul 2010 7:47 PM
BGP7D62	IHS/CMI/LAB - measure 31 01 Jul 2010 7:47 PM 19 Sep 2014 8:13 AM

ROUTINE	DESCRIPTION
BGP7D63	IHS/CMI/LAB - measure 31 01 Jul 2010 7:47 PM 11 Jun 2017 5:56 PM
BGP7D64	IHS/CMI/LAB - measure 31 01 Jul 2010 7:47 PM
BGP7D7	IHS/CMI/LAB - measure 31 06 Nov 2014 2:31 PM
BGP7D71	IHS/CMI/LAB - measure C
BGP7D711	IHS/CMI/LAB - measure C 30 Jun 2010 12:14 PM
BGP7D712	IHS/CMI/LAB - TOBACCO HF
BGP7D713	IHS/CMI/LAB - measure 31
BGP7D714	IHS/CMI/LAB - measure 6
BGP7D72	IHS/CMI/LAB - measure 31
BGP7D721	IHS/CMI/LAB - measure AHR.A
BGP7D722	IHS/CMI/LAB - measure AHR.A
BGP7D723	IHS/CMI/LAB - measure AHR.A
BGP7D724	IHS/CMI/LAB - CONTRA (CONT)
BGP7D729	IHS/CMI/LAB - measure AHR.A
BGP7D73	IHS/CMI/LAB - measure 31
BGP7D731	IHS/CMI/LAB - measure AHR.A
BGP7D732	IHS/CMI/LAB - measure AHR.A
BGP7D74	IHS/CMI/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM
BGP7D75	IHS/CMI/LAB - measure 31
BGP7D8	IHS/CMI/LAB - measure C 11 Feb 2017 3:35 PM
BGP7D81	IHS/CMI/LAB - measure C 17 Oct 2014 8:51 AM
BGP7D811	IHS/CMI/LAB - PCR, MMR
BGP7D812	IHS/CMI/LAB - measure C 03 Jul 2010 7:05 AM 21 Mar 2017 5:25 PM
BGP7D82	IHS/CMI/LAB - measure C 14 Mar 2010 11:49 AM
BGP7D83	IHS/CMI/LAB - measure C 07 Jan 2017 11:45 AM
BGP7D84	IHS/CMI/LAB - measure C
BGP7D841	IHS/CMI/LAB - measure C
BGP7D85	IHS/CMI/LAB - measure C 09 Jun 2017 5:18 PM
BGP7D86	IHS/CMI/LAB - measure C 06 Nov 2009 2:26 PM
BGP7D861	IHS/CMI/LAB - measure C
BGP7D862	IHS/CMI/LAB - measure C
BGP7D863	IHS/CMI/LAB - measure C
BGP7D864	IHS/CMI/LAB - measure C
BGP7D87	IHS/CMI/LAB - measure calc 01 Nov 2014 2:35 PM
BGP7D88	IHS/CMI/LAB - measure C 03 Jul 2010 7:05 AM
BGP7D89	IHS/CMI/LAB - measure C 03 Jul 2010 7:05 AM

ROUTINE	DESCRIPTION
BGP7D9	IHS/CMI/LAB - measure J
BGP7D91	IHS/CMI/LAB - calc measures
BGP7DADB	IHS/CMI/LAB - ihs area
BGP7DAP	IHS/CMI/LAB - IHS GPRA 04 SELECTED REPORT DRIVER ALL PATIENTS
BGP7DAR	IHS/CMI/LAB - ihs area GPRA
BGP7DARO	IHS/CMI/LAB - ihs area GPRA
BGP7DBPR	IHS/CMI/LAB - IHS gpra print 03 Jul 2010 6:26 AM
BGP7DCEI	IHS/CMI/LAB - calculate HEDIS measures
BGP7DCHW	IHS/CMI/LAB - calc measures 29 Apr 2007 7:38 PM
BGP7DCI	IHS/CMI/LAB - IHS area GPRA
BGP7DCL	IHS/CMI/LAB - national patient list 20 Dec 2004 9:24 AM
BGP7DCLD	IHS/CMI/LAB - IHS gpra print
BGP7DCLP	IHS/CMI/LAB - IHS gpra print
BGP7DEL	IHS/CMI/LAB - IHS GPRA 16 REPORT DRIVER 26 Jun 2010 3:41 PM
BGP7DELA	IHS/CMI/LAB - IHS GPRA 16 REPORT DRIVER 21 Nov 2014 6:35 PM
BGP7DELP	IHS/CMI/LAB - IHS HEDIS print
BGP7DEMO	IHS/CMI/LAB - demo patient search template
BGP7DESI	IHS/CMI/LAB - DISPLAY IND LISTS
BGP7DESL	IHS/CMI/LAB - IHS 2017 DISPLAY IND LISTS
BGP7DGPA	IHS/CMI/LAB - ihs area GPRA 02 Sep 2004 1:11 PM
BGP7DGPU	IHS/CMI/LAB - IHS AREA CLIN 05 REPORT DRIVER
BGP7DH	IHS/CMI/LAB - cover page for gpra
BGP7DH1	IHS/CMI/LAB - cover page for gpra
BGP7DH2	IHS/CMI/LAB - cover page for gpra
BGP7DHSL	IHS/CMI/LAB - IHS 2017 DISPLAY IND LISTS
BGP7DICR	IHS/CMI/LAB - ICARE LIST
BGP7DL	IHS/CMI/LAB - IHS GPRA 16 SELECTED REPORT DRIVER
BGP7DLT	IHS/CMI/LAB - national patient list 20 Dec 2004 9:24 AM
BGP7DMT	IHS/CMI/LAB - national patient list
BGP7DNDB	IHS/CMI/LAB - NATL COMP EXPORT
BGP7DNE1	IHS/CMI/LAB - NATL COMP EXPORT 17 Jul 2008 9:24 AM
BGP7DNG	IHS/CMI/LAB - NATL COMP EXPORT
BGP7DNGP	IHS/CMI/LAB - NATL COMP EXPORT 13 Nov 2006 12:31 PM
BGP7DN GS	IHS/CMI/LAB - NATL COMP EXPORT 13 Nov 2006 12:31 PM
BGP7DON	IHS/CMI/LAB - NATL COMP EXPORT 13 Nov 2006 12:31 PM

ROUTINE	DESCRIPTION
BGP7DP	IHS/CMI/LAB - IHS gpra print 03 Jul 2010 6:26 AM
BGP7DP1	IHS/CMI/LAB - print ind 1 21 Mar 2010 12:55 PM
BGP7DP11	IHS/CMI/LAB - print ind 1
BGP7DP12	IHS/CMI/LAB - print ind 19 AGE DIST
BGP7DP13	IHS/CMI/LAB - print ind 19 AGE DIST 02 Feb 2017 1:14 PM
BGP7DP14	IHS/CMI/LAB - print ind 19 AGE DIST
BGP7DP19	IHS/CMI/LAB - print ind 1 03 Jul 2010 7:40 AM
BGP7DP1C	IHS/CMI/LAB - print ind 1 21 Mar 2010 12:55 PM
BGP7DP1D	IHS/CMI/LAB - print ind
BGP7DP1E	IHS/CMI/LAB - print ind 1
BGP7DP1F	IHS/CMI/LAB - print ind 1
BGP7DP1G	IHS/CMI/LAB - print ind 1
BGP7DP1H	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP7DP1I	IHS/CMI/LAB - print ind 1
BGP7DP1J	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP7DP1K	IHS/CMI/LAB - print ind 1
BGP7DP1L	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP7DP1M	IHS/CMI/LAB - print ind 1
BGP7DP1N	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP7DP1O	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP7DP1S	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP7DP1T	IHS/CMI/LAB - print ind 1 12 Nov 2010 7:38 AM
BGP7DP2	IHS/CMI/LAB - print ind 10 02 Jul 2010 9:25 AM
BGP7DP3	IHS/CMI/LAB - print ind 1
BGP7DP4	IHS/CMI/LAB - print ind 31
BGP7DP5	IHS/CMI/LAB - print ind H
BGP7DP50	IHS/CMI/LAB - print ind H
BGP7DP51	IHS/CMI/LAB - print ind H
BGP7DP6	IHS/CMI/LAB - print ind H
BGP7DP60	IHS/CMI/LAB - print ind H 02 Feb 2017 1:59 PM
BGP7DP7	IHS/CMI/LAB - print ind 10
BGP7DP8	IHS/CMI/LAB - print ind H
BGP7DPA	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/
BGP7DPA1	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGP7DPA2	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/
BGP7DPA4	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGP7DPAP	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/APPT
BGP7DPAW	IHS/CMI/LAB - COMP NATIONAL GPRA FOR PTS W/

ROUTINE	DESCRIPTION
BGP7DPE	IHS/CMI/LAB - IHS GPRA 16 REPORT DRIVER 01 Feb 2017 12:11 PM
BGP7DPE1	IHS/CMI/LAB - calc measures
BGP7DPE2	IHS/CMI/LAB - calc measures
BGP7DPE3	IHS/CMI/LAB - patient ed report
BGP7DPEA	IHS/CMI/LAB - IHS GPRA 16 REPORT DRIVER 23 Oct 2009 2:04 PM
BGP7DPED	IHS/CMI/LAB - IHS gpra print
BGP7DPEE	IHS/CMI/LAB - IHS gpra print
BGP7DPEF	IHS/CMI/LAB - IHS gpra print
BGP7DPEL	IHS/CMI/LAB - IHS gpra print
BGP7DPEP	IHS/CMI/LAB - IHS gpra print
BGP7DPEQ	IHS/CMI/LAB - IHS gpra print
BGP7DPH	IHS/CMI/LAB - AREA REPORT HEADER 01 Jul 2010 7:54 PM
BGP7DPP	IHS/CMI/LAB - IHS GPRA 16 SELECTED REPORT DRIVER ALL PATIENTS
BGP7DPSI	IHS/CMI/LAB - DISPLAY IND LISTS
BGP7DS	IHS/CMI/LAB - IHS gpra print
BGP7DSI	IHS/CMI/LAB - DISPLAY IND LISTS
BGP7DSL	IHS/CMI/LAB - IHS 2017 DISPLAY IND LISTS
BGP7DSP	IHS/CMI/LAB - IHS summary page
BGP7DSPD	IHS/CMI/LAB - IHS summary page
BGP7DSPN	IHS/CMI/LAB - IHS summary page
BGP7DSPO	IHS/CMI/LAB - IHS summary page 17 May 2017 9:52 AM
BGP7DSTM	IHS/CMI/LAB - national patient list
BGP7DU	IHS/CMI/LAB - gpra utility calls
BGP7EL10	IHS/CMI/LAB - print ind 1
BGP7EL11	IHS/CMI/LAB - print ind 1 20 Jan 2017 4:41 PM
BGP7EL12	IHS/CMI/LAB - print ind
BGP7EL13	IHS/CMI/LAB - print ind 1
BGP7EL14	IHS/CMI/LAB - print ind 1
BGP7EL15	IHS/CMI/LAB - print ind 1
BGP7EL16	IHS/CMI/LAB - print ind 1
BGP7EL17	IHS/CMI/LAB - print ind 1
BGP7EL18	IHS/CMI/LAB - print ind 1
BGP7EL19	IHS/CMI/LAB - print ind 1
BGP7EL1A	IHS/CMI/LAB - print ind 1
BGP7EL1B	IHS/CMI/LAB - print ind 1 29 Jan 2017 9:09 AM

ROUTINE	DESCRIPTION
BGP7EL1C	IHS/CMI/LAB - print ind 1 06 Dec 2010 7:25 PM
BGP7EL1D	IHS/CMI/LAB - print ind 1
BGP7EL1E	IHS/CMI/LAB - print ind 1
BGP7EL1F	IHS/CMI/LAB - print ind 1
BGP7EL1G	IHS/CMI/LAB - print ind 1 25 Mar 2017 6:57 PM
BGP7EL1H	IHS/CMI/LAB - print ind 1
BGP7EL1I	IHS/CMI/LAB - print ind 1
BGP7EL1J	IHS/CMI/LAB - print ind 1 05 Feb 2017 1:41 PM
BGP7EL1K	IHS/CMI/LAB - print ind 1
BGP7EL1L	IHS/CMI/LAB - print ind 1
BGP7EL1M	IHS/CMI/LAB - print ind 1
BGP7EL1N	IHS/CMI/LAB - print ind 1
BGP7EL1O	IHS/CMI/LAB - print ind 1
BGP7EL1P	IHS/CMI/LAB - print ind 01 Jul 2010 7:55 PM
BGP7EL1Q	IHS/CMI/LAB - print ind 05 Feb 2017 9:01 AM
BGP7EL1R	IHS/CMI/LAB - print ind
BGP7EL1S	IHS/CMI/LAB - print ind 1
BGP7EL1T	IHS/CMI/LAB - print ind 1
BGP7EL2	IHS/CMI/LAB - measure 1,2,3,4
BGP7EL3	IHS/CMI/LAB - measure 1,2,3,4
BGP7EL31	IHS/CMI/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM
BGP7EL4	IHS/CMI/LAB - measure 1,2,3,4 05 Apr 2010 1:44 PM
BGP7ELH	IHS/CMI/LAB - cover page for ELDER 25 Jun 2010 10:20 AM
BGP7ELHH	IHS/CMI/LAB - cover page for ELDER 25 Jun 2010 10:20 AM
BGP7ELL	IHS/CMI/LAB - IHS gpra print 01 Jul 2010 7:56 PM
BGP7ELL1	IHS/CMI/LAB - print ind 1 20 Jan 2017 4:52 PM
BGP7ELL2	IHS/CMI/LAB - print ind 20 Jan 2017 4:41 PM
BGP7ELL3	IHS/CMI/LAB - print ind
BGP7ELL4	IHS/CMI/LAB - print ind 20 Jan 2017 4:36 PM
BGP7ELL5	IHS/CMI/LAB - print ind
BGP7ELL6	IHS/CMI/LAB - print ind
BGP7ELL7	IHS/CMI/LAB - print ind 03 Feb 2017 4:55 PM
BGP7ELL8	IHS/CMI/LAB - print ind
BGP7ELL9	IHS/CMI/LAB - print ind
BGP7ELLA	IHS/CMI/LAB - print ind 20 Jan 2017 4:46 PM
BGP7ELLB	IHS/CMI/LAB - print ind 20 Jan 2017 4:48 PM
BGP7ELLC	IHS/CMI/LAB - print ind
BGP7ELLD	IHS/CMI/LAB - print ind

ROUTINE	DESCRIPTION
BGP7ELLE	IHS/CMI/LAB - print ind 03 Feb 2017 10:05 AM
BGP7ELLF	IHS/CMI/LAB - print ind
BGP7ELLG	IHS/CMI/LAB - print ind
BGP7ELLH	IHS/CMI/LAB - print ind 07 Jun 2017 4:19 PM
BGP7ELLI	IHS/CMI/LAB - print ind 25 Mar 2017 6:57 PM
BGP7ELLJ	IHS/CMI/LAB - print ind
BGP7ELLK	IHS/CMI/LAB - print ind
BGP7ELLL	IHS/CMI/LAB - print ind 05 Feb 2017 9:00 AM
BGP7ELLM	IHS/CMI/LAB - print ind
BGP7ELLN	IHS/CMI/LAB - print ind 1
BGP7ELLO	IHS/CMI/LAB - print ind
BGP7ELLP	IHS/CMI/LAB - print ind
BGP7ELLQ	IHS/CMI/LAB - print ind
BGP7ELLR	IHS/CMI/LAB - print ind
BGP7ELLS	IHS/CMI/LAB - print ind 01 Jul 2010 7:56 PM 20 May 2017 4:45 PM
BGP7ELLT	IHS/CMI/LAB - print ind
BGP7ELLU	IHS/CMI/LAB - print ind
BGP7ELLV	IHS/CMI/LAB - print ind
BGP7ELLW	IHS/CMI/LAB - print ind
BGP7ELLX	IHS/CMI/LAB - print ind 30 Jun 2017 10:24 AM
BGP7ELP1	IHS/CMI/LAB - print ind 1
BGP7ELS	IHS/CMI/LAB - IHS gpra print
BGP7ELSL	IHS/CMI/LAB - IHS gpra print
BGP7ETL	IHS/CMI/LAB - DISPLAY IND LISTS
BGP7EUTL	IHS/CMI/LAB -
BGP7GACW	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT 01 Jul 2010 7:57 PM
BGP7GADB	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP7GAEL	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP7GAG9	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP7GAGP	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP7GAGS	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP7GAHE	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP7GALL	IHS/CMI/LAB - GUI COM REPORT
BGP7GAON	IHS/CMI/LAB - AREA OTHER NATIONAL MEASURES GPRA REPORT
BGP7GAPE	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT

ROUTINE	DESCRIPTION
BGP7GAPU	IHS/CMI/LAB - AREA NATIONAL GPRA REPORT
BGP7GCMP	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP7GCMS	IHS/CMI/LAB - GUI CMS REPORT 27 Apr 2010 10:30 PM
BGP7GCOM	IHS/CMI/LAB - GUI COM REPORT
BGP7GDON	IHS/CMI/LAB - GUI Other National Measurer Report
BGP7GDSH	IHS/CMI/LAB - GPRA DASHBOARD GUI
BGP7GELD	IHS/CMI/LAB - GUI COM REPORT
BGP7GFO9	IHS/CMI/LAB - GUI Patient Forecast Report
BGP7GFOR	IHS/CMI/LAB - GUI Patient Forecast Report
BGP7GGPU	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP7GHED	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP7GLHW	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP7GLST	IHS/CMI/LAB - GUI CMS REPORT
BGP7GLTX	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP7GM	IHS/CMI/LAB - BGPG Visual CRS Reports
BGP7GMTX	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP7GMUE	IHS/CMI/LAB - GUI MU EP REPORT
BGP7GMUH	IHS/CMI/LAB - GUI MU HOS REPORT
BGP7GNPL	IHS/CMI/LAB - IHS Diabetes Audit 2003 26 Mar 2010 5:09 PM
BGP7GNST	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP7GNT9	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP7GNTL	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP7GNTP	IHS/CMI/LAB - BGP 17 DESIGNATED PROVIDER REPORT
BGP7GNTS	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP7GNXP	IHS/CMI/LAB - IHS Diabetes Audit 2003 27 Apr 2010 10:56 PM
BGP7GPED	IHS/CMI/LAB - GUI COM REPORT
BGP7GPP	IHS/CMI/LAB - GUI PP REPORT
BGP7GR	IHS/CMI/LAB - BGPG Visual CRS Reports
BGP7GR1	IHS/CMI/LAB - BGPG Visual CRS Reports 12/30/2004 12:29:35 PM
BGP7GR2	IHS/CMI/LAB - BGPG Visual CRS Reports 12/30/2004
BGP7GRA	IHS/CMI/LAB - BGP Gui Area Reports 5/2/2005 8:38:59 PM
BGP7GRB	IHS/CMI/LAB - BGP Gui Area Reports 5/2/2005 8:38:59 PM
BGP7GT	IHS/CMI/LAB - BGPG Gui CRS Tables 2/2/2005 10:24:22 AM
BGP7GTA	IHS/CMI/LAB - BGPG Gui CRS Tables 2/2/2005 10:24:22 AM
BGP7GU	IHS/CMI/LAB - BGP Gui Utilities 10/29/2004
BGP7GUA	IHS/CMI/LAB - BGP Gui Utilities 10/29/2004
BGP7GUPL	IHS/CMI/LAB - GUI Upload 16 May 2016 2:34 PM

ROUTINE	DESCRIPTION
BGP7HUTL	IHS/CMI/LAB -
BGP7LHW	IHS/CMI/LAB - IHS Diabetes Audit 2003
BGP7LSTF	IHS/CMI/LAB - List 'BG08' files in pub
BGP7NPL	IHS/CMI/LAB - national patient list 20 Dec 2004
BGP7NPLD	IHS/CMI/LAB - IHS gpra print 30 Jun 2010 5:59 PM
BGP7NPLP	IHS/CMI/LAB - IHS gpra print 30 Jun 2010 5:58 PM
BGP7P1	IHS/CMI/LAB - v11.0 patch 1 env routine
BGP7P3	IHS/CMI/LAB - NO DESCRIPTION PROVIDED
BGP7PARP	IHS/CMI/LAB - IHS gpra print
BGP7PARQ	IHS/CMI/LAB - IHS gpra print
BGP7PD19	IHS/CMI/LAB - print ind 03 Jul 2010 8:56 AM
BGP7PDH1	IHS/CMI/LAB - cover page for gpra del 0
BGP7PDL	IHS/CMI/LAB - IHS gpra print 01 Jul 2010 8:02 PM
BGP7PDL0	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:03 PM
BGP7PDL1	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:03 PM
BGP7PDL2	IHS/CMI/LAB - print ind 1
BGP7PDL3	IHS/CMI/LAB - print ind 1
BGP7PDL4	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:04 PM
BGP7PDL5	IHS/CMI/LAB - print ind 1 01 Jul 2010 8:04 PM
BGP7PDL7	IHS/CMI/LAB - print ind 1
BGP7PDL8	IHS/CMI/LAB - print ind 1
BGP7PDL9	IHS/CMI/LAB - print ind
BGP7PDLA	IHS/CMI/LAB - print ind
BGP7PDLB	IHS/CMI/LAB - print ind
BGP7PDLD	IHS/CMI/LAB - IHS gpra print
BGP7PDLH	IHS/CMI/LAB - cover page
BGP7PDLL	IHS/CMI/LAB - print ind 1
BGP7PDLN	IHS/CMI/LAB - IHS gpra print
BGP7PDLO	IHS/CMI/LAB - IHS gpra print
BGP7PDL S	IHS/CMI/LAB - IHS gpra print
BGP7PDLT	IHS/CMI/LAB - print ind 1 03 Jul 2010 7:40 AM
BGP7PDPA	IHS/CMI/LAB - print ind 03 Jul 2010 8:56 AM
BGP7PDPB	IHS/CMI/LAB - print ind
BGP7PESI	IHS/CMI/LAB - DISPLAY IND LISTS
BGP7PESL	IHS/CMI/LAB - FY 06 DISPLAY IND LISTS
BGP7PHEL	IHS/CMI/LAB - IHS gpra print
BGP7POS	IHS/CMI/LAB - NO DESCRIPTION PROVIDED

ROUTINE	DESCRIPTION
BGP7POS1	IHS/CMI/LAB - NO DESCRIPTION PROVIDED 11 Aug 2016 1:25 PM
BGP7POS2	IHS/CMI/LAB - NO DESCRIPTION PROVIDED 28 Jan 2005 1:34 PM
BGP7PPEL	IHS/CMI/LAB - IHS gpra print
BGP7PUTL	IHS/CMI/LAB -
BGP7REF	IHS/CMI/LAB - measure AHR.A
BGP7REF1	IHS/CMI/LAB - measure AHR.A
BGP7SDP	IHS/CMI/LAB - IHS summary page 11 Dec 2006 1:24 PM
BGP7SDPD	IHS/CMI/LAB - IHS summary page
BGP7SDPN	IHS/CMI/LAB - IHS summary page
BGP7SDPO	IHS/CMI/LAB - IHS summary page 17 May 2017 9:52 AM
BGP7TXCH	IHS/CMI/LAB - TAXONOMY CHECK FOR FY03 GPRA REPORT
BGP7ULF	IHS/CMI/LAB – UPLOAD AREA FILES
BGP7UTL	IHS/CMI/LAB - UTILITIES 04 Aug 2014 2:58 PM
BGP7UTL1	IHS/CMI/LAB – UTILITIES
BGP7UTL2	IHS/CMI/LAB - UTILITIES
BGP7UTL3	IHS/CMI/LAB - UTILITIES
BGP7UTLC	IHS/CMI/LAB – UTILITIES
BGP7XTCH	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS
BGP7XTCN	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT
BGP7XTCO	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT
BGP7XTEL	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT
BGP7XTEO	IHS/CMI/LAB - TAXONOMY CHECK FOR CRS REPORT
BGP7XTHE	IHS/CMI/LAB - TAXONOMY CHECK FOR FY07 HEDIS REPORT
BGP7XTL	IHS/CMI/LAB - DISPLAY IND LISTS
BGP7XTS	IHS/CMI/LAB - DISPLAY IND LISTS
BGP7XTV	IHS/CMI/LAB - DISPLAY IND LISTS 15 Dec 2010 9:42 AM
BGP7XTV1	IHS/CMI/LAB - DISPLAY IND LISTS

4.0 Files and Tables

4.1 File List

Table 4-1 provides information for files and tables. Please note that only files beginning with BGP 17 are distributed with v17.0; all previous versions of CRS must be installed prior to v17.0. If v16.1 is installed then all previous versions have been installed.

Table 4-1: BGP File List

File	Global	Filename
90241.01	^BGPCTRL(BGP CONTROL FILE
90241.02	^BGPSITE(BGP SITE PARAMETERS
90241.03	^BGPSCAT(BGP SUMMARY CATEGORIES
90241.04	^BGP2PG(BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS
90245	^BGP1PG(BGP AREA AUTOMATED GPRA PARAMS
90245.1	^BGP1RM(BGP GPRA FLAT FILE DATA
90558.01	^BGPINDG(BGP 17 MEASURES
90558.02	^BGPINDGC (BGP 17 INDIVIDUAL MEASURES
90558.03	^BGPDCG(BGP 17 DATA CURRENT
90558.04	^BGPDPG(BGP 17 DATA PREVIOUS
90558.05	^BGPDBG(BGP 17 DATA BASELINE
90558.06	^BGNPLG(BGP 17 NATIONAL PATIENT LISTS
90588.07	^BPSNOSG(BGP 17 SNOMED SUBSETS
90558.08	^BPTAXG(BGP 17 TAXONOMIES
90558.09	^BPTAXTG(BGP 17 TAXONOMY TEMP
90558.1	^BPMGRPG(BGP 17 MEASURE GROUPS
90558.12	^BPPDCG(BGP 17 PATIENT ED DATA CURRENT
90558.13	^BPPDPG(BGP 17 PATIENT ED DATA PREVIOUS
90558.14	^BPPDBG(BGP 17 PATIENT ED DATA BASELINE
90558.15	^BPPPEIG(BGP 17 PAT ED MEASURES
90558.17	^BGPICAGG(BGP 17 ICARE GROUPS
90558.18	^BGPICACG(BGP 17 ICARE CATEGORIES
90558.19	^BPGUIG(BGP 17 GUI OUTPUT
90558.21	^BPSNOMG(BGP 17 SNOMED LISTS
90559.02	^BPELIIG(BGP 17 ELDER INDIVIDUAL INDICATORS
90559.03	^BPELDCG(BGP 17 ELDER DATA CURRENT
90559.04	^BPELDPG(BGP 17 ELDER DATA PREVIOUS
90559.05	^BPELDBG(BGP 17 ELDER DATA BASELINE
90559.06	^BPELIG(BGP 17 ELDER INDICATORS

4.2 File Access

Table 4-2: BGP File List

File (#)	Global	RD	WR	LYG	DD	DEL
90241.01	^BGPCTRL	@	@	@	@	@
90241.02	^BGPSITE	M	M	M	@	@
90241.03	^BGPSCAT(@	@	@	@	@
90241.04	^BGP2PG(M	M	M	@	M
90245	^BGP1PM(M	M	M	@	M
90245.1	^BGP1RD(M	M	M	@	M
90558.01	^BGPINDG(@	@	@	@	@
90558.02	^BGPINDGC(@	@	@	@	@
90558.03	^BGPDCG(@	@	@	@	@
90558.04	^BGPDPG(@	@	@	@	@
90558.05	^BGPDBG(@	@	@	@	@
90558.06	^BGNPLG(@	@	@	@	@
90558.07	^BGNOSG(@	@	@	@	@
90558.08	^BGTAXG(@	@	@	@	@
90558.09	^BGTAXTG(@	@	@	@	@
90558.1	^BGMGRPG(@	@	@	@	@
90558.12	^BGPEDCG(@	@	@	@	@
90558.13	^BGPEDPG(@	@	@	@	@
90558.14	^BGPEDBG(@	@	@	@	@
90558.15	^BGPPEIG(@	@	@	@	@
90558.17	^BGPICAGG(@	@	@	@	@
90558.18	^BGPICACG(@	@	@	@	@
90558.19	^BPGUIG(@	@	@	@	@
90558.21	^BGNOMG(@	@	@	@	@
90559.02	^BPELIIG(@	@	@	@	@
90559.03	^BPELDCG(@	@	@	@	@
90559.04	^BPELDPG(@	@	@	@	@
90559.05	^BPELDBG(@	@	@	@	@
90559.06	^BPELIG(@	@	@	@	@

4.3 Cross References

<p>INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 08/12/16 PAGE 1</p> <hr/> <p>File #90241.01</p> <p>Traditional Cross-References:</p> <p>B REGULAR</p> <p> Field: FY (90241.01,.01)</p> <p> 1)= S ^BGPCTRL("B", \$E(X,1,30),DA)=" "</p> <p> 2)= K ^BGPCTRL("B", \$E(X,1,30),DA)</p>

```

C    REGULAR
      Field:  GPRA YEAR  (90241.01,.14)
              1)= S ^BGPCTRL("C", $E(X,1,30),DA)=" "
              2)= K ^BGPCTRL("C", $E(X,1,30),DA)

```

Subfile #90241.0111

Traditional Cross-References:

```

B    REGULAR
      Field:  CLINIC CODE  (90241.0111,.01)
              1)= S ^BGPCTRL(DA(1),11,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPCTRL(DA(1),11,"B", $E(X,1,30),DA)

```

Subfile #90241.0112

Traditional Cross-References:

```

B    REGULAR
      Field:  CLINIC CODES FOR 2ND VISIT  (90241.0112,.01)
              1)= S ^BGPCTRL(DA(1),12,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPCTRL(DA(1),12,"B", $E(X,1,30),DA)

```

Subfile #90241.011301

Traditional Cross-References:

```

B    REGULAR
      Field:  BH CLINIC CODES  (90241.011301,.01)
              1)= S ^BGPCTRL(DA(1),1301,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPCTRL(DA(1),1301,"B", $E(X,1,30),DA)

```

Subfile #90241.0145

Traditional Cross-References:

```

B    REGULAR
      Field:  CRSONMNT3 COLUMN HEADERS  (90241.0145,.01)
              1)= S ^BGPCTRL(DA(1),45,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPCTRL(DA(1),45,"B", $E(X,1,30),DA)

```

Subfile #90241.0168

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 08/12/16 PAGE 2

Traditional Cross-References:

```

B    REGULAR
      Field:  EO NT1 LABELS  (90241.0168,.01)
              1)= S ^BGPCTRL(DA(1),68,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPCTRL(DA(1),68,"B", $E(X,1,30),DA)

```

Subfile #90241.0195

Traditional Cross-References:

```

B    REGULAR
      Field:  CLINIC CODES FOR BH ACT CL  (90241.0195,.01)
              1)= S ^BGPCTRL(DA(1),95,"B", $E(X,1,30),DA)=" "
              2)= K ^BGPCTRL(DA(1),95,"B", $E(X,1,30),DA)

```

Subfile #90241.36

Traditional Cross-References:

B REGULAR

Field: PIECE (90241.36,.01)
 1)= S ^BGPCTRL(DA(1),36,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),36,"B",\$(X,1,30),DA)

Subfile #90241.37

Traditional Cross-References:

B REGULAR

Field: PIECE (90241.37,.01)
 1)= S ^BGPCTRL(DA(1),37,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),37,"B",\$(X,1,30),DA)

Subfile #90241.38

Traditional Cross-References:

B REGULAR

Field: PIECE (90241.38,.01)
 1)= S ^BGPCTRL(DA(1),38,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),38,"B",\$(X,1,30),DA)

Subfile #90241.4

Traditional Cross-References:

B REGULAR

Field: PIECE (90241.4,.01)
 1)= S ^BGPCTRL(DA(1),40,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),40,"B",\$(X,1,30),DA)

Subfile #90241.41

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 08/12/16 PAGE 3

 Traditional Cross-References:

B REGULAR

Field: MEASURE (90241.41,.01)
 1)= S ^BGPCTRL(DA(1),41,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),41,"B",\$(X,1,30),DA)

Subfile #90241.55

Traditional Cross-References:

B REGULAR

Field: MEASURE (90241.55,.01)
 1)= S ^BGPCTRL(DA(1),55,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),55,"B",\$(X,1,30),DA)

Subfile #90241.551101

Traditional Cross-References:

Subfile #90241.86

Traditional Cross-References:

B REGULAR
 Field: ONMT 4 HEADERS (90241.86,.01)
 1)= S ^BGPCTRL(DA(1),86,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),86,"B", \$E(X,1,30),DA)

Subfile #90241.87

Traditional Cross-References:

B REGULAR
 Field: ONMT5 HEADERS (90241.87,.01)
 1)= S ^BGPCTRL(DA(1),87,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),87,"B", \$E(X,1,30),DA)

Subfile #90241.97

Traditional Cross-References:

B REGULAR
 Field: GPRANT3 (90241.97,.01)
 1)= S ^BGPCTRL(DA(1),97,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),97,"B", \$E(X,1,30),DA)

Subfile #90241.9801

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.01 08/12/16 PAGE 5

 Traditional Cross-References:

B REGULAR
 Field: PATCHES BULLETIN TEXT (90241.9801,.01)
 1)= S ^BGPCTRL(DA(1),98,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPCTRL(DA(1),98,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.02 08/12/16 PAGE 1

File #90241.02

Traditional Cross-References:

B REGULAR
 Field: LOCATION (90241.02,.01)
 1)= S ^BGPSITE("B", \$E(X,1,30),DA)=" "
 2)= K ^BGPSITE("B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.03 08/12/16 PAGE 1

File #90241.03

Traditional Cross-References:

B REGULAR
 Field: CATEGORY (90241.03,.01)
 1)= S ^BGPSCAT("B", \$E(X,1,30),DA)=" "
 2)= K ^BGPSCAT("B", \$E(X,1,30),DA)

C REGULAR
 Field: ORDER ON GPRA SUMMARY (90241.03,.02)
 1)= S ^BGPSCAT("C", \$E(X,1,30),DA)=" "
 2)= K ^BGPSCAT("C", \$E(X,1,30),DA)

D REGULAR
 Field: ORDER NO NON-GPRA SUMMARY (90241.03,.03)
 1)= S ^BGPSCAT("D", \$E(X,1,30),DA)=" "
 2)= K ^BGPSCAT("D", \$E(X,1,30),DA)

E REGULAR
 Field: ORDER ON EO REPORT (90241.03,.04)
 1)= S ^BGPSCAT("E", \$E(X,1,30),DA)=" "
 2)= K ^BGPSCAT("E", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90241.04 08/12/16 PAGE 1

File #90241.04

Traditional Cross-References:

B REGULAR
 Field: SITE (90241.04,.01)
 1)= S ^BGP2PM("B", \$E(X,1,30),DA)=" "
 2)= K ^BGP2PM("B", \$E(X,1,30),DA)

TRIGGER
 Field: SITE (90241.04,.01)
 Triggered Field: DEFAULT COMMUNITY TAXONOMY
 (90241.04,5.1)
 1)= K DIV S DIV=X,D0=DA,DIV(0)=D0 S Y(1)=\$S(\$D(^BGP2PM(D0,5)):^(5),1:"") S X=\$P(Y(1),U,1),X=X S DIU=X K Y S X=DIV S X=\$\$VALI^XBIDIQ1(90241.02,\$P(^BGP2PM(DA,0),U,1),.05) X ^DD(90241.04,.01,1,3,1.4)
 1.4)= S DIH=\$G(^BGP2PM(DIV(0),5)),DIV=X S \$P(^5,U,1)=DIV,DIH=90241.04,DIG=5.1 D ^DICR
 2)= Q
 CREATE VALUE)= S X=\$\$VALI^XBIDIQ1(90241.02,\$P(^BGP2PM(DA,0),U,1),.05)
 DELETE VALUE)= NO EFFECT
 FIELD)= #5.1

Subfile #90241.12

Traditional Cross-References:

B REGULAR
 Field: EXTRACT DATE (90241.12,.01)
 1)= S ^BGP2PM(DA(1),8,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGP2PM(DA(1),8,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90245 08/12/16 PAGE 1

File #90245

Traditional Cross-References:

B REGULAR

```
Field: NAME (90245,.01)
1)= S ^BGP1PM("B", $E(X,1,30),DA)=" "
2)= K ^BGP1PM("B", $E(X,1,30),DA)
```

Subfile #90245.07

Traditional Cross-References:

B REGULAR

```
Field: REPORT BEGIN DATE (90245.07,.01)
1)= S ^BGP1PM(DA(1),7,"B", $E(X,1,30),DA)=" "
2)= K ^BGP1PM(DA(1),7,"B", $E(X,1,30),DA)
```

Subfile #90245.09

Traditional Cross-References:

B REGULAR

```
Field: FACILITY (90245.09,.01)
1)= S ^BGP1PM(DA(1),9,"B", $E(X,1,30),DA)=" "
2)= K ^BGP1PM(DA(1),9,"B", $E(X,1,30),DA)
```

C REGULAR

```
Field: ASUFAC (90245.09,.02)
1)= S ^BGP1PM(DA(1),9,"C", $E(X,1,30),DA)=" "
2)= K ^BGP1PM(DA(1),9,"C", $E(X,1,30),DA)
```

TRIGGER

```
Field: FACILITY (90245.09,.01)
Triggered Field: ASUFAC (90245.09,.02)
1)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)
=$S($D(^BGP1PM(D0,9,D1,0)):^(0),1:"") S X=$P(Y(1),U,2),X=
X S DIU=X K Y X ^DD(90245.09,.01,1,2,1.1) X ^DD(90245.09,.0
1,1,2,1.4)
1.1)= S X=DIV S I(1,0)=$G(D1),I(0,0)=$G(D0),D0=DIV S:'D0! '$
D(^AUTTLOC(+D0,0)) D0=-1 S Y(101)=$S($D(^AUTTLOC(D0,0)):^(0
),1:"") S X=$P(Y(101),U,10) S D0=I(0,0) S D1=I(1,0)
1.4)= S DIH=$G(^BGP1PM(DIV(0),9,DIV(1),0)),DIV=X S $P(^0
),U,2)=DIV,DIH=90245.09,DIG=.02 D ^DICR
2)= Q
CREATE VALUE)= #.01:ASUFAC INDEX
DELETE VALUE)= NO EFFECT
FIELD)= #.02
```

Subfile #90245.992

Traditional Cross-References:

B REGULAR

```
Field: EMAIL RECIPIENT (90245.992,.01)
1)= S ^BGP1PM(DA(1),99.2,"B", $E(X,1,30),DA)=" "
2)= K ^BGP1PM(DA(1),99.2,"B", $E(X,1,30),DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90245.1 08/12/16 PAGE 1

File #90245.1

Traditional Cross-References:

B REGULAR

```

      Field:  INDICATOR NAME  (90245.1,.01)
              1)= S ^BGP1RD("B", $E(X,1,30),DA)=" "
              2)= K ^BGP1RD("B", $E(X,1,30),DA)

CBD   REGULAR
      Field:  CURRENT REPORT BEGIN DATE  (90245.1,.07)
              1)= S ^BGP1RD("CBD", $E(X,1,30),DA)=" "
              2)= K ^BGP1RD("CBD", $E(X,1,30),DA)

D     REGULAR
      Field:  SITE NAME  (90245.1,.03)
              1)= S ^BGP1RD("D", $E(X,1,30),DA)=" "
              2)= K ^BGP1RD("D", $E(X,1,30),DA)

New-Style Indexes:

C (#253)  RECORD      REGULAR      IR      LOOKUP & SORTING
Short Descr:  COMPOUND INDEX
Set Logic:   S ^BGP1RD("C", $E(X(1),1,50), $E(X(2),1,30), X(3), X(4), DA)="
            "
Kill Logic:  K ^BGP1RD("C", $E(X(1),1,50), $E(X(2),1,30), X(3), X(4), DA)
Whole Kill:  K ^BGP1RD("C")
X(1):       INDICATOR NAME  (90245.1,.01)  (Subscr 1)  (Len 50)
            (forwards)
X(2):       SITE NAME  (90245.1,.03)  (Subscr 2)  (Len 30)  (forwards)
X(3):       CURRENT REPORT BEGIN DATE  (90245.1,.07)  (Subscr 3)
            (forwards)
X(4):       CURRENT REPORT END DATE  (90245.1,.08)  (Subscr 4)
            (forwards)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.01 08/23/16 PAGE 1

File #90558.01

Traditional Cross-References:

ADEV REGULAR
Field: DEVELOPMENTAL MEASURE? (90558.01,.14)
1)= S ^BGPINDG("ADEV", \$E(X,1,30),DA)=" "
2)= K ^BGPINDG("ADEV", \$E(X,1,30),DA)

ADEVO REGULAR
Field: ORDER ON DEVELOPMENTAL REPORT (90558.01,1302)
1)= S ^BGPINDG("ADEVO", \$E(X,1,30),DA)=" "
2)= K ^BGPINDG("ADEVO", \$E(X,1,30),DA)

AO REGULAR
Field: ORDER ON SELECTION/REPORT (90558.01,.02)
1)= S ^BGPINDG("AO", \$E(X,1,30),DA)=" "
2)= K ^BGPINDG("AO", \$E(X,1,30),DA)

AOI REGULAR
Field: ORDER IND (90558.01,1206)
1)= S ^BGPINDG("AOI", \$E(X,1,30),DA)=" "
2)= K ^BGPINDG("AOI", \$E(X,1,30),DA)

B REGULAR
Field: MEASURE NUMBER (90558.01,.01)
1)= S ^BGPINDG("B", \$E(X,1,30),DA)=" "
2)= K ^BGPINDG("B", \$E(X,1,30),DA)

C REGULAR
Field: TITLE/SELECTION TITLE (90558.01,.03)
1)= S ^BGPINDG("C", \$E(X,1,30),DA)=" "
2)= K ^BGPINDG("C", \$E(X,1,30),DA)

D REGULAR
Field: ORDER IND (90558.01,1206)
1)= S ^BGPINDG("D", \$E(X,1,30),DA)=" "
2)= K ^BGPINDG("D", \$E(X,1,30),DA)

GPRA REGULAR
Field: NATIONAL REPORT (90558.01,.07)
1)= S ^BGPINDG("GPRA", \$E(X,1,30),DA)=" "
2)= K ^BGPINDG("GPRA", \$E(X,1,30),DA)

ON REGULAR
Field: OTHER NATIONAL MEASURES RPT? (90558.01,1201)
1)= S ^BGPINDG("ON", \$E(X,1,30),DA)=" "
2)= K ^BGPINDG("ON", \$E(X,1,30),DA)

PUID REGULAR
Field: PUID FROM RM (90558.01,1203)

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.01 08/23/16 PAGE 2

1)= S ^BGPINDG("PUID", \$E(X,1,30),DA)=" "
2)= K ^BGPINDG("PUID", \$E(X,1,30),DA)

U MUMPS
Field: TITLE/SELECTION TITLE (90558.01,.03)

```

1)= S ^BGPINDG("U", $$SUP^XLFSTR(X), DA)=""
2)= K ^BGPINDG("U", $$SUP^XLFSTR(X), DA)

Subfile #90558.0114

Traditional Cross-References:

ALORI    REGULAR    WHOLE FILE (#90558.01)
      Field:  TAXONOMY (90558.0114,.03)
1)= S ^BGPINDG("ALORI", $E(X,1,30), DA(1), DA)=""
2)= K ^BGPINDG("ALORI", $E(X,1,30), DA(1), DA)

B    REGULAR
      Field:  TAXONOMIES USED (90558.0114,.01)
1)= S ^BGPINDG(DA(1), 14, "B", $E(X,1,30), DA)=""
2)= K ^BGPINDG(DA(1), 14, "B", $E(X,1,30), DA)

Subfile #90558.0115

Traditional Cross-References:

B    REGULAR
      Field:  LAB TAXONOMIES USED (90558.0115,.01)
1)= S ^BGPINDG(DA(1), 15, "B", $E(X,1,30), DA)=""
2)= K ^BGPINDG(DA(1), 15, "B", $E(X,1,30), DA)

TRIGGER
      Field:  LAB TAXONOMIES USED (90558.0115,.01)
Triggered Field:  LAB TAXONOMY NAME (90558.0115,.02)
1)= K DIV S DIV=X, D0=DA(1), DIV(0)=D0, D1=DA, DIV(1)=D1 S Y(1)
=$S($D(^BGPINDG(D0,15,D1,0)):^(0),1:"") S X=$P(Y(1),U,2), X=
X S DIU=X K Y X ^DD(90558.0115,.01,1,2,1.1) X ^DD(90558.011
5,.01,1,2,1.4)
1.1)= S X=DIV S I(1,0)=$G(D1), I(0,0)=$G(D0), D0=DIV S :D0!'$
D(^ATXLAB(+D0,0)) D0=-1 S Y(101)=$S($D(^ATXLAB(D0,0)):^(0),
1:"") S X=$P(Y(101),U,1) S D0=I(0,0) S D1=I(1,0)
1.4)= S DIH=$G(^BGPINDG(DIV(0),15,DIV(1),0)), DIV=X S $P(^0
),U,2)=DIV, DIH=90558.0115, DIG=.02 D ^DICR
2)= K DIV S DIV=X, D0=DA(1), DIV(0)=D0, D1=DA, DIV(1)=D1 S Y(1)
=$S($D(^BGPINDG(D0,15,D1,0)):^(0),1:"") S X=$P(Y(1),U,2), X=
X S DIU=X K Y X ^DD(90558.0115,.01,1,2,2.1) X ^DD(90558.011
5,.01,1,2,2.4)
2.1)= S X=DIV X ^DD(90558.0115,.01,1,2,59.2) S X=$P(Y(101),
U,1) S D0=I(0,0) S D1=I(1,0)
2.4)= S DIH=$G(^BGPINDG(DIV(0),15,DIV(1),0)), DIV=X S $P(^0
),U,2)=DIV, DIH=90558.0115, DIG=.02 D ^DICR
59.2)= S I(1,0)=$G(D1), I(0,0)=$G(D0), Y(1)=$S($D(^BGPINDG(D0
INDEX AND CROSS-REFERENCE LIST -- FILE #90558.01          08/23/16    PAGE 3
-----
,15,D1,0)):^(0),1:""), D0=$P(Y(1),U,1) S :D0!'$D(^ATXLAB(+D0
,0)) D0=-1 S Y(101)=$S($D(^ATXLAB(D0,0)):^(0),1:"")
CREATE VALUE)= #.01:#.01
DELETE VALUE)= #.01:#.01
FIELD)= #.02

Subfile #90558.0161

Traditional Cross-References:

B    REGULAR
      Field:  DENOMINATOR DEFINITIONS (90558.0161,.01)

```

```

1)= S ^BGPINDG(DA(1),61,"B",$(X,1,30),DA)=" "
2)= K ^BGPINDG(DA(1),61,"B",$(X,1,30),DA)

Subfile #90558.016112

Traditional Cross-References:

B    REGULAR
      Field:  REPORT SUB TYPES (90558.016112,.01)
1)= S ^BGPINDG(DA(2),61,DA(1),12,"B",$(X,1,30),DA)=" "
2)= K ^BGPINDG(DA(2),61,DA(1),12,"B",$(X,1,30),DA)

Subfile #90558.0162

Traditional Cross-References:

B    REGULAR
      Field:  NUMERATOR DEFINITIONS (90558.0162,.01)
1)= S ^BGPINDG(DA(1),62,"B",$(X,1,30),DA)=" "
2)= K ^BGPINDG(DA(1),62,"B",$(X,1,30),DA)

Subfile #90558.016212

Traditional Cross-References:

B    REGULAR
      Field:  REPORT SUB TYPE (90558.016212,.01)
1)= S ^BGPINDG(DA(2),62,DA(1),12,"B",$(X,1,30),DA)=" "
2)= K ^BGPINDG(DA(2),62,DA(1),12,"B",$(X,1,30),DA)

Subfile #90558.0181

Traditional Cross-References:

B    REGULAR
      Field:  NATL GPRA DENOM DEFS (90558.0181,.01)
1)= S ^BGPINDG(DA(1),81,"B",$(X,1,30),DA)=" "
2)= K ^BGPINDG(DA(1),81,"B",$(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.01          08/23/16    PAGE 4
-----
Subfile #90558.018112

Traditional Cross-References:

B    REGULAR
      Field:  REPORT SUBTYPES (90558.018112,.01)
1)= S ^BGPINDG(DA(2),81,DA(1),12,"B",$(X,1,30),DA)=" "
2)= K ^BGPINDG(DA(2),81,DA(1),12,"B",$(X,1,30),DA)

Subfile #90558.0182

Traditional Cross-References:

B    REGULAR
      Field:  NATL GPRA NUMERATOR DEFS (90558.0182,.01)
1)= S ^BGPINDG(DA(1),82,"B",$(X,1,30),DA)=" "
2)= K ^BGPINDG(DA(1),82,"B",$(X,1,30),DA)

Subfile #90558.018212

```

Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPES (90558.018212,.01)
 1)= S ^BGPINDG(DA(2),82,DA(1),12,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPINDG(DA(2),82,DA(1),12,"B",SE(X,1,30),DA)

Subfile #90558.0183

Traditional Cross-References:

B REGULAR

Field: OTHER NATL MEAS DENOM DEFS (90558.0183,.01)
 1)= S ^BGPINDG(DA(1),83,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPINDG(DA(1),83,"B",SE(X,1,30),DA)

Subfile #90558.018312

Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPES (90558.018312,.01)
 1)= S ^BGPINDG(DA(2),83,DA(1),12,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPINDG(DA(2),83,DA(1),12,"B",SE(X,1,30),DA)

Subfile #90558.0184

Traditional Cross-References:

B REGULAR

Field: OTHER NATL MEAS NUMER DEFS (90558.0184,.01)
 1)= S ^BGPINDG(DA(1),84,"B",SE(X,1,30),DA)=" "

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.01 08/23/16 PAGE 5

 2)= K ^BGPINDG(DA(1),84,"B",SE(X,1,30),DA)

Subfile #90558.018412

Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPES (90558.018412,.01)
 1)= S ^BGPINDG(DA(2),84,DA(1),12,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPINDG(DA(2),84,DA(1),12,"B",SE(X,1,30),DA)

Subfile #90558.0185

Traditional Cross-References:

B REGULAR

Field: DEVELMENTAL MEAS DENOM DEFS (90558.0185,.01)
 1)= S ^BGPINDG(DA(1),85,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPINDG(DA(1),85,"B",SE(X,1,30),DA)

Subfile #90558.018512

Traditional Cross-References:

B REGULAR

Field: REPORT SUBTYPE (90558.018512,.01)
 1)= S ^BGPINDG(DA(2),85,DA(1),12,"B",SE(X,1,30),DA)=" "


```

                2)= K ^BGPINDG(DA(2),85,DA(1),12,"B", $E(X,1,30),DA)
Subfile #90558.0186
Traditional Cross-References:
B    REGULAR
      Field:  DEVELOPMENTAL MEAS NUMER DEFS  (90558.0186,.01)
            1)= S ^BGPINDG(DA(1),86,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPINDG(DA(1),86,"B", $E(X,1,30),DA)
Subfile #90558.018612
Traditional Cross-References:
B    REGULAR
      Field:  REPORT SUBTYPES  (90558.018612,.01)
            1)= S ^BGPINDG(DA(2),86,DA(1),12,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPINDG(DA(2),86,DA(1),12,"B", $E(X,1,30),DA)
Subfile #90558.0187
Traditional Cross-References:
B    REGULAR
INDEX AND CROSS-REFERENCE LIST -- FILE #90558.01                08/23/16    PAGE 6
-----
      Field:  DM DENOM DEFS  (90558.0187,.01)
            1)= S ^BGPINDG(DA(1),87,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPINDG(DA(1),87,"B", $E(X,1,30),DA)
Subfile #90558.0188
Traditional Cross-References:
B    REGULAR
      Field:  DM NUMER DEFS  (90558.0188,.01)
            1)= S ^BGPINDG(DA(1),88,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPINDG(DA(1),88,"B", $E(X,1,30),DA)
Subfile #90558.0189
Traditional Cross-References:
B    REGULAR
      Field:  CVD DENOM DEFS  (90558.0189,.01)
            1)= S ^BGPINDG(DA(1),89,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPINDG(DA(1),89,"B", $E(X,1,30),DA)
Subfile #90558.0191
Traditional Cross-References:
B    REGULAR
      Field:  CVD NUM DEFS  (90558.0191,.01)
            1)= S ^BGPINDG(DA(1),91,"B", $E(X,1,30),DA)=" "
            2)= K ^BGPINDG(DA(1),91,"B", $E(X,1,30),DA)
Subfile #90558.0192
Traditional Cross-References:

```


Subfile #90558.0199

Traditional Cross-References:

B REGULAR

Field: ASTHMA NUM DEFS (90558.0199,.01)
 1)= S ^BGPINDG(DA(1),99,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDG(DA(1),99,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.02 08/23/16 PAGE 1

File #90558.02

Traditional Cross-References:

AAST REGULAR

Field: ASTHMA REPORT? (90558.02,.23)
 1)= S ^BGPINDGC("AAST", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDGC("AAST", \$E(X,1,30),DA)

AB MUMPS

Field: ORDER (90558.02,1204)
 1)= S ^BGPINDGC("AB", \$P(X,".",1,2),X,DA)=" "
 2)= K ^BGPINDGC("AB", \$P(X,".",1,2),X,DA)

ABC MUMPS

Field: ORDER (90558.02,1204)
 1)= S ^BGPINDGC("ABC", \$P(X,".",1,2), \$TR(X,".",""),DA)=" "
 2)= K ^BGPINDGC("ABC", \$P(X,".",1,2), \$TR(X,".",""),DA)

ACARD REGULAR

Field: CARDIO INDICATOR? (90558.02,.13)
 1)= S ^BGPINDGC("ACARD", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDGC("ACARD", \$E(X,1,30),DA)

ADASH REGULAR

Field: DASHBOARD ORDER (90558.02,1417)
 1)= S ^BGPINDGC("ADASH", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDGC("ADASH", \$E(X,1,30),DA)

ADM REGULAR

Field: DM INDICATOR? (90558.02,.12)
 1)= S ^BGPINDGC("ADM", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDGC("ADM", \$E(X,1,30),DA)

AEL REGULAR

Field: ELDER RELATED (90558.02,1203)
 1)= S ^BGPINDGC("AEL", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDGC("AEL", \$E(X,1,30),DA)

AGPRA REGULAR

Field: NATIONAL/PART (90558.02,.05)
 1)= S ^BGPINDGC("AGPRA", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDGC("AGPRA", \$E(X,1,30),DA)

AIPC REGULAR

Field: IPC REPORT? (90558.02,1101)
 1)= S ^BGPINDGC("AIPC", \$E(X,1,30),DA)=" "
 2)= K ^BGPINDGC("AIPC", \$E(X,1,30),DA)

```

APQA    REGULAR
        Field:  PQA    (90558.02,1102)
INDEX AND CROSS-REFERENCE LIST -- FILE #90558.02          08/23/16    PAGE 2
-----

```

```

1)= S ^BGPINDGC("APQA", $E(X,1,30),DA)=" "
2)= K ^BGPINDGC("APQA", $E(X,1,30),DA)

```

```

AWH    REGULAR
        Field:  WOMEN'S HEALTH (90558.02,1202)
1)= S ^BGPINDGC("AWH", $E(X,1,30),DA)=" "
2)= K ^BGPINDGC("AWH", $E(X,1,30),DA)

```

```

B      REGULAR
        Field:  INDICATOR (90558.02,.01)
1)= S ^BGPINDGC("B", $E(X,1,30),DA)=" "
2)= K ^BGPINDGC("B", $E(X,1,30),DA)

```

```

C      REGULAR
        Field:  INDICATOR ID (90558.02,.04)
1)= S ^BGPINDGC("C", $E(X,1,30),DA)=" "
2)= K ^BGPINDGC("C", $E(X,1,30),DA)

```

```

D      REGULAR
        Field:  TITLE FOR SCHEDULING OPTION (90558.02,1209)
1)= S ^BGPINDGC("D", $E(X,1,30),DA)=" "
2)= K ^BGPINDGC("D", $E(X,1,30),DA)

```

```

OR     REGULAR
        Field:  ORDER (90558.02,1204)
1)= S ^BGPINDGC("OR", $E(X,1,30),DA)=" "
2)= K ^BGPINDGC("OR", $E(X,1,30),DA)

```

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.03          08/23/16    PAGE 1
-----

```

File #90558.03

Traditional Cross-References:

```

B      REGULAR
        Field:  BEGINNING DATE (90558.03,.01)
1)= S ^BGPDPDCG("B", $E(X,1,30),DA)=" "
2)= K ^BGPDPDCG("B", $E(X,1,30),DA)

```

Subfile #90558.031111

Traditional Cross-References:

```

B      REGULAR
        Field:  MFI LOCATIONS (90558.031111,.01)
1)= S ^BGPDPDCG(DA(1),1111,"B", $E(X,1,30),DA)=" "
2)= K ^BGPDPDCG(DA(1),1111,"B", $E(X,1,30),DA)

```

Subfile #90558.12999

Traditional Cross-References:

```

B      REGULAR
        Field:  COMMUNITIES (90558.12999,.01)
1)= S ^BGPDPDCG(DA(1),9999,"B", $E(X,1,30),DA)=" "

```

2)= K ^BGPDPDCG(DA(1),9999,"B",SE(X,1,30),DA)

Subfile #90558.129999

Traditional Cross-References:

B REGULAR

Field: PATIENTS EISS (90558.129999,.01)
 1)= S ^BGPDPDCG(DA(1),99999,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPDPDCG(DA(1),99999,"B",SE(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.04 08/23/16 PAGE 1

File #90558.04

Traditional Cross-References:

B REGULAR

Field: BEGINNING DATE (90558.04,.01)
 1)= S ^BGPDPDPG("B",SE(X,1,30),DA)=" "
 2)= K ^BGPDPDPG("B",SE(X,1,30),DA)

Subfile #90558.041111

Traditional Cross-References:

B REGULAR

Field: MFI LOCATIONS (90558.041111,.01)
 1)= S ^BGPDPDPG(DA(1),1111,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPDPDPG(DA(1),1111,"B",SE(X,1,30),DA)

Subfile #90558.13999

Traditional Cross-References:

B REGULAR

Field: COMMUNITIES (90558.13999,.01)
 1)= S ^BGPDPDPG(DA(1),9999,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPDPDPG(DA(1),9999,"B",SE(X,1,30),DA)

Subfile #90558.139999

Traditional Cross-References:

B REGULAR

Field: PATIENTS EISS (90558.139999,.01)
 1)= S ^BGPDPDPG(DA(1),99999,"B",SE(X,1,30),DA)=" "
 2)= K ^BGPDPDPG(DA(1),99999,"B",SE(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.05 08/23/16 PAGE 1

File #90558.05

Traditional Cross-References:

B REGULAR

Field: BEGINNING DATE (90558.05,.01)
 1)= S ^BGPDPDBG("B",SE(X,1,30),DA)=" "
 2)= K ^BGPDPDBG("B",SE(X,1,30),DA)

Subfile #90558.051111

Traditional Cross-References:

B REGULAR

Field: MFI LOCATIONS (90558.051111,.01)
 1)= S ^BGPDPDBG(DA(1),1111,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPDPDBG(DA(1),1111,"B", \$E(X,1,30),DA)

Subfile #90558.14999

Traditional Cross-References:

B REGULAR

Field: COMMUNITIES (90558.14999,.01)
 1)= S ^BGPDPDBG(DA(1),9999,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPDPDBG(DA(1),9999,"B", \$E(X,1,30),DA)

Subfile #90558.149999

Traditional Cross-References:

B REGULAR

Field: PATIENTS EISS (90558.149999,.01)
 1)= S ^BGPDPDBG(DA(1),99999,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPDPDBG(DA(1),99999,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.06 08/23/16 PAGE 1

File #90558.06

Traditional Cross-References:

AN MUMPS

Field: ORDER ON NATIONAL (90558.06,.05)
 1)= S ^BGNPLG("AN",+^BGNPLG(DA,0),X,DA)=" "
 2)= K ^BGNPLG("AN",+^BGNPLG(DA,0),X,DA)

AON MUMPS

Field: ORDER ON OTHER NATIONAL (90558.06,.06)
 1)= S ^BGNPLG("AON",+^BGNPLG(DA,0),X,DA)=" "
 2)= K ^BGNPLG("AON",+^BGNPLG(DA,0),X,DA)

AR MUMPS

Field: NATIONAL/OTHER NATIONAL (90558.06,.04)
 1)= S ^BGNPLG("AR",+^BGNPLG(DA,0),X,DA)=" "
 2)= K ^BGNPLG("AR",+^BGNPLG(DA,0),X,DA)

B REGULAR

Field: POINTER (90558.06,.01)
 1)= S ^BGNPLG("B", \$E(X,1,30),DA)=" "
 2)= K ^BGNPLG("B", \$E(X,1,30),DA)

C REGULAR

Field: INDIVIDUAL INDICATOR ID (90558.06,.02)
 1)= S ^BGNPLG("C", \$E(X,1,30),DA)=" "
 2)= K ^BGNPLG("C", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.07 08/23/16 PAGE 1

 File #90558.07

Traditional Cross-References:

B REGULAR
 Field: SUBSET NAME (90558.07,.01)
 1)= S ^BGPSNOSG("B", \$E(X,1,30),DA)=" "
 2)= K ^BGPSNOSG("B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.08 08/23/16 PAGE 1

File #90558.08

Traditional Cross-References:

B REGULAR
 Field: TAXONOMY NAME (90558.08,.01)
 1)= S ^BGPTAXG("B", \$E(X,1,30),DA)=" "
 2)= K ^BGPTAXG("B", \$E(X,1,30),DA)

Subfile #90558.0812

Traditional Cross-References:

B REGULAR
 Field: REPORTS (90558.0812,.01)
 1)= S ^BGPTAXG(DA(1),12,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPTAXG(DA(1),12,"B", \$E(X,1,30),DA)

Subfile #90558.0813

Traditional Cross-References:

B REGULAR
 Field: MEASURES USED WITH (90558.0813,.01)
 1)= S ^BGPTAXG(DA(1),13,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPTAXG(DA(1),13,"B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.1 08/23/16 PAGE 1

File #90558.1

Traditional Cross-References:

B REGULAR
 Field: GROUP NAME (90558.1,.01)
 1)= S ^BGPMGRPG("B", \$E(X,1,30),DA)=" "
 2)= K ^BGPMGRPG("B", \$E(X,1,30),DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.12 08/23/16 PAGE 1

File #90558.12

Traditional Cross-References:

B REGULAR

```

Field: BEGINNING DATE (90558.12,.01)
      1)= S ^BGPPEDCG("B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDCG("B",$(X,1,30),DA)

Subfile #90558.12111

Traditional Cross-References:

B    REGULAR
      Field: MFI COMMUNITIES (90558.12111,.01)
      1)= S ^BGPPEDCG(DA(1),1111,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDCG(DA(1),1111,"B",$(X,1,30),DA)

Subfile #90558.1212

Traditional Cross-References:

B    REGULAR
      Field: 2.1 RATE (90558.1212,.01)
      1)= S ^BGPPEDCG(DA(1),12,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDCG(DA(1),12,"B",$(X,1,30),DA)

Subfile #90558.1213

Traditional Cross-References:

B    REGULAR
      Field: TOP 25 DXS (90558.1213,.01)
      1)= S ^BGPPEDCG(DA(1),13,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDCG(DA(1),13,"B",$(X,1,30),DA)

Subfile #90558.1214

Traditional Cross-References:

B    REGULAR
      Field: 4.1.1 (90558.1214,.01)
      1)= S ^BGPPEDCG(DA(1),14,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDCG(DA(1),14,"B",$(X,1,30),DA)

Subfile #90558.1215

Traditional Cross-References:

B    REGULAR
      Field: 5.1.1 (90558.1215,.01)
INDEX AND CROSS-REFERENCE LIST -- FILE #90558.12                08/23/16    PAGE 2
-----
      1)= S ^BGPPEDCG(DA(1),15,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDCG(DA(1),15,"B",$(X,1,30),DA)

Subfile #90558.1216

Traditional Cross-References:

B    REGULAR
      Field: 7.2.1 (90558.1216,.01)
      1)= S ^BGPPEDCG(DA(1),16,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDCG(DA(1),16,"B",$(X,1,30),DA)

Subfile #90558.1217

```


Traditional Cross-References:

B REGULAR

Field: MFI COMMUNITIES (90558.13111,.01)
 1)= S ^BGPPEDPG(DA(1),1111,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPPEDPG(DA(1),1111,"B", \$E(X,1,30),DA)

Subfile #90558.1312

Traditional Cross-References:

B REGULAR

Field: 2.1 RATE (90558.1312,.01)
 1)= S ^BGPPEDPG(DA(1),12,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPPEDPG(DA(1),12,"B", \$E(X,1,30),DA)

Subfile #90558.1313

Traditional Cross-References:

B REGULAR

Field: TOP 25 DXS (90558.1313,.01)
 1)= S ^BGPPEDPG(DA(1),13,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPPEDPG(DA(1),13,"B", \$E(X,1,30),DA)

Subfile #90558.1314

Traditional Cross-References:

B REGULAR

Field: 4.1.1 (90558.1314,.01)
 1)= S ^BGPPEDPG(DA(1),14,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPPEDPG(DA(1),14,"B", \$E(X,1,30),DA)

Subfile #90558.1315

Traditional Cross-References:

B REGULAR

Field: 5.1.1 (90558.1315,.01)

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.13

08/23/16

PAGE 2

 1)= S ^BGPPEDPG(DA(1),15,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPPEDPG(DA(1),15,"B", \$E(X,1,30),DA)

Subfile #90558.1316

Traditional Cross-References:

B REGULAR

Field: 7.2.1 (90558.1316,.01)
 1)= S ^BGPPEDPG(DA(1),16,"B", \$E(X,1,30),DA)=" "
 2)= K ^BGPPEDPG(DA(1),16,"B", \$E(X,1,30),DA)

Subfile #90558.1317

Traditional Cross-References:

B REGULAR

Field: 7.1.2 GOAL NOT SET (90558.1317,.01)
 1)= S ^BGPPEDPG(DA(1),17,"B", \$E(X,1,30),DA)=" "

```
2)= K ^BGPPEDPG(DA(1),17,"B",$(X,1,30),DA)
```

Subfile #90558.1318

Traditional Cross-References:

B REGULAR

```
Field: GOAL MET (90558.1318,.01)
1)= S ^BGPPEDPG(DA(1),18,"B",$(X,1,30),DA)=" "
2)= K ^BGPPEDPG(DA(1),18,"B",$(X,1,30),DA)
```

Subfile #90558.1319

Traditional Cross-References:

B REGULAR

```
Field: GOAL MAINTAINED (90558.1319,.01)
1)= S ^BGPPEDPG(DA(1),19,"B",$(X,1,30),DA)=" "
2)= K ^BGPPEDPG(DA(1),19,"B",$(X,1,30),DA)
```

Subfile #90558.1321

Traditional Cross-References:

B REGULAR

```
Field: GOAL NOT MET (90558.1321,.01)
1)= S ^BGPPEDPG(DA(1),21,"B",$(X,1,30),DA)=" "
2)= K ^BGPPEDPG(DA(1),21,"B",$(X,1,30),DA)
```

Subfile #90558.139

```
INDEX AND CROSS-REFERENCE LIST -- FILE #90558.13                08/23/16    PAGE 3
```

Traditional Cross-References:

B REGULAR

```
Field: COMMUNITIES (90558.139,.01)
1)= S ^BGPPEDPG(DA(1),9999,"B",$(X,1,30),DA)=" "
2)= K ^BGPPEDPG(DA(1),9999,"B",$(X,1,30),DA)
```

```
INDEX AND CROSS-REFERENCE LIST -- FILE #90558.14                08/23/16    PAGE 1
```

File #90558.14

Traditional Cross-References:

B REGULAR

```
Field: BEGINNING DATE (90558.14,.01)
1)= S ^BGPPEDBG("B",$(X,1,30),DA)=" "
2)= K ^BGPPEDBG("B",$(X,1,30),DA)
```

Subfile #90558.14111

Traditional Cross-References:

B REGULAR

```
Field: MFI COMMUNITIES (90558.14111,.01)
1)= S ^BGPPEDBG(DA(1),1111,"B",$(X,1,30),DA)=" "
2)= K ^BGPPEDBG(DA(1),1111,"B",$(X,1,30),DA)
```

Subfile #90558.1412

Traditional Cross-References:

B REGULAR

Field: 2.1 RATE (90558.1412,.01)

- 1)= S ^BGPPEDBG(DA(1),12,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPPEDBG(DA(1),12,"B",\$(X,1,30),DA)

Subfile #90558.1413

Traditional Cross-References:

B REGULAR

Field: TOP 25 DXS (90558.1413,.01)

- 1)= S ^BGPPEDBG(DA(1),13,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPPEDBG(DA(1),13,"B",\$(X,1,30),DA)

Subfile #90558.1414

Traditional Cross-References:

B REGULAR

Field: 4.1.1 (90558.1414,.01)

- 1)= S ^BGPPEDBG(DA(1),14,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPPEDBG(DA(1),14,"B",\$(X,1,30),DA)

Subfile #90558.1415

Traditional Cross-References:

B REGULAR

Field: 5.1.1 (90558.1415,.01)

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.14

08/23/16

PAGE 2

- 1)= S ^BGPPEDBG(DA(1),15,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPPEDBG(DA(1),15,"B",\$(X,1,30),DA)

Subfile #90558.1416

Traditional Cross-References:

B REGULAR

Field: 7.2.1 (90558.1416,.01)

- 1)= S ^BGPPEDBG(DA(1),16,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPPEDBG(DA(1),16,"B",\$(X,1,30),DA)

Subfile #90558.1417

Traditional Cross-References:

B REGULAR

Field: 7.1.2 GOAL NOT SET (90558.1417,.01)

- 1)= S ^BGPPEDBG(DA(1),17,"B",\$(X,1,30),DA)=" "
 2)= K ^BGPPEDBG(DA(1),17,"B",\$(X,1,30),DA)

Subfile #90558.1418

Traditional Cross-References:

B REGULAR

```

Field: GOAL MET (90558.1418,.01)
      1)= S ^BGPPEDBG(DA(1),18,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDBG(DA(1),18,"B",$(X,1,30),DA)

```

Subfile #90558.1419

Traditional Cross-References:

```

B    REGULAR
      Field: GOAL MAINTAINED (90558.1419,.01)
      1)= S ^BGPPEDBG(DA(1),19,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDBG(DA(1),19,"B",$(X,1,30),DA)

```

Subfile #90558.1421

Traditional Cross-References:

```

B    REGULAR
      Field: GOAL NOT MET (90558.1421,.01)
      1)= S ^BGPPEDBG(DA(1),21,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDBG(DA(1),21,"B",$(X,1,30),DA)

```

Subfile #90558.149

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.14 08/23/16 PAGE 3

Traditional Cross-References:

```

B    REGULAR
      Field: COMMUNITIES (90558.149,.01)
      1)= S ^BGPPEDBG(DA(1),9999,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEDBG(DA(1),9999,"B",$(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.15 08/23/16 PAGE 1

File #90558.15

Traditional Cross-References:

```

AO   REGULAR
      Field: ORDER TO DISPLAY (90558.15,.03)
      1)= S ^BGPPEIG("AO",$(X,1,30),DA)=" "
      2)= K ^BGPPEIG("AO",$(X,1,30),DA)

```

```

B    REGULAR
      Field: MEASURE NUMBER (90558.15,.01)
      1)= S ^BGPPEIG("B",$(X,1,30),DA)=" "
      2)= K ^BGPPEIG("B",$(X,1,30),DA)

```

Subfile #90558.1514

Traditional Cross-References:

```

B    REGULAR
      Field: TAXONOMIES USED (90558.1514,.01)
      1)= S ^BGPPEIG(DA(1),14,"B",$(X,1,30),DA)=" "
      2)= K ^BGPPEIG(DA(1),14,"B",$(X,1,30),DA)

```

```

TRIGGER
      Field: TAXONOMY PTR (PROGRAMMER USE) (90558.1514,.02)

```

```

Triggered Field: TAXONOMY NAME (90558.1514,.03)
1)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)
=$S($D(^BGPPEIG(D0,14,D1,0)):^(0),1:"") S X=$P(Y(1),U,3),X=
X S DIU=X K Y X ^DD(90558.1514,.02,1,1,1.1) X ^DD(90558.151
4,.02,1,1,1.4)
1.1)= S X=DIV S I(1,0)=$G(D1),I(0,0)=$G(D0),D0=DIV S:'D0! '$
D(^ATXAX(+D0,0)) D0=-1 S Y(101)=$S($D(^ATXAX(D0,0)):^(0),1:
"") S X=$P(Y(101),U,1) S D0=I(0,0) S D1=I(1,0)
1.4)= S DIH=$G(^BGPPEIG(DIV(0),14,DIV(1),0)),DIV=X S $P(^(0
),U,3)=DIV,DIH=90558.1514,DIG=.03 D ^DICR
2)= K DIV S DIV=X,D0=DA(1),DIV(0)=D0,D1=DA,DIV(1)=D1 S Y(1)
=$S($D(^BGPPEIG(D0,14,D1,0)):^(0),1:"") S X=$P(Y(1),U,3),X=
X S DIU=X K Y X ^DD(90558.1514,.02,1,1,2.1) X ^DD(90558.151
4,.02,1,1,2.4)
2.1)= S X=DIV X ^DD(90558.1514,.02,1,1,59.2) S X=$P(Y(101),
U,1) S D0=I(0,0) S D1=I(1,0)
2.4)= S DIH=$G(^BGPPEIG(DIV(0),14,DIV(1),0)),DIV=X S $P(^(0
),U,3)=DIV,DIH=90558.1514,DIG=.03 D ^DICR
59.2)= S I(1,0)=$G(D1),I(0,0)=$G(D0),Y(1)=$S($D(^BGPPEIG(D0
,14,D1,0)):^(0),1:""),D0=$P(Y(1),U,2) S:'D0! '$D(^ATXAX(+D0,
0)) D0=-1 S Y(101)=$S($D(^ATXAX(D0,0)):^(0),1:"")
CREATE VALUE)= #.02:#.01
DELETE VALUE)= #.02:#.01
FIELD)= #.03

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.15 08/23/16 PAGE 2

Subfile #90558.1561

Traditional Cross-References:

B REGULAR

```

Field: DENOMINATOR DEFINITIONS (90558.1561,.01)
1)= S ^BGPPEIG(DA(1),61,"B", $E(X,1,30),DA)=" "
2)= K ^BGPPEIG(DA(1),61,"B", $E(X,1,30),DA)

```

Subfile #90558.1562

Traditional Cross-References:

B REGULAR

```

Field: NUMERATOR (90558.1562,.01)
1)= S ^BGPPEIG(DA(1),62,"B", $E(X,1,30),DA)=" "
2)= K ^BGPPEIG(DA(1),62,"B", $E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.17 08/23/16 PAGE 1

File #90558.17

Traditional Cross-References:

B REGULAR

```

Field: GROUP (90558.17,.01)
1)= S ^BGPICAGG("B", $E(X,1,30),DA)=" "
2)= K ^BGPICAGG("B", $E(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.18 08/23/16 PAGE 1

File #90558.18

Traditional Cross-References:

```
B      REGULAR
      Field:  CATEGORY  (90558.18,.01)
              1)= S ^BGPICACG("B", $E(X,1,30),DA)=" "
              2)= K ^BGPICACG("B", $E(X,1,30),DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.19 08/23/16 PAGE 1

File #90558.19

Traditional Cross-References:

```
AC      REGULAR
      Field:  START TIME  (90558.19,.03)
              1)= S ^BGPGUIG("AC", $E(X,1,30),DA)=" "
              2)= K ^BGPGUIG("AC", $E(X,1,30),DA)
```

```
AUSR    MUMPS
      Field:  START TIME  (90558.19,.03)
              1)= S ^BGPGUIG("AUSR", $S($P($G(^BGPGUIG(DA,0)), "^", 2):$P(^B
                GPGUIG(DA,0), "^", 2), 1:1), (9999999.9999-X), DA)=" "
              2)= K ^BGPGUIG("AUSR", $S($P($G(^BGPGUIG(DA,0)), "^", 2):$P(^B
                GPGUIG(DA,0), "^", 2), 1:1), (9999999.9999-X), DA)
```

```
B      REGULAR
      Field:  NAME  (90558.19,.01)
              1)= S ^BGPGUIG("B", $E(X,1,30),DA)=" "
              2)= K ^BGPGUIG("B", $E(X,1,30),DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90558.21 08/23/16 PAGE 1

File #90558.21

Traditional Cross-References:

```
B      REGULAR
      Field:  NAME OF LIST  (90558.21,.01)
              1)= S ^BGPSNOMG("B", $E(X,1,30),DA)=" "
              2)= K ^BGPSNOMG("B", $E(X,1,30),DA)
```

Subfile #90558.2111

Traditional Cross-References:

```
B      REGULAR
      Field:  SNOMED CODE  (90558.2111,.01)
              1)= S ^BGPSNOMG(DA(1), 11, "B", $E(X,1,30),DA)=" "
              2)= K ^BGPSNOMG(DA(1), 11, "B", $E(X,1,30),DA)
```

INDEX AND CROSS-REFERENCE LIST -- FILE #90559.02 08/23/16 PAGE 1

File #90559.02

Traditional Cross-References:

```
AB      MUMPS
```

```

      Field:  ORDER   (90559.02,1204)
             1)= S ^BGPELIIG("AB", $P(X, ".", 1, 2), X, DA)=""
             2)= K ^BGPELIIG("AB", $P(X, ".", 1, 2), X, DA)

ABC    MUMPS
      Field:  ORDER   (90559.02,1204)
             1)= S ^BGPELIIG("ABC", $P(X, ".", 1, 2), $TR(X, ".", ""), DA)=""
             2)= K ^BGPELIIG("ABC", $P(X, ".", 1, 2), $TR(X, ".", ""), DA)

AE     MUMPS
      Field:  ORDER   (90559.02,1204)
             1)= S ^BGPELIIG("AE", $P(X, "."), $P(X, ".", 2), $P(X, ".", 3), DA)=
             ""
             2)= Q

AP     MUMPS
      Field:  ORDER   (90559.02,1204)
             1)= S ^BGPELIIG("AP", $P(X, ".", 1, 2), DA)=""
             2)= K ^BGPELIIG("AP", $P(X, ".", 1, 2), DA)

B      REGULAR
      Field:  INDICATOR (90559.02,.01)
             1)= S ^BGPELIIG("B", $E(X, 1, 30), DA)=""
             2)= K ^BGPELIIG("B", $E(X, 1, 30), DA)

C      REGULAR
      Field:  INDICATOR ID (90559.02,.04)
             1)= S ^BGPELIIG("C", $E(X, 1, 30), DA)=""
             2)= K ^BGPELIIG("C", $E(X, 1, 30), DA)

OR     REGULAR
      Field:  ORDER   (90559.02,1204)
             1)= S ^BGPELIIG("OR", $E(X, 1, 30), DA)=""
             2)= K ^BGPELIIG("OR", $E(X, 1, 30), DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90559.03 08/23/16 PAGE 1

File #90559.03

Traditional Cross-References:

```

B      REGULAR
      Field:  BEGINNING DATE (90559.03,.01)
             1)= S ^BGPEDLCG("B", $E(X, 1, 30), DA)=""
             2)= K ^BGPEDLCG("B", $E(X, 1, 30), DA)

```

Subfile #90559.031111

Traditional Cross-References:

```

B      REGULAR
      Field:  MFI LOCATIONS (90559.031111,.01)
             1)= S ^BGPEDLCG(DA(1), 1111, "B", $E(X, 1, 30), DA)=""
             2)= K ^BGPEDLCG(DA(1), 1111, "B", $E(X, 1, 30), DA)

```

Subfile #90559.12999

Traditional Cross-References:

```

B      REGULAR

```



```

Field: COMMUNITIES (90559.12999,.01)
      1)= S ^BGPEDLCG(DA(1),9999,"B",$(X,1,30),DA)=" "
      2)= K ^BGPEDLCG(DA(1),9999,"B",$(X,1,30),DA)

```

Subfile #90559.129999

Traditional Cross-References:

```

B    REGULAR
      Field: PATIENTS EISS (90559.129999,.01)
      1)= S ^BGPEDLCG(DA(1),99999,"B",$(X,1,30),DA)=" "
      2)= K ^BGPEDLCG(DA(1),99999,"B",$(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90559.04 08/23/16 PAGE 1

File #90559.04

Traditional Cross-References:

```

B    REGULAR
      Field: BEGINNING DATE (90559.04,.01)
      1)= S ^BGPEDLPG("B",$(X,1,30),DA)=" "
      2)= K ^BGPEDLPG("B",$(X,1,30),DA)

```

Subfile #90559.041111

Traditional Cross-References:

```

B    REGULAR
      Field: MFI LOCATIONS (90559.041111,.01)
      1)= S ^BGPEDLPG(DA(1),1111,"B",$(X,1,30),DA)=" "
      2)= K ^BGPEDLPG(DA(1),1111,"B",$(X,1,30),DA)

```

Subfile #90559.13999

Traditional Cross-References:

```

B    REGULAR
      Field: COMMUNITIES (90559.13999,.01)
      1)= S ^BGPEDLPG(DA(1),9999,"B",$(X,1,30),DA)=" "
      2)= K ^BGPEDLPG(DA(1),9999,"B",$(X,1,30),DA)

```

Subfile #90559.139999

Traditional Cross-References:

```

B    REGULAR
      Field: PATIENTS EISS (90559.139999,.01)
      1)= S ^BGPEDLPG(DA(1),99999,"B",$(X,1,30),DA)=" "
      2)= K ^BGPEDLPG(DA(1),99999,"B",$(X,1,30),DA)

```

INDEX AND CROSS-REFERENCE LIST -- FILE #90559.05 08/23/16 PAGE 1

File #90559.05

Traditional Cross-References:

```

B    REGULAR
      Field: BEGINNING DATE (90559.05,.01)

```

```

1)= S ^BGPEDLBG("B", $E(X,1,30), DA)=""
2)= K ^BGPEDLBG("B", $E(X,1,30), DA)

Subfile #90559.051111

Traditional Cross-References:

B    REGULAR
      Field:  MFI LOCATIONS (90559.051111,.01)
1)= S ^BGPEDLBG(DA(1),1111,"B", $E(X,1,30), DA)=""
2)= K ^BGPEDLBG(DA(1),1111,"B", $E(X,1,30), DA)

Subfile #90559.14999

Traditional Cross-References:

B    REGULAR
      Field:  COMMUNITIES (90559.14999,.01)
1)= S ^BGPEDLBG(DA(1),9999,"B", $E(X,1,30), DA)=""
2)= K ^BGPEDLBG(DA(1),9999,"B", $E(X,1,30), DA)

Subfile #90559.149999

Traditional Cross-References:

B    REGULAR
      Field:  PATIENTS EISS (90559.149999,.01)
1)= S ^BGPEDLBG(DA(1),99999,"B", $E(X,1,30), DA)=""
2)= K ^BGPEDLBG(DA(1),99999,"B", $E(X,1,30), DA)

INDEX AND CROSS-REFERENCE LIST -- FILE #90559.06                08/23/16    PAGE 1
-----

File #90559.06

Traditional Cross-References:

AO   REGULAR
      Field:  ORDER ON SELECTION/REPORT (90559.06,.02)
1)= S ^BGPPELIG("AO", $E(X,1,30), DA)=""
2)= K ^BGPPELIG("AO", $E(X,1,30), DA)

B    REGULAR
      Field:  INDICATOR NUMBER (90559.06,.01)
1)= S ^BGPPELIG("B", $E(X,1,30), DA)=""
2)= K ^BGPPELIG("B", $E(X,1,30), DA)

C    REGULAR
      Field:  TITLE (90559.06,.03)
1)= S ^BGPPELIG("C", $E(X,1,30), DA)=""
2)= K ^BGPPELIG("C", $E(X,1,30), DA)

D    MUMPS
      Field:  TITLE (90559.06,.03)
1)= S ^BGPPELIG("D", $$SUP^XLFSTR(X), DA)=""
2)= K ^BGPPELIG("D", $$SUP^XLFSTR(X), DA)

PUID REGULAR
      Field:  PUID (90559.06,1201)
1)= S ^BGPPELIG("PUID", $E(X,1,30), DA)=""
2)= K ^BGPPELIG("PUID", $E(X,1,30), DA)

```

```

Subfile #90559.0661

Traditional Cross-References:

B   REGULAR
      Field:  DENOMINATOR DEFINITIONS  (90559.0661,.01)
           1)= S ^BGPELIG(DA(1),61,"B",$(X,1,30),DA)=" "
           2)= K ^BGPELIG(DA(1),61,"B",$(X,1,30),DA)

Subfile #90559.0662

Traditional Cross-References:

B   REGULAR
      Field:  NUMERATOR DEFINITIONS  (90559.0662,.01)
           1)= S ^BGPELIG(DA(1),62,"B",$(X,1,30),DA)=" "
           2)= K ^BGPELIG(DA(1),62,"B",$(X,1,30),DA) Traditional Cross-

```

Figure 4-1: Index and Cross Reference List

4.4 Table File

The following six files have over 1,000 fields per file. These files are used to hold calculated data values for the GPR reports. To conserve space in this document, the table files are not listed here. To generate a listing, use the ^XBFLD or FM data dictionary listing utility to list the data dictionary in detail.

FILE: 90558.03 BGP 17 DATA CURRENT
GLOBAL: ^BGPDPDCG(

FILE: 90558.04 BGP 17 DATA PREVIOUS
GLOBAL: ^BGPDPDPG(

FILE: 90558.05 BGP 17 DATA BASELINE
GLOBAL: ^BGPHEDBG(

FILE: 90559.03 BGP 17 ELDER DATA CURRENT
GLOBAL: ^BGPELDCG(

FILE: 90559.04 BGP 17 ELDER DATA PREVIOUS
GLOBAL: ^BGPELDPG(

FILE: 90559.05 BGP 17 ELDER DATA BASELINE
GLOBAL: ^BGPELDBG(

4.4.1 BGP Control File

GLOBAL: ^BGPCTRL(

FILE #: 90241.01

CONDENSED DATA DICTIONARY---BGP CONTROL FILE FILE (#90241.01)UCI: CMBA,CMBA VE
RSION: 17.0

STORED IN: ^BGPCTRL(08/12/16 PAGE 1

FILE SECURITY
DD SECURITY : @ DELETE SECURITY: @
READ SECURITY : @ LAYGO SECURITY : @
WRITE SECURITY : @

CROSS REFERENCED BY:
FY(B) GPRA YEAR(C)

FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	FY (RF), [0;1]
.02	ENDING COLUMN FOR ONM 1 (NJ4,0), [0;2]
.03	ENDING COLUMN FOR ONM2 (NJ4,0), [0;3]
.04	ENDING COLUMN FOR GNT1 (NJ4,0), [0;4]
.05	PROGRAM FOR ICARE TO RUN (F), [0;5]
.06	FILE FOR MEASURES (P1'), [0;6]
.07	FILE # FOR INDIVIDUAL INDS (P1'), [0;7]
.08	BEGINNING DATE FOR GPRA YEAR (D), [0;8]
.09	ENDING DATE FOR GPRA YEAR (D), [0;9]
.1	BEG DATE FOR PREVIOUS YEAR (D), [0;10]
.11	ENDING DATE FOR PREVIOUS YEAR (D), [0;11]
.12	BEG DATE FOR BASELINE YEAR (D), [0;12]
.13	ENDING DATE FOR BASELINE YR (D), [0;13]
.14	GPRA YEAR (D), [0;14]
.15	VERSION (F), [0;15]
.16	ENDING COLUMN FOR GNT2 (NJ3,0), [0;16]
.17	CONTRAINdications ROUTINE (F), [0;17]
.18	ALLERGY ROUTINE (F), [0;18]
.19	REFUSAL API ROUTINE (F), [0;19]
.2	ENDING COLUMN FOR EO NT1 (NJ4,0), [0;20]
.21	END COLUMN FOR CRSONMNT3 (NJ4,0), [0;21]
.22	ENDING COLUMN FOR DEVEL1 (NJ3,0), [0;22]
.23	ENDING COLUMN FOR DEVEL2 (NJ3,0), [0;23]
.24	ENDING COLUMN FOR DEVEL3 (NJ4,0), [0;24]
.25	ONMT 4 ENDING COLUMN (NJ4,0), [0;25]
.26	ONMT 5 (NJ4,0), [0;26]
.27	ENDING COLUMN FOR NT3 (NJ3,0), [0;27]
.28	ENDING COLUMN FOR DEV 4 (NJ3,0), [0;28]
.29	ENDING COLUMN FOR GNT4 (NJ3,0), [0;29]
1101	CLINICS FOR CLINICAL USER (Multiple-90241.0111), [11;0]
	.01 CLINIC CODE (MF), [0;1]
	.019 CLINIC NAME (CJ8), [;]
1201	CLINIC CODES FOR 2ND VISIT (Multiple-90241.0112), [12;0]
	.01 CLINIC CODES FOR 2ND VISIT (MF), [0;1]
1300	LOCAL REPORT HEADER PAGE (Multiple-90241.13), [13;0]
	.01 LOCAL REPORT HEADER PAGE (W), [0;1]
1301	BH CLINIC CODES (Multiple-90241.011301), [1301;0]
	.01 BH CLINIC CODES (MF), [0;1]
1400	NATIONAL GPRA COVER PG NONCHS (Multiple-90241.14), [14;0]

1500	.01 GPRA REPORT HEADER PAGE (W), [0;1] AREA REPORT HEADER PAGE (Multiple-90241.15), [15;0] .01 AREA REPORT HEADER PAGE (W), [0;1]
1600	HEDIS REPORT HEADER PAGE (Multiple-90241.16), [16;0] .01 HEDIS REPORT HEADER PAGE (W), [0;1]
1700	COM REPORT HEADER PAGE (Multiple-90241.17), [17;0] .01 COM REPORT HEADER PAGE (W), [0;1]
1800	PP REPORT HEADER PAGE (Multiple-90241.18), [18;0] .01 PP REPORT HEADER PAGE (W), [0;1]
1900	ALL REPORT HEADER PAGE (Multiple-90241.19), [19;0] .01 ALL REPORT HEADER PAGE (W), [0;1]
2100	*CMS REPORT COVER PAGE (Multiple-90241.0321), [21;0] .01 CMS REPORT COVER PAGE (W), [0;1]
2200	ELDER CARE COVER PAGE (Multiple-90241.22), [22;0] .01 ELDER CARE COVER PAGE (W), [0;1]
2300	*NATL GPRA COVER PAGE - CHS (Multiple-90241.23), [23;0] .01 CHS NATIONAL GPRA RPT HEADER (W), [0;1]
2400	*CHS COM REPORT HEADER (Multiple-90241.24), [24;0] .01 CHS COM REPORT HEADER (W), [0;1]
2500	*CHS ALL REPORT HEADER (Multiple-90241.25), [25;0] .01 CHS ALL REPORT HEADER (W), [0;1]
2600	*CHS ELDER REPORT HEADER (Multiple-90241.26), [26;0] .01 CHS ELDER REPORT HEADER (W), [0;1]
2700	*CHS HEDIS REPORT HEADER (Multiple-90241.27), [27;0] .01 CHS HEDIS REPORT HEADER (W), [0;1]
2800	COMP NATL PAT LIST 1ST PAGE (Multiple-90241.0328), [28;0] .01 1ST PAGE COMP LIST (W), [0;1]
2900	*AREA CHS NGR HEADER PAGE (Multiple-90241.29), [29;0] .01 AREA CHS NGR HEADER PAGE (W), [0;1]
3000	BH ALCOHOL PROBLEM CODES (Multiple-90241.013), [30;0] .01 BH ALCOHOL PROBLEM CODES (MF), [0;1]
3100	*AREA GPU A CHS HEADER (Multiple-90241.31), [31;0] .01 AREA CHS HEADER (W), [0;1]
3200	*AREA CHS HEDIS COVER PAGE (Multiple-90241.32), [32;0] .01 AREA HEDIS COVER PAGE (W), [0;1]
3300	*AREA ELDER CHS COVER PAGE (Multiple-90241.33), [33;0] .01 AREA ELDER CHS COVER PAGE (W), [0;1]
3400	PATIENT ED COVER PAGE (Multiple-90241.34), [34;0] .01 PATIENT ED COVER PAGE (W), [0;1]
3500	AREA PAT ED COVER PAG (Multiple-90241.35), [35;0] .01 AREA PAT ED COVER PAG (W), [0;1]
3600	ON 1 HEADERS (Multiple-90241.36), [36;0] .01 PIECE (MNJ5,0X), [0;1] .02 HEADER (F), [0;2]
3700	ON 2 HEADERS (Multiple-90241.37), [37;0] .01 PIECE (MNJ4,0X), [0;1] .02 HEADER (F), [0;2]
3800	GPRA NT1 (Multiple-90241.38), [38;0] .01 PIECE (MNJ4,0X), [0;1] .02 HEADER (F), [0;2]
3900	FORECAST DENOMINATOR DEFS PAGE (Multiple-90241.39), [39;0] .01 SCHEDULING OPTION COVER PAGE (W), [0;1]
4000	GPRA NT2 (Multiple-90241.4), [40;0] .01 PIECE (MNJ4,0), [0;1] .02 LABEL (F), [0;2]
4100	MEASURE (Multiple-90241.41), [41;0] .01 MEASURE (MRNJ3,0), [0;1] 11 DENOM TEXT (Multiple-90241.4111), [11;0] .01 DENOM TEXT (W), [0;1]
4200	*CMS REPORT INTRODUCTION (Multiple-90241.42), [42;0] .01 CMS REPORT INTRODUCTION (W), [0;1]

```

4300 LAB TAXONOMY INTRO TEXT (Multiple-90241.43), [43;0]
      .01 LAB TAXONOMY INTRO TEXT (W), [0;1]
4400 MED TAX INTRO (Multiple-90241.44), [44;0]
      .01 MED TAX INTRO (W), [0;1]
4500 CRSONMNT3 COLUMN HEADERS (Multiple-90241.0145), [45;0]
      .01 CRSONMNT3 COLUMN HEADERS (MNJ4,0), [0;1]
      .02 HEADER TEXT (F), [0;2]
4600 *URBAN GP COVER PAGE (Multiple-90241.46), [46;0]
      .01 URBAN GP COVER PAGE (Wx), [0;1]
4700 *URBAN SUM ONLY GP (Multiple-90241.47), [47;0]
      .01 URBAN SUM ONLY GP (Wx), [0;1]
4800 *URBAN COM COVER PAGE (Multiple-90241.48), [48;0]
      .01 URBAN COM COVER PAGE (Wx), [0;1]
4900 *URBAN ALL COVER PAGE (Multiple-90241.49), [49;0]
      .01 URBAN ALL COVER PAGE (Wx), [0;1]
5000 DEP SCR BH CLINICS (Multiple-90241.015), [50;0]
      .01 DEP SCR BH CLINICS (MF), [0;1]
5100 *URBAN ONM COVER PAGE (Multiple-90241.51), [51;0]
      .01 URBAN ONM COVER PAGE (Wx), [0;1]
5200 *URBAN ELDER COVER PAGE (Multiple-90241.52), [52;0]
      .01 URBAN ELDER COVER PAGE (Wx), [0;1]
5300 XP 2008-2009 INFORMING (Multiple-90241.0153), [53;0]
      .01 XP 2008-2009 INFORMING (W), [0;1]
5400 XP REPORT INFORM (Multiple-90241.54), [54;0]
      .01 XP REPORT INFORM (W), [0;1]
5500 XP MEASURES (Multiple-90241.55), [55;0]
      .01 MEASURE (MP90530.01'), [0;1]
      1101 INDIVIDUAL MEASURES (Multiple-90241.551101), [11;0]
            .01 MEASURE ID (MNJ3,0), [0;1]
            .02 VALUE FOR EXPORT (K), [1;E1,245]
            .03 MEASURE LABEL (F), [0;3]
5600 ONM COVER PAGE (Multiple-90241.56), [56;0]
      .01 ONM COVER PAGE (W), [0;1]
5700 *ONM CHS COVER PAGE (Multiple-90241.57), [57;0]
      .01 ONM CHS COVER PAGE (W), [0;1]
5800 FORECAST REPORT INFORMING (Multiple-90241.58), [58;0]
      .01 FORECAST REPORT INFORMING (W), [0;1]
5900 *EO REPORT COVER PAGE (Multiple-90241.0159), [59;0]
      .01 EO REPORT COVER PAGE (W), [0;1]
6100 PAT ED INFORMING (Multiple-90241.61), [61;0]
      .01 PAT ED INFORMING (W), [0;1]
6200 PATIENT ED TOPICS (Multiple-90241.62), [62;0]
      .01 PATIENT ED TOPICS (F), [0;1]
      .02 DIAGNOSIS (F), [0;2]
      .03 TOPIC (F), [0;3]
6300 PAT ED ICD MAPPINGS (Multiple-90241.63), [63;0]
      .01 DISEASE STATE ABBRV (MF), [0;1]
      .02 DISEASE STATE NAME (F), [0;2]
      .03 TAXONOMY NAME (F), [0;3]
      1100 ICD MAPPING (Multiple-90241.6311), [11;0]
            .01 ICD MAPPING (MF), [0;1]
            .02 LENGTH TO CHECK (NJ1,0), [0;2]
            .03 EXACT LENGTH? (S), [0;3]
6400 *EO REPORT COVER PAGE CHS ONLY (Multiple-90241.0164), [64;0]
      .01 EO REPORT COVER PAGE CHS ONLY (W), [0;1]
6500 *EO REPORT INFORMING (Multiple-90241.0165), [65;0]
      .01 EO REPORT INFORMING (W), [0;1]
6600 *EO AREA REPORT COVER PAGE (Multiple-90241.0166), [66;0]
      .01 EO AREA REPORT COVER PAGE (W), [0;1]
6700 *EO AREA REPORT CHS COVER PAGE (Multiple-90241.0467), [67;0]
      .01 EO AREA REPORT CHS COVER PAGE (W), [0;1]

```

```

6800 *EO NT1 LABELS (Multiple-90241.0168), [68;0]
      .01 EO NT1 LABELS (MNJ4,0), [0;1]
      .02 TEXT (F), [0;2]
6900 FORECAST INFORMING FOR NEXT YR (Multiple-90241.69), [69;0]
      .01 FORECAST INFORMING FOR NEXT YR (W), [0;1]
7100 GPRA RPT SUM ONLY INFORMING (Multiple-90241.71), [71;0]
      .01 GPRA RPT SUM ONLY INFORMING (W), [0;1]
7200 NATL GPRA DES PROV INFORMING (Multiple-90241.72), [72;0]
      .01 NATL GPRA DES PROV INFORMING (W), [0;1]
7300 HW OPTION INFORMING (Multiple-90241.73), [73;0]
      .01 HW OPTION INFORMING (W), [0;1]
7400 PAT ED PP INFORMING (Multiple-90241.74), [74;0]
      .01 PAT ED PP INFORMING (W), [0;1]
7500 PED PP COVER PAGE (Multiple-90241.75), [75;0]
      .01 PED PP COVER PAGE (W), [0;1]
7600 GPRA SUM ONLY COVER PAGE (Multiple-90241.76), [76;0]
      .01 GPRA SUM ONLY COVER PAGE (W), [0;1]
7700 *NATL GPRA SUM CHS COVER (Multiple-90241.77), [77;0]
      .01 NATL GPRA SUM CHS COVER (W), [0;1]
7800 XP9 INFORMING (Multiple-90241.78), [78;0]
      .01 XP9 INFORMING (W), [0;1]
7900 DEVEL 1 (Multiple-90241.79), [79;0]
      .01 DEVEL 1 (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8100 DEVEL 2 (Multiple-90241.81), [81;0]
      .01 DEVEL 2 (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8200 XP 10 INFORMING (Multiple-90241.82), [82;0]
      .01 XP 10 INFORMING (W), [0;1]
8300 GPU W/PP COVER PAGE (Multiple-90241.83), [83;0]
      .01 GPU W/PP COVER PAGE (W), [0;1]
8400 XP INFORMING FOR 2011 (Multiple-90241.84), [84;0]
      .01 XP INFORMING FOR 2011 (Wx), [0;1]
8500 DEVEL 3 (Multiple-90241.85), [85;0]
      .01 DEVEL 3 (NJ4,0), [0;1]
      .02 TEXT (F), [0;2]
8501 DEV 4 HEADERS (Multiple-90241.18501), [851;0]
      .01 DEV 4 HEADERS (MNJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8600 ONMT 4 HEADERS (Multiple-90241.86), [86;0]
      .01 ONMT 4 HEADERS (NJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8700 ONMT5 HEADERS (Multiple-90241.87), [87;0]
      .01 ONMT5 HEADERS (NJ3,0), [0;1]
      .02 TEXT (F), [0;2]
8800 DASHBOARD INFORMING (Multiple-90241.88), [88;0]
      .01 DASHBOARD INFORMING (Wx), [0;1]
8900 AREA ELDER TOP (Multiple-90241.89), [89;0]
      .01 AREA ELDER TOP (Wx), [0;1]
9100 DASHBOARD COVER PAGE (Multiple-90241.91), [91;0]
      .01 DASHBOARD COVER PAGE (Wx), [0;1]
9200 *DASHBOARD COVER PAGE CHS (Multiple-90241.92), [92;0]
      .01 DASHBOARD COVER PAGE CHS (Wx), [0;1]
9300 *DASHBOARD INFORMING URBAN (Multiple-90241.93), [93;0]
      .01 DASHBOARD INFORMING URBAN (Wx), [0;1]
9400 AREA DASHBOARD COVER (Multiple-90241.94), [94;0]
      .01 AREA DASHBOARD COVER (Wx), [0;1]
9500 CLINIC CODES FOR BH ACT CL (Multiple-90241.0195), [95;0]
      .01 CLINIC CODES FOR BH ACT CL (MF), [0;1]
9601 AUTO EXPORT UTILITY ROUTINE (F), [96;1]

```

```

9602     AUTO EXPORT RUN ROUTINE (F), [96;2]
9700     GPRA NT3 (Multiple-90241.97), [97;0]
         .01 GPRANT3 (MNJ4,0), [0;1]
         .02 HEADER (F), [0;2]
9701     GPRA NT4 (Multiple-90241.971), [971;0]
         .01 GPRA NT4 (NJ3,0), [0;1]
         .02 TEXT (F), [0;2]
9801     PATCHES BULLETIN TEXT (Multiple-90241.9801), [98;0]
         .01 PATCHES BULLETIN TEXT (MNJ2,0X), [0;1]
         11 BULLETIN TEXT (Multiple-90241.980111), [11;0]
           .01 BULLETIN TEXT (W), [0;1]
    
```

4.4.2 BGP SITE PARAMETERS

GLOBAL: ^BGPSITE(

FILE #: 90241.02

```

CONDENSED DATA DICTIONARY---BGP SITE PARAMETERS FILE (#90241.02)UCI: DEV,DEV
VERSION: 17.0

STORED IN: ^BGPSITE(                                08/12/16      PAGE 1
-----
                                         FILE SECURITY
                                         DD SECURITY      : @      DELETE SECURITY: @
                                         READ SECURITY     : M      LAYGO SECURITY  : M
                                         WRITE SECURITY    : M

CROSS REFERENCED BY:
  LOCATION(B)

                                         FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        LOCATION (RP9999999.06'X), [0;1]
.02        HOME LOCATION (P9999999.06'), [0;2]
.03        AREA EXPORT? (S), [0;3]
.04        INCLUDE DATA IN WEB EISS? (S), [0;4]
.05        DEFAULT COMMUNITY TAXONOMY (*P9002226'), [0;5]
.06        CHS SITE ONLY (S), [0;6]
.08        MFI SITE? (S), [0;8]
.09        MFI LOCATION TAXONOMY (*P9002226'), [0;9]
.11        EXPORT HT/WT DATA (S), [0;11]
.12        DEMO PATIENT SEARCH TEMPLATE (P.401'), [0;12]
.13        URBAN PROGRAM? (S), [0;13]
.14        DIRECTORY FOR EXPORT FILES (FX), [0;14]
    
```

4.4.3 FILE: BGP SUMMARY CATEGORIES

GLOBAL: ^BGPSCAT(FILE #: 90241.03


```

VERSION: 17.0
STORED IN: ^BGPSCAT(                                08/12/16      PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY   : @      LAYGO SECURITY : @
                                WRITE SECURITY  : @

CROSS REFERENCED BY:
CATEGORY(B) ORDER ON GPRA SUMMARY(C) ORDER NO NON-GPRA SUMMARY(D)
ORDER ON EO REPORT(E)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        CATEGORY (RF), [0;1]
.02        ORDER ON GPRA SUMMARY (NJ2,0), [0;2]
.03        ORDER NO NON-GPRA SUMMARY (NJ2,0), [0;3]
.04        ORDER ON EO REPORT (NJ2,0), [0;4]
    
```

4.4.4 FILE: BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS

GLOBAL: ^BGP2PM(FILE #: 90241.04

```

CONDENSED DATA DICTIONARY---BGP CLIENT AUTOMATED GPRA EXTRACT PARAMS FILE
(#90241.04)UCI: DEV,DEV  VERSION: 17.0
STORED IN: ^BGP2PM(                                08/12/16      PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY   : M      LAYGO SECURITY : M
                                WRITE SECURITY  : M

CROSS REFERENCED BY:
SITE(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        SITE (R*P9999999.06'X), [0;1]
.02        TYPE OF AUTO EXTRACT (S), [0;2]
1.1        DEFAULT DIRECTORY (F), [1;1]
4.1        REMOTE HOST NAME (F), [4;1]
4.2        REMOTE HOST IP ADDRESS (F), [4;2]
4.3        REMOTE HOST DIRECTORY (F), [4;3]
4.4        REMOTE HOST USERNAME (F), [4;4]
4.5        REMOTE HOST PASSWORD (F), [4;5]
5.1        DEFAULT COMMUNITY TAXONOMY (P9002226'), [5;1]
8          EXTRACT DATE (Multiple-90241.12), [8;0]
          .01 EXTRACT DATE (MD), [0;1]
    
```

```
.02 EXTRACT FILE NAME (F), [0;2]
.03 EXTRACT BEGIN DATE (D), [0;3]
.04 EXTRACT END DATE (D), [0;4]
.05 ERROR MESSAGE (F), [0;5]
```

4.4.5 FILE: BGP AREA AUTOMATED GPRA PARAMS

GLOBAL: ^BGP1PM(FILE #: 90245

CONDENSED DATA DICTIONARY---BGP AREA AUTOMATED GPRA PARAMS FILE (#90245)UCI: DEV,DEV
VERSION: 17.0

STORED IN: ^BGP1PM(08/12/16 PAGE 1

FILE SECURITY

```
DD SECURITY      : @      DELETE SECURITY: M
READ SECURITY    : M      LAYGO SECURITY  : M
WRITE SECURITY   : M
```

CROSS REFERENCED BY:
NAME(B)

FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	NAME (RFX), [0;1]
.02	TYPE OF AUTO EXTRACT (S), [0;2]
1.1	DEFAULT DIRECTORY (F), [1;1]
1.2	SUBDIRECTORY (F), [1;2]
7	DATE PROCESSED (Multiple-90245.07), [7;0]
	.01 REPORT BEGIN DATE (MD), [0;1]
	.02 REPORT END DATE (D), [0;2]
	.03 DATE PROCESSED (D), [0;3]
	.04 STATUS (S), [0;4]
	.05 ERROR MESSAGE (F), [0;5]
	.06 PROCESSING ATTEMPTS (NJ6,0), [0;6]
	.07 ASUFAC (F), [0;7]
	.08 FILE PROCESSED (F), [0;8]
	.09 PROCESS START DATE (D), [0;9]
9	FACILITY (Multiple-90245.09), [9;0]
	.01 FACILITY (MP9999999.06'), [0;1]
	.02 ASUFAC (NJ6,0), [0;2]
	.03 ACTIVE (S), [0;3]
	.04 IP ADDRESS (F), [0;4]
	.05 GENERIC LISTENER PORT (NJ9,0), [0;5]
99.1	ALERT/MAILMAN SENDER (P200'), [99.1;1]
99.2	ALERT/MM RECIPIENT (Multiple-90245.992), [99.2;0]
	.01 EMAIL RECIPIENT (MP200'), [0;1]

4.4.6 FILE: BGP GPRA FLAT FILE DATA

GLOBAL: ^BGP1RD(FILE #: 90245.1

```

CONDENSED DATA DICTIONARY---BGP GPRA FLAT FILE DATA FILE (#90245.1)UCI: DEV,DEV
VERSION: 17.0

STORED IN: ^BGP1RD(                                08/12/16      PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY    : @      LAYGO SECURITY  : @
                                WRITE SECURITY  : @

CROSS REFERENCED BY:
  INDICATOR NAME(B)  CURRENT REPORT BEGIN DATE(CBD)
  SITE NAME(D)

FILE #90245.1
INDEXED BY:          INDICATOR NAME & SITE NAME & CURRENT REPORT BEGIN DATE &
                     CURRENT REPORT END DATE (C)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        INDICATOR NAME (RF), [0;1]
.02        INDICATOR NUMBER (F), [0;2]
.03        SITE NAME (F), [0;3]
.04        ASUFAC (F), [0;4]
.05        DB ID (NJ5,0), [0;5]
.06        DATE REPORT RUN (D), [0;6]
.07        CURRENT REPORT BEGIN DATE (D), [0;7]
.08        CURRENT REPORT END DATE (D), [0;8]
.09        PREVIOUS YEAR BEGIN DATE (D), [0;9]
.1         PREVIOUS YEAR END DATE (D), [0;10]
.11        BASELINE YEAR BEGIN DATE (D), [0;11]
.12        BASELINE YEAR END DATE (D), [0;12]
.13        CURRENT NUMERATOR (NJ6,0), [0;13]
.14        CURRENT DENOMINATOR (NJ6,0), [0;14]
.15        CURRENT PERCENT (NJ8,1), [0;15]
.16        PREVIOUS NUMERATOR (NJ6,0), [0;16]
.17        PREVIOUS DENOMINATOR (NJ6,0), [0;17]
.18        PREVIOUS PERCENT (NJ8,1), [0;18]
.19        BASELINE NUMERATOR (NJ6,0), [0;19]
.2         BASELINE DENOMINATOR (NJ6,0), [0;20]
.21        BASELINE PERCENT (NJ8,1), [0;21]
    
```

4.4.7 FILE: BGP 17 MEASURES

GLOBAL: ^BGPINDG(FILE #: 90558.01

```

CONDENSED DATA DICTIONARY---BGP 17 MEASURES FILE (#90558.01)UCI: CMBA,CMBA
VERSION: 17.0

STORED IN: ^BGPINDG(                                08/23/16      PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
    
```

READ SECURITY : @ LAYGO SECURITY : @
WRITE SECURITY : @

CROSS REFERENCED BY:

DEVELOPMENTAL MEASURE?(ADEV) ORDER ON DEVELOPMENTAL REPORT(ADEVO)
TAXONOMY(ALORI) ORDER ON SELECTION/REPORT(AO)
ORDER IND(AOI) MEASURE NUMBER(B) TITLE/SELECTION TITLE(C)
ORDER IND(D) NATIONAL REPORT(GPRA) OTHER NATIONAL MEASURES RPT?(ON)
PUID FROM RM(PUID) TITLE/SELECTION TITLE(U)

FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	MEASURE NUMBER (RNJ3,0X), [0;1]
.02	ORDER ON SELECTION/REPORT (F), [0;2]
.03	TITLE/SELECTION TITLE (F), [0;3]
.05	LIST SELECTION TITLE (F), [0;5]
.06	ORDER TO DISPLAY (NJ4,0), [0;6]
.07	NATIONAL REPORT (S), [0;7]
.12	NO LIST (S), [0;12]
.13	# DENOMINATORS (NJ2,0), [0;13]
.14	DEVELOPMENTAL MEASURE? (S), [0;14]
1	M CODE TO EXECUTE (K), [1;E1,245]
2	SET LIST VALUE (K), [2;E1,245]
3	PRINT M CODE (K), [3;E1,245]
4	DELIMITED FILE PRINT (K), [4;E1,245]
1100	SELECTED REPORT FY LOGIC TEXT (Multiple-90558.0111), [11;0]
	.01 SELECTED REPORT FY LOGIC TEXT (W), [0;1]
1201	OTHER NATIONAL MEASURES RPT? (S), [12;1]
1202	WEB SITE UNIQUE ID (F), [12;2]
1203	PUID FROM RM (NJ4,0), [12;3]
1204	GROUP (P90558.1'), [12;4]
1205	UPDATED THIS YEAR? (S), [12;5]
1206	ORDER IND (NJ4,0), [12;6]
1301	SKIP SELECTED REPORT? (S), [13;1]
1302	ORDER ON DEVELOPMENTAL REPORT (NJ3,0), [13;2]
1303	SKIP NGR PRINT/DEV ONLY (S), [13;3]
1400	TAXONOMIES USED (Multiple-90558.0114), [14;0]
	.01 TAXONOMIES USED (MS), [0;1]
	.03 TAXONOMY (F), [0;3]
1500	LAB TAXONOMIES USED (Multiple-90558.0115), [15;0]
	.01 LAB TAXONOMIES USED (MP9002228'), [0;1]
	.02 LAB TAXONOMY NAME (F), [0;2]
5100	INDICATOR DESCRIPTION (Multiple-90558.0151), [51;0]
	.01 DESCRIPTION (W), [0;1]
5200	PAST PERFORMANCE (Multiple-90558.0152), [52;0]
	.01 REPORT PRINT SECTION (W), [0;1]
5300	REPORT PRINT 2ND PAGE (Multiple-90558.0153), [53;0]
	.01 REPORT PRINT 2ND PAGE (W), [0;1]
5400	NATIONAL GPRA/GPRAMA LOGIC (Multiple-90558.54), [54;0]
	.01 NATIONAL GPRA/GPRAMA (W), [0;1]
5500	SOURCE (Multiple-90558.55), [55;0]
	.01 SOURCE (W), [0;1]
5600	OTHER NATIONAL GPRA LOGIC TEXT (Multiple-90558.56), [56;0]
	.01 OTHER NATIONAL GPRA LOGIC TEXT (W), [0;1]
5700	INDICATOR DESCRIPTION FOR 10 (Multiple-90558.57), [57;0]
	.01 INDICATOR DESCRIPTION FOR 10 (W), [0;1]

5800	DEVELOPMENTAL RPT LOGIC TEXT (Multiple-90558.58), [58;0]
	.01 DEVEOPMENTAL RPT LOGIC TEXT (W), [0;1]
6100	SELECTED MEASURES DENOM DEF (Multiple-90558.0161), [61;0]
	.01 DENOMINATOR DEFINITIONS (MNJ2,0), [0;1]
	1 DENOM DESCRIPTION (Multiple-90558.01611), [1;0]
	.01 DENOM DESCRIPTION (W), [0;1]
1200	REPORT SUB TYPES (Multiple-90558.016112), [12;0]
	.01 REPORT SUB TYPES (MS), [0;1]
6200	SELECTED MEAS NUMERATOR DEFS (Multiple-90558.0162), [62;0]
	.01 NUMERATOR DEFINITIONS (MNJ2,0X), [0;1]
	1 NUMERATOR DESCRIPTION (Multiple-90558.01621), [1;0]
	.01 NUMERATOR DESCRIPTION (W), [0;1]
1200	REPORT SUB TYPE (Multiple-90558.016212), [12;0]
	.01 REPORT SUB TYPE (MS), [0;1]
7100	REPORT LIST 1ST PAGE (Multiple-90558.0171), [71;0]
	.01 REPORT LIST 1ST PAGE (W), [0;1]
7200	LIST PRINT SECOND PAGE (Multiple-90558.0172), [72;0]
	.01 LIST PRINT SECOND PAGE (W), [0;1]
8100	NATL GPRA DENOM DEFS (Multiple-90558.0181), [81;0]
	.01 NATL GPRA DENOM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90558.1811), [1;0]
	.01 TEXT (W), [0;1]
1200	REPORT SUBTYPES (Multiple-90558.018112), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8200	NATL GPRA NUMERATOR DEFS (Multiple-90558.0182), [82;0]
	.01 NATL GPRA NUMERATOR DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90558.01821), [1;0]
	.01 TEXT (W), [0;1]
1200	REPORT SUBTYPES (Multiple-90558.018212), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8300	OTHER NATL MEAS DENOM DEFS (Multiple-90558.0183), [83;0]
	.01 OTHER NATL MEAS DENOM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90558.01831), [1;0]
	.01 TEXT (W), [0;1]
1200	REPORT SUBTYPES (Multiple-90558.018312), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8400	OTHER NATL MEAS NUMER DEFS (Multiple-90558.0184), [84;0]
	.01 OTHER NATL MEAS NUMER DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90558.01841), [1;0]
	.01 TEXT (W), [0;1]
1200	REPORT SUBTYPES (Multiple-90558.018412), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8500	DEVELOPMENTAL MEAS DENOM DEFS (Multiple-90558.0185), [85;0]
	.01 DEVELMENTAL MEAS DENOM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90558.01851), [1;0]
	.01 TEXT (W), [0;1]
1200	REPORT SUBTYPE (Multiple-90558.018512), [12;0]
	.01 REPORT SUBTYPE (MS), [0;1]
8600	DEVELOPMENTAL MEAS NUMER DEFS (Multiple-90558.0186), [86;0]
	.01 DEVELOPMENTAL MEAS NUMER DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90558.01861), [1;0]
	.01 TEXT (W), [0;1]
1200	REPORT SUBTYPES (Multiple-90558.018612), [12;0]
	.01 REPORT SUBTYPES (MS), [0;1]
8700	DM DENOM DEFS (Multiple-90558.0187), [87;0]
	.01 DM DENOM DEFS (NJ2,0), [0;1]
	1 TEXT (Multiple-90558.01871), [1;0]
	.01 TEXT (Wx), [0;1]
8800	DM NUMER DEFS (Multiple-90558.0188), [88;0]
	.01 DM NUMER DEFS (NJ2,0), [0;1]
	1 TEXT (Multiple-90558.01881), [1;0]

	.01 TEXT (Wx), [0;1]
8900	CVD DENOM DEFS (Multiple-90558.0189), [89;0]
	.01 CVD DENOM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90558.01891), [1;0]
	.01 TEXT (Wx), [0;1]
9100	CVD NUM DEFS (Multiple-90558.0191), [91;0]
	.01 CVD NUM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90558.01911), [1;0]
	.01 TEXT (Wx), [0;1]
9200	WH DEN DEFS (Multiple-90558.0192), [92;0]
	.01 WH DEN DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90558.01921), [1;0]
	.01 TEXT (Wx), [0;1]
9300	WH NUM DEFS (Multiple-90558.0193), [93;0]
	.01 WH NUM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90558.01931), [1;0]
	.01 TEXT (Wx), [0;1]
9400	IPC DEN DEFS (Multiple-90558.0194), [94;0]
	.01 IPC DEN DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90558.01941), [1;0]
	.01 TEXT (Wx), [0;1]
9500	IPC NUM DEFS (Multiple-90558.0195), [95;0]
	.01 IPC NUM DEFS (MNJ3,0), [0;1]
	1 TEXT (Multiple-90558.01951), [1;0]
	.01 TEXT (Wx), [0;1]
9600	PQA DEM DEFS (Multiple-90558.0196), [96;0]
	.01 PQA DEM DEFS (MNJ3,0), [0;1]
	1 TEXT (Multiple-90558.01961), [1;0]
	.01 TEXT (Wx), [0;1]
9700	PQA NUM DEFS (Multiple-90558.0197), [97;0]
	.01 PQA NUM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90558.01971), [1;0]
	.01 TEXT (Wx), [0;1]
9800	ASTHMA DEN DEFS (Multiple-90558.0198), [98;0]
	.01 ASTHMA DEN DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90558.01981), [1;0]
	.01 TEXT (W), [0;1]
9900	ASTHMA NUM DEFS (Multiple-90558.0199), [99;0]
	.01 ASTHMA NUM DEFS (MNJ2,0), [0;1]
	1 TEXT (Multiple-90558.01991), [1;0]
	.01 TEXT (W), [0;1]

4.4.8 FILE: BGP 17 INDIVIDUAL MEASURES

GLOBAL: ^BGPINDGC(FILE #: 90558.02

CONDENSED DATA DICTIONARY---BGP 17 INDIVIDUAL MEASURES FILE (#90558.02)UCI:	
CMBA,CMBA VERSION: 17.0	
STORED IN: ^BGPINDGC(08/23/16 PAGE 1

	FILE SECURITY
DD SECURITY : @	DELETE SECURITY: @
READ SECURITY : @	LAYGO SECURITY : @
WRITE SECURITY : @	
CROSS REFERENCED BY:	
ASTHMA REPORT?(AAST) ORDER(AB) ORDER(ABC) CARDIO INDICATOR?(ACARD)	

DASHBOARD ORDER(ADASH) DM INDICATOR?(ADM) ELDER RELATED(AEL)
 NATIONAL/PART(AGPRA) IPC REPORT?(AIPC) PQA(APQA)
 WOMEN'S HEALTH(AWH) INDICATOR(B) INDICATOR ID(C)
 TITLE FOR SCHEDULING OPTION(D) ORDER(OR)

FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	INDICATOR (RP90558.01'), [0;1]
.04	INDICATOR ID (F), [0;4]
.05	NATIONAL/PART (S), [0;5]
.06	ONMNT1 (NJ3,0), [0;6]
.07	ONMNT2 (NJ3,0), [0;7]
.08	DENOM FIELD NUMBER (NJ7,3), [0;8]
.09	NUMERATOR FIELD NUMBER (NJ7,3), [0;9]
.11	PAGE BREAK DENOM NGR (S), [0;11]
.12	DM INDICATOR? (S), [0;12]
.13	CARDIO INDICATOR? (S), [0;13]
.14	GPRANT1 PIECE (NJ5,0), [0;14]
.15	LINE TITLE 1 (F), [0;15]
.16	LINE TITLE 2 (F), [0;16]
.17	LOCAL DENOM TITLE 1 (F), [0;17]
.18	LOCAL DENOM TITLE 2 (F), [0;18]
.19	LINE TITLE 3 (F), [0;19]
.21	LOCAL DENOM TITLE 3 (F), [0;21]
.22	ADD BANG (S), [0;22]
.23	ASTHMA REPORT? (S), [0;23]
.24	PAGE BREAK DENOM (S), [0;24]
1	M CODE NUMERATOR (K), [1;E1,245]
2	M CODE DENOMINATOR (K), [2;E1,245]
3	M CODE FOR COMP PL (K), [3;E1,245]
4	M CODE FOR SCHEDULING (K), [4;E1,245]
1101	IPC REPORT? (S), [11;1]
1102	PQA (S), [11;2]
1103	GPRANT3 (NJ4,0), [11;3]
1201	COLUMN TEXT FOR CMP PL (F), [12;1]
1202	WOMEN'S HEALTH (S), [12;2]
1203	ELDER RELATED (S), [12;3]
1204	ORDER (F), [12;4]
1205	ADD GPRA TO 1ST LINE (S), [12;5]
1206	ADD GPRA TO SECOND LINE (S), [12;6]
1207	ADD GPRA TO 3RD LINE (S), [12;7]
1208	PAGE BREAK NUMER COM (S), [12;8]
1209	TITLE FOR SCHEDULING OPTION (F), [12;9]
1211	ICARE TAB (S), [12;11]
1212	OTHER NATIONAL (S), [12;12]
1213	GPRANT2 PIECE (NJ3,0), [12;13]
1214	SKIP DENOM DISPLAY? (S), [12;14]
1215	PAGE BREAK DENOM ONM? (S), [12;15]
1216	TITLE 2 FOR SCHEDULING OPTION (F), [12;16]
1217	COUNT ONLY? (S), [12;17]
1401	NATL GPRA SUMMARY? (S), [14;1]
1402	NATL PREV YR (F), [14;2]
1403	NATL GPRA 2020 TARGET (F), [14;3]
1404	NATL SUM TITLE (F), [14;4]
1405	NATL SUM CATEGORY 1 (P90241.03'), [14;5]
1406	NATL SUM SHEET ORDER (NJ4,0), [14;6]
1407	NATL SUM TITLE 2 (F), [14;7]

```

1408 NATL GPRA TARGET (F), [14;8]
1409 NATL GPRA TARGET 2ND LINE (F), [14;9]
1410 NATL SUM PY LINE 2 (F), [14;10]
1411 SECOND LINE 2012 GOAL (F), [14;11]
1412 NATL SUM TITLE 3 (F), [14;12]
1413 NATL SUM TARGET (?) (F), [14;13]
1414 NATL SUM TITLE NY (F), [14;14]
1415 NATL SUM TITLE NY 2 (F), [14;15]
1416 NATL SUM TITLE NY 3 (F), [14;16]
1417 DASHBOARD ORDER (NJ2,0), [14;17]
1501 NON GPRA SUMMARY? (S), [15;1]
1502 NG NATIONAL CURRENT (F), [15;2]
1503 NG GOAL PY (F), [15;3]
1504 NG TITLE (F), [15;4]
1505 NG CATEGORY (P90241.03'), [15;5]
1506 NG ORDER ON SUMMARY SHEET (NJ4,0), [15;6]
1507 NG TITLE 2 (F), [15;7]
1508 NG GOAL (F), [15;8]
1509 NG SECOND LINE GOAL (F), [15;9]
1510 NG NATIONAL CURRENT 2 (F), [15;10]
1511 NG 2ND LINE 2012 GOAL (F), [15;11]
1512 NG TITLE 3 (F), [15;12]
1600 TEXT FOR SCHEDULING OPTION (Multiple-90558.16), [16;0]
    .01 TEXT FOR SCHEDULING OPTION (W), [0;1]
1601 TEXT FOR SCHEDULING NEXT YR (Multiple-90558.161), [1601;0]
    .01 TEXT FOR SCHEDULING NEXT YR (W), [0;1]
1701 ICARE GROUP (P90558.17'), [17;1]
1702 ICARE CATEGORY (P90558.18'), [17;2]
1703 ICARE MEASURE NAME (F), [17;3]
1704 ICARE EXCEPTION (S), [17;4]
1705 ICARE PERFORMANCE DIRECTION (F), [17;5]
1706 ICARE REPORT CODE (S), [17;6]
1707 ICARE IPC MEASURE? (S), [17;7]
1708 PREVIOUS INDICATOR ID (F), [17;8]
1800 ICARE TOOLTIPS (Multiple-90558.0218), [18;0]
    .01 ICARE TOOLTIPS (W), [0;1]
1901 ON SUMMARY? (S), [19;1]
1902 ON NATIONAL CURRENT (F), [19;2]
1903 2020 TARGET (F), [19;3]
1904 ON TITLE (F), [19;4]
1905 ON CATEGORY (P90241.03'), [19;5]
1906 ON ORDER (NJ3,0), [19;6]
1907 ON TITLE 2 (F), [19;7]
1908 ON GOAL 08 (F), [19;8]
1909 ON SECOND LINE GOAL (F), [19;9]
1910 ON NATIONAL CURRENT 2 (F), [19;10]
1911 ON SECOND LINE 2012 GOAL (F), [19;11]
1912 ON TITLE 3 (F), [19;12]
1913 %? (S), [19;13]
2001 NATL LINE LABEL 1 (F), [20;1]
2002 NATL LINE LABEL 2 (F), [20;2]
2003 NATL LINE LABEL 3 (F), [20;3]
2004 NATL DENOM 1 (F), [20;4]
2005 NATL DENOM 2 (F), [20;5]
2006 NATL DENOM 3 (F), [20;6]
2102 SKIP SELECTED REPORT? (S), [21;2]
2103 DEVELF1 PIECE (NJ4,0), [21;3]
2104 DEVELF2 PIECE (NJ3,0), [21;4]
2105 PAGE BREAK NUMER NGR? (S), [21;5]
2106 DEVELOPMENTAL MEASURE? (S), [21;6]
2107 ONMT3 (NJ3,0), [21;7]

```



```

2108   DEVELF3 (NJ4,0), [21;8]
2109   ONMT4 (NJ4,0), [21;9]
2110   ONMT5 (NJ3,0), [21;10]
2111   DEVELF4 (NJ3,0), [21;11]
2112   GPRANT4 (NJ3,0), [21;12]
2201   DEV SUMMARY? (S), [22;1]
2202   DEV NATIONAL CURRENT (F), [22;2]
2203   DEV GOAL (F), [22;3]
2204   DEV TITLE (F), [22;4]
2205   CATEGORY (P90241.03'), [22;5]
2206   DEV ORDER ON SUMMARY SHEET (NJ3,0), [22;6]
2207   DEV TITLE 2 (F), [22;7]
2208   DEV GOAL NY (F), [22;8]
2209   DEV SECOND LINE GOAL (F), [22;9]
2210   DEV NATL CURRENT 2 (F), [22;10]
2211   DEV SECOND LINE GOAL (F), [22;11]
2212   DEV TITLE 3 (F), [22;12]
2213   PART MEASURE? (S), [22;13]
2214   PART 2012 (F), [22;14]
2215   ADD %LINE? (S), [22;15]
2301   ADD BANG ON DASHBOARD? (S), [23;1]
2302   DASHBOARD LABEL (F), [23;2]
2303   DASHBOARD # NOT % (S), [23;3]
2304   PERCENT INCREASE NO DENOM (NJ7,2), [23;4]
2305   NEG DASHBOARD (S), [23;5]
2306   DASHBOARD LABEL 2 (F), [23;6]
2307   USE PRE-SPLIT LABELS? (S), [23;7]
2401   DEN LABEL SELECTED (F), [24;1]
2402   NUM LABEL SELECTED (F), [24;2]
2501   DEN LABEL NGR (F), [25;1]
2502   NUM LABEL NGR (F), [25;2]
2601   DEN LABEL DEV (F), [26;1]
2602   NUM LABEL DEV (F), [26;2]
2701   DEN LABEL ONM (F), [27;1]
2702   NUM LABEL ONM (F), [27;2]
2801   DEN LABEL DM (F), [28;1]
2802   NUM LABEL DM (F), [28;2]
2901   DEN LABEL CVD (F), [29;1]
2902   NUM LABEL CVD (F), [29;2]
3101   DEN LABEL WH (F), [31;1]
3102   NUM LABEL WH (F), [31;2]
3201   DEN LABEL PQA (F), [32;1]
3202   NUM LABEL PQA (F), [32;2]
3301   DEN LABEL IPC (F), [33;1]
3302   NUM LABEL IPC (F), [33;2]
3401   DEN LABEL ASTHMA (F), [34;1]
3402   NUM LABEL ASTHMA (F), [34;2]

```

4.4.9 FILE: BGP 17 NATIONAL PATIENT LISTS

GLOBAL: ^BGNPLG(FILE #: 90558.06

```

CONDENSED DATA DICTIONARY---BGP 17 NATIONAL PATIENT LISTS FILE (#90558.06)UCI:
CMBA,CMBA   VERSION: 17.0

```

```

STORED IN: ^BGNPLG(

```

```

08/23/16   PAGE 1
-----

```

```

                                FILE SECURITY
                                DD SECURITY   : @      DELETE SECURITY: @
                                READ SECURITY  : @      LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  ORDER ON NATIONAL(AN)  ORDER ON OTHER NATIONAL(AON)
  NATIONAL/OTHER NATIONAL(AR)  POINTER(B)  INDIVIDUAL INDICATOR ID(C)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        POINTER (RP90558.01'), [0;1]
.02        INDIVIDUAL INDICATOR ID (F), [0;2]
.03        LIST TITLE (F), [0;3]
.04        NATIONAL/OTHER NATIONAL (S), [0;4]
.05        ORDER ON NATIONAL (NJ3,0), [0;5]
.06        ORDER ON OTHER NATIONAL (NJ3,0), [0;6]
.07        DEVELOPMENTAL OR NATIONAL (S), [0;7]
1101       LIST TITLE FOR REPORT (Multiple-90558.61101), [11;0]
           .01 LIST TITLE FOR REPORT (W), [0;1]
1201       SET LIST VALUE (K), [12;E1,245]
    
```

4.4.10 FILE: BGP 17 SNOMED SUBSETS

GLOBAL: ^BGPSNOSG(FILE #: 90558.07

```

CONDENSED DATA DICTIONARY---BGP 17 SNOMED SUBSETS FILE (#90558.07)UCI: CMBA,CMBA
VERSION: 17.0

STORED IN: ^BGPSNOSG(                                08/23/16    PAGE 1
-----

                                FILE SECURITY
                                DD SECURITY   : @      DELETE SECURITY: @
                                READ SECURITY  : @      LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  SUBSET NAME(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        SUBSET NAME (RF), [0;1]
    
```

4.4.11 FILE: BGP 17 TAXONOMIES

GLOBAL: ^BGPTAXG(FILE #: 90558.08

```

VERSION: 17.0
STORED IN: ^BGPTAXG(                                08/12/16      PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @      DELETE SECURITY: @
                                READ SECURITY  : @      LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  TAXONOMY NAME(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        TAXONOMY NAME (RF), [0;1]
.02        TYPE (S), [0;2]
.03        LAST CHECKED/EXPORTED (D), [0;3]
.04        EDITABLE? (S), [0;4]
.05        EXPORT? (S), [0;6]
1100       DESCRIPTION (Multiple-90558.0811), [11;0]
           .01 DESCRIPTION (W), [0;1]
1200       REPORTS (Multiple-90558.0812), [12;0]
           .01 REPORTS (MS), [0;1]
1201       USED THIS YEAR (S), [0;5]
    
```

4.4.12 FILE: BGP 17 MEASURE GROUPS

GLOBAL: ^BGPMGRPG(FILE #: 90558.1

```

VERSION: 17.0
STORED IN: ^BGPMGRPG(                                08/12/16      PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @      DELETE SECURITY: @
                                READ SECURITY  : @      LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  GROUP NAME(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        GROUP NAME (RF), [0;1]
    
```

4.4.13 FILE: BGP 17 PATIENT ED DATA CURRENT

GLOBAL: ^BGPPEDCG(FILE #: 90558.12

CONDENSED DATA DICTIONARY---BGP 17 PATIENT ED DATA CURRENT FILE (#90558.12)UCI:
 DEV,DEV VERSION: 17.1

STORED IN: ^BGPPEDCG(08/12/16 PAGE 1

FILE SECURITY

DD SECURITY : @ DELETE SECURITY: @
 READ SECURITY : M LAYGO SECURITY : M
 WRITE SECURITY : M

CROSS REFERENCED BY:
 BEGINNING DATE(B)

FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	BEGINNING DATE (RD), [0;1]
.02	ENDING DATE (RD), [0;2]
.03	PREVIOUS YR BEG DATE (RD), [0;3]
.04	PREVIOUS YR END DATE (RD), [0;4]
.05	BASELINE YEAR BEG DATE (RD), [0;5]
.06	BASELINE YR END DATE (RD), [0;6]
.07	FY (D), [0;7]
.08	QUARTER (S), [0;8]
.09	FACILITY ASUFAC (F), [0;9]
.1	SU CODE (F), [0;10]
.11	POPULATION (S), [0;11]
.12	DB ID (F), [0;12]
.13	DATE REPORT RUN (D), [0;13]
.14	TEMPLATE? (S), [0;14]
1101	USER POP (NJ6,0), [11;1]
1102	NUMBER W/EDUCATION 1.1.1 (NJ6,0), [11;2]
1103	AVG TIME SPENT 2.1.2A (NJ8,0), [11;3]
1104	MINIMUM TIME SPENT (NJ6,0), [11;4]
1105	MAXIMUM TIME SPENT (NJ6,0), [11;5]
1106	# TOPICS W/MINS & PROVIDER (NJ9,0), [11;6]
1107	TOTAL # OF MINS 2.1.1 (NJ8,0), [11;7]
1108	TOTAL # OF CODES 3.1.1 (NJ5,0), [11;8]
1109	TOTAL # TOPICS 4.1.1 (NJ5,0), [11;9]
1110	TOTAL 5.1.1 (NJ7,0), [11;10]
1111	MFI COMMUNITIES (Multiple-90558.12111), [1111;0]
	.01 MFI COMMUNITIES (F), [0;1]
1112	TOTAL 6.1.1 (NJ6,0), [11;12]
1113	GOOD (NJ6,0), [11;13]
1114	FAIR (NJ6,0), [11;14]
1115	POOR (NJ6,0), [11;15]
1116	REFUSED (NJ6,0), [11;16]
1117	GROUP NO ASSESS (NJ6,0), [11;17]
1118	BLANK (NJ5,0), [11;18]
1119	7 DENOM (NJ5,0), [11;19]
1120	7.2.1 NUMER GS (NJ5,0), [11;20]
1121	7.2.2 NUMER GNS (NJ5,0), [11;21]
1122	7.1.3 NUMER GM (NJ5,0), [11;22]
1123	7.2.4 NUMER (NJ5,0), [11;23]
1124	7.1.1 (NJ5,0), [11;24]
1129	7.1 DENOM USER POP (NJ5,0), [11;29]
1200	2.1 RATE (Multiple-90558.1212), [12;0]
	.01 2.1 RATE (F), [0;1]

	.02 LONG NAME (F), [0;2]
	.03 # MINS (NJ6,0), [0;3]
1300	TOP 25 DXS (Multiple-90558.1213), [13;0]
	.01 TOP 25 DXS (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # OF CODES (NJ6,0), [0;3]
1400	4.1.1 (Multiple-90558.1214), [14;0]
	.01 4.1.1 (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # TOPICS (NJ6,0), [0;3]
1500	5.1.1 (Multiple-90558.1215), [15;0]
	.01 5.1.1 (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # TOPICS (NJ7,0), [0;3]
1600	7.2.1 (Multiple-90558.1216), [16;0]
	.01 7.2.1 (F), [0;1]
	.02 GOAL TYPE (F), [0;2]
	.03 # OF GOAL (NJ5,0), [0;3]
1700	7.1.2 GOAL NOT SET (Multiple-90558.1217), [17;0]
	.01 7.1.2 GOAL NOT SET (F), [0;1]
	.02 GOAL NOT SET TYPE (F), [0;2]
	.03 # NOT SET (NJ5,0), [0;3]
1800	GOAL MET (Multiple-90558.1218), [18;0]
	.01 GOAL MET (F), [0;1]
	.02 GOAL MET (F), [0;2]
	.03 # MET (NJ4,0), [0;3]
1900	GOAL MAINTAINED (Multiple-90558.1219), [19;0]
	.01 GOAL MAINTAINED (F), [0;1]
	.02 GOAL MAINTAINED (F), [0;2]
	.03 # MAINTAINED (NJ6,0), [0;3]
2100	GOAL NOT MET (Multiple-90558.1221), [21;0]
	.01 GOAL NOT MET (F), [0;1]
	.02 GOAL NOT MET (F), [0;2]
	.03 # GOAL NOT MET (NJ6,0), [0;3]
9999	COMMUNITIES (Multiple-90558.129), [9999;0]
	.01 COMMUNITIES (F), [0;1]

4.4.14 FILE: BGP 17 PATIENT ED DATA PREVIOUS

GLOBAL: ^BGPPEDPG(FILE #: 90558.13

CONDENSED DATA DICTIONARY---BGP 17 PATIENT ED DATA PREVIOUS FILE (#90558.13)UCI:	
DEV,DEV	VERSION: 17.0
STORED IN: ^BGPPEDPG(08/12/16 PAGE 1

	FILE SECURITY
DD SECURITY : @	DELETE SECURITY: M
READ SECURITY : M	LAYGO SECURITY : M
WRITE SECURITY : M	
CROSS REFERENCED BY:	
BEGINNING DATE(B)	
	FILE STRUCTURE
FIELD	FIELD

NUMBER	NAME
.01	BEGINNING DATE (RD), [0;1]
.02	ENDING DATE (RD), [0;2]
.03	PREVIOUS YR BEG DATE (RD), [0;3]
.04	PREVIOUS YR END DATE (RD), [0;4]
.05	BASELINE YEAR BEG DATE (RD), [0;5]
.06	BASELINE YR END DATE (RD), [0;6]
.07	FY (D), [0;7]
.08	QUARTER (S), [0;8]
.09	FACILITY ASUFAC (F), [0;9]
.1	SU CODE (F), [0;10]
.11	POPULATION (S), [0;11]
.12	DB ID (F), [0;12]
.13	DATE REPORT RUN (D), [0;13]
.14	TEMPLATE? (S), [0;14]
1101	USER POP (NJ6,0), [11;1]
1102	NUMBER W/EDUCATION 1.1.1 (NJ6,0), [11;2]
1103	AVG TIME SPENT 2.1.2A (NJ8,0), [11;3]
1104	MINIMUM TIME SPENT (NJ6,0), [11;4]
1105	MAXIMUM TIME SPENT (NJ6,0), [11;5]
1106	# TOPICS W/MINS & PROVIDER (NJ9,0), [11;6]
1107	TOTAL # OF MINS 2.1.1 (NJ8,0), [11;7]
1108	TOTAL # OF CODES 3.1.1 (NJ5,0), [11;8]
1109	TOTAL # TOPICS 4.1.1 (NJ5,0), [11;9]
1110	TOTAL 5.1.1 (NJ7,0), [11;10]
1111	MFI COMMUNITIES (Multiple-90558.13111), [1111;0]
	.01 MFI COMMUNITIES (F), [0;1]
1112	TOTAL 6.1.1 (NJ6,0), [11;12]
1113	GOOD (NJ6,0), [11;13]
1114	FAIR (NJ6,0), [11;14]
1115	POOR (NJ6,0), [11;15]
1116	REFUSED (NJ6,0), [11;16]
1117	GROUP NO ASSESS (NJ6,0), [11;17]
1118	BLANK (NJ5,0), [11;18]
1119	7 DENOM (NJ5,0), [11;19]
1120	7.2.1 NUMER GS (NJ5,0), [11;20]
1121	7.2.2 NUMER GNS (NJ5,0), [11;21]
1122	7.1.3 NUMER GM (NJ5,0), [11;22]
1124	7.1.1 (NJ5,0), [11;24]
1129	7.1 DENOM USER POP (NJ5,0), [11;29]
1200	2.1 RATE (Multiple-90558.1312), [12;0]
	.01 2.1 RATE (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # MINS (NJ6,0), [0;3]
1300	TOP 25 DXS (Multiple-90558.1313), [13;0]
	.01 TOP 25 DXS (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # OF CODES (NJ6,0), [0;3]
1400	4.1.1 (Multiple-90558.1314), [14;0]
	.01 4.1.1 (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # TOPICS (NJ6,0), [0;3]
1500	5.1.1 (Multiple-90558.1315), [15;0]
	.01 5.1.1 (F), [0;1]
	.02 LONG NAME (F), [0;2]
	.03 # TOPICS (NJ7,0), [0;3]
1600	7.2.1 (Multiple-90558.1316), [16;0]
	.01 7.2.1 (F), [0;1]
	.02 GOAL TYPE (F), [0;2]
	.03 # OF GOAL (NJ5,0), [0;3]

1700	7.1.2 GOAL NOT SET (Multiple-90558.1317), [17;0]
	.01 7.1.2 GOAL NOT SET (F), [0;1]
	.02 GOAL NOT SET TYPE (F), [0;2]
	.03 # NOT SET (NJ5,0), [0;3]
1800	GOAL MET (Multiple-90558.1318), [18;0]
	.01 GOAL MET (F), [0;1]
	.02 GOAL MET (F), [0;2]
	.03 # MET (NJ4,0), [0;3]
1900	GOAL MAINTAINED (Multiple-90558.1319), [19;0]
	.01 GOAL MAINTAINED (F), [0;1]
	.02 GOAL MAINTAINED (F), [0;2]
	.03 # MAINTAINED (NJ6,0), [0;3]
2100	GOAL NOT MET (Multiple-90558.1321), [21;0]
	.01 GOAL NOT MET (F), [0;1]
	.02 GOAL NOT MET (F), [0;2]
	.03 # GOAL NOT MET (NJ6,0), [0;3]
9999	COMMUNITIES (Multiple-90558.139), [9999;0]
	.01 COMMUNITIES (F), [0;1]

4.4.15 FILE: BGP 17 PATIENT ED DATA BASELINE

GLOBAL: ^BGPPEDBG(FILE #: 90558.14

CONDENSED DATA DICTIONARY---BGP 17 PATIENT ED DATA BASELINE FILE (#90558.14)UCI:	
DEV,DEV	VERSION: 17.0
STORED IN: ^BGPPEDBG(08/12/16 PAGE 1

	FILE SECURITY
	DD SECURITY : @ DELETE SECURITY: M
	READ SECURITY : M LAYGO SECURITY : M
	WRITE SECURITY : M
CROSS REFERENCED BY:	
BEGINNING DATE(B)	
	FILE STRUCTURE
FIELD NUMBER	FIELD NAME
.01	BEGINNING DATE (RD), [0;1]
.02	ENDING DATE (RD), [0;2]
.03	PREVIOUS YR BEG DATE (RD), [0;3]
.04	PREVIOUS YR END DATE (RD), [0;4]
.05	BASELINE YEAR BEG DATE (RD), [0;5]
.06	BASELINE YR END DATE (RD), [0;6]
.07	FY (D), [0;7]
.08	QUARTER (S), [0;8]
.09	FACILITY ASUFAC (F), [0;9]
.1	SU CODE (F), [0;10]
.11	POPULATION (S), [0;11]
.12	DB ID (F), [0;12]
.13	DATE REPORT RUN (D), [0;13]
.14	TEMPLATE? (S), [0;14]
1101	USER POP (NJ6,0), [11;1]
1102	NUMBER W/EDUCATION 1.1.1 (NJ6,0), [11;2]

```

1103     AVG TIME SPENT 2.1.2A (NJ8,0), [11;3]
1104     MINIMUM TIME SPENT (NJ6,0), [11;4]
1105     MAXIMUM TIME SPENT (NJ6,0), [11;5]
1106     # TOPICS W/MINS & PROVIDER (NJ9,0), [11;6]
1107     TOTAL # OF MINS 2.1.1 (NJ8,0), [11;7]
1108     TOTAL # OF CODES 3.1.1 (NJ5,0), [11;8]
1109     TOTAL # TOPICS 4.1.1 (NJ5,0), [11;9]
1110     TOTAL 5.1.1 (NJ7,0), [11;10]
1111     MFI COMMUNITIES (Multiple-90558.14111), [1111;0]
        .01 MFI COMMUNITIES (F), [0;1]
1112     TOTAL 6.1.1 (NJ6,0), [11;12]
1113     GOOD (NJ6,0), [11;13]
1114     FAIR (NJ6,0), [11;14]
1115     POOR (NJ6,0), [11;15]
1116     REFUSED (NJ6,0), [11;16]
1117     GROUP NO ASSESS (NJ6,0), [11;17]
1118     BLANK (NJ5,0), [11;18]
1119     7 DENOM (NJ5,0), [11;19]
1120     7.2.1 NUMER GS (NJ5,0), [11;20]
1121     7.2.2 NUMER GNS (NJ5,0), [11;21]
1122     7.1.3 NUMER GM (NJ5,0), [11;22]
1123     7.2.4 NUMER (NJ5,0), [11;23]
1124     7.1.1 (NJ5,0), [11;24]
1129     7.1 DENOM USER POP (NJ5,0), [11;29]
1200     2.1 RATE (Multiple-90558.1412), [12;0]
        .01 2.1 RATE (F), [0;1]
        .02 LONG NAME (F), [0;2]
        .03 # MINS (NJ6,0), [0;3]
1300     TOP 25 DXS (Multiple-90558.1413), [13;0]
        .01 TOP 25 DXS (F), [0;1]
        .02 LONG NAME (F), [0;2]
        .03 # OF CODES (NJ6,0), [0;3]
1400     4.1.1 (Multiple-90558.1414), [14;0]
        .01 4.1.1 (F), [0;1]
        .02 LONG NAME (F), [0;2]
        .03 # TOPICS (NJ6,0), [0;3]
1500     5.1.1 (Multiple-90558.1415), [15;0]
        .01 5.1.1 (F), [0;1]
        .02 LONG NAME (F), [0;2]
        .03 # TOPICS (NJ7,0), [0;3]
1600     7.2.1 (Multiple-90558.1416), [16;0]
        .01 7.2.1 (F), [0;1]
        .02 GOAL TYPE (F), [0;2]
        .03 # OF GOAL (NJ5,0), [0;3]
1700     7.1.2 GOAL NOT SET (Multiple-90558.1417), [17;0]
        .01 7.1.2 GOAL NOT SET (F), [0;1]
        .02 GOAL NOT SET TYPE (F), [0;2]
        .03 # NOT SET (NJ5,0), [0;3]
1800     GOAL MET (Multiple-90558.1418), [18;0]
        .01 GOAL MET (F), [0;1]
        .02 GOAL MET (F), [0;2]
        .03 # MET (NJ4,0), [0;3]
1900     GOAL MAINTAINED (Multiple-90558.1419), [19;0]
        .01 GOAL MAINTAINED (F), [0;1]
        .02 GOAL MAINTAINED (F), [0;2]
        .03 # MAINTAINED (NJ6,0), [0;3]
2100     GOAL NOT MET (Multiple-90558.1421), [21;0]
        .01 GOAL NOT MET (F), [0;1]
        .02 GOAL NOT MET (F), [0;2]
        .03 # GOAL NOT MET (NJ6,0), [0;3]
9999     COMMUNITIES (Multiple-90558.149), [9999;0]

```



```
.01 COMMUNITIES (F), [0;1
```

4.4.16 FILE: BGP 17 PAT ED MEASURES

GLOBAL: ^BGPPEIG(FILE #: 90558.15

```
CONDENSED DATA DICTIONARY---BGP 17 PAT ED MEASURES FILE (#90558.15)UCI: DEV,DEV
VERSION: 17.0
```

```
STORED IN: ^BGPPEIG(                                08/12/16      PAGE 1
```

```

                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY     : @      LAYGO SECURITY  : @
                                WRITE SECURITY    : @
```

```
CROSS REFERENCED BY:
ORDER TO DISPLAY(AO)  MEASURE NUMBER(B)
```

FILE STRUCTURE

FIELD NUMBER	FIELD NAME
.01	MEASURE NUMBER (RNJ2,0), [0;1]
.02	TITLE (F), [0;2]
.03	ORDER TO DISPLAY (NJ2,0), [0;3]
.04	LIST SELECTION TITLE (F), [0;4]
1101	FY LOGIC (Multiple-90558.151101), [11;0]
	.01 FY LOGIC (W), [0;1]
1400	TAXONOMIES USED (Multiple-90558.1514), [14;0]
	.01 TAXONOMIES USED (MS), [0;1]
	.02 TAXONOMY PTR (PROGRAMMER USE) (P9002226'), [0;2]
	.03 TAXONOMY NAME (F), [0;3]
6100	DENOMINATOR DEFINITIONS (Multiple-90558.1561), [61;0]
	.01 DENOMINATOR DEFINITIONS (NJ2,0), [0;1]
	11 TEXT (Multiple-90558.156111), [11;0]
	.01 TEXT (W), [0;1]
6200	NUMERATOR (Multiple-90558.1562), [62;0]
	.01 NUMERATOR (MNJ2,0), [0;1]
	11 TEXT (Multiple-90558.156211), [11;0]
	.01 TEXT (W), [0;1]
7100	LIST PRINT 1ST PAGE (Multiple-90558.1571), [71;0]
	.01 LIST PRINT 1ST PAGE (W), [0;1]
7200	LIST PRINT SECOND PAGE (Multiple-90558.1572), [72;0]
	.01 LIST PRINT SECOND PAGE (W), [0;1]

4.4.17 FILE: BGP 17 ICARE GROUPS

GLOBAL: ^BGPICAGG(FILE #: 90558.17

```
VERSION: 17.0
```

```
STORED IN: ^BGPICAGG(                                08/12/16      PAGE 1
```

```

                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  CATEGORY(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME
.01        CATEGORY (RF), [0;1]
    
```

4.4.18 FILE: BGP 17 ICARE CATEGORIES

GLOBAL: ^BGPICACG(FILE #: 90558.18

```

VERSION: 17.0
STORED IN: ^BGPICACG(                                08/12/16    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  CATEGORY(B)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME
.01        CATEGORY (RF), [0;1]
    
```

4.4.19 FILE: BGP 17 GUI OUTPUT

GLOBAL: ^BGPGUIG(FILE #: 90558.19

```

CONDENSED DATA DICTIONARY---BGP 17 GUI REPORT OUTPUT FILE (#90558.19)UCI: CMBA,C
MBA                                                                VERSION: 17.0
STORED IN: ^BGPGUIG(                                08/12/16    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY   : @   DELETE SECURITY: @
                                READ SECURITY  : @   LAYGO SECURITY  : @
                                WRITE SECURITY : @

CROSS REFERENCED BY:
  START TIME(AC)  START TIME(AUSR)  NAME(B)
    
```

FILE STRUCTURE	
FIELD NUMBER	FIELD NAME
.01	NAME (RF), [0;1]
.02	USER WHO REQUESTED REPORT (P200'), [0;2]
.03	START TIME (D), [0;3]
.04	END TIME (D), [0;4]
.05	TYPE OF REPORT (F), [0;5]
.06	STATUS (S), [0;6]
.07	TYPE OF OUTPUT (S), [0;7]
.08	EXPORT FILENAME (F), [0;8]
.09	TASK NUMBER (NJ9,0), [0;9]
1	EXPORTED FILENAMES (F), [1;1]
1100	PRINT FORMATTED OUTPUT (Multiple-90558.1911), [11;0]
	.01 OUTPUT (W), [0;1]
1200	DELIMITED FORMATTED OUTPUT (Multiple-90558.1912), [12;0]
	.01 DELIMITED FORMATTED OUTPUT (W), [0;1]

4.4.20 FILE: BGP 17 SNOMED LISTS

GLOBAL: ^BGPSNOMG(FILE #: 90558.21

CONDENSED DATA DICTIONARY---BGP 17 SNOMED LISTS FILE (#90558.21)UCI: CMBA,CMBA	
VERSION: 17.0	
STORED IN: ^BGPSNOMG(08/12/16 PAGE 1

	FILE SECURITY
	DD SECURITY : @ DELETE SECURITY: @
	READ SECURITY : @ LAYGO SECURITY : @
	WRITE SECURITY : @
CROSS REFERENCED BY:	
NAME OF LIST(B)	
FILE STRUCTURE	
FIELD NUMBER	FIELD NAME
.01	NAME OF LIST (RF), [0;1]
1101	SNOMED CODE (Multiple-90558.2111), [11;0]
	.01 SNOMED CODE (MF), [0;1]

4.4.21 FILE: BGP 17 ELDER INDIVIDUAL MEASURES

GLOBAL: ^BGPELIIG(FILE #: 90559.02

```

CONDENSED DATA DICTIONARY---BGP 17 ELDER INDIVIDUAL MEASURES FILE (#90559.02)UCI:
CMBA,CMBA  VERSION: 17.0

STORED IN: ^BGPELIIG(                                08/23/16    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY    : @      LAYGO SECURITY  : @
                                WRITE SECURITY   : @

CROSS REFERENCED BY:
ORDER(AB) ORDER(ABC) ORDER(AE) ORDER(AP) INDICATOR(B)
INDICATOR ID(C) ORDER(OR)

                                FILE STRUCTURE

FIELD      FIELD
NUMBER     NAME

.01        INDICATOR (RP90559.06'), [0;1]
.019       INDICATOR (CJ8), [ ; ]
.04        INDICATOR ID (F), [0;4]
.08        DENOM FIELD NUMBER (NJ10,3), [0;8]
.09        NUMERATOR FIELD NUMBER (NJ10,3), [0;9]
.15        LINE TITLE 1 (F), [0;15]
.16        LINE TITLE 2 (F), [0;16]
.17        LOCAL DENOM TITLE 1 (F), [0;17]
.18        LOCAL DENOM TITLE 2 (F), [0;18]
.19        LINE TITLE 3 (F), [0;19]
.21        LOCAL DENOM TITLE 3 (F), [0;21]
.22        ADD BANG (S), [0;22]
1          M CODE NUMERATOR (K), [1;E1,245]
2          M CODE DENOMINATOR (K), [2;E1,245]
1204      ORDER (F), [12;4]
2401      DEN LABEL (F), [24;1]
2402      NUM LABEL (F), [24;2]
    
```

4.4.22 FILE: BGP 17 ELDER MEASURES
GLOBAL: ^BGPELIG(FILE #: 90559.06

```

VERSION: 17.0

STORED IN: ^BGPELIG(                                08/12/16    PAGE 1
-----
                                FILE SECURITY
                                DD SECURITY      : @      DELETE SECURITY: @
                                READ SECURITY    : @      LAYGO SECURITY  : @
                                WRITE SECURITY   : @

CROSS REFERENCED BY:
ORDER ON SELECTION/REPORT(AO) INDICATOR NUMBER(B)
TITLE(C) TITLE(D) PUID(PUID)

                                FILE STRUCTURE
    
```

FIELD NUMBER	FIELD NAME
.01	INDICATOR NUMBER (RNJ3,0X), [0;1]
.02	ORDER ON SELECTION/REPORT (F), [0;2]
.03	TITLE (F), [0;3]
.04	SELECTION TITLE (F), [0;4]
.05	LIST SELECTION TITLE (F), [0;5]
.06	ORDER TO DISPLAY (NJ4,0), [0;6]
.12	NO LIST (S), [0;12]
1	M CODE TO EXECUTE (K), [1;E1,245]
2	SET LIST VALUE (K), [2;E1,245]
3	PRINT M CODE (K), [3;E1,245]
4	DELIMITED FILE PRINT (K), [4;E1,245]
1100	FY LOGIC (Multiple-90559.0611), [11;0]
	.01 LOGIC USED (W), [0;1]
1201	PUID (NJ3,0), [12;1]
5300	REPORT PRINT 2ND PAGE (Multiple-90559.0653), [53;0]
	.01 REPORT PRINT 2ND PAGE (W), [0;1]
6100	DENOMINATOR DEFINITIONS (Multiple-90559.0661), [61;0]
	.01 DENOMINATOR DEFINITIONS (MNJ2,0), [0;1]
	1 DENOM DESCRIPTION (Multiple-90559.0661), [1;0]
	.01 DENOM DESCRIPTION (W), [0;1]
6200	NUMERATOR DEFINITIONS (Multiple-90559.0662), [62;0]
	.01 NUMERATOR DEFINITIONS (MNJ2,0X), [0;1]
	.02 REPORTS (F), [0;2]
	.03 SEL (F), [0;3]
	1 NUMERATOR DESCRIPTION (Multiple-90559.0662), [1;0]
	.01 NUMERATOR DESCRIPTION (W), [0;1]
7100	REPORT LIST 1ST PAGE (Multiple-90559.0671), [71;0]
	.01 REPORT LIST 1ST PAGE (W), [0;1]
7200	LIST PRINT SECOND PAGE (Multiple-90559.0672), [72;0]
	.01 LIST PRINT SECOND PAGE (W), [0;1] 7200

5.0 Internal Relations

All users should be given the access to the appropriate options and keys, as needed.
All options in this system stand alone.

6.0 External Relations

6.1 External Calls

This package calls the following documented entry points:

```

***** Cross Reference of all Routines      ***** Aug 24, 2016@08:35:29
Routine          is Invoked by:
  ^%DT           BGP7AU1R,BGP7GUA,BGP7UTL1,|dd90241.01,|dd90245.07
                |dd90245.1,|dd90558.03,|dd90558.04,|dd90558.05
                |dd90558.08,|dd90558.12,|dd90558.13,|dd90558.14
                |dd90558.19,|dd90559.03,|dd90559.04,|dd90559.05
  DD^%DT        BGP7AU1M,BGP7DPE
  ^%DTC         BGP7D36
  C^%DTC        BGP7GMUE,BGP7GMUH,BGP7UTL3
  COMMA^%DTC    BGP7DBPR,BGP7DELP,BGP7DP,BGP7DP11,BGP7DP12,BGP7DP13
                BGP7DP14,BGP7DP19,BGP7DP1C,BGP7DP1H,BGP7DP1I,BGP7DP1J
                BGP7DP1K,BGP7DP1L,BGP7DP1M,BGP7DP1N,BGP7DP1O,BGP7DP1S
                BGP7DP1T,BGP7DP2,BGP7DP3,BGP7DP4,BGP7DP5,BGP7DP50
                BGP7DP51,BGP7DP6,BGP7DP60
                BGP7DP7,BGP7DP8,BGP7DPED,BGP7DPEP,BGP7DPH,BGP7EL10
                BGP7EL11,BGP7EL12,BGP7EL13,BGP7EL14,BGP7EL15,BGP7EL16
                BGP7EL17,BGP7EL18,BGP7EL19,BGP7EL1A,BGP7EL1B,BGP7EL1C
                BGP7EL1D,BGP7EL1E,BGP7EL1F,BGP7EL1G,BGP7EL1H,BGP7EL1I
                BGP7EL1J,BGP7EL1K
                BGP7EL1L,BGP7EL1M,BGP7EL1N,BGP7EL1O,BGP7EL1P,BGP7EL1Q
                BGP7EL1R,BGP7EL1S,BGP7EL1T,BGP7ELL,BGP7ELL1,BGP7ELL2
                BGP7ELL3,BGP7ELL4,BGP7ELL5,BGP7ELL6,BGP7ELL7,BGP7ELL8
                BGP7ELL9,BGP7ELLA,BGP7ELLB,BGP7ELLC,BGP7ELLD,BGP7ELLE
                BGP7ELLF,BGP7ELLG
                BGP7EL LH,BGP7EL LI,BGP7EL LJ,BGP7EL LK,BGP7EL LL,BGP7EL LM
                BGP7EL LN,BGP7EL LO,BGP7EL LP,BGP7EL LQ,BGP7EL LR,BGP7EL LS
                BGP7EL LT,BGP7EL LU,BGP7EL LV,BGP7EL LW,BGP7EL LX,BGP7EL P1
                BGP7PD19,BGP7PDL,BGP7PDL0,BGP7PDL1,BGP7PDL2,BGP7PDL3
                BGP7PDL4,BGP7PDL5
                BGP7PDL7,BGP7PDL8,BGP7PDL9,BGP7PDLA,BGP7PDLB,BGP7PDL D
                BGP7PDL L,BGP7PDL N,BGP7PDL O,BGP7PDL T,BGP7PDPA,BGP7PD PB
  DW^%DTC       BGP7AU EX,BGP7AU UL,BGP7AU UP
  NOW^%DTC      BGP7DPA,BGP7DPAP,BGP7GRB
  DEBUG^%Serenji BGP7GR1,BGP7GRA,BGP7GRB,BGP7GU,BGP7GUA

***** Cross Reference of all Routines      ***** Aug 24, 2016@08:35:29 page 174
Routine          is Invoked by:
  ^%ZIS         BGP7DADB,BGP7DAP,BGP7DAR,BGP7DARO,BGP7DCL,BGP7DEL
                BGP7DELA,BGP7DGPA,BGP7DGPU,BGP7DICR,BGP7DL,BGP7DLT
                BGP7DMT,BGP7DNDB,BGP7DNE1,BGP7DNG,BGP7DN GP,BGP7DN GS
                BGP7DON,BGP7DPA,BGP7DPE,BGP7DPEA,BGP7DPP,BGP7DST M
                BGP7NPL,BGP7XTCH
  HOME^%ZIS     BGP7AU1A,BGP7AU UL,BGP7CTXC,BGP7DADB,BGP7DAR,BGP7DARO
                BGP7DICR,BGP7DLT,BGP7DMT,BGP7LSTF,BGP7TXCH,BGP7ULF
                BGP7XTCH,BGP7XTCN,BGP7XTCO,BGP7XTEL,BGP7XTEO,BGP7XTHE
  ^%ZISC        BGP7AU EX,BGP7AU UL,BGP7DADB,BGP7DAP,BGP7DAR,BGP7DARO
                BGP7DBPR,BGP7DCL,BGP7DEL,BGP7DELA,BGP7DELP,BGP7DGPA
                BGP7DGPU,BGP7DICR,BGP7DL,BGP7DLT,BGP7DMT,BGP7DN DB
                BGP7DNE1,BGP7DNG,BGP7DN GP,BGP7DN GS,BGP7DON,BGP7DP
                BGP7DPA,BGP7DPE,BGP7DPEA,BGP7DPEP

```

	BGP7DPP, BGP7DSTM, BGP7GUPL, BGP7NPL, BGP7PARP, BGP7PARQ BGP7PHEL, BGP7PEL, BGP7ULF, BGP7UTL, BGP7UTL3, BGP7UTLC BGP7XTCH
\$\$LIST^%ZISH	BGP5UTL2, BGP6UTL2, BGP7AUUP, BGP7GLST, BGP7GU, BGP7LSTF BGP7UTL2
\$\$OPEN^%ZISH	BGP7AUUL, BGP7DNE1, BGP7GUPL, BGP7ULF, BGP7UTL, BGP7UTL3 BGP7UTLC
\$\$\$STATUS^%ZISH	BGP7AU1R, BGP7AUUL, BGP7AUUP, BGP7GUPL, BGP7ULF
CLOSE^%ZISH	BGP7AU1D, BGP7AU1M, BGP7AU1R, BGP7AUUP
DF^%ZISH	BGP7AU1R
MV^%ZISH	BGP7AUUP
OPEN^%ZISH	BGP7AU1D, BGP7AU1M, BGP7AU1R, BGP7AUUP
JOBPAR^%ZOSV	BGP7GUA
^%ZTER	BGP7GU
^%ZTLOAD	BGP7AUEX, BGP7AUUL, BGP7AUUP, BGP7DADB, BGP7DAP, BGP7DAR BGP7DARO, BGP7DCL, BGP7DEL, BGP7DELA, BGP7DGPA, BGP7DGPU BGP7DICR, BGP7DL, BGP7DLT, BGP7DMT, BGP7DNDB, BGP7DNE1 BGP7DNG, BGP7DNGP, BGP7DNGS, BGP7DON, BGP7DPA, BGP7DPAP BGP7DPE, BGP7DPEA, BGP7DPP, BGP7DSTM BGP7GADB, BGP7GAEL, BGP7GAG9, BGP7GAGP, BGP7GAGS, BGP7GAHE BGP7GALL, BGP7GAON, BGP7GAPE, BGP7GAPU, BGP7GCMP, BGP7GCMS BGP7GCOM, BGP7GDON, BGP7GDSH, BGP7GELD, BGP7GF09, BGP7GFOR BGP7GGPU, BGP7GHED, BGP7GLHW, BGP7GLST, BGP7GLTX, BGP7GMTX BGP7GMUE, BGP7GMUH BGP7GNPL, BGP7GNST, BGP7GNT9, BGP7GNTL, BGP7GNTP, BGP7GNTS BGP7GNXP, BGP7GPED, BGP7GPP, BGP7GRB, BGP7LHW, BGP7NPL BGP7XTCH
KILL^%ZTLOAD	BGP7AUEX
STAT^%ZTLOAD	BGP7AUEX
\$\$LASTITEM^APCLAPIU	BGP7D28
ALLV^APCLAPIU	BGP7D1, BGP7D21, BGP7D211, BGP7D24, BGP7D55, BGP7D714
\$\$START1^APCLDF	BGP7ALG1, BGP7ALG2, BGP7C11, BGP7C13, BGP7CON1, BGP7CU BGP7CU1, BGP7D1, BGP7D10, BGP7D2, BGP7D21, BGP7D211, BGP7D212 BGP7D213, BGP7D22, BGP7D23, BGP7D231, BGP7D24, BGP7D24A BGP7D25, BGP7D26, BGP7D27, BGP7D31, BGP7D33, BGP7D34, BGP7D35 BGP7D37, BGP7D38, BGP7D3A
<p>**** Cross Reference of all Routines **** Aug 24, 2016@08:35:29 page 175</p>	
Routine	is Invoked by:
\$\$START1^APCLDF	BGP7D3B, BGP7D3C, BGP7D4, BGP7D41, BGP7D5, BGP7D51, BGP7D52 BGP7D53, BGP7D54, BGP7D55, BGP7D5A, BGP7D6, BGP7D61, BGP7D62 BGP7D63, BGP7D64, BGP7D7, BGP7D71, BGP7D711, BGP7D714, BGP7D72 BGP7D721, BGP7D722, BGP7D723, BGP7D724, BGP7D729, BGP7D731 BGP7D732, BGP7D74 BGP7D75, BGP7D8, BGP7D81, BGP7D811, BGP7D812, BGP7D82, BGP7D83 BGP7D84, BGP7D86, BGP7D862, BGP7D87, BGP7D88, BGP7D89, BGP7D9 BGP7D91, BGP7DCHW, BGP7DCLP, BGP7DPA2, BGP7DPA4, BGP7DPE1 BGP7DPE2, BGP7DU, BGP7EL2, BGP7EL3, BGP7EL4, BGP7NPLP
\$\$CLINIC^APCLV	BGP7CU, BGP7D1, BGP7D10, BGP7D2, BGP7D21, BGP7D211, BGP7D213 BGP7D22, BGP7D23, BGP7D26, BGP7D27, BGP7D31, BGP7D41, BGP7D51 BGP7D7, BGP7D711, BGP7D714, BGP7D83, BGP7D84, BGP7D88, BGP7D89 BGP7D9, BGP7DPA4, BGP7DU, BGP7EL2, BGP7EL4, BGP7NPLP
\$\$DSCHDATE^APCLV	BGP7D22, BGP7D51, BGP7EL3
\$\$PRIMPOV^APCLV	BGP7CU, BGP7D21, BGP7D211, BGP7D22, BGP7D31, BGP7D51, BGP7D71 BGP7D711
\$\$PRIMPROV^APCLV	BGP7D1, BGP7D10, BGP7D21, BGP7D211, BGP7D213, BGP7D51 BGP7D714, BGP7DCLP, BGP7DPA4, BGP7DPE2
\$\$VD^APCLV	BGP7D211, BGP7D24, BGP7D26, BGP7D27, BGP7D28, BGP7D37, BGP7D39 BGP7D3A, BGP7D3B, BGP7D55, BGP7D714, BGP7D81, BGP7D811 BGP7D812, BGP7D841, BGP7D87, BGP7D89, BGP7D9, BGP7D91

\$\$VDTM^APCLV	BGP7DPA2, BGP7DPA4, BGP7DPE2, BGP7NPLP, BGP7UTL1
BLDTAX^ATXAPI	BGP7D2, BGP7D841
\$\$ICD^ATXCHK	BGP5UTL2, BGP6UTL2, BGP7UTL2
BULL^ATXSTX2	BGP71A, BGP71B, BGP71C, BGP71D, BGP71E, BGP71F, BGP71G, BGP71H BGP71I, BGP71J, BGP71K, BGP71L, BGP71M, BGP71N, BGP71O, BGP71P BGP71Q, BGP71R, BGP71S, BGP71T, BGP71U, BGP71V, BGP71W, BGP71X BGP71Y, BGP71Z, BGP72A, BGP72B, BGP72C, BGP72D, BGP72E, BGP72F BGP72G
KILL^ATXSTX2	BGP72H, BGP72I, BGP72J, BGP72K BGP71A, BGP71B, BGP71C, BGP71D, BGP71E, BGP71F, BGP71G, BGP71H BGP71I, BGP71J, BGP71K, BGP71L, BGP71M, BGP71N, BGP71O, BGP71P BGP71Q, BGP71R, BGP71S, BGP71T, BGP71U, BGP71V, BGP71W, BGP71X BGP71Y, BGP71Z, BGP72A, BGP72B, BGP72C, BGP72D, BGP72E, BGP72F BGP72G
TAX^ATXSTX2	BGP72H, BGP72I, BGP72J, BGP72K BGP71A, BGP71B, BGP71C, BGP71D, BGP71E, BGP71F, BGP71G, BGP71H BGP71I, BGP71J, BGP71K, BGP71L, BGP71M, BGP71N, BGP71O, BGP71P BGP71Q, BGP71R, BGP71S, BGP71T, BGP71U, BGP71V, BGP71W, BGP71X BGP71Y, BGP71Z, BGP72A, BGP72B, BGP72C, BGP72D, BGP72E, BGP72F BGP72G
\$\$AGE^AUPNPAT	BGP72H, BGP72I, BGP72J, BGP72K BGP7D1, BGP7D10, BGP7D21, BGP7D23, BGP7D6, BGP7D7, BGP7D83 BGP7D84, BGP7D85, BGP7D87, BGP7DCHW, BGP7DPA1, BGP7DPA2 BGP7DPE1, BGP7EL4, BGP7GUA
\$\$BEN^AUPNPAT	BGP7D1, BGP7DPE1
\$\$COMMRES^AUPNPAT	BGP7DCHW, BGP7DNE1, BGP7DPAP, BGP7DPAW
***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 176	
Routine	is Invoked by:
\$\$DOB^AUPNPAT	BGP5UTL2, BGP6UTL2, BGP7ALG1, BGP7ALG2, BGP7C11, BGP7C13 BGP7CON1, BGP7CU1, BGP7D1, BGP7D10, BGP7D2, BGP7D21, BGP7D211 BGP7D212, BGP7D213, BGP7D22, BGP7D24A, BGP7D27, BGP7D28 BGP7D3, BGP7D31, BGP7D32, BGP7D33, BGP7D34, BGP7D35, BGP7D36 BGP7D37, BGP7D38, BGP7D3A BGP7D3B, BGP7D4, BGP7D42, BGP7D61, BGP7D62, BGP7D63, BGP7D71 BGP7D72, BGP7D721, BGP7D724, BGP7D729, BGP7D731, BGP7D732 BGP7D75, BGP7D8, BGP7D81, BGP7D811, BGP7D82, BGP7D841, BGP7D86 BGP7D862, BGP7D89, BGP7D9, BGP7D91, BGP7DPA1, BGP7DPA2 BGP7DPA4, BGP7DPAW BGP7DPEE, BGP7DPEL, BGP7DS, BGP7DU, BGP7EL2, BGP7EL3, BGP7ELS BGP7ELSL, BGP7NPLP, BGP7UTL1, BGP7UTL2
\$\$DOD^AUPNPAT	BGP7D1, BGP7DPE1
\$\$HRN^AUPNPAT	BGP7DCLD, BGP7DCLP, BGP7DEMO, BGP7DPAP, BGP7DPAW, BGP7DPEE BGP7DPEL, BGP7DS, BGP7ELS, BGP7ELSL, BGP7GUA, BGP7NPLD BGP7NPLP, BGP7PDLS
\$\$SEX^AUPNPAT	BGP7DPAW
\$\$TRIBE^AUPNPAT	BGP7DCHW
KILL^AUPNPAT	BGP7AUEX, BGP7DADB, BGP7DAP, BGP7DAR, BGP7DARO, BGP7DCL BGP7DEL, BGP7DELA, BGP7DGPA, BGP7DGPU, BGP7DL, BGP7DNDB BGP7DNE1, BGP7DNG, BGP7DNGP, BGP7DNGS, BGP7DON, BGP7DPE BGP7DPEA, BGP7DPP, BGP7DSTM, BGP7GACW, BGP7GADB, BGP7GAEL BGP7GAG9, BGP7GAGP, BGP7GAGS BGP7GAHE, BGP7GALL, BGP7GAON, BGP7GAPE, BGP7GAPU, BGP7GCMP BGP7GCMS, BGP7GCOM, BGP7GDON, BGP7GDSH, BGP7GELD, BGP7GFO9 BGP7GFOR, BGP7GGPU, BGP7GHED, BGP7GLHW, BGP7GLST, BGP7GLTX BGP7GMTX, BGP7GMUE, BGP7GMUH, BGP7GNPL, BGP7GNST, BGP7GNT9 BGP7GNTL, BGP7GNTP BGP7GNTS, BGP7GNXP, BGP7GPED, BGP7GPP, BGP7LHW, BGP7NPL
\$\$STATUS^BDGSPT2	BGP7GUA

ALLDP^BDPAPI	BGP7D1
\$\$GETDIR^BGP0UTL2	BGP7DNE1
\$\$DATE^BGP1UTL	BGP7D213 , BGP7D31 , BGP7D4 , BGP7D72 , BGP7D722 , BGP7D9
\$\$LOINC^BGP2D21	BGP7D91
\$\$DATE^BGP2UTL	BGP7D91
AUTO^BGP3AUEX	opt
MAN^BGP3AUEX	opt
SITEPAR^BGP3AUEX	opt
AUTO^BGP3AUUP	opt
MAN^BGP3AUUP	opt
SCH^BGP3AUUP	opt
^BGP3BAN	opt
^BGP3CTS	opt
^BGP3DADB	opt
^BGP3DAP	opt
^BGP3DAR	opt
SUMONLY^BGP3DAR	opt
^BGP3DAR9	opt
<p>***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 177</p>	
Routine	is Invoked by:
^BGP3DARO	opt
^BGP3DCL	opt
^BGP3DEL	opt
^BGP3DELA	opt
^BGP3DEMO	opt
^BGP3DGPA	opt
^BGP3DGPU	opt
^BGP3DICR	opt
^BGP3DL	opt
CMS^BGP3DLT	opt
CRS^BGP3DLT	opt
ELDER^BGP3DLT	opt
GPRA^BGP3DLT	opt
ONM^BGP3DLT	opt
CMS^BGP3DMT	opt
CRS^BGP3DMT	opt
ELDER^BGP3DMT	opt
GPRA^BGP3DMT	opt
ONM^BGP3DMT	opt
^BGP3DNDB	opt
^BGP3DNE	opt
^BGP3DNG	opt
^BGP3DNG9	opt
^BGP3DNGP	opt
^BGP3DNGS	opt
^BGP3DON	opt
^BGP3DPA	opt
COVPAGE^BGP3DPA	opt
^BGP3DPA9	opt
^BGP3DPAP	opt
^BGP3DPE	opt
PP^BGP3DPE	opt
^BGP3DPEA	opt
^BGP3DPP	opt
^BGP3DSTM	opt
^BGP3LSTF	opt
^BGP3NPL	opt
NONNPL^BGP3NPL	opt
^BGP3ULF	opt

DIRCHK^BGP3UTL2	dd90241.02
^BGP3XTCH	opt
^BGP3XTCN	opt
^BGP3XTCO	opt
^BGP3XTEL	opt
^BGP3XTV	opt
AUTO^BGP4AUEX	opt
MAN^BGP4AUEX	opt
SITEPAR^BGP4AUEX	opt
<p>***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 178</p>	
Routine	is Invoked by:
AUTO^BGP4AUUP	opt
MAN^BGP4AUUP	opt
SCH^BGP4AUUP	opt
^BGP4BAN	opt
^BGP4CTS	opt
^BGP4DADB	opt
^BGP4DAP	opt
^BGP4DAR	opt
SUMONLY^BGP4DAR	opt
^BGP4DAR9	opt
^BGP4DARO	opt
^BGP4DCL	opt
^BGP4DEL	opt
^BGP4DELA	opt
^BGP4DEMO	opt
^BGP4DGPA	opt
^BGP4DGPU	opt
^BGP4DICR	opt
^BGP4DL	opt
CMS^BGP4DLT	opt
CRS^BGP4DLT	opt
ELDER^BGP4DLT	opt
GPRA^BGP4DLT	opt
ONM^BGP4DLT	opt
CMS^BGP4DMT	opt
CRS^BGP4DMT	opt
ELDER^BGP4DMT	opt
GPRA^BGP4DMT	opt
ONM^BGP4DMT	opt
^BGP4DNDB	opt
^BGP4DNG	opt
^BGP4DNG9	opt
^BGP4DNGP	opt
^BGP4DNGS	opt
^BGP4DON	opt
W^BGP4DP	BGP7NPLP
^BGP4DPA	opt
COVPAGE^BGP4DPA	opt
^BGP4DPA9	opt
^BGP4DPAP	opt
^BGP4DPE	opt
PP^BGP4DPE	opt
^BGP4DPEA	opt
^BGP4DPP	opt
^BGP4DSTM	opt
^BGP4LSTF	opt
^BGP4NPL	opt
NONNPL^BGP4NPL	opt

***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 179

Routine is Invoked by:

^BGP4ULF		opt
^BGP4XTCH		opt
^BGP4XTCN		opt
^BGP4XTCO		opt
^BGP4XTEL		opt
^BGP4XTV		opt
AUTO^BGP5AUEX		opt
MAN^BGP5AUEX		opt
SITEPAR^BGP5AUEX		opt
AUTO^BGP5AUUP		opt
MAN^BGP5AUUP		opt
SCH^BGP5AUUP		opt
^BGP5BAN		opt
^BGP5CTS		opt
^BGP5DADB		opt
^BGP5DAP		opt
^BGP5DAR		opt
SUMONLY^BGP5DAR		opt
^BGP5DARO		opt
^BGP5DCL		opt
^BGP5DEL		opt
^BGP5DELA		opt
^BGP5DEMO		opt
^BGP5DGPA		opt
^BGP5DGPU		opt
^BGP5DICR		opt
^BGP5DL		opt
CMS^BGP5DLT		opt
CRS^BGP5DLT		opt
ELDER^BGP5DLT		opt
GPRA^BGP5DLT		opt
ONM^BGP5DLT		opt
CMS^BGP5DMT		opt
CRS^BGP5DMT		opt
ELDER^BGP5DMT		opt
GPRA^BGP5DMT		opt
ONM^BGP5DMT		opt
^BGP5DNDB		opt
^BGP5DNG		opt
^BGP5DNGP		opt
^BGP5DNNGS		opt
^BGP5DON		opt
^BGP5DPA		opt
COVPAGE^BGP5DPA		opt
^BGP5DPAP		opt
^BGP5DPE		opt
PP^BGP5DPE		opt
^BGP5DPEA		opt

***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 180

Routine is Invoked by:

^BGP5DPP		opt
^BGP5DSTM		opt
^BGP5LSTF		opt
^BGP5NPL		opt
NONNPL^BGP5NPL		opt

^BGP5ULF	opt
\$\$DATE^BGP5UTL	BGP5UTL2
^BGP5XTCH	opt
^BGP5XTCN	opt
^BGP5XTCO	opt
^BGP5XTEL	opt
^BGP5XTV	opt
AUTO^BGP6AUEX	opt
MAN^BGP6AUEX	opt
SITEPAR^BGP6AUEX	opt
AUTO^BGP6AUUP	opt
MAN^BGP6AUUP	opt
SCH^BGP6AUUP	opt
^BGP6BAN	opt
^BGP6CTS	opt
^BGP6DADB	opt
^BGP6DAP	opt
^BGP6DAR	opt
SUMONLY^BGP6DAR	opt
^BGP6DARO	opt
^BGP6DCL	opt
^BGP6DEL	opt
^BGP6DELA	opt
^BGP6DEMO	opt
^BGP6DGPA	opt
^BGP6DGPU	opt
^BGP6DICR	opt
^BGP6DL	opt
CMS^BGP6DLT	opt
CRS^BGP6DLT	opt
ELDER^BGP6DLT	opt
GPRA^BGP6DLT	opt
ONM^BGP6DLT	opt
CMS^BGP6DMT	opt
CRS^BGP6DMT	opt
ELDER^BGP6DMT	opt
GPRA^BGP6DMT	opt
ONM^BGP6DMT	opt
^BGP6DNDB	opt
^BGP6DNG	opt
^BGP6DNGP	opt
^BGP6DNGS	opt
^BGP6DON	opt
***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 181	
Routine	is Invoked by:
^BGP6DPA	opt
COVPAGE^BGP6DPA	opt
^BGP6DPAP	opt
^BGP6DPE	opt
PP^BGP6DPE	opt
^BGP6DPEA	opt
^BGP6DPP	opt
^BGP6DSTM	opt
\$\$LASTITEM^BGP6DU	BGP6UTL2
^BGP6LSTF	opt
^BGP6NPL	opt
NONNPL^BGP6NPL	opt
^BGP6ULF	opt
\$\$DATE^BGP6UTL	BGP6UTL2

^BGP6XTCH	opt
^BGP6XTCN	opt
^BGP6XTCO	opt
^BGP6XTEL	opt
^BGP6XTV	opt
^BGP71	BGP7POS
^BGP71A	BGP71
^BGP71B	BGP71
^BGP71C	BGP71
^BGP71C2	BGP71C
^BGP71D	BGP71
^BGP71E	BGP71
^BGP71F	BGP71
^BGP71G	BGP71
^BGP71H	BGP71
^BGP71I	BGP71
^BGP71J	BGP71
^BGP71J10	BGP71J
^BGP71J11	BGP71J
^BGP71J12	BGP71J
^BGP71J13	BGP71J
^BGP71J14	BGP71J
^BGP71J15	BGP71J
^BGP71J16	BGP71J
^BGP71J17	BGP71J
^BGP71J18	BGP71J
^BGP71J19	BGP71J
^BGP71J2	BGP71J
^BGP71J3	BGP71J
^BGP71J4	BGP71J
^BGP71J5	BGP71J
^BGP71J6	BGP71J
^BGP71J7	BGP71J
^BGP71J8	BGP71J
***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 182	
Routine	is Invoked by:
^BGP71J9	BGP71J
^BGP71K	BGP71
^BGP71K2	BGP71K
^BGP71L	BGP71
^BGP71L2	BGP71L
^BGP71L3	BGP71L
^BGP71L4	BGP71L
^BGP71M	BGP71
^BGP71M2	BGP71M
^BGP71M3	BGP71M
^BGP71M4	BGP71M
^BGP71M5	BGP71M
^BGP71N	BGP71
^BGP71N10	BGP71N
^BGP71N11	BGP71N
^BGP71N12	BGP71N
^BGP71N13	BGP71N
^BGP71N14	BGP71N
^BGP71N15	BGP71N
^BGP71N16	BGP71N
^BGP71N17	BGP71N
^BGP71N18	BGP71N
^BGP71N19	BGP71N

```

^BGP71N2      BGP71N
^BGP71N20     BGP71N
^BGP71N21     BGP71N
^BGP71N22     BGP71N
^BGP71N23     BGP71N
^BGP71N24     BGP71N
^BGP71N25     BGP71N
^BGP71N26     BGP71N
^BGP71N27     BGP71N
^BGP71N28     BGP71N
^BGP71N29     BGP71N
^BGP71N3      BGP71N
^BGP71N30     BGP71N
^BGP71N4      BGP71N
^BGP71N5      BGP71N
^BGP71N6      BGP71N
^BGP71N7      BGP71N
^BGP71N8      BGP71N
^BGP71N9      BGP71N
^BGP71O      BGP71
^BGP71O10     BGP71O
^BGP71O11     BGP71O
^BGP71O12     BGP71O
^BGP71O2      BGP71O
^BGP71O3      BGP71O
    
```

***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 183

Routine is Invoked by:

```

^BGP71O4      BGP71O
^BGP71O5      BGP71O
^BGP71O6      BGP71O
^BGP71O7      BGP71O
^BGP71O8      BGP71O
^BGP71O9      BGP71O
^BGP71P      BGP71
^BGP71P10     BGP71P
^BGP71P11     BGP71P
^BGP71P12     BGP71P
^BGP71P13     BGP71P
^BGP71P14     BGP71P
^BGP71P15     BGP71P
^BGP71P2      BGP71P
^BGP71P3      BGP71P
^BGP71P4      BGP71P
^BGP71P5      BGP71P
^BGP71P6      BGP71P
^BGP71P7      BGP71P
^BGP71P8      BGP71P
^BGP71P9      BGP71P
^BGP71Q      BGP71
^BGP71R      BGP71
^BGP71R2      BGP71R
^BGP71R3      BGP71R
^BGP71R4      BGP71R
^BGP71R5      BGP71R
^BGP71R6      BGP71R
^BGP71R7      BGP71R
^BGP71R8      BGP71R
^BGP71S      BGP71
^BGP71S10     BGP71S
    
```

```

^BGP71S11      BGP71S
^BGP71S12      BGP71S
^BGP71S13      BGP71S
^BGP71S14      BGP71S
^BGP71S15      BGP71S
^BGP71S16      BGP71S
^BGP71S17      BGP71S
^BGP71S18      BGP71S
^BGP71S19      BGP71S
^BGP71S2       BGP71S
^BGP71S20      BGP71S
^BGP71S21      BGP71S
^BGP71S22      BGP71S
^BGP71S23      BGP71S
^BGP71S24      BGP71S
^BGP71S25      BGP71S
    
```

***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 184

Routine is Invoked by:

```

^BGP71S26      BGP71S
^BGP71S27      BGP71S
^BGP71S28      BGP71S
^BGP71S29      BGP71S
^BGP71S3       BGP71S
^BGP71S4       BGP71S
^BGP71S5       BGP71S
^BGP71S6       BGP71S
^BGP71S7       BGP71S
^BGP71S8       BGP71S
^BGP71S9       BGP71S
^BGP71T        BGP71
^BGP71T10      BGP71T
^BGP71T11      BGP71T
^BGP71T12      BGP71T
^BGP71T13      BGP71T
^BGP71T14      BGP71T
^BGP71T15      BGP71T
^BGP71T16      BGP71T
^BGP71T17      BGP71T
^BGP71T18      BGP71T
^BGP71T19      BGP71T
^BGP71T2       BGP71T
^BGP71T20      BGP71T
^BGP71T21      BGP71T
^BGP71T22      BGP71T
^BGP71T23      BGP71T
^BGP71T24      BGP71T
^BGP71T25      BGP71T
^BGP71T26      BGP71T
^BGP71T27      BGP71T
^BGP71T28      BGP71T
^BGP71T29      BGP71T
^BGP71T3       BGP71T
^BGP71T30      BGP71T
^BGP71T31      BGP71T
^BGP71T32      BGP71T
^BGP71T4       BGP71T
^BGP71T5       BGP71T
^BGP71T6       BGP71T
^BGP71T7       BGP71T
    
```


^BGP71T8	BGP71T
^BGP71T9	BGP71T
^BGP71U	BGP71
^BGP71U10	BGP71U
^BGP71U11	BGP71U
^BGP71U12	BGP71U
^BGP71U13	BGP71U
<p>***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 185</p>	
Routine	is Invoked by:
^BGP71U14	BGP71U
^BGP71U15	BGP71U
^BGP71U16	BGP71U
^BGP71U17	BGP71U
^BGP71U18	BGP71U
^BGP71U19	BGP71U
^BGP71U2	BGP71U
^BGP71U20	BGP71U
^BGP71U21	BGP71U
^BGP71U22	BGP71U
^BGP71U23	BGP71U
^BGP71U24	BGP71U
^BGP71U25	BGP71U
^BGP71U26	BGP71U
^BGP71U27	BGP71U
^BGP71U28	BGP71U
^BGP71U29	BGP71U
^BGP71U3	BGP71U
^BGP71U30	BGP71U
^BGP71U31	BGP71U
^BGP71U32	BGP71U
^BGP71U33	BGP71U
^BGP71U34	BGP71U
^BGP71U35	BGP71U
^BGP71U36	BGP71U
^BGP71U37	BGP71U
^BGP71U38	BGP71U
^BGP71U39	BGP71U
^BGP71U4	BGP71U
^BGP71U40	BGP71U
^BGP71U41	BGP71U
^BGP71U42	BGP71U
^BGP71U43	BGP71U
^BGP71U44	BGP71U
^BGP71U45	BGP71U
^BGP71U46	BGP71U
^BGP71U47	BGP71U
^BGP71U48	BGP71U
^BGP71U49	BGP71U
^BGP71U5	BGP71U
^BGP71U50	BGP71U
^BGP71U51	BGP71U
^BGP71U52	BGP71U
^BGP71U53	BGP71U
^BGP71U54	BGP71U
^BGP71U55	BGP71U
^BGP71U56	BGP71U
^BGP71U57	BGP71U
<p>***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 186</p>	

Routine	is Invoked by:
^BGP71U58	BGP71U
^BGP71U59	BGP71U
^BGP71U6	BGP71U
^BGP71U60	BGP71U
^BGP71U61	BGP71U
^BGP71U7	BGP71U
^BGP71U8	BGP71U
^BGP71U9	BGP71U
^BGP71V	BGP71
^BGP71V10	BGP71V
^BGP71V11	BGP71V
^BGP71V12	BGP71V
^BGP71V13	BGP71V
^BGP71V14	BGP71V
^BGP71V15	BGP71V
^BGP71V16	BGP71V
^BGP71V17	BGP71V
^BGP71V18	BGP71V
^BGP71V19	BGP71V
^BGP71V2	BGP71V
^BGP71V20	BGP71V
^BGP71V21	BGP71V
^BGP71V22	BGP71V
^BGP71V23	BGP71V
^BGP71V24	BGP71V
^BGP71V25	BGP71V
^BGP71V26	BGP71V
^BGP71V27	BGP71V
^BGP71V28	BGP71V
^BGP71V29	BGP71V
^BGP71V3	BGP71V
^BGP71V30	BGP71V
^BGP71V31	BGP71V
^BGP71V4	BGP71V
^BGP71V5	BGP71V
^BGP71V6	BGP71V
^BGP71V7	BGP71V
^BGP71V8	BGP71V
^BGP71V9	BGP71V
^BGP71W	BGP71
^BGP71W10	BGP71W
^BGP71W11	BGP71W
^BGP71W12	BGP71W
^BGP71W13	BGP71W
^BGP71W14	BGP71W
^BGP71W15	BGP71W
^BGP71W16	BGP71W
^BGP71W17	BGP71W

***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 187

Routine	is Invoked by:
^BGP71W18	BGP71W
^BGP71W2	BGP71W
^BGP71W3	BGP71W
^BGP71W4	BGP71W
^BGP71W5	BGP71W
^BGP71W6	BGP71W
^BGP71W7	BGP71W

^BGP71W8	BGP71W
^BGP71W9	BGP71W
^BGP71X	BGP71
^BGP71X10	BGP71X
^BGP71X11	BGP71X
^BGP71X12	BGP71X
^BGP71X13	BGP71X
^BGP71X14	BGP71X
^BGP71X15	BGP71X
^BGP71X2	BGP71X
^BGP71X3	BGP71X
^BGP71X4	BGP71X
^BGP71X5	BGP71X
^BGP71X6	BGP71X
^BGP71X7	BGP71X
^BGP71X8	BGP71X
^BGP71X9	BGP71X
^BGP71Y	BGP71
^BGP71Y2	BGP71Y
^BGP71Y3	BGP71Y
^BGP71Y4	BGP71Y
^BGP71Y5	BGP71Y
^BGP71Z	BGP71
^BGP71Z2	BGP71Z
^BGP72A	BGP72
^BGP72A10	BGP72A
^BGP72A11	BGP72A
^BGP72A12	BGP72A
^BGP72A13	BGP72A
^BGP72A14	BGP72A
^BGP72A15	BGP72A
^BGP72A16	BGP72A
^BGP72A17	BGP72A
^BGP72A18	BGP72A
^BGP72A19	BGP72A
^BGP72A2	BGP72A
^BGP72A20	BGP72A
^BGP72A21	BGP72A
^BGP72A22	BGP72A
^BGP72A23	BGP72A
^BGP72A24	BGP72A

***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 188

Routine	is Invoked by:
^BGP72A25	BGP72A
^BGP72A26	BGP72A
^BGP72A27	BGP72A
^BGP72A28	BGP72A
^BGP72A29	BGP72A
^BGP72A3	BGP72A
^BGP72A30	BGP72A
^BGP72A31	BGP72A
^BGP72A32	BGP72A
^BGP72A33	BGP72A
^BGP72A34	BGP72A
^BGP72A35	BGP72A
^BGP72A36	BGP72A
^BGP72A4	BGP72A
^BGP72A5	BGP72A
^BGP72A6	BGP72A

```

^BGP72A7      BGP72A
^BGP72A8      BGP72A
^BGP72A9      BGP72A
^BGP72B       BGP72
^BGP72B10     BGP72B
^BGP72B11     BGP72B
^BGP72B12     BGP72B
^BGP72B13     BGP72B
^BGP72B14     BGP72B
^BGP72B15     BGP72B
^BGP72B16     BGP72B
^BGP72B17     BGP72B
^BGP72B18     BGP72B
^BGP72B19     BGP72B
^BGP72B2      BGP72B
^BGP72B20     BGP72B
^BGP72B21     BGP72B
^BGP72B22     BGP72B
^BGP72B23     BGP72B
^BGP72B24     BGP72B
^BGP72B25     BGP72B
^BGP72B26     BGP72B
^BGP72B3      BGP72B
^BGP72B4      BGP72B
^BGP72B5      BGP72B
^BGP72B6      BGP72B
^BGP72B7      BGP72B
^BGP72B8      BGP72B
^BGP72B9      BGP72B
^BGP72C       BGP72
^BGP72C2      BGP72C
^BGP72C3      BGP72C
    
```

***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 189

```

Routine      is Invoked by:
^BGP72C4     BGP72C
^BGP72C5     BGP72C
^BGP72C6     BGP72C
^BGP72C7     BGP72C
^BGP72D      BGP72
^BGP72E      BGP72
^BGP72E2     BGP72E
^BGP72E3     BGP72E
^BGP72E4     BGP72E
^BGP72E5     BGP72E
^BGP72E6     BGP72E
^BGP72E7     BGP72E
^BGP72F      BGP72
^BGP72G      BGP72
^BGP72G10    BGP72G
^BGP72G11    BGP72G
^BGP72G12    BGP72G
^BGP72G13    BGP72G
^BGP72G14    BGP72G
^BGP72G15    BGP72G
^BGP72G16    BGP72G
^BGP72G17    BGP72G
^BGP72G2     BGP72G
^BGP72G3     BGP72G
^BGP72G4     BGP72G
    
```

^BGP72G5	BGP72G
^BGP72G6	BGP72G
^BGP72G7	BGP72G
^BGP72G8	BGP72G
^BGP72G9	BGP72G
^BGP72H	BGP72
^BGP72I	BGP72
^BGP72J	BGP72
^BGP72J2	BGP72J
^BGP72J3	BGP72J
^BGP72J4	BGP72J
^BGP72J5	BGP72J
^BGP72J6	BGP72J
^BGP72J7	BGP72J
^BGP72K	BGP72
ACEI^BGP7ALG1	BGP7ALG
ARB^BGP7ALG1	BGP7ALG
ASA^BGP7ALG1	BGP7ALG
BETA^BGP7ALG1	BGP7ALG
STATIN^BGP7ALG2	BGP7ALG
EN^BGP7ASL	BGP7DADB , BGP7DAR , BGP7DARO , BGP7DELA , BGP7DGPA , BGP7DPEA
GET^BGP7ASL	BGP7GU
ELD^BGP7ASL1	BGP7ASL

***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 190

Routine	is Invoked by:
NGR^BGP7ASL1	BGP7ASL
ONM^BGP7ASL1	BGP7ASL
PED^BGP7ASL1	BGP7ASL
EN^BGP7AU1A	BGP7AUUP
EN^BGP7AU1D	BGP7AUUP
MSG1^BGP7AU1M	BGP7AUUP
EN^BGP7AU1R	BGP7AUUP
AUTO^BGP7AUEX	opt
AUTOEX^BGP7AUEX	BGP7UTL
DELTASK^BGP7AUEX	BGP7AUUL
MAN^BGP7AUEX	opt
QUE^BGP7AUEX	BGP7GRB
SITEPAR^BGP7AUEX	opt
EN^BGP7AUUL	BGP7AUUP
SCH^BGP7AUUL	BGP7AUUP
AUTO^BGP7AUUP	opt
MAN^BGP7AUUP	opt
SCH^BGP7AUUP	opt
XIT^BGP7AUUP	BGP7AUUL
^BGP7BAN	opt
\$\$RPTVER^BGP7BAN	BGP7DCL , BGP7DCLD , BGP7DCLP , BGP7DGPU , BGP7DH , BGP7DH1 BGP7DICR , BGP7DLT , BGP7DMT , BGP7DPAW , BGP7DSTM , BGP7ELH BGP7ELHH , BGP7NPL , BGP7NPLD , BGP7NPLP , BGP7PDLH
ACEIALG1^BGP7C11	BGP7D722 , BGP7D723 , BGP7D732
ARBALG1^BGP7C13	BGP7C11
ARBRX1^BGP7C13	BGP7C11
ACEI^BGP7CON1	BGP7CON
ASA^BGP7CON1	BGP7CON
STATIN^BGP7CON1	BGP7CON
EP^BGP7CTL	BGP7CTS
^BGP7CTS	opt
INIT^BGP7CTS	BGP7GU
GETMEDS^BGP7CU	BGP7C11 , BGP7C13 , BGP7CU1
\$\$ASAALLEG^BGP7CU1	BGP7D721

^BGP7D1	BGP7AUEx, BGP7DAP, BGP7DCL, BGP7DEL, BGP7DGPU, BGP7DL BGP7DNDB, BGP7DNG, BGP7DNGP, BGP7DNCS, BGP7DON, BGP7DSTM BGP7GALL, BGP7GCMP, BGP7GCOM, BGP7GDON, BGP7GDSH, BGP7GELD BGP7GGPU, BGP7GHED, BGP7GLHW, BGP7GNPL, BGP7GNST, BGP7GNT9 BGP7GNTL, BGP7GNTD, BGP7GNTS BGP7LHW, BGP7NPL
\$\$ACTUP^BGP7D1	BGP7DNE1
\$\$V2^BGP7D1	BGP7D2, BGP7D721, BGP7D729
\$\$V2DM^BGP7D1	BGP7D10, BGP7D211
PROCCY^BGP7D1	BGP7DNE1, BGP7DPA, BGP7DPAP
^BGP7D10	BGP7DGPU, BGP7DPP, BGP7GGPU, BGP7GPP
\$\$GDEV^BGP7D2	BGP7D22, BGP7D23, BGP7D26, BGP7D41, BGP7D9
\$\$HGBA1C^BGP7D2	BGP7D22, BGP7D23, BGP7DPA1
\$\$LDL^BGP7D2	BGP7D23, BGP7D72, BGP7D73, BGP7DPA1
***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 191	
Routine	is Invoked by:
\$\$LOINC^BGP7D2	BGP7ALG2, BGP7D213, BGP7D722, BGP7D723, BGP7D841
\$\$MEANBP^BGP7D2	BGP7D22, BGP7DPA1
\$\$MEANBPD^BGP7D2	BGP7D9
DMBP^BGP7D2	BGP7EL2
DMGC^BGP7D2	BGP7EL2
\$\$BF^BGP7D21	BGP7D212, BGP7D213, BGP7EL2
\$\$DENTSrv^BGP7D21	BGP7DPA1, BGP7DPA2, BGP7EL2
\$\$DNKA^BGP7D21	BGP7D213, BGP7DPA4
\$\$EYE^BGP7D21	BGP7D22
\$\$LOINC^BGP7D21	BGP7CU, BGP7D212, BGP7D8, BGP7D811, BGP7D812, BGP7D82, BGP7D83 BGP7D84, BGP7D841, BGP7D861, BGP7D862, BGP7D864, BGP7D88
DMEYE^BGP7D21	BGP7EL2
DMNA^BGP7D21	BGP7EL2
I61^BGP7D21	BGP7DPA1
\$\$DMFB^BGP7D211	BGP7D2
\$\$DMPVPL^BGP7D211	BGP7D2
\$\$ESRD^BGP7D211	BGP7D21, BGP7D212, BGP7D213, BGP7D22, BGP7D39, BGP7D9 BGP7DPA2, BGP7EL2
\$\$GFR^BGP7D211	BGP7D21, BGP7D22
\$\$QUANTUP^BGP7D211	BGP7D21, BGP7D22
JVN^BGP7D211	BGP7D21
\$\$ALCHEP^BGP7D212	BGP7D213, BGP7EL2
\$\$CHDLDL^BGP7D212	BGP7D213, BGP7EL2
\$\$LASTLdlv^BGP7D212	BGP7D213, BGP7EL2
\$\$STATNMI^BGP7D212	BGP7D213, BGP7EL2
STRC^BGP7D212	BGP7DPA4
\$\$CLIVER^BGP7D213	BGP7D212, BGP7EL2
\$\$EMP^BGP7D213	BGP7D22, BGP7D28, BGP7D81
\$\$FOOT^BGP7D213	BGP7D22
\$\$STATALG^BGP7D213	BGP7D212, BGP7EL2
CVD^BGP7D213	BGP7DPA4
OPTOM^BGP7D213	BGP7D3B
\$\$STATIN^BGP7D214	BGP7D212, BGP7D213, BGP7EL2
\$\$BLINDPL^BGP7D21A	BGP7D21, BGP7D22, BGP7EL2
\$\$CHDPL^BGP7D21A	BGP7D212
\$\$ASSEV^BGP7D22	BGP7D28, BGP7D31, BGP7D81
\$\$BPCPT^BGP7D22	BGP7D2, BGP7D23, BGP7D26, BGP7D41, BGP7D9, BGP7DPA1
\$\$COPD^BGP7D22	BGP7D28, BGP7D81
\$\$CREAT^BGP7D22	BGP7D82, BGP7D86
\$\$PERASTH^BGP7D22	BGP7D28, BGP7D81
\$\$SEVPER^BGP7D22	BGP7D81
\$\$TRIG^BGP7D231	BGP7D23
\$\$WC^BGP7D231	BGP7D23

```

$$PCV^BGP7D24      BGP7EL4
BNI^BGP7D24        BGP7DPA4
$$KEYSTI^BGP7D24A  BGP7D24
$$DEP^BGP7D25      BGP7D23 , BGP7D26 , BGP7D41 , BGP7DPA2 , BGP7DPA4
$$DEPEDU^BGP7D25   BGP7DPA2 , BGP7DPA4
    
```

**** Cross Reference of all Routines **** Aug 24, 2016@08:35:29 page 192

```

Routine           is Invoked by:
$$DEPREF^BGP7D25  BGP7D23
$$DEPSCR^BGP7D25  BGP7D23 , BGP7D26 , BGP7D41 , BGP7DPA2 , BGP7DPA4
$$DEPSUIC^BGP7D25 BGP7D41
DEPEP^BGP7D25     BGP7EL3
$$MEANBP^BGP7D26  BGP7D41
$$AMP^BGP7D27     BGP7D22
$$DEPSCRBH^BGP7D27 BGP7D25
$$DEN7^BGP7D3     BGP7DPA1
$$FLU^BGP7D3      BGP7D3B , BGP7DPA1 , BGP7DPA4 , BGP7EL3
$$HPV^BGP7D3      BGP7D64
$$HYSTER^BGP7D3   BGP7D64
$$PAP^BGP7D3      BGP7D64 , BGP7DPA1
$$ANCONT^BGP7D31  BGP7D33 , BGP7D34 , BGP7D35 , BGP7D36 , BGP7D37 , BGP7D38 , BGP7D3A
                    BGP7D3B , BGP7D86
$$ANEGCONT^BGP7D31 BGP7D38
$$ANIMCONT^BGP7D31 BGP7D37 , BGP7D3B
$$ANNECONT^BGP7D31 BGP7D33
$$BL^BGP7D31      BGP7D3B
$$HOSP^BGP7D31    BGP7EL31
$$MMRCONT^BGP7D31 BGP7D33 , BGP7D35 , BGP7D811
$$PNEU^BGP7D31    BGP7D3B , BGP7DPA1
$$SEV^BGP7D31     BGP7D28
$$V2ASTH^BGP7D31  BGP7EL31
$$IMMREF^BGP7D32  BGP7D35
GETIMMS^BGP7D32   BGP7D33 , BGP7D34 , BGP7D35 , BGP7D36 , BGP7D37 , BGP7D38 , BGP7D811
                    BGP7D86
I14^BGP7D32       BGP7DPA1
$$MMR^BGP7D33     BGP7D32
$$OPV^BGP7D33     BGP7D32
$$DTAP^BGP7D34    BGP7D32
RESET^BGP7D34     BGP7D341
TEST^BGP7D341     BGP7D34
$$HEP^BGP7D35     BGP7D32
$$PNEUMO^BGP7D35  BGP7D32
$$VAR^BGP7D35     BGP7D32
$$AGE^BGP7D36     BGP7D3 , BGP7DPA4
$$HPV^BGP7D36     BGP7D85
$$MEN^BGP7D36     BGP7D85
$$HEPA^BGP7D37    BGP7D32
$$ROTA2^BGP7D37   BGP7D32
$$ROTA3^BGP7D37   BGP7D32
FLU^BGP7D37       BGP7D3
$$HIB3^BGP7D38    BGP7D32
$$HIB4^BGP7D38    BGP7D32
$$INFLU^BGP7D38   BGP7D32
$$DTAP^BGP7D3A    BGP7D3B
$$DTAPTD^BGP7D3A  BGP7D3B
$$GA^BGP7D3A      BGP7D21
    
```

**** Cross Reference of all Routines **** Aug 24, 2016@08:35:29 page 193

Routine is Invoked by:

\$\$HIGHR^BGP7D3A	BGP7D3
\$\$HIGHRP^BGP7D3A	BGP7D3B
\$\$SEALDEV^BGP7D3A	BGP7D3
\$\$TF^BGP7D3A	BGP7D3
SEAL^BGP7D3A	BGP7D3
SEALR^BGP7D3A	BGP7D3
I13^BGP7D3B	BGP7D3
PN^BGP7D3B	BGP7EL3
\$\$FIRSTPDX^BGP7D3C	BGP7D3B
\$\$DEN8^BGP7D4	BGP7D64, BGP7DPA1
\$\$MAM^BGP7D4	BGP7D64, BGP7DPA1, BGP7EL3
\$\$MAS^BGP7D4	BGP7EL3
\$\$LIFED^BGP7D41	BGP7D23
\$\$MEANBP^BGP7D41	BGP7D9
BPCV^BGP7D41	BGP7EL3
I0302ASC^BGP7D41	BGP7DPA2
\$\$OSTEOSCR^BGP7D42	BGP7EL3
\$\$ALPED^BGP7D5	BGP7D55, BGP7DPA2
\$\$ALPRC^BGP7D5	BGP7D26
\$\$DV61^BGP7D5	BGP7D26
\$\$DVDX^BGP7D5	BGP7D26, BGP7DPA2
\$\$DVEX^BGP7D5	BGP7D26, BGP7DPA2
\$\$DVPED^BGP7D5	BGP7D26, BGP7DPA2
DV^BGP7D5	BGP7EL3
ICRSAMM^BGP7D51	BGP7DPA4
\$\$EAPT^BGP7D52	BGP7D51
DVDX^BGP7D54	BGP7D5
\$\$ALDX^BGP7D55	BGP7D26
ALSCRN^BGP7D55	BGP7D24, BGP7DPA2, BGP7DPA4
\$\$ALDX^BGP7D5A	BGP7DPA2
\$\$BMI^BGP7D6	BGP7D23, BGP7D26, BGP7D41, BGP7D52, BGP7D71, BGP7EL3
\$\$BMIOR^BGP7D6	BGP7DPA2
\$\$OB^BGP7D6	BGP7D71, BGP7DPA2, BGP7EL3
\$\$OW^BGP7D6	BGP7D71, BGP7DPA2, BGP7EL3
\$\$REF^BGP7D6	BGP7EL3
\$\$REF^BGP7D61	BGP7D62
\$\$COLO^BGP7D62	BGP7D64, BGP7DPA2
\$\$CRC^BGP7D62	BGP7D64, BGP7DPA2, BGP7EL3
\$\$FOB^BGP7D62	BGP7D64, BGP7DPA2
\$\$SIG^BGP7D62	BGP7D64, BGP7DPA2
CRCP^BGP7D62	BGP7EL3
\$\$CPTSM^BGP7D7	BGP7D23, BGP7D26, BGP7D41, BGP7D713, BGP7D89
\$\$DENT^BGP7D7	BGP7D23, BGP7D26, BGP7D41, BGP7D713
\$\$DX^BGP7D7	BGP7D23, BGP7D26, BGP7D713
\$\$DXS^BGP7D7	BGP7D713
\$\$DXSL^BGP7D7	BGP7D713
\$\$DXU^BGP7D7	BGP7D713
\$\$LASTHF^BGP7D7	BGP7D71, BGP7D712, BGP7D9

**** Cross Reference of all Routines **** Aug 24, 2016@08:35:29 page 194

Routine	is Invoked by:
\$\$PED^BGP7D7	BGP7D23, BGP7D26, BGP7D41, BGP7D713
\$\$PREG^BGP7D7	BGP7CON1, BGP7D21, BGP7D212, BGP7D213, BGP7D3B, BGP7D722 BGP7D723, BGP7D75, BGP7D8, BGP7D88, BGP7D9, BGP7DPA2, BGP7EL2
\$\$TOBACCO^BGP7D7	BGP7D23, BGP7D26, BGP7D41
TA^BGP7D7	BGP7EL3
I91^BGP7D71	BGP7DPA2
\$\$MEDNUTR^BGP7D711	BGP7D41
\$\$MEDNUTRD^BGP7D711	BGP7D41, BGP7D71
\$\$OTHREL^BGP7D711	BGP7D41, BGP7D71

\$\$PED^BGP7D711	BGP7D71 , BGP7DPA2
\$\$SPECEX^BGP7D711	BGP7D41 , BGP7D71
\$\$SPECNUTR^BGP7D711	BGP7D41 , BGP7D71
\$\$TOBHF^BGP7D712	BGP7D7 , BGP7D713 , BGP7D89
PREGSCRN^BGP7D713	BGP7D7
PREG^BGP7D714	BGP7D7
\$\$AMA^BGP7D72	BGP7D731 , BGP7D87
\$\$BETAALG1^BGP7D72	BGP7D721 , BGP7D731 , BGP7D75
\$\$EXPIRED^BGP7D72	BGP7D731 , BGP7D87
\$\$TRANS^BGP7D72	BGP7D731 , BGP7D87
\$\$ASA^BGP7D721	BGP7D731
\$\$ASAALLEG^BGP7D721	BGP7D731 , BGP7D75
\$\$BETA^BGP7D721	BGP7D731
\$\$BETACONT^BGP7D721	BGP7D731 , BGP7D75
\$\$ACEALG^BGP7D722	BGP7D721 , BGP7D731 , BGP7D75
\$\$ACECONT^BGP7D722	BGP7D721 , BGP7D731
\$\$ACERX^BGP7D722	BGP7D721 , BGP7D731
\$\$RESAL^BGP7D722	BGP7D213
\$\$RESCK^BGP7D722	BGP7D213
\$\$STATALG^BGP7D722	BGP7D721 , BGP7D731 , BGP7D75
\$\$STATCON^BGP7D722	BGP7D721 , BGP7D731 , BGP7D75
\$\$STATRX^BGP7D722	BGP7D721 , BGP7D731
\$\$ACEALG^BGP7D723	BGP7D21
\$\$ACECONT^BGP7D723	BGP7D21
BETACONT^BGP7D724	BGP7CON , BGP7D721
\$\$CHD^BGP7D729	BGP7D25 , BGP7D41 , BGP7D721 , BGP7D73 , BGP7DPA2
CHEL^BGP7D73	BGP7EL4
\$\$FIRSTHF^BGP7D8	BGP7D26
\$\$HIVDX^BGP7D8	BGP7D88
\$\$HIVDX1^BGP7D8	BGP7D812
\$\$HIVTEST^BGP7D8	BGP7D24A
IE2^BGP7D8	BGP7DPA2
\$\$VAPI^BGP7D81	BGP7D711 , BGP7D721 , BGP7D731 , BGP7D75 , BGP7D82 , BGP7D863
	BGP7D91
\$\$ART^BGP7D811	BGP7D8
\$\$PCR^BGP7D811	BGP7D8
\$\$CD4^BGP7D812	BGP7D8
\$\$HIVTEST1^BGP7D812	BGP7D8
\$\$CLASS^BGP7D82	BGP7D863
***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 195	
Routine	is Invoked by:
\$\$DAYS^BGP7D82	BGP7D21 , BGP7D214 , BGP7D52 , BGP7D721 , BGP7D722 , BGP7D723
	BGP7D732 , BGP7D863
IRAA^BGP7D82	BGP7EL3
\$\$CD4RES^BGP7D841	BGP7D8
HEPC^BGP7D841	BGP7D84
\$\$TDAP^BGP7D86	BGP7D85
\$\$CBC^BGP7D861	BGP7D86
\$\$CBC4^BGP7D861	BGP7D86
\$\$CBC6^BGP7D861	BGP7D86
\$\$GLUCOSE^BGP7D861	BGP7D86
\$\$LFT^BGP7D861	BGP7D86
\$\$LFT6^BGP7D861	BGP7D86
\$\$POT^BGP7D861	BGP7D86
\$\$SERUM12^BGP7D861	BGP7D86
\$\$SERUM6^BGP7D861	BGP7D86
\$\$UP4^BGP7D861	BGP7D86
\$\$RHEUAR^BGP7D862	BGP7D86
\$\$MEDSPRE^BGP7D863	BGP7D86

\$\$GOLDLAB^BGP7D864	BGP7D86
\$\$FIRSTHTN^BGP7D9	BGP7D21
\$\$LASTBP^BGP7D9	BGP7DPA2
\$\$MHHTN^BGP7D9	BGP7DPA2
\$\$V1HTN^BGP7D9	BGP7D21
^BGP7DADB	opt
^BGP7DAP	opt
^BGP7DAR	opt
SUMONLY^BGP7DAR	opt
^BGP7DARO	opt
^BGP7DBPR	BGP7DP
AREA^BGP7DBPR	BGP7PARP
PRINTN^BGP7DBPR	BGP7DP
CALCIND^BGP7DCEI	BGP7D1
\$\$STATE^BGP7DCHW	BGP7DNE1
\$\$UID^BGP7DCHW	BGP7DNE1
CALCIND^BGP7DCI	BGP7D1 , BGP7D10
^BGP7DCL	opt
CPPL1^BGP7DCLD	BGP7PDL
\$\$LAST^BGP7DCLP	BGP7DCLD
CPPL1^BGP7DCLP	BGP7DP
^BGP7DEL	opt
^BGP7DELA	opt
^BGP7DELP	BGP7DEL
PRINT1^BGP7DELP	BGP7PHEL
^BGP7DEMO	opt
EN^BGP7DESI	BGP7DEL
EN^BGP7DESL	BGP7DEL
PT^BGP7DESL	BGP7DEL , BGP7DELA
RT^BGP7DESL	BGP7DEL

***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 196

Routine	is Invoked by:
^BGP7DGPA	opt
^BGP7DGPU	opt
ENDDATE^BGP7DGPU	BGP7DADB , BGP7DAP , BGP7DAR , BGP7DL , BGP7DNDB , BGP7DPP
^BGP7DH	BGP7DBPR , BGP7DP , BGP7DPEP
\$\$USR^BGP7DH	BGP7DH1
AREACP^BGP7DH	BGP7DBPR , BGP7PARP , BGP7PARQ , BGP7PPEL
ENDTIME^BGP7DH	BGP7DH1
EOP^BGP7DH	BGP7LSTF , BGP7ULF
HDR^BGP7DH	BGP7DH1 , BGP7DH2
MD^BGP7DH	BGP7DH1
PD^BGP7DH	BGP7DH1
PEDCP^BGP7DH	BGP7DH1
AHDR^BGP7DH1	BGP7DH , BGP7DH2
ALLHDR^BGP7DH1	BGP7DH
AREACP^BGP7DH1	BGP7DBPR , BGP7DH
COMHDR^BGP7DH1	BGP7DH
GPRAHDRS^BGP7DH1	BGP7DH
GPUPPHDR^BGP7DH1	BGP7DH
ONMHDR^BGP7DH1	BGP7DH
PEHDR^BGP7DH1	BGP7DH
PPHDR^BGP7DH1	BGP7DH
DASH^BGP7DH2	BGP7DH
DASHHDRA^BGP7DH2	BGP7DH1
GPRAHDRA^BGP7DH2	BGP7DH1
ONMHDR^BGP7DH2	BGP7DH1
^BGP7DICR	opt
^BGP7DL	opt

AI^BGP7DL	BGP7GALL, BGP7GCOM, BGP7GPP
II^BGP7DL	BGP7GALL, BGP7GCOM, BGP7GPP
PI^BGP7DL	BGP7GALL, BGP7GCOM, BGP7GPP
CMS^BGP7DLT	opt
CRS^BGP7DLT	opt
ELDER^BGP7DLT	opt
GPRA^BGP7DLT	opt
ONM^BGP7DLT	opt
CMS^BGP7DMT	opt
CRS^BGP7DMT	opt
ELDER^BGP7DMT	opt
GPRA^BGP7DMT	opt
ONM^BGP7DMT	opt
^BGP7DNDB	opt
PRINT^BGP7DNE1	BGP7DNE1
PROC^BGP7DNE1	BGP7DNE1, BGP7GNXP
^BGP7DNG	opt
\$\$CTR^BGP7DNG	BGP7AUEX
^BGP7DNNGP	opt
^BGP7DNNGS	opt
^BGP7DON	opt

***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 197

Routine	is Invoked by:
^BGP7DP	BGP7DAP, BGP7DCL, BGP7DGPU, BGP7DL, BGP7DNDB, BGP7DNG BGP7DNNGP, BGP7DNNGS, BGP7DON, BGP7DPP, BGP7DSTM, BGP7NPL
PRINT1^BGP7DP	BGP7PARP, BGP7PARQ
SETEXCEL^BGP7DP	BGP7AU1A, BGP7PARP, BGP7PARQ
W^BGP7DP	BGP7DBPR, BGP7DCLP, BGP7DH, BGP7DH1, BGP7DH2, BGP7DP, BGP7DP1C BGP7DP1H, BGP7DP1I, BGP7DP1J, BGP7DP1K, BGP7DP1L, BGP7DP1M BGP7DP1N, BGP7DP1O, BGP7DP1S, BGP7DP1T, BGP7DPH, BGP7DS BGP7DSP, BGP7DSPD, BGP7DSPN, BGP7DSPO, BGP7DSTM, BGP7NPLP BGP7SDP, BGP7SDPD BGP7SDPN, BGP7SDPO
WTITLE^BGP7DP	BGP7DS, BGP7NPLP
PI^BGP7DP1	BGP7DP2
I1AGE^BGP7DP11	BGP7DP1C
I1AGE^BGP7DP12	BGP7DP1
I1AGE^BGP7DP13	BGP7DP1
I1AGE^BGP7DP14	BGP7DP1
I1AGE^BGP7DP19	BGP7DP1
\$\$SB^BGP7DP1C	BGP7DP1E
\$\$V^BGP7DP1C	BGP7DBPR, BGP7DP11, BGP7DP12, BGP7DP13, BGP7DP14, BGP7DP19 BGP7DP1C, BGP7DP1H, BGP7DP1L, BGP7DP1M, BGP7DP1N, BGP7DP1O BGP7DP1S, BGP7DP1T, BGP7DP2, BGP7DP3, BGP7DP4, BGP7DP5 BGP7DP50, BGP7DP51, BGP7DP6, BGP7DP60, BGP7DP7, BGP7DP8 BGP7PD19, BGP7PDL0, BGP7PDL1 BGP7PDL2, BGP7PDL3, BGP7PDL4, BGP7PDL5, BGP7PDL7, BGP7PDL8 BGP7PDL9, BGP7PDLA, BGP7PDLB, BGP7PDLI, BGP7PDLT, BGP7PDPA BGP7PDPB
GPRANT1^BGP7DP1C	BGP7DP19, BGP7PD19
I1AGE^BGP7DP1C	BGP7DP1
PI^BGP7DP1C	BGP7DP1, BGP7DP10, BGP7DP2, BGP7DP3, BGP7DP4, BGP7DP5, BGP7DP6
PI1^BGP7DP1C	BGP7DP4, BGP7DP5
SETEXA^BGP7DP1C	BGP7DP19, BGP7DP1H, BGP7DP1T, BGP7DP2, BGP7DP3, BGP7DP7 BGP7PD19, BGP7PDL1, BGP7PDL2, BGP7PDL3
SETN^BGP7DP1C	BGP7DP2, BGP7DP3, BGP7DP7, BGP7PDL1, BGP7PDL2, BGP7PDL3
SETN1^BGP7DP1C	BGP7DP1H, BGP7DP1T
GPRANT3^BGP7DP1D	BGP7DP1C
ONM1^BGP7DP1D	BGP7DP1C

\$\$CHECK^BGP7DP1E	BGP7DP1C ,BGP7DP2 ,BGP7DP3 ,BGP7PDL1 ,BGP7PDL2 ,BGP7PDL3
SETDEV^BGP7DP1E	BGP7DP1C
ONN4^BGP7DP1F	BGP7DP1D
DEVEL3^BGP7DP1G	BGP7DP1D
AH^BGP7DP1H	BGP7DP1I ,BGP7DP1K
BL^BGP7DP1I	BGP7DP1J
PR^BGP7DP1I	BGP7DP1J
SNDPG^BGP7DP1I	BGP7DP1H
I1AGEP^BGP7DP1J	BGP7DP1H
BL^BGP7DP1K	BGP7DP1I
^BGP7DP1L	BGP7DP1 ,BGP7PDL1
^BGP7DP1M	BGP7DP1 ,BGP7PDL1
<p>***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 198</p>	
Routine	is Invoked by:
^BGP7DP1N	BGP7DP1 ,BGP7PDL1
^BGP7DP1O	BGP7DP1 ,BGP7PDL1
^BGP7DP1S	BGP7DP1 ,BGP7PDL1
^BGP7DP1T	BGP7DP1S
PI^BGP7DP2	BGP7DP1
PI1^BGP7DP2	BGP7DP1C
SETSUM^BGP7DP2	BGP7PDL2
I1AGEP^BGP7DP50	BGP7DP5 ,BGP7DP51
I1AGEP^BGP7DP60	BGP7DP6
I1AGE^BGP7DP8	BGP7DP1
^BGP7DPA	opt
COVPAGE^BGP7DPA	opt
PROC^BGP7DPA	BGP7DPA ,BGP7GFOR
\$\$TITLE^BGP7DPA1	BGP7DPA4
\$\$TITLE2^BGP7DPA1	BGP7DPA1
ISS^BGP7DPA1	BGP7D1
\$\$TITLE^BGP7DPA2	BGP7DPA4
\$\$EYE^BGP7DPA4	BGP7DPA1
^BGP7DPAP	opt
PRINT^BGP7DPAW	BGP7DPA
^BGP7DPE	opt
GETDATES^BGP7DPE	BGP7DPEA
PP^BGP7DPE	opt
^BGP7DPE1	BGP7DPE ,BGP7GPED
\$\$EDUALLOW^BGP7DPE1	BGP7DPE2
5^BGP7DPE2	BGP7DPE1
6^BGP7DPE2	BGP7DPE1
7^BGP7DPE2	BGP7DPE1
SET73^BGP7DPE3	BGP7DPE2
SET74^BGP7DPE3	BGP7DPE2
SET75^BGP7DPE3	BGP7DPE2
^BGP7DPEA	opt
^BGP7DPED	BGP7PPEL
\$\$V^BGP7DPED	BGP7DPEF
DEL^BGP7DPED	BGP7DPEP
S^BGP7DPED	BGP7DPEF
SETN^BGP7DPED	BGP7DPEF
^BGP7DPEE	BGP7DPED
7^BGP7DPEF	BGP7DPED
^BGP7DPEL	BGP7DPEP
^BGP7DPEP	BGP7DPE
\$\$C^BGP7DPEP	BGP7DPEQ
\$\$V^BGP7DPEP	BGP7DPEQ
HEADER^BGP7DPEP	BGP7DPEQ
PRINT1^BGP7DPEP	BGP7PPEL

```

SETN^BGP7DPEP      BGP7DPEQ
7^BGP7DPEQ         BGP7DPEP
SETNM^BGP7DPEQ     BGP7DPEF ,BGP7DPEQ

```

***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 199

```

Routine           is Invoked by:
H1^BGP7DPH       BGP7DP1 ,BGP7DP1C ,BGP7DP1O ,BGP7DP2 ,BGP7DP4 ,BGP7DP5
                  BGP7DP6 ,BGP7DPEP ,BGP7DPEQ ,BGP7ELP1
H10^BGP7DPH      BGP7DP14
H2^BGP7DPH       BGP7DP1C ,BGP7DPEP ,BGP7DPEQ ,BGP7ELP1
H3^BGP7DPH       BGP7DP11
H4^BGP7DPH       BGP7DP12 ,BGP7DP13
H9^BGP7DPH       BGP7DP19
HEADER^BGP7DPH   BGP7DBPR ,BGP7DELP ,BGP7DP ,BGP7DP1 ,BGP7DP11 ,BGP7DP12
                  BGP7DP13 ,BGP7DP14 ,BGP7DP19 ,BGP7DP1C ,BGP7DP1H ,BGP7DP1I
                  BGP7DP1J ,BGP7DP1K ,BGP7DP1L ,BGP7DP1M ,BGP7DP1N ,BGP7DP1O
                  BGP7DP1S ,BGP7DP1T ,BGP7DP2 ,BGP7DP3 ,BGP7DP4 ,BGP7DP5
                  BGP7DP50 ,BGP7DP51 ,BGP7DP6
                  BGP7DP60 ,BGP7DP8 ,BGP7DPEL ,BGP7DPEP ,BGP7DS ,BGP7DSP
                  BGP7DSPD ,BGP7DSPN ,BGP7DSPO ,BGP7DSTM ,BGP7EL10 ,BGP7EL11
                  BGP7EL12 ,BGP7EL13 ,BGP7EL14 ,BGP7EL15 ,BGP7EL16 ,BGP7EL17
                  BGP7EL18 ,BGP7EL19 ,BGP7EL1A ,BGP7EL1B ,BGP7EL1C ,BGP7EL1D
                  BGP7EL1E ,BGP7EL1F ,BGP7EL1G
                  BGP7EL1H ,BGP7EL1I ,BGP7EL1J ,BGP7EL1K ,BGP7EL1L ,BGP7EL1M
                  BGP7EL1N ,BGP7EL1O ,BGP7EL1P ,BGP7EL1Q ,BGP7EL1R ,BGP7EL1S
                  BGP7EL1T ,BGP7ELP1 ,BGP7ELS ,BGP7PDLT ,BGP7SDP ,BGP7SDPD
                  BGP7SDPN ,BGP7SDPO
HPA^BGP7DPH      BGP7PDLT
^BGP7DPP          |opt
^BGP7DS           BGP7DP
EN^BGP7DSI       BGP7DAP ,BGP7DL ,BGP7DPP ,BGP7DSTM ,BGP7NPL
EN^BGP7DSL       BGP7DAP ,BGP7DL ,BGP7DPP
PT^BGP7DSL       BGP7DADB ,BGP7DAP ,BGP7DAR ,BGP7DARO ,BGP7DCL ,BGP7DGPA
                  BGP7DGPU ,BGP7DL ,BGP7DNDB ,BGP7DNG ,BGP7DNGP ,BGP7DNGS
                  BGP7DON ,BGP7DPP ,BGP7DSTM ,BGP7NPL
RT^BGP7DSL       BGP7DAP ,BGP7DCL ,BGP7DL ,BGP7DPP ,BGP7DSTM ,BGP7NPL
TEXT^BGP7DSL     BGP7DAP ,BGP7DAR ,BGP7DARO ,BGP7DCL ,BGP7DEL ,BGP7DELA
                  BGP7DGPA ,BGP7DGPU ,BGP7DL ,BGP7DNG ,BGP7DNGP ,BGP7DON
                  BGP7DPE ,BGP7DPEA ,BGP7DPP ,BGP7NPL
^BGP7DSP         BGP7DP
^BGP7DSPD        BGP7DP
^BGP7DSPN        BGP7DP
^BGP7DSPO        BGP7DP
^BGP7DSTM        |opt
CT^BGP7DSTM      BGP7DP ,BGP7PDL
$$CPT^BGP7DU     BGP7D2 ,BGP7D21 ,BGP7D211 ,BGP7D213 ,BGP7D22 ,BGP7D25 ,BGP7D27
                  BGP7D3 ,BGP7D31 ,BGP7D37 ,BGP7D3A ,BGP7D3B ,BGP7D4 ,BGP7D42
                  BGP7D52 ,BGP7D53 ,BGP7D61 ,BGP7D62 ,BGP7D63 ,BGP7D64 ,BGP7D7
                  BGP7D71 ,BGP7D711 ,BGP7D714 ,BGP7D72 ,BGP7D74 ,BGP7D812
                  BGP7D83 ,BGP7D84
                  BGP7D841 ,BGP7D861 ,BGP7D87 ,BGP7D88 ,BGP7D9 ,BGP7DPA4
                  BGP7EL4
$$CPTI^BGP7DU   BGP7C11 ,BGP7C13 ,BGP7CON1 ,BGP7CU1 ,BGP7D2 ,BGP7D211
                  BGP7D214 ,BGP7D3A ,BGP7D3B ,BGP7D71 ,BGP7D711 ,BGP7D72
                  BGP7D721 ,BGP7D724 ,BGP7D73 ,BGP7D731 ,BGP7D732 ,BGP7D75
                  BGP7D811 ,BGP7D82 ,BGP7D841 ,BGP7D861 ,BGP7D864 ,BGP7D9
                  BGP7DPA4 ,BGP7EL2

```

***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 200

Routine	is Invoked by:
\$\$IPLSNOID^BGP7DU	BGP7D212, BGP7D213, BGP7D54, BGP7D55, BGP7D7, BGP7D71 BGP7D841
\$\$IPLSNOND^BGP7DU	BGP7CON1, BGP7D211, BGP7D213, BGP7D21A, BGP7D22, BGP7D3 BGP7D33, BGP7D35, BGP7D37, BGP7D4, BGP7D62, BGP7D722, BGP7D724 BGP7D75, BGP7D811
\$\$LASTITEM^BGP7DU	BGP7D25, BGP7D3A, BGP7UTL2
\$\$PLTAX^BGP7DU	BGP7D33, BGP7D811
\$\$PLTAXID^BGP7DU	BGP7D212, BGP7D213, BGP7D54, BGP7D55, BGP7D71, BGP7D841
\$\$PLTAXND^BGP7DU	BGP7CON1, BGP7D211, BGP7D213, BGP7D21A, BGP7D22, BGP7D3 BGP7D33, BGP7D35, BGP7D37, BGP7D4, BGP7D62, BGP7D722, BGP7D724 BGP7D75, BGP7D811
\$\$RAD^BGP7DU	BGP7D42, BGP7D61, BGP7EL4
\$\$TRAN^BGP7DU	BGP7D2, BGP7D21, BGP7D211, BGP7D22, BGP7D3, BGP7D31, BGP7D37 BGP7D3B, BGP7D4, BGP7D42, BGP7D53, BGP7D61, BGP7D62, BGP7D63 BGP7D64, BGP7D714, BGP7D72, BGP7D812, BGP7D83, BGP7D84 BGP7D841, BGP7D861, BGP7D88, BGP7DPA4, BGP7EL4
\$\$TRANI^BGP7DU	BGP7C11, BGP7C13, BGP7CON1, BGP7CU1, BGP7D2, BGP7D211 BGP7D711, BGP7D72, BGP7D721, BGP7D724, BGP7D73, BGP7D731 BGP7D732, BGP7D75, BGP7D811, BGP7D82, BGP7D861, BGP7D864 BGP7D9, BGP7EL2
\$\$WH^BGP7DU	BGP7D3, BGP7D4
PAUSE^BGP7DU	BGP7AUEX, BGP7AUUL, BGP7DAP, BGP7DCL, BGP7DEL, BGP7DGPU BGP7DL, BGP7DNDB, BGP7DNG, BGP7DNGP, BGP7DNGS, BGP7DON BGP7DPA, BGP7DPE, BGP7DPP, BGP7DSI, BGP7DSTM, BGP7NPL
I1AGE^BGP7EL10	BGP7ELP1
I1AGE^BGP7EL11	BGP7ELP1
H3^BGP7EL12	BGP7EL13
I1AGE^BGP7EL12	BGP7ELP1
I1AGE^BGP7EL13	BGP7ELP1
I1AGE^BGP7EL15	BGP7ELP1
I1AGE^BGP7EL16	BGP7ELP1
I1AGE^BGP7EL17	BGP7ELP1
I1AGE^BGP7EL18	BGP7ELP1
I1AGE^BGP7EL19	BGP7ELP1
I1AGE^BGP7EL1A	BGP7ELP1
I1AGE^BGP7EL1B	BGP7ELP1
I1AGE^BGP7EL1C	BGP7ELP1
I1AGE^BGP7EL1D	BGP7ELP1
I1AGE^BGP7EL1E	BGP7ELP1
I1AGE^BGP7EL1F	BGP7ELP1
I1AGE^BGP7EL1G	BGP7ELP1
I1AGE^BGP7EL1H	BGP7ELP1
I1AGE^BGP7EL1I	BGP7ELP1
I1AGE^BGP7EL1J	BGP7ELP1
I1AGE^BGP7EL1K	BGP7ELP1
IELDPHA^BGP7EL1L	BGP7ELP1
I1AGE^BGP7EL1M	BGP7ELP1
I1AGE^BGP7EL1N	BGP7ELP1

**** Cross Reference of all Routines **** Aug 24, 2016@08:35:29 page 201

Routine	is Invoked by:
I1AGE^BGP7EL10	BGP7ELP1
H3^BGP7EL1P	BGP7EL1Q, BGP7EL1R
I1AGE^BGP7EL1P	BGP7ELP1
^BGP7EL1Q	BGP7EL1P
^BGP7EL1R	BGP7EL1Q
^BGP7EL1T	BGP7ELP1
\$\$FRACTURE^BGP7EL3	BGP7D22
IELDASA^BGP7EL31	BGP7EL3

IELDFSA^BGP7EL31	BGP7EL3
IELDPHA^BGP7EL31	BGP7EL3
\$\$FUNCTION^BGP7EL4	BGP7EL31
\$\$PHNV^BGP7EL4	BGP7EL31
\$\$TXBMD^BGP7EL4	BGP7D22, BGP7EL3
^BGP7ELH	BGP7DELP
AREACP^BGP7ELH	BGP7PHEL
^BGP7ELHH	BGP7ELL
^BGP7ELL	BGP7DELP, BGP7PHEL
SETN^BGP7ELL1	BGP7ELLN
\$\$SB^BGP7ELL2	BGP7ELL1, BGP7ELL4, BGP7ELL5, BGP7ELL6, BGP7ELL7, BGP7ELL8 BGP7ELL9, BGP7ELLA, BGP7ELLB, BGP7ELLC, BGP7ELLD, BGP7ELLE BGP7ELLF, BGP7ELLG, BGP7EL LH, BGP7EL LI, BGP7EL LJ, BGP7EL LK BGP7EL LL, BGP7EL LM, BGP7EL LN, BGP7EL LO, BGP7EL LP, BGP7EL LQ BGP7EL LR, BGP7EL LS BGP7EL LT, BGP7EL LU, BGP7EL LV, BGP7EL LW, BGP7EL LX
H2^BGP7ELL2	BGP7ELL1
H3^BGP7ELL2	BGP7ELL3, BGP7ELL4, BGP7ELL5, BGP7ELL6, BGP7ELL7, BGP7ELL8 BGP7ELL9, BGP7ELLA, BGP7ELLB, BGP7ELLC, BGP7ELLD, BGP7ELLE BGP7ELLF, BGP7ELLG, BGP7EL LI, BGP7EL LJ, BGP7EL LK, BGP7EL LL BGP7EL LM, BGP7EL LP, BGP7EL LW
I1AGE^BGP7ELL2	BGP7ELL1
I1AGE^BGP7ELL3	BGP7ELL1
I1AGE^BGP7ELL4	BGP7ELL1
I1AGE^BGP7ELL6	BGP7ELL1
I1AGE^BGP7ELL7	BGP7ELL1
I1AGE^BGP7ELL8	BGP7ELL1
I1AGE^BGP7ELL9	BGP7ELL1
I1AGE^BGP7ELLA	BGP7ELL1
I1AGE^BGP7ELLB	BGP7ELL1
I1AGE^BGP7ELLC	BGP7ELL1
I1AGE^BGP7ELLD	BGP7ELL1
I1AGE^BGP7ELLE	BGP7ELL1
I1AGE^BGP7ELLF	BGP7ELL1
I1AGE^BGP7ELLG	BGP7ELL1
I1AGE^BGP7EL LH	BGP7ELL1
I1AGE^BGP7EL LI	BGP7ELL1
I1AGE^BGP7EL LJ	BGP7ELL1
I1AGE^BGP7EL LK	BGP7ELL1
I1AGE^BGP7EL LL	BGP7ELL1
***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 202	
Routine	is Invoked by:
I1AGE^BGP7EL LM	BGP7ELL1
IELDPHA^BGP7EL LN	BGP7ELL1
I1AGE^BGP7EL LO	BGP7ELL1
I1AGE^BGP7EL LP	BGP7ELL1
I1AGEP^BGP7EL LQ	BGP7ELL3
I1AGE^BGP7EL LR	BGP7ELL1
I1AGE^BGP7EL LS	BGP7ELL1
I1AGEP^BGP7EL LT	BGP7EL LS
^BGP7EL LU	BGP7EL LT
BL^BGP7EL LV	BGP7EL LJ
I1AGE^BGP7EL LX	BGP7ELL1
SETN^BGP7EL P1	BGP7EL 1L
^BGP7EL S	BGP7DELP
^BGP7EL SL	BGP7ELL
GETIEN^BGP7EUTL	BGP7GUPL, BGP7ULF
GS^BGP7EUTL	BGP7DEL, BGP7GELD
REPORT^BGP7EUTL	BGP7DEL, BGP7GELD

STMP^BGP7EUTL	BGP7DCEI
EP^BGP7GACW	BGP7GRA
EP^BGP7GADB	BGP7GRB
EP^BGP7GAEL	BGP7GRA
EP^BGP7GAG9	BGP7GRA
EP^BGP7GAGP	BGP7GRA
EP^BGP7GAGS	BGP7GRA
EP^BGP7GAHE	BGP7GRA
EP^BGP7GALL	BGP7GR
EP^BGP7GAON	BGP7GRA
EP^BGP7GAPE	BGP7GRA
EP^BGP7GAPU	BGP7GRA
EP^BGP7GCMP	BGP7GR2
EP^BGP7GCMS	BGP7GR
EP^BGP7GCOM	BGP7GR
EP^BGP7GDON	BGP7GRA
EP^BGP7GDSH	BGP7GR2
EP^BGP7GELD	BGP7GR1
EP^BGP7GFO9	BGP7GRB
EP^BGP7GFOR	BGP7GRB
EP^BGP7GGPU	BGP7GR
EP^BGP7GHED	BGP7GR
EP^BGP7GLHW	BGP7GR2
EP^BGP7GLST	BGP7GU
EP^BGP7GLTX	BGP7GU
EP^BGP7GMTX	BGP7GU
EP^BGP7GMUE	BGP7GM
EP^BGP7GMUH	BGP7GM
EP^BGP7GNPL	BGP7GR, BGP7GRA
EP^BGP7GNST	BGP7GR
EP^BGP7GNT9	BGP7GR1

***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 203

Routine	is Invoked by:
EP^BGP7GNTL	BGP7GR
EP^BGP7GNTP	BGP7GR1
EPSUM^BGP7GNTS	BGP7GR1
EP^BGP7GNXP	BGP7GR2
EP^BGP7GPED	BGP7GR2
EP^BGP7GPP	BGP7GR
CATSTR^BGP7GR	BGP7GR1, BGP7GRA
ELD^BGP7GR1	BGP7GR
CATSTR^BGP7GU	BGP7GRB
\$\$CHKFQT^BGP7GUA	BGP7GU
UPLOG^BGP7GUA	BGP7GADB, BGP7GAEL, BGP7GAG9, BGP7GAGP, BGP7GAGS, BGP7GAHE BGP7GALL, BGP7GAON, BGP7GAPE, BGP7GAPU, BGP7GCMP, BGP7GCMS BGP7GCOM, BGP7GDON, BGP7GDSH, BGP7GELD, BGP7GFO9, BGP7GFOR BGP7GGPU, BGP7GLHW, BGP7GLST, BGP7GLTX, BGP7GMTX, BGP7GMUE BGP7GMUH, BGP7GNPL BGP7GNST, BGP7GNT9, BGP7GNTL, BGP7GNTP, BGP7GNTS, BGP7GNXP BGP7GPED, BGP7GPP
EP^BGP7GUPL	BGP7GU
GS^BGP7HUTL	BGP7GHED
REPORT^BGP7HUTL	BGP7GHED
^BGP7LSTF	opt
^BGP7NPL	opt
NONNPL^BGP7NPL	opt
NPL1^BGP7NPLP	BGP7DP, BGP7PDL
PRINT^BGP7PARP	BGP7AU1A, BGP7DADB, BGP7DAR, BGP7DGPA
PRINT^BGP7PARQ	BGP7DARO

^BGP7PD19	BGP7PDL1
I1AGE^BGP7PD19	BGP7PDL1
ALLHDR^BGP7PDH1	BGP7PDLH
COMHDR^BGP7PDH1	BGP7PDLH
DENOMHDR^BGP7PDH1	BGP7PDLH
GPRAHDRS^BGP7PDH1	BGP7PDLH
PEDCP^BGP7PDH1	BGP7PDLH
PEHDR^BGP7PDH1	BGP7PDLH
PPHDR^BGP7PDH1	BGP7PDLH
HEADER^BGP7PDL	BGP7PDL, BGP7PDLN, BGP7PDLO
SAVEDEL^BGP7PDL	BGP7DBPR, BGP7DP, BGP7PARP, BGP7PARQ
\$\$SB^BGP7PDL1	BGP7D23, BGP7D26, BGP7D6, BGP7EL3
H1^BGP7PDL1	BGP7DP10, BGP7DPED, BGP7DPEF, BGP7PDL0, BGP7PDL2, BGP7PDL3 BGP7PDL4, BGP7PDL7
H2^BGP7PDL1	BGP7DPED, BGP7DPEF
PI^BGP7PDL1	BGP7DP10, BGP7PDL0, BGP7PDL2, BGP7PDL3, BGP7PDL4, BGP7PDL7
PI1^BGP7PDL1	BGP7PDL4, BGP7PDL7
SETN^BGP7PDL1	BGP7PDL0
PI^BGP7PDL2	BGP7PDL1
PI1^BGP7PDL2	BGP7PDL1
I1AGEP^BGP7PDL5	BGP7PDL0
I1AGEP^BGP7PDL8	BGP7PDL7

***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 204

Routine	is Invoked by:
I1AGE^BGP7PDL9	BGP7PDL1
I1AGE^BGP7PDLA	BGP7PDL1
I1AGE^BGP7PDLB	BGP7PDL1
DEVSUM^BGP7PDL	BGP7PDL
SDP^BGP7PDL	BGP7PDL
^BGP7PDLH	BGP7DPED, BGP7PDL
^BGP7PDL	BGP7PDL1
NONSUM^BGP7PDLN	BGP7PDL
SDP^BGP7PDLN	BGP7PDL
OTHSUM^BGP7PDLO	BGP7PDL
^BGP7PDL	BGP7PDL
I1AGE^BGP7PDLT	BGP7DP1
I1AGE^BGP7PDPA	BGP7PDL1
I1AGE^BGP7PDPB	BGP7PDL1
EN^BGP7PESI	BGP7DPE
EN^BGP7PESL	BGP7DPE
PT^BGP7PESL	BGP7DPE, BGP7DPEA
RT^BGP7PESL	BGP7DPE
PRINT^BGP7PHEL	BGP7DELA
DRUGS^BGP7POS1	BGP7POS
LAB^BGP7POS1	BGP7POS
PRE^BGP7POS2	BGP7POS
^BGP7PPEL	BGP7DPEA
GETIEN^BGP7PUTL	BGP7GUPL, BGP7ULF
GS^BGP7PUTL	BGP7DPE, BGP7GPED
REPORT^BGP7PUTL	BGP7DPE, BGP7GPED
ACEI^BGP7REF1	BGP7REF
ARB^BGP7REF1	BGP7REF
ASA^BGP7REF1	BGP7REF
BETA^BGP7REF1	BGP7REF
STATIN^BGP7REF1	BGP7REF
^BGP7SDP	BGP7DP
^BGP7SDPD	BGP7DP
^BGP7SDPN	BGP7DP
^BGP7SDPO	BGP7DP

^BGP7ULF	opt
\$\$D^BGP7UTL	BGP7AU1A, BGP7DAR, BGP7DARO, BGP7DNE1, BGP7GAG9, BGP7GAGP BGP7GAON, BGP7GLHW, BGP7GNXP
\$\$DATE^BGP7UTL	BGP7ALG1, BGP7ALG2, BGP7ASL, BGP7ASL1, BGP7C11, BGP7C13 BGP7CON1, BGP7CU, BGP7CU1, BGP7D2, BGP7D21, BGP7D211, BGP7D212 BGP7D213, BGP7D214, BGP7D22, BGP7D23, BGP7D24, BGP7D24A BGP7D25, BGP7D26, BGP7D27, BGP7D28, BGP7D3, BGP7D31, BGP7D39 BGP7D3A, BGP7D3B, BGP7D4 BGP7D41, BGP7D42, BGP7D5, BGP7D51, BGP7D52, BGP7D53, BGP7D54 BGP7D55, BGP7D5A, BGP7D6, BGP7D61, BGP7D62, BGP7D63, BGP7D64 BGP7D7, BGP7D71, BGP7D713, BGP7D714, BGP7D72, BGP7D721 BGP7D722, BGP7D723, BGP7D724, BGP7D73, BGP7D731, BGP7D732 BGP7D74, BGP7D75, BGP7D8
***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 205	
Routine	is Invoked by:
\$\$DATE^BGP7UTL	BGP7D81, BGP7D811, BGP7D812, BGP7D82, BGP7D83, BGP7D84 BGP7D841, BGP7D86, BGP7D862, BGP7D87, BGP7D88, BGP7D89, BGP7D9 BGP7D91, BGP7DCLP, BGP7DP, BGP7DPA1, BGP7DPA2, BGP7DPA4 BGP7DPAP, BGP7DPAW, BGP7DPE2, BGP7DPEL, BGP7DS, BGP7EL2 BGP7EL3, BGP7EL31, BGP7EL4 BGP7ELS, BGP7NPLP, BGP7REF1, BGP7UTL2
\$\$EDT^BGP7UTL	BGP7DNE1, BGP7DPEE, BGP7DS, BGP7ELSL, BGP7NPLP
\$\$LZERO^BGP7UTL	BGP7AU1A, BGP7AUEX, BGP7DAR, BGP7DARO, BGP7DNE1, BGP7GAG9 BGP7GAGP, BGP7GAON
\$\$RZERO^BGP7UTL	BGP7AU1A, BGP7D2, BGP7DAR, BGP7DARO, BGP7GACW, BGP7GAG9 BGP7GAGP, BGP7GAON, BGP7GLHW
GETIEN^BGP7UTL	BGP7AUUL, BGP7GUPL, BGP7ULF
GNT1^BGP7UTL	BGP7AU1A, BGP7DAR, BGP7GAG9, BGP7GAGP, BGP7GAGS
GS^BGP7UTL	BGP7AUEX, BGP7DGPU, BGP7DNG, BGP7DON, BGP7GDON, BGP7GGPU BGP7GNT9, BGP7GNTL, BGP7LHW
JRNL^BGP7UTL	BGP7D1, BGP7D10, BGP7DNE1, BGP7DPA, BGP7DPAP
ONN1^BGP7UTL	BGP7DARO, BGP7GAON
REPORT^BGP7UTL	BGP7AUEX, BGP7DAP, BGP7DCL, BGP7DGPU, BGP7DL, BGP7DNDB BGP7DNG, BGP7DNGP, BGP7DNGS, BGP7DON, BGP7DPP, BGP7DSTM BGP7GALL, BGP7GCOMP, BGP7GCOM, BGP7GDON, BGP7GDSH, BGP7GGPU BGP7GLHW, BGP7GNPL, BGP7GNST, BGP7GNT9, BGP7GNTL, BGP7GNTP BGP7GNTS, BGP7GPP, BGP7LHW BGP7NPL
SETHDR^BGP7UTL	BGP7UTL3
STMP^BGP7UTL	BGP7DCI
XTMP^BGP7UTL	BGP7D1, BGP7DPE1
\$\$CPTREFT^BGP7UTL1	BGP7D24A, BGP7D3, BGP7D31, BGP7D34, BGP7D35, BGP7D37, BGP7D38 BGP7D3B, BGP7D4, BGP7D42, BGP7D53, BGP7D61
\$\$FIRSTCPT^BGP7UTL1	BGP7D3C, BGP7D841
\$\$FIRSTPRC^BGP7UTL1	BGP7D3C, BGP7EL3
\$\$LABEL^BGP7UTL1	BGP7DP1C, BGP7DP2, BGP7DP3, BGP7DP7, BGP7PDL1, BGP7PDL2
\$\$LABLE^BGP7UTL1	BGP7ELL1, BGP7ELP1
\$\$LASTDX^BGP7UTL1	BGP7ALG1, BGP7CON1, BGP7CU, BGP7CU1, BGP7D1, BGP7D10, BGP7D2 BGP7D21, BGP7D211, BGP7D212, BGP7D213, BGP7D22, BGP7D23 BGP7D3, BGP7D3B, BGP7D4, BGP7D42, BGP7D52, BGP7D7, BGP7D71 BGP7D72, BGP7D721, BGP7D724, BGP7D731, BGP7D74, BGP7D75 BGP7D841, BGP7D89, BGP7D9 BGP7DPA2, BGP7EL2, BGP7EL3, BGP7EL4
\$\$LASTPRC^BGP7UTL1	BGP7CU, BGP7D21, BGP7D211, BGP7D27, BGP7D3, BGP7D4, BGP7D42 BGP7D5, BGP7D55, BGP7D61, BGP7D62, BGP7D63, BGP7D64, BGP7D714 BGP7D72, BGP7D83, BGP7D84, BGP7D87, BGP7D88, BGP7EL4
\$\$NMIREF^BGP7UTL1	BGP7D31, BGP7D37, BGP7D3A, BGP7D3B
\$\$PRCREFT^BGP7UTL1	BGP7D42, BGP7D61
\$\$RADREF^BGP7UTL1	BGP7D4, BGP7D42, BGP7D61

\$\$REFUSAL^BGP7UTL1	BGP7D213, BGP7D24A, BGP7D25, BGP7D3, BGP7D5, BGP7D53, BGP7D6 BGP7D61, BGP7D74, BGP7DPA4
\$\$CHKDST^BGP7UTL2	BGP7GUA
\$\$CODEN^BGP7UTL2	BGP7D51, BGP7DU, BGP7UTL1
***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 206	
Routine	is Invoked by:
\$\$DEMOCHK^BGP7UTL2	BGP7AUEX, BGP7DAP, BGP7DCL, BGP7DEL, BGP7DGPU, BGP7DL BGP7DNDB, BGP7DNG, BGP7DNGP, BGP7DNDS, BGP7DON, BGP7DPA BGP7DPE, BGP7DPP, BGP7DSTM, BGP7NPL
\$\$EDD^BGP7UTL2	BGP7D3B
\$\$GETDEDIR^BGP7UTL2	BGP7DH, BGP7DH1, BGP7DSL, BGP7ELH, BGP7ELHH, BGP7PDH1 BGP7PDLH, BGP7PESL
\$\$GETDIR^BGP7UTL2	BGP7AUEX, BGP7DADB, BGP7DAR, BGP7DARO, BGP7DEL, BGP7DGPU BGP7DL, BGP7DNDB, BGP7DNG, BGP7DON, BGP7DPE, BGP7GACW BGP7GAGP, BGP7GAGS, BGP7GDON, BGP7GELD, BGP7GF09, BGP7GF0R BGP7GLHW, BGP7GNT9, BGP7GNTL, BGP7GNTP, BGP7GNTS, BGP7GNXP BGP7GPED, BGP7LHW, BGP7NPL
\$\$ICD^BGP7UTL2	BGP7ALG1, BGP7ALG2, BGP7C11, BGP7C13, BGP7CU, BGP7CU1, BGP7D1 BGP7D10, BGP7D212, BGP7D213, BGP7D21A, BGP7D22, BGP7D23 BGP7D24, BGP7D24A, BGP7D25, BGP7D26, BGP7D27, BGP7D31, BGP7D35 BGP7D37, BGP7D38, BGP7D3A, BGP7D4, BGP7D5, BGP7D51, BGP7D52 BGP7D55, BGP7D5A BGP7D6, BGP7D7, BGP7D71, BGP7D711, BGP7D713, BGP7D714, BGP7D72 BGP7D721, BGP7D722, BGP7D723, BGP7D729, BGP7D731, BGP7D732 BGP7D74, BGP7D75, BGP7D8, BGP7D81, BGP7D812, BGP7D82, BGP7D83 BGP7D84, BGP7D841, BGP7D862, BGP7D87, BGP7D88, BGP7D89, BGP7D9 BGP7D91 BGP7DPA2, BGP7DPE1, BGP7DU, BGP7EL3, BGP7UTL1
\$\$ICDDX^BGP7UTL2	BGP7ALG1, BGP7ALG2, BGP7C11, BGP7C13, BGP7CU, BGP7CU1 BGP7D213, BGP7D23, BGP7D25, BGP7D41, BGP7D5, BGP7D52, BGP7D5A BGP7D6, BGP7D7, BGP7D711, BGP7D72, BGP7D722, BGP7D723 BGP7D732, BGP7D74, BGP7D8, BGP7D82, BGP7D83, BGP7D84, BGP7D862 BGP7D89, BGP7DPA2, BGP7DPE1 BGP7UTL1
\$\$ICDOP^BGP7UTL2	BGP7C11, BGP7CU, BGP7CU1, BGP7UTL1
\$\$RCIS^BGP7UTL2	BGP7D87
GETMEDS^BGP7UTL2	BGP7CON1, BGP7D21, BGP7D214, BGP7D22, BGP7D39, BGP7D711 BGP7D721, BGP7D722, BGP7D723, BGP7D731, BGP7D732, BGP7D74 BGP7D75, BGP7D81, BGP7D811, BGP7D82, BGP7D83, BGP7D84 BGP7D863, BGP7D864, BGP7D87, BGP7D89, BGP7DPA4
UNFOLDTX^BGP7UTL2	BGP7D1, BGP7D10, BGP7DPA
AGEDATE^BGP7UTL3	BGP7D32
ONN4^BGP7UTL3	BGP7UTL
GNT3^BGP7UTLC	BGP7UTL
^BGP7XTCH	opt
TAXCHK^BGP7XTCH	BGP7DAP, BGP7DL, BGP7DPP, BGP7XTCH
^BGP7XTCN	opt
TAXCHK^BGP7XTCN	BGP7DCL, BGP7DGPU, BGP7DNDB, BGP7DNE1, BGP7DNG, BGP7DNGP BGP7DNDS, BGP7DPA, BGP7DSTM, BGP7NPL
^BGP7XTCO	opt
TAXCHK^BGP7XTCO	BGP7DON, BGP7NPL
^BGP7XTEL	opt
TAXCHK^BGP7XTEL	BGP7DEL
EP^BGP7XTL	BGP7XTS
***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 207	
Routine	is Invoked by:
^BGP7XTV	opt

INIT^BGP7XTV	BGP7GU
EP^BGP7XTV1	BGP7CTS , BGP7XTV
^BGPD	opt
^BGPDAREA	opt
^BGPDARP	opt
^BGPDFTA	opt
TAXCHK^BGPDT	opt
BANNER^BGPDU	opt
^BGPDUP	opt
CATSTR^BGPGR	BGP7GRA , BGP7GRB
INIT^BGPMUDSI	BGP7GTA
INITH^BGPMUDSI	BGP7GTA
INITM^BGPMUDSI	BGP7GTA
INIT^BGPMUDSL	BGP7GTA
^BGP MUEH	opt
^BGP MUEHD	BGP7GMUH
^BGP MUEP	opt
^BGP MUEPD	BGP7GMUE
GUIR^BGPXBLM	BGP7GADB , BGP7GAEL , BGP7GAG9 , BGP7GAGP , BGP7GAGS , BGP7GAHE BGP7GALL , BGP7GAON , BGP7GAPE , BGP7GAPU , BGP7GCMP , BGP7GCMS BGP7GCOM , BGP7GDON , BGP7GDSH , BGP7GELD , BGP7GFO9 , BGP7GFOR BGP7GGPU , BGP7GLHW , BGP7GLTX , BGP7GMTX , BGP7GMUE , BGP7GMUH BGP7GNPL , BGP7GNST BGP7GNT9 , BGP7GNTL , BGP7GNTP , BGP7GNTS , BGP7GNXP , BGP7GPED BGP7GPP , BGP7GU
GUIEP^BMXPO	BGP7POS
LIST^BSDAPI2	BGP7DPA
\$\$SUBLST^BSTSAPI	BGP5UTL2 , BGP6UTL2 , BGP7UTL2
SUBLST^BSTSAPI	BGP5UTL2 , BGP6UTL2 , BGP7UTL2
EN^DDIOL	BGP5UTL2 , BGP6UTL2 , BGP7AU1A , BGP7AU1D , BGP7AU1M , BGP7AU1R BGP7AUEX , BGP7AUUL , BGP7AUUP , BGP7UTL2
NOTICE^DGSEC4	BGP7GUA
OWNREC^DGSEC4	BGP7GUA
SENS^DGSEC4	BGP7GUA
^DIC	BGP7AUEX , BGP7CTL , BGP7DCL , BGP7DEL , BGP7DEMO , BGP7DGPU BGP7DL , BGP7DNDB , BGP7DNE1 , BGP7DNG , BGP7DNGP , BGP7DNGS BGP7DON , BGP7DPA , BGP7DPAP , BGP7DPE , BGP7DPP , BGP7DSTM BGP7ETL , BGP7EUTL , BGP7GNXP , BGP7HUTL , BGP7NPL , BGP7P1 , BGP7P3 BGP7POS , BGP7POS1 , BGP7PUTL BGP7UTL , BGP7XTL , dd90241.0111 , dd90241.02
IX^DIC	BGP7P1 , BGP7P3 , BGP7POS
FILE^DICN	BGP7AU1R , BGP7AUEX , BGP7AUUL , BGP7AUUP , BGP7CTL , BGP7DPA BGP7DPAP , BGP7ETL , BGP7GACW , BGP7GADB , BGP7GAEL , BGP7GAG9 BGP7GAGP , BGP7GAGS , BGP7GAHE , BGP7GALL , BGP7GAON , BGP7GAPE BGP7GAPU , BGP7GCMP , BGP7GCMS , BGP7GCOM , BGP7GDON , BGP7GDSH BGP7GELD , BGP7GFO9 BGP7GFOR , BGP7GGPU , BGP7GHED , BGP7GLHW , BGP7GLST , BGP7GLTX BGP7GMTX , BGP7GMUE , BGP7GMUH , BGP7GNPL , BGP7GNST , BGP7GNT9 BGP7GNTL , BGP7GNTP , BGP7GNTS , BGP7GNXP , BGP7GPED , BGP7GPP BGP7GRB , BGP7GUPL , BGP7LHW , BGP7ULF , BGP7XTL
***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 208	
Routine	is Invoked by:
^DICR	dd90245.09 , dd90558.0115 , dd90558.1514
^DIE	BGP7AU1R , BGP7AUEX , BGP7AUUL , BGP7AUUP , BGP7CTL , BGP7DEMO BGP7DPA , BGP7DPAP , BGP7DSTM , BGP7ETL , BGP7GACW , BGP7GADB BGP7GAEL , BGP7GAG9 , BGP7GAGP , BGP7GAGS , BGP7GAHE , BGP7GALL BGP7GAON , BGP7GAPE , BGP7GAPU , BGP7GCMP , BGP7GCMS , BGP7GCOM BGP7GDON , BGP7GDSH BGP7GELD , BGP7GFO9 , BGP7GFOR , BGP7GHED , BGP7GLHW

FILE^DIE	BGP7GLST, BGP7GLTX, BGP7GMTX, BGP7GMUE, BGP7GMUH, BGP7GNPL BGP7GNST, BGP7GNT9, BGP7GNTL, BGP7GNTG, BGP7GNTS, BGP7GNXP BGP7GPED, BGP7GPP, BGP7GUA, BGP7LHW, BGP7POS1, BGP7XTL BGP7GU
UPDATE^DIE	BGP7GU
^DIK	BGP7AUUL, BGP7AUUP, BGP7DAP, BGP7DCL, BGP7DEL, BGP7DGPU BGP7DL, BGP7DNDB, BGP7DNE1, BGP7DNG, BGP7DNGP, BGP7DNGS BGP7DON, BGP7DPA, BGP7DPE, BGP7DPP, BGP7DSTM, BGP7GU, BGP7GUA BGP7GUPL, BGP7NPL, BGP7P1, BGP7P3, BGP7POS, BGP7POS1, BGP7POS2 BGP7ULF
IX1^DIK	BGP7AUUL, BGP7DPA, BGP7DPAP, BGP7DSTM, BGP7GUPL, BGP7POS BGP7POS1, BGP7ULF
^DIM	dd90241.551101, dd90558.01, dd90558.02, dd90558.06 dd90559.02, dd90559.06
\$\$GET1^DIQ	BGP6UTL2, BGP7D81, BGP7DCHW, BGP7GU, BGP7GUA, BGP7POS1 BGP7UTL2
^DIR	BGP5UTL2, BGP6UTL2, BGP7ASL, BGP7AU1R, BGP7AUEX, BGP7AUUL BGP7AUUP, BGP7CSI, BGP7CSII, BGP7CTL, BGP7CTS, BGP7CTXC BGP7CU, BGP7DADB, BGP7DAP, BGP7DAR, BGP7DARO, BGP7DBPR BGP7DCL, BGP7DCLP, BGP7DEL, BGP7DELA, BGP7DELP, BGP7DEMO BGP7DESI, BGP7DESL, BGP7DGPA BGP7DGPU, BGP7DH, BGP7DH1, BGP7DHSL, BGP7DICR, BGP7DL, BGP7DLT BGP7DMT, BGP7DNDB, BGP7DNE1, BGP7DNG, BGP7DNGP, BGP7DNGS BGP7DON, BGP7DP, BGP7DPA, BGP7DPAP, BGP7DPAW, BGP7DPE BGP7DPEA, BGP7DPEL, BGP7DPEP, BGP7DPH, BGP7DPP, BGP7DPSI BGP7DS, BGP7DSI, BGP7DSL BGP7DSTM, BGP7DU, BGP7ELH, BGP7ELHH, BGP7ELS, BGP7ELSL BGP7ETL, BGP7LSTF, BGP7NPL, BGP7NPLP, BGP7PDL, BGP7PESI BGP7PESL, BGP7TXCH, BGP7ULF, BGP7UTL2, BGP7XTCH, BGP7XTCN BGP7XTCO, BGP7XTEL, BGP7XTEO, BGP7XTHE, BGP7XTL, BGP7XTS BGP7XTV
^DIWP	BGP7DBPR, BGP7DELP, BGP7DP, BGP7DPAW, BGP7DPEL, BGP7DPEP BGP7DS, BGP7ELL, BGP7ELS, BGP7UTL1
\$\$CODEN^ICDCODE	BGP5UTL2, BGP6UTL2, BGP7UTL2
\$\$ICDD^ICDCODE	BGP5UTL2, BGP6UTL2, BGP7UTL2
\$\$ICDDX^ICDCODE	BGP5UTL2, BGP6UTL2, BGP7UTL2
\$\$ICDOP^ICDCODE	BGP5UTL2, BGP6UTL2, BGP7UTL2
\$\$VSTD^ICDCODE	BGP5UTL2, BGP6UTL2, BGP7UTL2
\$\$VSTP^ICDCODE	BGP5UTL2, BGP6UTL2, BGP7UTL2
\$\$CODEN^ICDEX	BGP5UTL2, BGP6UTL2, BGP7UTL2
\$\$ICDD^ICDEX	BGP5UTL2, BGP6UTL2, BGP7UTL2
***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 209	
Routine	is Invoked by:
\$\$ICDDX^ICDEX	BGP5UTL2, BGP6UTL2, BGP7UTL2
\$\$ICDOP^ICDEX	BGP5UTL2, BGP6UTL2, BGP7UTL2
\$\$VSTD^ICDEX	BGP5UTL2, BGP6UTL2, BGP7UTL2
\$\$VSTP^ICDEX	BGP5UTL2, BGP6UTL2, BGP7UTL2
\$\$CODEN^ICPTCOD	BGP7C11, BGP7C13, BGP7CON1, BGP7CU1, BGP7D2, BGP7D211 BGP7D214, BGP7D24, BGP7D33, BGP7D34, BGP7D35, BGP7D36, BGP7D37 BGP7D3A, BGP7D3B, BGP7D61, BGP7D71, BGP7D711, BGP7D72 BGP7D721, BGP7D724, BGP7D73, BGP7D731, BGP7D732, BGP7D75 BGP7D811, BGP7D82, BGP7D841 BGP7D86, BGP7D861, BGP7D864, BGP7D9, BGP7DPA4, BGP7EL2
\$\$CPT^ICPTCOD	BGP7C11, BGP7CU, BGP7CU1, BGP7D22, BGP7D33, BGP7D34, BGP7D35 BGP7D36, BGP7D37, BGP7D38, BGP7D3A, BGP7D4, BGP7D52, BGP7D811 BGP7D86, BGP7D91, BGP7DPA2, BGP7DPE1, BGP7DU, BGP7EL3
EN^VALM	BGP7ASL, BGP7CSI, BGP7CSII, BGP7CTL, BGP7CTS, BGP7DEMO BGP7DESI, BGP7DESL, BGP7DHSL, BGP7DPSI, BGP7DSI, BGP7DSL BGP7ETL, BGP7PESI, BGP7PESL, BGP7XTL, BGP7XTS, BGP7XTV

TERM^VALM0	BGP7XTV1 BGP7ASL, BGP7CSI, BGP7CSII, BGP7CTL, BGP7CTS, BGP7DEMO BGP7DESI, BGP7DESL, BGP7DHSL, BGP7DNGP, BGP7DNGS, BGP7DPA BGP7DPSI, BGP7DSI, BGP7DSL, BGP7ETL, BGP7NPL, BGP7PESI BGP7PESL, BGP7XTL, BGP7XTS, BGP7XTV, BGP7XTV1
CLEAR^VALM1	BGP7ASL, BGP7CSI, BGP7CSII, BGP7CTL, BGP7CTS, BGP7DEMO BGP7DESI, BGP7DESL, BGP7DHSL, BGP7DPSI, BGP7DSI, BGP7DSL BGP7ETL, BGP7PESI, BGP7PESL, BGP7XTL, BGP7XTS, BGP7XTV BGP7XTV1
FULL^VALM1	BGP7ASL, BGP7CSI, BGP7CSII, BGP7CTL, BGP7CTS, BGP7DEMO BGP7DESI, BGP7DESL, BGP7DHSL, BGP7DPSI, BGP7DSI, BGP7DSL BGP7ETL, BGP7PESI, BGP7PESL, BGP7XTL, BGP7XTS, BGP7XTV BGP7XTV1
^XBDBQUE	BGP7CTXC, BGP7DADB, BGP7DAP, BGP7DAR, BGP7DARO, BGP7DCL BGP7DEL, BGP7DELA, BGP7DGPA, BGP7DGPU, BGP7DL, BGP7DNDB BGP7DNG, BGP7DNGP, BGP7DNGS, BGP7DON, BGP7DPAP, BGP7DPE BGP7DPEA, BGP7DPP, BGP7DSTM, BGP7NPL, BGP7TXCH, BGP7XTCN BGP7XTCO, BGP7XTEL, BGP7XTEO BGP7XTHE
\$\$VAL^XBIDIQ1	BGP5UTL2, BGP6UTL2, BGP7ALG1, BGP7ALG2, BGP7AU1M, BGP7AUEX BGP7AUUP, BGP7C11, BGP7C13, BGP7CON1, BGP7CTL, BGP7CTS, BGP7CU BGP7CU1, BGP7D211, BGP7D212, BGP7D213, BGP7D214, BGP7D21A BGP7D22, BGP7D23, BGP7D24, BGP7D24A, BGP7D26, BGP7D3, BGP7D3A BGP7D5, BGP7D54 BGP7D55, BGP7D7, BGP7D71, BGP7D711, BGP7D72, BGP7D721 BGP7D722, BGP7D723, BGP7D731, BGP7D732, BGP7D75, BGP7D8 BGP7D81, BGP7D811, BGP7D812, BGP7D841, BGP7D87, BGP7D88 BGP7D89, BGP7D9, BGP7D91, BGP7DCHW, BGP7DEMO, BGP7DH1 BGP7DICR, BGP7DNG, BGP7DPE2, BGP7DU BGP7ELH, BGP7ELHH, BGP7ETL, BGP7GRB, BGP7PDLH, BGP7UTL1 BGP7UTL2, BGP7XTV, BGP7XTV1
\$\$VALI^XBIDIQ1	BGP7D22, BGP7D26, BGP7D31, BGP7D55, BGP7D7, BGP7D711, BGP7D87 BGP7DICR, BGP7DPE2, BGP7DU, BGP7EL4, BGP7UTL1
***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 210	
Routine	is Invoked by:
^XBFMK	BGP7AUEX, BGP7AUUL, BGP7CTL, BGP7DADB, BGP7DAP, BGP7DAR BGP7DARO, BGP7DCL, BGP7DEL, BGP7DELA, BGP7DEMO, BGP7DGPA BGP7DGPU, BGP7DICR, BGP7DL, BGP7DLT, BGP7DMT, BGP7DNDB BGP7DNE1, BGP7DNG, BGP7DNGP, BGP7DNGS, BGP7DON, BGP7DPA BGP7DPAP, BGP7DPE, BGP7DPEA, BGP7DPP BGP7DSTM, BGP7ETL, BGP7EUTL, BGP7GACW, BGP7GADB, BGP7GAEL BGP7GAG9, BGP7GAGP, BGP7GAGS, BGP7GAHE, BGP7GALL, BGP7GAON BGP7GAPE, BGP7GAPU, BGP7GCMP, BGP7GCMS, BGP7GCOM, BGP7GDON BGP7GDSH, BGP7GELD, BGP7GFO9, BGP7GFOR, BGP7GGPU, BGP7GHED BGP7GLHW, BGP7GLST BGP7GLTX, BGP7GMTX, BGP7GMUE, BGP7GMUH, BGP7GNPL, BGP7GNST BGP7GNT9, BGP7GNTL, BGP7GNTP, BGP7GNTS, BGP7GNXP, BGP7GPED BGP7GPP, BGP7GRB, BGP7GUPL, BGP7HUTL, BGP7LHW, BGP7NPL BGP7POS1, BGP7PUTL, BGP7ULF, BGP7UTL, BGP7XTL
\$\$EXTSET^XBFUNC	BGP7CU1, BGP7D74, BGP7DPE2
^XBGSAVE	BGP7AUEX, BGP7DNE1, BGP7DPED, BGP7ELL, BGP7EUTL, BGP7HUTL BGP7PDL, BGP7PUTL, BGP7UTL
^XBKVAR	BGP7AU1A, BGP7AU1D, BGP7AU1M, BGP7GACW, BGP7GADB, BGP7GAEL BGP7GAG9, BGP7GAGP, BGP7GAGS, BGP7GAHE, BGP7GALL, BGP7GAON BGP7GAPE, BGP7GAPU, BGP7GCMP, BGP7GCMS, BGP7GCOM, BGP7GDON BGP7GDSH, BGP7GELD, BGP7GFO9, BGP7GFOR, BGP7GGPU, BGP7GHED BGP7GLHW, BGP7GLST BGP7GLTX, BGP7GMTX, BGP7GMUE, BGP7GMUH, BGP7GNPL, BGP7GNST BGP7GNT9, BGP7GNTL, BGP7GNTP, BGP7GNTS, BGP7GNXP, BGP7GPED

GUIR^XBLM EN^XBVK	BGP7GPP, BGP7GUPL, BGP7LHW BGP7DPA, BGP7DPAP, BGP7GHED, BGP7LHW BGP7AUEX, BGP7AUUP, BGP7CTL, BGP7CTS, BGP7DADB, BGP7DAP BGP7DAR, BGP7DARO, BGP7DCL, BGP7DEL, BGP7DELA, BGP7DEMO BGP7DGPA, BGP7DGPU, BGP7DICR, BGP7DL, BGP7DLT, BGP7DMT BGP7DNDB, BGP7DNE1, BGP7DNG, BGP7DNGP, BGP7DNCS, BGP7DON BGP7DPA, BGP7DPAP, BGP7DPE, BGP7DPEA BGP7DPP, BGP7DSTM, BGP7ETL, BGP7GACW, BGP7GADB, BGP7GAEL BGP7GAG9, BGP7GAGP, BGP7GAGS, BGP7GAHE, BGP7GALL, BGP7GAON BGP7GAPE, BGP7GAPU, BGP7GCMP, BGP7GCMS, BGP7GCOM, BGP7GDON BGP7GDSH, BGP7GELD, BGP7GGPU, BGP7GHED, BGP7GLHW, BGP7GLST BGP7GM, BGP7GMUE, BGP7GMUH BGP7GNPL, BGP7GNST, BGP7GNT9, BGP7GNTL, BGP7GNTP, BGP7GNTS BGP7GNXP, BGP7GPED, BGP7GPP, BGP7GR, BGP7GR1, BGP7GR2, BGP7GRA BGP7GRB, BGP7GU, BGP7LHW, BGP7LSTF, BGP7NPL, BGP7XTL, BGP7XTS BGP7XTV, BGP7XTV1
\$\$DT^XLFDT	BGP7D36, BGP7GACW, BGP7GADB, BGP7GAEL, BGP7GAG9, BGP7GAGP BGP7GAGS, BGP7GAHE, BGP7GALL, BGP7GAON, BGP7GAPE, BGP7GAPU BGP7GCMP, BGP7GCMS, BGP7GCOM, BGP7GDON, BGP7GDSH, BGP7GELD BGP7GFO9, BGP7GFOR, BGP7GGPU, BGP7GHED, BGP7GLHW, BGP7GLST BGP7GLTX, BGP7GMTX BGP7GMUE, BGP7GMUH, BGP7GNPL, BGP7GNST, BGP7GNT9, BGP7GNTL BGP7GNTP, BGP7GNTS, BGP7GNXP, BGP7GPED, BGP7GPP, BGP7GUPL BGP7LHW
<p>***** Cross Reference of all Routines ***** Aug 24, 2016@08:35:29 page 211</p>	
Routine	is Invoked by:
\$\$FMADD^XLFDT	BGP5UTL2, BGP6UTL2, BGP7ALG2, BGP7ASL, BGP7AUEX, BGP7AUUL BGP7AUUP, BGP7BAN, BGP7C11, BGP7C13, BGP7CON1, BGP7CU, BGP7D1 BGP7D10, BGP7D2, BGP7D21, BGP7D211, BGP7D213, BGP7D214 BGP7D22, BGP7D23, BGP7D24, BGP7D24A, BGP7D25, BGP7D26, BGP7D28 BGP7D3, BGP7D34 BGP7D37, BGP7D39, BGP7D3A, BGP7D3B, BGP7D4, BGP7D41, BGP7D5 BGP7D51, BGP7D52, BGP7D6, BGP7D61, BGP7D62, BGP7D63, BGP7D64 BGP7D7, BGP7D71, BGP7D714, BGP7D72, BGP7D721, BGP7D722 BGP7D723, BGP7D729, BGP7D73, BGP7D731, BGP7D732, BGP7D74 BGP7D75, BGP7D8, BGP7D81 BGP7D82, BGP7D83, BGP7D84, BGP7D86, BGP7D863, BGP7D87, BGP7D88 BGP7D89, BGP7D9, BGP7DADB, BGP7DAP, BGP7DAR, BGP7DARO, BGP7DCL BGP7DCLP, BGP7DEL, BGP7DELA, BGP7DGPA, BGP7DGPU, BGP7DL BGP7DNDB, BGP7DNE1, BGP7DON, BGP7DPA, BGP7DPA1, BGP7DPA2 BGP7DPA4, BGP7DPAP BGP7DPE1, BGP7DPP, BGP7DSTM, BGP7DU, BGP7EL3, BGP7GAEL BGP7GAHE, BGP7GALL, BGP7GAON, BGP7GAPU, BGP7GCMP, BGP7GCOM BGP7GDON, BGP7GELD, BGP7GGPU, BGP7GHED, BGP7GMUE, BGP7GMUH BGP7GNPL, BGP7GNST, BGP7GPP, BGP7GRB, BGP7NPL, BGP7NPLP BGP7REF1, BGP7UTL, BGP7UTL1 BGP7UTL2
\$\$FMDIFF^XLFDT	BGP7D1, BGP7D10, BGP7D214, BGP7D22, BGP7D24, BGP7D33, BGP7D34 BGP7D341, BGP7D35, BGP7D36, BGP7D37, BGP7D38, BGP7D39, BGP7D52 BGP7D7, BGP7D721, BGP7D722, BGP7D723, BGP7D729, BGP7D731 BGP7D732, BGP7D74, BGP7D75, BGP7D811, BGP7D82, BGP7D83 BGP7D84, BGP7D841 BGP7D861, BGP7D863, BGP7D87, BGP7D9, BGP7D91, BGP7DBPR BGP7DPA, BGP7DPA2, BGP7GU
\$\$FMTE^XLFDT	BGP7ALG1, BGP7ALG2, BGP7AUEX, BGP7AUUL, BGP7AUUP, BGP7C11 BGP7C13, BGP7CON1, BGP7CU, BGP7CU1, BGP7D1, BGP7D10, BGP7D2 BGP7D21, BGP7D211, BGP7D212, BGP7D213, BGP7D22, BGP7D23 BGP7D24, BGP7D24A, BGP7D25, BGP7D26, BGP7D27, BGP7D3, BGP7D31 BGP7D37, BGP7D3A, BGP7D3B

```

BGP7D4 ,BGP7D41 ,BGP7D5 ,BGP7D51 ,BGP7D52 ,BGP7D54 ,BGP7D55
BGP7D5A ,BGP7D6 ,BGP7D61 ,BGP7D62 ,BGP7D63 ,BGP7D64 ,BGP7D7
BGP7D71 ,BGP7D711 ,BGP7D714 ,BGP7D72 ,BGP7D721 ,BGP7D722
BGP7D723 ,BGP7D724 ,BGP7D729 ,BGP7D731 ,BGP7D732 ,BGP7D74
BGP7D75 ,BGP7D8 ,BGP7D81
BGP7D811 ,BGP7D812 ,BGP7D87 ,BGP7D88 ,BGP7D89 ,BGP7D9 ,BGP7D91
BGP7DADB ,BGP7DAP ,BGP7DAR ,BGP7DARO ,BGP7DBPR ,BGP7DCHW
BGP7DCL ,BGP7DCLD ,BGP7DCLP ,BGP7DEL ,BGP7DELA ,BGP7DGPA
BGP7DGPU ,BGP7DH ,BGP7DH1 ,BGP7DICR ,BGP7DL ,BGP7DLT ,BGP7DMT
BGP7DNDB ,BGP7DNE1
BGP7DNG ,BGP7DNGP ,BGP7DNNGS ,BGP7DON ,BGP7DPA ,BGP7DPA2
BGP7DPA4 ,BGP7DPAP ,BGP7DPAW ,BGP7DPE ,BGP7DPE1 ,BGP7DPE2
BGP7DPEA ,BGP7DPEL ,BGP7DPEP ,BGP7DPH ,BGP7DPP ,BGP7DS
BGP7DSTM ,BGP7DU ,BGP7EL2 ,BGP7EL3 ,BGP7EL4 ,BGP7ELH ,BGP7ELHH
BGP7ELL ,BGP7ELS ,BGP7ELSL

**** Cross Reference of all Routines **** Aug 24, 2016@08:35:29 page 212

Routine is Invoked by:
  $$FMTE^XLFD  BGP7GU ,BGP7GUA ,BGP7NPL ,BGP7NPLD ,BGP7NPLP ,BGP7PDL
                BGP7PDLH ,BGP7PDL
  $$FMTH^XLFD  BGP7AUEX ,BGP7AUUL ,BGP7GRB
  $$HTE^XLFD   BGP7AUUL
  $$NOW^XLFD   BGP7AU1A ,BGP7AUEX ,BGP7AUUP ,BGP7DAR ,BGP7DARO ,BGP7DNE1
                BGP7DPA ,BGP7DPAP ,BGP7GACW ,BGP7GADB ,BGP7GAEL ,BGP7GAG9
                BGP7GAGP ,BGP7GAGS ,BGP7GAHE ,BGP7GALL ,BGP7GAON ,BGP7GAPE
                BGP7GAPU ,BGP7GCMP ,BGP7GCMS ,BGP7GCOM ,BGP7GDON ,BGP7GDSH
                BGP7GELD ,BGP7GFO9
                BGP7GFOR ,BGP7GGPU ,BGP7GHED ,BGP7GLHW ,BGP7GLST ,BGP7GLTX
                BGP7GMTX ,BGP7GMUE ,BGP7GMUH ,BGP7GNPL ,BGP7GNST ,BGP7GNT9
                BGP7GNTL ,BGP7GNTP ,BGP7GNTS ,BGP7GNXP ,BGP7GPED ,BGP7GPP
                BGP7GRB ,BGP7GU ,BGP7LHW
  $$LEAP^XLFD  BGP7AUEX ,BGP7AUUP ,BGP7GRB
  $$ABS^XLFMTH BGP7D74
  $$CJ^XLFSTR  BGP7DBPR ,BGP7DP ,BGP7P1 ,BGP7P3 ,BGP7POS
  $$REPEAT^XLFSTR BGP7DICR ,BGP7DLT ,BGP7DMT
  $$STRIP^XLFSTR BGP7D23 ,BGP7D39 ,BGP7D722 ,BGP7DBPR ,BGP7DCHW ,BGP7DP1C
                BGP7DP1D ,BGP7DP1F ,BGP7DP1G ,BGP7DPED ,BGP7DPEP ,BGP7EL2
                BGP7ELL1 ,BGP7ELLN ,BGP7ELP1 ,BGP7PDL3
  $$SUP^XLFSTR BGP7ALG1 ,BGP7ALG2 ,BGP7C11 ,BGP7C13 ,BGP7CU ,BGP7CU1 ,BGP7D2
                BGP7D21 ,BGP7D213 ,BGP7D214 ,BGP7D21A ,BGP7D22 ,BGP7D3
                BGP7D39 ,BGP7D51 ,BGP7D711 ,BGP7D72 ,BGP7D721 ,BGP7D722
                BGP7D723 ,BGP7D731 ,BGP7D732 ,BGP7D74 ,BGP7D75 ,BGP7D81
                BGP7D811 ,BGP7D812 ,BGP7D82
                BGP7D83 ,BGP7D84 ,BGP7D841 ,BGP7D863 ,BGP7D87 ,BGP7D89
                BGP7D91 ,BGP7DARO ,BGP7DON ,BGP7DPA4 ,BGP7DU ,BGP7EL4
                BGP7POS1 ,BGP7ULF ,|dd90558.01 ,|dd90559.06
  ^XMD         BGP7AUUP
  $$VERSION^XPDUTL BGP7P1 ,BGP7P3 ,BGP7POS
  BMES^XPDUTL   BGP7AUEX ,BGP7AUUL
  MES^XPDUTL    BGP7P1 ,BGP7P3 ,BGP7POS
  SETUP^XQALERT BGP7AUUP
  DISP^XQORM1   BGP7ASL ,BGP7CSI ,BGP7CSII ,BGP7CTL ,BGP7CTS ,BGP7DEMO
                BGP7DESI ,BGP7DESL ,BGP7DHSL ,BGP7DPSI ,BGP7DSI ,BGP7DSL
                BGP7ETL ,BGP7PESI ,BGP7PESL ,BGP7XTL ,BGP7XTS ,BGP7XTV
                BGP7XTV1
  $$NOJOURN^ZIBGCHAR BGP7DPE1 ,BGP7EUTL ,BGP7HUTL ,BGP7PUTL ,BGP7UTL

**** END ****
--- END ---

```


6.2 Callable Routines

Published entry points for use by iCARE:

Routine: BGP7D10

BQI(DFN,BQIGREF);PEP-iCare EP

- Description:
 - Entry point called by the iCare module, returns GPRA data by global reference:
 - DFN = Patient internal entry number:
 - BQIGREF = Global reference to store data.

6.3 Published Entry Points

Note: There are no Published Entry Points for this application.

6.4 Exported Options

Table 6-1: Exported BGP Options

Option Name	Description	KEY
BGPGRPC	BGPG Application Context	
BGP 13 AREA DSH	National GPRA Dashboard	
BGP 13 AREA ELDER REPORT	AREA Elder Care Report	
BGP 13 AREA GP SUM ONLY	AREA National GPRA/GPRAMA Report Perf Summaries	
BGP 13 AREA GPRA	AREA National GPRA/GPRAMA Report-Includes GPRA Dev	
BGP 13 AREA GPU	AREA GPRA/GPRAMA Performance Report	
BGP 13 AREA MENU	Area Options	BGPZAREA
BGP 13 AREA NGR FOR 2014	2014 AREA National GPRA & PART Report	
BGP 13 AREA ONM	AREA Other National Measures Report	
BGP 13 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 13 AUTO AREA PARAMS	Setup Area Automated Parameters	
BGP 13 AUTO EDIT CLIENT PARAM	Setup Automated GPRA Extract	
BGP 13 AUTO MANUALLY EXTRACT	Manually Run GPRA Extract	

Option Name	Description	KEY
BGP 13 AUTO PROC SITE MAN	Manually Run Area Aggregate of GPRA Extracts	
BGP 13 AUTO REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 13 AUTO SCHEDULE AREA	Schedule Auto Area File Aggregation	
BGP 13 COMPREHENSIVE PAT LIST	Comprehensive National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 13 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 13 ELDER REPORT	Elder Care Report	
BGP 13 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 13 GPU GPRA PERFORMANCE	GPRA/GPRAMA Performance Report	
BGP 13 LAB TAX CMS	Lab Taxonomies-CMS Report	
BGP 13 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 13 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 13 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 13 LAB TAX ONM	Lab Taxonomies-Other National Measures Report	
BGP 13 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 13 LIST FILES	List files in a directory	
BGP 13 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 13 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 13 MAIN MENU	CRS 2014	
BGP 13 MEASURES FORECAST CP	GPRA/GPRAMA Forecast Denominator Definitions	
BGP 13 MED TAX CMS	Med Taxonomies-CMS Report	
BGP 13 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 13 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 13 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 13 MED TAX ONM	Med Taxonomies-Other National Measures Report	
BGP 13 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 13 MENU NATIONAL	National GPRA/GPRAMA Reports	
BGP 13 NATIONAL DASHBOARD	National GPRA Dashboard	

Option Name	Description	KEY
BGP 13 NATIONAL GPRA REPORT	National GPRA/GPRAMA Report	
BGP 13 NATIONAL GPRA SUM ONLY	National GPRA/GPRAMA Clinical Perf Summaries	
BGP 13 NATIONAL PAT LISTS	National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 13 NATL GPRA DESG PROV	National GPRA/GPRAMA Report by Designated Provider	
BGP 13 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 13 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 13 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 13 OTHER NATIONAL LISTS	Other National Measures Report Patient List	BGPZ PATIENT LISTS
BGP 13 OTHER NATIONAL MEAS RPT	Other National Measures Report	
BGP 13 OTHER NTL RPTS MENU	Other National Reports	
BGP 13 PAT ED REPORT	Patient Education w/Community Specified	
BGP 13 PATIENT ED MENU	Patient Education Reports	
BGP 13 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 13 PTS W SCHED APPT	GPRA/GPRAMA Forecast Patient List	BGPZ PATIENT LISTS
BGP 13 PTS W/GPRA DATA	Selected Patients with GPRA measure Data	
BGP 13 REPORTS MENU	Reports	
BGP 13 SEL ALL PATS	Selected Measures w/All Communities	
BGP 13 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 13 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 13 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 13 SYSTEM SETUP	System Setup	
BGP 13 TAX CHK ONM	Taxonomy Check-Other National Measures Report	
BGP 13 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report	
BGP 13 TAXONOMY CHECK	Taxonomy Check	
BGP 13 TAXONOMY REPORTS	Taxonomy Reports	
BGP 13 TAXONOMY SETUP	Taxonomy Setup	
BGP 13 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template	

Option Name	Description	KEY
BGP 13 UPLOAD FILES	Upload Report Files from Site	
BGP 13 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP 14 AREA DSH	National GPRA Dashboard	
BGP 14 AREA ELDER REPORT	AREA Elder Care Report	
BGP 14 AREA GP SUM ONLY	AREA National GPRA/GPRAMA Report Perf Summaries	
BGP 14 AREA GPRA	AREA National GPRA/GPRAMA Report-Includes GPRA Dev	
BGP 14 AREA GPU	AREA GPRA/GPRAMA Performance Report	
BGP 14 AREA MENU	Area Options	BGPZAREA
BGP 14 AREA NGR FOR 2014	2014 AREA National GPRA & PART Report	
BGP 14 AREA ONM	AREA Other National Measures Report	
BGP 14 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 14 AUTO AREA PARAMS	Setup Area Automated Parameters	
BGP 14 AUTO EDIT CLIENT PARAM	Setup Automated GPRA Extract	
BGP 14 AUTO MANUALLY EXTRACT	Manually Run GPRA Extract	
BGP 14 AUTO PROC SITE MAN	Manually Run Area Aggregate of GPRA Extracts	
BGP 14 AUTO REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 14 AUTO SCHEDULE AREA	Schedule Auto Area File Aggregation	
BGP 14 COMPREHENSIVE PAT LIST	Comprehensive National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 14 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 14 ELDER REPORT	Elder Care Report	
BGP 14 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 14 GPU GPRA PERFORMANCE	GPRA/GPRAMA Performance Report	
BGP 14 LAB TAX CMS	Lab Taxonomies-CMS Report	
BGP 14 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 14 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 14 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 14 LAB TAX ONM	Lab Taxonomies-Other National Measures Report	
BGP 14 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 14 LIST FILES	List files in a directory	

Option Name	Description	KEY
BGP 14 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 14 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 14 MAIN MENU	CRS 2014	
BGP 14 MEASURES FORECAST CP	GPRA/GPRAMA Forecast Denominator Definitions	
BGP 14 MED TAX CMS	Med Taxonomies-CMS Report	
BGP 14 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 14 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 14 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 14 MED TAX ONM	Med Taxonomies-Other National Measures Report	
BGP 14 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 14 MENU NATIONAL	National GPRA/GPRAMA Reports	
BGP 14 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 14 NATIONAL GPRA REPORT	National GPRA/GPRAMA Report	
BGP 14 NATIONAL GPRA SUM ONLY	National GPRA/GPRAMA Clinical Perf Summaries	
BGP 14 NATIONAL PAT LISTS	National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 14 NATL GPRA DESG PROV	National GPRA/GPRAMA Report by Designated Provider	
BGP 14 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 14 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 14 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 14 OTHER NATIONAL LISTS	Other National Measures Report Patient List	BGPZ PATIENT LISTS
BGP 14 OTHER NATIONAL MEAS RPT	Other National Measures Report	
BGP 14 OTHER NTL RPTS MENU	Other National Reports	
BGP 14 PAT ED REPORT	Patient Education w/Community Specified	
BGP 14 PATIENT ED MENU	Patient Education Reports	
BGP 14 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 14 PTS W SCHED APPT	GPRA/GPRAMA Forecast Patient List	BGPZ PATIENT LISTS

Option Name	Description	KEY
BGP 14 PTS W/GPRA DATA	Selected Patients with GPRA measure Data	
BGP 14 REPORTS MENU	Reports	
BGP 14 SEL ALL PATS	Selected Measures w/All Communities	
BGP 14 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 14 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 14 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 14 SYSTEM SETUP	System Setup	
BGP 14 TAX CHK ONM	Taxonomy Check-Other National Measures Report	
BGP 14 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report	
BGP 14 TAXONOMY CHECK	Taxonomy Check	
BGP 14 TAXONOMY REPORTS	Taxonomy Reports	
BGP 14 TAXONOMY SETUP	Taxonomy Setup	
BGP 14 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template	
BGP 14 UPLOAD FILES	Upload Report Files from Site	
BGP 14 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP 15 AREA DSH	National GPRA Dashboard	
BGP 15 AREA ELDER REPORT	AREA Elder Care Report	
BGP 15 AREA GP SUM ONLY	AREA National GPRA/GPRAMA Report Perf Summaries	
BGP 15 AREA GPRA	AREA National GPRA/GPRAMA Report-Includes GPRA Dev	
BGP 15 AREA GPU	AREA GPRA/GPRAMA Performance Report	
BGP 15 AREA MENU	Area Options	BGPZAREA
BGP 15 AREA NGR FOR 2014	2015 AREA National GPRA & PART Report	
BGP 15 AREA ONM	AREA Other National Measures Report	
BGP 15 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 15 AUTO AREA PARAMS	Setup Area Automated Parameters	
BGP 15 AUTO EDIT CLIENT PARAM	Setup Automated GPRA Extract	
BGP 15 AUTO MANUALLY EXTRACT	Manually Run GPRA Extract	
BGP 15 AUTO PROC SITE MAN	Manually Run Area Aggregate of GPRA Extracts	
BGP 15 AUTO REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 15 AUTO SCHEDULE AREA	Schedule Auto Area File Aggregation	

Option Name	Description	KEY
BGP 15 COMPREHENSIVE PAT LIST	Comprehensive National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 15 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 15 ELDER REPORT	Elder Care Report	
BGP 15 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 15 GPU GPRA PERFORMANCE	GPRA/GPRAMA Performance Report	
BGP 15 LAB TAX CMS	Lab Taxonomies-CMS Report	
BGP 15 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 15 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 15 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 15 LAB TAX ONM	Lab Taxonomies-Other National Measures Report	
BGP 15 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 15 LIST FILES	List files in a directory	
BGP 15 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 15 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 15 MAIN MENU	CRS 2015	
BGP 15 MEASURES FORECAST CP	GPRA/GPRAMA Forecast Denominator Definitions	
BGP 15 MED TAX CMS	Med Taxonomies-CMS Report	
BGP 15 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 15 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 15 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 15 MED TAX ONM	Med Taxonomies-Other National Measures Report	
BGP 15 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 15 MENU NATIONAL	National GPRA/GPRAMA Reports	
BGP 15 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 15 NATIONAL GPRA REPORT	National GPRA/GPRAMA Report	
BGP 15 NATIONAL GPRA SUM ONLY	National GPRA/GPRAMA Clinical Perf Summaries	
BGP 15 NATIONAL PAT LISTS	National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS

Option Name	Description	KEY
BGP 15 NATL GPRA DESG PROV	National GPRA/GPRAMA Report by Designated Provider	
BGP 15 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 15 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 15 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 15 OTHER NATIONAL LISTS	Other National Measures Report Patient List	BGPZ PATIENT LISTS
BGP 15 OTHER NATIONAL MEAS RPT	Other National Measures Report	
BGP 15 OTHER NTL RPTS MENU	Other National Reports	
BGP 15 PAT ED REPORT	Patient Education w/Community Specified	
BGP 15 PATIENT ED MENU	Patient Education Reports	
BGP 15 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 15 PTS W SCHED APPT	GPRA/GPRAMA Forecast Patient List	BGPZ PATIENT LISTS
BGP 15 PTS W/GPRA DATA	Selected Patients with GPRA measure Data	
BGP 15 REPORTS MENU	Reports	
BGP 15 SEL ALL PATS	Selected Measures w/All Communities	
BGP 15 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 15 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 15 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 15 SYSTEM SETUP	System Setup	
BGP 15 TAX CHK ONM	Taxonomy Check-Other National Measures Report	
BGP 15 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report	
BGP 15 TAXONOMY CHECK	Taxonomy Check	
BGP 15 TAXONOMY REPORTS	Taxonomy Reports	
BGP 15 TAXONOMY SETUP	Taxonomy Setup	
BGP 15 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template	
BGP 15 UPLOAD FILES	Upload Report Files from Site	
BGP 15 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGP 16 AREA DSH	National GPRA Dashboard	
BGP 16 AREA ELDER REPORT	AREA Elder Care Report	
BGP 16 AREA GP SUM ONLY	AREA National GPRA/GPRAMA Report Perf Summaries	

Option Name	Description	KEY
BGP 16 AREA GPRA	AREA National GPRA/GPRAMA Report-Includes GPRA Dev	
BGP 16 AREA GPU	AREA GPRA/GPRAMA Performance Report	
BGP 16 AREA MENU	Area Options	BGPZAREA
BGP 16 AREA ONM	AREA Other National Measures Report	
BGP 16 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 16 AUTO AREA PARAMS	Set up Area Automated Parameters	
BGP 16 AUTO EDIT CLIENT PARAM	Set up Automated GPRA Extract	
BGP 16 AUTO GPRA EXTRACT	Auto GPRA Extract	
BGP 16 AUTO HOST PARAMS	Set up Host (Area) Automated Parameters	
BGP 16 AUTO MANUALLY EXTRACT	Manually Run GPRA Extract	
BGP 16 AUTO PROC SITE FILES	Auto Process GPRA Extract Files	
BGP 16 AUTO PROC SITE MAN	Manually Run Area Aggregate of GPRA Extracts	
BGP 16 AUTO REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 16 AUTO SCHEDULE AREA	Schedule Auto Area File Aggregation	
BGP 16 COMPREHENSIVE PAT LIST	Comprehensive National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 16 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 16 DISPLAY ICARE TEXT	Display iCare Data Items	
BGP 16 ELDER REPORT	Elder Care Report	
BGP 16 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 16 GPU GPRA PERFORMANCE	GPRA/GPRAMA Performance Report	
BGP 16 LAB TAX CMS	Lab Taxonomies-CMS Report	
BGP 16 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 16 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 16 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 16 LAB TAX ONM	Lab Taxonomies-Other National Measures Report	
BGP 16 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 16 LIST FILES	List files in a directory	
BGP 16 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 16 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 16 MAIN MENU	CRS 2016	

Option Name	Description	KEY
BGP 16 MEASURES FORECAST CP	GPRA/GPRAMA Forecast Denominator Definitions	
BGP 16 MED TAX CMS	Med Taxonomies-CMS Report	
BGP 16 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 16 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 16 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 16 MED TAX ONM	Med Taxonomies-Other National Measures Report	
BGP 16 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 16 MENU NATIONAL	National GPRA/GPRAMA Reports	
BGP 16 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 16 NATIONAL GPRA REPORT	National GPRA/GPRAMA Report	
BGP 16 NATIONAL GPRA SUM ONLY	National GPRA/GPRAMA Clinical Perf Summaries	
BGP 16 NATIONAL PAT LISTS	National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 16 NATL GPRA DESG PROV	National GPRA/GPRAMA Report by Designated Provider	
BGP 16 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	
BGP 16 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 16 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 16 OTHER CMS REPORTS	Other CMS Reports	
BGP 16 OTHER NATIONAL LISTS	Other National Measures Report Patient List	BGPZ PAT
BGP 16 OTHER NATIONAL MEAS RPT	Other National Measures Report	
BGP 16 OTHER NTL RPTS MENU	Other National Reports	
BGP 16 PAT ED REPORT	Patient Education w/Community Specified	
BGP 16 PATIENT ED MENU	Patient Education Reports	
BGP 16 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 16 PTS W SCHED APPT	GPRA/GPRAMA Forecast Patient List	BGPZ PATIENT LISTS
BGP 16 PTS W/GPRA DATA	Selected Patients with GPRA measure Data	
BGP 16 REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 16 REPORTS MENU	Reports	
BGP 16 SEL ALL PATS	Selected Measures w/All Communities	

Option Name	Description	KEY
BGP 16 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 16 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 16 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 16 SYSTEM SETUP	System Setup	
BGP 16 TAX CHK ONM	Taxonomy Check-Other National Measures Report	
BGP 16 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report	
BGP 16 TAXONOMY CHECK	Taxonomy Check	
BGP 16 TAXONOMY REPORTS	Taxonomy Reports	
BGP 16 TAXONOMY SETUP	Taxonomy Setup	
BGP 16 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template	
BGP 16 UPLOAD FILES	Upload Report Files from Site	
BGP 16 VIEW ANY TAXONOMY	View All CRS Taxonomies	
BGPGRPC	BGPG Application Context	
BGPMENU	IHS Clinical Reporting System (CRS) Main Menu	BGPZMENU
BGP 17 AREA DSH	National GPRA Dashboard	
BGP 17 AREA ELDER REPORT	AREA Elder Care Report	
BGP 17 AREA GP SUM ONLY	AREA National GPRA/GPRAMA Report Perf Summaries	
BGP 17 AREA GPRA	AREA National GPRA/GPRAMA Report-Includes GPRA Dev	
BGP 17 AREA GPU	AREA GPRA/GPRAMA Performance Report	
BGP 17 AREA MENU	Area Options	BGPZAREA
BGP 17 AREA ONM	AREA Other National Measures Report	
BGP 17 AREA PAT ED RPT	AREA Patient Education Rpt w/Community Specified	
BGP 17 AUTO AREA PARAMS	Set up Area Automated Parameters	
BGP 17 AUTO EDIT CLIENT PARAM	Set up Automated GPRA Extract	
BGP 17 AUTO GPRA EXTRACT	Auto GPRA Extract	
BGP 17 AUTO HOST PARAMS	Set up Host (Area) Automated Parameters	
BGP 17 AUTO MANUALLY EXTRACT	Manually Run GPRA Extract	
BGP 17 AUTO PROC SITE FILES	Auto Process GPRA Extract Files	
BGP 17 AUTO PROC SITE MAN	Manually Run Area Aggregate of GPRA Extracts	
BGP 17 AUTO REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 17 AUTO SCHEDULE AREA	Schedule Auto Area File Aggregation	
BGP 17 COMPREHENSIVE PAT LIST	Comprehensive National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS

Option Name	Description	KEY
BGP 17 CRS TAXONOMY SETUP	Taxonomy Setup-All CRS Reports	
BGP 17 DISPLAY ICARE TEXT	Display iCare Data Items	
BGP 17 ELDER REPORT	Elder Care Report	
BGP 17 ELDER TAXONOMY CHECK	Taxonomy Check-Elder Care Report	
BGP 17 GPU GPRA PERFORMANCE	GPRA/GPRAMA Performance Report	
BGP 17 LAB TAX CMS	Lab Taxonomies-CMS Report	
BGP 17 LAB TAX CRS	Lab Taxonomies-Selected Measures Reports	
BGP 17 LAB TAX ELDER	Lab Taxonomies-Elder Care Report	
BGP 17 LAB TAX GPRA	Lab Taxonomies-National GPRA/GPRA Perf Report	
BGP 17 LAB TAX ONM	Lab Taxonomies-Other National Measures Report	
BGP 17 LAB TAX REPORT MENU	Lab Taxonomy Report	
BGP 17 LIST FILES	List files in a directory	
BGP 17 LOCAL REPORTS MENU	Reports for Local Use: IHS Clinical Measures	
BGP 17 LOCAL TAXONOMY CHECK	Taxonomy Check-Selected Measures Reports	
BGP 17 MAIN MENU	CRS 2017	
BGP 17 MEASURES FORECAST CP	GPRA/GPRAMA Forecast Denominator Definitions	
BGP 17 MED TAX CMS	Med Taxonomies-CMS Report	
BGP 17 MED TAX CRS	Med Taxonomies-Selected Measures Reports	
BGP 17 MED TAX ELDER	Med Taxonomies-Elder Care Report	
BGP 17 MED TAX GPRA	Med Taxonomies-National GPRA/GPRA Perf Report	
BGP 17 MED TAX ONM	Med Taxonomies-Other National Measures Report	
BGP 17 MED TAX REPORT MENU	Medication Taxonomy Report	
BGP 17 MENU NATIONAL	National GPRA/GPRAMA Reports	
BGP 17 NATIONAL DASHBOARD	National GPRA Dashboard	
BGP 17 NATIONAL GPRA REPORT	National GPRA/GPRAMA Report	
BGP 17 NATIONAL GPRA SUM ONLY	National GPRA/GPRAMA Clinical Perf Summaries	
BGP 17 NATIONAL PAT LISTS	National GPRA/GPRAMA Patient List	BGPZ PATIENT LISTS
BGP 17 NATL GPRA DESG PROV	National GPRA/GPRAMA Report by Designated Provider	
BGP 17 NGR TAXONOMY CHECK	Taxonomy Check-National GPRA/GPRA Performance Rpts	

Option Name	Description	KEY
BGP 17 NGR TAXONOMY SETUP	Taxonomy Setup-National GPRA/GPRA Performance Rpts	
BGP 17 NPL SEARCH TEMPLATE	Create Search Template for National Patient List	BGPZ PATIENT LISTS
BGP 17 OTHER CMS REPORTS	Other CMS Reports	
BGP 17 OTHER NATIONAL LISTS	Other National Measures Report Patient List	BGPZ PAT
IEN LISTS		
BGP 17 OTHER NATIONAL MEAS RPT	Other National Measures Report	
BGP 17 OTHER NTL RPTS MENU	Other National Reports	
BGP 17 PAT ED REPORT	Patient Education w/Community Specified	
BGP 17 PATIENT ED MENU	Patient Education Reports	
BGP 17 PATIENT ED PP	Patient Education w/Patient Panel Population	
BGP 17 PTS W SCHED APPT	GPRA/GPRAMA Forecast Patient List	BGPZ PATIENT LISTS
BGP 17 PTS W/GPRA DATA	Selected Patients with GPRA measure Data	
BGP 17 REPORT AUTOMATION	Report Automation	BGPZAREA
BGP 17 REPORTS MENU	Reports	
BGP 17 SEL ALL PATS	Selected Measures w/All Communities	
BGP 17 SEL PATIENT PANEL	Selected Measures w/Patient Panel Population	
BGP 17 SELECTED IND REPORT	Selected Measures w/Community Specified	
BGP 17 SITE PARAMETERS	Site Parameters	BGPZ SITE PARAMETERS
BGP 17 SYSTEM SETUP	System Setup	
BGP 17 TAX CHK ONM	Taxonomy Check-Other National Measures Report	
BGP 17 TAX SETUP ONM	Taxonomy Setup-Other National Measures Report	
BGP 17 TAXONOMY CHECK	Taxonomy Check	
BGP 17 TAXONOMY REPORTS	Taxonomy Reports	
BGP 17 TAXONOMY SETUP	Taxonomy Setup	
BGP 17 UPDATE DEMO SEARCH TEMP	Update the Demo/Test Patient Search Template	
BGP 17 UPLOAD FILES	Upload Report Files from Site	
BGP 17 VIEW ANY TAXONOMY	View All CRS Taxonomies	

7.0 Security Keys

Table 2-1 provides the BGP security keys and their descriptions.

8.0 Archiving and Purging

There is no archiving and purging in this package.

9.0 Documentation Resources

This section describes a few methods to generate online technical documentation.

9.1 How to Generate Online Documentation

The file number range for this package is 90240, 90370, 90530–90539 and 90558–90599. The namespace is BGP. All templates, routines, screen forms, etc., begin with BGP.

This section describes some methods by which users can generate IHS RPMS CRS technical documentation. Online technical documentation pertaining to the IHS RPMS clinical reporting software, in addition to that which is located in the help prompts and on the help screens throughout the IHS RPMS Clinical Reporting package, can be generated through the use of several kernel options. These include, but are not limited to, the sections that follow.

9.2 System Documentation

Online VPS system documentation can be generated through the use of several kernel options, including, but not limited to:

- %INDEX
- Menu Management
- Inquire Option
- Print Option File
- VA FileMan
- Data Dictionary Utilities
- List File Attributes

For more option listings and further information about other utilities that supply online technical information, see the Decentralized Hospital Computer Program (DHCP) Kernel Reference manual.

9.2.1 %INDEX

The %INDEX option analyzes the structure of a routine to determine, in part, if the routine adheres to RPMS programming standards. The output can include the following components:

- Compiled list of errors and warnings
- Routine listings

- Local variables
- Global variables
- Naked globals
- Label references
- External references

Running %INDEX for a specified set of routines allows users to discover any deviations from RPMS programming standards that exist, and to see how routines interact with one another (i.e., which routines call or are called by other routines).

To run %INDEX for the IHS RPMS Clinical Reporting package, specify the BGP namespace at the “Routine(s)?>” prompt.

9.2.2 Inquire Option

The Inquire menu management option provides the following information about a specified option:

- Option name
- Menu text
- Option description
- Type of option
- Lock (if any)

In addition, all items on the menu are listed for each menu option. To secure information about IHS RPMS Clinical Reporting options, you must specify the BGP namespace.

9.2.3 Print Option File

Note: The Print Option File utility generates a listing of options from the Option file (#19). Print all entries, a single option, or range of options. For a list of IHS RPMS Clinical Reporting options, see Section 9.1.
There are no Published Entry Points for this application.

9.2.4 List File Attributes

This VA FileMan option allows users to generate documentation pertaining to files and file structure. The standard format of this option provides the following data dictionary information for a specified file:

- File name and description

- Identifiers
- Cross-references
- Files pointed to by the file specified
- Files that point to the file specified
- Input, print, and sort templates

In addition, the following applicable data is supplied for each field in the file:

- Field name, number, title, and description
- Global location
- Help prompt
- Cross-references
- Input transform
- Date last edited
- Notes

Using the Global Map format of this option generates an output that lists the following information:

- All cross references for the file selected
- Global location of each field in the file
- Input, print, and sort templates

For a comprehensive listing of CLINICAL files, see Section 4.0

9.3 Online Help

In addition to system documentation, RPMS includes special help displays for most menu options and data entry prompts. Typing ? at the “Select Option” prompt displays information related to the current option, where:

Typing	Displays
A single question mark (?)	A list of all options accessible from the current option
Two question marks (??)	A list of all accessible options and their formal names
Three question marks (???)	A brief description for each option in a menu
A single question mark (?) followed by an option name (?OPTION)	Extended help, if available, for that option

10.0 SAC Requirements

This program uses a standard global for export of data to the Area Office. The global is called ^BGPDATA (and is killed at the root level in various routines).

The kill of these unsubscribed globals has been approved by the Standards and Conventions committee.

Glossary

Archiving

The storage of historical or little-used data off-line (often on tape).

Cross Reference

An indexing method whereby files can include presorted lists of entries as part of the stored database. Cross references (x-refs) facilitate look-up and reporting.

Entry Point

A point within a routine that is referenced by a “DO” or “GOTO” command from a routine internal to a package.

File

A set of related records or entries treated as a single unit.

FileMan

The database management system for RPMS.

Global

In MUMPS, global refers to a variable stored on disk (global variable) or the array to which the global variable may belong (global array).

INDEX (%INDEX)

A kernel utility used to verify routines and other MUMPS code associated with a package. Checking is done according to current ANSI MUMPS standards and RPMS programming standards. This tool can be invoked through an option or from direct mode (>D ^%INDEX).

Kernel

The set of MUMPS software utilities that function as an intermediary between the host operating system and application packages, such as Laboratory and Pharmacy. The kernel provides a standard and consistent user and programmer interface between application packages and the underlying MUMPS implementation. These utilities provide the foundation for RPMS.

Menu

A list of choices for computing activity. A menu is a type of option designed to identify a series of items (other options) for presentation to the user for selection. When displayed, menu-type options are preceded by the word “Select” and followed by the word “option,” as in “Select Menu Management option:” (the menu’s select prompt).

Namespace

A unique set of 2 to 4 alpha characters that are assigned by the database administrator to a software application.

Option

An entry in the Option file. As an item in a menu, an option provides an opportunity for users to select it, thereby invoking the associated computing activity. Options may also be scheduled to run in the background, non-interactively, by TaskMan.

Routine

A program or sequence of instructions called by a program that may have some general or frequent use. MUMPS routines are groups of program lines that are saved, loaded, and called as a single unit via a specific name.

Utility

A callable routine line tag or function. A universal routine usable by anyone.

Variable

A character or group of characters that refers to a value. MUMPS recognizes three types of variables: local variables, global variables, and special variables. Local variables exist in a partition of the main memory and disappear at signoff. A global variable is stored on disk, potentially available to any user. Global variables usually exist as parts of global arrays.

Acronym List

Acronym	Term Meaning
CRS	Clinical Reporting System
FIPS	Federal Information Processing Standards
FOIA	Freedom of Information Act
GPRA	Government Performance and Results Act
HHS	(Department of) Health and Human Services
ICD	International Classification of Diseases
IHS	Indian Health Service
ISC	Information System Coordinator
OIT	Office of Information Technology
RPMS	Resource and Patient Management System

Contact Information

If you have any questions or comments regarding this distribution, please contact the OIT Help Desk (IHS).

Phone: (888) 830-7280 (toll free)

Web: <http://www.ihs.gov/helpdesk/>

Email: support@ihs.gov